BEFORE THE NATIONAL GREEN TRIBUNAL

WESTERN ZONE BENCH, PUNE

ORIGINAL APPLICATION NO. 80/2024 WZ

IN THE MATTER OF:-

Scheduled Tribe Association & Ors. … Applicants

Versus

Goa State Pollution Control Board & Ors. … Respondents

INDEX

SL. NO.	PARTICULARS	PAGE NO.
1.	Reply Affidavit on behalf of Respondent No. 4 – M/S Goa Carbon Limited to Original Application No. 80 of 2024 (WZ)	**463-489**
2.	**ANNEXURE R-4/A:** A copy of the ambient air quality data recorded by the MoEF accredited third party laboratory for the period January 2023 to January 2024	**490-580**
3.	**ANNEXURE R-4/B:** A copy of the stack emission data of the Respondent No. 4 from January 2023 to January 2024.	**581-1352**
4.	**ANNEXURE R-4/C:** A copy of the documents evidencing the installation of DES /APC system in 2017-18.	**1353**
5.	**ANNEXURE R-4/D:** A copy of the photographs of the Respondent No. 4's plant evidencing some of the pollution control measures.	**1354-1358**

6.	**ANNEXURE R-4/E:** A copy of the Report on Air Dispersion Study (Modeling) of Coal Particles Released During the Manufacture of Calcined Petroleum Coke from Raw Petroleum Coke at Salcete Plant of Goa Carbon by BITS Pilani, Goa Campus submitted in July 2022.	**1359-1382**
7.	**ANNEXURE R-4/F:** A copy of the medical examination report of its employees carried out on 21.01.2023 from Divine Medical Centre, Margao, Goa.	**1383**
8.	**ANNEXURE R-4/G:** A copy of the medical examination report conducted between 09.05.2025-10.05.2024 by Goa Healthcare.	**1384**

FILED BY:

[ARNAV DASH & SHIVSHANKAR SWAMINATHAN]
ADVOCATES FOR THE RESPONDENT NO. 4
15&22 P.J. Chambers Off Mumbai Pune Road,
Pimpri Pune- 411018
Email: arnavdash@gmail.com
Mob: 8860412959

PLACE: PUNE
DATE: 18.09.2024

NOTARY
Francis D'Souza
Reg. No. 323
TISWADI - TALUKA
Expiry Date:
28-2-2029
GOVT OF GOA (INDIA)

BEFORE THE NATIONAL GREEN TRIBUNAL

WESTERN ZONE BENCH, PUNE

ORIGINAL APPLICATION NO. 80 OF 2024 (WZ)

IN THE MATTER OF:-

Scheduled Tribe Association & Ors. ... Applicants

Versus

Goa State Pollution Control Board & Ors. ... Respondents

REPLY AFFIDAVIT ON BEHALF OF RESPONDENT NO. 4 – M/S GOA CARBON LIMITED

I, Pravin Satardekar, S/O Late Rajendra Satardekar, C/o, Goa Carbon Limited, Dempo House, Campal, Panaji – Goa 403 001, the Authorized Representative of Respondent No. 4, do hereby solemnly affirm and state as follows:

1. That I am duly authorized by the Respondent No. 4 Company, i.e., M/s Goa Carbon Limited in the above manner and as such am fully conversant with the facts and circumstances of the case based on the records maintained by the Respondent No. 4 Company and am, therefore competent to affirm this Affidavit.

2. That this Hon'ble Tribunal is presently seized of the above-mentioned Original Application No. 80/2024 which raises allegations pertaining to the alleged air pollution being caused by the Respondent No. 4 in violation of the Consent to Operate granted to it and further alleges that harm is being caused to the villagers living in the vicinity of the Respondent No. 4's Calcination Plant.

GOA CARBON LTD.

3. At the outset, the Respondent No. 4 categorically denies and disputes all contentions being raised by the Applicants in the present Application, save and except what has been specifically admitted hereunder. Any omission on part of the Respondent No. 4 to deal with or controvert any contention of the Applicant should not be construed as an admission/acceptance thereof by the Respondent No. 4. Further Respondent No. 4 craves leave to add, amend or supplement the present Reply at a later date, if deemed necessary.

4. That this Hon'ble Tribunal was pleased to issue notice to the respondents vide order dated 23.04.2024 and had also directed that:

> *We deem it appropriate to constitute a Joint Committee comprising one member each of Goa State Pollution Control Board (GSPCB), the Chief Secretary, State of Goa and Ministry of Environment, Forests and Climate Change (MoEF&CC), GSPCB being the nodal agency of the said Committee, with a direction that the Committee shall visit the spot after intimating the applicants the date of its visit to the spot. After visiting the spot, the Joint Committee will submit a report as to whether respondent No.4 has been granted all the consents which were required to be obtained for setting up the Industry and whether the conditions laid down therein have been complied with by them or not and if there is any non-compliance on the part of respondent No.4, amount of Environmental Damage Compensation (EDC) to be levied from respondent No.4 and the corrective action may also be proposed. Let this report of the Committee be submitted before us by the GSPCB within one month, by e-mail at ngt-pune@.gov.in preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.*

5. That before averting to the para-wise Reply on the merits of the Original Application, the Respondent No. 4 seeks to place on

record its Preliminary Objections/Submissions which are crucial for a holistic adjudication of the present matter.

BACKGROUND

6. That the Respondent No. 4 is a public listed Company (listed on the Bombay Stock Exchange and the National Stock Exchange), duly incorporated under the Companies Act, 1956, having its headquarters at Panjim, Goa. The Respondent No. 4 is engaged in the business of manufacture of Calcined Petroleum Coke (hereinafter "**CPC**"), and has three (3) manufacturing plants, situated at (i) St. Jose de Areal, Salcete, Goa, (ii) Paradip, Odisha, and (iii) Bilaspur, Chhattisgarh, respectively. CPC is a crucial industrial input for the Aluminium and Steel industry. In fact, it may be noted that when it comes to manufacturing of Aluminium, CPC is a key input material as there is no alternative for the same chemically.



7. The present petition concerns the Goa plant of the Respondent No. 4 which has been operational for more than five decades, and is an ISO certified plant. The said plant is situated at St. Jose de Areal, Salcete, about 40 kms away from Mormugao Port, and has an annual capacity of 1,00,000 TPA.

8. That the Respondent No. 4 is a well-reputed Company and it has been carrying out all its operations in accordance with law, particularly all provisions of environmental law since its inception. In particular, the Respondent No. 4 has continually operated its plant under a valid Consent to Operate (hereinafter "**CTO**") issued by the Goa State Pollution Control Board.

9. That apart, the Respondent No. 4 being a conscientious corporate citizen of the country, and conscious of its Corporate Social Responsibility, has over the years taken various measures



and steps to ensure that the pollution load from its plant is minimal and within the permissible statutory limits, some of which are discussed hereinafter.

PRELIMINARY OBJECTIONS ON MAINTAINABILITY

10. That at the outset, it may be noted that the present Application purportedly filed under Section 15 of the National Green Tribunal Act, 2010 ("**NGT Act, 2010**") *inter alia* seeks to impugn the Consent to Operate dated 28.03.2019 issued in favour of the Respondent No. 4 as is evident from prayer (b) of the petition.

11. That it is a matter of record that the Goa State Pollution Control Board issued a valid Consent to Operate in favor of the Respondent No. 4 on 28.03.2019, which was valid for a period of 5 years i.e., 31.03.2024. Thereafter, the State Pollution Control Board has also issued further Consent to Operate on 03.04.2024, which is presently valid.

12. It is submitted that a Consent to Operate is an appealable order under Section 28 of the Water (Prevention and Control of Pollution) Act, 1974 and/or Section 31 of the Air (Prevention and Control of Pollution) Act, 1981. Further, an Appeal from the Order passed by the Appellate Authority under the said Acts lies before this Hon'ble Tribunal under Section 16 of the National Green Tribunal Act, 2010. It is important to note that the appellate mechanisms provided under the Air Act, 1981 and the Water Act, 1974 have strict limitation periods of 30 days, which has all expired. More importantly, an appeal against the permissions granted compositely under the Air Act, 1981 and Water Act, 1974 would lie to the Hon'ble High Court as has been

clarified in the case of ***Tamil Nadu Pollution Control Board v. Sterlite Industries*** 2019 SCC OnLine SC 221.

13. That it is submitted that the present Application, which is styled as an Application under Section 15 of the NGT Act, 2010, is nothing but an appeal against the Consent to Operate dated 28.03.2019 granted in favour of the Respondent No. 4. Such an appeal is not maintainable directly before this Hon'ble Tribunal and in any event, is hopelessly barred by limitation.

14. That in ***Satyabrata Sanjeev Kumar Mohanty vs MoEF&CC*** **OA No. 53/2023/EZ**, this Hon'ble Tribunal dismissed the Original Application after observing that under the garb of reliefs claimed in the Original Application, Applicant was in effect challenging the Stage-I and stage II Forest Clearance granted by MoEF&CC.

That similarly this Hon'ble Tribunal has held in ***D.V. Girish vs Secretary to Government, Department of Forest and Ecology*** OA No. 154/2014/SZ that once an appeal does not lie before the Tribunal against a given order, it will not be appropriate for the Tribunal to exercise judicial jurisdiction under section 14 or any other provisions of the NGT Act, 2010.

16. In the circumstances, it is submitted that the present Application which is nothing but an appeal in the guise of an original application, is hopelessly barred by limitation and deserves to be dismissed at the very outset on this ground alone.

17. Even assuming without conceding that the present Application is maintainable under Section 15, the Applicant has also not made out any case for showing how the present Application has been filed within the period of limitation specified in Section 15 of the NGT Act, 2010 other than a bald averment to the effect

that the petition has been filed within 5 years of an alleged cause of action.

18. That it is interesting to note that the Applicant in the limitation clause has submitted that "the cause of action in the present case originated on 15.03.2022 when the inquiry report of the Goa State Human Rights Commission was prepared, as the said report served as the first finding of correlation between the harm caused to the health of the Applicants and the air pollution prevalent in the region. Whereas, in paragraph 4 of the OA, Applicants have alleged that the Respondent No. 4 unit has been causing air pollution and causing health ailments to the villagers since its inception. This shows that the Applicant is merely relying upon the Report of the Goa State Human Rights Commission dated 15.03.2022 in order to circumvent the period of limitation and this amounts to gross misuse of the process of this Hon'ble Tribunal.

19. That even otherwise, it is worth noting that no Application is maintainable under Section 15 of the NGT Act, 2010 unless it is made within a period of five years from the date on which the cause of action first arose. The Applicants have failed to establish as to what prevented them from approaching this Hon'ble Tribunal within the stipulated time under the provision of Section 15 of the NGT Act, 2010 and therefore the petition is liable to be dismissed *in limine* on this ground alone.

20. That it is also worth noting that none of the events or heads under which compensation or relief for damage may be claimed, as specified in Schedule II of the NGT Act, 2010, have occurred in the present case at all. Therefore, the jurisdictional threshold for maintaining a Section 15 Application is not made out in the present case at all, in as much as there has been not a single event

occasioned by the Respondent No. 4 Company, which is actionable by this Hon'ble Tribunal under Section 15 read with Schedule II of the Act. This Hon'ble Tribunal may take a strict view of the irresponsible conduct of the Applicants and pass directions accordingly.

SUBMISSIONS ON MERITS

(a) ***Claims of violation of stack PM standards are completely false or highly exaggerated***

21. That the Applicant has sought to establish its allegation of harm caused to the villagers through air pollution being attributable to the 221 instances wherein the PM stack emissions of the Respondent No. 4's calcination plant exceeded 150mg/nm^3.

22. At the outset, it is submitted that the Applicants have completely misdirected themselves by stating that the instances of stack emissions are in breach of NAAQ standards 2019. The NAAQ Standards are standards of "ambient air quality", whereas the emission data produced by the Applicants in their application pertain to "stack emission". Stack emission data cannot be compared at all with "ambient air quality" standards and therefore, this allegation is *per se* incorrect and illogical.

23. Insofar as the standards prescribed by the MoEF&CC Notification dated 05.06.2023, it is the admitted case of the Applicant that these standards would come into force only w.e.f. from 05.06.2025. Therefore, the said standards are clearly <u>not in force</u> as on date. Hence, the said Notification dated 05.06.2023 cannot be pressed into service as on date.

24. The stack emission standards for PM which are currently applicable to the Respondent No. 4 are prescribed in the CTO,

which for PM is 150mg/nm^3. The applicable CTO for the period mentioned in the application i.e. January 2023 to January 2024 was the CTO dated 28.03.2019 which is annexed with the Application *(@Pg. 114-121)*

25. The Respondent No. 4 has been periodically granted and renewed the Consent to Operate with the latest CTO being that of 03.04.2024 which is valid till date. The CTO's have been renewed periodically by the State Pollution Control Board only after verifying that the Respondent No. 4 is compliant with its conditions of the CTO.

26. Insofar as the NAAQ standards are concerned, it may be noted that they pertain to "ambient air quality". The NAAQ standards further stipulate that the norms are to be complied with 98% of the time in a year, with a **2% margin** for error (emphasis supplied). Insofar as ambient air quality is concerned, the Respondent No. 4 periodically carries out ambient air quality monitoring through an MoEF accredited third party laboratory and the data shows they are all the time within the parameters fixed by the NAAQ standards.

A copy of the ambient air quality data recorded by the MoEF accredited third party laboratory for the period January 2023 to January 2024 is annexed herewith and marked as **ANNEXURE R-4/A**.

27. It is submitted that insofar as stack data is concerned, the Applicant has chosen to cherry pick instances where the PM emissions caused by the Respondent No. 4's calciner plant has allegedly exceeded 150 mg/Nm3. The Applicant has highlighted 221 instances, which have been cherry picked across 37,440 readings taken for an entire year. It is submitted that the readings of the emissions at the Respondent No. 4's calciner plant are

taken once in every 15 minutes, thereby resulting in 96 readings for one day, 2880 readings for a month and 37,440 readings for a year.

28. It is respectfully submitted that 221 readings out of 37,440 readings in a year constitute about **0.59%** of the total readings which is a miniscule amount. Furthermore, as the readings are carried out once in every 15 minutes, the Respondent No. 4 has been able to effectively investigate and correct any anomaly by constantly investing in installing and repairing filters to reduce the emission levels.

29. It is submitted that the list of entries of stack emission relied upon by the Applicant are highly selective and biased since they do not reveal the entire picture in front of this Hon'ble Tribunal. A tabular representation of the instances being depicted by the Applicants vide Annexure A-4 of the original application versus the impact of the same over a period of a month and a year would help in shedding light over the discriminatory usage of data by the Applicants and the same is produced herein below:

Month	No. of readings exceeding limits [Out of 2880 readings for a month[	No. of readings exceeding limits [Out of 37,440 readings for a year]
January	0	221
February	0	
March	1	
April	5	
May	59	
June	54	
July	90	
August	0	
September	12	
October	0	
November	0	

December	0	
January (2024)	0	

NB:

1. A spurt in emissions for the months of May, June and July was because of a rupture in the bag house which was replaced/repaired immediately.

2. It may be noted that the readings above are 15-minute readings. At no point of time, was the Daily Average Limit breached

A copy of the stack emission data of the Respondent No. 4 from January 2023 to January 2024 have been annexed herewith and marked as **ANNEXURE R-4/B**.

It is categorically submitted by the Respondent No. 4 that it has always operated in consonance with the emission standards specified in the CTO and has not acted in violation as contended by the Applicants.

(b) Without prejudice, the Respondent No. 4 has always taken timely action when it has noticed any fluctuation in its emission readings

30. That at the outset, it is reiterated that the Respondent No. 4 has consistently been in compliance with the standards prescribed in the CTO as well as NAAQ standards, and its error margin in the emission readings is a miniscule 0.59%.

31. That it is further pertinent to point out that while some online PM readings from the kiln stack have occasionally exceeded the norms of 150 mg/Nm3, in more than 99% instances the daily average readings were always within norms.

32. Without prejudice, it is submitted that every time the Respondent No. 4 has noticed an unusual fluctuation in the emission readings, it has taken timely and immediate corrective action to address the same.

33. The Respondent No. 4 has invested significantly in the Dust Extraction System ("**DES**") in 2017-18 to contain fugitive dust emissions. The efficiency of the DES depends on the functioning of the filter bags fitted in the bag house. There are 560 woven fiberglass filter bags installed in four chambers. Although the supplier's warranty with respect to the bags is for 2 years, the Respondent No. 4 has as a conscientious corporate citizen, replaced the entire bag house after one year. The entire bags were last replaced on 30.05.2022.

34. The Respondent No. 4 has been continuously monitoring and replacing the filter bags as the same may be damaged in normal course of operations. It is submitted that by July 2023, 58 bags had been replaced.

35. Further, on 14.08.2023, despite no machinery breakdown, the Respondent No. 4 conducted a plant shutdown to replace all the filter bags. The plant then resumed operations on 12.09.2023. Since then, there have been no readings above 150 mg/Nm3, except for one instance in March 2024, which lasted for 15 minutes, for which the Respondent No. 4 took immediate corrective measures. It may be noted that the Respondent No. 4's calcination process is a continuous one, and not a batch process. Hence, in view of the continuous nature of the Respondent No. 4's process, any shutdown of the plant needs to be planned in advance.

36. Thus, the Respondent No. 4 remains committed to complying with all environmental norms and meeting emission standards at all times.

(c) The unit of the Respondent No. 4 has installed the requisite air pollution control facilities.

37. That over the last five years, the Respondent No. 4 has made huge investments of over Rs. 5 (five) crores to install a state-of-the-art Dust Extraction System (DES)/ Air Pollution Control System with Bag Filters to significantly curb dust and particular/ particulate matter emissions at its Goa Unit. In this regard, the Respondent has also proactively taken all measures to communicate to various stakeholders, including the Village Panchayat, neighboring villagers, about the pollution control measures taken by it. In this regard, a presentation was made to the Villagers of Sao Jose de Areal on 05.01.2018 regarding the installation of the DES / APC system

A copy of the documents evidencing the installation of DES /APC system in 2017-18 are annexed herewith and marked as **ANNEXURE R-4/C.**

38. The Respondent No. 4 is also currently upgrading its Air Pollution Control devices by installing a state-of-the-art Flue Gas Desulphurisation (FGD) system worth almost Rs. 3.5 crores in its Goa Plant so as to ensure compliance with the SO2 emission norms specified in the MoEF&CC Notification dated 05.06.2023 which will come into effect from 05.06.2025.

39. Apart from the above, the Respondent has from time to time taken the following pollution control measures:

a. More than 56% of the plant's 30 acre premises has green cover.
b. A number of trees have been planted along the boundary area so that the same can act as barriers to flying dust particles.
c. Kiln stack and cooler stack has been fitted with Bag Filters.

d. Conveyor belts and transfer tower have been fully covered to stop fugitive dust.
e. Commissioning of road sweeping machine operated for all internal roads within the factory.
f. Fresh coat of asphalting undertaken for all internal roads within factory premises, which significantly reduces fugitive emissions.
g. Roller sweeping machines used in place of manual sweeping of factory premises.
h. Water sprinklers installed along internal roads and are used from time to time to control fugitive dust.
i. All trucks are cleaned with washing so that material does not spill on the village roads.
j. Rain harvesting pits constructed for harvesting rain water.
k. Unit conducts AAQM and stack monitoring within the premises, which is conducted within an accredited laboratory.

A copy of the photographs of the Respondent No. 4's plant evidencing some of the aforesaid measures are annexed herewith and marked as **ANNEXURE R-4/D.**

48. The Respondent No. 4 also craves the leave of this Hon'ble Tribunal to place on record a study conducted by BITS Pilani towards measuring the total suspended particulate (hereinafter "**TSP**") emitted during the manufacture of Calcined Pet Coke at the Respondent No. 4's calcination plant and found that the concentration of TSP was found to be much below the permissible statutory limit. It is submitted that the conclusion of the abovementioned report regarding the TSP states:

From the results of the dispersion studies, it is noted that, the model predicted concentrations of TSP near the

source is less than 15 μg/m³ for all the three months considered for this study.

41. Furthermore, the BITS Pilani Report also recommends that by installation of bag filters the Respondent No. 4 has reduced the emissions and the same measures ought to be adopted by industries across the country. The recommendation of the BITS Pilani Report is produced herein below:

> *"These results can be attributed to the installation of a bag filter/scrubber on the stack, which has reduced the emissions in a significant manner. Moreover, the highest concentration of TSP occurs at different directions with prevailing winds in which there is no direct adverse effect on human health by this carbon plant. With regard to the results of this study, the systematic application of bag filters/ scrubbers/ increase in stack height/increase in gas velocity in all industrial units across the country is recommended."*

A copy of the Report on Air Dispersion Study (Modeling) of Coal Particles Released During the Manufacture of Calcined Petroleum Coke from Raw Petroleum Coke at Salcete Plant of Goa Carbon by BITS Pilani, Goa Campus submitted in July 2022 has been annexed herewith and marked as **ANNEXURE R-4/E**.

(d) Applicant's claims of health issues faced by villagers are false and unsubstantiated

42. It is submitted that the allegation made by the Applicants regarding health problems being caused to the villagers around the calcination plant of the Respondent No. 4 are disputed, false, unsubstantiated and are made solely for the prejudicial purposes.

43. At the outset, it is highly peculiar that the Applicant has relied upon the medical reports issued by a single and same doctor for all 40 supposed patients. Furthermore, a bare perusal of the said medical reports would indicate the vast majority of them are questionnaires containing basic and common symptoms faced by the alleged patients, and the actual diagnosis by the physician is of a minor cough / allergy. It is important to note that not a single medical report diagnoses any of the patients with any serious respiratory illness.

44. That therefore, it is clear that the Applicant's claim of the Respondent No. 4 causing major health issues for the villagers of St. Jose de Areal is completely unsubstantiated and false.

45. This is further substantiated by the fact that none of the medical reports annexed by the Applicant vide Annexure A-5 to provide for any further updates or follow-up appointments asked for by the medical practitioner. Further, 22 out of the 40 examined villagers have stated that they face more symptoms when they consume fruits and vegetables grown in their own garden or nearby areas. These statements contradict the claim of the Applicant that the actions of the Respondent No. 4 have prevented cultivation in its nearby areas.

46. It is a matter of fact that more than 56% of the Respondent No. 4's own plant premises has green cover, and in fact, there is an abundant presence of healthy fruit bearing trees inside the Respondent's plant premises itself.

47. Furthermore, the Respondent No. 4 has been carrying out medical examination of its employees and workers who work at the calcination plant and reside in the vicinity of the same. It is submitted that the medical reports of the employees of

Respondent No. 4 for the year 2023 and 2024 (conducted by two different and independent medical practitioners – Dr Philip Mascarenhas of Divine Medical Center, Salcete in 2023 and by Dr Vinayak G Buvaji of Goa Healthcare in 2024) unequivocally show that the employees are fit and free from any such occupational health hazards.

A copy of the medical examination report of its employees carried out on 21st January 2023 from Divine Medical Centre, Margao, Goa is annexed herewith and marked as **ANNEXURE R–4/F**.

A copy of the medical examination report conducted between 9th-10th May 2024 by Goa Healthcare is annexed herewith and marked as **ANNEXURE R–4/G**

48. It is respectfully submitted that these medical reports of nearly 58 employees who work daily at the plant of the Respondent No. 4 clearly shows that no medical ailment or harm exists to the said workers with regard to respiratory diseases and due to the plant operations. This itself is reflective of the standards of safety and environment consciousness being adopted by the Respondent No. 4.

49. It is further submitted that out of the 58 employees of the Respondent No. 4, almost half of the employees reside within 2 kms of the Respondent No. 4's plant. Furthermore, about 26 employees have been working at the plant for more than 20 years. It is categorically pointed out by the Respondent No. 4 that despite operating and residing in close proximity to the calciner plant, none of the employees, fortunately, have suffered from any health hazard or respiratory illnesses caused due to emissions from the plant.

NOTARY ... GOV

GOA CARBON LTD.

50. Therefore, it is respectfully submitted that the entire narrative being built by the Applicant is false, misleading, unsubstantiated and hence deserves to be rejected by this Hon'ble Tribunal with huge costs.

PARA WISE REPLY

Without prejudice to any of the foregoing submissions, the Respondent No. 4 shall now advert to the specific paragraphs of the Original Application No. 80/2024 (WZ):

51. That the contents of Paragraph 1 of the Facts of Application do not require any specific reply. It is however submitted that there is no material on record to verify the credentials & *bona fides* of the Applicant organization, apart from the bald averment that that they are ostensibly working towards securing the safety and health of the villagers of Sao Jose De Areal. The Hon'ble Supreme Court in the case of ***State of Uttar Pradesh & Ors. Etc. Etc. vs. Uday Education and Welfare Trust & Anr.***, had dismissed the Appeal due to Appellant's failure in clarifying his credentials and bona fides.

That the contents of Paragraph 2 of the Application do not require any specific reply. To the extent the same are matters of record, the same are admitted and the rest are denied.

53. That the contents of Paragraph 3 of the Application are disputed and denied. The actual capacity of the Respondent No. 4's Goa calcination plant is 1,00,000 TPA and not 3,08,000 TPA. The Respondent No. 4 has been operating for the past more than five decades and the allegation that it is responsible for causing harm to the health of the local villagers is categorically denied. It is also pertinent to note that during the medical examination of nearly 56 workers working and residing in close proximity to the

Respondent No. 4 plant, it has been revealed that none of the employees have suffered from any health hazard or respiratory illnesses caused due to emissions from the plant. This shows that allegations regarding respiratory illness and other health ailments caused due to the Respondent No. 4 plant are absolutely baseless and misleading and may be dealt with accordingly by this Hon'ble Tribunal.

54. That the contents of Paragraph 4 of the Application are vehemently disputed and denied. The Respondent No. 4 has actually taken effective measures in ensuring that it has helped in improving the green cover over its calciner plant over the past more than 4 decades. The tall trees planted by the Respondent No. 4 have been helpful in reducing dust emission apart from improving the air quality near the calciner plant. Furthermore, the Respondent No. 1 has renewed the Consent to Operate on 03.04.2024 after carrying out necessary inspection and due diligence and therefore, the contentions raised by the Applicant are denied. The Respondent No. 4 has adopted adequate mitigation techniques which help in regulating and subduing the pollution, if any.

55. That the contents of Paragraph 5 of the Application do not require any specific reply. However, it is humbly submitted that the Respondent No. 4 has been operating its unit in an environmentally sound manner while ensuring compliance with the extant environmental laws.

56. That the contents of Paragraph 6 of the Application are vehemently denied. It is submitted that the Respondent No. 4 has proactively taking measures to improve the quality of the environment and reduce fugitive emissions, including *inter alia* - installation a state-of-the-art Dust Extraction System (DES)/

Air Pollution Control System with Bag Filters and Flue Gas Desulphurisation (FGD); developing green cover in more than 56% of the plant's area; fully covering conveyor belt and transfer tower to prevent dust from flying; commissioning road sweeping machines and coating internal roads with fresh coat of asphalt; installing water sprinklers along the internal roads; constructing rain water harvesting pits; conducting AAQM and stack monitoring within the premises among others. Even otherwise, prognosis sheets and notes of doctors do not refer the patients for follow up visits despite categorizing the medical ailment as being chronic and serious in nature. It is submitted that these allegations should also hold true for the employees of the Respondent No. 4 who work at the plant and for some who even reside in proximity of the calciner plant.

57. That the contents of Paragraph 7, 8 and 9 of the Application do not require any specific reply except the fact that the technical knowledge of the Applicant needs to be authenticated by appropriate credentials which are missing in the said OA. A simple plagiarism test reveals that some of this material is copy pasted from websites and is not directly relevant for the purpose of the present *lis*. It is further pertinent to note that Respondent No. 4 has been operating its unit in an environmentally sound manner while ensuring compliance with the extant environmental laws.

58. That the contents of Paragraph 10, 11 and 12 of the Application do not require any specific reply.

59. That the contents of Paragraph 13 of the Application are vehemently opposed and more specifically the allegation regarding the data compiled by the Applicants depicting an "*egregious breach of permissible limits of particulate matter*" is

denied. The Applicants have conflated and confused stack emission data with NAAQ standards, which pertain to ambient air quality, which is incorrect and illogical. Insofar as stack emission data is concerned, the Applicants have cherry-picked and compiled 221 instances out 37,440 readings taken over the year, which constitutes only 0.59% of the readings. That the Stack Reports are monitored and recorded once in every 15 minutes and when an anomaly in the reading occurs, it is fixed and repaired as soon as possible by the Respondent No. 4 by correcting bag filters.

60. That the contents of Paragraph 14 of the Application are disputed, and the Respondent No. 4 seeks to clarify that the standards or limits would only be applicable and enforced after two years from the date of the notification dated 05.06.2023 i.e., from 05.06.2025 onwards and the Applicants have been trying to impose standards that are not currently enforced. Further, the table refers to the concentration of PM2.5 in Ambient Air Quality standards, which is distinct from the limit of stack emissions. It is submitted that the emissions from the Rotary Kiln and the concentration of particulate matter (PM) in ambient air are two different measurements. The Applicant also admits that the said limits will come into force two years after their date of Notification i.e., 05.06.2025.

61. That the contents of Paragraph 15 are vehemently opposed and denied. The Applicants have presented a prejudiced argument by contending that the emissions by the calciner plant were "*three times the permissible limit*" which is factually incorrect and wrong. The Applicants are comparing the emissions of the calciner plant with the future standards which are to come into force on 05.06.2025 and not the current standard. It is again submitted that the Applicants have cherry picked instances

which amount to a margin of 0.59% out of the total emission readings that have taken place in a year. It is also submitted that the daily average as well as yearly average of the emission readings of the Respondent No. 4's calciner plant are within the norms specified in the CTO.

62. That the contents of Paragraph 16 are vehemently denied and disputed. The 221 instances and the Online Relay readings from the GSPCB highlight that the emission from the Rotary Kiln, for which the specified limit is 150 mg/Nm^3, as issued in the Consent to Operate (CTO) by the GPCB.

63. That the contents of Paragraph 17 of the Application are vehemently denied as incorrect and misleading. It is submitted that the medical reports annexed in the OA are questionnaires containing basic and common symptoms faced by the alleged patients, and the actual diagnosis by the physician is of a minor cough / allergy. Not a single medical report diagnoses any of the patients with any serious respiratory illness. Moreover, medical reports of employees of Respondent No. 4 unit which have been working and living in close proximity to the unit has revealed that none of the employees have suffered from any health hazard or respiratory illnesses caused due to the plant. This shows that allegations regarding respiratory illness and other health ailments caused due to the Respondent No. 4 plant are absolutely baseless and misleading.

64. The contents of Paragraph 18 of the Application are disputed and denied. The Respondent No. 4 reiterates that the conclusion drawn by the Applicants that there is a correlation between the declining respiratory morbidity of the villagers in Sao Jose De Areal and the emissions from the calciner plant are baseless and without any backing. It is submitted that the employees of the

Respondent No. 4 are not facing any respiratory ailment despite working and living in proximity of the calciner plant where some of them have even been working at the plant for more than 2 decades.

65. That the contents of Paragraph 19, 20 of the Application do not require any specific reply. To the extent the same are matters of record, the same are admitted and the rest are denied. In any case the facts of those cases mentioned in para 19 and 20 are not relevant for the present *lis* as the unit does not use RPC as fuel but as feedstock.

66. That the contents of Paragraph 21 of the Application are disputed and denied to the extent that the Respondent No. 4 is not using furnace oil and has been complying with the state's fuel policy and using low sulphur high-stock diesel instead of furnace oil for fuel on need basis i.e. at the time of start and shutdown of the kiln.

67. That the contents of Paragraph 22, 23, 24 and 25 are admitted to the extent they pertain to the decisions passed by this Hon'ble Tribunal however the same has no relevance to the facts of the present case and therefore the same is denied. As regards the case before the Goa Human Rights Commission, it is a clear case of forum shopping and therefore should be ignored by this Hon'ble Tribunal. It is humbly submitted that the Goa Human Rights Commission does not possess any technical competence to make observations on highly technical issues of APCB or pollution itself. In any case, sum of the observations are dated as early as 2015, 2016 and 2017 and therefore totally not relevant to the present situation. The said issues are barred by limitation both under sections 14 and 15 of the NGT Act, 2010 and therefore it cannot be agitated at this point in time to create

unnecessary bias. This is a ground alone to dismiss the said application as it suffers from not only arbitrary anecdotes but also is hopelessly barred in time.

68. That the contents of Paragraph 26 of the Application are vehemently denied and disputed. That the Respondent No. 4 has presented prejudiced submissions to make it appear as if the GHRC recorded that the pollution caused by the Respondent No. 4's calciner plant was bound to cause morbidities. However, the full context of the GHRC can be seen herein. The GHRC noted in its report dated 15.03.2022 that Calcined Pet Coke is hazardous and not the Respondent No. 4's plant, as being alleged by the Applicants. It is also apposite to note that the GHRC has exceeded its jurisdiction while directing that the Respondent No. 4 shall not be given CTO for more than one year every time, from 01.04.2024 when the present CTO expires, as such a determination is within the sole purview of the Pollution Control Board or this Hon'ble Tribunal.

69. That the contents of Paragraph 27 of the Application are denied and disputed.

70. That the contents of Paragraph 28, 29, 30 and 31 of the Application do not require any specific reply. Any specific grievance to the GHRC may be agitated in the said forum and need not bias the proceedings of this Hon'ble Tribunal.

71. That the contents of Paragraph 32 of the Application do not require any specific reply.

72. That the contents of Paragraph 33 are vehemently disputed and denied. The Respondent No. 4 has operated with valid Consent to Operate and has never breached the conditions of their

GOA CARBON LTD.

Consent to Operate and the bald allegations need to be supported by specific details rather than surmises.

73. That the contents of Paragraphs 34, 35, 36 and 37 do not require any specific reply.

74. That the contents of Paragraph 38 of the Application are disputed and denied. The Respondent No. 4 has been constantly complying with the conditions of the CTO and the inspections carried out by the Respondent No. 1 have been satisfactory which is why the subsequent CTOs i.e., on 28.03.2019 and on 03.04.2024.

75. That the contents of Paragraph 39, 40 and 41 of the Application are disputed and denied. It is submitted that the Respondent No. 4 has always taken adequate measures to mitigate the environmental concerns and the bald allegation that the Respondent No. 1 has been imposing short-lived punitive measures are without substance and baseless. *Arguendo,* in any case, a description of a situation way back in 2015 has no relevance to the facts of the present case and it is hopelessly barred by time.

76. That the contents of Paragraph 42 of the Application are disputed and denied. The Respondent No. 4 would reiterate the submission that the medical reports of the employees of Respondent No. 4 for the year 2023 and 2024 show that the employees are fit and free from any occupational health hazards despite living and working in the vicinity of the calciner plant. Here again, a letter of 24.03.2020 is being referred which is completely barred by limitation as regards the present *lis*.

NOTA Francis D'... Regd. No. ... GOVT ...

GOA CARBON LTD.

77. That the contents of Paragraphs 43, 44, 45, 46 and 47 do not require any specific reply. To the extent the same are matters of record, the same are admitted and the rest are denied.

REPLY TO GROUNDS

78. That para 1 to 50 may be read in response to Grounds (A) to (D) and are not being repeated herein for the sake of brevity.

79. That in response to Ground (E) it is again submitted and reiterated that the Respondent No. 4 have been using low sulphur high-stock diesel instead of furnace oil for fuel as per the directions and policy of the Department of Environment, State of Goa and further the raw pet coke is used as feedstock in making of calcined pet coke.

80. That para 1 to 50 may be read in response to Grounds (F) to (G) and are not being repeated herein for the sake of brevity.

81. That in response to Grounds (H) and (I) it is submitted that the genesis of the issue pertaining to import of Pet Coke by the Calciner industry lies in the order dated 26.07.2018 passed by the Hon'ble Supreme Court of India in. *W.P. No. 13029 of 1985* titled as *M.C. Mehta v. Union of India & Ors.*, wherein the Hon'ble Supreme Court held that the import of pet coke may be permitted only in four industries viz. (1) cement: (2) lime kiln, (3) calcium carbide, and (4) gasification. The Hon'ble Supreme Court stated in its order that the said industries were being allowed to import pet coke on the ground that they were using the same as feedstock and not as fuel. Further, pursuant to the order of the Hon'ble Supreme Court, 6 (six) port-based members of the Calciner industry, including the Respondent No 4 herein, filed applications seeking impleadment, and directions to the effect that they may also be permitted to import pet coke as the

GOA (INDIA)

GOA CARBON LTD

Calciner industry was using Anode Grade RPC as feedstock for the purposes of manufacture of CPC. That on 23.08.2018, the Hon'ble Supreme Court was pleased to permit impleadment of various members of the Calciner industry, including the Respondent No. 4 in the present case.

82. That para 1 to 50 may be read in response to Grounds (J) to (L) and are not being repeated herein for the sake of brevity.

83. That in response to Ground (M) to (O) it is reiterated that the 221 instances are cherry picked and do not constitute even 1% of the total readings of a year and thereby ought to be disregarded by this Hon'ble Tribunal as they are prejudiced and not reflective of the actual data. Further, the standards set by the notification dated 05.06.2023, which has been the entire focus of this application, *are not applicable till 05.06.2025* but the Applicants have tried to paint a picture wherein these standards are applicable, and the Respondent No. 4 has been in fragrant violation of the same which is incorrect, impermissible and devoid of any substance. Furthermore, the Applicants have again in Ground N tried to conflate and compare stack emissions with ambient air quality standards, which is incorrect and illogical.

84. That para 1 to 50 may be read in response to Grounds (P) to (R) and are not being repeated herein for the sake of brevity.

85. That the contents of Limitation paragraph are denied as false and without any merit. The Applicants herein wants to use limitation period as per their own convenience; in the submissions they themselves mentioned that the unit was allegedly polluting the environment since long, but to maintain their petition under Section 15 which has a longer limitation period of five years, they are relying on the inquiry report of Goa State Human Rights Commission dated 15.03.2022. Even after the said report, the

Applicant choose to not institute an Application under Section 14 of the National Green Tribunal Act, 2010 instantly, but waited for 2 long years to institute this Application. So, in the humble submissions of the Respondent No. 4, the Applicants have to first satisfy this Tribunal on the maintainability of this Application.

86. That in view of the abovementioned facts and position of law, it is submitted that the present Original Application suffers from serious laches on the grounds of maintainability and merits and ought to be dismissed by this Hon'ble Tribunal.

87. That the facts state above are true and correct to the best of my knowledge.

DEPONENT

GOA CARBON LTD.

VERIFICATION

I, the deponent above named, do hereby verify the contents of the above affidavit as being true and correct. I state that nothing material has been concealed therefrom.

Verified at Panaji Goa on this, the 18 day of September 2024.

DEPONENT

GOA CARBON LTD.

BEFORE ME

SHRI FRANCIS D'SOUZA
NOTARY FOR TISWADI TALUKA
STATE OF GOA (INDIA)

NOTARY
Francis D'Souza
Reg. No. 323
TISWADI - TALUKA
Expiry Date:
28-2-2029
NOTARIAL NOTARIAL NOTARIAL
GOVT OF GOA (INDIA)

ADV. FRANCIS D'SOUZA
NOTARY
KAMAKSHI PRASAD BLDG
THIRD FLOOR, FLAT NO. 304
PATTO, PANAJI
TISWADI GOA - 403 001

I hereby attest the above signature of Shri/Smt./Miss. Pravin Satardekar the deponent as identified who has been identified before me by ..... who is personally known to me registered under No. 1081/2024
Dtd: 18-09-2024

ANNEXURE R-4/A

Ambient Air Quality Monitoring Report data by Sadekar Enviro Engineers Pvt. Ltd. From Jan 2023 to Jan 2024.
The data is of 4 different locations.

Date of Sampling	Location (within the premises of the plant)	PM10 (limit 100 µg/m3)	PM 2.5 (Limit 60 µg/m3)
18.01.2023	Near Admin Office	82.76	23.95
	Near F.O. Tank	89.22	40.22
	Near Main Gate	93.02	43.66
	Near Raw Material Unloading Area	90.72	32.10
27.02.2023	Near Admin Office	71.87	28.98
	Near F.O. Tank	81.67	30.36
	Near Main Gate	95.86	36.84
	Near Raw Material Unloading Area	93.57	35.51
27.03.2023	Near Admin Office	70.19	22.33
	Near F.O. Tank	75.99	24.74
	Near Main Gate	88.97	25.82
	Near Raw Material Unloading Area	79.63	21.00
20.04.2023	Near Admin Office	73.52	19.59
	Near F.O. Tank	97.86	21.12
	Near Main Gate	79.88	29.65
	Near Raw Material Unloading Area	81.20	28.32
15.05.2023	Near Admin Office	62.71	21.91
	Near F.O. Tank	81.27	34.22
	Near Main Gate	78.44	25.45

	Near Raw Material Unloading Area	76.30	26.95
16.06.2023	Near Admin Office	65.85	22.41
	Near F.O. Tank	84.50	30.81
	Near Main Gate	80.48	28.28
	Near Raw Material Unloading Area	75.22	20.46
10.07.2023	Near Admin Office	34.44	12.39
	Near F.O. Tank	45.35	16.67
	Near Main Gate	48.62	20.83
	Near Raw Material Unloading Area	40.49	19.29
11.08.2023	Near Admin Office	44.52	14.51
	Near F.O. Tank	41.62	13.39
	Near Main Gate	52.88	11.60
	Near Raw Material Unloading Area	56.01	17.09
25.09.2023	Near Admin Office	33.37	15.47
	Near F.O. Tank	48.05	16.88
	Near Main Gate	57.18	17.30
	Near Raw Material Unloading Area	34.42	13.97
16.10.2023	Near Admin Office	64.46	21.54
	Near F.O. Tank	73.80	23.04
	Near Main Gate	69.40	20.71
	Near Raw Material Unloading Area	65.06	17.67
10.11.2023	Near Admin Office	61.60	19.75
	Near F.O. Tank	80.71	22.04
	Near Main Gate	84.79	24.99

	Near Raw Material Unloading Area	71.04	20.54
18.12.2023	Near Admin Office	65.29	27.03
	Near F.O. Tank	77.50	29.07
	Near Main Gate	78.40	23.41
	Near Raw Material Unloading Area	71.58	22.12
05-06.01.2024	Near Admin Office	82.90	21.21
	Near F.O. Tank	90.73	39.30
	Near Main Gate	95.38	36.26
	Near Raw Material Unloading Area	91.62	45.12

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Ravi Estate, Ravi Mayor, Verem, Alto, Old Betim Road, Sanket, Porvorim, Panaji-Goa-403 521
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : sanketgoa@rediffmail.com

Lab. accredited by NABL / Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000000388F

AMBIENT AIR QUALITY MONITORING REPORT					
Report No.	SEE/AR/01/2023/0339	Date of Issue	23/01/2023		
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10		
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	18/01/2023	Temperature(°C)	28.1	Humidity (%)	64
Analysis Started On	19/01/2023	Analysis Completed On	23/01/2023		

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Admin Office		
Ambient Temperature (°C)	30.4	Humidity (%)	71
Wind Speed (km/hr)	1.6	Wind Direction (deg)	224
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	82.76	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	23.95	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	3.83	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_x	13.73	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000000389F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/01/2023/0340	Date of Issue		23/01/2023	
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.		SEEPL/QSP-10	
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	18/01/2023	Temperature(°C)	28.1	Humidity (%)	64
Analysis Started On	19/01/2023	Analysis Completed On		23/01/2023	

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near F. O. Tank		
Ambient Temperature (°C)	30.4	Humidity (%)	71
Wind Speed (km/hr)	1.6	Wind Direction (deg.)	224
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	89.22	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	40.22	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_x	13.75	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Rais Magos, Verem, Alto, Old Bellm Road, Bardez, Porvorim, Panaji-Goa-403 521, Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : sterlabgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.08.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000000390F

AMBIENT AIR QUALITY MONITORING REPORT					
Report No.	SEE/AR/01/2023/0341	Date of Issue	23/01/2023		
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10		
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	18/01/2023	Temperature(°C)	28.1	Humidity (%)	64
Analysis Started On	19/01/2023	Analysis Completed On	23/01/2023		

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Main Gate		
Ambient Temperature (°C)	30.4	Humidity (%)	71
Wind Speed (km/hr)	1.6	Wind Direction (deg)	224
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	93.02	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	43.66	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_X	13.04	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-305/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Bellim Road, Bardez, Porvorim, Panaji-Goa-403 501, Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000000391F

AMBIENT AIR QUALITY MONITORING REPORT						
Report No.	SEE/AR/01/2023/0342	Date of Issue	23/01/2023			
Name of Client	M/s. Goa Carbon Ltd.					
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa					
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10			
Sample Collected By	SEEPL Representative	Environmental condition of lab				
Date of Sampling	18/01/2023	Temperature(°C)	28.1	Humidity (%)	64	
Analysis Started On	19/01/2023	Analysis Completed On	23/01/2023			

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Raw Material Unloading Area		
Ambient Temperature (°C)	30.4	Humidity (%)	71
Wind Speed (km/hr)	1.6	Wind Direction (deg)	224
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	90.72	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	32.10	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_X	14.51	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Arvindeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Bebim Road, Bardez, Porvorim, Panaji-Goa-403 101, Goa State, India. ✆ : (0832) 2411522 / 2411523 • E-mail : starlabgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000000913F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/02/2023/0658	Date of Issue		03/03/2023	
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.		SEEPL/QSP-10	
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	27/02/2023	Temperature(°C)	28.2	Humidity (%)	68
Analysis Started On	28/02/2023	Analysis Completed On		03/03/2023	

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Admin Office		
Ambient Temperature (°C)	31.6	Humidity (%)	74
Wind Speed (km/hr)	2.1	Wind Direction (deg)	264
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	71.87	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	28.98	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	5.79	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_x	13.00	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Akash Pattade
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Rele Magos, Verem, Alto, Old Belim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

Lab. accredited by **NABL** - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000000914F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/02/2023/0659	Date of Issue		03/03/2023	
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.		SEEPL/QSP-10	
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	27/02/2023	Temperature(°C)	28.2	Humidity (%)	58
Analysis Started On	28/02/2023	Analysis Completed On		03/03/2023	

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near F. O. Tank		
Ambient Temperature (°C)	31.6	Humidity (%)	74
Wind Speed (km/hr)	2.1	Wind Direction (deg)	264
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	81.67	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	30.36	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	4.09	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_x	12.58	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Akash Pattade
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd.

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101
Goa State, India. ✆ : (0832) 2411322 / 2411323 ● E-mail : starlabgoa@rediffmail.com

Lab. accredited by **NABL** - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000000915F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/02/2023/0660	Date of Issue	03/03/2023		
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10		
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	27/02/2023	Temperature(°C)	28.2	Humidity (%)	68
Analysis Started On	28/02/2023	Analysis Completed On	03/03/2023		

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Main Gate		
Ambient Temperature (°C)	31.6	Humidity (%)	74
Wind Speed (km/hr)	2.1	Wind Direction (deg)	264
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	95.85	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	36.84	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	3.58	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_x	11.58	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Akash Pattade
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd.

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 91, Patel Estate, Rola Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : sbrlabgoa@rediffmail.com

Lab. accredited by **NABL** - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000000916F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/02/2023/0661	Date of Issue		03/03/2023	
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.		SEEPL/QSP-10	
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	27/02/2023	Temperature(°C)	28.2	Humidity (%)	68
Analysis Started On	28/02/2023	Analysis Completed On		03/03/2023	

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Raw Material Unloading Area		
Ambient Temperature (°C)	30.4	Humidity (%)	71
Wind Speed (km/hr)	1.6	Wind Direction (deg)	224
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	93.57	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	35.51	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	4.04	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_x	12.64	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Akash Pattade
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd.

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Bicholim Road, Bardez, Porvorim, Panaji-Goa-403 101, Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : startebgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000001439F

AMBIENT AIR QUALITY MONITORING REPORT					
Report No.	SEE/AR/03/2023/0533	Date of Issue	31/03/2023		
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10		
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	27/03/2023	Temperature(°C)	28.4	Humidity (%)	65
Analysis Started On	28/03/2023	Analysis Completed On	31/03/2023		

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Admin Office		
Ambient Temperature (°C)	31.1	Humidity (%)	71
Wind Speed (km/hr)	2.7	Wind Direction (deg)	223
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	70.19	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	22.33	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	4.88	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_X	11.77	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Sadekar Enviro Engineers Pvt. Ltd. SEE

Dipali Sawant
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : sarlabgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000001440F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/03/2023/0534	Date of Issue		31/03/2023	
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.		SEEPL/QSP-10	
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	27/03/2023	Temperature(°C)	28.4	Humidity (%)	65
Analysis Started On	28/03/2023	Analysis Completed On		31/03/2023	

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near F. O. Tank		
Ambient Temperature (°C)	31.1	Humidity (%)	71
Wind Speed (km/hr)	2.7	Wind Direction (deg)	223
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	75.99	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	24.74	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_X	12.72	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Sadekar Enviro Engineers Pvt. Ltd.

Dipali Sawant
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto. Old Bardez Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000001441F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/03/2023/0535	Date of Issue	31/03/2023		
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10		
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	27/03/2023	Temperature(°C)	28.4	Humidity (%)	65
Analysis Started On	28/03/2023	Analysis Completed On	31/03/2023		

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Main Gate		
Ambient Temperature (°C)	31.1	Humidity (%)	71
Wind Speed (km/hr)	2.7	Wind Direction (deg)	223
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	88.97	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	25.82	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	6.64	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_x	11.85	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Sadekar Enviro Engineers Pvt. Ltd. SEE

Dipali Sawant
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : sladaogoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000001442F

AMBIENT AIR QUALITY MONITORING REPORT					
Report No.	SEE/AR/03/2023/0536	Date of Issue	31/03/2023		
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10		
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	27/03/2023	Temperature(°C)	28.4	Humidity (%)	65
Analysis Started On	28/03/2023	Analysis Completed On	31/03/2023		

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Raw Material Unloading Area		
Ambient Temperature (°C)	31.1	Humidity (%)	71
Wind Speed (km/hr)	2.7	Wind Direction (deg)	223
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	79.63	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	21.00	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	5.11	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_x	12.37	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Sadekar Enviro Engineers Pvt. Ltd. SEE

Dipali Sawant
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Rua Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411223 • E-mail : starlabgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000001968F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/04/2023/0356	Date of Issue		26/04/2023	
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.		SEEPL/QSP-10	
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	20/04/2023	Temperature(°C)	28.2	Humidity (%)	66
Analysis Started On	21/04/2023	Analysis Completed On		26/04/2023	

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Admin Office		
Ambient Temperature (°C)	31.7	Humidity (%)	70
Wind Speed (km/hr)	2.1	Wind Direction (deg)	233
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	73.52	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	19.59	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	5.42	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_X	10.38	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Sadekar Enviro Engineers Pvt. Ltd.

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Belim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

Lab. accredited by **NABL** - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000001969F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/04/2023/0357	Date of Issue		26/04/2023	
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.		SEEPL/QSP-10	
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	20/04/2023	Temperature(°C)	28.2	Humidity (%)	66
Analysis Started On	21/04/2023	Analysis Completed On		26/04/2023	

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near F. O. Tank		
Ambient Temperature (°C)	31.7	Humidity (%)	70
Wind Speed (km/hr)	2.1	Wind Direction (deg)	233
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	97.86	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	21.12	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	6.58	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_X	8.00	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Sadekar Enviro Engineers Pvt. Ltd.

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000001970F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/04/2023/0358	Date of Issue		26/04/2023	
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.		SEEPL/QSP-10	
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	20/04/2023	Temperature(°C)	28.2	Humidity (%)	66
Analysis Started On	21/04/2023	Analysis Completed On		26/04/2023	

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Main Gate		
Ambient Temperature (°C)	31.7	Humidity (%)	70
Wind Speed (km/hr)	2.1	Wind Direction (deg)	233
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	79.88	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	29.65	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	4.94	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_X	9.87	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd.

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Rais Magos, Verem, Alto, Old Belim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goa State, India. ✆ : (0832) 2411922 / 2411323 • E-mail : starlabgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000001971F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/04/2023/0359	Date of Issue		26/04/2023	
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.		SEEPL/QSP-10	
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	20/04/2023	Temperature(°C)	28.2	Humidity (%)	66
Analysis Started On	21/04/2023	Analysis Completed On		26/04/2023	

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Raw Material Unloading Area		
Ambient Temperature (°C)	31.7	Humidity (%)	70
Wind Speed (km/hr)	2.1	Wind Direction (deg)	233
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	81.20	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	28.32	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	5.06	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_x	8.24	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Sadekar Enviro Engineers Pvt. Ltd.

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Bellim Road, Bardez, Porvorim, Panaji-Goa-403 101
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000002580F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/05/2023/0260	Date of Issue		19/05/2023	
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.		SEEPL/QSP-10	
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	15/05/2023	Temperature(°C)	28.2	Humidity (%)	65
Analysis Started On	16/05/2023	Analysis Completed On		19/05/2023	

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Admin Office		
Ambient Temperature (°C)	31.2	Humidity (%)	65
Wind Speed (km/hr)	1.6	Wind Direction (deg)	209
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	62.71	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	21.91	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	3.72	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_x	7.76	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Pandurang Gawas
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 1904-DTJ-2014)	LES-CCL/FF/MF/SC/1721	13/07/2022	12/07/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 05-DTK-2011)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	23020301-01	17/02/2023	16/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Pvt. Ltd.

B-308/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto. Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : sarlabgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000002581F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/05/2023/0261	Date of Issue		19/05/2023	
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.		SEEPL/QSP-10	
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	15/05/2023	Temperature(°C)	28.2	Humidity (%)	65
Analysis Started On	16/05/2023	Analysis Completed On		19/05/2023	

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near F. O. Tank		
Ambient Temperature (°C)	31.2	Humidity (%)	65
Wind Speed (km/hr)	1.6	Wind Direction (deg)	209
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	81.27	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	34.22	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	3.86	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_X	14.51	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Pandurang Gawas
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 1903-DTJ-2014)	LES-CCL/FF/MF/SC/1720	13/07/2022	12/07/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 302-DTE-2010)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	23012001-02	03/02/2023	02/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No..01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Bellim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000002582F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/05/2023/0262	Date of Issue	19/05/2023		
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10		
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	15/05/2023	Temperature(°C)	28.2	Humidity (%)	65
Analysis Started On	16/05/2023	Analysis Completed On	19/05/2023		

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Main Gate		
Ambient Temperature (°C)	31.2	Humidity (%)	65
Wind Speed (km/hr)	1.6	Wind Direction (deg)	209
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	78.44	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	25.45	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	3.90	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	6.96	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Pandurang Gawas
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 1898-DTJ-2014)	LES-CCL/FF/MF/SC/1738	13/07/2022	12/07/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 301-DTE-2010)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	LES-CCL/FF/PM/SC/1672	13/07/2022	12/07/2023

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Bardez Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : staralbgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000002583F

AMBIENT AIR QUALITY MONITORING REPORT					
Report No.	SEE/AR/05/2023/0263	Date of Issue	19/05/2023		
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10		
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	15/05/2023	Temperature(°C)	28.2	Humidity (%)	65
Analysis Started On	16/05/2023	Analysis Completed On	19/05/2023		

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Raw Material Unloading Area		
Ambient Temperature (°C)	31.2	Humidity (%)	65
Wind Speed (km/hr)	1.6	Wind Direction (deg)	209
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	76.30	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	26.95	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	3.72	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_x	8.37	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Pandurang Gawas
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO.2892-DTJ-2020)	-	23/09/2022	22/09/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 551-DTK-2010)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	23012001-02	03/02/2023	02/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 81, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : sterlabgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000003451F

AMBIENT AIR QUALITY MONITORING REPORT					
Report No.	SEE/AR/06/2023/0373	Date of Issue	21/06/2023		
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10		
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	16/06/2023	Temperature(°C)	28.4	Humidity (%)	63
Analysis Started On	17/06/2023	Analysis Completed On	21/06/2023		

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Admin Office		
Ambient Temperature (°C)	32.5	Humidity (%)	68
Wind Speed (km/hr)	1.9	Wind Direction (deg)	237
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	65.85	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	22.41	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	5.53	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_x	10.04	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Pandurang Gawas
Analyzed by

Nandkumar Desai
Reviewed by

Varsha Pole
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 1904-DTJ-2014)	LES-CCL/FF/MF/SC/1721	13/07/2022	12/07/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 05-DTK-2011)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	23020301-01	17/02/2023	16/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Bellim Road, Bardez, Porvorim, Panaji-Goa-403 101
Goa State, India. ✆ : (0832) 2411322 / 2411323 ● E-mail : sladlabgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000003452F

AMBIENT AIR QUALITY MONITORING REPORT					
Report No.	SEE/AR/06/2023/0374	Date of Issue	21/06/2023		
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10		
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	16/06/2023	Temperature(°C)	28.4	Humidity (%)	63
Analysis Started On	17/06/2023	Analysis Completed On	21/06/2023		

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near F. O. Tank		
Ambient Temperature (°C)	32.5	Humidity (%)	68
Wind Speed (km/hr)	1.9	Wind Direction (deg)	237
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	84.50	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	30.81	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	5.29	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_x	10.79	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Pandurang Gawas
Analyzed by

Nandkumar Desai
Reviewed by

Varsha Pole
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 1903-DTJ-2014)	LES-CCL/FF/MF/SC/1720	13/07/2022	12/07/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 302-DTE-2010)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	23012001-02	03/02/2023	02/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 [illegible] L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Bekim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 ● E-mail : sadekargoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ● Recognized by MoEF & CC ● Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000003453F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/06/2023/0375	Date of Issue		21/06/2023	
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.		SEEPL/QSP-10	
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	16/06/2023	Temperature(°C)	28.4	Humidity (%)	63
Analysis Started On	17/06/2023	Analysis Completed On		21/06/2023	

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Main Gate		
Ambient Temperature (°C)	32.5	Humidity (%)	68
Wind Speed (km/hr)	1.9	Wind Direction (deg)	237
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	80.48	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	28.28	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	6.63	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	10.12	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Pandurang Gawas
Analyzed by

Nandkumar Desai
Reviewed by

Varsha Pole
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 1898-DTJ-2014)	LES-CCL/FF/MF/SC/1738	13/07/2022	12/07/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 301-DTE-2010)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	LES-CCL/FF/PM/SC/1672	13/07/2022	12/07/2023

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Pvt. Ltd.

B-306/307, Plot No. 61, Panel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 ● E-mail : starlabgoa@rediffmail.com

Lab. accredited by NABL - Valid up to 29.06.2023 ★ Recognized by MoEF & CC ★ Certified by ISO 9001:2015 & ISO 45001:2018

TC - 7424

ULR - TC742423000003454F

AMBIENT AIR QUALITY MONITORING REPORT

Report No.	SEE/AR/06/2023/0376	Date of Issue	21/06/2023		
Name of Client	M/s. Goa Carbon Ltd.				
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa				
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10		
Sample Collected By	SEEPL Representative	Environmental condition of lab			
Date of Sampling	16/06/2023	Temperature(°C)	28.4	Humidity (%)	63
Analysis Started On	17/06/2023	Analysis Completed On	21/06/2023		

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Raw Material Unloading Area		
Ambient Temperature (°C)	32.5	Humidity (%)	68
Wind Speed (km/hr)	1.9	Wind Direction (deg)	237
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	75.22	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	20.46	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	7.65	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_x	9.07	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: This certificate may not be reproduced in part, without the permission of this laboratory.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

Pandurang Gawas
Analyzed by

Nandkumar Desai
Reviewed by

Varsha Pole
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO.2892-DTJ-2020)	-	23/09/2022	22/09/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 551-DTK-2010)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	23012001-02	03/02/2023	02/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Pvt. Ltd.

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000004080F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/07/2023/0190**	Date of Issue	14/07/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	10/07/2023	Sample Collected By	SEEPL Representative
Analysis Started On	11/07/2023	Analysis Completed On	14/07/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Admin Office		
Ambient Temperature (°C)	32.9	Humidity (%)	63
Wind Speed (km/hr)	1.3	Wind Direction (deg)	214
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	34.44	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	12.39	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	<6.00	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd. SEE

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 136 L 21)	22122201-01	22/12/2022	21/12/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 1118 L 21)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 MINI	22122201-11	22/12/2022	21/12/2023

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	20/11/2021	19/11/2022

Sadekar Enviro Engineers Pvt. Ltd.

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000004081F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/07/2023/0191**	Date of Issue	14/07/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	10/07/2023	Sample Collected By	SEEPL Representative
Analysis Started On	11/07/2023	Analysis Completed On	14/07/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near F. O. Tank		
Ambient Temperature (⁰C)	32.9	Humidity (%)	63
Wind Speed (km/hr)	1.3	Wind Direction (deg)	214
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	45.35	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	16.67	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	<6.00	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Sadekar Enviro Engineers Pvt. Ltd.

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 BL (SR NO. 2228-DTK-2011)	23021701-09	17/02/2023	16/02/2024

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 290-DTJ-2014)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 MINI	23021701-06	17/02/2023	16/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Pvt. Ltd.

(Laboratory Division) • Accredited by NABL, Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000004082F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/07/2023/0192**	Date of Issue	14/07/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	10/07/2023	Sample Collected By	SEEPL Representative
Analysis Started On	11/07/2023	Analysis Completed On	14/07/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Main Gate		
Ambient Temperature (^{0}C)	32.9	Humidity (%)	63
Wind Speed (km/hr)	1.3	Wind Direction (deg)	214
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	48.62	µg/m^3	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	20.83	µg/m^3	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	µg/m^3	80 .00	IS 5182 (Part 02)
04.	NO_X	<6.00	µg/m^3	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd. SEE

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 1456-DTD-2009)	LES-CCL/FF/MF/SC/1726	23/07/2022	22/07/2023

UV Spectrophotom01eter

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 110-DTK-2012)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 MINI	23021701-04	17/02/2023	16/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Pvt. Ltd.

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000004083F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/07/2023/0193**	Date of Issue	14/07/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	10/07/2023	Sample Collected By	SEEPL Representative
Analysis Started On	11/07/2023	Analysis Completed On	14/07/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Raw Material Unloading Area		
Ambient Temperature (^{0}C)	32.9	Humidity (%)	63
Wind Speed (km/hr)	1.3	Wind Direction (deg)	214
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	40.49	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	19.29	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	<6.00	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd.

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO.2892-DTJ-2020)	LES-CCL/FF/MF/SC/1838	23/09/2022	22/09/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 551-DTK-2010)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	23020301-03	03/02/2023	02/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Pvt. Ltd.

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000004943F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/08/2023/0255**	Date of Issue	17/08/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	11/08/2023	Sample Collected By	SEEPL Representative
Analysis Started On	14/08/2023	Analysis Completed On	17/08/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Main Gate		
Ambient Temperature (^{0}C)	32.1	Humidity (%)	66
Wind Speed (km/hr)	1.8	Wind Direction (deg)	254
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	52.88	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	11.60	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	<6.00	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Sadekar Enviro Engineers Pvt. Ltd.

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 BL (SR NO. 2228-DTK-2011)	23021701-09	17/02/2023	16/02/2024

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 290-DTJ-2014)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 MINI	23021701-06	17/02/2023	16/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Pvt. Ltd.

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000004941F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/08/2023/0253**	Date of Issue	17/08/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	11/08/2023	Sample Collected By	SEEPL Representative
Analysis Started On	14/08/2023	Analysis Completed On	17/08/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Admin Office		
Ambient Temperature (^{0}C)	32.1	Humidity (%)	66
Wind Speed (km/hr)	1.8	Wind Direction (deg)	254
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	44.52	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	14.51	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	<6.00	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Sadekar Enviro Engineers Pvt. Ltd. SEE

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 138 L 21)	22122201-02	22/12/2022	21/12/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 992-DTI-2020)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 MINI	LES-CCL/FF/RF/SC/5514	23/09/2022	22/09/2023

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Pvt. Ltd.

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000004942F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/08/2023/0254**	Date of Issue	17/08/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	11/08/2023	Sample Collected By	SEEPL Representative
Analysis Started On	14/08/2023	Analysis Completed On	17/08/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near F. O. Tank		
Ambient Temperature (^{0}C)	32.1	Humidity (%)	66
Wind Speed (km/hr)	1.8	Wind Direction (deg)	254
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	41.62	µg/m^3	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	13.39	µg/m^3	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	µg/m^3	80 .00	IS 5182 (Part 02)
04.	NO_X	<6.00	µg/m^3	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Sadekar Enviro Engineers Pvt. Ltd. SEE

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO.2871-DTG-2020)	LES-CCL/FF/MF/SC/1834	23/09/2022	22/09/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 983-DTI-2020)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 MINI	LES-CCL/FF/RF/SC/5512	23/09/2022	22/09/2023

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Pvt. Ltd.

(Laboratory Division) • Accredited by NABL, Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ :: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000004944F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/08/2023/0256**	Date of Issue	17/08/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	11/08/2023	Sample Collected By	SEEPL Representative
Analysis Started On	14/08/2023	Analysis Completed On	17/08/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Raw Material Unloading Area		
Ambient Temperature (^{0}C)	32.1	Humidity (%)	66
Wind Speed (km/hr)	1.8	Wind Direction (deg)	254
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	56.01	µg/m^3	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	17.09	µg/m^3	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	µg/m^3	80 .00	IS 5182 (Part 02)
04.	NO_X	<6.00	µg/m^3	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Sadekar Enviro Engineers Pvt. Ltd. SEE

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO.2892-DTJ-2020)	LES-CCL/FF/MF/SC/1838	23/09/2022	22/09/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 551-DTK-2010)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	23020301-03	03/02/2023	02/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

TC - 7424

ULR - TC742423000006038F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	SEE/AR/09/2023/0566	Date of Issue	29/09/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	25/09/2023	Sample Collected By	SEEPL Representative
Analysis Started On	26/09/2023	Analysis Completed On	29/09/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Admin Office		
Ambient Temperature (°C)	30.5	Humidity (%)	65
Wind Speed (km/hr)	1.4	Wind Direction (deg)	247
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	33.37	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	15.47	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	<6.00	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Sadekar Enviro Engineers Pvt. Ltd.

Pandurang Gawas
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

HEAD OFF. & LAB : Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
✆ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : pm@sadekarenviro.com / psadekar5@gmail.com
BRANCH OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ✆ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com • CIN - U45209MH1998PTC-116379

Calibration of Equipment used in Sampling & Analysis

Personal Dust Sampler (Gravimetric Sampling)

Sr No.	Instrument Name	Certificate No.	Calibrated on	Calibration due date
01	[illegible]	[illegible]	22/12/2023	21/12/2025

Environmental Monitoring

Sr No.	Instrument Name	Calibrated on	Calibration due date
01	[illegible]	[illegible]	[illegible]

Fine Particulate Sampler (Sr No. 1.13 [illegible])

Sr No.	Instrument Name	Certificate no.	Calibrated on	Calibration due date
01	[illegible]	22.12.2023 [illegible]	22/12/2023	21/12/2025

NOISE

Sr No.	Instrument Name	Calibrated on	Calibration due date
01	[illegible]	10/01/2023	09/01/2025

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : startabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000006039F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/09/2023/0567**	Date of Issue	29/09/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	25/09/2023	Sample Collected By	SEEPL Representative
Analysis Started On	26/09/2023	Analysis Completed On	29/09/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near F. O. Tank		
Ambient Temperature (°C)	30.5	Humidity (%)	65
Wind Speed (km/hr)	1.4	Wind Direction (deg)	247
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	48.05	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	16.88	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	<6.00	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Sadekar Enviro Engineers Pvt. Ltd.

Pandurang Gawas
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

HEAD OFF. & LAB : Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
✆ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com
BRANCH OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ✆ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com • CIN - U45209MH1998PTC-116379

Calibration details of Equipment used for sensitivity, K Analysis

Rapid Multi Channel Analyzer with Gamma Sensitivity

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	[illegible]	[illegible]	[illegible]	31/12/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
C1	[illegible]	[illegible]

[illegible] Sample [illegible]

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
C1	[illegible]	[illegible]	22/12/2022	21/12/[illegible]

[illegible]

Sr No.	Instrument Type	Calibrated on	Calibration due date
C1	[illegible]	14/[illegible]/2022	15/1[illegible]/2023

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

ULR - TC742423000006040F

TC - 7424

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	SEE/AR/09/2023/0568	Date of Issue	29/09/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	25/09/2023	Sample Collected By	SEEPL Representative
Analysis Started On	26/09/2023	Analysis Completed On	29/09/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Main Gate		
Ambient Temperature (°C)	30.5	Humidity (%)	65
Wind Speed (km/hr)	1.4	Wind Direction (deg)	247
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	57.18	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	17.30	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	<6.00	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Sadekar Enviro Engineers Pvt. Ltd.

Pandurang Gawas
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

HEAD OFF. & LAB : Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India.
✆ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : pns@sadekarenviro.com / psadekar5@gmail.com
BRANCH OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ✆ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com • CIN - U45209MH1998PTC-116379

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler with Cyclone Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	[illegible]	[illegible]	22/12/2021	[illegible]

Weighing Balance

Sr No.	Equipment Name	Calibration
01	[illegible]	In House Calibration

Time Weighted Sampler ISO [illegible]

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	[illegible]	[illegible]	[illegible]	[illegible]

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due on
01	[illegible]	[illegible]	[illegible]

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto. Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000006041F

AMBIENT AIR QUALITY MONITORING REPORT			
Format No.	SEEPL/LD/FMT-87		
Report No.	SEE/AR/09/2023/0569	Date of Issue	29/09/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	25/09/2023	Sample Collected By	SEEPL Representative
Analysis Started On	26/09/2023	Analysis Completed On	29/09/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Raw Material Unloading Area		
Ambient Temperature (°C)	30.5	Humidity (%)	65
Wind Speed (km/hr)	1.4	Wind Direction (deg)	247
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	34.42	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	13.97	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	6.43	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Sadekar Enviro Engineers Pvt. Ltd.

Pandurang Gawas
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

HEAD OFF. & LAB : Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.
✆ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com
BRANCH OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ✆ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com • CIN - U45209MH1998PTC-116379

Calibration details of Equipment used for sampling & analysis

Soil Analysis Instrument (Laboratory)

Sr No	Equipment Name	Certificate No.	Calibrated on	Calibration due date
1	[illegible]	[illegible]	[illegible]	[illegible]

In Stack Monitoring

Sr No.	Equipment Name	Calibration
01	[illegible]	In House Calibration

[illegible]

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	[illegible]	[illegible]	[illegible]	[illegible]

[illegible]

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	[illegible]	[illegible]	[illegible]

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000006604F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/10/2023/0262**	Date of Issue	20/10/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	16/10/2023	Sample Collected By	SEEPL Representative
Analysis Started On	17/10/2023	Analysis Completed On	20/10/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Admin Office		
Ambient Temperature (^{0}C)	31.7	Humidity (%)	68
Wind Speed (km/hr)	1.6	Wind Direction (deg)	235
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	64.46	µg/m^3	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	21.54	µg/m^3	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	4.38	µg/m^3	80 .00	IS 5182 (Part 02)
04.	NO_X	<6.00	µg/m^3	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Sadekar Enviro Engineers Pvt. Ltd.

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 141 L 21)	22122201-05	22/12/2022	21/12/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 1113 L 21)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 MINI	22122201-08	22/12/2022	21/12/2023

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by **NABL**, Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101, Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000006605F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/10/2023/0263**	Date of Issue	20/10/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	16/10/2023	Sample Collected By	SEEPL Representative
Analysis Started On	17/10/2023	Analysis Completed On	20/10/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near F. O. Tank		
Ambient Temperature (°C)	31.7	Humidity (%)	68
Wind Speed (km/hr)	1.6	Wind Direction (deg)	235
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	73.80	µg/m³	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	23.04	µg/m³	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	4.57	µg/m³	80 .00	IS 5182 (Part 02)
04.	NO_X	7.89	µg/m³	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m³	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Sadekar Enviro Engineers Pvt. Ltd. SEE

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 140 L 21)	22122201-04	22/12/2022	21/12/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 1114 L 21)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 MINI	22122201-09	22/12/2022	21/12/2023

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

ULR - TC742423000006606F

TC - 7424

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/10/2023/0264**	Date of Issue	20/10/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	16/10/2023	Sample Collected By	SEEPL Representative
Analysis Started On	17/10/2023	Analysis Completed On	20/10/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Main Gate		
Ambient Temperature (^{0}C)	31.7	Humidity (%)	68
Wind Speed (km/hr)	1.6	Wind Direction (deg)	235
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	69.40	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	20.71	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	5.10	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	9.58	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd.

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 139 L 21)	22122201-03	22/12/2022	21/12/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 1117 L 21)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 MINI	22122201-10	22/12/2022	21/12/2023

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL, Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000006607F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/10/2023/0265**	Date of Issue	20/10/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	16/10/2023	Sample Collected By	SEEPL Representative
Analysis Started On	17/10/2023	Analysis Completed On	20/10/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Raw Material Unloading Area		
Ambient Temperature (^{0}C)	31.7	Humidity (%)	68
Wind Speed (km/hr)	1.6	Wind Direction (deg)	235
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	65.06	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	17.67	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	3.35	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	<6.00	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt Ltd

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 136 L 21)	22122201-01	22/12/2022	21/12/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 1118 L 21)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 MINI	22122201-11	22/12/2022	21/12/2023

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

TC - 7424

ULR - TC742423000007406F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/11/2023/0187**	Date of Issue	16/11/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	10/11/2023	Sample Collected By	SEEPL Representative
Analysis Started On	14/11/2023	Analysis Completed On	16/11/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Admin Office		
Ambient Temperature (^{0}C)	31.9	Humidity (%)	69
Wind Speed (km/hr)	1.2	Wind Direction (deg)	211
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	61.60	µg/m^3	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	19.75	µg/m^3	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	3.71	µg/m^3	80 .00	IS 5182 (Part 02)
04.	NO_X	11.45	µg/m^3	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd.

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 140 L 21)	22122201-04	22/12/2022	21/12/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 1114 L 21)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 MINI	22122201-09	22/12/2022	21/12/2023

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000007407F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/11/2023/0188**	Date of Issue	16/11/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	10/11/2023	Sample Collected By	SEEPL Representative
Analysis Started On	14/11/2023	Analysis Completed On	16/11/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near F. O. Tank		
Ambient Temperature (^{0}C)	31.9	Humidity (%)	69
Wind Speed (km/hr)	1.2	Wind Direction (deg)	211
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	80.71	µg/m^3	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	22.04	µg/m^3	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	µg/m^3	80 .00	IS 5182 (Part 02)
04.	NO_X	9.02	µg/m^3	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Sadekar Enviro Engineers Pvt. Ltd. SEE

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 139 L 21)	22122201-03	22/12/2022	21/12/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 1117 L 21)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 MINI	22122201-10	22/12/2022	21/12/2023

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000007408F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	SEE/AR/11/2023/0189	Date of Issue	16/11/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	10/11/2023	Sample Collected By	SEEPL Representative
Analysis Started On	14/11/2023	Analysis Completed On	16/11/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Main Gate		
Ambient Temperature (^{0}C)	31.9	Humidity (%)	69
Wind Speed (km/hr)	1.2	Wind Direction (deg)	211
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	84.79	µg/m^3	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	24.99	µg/m^3	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	3.98	µg/m^3	80 .00	IS 5182 (Part 02)
04.	NO_X	8.44	µg/m^3	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd. SEE

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 136 L 21)	22122201-01	22/12/2022	21/12/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 1118 L 21)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 MINI	22122201-11	22/12/2022	21/12/2023

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000007409F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/11/2023/0190**	Date of Issue	16/11/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	10/11/2023	Sample Collected By	SEEPL Representative
Analysis Started On	14/11/2023	Analysis Completed On	16/11/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Raw Material Unloading Area		
Ambient Temperature (^{0}C)	31.9	Humidity (%)	69
Wind Speed (km/hr)	1.2	Wind Direction (deg)	211
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	71.04	µg/m^3	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	20.54	µg/m^3	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	µg/m^3	80 .00	IS 5182 (Part 02)
04.	NO_X	11.15	µg/m^3	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Aditya Naik
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd.

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 136 L 21)	22122201-01	22/12/2022	21/12/2023

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 1118 L 21)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 MINI	22122201-11	22/12/2022	21/12/2023

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	19/11/2022	18/11/2023

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by **NABL**. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000008515F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/12/2023/0463**	Date of Issue	22/12/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	18/12/2023	Sample Collected By	SEEPL Representative
Analysis Started On	20/12/2023	Analysis Completed On	22/12/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Admin Office		
Ambient Temperature (^{0}C)	31.6	Humidity (%)	61
Wind Speed (km/hr)	1.2	Wind Direction (deg)	254
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	65.29	µg/m^3	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	27.03	µg/m^3	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	4.18	µg/m^3	80 .00	IS 5182 (Part 02)
04.	NO_X	7.17	µg/m^3	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Manvel Parera
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd. SEE

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 BL (SR NO. 1719-DTI-2012)	LES-CCL/FF/MF/SC/75	11/07/2023	10/07/2024

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 01-DTK-2011)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 LC	23020301-01	03/02/2023	02/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	18/11/2023	17/11/2024

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000008516F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/12/2023/0464**	Date of Issue	22/12/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	18/12/2023	Sample Collected By	SEEPL Representative
Analysis Started On	20/12/2023	Analysis Completed On	22/12/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near F. O. Tank		
Ambient Temperature (^{0}C)	31.6	Humidity (%)	61
Wind Speed (km/hr)	1.2	Wind Direction (deg)	254
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	77.50	µg/m^3	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	29.07	µg/m^3	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	3.59	µg/m^3	80 .00	IS 5182 (Part 02)
04.	NO_X	7.08	µg/m^3	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Manvel Parera
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd. SEE

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 BL (SR NO. 2228-DTK-2011)	23021701-09	17/02/2023	16/02/2024

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 302-DTE-2010)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	23020301-02	03/02/2023	02/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	18/11/2023	17/11/2024

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL, Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101, Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000008517F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/12/2023/0465**	Date of Issue	22/12/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	18/12/2023	Sample Collected By	SEEPL Representative
Analysis Started On	20/12/2023	Analysis Completed On	22/12/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Main Gate		
Ambient Temperature (^{0}C)	31.6	Humidity (%)	61
Wind Speed (km/hr)	1.2	Wind Direction (deg)	254
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	78.40	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	23.41	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	3.89	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	8.64	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Manvel Parera
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd.

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 1461-DTD-2009)	LES-CCL/FF/MF/SC/74	11/07/2023	10/07/2024

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 301-DTE-2010)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	LES-CCL/FF/PM/SC/61	12/07/2023	11/07/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	18/11/2023	17/11/2024

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ : (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742423000008518F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/12/2023/0466**	Date of Issue	22/12/2023
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	18/12/2023	Sample Collected By	SEEPL Representative
Analysis Started On	20/12/2023	Analysis Completed On	22/12/2023

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Raw Material Unloading Area		
Ambient Temperature (^{0}C)	31.6	Humidity (%)	61
Wind Speed (km/hr)	1.2	Wind Direction (deg)	254
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	71.58	µg/m^3	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	22.12	µg/m^3	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	4.21	µg/m^3	80 .00	IS 5182 (Part 02)
04.	NO_X	6.16	µg/m^3	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.

----------End of Report----------

Manvel Parera
Analyzed by

Varsha Pole
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd.

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 1456-DTD-2009)	LES-CCL/FF/MF/SC/85	11/07/2023	10/07/2024

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 551-DTK-2010)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	23020301-03	03/02/2023	02/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	18/11/2023	17/11/2024

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by **NABL**. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742424000000381F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/01/2024/0119**	Date of Issue	10/01/2024
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	05/01/2024 to 06/01/2024	Sample Collected By	SEEPL Representative
Analysis Started On	06/01/2024	Analysis Completed On	10/01/2024

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Admin Office		
Ambient Temperature (^{0}C)	32.4	Humidity (%)	66
Wind Speed (km/hr)	1.7	Wind Direction (deg)	235
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	82.90	µg/m^3	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	21.21	µg/m^3	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	3.61	µg/m^3	80 .00	IS 5182 (Part 02)
04.	NO_X	7.58	µg/m^3	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.
: **Lab Recognized by MoEF & CC valid up to 03.12.2024; C.No. LB/99/7/2021-INST LAB-HO-CPCB-HO/Pvt./7506**

----------End of Report----------

Dipali Sawant
Analyzed by

Varsha Chopdekar
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd.

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 BL (SR NO. 1719-DTI-2012)	LES-CCL/FF/MF/SC/75	11/07/2023	10/07/2024

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 01-DTK-2011)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550 LC	23020301-01	03/02/2023	02/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	18/11/2023	17/11/2024

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742424000000382F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/01/2024/0120**	Date of Issue	10/01/2024
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	05/01/2024 to 06/01/2024	Sample Collected By	SEEPL Representative
Analysis Started On	06/01/2024	Analysis Completed On	10/01/2024

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near F. O. Tank		
Ambient Temperature (^{0}C)	32.4	Humidity (%)	66
Wind Speed (km/hr)	1.7	Wind Direction (deg)	235
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	90.73	µg/m^3	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	39.30	µg/m^3	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	µg/m^3	80 .00	IS 5182 (Part 02)
04.	NO_X	8.91	µg/m^3	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.
: **Lab Recognized by MoEF & CC valid up to 03.12.2024; C.No. LB/99/7/2021-INST LAB-HO-CPCB-HO/Pvt./7506**

----------End of Report----------

Dipali Sawant
Analyzed by

Varsha Chopdekar
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd.

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 BL (SR NO. 2228-DTK-2011)	23021701-09	17/02/2023	16/02/2024

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 302-DTE-2010)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	23020301-02	03/02/2023	02/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	18/11/2023	17/11/2024

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto. Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742424000000383F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/01/2024/0121**	Date of Issue	10/01/2024
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	05/01/2024 to 06/01/2024	Sample Collected By	SEEPL Representative
Analysis Started On	06/01/2024	Analysis Completed On	10/01/2024

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Main Gate		
Ambient Temperature (°C)	32.4	Humidity (%)	66
Wind Speed (km/hr)	1.7	Wind Direction (deg)	235
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	95.38	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	36.26	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	<3.00	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	9.48	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.
: **Lab Recognized by MoEF & CC valid up to 03.12.2024; C.No. LB/99/7/2021-INST LAB-HO-CPCB-HO/Pvt./7506**

----------End of Report----------

Dipali Sawant
Analyzed by

Varsha Chopdekar
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd.

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 1461-DTD-2009)	LES-CCL/FF/MF/SC/74	11/07/2023	10/07/2024

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 301-DTE-2010)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	LES-CCL/FF/PM/SC/61	12/07/2023	11/07/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	18/11/2023	17/11/2024

Sadekar Enviro Engineers Private Limited

(Laboratory Division) • Accredited by NABL. Valid up to 29.06.2025

B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto. Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. ✆ .: (0832) 2411322 / 2411323 • E-mail : starlabgoa@rediffmail.com

SAVE WATER SAVE LIFE

TC - 7424

ULR - TC742424000000384F

AMBIENT AIR QUALITY MONITORING REPORT

Format No.	SEEPL/LD/FMT-87		
Report No.	**SEE/AR/01/2024/0122**	Date of Issue	10/01/2024
Name of Client	M/s. Goa Carbon Ltd.		
Address of Client	Survey No.66,67,68& 75,St.Jose de Areal,Salcete-Goa		
Sampling Plan	SEEPL/LD/FMT- 54	Sampling Procedure No.	SEEPL/QSP-10
Date of Sampling	05/01/2024 to 06/01/2024	Sample Collected By	SEEPL Representative
Analysis Started On	06/01/2024	Analysis Completed On	10/01/2024

AMBIENT AIR STATION LOCATION

Location of ambient air station	Near Raw Material Unloading Area		
Ambient Temperature (^{0}C)	32.4	Humidity (%)	66
Wind Speed (km/hr)	1.7	Wind Direction (deg)	235
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM – 550) & G.P.S.(APM – 411)		

Chemical Testing - Atmospheric Pollution

Sr. No.	Parameters	Result	Unit	Limits (NAAQS -2009)	Method
01.	PM_{10}	91.62	$\mu g/m^3$	100.00	IS 5182(Part 23)
02.	$PM_{2.5}$	45.12	$\mu g/m^3$	60.00	Lab SOP No.- SEE/LD/SOP-AA-04
03.	SO_2	4.24	$\mu g/m^3$	80 .00	IS 5182 (Part 02)
04.	NO_X	9.20	$\mu g/m^3$	80 .00	IS 5182 (Part 06)
05.	CO	<0.20	mg/m^3	4.00	IS 5182(Part 10)

Note : Test results related only to the sample tested.
: Test results relate only to the condition prevailing at the time of sampling.
: Calibration details of the equipments used in monitoring and / or analysis is back side of analysis report.
: **Lab Recognized by MoEF & CC valid up to 03.12.2024; C.No. LB/99/7/2021-INST LAB-HO-CPCB-HO/Pvt./7506**

----------End of Report----------

Dipali Sawant
Analyzed by

Varsha Chopdekar
Reviewed by

Sadekar Enviro Engineers Pvt. Ltd.

Anandeep Sawant
Authorized Signatory

Calibration details of Equipment used for Sampling & Analysis

Respirable Dust Sampler's with Gaseous Sampling

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	RDS- APM 460 (SR NO. 1456-DTD-2009)	LES-CCL/FF/MF/SC/85	11/07/2023	10/07/2024

UV Spectrophotometer

Sr No.	Equipment Name	Calibration
01	UV	In House Calibration

Fine Particulate Sampler (SR NO. 551-DTK-2010)

Sr No.	Equipment Name	Certificate No.	Calibrated on	Calibration due date
01	FPS - APM 550	23020301-03	03/02/2023	02/02/2024

CO METER

Sr No.	Instrument Type	Calibrated on	Calibration due date
01	CO Analyzer (SR No. 01 DT L14)	18/11/2023	17/11/2024

581

ANNEXURE R-4/B

Goa State Pollution Control Board

Industry Name	:	M/S Goa Carbon Limited
Address	:	ST.-JOSE-DE,AREAL-SALCETE
District	:	South Goa
Category	:	Petrochemicals
Parameters	:	RP_Stack-PM, Cooler_Stack-PM
Report Format	:	Tabular
Criteria	:	15min
Date	:	From 2023/01/01 To 2023/01/31

RealTime Data

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-01 00:00	60.74	35.28
2023-01-01 00:15	60.59	36.24
2023-01-01 00:30	60.95	37.49
2023-01-01 00:45	61.74	34.78
2023-01-01 01:00	61.58	33.71
2023-01-01 01:15	61.46	34.26
2023-01-01 01:30	61.55	34.62
2023-01-01 01:45	61.53	34.58
2023-01-01 02:00	61.33	34.65
2023-01-01 02:15	61.61	36.55
2023-01-01 02:30	61.61	37.18
2023-01-01 02:45	61.51	34.58
2023-01-01 03:00	61.67	33.55
2023-01-01 03:15	61.96	33.88
2023-01-01 03:30	61.96	34.05
2023-01-01 03:45	61.9	34.73
2023-01-01 04:00	61.8	35.66
2023-01-01 04:15	61.59	37.04
2023-01-01 04:30	61.68	37.45
2023-01-01 04:45	61.69	34.81
2023-01-01 05:00	62.11	33.62
2023-01-01 05:15	62.08	33.82
2023-01-01 05:30	62.01	33.97
2023-01-01 05:45	61.77	34.32
2023-01-01 06:00	61.85	35.11
2023-01-01 06:15	61.83	36.79
2023-01-01 06:30	61.98	37.41
2023-01-01 06:45	62.17	34.92
2023-01-01 07:00	62.15	34.07
2023-01-01 07:15	62.09	34.36

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-01 07:30	62.39	34.7
2023-01-01 07:45	62.36	35.2
2023-01-01 08:00	62.22	35.66
2023-01-01 08:15	62.36	37.32
2023-01-01 08:30	62.86	37.36
2023-01-01 08:45	63.27	35.37
2023-01-01 09:00	63.95	33.63
2023-01-01 09:15	65.85	32.06
2023-01-01 09:30	66.51	31.31
2023-01-01 09:45	66.81	31.34
2023-01-01 10:00	66.99	32.71
2023-01-01 10:15	66.92	33.51
2023-01-01 10:30	67.01	33.12
2023-01-01 10:45	67.27	31.34
2023-01-01 11:00	66.81	29.78
2023-01-01 11:15	66.47	29.95
2023-01-01 11:30	66.3	30.12
2023-01-01 11:45	65.43	30.58
2023-01-01 12:00	65.09	32.07
2023-01-01 12:15	64.46	33.83
2023-01-01 12:30	64.52	34.86
2023-01-01 12:45	63.61	34.01
2023-01-01 13:00	63.45	32.35
2023-01-01 13:15	63.16	33.09
2023-01-01 13:30	63.05	33.67
2023-01-01 13:45	62.9	34.85
2023-01-01 14:00	62.94	36.33
2023-01-01 14:15	62.72	37.12
2023-01-01 14:30	62.65	37.35
2023-01-01 14:45	62.5	35.7
2023-01-01 15:00	62.54	34.13
2023-01-01 15:15	62.57	34.33
2023-01-01 15:30	62.62	34.91
2023-01-01 15:45	62.95	35.07
2023-01-01 16:00	62.91	35.98
2023-01-01 16:15	62.48	36.76
2023-01-01 16:30	62.24	37.07
2023-01-01 16:45	62.29	35.82
2023-01-01 17:00	62.17	34.23
2023-01-01 17:15	62.03	34.16
2023-01-01 17:30	62	34.33
2023-01-01 17:45	61.7	34.57

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-01 18:00	62.39	34.15
2023-01-01 18:15	62.22	34.3
2023-01-01 18:30	61.91	34.61
2023-01-01 18:45	62.01	35.02
2023-01-01 19:00	61.79	34.06
2023-01-01 19:15	62.28	34.12
2023-01-01 19:30	62.96	34.06
2023-01-01 19:45	62.72	34.07
2023-01-01 20:00	62.69	34.2
2023-01-01 20:15	62.87	34.15
2023-01-01 20:30	62.73	34.64
2023-01-01 20:45	62.62	35.51
2023-01-01 21:00	63.43	34.28
2023-01-01 21:15	63.65	34.31
2023-01-01 21:30	62.91	34.26
2023-01-01 21:45	63.27	34.53
2023-01-01 22:00	63.3	36.15
2023-01-01 22:15	62.97	36.68
2023-01-01 22:30	62.81	35.05
2023-01-01 22:45	63.22	34.5
2023-01-01 23:00	63.25	33.95
2023-01-01 23:15	63.24	34.12
2023-01-01 23:30	62.66	33.76
2023-01-01 23:45	62.03	33.9
2023-01-02 00:00	62.53	36.1
2023-01-02 00:15	62.79	36.26
2023-01-02 00:30	62.43	33.78
2023-01-02 00:45	62.59	33.86
2023-01-02 01:00	62.22	33.62
2023-01-02 01:15	62.8	37.44
2023-01-02 01:30	62.28	33.54
2023-01-02 01:45	62.66	34.05
2023-01-02 02:00	63.16	38.08
2023-01-02 02:15	63.27	40.72
2023-01-02 02:30	62.94	39.39
2023-01-02 02:45	63.27	43.34
2023-01-02 03:00	62.61	39.53
2023-01-02 03:15	62.36	34.75
2023-01-02 03:30	62.7	32.77
2023-01-02 03:45	62.75	34.34
2023-01-02 04:00	62.46	40.85
2023-01-02 04:15	62.27	41.77

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-02 04:30	62.38	37.59
2023-01-02 04:45	62.49	37.17
2023-01-02 05:00	62.35	41.24
2023-01-02 05:15	62.63	44.12
2023-01-02 05:30	62.75	47.87
2023-01-02 05:45	62.63	57.57
2023-01-02 06:00	62.89	49.62
2023-01-02 06:15	63.09	45.05
2023-01-02 06:30	63.32	54.49
2023-01-02 06:45	62.69	43.87
2023-01-02 07:00	62.23	38.9
2023-01-02 07:15	62.4	42.52
2023-01-02 07:30	62.79	39.31
2023-01-02 07:45	62.94	36.84
2023-01-02 08:00	62.9	50.96
2023-01-02 08:15	63.13	43.27
2023-01-02 08:30	63.12	42.87
2023-01-02 08:45	63.87	42.93
2023-01-02 09:00	64.85	36.53
2023-01-02 09:15	65.08	37.22
2023-01-02 09:30	65.62	34.28
2023-01-02 09:45	66.37	35.12
2023-01-02 10:00	66.78	33.45
2023-01-02 10:15	67.11	33.58
2023-01-02 10:30	67.55	33.07
2023-01-02 10:45	67.09	35.26
2023-01-02 11:00	66.28	34.78
2023-01-02 11:15	67.7	32.55
2023-01-02 11:30	67.79	32.85
2023-01-02 11:45	64.79	30.97
2023-01-02 12:00	64.32	30.78
2023-01-02 12:15	64	31.11
2023-01-02 12:30	63.57	31.05
2023-01-02 12:45	63.15	32.17
2023-01-02 13:00	63.31	31.73
2023-01-02 13:15	64.1	30.23
2023-01-02 13:30	63.21	30.83
2023-01-02 13:45	62.96	31.75
2023-01-02 14:00	62.39	33.15
2023-01-02 14:15	62.14	33.96
2023-01-02 14:30	62.31	34.74
2023-01-02 14:45	62.28	36.21

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-02 15:00	62.71	34.22
2023-01-02 15:15	63.06	33.44
2023-01-02 15:30	62.6	33.42
2023-01-02 15:45	62.8	33.56
2023-01-02 16:00	63.07	33.44
2023-01-02 16:15	63.13	33.45
2023-01-02 16:30	63.07	33.62
2023-01-02 16:45	63.45	33.46
2023-01-02 17:00	63.6	33.83
2023-01-02 17:15	63.13	34.01
2023-01-02 17:30	62.7	33.73
2023-01-02 17:45	62.96	33.71
2023-01-02 18:00	63.19	33.58
2023-01-02 18:15	63.03	32.89
2023-01-02 18:30	63.22	32.34
2023-01-02 18:45	63.69	32.35
2023-01-02 19:00	65.81	34.36
2023-01-02 19:15	65.02	33.73
2023-01-02 19:30	64.91	33.88
2023-01-02 19:45	64.36	34.49
2023-01-02 20:00	65.66	36.92
2023-01-02 20:15	64.55	38.26
2023-01-02 20:30	65.41	39.6
2023-01-02 20:45	65.33	40.11
2023-01-02 21:00	64.45	37.2
2023-01-02 21:15	64.06	35.41
2023-01-02 21:30	63.92	35.53
2023-01-02 21:45	63.86	35.31
2023-01-02 22:00	64.2	33.08
2023-01-02 22:15	63.85	32.36
2023-01-02 22:30	63.73	32.7
2023-01-02 22:45	64.05	32.91
2023-01-02 23:00	63.54	33.68
2023-01-02 23:15	63.83	35.16
2023-01-02 23:30	64.54	36.09
2023-01-02 23:45	64.88	35.88
2023-01-03 00:00	64.55	33.25
2023-01-03 00:15	64.33	33.07
2023-01-03 00:30	63.86	33.52
2023-01-03 00:45	64.02	33.96
2023-01-03 01:00	64.14	34.58
2023-01-03 01:15	64.39	35.26

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-03 01:30	64.56	36.36
2023-01-03 01:45	64.55	35.51
2023-01-03 02:00	64.26	33.57
2023-01-03 02:15	63.83	33.16
2023-01-03 02:30	63.92	33.18
2023-01-03 02:45	63.98	33.55
2023-01-03 03:00	63.91	34.22
2023-01-03 03:15	63.72	34.76
2023-01-03 03:30	64.18	35.87
2023-01-03 03:45	63.96	35.09
2023-01-03 04:00	63.76	33.18
2023-01-03 04:15	63.91	33.2
2023-01-03 04:30	63.97	33.96
2023-01-03 04:45	64.13	33.9
2023-01-03 05:00	63.83	34.29
2023-01-03 05:15	64.13	34.84
2023-01-03 05:30	64.17	36.74
2023-01-03 05:45	64.04	35.04
2023-01-03 06:00	63.94	33.45
2023-01-03 06:15	64.18	33.47
2023-01-03 06:30	64.18	34.16
2023-01-03 06:45	64.2	34.54
2023-01-03 07:00	64.31	35.21
2023-01-03 07:15	63.78	35.66
2023-01-03 07:30	63.81	37.46
2023-01-03 07:45	64.43	35.41
2023-01-03 08:00	64.38	33.64
2023-01-03 08:15	64.85	31.88
2023-01-03 08:30	65.3	31.49
2023-01-03 08:45	67.01	30.87
2023-01-03 09:00	68.32	31.62
2023-01-03 09:15	68.74	31.74
2023-01-03 09:30	69	32.52
2023-01-03 09:45	68.17	30.09
2023-01-03 10:00	68.15	31.15
2023-01-03 10:15	68.38	32.09
2023-01-03 10:30	69.32	31.86
2023-01-03 10:45	70.37	30.81
2023-01-03 11:00	69.53	30.2
2023-01-03 11:15	69.27	30.34
2023-01-03 11:30	68.61	31.18
2023-01-03 11:45	69.23	31.07

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-03 12:00	67.41	31.4
2023-01-03 12:15	66.33	32.27
2023-01-03 12:30	67.13	34.35
2023-01-03 12:45	67.56	34.27
2023-01-03 13:00	66.86	33.72
2023-01-03 13:15	66.19	32.87
2023-01-03 13:30	65.77	36.7
2023-01-03 13:45	65.57	34.48
2023-01-03 14:00	65.43	34.09
2023-01-03 14:15	65.66	33.97
2023-01-03 14:30	65.49	33.03
2023-01-03 14:45	65.25	32.75
2023-01-03 15:00	64.91	34.1
2023-01-03 15:15	64.87	34.14
2023-01-03 15:30	64.79	36.11
2023-01-03 15:45	64.72	33.89
2023-01-03 16:00	64.37	33.63
2023-01-03 16:15	64.42	33.89
2023-01-03 16:30	64.44	34.27
2023-01-03 16:45	64.14	34.32
2023-01-03 17:00	64.43	34.83
2023-01-03 17:15	64.94	35.57
2023-01-03 17:30	64.99	34.55
2023-01-03 17:45	65.04	33.34
2023-01-03 18:00	65.02	33.67
2023-01-03 18:15	NA	NA
2023-01-03 18:30	NA	NA
2023-01-03 18:45	NA	NA
2023-01-03 19:00	NA	NA
2023-01-03 19:15	NA	NA
2023-01-03 19:30	NA	NA
2023-01-03 19:45	NA	NA
2023-01-03 20:00	NA	NA
2023-01-03 20:15	NA	NA
2023-01-03 20:30	NA	NA
2023-01-03 20:45	NA	NA
2023-01-03 21:00	NA	NA
2023-01-03 21:15	NA	NA
2023-01-03 21:30	NA	NA
2023-01-03 21:45	NA	NA
2023-01-03 22:00	NA	NA
2023-01-03 22:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-03 22:30	NA	NA
2023-01-03 22:45	NA	NA
2023-01-03 23:00	NA	NA
2023-01-03 23:15	NA	NA
2023-01-03 23:30	NA	NA
2023-01-03 23:45	NA	NA
2023-01-04 00:00	NA	NA
2023-01-04 00:15	NA	NA
2023-01-04 00:30	NA	NA
2023-01-04 00:45	NA	NA
2023-01-04 01:00	NA	NA
2023-01-04 01:15	NA	NA
2023-01-04 01:30	NA	NA
2023-01-04 01:45	NA	NA
2023-01-04 02:00	NA	NA
2023-01-04 02:15	NA	NA
2023-01-04 02:30	NA	NA
2023-01-04 02:45	NA	NA
2023-01-04 03:00	NA	NA
2023-01-04 03:15	NA	NA
2023-01-04 03:30	NA	NA
2023-01-04 03:45	NA	NA
2023-01-04 04:00	NA	NA
2023-01-04 04:15	NA	NA
2023-01-04 04:30	NA	NA
2023-01-04 04:45	NA	NA
2023-01-04 05:00	NA	NA
2023-01-04 05:15	NA	NA
2023-01-04 05:30	NA	NA
2023-01-04 05:45	NA	NA
2023-01-04 06:00	NA	NA
2023-01-04 06:15	NA	NA
2023-01-04 06:30	NA	NA
2023-01-04 06:45	NA	NA
2023-01-04 07:00	NA	NA
2023-01-04 07:15	NA	NA
2023-01-04 07:30	NA	NA
2023-01-04 07:45	NA	NA
2023-01-04 08:00	NA	NA
2023-01-04 08:15	NA	NA
2023-01-04 08:30	NA	NA
2023-01-04 08:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-04 09:00	NA	NA
2023-01-04 09:15	NA	NA
2023-01-04 09:30	NA	NA
2023-01-04 09:45	NA	NA
2023-01-04 10:00	NA	NA
2023-01-04 10:15	NA	NA
2023-01-04 10:30	NA	NA
2023-01-04 10:45	NA	NA
2023-01-04 11:00	NA	NA
2023-01-04 11:15	NA	NA
2023-01-04 11:30	NA	NA
2023-01-04 11:45	NA	NA
2023-01-04 12:00	NA	NA
2023-01-04 12:15	NA	NA
2023-01-04 12:30	NA	NA
2023-01-04 12:45	NA	NA
2023-01-04 13:00	NA	NA
2023-01-04 13:15	NA	NA
2023-01-04 13:30	NA	NA
2023-01-04 13:45	NA	NA
2023-01-04 14:00	NA	NA
2023-01-04 14:15	NA	NA
2023-01-04 14:30	NA	NA
2023-01-04 14:45	NA	NA
2023-01-04 15:00	NA	NA
2023-01-04 15:15	NA	NA
2023-01-04 15:30	NA	NA
2023-01-04 15:45	NA	NA
2023-01-04 16:00	NA	NA
2023-01-04 16:15	NA	NA
2023-01-04 16:30	NA	NA
2023-01-04 16:45	NA	NA
2023-01-04 17:00	NA	NA
2023-01-04 17:15	NA	NA
2023-01-04 17:30	NA	NA
2023-01-04 17:45	NA	NA
2023-01-04 18:00	NA	NA
2023-01-04 18:15	NA	NA
2023-01-04 18:30	NA	NA
2023-01-04 18:45	NA	NA
2023-01-04 19:00	NA	NA
2023-01-04 19:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-04 19:30	NA	NA
2023-01-04 19:45	NA	NA
2023-01-04 20:00	NA	NA
2023-01-04 20:15	NA	NA
2023-01-04 20:30	NA	NA
2023-01-04 20:45	NA	NA
2023-01-04 21:00	NA	NA
2023-01-04 21:15	NA	NA
2023-01-04 21:30	NA	NA
2023-01-04 21:45	NA	NA
2023-01-04 22:00	NA	NA
2023-01-04 22:15	NA	NA
2023-01-04 22:30	NA	NA
2023-01-04 22:45	NA	NA
2023-01-04 23:00	NA	NA
2023-01-04 23:15	NA	NA
2023-01-04 23:30	NA	NA
2023-01-04 23:45	NA	NA
2023-01-05 00:00	NA	NA
2023-01-05 00:15	NA	NA
2023-01-05 00:30	NA	NA
2023-01-05 00:45	NA	NA
2023-01-05 01:00	NA	NA
2023-01-05 01:15	NA	NA
2023-01-05 01:30	NA	NA
2023-01-05 01:45	NA	NA
2023-01-05 02:00	NA	NA
2023-01-05 02:15	NA	NA
2023-01-05 02:30	NA	NA
2023-01-05 02:45	NA	NA
2023-01-05 03:00	NA	NA
2023-01-05 03:15	NA	NA
2023-01-05 03:30	NA	NA
2023-01-05 03:45	NA	NA
2023-01-05 04:00	NA	NA
2023-01-05 04:15	NA	NA
2023-01-05 04:30	NA	NA
2023-01-05 04:45	NA	NA
2023-01-05 05:00	NA	NA
2023-01-05 05:15	NA	NA
2023-01-05 05:30	NA	NA
2023-01-05 05:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-05 06:00	NA	NA
2023-01-05 06:15	NA	NA
2023-01-05 06:30	NA	NA
2023-01-05 06:45	NA	NA
2023-01-05 07:00	NA	NA
2023-01-05 07:15	NA	NA
2023-01-05 07:30	NA	NA
2023-01-05 07:45	NA	NA
2023-01-05 08:00	NA	NA
2023-01-05 08:15	NA	NA
2023-01-05 08:30	68.62	35.66
2023-01-05 08:45	69.3	36.77
2023-01-05 09:00	70.22	32.69
2023-01-05 09:15	71.04	32.39
2023-01-05 09:30	71.44	32.67
2023-01-05 09:45	70.59	33.33
2023-01-05 10:00	70.4	33.63
2023-01-05 10:15	70.32	33.51
2023-01-05 10:30	70.41	31.77
2023-01-05 10:45	72.1	31.63
2023-01-05 11:00	70.98	35.57
2023-01-05 11:15	70.59	32.97
2023-01-05 11:30	69.59	32.84
2023-01-05 11:45	70.06	32.03
2023-01-05 12:00	70.22	33.41
2023-01-05 12:15	70.82	34.23
2023-01-05 12:30	68.4	33.41
2023-01-05 12:45	69.09	33.84
2023-01-05 13:00	69.19	32.09
2023-01-05 13:15	68.4	32.7
2023-01-05 13:30	67.2	33.16
2023-01-05 13:45	67.89	36.3
2023-01-05 14:00	67.33	38.02
2023-01-05 14:15	67.05	38.98
2023-01-05 14:30	67.22	38.22
2023-01-05 14:45	67.48	37.95
2023-01-05 15:00	66.47	36.02
2023-01-05 15:15	65.93	35.97
2023-01-05 15:30	65.45	36.29
2023-01-05 15:45	65.54	37.1
2023-01-05 16:00	65.54	37.81
2023-01-05 16:15	65.4	38.76

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-05 16:30	65.79	38.12
2023-01-05 16:45	66.19	37.52
2023-01-05 17:00	66.28	36.05
2023-01-05 17:15	65.92	36.01
2023-01-05 17:30	65.9	35.98
2023-01-05 17:45	65.8	36.53
2023-01-05 18:00	65.89	36.54
2023-01-05 18:15	65.88	37.26
2023-01-05 18:30	66.8	37.73
2023-01-05 18:45	67.82	40.1
2023-01-05 19:00	67.94	39.45
2023-01-05 19:15	67.93	37.89
2023-01-05 19:30	68.17	36.71
2023-01-05 19:45	68.37	35.61
2023-01-05 20:00	68.16	37
2023-01-05 20:15	66.83	37.94
2023-01-05 20:30	67.07	37.78
2023-01-05 20:45	67.56	35.86
2023-01-05 21:00	66.93	35.83
2023-01-05 21:15	67	37.38
2023-01-05 21:30	66.4	37.25
2023-01-05 21:45	66.53	36.49
2023-01-05 22:00	66.8	38.36
2023-01-05 22:15	66.33	38.74
2023-01-05 22:30	66.43	38.65
2023-01-05 22:45	66.37	37.96
2023-01-05 23:00	66.1	36.35
2023-01-05 23:15	65.98	36.39
2023-01-05 23:30	66.3	36.74
2023-01-05 23:45	66.54	37.54
2023-01-06 00:00	66.54	38.68
2023-01-06 00:15	66.3	38.83
2023-01-06 00:30	66.25	38.99
2023-01-06 00:45	66.45	36.86
2023-01-06 01:00	66.04	36.36
2023-01-06 01:15	66	35.83
2023-01-06 01:30	65.96	36.47
2023-01-06 01:45	65.98	36.91
2023-01-06 02:00	66.01	38.77
2023-01-06 02:15	66.44	38.92
2023-01-06 02:30	66.33	38.45
2023-01-06 02:45	66.45	37.5

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-06 03:00	67.15	38.8
2023-01-06 03:15	66.89	38.38
2023-01-06 03:30	65.89	40.19
2023-01-06 03:45	65.61	36.6
2023-01-06 04:00	65.99	36.75
2023-01-06 04:15	65.55	36.43
2023-01-06 04:30	65.82	36.67
2023-01-06 04:45	66.03	36.98
2023-01-06 05:00	65.77	37.98
2023-01-06 05:15	65.98	38.1
2023-01-06 05:30	66.7	39.76
2023-01-06 05:45	68.4	36.28
2023-01-06 06:00	67.52	36.25
2023-01-06 06:15	66.88	36.35
2023-01-06 06:30	66.62	36.89
2023-01-06 06:45	67.02	37.54
2023-01-06 07:00	69.26	38.75
2023-01-06 07:15	69.14	38.48
2023-01-06 07:30	67.68	39.7
2023-01-06 07:45	67.07	35.39
2023-01-06 08:00	66.46	34.46
2023-01-06 08:15	66.69	33.99
2023-01-06 08:30	67.23	33.79
2023-01-06 08:45	68.32	33.19
2023-01-06 09:00	69.24	34.55
2023-01-06 09:15	69.12	34.45
2023-01-06 09:30	69.69	36.49
2023-01-06 09:45	71.96	31.41
2023-01-06 10:00	73.25	30.85
2023-01-06 10:15	73.97	31.09
2023-01-06 10:30	73.72	31.86
2023-01-06 10:45	73.33	32.53
2023-01-06 11:00	72.8	33.2
2023-01-06 11:15	72.95	33.16
2023-01-06 11:30	73.76	35.6
2023-01-06 11:45	74.06	31.95
2023-01-06 12:00	72.79	31.53
2023-01-06 12:15	72.05	31.54
2023-01-06 12:30	70.5	32.65
2023-01-06 12:45	69.53	33.61
2023-01-06 13:00	69.63	34.39
2023-01-06 13:15	69.37	33.84

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-06 13:30	69.69	36.01
2023-01-06 13:45	70.31	34.12
2023-01-06 14:00	69.93	35.22
2023-01-06 14:15	68.83	36.92
2023-01-06 14:30	68.85	37.54
2023-01-06 14:45	68.94	37.76
2023-01-06 15:00	68.35	38.69
2023-01-06 15:15	68.33	39.11
2023-01-06 15:30	66.96	39.81
2023-01-06 15:45	65.95	37.13
2023-01-06 16:00	65.53	36.81
2023-01-06 16:15	66.01	35.9
2023-01-06 16:30	67.08	35.52
2023-01-06 16:45	67.34	36.31
2023-01-06 17:00	67	38.37
2023-01-06 17:15	66.47	38.58
2023-01-06 17:30	65.77	38.63
2023-01-06 17:45	65.75	36.03
2023-01-06 18:00	65.19	37.56
2023-01-06 18:15	65.01	37.19
2023-01-06 18:30	65.79	35.82
2023-01-06 18:45	67	36.31
2023-01-06 19:00	67.78	36.95
2023-01-06 19:15	68.47	37.29
2023-01-06 19:30	68.12	38.11
2023-01-06 19:45	67.41	39
2023-01-06 20:00	67.25	37.54
2023-01-06 20:15	68.03	38.01
2023-01-06 20:30	67.12	39.08
2023-01-06 20:45	65.88	36.41
2023-01-06 21:00	65.65	38.29
2023-01-06 21:15	66.44	39.01
2023-01-06 21:30	65.82	37.24
2023-01-06 21:45	65.61	36.48
2023-01-06 22:00	66.17	36.43
2023-01-06 22:15	66.94	36.73
2023-01-06 22:30	67.23	36.8
2023-01-06 22:45	67.09	37.02
2023-01-06 23:00	67.86	37.89
2023-01-06 23:15	67.77	39.22
2023-01-06 23:30	67.03	37.35
2023-01-06 23:45	69.22	35.82

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-07 00:00	71.56	35.61
2023-01-07 00:15	71.85	36.11
2023-01-07 00:30	71.74	36.51
2023-01-07 00:45	70.53	37.13
2023-01-07 01:00	69.56	37.64
2023-01-07 01:15	70.53	38.65
2023-01-07 01:30	71.01	36.09
2023-01-07 01:45	70.91	35.56
2023-01-07 02:00	69.8	35.57
2023-01-07 02:15	69.65	35.98
2023-01-07 02:30	68.91	36.17
2023-01-07 02:45	68.06	36.86
2023-01-07 03:00	67.85	37.45
2023-01-07 03:15	66.71	38.99
2023-01-07 03:30	66.75	36.46
2023-01-07 03:45	67.02	35.56
2023-01-07 04:00	66.93	35.77
2023-01-07 04:15	67.04	36.35
2023-01-07 04:30	68.33	36.49
2023-01-07 04:45	68.8	36.96
2023-01-07 05:00	68.73	37.53
2023-01-07 05:15	69.74	39.06
2023-01-07 05:30	70.51	35.81
2023-01-07 05:45	71.37	35.18
2023-01-07 06:00	71.63	35.53
2023-01-07 06:15	71.53	36.13
2023-01-07 06:30	71.64	36.65
2023-01-07 06:45	71.93	37.48
2023-01-07 07:00	71.43	37.64
2023-01-07 07:15	71.05	39.47
2023-01-07 07:30	70.69	36.66
2023-01-07 07:45	70.1	35.69
2023-01-07 08:00	69.5	36.13
2023-01-07 08:15	68.87	36.65
2023-01-07 08:30	67.06	36.82
2023-01-07 08:45	66.38	36.2
2023-01-07 09:00	68.16	35.99
2023-01-07 09:15	70.29	36.91
2023-01-07 09:30	69.7	33.53
2023-01-07 09:45	69.44	32.98
2023-01-07 10:00	69.99	33.38
2023-01-07 10:15	69.13	35.03

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-07 10:30	69.78	34.61
2023-01-07 10:45	69.74	36.22
2023-01-07 11:00	69.35	35.47
2023-01-07 11:15	69.13	37.01
2023-01-07 11:30	70.24	33.27
2023-01-07 11:45	66.92	47.55
2023-01-07 12:00	65.61	42.32
2023-01-07 12:15	65.47	38.37
2023-01-07 12:30	65.68	40.23
2023-01-07 12:45	66.93	38.23
2023-01-07 13:00	66.88	37.94
2023-01-07 13:15	66.72	36.7
2023-01-07 13:30	66.26	36.89
2023-01-07 13:45	65.95	41.41
2023-01-07 14:00	65.99	41.33
2023-01-07 14:15	66.03	41.12
2023-01-07 14:30	65.9	41.9
2023-01-07 14:45	66.05	41.45
2023-01-07 15:00	65.82	38.77
2023-01-07 15:15	65.73	38.19
2023-01-07 15:30	65.66	38.12
2023-01-07 15:45	65.89	38.02
2023-01-07 16:00	66.06	38.85
2023-01-07 16:15	66.38	39.78
2023-01-07 16:30	66.39	41.03
2023-01-07 16:45	66.57	39.71
2023-01-07 17:00	66.79	38.4
2023-01-07 17:15	67.25	37.73
2023-01-07 17:30	66.92	37.81
2023-01-07 17:45	67.98	37.94
2023-01-07 18:00	67.78	38.92
2023-01-07 18:15	66.5	39.87
2023-01-07 18:30	66.33	40.9
2023-01-07 18:45	66.42	39.68
2023-01-07 19:00	66.27	39.88
2023-01-07 19:15	66.8	41.38
2023-01-07 19:30	68.2	39.65
2023-01-07 19:45	69.14	38.62
2023-01-07 20:00	69.67	38.44
2023-01-07 20:15	69.21	38.55
2023-01-07 20:30	69.45	38.96
2023-01-07 20:45	69.76	39.75

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-07 21:00	69.6	38.53
2023-01-07 21:15	69.47	46.39
2023-01-07 21:30	68.51	38.4
2023-01-07 21:45	67.08	38.64
2023-01-07 22:00	66.39	40
2023-01-07 22:15	66.64	41.66
2023-01-07 22:30	66.71	40.87
2023-01-07 22:45	66.9	40.89
2023-01-07 23:00	66.7	42.53
2023-01-07 23:15	66.81	38.88
2023-01-07 23:30	66.96	37.75
2023-01-07 23:45	66.56	37.45
2023-01-08 00:00	66.82	39.29
2023-01-08 00:15	66.99	40.59
2023-01-08 00:30	66.45	39.81
2023-01-08 00:45	66.96	39.58
2023-01-08 01:00	67.78	37.31
2023-01-08 01:15	67.03	37.27
2023-01-08 01:30	66.77	37.54
2023-01-08 01:45	67.26	38.11
2023-01-08 02:00	66.96	39.13
2023-01-08 02:15	67.22	40.28
2023-01-08 02:30	67.04	39.6
2023-01-08 02:45	67.06	39.6
2023-01-08 03:00	67.25	37.37
2023-01-08 03:15	67.17	37.75
2023-01-08 03:30	67.05	37.43
2023-01-08 03:45	67.59	37.87
2023-01-08 04:00	68.15	38.88
2023-01-08 04:15	68.03	40.2
2023-01-08 04:30	67.75	39.58
2023-01-08 04:45	67.53	39.48
2023-01-08 05:00	67.71	37.19
2023-01-08 05:15	68.15	37.2
2023-01-08 05:30	69.92	37.4
2023-01-08 05:45	71.6	38.1
2023-01-08 06:00	73.13	39.2
2023-01-08 06:15	73.28	40.61
2023-01-08 06:30	72.49	39.45
2023-01-08 06:45	72.62	39.28
2023-01-08 07:00	73.58	38.5
2023-01-08 07:15	73.73	38.23

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-08 07:30	73.14	38.82
2023-01-08 07:45	72.92	38.7
2023-01-08 08:00	71.76	39.09
2023-01-08 08:15	67.92	39.52
2023-01-08 08:30	68.8	39.07
2023-01-08 08:45	70.32	40.15
2023-01-08 09:00	70.56	36.52
2023-01-08 09:15	70.68	36.31
2023-01-08 09:30	70.2	37.23
2023-01-08 09:45	70.2	37.31
2023-01-08 10:00	71.25	37.28
2023-01-08 10:15	73.59	37.02
2023-01-08 10:30	74.67	36.39
2023-01-08 10:45	75.23	35.4
2023-01-08 11:00	76.9	32.97
2023-01-08 11:15	76.59	33.15
2023-01-08 11:30	75.87	41.54
2023-01-08 11:45	71.69	37.29
2023-01-08 12:00	70.28	36.5
2023-01-08 12:15	NA	NA
2023-01-08 12:30	NA	NA
2023-01-08 12:45	67.14	41.29
2023-01-08 13:00	67.37	39.86
2023-01-08 13:15	67.72	38.61
2023-01-08 13:30	67.33	39.1
2023-01-08 13:45	67.46	39.79
2023-01-08 14:00	67.64	41.13
2023-01-08 14:15	67.88	41.95
2023-01-08 14:30	68.32	41.93
2023-01-08 14:45	68.53	39.77
2023-01-08 15:00	68.98	38.22
2023-01-08 15:15	68.62	38.67
2023-01-08 15:30	68.51	39.09
2023-01-08 15:45	68.47	39.41
2023-01-08 16:00	69.69	39.99
2023-01-08 16:15	70.27	40.63
2023-01-08 16:30	71.1	41.55
2023-01-08 16:45	71.71	39.9
2023-01-08 17:00	71.44	38.29
2023-01-08 17:15	72.03	38.14
2023-01-08 17:30	71.42	38.43
2023-01-08 17:45	71.15	39.03

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-08 18:00	71.95	39.96
2023-01-08 18:15	72.27	40.26
2023-01-08 18:30	72.43	40.99
2023-01-08 18:45	72.64	38.04
2023-01-08 19:00	72.38	40.83
2023-01-08 19:15	72.92	38.35
2023-01-08 19:30	72.86	37
2023-01-08 19:45	70.42	37.73
2023-01-08 20:00	70.25	38.39
2023-01-08 20:15	70.28	38.97
2023-01-08 20:30	71	40.62
2023-01-08 20:45	71.61	41.79
2023-01-08 21:00	71.43	38.11
2023-01-08 21:15	71.28	37.87
2023-01-08 21:30	72.25	38.34
2023-01-08 21:45	72.32	39.16
2023-01-08 22:00	71.28	40.08
2023-01-08 22:15	70.72	39.87
2023-01-08 22:30	70.41	41.33
2023-01-08 22:45	69.59	37.86
2023-01-08 23:00	69.04	37.75
2023-01-08 23:15	69.47	37.62
2023-01-08 23:30	69.14	38.33
2023-01-08 23:45	68.65	38.92
2023-01-09 00:00	68.77	40.04
2023-01-09 00:15	68.66	39.78
2023-01-09 00:30	68.69	41.68
2023-01-09 00:45	68.95	37.76
2023-01-09 01:00	68.83	37.43
2023-01-09 01:15	68.83	37.42
2023-01-09 01:30	69.04	37.87
2023-01-09 01:45	69.1	38.33
2023-01-09 02:00	69.61	39.56
2023-01-09 02:15	68.98	39.27
2023-01-09 02:30	69.04	40.96
2023-01-09 02:45	69.09	37.38
2023-01-09 03:00	69.51	37.46
2023-01-09 03:15	69.98	37.79
2023-01-09 03:30	69.74	38.44
2023-01-09 03:45	69.65	38.88
2023-01-09 04:00	69.67	40.12
2023-01-09 04:15	69.71	40.15

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-09 04:30	69.09	41.81
2023-01-09 04:45	69.1	38.21
2023-01-09 05:00	69.38	37.54
2023-01-09 05:15	69.1	37.51
2023-01-09 05:30	69.01	38.46
2023-01-09 05:45	68.66	38.95
2023-01-09 06:00	68.98	39.58
2023-01-09 06:15	69.37	39.68
2023-01-09 06:30	69.36	41.48
2023-01-09 06:45	69.65	37.78
2023-01-09 07:00	69.52	37.69
2023-01-09 07:15	69.51	37.77
2023-01-09 07:30	69.94	38.49
2023-01-09 07:45	70.7	38.76
2023-01-09 08:00	70.63	39.41
2023-01-09 08:15	72.18	39.34
2023-01-09 08:30	74.78	40.66
2023-01-09 08:45	77.28	35.12
2023-01-09 09:00	78.03	34.03
2023-01-09 09:15	78.19	34.01
2023-01-09 09:30	80.33	34.13
2023-01-09 09:45	79.54	34.54
2023-01-09 10:00	79.56	35.63
2023-01-09 10:15	79.91	35.47
2023-01-09 10:30	79.06	36.18
2023-01-09 10:45	77.97	33.6
2023-01-09 11:00	78.02	33.24
2023-01-09 11:15	78.21	33.7
2023-01-09 11:30	78.01	33.89
2023-01-09 11:45	76.71	35.01
2023-01-09 12:00	74.57	36.77
2023-01-09 12:15	71.41	39.3
2023-01-09 12:30	70.15	39.33
2023-01-09 12:45	69.21	37.69
2023-01-09 13:00	69.55	36.35
2023-01-09 13:15	70.05	36.49
2023-01-09 13:30	70.87	37.32
2023-01-09 13:45	71.56	37.97
2023-01-09 14:00	71.19	41.09
2023-01-09 14:15	69.03	42.68
2023-01-09 14:30	68.18	43.5
2023-01-09 14:45	68.95	39.36

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-09 15:00	69.19	39.47
2023-01-09 15:15	68.7	40.13
2023-01-09 15:30	67.26	40.4
2023-01-09 15:45	67.06	41.86
2023-01-09 16:00	67.86	41.73
2023-01-09 16:15	67.66	41.52
2023-01-09 16:30	67.57	38.79
2023-01-09 16:45	67.95	38.74
2023-01-09 17:00	67.64	39.04
2023-01-09 17:15	67.82	39.44
2023-01-09 17:30	67.84	40.32
2023-01-09 17:45	66.94	40.76
2023-01-09 18:00	66.64	40.6
2023-01-09 18:15	67.18	39.61
2023-01-09 18:30	66.95	37.87
2023-01-09 18:45	67.83	38.04
2023-01-09 19:00	69.17	37.81
2023-01-09 19:15	69.55	38.17
2023-01-09 19:30	68.68	38.43
2023-01-09 19:45	68.82	38.5
2023-01-09 20:00	68.84	38.95
2023-01-09 20:15	68.08	41.09
2023-01-09 20:30	67.88	42.77
2023-01-09 20:45	68.23	40.13
2023-01-09 21:00	69.21	38.26
2023-01-09 21:15	69.27	39.25
2023-01-09 21:30	68.32	39.78
2023-01-09 21:45	69.06	40.9
2023-01-09 22:00	68.84	40.44
2023-01-09 22:15	68.58	38.65
2023-01-09 22:30	68.62	37.33
2023-01-09 22:45	68.77	37.81
2023-01-09 23:00	68.72	38.68
2023-01-09 23:15	68.95	39.17
2023-01-09 23:30	69.64	39.91
2023-01-09 23:45	69.93	41.43
2023-01-10 00:00	68.83	40.7
2023-01-10 00:15	69.02	38.36
2023-01-10 00:30	69.15	38.15
2023-01-10 00:45	68.99	38.77
2023-01-10 01:00	68.95	39.04
2023-01-10 01:15	69.07	39.82

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-10 01:30	68.29	40.8
2023-01-10 01:45	68.26	41.92
2023-01-10 02:00	68.65	41.98
2023-01-10 02:15	69.16	39.19
2023-01-10 02:30	69.65	37.98
2023-01-10 02:45	68.02	38.1
2023-01-10 03:00	68.07	38.51
2023-01-10 03:15	68.51	39.73
2023-01-10 03:30	68.38	40.78
2023-01-10 03:45	68.68	41.48
2023-01-10 04:00	68.65	41.32
2023-01-10 04:15	68.64	38.24
2023-01-10 04:30	69.08	38.01
2023-01-10 04:45	69.52	38.2
2023-01-10 05:00	68.12	38.63
2023-01-10 05:15	67.97	39.61
2023-01-10 05:30	68.68	40.54
2023-01-10 05:45	70.94	40.97
2023-01-10 06:00	71.05	41.86
2023-01-10 06:15	70.2	38.31
2023-01-10 06:30	71.51	38.24
2023-01-10 06:45	75.35	38.3
2023-01-10 07:00	76.41	38.79
2023-01-10 07:15	72.13	39.24
2023-01-10 07:30	70.45	40.53
2023-01-10 07:45	70.58	40.67
2023-01-10 08:00	74.02	40.33
2023-01-10 08:15	73.73	39.31
2023-01-10 08:30	74.74	36.06
2023-01-10 08:45	78.29	34.65
2023-01-10 09:00	80.35	34.39
2023-01-10 09:15	90.01	34.77
2023-01-10 09:30	61.4	35.62
2023-01-10 09:45	52.2	36.03
2023-01-10 10:00	52.15	36.92
2023-01-10 10:15	52.12	33.83
2023-01-10 10:30	52.13	36.06
2023-01-10 10:45	52.05	35.39
2023-01-10 11:00	52.39	34.14
2023-01-10 11:15	52.28	33.43
2023-01-10 11:30	52.16	33.38
2023-01-10 11:45	51.99	33.42

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-10 12:00	51.79	34.11
2023-01-10 12:15	52.02	34.95
2023-01-10 12:30	52.34	36.03
2023-01-10 12:45	52.32	36.12
2023-01-10 13:00	52.45	39.61
2023-01-10 13:15	52.96	40.72
2023-01-10 13:30	52.75	39.17
2023-01-10 13:45	52.72	38.73
2023-01-10 14:00	52.63	38.73
2023-01-10 14:15	52.59	38.59
2023-01-10 14:30	52.59	38.99
2023-01-10 14:45	52.8	39.32
2023-01-10 15:00	52.92	41.59
2023-01-10 15:15	52.8	39.53
2023-01-10 15:30	52.95	38.08
2023-01-10 15:45	53.29	37.82
2023-01-10 16:00	52.92	38.4
2023-01-10 16:15	52.94	38.66
2023-01-10 16:30	53.1	39.11
2023-01-10 16:45	53.25	39.99
2023-01-10 17:00	53.18	42.64
2023-01-10 17:15	52.95	39.46
2023-01-10 17:30	53.05	38.08
2023-01-10 17:45	53.09	37.99
2023-01-10 18:00	53.31	37.92
2023-01-10 18:15	53.29	37.84
2023-01-10 18:30	53.22	37.82
2023-01-10 18:45	53.01	38.5
2023-01-10 19:00	52.95	39.15
2023-01-10 19:15	52.93	39.62
2023-01-10 19:30	53.25	40.07
2023-01-10 19:45	53.51	40.68
2023-01-10 20:00	53.46	37.78
2023-01-10 20:15	53.41	37.99
2023-01-10 20:30	53.64	38.27
2023-01-10 20:45	53.66	38.85
2023-01-10 21:00	53.46	41.52
2023-01-10 21:15	53.44	38.63
2023-01-10 21:30	53.73	37.64
2023-01-10 21:45	53.73	37.57
2023-01-10 22:00	53.61	37.66
2023-01-10 22:15	53.68	37.9

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-10 22:30	53.76	38.5
2023-01-10 22:45	53.93	39.54
2023-01-10 23:00	53.96	40.83
2023-01-10 23:15	53.75	38.3
2023-01-10 23:30	53.46	37.23
2023-01-10 23:45	53.26	37.27
2023-01-11 00:00	53.25	37.32
2023-01-11 00:15	53.17	37.68
2023-01-11 00:30	53.23	38.22
2023-01-11 00:45	53.32	39.59
2023-01-11 01:00	53.54	40.99
2023-01-11 01:15	53.3	38.08
2023-01-11 01:30	53.26	37.18
2023-01-11 01:45	53.23	37.16
2023-01-11 02:00	53.28	37.46
2023-01-11 02:15	53.47	38.07
2023-01-11 02:30	53.49	38.42
2023-01-11 02:45	53.47	39.92
2023-01-11 03:00	53.16	41.05
2023-01-11 03:15	54.34	38.68
2023-01-11 03:30	53.6	37.83
2023-01-11 03:45	53.48	37.57
2023-01-11 04:00	53.62	37.97
2023-01-11 04:15	53.37	38.42
2023-01-11 04:30	53.55	39.12
2023-01-11 04:45	53.84	40.66
2023-01-11 05:00	53.62	39.24
2023-01-11 05:15	53.68	37.46
2023-01-11 05:30	53.73	37.37
2023-01-11 05:45	53.81	37.76
2023-01-11 06:00	53.93	38.3
2023-01-11 06:15	53.77	39.08
2023-01-11 06:30	53.78	39.7
2023-01-11 06:45	54.11	41.71
2023-01-11 07:00	53.93	39.8
2023-01-11 07:15	53.74	38.11
2023-01-11 07:30	53.73	38.01
2023-01-11 07:45	53.6	37.7
2023-01-11 08:00	53.28	37.22
2023-01-11 08:15	52.72	36.03
2023-01-11 08:30	52.58	35.6
2023-01-11 08:45	52.47	35.73

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-11 09:00	52.32	35.09
2023-01-11 09:15	52.23	33.51
2023-01-11 09:30	52.09	33
2023-01-11 09:45	52.04	33.08
2023-01-11 10:00	52.08	33.52
2023-01-11 10:15	52.41	34.08
2023-01-11 10:30	52.62	35.27
2023-01-11 10:45	52.2	36.66
2023-01-11 11:00	52.27	34.61
2023-01-11 11:15	52.13	33.45
2023-01-11 11:30	52.22	33.82
2023-01-11 11:45	52.44	34.14
2023-01-11 12:00	52.72	34.53
2023-01-11 12:15	52.64	34.67
2023-01-11 12:30	52.67	35.92
2023-01-11 12:45	52.8	37.61
2023-01-11 13:00	52.89	35.85
2023-01-11 13:15	52.93	34.76
2023-01-11 13:30	53.48	35.98
2023-01-11 13:45	53.27	37.17
2023-01-11 14:00	53.48	38.34
2023-01-11 14:15	53.44	39.18
2023-01-11 14:30	53.5	40.53
2023-01-11 14:45	53.64	41.59
2023-01-11 15:00	53.75	39.57
2023-01-11 15:15	53.58	38.1
2023-01-11 15:30	53.38	38.16
2023-01-11 15:45	53.61	38.28
2023-01-11 16:00	54.01	38.61
2023-01-11 16:15	54.07	39.07
2023-01-11 16:30	54.54	40.06
2023-01-11 16:45	54.02	38.44
2023-01-11 17:00	53.69	39.7
2023-01-11 17:15	53.67	39.87
2023-01-11 17:30	53.47	42.22
2023-01-11 17:45	53.45	38.41
2023-01-11 18:00	53.62	38.31
2023-01-11 18:15	53.83	38.41
2023-01-11 18:30	53.87	38.97
2023-01-11 18:45	53.89	39.22
2023-01-11 19:00	54.03	39.97
2023-01-11 19:15	54.19	40.23

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-11 19:30	54.52	41.47
2023-01-11 19:45	54.55	38.38
2023-01-11 20:00	54.08	38.09
2023-01-11 20:15	54.06	37.83
2023-01-11 20:30	54.09	38.04
2023-01-11 20:45	54	38.38
2023-01-11 21:00	54.04	39.35
2023-01-11 21:15	54.22	39.84
2023-01-11 21:30	54.5	41.68
2023-01-11 21:45	54.53	37.88
2023-01-11 22:00	54.33	37.33
2023-01-11 22:15	54.38	37.55
2023-01-11 22:30	54.31	37.87
2023-01-11 22:45	54.56	37.81
2023-01-11 23:00	54.61	38.21
2023-01-11 23:15	54.72	39.15
2023-01-11 23:30	54.2	41
2023-01-11 23:45	54.27	38.54
2023-01-12 00:00	54.35	37.39
2023-01-12 00:15	54.46	38.13
2023-01-12 00:30	54.33	39.23
2023-01-12 00:45	54.29	40.68
2023-01-12 01:00	54.24	37.55
2023-01-12 01:15	54.48	37.56
2023-01-12 01:30	54.23	37.74
2023-01-12 01:45	54.22	37.95
2023-01-12 02:00	54.2	39.08
2023-01-12 02:15	54.27	40.52
2023-01-12 02:30	54.47	42.14
2023-01-12 02:45	54.31	38.58
2023-01-12 03:00	54.27	37.38
2023-01-12 03:15	54.11	37.75
2023-01-12 03:30	54.3	37.69
2023-01-12 03:45	54.28	37.95
2023-01-12 04:00	54.24	38.87
2023-01-12 04:15	54.54	40.32
2023-01-12 04:30	54.32	41.7
2023-01-12 04:45	53.96	38.57
2023-01-12 05:00	53.8	37.33
2023-01-12 05:15	53.91	37.63
2023-01-12 05:30	53.87	37.81
2023-01-12 05:45	54.37	38.3

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-12 06:00	54.62	39.13
2023-01-12 06:15	54.75	41.22
2023-01-12 06:30	55.04	42.23
2023-01-12 06:45	54.68	38.64
2023-01-12 07:00	54.42	37.55
2023-01-12 07:15	54.3	38.25
2023-01-12 07:30	54.11	38.39
2023-01-12 07:45	54.01	38.39
2023-01-12 08:00	53.72	38.03
2023-01-12 08:15	54	38.71
2023-01-12 08:30	53.41	39.42
2023-01-12 08:45	52.95	36.43
2023-01-12 09:00	52.71	33.78
2023-01-12 09:15	52.8	33.64
2023-01-12 09:30	52.37	33.65
2023-01-12 09:45	52.15	34.07
2023-01-12 10:00	52.15	34.45
2023-01-12 10:15	52.09	37.19
2023-01-12 10:30	52.33	38.18
2023-01-12 10:45	52.84	35.76
2023-01-12 11:00	52.68	34.24
2023-01-12 11:15	52.75	34.74
2023-01-12 11:30	52.82	34.61
2023-01-12 11:45	52.5	34.7
2023-01-12 12:00	52.89	35.42
2023-01-12 12:15	53.18	36.94
2023-01-12 12:30	53.13	34.31
2023-01-12 12:45	53.39	35.44
2023-01-12 13:00	53.87	37.16
2023-01-12 13:15	53.82	39.69
2023-01-12 13:30	53.77	41.88
2023-01-12 13:45	53.82	39.89
2023-01-12 14:00	53.58	38.9
2023-01-12 14:15	53.73	39.09
2023-01-12 14:30	54.33	39.1
2023-01-12 14:45	54	39.42
2023-01-12 15:00	53.93	40.17
2023-01-12 15:15	53.83	39.81
2023-01-12 15:30	54.3	39.16
2023-01-12 15:45	54.8	39.12
2023-01-12 16:00	54.84	40.85
2023-01-12 16:15	54.75	41.91

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-12 16:30	54.72	42.72
2023-01-12 16:45	54.27	39.59
2023-01-12 17:00	54.38	40.76
2023-01-12 17:15	54.42	41.62
2023-01-12 17:30	54.38	42.13
2023-01-12 17:45	54.37	41.2
2023-01-12 18:00	54.54	38.33
2023-01-12 18:15	54.73	38.49
2023-01-12 18:30	54.53	39.13
2023-01-12 18:45	54.39	39.3
2023-01-12 19:00	54.53	39.54
2023-01-12 19:15	54.4	39.94
2023-01-12 19:30	54.5	40.99
2023-01-12 19:45	54.65	41.17
2023-01-12 20:00	55.05	42.4
2023-01-12 20:15	55.3	39.1
2023-01-12 20:30	54.97	38.53
2023-01-12 20:45	54.94	38.63
2023-01-12 21:00	54.93	40.6
2023-01-12 21:15	55.12	41.7
2023-01-12 21:30	55.08	42.02
2023-01-12 21:45	55.13	42.34
2023-01-12 22:00	55.11	38.55
2023-01-12 22:15	55.35	38.33
2023-01-12 22:30	55.48	38.59
2023-01-12 22:45	55.7	39.33
2023-01-12 23:00	55.95	40.26
2023-01-12 23:15	56.09	41.96
2023-01-12 23:30	55.85	41.95
2023-01-12 23:45	56.09	41.98
2023-01-13 00:00	56.12	38.91
2023-01-13 00:15	55.89	39.34
2023-01-13 00:30	55.97	39.7
2023-01-13 00:45	56.04	40.3
2023-01-13 01:00	56.13	41.02
2023-01-13 01:15	55.99	42.21
2023-01-13 01:30	55.85	41.28
2023-01-13 01:45	55.41	42.37
2023-01-13 02:00	55.48	38.73
2023-01-13 02:15	55.6	38.47
2023-01-13 02:30	55.47	38.89
2023-01-13 02:45	55.48	40.34

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-13 03:00	55.79	41.31
2023-01-13 03:15	56.04	42.54
2023-01-13 03:30	56.05	41.82
2023-01-13 03:45	55.9	42.42
2023-01-13 04:00	55.75	39.45
2023-01-13 04:15	56.28	39.53
2023-01-13 04:30	56.85	39.7
2023-01-13 04:45	56.84	40.65
2023-01-13 05:00	56.18	41.58
2023-01-13 05:15	56.14	43.67
2023-01-13 05:30	56.47	43.05
2023-01-13 05:45	56.78	43.91
2023-01-13 06:00	56.59	38.93
2023-01-13 06:15	56.2	38.96
2023-01-13 06:30	56.12	39.02
2023-01-13 06:45	55.9	39.86
2023-01-13 07:00	56.01	41.89
2023-01-13 07:15	56.29	43.65
2023-01-13 07:30	56.09	41.9
2023-01-13 07:45	55.74	42.37
2023-01-13 08:00	55.35	40.6
2023-01-13 08:15	55.34	37.54
2023-01-13 08:30	55	36.74
2023-01-13 08:45	54.59	36.4
2023-01-13 09:00	54.53	37.16
2023-01-13 09:15	54.7	37.93
2023-01-13 09:30	54.3	37.24
2023-01-13 09:45	54.04	38.12
2023-01-13 10:00	53.84	33.7
2023-01-13 10:15	53.78	33.88
2023-01-13 10:30	53.48	34.11
2023-01-13 10:45	53.66	35.35
2023-01-13 11:00	53.68	36.3
2023-01-13 11:15	53.53	37.49
2023-01-13 11:30	53.93	36.89
2023-01-13 11:45	54	36.65
2023-01-13 12:00	54.25	35.76
2023-01-13 12:15	54.29	34.74
2023-01-13 12:30	54.21	34.43
2023-01-13 12:45	54.37	35.19
2023-01-13 13:00	54.81	38.07
2023-01-13 13:15	54.97	39.69

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-13 13:30	55.04	40.79
2023-01-13 13:45	55.3	41.92
2023-01-13 14:00	55.1	42.77
2023-01-13 14:15	55.18	39.54
2023-01-13 14:30	55.13	38.94
2023-01-13 14:45	55.54	39.28
2023-01-13 15:00	55.72	41.11
2023-01-13 15:15	55.79	42.1
2023-01-13 15:30	55.55	41.09
2023-01-13 15:45	55.35	41.01
2023-01-13 16:00	55.53	38.58
2023-01-13 16:15	55.48	38.64
2023-01-13 16:30	55.51	39.05
2023-01-13 16:45	55.58	39.52
2023-01-13 17:00	55.57	40.43
2023-01-13 17:15	55.58	41.58
2023-01-13 17:30	55.36	40.7
2023-01-13 17:45	55.62	39.58
2023-01-13 18:00	55.72	37.81
2023-01-13 18:15	55.58	38.35
2023-01-13 18:30	55.75	38.19
2023-01-13 18:45	55.81	38.55
2023-01-13 19:00	55.58	38.19
2023-01-13 19:15	55.83	38.86
2023-01-13 19:30	55.92	39.95
2023-01-13 19:45	55.6	43.05
2023-01-13 20:00	56.03	38.53
2023-01-13 20:15	55.96	38.09
2023-01-13 20:30	55.94	38.36
2023-01-13 20:45	56.09	38.68
2023-01-13 21:00	56.25	40.69
2023-01-13 21:15	55.84	41.76
2023-01-13 21:30	56.02	42.88
2023-01-13 21:45	56.11	39.44
2023-01-13 22:00	56.37	37.74
2023-01-13 22:15	56.24	37.58
2023-01-13 22:30	56.01	38.35
2023-01-13 22:45	55.9	38.9
2023-01-13 23:00	55.68	40.18
2023-01-13 23:15	55.53	40.8
2023-01-13 23:30	55.56	41.2
2023-01-13 23:45	55.72	38.97

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-14 00:00	55.54	38.01
2023-01-14 00:15	55.4	38.28
2023-01-14 00:30	55.5	38.99
2023-01-14 00:45	55.88	39.59
2023-01-14 01:00	55.92	40.77
2023-01-14 01:15	55.79	41.08
2023-01-14 01:30	55.87	42.29
2023-01-14 01:45	56.06	38.92
2023-01-14 02:00	55.95	38.47
2023-01-14 02:15	55.8	38.39
2023-01-14 02:30	55.88	38.76
2023-01-14 02:45	56.21	39.06
2023-01-14 03:00	56.1	40.98
2023-01-14 03:15	56.35	41.04
2023-01-14 03:30	55.88	42.46
2023-01-14 03:45	55.6	38.62
2023-01-14 04:00	55.71	38.11
2023-01-14 04:15	55.99	38.31
2023-01-14 04:30	55.96	38.97
2023-01-14 04:45	55.68	39.39
2023-01-14 05:00	56.02	40.86
2023-01-14 05:15	56.07	41.21
2023-01-14 05:30	56.47	43.13
2023-01-14 05:45	56.24	38.63
2023-01-14 06:00	56.21	38.51
2023-01-14 06:15	55.62	38.52
2023-01-14 06:30	55.77	39.05
2023-01-14 06:45	56.3	39.99
2023-01-14 07:00	55.93	41.19
2023-01-14 07:15	55.52	41.38
2023-01-14 07:30	55.38	43.34
2023-01-14 07:45	55.85	38.55
2023-01-14 08:00	56.34	38.62
2023-01-14 08:15	56.23	38.6
2023-01-14 08:30	55.78	38.7
2023-01-14 08:45	55.52	38.71
2023-01-14 09:00	55.18	40.11
2023-01-14 09:15	54.71	37.67
2023-01-14 09:30	54.56	40.65
2023-01-14 09:45	54.58	35.42
2023-01-14 10:00	54.58	34.14
2023-01-14 10:15	54.46	34.72

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-14 10:30	54.5	35.69
2023-01-14 10:45	54.99	36.56
2023-01-14 11:00	55.2	37.27
2023-01-14 11:15	54.96	36.91
2023-01-14 11:30	55.43	39.33
2023-01-14 11:45	55.42	34.58
2023-01-14 12:00	55.21	38.12
2023-01-14 12:15	55.24	37.34
2023-01-14 12:30	55.27	34.78
2023-01-14 12:45	55.33	34.92
2023-01-14 13:00	55.78	39.13
2023-01-14 13:15	56.24	40.04
2023-01-14 13:30	56.05	42.05
2023-01-14 13:45	56.41	39.04
2023-01-14 14:00	56.25	39.08
2023-01-14 14:15	56.57	42.68
2023-01-14 14:30	56.84	42.67
2023-01-14 14:45	57	40.44
2023-01-14 15:00	56.79	40.97
2023-01-14 15:15	56.57	42.6
2023-01-14 15:30	56.82	39.77
2023-01-14 15:45	56.63	38.83
2023-01-14 16:00	56.33	39.03
2023-01-14 16:15	56.35	39.81
2023-01-14 16:30	56.27	40.34
2023-01-14 16:45	56.27	41.31
2023-01-14 17:00	56.58	41.99
2023-01-14 17:15	56.94	43.14
2023-01-14 17:30	56.89	39.46
2023-01-14 17:45	57.31	38.48
2023-01-14 18:00	56.71	38.69
2023-01-14 18:15	56.82	38.88
2023-01-14 18:30	56.56	39.25
2023-01-14 18:45	56.63	39.91
2023-01-14 19:00	56.51	39.48
2023-01-14 19:15	56.49	41.57
2023-01-14 19:30	56.39	42.63
2023-01-14 19:45	56.45	40.19
2023-01-14 20:00	56.09	38.43
2023-01-14 20:15	56.33	38.79
2023-01-14 20:30	56.62	39.16
2023-01-14 20:45	56.18	39.93

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-14 21:00	56.45	41.36
2023-01-14 21:15	56.2	43.41
2023-01-14 21:30	56.6	39.05
2023-01-14 21:45	56.58	38
2023-01-14 22:00	56.23	38.73
2023-01-14 22:15	56.71	39.32
2023-01-14 22:30	56.35	39.37
2023-01-14 22:45	56.37	40.23
2023-01-14 23:00	56.4	40.7
2023-01-14 23:15	56.52	43.53
2023-01-14 23:30	56.35	38.69
2023-01-14 23:45	56.2	38.25
2023-01-15 00:00	56.38	38.12
2023-01-15 00:15	56.64	38.78
2023-01-15 00:30	56.72	39.77
2023-01-15 00:45	56.58	40.8
2023-01-15 01:00	56.68	41.28
2023-01-15 01:15	56.87	43.32
2023-01-15 01:30	56.8	38.77
2023-01-15 01:45	57.61	38.3
2023-01-15 02:00	57.59	38.35
2023-01-15 02:15	57.57	38.8
2023-01-15 02:30	57.28	39.51
2023-01-15 02:45	57.1	40.73
2023-01-15 03:00	57.01	41.39
2023-01-15 03:15	56.88	43
2023-01-15 03:30	56.76	38.52
2023-01-15 03:45	57.04	38.15
2023-01-15 04:00	57.17	38.44
2023-01-15 04:15	56.59	38.92
2023-01-15 04:30	56.67	39.63
2023-01-15 04:45	56.84	40.78
2023-01-15 05:00	56.37	42.02
2023-01-15 05:15	56.68	44.18
2023-01-15 05:30	56.74	39.37
2023-01-15 05:45	56.76	38.78
2023-01-15 06:00	57.27	39.02
2023-01-15 06:15	58.2	39.57
2023-01-15 06:30	57.62	40.25
2023-01-15 06:45	57.09	41.2
2023-01-15 07:00	57.44	42.21
2023-01-15 07:15	57.05	43.18

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-15 07:30	56.89	39.15
2023-01-15 07:45	56.85	38.99
2023-01-15 08:00	57.68	38.75
2023-01-15 08:15	57.35	39.02
2023-01-15 08:30	56.75	39.29
2023-01-15 08:45	57.8	39.76
2023-01-15 09:00	57.88	41.64
2023-01-15 09:15	56.83	41.45
2023-01-15 09:30	56.41	35.88
2023-01-15 09:45	55.7	35.1
2023-01-15 10:00	55.24	34.9
2023-01-15 10:15	56.2	34.62
2023-01-15 10:30	56.28	34.9
2023-01-15 10:45	55.89	35.63
2023-01-15 11:00	55.26	36.71
2023-01-15 11:15	55.52	38.02
2023-01-15 11:30	55.59	37.36
2023-01-15 11:45	55.61	35.88
2023-01-15 12:00	55.42	34.68
2023-01-15 12:15	55.72	35.59
2023-01-15 12:30	56.12	37.47
2023-01-15 12:45	56.36	38.84
2023-01-15 13:00	56.3	40.82
2023-01-15 13:15	56.11	42.02
2023-01-15 13:30	56.23	38.93
2023-01-15 13:45	56.17	38.76
2023-01-15 14:00	56.1	39.68
2023-01-15 14:15	56.5	39.95
2023-01-15 14:30	56.6	40.64
2023-01-15 14:45	56.53	41.49
2023-01-15 15:00	56.66	43.5
2023-01-15 15:15	56.57	42.08
2023-01-15 15:30	56.81	39.52
2023-01-15 15:45	56.64	39.16
2023-01-15 16:00	56.49	39.44
2023-01-15 16:15	56.37	39.38
2023-01-15 16:30	56.34	39.57
2023-01-15 16:45	56.27	40.4
2023-01-15 17:00	56.06	43.22
2023-01-15 17:15	56.21	41.82
2023-01-15 17:30	56.32	39.16
2023-01-15 17:45	56.25	38.83

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-15 18:00	56.51	39.36
2023-01-15 18:15	56.35	39.37
2023-01-15 18:30	56.24	40.22
2023-01-15 18:45	56.21	40.93
2023-01-15 19:00	56.65	39.98
2023-01-15 19:15	56.58	40.78
2023-01-15 19:30	56.37	42.16
2023-01-15 19:45	56.19	41.41
2023-01-15 20:00	56.01	39.48
2023-01-15 20:15	55.86	39.77
2023-01-15 20:30	55.83	40.33
2023-01-15 20:45	56.14	40.89
2023-01-15 21:00	56.47	44.15
2023-01-15 21:15	56.53	41.49
2023-01-15 21:30	56.54	38.7
2023-01-15 21:45	56.89	38.55
2023-01-15 22:00	56	39.36
2023-01-15 22:15	56.53	39.65
2023-01-15 22:30	56.49	40.12
2023-01-15 22:45	56.3	41.31
2023-01-15 23:00	56.42	44.01
2023-01-15 23:15	56.72	40.9
2023-01-15 23:30	57.09	39
2023-01-15 23:45	56.94	38.97
2023-01-16 00:00	56.56	39.21
2023-01-16 00:15	56.87	39.38
2023-01-16 00:30	57.05	40.15
2023-01-16 00:45	56.93	41.46
2023-01-16 01:00	56.7	44.26
2023-01-16 01:15	56.4	40.62
2023-01-16 01:30	57.14	38.81
2023-01-16 01:45	57.39	38.87
2023-01-16 02:00	57.29	39.11
2023-01-16 02:15	57.41	39.16
2023-01-16 02:30	57.07	39.92
2023-01-16 02:45	57.07	41.26
2023-01-16 03:00	57.19	43.75
2023-01-16 03:15	57.42	40.5
2023-01-16 03:30	57.3	39.38
2023-01-16 03:45	57.1	38.7
2023-01-16 04:00	57.56	38.82
2023-01-16 04:15	57.91	39.5

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-16 04:30	59.35	40.52
2023-01-16 04:45	56.72	41.41
2023-01-16 05:00	57.13	43.83
2023-01-16 05:15	56.74	40.36
2023-01-16 05:30	56.62	38.82
2023-01-16 05:45	56.55	39.11
2023-01-16 06:00	57.07	39.42
2023-01-16 06:15	56.7	40.02
2023-01-16 06:30	56.63	40.7
2023-01-16 06:45	57.71	42.63
2023-01-16 07:00	59.69	44.04
2023-01-16 07:15	58.94	39.8
2023-01-16 07:30	59.31	38.91
2023-01-16 07:45	59.96	38.9
2023-01-16 08:00	57.15	38.89
2023-01-16 08:15	56.94	39.24
2023-01-16 08:30	57.1	40.04
2023-01-16 08:45	57.15	41.46
2023-01-16 09:00	57.44	42.22
2023-01-16 09:15	56.87	41.65
2023-01-16 09:30	57.13	39.14
2023-01-16 09:45	56.11	35.43
2023-01-16 10:00	55.9	35
2023-01-16 10:15	56.15	34.84
2023-01-16 10:30	57.21	35.33
2023-01-16 10:45	56.66	37.56
2023-01-16 11:00	56.97	39.8
2023-01-16 11:15	57.31	35.83
2023-01-16 11:30	57.37	34.55
2023-01-16 11:45	57.89	34.78
2023-01-16 12:00	57.15	35.76
2023-01-16 12:15	56.98	36.35
2023-01-16 12:30	57	37.34
2023-01-16 12:45	56.48	40.41
2023-01-16 13:00	56.29	41.63
2023-01-16 13:15	56.57	37.99
2023-01-16 13:30	56.44	37.89
2023-01-16 13:45	56.53	39.45
2023-01-16 14:00	56.5	39.83
2023-01-16 14:15	56.4	40.21
2023-01-16 14:30	56.28	40.58
2023-01-16 14:45	56.74	43.26

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-16 15:00	57.01	44.3
2023-01-16 15:15	57.57	40.16
2023-01-16 15:30	57.14	39.19
2023-01-16 15:45	57.62	39.31
2023-01-16 16:00	57.29	39.44
2023-01-16 16:15	57.88	39.93
2023-01-16 16:30	57.32	40.85
2023-01-16 16:45	57.06	42.77
2023-01-16 17:00	57.64	42.59
2023-01-16 17:15	57.39	39.56
2023-01-16 17:30	57.37	38.88
2023-01-16 17:45	57.07	38.9
2023-01-16 18:00	57.33	38.99
2023-01-16 18:15	57.37	39.25
2023-01-16 18:30	57.32	39.82
2023-01-16 18:45	57.33	41.74
2023-01-16 19:00	57.33	41.39
2023-01-16 19:15	57.02	42.3
2023-01-16 19:30	56.24	42.05
2023-01-16 19:45	56.2	38.87
2023-01-16 20:00	56.37	38.79
2023-01-16 20:15	56.47	38.76
2023-01-16 20:30	56.51	39.19
2023-01-16 20:45	57	40.31
2023-01-16 21:00	57.82	42.67
2023-01-16 21:15	57.88	39.63
2023-01-16 21:30	57.42	38.56
2023-01-16 21:45	57.03	38.91
2023-01-16 22:00	57.25	39.66
2023-01-16 22:15	56.89	40.02
2023-01-16 22:30	56.85	41.42
2023-01-16 22:45	56.95	43.35
2023-01-16 23:00	57	40.22
2023-01-16 23:15	57.22	39.02
2023-01-16 23:30	57.67	38.97
2023-01-16 23:45	56.89	38.93
2023-01-17 00:00	57.07	39.53
2023-01-17 00:15	57.45	40.23
2023-01-17 00:30	57.34	41.99
2023-01-17 00:45	57.53	43.54
2023-01-17 01:00	58.07	39.95
2023-01-17 01:15	59.06	38.67

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-17 01:30	57.91	39.37
2023-01-17 01:45	58.04	39.38
2023-01-17 02:00	57.38	39.62
2023-01-17 02:15	58.04	40.47
2023-01-17 02:30	58.21	42.32
2023-01-17 02:45	58.73	43.76
2023-01-17 03:00	58.44	39.57
2023-01-17 03:15	57.35	38.62
2023-01-17 03:30	57.44	39.09
2023-01-17 03:45	57.27	39.43
2023-01-17 04:00	57.3	39.59
2023-01-17 04:15	56.69	38.62
2023-01-17 04:30	56.75	38.89
2023-01-17 04:45	56.84	39.27
2023-01-17 05:00	57.02	40.11
2023-01-17 05:15	57.79	39.04
2023-01-17 05:30	57.89	39.31
2023-01-17 05:45	57.5	39.21
2023-01-17 06:00	56.97	39.6
2023-01-17 06:15	57.1	40.46
2023-01-17 06:30	56.93	43.14
2023-01-17 06:45	57.99	44.5
2023-01-17 07:00	58.04	43.13
2023-01-17 07:15	57.44	42.34
2023-01-17 07:30	57.07	39.51
2023-01-17 07:45	56.89	39.4
2023-01-17 08:00	56.66	40.26
2023-01-17 08:15	56.28	40.79
2023-01-17 08:30	57.67	42.65
2023-01-17 08:45	56.64	42.75
2023-01-17 09:00	56.04	37.75
2023-01-17 09:15	55.74	35.78
2023-01-17 09:30	55.45	36.13
2023-01-17 09:45	54.86	35.67
2023-01-17 10:00	55.1	35.85
2023-01-17 10:15	54.97	36.25
2023-01-17 10:30	54.93	38.77
2023-01-17 10:45	55.39	39
2023-01-17 11:00	54.87	35.72
2023-01-17 11:15	55.79	35.16
2023-01-17 11:30	55.68	35.16
2023-01-17 11:45	56.04	34.96

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-17 12:00	55.4	35.47
2023-01-17 12:15	55.71	36.93
2023-01-17 12:30	55.88	40.19
2023-01-17 12:45	55.65	41.29
2023-01-17 13:00	55.92	39.31
2023-01-17 13:15	55.84	38.36
2023-01-17 13:30	56.31	39.02
2023-01-17 13:45	56.48	39.68
2023-01-17 14:00	56.46	40.94
2023-01-17 14:15	56.61	39.41
2023-01-17 14:30	56.55	39.69
2023-01-17 14:45	56.44	39.84
2023-01-17 15:00	56.41	41.07
2023-01-17 15:15	56.35	39.57
2023-01-17 15:30	56.28	39.65
2023-01-17 15:45	56.73	39.73
2023-01-17 16:00	56.58	40.33
2023-01-17 16:15	57	41.72
2023-01-17 16:30	56.8	42.83
2023-01-17 16:45	56.93	43.07
2023-01-17 17:00	57.05	40.67
2023-01-17 17:15	57.37	39.22
2023-01-17 17:30	57.11	39.14
2023-01-17 17:45	57.22	38.93
2023-01-17 18:00	57.74	39.52
2023-01-17 18:15	57.41	40.8
2023-01-17 18:30	57.2	42.04
2023-01-17 18:45	57.64	42.14
2023-01-17 19:00	57.32	41.33
2023-01-17 19:15	57.25	43.23
2023-01-17 19:30	57.06	40.47
2023-01-17 19:45	56.88	38.92
2023-01-17 20:00	56.75	39.2
2023-01-17 20:15	57.68	39.91
2023-01-17 20:30	58.11	40.52
2023-01-17 20:45	58.38	41.78
2023-01-17 21:00	58.78	40.11
2023-01-17 21:15	58.23	39.91
2023-01-17 21:30	57.6	39.64
2023-01-17 21:45	57.22	39.22
2023-01-17 22:00	57.35	39.43
2023-01-17 22:15	57.28	40.88

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-17 22:30	57.09	42.36
2023-01-17 22:45	56.98	41.49
2023-01-17 23:00	56.98	39.31
2023-01-17 23:15	57.12	38.63
2023-01-17 23:30	57.07	38.99
2023-01-17 23:45	57.89	39.17
2023-01-18 00:00	58.08	39.76
2023-01-18 00:15	58.05	41.55
2023-01-18 00:30	57.52	42.79
2023-01-18 00:45	57.53	41.15
2023-01-18 01:00	57.63	39.69
2023-01-18 01:15	58.24	38.5
2023-01-18 01:30	57.52	38.73
2023-01-18 01:45	57.39	39.15
2023-01-18 02:00	57.36	39.35
2023-01-18 02:15	56.78	41.12
2023-01-18 02:30	57.45	42.63
2023-01-18 02:45	57.24	40.74
2023-01-18 03:00	58.08	39.55
2023-01-18 03:15	57.43	39.48
2023-01-18 03:30	58.41	39.48
2023-01-18 03:45	57.99	39.18
2023-01-18 04:00	57.63	39.91
2023-01-18 04:15	57.96	41.48
2023-01-18 04:30	57.17	42.63
2023-01-18 04:45	56.77	40.6
2023-01-18 05:00	56.8	41.97
2023-01-18 05:15	57.93	42.24
2023-01-18 05:30	56.88	39.56
2023-01-18 05:45	56.87	39.2
2023-01-18 06:00	56.79	40.22
2023-01-18 06:15	57.13	42.15
2023-01-18 06:30	57.48	43.85
2023-01-18 06:45	56.9	41.68
2023-01-18 07:00	56.9	39.51
2023-01-18 07:15	56.64	39.05
2023-01-18 07:30	56.79	39.22
2023-01-18 07:45	56.43	39.56
2023-01-18 08:00	56.73	39.91
2023-01-18 08:15	56.62	40.68
2023-01-18 08:30	55.88	42.01
2023-01-18 08:45	56.45	39.64

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-18 09:00	56.82	36.63
2023-01-18 09:15	57.15	35.11
2023-01-18 09:30	55.37	34.83
2023-01-18 09:45	56.34	35.07
2023-01-18 10:00	55.23	35.94
2023-01-18 10:15	55.64	37.45
2023-01-18 10:30	55.44	38.74
2023-01-18 10:45	55.53	37.02
2023-01-18 11:00	55.47	34.66
2023-01-18 11:15	55.43	34.33
2023-01-18 11:30	54.89	34.46
2023-01-18 11:45	54.75	34.79
2023-01-18 12:00	55.76	36
2023-01-18 12:15	55.57	37.26
2023-01-18 12:30	56.07	38.83
2023-01-18 12:45	55.9	37.28
2023-01-18 13:00	55.65	36.36
2023-01-18 13:15	55.75	37.2
2023-01-18 13:30	56.2	37.9
2023-01-18 13:45	56.15	39.74
2023-01-18 14:00	56.11	41.03
2023-01-18 14:15	56.09	41.95
2023-01-18 14:30	56.1	43.39
2023-01-18 14:45	56.62	41.07
2023-01-18 15:00	56.93	38.82
2023-01-18 15:15	57.27	39.42
2023-01-18 15:30	56.81	39.9
2023-01-18 15:45	57.28	40.11
2023-01-18 16:00	58.2	42.84
2023-01-18 16:15	57.9	43.87
2023-01-18 16:30	58.54	40.13
2023-01-18 16:45	57.39	38.62
2023-01-18 17:00	57.25	38.95
2023-01-18 17:15	57.69	39
2023-01-18 17:30	60.81	39.61
2023-01-18 17:45	60.15	40.36
2023-01-18 18:00	58.77	42.87
2023-01-18 18:15	59.29	43.83
2023-01-18 18:30	57.3	39.93
2023-01-18 18:45	58.26	38.14
2023-01-18 19:00	59.98	38.26
2023-01-18 19:15	57.83	38.5

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-18 19:30	57.97	38.84
2023-01-18 19:45	59.18	39.41
2023-01-18 20:00	59.52	39.67
2023-01-18 20:15	58.9	40.19
2023-01-18 20:30	59.03	41.5
2023-01-18 20:45	58.13	41.07
2023-01-18 21:00	57.26	38.36
2023-01-18 21:15	56.85	38.3
2023-01-18 21:30	57.6	38.73
2023-01-18 21:45	58.19	39.22
2023-01-18 22:00	58.3	41.57
2023-01-18 22:15	58.24	42.78
2023-01-18 22:30	58.06	39.62
2023-01-18 22:45	59.13	38.37
2023-01-18 23:00	58.16	38.35
2023-01-18 23:15	58.24	38.33
2023-01-18 23:30	57.57	38.85
2023-01-18 23:45	57.66	39.22
2023-01-19 00:00	58.15	41.56
2023-01-19 00:15	58.66	41.88
2023-01-19 00:30	59.13	39.1
2023-01-19 00:45	59.01	38.04
2023-01-19 01:00	59.22	38.21
2023-01-19 01:15	59.42	38.72
2023-01-19 01:30	59.06	39.21
2023-01-19 01:45	61.24	39.53
2023-01-19 02:00	58.61	41.91
2023-01-19 02:15	58.17	42.57
2023-01-19 02:30	57.61	38.97
2023-01-19 02:45	57.64	38.11
2023-01-19 03:00	57.33	37.98
2023-01-19 03:15	57.49	37.93
2023-01-19 03:30	57.11	38.05
2023-01-19 03:45	57.33	38.48
2023-01-19 04:00	57.19	41.16
2023-01-19 04:15	57.44	41.75
2023-01-19 04:30	58.43	39.58
2023-01-19 04:45	59.59	38.26
2023-01-19 05:00	59.28	38.58
2023-01-19 05:15	59.78	38.96
2023-01-19 05:30	60.76	39.62
2023-01-19 05:45	57.61	40.77

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-19 06:00	58.39	42.23
2023-01-19 06:15	58.89	42.66
2023-01-19 06:30	57.93	40.83
2023-01-19 06:45	57.81	38.46
2023-01-19 07:00	57.83	39.78
2023-01-19 07:15	58.17	39.68
2023-01-19 07:30	59.09	39.98
2023-01-19 07:45	58.55	41.17
2023-01-19 08:00	58.27	41.19
2023-01-19 08:15	57.68	42.35
2023-01-19 08:30	57.02	39.73
2023-01-19 08:45	56.37	38.23
2023-01-19 09:00	55.83	36.04
2023-01-19 09:15	55.66	36.03
2023-01-19 09:30	55.66	36.13
2023-01-19 09:45	55.61	37.3
2023-01-19 10:00	56.52	39.64
2023-01-19 10:15	56.04	38.89
2023-01-19 10:30	56.77	37.41
2023-01-19 10:45	55.97	35.44
2023-01-19 11:00	56.25	35.21
2023-01-19 11:15	55.55	35.03
2023-01-19 11:30	55.64	35.27
2023-01-19 11:45	55.53	36.97
2023-01-19 12:00	55.3	38.62
2023-01-19 12:15	56.03	38.45
2023-01-19 12:30	55.62	37.39
2023-01-19 12:45	55.84	35.54
2023-01-19 13:00	55.88	35.61
2023-01-19 13:15	56.54	35.99
2023-01-19 13:30	56.53	37.56
2023-01-19 13:45	56.89	40.94
2023-01-19 14:00	57.76	43.13
2023-01-19 14:15	57.32	41.84
2023-01-19 14:30	56.78	40.42
2023-01-19 14:45	59.39	38.19
2023-01-19 15:00	68.95	38.48
2023-01-19 15:15	78.12	39.02
2023-01-19 15:30	95.6	39.19
2023-01-19 15:45	18.25	41.04
2023-01-19 16:00	0	42.93
2023-01-19 16:15	0	40.78

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-19 16:30	0	39.97
2023-01-19 16:45	0	38.39
2023-01-19 17:00	0	38.44
2023-01-19 17:15	0	38.4
2023-01-19 17:30	0	38.55
2023-01-19 17:45	0	40.28
2023-01-19 18:00	0	42.07
2023-01-19 18:15	0	40.05
2023-01-19 18:30	0	39.23
2023-01-19 18:45	0	38.15
2023-01-19 19:00	0	38.26
2023-01-19 19:15	0	38.12
2023-01-19 19:30	0	38.5
2023-01-19 19:45	0	39.16
2023-01-19 20:00	0	40.56
2023-01-19 20:15	0	41.63
2023-01-19 20:30	0	42.06
2023-01-19 20:45	0	40.27
2023-01-19 21:00	0	38.9
2023-01-19 21:15	0	38.75
2023-01-19 21:30	0	39.24
2023-01-19 21:45	0	41.2
2023-01-19 22:00	0	42.97
2023-01-19 22:15	1.93	40.27
2023-01-19 22:30	0	39.01
2023-01-19 22:45	0	38.01
2023-01-19 23:00	0	38.26
2023-01-19 23:15	0	38.62
2023-01-19 23:30	0	39.29
2023-01-19 23:45	0	40.55
2023-01-20 00:00	0	42.46
2023-01-20 00:15	0	40.54
2023-01-20 00:30	0	38.81
2023-01-20 00:45	0	38.12
2023-01-20 01:00	0	38.02
2023-01-20 01:15	0	38.04
2023-01-20 01:30	0	38.56
2023-01-20 01:45	0	39.05
2023-01-20 02:00	0	40.99
2023-01-20 02:15	0	40.57
2023-01-20 02:30	0	41.2
2023-01-20 02:45	0	37.59

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-20 03:00	0	37.96
2023-01-20 03:15	0	38.31
2023-01-20 03:30	0	39.35
2023-01-20 03:45	0	40.65
2023-01-20 04:00	0	42.43
2023-01-20 04:15	0	40.74
2023-01-20 04:30	0	39.28
2023-01-20 04:45	0	38.76
2023-01-20 05:00	0	39.33
2023-01-20 05:15	0	40.2
2023-01-20 05:30	0	40.42
2023-01-20 05:45	0	40.79
2023-01-20 06:00	0	42.79
2023-01-20 06:15	0	41.11
2023-01-20 06:30	0	39.33
2023-01-20 06:45	0	38.66
2023-01-20 07:00	0	38.55
2023-01-20 07:15	0	38.92
2023-01-20 07:30	0	39.78
2023-01-20 07:45	0	40.94
2023-01-20 08:00	0	42.17
2023-01-20 08:15	0	39.99
2023-01-20 08:30	0	37.48
2023-01-20 08:45	0	36.58
2023-01-20 09:00	7.53	36.36
2023-01-20 09:15	55.62	36.02
2023-01-20 09:30	55.54	38.12
2023-01-20 09:45	55.54	38.15
2023-01-20 10:00	55.7	39.09
2023-01-20 10:15	55.29	37.73
2023-01-20 10:30	55.23	35.58
2023-01-20 10:45	55.21	35.34
2023-01-20 11:00	54.64	34.75
2023-01-20 11:15	54.83	34.7
2023-01-20 11:30	54.66	35.46
2023-01-20 11:45	54.76	36.44
2023-01-20 12:00	54.91	39.42
2023-01-20 12:15	55.17	39.21
2023-01-20 12:30	55.19	36.76
2023-01-20 12:45	55.23	36.68
2023-01-20 13:00	55.26	37.29
2023-01-20 13:15	55.01	38.29

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-20 13:30	55.12	40.35
2023-01-20 13:45	55.91	41.85
2023-01-20 14:00	55.73	42.84
2023-01-20 14:15	55.88	42.01
2023-01-20 14:30	56.17	38.83
2023-01-20 14:45	56.13	38.62
2023-01-20 15:00	56.06	38.74
2023-01-20 15:15	56.12	39.15
2023-01-20 15:30	55.69	39.79
2023-01-20 15:45	55.82	40.62
2023-01-20 16:00	55.99	41.87
2023-01-20 16:15	56.33	41.63
2023-01-20 16:30	56.02	38.17
2023-01-20 16:45	57.21	38.26
2023-01-20 17:00	56.21	38.99
2023-01-20 17:15	56.69	39.4
2023-01-20 17:30	56.34	40.44
2023-01-20 17:45	55.96	41.53
2023-01-20 18:00	56.12	41.84
2023-01-20 18:15	56.77	41.73
2023-01-20 18:30	56.2	38.69
2023-01-20 18:45	56.05	38.89
2023-01-20 19:00	56.24	38.66
2023-01-20 19:15	56.1	38.6
2023-01-20 19:30	56.89	38.87
2023-01-20 19:45	56.06	39.35
2023-01-20 20:00	56.17	40.97
2023-01-20 20:15	55.79	41.43
2023-01-20 20:30	56.19	42.67
2023-01-20 20:45	56.64	38.64
2023-01-20 21:00	56.3	38.66
2023-01-20 21:15	56.85	39.28
2023-01-20 21:30	56.49	39.84
2023-01-20 21:45	56.28	40.87
2023-01-20 22:00	56.59	40.82
2023-01-20 22:15	56.7	40.53
2023-01-20 22:30	57	37.72
2023-01-20 22:45	56.83	37.89
2023-01-20 23:00	56.94	37.96
2023-01-20 23:15	56.63	38.9
2023-01-20 23:30	60.03	39.72
2023-01-20 23:45	56.96	41.31

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-21 00:00	57.73	40.41
2023-01-21 00:15	56.12	41.96
2023-01-21 00:30	56.18	39.54
2023-01-21 00:45	56.43	37.57
2023-01-21 01:00	56.16	37.81
2023-01-21 01:15	56.45	38.53
2023-01-21 01:30	56.35	39.26
2023-01-21 01:45	58.15	40.93
2023-01-21 02:00	56.56	40.88
2023-01-21 02:15	57.07	41
2023-01-21 02:30	56.29	38.29
2023-01-21 02:45	56.37	38.13
2023-01-21 03:00	56.67	38.4
2023-01-21 03:15	57.06	39.31
2023-01-21 03:30	56.39	40.2
2023-01-21 03:45	56.17	41.74
2023-01-21 04:00	56.41	41.97
2023-01-21 04:15	56.59	41.03
2023-01-21 04:30	56.84	38.65
2023-01-21 04:45	57.39	38.73
2023-01-21 05:00	57.59	38.6
2023-01-21 05:15	56.87	39.41
2023-01-21 05:30	57	40.3
2023-01-21 05:45	57.23	41.58
2023-01-21 06:00	57.02	41.28
2023-01-21 06:15	56.54	40.35
2023-01-21 06:30	56.08	38.25
2023-01-21 06:45	56.36	38.35
2023-01-21 07:00	56.14	38.52
2023-01-21 07:15	55.94	39.55
2023-01-21 07:30	55.98	40.47
2023-01-21 07:45	56.04	41.95
2023-01-21 08:00	56.51	41.55
2023-01-21 08:15	56.11	40.61
2023-01-21 08:30	56.35	38.49
2023-01-21 08:45	56.15	37.93
2023-01-21 09:00	55.69	37.16
2023-01-21 09:15	55.19	37.7
2023-01-21 09:30	55.25	38.55
2023-01-21 09:45	55.47	41.38
2023-01-21 10:00	55.39	39.4
2023-01-21 10:15	55.15	37.02

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-21 10:30	54.97	35.39
2023-01-21 10:45	55.41	35.34
2023-01-21 11:00	55.42	35.76
2023-01-21 11:15	55.33	37.18
2023-01-21 11:30	55.18	37.53
2023-01-21 11:45	54.94	38.53
2023-01-21 12:00	55.6	41.11
2023-01-21 12:15	55.84	40.21
2023-01-21 12:30	56.25	39.56
2023-01-21 12:45	55.96	39.11
2023-01-21 13:00	55.73	38.91
2023-01-21 13:15	55.75	39.87
2023-01-21 13:30	55.49	40.4
2023-01-21 13:45	55.41	41.77
2023-01-21 14:00	55.94	42.15
2023-01-21 14:15	56.26	39.57
2023-01-21 14:30	56.11	38.67
2023-01-21 14:45	55.81	38.92
2023-01-21 15:00	55.73	39.28
2023-01-21 15:15	55.62	39.97
2023-01-21 15:30	55.71	40.77
2023-01-21 15:45	55.8	41.7
2023-01-21 16:00	56.11	42.83
2023-01-21 16:15	55.94	39.29
2023-01-21 16:30	55.79	38.92
2023-01-21 16:45	56.1	39.29
2023-01-21 17:00	56.28	39.75
2023-01-21 17:15	56.36	40.01
2023-01-21 17:30	56.11	41.23
2023-01-21 17:45	56.05	41.94
2023-01-21 18:00	55.95	42.35
2023-01-21 18:15	55.87	38.87
2023-01-21 18:30	56.28	38.28
2023-01-21 18:45	56.06	38.37
2023-01-21 19:00	57.38	38.5
2023-01-21 19:15	56.17	38.54
2023-01-21 19:30	55.98	38.84
2023-01-21 19:45	56.07	39.54
2023-01-21 20:00	55.88	41.68
2023-01-21 20:15	56.15	43.36
2023-01-21 20:30	56.13	39.88
2023-01-21 20:45	56.63	38.81

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-21 21:00	57.55	39.71
2023-01-21 21:15	57.25	39.82
2023-01-21 21:30	57.46	40.94
2023-01-21 21:45	57.14	41.53
2023-01-21 22:00	57.38	41.16
2023-01-21 22:15	57.01	42.86
2023-01-21 22:30	57.45	40.15
2023-01-21 22:45	57.16	38.92
2023-01-21 23:00	57.12	38.96
2023-01-21 23:15	57.58	39.57
2023-01-21 23:30	57.59	40.59
2023-01-21 23:45	58.19	41.02
2023-01-22 00:00	59.65	42.59
2023-01-22 00:15	67.96	38.95
2023-01-22 00:30	58.71	38.27
2023-01-22 00:45	58.57	38.48
2023-01-22 01:00	57.89	39.82
2023-01-22 01:15	57.55	40.17
2023-01-22 01:30	57.71	41.86
2023-01-22 01:45	57.16	42.01
2023-01-22 02:00	57.45	43.35
2023-01-22 02:15	57.61	38.26
2023-01-22 02:30	57.19	38.2
2023-01-22 02:45	57.25	38.87
2023-01-22 03:00	57.82	39.89
2023-01-22 03:15	57.9	40.26
2023-01-22 03:30	58.05	41.22
2023-01-22 03:45	58.32	41.42
2023-01-22 04:00	58.14	43.63
2023-01-22 04:15	58.32	38.82
2023-01-22 04:30	58.61	38.65
2023-01-22 04:45	58.39	38.85
2023-01-22 05:00	57.76	39.91
2023-01-22 05:15	57.77	40.52
2023-01-22 05:30	57.77	42.82
2023-01-22 05:45	58.02	42.65
2023-01-22 06:00	58.09	45.06
2023-01-22 06:15	58.43	39.48
2023-01-22 06:30	58.38	39.5
2023-01-22 06:45	57.36	39.67
2023-01-22 07:00	57.31	40.37
2023-01-22 07:15	57.3	41.41

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-22 07:30	57.78	43.79
2023-01-22 07:45	58.03	43.91
2023-01-22 08:00	57.27	46.23
2023-01-22 08:15	56.92	39.29
2023-01-22 08:30	56.74	38.72
2023-01-22 08:45	56.86	38.82
2023-01-22 09:00	56.47	39.43
2023-01-22 09:15	56.62	39.41
2023-01-22 09:30	56.29	40.67
2023-01-22 09:45	56.07	40.93
2023-01-22 10:00	56.21	41.24
2023-01-22 10:15	56.03	36.8
2023-01-22 10:30	56	37.18
2023-01-22 10:45	55.92	37.24
2023-01-22 11:00	56.08	38.29
2023-01-22 11:15	56.04	37.56
2023-01-22 11:30	55.79	39.04
2023-01-22 11:45	56.47	39.32
2023-01-22 12:00	56.99	38.52
2023-01-22 12:15	56.8	35.09
2023-01-22 12:30	57.08	35.51
2023-01-22 12:45	56.6	36.63
2023-01-22 13:00	56.71	37.9
2023-01-22 13:15	56.95	39.51
2023-01-22 13:30	57.44	40.78
2023-01-22 13:45	57.78	42.33
2023-01-22 14:00	57.28	41.65
2023-01-22 14:15	57.3	38.8
2023-01-22 14:30	56.88	38.86
2023-01-22 14:45	57.36	39.17
2023-01-22 15:00	57.1	39.65
2023-01-22 15:15	57.34	40.11
2023-01-22 15:30	58.76	41.1
2023-01-22 15:45	58.31	43.15
2023-01-22 16:00	58.18	42.55
2023-01-22 16:15	59.03	39.24
2023-01-22 16:30	57.77	38.97
2023-01-22 16:45	58.41	39.36
2023-01-22 17:00	58.48	39.82
2023-01-22 17:15	57.29	40.24
2023-01-22 17:30	57.05	41.4
2023-01-22 17:45	56.97	43.27

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-22 18:00	57.49	40.88
2023-01-22 18:15	59.16	40.81
2023-01-22 18:30	58.28	41.42
2023-01-22 18:45	57.51	43.4
2023-01-22 19:00	57.34	38.92
2023-01-22 19:15	56.47	38.84
2023-01-22 19:30	56.9	39.09
2023-01-22 19:45	56.44	40.06
2023-01-22 20:00	56.78	42.92
2023-01-22 20:15	56.88	39.11
2023-01-22 20:30	57.26	38.45
2023-01-22 20:45	57.06	39.14
2023-01-22 21:00	56.82	39.71
2023-01-22 21:15	56.81	40.49
2023-01-22 21:30	56.86	41.54
2023-01-22 21:45	57.08	43.62
2023-01-22 22:00	57.3	39.88
2023-01-22 22:15	56.9	38.5
2023-01-22 22:30	58.54	38.82
2023-01-22 22:45	60.01	39.29
2023-01-22 23:00	59.86	39.88
2023-01-22 23:15	58.48	41.13
2023-01-22 23:30	58.07	41.59
2023-01-22 23:45	59.35	45.07
2023-01-23 00:00	57.63	39.25
2023-01-23 00:15	57.89	38.3
2023-01-23 00:30	57.05	38.38
2023-01-23 00:45	56.86	39.07
2023-01-23 01:00	57.1	39.68
2023-01-23 01:15	57.3	40.88
2023-01-23 01:30	57.23	41.5
2023-01-23 01:45	57.67	44.48
2023-01-23 02:00	57.75	38.99
2023-01-23 02:15	57.75	38.84
2023-01-23 02:30	57.72	38.66
2023-01-23 02:45	58.25	38.86
2023-01-23 03:00	57.77	39.28
2023-01-23 03:15	57.59	40.15
2023-01-23 03:30	57.58	41.42
2023-01-23 03:45	57.53	44.37
2023-01-23 04:00	57.82	39.18
2023-01-23 04:15	58.27	38.45

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-23 04:30	57.91	38.7
2023-01-23 04:45	57.88	39.01
2023-01-23 05:00	57.3	39.61
2023-01-23 05:15	57.24	40.82
2023-01-23 05:30	57.35	42.26
2023-01-23 05:45	57.55	44.83
2023-01-23 06:00	57.32	44.28
2023-01-23 06:15	57.49	40.91
2023-01-23 06:30	57.05	39.95
2023-01-23 06:45	57.17	39.45
2023-01-23 07:00	57.17	41.02
2023-01-23 07:15	57.49	41.84
2023-01-23 07:30	57.41	43.02
2023-01-23 07:45	57.58	45.42
2023-01-23 08:00	57.55	40.25
2023-01-23 08:15	57.13	39.06
2023-01-23 08:30	56.76	38.48
2023-01-23 08:45	56.17	38.61
2023-01-23 09:00	56.13	38.68
2023-01-23 09:15	55.77	39.17
2023-01-23 09:30	55.78	41.41
2023-01-23 09:45	55.64	43.25
2023-01-23 10:00	55.79	37.12
2023-01-23 10:15	55.92	35.97
2023-01-23 10:30	55.76	36.32
2023-01-23 10:45	55.81	36.59
2023-01-23 11:00	55.86	37.08
2023-01-23 11:15	55.45	37.83
2023-01-23 11:30	55.14	39.84
2023-01-23 11:45	55.19	41.23
2023-01-23 12:00	55.11	36.11
2023-01-23 12:15	55.47	35.99
2023-01-23 12:30	55.23	36.8
2023-01-23 12:45	55.78	37.97
2023-01-23 13:00	56.57	39.94
2023-01-23 13:15	56.78	41.7
2023-01-23 13:30	56.81	43.29
2023-01-23 13:45	57	44.78
2023-01-23 14:00	56.42	40.05
2023-01-23 14:15	56.94	39.13
2023-01-23 14:30	56.68	39.38
2023-01-23 14:45	56.51	39.55

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-23 15:00	57.01	40.05
2023-01-23 15:15	56.94	41.34
2023-01-23 15:30	57	43.29
2023-01-23 15:45	57.34	43.76
2023-01-23 16:00	57.07	39.72
2023-01-23 16:15	57.13	39.09
2023-01-23 16:30	58.02	39.48
2023-01-23 16:45	58.17	39.88
2023-01-23 17:00	56.84	40.44
2023-01-23 17:15	57.48	41.28
2023-01-23 17:30	59.31	43.61
2023-01-23 17:45	57.28	44.54
2023-01-23 18:00	58.2	39.81
2023-01-23 18:15	58.75	38.85
2023-01-23 18:30	58.72	39.36
2023-01-23 18:45	58	39.28
2023-01-23 19:00	58.19	38.59
2023-01-23 19:15	57.51	38.68
2023-01-23 19:30	57.03	39.46
2023-01-23 19:45	58.04	40.11
2023-01-23 20:00	58.49	42.74
2023-01-23 20:15	59.05	41.72
2023-01-23 20:30	58.61	39.07
2023-01-23 20:45	57.31	38.75
2023-01-23 21:00	56.8	40.32
2023-01-23 21:15	56.77	40.71
2023-01-23 21:30	56.72	43.49
2023-01-23 21:45	59.02	43.77
2023-01-23 22:00	57.88	39.5
2023-01-23 22:15	57.75	38.91
2023-01-23 22:30	58.48	39.37
2023-01-23 22:45	57.75	39.47
2023-01-23 23:00	57.85	40.05
2023-01-23 23:15	58.7	41.35
2023-01-23 23:30	57.79	43.47
2023-01-23 23:45	56.96	43.23
2023-01-24 00:00	57.35	38.68
2023-01-24 00:15	57.3	38.43
2023-01-24 00:30	57.59	39.01
2023-01-24 00:45	57.51	39.29
2023-01-24 01:00	56.96	39.95
2023-01-24 01:15	57.21	41

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-24 01:30	56.88	43.16
2023-01-24 01:45	56.88	42.54
2023-01-24 02:00	56.93	38.84
2023-01-24 02:15	57.6	38.72
2023-01-24 02:30	59.48	39.02
2023-01-24 02:45	59.1	39.2
2023-01-24 03:00	57.49	40.07
2023-01-24 03:15	57.53	41.47
2023-01-24 03:30	57.42	43.56
2023-01-24 03:45	57.17	41.91
2023-01-24 04:00	57.54	39.36
2023-01-24 04:15	57.41	38.86
2023-01-24 04:30	57.35	38.83
2023-01-24 04:45	57.44	39.26
2023-01-24 05:00	57.2	39.86
2023-01-24 05:15	57.75	41.31
2023-01-24 05:30	57.7	43.82
2023-01-24 05:45	58.46	41.51
2023-01-24 06:00	57.66	38.73
2023-01-24 06:15	58.28	38.44
2023-01-24 06:30	57.36	38.87
2023-01-24 06:45	57.66	38.88
2023-01-24 07:00	58.24	39.74
2023-01-24 07:15	58.85	41.53
2023-01-24 07:30	58.13	43.46
2023-01-24 07:45	57.95	41.31
2023-01-24 08:00	58.22	39
2023-01-24 08:15	57.68	38.86
2023-01-24 08:30	57.12	39.36
2023-01-24 08:45	58.21	39.82
2023-01-24 09:00	57.78	40.76
2023-01-24 09:15	56.92	42.54
2023-01-24 09:30	57.28	44.09
2023-01-24 09:45	58.33	41.57
2023-01-24 10:00	55.37	39.6
2023-01-24 10:15	0	39.47
2023-01-24 10:30	0	39.79
2023-01-24 10:45	0	39.82
2023-01-24 11:00	0	41.7
2023-01-24 11:15	0	43.18
2023-01-24 11:30	0	45.19
2023-01-24 11:45	52.01	42.04

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-24 12:00	56.7	39.46
2023-01-24 12:15	56.96	39.56
2023-01-24 12:30	56.98	39.6
2023-01-24 12:45	56.81	40.18
2023-01-24 13:00	57.5	40.61
2023-01-24 13:15	56.8	41.86
2023-01-24 13:30	57.43	41.15
2023-01-24 13:45	57.22	39.34
2023-01-24 14:00	57.01	39.15
2023-01-24 14:15	57.37	40.11
2023-01-24 14:30	57.5	39.14
2023-01-24 14:45	57.06	38.99
2023-01-24 15:00	56.61	41.76
2023-01-24 15:15	56.86	45.32
2023-01-24 15:30	57.06	41.1
2023-01-24 15:45	57.37	39.59
2023-01-24 16:00	57.73	39.93
2023-01-24 16:15	58.21	40.02
2023-01-24 16:30	58.49	40.28
2023-01-24 16:45	58.24	40.78
2023-01-24 17:00	59.04	40.31
2023-01-24 17:15	58.34	41.45
2023-01-24 17:30	58.38	42.96
2023-01-24 17:45	58.78	41.85
2023-01-24 18:00	58.87	39.14
2023-01-24 18:15	58.32	39.25
2023-01-24 18:30	57.74	39.45
2023-01-24 18:45	57.56	40.21
2023-01-24 19:00	58.05	41.95
2023-01-24 19:15	58.62	43.74
2023-01-24 19:30	57.54	39.58
2023-01-24 19:45	58.08	38.82
2023-01-24 20:00	57.59	42.59
2023-01-24 20:15	57.25	38.96
2023-01-24 20:30	57.45	38.61
2023-01-24 20:45	57.91	38.42
2023-01-24 21:00	58.29	41.69
2023-01-24 21:15	57.71	42.81
2023-01-24 21:30	58.12	39.43
2023-01-24 21:45	58.17	38.67
2023-01-24 22:00	58.39	38.96
2023-01-24 22:15	57.67	39.38

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-24 22:30	59.18	39.73
2023-01-24 22:45	59.77	40.11
2023-01-24 23:00	58.11	42.25
2023-01-24 23:15	58.61	43.29
2023-01-24 23:30	57.71	39.64
2023-01-24 23:45	59.08	38.65
2023-01-25 00:00	58.55	39.11
2023-01-25 00:15	60.41	39.03
2023-01-25 00:30	59.11	39.26
2023-01-25 00:45	58.39	39.99
2023-01-25 01:00	58.29	42.66
2023-01-25 01:15	59.11	43.1
2023-01-25 01:30	58.74	39.07
2023-01-25 01:45	57.64	38.41
2023-01-25 02:00	59.28	38.81
2023-01-25 02:15	58.28	38.68
2023-01-25 02:30	57.89	39.38
2023-01-25 02:45	57.87	40.02
2023-01-25 03:00	58.08	42.54
2023-01-25 03:15	57.82	43.31
2023-01-25 03:30	58.2	39.5
2023-01-25 03:45	57.52	38.58
2023-01-25 04:00	57.61	38.94
2023-01-25 04:15	58.13	39.15
2023-01-25 04:30	57.83	39.45
2023-01-25 04:45	57.96	40.05
2023-01-25 05:00	58.88	43.24
2023-01-25 05:15	57.9	43.02
2023-01-25 05:30	58.42	39.4
2023-01-25 05:45	59.12	38.6
2023-01-25 06:00	58.26	39.25
2023-01-25 06:15	58.03	39.26
2023-01-25 06:30	57.79	39.68
2023-01-25 06:45	58.41	40.25
2023-01-25 07:00	59.4	43.17
2023-01-25 07:15	58.78	43.39
2023-01-25 07:30	59.35	39.45
2023-01-25 07:45	58.68	38.65
2023-01-25 08:00	58.82	39.13
2023-01-25 08:15	58.61	39.46
2023-01-25 08:30	59.19	39.88
2023-01-25 08:45	57.9	40.77

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-25 09:00	57.66	43.8
2023-01-25 09:15	57.31	43.99
2023-01-25 09:30	57.32	40.46
2023-01-25 09:45	56.94	39.12
2023-01-25 10:00	53.49	39.15
2023-01-25 10:15	0	39.24
2023-01-25 10:30	0	40.41
2023-01-25 10:45	6.62	41.83
2023-01-25 11:00	59.93	44.33
2023-01-25 11:15	57.7	43.1
2023-01-25 11:30	56.77	38.42
2023-01-25 11:45	56.65	38.48
2023-01-25 12:00	56.85	38.55
2023-01-25 12:15	56.15	38.08
2023-01-25 12:30	56.39	38.47
2023-01-25 12:45	57.38	40.16
2023-01-25 13:00	57.92	43.05
2023-01-25 13:15	58.34	42.71
2023-01-25 13:30	58.68	41.2
2023-01-25 13:45	58.6	40.51
2023-01-25 14:00	58.15	41.95
2023-01-25 14:15	58.07	41.26
2023-01-25 14:30	58.38	41.68
2023-01-25 14:45	58.55	42.86
2023-01-25 15:00	57.9	42.03
2023-01-25 15:15	58.31	40.7
2023-01-25 15:30	57.68	40.56
2023-01-25 15:45	57.63	39.99
2023-01-25 16:00	58.23	39.83
2023-01-25 16:15	57.66	39.88
2023-01-25 16:30	57.62	40.35
2023-01-25 16:45	57.82	41.97
2023-01-25 17:00	58.25	40.14
2023-01-25 17:15	58.59	40.49
2023-01-25 17:30	57.88	42.39
2023-01-25 17:45	57.29	43.04
2023-01-25 18:00	57.98	42.67
2023-01-25 18:15	57.85	40.05
2023-01-25 18:30	57.7	40.02
2023-01-25 18:45	58.07	41.5
2023-01-25 19:00	58.46	39.79
2023-01-25 19:15	58.21	40.37

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-25 19:30	57.15	41.38
2023-01-25 19:45	57.58	43.31
2023-01-25 20:00	57.14	39.65
2023-01-25 20:15	57.72	39.65
2023-01-25 20:30	57.15	39.97
2023-01-25 20:45	57.59	41.05
2023-01-25 21:00	59.01	43.83
2023-01-25 21:15	57.41	41.55
2023-01-25 21:30	57.23	39.99
2023-01-25 21:45	56.84	39.09
2023-01-25 22:00	57.7	39.29
2023-01-25 22:15	57.87	40.03
2023-01-25 22:30	57.7	40.85
2023-01-25 22:45	59.08	42.43
2023-01-25 23:00	58.27	43.42
2023-01-25 23:15	59.34	40.51
2023-01-25 23:30	58.7	39.07
2023-01-25 23:45	57.61	38.55
2023-01-26 00:00	57.84	39.95
2023-01-26 00:15	58.02	38.54
2023-01-26 00:30	58.16	38.41
2023-01-26 00:45	57.39	38.58
2023-01-26 01:00	57.82	38.45
2023-01-26 01:15	58.13	38.99
2023-01-26 01:30	57.55	39.21
2023-01-26 01:45	57.54	40.97
2023-01-26 02:00	57.39	38.65
2023-01-26 02:15	57.7	38.79
2023-01-26 02:30	58.19	39.34
2023-01-26 02:45	58.39	40.77
2023-01-26 03:00	58.29	42.08
2023-01-26 03:15	58.2	39.38
2023-01-26 03:30	57.85	38.53
2023-01-26 03:45	57.68	38.37
2023-01-26 04:00	57.83	38.27
2023-01-26 04:15	57.65	38.44
2023-01-26 04:30	57.92	38.98
2023-01-26 04:45	57.84	40.01
2023-01-26 05:00	57.96	41.13
2023-01-26 05:15	57.55	39.62
2023-01-26 05:30	57.1	39.38
2023-01-26 05:45	58.08	39.43

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-26 06:00	57.65	39.61
2023-01-26 06:15	57.93	39.84
2023-01-26 06:30	57.6	40.65
2023-01-26 06:45	57.55	42.43
2023-01-26 07:00	57.02	39.82
2023-01-26 07:15	57.01	41.09
2023-01-26 07:30	56.98	42.29
2023-01-26 07:45	57.14	45.21
2023-01-26 08:00	56.71	39.78
2023-01-26 08:15	56.15	40.16
2023-01-26 08:30	56.62	40.78
2023-01-26 08:45	56.71	41.72
2023-01-26 09:00	56.1	44.44
2023-01-26 09:15	56.11	41.41
2023-01-26 09:30	55.99	39.29
2023-01-26 09:45	56.61	40.69
2023-01-26 10:00	56.45	40.11
2023-01-26 10:15	56.64	39.76
2023-01-26 10:30	56.21	40.78
2023-01-26 10:45	56.06	41.72
2023-01-26 11:00	55.55	43.11
2023-01-26 11:15	56.33	40.46
2023-01-26 11:30	56.1	38.18
2023-01-26 11:45	55.83	37.23
2023-01-26 12:00	56.42	37.04
2023-01-26 12:15	56.55	37.36
2023-01-26 12:30	56.08	39.75
2023-01-26 12:45	56.29	42.69
2023-01-26 13:00	56.8	40.6
2023-01-26 13:15	57.12	41.57
2023-01-26 13:30	56.94	43.71
2023-01-26 13:45	56.58	46.13
2023-01-26 14:00	56.77	40.64
2023-01-26 14:15	56.64	41.15
2023-01-26 14:30	57.2	42.22
2023-01-26 14:45	57.76	43.34
2023-01-26 15:00	58.31	44.37
2023-01-26 15:15	56.87	41.94
2023-01-26 15:30	57.69	39.67
2023-01-26 15:45	58.41	39.82
2023-01-26 16:00	58.05	40.12
2023-01-26 16:15	57.51	40.58

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-26 16:30	57.3	42.24
2023-01-26 16:45	59.06	43.43
2023-01-26 17:00	58.34	44.1
2023-01-26 17:15	59.55	42.35
2023-01-26 17:30	59.96	39.67
2023-01-26 17:45	58.29	39.81
2023-01-26 18:00	57.98	40.71
2023-01-26 18:15	58.59	39.71
2023-01-26 18:30	59.64	39.89
2023-01-26 18:45	58.83	39.99
2023-01-26 19:00	58.22	40.6
2023-01-26 19:15	58.92	41.19
2023-01-26 19:30	57.51	43.36
2023-01-26 19:45	57.51	44.9
2023-01-26 20:00	59.27	39.4
2023-01-26 20:15	59.75	39.5
2023-01-26 20:30	60.05	40.19
2023-01-26 20:45	59.13	40.47
2023-01-26 21:00	59.43	42.97
2023-01-26 21:15	59.12	42.11
2023-01-26 21:30	58.34	39.9
2023-01-26 21:45	59.12	39.52
2023-01-26 22:00	58.72	39.54
2023-01-26 22:15	58.39	39.97
2023-01-26 22:30	57.51	41.74
2023-01-26 22:45	58.26	42.91
2023-01-26 23:00	58.83	40.35
2023-01-26 23:15	59.97	41.09
2023-01-26 23:30	60.21	42.74
2023-01-26 23:45	59.3	43.72
2023-01-27 00:00	59.57	39.3
2023-01-27 00:15	58.9	39.95
2023-01-27 00:30	59.54	41.7
2023-01-27 00:45	59.38	43.67
2023-01-27 01:00	58.96	40.56
2023-01-27 01:15	58.13	41.84
2023-01-27 01:30	58.53	43.97
2023-01-27 01:45	59.6	44.61
2023-01-27 02:00	58.89	40.29
2023-01-27 02:15	60.04	39.28
2023-01-27 02:30	59.39	39.61
2023-01-27 02:45	58.64	39.85

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-27 03:00	59.13	43.2
2023-01-27 03:15	59.49	42.51
2023-01-27 03:30	59.48	39.41
2023-01-27 03:45	58.98	39.28
2023-01-27 04:00	58.9	39.31
2023-01-27 04:15	59.1	40.61
2023-01-27 04:30	58.33	41.95
2023-01-27 04:45	58.49	42.93
2023-01-27 05:00	58.08	40.45
2023-01-27 05:15	59.58	41.91
2023-01-27 05:30	58.89	44.41
2023-01-27 05:45	58.15	44.84
2023-01-27 06:00	58.13	41.23
2023-01-27 06:15	58.95	40.29
2023-01-27 06:30	58.59	41.08
2023-01-27 06:45	58.29	41.62
2023-01-27 07:00	57.79	43.63
2023-01-27 07:15	57.92	42.37
2023-01-27 07:30	58.24	39.89
2023-01-27 07:45	58.77	39.65
2023-01-27 08:00	58.77	39.75
2023-01-27 08:15	58.37	40.98
2023-01-27 08:30	57.54	41.62
2023-01-27 08:45	58.32	42.53
2023-01-27 09:00	57.03	40.76
2023-01-27 09:15	56.74	41.81
2023-01-27 09:30	56.26	42.5
2023-01-27 09:45	56.92	42.34
2023-01-27 10:00	56.79	39.48
2023-01-27 10:15	56.27	38.59
2023-01-27 10:30	56.72	38.4
2023-01-27 10:45	56.47	38.86
2023-01-27 11:00	56.38	41.42
2023-01-27 11:15	56.02	38.82
2023-01-27 11:30	56.2	36.67
2023-01-27 11:45	56.61	36.5
2023-01-27 12:00	55.97	37.28
2023-01-27 12:15	56.03	36.52
2023-01-27 12:30	56.8	36.74
2023-01-27 12:45	56.35	37.31
2023-01-27 13:00	56.71	40.71
2023-01-27 13:15	57.52	39.13

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-27 13:30	57.29	39.41
2023-01-27 13:45	58.57	40
2023-01-27 14:00	58.04	40.53
2023-01-27 14:15	57.36	41.21
2023-01-27 14:30	57.51	41.96
2023-01-27 14:45	57.25	43.63
2023-01-27 15:00	58.01	40.7
2023-01-27 15:15	58.36	43.22
2023-01-27 15:30	57.94	44.98
2023-01-27 15:45	57.86	42.78
2023-01-27 16:00	57.68	40.23
2023-01-27 16:15	57.1	39.65
2023-01-27 16:30	57.14	39.81
2023-01-27 16:45	63.2	40.29
2023-01-27 17:00	78.56	40.87
2023-01-27 17:15	76.68	43.19
2023-01-27 17:30	59.99	44.14
2023-01-27 17:45	59.6	41.21
2023-01-27 18:00	60.99	44.87
2023-01-27 18:15	58.52	41.49
2023-01-27 18:30	58.43	42.92
2023-01-27 18:45	61.4	42.77
2023-01-27 19:00	62.02	42.01
2023-01-27 19:15	66.62	39.35
2023-01-27 19:30	65.62	39.55
2023-01-27 19:45	62.55	39.74
2023-01-27 20:00	60.04	44.08
2023-01-27 20:15	58.26	39.49
2023-01-27 20:30	56.4	39.31
2023-01-27 20:45	56.57	39.46
2023-01-27 21:00	57.09	42.25
2023-01-27 21:15	58.24	39.43
2023-01-27 21:30	56.87	39.31
2023-01-27 21:45	56.98	39.85
2023-01-27 22:00	58.05	40.68
2023-01-27 22:15	57.73	41.78
2023-01-27 22:30	57.32	43.21
2023-01-27 22:45	56.38	43.04
2023-01-27 23:00	56.97	42.07
2023-01-27 23:15	57.43	43.23
2023-01-27 23:30	57.07	44.11
2023-01-27 23:45	57.89	41.49

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-28 00:00	57.57	40.94
2023-01-28 00:15	56.88	41.67
2023-01-28 00:30	56	43.35
2023-01-28 00:45	56.89	42.74
2023-01-28 01:00	57.88	42.11
2023-01-28 01:15	57.84	39.39
2023-01-28 01:30	56.8	39.46
2023-01-28 01:45	56.76	39.53
2023-01-28 02:00	56.53	40.7
2023-01-28 02:15	55.99	41.67
2023-01-28 02:30	56.08	43.06
2023-01-28 02:45	55.93	42
2023-01-28 03:00	56.41	41.78
2023-01-28 03:15	57.59	43.51
2023-01-28 03:30	57.86	43.64
2023-01-28 03:45	57.64	42.14
2023-01-28 04:00	57.6	41.05
2023-01-28 04:15	57.08	41.75
2023-01-28 04:30	57.77	43.36
2023-01-28 04:45	56.86	42.16
2023-01-28 05:00	56.72	40.08
2023-01-28 05:15	56.65	39.03
2023-01-28 05:30	57.46	39.22
2023-01-28 05:45	56.76	39.42
2023-01-28 06:00	56.55	38.84
2023-01-28 06:15	56.46	38.9
2023-01-28 06:30	56.38	39.85
2023-01-28 06:45	56.17	40.14
2023-01-28 07:00	56.3	42
2023-01-28 07:15	56.55	43.68
2023-01-28 07:30	56.17	43.04
2023-01-28 07:45	55.6	42.17
2023-01-28 08:00	56.08	41.44
2023-01-28 08:15	56.09	42.14
2023-01-28 08:30	55.84	43.06
2023-01-28 08:45	67.8	41.79
2023-01-28 09:00	56.24	40.76
2023-01-28 09:15	57.89	40.28
2023-01-28 09:30	64.84	39.01
2023-01-28 09:45	83.98	38.47
2023-01-28 10:00	57.26	39.3
2023-01-28 10:15	56.7	41.42

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-28 10:30	56.48	43.73
2023-01-28 10:45	57.37	42.52
2023-01-28 11:00	57.21	37.45
2023-01-28 11:15	56.74	36.91
2023-01-28 11:30	56.74	37.44
2023-01-28 11:45	56.61	37.64
2023-01-28 12:00	56.6	37.1
2023-01-28 12:15	56.14	37.64
2023-01-28 12:30	56.12	38.79
2023-01-28 12:45	55.8	40.97
2023-01-28 13:00	55.57	41.05
2023-01-28 13:15	55.82	40.37
2023-01-28 13:30	55.9	41.74
2023-01-28 13:45	55.83	41.94
2023-01-28 14:00	55.48	42.83
2023-01-28 14:15	56.03	40.56
2023-01-28 14:30	56.11	40.22
2023-01-28 14:45	57.09	40.55
2023-01-28 15:00	56.34	46.84
2023-01-28 15:15	57.76	40.89
2023-01-28 15:30	58.04	40.04
2023-01-28 15:45	57.84	40.27
2023-01-28 16:00	57.07	41.12
2023-01-28 16:15	60.39	39.91
2023-01-28 16:30	63.1	39.89
2023-01-28 16:45	64.24	40.12
2023-01-28 17:00	61.76	44.98
2023-01-28 17:15	60.64	39.64
2023-01-28 17:30	63.95	41.47
2023-01-28 17:45	56.8	39.92
2023-01-28 18:00	58.98	38.97
2023-01-28 18:15	58.29	38.82
2023-01-28 18:30	60	39.47
2023-01-28 18:45	59.28	41.04
2023-01-28 19:00	60.82	42.57
2023-01-28 19:15	63.21	44.3
2023-01-28 19:30	61.56	42.58
2023-01-28 19:45	65.57	41.28
2023-01-28 20:00	57.24	40.52
2023-01-28 20:15	59.19	41.72
2023-01-28 20:30	56.28	39.65
2023-01-28 20:45	57.83	40.25

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-28 21:00	59.03	39.59
2023-01-28 21:15	58.24	39.61
2023-01-28 21:30	59.4	40.37
2023-01-28 21:45	58.49	40.65
2023-01-28 22:00	58.78	41.37
2023-01-28 22:15	57.63	42.79
2023-01-28 22:30	57.87	43.01
2023-01-28 22:45	56.91	43.15
2023-01-28 23:00	57.03	39.06
2023-01-28 23:15	57.18	39.2
2023-01-28 23:30	56.66	39.6
2023-01-28 23:45	56.86	40.14
2023-01-29 00:00	56.27	41.31
2023-01-29 00:15	56.46	42.62
2023-01-29 00:30	56.43	43.8
2023-01-29 00:45	56.89	42.11
2023-01-29 01:00	57.17	39.31
2023-01-29 01:15	57.61	39.14
2023-01-29 01:30	57.12	39.68
2023-01-29 01:45	56.68	39.96
2023-01-29 02:00	56.21	41.3
2023-01-29 02:15	56.12	42.42
2023-01-29 02:30	56	43.97
2023-01-29 02:45	55.44	42.1
2023-01-29 03:00	55.71	43.32
2023-01-29 03:15	55.84	42.72
2023-01-29 03:30	55.76	42.28
2023-01-29 03:45	55.91	38.86
2023-01-29 04:00	56.88	41.11
2023-01-29 04:15	56.7	41.96
2023-01-29 04:30	56.19	44.06
2023-01-29 04:45	56.64	41.99
2023-01-29 05:00	56.53	38.96
2023-01-29 05:15	56.55	39.14
2023-01-29 05:30	56.7	39.89
2023-01-29 05:45	56.73	40.32
2023-01-29 06:00	56.59	41.37
2023-01-29 06:15	56.68	42.73
2023-01-29 06:30	56.95	45.35
2023-01-29 06:45	57.08	42.22
2023-01-29 07:00	56.97	44.53
2023-01-29 07:15	56.84	43.85

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-29 07:30	57.15	43.56
2023-01-29 07:45	57.46	40.13
2023-01-29 08:00	56.83	41.6
2023-01-29 08:15	56.53	42.25
2023-01-29 08:30	56.47	44.01
2023-01-29 08:45	56.62	40.45
2023-01-29 09:00	56.32	39.3
2023-01-29 09:15	56.36	39.21
2023-01-29 09:30	56.69	39.83
2023-01-29 09:45	57.12	40.67
2023-01-29 10:00	56.2	41.77
2023-01-29 10:15	56.59	41.16
2023-01-29 10:30	56.46	42.28
2023-01-29 10:45	56.24	37.23
2023-01-29 11:00	57.07	40.62
2023-01-29 11:15	57.11	40.41
2023-01-29 11:30	56.74	36.52
2023-01-29 11:45	56.9	36.29
2023-01-29 12:00	58	40.11
2023-01-29 12:15	57.93	40.28
2023-01-29 12:30	57.87	41.35
2023-01-29 12:45	59.16	37.99
2023-01-29 13:00	59.9	42.85
2023-01-29 13:15	59.72	43.13
2023-01-29 13:30	57.86	39.87
2023-01-29 13:45	58.9	40
2023-01-29 14:00	58.44	40.29
2023-01-29 14:15	60.43	40.76
2023-01-29 14:30	58.79	41.88
2023-01-29 14:45	59.09	42.56
2023-01-29 15:00	59.29	40.08
2023-01-29 15:15	57.79	39.65
2023-01-29 15:30	57	40.12
2023-01-29 15:45	59.87	41.12
2023-01-29 16:00	58.85	41.98
2023-01-29 16:15	58.21	43.79
2023-01-29 16:30	58.27	46.13
2023-01-29 16:45	58.21	40.5
2023-01-29 17:00	58.62	43.43
2023-01-29 17:15	59.53	43.79
2023-01-29 17:30	60.75	40.21
2023-01-29 17:45	58.45	40.2

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-29 18:00	59.31	42.9
2023-01-29 18:15	60.69	45.06
2023-01-29 18:30	62.54	42.98
2023-01-29 18:45	59.75	39.94
2023-01-29 19:00	58.86	39.58
2023-01-29 19:15	57.45	40.03
2023-01-29 19:30	58.06	40.17
2023-01-29 19:45	59.25	41.03
2023-01-29 20:00	58.65	39.16
2023-01-29 20:15	57.71	39.48
2023-01-29 20:30	57.5	39.52
2023-01-29 20:45	59.54	40.32
2023-01-29 21:00	58.37	39.45
2023-01-29 21:15	59.35	39.77
2023-01-29 21:30	57.42	39.85
2023-01-29 21:45	57.91	40.49
2023-01-29 22:00	58.81	39.41
2023-01-29 22:15	58.15	40.6
2023-01-29 22:30	58.21	41.5
2023-01-29 22:45	57.76	43.23
2023-01-29 23:00	59.54	43.25
2023-01-29 23:15	60.5	43.9
2023-01-29 23:30	59.81	39.54
2023-01-29 23:45	59.18	39.45
2023-01-30 00:00	60.53	42.68
2023-01-30 00:15	60.26	45.67
2023-01-30 00:30	58.1	41.28
2023-01-30 00:45	59.55	39.55
2023-01-30 01:00	59.51	39.63
2023-01-30 01:15	57.48	40.19
2023-01-30 01:30	57.99	40.39
2023-01-30 01:45	59.24	41.26
2023-01-30 02:00	58.53	42.16
2023-01-30 02:15	58.88	45.67
2023-01-30 02:30	59.11	41.49
2023-01-30 02:45	59.14	39.63
2023-01-30 03:00	62.03	43.25
2023-01-30 03:15	63.37	42.51
2023-01-30 03:30	63.48	39.79
2023-01-30 03:45	65.31	39.87
2023-01-30 04:00	62.37	42.94
2023-01-30 04:15	60.44	46.24

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-30 04:30	60.36	41.34
2023-01-30 04:45	59.87	39.39
2023-01-30 05:00	59.88	39.62
2023-01-30 05:15	58.88	40.34
2023-01-30 05:30	59.34	40.72
2023-01-30 05:45	59.5	41.86
2023-01-30 06:00	58.65	43.51
2023-01-30 06:15	59.52	46.55
2023-01-30 06:30	58.53	41.01
2023-01-30 06:45	59.74	39.97
2023-01-30 07:00	58.65	44.37
2023-01-30 07:15	58.91	41.54
2023-01-30 07:30	58.7	39.98
2023-01-30 07:45	58.64	40.33
2023-01-30 08:00	58.87	40.67
2023-01-30 08:15	58.84	41.47
2023-01-30 08:30	59.03	42.57
2023-01-30 08:45	58.26	44.19
2023-01-30 09:00	58.55	40.63
2023-01-30 09:15	57.43	40.2
2023-01-30 09:30	56.2	39.61
2023-01-30 09:45	56.33	40.18
2023-01-30 10:00	56.42	39.27
2023-01-30 10:15	56.22	40.69
2023-01-30 10:30	56.33	41.8
2023-01-30 10:45	56.93	43.33
2023-01-30 11:00	56.55	38.45
2023-01-30 11:15	57.35	38.82
2023-01-30 11:30	58.21	38.52
2023-01-30 11:45	59.61	39.37
2023-01-30 12:00	59.27	41.1
2023-01-30 12:15	58.99	44.55
2023-01-30 12:30	58.27	41.45
2023-01-30 12:45	57.84	40.1
2023-01-30 13:00	58.8	40.41
2023-01-30 13:15	60.69	41.64
2023-01-30 13:30	58.01	44.25
2023-01-30 13:45	59.05	44.12
2023-01-30 14:00	59.11	43.54
2023-01-30 14:15	59.6	39.77
2023-01-30 14:30	59.92	40.21
2023-01-30 14:45	58.5	40.49

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-30 15:00	57.14	41.28
2023-01-30 15:15	56.82	42.07
2023-01-30 15:30	57.61	44.32
2023-01-30 15:45	56.98	43.88
2023-01-30 16:00	56.72	43.08
2023-01-30 16:15	56.84	40.55
2023-01-30 16:30	56.68	41.56
2023-01-30 16:45	56.42	40.86
2023-01-30 17:00	58.18	42.11
2023-01-30 17:15	57.74	43.68
2023-01-30 17:30	57.26	44.73
2023-01-30 17:45	59.02	44.15
2023-01-30 18:00	59.18	43.93
2023-01-30 18:15	60.85	40.05
2023-01-30 18:30	60.81	39.94
2023-01-30 18:45	61.77	40.06
2023-01-30 19:00	61.84	40.34
2023-01-30 19:15	63.44	40.52
2023-01-30 19:30	61	41.39
2023-01-30 19:45	60.97	42.29
2023-01-30 20:00	57.88	45.29
2023-01-30 20:15	57.36	42.9
2023-01-30 20:30	58.39	40.03
2023-01-30 20:45	60.96	39.59
2023-01-30 21:00	61.69	40.71
2023-01-30 21:15	61.34	41.75
2023-01-30 21:30	60.74	43.59
2023-01-30 21:45	60.52	43.82
2023-01-30 22:00	61.46	42.29
2023-01-30 22:15	58.65	39.94
2023-01-30 22:30	58.87	40.03
2023-01-30 22:45	58.32	40.25
2023-01-30 23:00	58.23	41.48
2023-01-30 23:15	59.75	42.48
2023-01-30 23:30	60.4	44.14
2023-01-30 23:45	60.05	43.75
2023-01-31 00:00	60.25	40.83
2023-01-31 00:15	60.09	39.57
2023-01-31 00:30	58.93	39.86
2023-01-31 00:45	57.91	40.26
2023-01-31 01:00	59.87	41.14
2023-01-31 01:15	60.59	42.35

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-31 01:30	59.84	43.95
2023-01-31 01:45	57.94	44.37
2023-01-31 02:00	61.52	41.12
2023-01-31 02:15	60.31	39.57
2023-01-31 02:30	58.94	39.91
2023-01-31 02:45	59.46	40.21
2023-01-31 03:00	58.74	40.47
2023-01-31 03:15	58.55	40.51
2023-01-31 03:30	58.6	41.89
2023-01-31 03:45	58.7	42.82
2023-01-31 04:00	58.29	40.12
2023-01-31 04:15	57.99	39.55
2023-01-31 04:30	57.95	39.71
2023-01-31 04:45	58.18	40.3
2023-01-31 05:00	58.2	41.11
2023-01-31 05:15	58.9	42.38
2023-01-31 05:30	60.27	43.63
2023-01-31 05:45	60.2	44.59
2023-01-31 06:00	62.02	39.91
2023-01-31 06:15	59.62	40.04
2023-01-31 06:30	60.21	40.08
2023-01-31 06:45	59.32	40.07
2023-01-31 07:00	57.93	41.26
2023-01-31 07:15	57.73	42.84
2023-01-31 07:30	57.81	43.79
2023-01-31 07:45	58.07	44.93
2023-01-31 08:00	57.46	40.25
2023-01-31 08:15	57.57	39.78
2023-01-31 08:30	57.18	39.99
2023-01-31 08:45	56.86	40.94
2023-01-31 09:00	56.85	41.96
2023-01-31 09:15	57.2	43.34
2023-01-31 09:30	57.01	44.26
2023-01-31 09:45	56.65	45.79
2023-01-31 10:00	57	41.79
2023-01-31 10:15	57.14	44.83
2023-01-31 10:30	57.26	42.4
2023-01-31 10:45	57.25	40.77
2023-01-31 11:00	58.5	39.57
2023-01-31 11:15	58.09	40.08
2023-01-31 11:30	57.46	40.73
2023-01-31 11:45	56.84	42.74

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-31 12:00	58.52	37.48
2023-01-31 12:15	58.24	37.08
2023-01-31 12:30	57.56	37.76
2023-01-31 12:45	58.75	38.83
2023-01-31 13:00	59.46	39.95
2023-01-31 13:15	57	42.62
2023-01-31 13:30	56.33	45.06
2023-01-31 13:45	56.62	47.33
2023-01-31 14:00	56.28	40.84
2023-01-31 14:15	56.11	40.26
2023-01-31 14:30	56.05	40.68
2023-01-31 14:45	56.42	41.28
2023-01-31 15:00	56.5	41.91
2023-01-31 15:15	56.15	43.52
2023-01-31 15:30	56.41	44.19
2023-01-31 15:45	57.36	46.28
2023-01-31 16:00	57.3	40.43
2023-01-31 16:15	57.67	40.38
2023-01-31 16:30	57.24	40.55
2023-01-31 16:45	57.13	41.37
2023-01-31 17:00	57.53	42.1
2023-01-31 17:15	58.24	43.91
2023-01-31 17:30	58.24	44.56
2023-01-31 17:45	57.27	46.67
2023-01-31 18:00	58.38	40.65
2023-01-31 18:15	57.85	40.27
2023-01-31 18:30	57.23	40.56
2023-01-31 18:45	56.88	41.42
2023-01-31 19:00	56.72	40.94
2023-01-31 19:15	56.49	41.16
2023-01-31 19:30	56.89	41.81
2023-01-31 19:45	55.92	44.49
2023-01-31 20:00	56.19	46.09
2023-01-31 20:15	56.49	41.19
2023-01-31 20:30	56.68	39.85
2023-01-31 20:45	56.78	40.03
2023-01-31 21:00	57.25	41.43
2023-01-31 21:15	58.37	42.99
2023-01-31 21:30	58.95	43.73
2023-01-31 21:45	57.81	45.73
2023-01-31 22:00	58.19	39.97
2023-01-31 22:15	57.21	39.9

Time	RP_Stack-PM	Cooler_Stack-PM
2023-01-31 22:30	58.42	40.42
2023-01-31 22:45	60.22	41.03
2023-01-31 23:00	58.06	41.6
2023-01-31 23:15	58.33	43.03
2023-01-31 23:30	58.04	44.05
2023-01-31 23:45	NA	NA

Goa State Pollution Control Board

Industry Name	:	M/S Goa Carbon Limited
Address	:	ST.-JOSE-DE,AREAL-SALCETE
District	:	South Goa
Category	:	Petrochemicals
Parameters	:	RP_Stack-PM, Cooler_Stack-PM
Report Format	:	Tabular
Criteria	:	15min
Date	:	From 2023/02/01 To 2023/02/28

Display 10 records

RealTime Data
Search:

Time	RP_Stack-PM	Cooler_Stack-PM
2023-02-01 00:00	57.67	39.83
2023-02-01 00:15	61.06	39.62
2023-02-01 00:30	64.67	40.42
2023-02-01 00:45	61.06	41.06
2023-02-01 01:00	63.31	41.56
2023-02-01 01:15	59.43	42.94
2023-02-01 01:30	63.06	44.46
2023-02-01 01:45	61.99	46.19
2023-02-01 02:00	61.72	43.44
2023-02-01 02:15	60.22	40.7

Showing 1 to 10 of 2,688 entries

Previous 1 2 3 4 5 ... 269 Next

Goa State Pollution Control Board

Industry Name	:	M/S Goa Carbon Limited
Address	:	ST.-JOSE-DE,AREAL-SALCETE
District	:	South Goa
Category	:	Petrochemicals
Parameters	:	RP_Stack-PM, Cooler_Stack-PM
Report Format	:	Tabular
Criteria	:	15min
Date	:	From 2023/03/01 To 2023/03/31

RealTime Data

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-01 00:00	62.43	75.35
2023-03-01 00:15	64.46	77.78
2023-03-01 00:30	63.94	81.06
2023-03-01 00:45	62.61	84.83
2023-03-01 01:00	62.05	77.46
2023-03-01 01:15	63.18	74.91
2023-03-01 01:30	62.97	74.3
2023-03-01 01:45	62.21	73.82
2023-03-01 02:00	63.7	74.93
2023-03-01 02:15	63.68	76.25
2023-03-01 02:30	62.88	80.99
2023-03-01 02:45	62.3	85.29
2023-03-01 03:00	64.4	74.61
2023-03-01 03:15	63.39	71.58
2023-03-01 03:30	62.2	70.52
2023-03-01 03:45	62.52	72.78
2023-03-01 04:00	63.68	73.04
2023-03-01 04:15	63.72	74.96
2023-03-01 04:30	63.37	80.1
2023-03-01 04:45	66.7	83.62
2023-03-01 05:00	65.78	83.3
2023-03-01 05:15	65.48	80.57
2023-03-01 05:30	64.4	78.71
2023-03-01 05:45	66.15	75.21
2023-03-01 06:00	64.95	75.7
2023-03-01 06:15	61.72	77.43
2023-03-01 06:30	62.64	84.84
2023-03-01 06:45	63.42	86.2
2023-03-01 07:00	62.98	75.25
2023-03-01 07:15	61.82	72.96

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-01 07:30	63.4	74.75
2023-03-01 07:45	62.89	73.97
2023-03-01 08:00	62.05	76.51
2023-03-01 08:15	61.01	80.05
2023-03-01 08:30	61.56	87.4
2023-03-01 08:45	61.1	87
2023-03-01 09:00	59.99	76.87
2023-03-01 09:15	61.5	76.79
2023-03-01 09:30	60.9	78.82
2023-03-01 09:45	60.36	79.02
2023-03-01 10:00	59.87	81.36
2023-03-01 10:15	62.19	81.63
2023-03-01 10:30	61.13	88.55
2023-03-01 10:45	59.58	89.25
2023-03-01 11:00	60.8	85.91
2023-03-01 11:15	60.74	83.51
2023-03-01 11:30	60.17	77.14
2023-03-01 11:45	59.78	73.69
2023-03-01 12:00	63.77	77.63
2023-03-01 12:15	62.85	81.2
2023-03-01 12:30	61.2	88.31
2023-03-01 12:45	61.15	89.17
2023-03-01 13:00	61.07	75.59
2023-03-01 13:15	61.3	76.23
2023-03-01 13:30	59.75	78.9
2023-03-01 13:45	61.21	80.28
2023-03-01 14:00	61.33	83.9
2023-03-01 14:15	60.95	84.95
2023-03-01 14:30	60.47	89.78
2023-03-01 14:45	62.86	78.38
2023-03-01 15:00	62.18	73.95
2023-03-01 15:15	61.18	74.72
2023-03-01 15:30	62.7	76.52
2023-03-01 15:45	63.11	77.33
2023-03-01 16:00	63.13	81.65
2023-03-01 16:15	61.64	84.56
2023-03-01 16:30	64.59	85.51
2023-03-01 16:45	63.66	74.8
2023-03-01 17:00	62.23	73.56
2023-03-01 17:15	62.53	75.74
2023-03-01 17:30	64.03	76.36
2023-03-01 17:45	63.82	77.87

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-01 18:00	61.36	79.97
2023-03-01 18:15	63.39	82.77
2023-03-01 18:30	63.21	84.45
2023-03-01 18:45	62.94	76.37
2023-03-01 19:00	61.52	81.51
2023-03-01 19:15	64.78	79.75
2023-03-01 19:30	64.12	74.46
2023-03-01 19:45	61.62	75.53
2023-03-01 20:00	62.75	82.05
2023-03-01 20:15	62.96	86.02
2023-03-01 20:30	62.96	87.84
2023-03-01 20:45	61.91	78.31
2023-03-01 21:00	63.68	74.68
2023-03-01 21:15	63.42	74.96
2023-03-01 21:30	62.96	74.75
2023-03-01 21:45	62.73	76.66
2023-03-01 22:00	62.99	74.74
2023-03-01 22:15	62.71	79.46
2023-03-01 22:30	61.69	80.13
2023-03-01 22:45	62.49	82.21
2023-03-01 23:00	63.51	74.58
2023-03-01 23:15	63.35	75.04
2023-03-01 23:30	62.3	75.45
2023-03-01 23:45	65.62	77.25
2023-03-02 00:00	64.6	81.38
2023-03-02 00:15	62.25	84.66
2023-03-02 00:30	63.29	82.04
2023-03-02 00:45	63.67	74.41
2023-03-02 01:00	64.61	72.75
2023-03-02 01:15	62.12	75.2
2023-03-02 01:30	63.53	75.03
2023-03-02 01:45	63.68	78.14
2023-03-02 02:00	62.92	78.89
2023-03-02 02:15	62.68	84.81
2023-03-02 02:30	63.61	86.14
2023-03-02 02:45	63.52	79.09
2023-03-02 03:00	62.78	81.6
2023-03-02 03:15	63.57	77.87
2023-03-02 03:30	63.51	74.45
2023-03-02 03:45	63.13	76.08
2023-03-02 04:00	62.44	81.22
2023-03-02 04:15	64.72	86.88

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-02 04:30	64.11	85.17
2023-03-02 04:45	62.84	75.62
2023-03-02 05:00	63.69	79.35
2023-03-02 05:15	64.32	85.47
2023-03-02 05:30	64.05	86.78
2023-03-02 05:45	62.64	79.6
2023-03-02 06:00	64.85	77.86
2023-03-02 06:15	64.14	80.69
2023-03-02 06:30	63.49	82.93
2023-03-02 06:45	63.59	85.6
2023-03-02 07:00	65.36	75.31
2023-03-02 07:15	69.25	76.59
2023-03-02 07:30	63.47	78.44
2023-03-02 07:45	63.96	81.02
2023-03-02 08:00	64.24	79.35
2023-03-02 08:15	63.57	84.48
2023-03-02 08:30	61.06	85.39
2023-03-02 08:45	62.66	83.41
2023-03-02 09:00	63.12	78.8
2023-03-02 09:15	66.56	76.5
2023-03-02 09:30	71.15	77.25
2023-03-02 09:45	69.25	77.46
2023-03-02 10:00	63.45	81.54
2023-03-02 10:15	61.79	88.03
2023-03-02 10:30	60	82.44
2023-03-02 10:45	60.85	76.2
2023-03-02 11:00	62.83	74.04
2023-03-02 11:15	63.82	74.83
2023-03-02 11:30	59.24	85.49
2023-03-02 11:45	61.18	98.26
2023-03-02 12:00	60.49	78.13
2023-03-02 12:15	60.57	84.12
2023-03-02 12:30	59.66	81.34
2023-03-02 12:45	61.76	76.99
2023-03-02 13:00	61.4	76.71
2023-03-02 13:15	60.3	75.69
2023-03-02 13:30	60.87	80
2023-03-02 13:45	61.08	83.38
2023-03-02 14:00	60.66	85.91
2023-03-02 14:15	59.47	89.3
2023-03-02 14:30	61.31	82.74
2023-03-02 14:45	60.25	76.82

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-02 15:00	59.82	75.08
2023-03-02 15:15	59.42	76.16
2023-03-02 15:30	61.43	76.65
2023-03-02 15:45	60.32	77.68
2023-03-02 16:00	58.74	81.16
2023-03-02 16:15	61.25	84.4
2023-03-02 16:30	60.17	79.21
2023-03-02 16:45	59.98	75.11
2023-03-02 17:00	59.28	72.89
2023-03-02 17:15	62.79	74.12
2023-03-02 17:30	61.7	75.28
2023-03-02 17:45	59.54	76.1
2023-03-02 18:00	62.17	75.75
2023-03-02 18:15	61.27	75.77
2023-03-02 18:30	62.28	77.4
2023-03-02 18:45	59.76	78.98
2023-03-02 19:00	62.96	74.48
2023-03-02 19:15	62.39	74.03
2023-03-02 19:30	61.64	76.26
2023-03-02 19:45	60.75	77.4
2023-03-02 20:00	62.28	86.98
2023-03-02 20:15	61.41	80.77
2023-03-02 20:30	60.74	75.91
2023-03-02 20:45	61.87	73.8
2023-03-02 21:00	61.72	76.33
2023-03-02 21:15	61.7	75.91
2023-03-02 21:30	61.17	75.79
2023-03-02 21:45	62.96	77.69
2023-03-02 22:00	62.51	83.81
2023-03-02 22:15	61.56	79.1
2023-03-02 22:30	62.18	77.42
2023-03-02 22:45	62.6	74.86
2023-03-02 23:00	63.01	74.39
2023-03-02 23:15	60.97	74.45
2023-03-02 23:30	63.72	78.79
2023-03-02 23:45	63.08	82.4
2023-03-03 00:00	62.13	84.7
2023-03-03 00:15	61.78	78.74
2023-03-03 00:30	63.25	76.17
2023-03-03 00:45	63.88	74.99
2023-03-03 01:00	61	73.7
2023-03-03 01:15	62.53	74.74

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-03 01:30	62.43	75.38
2023-03-03 01:45	62.71	78.73
2023-03-03 02:00	60.9	83.4
2023-03-03 02:15	62.21	77.67
2023-03-03 02:30	62.01	77.04
2023-03-03 02:45	61.06	74.76
2023-03-03 03:00	61.54	75.44
2023-03-03 03:15	62.54	76.42
2023-03-03 03:30	62.51	78.13
2023-03-03 03:45	60.9	83.08
2023-03-03 04:00	62.54	86.51
2023-03-03 04:15	62.26	80.12
2023-03-03 04:30	61.76	78.21
2023-03-03 04:45	61.36	74.7
2023-03-03 05:00	62.95	74.86
2023-03-03 05:15	62.65	75
2023-03-03 05:30	61.26	74.77
2023-03-03 05:45	63.35	79.94
2023-03-03 06:00	63.41	83.89
2023-03-03 06:15	69.61	77.95
2023-03-03 06:30	61.27	76.3
2023-03-03 06:45	63.64	72.95
2023-03-03 07:00	63.46	75.69
2023-03-03 07:15	61.65	75.65
2023-03-03 07:30	61.26	78.91
2023-03-03 07:45	61.34	86.09
2023-03-03 08:00	61.45	86.45
2023-03-03 08:15	60.35	79.71
2023-03-03 08:30	61.96	78.02
2023-03-03 08:45	61.3	75.11
2023-03-03 09:00	61.38	76.26
2023-03-03 09:15	60.93	78.75
2023-03-03 09:30	63.43	79.6
2023-03-03 09:45	62.28	83.49
2023-03-03 10:00	61.2	85.36
2023-03-03 10:15	62.44	80.03
2023-03-03 10:30	62.37	78.12
2023-03-03 10:45	62.06	75.76
2023-03-03 11:00	61.05	74.87
2023-03-03 11:15	63.33	73.68
2023-03-03 11:30	62.18	75.18
2023-03-03 11:45	60.9	77.35

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-03 12:00	62.44	80.72
2023-03-03 12:15	63.41	82.55
2023-03-03 12:30	62.19	81.5
2023-03-03 12:45	60.6	78.88
2023-03-03 13:00	62.31	78.71
2023-03-03 13:15	61.1	79.09
2023-03-03 13:30	59.6	78.29
2023-03-03 13:45	58.14	78.2
2023-03-03 14:00	58.6	77.95
2023-03-03 14:15	57.98	79.99
2023-03-03 14:30	56.9	85.89
2023-03-03 14:45	57.93	86.75
2023-03-03 15:00	57.93	78.51
2023-03-03 15:15	57.67	76.92
2023-03-03 15:30	57.37	75.5
2023-03-03 15:45	58.58	75.99
2023-03-03 16:00	58.06	77.37
2023-03-03 16:15	57.63	78.32
2023-03-03 16:30	58.11	84.43
2023-03-03 16:45	59.08	87.06
2023-03-03 17:00	58.52	77.71
2023-03-03 17:15	57.81	75.5
2023-03-03 17:30	59.94	75.8
2023-03-03 17:45	59.11	75.77
2023-03-03 18:00	59.21	77.56
2023-03-03 18:15	58.89	78.79
2023-03-03 18:30	61.57	84.29
2023-03-03 18:45	60.8	85.97
2023-03-03 19:00	59.63	83.22
2023-03-03 19:15	61.55	81.22
2023-03-03 19:30	62.38	76.04
2023-03-03 19:45	62.39	73.78
2023-03-03 20:00	60.89	74.76
2023-03-03 20:15	63.59	75.22
2023-03-03 20:30	62.47	77.47
2023-03-03 20:45	62.03	78.45
2023-03-03 21:00	62.32	74.52
2023-03-03 21:15	62.7	72.24
2023-03-03 21:30	62.74	74.55
2023-03-03 21:45	61.75	73.14
2023-03-03 22:00	62.25	75.53
2023-03-03 22:15	62.24	78.62

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-03 22:30	62.31	84.5
2023-03-03 22:45	61.68	86.32
2023-03-03 23:00	63.32	82.98
2023-03-03 23:15	63.19	81.96
2023-03-03 23:30	62.05	74.83
2023-03-03 23:45	62.98	74.39
2023-03-04 00:00	63.63	78.49
2023-03-04 00:15	63.29	81.28
2023-03-04 00:30	61.87	87.23
2023-03-04 00:45	64.97	85.3
2023-03-04 01:00	64.37	77.25
2023-03-04 01:15	63.15	74.91
2023-03-04 01:30	63.2	75.3
2023-03-04 01:45	64.86	76.06
2023-03-04 02:00	64.54	77.17
2023-03-04 02:15	61.7	80.86
2023-03-04 02:30	63.32	84.52
2023-03-04 02:45	63.33	83.52
2023-03-04 03:00	62.9	77.5
2023-03-04 03:15	61.36	75.74
2023-03-04 03:30	62.9	75.12
2023-03-04 03:45	62.84	76.25
2023-03-04 04:00	61.9	78.76
2023-03-04 04:15	62.73	81.81
2023-03-04 04:30	63.95	86.04
2023-03-04 04:45	63.33	86.15
2023-03-04 05:00	62.36	83.58
2023-03-04 05:15	63.54	84.82
2023-03-04 05:30	64.52	75.11
2023-03-04 05:45	63.43	75.95
2023-03-04 06:00	63.52	79.46
2023-03-04 06:15	65.54	84.11
2023-03-04 06:30	64.59	86.18
2023-03-04 06:45	63.63	86.09
2023-03-04 07:00	65.26	80.81
2023-03-04 07:15	64.45	78.36
2023-03-04 07:30	63.87	76.33
2023-03-04 07:45	62.35	78.05
2023-03-04 08:00	65.16	79.99
2023-03-04 08:15	63.83	84.66
2023-03-04 08:30	61.93	87.5
2023-03-04 08:45	62.7	86.24

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-04 09:00	63.07	81.84
2023-03-04 09:15	63.31	78.69
2023-03-04 09:30	61.11	78.91
2023-03-04 09:45	62.69	81.47
2023-03-04 10:00	62.38	82.53
2023-03-04 10:15	61.81	87.07
2023-03-04 10:30	62.2	87.8
2023-03-04 10:45	63.31	86.97
2023-03-04 11:00	63.35	81.8
2023-03-04 11:15	62.57	77.56
2023-03-04 11:30	63.94	77.68
2023-03-04 11:45	64.06	77.47
2023-03-04 12:00	63.73	81.96
2023-03-04 12:15	62.92	88.72
2023-03-04 12:30	65.33	90.51
2023-03-04 12:45	64.15	88.35
2023-03-04 13:00	62.62	85.71
2023-03-04 13:15	64.27	80.04
2023-03-04 13:30	65.4	81.04
2023-03-04 13:45	64.63	81.14
2023-03-04 14:00	63	82.68
2023-03-04 14:15	66.14	89.5
2023-03-04 14:30	64.23	89.15
2023-03-04 14:45	63.24	85.8
2023-03-04 15:00	62.95	84.22
2023-03-04 15:15	64.82	78.42
2023-03-04 15:30	64.95	77.53
2023-03-04 15:45	62.07	79.3
2023-03-04 16:00	63.48	81.37
2023-03-04 16:15	63.45	87.54
2023-03-04 16:30	63.42	87.83
2023-03-04 16:45	63.06	84.83
2023-03-04 17:00	65.92	82.48
2023-03-04 17:15	66.07	77.26
2023-03-04 17:30	64.54	76.91
2023-03-04 17:45	64.35	77.8
2023-03-04 18:00	65.23	84.56
2023-03-04 18:15	65.18	87.56
2023-03-04 18:30	64	90.73
2023-03-04 18:45	65.57	85.27
2023-03-04 19:00	64.71	88.58
2023-03-04 19:15	64.56	84.94

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-04 19:30	64.38	77.97
2023-03-04 19:45	66.32	78.72
2023-03-04 20:00	66.12	84.24
2023-03-04 20:15	63.99	88.61
2023-03-04 20:30	66.57	90.47
2023-03-04 20:45	66.46	84.89
2023-03-04 21:00	66.48	81.1
2023-03-04 21:15	64.47	77.62
2023-03-04 21:30	67.72	77.78
2023-03-04 21:45	67.44	79.18
2023-03-04 22:00	65.21	79.93
2023-03-04 22:15	65.8	81.75
2023-03-04 22:30	66.83	83.12
2023-03-04 22:45	67.06	82.38
2023-03-04 23:00	65.21	84.98
2023-03-04 23:15	65.54	86.1
2023-03-04 23:30	65.65	84.32
2023-03-04 23:45	65.18	80.28
2023-03-05 00:00	64.66	76.32
2023-03-05 00:15	66.4	77.36
2023-03-05 00:30	65.8	78.35
2023-03-05 00:45	64.63	79.73
2023-03-05 01:00	66.11	84.41
2023-03-05 01:15	66.3	86.56
2023-03-05 01:30	65.97	86.27
2023-03-05 01:45	64.93	82.49
2023-03-05 02:00	68.01	79.2
2023-03-05 02:15	67.32	78.99
2023-03-05 02:30	65.42	79
2023-03-05 02:45	66.43	80.48
2023-03-05 03:00	67.92	86.58
2023-03-05 03:15	67.71	85.2
2023-03-05 03:30	65.02	82.23
2023-03-05 03:45	67.38	79.62
2023-03-05 04:00	66.8	76.29
2023-03-05 04:15	66.78	77.1
2023-03-05 04:30	65.34	78.45
2023-03-05 04:45	66.91	80.15
2023-03-05 05:00	67.76	83.05
2023-03-05 05:15	64.73	85.39
2023-03-05 05:30	66.72	87.66
2023-03-05 05:45	66.83	88.11

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-05 06:00	65.55	79.52
2023-03-05 06:15	64.93	79.46
2023-03-05 06:30	66.32	79.98
2023-03-05 06:45	66.16	80.44
2023-03-05 07:00	65.7	87.88
2023-03-05 07:15	65.38	89.36
2023-03-05 07:30	66.41	87.43
2023-03-05 07:45	65.41	85.8
2023-03-05 08:00	63.96	79.54
2023-03-05 08:15	65.68	78.31
2023-03-05 08:30	64.95	80.99
2023-03-05 08:45	64.17	83.26
2023-03-05 09:00	63.28	92.51
2023-03-05 09:15	66.14	94.86
2023-03-05 09:30	65.35	89.82
2023-03-05 09:45	62.3	88.86
2023-03-05 10:00	64.39	81.49
2023-03-05 10:15	63.79	82.07
2023-03-05 10:30	64.56	82.57
2023-03-05 10:45	62.81	83.55
2023-03-05 11:00	64.63	88.62
2023-03-05 11:15	63.75	90.45
2023-03-05 11:30	63.56	83.61
2023-03-05 11:45	64.14	82.72
2023-03-05 12:00	65.52	76.69
2023-03-05 12:15	66.26	79.61
2023-03-05 12:30	64.49	83.44
2023-03-05 12:45	65.42	85.9
2023-03-05 13:00	64.94	90.35
2023-03-05 13:15	64.86	91.01
2023-03-05 13:30	63.69	85.94
2023-03-05 13:45	65.58	83.5
2023-03-05 14:00	64.35	77.72
2023-03-05 14:15	62.81	75.75
2023-03-05 14:30	64.13	78.72
2023-03-05 14:45	64.12	84.11
2023-03-05 15:00	63.08	88.82
2023-03-05 15:15	61.77	89.95
2023-03-05 15:30	65.22	86.09
2023-03-05 15:45	63.63	84.52
2023-03-05 16:00	62.75	77.86
2023-03-05 16:15	63.12	77.45

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-05 16:30	64.64	78.4
2023-03-05 16:45	64.29	81.9
2023-03-05 17:00	62.37	84.9
2023-03-05 17:15	64.34	87.41
2023-03-05 17:30	64.47	85.42
2023-03-05 17:45	64.3	85.73
2023-03-05 18:00	62.77	76.83
2023-03-05 18:15	64.6	75.95
2023-03-05 18:30	64.79	76.78
2023-03-05 18:45	63.84	82.26
2023-03-05 19:00	64.56	80.73
2023-03-05 19:15	65.38	83.57
2023-03-05 19:30	66.15	83.82
2023-03-05 19:45	64.36	90.94
2023-03-05 20:00	65.81	79
2023-03-05 20:15	65.24	76.23
2023-03-05 20:30	64.87	79.07
2023-03-05 20:45	64.83	81.79
2023-03-05 21:00	67.04	86.19
2023-03-05 21:15	66.2	86.23
2023-03-05 21:30	64.8	81.57
2023-03-05 21:45	67	80.41
2023-03-05 22:00	66.49	77.31
2023-03-05 22:15	66.15	77.66
2023-03-05 22:30	64.5	78.44
2023-03-05 22:45	67.67	82.97
2023-03-05 23:00	67.17	86.79
2023-03-05 23:15	65.32	87.61
2023-03-05 23:30	66.13	83.66
2023-03-05 23:45	66.67	80.42
2023-03-06 00:00	67.64	77.97
2023-03-06 00:15	65.37	79.06
2023-03-06 00:30	67.37	81.06
2023-03-06 00:45	66.99	86.25
2023-03-06 01:00	66.8	84.93
2023-03-06 01:15	65.85	87.31
2023-03-06 01:30	66.67	86.7
2023-03-06 01:45	66.97	84.79
2023-03-06 02:00	65.23	74.6
2023-03-06 02:15	66.46	74.57
2023-03-06 02:30	66.47	77.21
2023-03-06 02:45	66.52	81.18

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-06 03:00	65.62	86.82
2023-03-06 03:15	68.23	88.94
2023-03-06 03:30	67.46	83.69
2023-03-06 03:45	65.44	77.02
2023-03-06 04:00	66.34	72.3
2023-03-06 04:15	67.02	74.1
2023-03-06 04:30	66.6	78.2
2023-03-06 04:45	64.91	85.35
2023-03-06 05:00	67.8	82.96
2023-03-06 05:15	66.89	86.08
2023-03-06 05:30	66.05	86.39
2023-03-06 05:45	67	93.56
2023-03-06 06:00	68.57	79.35
2023-03-06 06:15	69.11	81.07
2023-03-06 06:30	65.81	85.4
2023-03-06 06:45	67.37	87.61
2023-03-06 07:00	66.66	87.76
2023-03-06 07:15	66.13	88.13
2023-03-06 07:30	64.81	89.34
2023-03-06 07:45	65.8	81.28
2023-03-06 08:00	64.85	80.5
2023-03-06 08:15	63.03	81.61
2023-03-06 08:30	63.39	82.2
2023-03-06 08:45	66.16	85.95
2023-03-06 09:00	67.01	88.91
2023-03-06 09:15	65.36	87.72
2023-03-06 09:30	67.42	88.94
2023-03-06 09:45	67.46	78.92
2023-03-06 10:00	67.27	79.33
2023-03-06 10:15	67.1	82.05
2023-03-06 10:30	67.48	80.08
2023-03-06 10:45	66.31	80.91
2023-03-06 11:00	63.46	85.87
2023-03-06 11:15	65.75	80.83
2023-03-06 11:30	64.63	78.64
2023-03-06 11:45	64.84	73.84
2023-03-06 12:00	62.74	76.24
2023-03-06 12:15	65.31	79.33
2023-03-06 12:30	64.85	87.92
2023-03-06 12:45	63.12	92.7
2023-03-06 13:00	63.41	93.61
2023-03-06 13:15	64.39	89.05

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-06 13:30	64.32	83.18
2023-03-06 13:45	62.5	77.19
2023-03-06 14:00	64.26	78.29
2023-03-06 14:15	63.4	81.58
2023-03-06 14:30	62.69	88.53
2023-03-06 14:45	62.05	88.94
2023-03-06 15:00	63.58	91.97
2023-03-06 15:15	62.59	86.77
2023-03-06 15:30	61.49	82.05
2023-03-06 15:45	62.55	77.93
2023-03-06 16:00	62.41	77.34
2023-03-06 16:15	62.03	78.39
2023-03-06 16:30	61.33	83.21
2023-03-06 16:45	63	84.17
2023-03-06 17:00	62.16	87.03
2023-03-06 17:15	61.47	83.85
2023-03-06 17:30	62.66	76.96
2023-03-06 17:45	63.26	74.22
2023-03-06 18:00	62.6	75.97
2023-03-06 18:15	61.24	77.21
2023-03-06 18:30	63.45	83.14
2023-03-06 18:45	62.6	85.3
2023-03-06 19:00	61.61	81.73
2023-03-06 19:15	61.62	83.85
2023-03-06 19:30	63.88	89.98
2023-03-06 19:45	62.95	86.96
2023-03-06 20:00	61.76	75.87
2023-03-06 20:15	62.4	77.02
2023-03-06 20:30	62.45	79.26
2023-03-06 20:45	62.74	82.51
2023-03-06 21:00	61.89	84.78
2023-03-06 21:15	62.87	82.6
2023-03-06 21:30	62.58	75.97
2023-03-06 21:45	62.15	72.5
2023-03-06 22:00	62.34	74.42
2023-03-06 22:15	63.05	76.84
2023-03-06 22:30	62.88	80.05
2023-03-06 22:45	61.96	82.17
2023-03-06 23:00	63.59	82.06
2023-03-06 23:15	63.27	79.64
2023-03-06 23:30	63.1	72.09
2023-03-06 23:45	62.44	72.05

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-07 00:00	64.71	74.66
2023-03-07 00:15	63.78	78.03
2023-03-07 00:30	62.25	82.11
2023-03-07 00:45	63.55	84.4
2023-03-07 01:00	63.62	83.12
2023-03-07 01:15	64.4	83.67
2023-03-07 01:30	62.71	73.96
2023-03-07 01:45	64.23	73.7
2023-03-07 02:00	63.76	75.21
2023-03-07 02:15	62.83	78.39
2023-03-07 02:30	62.73	81.14
2023-03-07 02:45	63.17	83.38
2023-03-07 03:00	63.22	83.61
2023-03-07 03:15	62.53	85.33
2023-03-07 03:30	63.18	74.59
2023-03-07 03:45	63.35	75.28
2023-03-07 04:00	64.15	76.85
2023-03-07 04:15	64.87	80.6
2023-03-07 04:30	66.15	83.46
2023-03-07 04:45	65.76	86.45
2023-03-07 05:00	64.11	87.22
2023-03-07 05:15	64.71	90.45
2023-03-07 05:30	64.54	85.61
2023-03-07 05:45	64.07	74.13
2023-03-07 06:00	63.93	75.34
2023-03-07 06:15	66.23	83.06
2023-03-07 06:30	65.2	84.04
2023-03-07 06:45	64.21	84.32
2023-03-07 07:00	64.8	84.06
2023-03-07 07:15	65.92	86.34
2023-03-07 07:30	66.32	75.53
2023-03-07 07:45	63.48	75.56
2023-03-07 08:00	65.23	75.99
2023-03-07 08:15	64.99	80.07
2023-03-07 08:30	64.92	80.32
2023-03-07 08:45	62.58	83.05
2023-03-07 09:00	63.82	84.58
2023-03-07 09:15	63.22	87.67
2023-03-07 09:30	61.84	78.24
2023-03-07 09:45	62.91	77.86
2023-03-07 10:00	63.91	80.05
2023-03-07 10:15	63.63	82.48

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-07 10:30	62.66	82.9
2023-03-07 10:45	63.88	88.39
2023-03-07 11:00	63.13	87.63
2023-03-07 11:15	62.04	86.15
2023-03-07 11:30	62.11	75.84
2023-03-07 11:45	63.78	76.28
2023-03-07 12:00	63.58	79.04
2023-03-07 12:15	61.77	77.34
2023-03-07 12:30	63.37	78.15
2023-03-07 12:45	62.59	77.5
2023-03-07 13:00	62.42	78.83
2023-03-07 13:15	62.01	83.56
2023-03-07 13:30	65.3	85.85
2023-03-07 13:45	63.8	85.08
2023-03-07 14:00	61.31	81.67
2023-03-07 14:15	62.26	77.09
2023-03-07 14:30	62.63	74.74
2023-03-07 14:45	63.71	76.04
2023-03-07 15:00	60.96	79.47
2023-03-07 15:15	62.15	83.7
2023-03-07 15:30	61.93	84.48
2023-03-07 15:45	61.16	84.2
2023-03-07 16:00	60.87	79.82
2023-03-07 16:15	61.96	75.93
2023-03-07 16:30	61.8	75.66
2023-03-07 16:45	60.88	77.15
2023-03-07 17:00	62.3	77.13
2023-03-07 17:15	62.33	79.97
2023-03-07 17:30	62.51	81.21
2023-03-07 17:45	62.05	84.36
2023-03-07 18:00	64.18	82.1
2023-03-07 18:15	63.75	77.79
2023-03-07 18:30	62.86	78.22
2023-03-07 18:45	64.26	79.01
2023-03-07 19:00	64.83	80.45
2023-03-07 19:15	64.65	81.89
2023-03-07 19:30	63.58	83.36
2023-03-07 19:45	66.1	87.54
2023-03-07 20:00	65.3	82.57
2023-03-07 20:15	64.74	78.28
2023-03-07 20:30	64.38	77.57
2023-03-07 20:45	66.21	79.06

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-07 21:00	66.24	81.93
2023-03-07 21:15	63.25	83.95
2023-03-07 21:30	64.24	86.21
2023-03-07 21:45	64.72	81.72
2023-03-07 22:00	64.42	79.99
2023-03-07 22:15	63.74	76.95
2023-03-07 22:30	65.58	77.49
2023-03-07 22:45	64.51	79.22
2023-03-07 23:00	63.36	84.56
2023-03-07 23:15	63.87	86.78
2023-03-07 23:30	64.48	88.64
2023-03-07 23:45	64.32	85.67
2023-03-08 00:00	63.13	80.23
2023-03-08 00:15	64.9	76.64
2023-03-08 00:30	64.13	76.33
2023-03-08 00:45	63.35	78.2
2023-03-08 01:00	62.83	83.3
2023-03-08 01:15	64.69	85.14
2023-03-08 01:30	64.72	87.99
2023-03-08 01:45	63.82	85.18
2023-03-08 02:00	65.77	80.06
2023-03-08 02:15	64.52	77.1
2023-03-08 02:30	64.26	77.35
2023-03-08 02:45	63.06	78.32
2023-03-08 03:00	65.79	82.99
2023-03-08 03:15	65.27	83.88
2023-03-08 03:30	64.08	85.2
2023-03-08 03:45	63.93	83.64
2023-03-08 04:00	64.31	77.93
2023-03-08 04:15	64.9	76.26
2023-03-08 04:30	63.24	77.02
2023-03-08 04:45	64.48	78.7
2023-03-08 05:00	64.53	77.1
2023-03-08 05:15	64.28	77.49
2023-03-08 05:30	63.56	78.44
2023-03-08 05:45	65.05	80.91
2023-03-08 06:00	64.22	76.36
2023-03-08 06:15	63.45	75.16
2023-03-08 06:30	64.02	76.55
2023-03-08 06:45	64.37	78.6
2023-03-08 07:00	65.53	84.88
2023-03-08 07:15	64.22	86.75

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-08 07:30	66.03	88.43
2023-03-08 07:45	64.52	87.36
2023-03-08 08:00	63.42	83.45
2023-03-08 08:15	64.33	78.91
2023-03-08 08:30	65.51	79.79
2023-03-08 08:45	65.47	81.81
2023-03-08 09:00	63.72	89.5
2023-03-08 09:15	66.1	92.43
2023-03-08 09:30	64.86	93.31
2023-03-08 09:45	64.1	90.51
2023-03-08 10:00	62.21	80.36
2023-03-08 10:15	63.56	79.18
2023-03-08 10:30	63.9	79.69
2023-03-08 10:45	61.65	82.53
2023-03-08 11:00	62.37	86.87
2023-03-08 11:15	63.04	88.51
2023-03-08 11:30	63.11	89.5
2023-03-08 11:45	63.28	88.63
2023-03-08 12:00	64.98	80.16
2023-03-08 12:15	64.14	79.08
2023-03-08 12:30	63.25	79.05
2023-03-08 12:45	63.25	82.53
2023-03-08 13:00	64.66	85.8
2023-03-08 13:15	63.64	85.36
2023-03-08 13:30	62.51	87.11
2023-03-08 13:45	64.13	88.38
2023-03-08 14:00	63.65	79.9
2023-03-08 14:15	62.97	78.64
2023-03-08 14:30	62.23	79.91
2023-03-08 14:45	64.98	82.7
2023-03-08 15:00	63.43	82.09
2023-03-08 15:15	62.31	83.19
2023-03-08 15:30	63.81	85.18
2023-03-08 15:45	63.39	88.55
2023-03-08 16:00	64.44	76.96
2023-03-08 16:15	62.76	78.17
2023-03-08 16:30	65.08	79.64
2023-03-08 16:45	64.49	82.2
2023-03-08 17:00	63.47	84.28
2023-03-08 17:15	63.59	87.52
2023-03-08 17:30	63.99	84.76
2023-03-08 17:45	66.39	85.5

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-08 18:00	63.42	75.8
2023-03-08 18:15	64.46	75.78
2023-03-08 18:30	64.31	77.3
2023-03-08 18:45	64.05	81.85
2023-03-08 19:00	63.4	78.63
2023-03-08 19:15	64.94	80.27
2023-03-08 19:30	64.26	82.85
2023-03-08 19:45	64.46	90.22
2023-03-08 20:00	65.93	76.19
2023-03-08 20:15	66.58	76.18
2023-03-08 20:30	65.78	77.81
2023-03-08 20:45	64.77	81.06
2023-03-08 21:00	67.34	83.36
2023-03-08 21:15	66.51	85.73
2023-03-08 21:30	65.41	85.17
2023-03-08 21:45	66.03	85.68
2023-03-08 22:00	67.31	76.28
2023-03-08 22:15	67.79	77.46
2023-03-08 22:30	65.52	78.15
2023-03-08 22:45	67.46	81.73
2023-03-08 23:00	67.09	83.39
2023-03-08 23:15	67.21	86.23
2023-03-08 23:30	65.22	85.33
2023-03-08 23:45	67.38	85.55
2023-03-09 00:00	67.12	76.41
2023-03-09 00:15	65.74	77.23
2023-03-09 00:30	66.13	79.42
2023-03-09 00:45	66.57	83.16
2023-03-09 01:00	66.63	84.28
2023-03-09 01:15	65.22	85.33
2023-03-09 01:30	66.73	85.46
2023-03-09 01:45	66.23	86.1
2023-03-09 02:00	65.74	75.95
2023-03-09 02:15	65.84	77.07
2023-03-09 02:30	67.76	78.27
2023-03-09 02:45	66.72	82.08
2023-03-09 03:00	65.67	83.32
2023-03-09 03:15	67.96	86.94
2023-03-09 03:30	67.12	87.07
2023-03-09 03:45	66.33	86.22
2023-03-09 04:00	65.49	76.04
2023-03-09 04:15	68.48	77.13

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-09 04:30	67.17	79.64
2023-03-09 04:45	65.31	82.44
2023-03-09 05:00	66.02	76.78
2023-03-09 05:15	66.66	77.99
2023-03-09 05:30	66.3	77.88
2023-03-09 05:45	65.26	84.77
2023-03-09 06:00	66.58	76.83
2023-03-09 06:15	66.88	78.34
2023-03-09 06:30	65.9	78.97
2023-03-09 06:45	65.53	84.18
2023-03-09 07:00	66.45	85.47
2023-03-09 07:15	66.01	85.08
2023-03-09 07:30	64.87	85.88
2023-03-09 07:45	65.71	83.92
2023-03-09 08:00	65.33	77.31
2023-03-09 08:15	64.43	77.88
2023-03-09 08:30	63.37	80.48
2023-03-09 08:45	65.03	82.24
2023-03-09 09:00	64.66	87.12
2023-03-09 09:15	63.54	90.11
2023-03-09 09:30	64.92	92.35
2023-03-09 09:45	65.04	86.97
2023-03-09 10:00	64.72	81.12
2023-03-09 10:15	63.53	82.16
2023-03-09 10:30	66.32	83.41
2023-03-09 10:45	66.18	84.34
2023-03-09 11:00	66.08	87.37
2023-03-09 11:15	65.52	84.76
2023-03-09 11:30	66.85	87.27
2023-03-09 11:45	67.99	83.04
2023-03-09 12:00	63.76	78.51
2023-03-09 12:15	65	78
2023-03-09 12:30	65.76	81.68
2023-03-09 12:45	66.39	85.58
2023-03-09 13:00	64.43	86.08
2023-03-09 13:15	66.46	88.8
2023-03-09 13:30	68.09	92.08
2023-03-09 13:45	65.16	94.4
2023-03-09 14:00	65.52	79.78
2023-03-09 14:15	65.9	80.24
2023-03-09 14:30	65.64	84.74
2023-03-09 14:45	64.3	86.98

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-09 15:00	66.78	87.74
2023-03-09 15:15	65.68	84.4
2023-03-09 15:30	65.71	89.93
2023-03-09 15:45	65.74	75
2023-03-09 16:00	67.48	75.54
2023-03-09 16:15	67.94	75.73
2023-03-09 16:30	64.84	79.42
2023-03-09 16:45	68.29	83.69
2023-03-09 17:00	67.4	87.45
2023-03-09 17:15	69.96	82.34
2023-03-09 17:30	65.83	80.85
2023-03-09 17:45	67.43	75.96
2023-03-09 18:00	68.84	76.2
2023-03-09 18:15	66.82	77.2
2023-03-09 18:30	66.77	81.7
2023-03-09 18:45	66.77	84.41
2023-03-09 19:00	70.11	85.63
2023-03-09 19:15	66.16	85.33
2023-03-09 19:30	68.25	90.5
2023-03-09 19:45	67.27	80.29
2023-03-09 20:00	67.17	77.56
2023-03-09 20:15	66.59	79.15
2023-03-09 20:30	68.19	83.99
2023-03-09 20:45	68.2	84.21
2023-03-09 21:00	67.08	87.8
2023-03-09 21:15	69.43	84.62
2023-03-09 21:30	68.32	79.56
2023-03-09 21:45	68.94	76.79
2023-03-09 22:00	67.34	78.08
2023-03-09 22:15	69.86	78.96
2023-03-09 22:30	69.26	81.85
2023-03-09 22:45	67.24	82.44
2023-03-09 23:00	69.01	85.07
2023-03-09 23:15	68.63	81.5
2023-03-09 23:30	23.6	76.73
2023-03-09 23:45	0	74.6
2023-03-10 00:00	0	77.17
2023-03-10 00:15	0	78.24
2023-03-10 00:30	19.42	83.42
2023-03-10 00:45	74.63	84.99
2023-03-10 01:00	73.24	86.51
2023-03-10 01:15	71.69	84.7

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-10 01:30	69.09	78.58
2023-03-10 01:45	70.01	76.91
2023-03-10 02:00	69.11	76.87
2023-03-10 02:15	66.88	78.91
2023-03-10 02:30	65.6	82.38
2023-03-10 02:45	66	84.36
2023-03-10 03:00	66.74	85.56
2023-03-10 03:15	65.92	85.04
2023-03-10 03:30	64.92	77.08
2023-03-10 03:45	68.87	76.67
2023-03-10 04:00	67.48	77.17
2023-03-10 04:15	66.41	78.73
2023-03-10 04:30	65.82	83.02
2023-03-10 04:45	68.49	85.79
2023-03-10 05:00	65.94	78.5
2023-03-10 05:15	64.56	81.37
2023-03-10 05:30	66.31	88.62
2023-03-10 05:45	65.83	89.61
2023-03-10 06:00	68.96	77.48
2023-03-10 06:15	65.72	83.2
2023-03-10 06:30	67.64	84.88
2023-03-10 06:45	68.93	86.91
2023-03-10 07:00	65.97	84.97
2023-03-10 07:15	65.27	86.22
2023-03-10 07:30	64.99	75.91
2023-03-10 07:45	65.33	77.4
2023-03-10 08:00	64.99	77.64
2023-03-10 08:15	66.3	79.82
2023-03-10 08:30	65.02	84.75
2023-03-10 08:45	64.33	89.23
2023-03-10 09:00	63.89	90.69
2023-03-10 09:15	65.59	90.52
2023-03-10 09:30	64.39	79.45
2023-03-10 09:45	63.73	81.31
2023-03-10 10:00	65.38	83.58
2023-03-10 10:15	64.47	87.03
2023-03-10 10:30	64.7	86.56
2023-03-10 10:45	64.02	88.13
2023-03-10 11:00	66.33	85.23
2023-03-10 11:15	64.98	88.5
2023-03-10 11:30	64.15	77.36
2023-03-10 11:45	65.67	78.35

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-10 12:00	66.21	78.6
2023-03-10 12:15	66.43	82.47
2023-03-10 12:30	64.03	84.11
2023-03-10 12:45	66.74	83.34
2023-03-10 13:00	66.55	88.57
2023-03-10 13:15	67.65	91.38
2023-03-10 13:30	64.18	77.89
2023-03-10 13:45	65.72	78.23
2023-03-10 14:00	65.27	78.58
2023-03-10 14:15	64.3	83.7
2023-03-10 14:30	65.91	84.42
2023-03-10 14:45	66.54	88.46
2023-03-10 15:00	66.74	88.12
2023-03-10 15:15	65.57	89.97
2023-03-10 15:30	67.53	76.38
2023-03-10 15:45	66.38	75.66
2023-03-10 16:00	66.22	76.55
2023-03-10 16:15	66.83	82.04
2023-03-10 16:30	67.95	81.82
2023-03-10 16:45	67.57	88.36
2023-03-10 17:00	65.3	85.99
2023-03-10 17:15	68.11	85.27
2023-03-10 17:30	67.36	78.95
2023-03-10 17:45	67.93	80.16
2023-03-10 18:00	66.77	81.58
2023-03-10 18:15	69.35	85.21
2023-03-10 18:30	69.7	85.18
2023-03-10 18:45	66.19	87.24
2023-03-10 19:00	68.35	84.68
2023-03-10 19:15	67.17	92.27
2023-03-10 19:30	69.28	86.36
2023-03-10 19:45	66.15	79.01
2023-03-10 20:00	67.3	80.63
2023-03-10 20:15	67.27	85.82
2023-03-10 20:30	66.7	86.29
2023-03-10 20:45	66.58	89.36
2023-03-10 21:00	67.73	89.35
2023-03-10 21:15	67.2	86.22
2023-03-10 21:30	65.95	78.31
2023-03-10 21:45	67.16	76.96
2023-03-10 22:00	66.35	77.46
2023-03-10 22:15	66.79	80.6

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-10 22:30	66.17	84.15
2023-03-10 22:45	68.19	88.55
2023-03-10 23:00	67.13	91.27
2023-03-10 23:15	66.17	89.49
2023-03-10 23:30	67.59	77.19
2023-03-10 23:45	67.21	75.97
2023-03-11 00:00	68.51	80.92
2023-03-11 00:15	66.33	84.46
2023-03-11 00:30	69.14	85.58
2023-03-11 00:45	68.15	88.46
2023-03-11 01:00	66.94	90.24
2023-03-11 01:15	67.1	92.59
2023-03-11 01:30	68.41	79.82
2023-03-11 01:45	69.98	77.78
2023-03-11 02:00	66.31	80.41
2023-03-11 02:15	68.26	81.87
2023-03-11 02:30	67.88	84.62
2023-03-11 02:45	69	87.6
2023-03-11 03:00	65.56	90.47
2023-03-11 03:15	66.71	79.99
2023-03-11 03:30	66.13	74.66
2023-03-11 03:45	65.12	76.74
2023-03-11 04:00	65.67	79.84
2023-03-11 04:15	66.68	83.45
2023-03-11 04:30	66.53	85.21
2023-03-11 04:45	65.41	87.4
2023-03-11 05:00	67.04	90.31
2023-03-11 05:15	66.07	82.03
2023-03-11 05:30	66.7	77.99
2023-03-11 05:45	66.54	77.8
2023-03-11 06:00	67.37	78.01
2023-03-11 06:15	67.18	78.49
2023-03-11 06:30	65.7	80.08
2023-03-11 06:45	67.5	81.54
2023-03-11 07:00	67.57	92.99
2023-03-11 07:15	68.5	77.91
2023-03-11 07:30	66.4	75.4
2023-03-11 07:45	67.86	76.69
2023-03-11 08:00	68.82	80.18
2023-03-11 08:15	65.53	80.74
2023-03-11 08:30	65.88	86.28
2023-03-11 08:45	65.4	90.8

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-11 09:00	69.21	97.15
2023-03-11 09:15	63.85	86.88
2023-03-11 09:30	65.17	80.82
2023-03-11 09:45	64.58	81.61
2023-03-11 10:00	65.9	82.76
2023-03-11 10:15	65.46	81.84
2023-03-11 10:30	66.59	82.65
2023-03-11 10:45	66.16	84.4
2023-03-11 11:00	64.47	91.65
2023-03-11 11:15	66.12	82.34
2023-03-11 11:30	65.96	77.79
2023-03-11 11:45	66.27	77.39
2023-03-11 12:00	65.32	80.88
2023-03-11 12:15	66.56	83.04
2023-03-11 12:30	65.57	85.76
2023-03-11 12:45	64.38	89.48
2023-03-11 13:00	65.89	93.82
2023-03-11 13:15	66.04	80.71
2023-03-11 13:30	67.25	79.37
2023-03-11 13:45	64.39	79.72
2023-03-11 14:00	67.95	81.09
2023-03-11 14:15	67.53	80.38
2023-03-11 14:30	67.94	86.65
2023-03-11 14:45	67.07	87
2023-03-11 15:00	68.94	95.11
2023-03-11 15:15	72.48	79.66
2023-03-11 15:30	66.58	79.18
2023-03-11 15:45	67.61	78.82
2023-03-11 16:00	68.07	79.8
2023-03-11 16:15	69.6	82.78
2023-03-11 16:30	65.91	85.17
2023-03-11 16:45	67.25	85.5
2023-03-11 17:00	66.54	89.67
2023-03-11 17:15	65.79	81.21
2023-03-11 17:30	66.43	81.25
2023-03-11 17:45	67.09	83.19
2023-03-11 18:00	67.47	85.58
2023-03-11 18:15	65.9	86.57
2023-03-11 18:30	68.02	90.02
2023-03-11 18:45	67.13	93.25
2023-03-11 19:00	66.91	95.87
2023-03-11 19:15	66.17	91.26

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-11 19:30	67.78	83.66
2023-03-11 19:45	67.46	81.82
2023-03-11 20:00	65.92	85.16
2023-03-11 20:15	68.43	86.23
2023-03-11 20:30	67.5	90.45
2023-03-11 20:45	70.1	92.99
2023-03-11 21:00	66.45	89.11
2023-03-11 21:15	68.06	80.55
2023-03-11 21:30	69.57	80.23
2023-03-11 21:45	67.38	79.24
2023-03-11 22:00	66.8	80.59
2023-03-11 22:15	66.48	83.04
2023-03-11 22:30	67.13	86.79
2023-03-11 22:45	65.9	90.85
2023-03-11 23:00	67.82	85.37
2023-03-11 23:15	66.74	76.59
2023-03-11 23:30	66.49	75.27
2023-03-11 23:45	65.79	77.2
2023-03-12 00:00	67.79	79.25
2023-03-12 00:15	67.53	81.5
2023-03-12 00:30	65.98	83.2
2023-03-12 00:45	67.87	85.65
2023-03-12 01:00	67.15	81.26
2023-03-12 01:15	67.7	75.25
2023-03-12 01:30	66.26	75.54
2023-03-12 01:45	68.6	78.95
2023-03-12 02:00	67.79	80.47
2023-03-12 02:15	66.65	81.9
2023-03-12 02:30	68.05	83.42
2023-03-12 02:45	68.48	88.45
2023-03-12 03:00	70.77	82.11
2023-03-12 03:15	66.69	76.94
2023-03-12 03:30	69.02	78.31
2023-03-12 03:45	68.7	81.78
2023-03-12 04:00	69.7	83.75
2023-03-12 04:15	66.35	84.11
2023-03-12 04:30	67.56	84.23
2023-03-12 04:45	67.29	90.16
2023-03-12 05:00	66.04	84.48
2023-03-12 05:15	68.55	87.52
2023-03-12 05:30	67.42	88.49
2023-03-12 05:45	69.98	90.41

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-12 06:00	66	81.26
2023-03-12 06:15	67.74	86.77
2023-03-12 06:30	66.98	89.54
2023-03-12 06:45	66.63	96.83
2023-03-12 07:00	66.82	86.11
2023-03-12 07:15	67.89	81.03
2023-03-12 07:30	67.69	80.08
2023-03-12 07:45	65.65	85.49
2023-03-12 08:00	67.02	83.81
2023-03-12 08:15	65.74	84.63
2023-03-12 08:30	65.92	85.03
2023-03-12 08:45	65.01	91.13
2023-03-12 09:00	67.45	91.11
2023-03-12 09:15	69.13	83.24
2023-03-12 09:30	65.55	80.97
2023-03-12 09:45	68.12	82.7
2023-03-12 10:00	65.84	83.92
2023-03-12 10:15	73.14	87.45
2023-03-12 10:30	66.42	86.88
2023-03-12 10:45	68.15	90.19
2023-03-12 11:00	68.23	74.6
2023-03-12 11:15	67.51	74.32
2023-03-12 11:30	66.07	76.28
2023-03-12 11:45	66.57	76.92
2023-03-12 12:00	67.53	73.7
2023-03-12 12:15	67.04	73.51
2023-03-12 12:30	68.51	76.77
2023-03-12 12:45	66.82	76.77
2023-03-12 13:00	66.8	88.09
2023-03-12 13:15	66.07	85.93
2023-03-12 13:30	68.37	82.28
2023-03-12 13:45	67.51	81.93
2023-03-12 14:00	66.14	83.57
2023-03-12 14:15	68.41	86.73
2023-03-12 14:30	67.19	88.59
2023-03-12 14:45	68.58	93.11
2023-03-12 15:00	66	80.81
2023-03-12 15:15	69.04	78.45
2023-03-12 15:30	67.65	78.21
2023-03-12 15:45	66.33	83.9
2023-03-12 16:00	66.89	79.72
2023-03-12 16:15	67.19	78.34

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-12 16:30	71.22	92.49
2023-03-12 16:45	64.36	91.54
2023-03-12 17:00	66.59	80.37
2023-03-12 17:15	67.01	79.08
2023-03-12 17:30	68.74	81.23
2023-03-12 17:45	64.86	81.59
2023-03-12 18:00	66.4	84.61
2023-03-12 18:15	65.6	86.13
2023-03-12 18:30	65.04	91.03
2023-03-12 18:45	65.77	90.23
2023-03-12 19:00	66.08	90.41
2023-03-12 19:15	67.71	84.43
2023-03-12 19:30	67.02	78.59
2023-03-12 19:45	68.67	79.24
2023-03-12 20:00	67.11	86.13
2023-03-12 20:15	66.94	88.49
2023-03-12 20:30	67.68	94.53
2023-03-12 20:45	68.62	91.09
2023-03-12 21:00	68.65	81.01
2023-03-12 21:15	66.26	78.02
2023-03-12 21:30	70.2	79.14
2023-03-12 21:45	68.6	80.96
2023-03-12 22:00	70.03	81.53
2023-03-12 22:15	67.65	85.13
2023-03-12 22:30	70.06	92.93
2023-03-12 22:45	72.1	87.29
2023-03-12 23:00	68.14	78.02
2023-03-12 23:15	68.72	76.57
2023-03-12 23:30	67.76	78.83
2023-03-12 23:45	74.41	79.29
2023-03-13 00:00	65.99	83.14
2023-03-13 00:15	67.91	86.03
2023-03-13 00:30	67.2	94.1
2023-03-13 00:45	66.88	85.66
2023-03-13 01:00	66.64	78.26
2023-03-13 01:15	68.45	78.6
2023-03-13 01:30	67.52	80.97
2023-03-13 01:45	66.19	80.2
2023-03-13 02:00	68.4	83.35
2023-03-13 02:15	67.25	85.21
2023-03-13 02:30	67.99	91.56
2023-03-13 02:45	67.08	85.24

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-13 03:00	69.09	77.75
2023-03-13 03:15	67.6	79.18
2023-03-13 03:30	67.01	81.59
2023-03-13 03:45	68.83	81.24
2023-03-13 04:00	68.74	84.45
2023-03-13 04:15	69.54	87.67
2023-03-13 04:30	66.85	94.42
2023-03-13 04:45	70.52	87.94
2023-03-13 05:00	67.68	84.62
2023-03-13 05:15	67.45	88.39
2023-03-13 05:30	67.36	96.41
2023-03-13 05:45	69.1	90.38
2023-03-13 06:00	73.37	86.58
2023-03-13 06:15	66.8	90.09
2023-03-13 06:30	67.94	97.22
2023-03-13 06:45	67.61	88.12
2023-03-13 07:00	67.1	80.92
2023-03-13 07:15	66.38	81.35
2023-03-13 07:30	68.01	82
2023-03-13 07:45	66.47	84.17
2023-03-13 08:00	66.18	86.96
2023-03-13 08:15	66.92	92.08
2023-03-13 08:30	66.69	97.63
2023-03-13 08:45	66.33	95.09
2023-03-13 09:00	65.66	83.47
2023-03-13 09:15	67.5	83.45
2023-03-13 09:30	65.28	85.37
2023-03-13 09:45	64.93	84.05
2023-03-13 10:00	66.26	87.48
2023-03-13 10:15	67.24	92.22
2023-03-13 10:30	67.42	92.53
2023-03-13 10:45	66.58	82.7
2023-03-13 11:00	69.2	78.19
2023-03-13 11:15	67.32	78.52
2023-03-13 11:30	69.15	80.06
2023-03-13 11:45	65.06	81.29
2023-03-13 12:00	67.48	85.97
2023-03-13 12:15	69.89	93.39
2023-03-13 12:30	66.72	94.46
2023-03-13 12:45	66.19	84.93
2023-03-13 13:00	66.75	81.63
2023-03-13 13:15	67.14	80.66

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-13 13:30	65.78	80.86
2023-03-13 13:45	67.73	81.76
2023-03-13 14:00	66.46	84.62
2023-03-13 14:15	66.54	90.33
2023-03-13 14:30	65.82	91.22
2023-03-13 14:45	67.49	82.26
2023-03-13 15:00	66.66	80.01
2023-03-13 15:15	65.4	80.64
2023-03-13 15:30	67.19	81.4
2023-03-13 15:45	66.75	82.37
2023-03-13 16:00	66.98	85.88
2023-03-13 16:15	65.96	93.71
2023-03-13 16:30	68.39	93.01
2023-03-13 16:45	67.17	82.14
2023-03-13 17:00	65.77	78.69
2023-03-13 17:15	67.51	81.32
2023-03-13 17:30	67.58	79.54
2023-03-13 17:45	69.09	81.68
2023-03-13 18:00	65.78	84.86
2023-03-13 18:15	68.75	91.56
2023-03-13 18:30	68.93	91.21
2023-03-13 18:45	69.87	80.65
2023-03-13 19:00	67.06	85.85
2023-03-13 19:15	69.03	78.74
2023-03-13 19:30	72.7	78.35
2023-03-13 19:45	66.24	79.67
2023-03-13 20:00	67.65	86.31
2023-03-13 20:15	68.39	95.69
2023-03-13 20:30	67.43	94.19
2023-03-13 20:45	66.69	82.89
2023-03-13 21:00	68.79	80.01
2023-03-13 21:15	68.26	80.98
2023-03-13 21:30	68.5	80.85
2023-03-13 21:45	68.71	82.67
2023-03-13 22:00	70.16	86.73
2023-03-13 22:15	70.79	95.81
2023-03-13 22:30	66.98	93.98
2023-03-13 22:45	70.75	82.73
2023-03-13 23:00	69.37	80.02
2023-03-13 23:15	69.15	79.97
2023-03-13 23:30	68.41	78.78
2023-03-13 23:45	70.27	79.95

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-14 00:00	71.69	84.48
2023-03-14 00:15	68.01	91.55
2023-03-14 00:30	70.12	88.32
2023-03-14 00:45	69.09	80.38
2023-03-14 01:00	76.11	78.41
2023-03-14 01:15	68.26	80.46
2023-03-14 01:30	69.82	80.11
2023-03-14 01:45	70.07	82.46
2023-03-14 02:00	68.17	84.97
2023-03-14 02:15	68.09	91.77
2023-03-14 02:30	69.07	87.65
2023-03-14 02:45	68.62	78.74
2023-03-14 03:00	66.89	78.8
2023-03-14 03:15	68.61	79.47
2023-03-14 03:30	67.36	78.47
2023-03-14 03:45	67.62	81.64
2023-03-14 04:00	67.26	88.35
2023-03-14 04:15	69.49	94.25
2023-03-14 04:30	68.19	88.84
2023-03-14 04:45	66.77	83.47
2023-03-14 05:00	67.78	89.7
2023-03-14 05:15	68.13	79.22
2023-03-14 05:30	67.93	79.06
2023-03-14 05:45	66.79	78.86
2023-03-14 06:00	70.02	90.7
2023-03-14 06:15	69.14	93.42
2023-03-14 06:30	67.99	84.58
2023-03-14 06:45	68.39	83.3
2023-03-14 07:00	68.73	79.45
2023-03-14 07:15	73.1	81.2
2023-03-14 07:30	66.11	83.37
2023-03-14 07:45	68.4	86.21
2023-03-14 08:00	67.76	87.45
2023-03-14 08:15	69.74	89.24
2023-03-14 08:30	66.12	89.56
2023-03-14 08:45	67.73	88.81
2023-03-14 09:00	66.51	82.23
2023-03-14 09:15	65.55	83.87
2023-03-14 09:30	66.36	83.84
2023-03-14 09:45	66.53	82.51
2023-03-14 10:00	66.47	88.95
2023-03-14 10:15	67.19	86.94

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-14 10:30	69.85	81.64
2023-03-14 10:45	67.45	80.73
2023-03-14 11:00	67.75	79.3
2023-03-14 11:15	66.98	79.16
2023-03-14 11:30	68.12	80.3
2023-03-14 11:45	67.89	84.68
2023-03-14 12:00	66.26	89.69
2023-03-14 12:15	69.89	89.75
2023-03-14 12:30	68.79	87.25
2023-03-14 12:45	70.4	85.85
2023-03-14 13:00	68.56	81.36
2023-03-14 13:15	70.92	80.26
2023-03-14 13:30	74.62	82.73
2023-03-14 13:45	69.72	81.43
2023-03-14 14:00	70.01	90.38
2023-03-14 14:15	69.37	89.67
2023-03-14 14:30	73.71	84.43
2023-03-14 14:45	67.43	82.86
2023-03-14 15:00	69.44	81.97
2023-03-14 15:15	67.84	81.77
2023-03-14 15:30	67.25	84.12
2023-03-14 15:45	66.72	85.86
2023-03-14 16:00	68.66	93.23
2023-03-14 16:15	67.77	94.13
2023-03-14 16:30	66.42	85.28
2023-03-14 16:45	68.6	83.92
2023-03-14 17:00	67.94	80.94
2023-03-14 17:15	67.57	79.86
2023-03-14 17:30	66.75	80.75
2023-03-14 17:45	68.85	85.49
2023-03-14 18:00	67.57	92.4
2023-03-14 18:15	66.23	90.34
2023-03-14 18:30	67.95	83.9
2023-03-14 18:45	68.41	83.46
2023-03-14 19:00	68.37	89.37
2023-03-14 19:15	67.24	79.9
2023-03-14 19:30	69.71	80.26
2023-03-14 19:45	67.85	81.91
2023-03-14 20:00	69.16	91.88
2023-03-14 20:15	67.64	93.55
2023-03-14 20:30	68.72	86.36
2023-03-14 20:45	74.75	85.93

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-14 21:00	66.92	81.94
2023-03-14 21:15	68.74	81.83
2023-03-14 21:30	69.64	83.95
2023-03-14 21:45	69.92	87.62
2023-03-14 22:00	68.16	93.11
2023-03-14 22:15	69.1	93.92
2023-03-14 22:30	68.77	84.49
2023-03-14 22:45	67.85	81.44
2023-03-14 23:00	68.54	79.34
2023-03-14 23:15	69.17	80.24
2023-03-14 23:30	69.16	82.6
2023-03-14 23:45	68.75	85.77
2023-03-15 00:00	71.05	90.65
2023-03-15 00:15	69.46	90.88
2023-03-15 00:30	69.3	84.5
2023-03-15 00:45	68.59	80.46
2023-03-15 01:00	70.82	79.7
2023-03-15 01:15	70.91	80.7
2023-03-15 01:30	67.57	81.34
2023-03-15 01:45	71.51	84.85
2023-03-15 02:00	70.11	90.31
2023-03-15 02:15	74.23	90.06
2023-03-15 02:30	69.12	83.98
2023-03-15 02:45	71.46	80.42
2023-03-15 03:00	70.12	90.17
2023-03-15 03:15	69.22	81.7
2023-03-15 03:30	69.63	81.78
2023-03-15 03:45	70.14	82.32
2023-03-15 04:00	71.12	83.06
2023-03-15 04:15	67.73	83.95
2023-03-15 04:30	70.59	84.94
2023-03-15 04:45	70.26	91.85
2023-03-15 05:00	70.6	95.48
2023-03-15 05:15	68.82	86.53
2023-03-15 05:30	69.9	83.71
2023-03-15 05:45	75.25	80.97
2023-03-15 06:00	67.21	81.69
2023-03-15 06:15	68.83	82.43
2023-03-15 06:30	67.73	83.98
2023-03-15 06:45	69.92	91.73
2023-03-15 07:00	66.9	92.95
2023-03-15 07:15	68.42	87.84

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-15 07:30	67.71	84.57
2023-03-15 07:45	66.95	79.38
2023-03-15 08:00	67.5	80.73
2023-03-15 08:15	69.45	84.13
2023-03-15 08:30	68.05	94.43
2023-03-15 08:45	66.54	92.32
2023-03-15 09:00	68.44	94.35
2023-03-15 09:15	67.09	93.03
2023-03-15 09:30	67.19	89.92
2023-03-15 09:45	66.3	81.01
2023-03-15 10:00	68.61	82.71
2023-03-15 10:15	67.94	81.53
2023-03-15 10:30	66.38	82.75
2023-03-15 10:45	68.81	86.58
2023-03-15 11:00	70.2	86.64
2023-03-15 11:15	69.96	88.08
2023-03-15 11:30	66.76	88.23
2023-03-15 11:45	70.39	83.97
2023-03-15 12:00	68.63	80.24
2023-03-15 12:15	68.22	80.07
2023-03-15 12:30	69.48	79.38
2023-03-15 12:45	69.94	84.95
2023-03-15 13:00	74.78	88.64
2023-03-15 13:15	67.83	93
2023-03-15 13:30	70.92	93.38
2023-03-15 13:45	71.15	91.52
2023-03-15 14:00	75.19	79.57
2023-03-15 14:15	68.03	81.46
2023-03-15 14:30	69.97	81.25
2023-03-15 14:45	69.63	84.8
2023-03-15 15:00	66.64	85.71
2023-03-15 15:15	67.29	87.97
2023-03-15 15:30	67.15	90.5
2023-03-15 15:45	67.15	95.23
2023-03-15 16:00	66.06	81.83
2023-03-15 16:15	67.87	79.48
2023-03-15 16:30	66.16	81.44
2023-03-15 16:45	65.73	82.26
2023-03-15 17:00	65.94	82.82
2023-03-15 17:15	67.18	85.29
2023-03-15 17:30	66.44	88.1
2023-03-15 17:45	65.52	93.47

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-15 18:00	67.95	82.08
2023-03-15 18:15	66.85	75.64
2023-03-15 18:30	66.76	74.27
2023-03-15 18:45	66.54	77.62
2023-03-15 19:00	68.86	76.32
2023-03-15 19:15	68.32	80.61
2023-03-15 19:30	67.04	85.47
2023-03-15 19:45	69.63	91.76
2023-03-15 20:00	68.57	85.91
2023-03-15 20:15	71.29	81.56
2023-03-15 20:30	68.54	78.71
2023-03-15 20:45	71.76	80.54
2023-03-15 21:00	72	82.36
2023-03-15 21:15	71.02	82.42
2023-03-15 21:30	70.34	88.31
2023-03-15 21:45	70.6	93.9
2023-03-15 22:00	77.62	93.62
2023-03-15 22:15	68.62	88.04
2023-03-15 22:30	70.47	82.56
2023-03-15 22:45	69.79	82.39
2023-03-15 23:00	69.65	83.57
2023-03-15 23:15	68.42	83.25
2023-03-15 23:30	70.69	89.5
2023-03-15 23:45	69.63	93.29
2023-03-16 00:00	68.63	90.56
2023-03-16 00:15	69.14	90
2023-03-16 00:30	69.29	93.08
2023-03-16 00:45	70.47	81.97
2023-03-16 01:00	69.08	83.27
2023-03-16 01:15	71	83.93
2023-03-16 01:30	69.34	89.06
2023-03-16 01:45	68.63	88.7
2023-03-16 02:00	70.17	84.21
2023-03-16 02:15	72.97	84.32
2023-03-16 02:30	71.97	82.28
2023-03-16 02:45	67.43	82.67
2023-03-16 03:00	73.2	84.46
2023-03-16 03:15	71.08	87.6
2023-03-16 03:30	72.77	94.79
2023-03-16 03:45	68.85	95.13
2023-03-16 04:00	71.94	87.88
2023-03-16 04:15	71.04	89.02

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-16 04:30	68.48	85.9
2023-03-16 04:45	70.41	83.33
2023-03-16 05:00	69.24	87.23
2023-03-16 05:15	70.02	91.78
2023-03-16 05:30	67.69	85.69
2023-03-16 05:45	69.19	89.12
2023-03-16 06:00	67.86	21.36
2023-03-16 06:15	67.45	0
2023-03-16 06:30	67.31	0
2023-03-16 06:45	69.8	0
2023-03-16 07:00	68.76	0
2023-03-16 07:15	67.04	0
2023-03-16 07:30	69.48	0
2023-03-16 07:45	68.09	0
2023-03-16 08:00	68.08	0
2023-03-16 08:15	66.78	0
2023-03-16 08:30	70.18	0
2023-03-16 08:45	68.41	0
2023-03-16 09:00	66.74	0
2023-03-16 09:15	68.83	0
2023-03-16 09:30	69.13	0
2023-03-16 09:45	71.1	0
2023-03-16 10:00	66.78	0
2023-03-16 10:15	70.47	0
2023-03-16 10:30	71.16	0
2023-03-16 10:45	71.15	0
2023-03-16 11:00	67.55	0
2023-03-16 11:15	69.45	0
2023-03-16 11:30	69.46	2.04
2023-03-16 11:45	68.12	46.77
2023-03-16 12:00	70.12	3.03
2023-03-16 12:15	70.23	24.7
2023-03-16 12:30	70.3	47.8
2023-03-16 12:45	68.83	53.39
2023-03-16 13:00	72.58	57.54
2023-03-16 13:15	71.29	46.21
2023-03-16 13:30	69.66	42.24
2023-03-16 13:45	70.3	38
2023-03-16 14:00	71.72	37.76
2023-03-16 14:15	70.71	44.2
2023-03-16 14:30	68.25	50.46
2023-03-16 14:45	71.81	56.53

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-16 15:00	69.34	57.54
2023-03-16 15:15	68.34	49.87
2023-03-16 15:30	67.8	49.26
2023-03-16 15:45	70.99	41.33
2023-03-16 16:00	70.56	42.67
2023-03-16 16:15	65.78	45.2
2023-03-16 16:30	69.85	48.83
2023-03-16 16:45	68.54	52.16
2023-03-16 17:00	72.85	51.53
2023-03-16 17:15	66.78	44.6
2023-03-16 17:30	69.27	41.69
2023-03-16 17:45	69.52	40.34
2023-03-16 18:00	66.64	41.26
2023-03-16 18:15	67.4	42.94
2023-03-16 18:30	68.15	42.59
2023-03-16 18:45	67.71	52.15
2023-03-16 19:00	66.7	48.43
2023-03-16 19:15	68.65	45.96
2023-03-16 19:30	68.6	40.12
2023-03-16 19:45	68.08	40.13
2023-03-16 20:00	65.61	39.32
2023-03-16 20:15	70.43	39.34
2023-03-16 20:30	67.93	43.95
2023-03-16 20:45	66.97	45.08
2023-03-16 21:00	70.39	46.03
2023-03-16 21:15	69.41	44.21
2023-03-16 21:30	69.96	39.66
2023-03-16 21:45	68.93	40.24
2023-03-16 22:00	72.47	41.55
2023-03-16 22:15	70.31	43.1
2023-03-16 22:30	68.92	48.21
2023-03-16 22:45	70.1	48.07
2023-03-16 23:00	71.31	46.84
2023-03-16 23:15	75.08	46.26
2023-03-16 23:30	68.29	37.76
2023-03-16 23:45	72.13	36.07
2023-03-17 00:00	71.6	35.55
2023-03-17 00:15	71.81	37.09
2023-03-17 00:30	68.74	39.87
2023-03-17 00:45	71.14	42.04
2023-03-17 01:00	69.73	43.4
2023-03-17 01:15	68.15	40.66

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-17 01:30	69.06	38.58
2023-03-17 01:45	68.92	39.59
2023-03-17 02:00	68.57	42.08
2023-03-17 02:15	67.86	42.85
2023-03-17 02:30	70.45	46.76
2023-03-17 02:45	68.85	47.63
2023-03-17 03:00	68.59	43.74
2023-03-17 03:15	69	42.65
2023-03-17 03:30	70.52	40.84
2023-03-17 03:45	69.84	39.92
2023-03-17 04:00	67.68	39.43
2023-03-17 04:15	70.41	42.28
2023-03-17 04:30	68.91	44.26
2023-03-17 04:45	68.47	45.73
2023-03-17 05:00	68.7	45.29
2023-03-17 05:15	71.93	43.52
2023-03-17 05:30	72.55	40.66
2023-03-17 05:45	67.83	40.71
2023-03-17 06:00	69.7	43.42
2023-03-17 06:15	69.29	47.45
2023-03-17 06:30	73.65	52.1
2023-03-17 06:45	67.11	53.01
2023-03-17 07:00	69.4	45.68
2023-03-17 07:15	68.67	41.83
2023-03-17 07:30	68.31	39.8
2023-03-17 07:45	67.22	40.03
2023-03-17 08:00	68.49	42.1
2023-03-17 08:15	67.69	46.29
2023-03-17 08:30	66.04	50.82
2023-03-17 08:45	68.81	53.05
2023-03-17 09:00	67.51	46.07
2023-03-17 09:15	66.87	44.13
2023-03-17 09:30	65.91	43.28
2023-03-17 09:45	70.16	43.36
2023-03-17 10:00	69.74	45.11
2023-03-17 10:15	67.83	49.27
2023-03-17 10:30	70.64	50.14
2023-03-17 10:45	70.51	55.2
2023-03-17 11:00	71.49	46.2
2023-03-17 11:15	69.12	40.99
2023-03-17 11:30	73.37	41.05
2023-03-17 11:45	72.12	40.26

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-17 12:00	72.13	43.46
2023-03-17 12:15	70.5	47.38
2023-03-17 12:30	71.96	49.59
2023-03-17 12:45	77.59	53.33
2023-03-17 13:00	68.6	47.63
2023-03-17 13:15	70.95	45.38
2023-03-17 13:30	70.18	40.22
2023-03-17 13:45	69.85	40.63
2023-03-17 14:00	68.71	45.34
2023-03-17 14:15	71.77	50.11
2023-03-17 14:30	70.21	48.54
2023-03-17 14:45	68.78	49.65
2023-03-17 15:00	69.81	45.17
2023-03-17 15:15	70.59	39.66
2023-03-17 15:30	69.47	38.28
2023-03-17 15:45	67.91	42.21
2023-03-17 16:00	71.58	44.95
2023-03-17 16:15	69.49	50.82
2023-03-17 16:30	68.93	53.04
2023-03-17 16:45	68.79	54.72
2023-03-17 17:00	71.87	48.81
2023-03-17 17:15	70.87	41.57
2023-03-17 17:30	67.17	42.08
2023-03-17 17:45	72.09	43.36
2023-03-17 18:00	70.23	45.34
2023-03-17 18:15	72.02	51.42
2023-03-17 18:30	68.04	52.24
2023-03-17 18:45	71.08	51.37
2023-03-17 19:00	74.05	48.06
2023-03-17 19:15	67.95	40.73
2023-03-17 19:30	68.37	40.69
2023-03-17 19:45	68.95	42.2
2023-03-17 20:00	70.5	45.87
2023-03-17 20:15	69.87	41.88
2023-03-17 20:30	72.75	41.44
2023-03-17 20:45	71.07	42.05
2023-03-17 21:00	68.69	48.43
2023-03-17 21:15	68.37	42.05
2023-03-17 21:30	70.5	40.44
2023-03-17 21:45	69.67	39.44
2023-03-17 22:00	68	39.94
2023-03-17 22:15	69.86	41.1

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-17 22:30	69.07	41.97
2023-03-17 22:45	68.91	44.78
2023-03-17 23:00	68.11	46.91
2023-03-17 23:15	71.02	40.33
2023-03-17 23:30	70.03	40.82
2023-03-17 23:45	67.83	41.84
2023-03-18 00:00	70.45	45.52
2023-03-18 00:15	70.97	51.19
2023-03-18 00:30	73.16	52.83
2023-03-18 00:45	68.13	48.85
2023-03-18 01:00	71.81	47.55
2023-03-18 01:15	71.96	39.55
2023-03-18 01:30	71.69	39.67
2023-03-18 01:45	68.54	41.1
2023-03-18 02:00	69.92	45.07
2023-03-18 02:15	70.27	48.56
2023-03-18 02:30	67.4	52.12
2023-03-18 02:45	70.22	49.93
2023-03-18 03:00	69.57	47.43
2023-03-18 03:15	68.6	39.48
2023-03-18 03:30	67.75	40.14
2023-03-18 03:45	70.72	41.28
2023-03-18 04:00	68.55	42.58
2023-03-18 04:15	67.24	43.43
2023-03-18 04:30	68.12	44.72
2023-03-18 04:45	69.61	47.17
2023-03-18 05:00	68.67	46.29
2023-03-18 05:15	67.45	38.27
2023-03-18 05:30	71.64	39.62
2023-03-18 05:45	69.34	40.84
2023-03-18 06:00	68.89	45.59
2023-03-18 06:15	68.31	46.55
2023-03-18 06:30	72.95	51.15
2023-03-18 06:45	71.22	50.45
2023-03-18 07:00	67.56	46.65
2023-03-18 07:15	73.09	39.18
2023-03-18 07:30	71.9	40.13
2023-03-18 07:45	75.16	40.87
2023-03-18 08:00	67.4	46.32
2023-03-18 08:15	71.6	49.26
2023-03-18 08:30	71.1	50.11
2023-03-18 08:45	67.88	47.99

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-18 09:00	67.62	45.68
2023-03-18 09:15	68.85	40.62
2023-03-18 09:30	76.99	41.54
2023-03-18 09:45	93.23	43.36
2023-03-18 10:00	99.49	48.86
2023-03-18 10:15	79.1	48.07
2023-03-18 10:30	70.58	50.01
2023-03-18 10:45	71.6	51.22
2023-03-18 11:00	69.98	47.54
2023-03-18 11:15	66.41	39.97
2023-03-18 11:30	69.19	39.77
2023-03-18 11:45	68.76	43.51
2023-03-18 12:00	67.54	44.38
2023-03-18 12:15	66.16	42.66
2023-03-18 12:30	70.54	48.86
2023-03-18 12:45	68.59	48.59
2023-03-18 13:00	67.62	42.41
2023-03-18 13:15	70.25	38.2
2023-03-18 13:30	71.21	41.59
2023-03-18 13:45	70.78	43.09
2023-03-18 14:00	69.01	49.18
2023-03-18 14:15	75.3	50.52
2023-03-18 14:30	71.88	51.18
2023-03-18 14:45	70.85	51.03
2023-03-18 15:00	71.37	44.84
2023-03-18 15:15	74.17	40.82
2023-03-18 15:30	74.31	41.1
2023-03-18 15:45	66.9	44
2023-03-18 16:00	71.49	47.4
2023-03-18 16:15	71.21	48.81
2023-03-18 16:30	72.35	53.93
2023-03-18 16:45	66.37	52.76
2023-03-18 17:00	68.98	43.7
2023-03-18 17:15	67.58	41.36
2023-03-18 17:30	66.2	41.87
2023-03-18 17:45	67.12	44.81
2023-03-18 18:00	78.38	46.85
2023-03-18 18:15	67.07	48.99
2023-03-18 18:30	66.3	51.61
2023-03-18 18:45	69.02	52.19
2023-03-18 19:00	67.46	40.41
2023-03-18 19:15	66.82	39.88

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-18 19:30	67.29	39.62
2023-03-18 19:45	70.41	42.56
2023-03-18 20:00	68.9	46.17
2023-03-18 20:15	66.34	44.51
2023-03-18 20:30	69.07	48.13
2023-03-18 20:45	68.67	55.44
2023-03-18 21:00	69.27	38.59
2023-03-18 21:15	67.77	40.4
2023-03-18 21:30	73.18	41.49
2023-03-18 21:45	71.31	44.61
2023-03-18 22:00	68.24	48.12
2023-03-18 22:15	70.68	52.05
2023-03-18 22:30	71.01	49.67
2023-03-18 22:45	75.89	50.17
2023-03-18 23:00	67.93	37.28
2023-03-18 23:15	70.67	39.63
2023-03-18 23:30	69.27	42.15
2023-03-18 23:45	68.54	44.68
2023-03-19 00:00	68.13	48.77
2023-03-19 00:15	70.98	51.49
2023-03-19 00:30	69.89	49.39
2023-03-19 00:45	67.95	46.6
2023-03-19 01:00	69.88	39.17
2023-03-19 01:15	69.82	39.89
2023-03-19 01:30	68.97	40.51
2023-03-19 01:45	67.73	43.66
2023-03-19 02:00	72.51	45.98
2023-03-19 02:15	70.6	50.92
2023-03-19 02:30	68.37	51.41
2023-03-19 02:45	70.33	50.22
2023-03-19 03:00	72.29	41.68
2023-03-19 03:15	71.49	42.08
2023-03-19 03:30	68.13	43.28
2023-03-19 03:45	74.97	47.87
2023-03-19 04:00	70.58	44.46
2023-03-19 04:15	66.74	43.27
2023-03-19 04:30	65.92	42.7
2023-03-19 04:45	73.78	47.94
2023-03-19 05:00	80.38	36.03
2023-03-19 05:15	69.28	39.27
2023-03-19 05:30	70.59	42.49
2023-03-19 05:45	70.2	48.65

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-19 06:00	68.89	50.67
2023-03-19 06:15	66.71	55.53
2023-03-19 06:30	69.45	53.85
2023-03-19 06:45	68.11	45.29
2023-03-19 07:00	66.9	41.47
2023-03-19 07:15	67.53	43.2
2023-03-19 07:30	69.05	45.46
2023-03-19 07:45	67.55	49.94
2023-03-19 08:00	65.64	53.54
2023-03-19 08:15	70.44	52
2023-03-19 08:30	68.3	54.5
2023-03-19 08:45	68.15	47.73
2023-03-19 09:00	66.48	40.81
2023-03-19 09:15	71.61	40.94
2023-03-19 09:30	69.82	44.82
2023-03-19 09:45	67.73	48.06
2023-03-19 10:00	72.52	47.99
2023-03-19 10:15	71.01	53.63
2023-03-19 10:30	71.75	53.61
2023-03-19 10:45	69.67	42.43
2023-03-19 11:00	76.27	38.67
2023-03-19 11:15	75.34	41.33
2023-03-19 11:30	71.75	48.35
2023-03-19 11:45	73.15	41.61
2023-03-19 12:00	71.53	54.5
2023-03-19 12:15	70.87	53.37
2023-03-19 12:30	67.64	47.18
2023-03-19 12:45	70	41.74
2023-03-19 13:00	69.25	44.03
2023-03-19 13:15	68.67	46.93
2023-03-19 13:30	68.04	51.9
2023-03-19 13:45	70.71	54.56
2023-03-19 14:00	67.98	55.5
2023-03-19 14:15	66.06	47.47
2023-03-19 14:30	69.3	41.43
2023-03-19 14:45	69.06	37.54
2023-03-19 15:00	67.26	42.84
2023-03-19 15:15	64.98	46.9
2023-03-19 15:30	69.88	51.73
2023-03-19 15:45	66.57	58.29
2023-03-19 16:00	64.86	55.25
2023-03-19 16:15	66.22	55.54

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-19 16:30	67.83	46.29
2023-03-19 16:45	66.47	47.02
2023-03-19 17:00	62.15	46.86
2023-03-19 17:15	67.08	49.85
2023-03-19 17:30	64.94	49.98
2023-03-19 17:45	64.75	55.68
2023-03-19 18:00	61.9	54.49
2023-03-19 18:15	66.7	60.28
2023-03-19 18:30	66.47	47.87
2023-03-19 18:45	60.43	43.06
2023-03-19 19:00	61.54	45.93
2023-03-19 19:15	61.82	50.2
2023-03-19 19:30	60.86	52.54
2023-03-19 19:45	59.68	53.73
2023-03-19 20:00	62.34	52.53
2023-03-19 20:15	60.77	54.54
2023-03-19 20:30	60.96	40.57
2023-03-19 20:45	61.78	41.31
2023-03-19 21:00	64.2	43.61
2023-03-19 21:15	62.25	48.76
2023-03-19 21:30	60.65	50.51
2023-03-19 21:45	63.57	54.35
2023-03-19 22:00	62.15	52.06
2023-03-19 22:15	61.77	50.05
2023-03-19 22:30	61.73	41.21
2023-03-19 22:45	64.6	41.71
2023-03-19 23:00	63.33	43.59
2023-03-19 23:15	61.05	48.55
2023-03-19 23:30	63.91	50.56
2023-03-19 23:45	63.84	54.4
2023-03-20 00:00	66.63	50.3
2023-03-20 00:15	62.05	44.11
2023-03-20 00:30	65.76	41.85
2023-03-20 00:45	65.58	41.82
2023-03-20 01:00	63.15	44.26
2023-03-20 01:15	62.38	49.38
2023-03-20 01:30	63.48	51.35
2023-03-20 01:45	63.61	54.68
2023-03-20 02:00	62.28	52.6
2023-03-20 02:15	63.79	45.77
2023-03-20 02:30	62.88	41.42
2023-03-20 02:45	62.94	42.47

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-20 03:00	62.5	45.14
2023-03-20 03:15	65.05	51.5
2023-03-20 03:30	63.83	54.31
2023-03-20 03:45	62.53	55.97
2023-03-20 04:00	63.96	53.74
2023-03-20 04:15	64.47	62.92
2023-03-20 04:30	64	46.28
2023-03-20 04:45	63.04	43.45
2023-03-20 05:00	67.47	47.01
2023-03-20 05:15	65.49	53.28
2023-03-20 05:30	64.29	55.74
2023-03-20 05:45	65.4	58.92
2023-03-20 06:00	67.7	58.14
2023-03-20 06:15	68.65	45.1
2023-03-20 06:30	63.62	44.23
2023-03-20 06:45	67.82	45.44
2023-03-20 07:00	66.69	48.24
2023-03-20 07:15	68.08	53.82
2023-03-20 07:30	63.15	56.05
2023-03-20 07:45	65.44	58.56
2023-03-20 08:00	64.39	56.83
2023-03-20 08:15	62.81	43.87
2023-03-20 08:30	63.76	43.32
2023-03-20 08:45	64.95	44.33
2023-03-20 09:00	63.9	49.24
2023-03-20 09:15	62.53	53.42
2023-03-20 09:30	65.56	58.07
2023-03-20 09:45	65.39	58.75
2023-03-20 10:00	64.91	59.23
2023-03-20 10:15	64.79	42.88
2023-03-20 10:30	68.12	43.01
2023-03-20 10:45	66.98	43.19
2023-03-20 11:00	65.17	45.58
2023-03-20 11:15	69.4	48.01
2023-03-20 11:30	70.03	52.02
2023-03-20 11:45	69.66	54.95
2023-03-20 12:00	68.88	55.14
2023-03-20 12:15	72.23	40.45
2023-03-20 12:30	70.92	43.28
2023-03-20 12:45	68.13	43.41
2023-03-20 13:00	70.35	47.76
2023-03-20 13:15	70.79	49.16

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-20 13:30	73.82	53.4
2023-03-20 13:45	66.77	54.32
2023-03-20 14:00	69.29	56.48
2023-03-20 14:15	67.87	43.1
2023-03-20 14:30	67.04	44.41
2023-03-20 14:45	66.13	44.54
2023-03-20 15:00	67.73	49.5
2023-03-20 15:15	66.25	49.91
2023-03-20 15:30	65.18	52.99
2023-03-20 15:45	66.85	53.97
2023-03-20 16:00	68.36	49.11
2023-03-20 16:15	70.57	50.5
2023-03-20 16:30	65.72	54.78
2023-03-20 16:45	67.91	49.23
2023-03-20 17:00	67.21	56.45
2023-03-20 17:15	66	45.43
2023-03-20 17:30	67.06	48.84
2023-03-20 17:45	68.86	50.49
2023-03-20 18:00	68.72	44.24
2023-03-20 18:15	67.57	42.2
2023-03-20 18:30	71.61	43.14
2023-03-20 18:45	70.03	45.03
2023-03-20 19:00	69.65	48.68
2023-03-20 19:15	69.34	50.76
2023-03-20 19:30	72.4	53.13
2023-03-20 19:45	73.69	53.68
2023-03-20 20:00	68.15	57.71
2023-03-20 20:15	72.69	45.4
2023-03-20 20:30	71.31	42.26
2023-03-20 20:45	72.56	42.88
2023-03-20 21:00	68.13	48.54
2023-03-20 21:15	70.57	50.72
2023-03-20 21:30	69.56	53.54
2023-03-20 21:45	69.02	55.12
2023-03-20 22:00	69.97	43.52
2023-03-20 22:15	72.14	42.08
2023-03-20 22:30	71.3	42.82
2023-03-20 22:45	70.51	45.38
2023-03-20 23:00	73.33	48.83
2023-03-20 23:15	72.69	51.15
2023-03-20 23:30	72.19	53.62
2023-03-20 23:45	71.81	55.73

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-21 00:00	76	42.88
2023-03-21 00:15	73.74	41.35
2023-03-21 00:30	71.09	42.71
2023-03-21 00:45	74.71	46.4
2023-03-21 01:00	74.39	49.76
2023-03-21 01:15	74.93	52.2
2023-03-21 01:30	72	53.52
2023-03-21 01:45	77.73	57.66
2023-03-21 02:00	76.57	44.01
2023-03-21 02:15	73.8	42.62
2023-03-21 02:30	75.35	42.12
2023-03-21 02:45	75.18	45.47
2023-03-21 03:00	76.69	47.65
2023-03-21 03:15	71.3	50.97
2023-03-21 03:30	73.57	53.11
2023-03-21 03:45	72.52	57.15
2023-03-21 04:00	74.64	55.53
2023-03-21 04:15	71.64	43.53
2023-03-21 04:30	75.69	42.91
2023-03-21 04:45	77.27	45.11
2023-03-21 05:00	75.77	48.2
2023-03-21 05:15	75.51	51.19
2023-03-21 05:30	73.84	52.49
2023-03-21 05:45	73.07	56.1
2023-03-21 06:00	73.39	42.64
2023-03-21 06:15	78.25	41.86
2023-03-21 06:30	72.57	42.51
2023-03-21 06:45	71.33	45.61
2023-03-21 07:00	74.37	49.57
2023-03-21 07:15	76.11	52.88
2023-03-21 07:30	74.27	53.14
2023-03-21 07:45	67.78	54.54
2023-03-21 08:00	74.56	42.17
2023-03-21 08:15	72.01	39.86
2023-03-21 08:30	72.12	42.09
2023-03-21 08:45	69.49	45.7
2023-03-21 09:00	72.57	50.43
2023-03-21 09:15	75.31	54.27
2023-03-21 09:30	69.46	55.61
2023-03-21 09:45	72.19	58.5
2023-03-21 10:00	72.76	43.18
2023-03-21 10:15	73.1	44.73

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-21 10:30	70.78	45.5
2023-03-21 10:45	73.6	49.88
2023-03-21 11:00	72.59	50.62
2023-03-21 11:15	71.76	53.49
2023-03-21 11:30	71.64	55.71
2023-03-21 11:45	73.81	58.17
2023-03-21 12:00	72.61	43.36
2023-03-21 12:15	70.45	43.1
2023-03-21 12:30	74.27	47.04
2023-03-21 12:45	73.27	50.71
2023-03-21 13:00	72.41	48.52
2023-03-21 13:15	71.92	51.01
2023-03-21 13:30	76.72	53.91
2023-03-21 13:45	73.32	60.31
2023-03-21 14:00	71.86	44.07
2023-03-21 14:15	77.24	43.88
2023-03-21 14:30	76	45.5
2023-03-21 14:45	78.09	49.51
2023-03-21 15:00	70.99	51.62
2023-03-21 15:15	75.5	53.47
2023-03-21 15:30	76.03	56.13
2023-03-21 15:45	72.67	54.88
2023-03-21 16:00	69.73	43.66
2023-03-21 16:15	71.41	43.49
2023-03-21 16:30	70.62	44.84
2023-03-21 16:45	68.45	47.47
2023-03-21 17:00	70.12	49.92
2023-03-21 17:15	68.35	53.31
2023-03-21 17:30	66.98	54.63
2023-03-21 17:45	66.18	51.95
2023-03-21 18:00	69.32	42.67
2023-03-21 18:15	67.03	42.2
2023-03-21 18:30	65.59	44.7
2023-03-21 18:45	67.25	46.64
2023-03-21 19:00	67.83	49.36
2023-03-21 19:15	66.74	52.91
2023-03-21 19:30	65.83	58.2
2023-03-21 19:45	70.43	52.17
2023-03-21 20:00	67.65	53.71
2023-03-21 20:15	67.23	46.61
2023-03-21 20:30	67.81	43.1
2023-03-21 20:45	70.6	44.19

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-21 21:00	71.75	48.9
2023-03-21 21:15	67.21	49.05
2023-03-21 21:30	71.49	52.67
2023-03-21 21:45	70.93	49.52
2023-03-21 22:00	72.53	40.81
2023-03-21 22:15	68.4	41.63
2023-03-21 22:30	71.4	44.8
2023-03-21 22:45	71.52	46.4
2023-03-21 23:00	69.08	49.89
2023-03-21 23:15	70.14	52.24
2023-03-21 23:30	70.52	58.02
2023-03-21 23:45	69.82	48.4
2023-03-22 00:00	69.28	42
2023-03-22 00:15	71.48	42.68
2023-03-22 00:30	69.86	45.36
2023-03-22 00:45	68.98	46.99
2023-03-22 01:00	69.28	50.4
2023-03-22 01:15	72.48	53.04
2023-03-22 01:30	70.08	58.44
2023-03-22 01:45	68.55	49.61
2023-03-22 02:00	72.49	42.23
2023-03-22 02:15	71.67	42.4
2023-03-22 02:30	70.97	46.12
2023-03-22 02:45	70.02	47.17
2023-03-22 03:00	74.88	51.35
2023-03-22 03:15	73.16	53.67
2023-03-22 03:30	70.26	58.44
2023-03-22 03:45	72.39	46.91
2023-03-22 04:00	73.31	47.41
2023-03-22 04:15	72.92	46.59
2023-03-22 04:30	69.86	44.34
2023-03-22 04:45	75.31	44.47
2023-03-22 05:00	71.23	52.49
2023-03-22 05:15	70.42	54.21
2023-03-22 05:30	69.47	59.78
2023-03-22 05:45	71.51	46.98
2023-03-22 06:00	70.88	43.06
2023-03-22 06:15	69.3	44.16
2023-03-22 06:30	72.1	47.45
2023-03-22 06:45	70.72	47.75
2023-03-22 07:00	71.01	52.52
2023-03-22 07:15	69.09	54.51

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-22 07:30	72.83	61.66
2023-03-22 07:45	70.55	46.36
2023-03-22 08:00	69.53	43.85
2023-03-22 08:15	70.63	44.71
2023-03-22 08:30	72.19	47.66
2023-03-22 08:45	70.35	49.06
2023-03-22 09:00	68.2	54.37
2023-03-22 09:15	73.28	56.45
2023-03-22 09:30	70.83	62.74
2023-03-22 09:45	70.23	49.25
2023-03-22 10:00	68.17	43.19
2023-03-22 10:15	77.61	43.58
2023-03-22 10:30	75.45	47.05
2023-03-22 10:45	68.91	54
2023-03-22 11:00	71.83	60.07
2023-03-22 11:15	72.13	64.67
2023-03-22 11:30	73.14	73.02
2023-03-22 11:45	69.9	59.75
2023-03-22 12:00	72.04	63.53
2023-03-22 12:15	72.8	60.54
2023-03-22 12:30	68.45	61.65
2023-03-22 12:45	68.79	60.06
2023-03-22 13:00	70.38	67.09
2023-03-22 13:15	69.03	70.35
2023-03-22 13:30	68.25	74.79
2023-03-22 13:45	71.65	60.07
2023-03-22 14:00	69.9	56.85
2023-03-22 14:15	69.16	59.11
2023-03-22 14:30	68.61	60.64
2023-03-22 14:45	72.63	60.79
2023-03-22 15:00	69.7	65.25
2023-03-22 15:15	66.17	70.3
2023-03-22 15:30	69.65	71.19
2023-03-22 15:45	68.91	56.14
2023-03-22 16:00	68.44	58.44
2023-03-22 16:15	66.71	56.86
2023-03-22 16:30	72	58.46
2023-03-22 16:45	70	59.55
2023-03-22 17:00	67.44	63.15
2023-03-22 17:15	68.04	68.07
2023-03-22 17:30	68.85	66.42
2023-03-22 17:45	72.25	57.66

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-22 18:00	66.59	54.16
2023-03-22 18:15	68.83	82.76
2023-03-22 18:30	68.62	100.09
2023-03-22 18:45	67.41	94.89
2023-03-22 19:00	67	75.39
2023-03-22 19:15	69.68	76.22
2023-03-22 19:30	68.08	63.13
2023-03-22 19:45	66.68	63.01
2023-03-22 20:00	68.86	63.26
2023-03-22 20:15	69.24	73.13
2023-03-22 20:30	68.23	65.91
2023-03-22 20:45	67.76	69.49
2023-03-22 21:00	72.64	75.05
2023-03-22 21:15	70.15	70.79
2023-03-22 21:30	68.45	64.19
2023-03-22 21:45	70.29	63.89
2023-03-22 22:00	72.89	65.37
2023-03-22 22:15	73.4	71.73
2023-03-22 22:30	68.71	72
2023-03-22 22:45	73.77	75.13
2023-03-22 23:00	72.75	71.86
2023-03-22 23:15	72.93	65.92
2023-03-22 23:30	70.16	61.17
2023-03-22 23:45	74.21	62.74
2023-03-23 00:00	71.89	65.68
2023-03-23 00:15	70.13	69.73
2023-03-23 00:30	72.27	71.01
2023-03-23 00:45	74.07	73.67
2023-03-23 01:00	71.79	73.31
2023-03-23 01:15	70.31	63.53
2023-03-23 01:30	75.16	61.6
2023-03-23 01:45	72.13	62.29
2023-03-23 02:00	70.77	64.54
2023-03-23 02:15	71.63	68.35
2023-03-23 02:30	77.36	70.33
2023-03-23 02:45	72.91	73.67
2023-03-23 03:00	70.22	74.85
2023-03-23 03:15	77.56	63.49
2023-03-23 03:30	74.22	61.45
2023-03-23 03:45	72.07	62.1
2023-03-23 04:00	70.85	62.15
2023-03-23 04:15	79.18	63.37

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-23 04:30	73.8	65.31
2023-03-23 04:45	70.83	68.94
2023-03-23 05:00	76.39	74.89
2023-03-23 05:15	77.89	62.32
2023-03-23 05:30	78.79	61.03
2023-03-23 05:45	71.77	61.31
2023-03-23 06:00	76.14	64.6
2023-03-23 06:15	72.58	68.74
2023-03-23 06:30	70.38	71.83
2023-03-23 06:45	70.55	73.15
2023-03-23 07:00	74.43	73.03
2023-03-23 07:15	72.16	59.84
2023-03-23 07:30	69.49	60.24
2023-03-23 07:45	72.16	61.88
2023-03-23 08:00	71.38	66.21
2023-03-23 08:15	70.03	66.19
2023-03-23 08:30	68.82	70.98
2023-03-23 08:45	74.1	74.63
2023-03-23 09:00	71.51	80.51
2023-03-23 09:15	68.95	77.25
2023-03-23 09:30	71.7	70.07
2023-03-23 09:45	74.51	115.15
2023-03-23 10:00	73.72	111.3
2023-03-23 10:15	71.11	103.2
2023-03-23 10:30	79.85	80.46
2023-03-23 10:45	75.77	82.33
2023-03-23 11:00	73.46	115.19
2023-03-23 11:15	74.29	150.85
2023-03-23 11:30	81.59	80.07
2023-03-23 11:45	79.35	81.49
2023-03-23 12:00	72.6	77.65
2023-03-23 12:15	76.47	79.26
2023-03-23 12:30	75.92	81.82
2023-03-23 12:45	73.79	81.57
2023-03-23 13:00	70.93	84.66
2023-03-23 13:15	76.9	70.26
2023-03-23 13:30	72.76	69.75
2023-03-23 13:45	71.01	70.83
2023-03-23 14:00	72.97	76.09
2023-03-23 14:15	75.57	78.86
2023-03-23 14:30	71.68	77.02
2023-03-23 14:45	70.27	79.34

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-23 15:00	76.4	80.26
2023-03-23 15:15	72.77	68.67
2023-03-23 15:30	70.31	68.58
2023-03-23 15:45	70.36	68.38
2023-03-23 16:00	77.8	71.99
2023-03-23 16:15	71.54	72.36
2023-03-23 16:30	68.78	75.84
2023-03-23 16:45	75.87	76.41
2023-03-23 17:00	73.84	76.43
2023-03-23 17:15	71.76	64.69
2023-03-23 17:30	71.33	64.35
2023-03-23 17:45	80.63	65.41
2023-03-23 18:00	75.44	68.69
2023-03-23 18:15	76.6	67.52
2023-03-23 18:30	84.09	73.93
2023-03-23 18:45	90.22	76.8
2023-03-23 19:00	104.49	76.14
2023-03-23 19:15	109.23	65.63
2023-03-23 19:30	7.53	65.16
2023-03-23 19:45	0	66.18
2023-03-23 20:00	0	67.22
2023-03-23 20:15	0	66.98
2023-03-23 20:30	0	69.79
2023-03-23 20:45	0	74.22
2023-03-23 21:00	0	75.05
2023-03-23 21:15	0	65.48
2023-03-23 21:30	0	65.86
2023-03-23 21:45	0	66.73
2023-03-23 22:00	11.97	69.56
2023-03-23 22:15	90.88	71.96
2023-03-23 22:30	74.98	75.58
2023-03-23 22:45	81.39	78.45
2023-03-23 23:00	78.77	75.24
2023-03-23 23:15	78.14	64.61
2023-03-23 23:30	74.78	65.46
2023-03-23 23:45	77.16	67.87
2023-03-24 00:00	74.6	72.16
2023-03-24 00:15	72.61	74.23
2023-03-24 00:30	74.99	77.65
2023-03-24 00:45	75.41	80.93
2023-03-24 01:00	73.55	74.69
2023-03-24 01:15	72.63	65.97

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-24 01:30	76.99	65.42
2023-03-24 01:45	74.26	67.82
2023-03-24 02:00	73.51	69.75
2023-03-24 02:15	73.99	72.32
2023-03-24 02:30	77.87	74.52
2023-03-24 02:45	74.56	79.65
2023-03-24 03:00	73.23	71.99
2023-03-24 03:15	78.17	64.81
2023-03-24 03:30	75.49	65.13
2023-03-24 03:45	75.81	67.87
2023-03-24 04:00	73.47	65.95
2023-03-24 04:15	79.31	66.74
2023-03-24 04:30	75.46	70.69
2023-03-24 04:45	73.86	76.26
2023-03-24 05:00	78.47	70.76
2023-03-24 05:15	77.89	64.68
2023-03-24 05:30	82.8	65.44
2023-03-24 05:45	74.47	67.99
2023-03-24 06:00	78.17	68.97
2023-03-24 06:15	76.3	69.68
2023-03-24 06:30	74.76	71.66
2023-03-24 06:45	74.39	79.26
2023-03-24 07:00	77.53	79.09
2023-03-24 07:15	76.29	66.77
2023-03-24 07:30	73.24	65.16
2023-03-24 07:45	75.67	65.89
2023-03-24 08:00	74.82	69.24
2023-03-24 08:15	73.76	72.8
2023-03-24 08:30	72.72	76.1
2023-03-24 08:45	77.91	84.64
2023-03-24 09:00	74.31	72.64
2023-03-24 09:15	72.69	67.58
2023-03-24 09:30	76.15	67.85
2023-03-24 09:45	77.64	70.31
2023-03-24 10:00	76.02	73.24
2023-03-24 10:15	73.18	77.24
2023-03-24 10:30	82.13	78.37
2023-03-24 10:45	76.59	85.61
2023-03-24 11:00	76.73	68.44
2023-03-24 11:15	78.32	66.29
2023-03-24 11:30	83.4	68.9
2023-03-24 11:45	81.18	70.88

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-24 12:00	74.56	73.07
2023-03-24 12:15	77.11	76.06
2023-03-24 12:30	76.6	78.53
2023-03-24 12:45	75.81	88.6
2023-03-24 13:00	73.32	72.88
2023-03-24 13:15	76.57	69.79
2023-03-24 13:30	77.43	79.79
2023-03-24 13:45	74.08	82.07
2023-03-24 14:00	75.04	72.01
2023-03-24 14:15	76.75	72.44
2023-03-24 14:30	74.34	78.95
2023-03-24 14:45	72.72	82.4
2023-03-24 15:00	77.08	70.63
2023-03-24 15:15	74.46	68.18
2023-03-24 15:30	73	68.1
2023-03-24 15:45	73.2	67.84
2023-03-24 16:00	79.2	70.19
2023-03-24 16:15	75.1	72.5
2023-03-24 16:30	72.08	79.56
2023-03-24 16:45	78.25	81.23
2023-03-24 17:00	76.47	70.17
2023-03-24 17:15	75.1	66.86
2023-03-24 17:30	72.8	67.73
2023-03-24 17:45	80.99	68.13
2023-03-24 18:00	77.11	69.37
2023-03-24 18:15	72.99	72.92
2023-03-24 18:30	75.05	80.3
2023-03-24 18:45	76.31	82.07
2023-03-24 19:00	76.45	67.32
2023-03-24 19:15	73.07	65.25
2023-03-24 19:30	75.93	66.21
2023-03-24 19:45	74.89	67.13
2023-03-24 20:00	76.88	67.08
2023-03-24 20:15	74.57	68.66
2023-03-24 20:30	77.03	73.98
2023-03-24 20:45	76.46	75.76
2023-03-24 21:00	74.72	69.05
2023-03-24 21:15	77.4	65.99
2023-03-24 21:30	77.76	67.68
2023-03-24 21:45	76.55	68.23
2023-03-24 22:00	75.42	71.9
2023-03-24 22:15	80.96	74.82

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-24 22:30	78.1	81.87
2023-03-24 22:45	76.52	81.76
2023-03-24 23:00	79.55	68.95
2023-03-24 23:15	81.84	67.2
2023-03-24 23:30	79.42	67.95
2023-03-24 23:45	76.41	68.74
2023-03-25 00:00	85.59	71.06
2023-03-25 00:15	81.06	73.72
2023-03-25 00:30	79.43	83.27
2023-03-25 00:45	77.66	82.05
2023-03-25 01:00	83.56	68.89
2023-03-25 01:15	84.85	66.52
2023-03-25 01:30	76.64	67.05
2023-03-25 01:45	79.64	67.73
2023-03-25 02:00	79.31	70.06
2023-03-25 02:15	77.76	72.46
2023-03-25 02:30	76.7	79.91
2023-03-25 02:45	80.56	78.43
2023-03-25 03:00	78.43	67.18
2023-03-25 03:15	77.14	65.75
2023-03-25 03:30	78.21	66.82
2023-03-25 03:45	80.91	67.59
2023-03-25 04:00	78.82	67.19
2023-03-25 04:15	76.88	70.02
2023-03-25 04:30	80.44	75.06
2023-03-25 04:45	78.46	77.76
2023-03-25 05:00	77.76	76.58
2023-03-25 05:15	76.98	74.72
2023-03-25 05:30	83.3	63.8
2023-03-25 05:45	78.82	64.75
2023-03-25 06:00	76.92	69.85
2023-03-25 06:15	83.4	71.27
2023-03-25 06:30	81.65	79.3
2023-03-25 06:45	81.35	80.85
2023-03-25 07:00	76.18	73.51
2023-03-25 07:15	82.44	66.02
2023-03-25 07:30	80.98	66.28
2023-03-25 07:45	77.86	67.62
2023-03-25 08:00	78.43	65.08
2023-03-25 08:15	82.57	66.41
2023-03-25 08:30	78.85	68.14
2023-03-25 08:45	74.98	71.67

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-25 09:00	77.71	71.31
2023-03-25 09:15	76.53	68.86
2023-03-25 09:30	75.1	69.19
2023-03-25 09:45	74.46	70.58
2023-03-25 10:00	79.16	73.12
2023-03-25 10:15	77.12	75.92
2023-03-25 10:30	74.53	65.62
2023-03-25 10:45	80.74	66.74
2023-03-25 11:00	77.33	71.12
2023-03-25 11:15	75.69	68.74
2023-03-25 11:30	73.81	68.93
2023-03-25 11:45	80.85	70.09
2023-03-25 12:00	78.6	74.4
2023-03-25 12:15	30.13	80.17
2023-03-25 12:30	0	82.18
2023-03-25 12:45	0	77.43
2023-03-25 13:00	0	73.9
2023-03-25 13:15	0	68.42
2023-03-25 13:30	0	66.65
2023-03-25 13:45	0	67.01
2023-03-25 14:00	0	69.87
2023-03-25 14:15	0	78.74
2023-03-25 14:30	0	82.78
2023-03-25 14:45	0	75.85
2023-03-25 15:00	0	70.57
2023-03-25 15:15	0	68.43
2023-03-25 15:30	0	69.43
2023-03-25 15:45	0	70.9
2023-03-25 16:00	0	74.45
2023-03-25 16:15	0	81.53
2023-03-25 16:30	0	83.52
2023-03-25 16:45	0	75.85
2023-03-25 17:00	0	72.53
2023-03-25 17:15	0	69.01
2023-03-25 17:30	89.94	68.28
2023-03-25 17:45	136.13	69.35
2023-03-25 18:00	89.54	75.35
2023-03-25 18:15	88.86	80.43
2023-03-25 18:30	87.51	81.46
2023-03-25 18:45	85.52	75.33
2023-03-25 19:00	5.52	70.07
2023-03-25 19:15	0	69.4

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-25 19:30	0	66.7
2023-03-25 19:45	0	65.83
2023-03-25 20:00	0	64.82
2023-03-25 20:15	0	69.67
2023-03-25 20:30	50.9	70.59
2023-03-25 20:45	81.53	81.06
2023-03-25 21:00	79.78	68.57
2023-03-25 21:15	79.61	70.2
2023-03-25 21:30	80	69.71
2023-03-25 21:45	77.09	72.02
2023-03-25 22:00	80.56	76.29
2023-03-25 22:15	78.68	85.88
2023-03-25 22:30	78.83	88.94
2023-03-25 22:45	77.04	77.25
2023-03-25 23:00	78.66	71.91
2023-03-25 23:15	82.15	70.17
2023-03-25 23:30	76.07	70.28
2023-03-25 23:45	78.07	72
2023-03-26 00:00	77.07	76.82
2023-03-26 00:15	81.18	83.82
2023-03-26 00:30	76.39	83.6
2023-03-26 00:45	77.95	72.63
2023-03-26 01:00	77.46	68.87
2023-03-26 01:15	76.66	67.69
2023-03-26 01:30	77.16	67.78
2023-03-26 01:45	77.92	69.45
2023-03-26 02:00	78.09	73.55
2023-03-26 02:15	76.73	80.46
2023-03-26 02:30	79.23	83.67
2023-03-26 02:45	78.03	70.76
2023-03-26 03:00	77.73	78.42
2023-03-26 03:15	77.06	66.91
2023-03-26 03:30	79.24	64.9
2023-03-26 03:45	78.38	65.41
2023-03-26 04:00	77.17	76.13
2023-03-26 04:15	79.34	77.87
2023-03-26 04:30	78.42	79.21
2023-03-26 04:45	80.79	70.53
2023-03-26 05:00	77.81	65.17
2023-03-26 05:15	80.46	64.73
2023-03-26 05:30	81.88	65.58
2023-03-26 05:45	79.6	67.27

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-26 06:00	79.02	73.55
2023-03-26 06:15	78.23	78.94
2023-03-26 06:30	85.1	80.27
2023-03-26 06:45	76.36	72.79
2023-03-26 07:00	78.37	66.71
2023-03-26 07:15	77.75	66.81
2023-03-26 07:30	77.12	67.53
2023-03-26 07:45	75.49	70.69
2023-03-26 08:00	77.93	77.57
2023-03-26 08:15	77.17	80.7
2023-03-26 08:30	75.78	82.33
2023-03-26 08:45	76.82	76.98
2023-03-26 09:00	14.08	70.81
2023-03-26 09:15	59.82	67.99
2023-03-26 09:30	78.77	69.6
2023-03-26 09:45	74.88	71.51
2023-03-26 10:00	77.07	78.89
2023-03-26 10:15	76.45	83.04
2023-03-26 10:30	76.75	84.12
2023-03-26 10:45	75.1	77.8
2023-03-26 11:00	80.17	68.72
2023-03-26 11:15	77.18	68.76
2023-03-26 11:30	75.09	68.82
2023-03-26 11:45	76.74	69.58
2023-03-26 12:00	77.16	77.02
2023-03-26 12:15	79.35	80.54
2023-03-26 12:30	74.2	77.6
2023-03-26 12:45	78.23	74.33
2023-03-26 13:00	78.51	66.39
2023-03-26 13:15	77.91	66.42
2023-03-26 13:30	74.03	66.52
2023-03-26 13:45	76.19	66.81
2023-03-26 14:00	76.07	74.42
2023-03-26 14:15	74.09	77.13
2023-03-26 14:30	75.49	74.77
2023-03-26 14:45	75.4	70.67
2023-03-26 15:00	75.13	63.89
2023-03-26 15:15	74.44	63.45
2023-03-26 15:30	77.34	65.16
2023-03-26 15:45	77.2	66.48
2023-03-26 16:00	77.2	73.73
2023-03-26 16:15	77.97	75.8

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-26 16:30	78.69	79.94
2023-03-26 16:45	78.4	75.33
2023-03-26 17:00	76.22	68.25
2023-03-26 17:15	0	69.24
2023-03-26 17:30	0	65.11
2023-03-26 17:45	2.6	69.82
2023-03-26 18:00	76.36	74.89
2023-03-26 18:15	77.89	79.44
2023-03-26 18:30	80.49	73.96
2023-03-26 18:45	78.3	72.75
2023-03-26 19:00	79.06	67.2
2023-03-26 19:15	78.46	69.39
2023-03-26 19:30	83.9	69.85
2023-03-26 19:45	77.88	74.74
2023-03-26 20:00	82.67	71.69
2023-03-26 20:15	81.52	72.24
2023-03-26 20:30	79.3	74.84
2023-03-26 20:45	78.13	83.68
2023-03-26 21:00	77.71	64.4
2023-03-26 21:15	78.59	64.65
2023-03-26 21:30	77.52	68.41
2023-03-26 21:45	79.11	74.39
2023-03-26 22:00	77.2	80.16
2023-03-26 22:15	76.82	83.13
2023-03-26 22:30	76.26	76
2023-03-26 22:45	79.15	70.14
2023-03-26 23:00	78.74	66.39
2023-03-26 23:15	76.33	67.43
2023-03-26 23:30	78.27	69
2023-03-26 23:45	77.75	72.59
2023-03-27 00:00	78.52	74.49
2023-03-27 00:15	76.96	74.34
2023-03-27 00:30	80.6	72.46
2023-03-27 00:45	78.32	65.03
2023-03-27 01:00	77.24	63.21
2023-03-27 01:15	78.01	65.15
2023-03-27 01:30	79.64	67.49
2023-03-27 01:45	81.38	75.21
2023-03-27 02:00	76.59	66.97
2023-03-27 02:15	81.28	74.59
2023-03-27 02:30	79	74.76
2023-03-27 02:45	80	72.63

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-27 03:00	76.85	62.92
2023-03-27 03:15	78.52	65.37
2023-03-27 03:30	77.74	68.46
2023-03-27 03:45	76.62	74.22
2023-03-27 04:00	77.61	76.77
2023-03-27 04:15	77	71.85
2023-03-27 04:30	77.26	71.06
2023-03-27 04:45	75.61	63.73
2023-03-27 05:00	78.34	64.41
2023-03-27 05:15	76.86	64.86
2023-03-27 05:30	75.74	67.78
2023-03-27 05:45	76.1	73.71
2023-03-27 06:00	78.39	78.42
2023-03-27 06:15	77.5	72.11
2023-03-27 06:30	75.63	69.28
2023-03-27 06:45	79.33	64.12
2023-03-27 07:00	78.22	64.97
2023-03-27 07:15	77.82	64.82
2023-03-27 07:30	75.11	69.57
2023-03-27 07:45	78.94	74.7
2023-03-27 08:00	78.27	80.25
2023-03-27 08:15	74.75	75.3
2023-03-27 08:30	76.38	74.6
2023-03-27 08:45	76.17	66.75
2023-03-27 09:00	79.74	68.78
2023-03-27 09:15	74.17	71.77
2023-03-27 09:30	75.96	78.07
2023-03-27 09:45	75.11	79.26
2023-03-27 10:00	75.13	83.96
2023-03-27 10:15	74.79	75.81
2023-03-27 10:30	76.38	72.75
2023-03-27 10:45	76.05	67.1
2023-03-27 11:00	75.03	67.79
2023-03-27 11:15	77.28	69.83
2023-03-27 11:30	77.13	75.45
2023-03-27 11:45	76.71	79.1
2023-03-27 12:00	74.99	83.78
2023-03-27 12:15	77.37	77.93
2023-03-27 12:30	76.31	73.86
2023-03-27 12:45	76.82	65.45
2023-03-27 13:00	82.48	65.38
2023-03-27 13:15	77.48	67.46

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-27 13:30	77.75	72.76
2023-03-27 13:45	75.18	75.55
2023-03-27 14:00	79.07	73.15
2023-03-27 14:15	77.32	69.55
2023-03-27 14:30	76.57	63.39
2023-03-27 14:45	76.16	63.45
2023-03-27 15:00	77.67	65.87
2023-03-27 15:15	80.2	69.92
2023-03-27 15:30	74.71	72.04
2023-03-27 15:45	76.47	75.1
2023-03-27 16:00	76.01	71.54
2023-03-27 16:15	76.45	68.65
2023-03-27 16:30	74.85	62.2
2023-03-27 16:45	76.68	61.75
2023-03-27 17:00	75.96	62.6
2023-03-27 17:15	75.57	64.32
2023-03-27 17:30	76.3	69
2023-03-27 17:45	76.61	69.99
2023-03-27 18:00	76.42	69.91
2023-03-27 18:15	75.02	68.65
2023-03-27 18:30	78.23	63.58
2023-03-27 18:45	76.89	61.45
2023-03-27 19:00	76.68	64.34
2023-03-27 19:15	76.6	65.35
2023-03-27 19:30	79.27	71.69
2023-03-27 19:45	79.1	73.59
2023-03-27 20:00	77.3	71.8
2023-03-27 20:15	79.25	71.03
2023-03-27 20:30	78.72	77.14
2023-03-27 20:45	79.63	72.96
2023-03-27 21:00	78.97	61.84
2023-03-27 21:15	82.32	64.35
2023-03-27 21:30	83.77	67.09
2023-03-27 21:45	80.44	69.39
2023-03-27 22:00	80.27	71.75
2023-03-27 22:15	81.09	76.56
2023-03-27 22:30	82.05	68.89
2023-03-27 22:45	78.92	63.22
2023-03-27 23:00	81.07	64.04
2023-03-27 23:15	79.83	67.65
2023-03-27 23:30	79.69	67.19
2023-03-27 23:45	78.98	69.86

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-28 00:00	80.66	69.54
2023-03-28 00:15	80.07	73.7
2023-03-28 00:30	78.17	75.59
2023-03-28 00:45	80.05	63.92
2023-03-28 01:00	80.49	62.56
2023-03-28 01:15	80.46	65.8
2023-03-28 01:30	79.34	66.3
2023-03-28 01:45	83.85	69.41
2023-03-28 02:00	81.17	72.5
2023-03-28 02:15	79.51	78.88
2023-03-28 02:30	81.2	66.47
2023-03-28 02:45	82.65	65.22
2023-03-28 03:00	83.69	63.56
2023-03-28 03:15	80	65.14
2023-03-28 03:30	84.13	70.22
2023-03-28 03:45	82.14	74.36
2023-03-28 04:00	80.96	70.43
2023-03-28 04:15	80.23	79.38
2023-03-28 04:30	83.99	79.2
2023-03-28 04:45	85.32	70.13
2023-03-28 05:00	79.21	69
2023-03-28 05:15	80.94	71.33
2023-03-28 05:30	80.71	74.18
2023-03-28 05:45	80.87	76.42
2023-03-28 06:00	79.63	76.12
2023-03-28 06:15	83.28	83.42
2023-03-28 06:30	80.58	68.33
2023-03-28 06:45	79.76	64.84
2023-03-28 07:00	80.23	64.37
2023-03-28 07:15	80.63	67.58
2023-03-28 07:30	80.61	70.18
2023-03-28 07:45	77.84	69.5
2023-03-28 08:00	81.2	71.3
2023-03-28 08:15	79.94	75.21
2023-03-28 08:30	79.97	63.96
2023-03-28 08:45	78.85	61.79
2023-03-28 09:00	86.22	62.82
2023-03-28 09:15	100.34	69.34
2023-03-28 09:30	104.97	75.2
2023-03-28 09:45	100.37	87.04
2023-03-28 10:00	101.94	87.5
2023-03-28 10:15	93.03	94.62

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-28 10:30	84.65	72.81
2023-03-28 10:45	81.16	80.6
2023-03-28 11:00	81.88	71.01
2023-03-28 11:15	78.59	72.33
2023-03-28 11:30	77.91	73.07
2023-03-28 11:45	78.04	77.23
2023-03-28 12:00	79.78	82.74
2023-03-28 12:15	85	84.65
2023-03-28 12:30	77.19	66.32
2023-03-28 12:45	81.51	66.56
2023-03-28 13:00	79.82	69.76
2023-03-28 13:15	77.91	71.58
2023-03-28 13:30	79.07	71.07
2023-03-28 13:45	80.24	73.72
2023-03-28 14:00	79.24	79.22
2023-03-28 14:15	78.17	76.87
2023-03-28 14:30	82.73	60.7
2023-03-28 14:45	80.07	60.14
2023-03-28 15:00	78.49	60.02
2023-03-28 15:15	78.34	60.78
2023-03-28 15:30	82.24	60.39
2023-03-28 15:45	80.97	61.4
2023-03-28 16:00	77.96	61.58
2023-03-28 16:15	83.55	61.47
2023-03-28 16:30	81.43	61.97
2023-03-28 16:45	83.09	61.35
2023-03-28 17:00	79.24	62.74
2023-03-28 17:15	85.18	61.35
2023-03-28 17:30	86.99	60.77
2023-03-28 17:45	80.48	62.98
2023-03-28 18:00	80.89	61.1
2023-03-28 18:15	81.62	59.89
2023-03-28 18:30	89.54	61.79
2023-03-28 18:45	79.94	60.37
2023-03-28 19:00	83.18	63.16
2023-03-28 19:15	80.89	64.04
2023-03-28 19:30	80.24	63.42
2023-03-28 19:45	79.21	63
2023-03-28 20:00	82.73	63.63
2023-03-28 20:15	81.6	61.91
2023-03-28 20:30	79.87	62.98
2023-03-28 20:45	84.17	63.08

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-28 21:00	83.61	61.99
2023-03-28 21:15	82.81	62.89
2023-03-28 21:30	80.76	62.11
2023-03-28 21:45	86.21	62.11
2023-03-28 22:00	82.73	62.43
2023-03-28 22:15	81.74	64.56
2023-03-28 22:30	82.36	64.3
2023-03-28 22:45	85.43	59.3
2023-03-28 23:00	88.28	63.52
2023-03-28 23:15	81.32	63.89
2023-03-28 23:30	87.91	64.57
2023-03-28 23:45	85.43	64.72
2023-03-29 00:00	87.63	65.79
2023-03-29 00:15	81.48	66.07
2023-03-29 00:30	84.36	73.76
2023-03-29 00:45	91.85	81.65
2023-03-29 01:00	80.72	77.18
2023-03-29 01:15	83.56	72.19
2023-03-29 01:30	84.76	74.04
2023-03-29 01:45	83.35	77.34
2023-03-29 02:00	81.52	83.73
2023-03-29 02:15	86.35	74.05
2023-03-29 02:30	83.4	68.48
2023-03-29 02:45	82.13	68.66
2023-03-29 03:00	82.83	73.41
2023-03-29 03:15	84.53	73.61
2023-03-29 03:30	83.12	75.73
2023-03-29 03:45	82.14	79.33
2023-03-29 04:00	85.24	80.89
2023-03-29 04:15	81.58	79.48
2023-03-29 04:30	81.29	73.54
2023-03-29 04:45	80.68	73.47
2023-03-29 05:00	87.11	71.85
2023-03-29 05:15	83.87	71.43
2023-03-29 05:30	80.39	73.96
2023-03-29 05:45	84.43	77.52
2023-03-29 06:00	82.77	82.02
2023-03-29 06:15	83.98	84.51
2023-03-29 06:30	81.42	76.06
2023-03-29 06:45	87.22	74.4
2023-03-29 07:00	88.16	70.52
2023-03-29 07:15	84.46	71.24

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-29 07:30	80.71	74.86
2023-03-29 07:45	82.02	77.16
2023-03-29 08:00	84.07	85.27
2023-03-29 08:15	79.04	78.98
2023-03-29 08:30	81.94	69.32
2023-03-29 08:45	81.21	68.44
2023-03-29 09:00	80.41	73
2023-03-29 09:15	79.23	74.64
2023-03-29 09:30	84.11	78.62
2023-03-29 09:45	83.79	81.07
2023-03-29 10:00	83.82	85.93
2023-03-29 10:15	87.48	74.06
2023-03-29 10:30	86.52	70.4
2023-03-29 10:45	85.17	70.66
2023-03-29 11:00	80.97	77.69
2023-03-29 11:15	85.51	83.29
2023-03-29 11:30	84.37	81.4
2023-03-29 11:45	82.84	81.77
2023-03-29 12:00	81.49	81.32
2023-03-29 12:15	85.02	68.89
2023-03-29 12:30	90.12	69.71
2023-03-29 12:45	80.52	72.24
2023-03-29 13:00	83.93	73.47
2023-03-29 13:15	84.72	75.76
2023-03-29 13:30	88.26	76.85
2023-03-29 13:45	80.6	78.74
2023-03-29 14:00	83.81	75.78
2023-03-29 14:15	82.24	66.53
2023-03-29 14:30	81.55	66.12
2023-03-29 14:45	82.17	69.12
2023-03-29 15:00	82.12	71.79
2023-03-29 15:15	81.44	74.47
2023-03-29 15:30	80.25	78.48
2023-03-29 15:45	83.27	83.17
2023-03-29 16:00	80.77	76.87
2023-03-29 16:15	81.16	68.59
2023-03-29 16:30	81.51	67.89
2023-03-29 16:45	83.77	70.13
2023-03-29 17:00	82.12	70.89
2023-03-29 17:15	80.28	73.57
2023-03-29 17:30	84.48	77.18
2023-03-29 17:45	82.62	84.73

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-29 18:00	82.93	76.01
2023-03-29 18:15	81.75	67.19
2023-03-29 18:30	85.68	67
2023-03-29 18:45	85.47	69.08
2023-03-29 19:00	81.1	78.03
2023-03-29 19:15	85.31	77.53
2023-03-29 19:30	85.41	72.58
2023-03-29 19:45	86.02	68.33
2023-03-29 20:00	90.7	67.46
2023-03-29 20:15	84.37	63.98
2023-03-29 20:30	84.83	63.75
2023-03-29 20:45	85.06	65.65
2023-03-29 21:00	85.37	66.63
2023-03-29 21:15	83.99	67.74
2023-03-29 21:30	84.51	66.73
2023-03-29 21:45	70.19	76.5
2023-03-29 22:00	0	69.91
2023-03-29 22:15	0	64.02
2023-03-29 22:30	7.23	65.49
2023-03-29 22:45	96.71	67.62
2023-03-29 23:00	98.5	68.59
2023-03-29 23:15	92.93	72.91
2023-03-29 23:30	88.65	75.29
2023-03-29 23:45	89.63	84.41
2023-03-30 00:00	90.66	69.26
2023-03-30 00:15	90.66	66.76
2023-03-30 00:30	85.15	66.89
2023-03-30 00:45	93.78	72.28
2023-03-30 01:00	88.21	73.08
2023-03-30 01:15	88.28	75.87
2023-03-30 01:30	85.06	79
2023-03-30 01:45	88.88	86.96
2023-03-30 02:00	95.65	71.33
2023-03-30 02:15	81.6	66.78
2023-03-30 02:30	84.99	67.62
2023-03-30 02:45	84.59	69.45
2023-03-30 03:00	84.04	70.24
2023-03-30 03:15	83.58	73.48
2023-03-30 03:30	86.89	75.11
2023-03-30 03:45	84.47	85.53
2023-03-30 04:00	83.97	78.25
2023-03-30 04:15	84.22	67.21

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-30 04:30	85.45	65.54
2023-03-30 04:45	83.89	66.05
2023-03-30 05:00	84.57	69.99
2023-03-30 05:15	88.31	73.89
2023-03-30 05:30	85.5	76.52
2023-03-30 05:45	85.33	81.46
2023-03-30 06:00	89.82	67.71
2023-03-30 06:15	94.32	65.87
2023-03-30 06:30	89.1	67.77
2023-03-30 06:45	85.57	69.21
2023-03-30 07:00	89.55	72.37
2023-03-30 07:15	85.99	75.38
2023-03-30 07:30	86.9	77.95
2023-03-30 07:45	82.69	83.17
2023-03-30 08:00	87.18	80.78
2023-03-30 08:15	87.56	70.06
2023-03-30 08:30	82.6	67.77
2023-03-30 08:45	84.04	68.16
2023-03-30 09:00	83.15	72.74
2023-03-30 09:15	84.93	76.66
2023-03-30 09:30	81.61	81.21
2023-03-30 09:45	84.45	83.97
2023-03-30 10:00	83.39	71.96
2023-03-30 10:15	83.74	68.33
2023-03-30 10:30	91.85	68.37
2023-03-30 10:45	92.85	71.12
2023-03-30 11:00	88.2	72.29
2023-03-30 11:15	88.08	74.72
2023-03-30 11:30	90.34	83.49
2023-03-30 11:45	90.65	86.22
2023-03-30 12:00	91.84	71.26
2023-03-30 12:15	89.55	70.98
2023-03-30 12:30	96.27	81.02
2023-03-30 12:45	96.7	73.03
2023-03-30 13:00	98.84	75.94
2023-03-30 13:15	103.23	77.26
2023-03-30 13:30	109.13	83.51
2023-03-30 13:45	109.83	76.07
2023-03-30 14:00	102.55	69.08
2023-03-30 14:15	100.33	67.98
2023-03-30 14:30	92.97	69.25
2023-03-30 14:45	95.03	70.11

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-30 15:00	90.76	73.39
2023-03-30 15:15	92.21	76.21
2023-03-30 15:30	108.61	82.94
2023-03-30 15:45	126.96	74.85
2023-03-30 16:00	129.53	66.56
2023-03-30 16:15	126.61	66.18
2023-03-30 16:30	121.02	67.41
2023-03-30 16:45	118.65	67.96
2023-03-30 17:00	118.65	69.16
2023-03-30 17:15	109.33	70.82
2023-03-30 17:30	93.87	78.21
2023-03-30 17:45	94	78.94
2023-03-30 18:00	41.33	64.37
2023-03-30 18:15	45.16	63.49
2023-03-30 18:30	120.25	65.06
2023-03-30 18:45	110.03	66.94
2023-03-30 19:00	106.23	70.1
2023-03-30 19:15	106.89	72.47
2023-03-30 19:30	102.34	80.2
2023-03-30 19:45	100.57	70.87
2023-03-30 20:00	99.58	64.57
2023-03-30 20:15	103.99	73.49
2023-03-30 20:30	95.66	65.34
2023-03-30 20:45	100.23	63.22
2023-03-30 21:00	98.88	72.48
2023-03-30 21:15	95.73	75.64
2023-03-30 21:30	96.04	81.66
2023-03-30 21:45	99.5	77.13
2023-03-30 22:00	96.68	64.89
2023-03-30 22:15	95.45	65.72
2023-03-30 22:30	98.5	66.02
2023-03-30 22:45	99.11	66.39
2023-03-30 23:00	94.35	68.74
2023-03-30 23:15	92.69	72.61
2023-03-30 23:30	101.08	73.67
2023-03-30 23:45	99.14	66.3
2023-03-31 00:00	98.54	62.17
2023-03-31 00:15	94.18	64.44
2023-03-31 00:30	95.98	65.92
2023-03-31 00:45	98.13	66.93
2023-03-31 01:00	92.01	71.49
2023-03-31 01:15	96.86	77.74

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-31 01:30	96.5	80.99
2023-03-31 01:45	100.63	68.66
2023-03-31 02:00	92.84	63.98
2023-03-31 02:15	96.61	67.91
2023-03-31 02:30	93.18	67.81
2023-03-31 02:45	90.82	67.88
2023-03-31 03:00	90.95	71.02
2023-03-31 03:15	91.82	77.65
2023-03-31 03:30	90.5	76.34
2023-03-31 03:45	91.01	65.34
2023-03-31 04:00	94.33	69.56
2023-03-31 04:15	91.82	63.74
2023-03-31 04:30	89.59	65.35
2023-03-31 04:45	90.22	66.12
2023-03-31 05:00	94.16	71.98
2023-03-31 05:15	92.91	79.67
2023-03-31 05:30	90.51	78.01
2023-03-31 05:45	97.38	66.77
2023-03-31 06:00	93.34	67.99
2023-03-31 06:15	93.38	66.66
2023-03-31 06:30	90.88	65.49
2023-03-31 06:45	95.16	68.81
2023-03-31 07:00	95.42	72.28
2023-03-31 07:15	88.44	80.03
2023-03-31 07:30	89.68	76.98
2023-03-31 07:45	87.48	67.17
2023-03-31 08:00	96.72	65.6
2023-03-31 08:15	83.46	65.67
2023-03-31 08:30	85.82	66.3
2023-03-31 08:45	85.2	69.62
2023-03-31 09:00	83.08	73.23
2023-03-31 09:15	81.92	82.03
2023-03-31 09:30	86.11	82.29
2023-03-31 09:45	83.97	70.04
2023-03-31 10:00	82.28	67.7
2023-03-31 10:15	84.94	68.46
2023-03-31 10:30	84.62	70.04
2023-03-31 10:45	85.16	70.11
2023-03-31 11:00	84.67	74.77
2023-03-31 11:15	90.25	87.02
2023-03-31 11:30	85.78	80.64
2023-03-31 11:45	83.75	72.5

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-31 12:00	83.08	65.05
2023-03-31 12:15	82.79	68.04
2023-03-31 12:30	84.19	68.97
2023-03-31 12:45	86.16	71.12
2023-03-31 13:00	90.66	75.88
2023-03-31 13:15	90.01	84.29
2023-03-31 13:30	91.53	78.52
2023-03-31 13:45	93	65.71
2023-03-31 14:00	94.95	66.08
2023-03-31 14:15	119.35	66.73
2023-03-31 14:30	93.38	67.41
2023-03-31 14:45	97.34	70.18
2023-03-31 15:00	96.64	75.45
2023-03-31 15:15	97.92	81.99
2023-03-31 15:30	93.04	79.33
2023-03-31 15:45	103.51	68.45
2023-03-31 16:00	98.12	66.74
2023-03-31 16:15	96.7	67.98
2023-03-31 16:30	97.63	70.13
2023-03-31 16:45	97.77	72.33
2023-03-31 17:00	103.02	66.1
2023-03-31 17:15	93.41	67.35
2023-03-31 17:30	97.06	69.2
2023-03-31 17:45	97.28	71.27
2023-03-31 18:00	93.03	80.2
2023-03-31 18:15	92.9	75.33
2023-03-31 18:30	97.87	66.77
2023-03-31 18:45	98.53	66.79
2023-03-31 19:00	97.76	77.78
2023-03-31 19:15	102.41	81.31
2023-03-31 19:30	99.77	76.47
2023-03-31 19:45	98.25	71.05
2023-03-31 20:00	94.24	67.6
2023-03-31 20:15	100	67.92
2023-03-31 20:30	102.2	69.31
2023-03-31 20:45	102.55	71.35
2023-03-31 21:00	101.8	76.44
2023-03-31 21:15	102.89	81.36
2023-03-31 21:30	106.05	75.74
2023-03-31 21:45	98.34	71.14
2023-03-31 22:00	108.63	67.78
2023-03-31 22:15	116.45	67.15

Time	RP_Stack-PM	Cooler_Stack-PM
2023-03-31 22:30	113.25	64.54
2023-03-31 22:45	112.21	59.18
2023-03-31 23:00	114.8	59.13
2023-03-31 23:15	110.6	58.4
2023-03-31 23:30	104.96	58.97
2023-03-31 23:45	NA	NA

Goa State Pollution Control Board

Industry Name	:	M/S Goa Carbon Limited
Address	:	ST.-JOSE-DE,AREAL-SALCETE
District	:	South Goa
Category	:	Petrochemicals
Parameters	:	RP_Stack-PM, Cooler_Stack-PM
Report Format	:	Tabular
Criteria	:	15min
Date	:	From 2023/04/01 To 2023/04/30

RealTime Data

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-01 00:00	113.35	59.17
2023-04-01 00:15	114.03	60.29
2023-04-01 00:30	110.97	60.2
2023-04-01 00:45	117.57	58.49
2023-04-01 01:00	109.25	58.03
2023-04-01 01:15	107.8	57.25
2023-04-01 01:30	112.27	57.26
2023-04-01 01:45	118.01	57.5
2023-04-01 02:00	115.42	58.86
2023-04-01 02:15	110	57.32
2023-04-01 02:30	116.51	56.94
2023-04-01 02:45	107.31	58.45
2023-04-01 03:00	106.89	60.03
2023-04-01 03:15	103.13	60.07
2023-04-01 03:30	109.96	58.57
2023-04-01 03:45	121.38	59.8
2023-04-01 04:00	111.24	59.91
2023-04-01 04:15	113.71	60.88
2023-04-01 04:30	117.84	61.32
2023-04-01 04:45	118.46	62.3
2023-04-01 05:00	96.4	64.01
2023-04-01 05:15	100.35	62.96
2023-04-01 05:30	98.36	63.21
2023-04-01 05:45	96.48	62.98
2023-04-01 06:00	97.69	61.43
2023-04-01 06:15	98.98	58.93
2023-04-01 06:30	99.3	58.59
2023-04-01 06:45	96.17	60.19
2023-04-01 07:00	95.68	61.16
2023-04-01 07:15	89.57	62.44

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-01 07:30	88.3	60.55
2023-04-01 07:45	87.27	62.08
2023-04-01 08:00	91.13	62.06
2023-04-01 08:15	87.76	77.88
2023-04-01 08:30	83.77	74.88
2023-04-01 08:45	90.5	73.85
2023-04-01 09:00	100.25	84.09
2023-04-01 09:15	81.91	84.15
2023-04-01 09:30	0	73.43
2023-04-01 09:45	0	72.17
2023-04-01 10:00	0	68.91
2023-04-01 10:15	0	68.4
2023-04-01 10:30	0	70.58
2023-04-01 10:45	0	73.11
2023-04-01 11:00	0	81.07
2023-04-01 11:15	0	83.92
2023-04-01 11:30	0	73.5
2023-04-01 11:45	0	72.34
2023-04-01 12:00	0	68.18
2023-04-01 12:15	0	67.26
2023-04-01 12:30	0	69.44
2023-04-01 12:45	0	77.31
2023-04-01 13:00	0	76.85
2023-04-01 13:15	0	81.3
2023-04-01 13:30	0	79.44
2023-04-01 13:45	0	79.91
2023-04-01 14:00	0	66.45
2023-04-01 14:15	0	67.2
2023-04-01 14:30	0	70.27
2023-04-01 14:45	0	75.93
2023-04-01 15:00	0	81.89
2023-04-01 15:15	0	81.96
2023-04-01 15:30	0	74.29
2023-04-01 15:45	0	72.09
2023-04-01 16:00	0	71.87
2023-04-01 16:15	0	70.44
2023-04-01 16:30	0	72.38
2023-04-01 16:45	0	77.53
2023-04-01 17:00	0	83.8
2023-04-01 17:15	0	83.49
2023-04-01 17:30	0	74.36
2023-04-01 17:45	0	70.01

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-01 18:00	0	68.87
2023-04-01 18:15	0	70.9
2023-04-01 18:30	0	71.02
2023-04-01 18:45	0	76
2023-04-01 19:00	0	81.12
2023-04-01 19:15	0	80.02
2023-04-01 19:30	0	75.12
2023-04-01 19:45	0	68.14
2023-04-01 20:00	0	69.07
2023-04-01 20:15	0	70.74
2023-04-01 20:30	0	74.09
2023-04-01 20:45	0	79.55
2023-04-01 21:00	0	82.72
2023-04-01 21:15	13.21	80.16
2023-04-01 21:30	0	75.1
2023-04-01 21:45	0	69.23
2023-04-01 22:00	0	70.19
2023-04-01 22:15	0	72.41
2023-04-01 22:30	0	73.56
2023-04-01 22:45	0	79.04
2023-04-01 23:00	0	82.12
2023-04-01 23:15	0	79.89
2023-04-01 23:30	0	76.34
2023-04-01 23:45	0	70.02
2023-04-02 00:00	0	69.29
2023-04-02 00:15	0	70.1
2023-04-02 00:30	0	72.15
2023-04-02 00:45	0	78.76
2023-04-02 01:00	0	81.19
2023-04-02 01:15	0	78.29
2023-04-02 01:30	0	75.66
2023-04-02 01:45	0	68.78
2023-04-02 02:00	0	68.25
2023-04-02 02:15	0	69.4
2023-04-02 02:30	0	71.52
2023-04-02 02:45	0	78.32
2023-04-02 03:00	0	82.9
2023-04-02 03:15	0	78.25
2023-04-02 03:30	0	76.99
2023-04-02 03:45	0	68.72
2023-04-02 04:00	0	68.13
2023-04-02 04:15	0	68.06

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-02 04:30	0	69.28
2023-04-02 04:45	0	73.39
2023-04-02 05:00	0	82.23
2023-04-02 05:15	0	77.76
2023-04-02 05:30	0	76.37
2023-04-02 05:45	0	67.88
2023-04-02 06:00	0	66.61
2023-04-02 06:15	0	67.99
2023-04-02 06:30	0	70.43
2023-04-02 06:45	0	72.82
2023-04-02 07:00	0	80.29
2023-04-02 07:15	0	76.21
2023-04-02 07:30	30.43	77.3
2023-04-02 07:45	90.43	68.96
2023-04-02 08:00	89.5	68.97
2023-04-02 08:15	89.08	71.08
2023-04-02 08:30	86.49	73.81
2023-04-02 08:45	107.32	79.49
2023-04-02 09:00	70.33	85.47
2023-04-02 09:15	70.68	79.07
2023-04-02 09:30	70.49	79.6
2023-04-02 09:45	71.07	68.86
2023-04-02 10:00	71.4	69.28
2023-04-02 10:15	69.79	70.97
2023-04-02 10:30	71.65	75.26
2023-04-02 10:45	70.82	80.58
2023-04-02 11:00	72.26	82.66
2023-04-02 11:15	71.16	77.41
2023-04-02 11:30	73.25	77.95
2023-04-02 11:45	73.92	68.92
2023-04-02 12:00	71.47	69.27
2023-04-02 12:15	72.91	70.07
2023-04-02 12:30	72.5	72.54
2023-04-02 12:45	75.8	72.61
2023-04-02 13:00	72	80.72
2023-04-02 13:15	73.66	77.65
2023-04-02 13:30	75.03	77.95
2023-04-02 13:45	75	65.81
2023-04-02 14:00	70.5	67.75
2023-04-02 14:15	71.04	71.2
2023-04-02 14:30	70.91	74.56
2023-04-02 14:45	69.63	76.39

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-02 15:00	70.84	81.06
2023-04-02 15:15	70.24	75.71
2023-04-02 15:30	70.72	72.8
2023-04-02 15:45	69.75	67.29
2023-04-02 16:00	71.38	71.69
2023-04-02 16:15	70.18	68.38
2023-04-02 16:30	69.67	72.99
2023-04-02 16:45	70.42	74.47
2023-04-02 17:00	70.74	80.76
2023-04-02 17:15	71.67	75.6
2023-04-02 17:30	69.59	73.17
2023-04-02 17:45	71.97	66.52
2023-04-02 18:00	71.08	67.43
2023-04-02 18:15	71.66	69.09
2023-04-02 18:30	70.97	74.01
2023-04-02 18:45	71.63	75.65
2023-04-02 19:00	77.56	79.75
2023-04-02 19:15	69.63	77.49
2023-04-02 19:30	70.78	72.1
2023-04-02 19:45	71.26	73.35
2023-04-02 20:00	74.01	78.56
2023-04-02 20:15	69.52	79.06
2023-04-02 20:30	71.51	80.73
2023-04-02 20:45	70.3	69.95
2023-04-02 21:00	69.93	68.92
2023-04-02 21:15	69.96	69.84
2023-04-02 21:30	70.35	73.25
2023-04-02 21:45	71.42	74.29
2023-04-02 22:00	70.24	78.63
2023-04-02 22:15	72.91	78.37
2023-04-02 22:30	70.96	78.56
2023-04-02 22:45	71	66.8
2023-04-02 23:00	70.51	66.39
2023-04-02 23:15	72.09	68.13
2023-04-02 23:30	72.27	71.66
2023-04-02 23:45	70.01	73.63
2023-04-03 00:00	73.34	77.87
2023-04-03 00:15	71.79	78.47
2023-04-03 00:30	74.82	74.41
2023-04-03 00:45	71.74	65.74
2023-04-03 01:00	74.02	65.9
2023-04-03 01:15	77.18	67.62

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-03 01:30	74.07	70.05
2023-04-03 01:45	72.94	71.58
2023-04-03 02:00	72.33	75.97
2023-04-03 02:15	83.07	77.86
2023-04-03 02:30	70.76	75.17
2023-04-03 02:45	72.64	65.71
2023-04-03 03:00	71.45	66.43
2023-04-03 03:15	71.99	68.57
2023-04-03 03:30	71.08	70.05
2023-04-03 03:45	72.29	73.09
2023-04-03 04:00	72.87	72.83
2023-04-03 04:15	72.15	78.56
2023-04-03 04:30	72.41	81.51
2023-04-03 04:45	71.49	71.71
2023-04-03 05:00	74.5	69.77
2023-04-03 05:15	71.86	72.06
2023-04-03 05:30	74.5	80.88
2023-04-03 05:45	76.27	73.52
2023-04-03 06:00	71.58	73.37
2023-04-03 06:15	72.34	77.97
2023-04-03 06:30	72.43	82.02
2023-04-03 06:45	72.98	71.72
2023-04-03 07:00	71.13	65.9
2023-04-03 07:15	75.86	70.61
2023-04-03 07:30	73.12	73.78
2023-04-03 07:45	75.67	77.39
2023-04-03 08:00	70.13	70.93
2023-04-03 08:15	71.78	74.3
2023-04-03 08:30	72.06	75.86
2023-04-03 08:45	70.51	79.61
2023-04-03 09:00	70.99	70.77
2023-04-03 09:15	71.15	74.05
2023-04-03 09:30	71.6	75.87
2023-04-03 09:45	69.87	76.97
2023-04-03 10:00	72.94	75.15
2023-04-03 10:15	76.27	77.09
2023-04-03 10:30	73.29	78.31
2023-04-03 10:45	71.66	83.5
2023-04-03 11:00	72.55	71.17
2023-04-03 11:15	73.58	74.9
2023-04-03 11:30	71.57	77.56
2023-04-03 11:45	73.15	79.3

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-03 12:00	70.74	82.85
2023-04-03 12:15	72.39	84.69
2023-04-03 12:30	71.16	70.4
2023-04-03 12:45	72.81	71.16
2023-04-03 13:00	70.97	79.28
2023-04-03 13:15	70.3	71.47
2023-04-03 13:30	71.67	67.98
2023-04-03 13:45	71	66.21
2023-04-03 14:00	77.2	81.23
2023-04-03 14:15	70.54	87.48
2023-04-03 14:30	72.87	69.68
2023-04-03 14:45	75.76	67.79
2023-04-03 15:00	74.78	70.07
2023-04-03 15:15	70.75	72.77
2023-04-03 15:30	71.21	72.36
2023-04-03 15:45	74.42	78.41
2023-04-03 16:00	70.19	82.17
2023-04-03 16:15	72.09	88.4
2023-04-03 16:30	71.7	71.69
2023-04-03 16:45	73.12	69.63
2023-04-03 17:00	72.73	71.83
2023-04-03 17:15	74.2	75.01
2023-04-03 17:30	73.47	75.14
2023-04-03 17:45	73.18	78.07
2023-04-03 18:00	74.25	82.86
2023-04-03 18:15	73.47	85.06
2023-04-03 18:30	74.57	69.7
2023-04-03 18:45	72.97	67.95
2023-04-03 19:00	74.89	70.8
2023-04-03 19:15	73.56	71.45
2023-04-03 19:30	73.52	73.75
2023-04-03 19:45	73.43	77.82
2023-04-03 20:00	73.81	82.13
2023-04-03 20:15	76.82	85.3
2023-04-03 20:30	72.26	70.87
2023-04-03 20:45	74.7	69.98
2023-04-03 21:00	74.37	72.05
2023-04-03 21:15	79.71	73.78
2023-04-03 21:30	73.53	75.8
2023-04-03 21:45	74.57	78.5
2023-04-03 22:00	76.27	83.06
2023-04-03 22:15	72.93	84.16

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-03 22:30	73.55	69.88
2023-04-03 22:45	74.08	69.02
2023-04-03 23:00	74.39	71.01
2023-04-03 23:15	73.68	71.9
2023-04-03 23:30	74.75	73.7
2023-04-03 23:45	73.39	76.78
2023-04-04 00:00	74.77	83.91
2023-04-04 00:15	74.05	80.9
2023-04-04 00:30	74.94	69.66
2023-04-04 00:45	74.87	67.57
2023-04-04 01:00	73.67	69.47
2023-04-04 01:15	75.75	70.85
2023-04-04 01:30	74.62	74.01
2023-04-04 01:45	76.56	76.14
2023-04-04 02:00	74.53	83.39
2023-04-04 02:15	76.34	80.69
2023-04-04 02:30	77.05	67.3
2023-04-04 02:45	74.65	65.68
2023-04-04 03:00	75.76	68.86
2023-04-04 03:15	74.44	70.23
2023-04-04 03:30	82.12	72.95
2023-04-04 03:45	73.72	75.78
2023-04-04 04:00	75.77	83.59
2023-04-04 04:15	77.23	79.38
2023-04-04 04:30	76.98	68.29
2023-04-04 04:45	74.05	67.62
2023-04-04 05:00	74.8	74.08
2023-04-04 05:15	74.16	75.1
2023-04-04 05:30	73.45	79.06
2023-04-04 05:45	75.01	79.03
2023-04-04 06:00	74.01	84.16
2023-04-04 06:15	74.69	70.39
2023-04-04 06:30	74.19	65.89
2023-04-04 06:45	75.26	66.61
2023-04-04 07:00	74.41	69.32
2023-04-04 07:15	73.43	71.42
2023-04-04 07:30	74.21	75.55
2023-04-04 07:45	74.08	79.77
2023-04-04 08:00	76.53	82.98
2023-04-04 08:15	72.51	70.49
2023-04-04 08:30	74.64	71.08
2023-04-04 08:45	75.11	74.99

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-04 09:00	77.46	77.47
2023-04-04 09:15	73.25	78.17
2023-04-04 09:30	73.86	83.61
2023-04-04 09:45	80.19	84.77
2023-04-04 10:00	72.48	82.1
2023-04-04 10:15	73.42	70.43
2023-04-04 10:30	72.82	71.09
2023-04-04 10:45	72.87	71.18
2023-04-04 11:00	72.33	77.27
2023-04-04 11:15	73.56	78.56
2023-04-04 11:30	72.52	81.39
2023-04-04 11:45	72.82	82.27
2023-04-04 12:00	73.18	80.99
2023-04-04 12:15	73.47	70.05
2023-04-04 12:30	73.87	70.92
2023-04-04 12:45	72.64	72.57
2023-04-04 13:00	74.81	78.21
2023-04-04 13:15	73.74	78.43
2023-04-04 13:30	74.09	82.25
2023-04-04 13:45	73.51	81.7
2023-04-04 14:00	75.04	77.96
2023-04-04 14:15	76.12	68.13
2023-04-04 14:30	73.33	69.25
2023-04-04 14:45	75.96	71.49
2023-04-04 15:00	74.25	76.79
2023-04-04 15:15	79.77	77.89
2023-04-04 15:30	73.7	82.01
2023-04-04 15:45	75.3	84.57
2023-04-04 16:00	78.89	78.27
2023-04-04 16:15	75.66	70.97
2023-04-04 16:30	73.99	70.99
2023-04-04 16:45	74.21	72.1
2023-04-04 17:00	74.24	76.64
2023-04-04 17:15	73.51	78.57
2023-04-04 17:30	74.7	81.16
2023-04-04 17:45	73.82	85.6
2023-04-04 18:00	74.24	75.97
2023-04-04 18:15	73.89	69.75
2023-04-04 18:30	75.23	71.23
2023-04-04 18:45	74.53	74.3
2023-04-04 19:00	73.77	79.49
2023-04-04 19:15	75.35	79.42

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-04 19:30	75.1	79.88
2023-04-04 19:45	76.43	84.34
2023-04-04 20:00	75.27	73.01
2023-04-04 20:15	77.18	68.75
2023-04-04 20:30	76.05	69.99
2023-04-04 20:45	75.41	73.56
2023-04-04 21:00	76.39	76.23
2023-04-04 21:15	75.92	79.41
2023-04-04 21:30	79.97	82.51
2023-04-04 21:45	74.75	86.15
2023-04-04 22:00	76.58	73.71
2023-04-04 22:15	77.41	69.43
2023-04-04 22:30	80.62	69.95
2023-04-04 22:45	75.38	72.65
2023-04-04 23:00	75.59	73.08
2023-04-04 23:15	75.58	76.36
2023-04-04 23:30	74.68	79.58
2023-04-04 23:45	75.77	85.63
2023-04-05 00:00	75.19	68.52
2023-04-05 00:15	75.65	68.07
2023-04-05 00:30	75.1	70.21
2023-04-05 00:45	76.67	72.54
2023-04-05 01:00	75.27	74.08
2023-04-05 01:15	76.21	77.09
2023-04-05 01:30	75.72	79.59
2023-04-05 01:45	76.72	85.7
2023-04-05 02:00	77.21	67.82
2023-04-05 02:15	75.02	66.62
2023-04-05 02:30	77.28	66.53
2023-04-05 02:45	76.32	70.37
2023-04-05 03:00	78.37	73.63
2023-04-05 03:15	76.8	77.07
2023-04-05 03:30	78.22	78.6
2023-04-05 03:45	79.77	84.33
2023-04-05 04:00	75.99	82.51
2023-04-05 04:15	77.68	69.28
2023-04-05 04:30	76.18	67.5
2023-04-05 04:45	80.52	69.68
2023-04-05 05:00	76.09	70.61
2023-04-05 05:15	78.05	72.79
2023-04-05 05:30	80.55	75.44
2023-04-05 05:45	79.32	85.2

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-05 06:00	76.23	83.71
2023-04-05 06:15	76.25	70.49
2023-04-05 06:30	78.91	68.25
2023-04-05 06:45	74.87	69.52
2023-04-05 07:00	76.5	75.44
2023-04-05 07:15	75.21	81.45
2023-04-05 07:30	75.16	84.31
2023-04-05 07:45	74.28	92.96
2023-04-05 08:00	76.53	75.43
2023-04-05 08:15	74.66	73.33
2023-04-05 08:30	74.2	74.24
2023-04-05 08:45	75.28	76.01
2023-04-05 09:00	74.48	77.07
2023-04-05 09:15	76.28	81.98
2023-04-05 09:30	74.1	84.02
2023-04-05 09:45	76.08	89.31
2023-04-05 10:00	75.59	69.54
2023-04-05 10:15	82.25	70.72
2023-04-05 10:30	73.56	72.61
2023-04-05 10:45	74.85	74.78
2023-04-05 11:00	74.42	75.22
2023-04-05 11:15	73.45	78.76
2023-04-05 11:30	73.89	82.59
2023-04-05 11:45	75.12	72.89
2023-04-05 12:00	74.8	69.63
2023-04-05 12:15	73.97	70.07
2023-04-05 12:30	75.8	73.32
2023-04-05 12:45	74.64	76.95
2023-04-05 13:00	75.17	79.89
2023-04-05 13:15	74.77	80.77
2023-04-05 13:30	76.06	87.71
2023-04-05 13:45	75.48	80.8
2023-04-05 14:00	74.18	70.42
2023-04-05 14:15	76.14	66.76
2023-04-05 14:30	75.14	70.38
2023-04-05 14:45	76.4	72.05
2023-04-05 15:00	74.79	74.44
2023-04-05 15:15	76.98	77.6
2023-04-05 15:30	77.49	86.08
2023-04-05 15:45	75.47	78.81
2023-04-05 16:00	75.92	68.04
2023-04-05 16:15	75.86	67.98

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-05 16:30	81.68	71.3
2023-04-05 16:45	74.46	72.76
2023-04-05 17:00	75.96	75.39
2023-04-05 17:15	76.39	76.45
2023-04-05 17:30	76.88	83.03
2023-04-05 17:45	74.92	77.33
2023-04-05 18:00	76.27	68.05
2023-04-05 18:15	75.57	67.88
2023-04-05 18:30	74.96	70.67
2023-04-05 18:45	75.87	70.84
2023-04-05 19:00	75.68	77.5
2023-04-05 19:15	75.9	79.53
2023-04-05 19:30	75.3	85.47
2023-04-05 19:45	77.16	76.72
2023-04-05 20:00	75.78	68.4
2023-04-05 20:15	75.65	68.47
2023-04-05 20:30	76.25	72.18
2023-04-05 20:45	76.66	73.81
2023-04-05 21:00	77.26	76.78
2023-04-05 21:15	75.67	78.31
2023-04-05 21:30	77.93	88.7
2023-04-05 21:45	76.75	77.45
2023-04-05 22:00	77.89	69.46
2023-04-05 22:15	76.36	69.49
2023-04-05 22:30	76.94	73.49
2023-04-05 22:45	82.36	72.64
2023-04-05 23:00	75.73	78.06
2023-04-05 23:15	76.25	80.6
2023-04-05 23:30	76.03	89.46
2023-04-05 23:45	79.16	74.3
2023-04-06 00:00	74.95	68.96
2023-04-06 00:15	76.41	70.09
2023-04-06 00:30	75.19	72.33
2023-04-06 00:45	75.01	73.17
2023-04-06 01:00	75.46	77.26
2023-04-06 01:15	76.41	80.93
2023-04-06 01:30	75.87	87.54
2023-04-06 01:45	75.02	73.5
2023-04-06 02:00	77.36	67.97
2023-04-06 02:15	76.16	69.4
2023-04-06 02:30	76.88	72.18
2023-04-06 02:45	76.39	72.66

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-06 03:00	78.35	73.48
2023-04-06 03:15	77.35	76.93
2023-04-06 03:30	75.53	84.61
2023-04-06 03:45	77.37	85.94
2023-04-06 04:00	76.66	67.98
2023-04-06 04:15	79.4	70.74
2023-04-06 04:30	76.57	72.43
2023-04-06 04:45	78.73	73.89
2023-04-06 05:00	80.77	76.19
2023-04-06 05:15	79.73	81.53
2023-04-06 05:30	76.3	83.33
2023-04-06 05:45	77.03	68.72
2023-04-06 06:00	85.41	72.29
2023-04-06 06:15	75.71	67.55
2023-04-06 06:30	78.29	66.82
2023-04-06 06:45	78.64	68.21
2023-04-06 07:00	76.71	74.68
2023-04-06 07:15	75.95	81.26
2023-04-06 07:30	77.6	83.36
2023-04-06 07:45	76.2	69.7
2023-04-06 08:00	75.27	65.89
2023-04-06 08:15	77.03	67.27
2023-04-06 08:30	76.74	68.89
2023-04-06 08:45	77.02	73.04
2023-04-06 09:00	74.97	69.95
2023-04-06 09:15	77.09	73.87
2023-04-06 09:30	75.71	74.59
2023-04-06 09:45	76.07	79.68
2023-04-06 10:00	77.97	70.7
2023-04-06 10:15	78.95	72.36
2023-04-06 10:30	80.65	75.11
2023-04-06 10:45	76.05	74.31
2023-04-06 11:00	79.89	78.99
2023-04-06 11:15	78.62	83.8
2023-04-06 11:30	82.42	84.76
2023-04-06 11:45	76.33	68.81
2023-04-06 12:00	77.5	67.7
2023-04-06 12:15	84.7	71.09
2023-04-06 12:30	76.3	71.8
2023-04-06 12:45	76.25	74.89
2023-04-06 13:00	76.36	79.03
2023-04-06 13:15	76.95	82.11

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-06 13:30	75.54	74.12
2023-04-06 13:45	77.42	67.32
2023-04-06 14:00	75.43	66.85
2023-04-06 14:15	75.66	69.13
2023-04-06 14:30	75.69	70.48
2023-04-06 14:45	77.41	74.02
2023-04-06 15:00	77.17	77.58
2023-04-06 15:15	75.79	85.78
2023-04-06 15:30	78.85	74.4
2023-04-06 15:45	77.73	68.77
2023-04-06 16:00	79.25	69.17
2023-04-06 16:15	78.84	71.58
2023-04-06 16:30	81.77	73.6
2023-04-06 16:45	81.84	76.06
2023-04-06 17:00	79.52	82.21
2023-04-06 17:15	81.42	87.31
2023-04-06 17:30	80.64	75.6
2023-04-06 17:45	88.53	72.05
2023-04-06 18:00	80.16	71.59
2023-04-06 18:15	82.55	72.39
2023-04-06 18:30	85.34	75.13
2023-04-06 18:45	86.59	79.2
2023-04-06 19:00	77.98	85.41
2023-04-06 19:15	78.74	85.88
2023-04-06 19:30	78.61	72.84
2023-04-06 19:45	76.43	71.56
2023-04-06 20:00	78.42	72.28
2023-04-06 20:15	77.16	72.8
2023-04-06 20:30	78.22	67.86
2023-04-06 20:45	76.45	78.02
2023-04-06 21:00	78.89	87.7
2023-04-06 21:15	76.72	79.76
2023-04-06 21:30	75.91	69.03
2023-04-06 21:45	77.37	67.88
2023-04-06 22:00	77.99	71.16
2023-04-06 22:15	79.21	70.75
2023-04-06 22:30	77.42	72.14
2023-04-06 22:45	80.35	74.19
2023-04-06 23:00	78.61	83.55
2023-04-06 23:15	79.29	76.72
2023-04-06 23:30	78.35	66.91
2023-04-06 23:45	79.48	66.01

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-07 00:00	84.05	67.47
2023-04-07 00:15	76.62	67.64
2023-04-07 00:30	78.94	76.99
2023-04-07 00:45	77.19	79.64
2023-04-07 01:00	84.82	83.12
2023-04-07 01:15	76.46	73.21
2023-04-07 01:30	78.04	66.86
2023-04-07 01:45	77.82	65.66
2023-04-07 02:00	77.85	75.97
2023-04-07 02:15	79.52	66.1
2023-04-07 02:30	78.02	67.78
2023-04-07 02:45	84.82	69.33
2023-04-07 03:00	75.94	86.26
2023-04-07 03:15	78.31	72.52
2023-04-07 03:30	76.6	67.77
2023-04-07 03:45	76.94	67.3
2023-04-07 04:00	76.54	69.62
2023-04-07 04:15	78.7	70.29
2023-04-07 04:30	77.73	74.51
2023-04-07 04:45	76.23	77.98
2023-04-07 05:00	78.03	72.55
2023-04-07 05:15	76.87	74.23
2023-04-07 05:30	77.06	78.5
2023-04-07 05:45	75.79	79.87
2023-04-07 06:00	78.8	67.19
2023-04-07 06:15	77.31	67.75
2023-04-07 06:30	76.2	70.38
2023-04-07 06:45	77.91	74.26
2023-04-07 07:00	77.99	82.61
2023-04-07 07:15	87.69	69.45
2023-04-07 07:30	76.62	67.43
2023-04-07 07:45	77.9	67.68
2023-04-07 08:00	76.8	72.12
2023-04-07 08:15	77.55	66.05
2023-04-07 08:30	76.3	68.29
2023-04-07 08:45	77.58	69.66
2023-04-07 09:00	83.2	74.21
2023-04-07 09:15	74.76	77.63
2023-04-07 09:30	77.68	78.03
2023-04-07 09:45	76.6	80.44
2023-04-07 10:00	83.52	71.26
2023-04-07 10:15	75.76	67.39

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-07 10:30	78.26	68.9
2023-04-07 10:45	76.83	72.85
2023-04-07 11:00	75.72	76.04
2023-04-07 11:15	76.05	76.85
2023-04-07 11:30	76.81	78.62
2023-04-07 11:45	76.68	84.25
2023-04-07 12:00	76.02	72.9
2023-04-07 12:15	78.47	67.12
2023-04-07 12:30	76.53	71.65
2023-04-07 12:45	77.45	77.47
2023-04-07 13:00	78.01	87.07
2023-04-07 13:15	79.78	70.93
2023-04-07 13:30	86.52	70.5
2023-04-07 13:45	76.53	68.42
2023-04-07 14:00	77.85	67.82
2023-04-07 14:15	77.67	65.99
2023-04-07 14:30	83.8	94.08
2023-04-07 14:45	75.66	129.08
2023-04-07 15:00	77.77	112.6
2023-04-07 15:15	76.11	73.67
2023-04-07 15:30	75.82	75.44
2023-04-07 15:45	76.39	79.62
2023-04-07 16:00	77.38	79.08
2023-04-07 16:15	79.55	76.91
2023-04-07 16:30	75.52	71.15
2023-04-07 16:45	77.16	76.99
2023-04-07 17:00	76.17	77.63
2023-04-07 17:15	76.09	66.84
2023-04-07 17:30	75.79	65.68
2023-04-07 17:45	78.23	67.87
2023-04-07 18:00	77.18	68.66
2023-04-07 18:15	75.72	71.37
2023-04-07 18:30	78.02	74.24
2023-04-07 18:45	77.23	80.56
2023-04-07 19:00	80.42	72.5
2023-04-07 19:15	77.19	67.45
2023-04-07 19:30	80.26	66.33
2023-04-07 19:45	81.38	68.53
2023-04-07 20:00	80.5	69.04
2023-04-07 20:15	78.89	72.38
2023-04-07 20:30	78.97	76.94
2023-04-07 20:45	87.51	83.08

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-07 21:00	77.43	73.69
2023-04-07 21:15	79.17	67.56
2023-04-07 21:30	78.39	67.2
2023-04-07 21:45	78.79	67.85
2023-04-07 22:00	78.26	70.87
2023-04-07 22:15	79.74	73.47
2023-04-07 22:30	79.11	77.85
2023-04-07 22:45	78.16	83.27
2023-04-07 23:00	78.91	81.63
2023-04-07 23:15	78.48	77.13
2023-04-07 23:30	79.29	75.12
2023-04-07 23:45	78.09	67.36
2023-04-08 00:00	80.12	67.9
2023-04-08 00:15	78.25	69.65
2023-04-08 00:30	78.17	73.03
2023-04-08 00:45	78.47	77.15
2023-04-08 01:00	80.04	83.1
2023-04-08 01:15	79.34	75.45
2023-04-08 01:30	77.18	71.11
2023-04-08 01:45	81.11	67.18
2023-04-08 02:00	79.63	71.14
2023-04-08 02:15	83.59	73.46
2023-04-08 02:30	77.63	80.22
2023-04-08 02:45	79.56	81.58
2023-04-08 03:00	87.69	69.75
2023-04-08 03:15	77.18	67.64
2023-04-08 03:30	78	67.71
2023-04-08 03:45	77.4	66.86
2023-04-08 04:00	89.7	66.47
2023-04-08 04:15	76.6	67.89
2023-04-08 04:30	79.07	72.93
2023-04-08 04:45	80.65	74.92
2023-04-08 05:00	77.5	67.92
2023-04-08 05:15	77.34	66.8
2023-04-08 05:30	78.9	68.23
2023-04-08 05:45	77.95	67.62
2023-04-08 06:00	76.32	66.06
2023-04-08 06:15	78.35	66.75
2023-04-08 06:30	77.03	72.43
2023-04-08 06:45	78.04	76.35
2023-04-08 07:00	77.35	68.23
2023-04-08 07:15	80.02	65.33

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-08 07:30	79.18	67.24
2023-04-08 07:45	76.8	67.94
2023-04-08 08:00	80.18	69.68
2023-04-08 08:15	77.95	73.29
2023-04-08 08:30	81.51	82.12
2023-04-08 08:45	76.16	85.73
2023-04-08 09:00	78.9	72.14
2023-04-08 09:15	80.8	68.9
2023-04-08 09:30	81.58	72.07
2023-04-08 09:45	76.02	65.34
2023-04-08 10:00	76.89	70.28
2023-04-08 10:15	77.86	78.58
2023-04-08 10:30	75.99	86.58
2023-04-08 10:45	77.81	86.46
2023-04-08 11:00	77.93	72.78
2023-04-08 11:15	79.6	73.15
2023-04-08 11:30	78.29	77.01
2023-04-08 11:45	79.22	76.74
2023-04-08 12:00	77.18	81.71
2023-04-08 12:15	76.35	87.08
2023-04-08 12:30	77.55	90.33
2023-04-08 12:45	77.84	88.65
2023-04-08 13:00	78.38	73.86
2023-04-08 13:15	76.6	70.78
2023-04-08 13:30	79.98	70.63
2023-04-08 13:45	77.19	69.25
2023-04-08 14:00	78.26	74.17
2023-04-08 14:15	78.54	86.95
2023-04-08 14:30	79.76	99.99
2023-04-08 14:45	81.87	88.77
2023-04-08 15:00	75.87	74.1
2023-04-08 15:15	79.38	72.24
2023-04-08 15:30	78.55	72.25
2023-04-08 15:45	85.84	74.98
2023-04-08 16:00	75.51	78.29
2023-04-08 16:15	77.14	76.41
2023-04-08 16:30	79.16	83.05
2023-04-08 16:45	75.17	81.16
2023-04-08 17:00	75.48	68.36
2023-04-08 17:15	76.37	66.27
2023-04-08 17:30	76.08	66.65
2023-04-08 17:45	75.15	67.74

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-08 18:00	78	76.8
2023-04-08 18:15	76.11	73.78
2023-04-08 18:30	76.25	80.33
2023-04-08 18:45	76.1	78.28
2023-04-08 19:00	77.98	70.32
2023-04-08 19:15	77.15	65.18
2023-04-08 19:30	75.49	65.79
2023-04-08 19:45	77.83	66.46
2023-04-08 20:00	76.95	68.83
2023-04-08 20:15	78.04	73.46
2023-04-08 20:30	76.73	79.3
2023-04-08 20:45	79.56	79.05
2023-04-08 21:00	78.26	75.79
2023-04-08 21:15	78.23	75.7
2023-04-08 21:30	80.43	66.72
2023-04-08 21:45	81.24	67.14
2023-04-08 22:00	90.93	73.74
2023-04-08 22:15	78.68	79.72
2023-04-08 22:30	80.99	82.24
2023-04-08 22:45	81.28	75.27
2023-04-08 23:00	79.94	73.13
2023-04-08 23:15	77.26	67.52
2023-04-08 23:30	79.33	67.29
2023-04-08 23:45	79.22	67.66
2023-04-09 00:00	78.01	70.25
2023-04-09 00:15	79.22	79.7
2023-04-09 00:30	78.65	82.84
2023-04-09 00:45	79.27	75.85
2023-04-09 01:00	78.4	73.42
2023-04-09 01:15	80.76	68
2023-04-09 01:30	78.6	66.27
2023-04-09 01:45	77.9	69.13
2023-04-09 02:00	79.54	71.8
2023-04-09 02:15	80.2	77.18
2023-04-09 02:30	81.08	80.06
2023-04-09 02:45	78.6	76.25
2023-04-09 03:00	82.53	72.81
2023-04-09 03:15	80.23	68.37
2023-04-09 03:30	82.01	67.44
2023-04-09 03:45	80.31	68.95
2023-04-09 04:00	81.85	69.81
2023-04-09 04:15	83.31	74.94

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-09 04:30	78.48	76.62
2023-04-09 04:45	82.47	82.01
2023-04-09 05:00	79.7	73.81
2023-04-09 05:15	87.35	69.55
2023-04-09 05:30	77.81	68.88
2023-04-09 05:45	80.1	70.8
2023-04-09 06:00	80.13	72.64
2023-04-09 06:15	78.64	78.86
2023-04-09 06:30	78.58	80.35
2023-04-09 06:45	79.14	81.36
2023-04-09 07:00	79.04	72.74
2023-04-09 07:15	77.6	68.21
2023-04-09 07:30	80.52	68.44
2023-04-09 07:45	78.9	72.59
2023-04-09 08:00	79	77
2023-04-09 08:15	77.54	84.92
2023-04-09 08:30	80.06	87.25
2023-04-09 08:45	78.32	78.99
2023-04-09 09:00	76.16	74.48
2023-04-09 09:15	79.48	71.56
2023-04-09 09:30	77.81	72.37
2023-04-09 09:45	81.51	74.01
2023-04-09 10:00	77.58	77.31
2023-04-09 10:15	81.14	83.88
2023-04-09 10:30	81.56	84.56
2023-04-09 10:45	80.43	76.23
2023-04-09 11:00	79.26	71.8
2023-04-09 11:15	80.89	71.01
2023-04-09 11:30	92.61	73.87
2023-04-09 11:45	79.26	77.61
2023-04-09 12:00	81.86	82.44
2023-04-09 12:15	80.03	89.34
2023-04-09 12:30	79.57	88.09
2023-04-09 12:45	77.72	78.82
2023-04-09 13:00	79.66	75.7
2023-04-09 13:15	78.07	70.94
2023-04-09 13:30	76.68	74.64
2023-04-09 13:45	78.37	72.11
2023-04-09 14:00	78.21	79.14
2023-04-09 14:15	78.83	83.4
2023-04-09 14:30	76.99	90.44
2023-04-09 14:45	80.23	94.3

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-09 15:00	77.66	94.45
2023-04-09 15:15	77.1	71.99
2023-04-09 15:30	78.3	72.03
2023-04-09 15:45	79.57	69.64
2023-04-09 16:00	79.87	66.98
2023-04-09 16:15	75.94	84.63
2023-04-09 16:30	80.77	88.11
2023-04-09 16:45	78.37	80.11
2023-04-09 17:00	82.19	76.18
2023-04-09 17:15	76.86	75.1
2023-04-09 17:30	80.09	76.33
2023-04-09 17:45	87.48	72.63
2023-04-09 18:00	77.79	79.87
2023-04-09 18:15	77.81	81.86
2023-04-09 18:30	77.41	77.02
2023-04-09 18:45	78.74	75.57
2023-04-09 19:00	76.14	70.72
2023-04-09 19:15	78.22	66.42
2023-04-09 19:30	76.97	67.86
2023-04-09 19:45	76.44	69.5
2023-04-09 20:00	76.57	72.35
2023-04-09 20:15	77.57	74.19
2023-04-09 20:30	77.27	78.07
2023-04-09 20:45	75.97	78.67
2023-04-09 21:00	80.05	68.2
2023-04-09 21:15	78.15	69.11
2023-04-09 21:30	78.05	70.15
2023-04-09 21:45	77.25	72.82
2023-04-09 22:00	80.12	80.07
2023-04-09 22:15	78.86	82.13
2023-04-09 22:30	77.11	75.4
2023-04-09 22:45	79.32	74.39
2023-04-09 23:00	79.02	68.39
2023-04-09 23:15	83.13	68.76
2023-04-09 23:30	77.53	69.82
2023-04-09 23:45	80.61	72.78
2023-04-10 00:00	82.1	79.91
2023-04-10 00:15	82.75	82.65
2023-04-10 00:30	77.38	75.43
2023-04-10 00:45	78.62	75.44
2023-04-10 01:00	79.1	69.36
2023-04-10 01:15	76.69	69.45

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-10 01:30	78.66	71.69
2023-04-10 01:45	77.34	74.65
2023-04-10 02:00	77.78	80.96
2023-04-10 02:15	77.13	84.16
2023-04-10 02:30	79.37	76.05
2023-04-10 02:45	77.94	74.29
2023-04-10 03:00	77.18	68.98
2023-04-10 03:15	78.63	69.42
2023-04-10 03:30	79.54	70.63
2023-04-10 03:45	79.95	74.24
2023-04-10 04:00	77.67	74.28
2023-04-10 04:15	80.3	76.88
2023-04-10 04:30	78.32	78.26
2023-04-10 04:45	78.34	81.97
2023-04-10 05:00	79.1	69.15
2023-04-10 05:15	80.52	69.98
2023-04-10 05:30	82.77	71.12
2023-04-10 05:45	76.91	74.96
2023-04-10 06:00	81.23	73.35
2023-04-10 06:15	79.42	63.86
2023-04-10 06:30	81.8	62.64
2023-04-10 06:45	79.11	62.77
2023-04-10 07:00	79.34	63.68
2023-04-10 07:15	81.48	62.48
2023-04-10 07:30	77.52	61.75
2023-04-10 07:45	77.39	62.4
2023-04-10 08:00	77.48	64.16
2023-04-10 08:15	77.62	65.95
2023-04-10 08:30	75.68	67.02
2023-04-10 08:45	78.02	67.64
2023-04-10 09:00	76.6	68.66
2023-04-10 09:15	77.61	66.91
2023-04-10 09:30	77.05	68.62
2023-04-10 09:45	79.47	69.83
2023-04-10 10:00	78.78	69.19
2023-04-10 10:15	76.97	69.21
2023-04-10 10:30	80.94	68.02
2023-04-10 10:45	79.17	69.15
2023-04-10 11:00	80.85	71.33
2023-04-10 11:15	77.58	66.59
2023-04-10 11:30	81.08	66.18
2023-04-10 11:45	80.18	67.12

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-10 12:00	79.83	69.22
2023-04-10 12:15	81.24	65.51
2023-04-10 12:30	80.8	68.61
2023-04-10 12:45	90.67	69.13
2023-04-10 13:00	77.62	69.49
2023-04-10 13:15	80.6	67.26
2023-04-10 13:30	81.68	68.69
2023-04-10 13:45	84	71.77
2023-04-10 14:00	77.35	78.05
2023-04-10 14:15	87.06	83.99
2023-04-10 14:30	78.57	81.11
2023-04-10 14:45	76.74	79.48
2023-04-10 15:00	78.79	84.62
2023-04-10 15:15	77.31	70.81
2023-04-10 15:30	77.58	86.52
2023-04-10 15:45	76.05	71.81
2023-04-10 16:00	78.84	68.56
2023-04-10 16:15	76.26	67.54
2023-04-10 16:30	76.22	67.57
2023-04-10 16:45	77.51	68.56
2023-04-10 17:00	77.92	68.87
2023-04-10 17:15	77.67	69.29
2023-04-10 17:30	75.63	68.87
2023-04-10 17:45	78.89	68.61
2023-04-10 18:00	77.69	69.06
2023-04-10 18:15	78.44	68.88
2023-04-10 18:30	77.62	68.8
2023-04-10 18:45	79.13	69.16
2023-04-10 19:00	83.83	68.58
2023-04-10 19:15	76.43	68.4
2023-04-10 19:30	78.37	68.5
2023-04-10 19:45	78.28	69.2
2023-04-10 20:00	83.9	69.07
2023-04-10 20:15	76.33	68.7
2023-04-10 20:30	78.18	69.48
2023-04-10 20:45	77.06	68.76
2023-04-10 21:00	76.68	69.17
2023-04-10 21:15	76.83	68.6
2023-04-10 21:30	77.61	68.58
2023-04-10 21:45	77.15	68.64
2023-04-10 22:00	76.22	68.99
2023-04-10 22:15	79.51	67.78

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-10 22:30	78.8	80.42
2023-04-10 22:45	79.1	69.33
2023-04-10 23:00	78.76	71.56
2023-04-10 23:15	80.3	70.98
2023-04-10 23:30	79.45	75.4
2023-04-10 23:45	77.38	77.76
2023-04-11 00:00	79.39	80.03
2023-04-11 00:15	78.7	75.42
2023-04-11 00:30	80.77	70.61
2023-04-11 00:45	77.74	67.95
2023-04-11 01:00	81.89	69.63
2023-04-11 01:15	81.41	71.2
2023-04-11 01:30	80.05	76.92
2023-04-11 01:45	79.76	78.94
2023-04-11 02:00	79.72	81.58
2023-04-11 02:15	88.33	78.64
2023-04-11 02:30	78.71	72.29
2023-04-11 02:45	80.21	69.09
2023-04-11 03:00	79.23	70.5
2023-04-11 03:15	79.21	72.2
2023-04-11 03:30	77.59	76.45
2023-04-11 03:45	79.42	76.78
2023-04-11 04:00	78.88	77.14
2023-04-11 04:15	77.95	78.52
2023-04-11 04:30	78.83	80.84
2023-04-11 04:45	78.81	69.24
2023-04-11 05:00	79.67	69.37
2023-04-11 05:15	77.66	72.1
2023-04-11 05:30	80.79	76.47
2023-04-11 05:45	78.61	77.73
2023-04-11 06:00	78.06	79.88
2023-04-11 06:15	87.66	79.38
2023-04-11 06:30	80.34	81.05
2023-04-11 06:45	79.87	69.45
2023-04-11 07:00	77.48	71.61
2023-04-11 07:15	81.71	71.61
2023-04-11 07:30	79.26	77.99
2023-04-11 07:45	81.61	81.71
2023-04-11 08:00	77.65	77.07
2023-04-11 08:15	79.65	76.16
2023-04-11 08:30	80.11	73.47
2023-04-11 08:45	77.06	71.03

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-11 09:00	77.11	74.83
2023-04-11 09:15	76.3	77.74
2023-04-11 09:30	79.03	80.15
2023-04-11 09:45	76.54	84.51
2023-04-11 10:00	79.12	79.35
2023-04-11 10:15	76.61	75.57
2023-04-11 10:30	76.86	71.11
2023-04-11 10:45	77.97	71.05
2023-04-11 11:00	80.3	73.79
2023-04-11 11:15	80.36	76.64
2023-04-11 11:30	77.88	76.39
2023-04-11 11:45	79.81	79.92
2023-04-11 12:00	78.49	80.68
2023-04-11 12:15	79.5	74.73
2023-04-11 12:30	78.09	72.27
2023-04-11 12:45	81.07	72.7
2023-04-11 13:00	80.74	75.32
2023-04-11 13:15	78.24	78.52
2023-04-11 13:30	80.75	79.17
2023-04-11 13:45	79.78	81.66
2023-04-11 14:00	84.85	77.76
2023-04-11 14:15	77.8	72.4
2023-04-11 14:30	81.25	67.21
2023-04-11 14:45	81.99	68.44
2023-04-11 15:00	79.94	71.74
2023-04-11 15:15	78.57	74.54
2023-04-11 15:30	79.37	75.56
2023-04-11 15:45	86.01	77.85
2023-04-11 16:00	76.52	77.15
2023-04-11 16:15	77.52	71.02
2023-04-11 16:30	77.18	68.15
2023-04-11 16:45	77.38	69.17
2023-04-11 17:00	76.43	70.67
2023-04-11 17:15	78.6	75.7
2023-04-11 17:30	77.22	77.26
2023-04-11 17:45	76.54	79.83
2023-04-11 18:00	77.97	75.97
2023-04-11 18:15	78.41	70.1
2023-04-11 18:30	78.16	67.74
2023-04-11 18:45	76.74	68.69
2023-04-11 19:00	79.36	71.31
2023-04-11 19:15	77.28	76.15

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-11 19:30	77.45	77.03
2023-04-11 19:45	77.65	80.16
2023-04-11 20:00	78.92	77.11
2023-04-11 20:15	80.25	70.04
2023-04-11 20:30	76.69	68.33
2023-04-11 20:45	79.79	69.7
2023-04-11 21:00	78.4	72.67
2023-04-11 21:15	82.96	77.66
2023-04-11 21:30	76.82	78.74
2023-04-11 21:45	78.52	81.54
2023-04-11 22:00	80.84	77.16
2023-04-11 22:15	77.97	69.26
2023-04-11 22:30	77.98	69.84
2023-04-11 22:45	78.14	71.15
2023-04-11 23:00	78.09	72.86
2023-04-11 23:15	77.42	76.5
2023-04-11 23:30	79.28	78.86
2023-04-11 23:45	78.72	80.35
2023-04-12 00:00	78.94	76.67
2023-04-12 00:15	78.6	68.3
2023-04-12 00:30	80.72	67.07
2023-04-12 00:45	79.54	68.7
2023-04-12 01:00	77.83	70.64
2023-04-12 01:15	80.16	73.5
2023-04-12 01:30	79.36	76.38
2023-04-12 01:45	80.46	78.85
2023-04-12 02:00	79.77	77.75
2023-04-12 02:15	82.61	68.09
2023-04-12 02:30	82.11	69.03
2023-04-12 02:45	80.4	68.85
2023-04-12 03:00	81.65	72.4
2023-04-12 03:15	80.42	74.9
2023-04-12 03:30	88.32	77.79
2023-04-12 03:45	78.72	75.42
2023-04-12 04:00	83.17	76.09
2023-04-12 04:15	82.44	74.1
2023-04-12 04:30	84.61	67.51
2023-04-12 04:45	79.47	69.4
2023-04-12 05:00	80.89	73.64
2023-04-12 05:15	91.14	77.44
2023-04-12 05:30	80.06	81.36
2023-04-12 05:45	80.74	85.86

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-12 06:00	78.97	94.47
2023-04-12 06:15	79.62	78.07
2023-04-12 06:30	77.89	78.9
2023-04-12 06:45	80.46	83.61
2023-04-12 07:00	78.61	92.99
2023-04-12 07:15	78.23	96.49
2023-04-12 07:30	78.81	100.14
2023-04-12 07:45	79.4	96.94
2023-04-12 08:00	79.17	101.46
2023-04-12 08:15	76.79	82.38
2023-04-12 08:30	80.49	79.94
2023-04-12 08:45	77.73	79.9
2023-04-12 09:00	80.28	83.45
2023-04-12 09:15	76.4	86.18
2023-04-12 09:30	80.81	90.39
2023-04-12 09:45	81.3	88.75
2023-04-12 10:00	81.03	88.83
2023-04-12 10:15	0	74.3
2023-04-12 10:30	0	74.17
2023-04-12 10:45	0	73.66
2023-04-12 11:00	0	80.31
2023-04-12 11:15	0	76.92
2023-04-12 11:30	0	82.54
2023-04-12 11:45	0	82.45
2023-04-12 12:00	0	78.48
2023-04-12 12:15	0	70.81
2023-04-12 12:30	0	73.14
2023-04-12 12:45	0	80.43
2023-04-12 13:00	0	83.37
2023-04-12 13:15	0	81.69
2023-04-12 13:30	0	88.31
2023-04-12 13:45	0	85.79
2023-04-12 14:00	0	83.13
2023-04-12 14:15	0	75.62
2023-04-12 14:30	0	77.8
2023-04-12 14:45	0	74.74
2023-04-12 15:00	0	71.78
2023-04-12 15:15	0	64.35
2023-04-12 15:30	55.78	16.64
2023-04-12 15:45	81.89	0
2023-04-12 16:00	86.42	0
2023-04-12 16:15	75.55	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-12 16:30	82.72	0
2023-04-12 16:45	81.92	37.86
2023-04-12 17:00	86.51	81.35
2023-04-12 17:15	74.51	81.98
2023-04-12 17:30	80.95	86.82
2023-04-12 17:45	91.87	87.32
2023-04-12 18:00	75.61	80.79
2023-04-12 18:15	76.33	73.02
2023-04-12 18:30	77.86	73.65
2023-04-12 18:45	77.27	4.99
2023-04-12 19:00	75.45	0
2023-04-12 19:15	77.28	0
2023-04-12 19:30	76.06	0
2023-04-12 19:45	76.96	0
2023-04-12 20:00	75.65	0
2023-04-12 20:15	76.8	0
2023-04-12 20:30	79.38	58.43
2023-04-12 20:45	75.93	77.89
2023-04-12 21:00	78.66	85.83
2023-04-12 21:15	78.06	88.21
2023-04-12 21:30	82.5	82.35
2023-04-12 21:45	78.89	79.6
2023-04-12 22:00	82.81	72.08
2023-04-12 22:15	90.99	71.31
2023-04-12 22:30	78.17	73.91
2023-04-12 22:45	78.43	77.43
2023-04-12 23:00	78.87	82.63
2023-04-12 23:15	91.26	84.49
2023-04-12 23:30	76.79	77.72
2023-04-12 23:45	80.56	77.27
2023-04-13 00:00	77.63	71.31
2023-04-13 00:15	78.38	72.1
2023-04-13 00:30	76.89	73.41
2023-04-13 00:45	78.23	77.71
2023-04-13 01:00	89.23	78.93
2023-04-13 01:15	76.27	71.51
2023-04-13 01:30	79.82	71.45
2023-04-13 01:45	78.39	74.75
2023-04-13 02:00	78.67	73.02
2023-04-13 02:15	77.21	76.23
2023-04-13 02:30	83.75	86.41
2023-04-13 02:45	99.23	90.6

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-13 03:00	79.54	73.35
2023-04-13 03:15	77.51	72.83
2023-04-13 03:30	79.54	74.1
2023-04-13 03:45	84.02	78.26
2023-04-13 04:00	76.53	75.67
2023-04-13 04:15	79.31	80.6
2023-04-13 04:30	77.13	82.1
2023-04-13 04:45	77.58	88.03
2023-04-13 05:00	76.55	76.02
2023-04-13 05:15	79.3	72.45
2023-04-13 05:30	79.09	74.01
2023-04-13 05:45	76.13	76.78
2023-04-13 06:00	77.25	81.03
2023-04-13 06:15	76.21	87.59
2023-04-13 06:30	78.77	85.1
2023-04-13 06:45	75.82	74
2023-04-13 07:00	78.24	76.05
2023-04-13 07:15	78.46	11.88
2023-04-13 07:30	76.69	0
2023-04-13 07:45	76.59	0
2023-04-13 08:00	76.56	0
2023-04-13 08:15	81.11	0
2023-04-13 08:30	74.36	0
2023-04-13 08:45	79.16	0
2023-04-13 09:00	79.4	0
2023-04-13 09:15	80.33	0
2023-04-13 09:30	74.68	0
2023-04-13 09:45	78.02	0
2023-04-13 10:00	73.55	0
2023-04-13 10:15	NA	NA
2023-04-13 10:30	NA	NA
2023-04-13 10:45	NA	NA
2023-04-13 11:00	NA	NA
2023-04-13 11:15	NA	NA
2023-04-13 11:30	NA	NA
2023-04-13 11:45	NA	NA
2023-04-13 12:00	NA	NA
2023-04-13 12:15	75.24	74.28
2023-04-13 12:30	76.17	80.61
2023-04-13 12:45	77.18	88.02
2023-04-13 13:00	73.22	79.7
2023-04-13 13:15	89.18	71.3

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-13 13:30	75.83	68.79
2023-04-13 13:45	77.02	71.51
2023-04-13 14:00	75.41	67.32
2023-04-13 14:15	77.17	68.5
2023-04-13 14:30	76.39	72.15
2023-04-13 14:45	74.75	81.3
2023-04-13 15:00	78.68	80.09
2023-04-13 15:15	76.92	72.56
2023-04-13 15:30	78.81	72.26
2023-04-13 15:45	74.92	71.67
2023-04-13 16:00	78.67	73.06
2023-04-13 16:15	80.64	73.6
2023-04-13 16:30	77.22	78.01
2023-04-13 16:45	76.9	83.47
2023-04-13 17:00	77.27	84.67
2023-04-13 17:15	87.94	82.82
2023-04-13 17:30	75.26	80.79
2023-04-13 17:45	78.4	71.87
2023-04-13 18:00	84	73.26
2023-04-13 18:15	85.52	71.69
2023-04-13 18:30	75.44	75.95
2023-04-13 18:45	77.98	80.67
2023-04-13 19:00	82.4	83.47
2023-04-13 19:15	75.65	82.89
2023-04-13 19:30	76.3	84.28
2023-04-13 19:45	77.99	70.53
2023-04-13 20:00	76.85	70.31
2023-04-13 20:15	75.23	73.27
2023-04-13 20:30	76.96	76.9
2023-04-13 20:45	76.35	79.71
2023-04-13 21:00	76.55	83.85
2023-04-13 21:15	75.73	85.68
2023-04-13 21:30	76.55	88.52
2023-04-13 21:45	78.58	74.09
2023-04-13 22:00	76.14	72.7
2023-04-13 22:15	78.32	72.82
2023-04-13 22:30	79.02	74.63
2023-04-13 22:45	81.2	77.59
2023-04-13 23:00	77.87	80.5
2023-04-13 23:15	82.48	84.34
2023-04-13 23:30	83.92	92.58
2023-04-13 23:45	78.73	78.87

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-14 00:00	82.13	74.05
2023-04-14 00:15	83.49	76.68
2023-04-14 00:30	86.33	88.58
2023-04-14 00:45	77.92	70.12
2023-04-14 01:00	82.17	69.37
2023-04-14 01:15	89.1	69.24
2023-04-14 01:30	82.16	68.89
2023-04-14 01:45	77.99	68.77
2023-04-14 02:00	77.94	68.3
2023-04-14 02:15	77.55	69.02
2023-04-14 02:30	76.4	69.3
2023-04-14 02:45	78.87	69.03
2023-04-14 03:00	77.14	65.47
2023-04-14 03:15	77.15	63.38
2023-04-14 03:30	76.83	62.82
2023-04-14 03:45	79.4	63.24
2023-04-14 04:00	79.14	62.2
2023-04-14 04:15	76.97	63.38
2023-04-14 04:30	79.78	76.03
2023-04-14 04:45	78.67	91.05
2023-04-14 05:00	79	82.72
2023-04-14 05:15	78.3	87.19
2023-04-14 05:30	80.89	90.19
2023-04-14 05:45	79.03	88.06
2023-04-14 06:00	78.65	74.45
2023-04-14 06:15	79.51	79.81
2023-04-14 06:30	79.48	78.84
2023-04-14 06:45	86.85	77
2023-04-14 07:00	76.97	80.82
2023-04-14 07:15	80.01	88.72
2023-04-14 07:30	80.86	83.09
2023-04-14 07:45	82.33	73.84
2023-04-14 08:00	76.14	72.69
2023-04-14 08:15	77.81	74.96
2023-04-14 08:30	76.49	77.22
2023-04-14 08:45	75.48	80.54
2023-04-14 09:00	77	82.63
2023-04-14 09:15	76.7	86.94
2023-04-14 09:30	76.86	85.69
2023-04-14 09:45	76.85	74.5
2023-04-14 10:00	79.44	73.84
2023-04-14 10:15	77.64	77.2

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-14 10:30	77.48	78.4
2023-04-14 10:45	78.51	78.82
2023-04-14 11:00	80.54	80.6
2023-04-14 11:15	80.6	85.69
2023-04-14 11:30	76.49	76.19
2023-04-14 11:45	80.64	73.7
2023-04-14 12:00	77.32	76.87
2023-04-14 12:15	76.63	83.21
2023-04-14 12:30	75.68	83.06
2023-04-14 12:45	77.85	70.63
2023-04-14 13:00	85.93	79.46
2023-04-14 13:15	77.66	85.05
2023-04-14 13:30	81.09	72.9
2023-04-14 13:45	79.79	71.46
2023-04-14 14:00	90.17	70.79
2023-04-14 14:15	80.75	74.66
2023-04-14 14:30	82.49	87.01
2023-04-14 14:45	78.5	77
2023-04-14 15:00	78.03	80.46
2023-04-14 15:15	78.66	78.12
2023-04-14 15:30	79.51	74.89
2023-04-14 15:45	78.35	81.19
2023-04-14 16:00	76.03	73.11
2023-04-14 16:15	79.04	71.06
2023-04-14 16:30	77.05	74.18
2023-04-14 16:45	76.48	80.93
2023-04-14 17:00	76.12	86.36
2023-04-14 17:15	79.04	73.25
2023-04-14 17:30	78.56	70.11
2023-04-14 17:45	76.95	71.4
2023-04-14 18:00	78.41	72.58
2023-04-14 18:15	78.92	71.98
2023-04-14 18:30	78.66	76.18
2023-04-14 18:45	77.33	76.91
2023-04-14 19:00	81.09	87.18
2023-04-14 19:15	81.7	73.09
2023-04-14 19:30	81.37	67.99
2023-04-14 19:45	80.04	67.76
2023-04-14 20:00	79.56	71.03
2023-04-14 20:15	87.26	73.8
2023-04-14 20:30	76.77	75.9
2023-04-14 20:45	79.45	79.09

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-14 21:00	78.64	85.03
2023-04-14 21:15	78.53	71.04
2023-04-14 21:30	78.01	69.95
2023-04-14 21:45	80.27	69.49
2023-04-14 22:00	79.42	71.32
2023-04-14 22:15	78.76	73.12
2023-04-14 22:30	79.23	75.8
2023-04-14 22:45	79.56	78.64
2023-04-14 23:00	78.92	82.7
2023-04-14 23:15	77.67	82.08
2023-04-14 23:30	80.16	68.91
2023-04-14 23:45	78.39	67.83
2023-04-15 00:00	78.82	70.72
2023-04-15 00:15	79.19	70.58
2023-04-15 00:30	80.67	75.6
2023-04-15 00:45	81.27	77.79
2023-04-15 01:00	77.48	80.62
2023-04-15 01:15	82.91	65.71
2023-04-15 01:30	80.19	64.72
2023-04-15 01:45	84.27	67.26
2023-04-15 02:00	81.61	70.06
2023-04-15 02:15	83.54	72.25
2023-04-15 02:30	90.04	75.12
2023-04-15 02:45	81.36	80.87
2023-04-15 03:00	80.22	81.62
2023-04-15 03:15	80.36	65.96
2023-04-15 03:30	81.2	65.64
2023-04-15 03:45	79.31	68.21
2023-04-15 04:00	82.23	72.37
2023-04-15 04:15	80.05	73.12
2023-04-15 04:30	80.6	78.54
2023-04-15 04:45	80.98	83.25
2023-04-15 05:00	82.68	83.61
2023-04-15 05:15	82.02	83.35
2023-04-15 05:30	80.2	71.24
2023-04-15 05:45	81.91	70
2023-04-15 06:00	80.74	75.14
2023-04-15 06:15	81.48	76.64
2023-04-15 06:30	79.99	80.59
2023-04-15 06:45	83.74	85.12
2023-04-15 07:00	82.18	81.28
2023-04-15 07:15	79.89	66.01

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-15 07:30	81.89	67.36
2023-04-15 07:45	80.63	67.86
2023-04-15 08:00	85.6	73.54
2023-04-15 08:15	78.15	76.68
2023-04-15 08:30	82.78	85.97
2023-04-15 08:45	84.29	95.68
2023-04-15 09:00	83.77	98.13
2023-04-15 09:15	78.99	79.7
2023-04-15 09:30	79.81	75.3
2023-04-15 09:45	88.86	75.55
2023-04-15 10:00	76.61	74.39
2023-04-15 10:15	78.25	75.52
2023-04-15 10:30	77.6	77.02
2023-04-15 10:45	78.49	82.57
2023-04-15 11:00	76.95	82.94
2023-04-15 11:15	79.13	69.22
2023-04-15 11:30	77.33	69.43
2023-04-15 11:45	77.28	71.11
2023-04-15 12:00	78.62	71.36
2023-04-15 12:15	79.43	74.5
2023-04-15 12:30	79.43	80.33
2023-04-15 12:45	78.06	91.31
2023-04-15 13:00	81.99	88.16
2023-04-15 13:15	79.47	74.98
2023-04-15 13:30	79.63	73.84
2023-04-15 13:45	79.65	74.75
2023-04-15 14:00	82.21	75.94
2023-04-15 14:15	83.87	78.61
2023-04-15 14:30	79.73	81.5
2023-04-15 14:45	84.84	83.71
2023-04-15 15:00	81.62	82.95
2023-04-15 15:15	90.77	71.48
2023-04-15 15:30	79.79	70.25
2023-04-15 15:45	80.18	70
2023-04-15 16:00	79.6	68.79
2023-04-15 16:15	80.99	73.48
2023-04-15 16:30	80.73	78.57
2023-04-15 16:45	80.54	85.52
2023-04-15 17:00	80.44	81.88
2023-04-15 17:15	79.02	72.84
2023-04-15 17:30	79.5	72.02
2023-04-15 17:45	75.18	69.91

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-15 18:00	74.71	68.63
2023-04-15 18:15	73.87	69.29
2023-04-15 18:30	74.16	69.28
2023-04-15 18:45	121.82	77.98
2023-04-15 19:00	81.75	81.19
2023-04-15 19:15	86.89	70.17
2023-04-15 19:30	82.01	69.29
2023-04-15 19:45	84.14	72.33
2023-04-15 20:00	80.6	74.97
2023-04-15 20:15	84.58	78.18
2023-04-15 20:30	82.87	82.21
2023-04-15 20:45	80.75	92.59
2023-04-15 21:00	82.75	84.71
2023-04-15 21:15	81.8	71.07
2023-04-15 21:30	92.21	74.34
2023-04-15 21:45	80.02	76.41
2023-04-15 22:00	85.26	74.52
2023-04-15 22:15	84.77	77.05
2023-04-15 22:30	87.45	81.2
2023-04-15 22:45	81.83	86.67
2023-04-15 23:00	82.82	85.25
2023-04-15 23:15	82.16	76.88
2023-04-15 23:30	81.7	76
2023-04-15 23:45	84.09	77.68
2023-04-16 00:00	83.94	79.54
2023-04-16 00:15	85.06	82.86
2023-04-16 00:30	83.43	88.03
2023-04-16 00:45	87	94.42
2023-04-16 01:00	85.06	83.74
2023-04-16 01:15	83.4	77.09
2023-04-16 01:30	83.8	77.46
2023-04-16 01:45	85.7	79.02
2023-04-16 02:00	85.38	81.05
2023-04-16 02:15	81.55	83.5
2023-04-16 02:30	87.07	88.95
2023-04-16 02:45	83.7	88.97
2023-04-16 03:00	84.16	91.16
2023-04-16 03:15	82.81	82.06
2023-04-16 03:30	86.05	79.47
2023-04-16 03:45	85.58	75.74
2023-04-16 04:00	82.53	80.43
2023-04-16 04:15	84.42	81.63

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-16 04:30	83.45	85.07
2023-04-16 04:45	96.4	89.97
2023-04-16 05:00	82.3	88.93
2023-04-16 05:15	85.82	80.95
2023-04-16 05:30	92.28	79.43
2023-04-16 05:45	88.33	74.51
2023-04-16 06:00	81.02	76.58
2023-04-16 06:15	81.92	78.72
2023-04-16 06:30	80.49	88.01
2023-04-16 06:45	79.08	90.51
2023-04-16 07:00	82.08	78.44
2023-04-16 07:15	80.3	79.36
2023-04-16 07:30	81.29	75.34
2023-04-16 07:45	79.29	75.26
2023-04-16 08:00	81.69	76.82
2023-04-16 08:15	81.52	80.78
2023-04-16 08:30	77.13	78.19
2023-04-16 08:45	80.97	84.33
2023-04-16 09:00	79.1	78.4
2023-04-16 09:15	81.98	84.54
2023-04-16 09:30	78.48	72.5
2023-04-16 09:45	82.49	77.94
2023-04-16 10:00	79.3	80.4
2023-04-16 10:15	77.91	86.74
2023-04-16 10:30	77.16	93.39
2023-04-16 10:45	77.98	82.8
2023-04-16 11:00	90.56	86.37
2023-04-16 11:15	76.49	85.81
2023-04-16 11:30	79.26	73.07
2023-04-16 11:45	78.95	71.84
2023-04-16 12:00	80.6	75.95
2023-04-16 12:15	78.37	73.22
2023-04-16 12:30	80.7	73.3
2023-04-16 12:45	83.73	73.84
2023-04-16 13:00	78.73	74.04
2023-04-16 13:15	79.97	72.03
2023-04-16 13:30	79.11	72.5
2023-04-16 13:45	91.58	73.41
2023-04-16 14:00	78.66	93.76
2023-04-16 14:15	81.26	78.88
2023-04-16 14:30	78.68	71.38
2023-04-16 14:45	78.79	71.93

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-16 15:00	78.8	74.59
2023-04-16 15:15	80.26	81.21
2023-04-16 15:30	79.83	76.06
2023-04-16 15:45	76.9	75.61
2023-04-16 16:00	81.65	72.06
2023-04-16 16:15	78.52	72.72
2023-04-16 16:30	79.91	72.07
2023-04-16 16:45	78.28	74.65
2023-04-16 17:00	80.54	77.3
2023-04-16 17:15	84.68	84.48
2023-04-16 17:30	79	88.35
2023-04-16 17:45	79.57	78
2023-04-16 18:00	78.26	72.24
2023-04-16 18:15	82.81	72.63
2023-04-16 18:30	77.06	72.25
2023-04-16 18:45	79.43	75.21
2023-04-16 19:00	77.66	80.09
2023-04-16 19:15	78	86.96
2023-04-16 19:30	77.94	88.56
2023-04-16 19:45	79.65	76
2023-04-16 20:00	78.88	82.12
2023-04-16 20:15	77.84	72.51
2023-04-16 20:30	80.05	72.8
2023-04-16 20:45	78.83	72.58
2023-04-16 21:00	79.85	80.71
2023-04-16 21:15	78.87	87.32
2023-04-16 21:30	82.32	86.34
2023-04-16 21:45	81.5	75.09
2023-04-16 22:00	80.27	72.63
2023-04-16 22:15	83.22	73.88
2023-04-16 22:30	81.58	73.67
2023-04-16 22:45	85.15	76.39
2023-04-16 23:00	79.72	79.6
2023-04-16 23:15	83.98	81.02
2023-04-16 23:30	85.1	79.15
2023-04-16 23:45	86.26	71.49
2023-04-17 00:00	79.98	67.67
2023-04-17 00:15	81.51	67.68
2023-04-17 00:30	87.43	67.74
2023-04-17 00:45	78.37	68.84
2023-04-17 01:00	80.58	72.39
2023-04-17 01:15	79.75	74.68

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-17 01:30	80.54	75.14
2023-04-17 01:45	80.41	70.07
2023-04-17 02:00	81.92	67.27
2023-04-17 02:15	79.83	69.29
2023-04-17 02:30	79.59	72.72
2023-04-17 02:45	80.64	74.11
2023-04-17 03:00	80.32	75.38
2023-04-17 03:15	80.2	78.7
2023-04-17 03:30	80.12	83.92
2023-04-17 03:45	82.18	82.83
2023-04-17 04:00	80.95	72.89
2023-04-17 04:15	81.89	72.96
2023-04-17 04:30	81.74	74.45
2023-04-17 04:45	84.54	77.14
2023-04-17 05:00	83.21	78.96
2023-04-17 05:15	79.72	81.46
2023-04-17 05:30	83.52	85.73
2023-04-17 05:45	80.36	83.04
2023-04-17 06:00	89.98	73.1
2023-04-17 06:15	79.5	71.55
2023-04-17 06:30	87.55	72.31
2023-04-17 06:45	89.95	75.16
2023-04-17 07:00	82.12	83.31
2023-04-17 07:15	79.42	86.36
2023-04-17 07:30	79.28	81.5
2023-04-17 07:45	79.3	78.65
2023-04-17 08:00	77.14	72.15
2023-04-17 08:15	79.42	72.12
2023-04-17 08:30	77.64	73.65
2023-04-17 08:45	78.21	76.29
2023-04-17 09:00	78.11	86.05
2023-04-17 09:15	80.21	85.75
2023-04-17 09:30	78.65	79.85
2023-04-17 09:45	76.99	78.71
2023-04-17 10:00	79.05	74.46
2023-04-17 10:15	78.66	74.15
2023-04-17 10:30	82.36	75.33
2023-04-17 10:45	81.77	77.84
2023-04-17 11:00	86	85.24
2023-04-17 11:15	83.59	89.16
2023-04-17 11:30	80.98	81.41
2023-04-17 11:45	82.19	80.17

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-17 12:00	80.51	75.29
2023-04-17 12:15	88.54	74.75
2023-04-17 12:30	78.36	76.23
2023-04-17 12:45	82.24	78.98
2023-04-17 13:00	84.22	87.01
2023-04-17 13:15	88.2	89.59
2023-04-17 13:30	77.34	83.36
2023-04-17 13:45	78.93	79.88
2023-04-17 14:00	78.4	72.56
2023-04-17 14:15	76.54	72.8
2023-04-17 14:30	77.89	74.22
2023-04-17 14:45	77.26	76.82
2023-04-17 15:00	77.06	84.07
2023-04-17 15:15	75.92	88.31
2023-04-17 15:30	78.55	77.48
2023-04-17 15:45	76.21	75.88
2023-04-17 16:00	76.4	70.84
2023-04-17 16:15	77.07	71.8
2023-04-17 16:30	78.42	73.82
2023-04-17 16:45	77.9	76.53
2023-04-17 17:00	76.06	81.05
2023-04-17 17:15	80.01	85.53
2023-04-17 17:30	78.13	77.02
2023-04-17 17:45	78.91	73.21
2023-04-17 18:00	77.68	70.12
2023-04-17 18:15	80.13	69.76
2023-04-17 18:30	79.74	71.62
2023-04-17 18:45	77.53	74.56
2023-04-17 19:00	80.4	84.14
2023-04-17 19:15	78.32	87.75
2023-04-17 19:30	89.58	77.57
2023-04-17 19:45	77.53	73.88
2023-04-17 20:00	79.14	72.56
2023-04-17 20:15	80.27	72.46
2023-04-17 20:30	80.13	72.77
2023-04-17 20:45	79.07	77.17
2023-04-17 21:00	79.19	83.12
2023-04-17 21:15	78.37	86.33
2023-04-17 21:30	77.84	77.6
2023-04-17 21:45	80.28	72.97
2023-04-17 22:00	78.91	70.73
2023-04-17 22:15	80.27	70.94

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-17 22:30	79.7	74.3
2023-04-17 22:45	81.21	78.86
2023-04-17 23:00	79.73	85.47
2023-04-17 23:15	78.43	87.43
2023-04-17 23:30	81.76	79.77
2023-04-17 23:45	80.3	73.63
2023-04-18 00:00	82.27	72.69
2023-04-18 00:15	79.35	73.6
2023-04-18 00:30	82.67	74.79
2023-04-18 00:45	81.62	81.01
2023-04-18 01:00	80.73	83.43
2023-04-18 01:15	81.26	85.37
2023-04-18 01:30	81.69	79.7
2023-04-18 01:45	89.46	73.78
2023-04-18 02:00	78.39	71.56
2023-04-18 02:15	81.09	72.32
2023-04-18 02:30	81.57	73.59
2023-04-18 02:45	84	77.98
2023-04-18 03:00	79.24	78.07
2023-04-18 03:15	81.59	82.69
2023-04-18 03:30	84.2	80.2
2023-04-18 03:45	79.94	81.3
2023-04-18 04:00	80.07	67.77
2023-04-18 04:15	79.84	67.51
2023-04-18 04:30	80.17	71.36
2023-04-18 04:45	78	74.74
2023-04-18 05:00	82	69.78
2023-04-18 05:15	83.22	76.05
2023-04-18 05:30	81.92	71.63
2023-04-18 05:45	80.83	74.79
2023-04-18 06:00	81.47	71.26
2023-04-18 06:15	81.16	73.49
2023-04-18 06:30	78.29	76.93
2023-04-18 06:45	83.05	83.98
2023-04-18 07:00	80.41	87.58
2023-04-18 07:15	83.19	75.82
2023-04-18 07:30	80.15	75.4
2023-04-18 07:45	81.4	72.12
2023-04-18 08:00	85.44	73.46
2023-04-18 08:15	79.29	74.6
2023-04-18 08:30	79.41	79.87
2023-04-18 08:45	78.31	84.04

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-18 09:00	84.74	90.16
2023-04-18 09:15	76.85	82.33
2023-04-18 09:30	78.93	78.34
2023-04-18 09:45	77.28	74.44
2023-04-18 10:00	77.18	74.45
2023-04-18 10:15	77.77	75.27
2023-04-18 10:30	78.74	80.02
2023-04-18 10:45	77.16	84.51
2023-04-18 11:00	76.41	89.99
2023-04-18 11:15	78.52	80.19
2023-04-18 11:30	77.28	73.85
2023-04-18 11:45	78.04	72.15
2023-04-18 12:00	77.73	73.07
2023-04-18 12:15	80.5	79.71
2023-04-18 12:30	78.78	81.66
2023-04-18 12:45	77.5	82.29
2023-04-18 13:00	79.91	85.1
2023-04-18 13:15	79.13	80.85
2023-04-18 13:30	81.23	71.09
2023-04-18 13:45	78.23	72.53
2023-04-18 14:00	81.07	72.98
2023-04-18 14:15	81.15	75.79
2023-04-18 14:30	80.49	80.91
2023-04-18 14:45	80.06	80.63
2023-04-18 15:00	80.98	85.77
2023-04-18 15:15	82.12	80.46
2023-04-18 15:30	80.83	82.28
2023-04-18 15:45	83.65	77.43
2023-04-18 16:00	83.17	72.83
2023-04-18 16:15	90.63	72.44
2023-04-18 16:30	80.67	75.75
2023-04-18 16:45	81.96	75.28
2023-04-18 17:00	79.92	82.91
2023-04-18 17:15	79.16	81.79
2023-04-18 17:30	80.02	85.78
2023-04-18 17:45	80.07	70.78
2023-04-18 18:00	80.58	72.65
2023-04-18 18:15	78.83	75.15
2023-04-18 18:30	81.85	81.16
2023-04-18 18:45	79.65	83.6
2023-04-18 19:00	79.97	85.2
2023-04-18 19:15	79.97	80.28

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-18 19:30	81.66	72.15
2023-04-18 19:45	82.18	71.79
2023-04-18 20:00	78.61	73.59
2023-04-18 20:15	83.6	75.24
2023-04-18 20:30	80.97	81.07
2023-04-18 20:45	86.97	84.27
2023-04-18 21:00	80.6	84.92
2023-04-18 21:15	82.28	81.62
2023-04-18 21:30	88.21	73.54
2023-04-18 21:45	83.58	71.92
2023-04-18 22:00	80.69	73.78
2023-04-18 22:15	80.56	75.74
2023-04-18 22:30	81.48	78.57
2023-04-18 22:45	79.32	82.17
2023-04-18 23:00	81.37	82.38
2023-04-18 23:15	79.72	78.73
2023-04-18 23:30	80.21	71.21
2023-04-18 23:45	80.18	70.77
2023-04-19 00:00	82.45	72.63
2023-04-19 00:15	81.21	74.48
2023-04-19 00:30	80.04	80.15
2023-04-19 00:45	82.38	84.42
2023-04-19 01:00	81.12	87.36
2023-04-19 01:15	82.22	86.49
2023-04-19 01:30	81.46	73.78
2023-04-19 01:45	84.55	73.38
2023-04-19 02:00	84.2	75.59
2023-04-19 02:15	82.31	78.56
2023-04-19 02:30	83.69	83.4
2023-04-19 02:45	83.3	85.98
2023-04-19 03:00	86.05	85.5
2023-04-19 03:15	82.44	86.39
2023-04-19 03:30	86.79	84.16
2023-04-19 03:45	84.29	73.26
2023-04-19 04:00	91.82	74.5
2023-04-19 04:15	81.57	75.99
2023-04-19 04:30	83.42	79.45
2023-04-19 04:45	84.31	85.53
2023-04-19 05:00	81.94	84.2
2023-04-19 05:15	83.14	89.46
2023-04-19 05:30	83.01	82.78
2023-04-19 05:45	85.06	73.99

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-19 06:00	81.44	73.55
2023-04-19 06:15	84.32	77.91
2023-04-19 06:30	81.68	82.01
2023-04-19 06:45	81.45	86.61
2023-04-19 07:00	82.25	84.78
2023-04-19 07:15	82.95	83.81
2023-04-19 07:30	81.82	72.8
2023-04-19 07:45	79.46	73.05
2023-04-19 08:00	83.04	73.79
2023-04-19 08:15	80.06	79.06
2023-04-19 08:30	81.43	80.38
2023-04-19 08:45	80.57	77.9
2023-04-19 09:00	82.69	81.81
2023-04-19 09:15	85.65	86.78
2023-04-19 09:30	80.97	72.9
2023-04-19 09:45	82.87	72.81
2023-04-19 10:00	79.82	73.57
2023-04-19 10:15	94.61	77.45
2023-04-19 10:30	78.64	79.38
2023-04-19 10:45	80.98	82.9
2023-04-19 11:00	80.9	84.05
2023-04-19 11:15	79.23	88.05
2023-04-19 11:30	81.61	76.61
2023-04-19 11:45	82.58	78.86
2023-04-19 12:00	80.15	73.75
2023-04-19 12:15	77.74	74.19
2023-04-19 12:30	80.05	80.11
2023-04-19 12:45	78.67	83.48
2023-04-19 13:00	79.64	85.08
2023-04-19 13:15	80.39	87.61
2023-04-19 13:30	83.29	94.41
2023-04-19 13:45	82.65	82.12
2023-04-19 14:00	82.57	84.01
2023-04-19 14:15	86.41	84.75
2023-04-19 14:30	85.24	127.88
2023-04-19 14:45	87.21	100.84
2023-04-19 15:00	83.15	94.07
2023-04-19 15:15	86.95	94.64
2023-04-19 15:30	83.71	85.78
2023-04-19 15:45	83.4	75.92
2023-04-19 16:00	84.18	94.56
2023-04-19 16:15	83.86	90.49

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-19 16:30	94.99	83.29
2023-04-19 16:45	80.04	85.52
2023-04-19 17:00	82.95	90.31
2023-04-19 17:15	83.79	75.92
2023-04-19 17:30	84.3	73.87
2023-04-19 17:45	79.08	72.42
2023-04-19 18:00	81.28	75.99
2023-04-19 18:15	79.49	76.87
2023-04-19 18:30	79.03	80.27
2023-04-19 18:45	80.13	82.84
2023-04-19 19:00	79.96	87.35
2023-04-19 19:15	80.36	72.78
2023-04-19 19:30	79.62	72.16
2023-04-19 19:45	81.76	73.81
2023-04-19 20:00	79.49	77.39
2023-04-19 20:15	79.83	79.72
2023-04-19 20:30	79.97	83.31
2023-04-19 20:45	81.36	85.76
2023-04-19 21:00	81.02	89.68
2023-04-19 21:15	78.52	74.77
2023-04-19 21:30	82.39	74
2023-04-19 21:45	80.07	75.26
2023-04-19 22:00	82.9	78.99
2023-04-19 22:15	80.4	80
2023-04-19 22:30	82.67	83.46
2023-04-19 22:45	86.66	81.95
2023-04-19 23:00	81.96	81.66
2023-04-19 23:15	81.81	72.61
2023-04-19 23:30	81.06	73.44
2023-04-19 23:45	92.01	74.34
2023-04-20 00:00	79.22	78.18
2023-04-20 00:15	81.59	81.37
2023-04-20 00:30	79.95	86.86
2023-04-20 00:45	79.92	87.7
2023-04-20 01:00	80.33	82.12
2023-04-20 01:15	81.53	74.24
2023-04-20 01:30	80.65	74.33
2023-04-20 01:45	79.9	75.55
2023-04-20 02:00	82.33	79.17
2023-04-20 02:15	80.81	81.41
2023-04-20 02:30	81.1	86.08
2023-04-20 02:45	80.21	89.3

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-20 03:00	82.47	91.88
2023-04-20 03:15	80.98	79.04
2023-04-20 03:30	80.39	75.1
2023-04-20 03:45	81.86	75.24
2023-04-20 04:00	81.9	78.92
2023-04-20 04:15	84.4	81.63
2023-04-20 04:30	80.44	85.58
2023-04-20 04:45	84.91	89.84
2023-04-20 05:00	82.04	91.48
2023-04-20 05:15	82.72	78.59
2023-04-20 05:30	82.36	75.06
2023-04-20 05:45	83.46	75.37
2023-04-20 06:00	94.61	79.95
2023-04-20 06:15	80.05	82.31
2023-04-20 06:30	81.58	86.07
2023-04-20 06:45	81.02	89.75
2023-04-20 07:00	80.59	78.73
2023-04-20 07:15	79.64	74.36
2023-04-20 07:30	80.89	75.75
2023-04-20 07:45	78.97	80.01
2023-04-20 08:00	78.81	82
2023-04-20 08:15	79.14	85.53
2023-04-20 08:30	79.76	87.1
2023-04-20 08:45	79.29	93.56
2023-04-20 09:00	77.97	75.45
2023-04-20 09:15	81.01	113.44
2023-04-20 09:30	79.56	110.09
2023-04-20 09:45	80.76	130.57
2023-04-20 10:00	80.27	94.31
2023-04-20 10:15	81.71	80.87
2023-04-20 10:30	81.87	81.05
2023-04-20 10:45	79.34	75.2
2023-04-20 11:00	83.61	76.43
2023-04-20 11:15	81.95	76.63
2023-04-20 11:30	89.39	78.13
2023-04-20 11:45	82.39	84.01
2023-04-20 12:00	83.41	96.73
2023-04-20 12:15	89.97	135.52
2023-04-20 12:30	85.07	152.92
2023-04-20 12:45	80.24	158.7
2023-04-20 13:00	79.88	143.79
2023-04-20 13:15	81.41	94.22

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-20 13:30	79.04	157.99
2023-04-20 13:45	81.04	164.25
2023-04-20 14:00	81.26	60.69
2023-04-20 14:15	81.04	0
2023-04-20 14:30	78.45	0
2023-04-20 14:45	80.02	0
2023-04-20 15:00	79.27	0
2023-04-20 15:15	78.61	0
2023-04-20 15:30	80.69	0
2023-04-20 15:45	79.5	0
2023-04-20 16:00	81.15	0
2023-04-20 16:15	79.54	0
2023-04-20 16:30	83.04	0
2023-04-20 16:45	81.7	0
2023-04-20 17:00	80.85	0
2023-04-20 17:15	82.22	0
2023-04-20 17:30	82.04	0
2023-04-20 17:45	85.92	0
2023-04-20 18:00	80.64	0
2023-04-20 18:15	84.23	0
2023-04-20 18:30	84.83	0
2023-04-20 18:45	89.32	0
2023-04-20 19:00	81.65	0
2023-04-20 19:15	83.38	0
2023-04-20 19:30	85.82	0
2023-04-20 19:45	81.85	0
2023-04-20 20:00	83.14	0
2023-04-20 20:15	82.73	0
2023-04-20 20:30	83.75	0
2023-04-20 20:45	82.6	0
2023-04-20 21:00	85.34	0
2023-04-20 21:15	82.69	0
2023-04-20 21:30	83.18	0
2023-04-20 21:45	84.09	0
2023-04-20 22:00	85.47	0
2023-04-20 22:15	86.38	0
2023-04-20 22:30	84.38	6.34
2023-04-20 22:45	87.89	0
2023-04-20 23:00	85	0
2023-04-20 23:15	87.3	0
2023-04-20 23:30	85.15	0
2023-04-20 23:45	88.16	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-21 00:00	91.69	0
2023-04-21 00:15	83.99	0
2023-04-21 00:30	86.66	0
2023-04-21 00:45	83.08	0
2023-04-21 01:00	97.28	0
2023-04-21 01:15	81.79	0
2023-04-21 01:30	85.41	0
2023-04-21 01:45	88.64	0
2023-04-21 02:00	83.22	0
2023-04-21 02:15	82.66	0
2023-04-21 02:30	83.64	0
2023-04-21 02:45	83.23	0
2023-04-21 03:00	81.37	0
2023-04-21 03:15	83.33	0
2023-04-21 03:30	81.19	0
2023-04-21 03:45	81.62	0
2023-04-21 04:00	81.55	0
2023-04-21 04:15	84.06	0
2023-04-21 04:30	82.64	0
2023-04-21 04:45	80.96	0
2023-04-21 05:00	82.6	0
2023-04-21 05:15	81.76	0
2023-04-21 05:30	82.65	0
2023-04-21 05:45	81.98	0
2023-04-21 06:00	85.99	44.6
2023-04-21 06:15	84.25	91.59
2023-04-21 06:30	83.05	91.66
2023-04-21 06:45	84.24	94.53
2023-04-21 07:00	83.54	98.51
2023-04-21 07:15	92.03	107.97
2023-04-21 07:30	80.79	109.8
2023-04-21 07:45	83.46	97.15
2023-04-21 08:00	83.3	91.88
2023-04-21 08:15	86.51	93.31
2023-04-21 08:30	79.03	94.15
2023-04-21 08:45	80.93	95.12
2023-04-21 09:00	79.84	101.07
2023-04-21 09:15	79.47	107.62
2023-04-21 09:30	80.6	108.92
2023-04-21 09:45	80.04	96.02
2023-04-21 10:00	80.9	89.23
2023-04-21 10:15	79.01	88.4

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-21 10:30	81.44	88.31
2023-04-21 10:45	78.75	91.18
2023-04-21 11:00	79.15	99.89
2023-04-21 11:15	79.19	105.25
2023-04-21 11:30	80.09	108.33
2023-04-21 11:45	80.52	96.28
2023-04-21 12:00	78.44	105.58
2023-04-21 12:15	80.71	93.33
2023-04-21 12:30	79.53	92.49
2023-04-21 12:45	80.85	92.23
2023-04-21 13:00	79.71	106.46
2023-04-21 13:15	81.8	107.4
2023-04-21 13:30	86.74	93.66
2023-04-21 13:45	81.41	91.96
2023-04-21 14:00	80.52	91.57
2023-04-21 14:15	80.23	91.94
2023-04-21 14:30	80.79	95.68
2023-04-21 14:45	79.37	98.51
2023-04-21 15:00	81.38	105.47
2023-04-21 15:15	79.78	105.74
2023-04-21 15:30	80	94.31
2023-04-21 15:45	80.08	89.29
2023-04-21 16:00	81.85	96.65
2023-04-21 16:15	80.9	90.16
2023-04-21 16:30	79.46	91.99
2023-04-21 16:45	82.19	96.16
2023-04-21 17:00	80.74	105.07
2023-04-21 17:15	81.95	103.72
2023-04-21 17:30	80.77	91.55
2023-04-21 17:45	83.12	90.45
2023-04-21 18:00	83.18	92.61
2023-04-21 18:15	80.63	92.38
2023-04-21 18:30	82.67	95.88
2023-04-21 18:45	81.26	98.53
2023-04-21 19:00	88.51	106.26
2023-04-21 19:15	79.84	100.61
2023-04-21 19:30	82.66	87.72
2023-04-21 19:45	84.45	86.64
2023-04-21 20:00	84.62	89.95
2023-04-21 20:15	79.78	89.87
2023-04-21 20:30	81.15	91.98
2023-04-21 20:45	80.94	95.82

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-21 21:00	79.55	105.57
2023-04-21 21:15	81.02	100.26
2023-04-21 21:30	80.08	89.52
2023-04-21 21:45	80.69	88.9
2023-04-21 22:00	80.14	91.28
2023-04-21 22:15	82.2	91.24
2023-04-21 22:30	80.62	92.9
2023-04-21 22:45	80.59	97.63
2023-04-21 23:00	81.58	107.8
2023-04-21 23:15	82.09	99.22
2023-04-21 23:30	82.98	89.33
2023-04-21 23:45	80.74	87.32
2023-04-22 00:00	85.5	89.03
2023-04-22 00:15	82.26	86.52
2023-04-22 00:30	83.7	94.1
2023-04-22 00:45	82.81	98.35
2023-04-22 01:00	83.79	104.35
2023-04-22 01:15	87.63	90.96
2023-04-22 01:30	80.9	89.41
2023-04-22 01:45	83.72	91.47
2023-04-22 02:00	82.03	92.56
2023-04-22 02:15	91.77	94.36
2023-04-22 02:30	80.46	97.86
2023-04-22 02:45	82.39	103.57
2023-04-22 03:00	89	104.24
2023-04-22 03:15	84.43	102.86
2023-04-22 03:30	81.89	93.83
2023-04-22 03:45	82.31	88.39
2023-04-22 04:00	82.23	89.47
2023-04-22 04:15	81.3	90.57
2023-04-22 04:30	83.59	94.38
2023-04-22 04:45	81.54	100.32
2023-04-22 05:00	81.85	101.33
2023-04-22 05:15	81.34	98.19
2023-04-22 05:30	83.76	90.13
2023-04-22 05:45	82.77	85.46
2023-04-22 06:00	81.41	90.6
2023-04-22 06:15	86.74	92.23
2023-04-22 06:30	83	95.57
2023-04-22 06:45	85.37	104.02
2023-04-22 07:00	81.32	102.8
2023-04-22 07:15	86.92	89.92

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-22 07:30	85.3	89.7
2023-04-22 07:45	82	92.09
2023-04-22 08:00	81.29	93.03
2023-04-22 08:15	81.09	94.91
2023-04-22 08:30	86.42	93.99
2023-04-22 08:45	79.53	108.5
2023-04-22 09:00	81.72	104.32
2023-04-22 09:15	82.43	91.37
2023-04-22 09:30	83.1	90.17
2023-04-22 09:45	80.65	91.54
2023-04-22 10:00	82.15	92.91
2023-04-22 10:15	80.19	94.98
2023-04-22 10:30	79.46	96.38
2023-04-22 10:45	81.26	106.37
2023-04-22 11:00	79.87	103.85
2023-04-22 11:15	80.28	99.43
2023-04-22 11:30	78.87	93.55
2023-04-22 11:45	80.08	87.65
2023-04-22 12:00	78.69	90.46
2023-04-22 12:15	78.39	91.53
2023-04-22 12:30	79.85	96.39
2023-04-22 12:45	81.03	108.65
2023-04-22 13:00	81.91	98.15
2023-04-22 13:15	78.61	98.97
2023-04-22 13:30	81.12	103.42
2023-04-22 13:45	80.05	116.37
2023-04-22 14:00	85.43	91.34
2023-04-22 14:15	83.54	93.71
2023-04-22 14:30	86.14	96.9
2023-04-22 14:45	94.87	104.08
2023-04-22 15:00	84.2	100.58
2023-04-22 15:15	84.95	89.96
2023-04-22 15:30	82.72	90.64
2023-04-22 15:45	92.02	93
2023-04-22 16:00	79.97	95.64
2023-04-22 16:15	82.17	96.4
2023-04-22 16:30	79.88	98.56
2023-04-22 16:45	81.13	96.02
2023-04-22 17:00	80.54	83.94
2023-04-22 17:15	81.35	82.34
2023-04-22 17:30	80.33	82.93
2023-04-22 17:45	78.85	91.17

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-22 18:00	82.89	93.04
2023-04-22 18:15	80.3	94.51
2023-04-22 18:30	81.05	98.86
2023-04-22 18:45	80.35	100.56
2023-04-22 19:00	82.79	87.27
2023-04-22 19:15	82.18	86.45
2023-04-22 19:30	79.82	88.71
2023-04-22 19:45	82.35	89.14
2023-04-22 20:00	80.85	92
2023-04-22 20:15	84.36	95.57
2023-04-22 20:30	80.53	103.82
2023-04-22 20:45	83.49	105.48
2023-04-22 21:00	84.93	88.69
2023-04-22 21:15	84.24	87.04
2023-04-22 21:30	81.79	88.98
2023-04-22 21:45	82.56	89.73
2023-04-22 22:00	88.09	92.3
2023-04-22 22:15	80.17	96.05
2023-04-22 22:30	82.42	103.79
2023-04-22 22:45	81.23	104.56
2023-04-22 23:00	81.35	88.78
2023-04-22 23:15	81.2	87.15
2023-04-22 23:30	82.7	88.72
2023-04-22 23:45	81.39	88.43
2023-04-23 00:00	81.06	90.18
2023-04-23 00:15	82.29	93.32
2023-04-23 00:30	82.02	103.03
2023-04-23 00:45	82.62	101.11
2023-04-23 01:00	81.27	86.59
2023-04-23 01:15	84.52	84.77
2023-04-23 01:30	82.59	87.34
2023-04-23 01:45	83.01	87.15
2023-04-23 02:00	83.21	90.75
2023-04-23 02:15	84.47	94.8
2023-04-23 02:30	86.52	104.13
2023-04-23 02:45	81.73	102.41
2023-04-23 03:00	89.81	97.42
2023-04-23 03:15	84.76	94.05
2023-04-23 03:30	88.62	86.76
2023-04-23 03:45	82.78	86.86
2023-04-23 04:00	85.24	91.29
2023-04-23 04:15	92.28	94.86

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-23 04:30	84.48	104.31
2023-04-23 04:45	83.06	102.28
2023-04-23 05:00	82.76	96.46
2023-04-23 05:15	94.12	95.46
2023-04-23 05:30	79.49	101.18
2023-04-23 05:45	82.34	103.04
2023-04-23 06:00	79.76	87.24
2023-04-23 06:15	80.36	88.69
2023-04-23 06:30	79.93	89.57
2023-04-23 06:45	82.34	90.27
2023-04-23 07:00	81.4	95.41
2023-04-23 07:15	77.26	99.51
2023-04-23 07:30	81.64	88.28
2023-04-23 07:45	78.14	84.35
2023-04-23 08:00	82.33	83.61
2023-04-23 08:15	76.74	84.63
2023-04-23 08:30	79.97	84.87
2023-04-23 08:45	81.75	85.03
2023-04-23 09:00	77.65	85.26
2023-04-23 09:15	79.5	85.3
2023-04-23 09:30	79.59	86.99
2023-04-23 09:45	83.92	88.28
2023-04-23 10:00	79.41	116.64
2023-04-23 10:15	83.02	144.33
2023-04-23 10:30	84.99	114.99
2023-04-23 10:45	86.18	94.88
2023-04-23 11:00	78.6	95.97
2023-04-23 11:15	80.67	101.89
2023-04-23 11:30	79.87	114.68
2023-04-23 11:45	78.54	112.69
2023-04-23 12:00	79.92	118.56
2023-04-23 12:15	79.18	126.84
2023-04-23 12:30	79.81	109.26
2023-04-23 12:45	78.73	95.11
2023-04-23 13:00	81.53	95.45
2023-04-23 13:15	78.78	98.73
2023-04-23 13:30	78.1	98.29
2023-04-23 13:45	79.23	100.59
2023-04-23 14:00	80.09	109.27
2023-04-23 14:15	80.27	121.71
2023-04-23 14:30	77.79	107.53
2023-04-23 14:45	81.64	94.21

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-23 15:00	78.32	106.72
2023-04-23 15:15	78.57	95.8
2023-04-23 15:30	78.83	94.01
2023-04-23 15:45	82.1	94.41
2023-04-23 16:00	86.04	95.96
2023-04-23 16:15	79.57	94
2023-04-23 16:30	85.6	94.81
2023-04-23 16:45	81.59	100.32
2023-04-23 17:00	95.36	106.31
2023-04-23 17:15	79.62	114.75
2023-04-23 17:30	81.46	108.96
2023-04-23 17:45	84.48	95.38
2023-04-23 18:00	79.21	95.48
2023-04-23 18:15	79.51	98.93
2023-04-23 18:30	79.68	98.65
2023-04-23 18:45	80.13	100.35
2023-04-23 19:00	79.43	103.67
2023-04-23 19:15	81.66	110.26
2023-04-23 19:30	79.31	98.57
2023-04-23 19:45	79.6	89.55
2023-04-23 20:00	78.89	101.48
2023-04-23 20:15	80.93	95.7
2023-04-23 20:30	80.12	87.98
2023-04-23 20:45	78.9	88.26
2023-04-23 21:00	82.75	101.94
2023-04-23 21:15	80.78	108.29
2023-04-23 21:30	85.04	93.8
2023-04-23 21:45	82.12	87.41
2023-04-23 22:00	87.89	87.65
2023-04-23 22:15	90.06	89.6
2023-04-23 22:30	84.71	91.09
2023-04-23 22:45	86.89	95.01
2023-04-23 23:00	82.64	103.48
2023-04-23 23:15	98.36	106.46
2023-04-23 23:30	79.49	90.24
2023-04-23 23:45	82.53	88.4
2023-04-24 00:00	82.98	104.17
2023-04-24 00:15	85.25	91.92
2023-04-24 00:30	85.04	88.19
2023-04-24 00:45	85.43	88.45
2023-04-24 01:00	92.75	91.2
2023-04-24 01:15	80.84	93.15

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-24 01:30	83.86	95.77
2023-04-24 01:45	83.33	98.84
2023-04-24 02:00	95.44	103.63
2023-04-24 02:15	79.41	92.54
2023-04-24 02:30	81.7	87.85
2023-04-24 02:45	80.02	88.29
2023-04-24 03:00	78.97	91.58
2023-04-24 03:15	79.98	92.34
2023-04-24 03:30	80.98	95.18
2023-04-24 03:45	79.69	97.15
2023-04-24 04:00	78.12	102.93
2023-04-24 04:15	81.83	88.91
2023-04-24 04:30	79.94	85.27
2023-04-24 04:45	79.78	86.53
2023-04-24 05:00	80.1	96.34
2023-04-24 05:15	83.44	99.27
2023-04-24 05:30	84.05	101.82
2023-04-24 05:45	78.56	94.18
2023-04-24 06:00	81.93	102.74
2023-04-24 06:15	79.11	88.76
2023-04-24 06:30	81.62	86.31
2023-04-24 06:45	78.15	86.76
2023-04-24 07:00	82.66	90.43
2023-04-24 07:15	81.32	90.4
2023-04-24 07:30	80.68	93.79
2023-04-24 07:45	78.58	97.43
2023-04-24 08:00	78.63	104.93
2023-04-24 08:15	89.6	87.6
2023-04-24 08:30	76.01	84.58
2023-04-24 08:45	78.52	88.07
2023-04-24 09:00	77.98	91.66
2023-04-24 09:15	76.99	89.84
2023-04-24 09:30	77.01	83.12
2023-04-24 09:45	78.34	85.08
2023-04-24 10:00	77.45	86.67
2023-04-24 10:15	77.28	87.53
2023-04-24 10:30	79.58	91.49
2023-04-24 10:45	78.28	94.22
2023-04-24 11:00	78.67	104.03
2023-04-24 11:15	76.87	86.89
2023-04-24 11:30	80.23	84.46
2023-04-24 11:45	78.61	84.53

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-24 12:00	78.75	85.94
2023-04-24 12:15	79.32	87.55
2023-04-24 12:30	81.03	94.02
2023-04-24 12:45	79.5	94.25
2023-04-24 13:00	77.69	87.52
2023-04-24 13:15	79.39	91.2
2023-04-24 13:30	78.89	98.96
2023-04-24 13:45	79.51	101.93
2023-04-24 14:00	80.18	97.94
2023-04-24 14:15	82.9	86.68
2023-04-24 14:30	81.65	85.46
2023-04-24 14:45	80.78	91.5
2023-04-24 15:00	82.3	94.9
2023-04-24 15:15	82.76	94.82
2023-04-24 15:30	84.06	94.8
2023-04-24 15:45	81.91	102.08
2023-04-24 16:00	86.29	95.21
2023-04-24 16:15	82.44	84.62
2023-04-24 16:30	81.3	83.74
2023-04-24 16:45	81.45	86.81
2023-04-24 17:00	82.83	88.24
2023-04-24 17:15	85.22	89.86
2023-04-24 17:30	79.44	93.76
2023-04-24 17:45	85.68	100.7
2023-04-24 18:00	83.11	89.5
2023-04-24 18:15	91.54	80.31
2023-04-24 18:30	82.16	80.02
2023-04-24 18:45	84.86	84.51
2023-04-24 19:00	95.15	85.25
2023-04-24 19:15	83.79	86.68
2023-04-24 19:30	81.05	87.75
2023-04-24 19:45	80.8	95.07
2023-04-24 20:00	81.82	89.26
2023-04-24 20:15	79.25	80.65
2023-04-24 20:30	82.28	80.51
2023-04-24 20:45	80.12	84.67
2023-04-24 21:00	80.55	86.14
2023-04-24 21:15	80.36	89.27
2023-04-24 21:30	81.83	92.66
2023-04-24 21:45	82.09	100.61
2023-04-24 22:00	80.53	88.45
2023-04-24 22:15	83.03	81.76

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-24 22:30	81.67	81.45
2023-04-24 22:45	82.82	84.35
2023-04-24 23:00	81.45	86.05
2023-04-24 23:15	84.2	88.43
2023-04-24 23:30	83.94	90.06
2023-04-24 23:45	81.95	96.46
2023-04-25 00:00	83.29	83.95
2023-04-25 00:15	82.4	81.13
2023-04-25 00:30	90.7	81.77
2023-04-25 00:45	81.8	84.82
2023-04-25 01:00	84.12	85.78
2023-04-25 01:15	86.13	89.31
2023-04-25 01:30	88.68	92.31
2023-04-25 01:45	80.53	97.97
2023-04-25 02:00	81.79	83.27
2023-04-25 02:15	82.78	81.63
2023-04-25 02:30	80.38	82.32
2023-04-25 02:45	81.65	84.86
2023-04-25 03:00	82	84.24
2023-04-25 03:15	82.73	85.55
2023-04-25 03:30	81.32	89.14
2023-04-25 03:45	83.26	98.24
2023-04-25 04:00	82.33	87.06
2023-04-25 04:15	80.16	81.88
2023-04-25 04:30	82.32	96.28
2023-04-25 04:45	82.3	86.37
2023-04-25 05:00	81.96	83.27
2023-04-25 05:15	80.3	87.05
2023-04-25 05:30	84.23	91.93
2023-04-25 05:45	82.84	96.28
2023-04-25 06:00	84.05	81.63
2023-04-25 06:15	82.27	81.95
2023-04-25 06:30	83.92	82.27
2023-04-25 06:45	87.16	84.48
2023-04-25 07:00	79.72	88.35
2023-04-25 07:15	87.15	81.5
2023-04-25 07:30	80.67	94.55
2023-04-25 07:45	96.55	82.09
2023-04-25 08:00	78.74	80.99
2023-04-25 08:15	81.2	83.01
2023-04-25 08:30	86.39	85.31
2023-04-25 08:45	80.9	85.41

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-25 09:00	79.04	91.01
2023-04-25 09:15	80.14	93.85
2023-04-25 09:30	80.95	99.2
2023-04-25 09:45	79.99	83.35
2023-04-25 10:00	83.93	83.3
2023-04-25 10:15	80.74	82.82
2023-04-25 10:30	80.11	89.35
2023-04-25 10:45	79.37	87.26
2023-04-25 11:00	82.54	92.82
2023-04-25 11:15	81.52	92.71
2023-04-25 11:30	78.64	98.24
2023-04-25 11:45	82.7	79.37
2023-04-25 12:00	80.88	77.81
2023-04-25 12:15	82.75	80.57
2023-04-25 12:30	80.91	85.12
2023-04-25 12:45	84.77	89.12
2023-04-25 13:00	84.77	93.85
2023-04-25 13:15	81.72	94.6
2023-04-25 13:30	83.15	96.19
2023-04-25 13:45	82.09	83.12
2023-04-25 14:00	93.1	82.99
2023-04-25 14:15	79.03	84.24
2023-04-25 14:30	82.78	84.77
2023-04-25 14:45	84.46	86.91
2023-04-25 15:00	82.01	95.53
2023-04-25 15:15	79.25	96.75
2023-04-25 15:30	81.28	95.5
2023-04-25 15:45	79.18	78.9
2023-04-25 16:00	90.3	74.74
2023-04-25 16:15	95.56	83.09
2023-04-25 16:30	79.32	85.16
2023-04-25 16:45	79.49	88.15
2023-04-25 17:00	78.89	92.6
2023-04-25 17:15	81.48	96.54
2023-04-25 17:30	79.51	94.18
2023-04-25 17:45	79.57	81.07
2023-04-25 18:00	80.75	77.17
2023-04-25 18:15	81.59	79.17
2023-04-25 18:30	81.64	80.98
2023-04-25 18:45	78.59	84.42
2023-04-25 19:00	84.02	90.18
2023-04-25 19:15	81.19	95.79

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-25 19:30	82.74	92.94
2023-04-25 19:45	80.55	79.27
2023-04-25 20:00	83.39	77.49
2023-04-25 20:15	87.34	80.57
2023-04-25 20:30	80.57	80.71
2023-04-25 20:45	82.05	84.65
2023-04-25 21:00	80.83	88.77
2023-04-25 21:15	88.45	95.38
2023-04-25 21:30	79.6	88.17
2023-04-25 21:45	82.25	78.7
2023-04-25 22:00	81.16	78.61
2023-04-25 22:15	80.68	82.26
2023-04-25 22:30	80.84	82.51
2023-04-25 22:45	81.97	84.81
2023-04-25 23:00	81.25	89.53
2023-04-25 23:15	79.75	96.15
2023-04-25 23:30	83.46	88.03
2023-04-25 23:45	81.73	80.64
2023-04-26 00:00	82.75	81.52
2023-04-26 00:15	81.76	83.77
2023-04-26 00:30	85.21	84.16
2023-04-26 00:45	84.57	86.48
2023-04-26 01:00	80.82	82.87
2023-04-26 01:15	82.82	87.84
2023-04-26 01:30	82.38	89.98
2023-04-26 01:45	83.05	91.56
2023-04-26 02:00	81.54	78.51
2023-04-26 02:15	86.26	81.22
2023-04-26 02:30	85.67	81.2
2023-04-26 02:45	85.12	84
2023-04-26 03:00	83.56	84.23
2023-04-26 03:15	85.05	91.63
2023-04-26 03:30	91.22	93.81
2023-04-26 03:45	81.1	86.41
2023-04-26 04:00	83.28	81
2023-04-26 04:15	82.4	84.48
2023-04-26 04:30	83.28	84.43
2023-04-26 04:45	81.68	85.86
2023-04-26 05:00	83.74	86.37
2023-04-26 05:15	83.15	94.63
2023-04-26 05:30	81.21	96.33
2023-04-26 05:45	81.94	86.05

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-26 06:00	82.82	79.5
2023-04-26 06:15	82.84	81.81
2023-04-26 06:30	80.53	82.36
2023-04-26 06:45	84.72	87.11
2023-04-26 07:00	84.05	92.25
2023-04-26 07:15	86.44	100.91
2023-04-26 07:30	91.26	85.55
2023-04-26 07:45	99.15	80.74
2023-04-26 08:00	31.35	81.58
2023-04-26 08:15	0	83.33
2023-04-26 08:30	0	84.42
2023-04-26 08:45	0	86.9
2023-04-26 09:00	0	92.7
2023-04-26 09:15	0	99.19
2023-04-26 09:30	0	85.41
2023-04-26 09:45	0	80.51
2023-04-26 10:00	0	79.93
2023-04-26 10:15	0	86.56
2023-04-26 10:30	0	79.53
2023-04-26 10:45	0	80.97
2023-04-26 11:00	0	95.26
2023-04-26 11:15	0	97.75
2023-04-26 11:30	0	85.12
2023-04-26 11:45	0	79.57
2023-04-26 12:00	0	80.02
2023-04-26 12:15	0	82.21
2023-04-26 12:30	0	86.21
2023-04-26 12:45	0	92.44
2023-04-26 13:00	0	100.3
2023-04-26 13:15	0	102.04
2023-04-26 13:30	0	87.32
2023-04-26 13:45	0	85.43
2023-04-26 14:00	0	86.9
2023-04-26 14:15	0	84.06
2023-04-26 14:30	0	84.36
2023-04-26 14:45	0	91.02
2023-04-26 15:00	0	99.35
2023-04-26 15:15	0	98
2023-04-26 15:30	0	88.36
2023-04-26 15:45	0	87.19
2023-04-26 16:00	0	85.77
2023-04-26 16:15	0	83.04

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-26 16:30	0	83.3
2023-04-26 16:45	0	89.74
2023-04-26 17:00	0	98.03
2023-04-26 17:15	0	97.35
2023-04-26 17:30	0	82.93
2023-04-26 17:45	0	82.87
2023-04-26 18:00	0	82.07
2023-04-26 18:15	0	79.86
2023-04-26 18:30	0	83.06
2023-04-26 18:45	0	87.02
2023-04-26 19:00	0	96.59
2023-04-26 19:15	72.15	97
2023-04-26 19:30	84.57	83.06
2023-04-26 19:45	86.13	75.82
2023-04-26 20:00	80.84	81.38
2023-04-26 20:15	85.26	79.58
2023-04-26 20:30	88.79	81.39
2023-04-26 20:45	90.41	86.48
2023-04-26 21:00	80.74	97.76
2023-04-26 21:15	82.15	97.67
2023-04-26 21:30	85.49	82.61
2023-04-26 21:45	79.72	80.08
2023-04-26 22:00	82.36	83.26
2023-04-26 22:15	81.04	81.61
2023-04-26 22:30	81.28	84.47
2023-04-26 22:45	81.79	86.74
2023-04-26 23:00	83.82	95.07
2023-04-26 23:15	82.82	91.73
2023-04-26 23:30	83.45	81.33
2023-04-26 23:45	83.62	81.54
2023-04-27 00:00	81.16	84
2023-04-27 00:15	83.98	83.25
2023-04-27 00:30	82.25	83.58
2023-04-27 00:45	85.88	89.58
2023-04-27 01:00	83.77	101.29
2023-04-27 01:15	84.75	93.62
2023-04-27 01:30	84.45	79.76
2023-04-27 01:45	84.72	77.82
2023-04-27 02:00	85.82	80.12
2023-04-27 02:15	82.01	79.01
2023-04-27 02:30	86.91	83.01
2023-04-27 02:45	84.54	87.08

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-27 03:00	88.17	92.87
2023-04-27 03:15	85.19	96.75
2023-04-27 03:30	86.8	91.83
2023-04-27 03:45	91.47	90.42
2023-04-27 04:00	83.58	81.03
2023-04-27 04:15	84.18	84.15
2023-04-27 04:30	84.01	86.97
2023-04-27 04:45	84.55	92.95
2023-04-27 05:00	82.72	97.16
2023-04-27 05:15	86	99.04
2023-04-27 05:30	83.34	89.36
2023-04-27 05:45	83.55	89.55
2023-04-27 06:00	83.5	84.26
2023-04-27 06:15	85.38	82.22
2023-04-27 06:30	83.45	83.97
2023-04-27 06:45	82.14	91.27
2023-04-27 07:00	73.56	97.82
2023-04-27 07:15	0	87.42
2023-04-27 07:30	0	83.93
2023-04-27 07:45	0	81.84
2023-04-27 08:00	0	81.44
2023-04-27 08:15	0	83.31
2023-04-27 08:30	0	86.06
2023-04-27 08:45	0	92.29
2023-04-27 09:00	0	97.06
2023-04-27 09:15	0	86
2023-04-27 09:30	0	86.15
2023-04-27 09:45	0	81.42
2023-04-27 10:00	0	82.38
2023-04-27 10:15	0	82.05
2023-04-27 10:30	0	84.8
2023-04-27 10:45	0	92
2023-04-27 11:00	0	94.83
2023-04-27 11:15	0	84.4
2023-04-27 11:30	0	84.18
2023-04-27 11:45	0	80
2023-04-27 12:00	0	83.89
2023-04-27 12:15	0	84.37
2023-04-27 12:30	0	84.07
2023-04-27 12:45	0	92.01
2023-04-27 13:00	0	94.54
2023-04-27 13:15	0	82.49

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-27 13:30	0	81.12
2023-04-27 13:45	0	79.29
2023-04-27 14:00	0	81.14
2023-04-27 14:15	0	84.4
2023-04-27 14:30	0	85.65
2023-04-27 14:45	0	93.14
2023-04-27 15:00	0	85.14
2023-04-27 15:15	0	89.89
2023-04-27 15:30	0	92.59
2023-04-27 15:45	0	99.27
2023-04-27 16:00	0	86.81
2023-04-27 16:15	0	88.85
2023-04-27 16:30	0	89.05
2023-04-27 16:45	0	94.23
2023-04-27 17:00	0	96.74
2023-04-27 17:15	0	85.96
2023-04-27 17:30	0	82.65
2023-04-27 17:45	0	79.24
2023-04-27 18:00	0	80.74
2023-04-27 18:15	0	82.58
2023-04-27 18:30	0	85.28
2023-04-27 18:45	89.26	94.2
2023-04-27 19:00	86.85	94.84
2023-04-27 19:15	88.27	82.33
2023-04-27 19:30	87.59	80.47
2023-04-27 19:45	83.89	79.48
2023-04-27 20:00	84.82	79.82
2023-04-27 20:15	84.47	82.1
2023-04-27 20:30	84.42	85.26
2023-04-27 20:45	82.82	90.94
2023-04-27 21:00	84.07	93.98
2023-04-27 21:15	84.38	82.68
2023-04-27 21:30	82.81	79.65
2023-04-27 21:45	83.89	78.67
2023-04-27 22:00	84.76	79.73
2023-04-27 22:15	84.98	82.59
2023-04-27 22:30	83	85.84
2023-04-27 22:45	83.88	94.38
2023-04-27 23:00	84.35	94.62
2023-04-27 23:15	84.79	81.33
2023-04-27 23:30	84.48	77.02
2023-04-27 23:45	85.55	77.39

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-28 00:00	85.67	79.31
2023-04-28 00:15	83.69	84.24
2023-04-28 00:30	85.35	91.34
2023-04-28 00:45	85.38	97.49
2023-04-28 01:00	85.06	96.01
2023-04-28 01:15	83.84	93.63
2023-04-28 01:30	85.77	96.12
2023-04-28 01:45	85.55	81.14
2023-04-28 02:00	84.11	83.15
2023-04-28 02:15	86.68	82.24
2023-04-28 02:30	86.9	90.43
2023-04-28 02:45	87.12	97.29
2023-04-28 03:00	84.23	94.63
2023-04-28 03:15	87.19	93.82
2023-04-28 03:30	86.51	95.59
2023-04-28 03:45	85.46	77.14
2023-04-28 04:00	83.97	83.43
2023-04-28 04:15	85.31	86.13
2023-04-28 04:30	85.35	96.26
2023-04-28 04:45	82.6	98.66
2023-04-28 05:00	84.51	96.72
2023-04-28 05:15	84.63	92.12
2023-04-28 05:30	84.37	92.24
2023-04-28 05:45	81.82	77.4
2023-04-28 06:00	83.8	81.26
2023-04-28 06:15	84.92	83.85
2023-04-28 06:30	83.77	90.67
2023-04-28 06:45	83.98	93.16
2023-04-28 07:00	85.41	85.82
2023-04-28 07:15	84.3	85.47
2023-04-28 07:30	81.37	79.17
2023-04-28 07:45	84.09	79.44
2023-04-28 08:00	84.56	81.87
2023-04-28 08:15	82.71	84.74
2023-04-28 08:30	81.99	93.21
2023-04-28 08:45	83.29	95.23
2023-04-28 09:00	81.39	85.47
2023-04-28 09:15	80.26	86.09
2023-04-28 09:30	83.25	79.92
2023-04-28 09:45	80.98	79.84
2023-04-28 10:00	81.21	81.06
2023-04-28 10:15	78.74	82.93

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-28 10:30	80.78	89.49
2023-04-28 10:45	23.72	76.59
2023-04-28 11:00	0	81.41
2023-04-28 11:15	0	77.24
2023-04-28 11:30	0	77.11
2023-04-28 11:45	0	76
2023-04-28 12:00	0	79.78
2023-04-28 12:15	0	85.91
2023-04-28 12:30	0	93.78
2023-04-28 12:45	0	95.54
2023-04-28 13:00	0	82.55
2023-04-28 13:15	0	78.77
2023-04-28 13:30	0	79.79
2023-04-28 13:45	0	80.53
2023-04-28 14:00	0	83.98
2023-04-28 14:15	0	89.35
2023-04-28 14:30	0	94.18
2023-04-28 14:45	0	96.09
2023-04-28 15:00	0	86.63
2023-04-28 15:15	0	80.98
2023-04-28 15:30	0	80.21
2023-04-28 15:45	0	82.14
2023-04-28 16:00	0	83.98
2023-04-28 16:15	0	89.16
2023-04-28 16:30	0	93.9
2023-04-28 16:45	0	95.3
2023-04-28 17:00	0	85.17
2023-04-28 17:15	0	80.57
2023-04-28 17:30	0	80.27
2023-04-28 17:45	0	81.75
2023-04-28 18:00	0	83.49
2023-04-28 18:15	33.98	57.95
2023-04-28 18:30	92.52	61.01
2023-04-28 18:45	78.44	61.64
2023-04-28 19:00	78.3	54.6
2023-04-28 19:15	77.62	47.87
2023-04-28 19:30	76.6	47.83
2023-04-28 19:45	76.49	48.75
2023-04-28 20:00	76.94	51.3
2023-04-28 20:15	75.89	58.27
2023-04-28 20:30	75.14	61.51
2023-04-28 20:45	77.01	61.55

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-28 21:00	77.01	53.57
2023-04-28 21:15	75.91	47.57
2023-04-28 21:30	75.75	47.53
2023-04-28 21:45	77.29	48.78
2023-04-28 22:00	76.88	50.74
2023-04-28 22:15	76.14	57.94
2023-04-28 22:30	79.29	60.46
2023-04-28 22:45	79.2	61.9
2023-04-28 23:00	77.74	59.97
2023-04-28 23:15	76.15	63.25
2023-04-28 23:30	79.88	47.06
2023-04-28 23:45	77.77	47.04
2023-04-29 00:00	78.16	52.41
2023-04-29 00:15	78.25	59.57
2023-04-29 00:30	79.44	62.06
2023-04-29 00:45	81.69	56.51
2023-04-29 01:00	77.66	54.51
2023-04-29 01:15	78.84	48.39
2023-04-29 01:30	78.87	49.14
2023-04-29 01:45	77.89	50.22
2023-04-29 02:00	77.5	53.5
2023-04-29 02:15	78.45	60.34
2023-04-29 02:30	77.4	59.97
2023-04-29 02:45	77.27	57.72
2023-04-29 03:00	77.45	58.58
2023-04-29 03:15	77.49	59.65
2023-04-29 03:30	77.41	47.34
2023-04-29 03:45	77.07	45.9
2023-04-29 04:00	79.05	52.43
2023-04-29 04:15	78.47	58.41
2023-04-29 04:30	77.88	61.86
2023-04-29 04:45	78.85	59.61
2023-04-29 05:00	80	61.61
2023-04-29 05:15	79.86	56.27
2023-04-29 05:30	78.75	47.41
2023-04-29 05:45	83.78	48.84
2023-04-29 06:00	80.94	54.99
2023-04-29 06:15	81.65	61.41
2023-04-29 06:30	78.65	66.9
2023-04-29 06:45	81.25	64.46
2023-04-29 07:00	78.79	50.94
2023-04-29 07:15	77.97	53.56

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-29 07:30	77.25	53.99
2023-04-29 07:45	76.72	55.54
2023-04-29 08:00	75.69	60.98
2023-04-29 08:15	75.38	69.56
2023-04-29 08:30	77.02	59.77
2023-04-29 08:45	75.75	51.17
2023-04-29 09:00	75.16	49.53
2023-04-29 09:15	75.35	51.6
2023-04-29 09:30	76.04	52.36
2023-04-29 09:45	75.17	53.6
2023-04-29 10:00	74.2	54.01
2023-04-29 10:15	75.65	58.11
2023-04-29 10:30	74.82	48.05
2023-04-29 10:45	74.59	46.49
2023-04-29 11:00	74.45	49.42
2023-04-29 11:15	76.49	49.32
2023-04-29 11:30	77.35	54.53
2023-04-29 11:45	77.14	58.48
2023-04-29 12:00	80.24	68.3
2023-04-29 12:15	84.3	51.52
2023-04-29 12:30	88.77	49.19
2023-04-29 12:45	83.36	52.94
2023-04-29 13:00	84.66	63.46
2023-04-29 13:15	83.77	65.78
2023-04-29 13:30	84.35	71.07
2023-04-29 13:45	84.7	61.71
2023-04-29 14:00	85.52	58.82
2023-04-29 14:15	87.7	68.21
2023-04-29 14:30	82.69	56.34
2023-04-29 14:45	83.12	56.71
2023-04-29 15:00	83.42	60.85
2023-04-29 15:15	83.55	58.09
2023-04-29 15:30	82.45	66.15
2023-04-29 15:45	84.65	73.34
2023-04-29 16:00	83.8	75.85
2023-04-29 16:15	83.11	52.66
2023-04-29 16:30	84.92	49.43
2023-04-29 16:45	85.16	54.42
2023-04-29 17:00	85.83	61.83
2023-04-29 17:15	83.4	59.91
2023-04-29 17:30	86.45	63.46
2023-04-29 17:45	86.73	71.38

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-29 18:00	87.33	67.65
2023-04-29 18:15	85.36	56.6
2023-04-29 18:30	87.48	57.17
2023-04-29 18:45	91.67	59.02
2023-04-29 19:00	85.32	56.61
2023-04-29 19:15	86.7	54.13
2023-04-29 19:30	85.72	61.66
2023-04-29 19:45	86.8	73.74
2023-04-29 20:00	84.08	75.57
2023-04-29 20:15	86.19	53.6
2023-04-29 20:30	85.04	55.66
2023-04-29 20:45	84.71	56.38
2023-04-29 21:00	85.32	59.64
2023-04-29 21:15	86	60
2023-04-29 21:30	85.83	61.89
2023-04-29 21:45	86.39	69.2
2023-04-29 22:00	89.13	72.51
2023-04-29 22:15	86.92	67.92
2023-04-29 22:30	86.12	62.93
2023-04-29 22:45	85.61	58.14
2023-04-29 23:00	88.39	61.86
2023-04-29 23:15	87.48	64.49
2023-04-29 23:30	85.78	70.72
2023-04-29 23:45	89.64	73.05
2023-04-30 00:00	88.92	55.48
2023-04-30 00:15	90.01	51.47
2023-04-30 00:30	86.95	55.34
2023-04-30 00:45	90.47	59.76
2023-04-30 01:00	91.67	63.06
2023-04-30 01:15	88.48	64.61
2023-04-30 01:30	87.21	65.43
2023-04-30 01:45	89.69	73.63
2023-04-30 02:00	89.6	68.74
2023-04-30 02:15	86.23	57.34
2023-04-30 02:30	89.03	57.18
2023-04-30 02:45	87.84	63.07
2023-04-30 03:00	89.3	61.25
2023-04-30 03:15	86.21	62.85
2023-04-30 03:30	89.33	64.25
2023-04-30 03:45	87.96	77.29
2023-04-30 04:00	86.66	71.41
2023-04-30 04:15	88.93	58.71

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-30 04:30	89.57	57.14
2023-04-30 04:45	88.59	57.25
2023-04-30 05:00	86.86	51.66
2023-04-30 05:15	90.41	59.04
2023-04-30 05:30	88.29	64.72
2023-04-30 05:45	88.4	76.25
2023-04-30 06:00	89.92	58.19
2023-04-30 06:15	91.49	47.57
2023-04-30 06:30	92.12	52.42
2023-04-30 06:45	86.46	56.66
2023-04-30 07:00	92.32	58.33
2023-04-30 07:15	90.51	62.67
2023-04-30 07:30	92.25	67.87
2023-04-30 07:45	86.39	78.92
2023-04-30 08:00	89.8	62.36
2023-04-30 08:15	94.34	53.97
2023-04-30 08:30	87.11	54.83
2023-04-30 08:45	88.51	55.24
2023-04-30 09:00	86.73	53.26
2023-04-30 09:15	88.29	56.69
2023-04-30 09:30	85.97	67.61
2023-04-30 09:45	88.5	68.4
2023-04-30 10:00	86.76	55.14
2023-04-30 10:15	85.52	55.91
2023-04-30 10:30	85.46	59.64
2023-04-30 10:45	85.81	62.9
2023-04-30 11:00	84.38	72.44
2023-04-30 11:15	81.39	76.99
2023-04-30 11:30	84.18	83.12
2023-04-30 11:45	82.61	55.32
2023-04-30 12:00	82.17	57.4
2023-04-30 12:15	80.96	57.15
2023-04-30 12:30	85.34	62.34
2023-04-30 12:45	84.48	64.33
2023-04-30 13:00	81.52	71.11
2023-04-30 13:15	84.66	73.53
2023-04-30 13:30	85.46	83.13
2023-04-30 13:45	87.28	63.19
2023-04-30 14:00	80.91	52.95
2023-04-30 14:15	83.3	53.87
2023-04-30 14:30	85.67	60.78
2023-04-30 14:45	84.55	60.79

Time	RP_Stack-PM	Cooler_Stack-PM
2023-04-30 15:00	81.31	66.97
2023-04-30 15:15	82.63	69.58
2023-04-30 15:30	81.43	73.56
2023-04-30 15:45	79.86	53.31
2023-04-30 16:00	81.1	52.57
2023-04-30 16:15	80.88	55.9
2023-04-30 16:30	80.48	59.55
2023-04-30 16:45	78.99	60.48
2023-04-30 17:00	81.97	64.57
2023-04-30 17:15	80.57	66.69
2023-04-30 17:30	79.72	74.35
2023-04-30 17:45	81.01	57.04
2023-04-30 18:00	82.46	50.02
2023-04-30 18:15	81.83	52.18
2023-04-30 18:30	79.9	55.56
2023-04-30 18:45	84.12	55.91
2023-04-30 19:00	82.65	61.58
2023-04-30 19:15	81.99	65.37
2023-04-30 19:30	81.67	73.92
2023-04-30 19:45	84.25	51.07
2023-04-30 20:00	83.96	51.26
2023-04-30 20:15	79.88	49.56
2023-04-30 20:30	83.49	52.27
2023-04-30 20:45	83.12	53.21
2023-04-30 21:00	87.72	64.27
2023-04-30 21:15	80.05	68.89
2023-04-30 21:30	82.88	71.79
2023-04-30 21:45	82.26	50.92
2023-04-30 22:00	80.28	49.45
2023-04-30 22:15	81.07	51.42
2023-04-30 22:30	81.44	54.79
2023-04-30 22:45	80.94	55.39
2023-04-30 23:00	80.02	61.36
2023-04-30 23:15	84.08	68.22
2023-04-30 23:30	81.91	59.8
2023-04-30 23:45	NA	NA

Goa State Pollution Control Board

Industry Name	:	M/S Goa Carbon Limited
Address	:	ST.-JOSE-DE,AREAL-SALCETE
District	:	South Goa
Category	:	Petrochemicals
Parameters	:	RP_Stack-PM, Cooler_Stack-PM
Report Format	:	Tabular
Criteria	:	15min
Date	:	From 2023/05/01 To 2023/05/31

RealTime Data

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-01 00:00	84.93	53.82
2023-05-01 00:15	87.28	65.19
2023-05-01 00:30	88.95	73.73
2023-05-01 00:45	81.84	59.79
2023-05-01 01:00	85.29	61.94
2023-05-01 01:15	84.71	66.82
2023-05-01 01:30	84.65	54.55
2023-05-01 01:45	81.83	50.18
2023-05-01 02:00	85	52.45
2023-05-01 02:15	87.47	57.81
2023-05-01 02:30	83.43	56.62
2023-05-01 02:45	84.81	50.12
2023-05-01 03:00	85.73	47.02
2023-05-01 03:15	90.24	73.65
2023-05-01 03:30	81.61	62.87
2023-05-01 03:45	87.8	49.43
2023-05-01 04:00	84.65	48.39
2023-05-01 04:15	84.05	56.25
2023-05-01 04:30	82.48	58.77
2023-05-01 04:45	89.95	64.27
2023-05-01 05:00	91.98	65.28
2023-05-01 05:15	85.41	75.81
2023-05-01 05:30	87.6	66.64
2023-05-01 05:45	86.5	56.45
2023-05-01 06:00	87.36	53.82
2023-05-01 06:15	85.73	59.68
2023-05-01 06:30	90.64	61.91
2023-05-01 06:45	88.24	68.68
2023-05-01 07:00	87.99	72.97
2023-05-01 07:15	89.42	70.29

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-01 07:30	90.09	55.2
2023-05-01 07:45	90.36	56.08
2023-05-01 08:00	85.84	60.29
2023-05-01 08:15	91	63.15
2023-05-01 08:30	88.4	69.07
2023-05-01 08:45	89.54	73.94
2023-05-01 09:00	87.61	80.66
2023-05-01 09:15	89.53	63.83
2023-05-01 09:30	96.7	50.09
2023-05-01 09:45	82.55	50.2
2023-05-01 10:00	83.1	55.29
2023-05-01 10:15	80.99	61.27
2023-05-01 10:30	86.32	64.1
2023-05-01 10:45	77.88	67.78
2023-05-01 11:00	82.04	75.3
2023-05-01 11:15	77.58	57.3
2023-05-01 11:30	77.25	46.17
2023-05-01 11:45	78.18	49.84
2023-05-01 12:00	79.37	54.66
2023-05-01 12:15	78.38	55.68
2023-05-01 12:30	77.06	58.67
2023-05-01 12:45	80.81	63.43
2023-05-01 13:00	79.55	68.94
2023-05-01 13:15	80.34	54.09
2023-05-01 13:30	80.59	48.53
2023-05-01 13:45	83.48	48.69
2023-05-01 14:00	82.46	53.12
2023-05-01 14:15	80.44	53.65
2023-05-01 14:30	83.23	54.7
2023-05-01 14:45	82.8	59.61
2023-05-01 15:00	85.8	66.73
2023-05-01 15:15	80.22	52.53
2023-05-01 15:30	83.61	50.21
2023-05-01 15:45	85.28	49.59
2023-05-01 16:00	83.14	50.73
2023-05-01 16:15	80.52	52.54
2023-05-01 16:30	80.76	60.74
2023-05-01 16:45	88.67	59.78
2023-05-01 17:00	77.26	60.05
2023-05-01 17:15	82.11	64.03
2023-05-01 17:30	82.14	55.12
2023-05-01 17:45	85.35	52.56

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-01 18:00	78.57	66.59
2023-05-01 18:15	81.5	55.14
2023-05-01 18:30	81.53	46.5
2023-05-01 18:45	78.29	46.36
2023-05-01 19:00	79.05	62.96
2023-05-01 19:15	78.89	63.07
2023-05-01 19:30	78.48	49.24
2023-05-01 19:45	77.69	46.35
2023-05-01 20:00	81.01	48.96
2023-05-01 20:15	79.04	49.69
2023-05-01 20:30	79.47	53.43
2023-05-01 20:45	80.91	56.13
2023-05-01 21:00	81.81	65.93
2023-05-01 21:15	82.11	47.48
2023-05-01 21:30	78.87	46.25
2023-05-01 21:45	83.18	47.38
2023-05-01 22:00	82.4	50.99
2023-05-01 22:15	85.56	51.62
2023-05-01 22:30	81.32	56.65
2023-05-01 22:45	82.98	59.5
2023-05-01 23:00	87.88	67.03
2023-05-01 23:15	81.46	47.06
2023-05-01 23:30	81.28	44.87
2023-05-01 23:45	80.82	45.27
2023-05-02 00:00	80.54	46.91
2023-05-02 00:15	79.5	50.5
2023-05-02 00:30	81.54	54.88
2023-05-02 00:45	79.82	58.4
2023-05-02 01:00	80.36	62.82
2023-05-02 01:15	80.63	46.11
2023-05-02 01:30	81.91	44.69
2023-05-02 01:45	81.58	46.77
2023-05-02 02:00	80.28	49.46
2023-05-02 02:15	83.18	50.36
2023-05-02 02:30	81.58	54.95
2023-05-02 02:45	81.91	59.63
2023-05-02 03:00	81.33	61.87
2023-05-02 03:15	84.93	58.99
2023-05-02 03:30	83.18	46.21
2023-05-02 03:45	81.35	43.85
2023-05-02 04:00	85.04	45.52
2023-05-02 04:15	83.9	46.61

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-02 04:30	87.81	50.09
2023-05-02 04:45	81.34	59.36
2023-05-02 05:00	91.23	60.77
2023-05-02 05:15	88.25	59.32
2023-05-02 05:30	87.18	50.56
2023-05-02 05:45	80.99	45.94
2023-05-02 06:00	84.88	49.1
2023-05-02 06:15	82.94	51.28
2023-05-02 06:30	87.05	54.68
2023-05-02 06:45	82.16	60.17
2023-05-02 07:00	81.68	59.05
2023-05-02 07:15	81.56	45.56
2023-05-02 07:30	79.3	45.35
2023-05-02 07:45	82.93	47.55
2023-05-02 08:00	81.86	48.73
2023-05-02 08:15	81.31	51.86
2023-05-02 08:30	80.75	55.61
2023-05-02 08:45	81.02	63.29
2023-05-02 09:00	82.6	59.43
2023-05-02 09:15	79.13	47.3
2023-05-02 09:30	81.92	46.31
2023-05-02 09:45	80.29	49.13
2023-05-02 10:00	80.18	50.07
2023-05-02 10:15	79.96	53.16
2023-05-02 10:30	81.62	57.4
2023-05-02 10:45	83.13	65
2023-05-02 11:00	78.54	63
2023-05-02 11:15	81.03	54.39
2023-05-02 11:30	81.33	53.09
2023-05-02 11:45	84.59	52.92
2023-05-02 12:00	79.97	47.83
2023-05-02 12:15	83.35	48.34
2023-05-02 12:30	82.25	49.54
2023-05-02 12:45	80.52	53.36
2023-05-02 13:00	80.87	59.13
2023-05-02 13:15	81.3	47.59
2023-05-02 13:30	81.04	47.27
2023-05-02 13:45	79.85	50.07
2023-05-02 14:00	82.05	49.83
2023-05-02 14:15	80.89	51.49
2023-05-02 14:30	80.66	55.69
2023-05-02 14:45	80.82	64.29

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-02 15:00	83.4	57.3
2023-05-02 15:15	81.44	48.07
2023-05-02 15:30	79.42	47.88
2023-05-02 15:45	82.62	50.49
2023-05-02 16:00	81.24	50.32
2023-05-02 16:15	81.64	51.62
2023-05-02 16:30	80.46	56.92
2023-05-02 16:45	83.77	65.07
2023-05-02 17:00	83.67	62.08
2023-05-02 17:15	89.22	52.14
2023-05-02 17:30	95.6	51.11
2023-05-02 17:45	115.63	47.2
2023-05-02 18:00	143.18	49.79
2023-05-02 18:15	194.43	52.94
2023-05-02 18:30	253.05	55.93
2023-05-02 18:45	192.48	64
2023-05-02 19:00	0	52.5
2023-05-02 19:15	0	47.79
2023-05-02 19:30	0	47.38
2023-05-02 19:45	0	49.31
2023-05-02 20:00	0	49.09
2023-05-02 20:15	0	53.33
2023-05-02 20:30	0	57.18
2023-05-02 20:45	0	63.6
2023-05-02 21:00	0	52.21
2023-05-02 21:15	77.99	46.27
2023-05-02 21:30	83.89	46.12
2023-05-02 21:45	81.96	48.19
2023-05-02 22:00	84.24	49.9
2023-05-02 22:15	83.74	53.74
2023-05-02 22:30	85.98	58.16
2023-05-02 22:45	81.2	64.34
2023-05-02 23:00	85.39	50.58
2023-05-02 23:15	86.63	46.15
2023-05-02 23:30	87.85	46.84
2023-05-02 23:45	82.88	47.84
2023-05-03 00:00	83.73	50.2
2023-05-03 00:15	87.14	52.77
2023-05-03 00:30	80.66	58.42
2023-05-03 00:45	82.46	63.8
2023-05-03 01:00	81.68	51.24
2023-05-03 01:15	81.2	47.34

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-03 01:30	80.87	47.36
2023-05-03 01:45	82.82	48.25
2023-05-03 02:00	81.28	50.48
2023-05-03 02:15	80.78	53.54
2023-05-03 02:30	82.14	59.98
2023-05-03 02:45	82.37	63.97
2023-05-03 03:00	81.53	61.3
2023-05-03 03:15	80.53	52.44
2023-05-03 03:30	83.21	48.18
2023-05-03 03:45	80.58	45.2
2023-05-03 04:00	81.34	49.25
2023-05-03 04:15	81.16	52.76
2023-05-03 04:30	83.17	60.28
2023-05-03 04:45	83.45	63.15
2023-05-03 05:00	79.4	48.23
2023-05-03 05:15	83.78	45.62
2023-05-03 05:30	82.59	46.77
2023-05-03 05:45	86.84	46.8
2023-05-03 06:00	80.35	49.06
2023-05-03 06:15	82.84	52.78
2023-05-03 06:30	87.93	60.32
2023-05-03 06:45	81.12	62.03
2023-05-03 07:00	79.78	47.18
2023-05-03 07:15	80.23	41.66
2023-05-03 07:30	80.66	44.24
2023-05-03 07:45	78.76	46.67
2023-05-03 08:00	81.22	49.02
2023-05-03 08:15	79.86	50.94
2023-05-03 08:30	79.07	59.4
2023-05-03 08:45	78.76	66.08
2023-05-03 09:00	80.88	45.89
2023-05-03 09:15	80.88	51.55
2023-05-03 09:30	78.85	45.93
2023-05-03 09:45	80.41	46.87
2023-05-03 10:00	80.03	52.49
2023-05-03 10:15	80.13	58.07
2023-05-03 10:30	78.7	66.22
2023-05-03 10:45	81.59	57.81
2023-05-03 11:00	79.44	48.9
2023-05-03 11:15	78.46	49.49
2023-05-03 11:30	80.4	48.97
2023-05-03 11:45	79.95	49.15

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-03 12:00	83.85	54.21
2023-05-03 12:15	77.74	58.04
2023-05-03 12:30	81.34	66.72
2023-05-03 12:45	82.4	56.4
2023-05-03 13:00	84.71	47.66
2023-05-03 13:15	78.28	47.15
2023-05-03 13:30	79.64	49.1
2023-05-03 13:45	77.98	49.62
2023-05-03 14:00	76.9	54.08
2023-05-03 14:15	78.32	61.59
2023-05-03 14:30	77.92	65.76
2023-05-03 14:45	77.58	55.2
2023-05-03 15:00	76.64	46.4
2023-05-03 15:15	79.7	52.92
2023-05-03 15:30	77.36	51.34
2023-05-03 15:45	76.72	57.52
2023-05-03 16:00	76.92	60.95
2023-05-03 16:15	78.04	55.13
2023-05-03 16:30	78.12	59.72
2023-05-03 16:45	77.29	63.7
2023-05-03 17:00	81.06	47.22
2023-05-03 17:15	79.37	48.12
2023-05-03 17:30	79.52	48.78
2023-05-03 17:45	79.18	50.36
2023-05-03 18:00	82	54.48
2023-05-03 18:15	84.02	62.09
2023-05-03 18:30	79.43	64.89
2023-05-03 18:45	82.1	52.85
2023-05-03 19:00	81.1	47.96
2023-05-03 19:15	89.27	49.76
2023-05-03 19:30	78.91	48.88
2023-05-03 19:45	81.15	49.16
2023-05-03 20:00	79.94	55.17
2023-05-03 20:15	79.69	62.82
2023-05-03 20:30	80.3	63.2
2023-05-03 20:45	82.38	51.96
2023-05-03 21:00	81.56	48.17
2023-05-03 21:15	80.69	49.68
2023-05-03 21:30	83.6	48.89
2023-05-03 21:45	82.07	52.08
2023-05-03 22:00	82.83	55.91
2023-05-03 22:15	82.31	66.84

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-03 22:30	85.34	67.88
2023-05-03 22:45	83.83	54.68
2023-05-03 23:00	83.02	49.86
2023-05-03 23:15	85.33	53.13
2023-05-03 23:30	84.64	53.55
2023-05-03 23:45	85.77	54.76
2023-05-04 00:00	82.29	61.03
2023-05-04 00:15	86.43	72.17
2023-05-04 00:30	85.94	68.94
2023-05-04 00:45	85.64	51.29
2023-05-04 01:00	84.26	48.74
2023-05-04 01:15	85.37	52.08
2023-05-04 01:30	95.83	51.75
2023-05-04 01:45	81.55	53.93
2023-05-04 02:00	84.26	59.62
2023-05-04 02:15	83.99	70.83
2023-05-04 02:30	83.99	69.58
2023-05-04 02:45	82.66	53.15
2023-05-04 03:00	84.8	61.55
2023-05-04 03:15	85.86	51.62
2023-05-04 03:30	83.04	49.98
2023-05-04 03:45	83.94	49.18
2023-05-04 04:00	83.47	56.42
2023-05-04 04:15	82.98	67.86
2023-05-04 04:30	80.93	66.46
2023-05-04 04:45	84.37	52.71
2023-05-04 05:00	81.16	61.35
2023-05-04 05:15	81.78	47.78
2023-05-04 05:30	81.68	47.64
2023-05-04 05:45	83.45	50.69
2023-05-04 06:00	84.55	58.91
2023-05-04 06:15	81.06	66.69
2023-05-04 06:30	86.4	69.01
2023-05-04 06:45	84.15	54.37
2023-05-04 07:00	86.73	49.62
2023-05-04 07:15	82.88	50.16
2023-05-04 07:30	84.61	52.14
2023-05-04 07:45	90.63	54.14
2023-05-04 08:00	82.11	60.19
2023-05-04 08:15	82.96	69.63
2023-05-04 08:30	82.43	70.37
2023-05-04 08:45	93.02	55.21

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-04 09:00	80.43	49.83
2023-05-04 09:15	83.07	50.83
2023-05-04 09:30	88.07	50.9
2023-05-04 09:45	88.91	48.13
2023-05-04 10:00	81.26	60.35
2023-05-04 10:15	83.46	67.63
2023-05-04 10:30	82.23	70.99
2023-05-04 10:45	79.55	60.27
2023-05-04 11:00	82.03	51.6
2023-05-04 11:15	80.25	51.73
2023-05-04 11:30	79.77	53.04
2023-05-04 11:45	79.05	55.11
2023-05-04 12:00	81.96	59.13
2023-05-04 12:15	79.68	64.01
2023-05-04 12:30	79.05	67.11
2023-05-04 12:45	81.04	57.77
2023-05-04 13:00	81.61	60.19
2023-05-04 13:15	81.81	50.06
2023-05-04 13:30	79.18	48.93
2023-05-04 13:45	82.74	48.49
2023-05-04 14:00	81.96	49.87
2023-05-04 14:15	85.1	49.36
2023-05-04 14:30	78.36	52.9
2023-05-04 14:45	80.63	84.48
2023-05-04 15:00	86.29	90.54
2023-05-04 15:15	77.85	107.86
2023-05-04 15:30	79.11	109.54
2023-05-04 15:45	78.35	108.15
2023-05-04 16:00	77.9	97.1
2023-05-04 16:15	77.51	100.98
2023-05-04 16:30	79.52	71.87
2023-05-04 16:45	77.74	90.63
2023-05-04 17:00	77.66	60.47
2023-05-04 17:15	78.4	61.87
2023-05-04 17:30	78.74	49.72
2023-05-04 17:45	78.65	46.53
2023-05-04 18:00	77.77	47.58
2023-05-04 18:15	80.91	48.23
2023-05-04 18:30	79.04	50.47
2023-05-04 18:45	79.57	54.61
2023-05-04 19:00	80.07	64.02
2023-05-04 19:15	82.39	63.79

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-04 19:30	82.34	51.39
2023-05-04 19:45	79	48.49
2023-05-04 20:00	83	49.75
2023-05-04 20:15	81.5	50.95
2023-05-04 20:30	86.42	52.95
2023-05-04 20:45	80.47	58.66
2023-05-04 21:00	82.91	65.49
2023-05-04 21:15	88.96	64.03
2023-05-04 21:30	82.68	53
2023-05-04 21:45	80.82	48.46
2023-05-04 22:00	81.25	49.17
2023-05-04 22:15	82.63	49.92
2023-05-04 22:30	80.35	52.66
2023-05-04 22:45	81.59	58.21
2023-05-04 23:00	79.85	65.97
2023-05-04 23:15	80.09	61.87
2023-05-04 23:30	79.59	52.34
2023-05-04 23:45	81.81	47.67
2023-05-05 00:00	80.39	48.6
2023-05-05 00:15	80.2	49.26
2023-05-05 00:30	82.63	51.53
2023-05-05 00:45	81.72	58.41
2023-05-05 01:00	81.9	61.8
2023-05-05 01:15	80.49	59.99
2023-05-05 01:30	84.25	53.96
2023-05-05 01:45	81.78	47.36
2023-05-05 02:00	80.45	47.37
2023-05-05 02:15	81.89	48.81
2023-05-05 02:30	83.31	51.59
2023-05-05 02:45	85.79	58.08
2023-05-05 03:00	79.05	56.01
2023-05-05 03:15	83.56	60.24
2023-05-05 03:30	82.43	58.94
2023-05-05 03:45	83.04	59.5
2023-05-05 04:00	79.32	47.11
2023-05-05 04:15	81.07	48.28
2023-05-05 04:30	80.3	50.63
2023-05-05 04:45	78.1	56.81
2023-05-05 05:00	79.99	54.98
2023-05-05 05:15	79.7	59.86
2023-05-05 05:30	81.01	59.04
2023-05-05 05:45	77.99	57.58

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-05 06:00	80.46	46.86
2023-05-05 06:15	78.29	47.14
2023-05-05 06:30	78.16	49.27
2023-05-05 06:45	78.32	58.1
2023-05-05 07:00	79.34	62.42
2023-05-05 07:15	78.57	57.81
2023-05-05 07:30	77.26	54.62
2023-05-05 07:45	80.35	47.25
2023-05-05 08:00	81.91	47.63
2023-05-05 08:15	79.12	48.55
2023-05-05 08:30	78.72	50.62
2023-05-05 08:45	81.53	57.01
2023-05-05 09:00	83.18	61.61
2023-05-05 09:15	77.91	55.01
2023-05-05 09:30	80.97	53.59
2023-05-05 09:45	80.95	48.05
2023-05-05 10:00	87.83	48.4
2023-05-05 10:15	77.24	49.97
2023-05-05 10:30	78.89	53.48
2023-05-05 10:45	80.96	61.95
2023-05-05 11:00	76.61	67.93
2023-05-05 11:15	77	58.31
2023-05-05 11:30	78.31	56.41
2023-05-05 11:45	77.73	50.33
2023-05-05 12:00	77.04	49.47
2023-05-05 12:15	78.88	49.64
2023-05-05 12:30	77.7	51.29
2023-05-05 12:45	77.46	55.88
2023-05-05 13:00	77.12	64.9
2023-05-05 13:15	79.69	55.32
2023-05-05 13:30	78.33	56.88
2023-05-05 13:45	77.38	49.08
2023-05-05 14:00	79.5	48.45
2023-05-05 14:15	79.1	49.41
2023-05-05 14:30	78.83	54.98
2023-05-05 14:45	77.17	59.69
2023-05-05 15:00	81.17	64.92
2023-05-05 15:15	80.54	54.88
2023-05-05 15:30	80.04	53.96
2023-05-05 15:45	79.55	48.38
2023-05-05 16:00	80.45	48.91
2023-05-05 16:15	86.12	50.09

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-05 16:30	77.33	56.63
2023-05-05 16:45	79.89	60.26
2023-05-05 17:00	80.73	62.98
2023-05-05 17:15	80.65	54.36
2023-05-05 17:30	77.65	50.73
2023-05-05 17:45	79.64	46.95
2023-05-05 18:00	78.3	47.74
2023-05-05 18:15	78.03	49.65
2023-05-05 18:30	79.02	53.59
2023-05-05 18:45	79.29	58.24
2023-05-05 19:00	79.2	63.87
2023-05-05 19:15	78.55	53.99
2023-05-05 19:30	81.09	49.2
2023-05-05 19:45	79.5	47.07
2023-05-05 20:00	79.51	47.12
2023-05-05 20:15	80.06	48.57
2023-05-05 20:30	81.92	55.36
2023-05-05 20:45	81.56	58.46
2023-05-05 21:00	79.11	63.07
2023-05-05 21:15	83.38	57
2023-05-05 21:30	81.93	49.61
2023-05-05 21:45	82.68	47.39
2023-05-05 22:00	80.75	47.71
2023-05-05 22:15	83.61	49.31
2023-05-05 22:30	88.06	55.5
2023-05-05 22:45	81.67	57.77
2023-05-05 23:00	82.28	62.93
2023-05-05 23:15	83.39	56.36
2023-05-05 23:30	90.41	49.32
2023-05-05 23:45	80.06	46.71
2023-05-06 00:00	82.53	47.75
2023-05-06 00:15	80.88	50
2023-05-06 00:30	81.3	56.09
2023-05-06 00:45	80.72	59.27
2023-05-06 01:00	82.92	61.99
2023-05-06 01:15	81.66	56.19
2023-05-06 01:30	80.09	47.37
2023-05-06 01:45	82.33	46.06
2023-05-06 02:00	81.64	48.31
2023-05-06 02:15	82.19	50.14
2023-05-06 02:30	81.35	55.29
2023-05-06 02:45	84.71	56.85

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-06 03:00	81.55	57.34
2023-05-06 03:15	81.44	58.93
2023-05-06 03:30	83.04	63.09
2023-05-06 03:45	83.43	45.87
2023-05-06 04:00	85.62	47.8
2023-05-06 04:15	80.64	49.93
2023-05-06 04:30	84.84	55.08
2023-05-06 04:45	85.72	57.17
2023-05-06 05:00	83.4	58.87
2023-05-06 05:15	82.19	59.42
2023-05-06 05:30	84.3	61.52
2023-05-06 05:45	89.75	46.52
2023-05-06 06:00	80.01	48.41
2023-05-06 06:15	81.68	51.19
2023-05-06 06:30	81.08	57
2023-05-06 06:45	80.11	59.24
2023-05-06 07:00	79.11	59.59
2023-05-06 07:15	81.04	56.83
2023-05-06 07:30	79.04	46.77
2023-05-06 07:45	78.65	47.27
2023-05-06 08:00	79.9	48.81
2023-05-06 08:15	80.66	51.77
2023-05-06 08:30	79.78	56.97
2023-05-06 08:45	78.31	63.85
2023-05-06 09:00	81.89	62.37
2023-05-06 09:15	79.19	61.27
2023-05-06 09:30	79.04	53.93
2023-05-06 09:45	79.33	49.46
2023-05-06 10:00	81.43	49.51
2023-05-06 10:15	80.69	52.69
2023-05-06 10:30	79.03	55.46
2023-05-06 10:45	82.57	59.67
2023-05-06 11:00	82.39	73.35
2023-05-06 11:15	85.67	64.71
2023-05-06 11:30	80.17	52.75
2023-05-06 11:45	82.38	51.76
2023-05-06 12:00	87.8	55.06
2023-05-06 12:15	81.97	59.39
2023-05-06 12:30	80.51	62.58
2023-05-06 12:45	81.11	65.57
2023-05-06 13:00	80.7	63.24
2023-05-06 13:15	79.64	61.3

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-06 13:30	82.13	50.2
2023-05-06 13:45	79.94	49.36
2023-05-06 14:00	79.56	52.72
2023-05-06 14:15	79.54	55.31
2023-05-06 14:30	81.68	65.23
2023-05-06 14:45	79.96	70.95
2023-05-06 15:00	78.91	64.8
2023-05-06 15:15	80.98	78.88
2023-05-06 15:30	79.51	55.32
2023-05-06 15:45	78.97	53.11
2023-05-06 16:00	78.64	53.39
2023-05-06 16:15	81.73	55.48
2023-05-06 16:30	80.03	58.92
2023-05-06 16:45	78.94	63.01
2023-05-06 17:00	80.14	60.09
2023-05-06 17:15	81.96	61.05
2023-05-06 17:30	83.56	47.59
2023-05-06 17:45	78.75	48.63
2023-05-06 18:00	82.76	50.51
2023-05-06 18:15	84.31	55.14
2023-05-06 18:30	86.51	57.46
2023-05-06 18:45	80.34	62.67
2023-05-06 19:00	81.96	61.64
2023-05-06 19:15	81.88	58.4
2023-05-06 19:30	80.11	49.26
2023-05-06 19:45	81.52	49.3
2023-05-06 20:00	81.41	50.51
2023-05-06 20:15	80.6	56.85
2023-05-06 20:30	79.69	58.84
2023-05-06 20:45	81.96	63.29
2023-05-06 21:00	80.07	61.91
2023-05-06 21:15	79.84	57.85
2023-05-06 21:30	80.69	49.31
2023-05-06 21:45	81.83	49.36
2023-05-06 22:00	81.14	51.32
2023-05-06 22:15	79.23	56.28
2023-05-06 22:30	83.38	57.88
2023-05-06 22:45	81.53	63.48
2023-05-06 23:00	81.85	61.47
2023-05-06 23:15	81.56	56.07
2023-05-06 23:30	84.84	48.22
2023-05-06 23:45	86.27	49.2

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-07 00:00	81.58	52.14
2023-05-07 00:15	84.21	57
2023-05-07 00:30	83.83	59.55
2023-05-07 00:45	90.54	63.75
2023-05-07 01:00	80.75	62.46
2023-05-07 01:15	83.03	55.05
2023-05-07 01:30	85.35	47.88
2023-05-07 01:45	82.2	48.35
2023-05-07 02:00	81.12	50.29
2023-05-07 02:15	82.14	54.99
2023-05-07 02:30	81.65	58.18
2023-05-07 02:45	80.43	63.86
2023-05-07 03:00	82.34	61.65
2023-05-07 03:15	81.51	71.4
2023-05-07 03:30	81.7	51.89
2023-05-07 03:45	81.13	47.72
2023-05-07 04:00	83.65	52.11
2023-05-07 04:15	81.78	56.61
2023-05-07 04:30	81.14	59.75
2023-05-07 04:45	83.13	64.87
2023-05-07 05:00	82.15	64.27
2023-05-07 05:15	81.85	70.98
2023-05-07 05:30	80.62	52.63
2023-05-07 05:45	83.67	48.47
2023-05-07 06:00	82.93	51.41
2023-05-07 06:15	82.37	55.35
2023-05-07 06:30	82.45	57.65
2023-05-07 06:45	83.5	62.7
2023-05-07 07:00	89.96	63.47
2023-05-07 07:15	79.87	49.33
2023-05-07 07:30	82.53	47.68
2023-05-07 07:45	84.13	49.13
2023-05-07 08:00	83.31	52.76
2023-05-07 08:15	79.43	56.51
2023-05-07 08:30	81.51	60.6
2023-05-07 08:45	81.01	62.86
2023-05-07 09:00	81.29	67.76
2023-05-07 09:15	84.43	70.18
2023-05-07 09:30	85.58	52.95
2023-05-07 09:45	85.84	50.4
2023-05-07 10:00	86.72	55.78
2023-05-07 10:15	87.1	59.24

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-07 10:30	86.44	62.09
2023-05-07 10:45	94.55	64.07
2023-05-07 11:00	82.34	66.73
2023-05-07 11:15	87.39	51.01
2023-05-07 11:30	90.17	51.49
2023-05-07 11:45	91.38	52.81
2023-05-07 12:00	82.43	57.16
2023-05-07 12:15	85.03	60.04
2023-05-07 12:30	83.96	65.31
2023-05-07 12:45	83.18	64.81
2023-05-07 13:00	85.03	69.4
2023-05-07 13:15	85.14	50.81
2023-05-07 13:30	85.14	51.41
2023-05-07 13:45	83.64	51.51
2023-05-07 14:00	86.04	57.15
2023-05-07 14:15	82.38	59.99
2023-05-07 14:30	81.87	63.19
2023-05-07 14:45	81.73	65.44
2023-05-07 15:00	83.75	65.93
2023-05-07 15:15	82.91	48.09
2023-05-07 15:30	79.81	48.61
2023-05-07 15:45	84.03	50.13
2023-05-07 16:00	81.71	55.27
2023-05-07 16:15	81.74	56.83
2023-05-07 16:30	80.97	60.5
2023-05-07 16:45	86.24	63.81
2023-05-07 17:00	85.82	69.49
2023-05-07 17:15	82.07	50.53
2023-05-07 17:30	84.13	47.63
2023-05-07 17:45	84.18	49.66
2023-05-07 18:00	91.33	53.73
2023-05-07 18:15	81.42	55.56
2023-05-07 18:30	83.53	59.48
2023-05-07 18:45	85.26	61.6
2023-05-07 19:00	81.87	63.99
2023-05-07 19:15	81.75	47.97
2023-05-07 19:30	83	48.57
2023-05-07 19:45	82.25	50.3
2023-05-07 20:00	81.18	54.59
2023-05-07 20:15	83.19	55.62
2023-05-07 20:30	81.92	60.37
2023-05-07 20:45	82.05	62.12

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-07 21:00	81.86	66.54
2023-05-07 21:15	84.66	49.06
2023-05-07 21:30	84.75	49.7
2023-05-07 21:45	83.33	50.81
2023-05-07 22:00	85.68	55.06
2023-05-07 22:15	86.1	56.28
2023-05-07 22:30	86.56	60.31
2023-05-07 22:45	84.57	62.35
2023-05-07 23:00	88.37	49.28
2023-05-07 23:15	92.88	49.23
2023-05-07 23:30	90.52	50.59
2023-05-07 23:45	85.67	53.63
2023-05-08 00:00	87.37	61.09
2023-05-08 00:15	87.55	64.59
2023-05-08 00:30	85.59	61.68
2023-05-08 00:45	87.44	60.64
2023-05-08 01:00	85.32	49.96
2023-05-08 01:15	84.82	49.79
2023-05-08 01:30	83.42	50.96
2023-05-08 01:45	85.29	54.34
2023-05-08 02:00	83.59	60.08
2023-05-08 02:15	83.05	62.73
2023-05-08 02:30	84.14	62.82
2023-05-08 02:45	84.56	61.1
2023-05-08 03:00	83.65	60.04
2023-05-08 03:15	84.1	48.49
2023-05-08 03:30	88.07	48.98
2023-05-08 03:45	85.68	51.72
2023-05-08 04:00	85.51	60.68
2023-05-08 04:15	85.11	64.99
2023-05-08 04:30	87.67	61.14
2023-05-08 04:45	89.42	61.6
2023-05-08 05:00	83.67	66.13
2023-05-08 05:15	87.24	49.58
2023-05-08 05:30	85.39	48.27
2023-05-08 05:45	86.93	50.65
2023-05-08 06:00	84.26	59.45
2023-05-08 06:15	86.78	64.92
2023-05-08 06:30	90.73	61.8
2023-05-08 06:45	84.8	62.73
2023-05-08 07:00	83.92	48.79
2023-05-08 07:15	83.87	49.69

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-08 07:30	82.38	51.25
2023-05-08 07:45	80.57	56.45
2023-05-08 08:00	83.97	59.44
2023-05-08 08:15	85.77	65
2023-05-08 08:30	86.17	64.62
2023-05-08 08:45	86.59	104.27
2023-05-08 09:00	55.49	60.18
2023-05-08 09:15	0	0
2023-05-08 09:30	0	0
2023-05-08 09:45	0	0
2023-05-08 10:00	0	0
2023-05-08 10:15	0	0
2023-05-08 10:30	0	0
2023-05-08 10:45	0	0
2023-05-08 11:00	0	0
2023-05-08 11:15	0	0
2023-05-08 11:30	0	0
2023-05-08 11:45	0	0
2023-05-08 12:00	0	0
2023-05-08 12:15	0	0
2023-05-08 12:30	0	0
2023-05-08 12:45	0	0
2023-05-08 13:00	0	0
2023-05-08 13:15	0	0
2023-05-08 13:30	0	0
2023-05-08 13:45	0	0
2023-05-08 14:00	0	0
2023-05-08 14:15	0	0
2023-05-08 14:30	0	0
2023-05-08 14:45	0	0
2023-05-08 15:00	16.79	10.35
2023-05-08 15:15	12.32	81.98
2023-05-08 15:30	112.97	59.17
2023-05-08 15:45	147.53	63.92
2023-05-08 16:00	79.33	68.68
2023-05-08 16:15	81.17	70.7
2023-05-08 16:30	79.72	73.92
2023-05-08 16:45	77.45	53.91
2023-05-08 17:00	80.72	52.67
2023-05-08 17:15	79.29	55.16
2023-05-08 17:30	78.98	57.87
2023-05-08 17:45	78.83	60.32

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-08 18:00	82.03	63.67
2023-05-08 18:15	79.79	67.44
2023-05-08 18:30	79.07	71.17
2023-05-08 18:45	80.99	53.72
2023-05-08 19:00	81.59	52.41
2023-05-08 19:15	81.24	54.77
2023-05-08 19:30	79.25	56.61
2023-05-08 19:45	85.54	58.42
2023-05-08 20:00	82.72	64.48
2023-05-08 20:15	82.04	70.94
2023-05-08 20:30	82.81	68.91
2023-05-08 20:45	84.85	52.33
2023-05-08 21:00	88.91	51.1
2023-05-08 21:15	79.95	54.95
2023-05-08 21:30	85.94	57.12
2023-05-08 21:45	85.41	58.53
2023-05-08 22:00	91.85	62.25
2023-05-08 22:15	80.62	70.45
2023-05-08 22:30	84.17	69.38
2023-05-08 22:45	84.03	53.52
2023-05-08 23:00	80.87	52.58
2023-05-08 23:15	82.88	54.86
2023-05-08 23:30	83.52	55.78
2023-05-08 23:45	81.92	57.5
2023-05-09 00:00	80.67	62.82
2023-05-09 00:15	85.04	70.09
2023-05-09 00:30	82.65	65.08
2023-05-09 00:45	82.16	53.91
2023-05-09 01:00	83	53.84
2023-05-09 01:15	86.13	56.96
2023-05-09 01:30	84.38	57.68
2023-05-09 01:45	81.36	59.97
2023-05-09 02:00	87.12	64.15
2023-05-09 02:15	85.28	71.92
2023-05-09 02:30	85.38	64.45
2023-05-09 02:45	83.81	52.78
2023-05-09 03:00	87.92	58.37
2023-05-09 03:15	85.98	54.16
2023-05-09 03:30	84.04	54.25
2023-05-09 03:45	87.56	55.54
2023-05-09 04:00	87.71	64.12
2023-05-09 04:15	98.11	73.04

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-09 04:30	81.88	64.97
2023-05-09 04:45	86.84	54.4
2023-05-09 05:00	92.08	55.15
2023-05-09 05:15	91.61	54.83
2023-05-09 05:30	83.16	53.93
2023-05-09 05:45	86.32	54.72
2023-05-09 06:00	83.05	61.16
2023-05-09 06:15	81.63	68.23
2023-05-09 06:30	84.48	64.43
2023-05-09 06:45	84.38	53.09
2023-05-09 07:00	83.72	53.12
2023-05-09 07:15	82.67	57.16
2023-05-09 07:30	87.5	58.6
2023-05-09 07:45	84.64	66.22
2023-05-09 08:00	84.09	113.87
2023-05-09 08:15	86.94	180.48
2023-05-09 08:30	85.8	188.23
2023-05-09 08:45	86.72	150.02
2023-05-09 09:00	81.74	130.07
2023-05-09 09:15	84.77	117.98
2023-05-09 09:30	85.64	103.56
2023-05-09 09:45	84.96	102.6
2023-05-09 10:00	81.65	76.93
2023-05-09 10:15	85.01	64.5
2023-05-09 10:30	83.49	65.07
2023-05-09 10:45	79.91	66.91
2023-05-09 11:00	84	67.96
2023-05-09 11:15	83.35	66.41
2023-05-09 11:30	86.95	72.78
2023-05-09 11:45	80.06	76.85
2023-05-09 12:00	83.8	81.75
2023-05-09 12:15	80.96	63.69
2023-05-09 12:30	80.72	63.54
2023-05-09 12:45	82.72	64.61
2023-05-09 13:00	85.17	66.59
2023-05-09 13:15	85.99	66.86
2023-05-09 13:30	85.35	69.95
2023-05-09 13:45	87.68	78.54
2023-05-09 14:00	85.05	89.55
2023-05-09 14:15	84.27	66.37
2023-05-09 14:30	83.79	61.14
2023-05-09 14:45	86.89	64.35

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-09 15:00	85.61	67.33
2023-05-09 15:15	82.98	68.84
2023-05-09 15:30	90.49	72.94
2023-05-09 15:45	90.27	77.71
2023-05-09 16:00	95.64	88.83
2023-05-09 16:15	90.65	69.87
2023-05-09 16:30	97.22	69.53
2023-05-09 16:45	101.06	70.85
2023-05-09 17:00	95.84	72.23
2023-05-09 17:15	93.79	69.54
2023-05-09 17:30	99.58	78.8
2023-05-09 17:45	114.6	88.23
2023-05-09 18:00	96.23	101.25
2023-05-09 18:15	103.39	78.79
2023-05-09 18:30	100.49	71.37
2023-05-09 18:45	98.83	76.36
2023-05-09 19:00	90.24	74.22
2023-05-09 19:15	98.76	65.72
2023-05-09 19:30	57.2	68.74
2023-05-09 19:45	0	68.08
2023-05-09 20:00	0	67.89
2023-05-09 20:15	0	60.44
2023-05-09 20:30	0	63.14
2023-05-09 20:45	0	61.76
2023-05-09 21:00	0	61.26
2023-05-09 21:15	0	59.78
2023-05-09 21:30	0	62.58
2023-05-09 21:45	0	66.2
2023-05-09 22:00	0	70.69
2023-05-09 22:15	0	56.37
2023-05-09 22:30	0	54.6
2023-05-09 22:45	0	55.51
2023-05-09 23:00	0	56.1
2023-05-09 23:15	0	57.8
2023-05-09 23:30	0	60.32
2023-05-09 23:45	0	63.87
2023-05-10 00:00	0	64.77
2023-05-10 00:15	0	56.23
2023-05-10 00:30	0	55.2
2023-05-10 00:45	0	55.31
2023-05-10 01:00	0	55.28
2023-05-10 01:15	0	55.61

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-10 01:30	0	56.31
2023-05-10 01:45	0	58.05
2023-05-10 02:00	0	53.88
2023-05-10 02:15	0	53.59
2023-05-10 02:30	0	53.71
2023-05-10 02:45	0	54.49
2023-05-10 03:00	0	54.02
2023-05-10 03:15	0	52.74
2023-05-10 03:30	0	52.88
2023-05-10 03:45	0	53.43
2023-05-10 04:00	0	55.9
2023-05-10 04:15	0	59.68
2023-05-10 04:30	0	59.38
2023-05-10 04:45	0	62.5
2023-05-10 05:00	0	71.41
2023-05-10 05:15	0	68.69
2023-05-10 05:30	52.15	74.49
2023-05-10 05:45	0	81.53
2023-05-10 06:00	0	79.25
2023-05-10 06:15	0	80.82
2023-05-10 06:30	0	88.56
2023-05-10 06:45	0	110.33
2023-05-10 07:00	0	94.53
2023-05-10 07:15	0	68.68
2023-05-10 07:30	0	69.58
2023-05-10 07:45	0	76.61
2023-05-10 08:00	0	76.68
2023-05-10 08:15	0	80.01
2023-05-10 08:30	0	85.71
2023-05-10 08:45	3.17	99.21
2023-05-10 09:00	96.88	96.07
2023-05-10 09:15	99.08	75.47
2023-05-10 09:30	99.76	71.75
2023-05-10 09:45	97.05	73.98
2023-05-10 10:00	87.94	74.1
2023-05-10 10:15	101.31	76.65
2023-05-10 10:30	94.76	80.91
2023-05-10 10:45	94.03	92.33
2023-05-10 11:00	92.02	93.1
2023-05-10 11:15	96.95	75.29
2023-05-10 11:30	101.8	72.61
2023-05-10 11:45	87.27	69.3

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-10 12:00	98.47	70.12
2023-05-10 12:15	98.62	72.2
2023-05-10 12:30	115.26	77.25
2023-05-10 12:45	97.27	87.59
2023-05-10 13:00	106.95	93.02
2023-05-10 13:15	112.28	79.48
2023-05-10 13:30	107.23	77.91
2023-05-10 13:45	100.46	69.53
2023-05-10 14:00	104.29	66.26
2023-05-10 14:15	103.3	72.37
2023-05-10 14:30	98.09	74.45
2023-05-10 14:45	108.95	87.08
2023-05-10 15:00	106.72	87.1
2023-05-10 15:15	106.67	82.04
2023-05-10 15:30	101.72	81.56
2023-05-10 15:45	107.43	68.04
2023-05-10 16:00	103.05	73.85
2023-05-10 16:15	100.18	76.4
2023-05-10 16:30	109.2	80.96
2023-05-10 16:45	107.8	88.4
2023-05-10 17:00	108.85	88.84
2023-05-10 17:15	101.76	86.65
2023-05-10 17:30	114.81	90.39
2023-05-10 17:45	109.03	70.19
2023-05-10 18:00	107.3	73.03
2023-05-10 18:15	112.93	74.07
2023-05-10 18:30	114.48	79.49
2023-05-10 18:45	119.9	83.03
2023-05-10 19:00	102.17	82.6
2023-05-10 19:15	123.87	87.54
2023-05-10 19:30	117.8	94.86
2023-05-10 19:45	126.52	77.57
2023-05-10 20:00	110.96	71.21
2023-05-10 20:15	118.83	72.54
2023-05-10 20:30	142.98	75.58
2023-05-10 20:45	111.02	80.98
2023-05-10 21:00	112.08	83.07
2023-05-10 21:15	113.13	87.6
2023-05-10 21:30	120.24	93.36
2023-05-10 21:45	106.44	82.84
2023-05-10 22:00	118.48	65.9
2023-05-10 22:15	110.68	71.54

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-10 22:30	110.49	75.56
2023-05-10 22:45	111.31	78.93
2023-05-10 23:00	116.64	82.6
2023-05-10 23:15	113.3	87.49
2023-05-10 23:30	106.79	100.12
2023-05-10 23:45	119.4	89.27
2023-05-11 00:00	112.5	92.57
2023-05-11 00:15	112.42	82.14
2023-05-11 00:30	109.17	73.79
2023-05-11 00:45	117.7	73.97
2023-05-11 01:00	112.48	75.85
2023-05-11 01:15	108.73	78.95
2023-05-11 01:30	117.81	90.23
2023-05-11 01:45	116.43	94.52
2023-05-11 02:00	122.78	73.33
2023-05-11 02:15	107.62	71.47
2023-05-11 02:30	127.77	75.65
2023-05-11 02:45	123.92	76.45
2023-05-11 03:00	118.47	76.71
2023-05-11 03:15	119.93	81.6
2023-05-11 03:30	123.91	92.65
2023-05-11 03:45	143.03	95.6
2023-05-11 04:00	106.81	84.56
2023-05-11 04:15	127.15	81.8
2023-05-11 04:30	122.09	73.15
2023-05-11 04:45	152.66	73.63
2023-05-11 05:00	107.79	78.91
2023-05-11 05:15	115.98	84.56
2023-05-11 05:30	110.03	96.37
2023-05-11 05:45	107.85	95.03
2023-05-11 06:00	113.65	72.54
2023-05-11 06:15	114.56	72.05
2023-05-11 06:30	113.1	75.82
2023-05-11 06:45	106.52	76.87
2023-05-11 07:00	121.67	80.53
2023-05-11 07:15	113.75	84.81
2023-05-11 07:30	112.26	99.08
2023-05-11 07:45	116.21	94.83
2023-05-11 08:00	119.58	79.63
2023-05-11 08:15	117.92	75.81
2023-05-11 08:30	106.23	74.88
2023-05-11 08:45	125.22	73.75

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-11 09:00	119.99	78.62
2023-05-11 09:15	128.9	84.88
2023-05-11 09:30	114.03	98.35
2023-05-11 09:45	124.87	92.21
2023-05-11 10:00	137.83	73.65
2023-05-11 10:15	114.06	72.87
2023-05-11 10:30	114.51	76.08
2023-05-11 10:45	115.29	77.22
2023-05-11 11:00	129.94	81.67
2023-05-11 11:15	116.18	88.54
2023-05-11 11:30	106.6	99.79
2023-05-11 11:45	101.61	94.72
2023-05-11 12:00	101.34	75.88
2023-05-11 12:15	101.5	73.15
2023-05-11 12:30	106.7	74.76
2023-05-11 12:45	101.1	75.21
2023-05-11 13:00	95.12	80.33
2023-05-11 13:15	106.47	86.07
2023-05-11 13:30	103.43	95.06
2023-05-11 13:45	101.8	88.22
2023-05-11 14:00	96.21	73.87
2023-05-11 14:15	105.24	71.75
2023-05-11 14:30	99.5	72.59
2023-05-11 14:45	94.17	72.44
2023-05-11 15:00	101.97	76.35
2023-05-11 15:15	100.34	86.28
2023-05-11 15:30	102.73	90.29
2023-05-11 15:45	89.96	84.1
2023-05-11 16:00	106.13	74.31
2023-05-11 16:15	105.05	70.58
2023-05-11 16:30	107.9	72.67
2023-05-11 16:45	97.73	74.2
2023-05-11 17:00	99.96	79.02
2023-05-11 17:15	110.39	88.46
2023-05-11 17:30	91.81	91.88
2023-05-11 17:45	96.34	81.54
2023-05-11 18:00	95.61	74.78
2023-05-11 18:15	94.82	71.5
2023-05-11 18:30	91.57	71.39
2023-05-11 18:45	98.16	72.02
2023-05-11 19:00	94.18	77.12
2023-05-11 19:15	92.41	87.36

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-11 19:30	95.51	92.19
2023-05-11 19:45	98.03	81.63
2023-05-11 20:00	95.92	77.97
2023-05-11 20:15	91.83	70.99
2023-05-11 20:30	101.44	71.72
2023-05-11 20:45	96.54	74.44
2023-05-11 21:00	95.91	80.73
2023-05-11 21:15	98.38	92.58
2023-05-11 21:30	102.47	95.22
2023-05-11 21:45	103.17	80.5
2023-05-11 22:00	94.52	75.56
2023-05-11 22:15	107.39	74.34
2023-05-11 22:30	103.98	77.73
2023-05-11 22:45	114.42	80.12
2023-05-11 23:00	99.35	79.15
2023-05-11 23:15	107.86	87.66
2023-05-11 23:30	110.68	78.31
2023-05-11 23:45	102.57	86.81
2023-05-12 00:00	99.24	72.97
2023-05-12 00:15	101.7	71.11
2023-05-12 00:30	99.34	71.24
2023-05-12 00:45	94.32	73.59
2023-05-12 01:00	101.43	78.86
2023-05-12 01:15	98.15	89.46
2023-05-12 01:30	97.7	89.89
2023-05-12 01:45	98.44	76.67
2023-05-12 02:00	102.82	71.63
2023-05-12 02:15	99.84	71.64
2023-05-12 02:30	97.08	71.81
2023-05-12 02:45	102.94	73.69
2023-05-12 03:00	101.42	71.91
2023-05-12 03:15	106.2	70.77
2023-05-12 03:30	95.02	71.03
2023-05-12 03:45	101.59	73.82
2023-05-12 04:00	99.41	87.49
2023-05-12 04:15	98.3	80.12
2023-05-12 04:30	102.79	70.4
2023-05-12 04:45	103.98	72
2023-05-12 05:00	116.51	82
2023-05-12 05:15	94.94	94.41
2023-05-12 05:30	109.19	98.69
2023-05-12 05:45	108.77	79.47

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-12 06:00	115.23	72.71
2023-05-12 06:15	99.83	73.36
2023-05-12 06:30	103.87	74.1
2023-05-12 06:45	100.75	75.27
2023-05-12 07:00	93.85	81.51
2023-05-12 07:15	97.48	93.59
2023-05-12 07:30	97.13	92.79
2023-05-12 07:45	95.32	77.26
2023-05-12 08:00	93.99	69.93
2023-05-12 08:15	100.94	69.63
2023-05-12 08:30	96.88	69.29
2023-05-12 08:45	94.8	71.52
2023-05-12 09:00	96.47	79
2023-05-12 09:15	99	90.54
2023-05-12 09:30	97.56	91.82
2023-05-12 09:45	92.68	75.12
2023-05-12 10:00	104.81	70.32
2023-05-12 10:15	100.82	70.32
2023-05-12 10:30	100.85	72.68
2023-05-12 10:45	101.13	76.2
2023-05-12 11:00	106.74	86.8
2023-05-12 11:15	112.33	92.62
2023-05-12 11:30	101.12	92.84
2023-05-12 11:45	110.43	82.05
2023-05-12 12:00	107.14	73.43
2023-05-12 12:15	126.23	74.51
2023-05-12 12:30	100.11	76.07
2023-05-12 12:45	107.16	80.46
2023-05-12 13:00	104.93	90.55
2023-05-12 13:15	101.92	91.61
2023-05-12 13:30	102.29	94.72
2023-05-12 13:45	105.34	79.98
2023-05-12 14:00	103.49	68.23
2023-05-12 14:15	100.37	71.64
2023-05-12 14:30	108.17	75.08
2023-05-12 14:45	104.58	82.8
2023-05-12 15:00	107.02	88.32
2023-05-12 15:15	103.85	95.31
2023-05-12 15:30	109.52	82.2
2023-05-12 15:45	108.05	81.29
2023-05-12 16:00	103.63	76.9
2023-05-12 16:15	109.14	78.42

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-12 16:30	110.1	76.1
2023-05-12 16:45	113.3	87.9
2023-05-12 17:00	106.26	92.2
2023-05-12 17:15	116.32	97.86
2023-05-12 17:30	110.87	93.32
2023-05-12 17:45	108.61	94.06
2023-05-12 18:00	111.38	79.27
2023-05-12 18:15	111.02	78.37
2023-05-12 18:30	125.61	78.09
2023-05-12 18:45	101.44	82.23
2023-05-12 19:00	107.59	98.28
2023-05-12 19:15	105.39	98.8
2023-05-12 19:30	104.91	82.88
2023-05-12 19:45	99.35	82.45
2023-05-12 20:00	103.24	77.49
2023-05-12 20:15	99.43	78.86
2023-05-12 20:30	98.18	80.95
2023-05-12 20:45	99.66	86.13
2023-05-12 21:00	99.1	95.1
2023-05-12 21:15	98.31	96.84
2023-05-12 21:30	95.15	84.45
2023-05-12 21:45	100.48	83.3
2023-05-12 22:00	97.03	77.44
2023-05-12 22:15	96.94	76.21
2023-05-12 22:30	97.65	78.24
2023-05-12 22:45	99.44	82.77
2023-05-12 23:00	102.18	101.68
2023-05-12 23:15	94.91	98.67
2023-05-12 23:30	103.43	80.75
2023-05-12 23:45	99.32	77.44
2023-05-13 00:00	102.98	79.71
2023-05-13 00:15	97.87	81.24
2023-05-13 00:30	103.16	83.44
2023-05-13 00:45	104.28	90.36
2023-05-13 01:00	96.53	96.26
2023-05-13 01:15	97.61	102.28
2023-05-13 01:30	96.33	90.83
2023-05-13 01:45	99.94	85.62
2023-05-13 02:00	90.61	74.95
2023-05-13 02:15	93.79	73.88
2023-05-13 02:30	92.35	74.76
2023-05-13 02:45	91.4	82.11

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-13 03:00	91.61	82.62
2023-05-13 03:15	94.05	86.94
2023-05-13 03:30	91.69	87.78
2023-05-13 03:45	90.24	87.05
2023-05-13 04:00	91.98	71.32
2023-05-13 04:15	91.26	68.73
2023-05-13 04:30	91.41	69.84
2023-05-13 04:45	90.57	73.39
2023-05-13 05:00	94.69	84.7
2023-05-13 05:15	92.13	85.78
2023-05-13 05:30	91.19	77.73
2023-05-13 05:45	93.58	69.52
2023-05-13 06:00	94.43	68.4
2023-05-13 06:15	94.4	68.94
2023-05-13 06:30	90.28	70.72
2023-05-13 06:45	97.81	78.36
2023-05-13 07:00	95.57	83.57
2023-05-13 07:15	96.78	85.14
2023-05-13 07:30	94.81	76.42
2023-05-13 07:45	95.05	67.98
2023-05-13 08:00	96.33	68.03
2023-05-13 08:15	89.86	70.42
2023-05-13 08:30	91.7	73.42
2023-05-13 08:45	90.78	82.71
2023-05-13 09:00	90.71	89.26
2023-05-13 09:15	89.88	88.12
2023-05-13 09:30	92.67	81.23
2023-05-13 09:45	90.95	69.9
2023-05-13 10:00	91.06	69.36
2023-05-13 10:15	91.41	69.88
2023-05-13 10:30	92.13	72.52
2023-05-13 10:45	93.77	81.09
2023-05-13 11:00	93.16	87.78
2023-05-13 11:15	98.54	86.72
2023-05-13 11:30	98.18	79.47
2023-05-13 11:45	96.93	71.37
2023-05-13 12:00	96.99	73.92
2023-05-13 12:15	99.76	72.08
2023-05-13 12:30	100.08	77.13
2023-05-13 12:45	94.04	84.71
2023-05-13 13:00	102.33	98.59
2023-05-13 13:15	100.71	96.92

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-13 13:30	104.14	93.74
2023-05-13 13:45	97.54	85.77
2023-05-13 14:00	101.41	78.84
2023-05-13 14:15	102.52	75.8
2023-05-13 14:30	97.39	77.47
2023-05-13 14:45	100.67	73.82
2023-05-13 15:00	97.37	85.18
2023-05-13 15:15	96.31	86.91
2023-05-13 15:30	92.55	96.59
2023-05-13 15:45	96.6	108.34
2023-05-13 16:00	95.55	79.86
2023-05-13 16:15	94.68	76.83
2023-05-13 16:30	94.17	76.43
2023-05-13 16:45	97.67	78.4
2023-05-13 17:00	96.19	78.79
2023-05-13 17:15	93.97	82.35
2023-05-13 17:30	95.99	90.69
2023-05-13 17:45	96.01	88.43
2023-05-13 18:00	95.92	68.97
2023-05-13 18:15	93.68	68.32
2023-05-13 18:30	97.68	71.88
2023-05-13 18:45	96.2	72.85
2023-05-13 19:00	94.84	78.19
2023-05-13 19:15	96.53	82.29
2023-05-13 19:30	98.34	90.69
2023-05-13 19:45	100.59	85.7
2023-05-13 20:00	94.77	79.18
2023-05-13 20:15	100.94	76.79
2023-05-13 20:30	99.2	72.93
2023-05-13 20:45	99.94	72.22
2023-05-13 21:00	96.17	78.49
2023-05-13 21:15	100.07	81.51
2023-05-13 21:30	99.48	81.77
2023-05-13 21:45	96.96	77.77
2023-05-13 22:00	98.38	73.6
2023-05-13 22:15	100.93	75.18
2023-05-13 22:30	99.21	77.03
2023-05-13 22:45	97.3	81.68
2023-05-13 23:00	100	86.97
2023-05-13 23:15	99.28	84.96
2023-05-13 23:30	98.97	94.94
2023-05-13 23:45	99.98	78.18

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-14 00:00	103.13	77.12
2023-05-14 00:15	102.22	79.2
2023-05-14 00:30	98.41	82.61
2023-05-14 00:45	104.67	84.01
2023-05-14 01:00	103.17	88.96
2023-05-14 01:15	103.16	93.24
2023-05-14 01:30	101.68	96.52
2023-05-14 01:45	105.31	78.03
2023-05-14 02:00	108.05	76.87
2023-05-14 02:15	100.43	78.85
2023-05-14 02:30	106.42	81.42
2023-05-14 02:45	104.04	82.95
2023-05-14 03:00	105.52	79.87
2023-05-14 03:15	99.84	85.06
2023-05-14 03:30	106.6	92.74
2023-05-14 03:45	106.92	94.9
2023-05-14 04:00	105.96	78.55
2023-05-14 04:15	102.08	75.6
2023-05-14 04:30	102.79	76.48
2023-05-14 04:45	110.28	76.78
2023-05-14 05:00	96.83	84.67
2023-05-14 05:15	100.33	91.93
2023-05-14 05:30	100.48	91.37
2023-05-14 05:45	100.15	74.82
2023-05-14 06:00	99.25	72.99
2023-05-14 06:15	102.59	75.15
2023-05-14 06:30	100.41	76.5
2023-05-14 06:45	98.93	76.35
2023-05-14 07:00	101.77	80.05
2023-05-14 07:15	102.55	89.32
2023-05-14 07:30	102.08	87.54
2023-05-14 07:45	97.55	72.21
2023-05-14 08:00	103.82	70.67
2023-05-14 08:15	101.77	73.07
2023-05-14 08:30	99.73	75.28
2023-05-14 08:45	100.43	77.22
2023-05-14 09:00	101.97	83.02
2023-05-14 09:15	109.27	92.15
2023-05-14 09:30	95.67	86.98
2023-05-14 09:45	100.77	72.77
2023-05-14 10:00	99.12	71.95
2023-05-14 10:15	101.43	72.87

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-14 10:30	94.85	72.32
2023-05-14 10:45	97.92	74.57
2023-05-14 11:00	96	79.41
2023-05-14 11:15	95.35	90.3
2023-05-14 11:30	96.7	84.4
2023-05-14 11:45	97.46	74.07
2023-05-14 12:00	97.04	70.35
2023-05-14 12:15	95.08	74.49
2023-05-14 12:30	98.58	74.78
2023-05-14 12:45	97.1	77.3
2023-05-14 13:00	96.12	81.6
2023-05-14 13:15	96.99	91.69
2023-05-14 13:30	100.85	84.11
2023-05-14 13:45	99.14	74.9
2023-05-14 14:00	95.49	75.6
2023-05-14 14:15	101.59	79.51
2023-05-14 14:30	100.16	77.95
2023-05-14 14:45	100.45	77.68
2023-05-14 15:00	97.68	84.1
2023-05-14 15:15	102.74	93.6
2023-05-14 15:30	104.16	86.13
2023-05-14 15:45	97.82	76.7
2023-05-14 16:00	99.27	88.23
2023-05-14 16:15	99.88	86.58
2023-05-14 16:30	99.24	74.94
2023-05-14 16:45	94.36	76.08
2023-05-14 17:00	97.27	82.28
2023-05-14 17:15	98.21	88.31
2023-05-14 17:30	96.76	89.99
2023-05-14 17:45	95.62	78.79
2023-05-14 18:00	98.59	74.22
2023-05-14 18:15	97.19	74.81
2023-05-14 18:30	95.09	76.41
2023-05-14 18:45	97.03	78.23
2023-05-14 19:00	96.78	81.86
2023-05-14 19:15	96.55	89.45
2023-05-14 19:30	95.02	90.8
2023-05-14 19:45	98.18	79.39
2023-05-14 20:00	96.9	80.32
2023-05-14 20:15	95.73	76.2
2023-05-14 20:30	96.74	76.18
2023-05-14 20:45	98.64	77.24

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-14 21:00	98.29	80.82
2023-05-14 21:15	95.58	85.58
2023-05-14 21:30	99.85	88.43
2023-05-14 21:45	99.01	85.23
2023-05-14 22:00	97.82	84.62
2023-05-14 22:15	98.13	74.63
2023-05-14 22:30	103.29	74.99
2023-05-14 22:45	102.52	76.63
2023-05-14 23:00	96.77	80.2
2023-05-14 23:15	102.84	85.22
2023-05-14 23:30	101.94	85.53
2023-05-14 23:45	104.37	86.17
2023-05-15 00:00	96.05	77.54
2023-05-15 00:15	99.16	73.56
2023-05-15 00:30	98.66	73.76
2023-05-15 00:45	96.56	76.67
2023-05-15 01:00	97.46	90.55
2023-05-15 01:15	99.64	92.94
2023-05-15 01:30	98.88	76.47
2023-05-15 01:45	96.54	74.26
2023-05-15 02:00	100.97	76.86
2023-05-15 02:15	100.58	78.38
2023-05-15 02:30	98.57	79.53
2023-05-15 02:45	98.32	75.32
2023-05-15 03:00	103.31	77.15
2023-05-15 03:15	101.8	76.82
2023-05-15 03:30	95.63	71.44
2023-05-15 03:45	102.96	73.95
2023-05-15 04:00	101.12	71.49
2023-05-15 04:15	102.09	72.3
2023-05-15 04:30	97.15	74.45
2023-05-15 04:45	103.4	77.25
2023-05-15 05:00	101.21	77.87
2023-05-15 05:15	99.59	83.97
2023-05-15 05:30	96.91	73.11
2023-05-15 05:45	99.06	72.75
2023-05-15 06:00	98.32	73.92
2023-05-15 06:15	95.59	73.67
2023-05-15 06:30	98.45	75.49
2023-05-15 06:45	97.13	81.93
2023-05-15 07:00	95.78	90.69
2023-05-15 07:15	95.13	80.54

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-15 07:30	97.84	75.04
2023-05-15 07:45	95.41	71.13
2023-05-15 08:00	93.28	70.99
2023-05-15 08:15	95.84	71.68
2023-05-15 08:30	95.82	73.97
2023-05-15 08:45	95.62	80.56
2023-05-15 09:00	93.79	89.42
2023-05-15 09:15	98.11	81.42
2023-05-15 09:30	95.95	76.88
2023-05-15 09:45	94.75	75.12
2023-05-15 10:00	96.07	75.87
2023-05-15 10:15	98.25	76.86
2023-05-15 10:30	99.52	79.8
2023-05-15 10:45	93.25	86.91
2023-05-15 11:00	98.67	89.69
2023-05-15 11:15	97.81	84
2023-05-15 11:30	100.41	80.67
2023-05-15 11:45	94.02	87.41
2023-05-15 12:00	96.46	78.49
2023-05-15 12:15	95.73	80.52
2023-05-15 12:30	95.61	84.39
2023-05-15 12:45	96.82	92.15
2023-05-15 13:00	97.03	86.31
2023-05-15 13:15	97.01	74.25
2023-05-15 13:30	95.67	70.81
2023-05-15 13:45	98.32	73.7
2023-05-15 14:00	97.14	78.19
2023-05-15 14:15	96.45	80.29
2023-05-15 14:30	96.92	82.07
2023-05-15 14:45	99.44	89.9
2023-05-15 15:00	98.28	89.67
2023-05-15 15:15	95.35	86.09
2023-05-15 15:30	100.52	85.15
2023-05-15 15:45	98.68	75.22
2023-05-15 16:00	99.21	77.94
2023-05-15 16:15	98.15	81.36
2023-05-15 16:30	102.56	85.3
2023-05-15 16:45	102.07	91.91
2023-05-15 17:00	97.02	84.83
2023-05-15 17:15	100.35	74.8
2023-05-15 17:30	99.87	73.83
2023-05-15 17:45	102.36	78.39

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-15 18:00	97.4	102.69
2023-05-15 18:15	100.63	119.38
2023-05-15 18:30	98.67	130.67
2023-05-15 18:45	96.13	142.23
2023-05-15 19:00	92.73	105.19
2023-05-15 19:15	94.95	106.11
2023-05-15 19:30	97.01	79.3
2023-05-15 19:45	158.21	82.79
2023-05-15 20:00	78.78	71.64
2023-05-15 20:15	0	81.93
2023-05-15 20:30	0	95.75
2023-05-15 20:45	0	95.14
2023-05-15 21:00	35.49	88.68
2023-05-15 21:15	104.37	81.6
2023-05-15 21:30	98.76	76.64
2023-05-15 21:45	102.75	77.31
2023-05-15 22:00	105.54	78.89
2023-05-15 22:15	104.26	81.89
2023-05-15 22:30	98.54	88.2
2023-05-15 22:45	108.16	93.46
2023-05-15 23:00	106.75	84.87
2023-05-15 23:15	105.09	80.8
2023-05-15 23:30	103.81	76.85
2023-05-15 23:45	106.81	76.62
2023-05-16 00:00	113.04	78.47
2023-05-16 00:15	98.25	80.68
2023-05-16 00:30	101.69	88.33
2023-05-16 00:45	102.05	93.06
2023-05-16 01:00	100.8	83.38
2023-05-16 01:15	97.9	77.69
2023-05-16 01:30	102.21	70.96
2023-05-16 01:45	99.66	75.02
2023-05-16 02:00	98.01	76.71
2023-05-16 02:15	99.41	79.02
2023-05-16 02:30	101.07	88.3
2023-05-16 02:45	99.89	90.44
2023-05-16 03:00	97.43	80.45
2023-05-16 03:15	101.92	79.2
2023-05-16 03:30	100.27	73.47
2023-05-16 03:45	98.78	73.15
2023-05-16 04:00	98.86	74.13
2023-05-16 04:15	103.14	76.03

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-16 04:30	102.33	82.91
2023-05-16 04:45	98.48	85.4
2023-05-16 05:00	105.51	78.95
2023-05-16 05:15	104.6	76.94
2023-05-16 05:30	104.71	72.2
2023-05-16 05:45	100.69	73.7
2023-05-16 06:00	105.82	75.74
2023-05-16 06:15	108.82	70.94
2023-05-16 06:30	101.68	66.04
2023-05-16 06:45	101.91	65.32
2023-05-16 07:00	101.55	68.34
2023-05-16 07:15	104.3	67.28
2023-05-16 07:30	95.76	66.27
2023-05-16 07:45	99.4	66.12
2023-05-16 08:00	99.29	64.4
2023-05-16 08:15	98.48	63.91
2023-05-16 08:30	97.61	75.83
2023-05-16 08:45	100.36	92.48
2023-05-16 09:00	98.28	0
2023-05-16 09:15	96.39	0
2023-05-16 09:30	99.42	0
2023-05-16 09:45	99.17	0
2023-05-16 10:00	98.1	0
2023-05-16 10:15	96.07	0
2023-05-16 10:30	101.4	0
2023-05-16 10:45	99.06	0
2023-05-16 11:00	97.37	0
2023-05-16 11:15	99.46	0
2023-05-16 11:30	101.09	0
2023-05-16 11:45	101.06	0
2023-05-16 12:00	95.32	0
2023-05-16 12:15	102.94	0
2023-05-16 12:30	102.23	0
2023-05-16 12:45	102.24	0
2023-05-16 13:00	99.21	0
2023-05-16 13:15	103.75	34
2023-05-16 13:30	100.46	79.23
2023-05-16 13:45	95.81	82.17
2023-05-16 14:00	98.04	81.12
2023-05-16 14:15	98.55	88.03
2023-05-16 14:30	98.07	88.4
2023-05-16 14:45	96.24	91.71

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-16 15:00	99.01	80.33
2023-05-16 15:15	96.95	77.15
2023-05-16 15:30	96.03	78.16
2023-05-16 15:45	96.36	80.4
2023-05-16 16:00	97.56	79.46
2023-05-16 16:15	97.2	84.22
2023-05-16 16:30	93.77	91.07
2023-05-16 16:45	97.84	92.03
2023-05-16 17:00	96.55	82.22
2023-05-16 17:15	95.65	78.67
2023-05-16 17:30	94.74	79.75
2023-05-16 17:45	98.71	81.21
2023-05-16 18:00	96.24	79.8
2023-05-16 18:15	93.12	82.79
2023-05-16 18:30	97.02	82.38
2023-05-16 18:45	96.54	85.4
2023-05-16 19:00	97.98	86
2023-05-16 19:15	94.44	85.29
2023-05-16 19:30	97.74	77.57
2023-05-16 19:45	95.25	70.75
2023-05-16 20:00	104.54	72.84
2023-05-16 20:15	96.35	83.64
2023-05-16 20:30	96.17	84.38
2023-05-16 20:45	95.69	85.7
2023-05-16 21:00	92.46	82.15
2023-05-16 21:15	95.3	76.96
2023-05-16 21:30	94.76	76.69
2023-05-16 21:45	94.27	78.64
2023-05-16 22:00	93.38	82.39
2023-05-16 22:15	96.02	90.72
2023-05-16 22:30	94.46	89.69
2023-05-16 22:45	92.79	88.48
2023-05-16 23:00	95.25	83.68
2023-05-16 23:15	95.65	78.3
2023-05-16 23:30	95.2	78.26
2023-05-16 23:45	93.45	77.17
2023-05-17 00:00	98.45	78.3
2023-05-17 00:15	96.75	84.03
2023-05-17 00:30	95.04	81.5
2023-05-17 00:45	97.51	80.11
2023-05-17 01:00	99.46	80.97
2023-05-17 01:15	100.19	74.5

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-17 01:30	94.52	73.58
2023-05-17 01:45	100.24	74.45
2023-05-17 02:00	98.42	77.71
2023-05-17 02:15	104.17	85.61
2023-05-17 02:30	96.3	86.93
2023-05-17 02:45	98.15	86.04
2023-05-17 03:00	97.4	83.44
2023-05-17 03:15	95.68	76.03
2023-05-17 03:30	96.28	74.57
2023-05-17 03:45	96.99	73.84
2023-05-17 04:00	98.78	85.18
2023-05-17 04:15	95.73	79.32
2023-05-17 04:30	98	79.38
2023-05-17 04:45	99.31	83.96
2023-05-17 05:00	96.42	83.03
2023-05-17 05:15	96.76	76.49
2023-05-17 05:30	99.43	78.51
2023-05-17 05:45	97.21	81.99
2023-05-17 06:00	96.34	85.26
2023-05-17 06:15	101.57	73.34
2023-05-17 06:30	99.71	72.85
2023-05-17 06:45	99	75.53
2023-05-17 07:00	97.61	79.94
2023-05-17 07:15	101.85	80.4
2023-05-17 07:30	101.31	83.24
2023-05-17 07:45	96.54	82.72
2023-05-17 08:00	100.07	86.7
2023-05-17 08:15	100.02	65.68
2023-05-17 08:30	103.05	66.94
2023-05-17 08:45	95.9	69.76
2023-05-17 09:00	97.47	77.57
2023-05-17 09:15	97.69	80.64
2023-05-17 09:30	95.81	84.01
2023-05-17 09:45	95.43	82.05
2023-05-17 10:00	97.74	85.29
2023-05-17 10:15	95.27	77.68
2023-05-17 10:30	94.07	77.99
2023-05-17 10:45	96.48	78.43
2023-05-17 11:00	96.56	81.6
2023-05-17 11:15	96.03	80.72
2023-05-17 11:30	93.59	83.71
2023-05-17 11:45	96.82	88.12

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-17 12:00	97.7	82.39
2023-05-17 12:15	96.19	73.92
2023-05-17 12:30	98.23	76.4
2023-05-17 12:45	99.34	76.81
2023-05-17 13:00	98.6	80.73
2023-05-17 13:15	95.82	83.38
2023-05-17 13:30	100.81	85.31
2023-05-17 13:45	99.02	85.64
2023-05-17 14:00	97.99	84.78
2023-05-17 14:15	97.81	76.53
2023-05-17 14:30	101.12	80.75
2023-05-17 14:45	105.25	82.25
2023-05-17 15:00	95.85	71.36
2023-05-17 15:15	98.91	69.35
2023-05-17 15:30	99.04	73.74
2023-05-17 15:45	101.16	78.01
2023-05-17 16:00	96.39	81.81
2023-05-17 16:15	98.92	72.85
2023-05-17 16:30	96.49	72.26
2023-05-17 16:45	95.27	75.17
2023-05-17 17:00	98.01	73.04
2023-05-17 17:15	99.06	74.11
2023-05-17 17:30	102.12	75.82
2023-05-17 17:45	96.05	81.13
2023-05-17 18:00	98.03	85.48
2023-05-17 18:15	98.07	71.82
2023-05-17 18:30	98.2	76.6
2023-05-17 18:45	96.87	84
2023-05-17 19:00	99.76	75.96
2023-05-17 19:15	99.73	79.96
2023-05-17 19:30	96.66	79.96
2023-05-17 19:45	100.41	84.88
2023-05-17 20:00	99.57	75.16
2023-05-17 20:15	100.18	74.85
2023-05-17 20:30	98.2	77.48
2023-05-17 20:45	101.84	82.9
2023-05-17 21:00	103.06	83.75
2023-05-17 21:15	98.77	85.47
2023-05-17 21:30	98.51	77.96
2023-05-17 21:45	100.15	74.45
2023-05-17 22:00	103.03	74.08
2023-05-17 22:15	96.49	76.32

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-17 22:30	98.59	80.99
2023-05-17 22:45	98.17	83.26
2023-05-17 23:00	98.15	84.38
2023-05-17 23:15	97.84	84.46
2023-05-17 23:30	100.1	85.67
2023-05-17 23:45	98.86	73.45
2023-05-18 00:00	97.27	71.88
2023-05-18 00:15	101.24	73.26
2023-05-18 00:30	100.95	79.26
2023-05-18 00:45	100.39	79.01
2023-05-18 01:00	99.17	81.62
2023-05-18 01:15	103.01	84.57
2023-05-18 01:30	101.19	87.54
2023-05-18 01:45	98.14	71.93
2023-05-18 02:00	99.57	71.46
2023-05-18 02:15	101.65	82.69
2023-05-18 02:30	100.48	83.42
2023-05-18 02:45	96.34	83.66
2023-05-18 03:00	100.89	84.57
2023-05-18 03:15	100.38	82.77
2023-05-18 03:30	100.6	73.99
2023-05-18 03:45	97.88	73.86
2023-05-18 04:00	100.78	73.48
2023-05-18 04:15	101.87	75.39
2023-05-18 04:30	97.16	78
2023-05-18 04:45	101.3	78.77
2023-05-18 05:00	99.72	84.77
2023-05-18 05:15	99.3	84.92
2023-05-18 05:30	97.97	75.75
2023-05-18 05:45	99.25	74.57
2023-05-18 06:00	97.83	77.13
2023-05-18 06:15	96.91	79.52
2023-05-18 06:30	100.41	82.65
2023-05-18 06:45	99.42	81.79
2023-05-18 07:00	99.54	79.34
2023-05-18 07:15	97.29	83.09
2023-05-18 07:30	99.8	71.18
2023-05-18 07:45	100.23	78.77
2023-05-18 08:00	98.78	70.63
2023-05-18 08:15	97.91	71.86
2023-05-18 08:30	100.01	74.94
2023-05-18 08:45	98.77	77.98

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-18 09:00	97	82.4
2023-05-18 09:15	99.75	86.71
2023-05-18 09:30	99.14	74.98
2023-05-18 09:45	98.23	78.82
2023-05-18 10:00	97.33	82.14
2023-05-18 10:15	100.51	88.56
2023-05-18 10:30	98.78	85.96
2023-05-18 10:45	97.15	82.06
2023-05-18 11:00	97.45	86.72
2023-05-18 11:15	98.43	83.63
2023-05-18 11:30	98.66	78.77
2023-05-18 11:45	96.01	80.1
2023-05-18 12:00	98.16	78.85
2023-05-18 12:15	97.64	89.85
2023-05-18 12:30	97.5	84.57
2023-05-18 12:45	96.97	88.49
2023-05-18 13:00	100.03	82.29
2023-05-18 13:15	100.39	74.87
2023-05-18 13:30	98.61	73.96
2023-05-18 13:45	100.75	75.14
2023-05-18 14:00	101.3	78.95
2023-05-18 14:15	100.84	85.81
2023-05-18 14:30	99.1	84.69
2023-05-18 14:45	103.34	94.89
2023-05-18 15:00	101.6	88.06
2023-05-18 15:15	100.4	82.86
2023-05-18 15:30	102.02	79.42
2023-05-18 15:45	105.29	82.25
2023-05-18 16:00	105.94	86.92
2023-05-18 16:15	98.54	93.22
2023-05-18 16:30	105.18	92.69
2023-05-18 16:45	103.94	93.07
2023-05-18 17:00	107.35	90.42
2023-05-18 17:15	99.28	81.57
2023-05-18 17:30	101.72	80.04
2023-05-18 17:45	102.26	79.6
2023-05-18 18:00	100.13	78.37
2023-05-18 18:15	101.12	85.11
2023-05-18 18:30	100.97	87.68
2023-05-18 18:45	103.44	91.03
2023-05-18 19:00	99.08	90.39
2023-05-18 19:15	101.59	81.76

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-18 19:30	100.25	80.48
2023-05-18 19:45	99.71	81.8
2023-05-18 20:00	99.81	86.15
2023-05-18 20:15	102.45	90.53
2023-05-18 20:30	101.67	91.46
2023-05-18 20:45	100.05	80.88
2023-05-18 21:00	104.92	85.09
2023-05-18 21:15	103.86	86.04
2023-05-18 21:30	103.12	85.74
2023-05-18 21:45	102.34	85.25
2023-05-18 22:00	107.4	83.88
2023-05-18 22:15	106.85	76.36
2023-05-18 22:30	102	76.82
2023-05-18 22:45	107.45	79.74
2023-05-18 23:00	105.26	84.12
2023-05-18 23:15	114.29	85.98
2023-05-18 23:30	102.18	87.26
2023-05-18 23:45	105.22	81.86
2023-05-19 00:00	105.14	81.92
2023-05-19 00:15	102.3	77.55
2023-05-19 00:30	101.44	79.27
2023-05-19 00:45	103.88	81.17
2023-05-19 01:00	102.91	86.59
2023-05-19 01:15	100.9	86.66
2023-05-19 01:30	102.71	89.93
2023-05-19 01:45	102.84	86.77
2023-05-19 02:00	102.75	83.66
2023-05-19 02:15	101.75	76.47
2023-05-19 02:30	104.93	77.76
2023-05-19 02:45	104.11	81.01
2023-05-19 03:00	102.16	86.26
2023-05-19 03:15	104.79	87.62
2023-05-19 03:30	105.94	89.11
2023-05-19 03:45	105.02	85.49
2023-05-19 04:00	101.64	90.64
2023-05-19 04:15	105.81	83.87
2023-05-19 04:30	104.36	75.17
2023-05-19 04:45	102.83	75.18
2023-05-19 05:00	105.94	83.69
2023-05-19 05:15	107.83	83.55
2023-05-19 05:30	114.87	85.84
2023-05-19 05:45	102.85	83.86

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-19 06:00	109.95	90.76
2023-05-19 06:15	107.33	76.64
2023-05-19 06:30	111.91	73.76
2023-05-19 06:45	103.89	71.83
2023-05-19 07:00	104.61	80.03
2023-05-19 07:15	103.15	80.39
2023-05-19 07:30	102.13	79
2023-05-19 07:45	102.95	78.48
2023-05-19 08:00	103.99	82
2023-05-19 08:15	102.71	71.23
2023-05-19 08:30	101.06	74.47
2023-05-19 08:45	103.21	76.84
2023-05-19 09:00	103.45	82.15
2023-05-19 09:15	102.43	79.64
2023-05-19 09:30	102.07	84.15
2023-05-19 09:45	105.46	65.85
2023-05-19 10:00	104.73	0
2023-05-19 10:15	100.49	0
2023-05-19 10:30	106.25	0
2023-05-19 10:45	105.18	0
2023-05-19 11:00	106.4	0
2023-05-19 11:15	103.66	0
2023-05-19 11:30	108.61	0
2023-05-19 11:45	109.86	0
2023-05-19 12:00	103.96	0
2023-05-19 12:15	106.5	0
2023-05-19 12:30	106.51	0
2023-05-19 12:45	115.53	0
2023-05-19 13:00	102.5	0
2023-05-19 13:15	105.94	0
2023-05-19 13:30	104.86	0
2023-05-19 13:45	103.14	0
2023-05-19 14:00	103.08	0
2023-05-19 14:15	104.27	0
2023-05-19 14:30	103.38	78.88
2023-05-19 14:45	102	89.05
2023-05-19 15:00	104.68	80.82
2023-05-19 15:15	104.85	83.49
2023-05-19 15:30	103.68	86.56
2023-05-19 15:45	107.25	93.95
2023-05-19 16:00	110.22	90.2
2023-05-19 16:15	107.38	85.85

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-19 16:30	105.02	93.42
2023-05-19 16:45	107.61	91.09
2023-05-19 17:00	109.58	79.74
2023-05-19 17:15	110.24	69.63
2023-05-19 17:30	103.8	73.89
2023-05-19 17:45	112.43	74.31
2023-05-19 18:00	110.25	80.99
2023-05-19 18:15	111.14	88.94
2023-05-19 18:30	107.94	90.23
2023-05-19 18:45	110.38	93.61
2023-05-19 19:00	106.29	73.58
2023-05-19 19:15	104.15	74.66
2023-05-19 19:30	106.67	77.78
2023-05-19 19:45	106.44	82.37
2023-05-19 20:00	105.97	94.63
2023-05-19 20:15	104.23	102.34
2023-05-19 20:30	108.24	93.94
2023-05-19 20:45	106.29	85.09
2023-05-19 21:00	104.84	80.59
2023-05-19 21:15	105.87	82.07
2023-05-19 21:30	108.23	84.98
2023-05-19 21:45	107.58	88.02
2023-05-19 22:00	103.78	100.45
2023-05-19 22:15	111.09	105.88
2023-05-19 22:30	108.85	97.38
2023-05-19 22:45	107.33	81.52
2023-05-19 23:00	108.43	81.59
2023-05-19 23:15	111.63	82.27
2023-05-19 23:30	113.88	83.06
2023-05-19 23:45	104.67	86.12
2023-05-20 00:00	111.25	96.34
2023-05-20 00:15	108.17	96.5
2023-05-20 00:30	119.19	85.36
2023-05-20 00:45	105.02	83.91
2023-05-20 01:00	108.18	81.08
2023-05-20 01:15	107.46	81.32
2023-05-20 01:30	105.61	80.49
2023-05-20 01:45	105.77	83.46
2023-05-20 02:00	107.88	93.56
2023-05-20 02:15	106.5	93.32
2023-05-20 02:30	104.09	84.53
2023-05-20 02:45	107.52	83.31

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-20 03:00	107.36	79.09
2023-05-20 03:15	106.84	79.38
2023-05-20 03:30	106.2	79.42
2023-05-20 03:45	110.4	82.65
2023-05-20 04:00	107.11	84.27
2023-05-20 04:15	104.89	84.51
2023-05-20 04:30	107.81	87.8
2023-05-20 04:45	108.64	88.12
2023-05-20 05:00	111.47	77.37
2023-05-20 05:15	107.07	76.35
2023-05-20 05:30	114.98	77.97
2023-05-20 05:45	113.26	79.92
2023-05-20 06:00	112.3	90.76
2023-05-20 06:15	112.42	92.91
2023-05-20 06:30	113.12	78.6
2023-05-20 06:45	121.97	78.19
2023-05-20 07:00	108.34	81.69
2023-05-20 07:15	113.29	76.04
2023-05-20 07:30	109.57	77.96
2023-05-20 07:45	109.11	83.26
2023-05-20 08:00	104.12	92.19
2023-05-20 08:15	108.19	87.51
2023-05-20 08:30	106.46	74.59
2023-05-20 08:45	104.48	71.51
2023-05-20 09:00	106.73	74.81
2023-05-20 09:15	106.37	76.03
2023-05-20 09:30	105.4	76.91
2023-05-20 09:45	103.23	85.83
2023-05-20 10:00	107.03	95.69
2023-05-20 10:15	105.94	89.15
2023-05-20 10:30	104.37	81.94
2023-05-20 10:45	105.18	78.53
2023-05-20 11:00	108.26	80.36
2023-05-20 11:15	106.49	77.55
2023-05-20 11:30	99.81	80.13
2023-05-20 11:45	106.81	89.26
2023-05-20 12:00	104.6	94.09
2023-05-20 12:15	104.17	86.88
2023-05-20 12:30	103.12	80.52
2023-05-20 12:45	107.56	77.11
2023-05-20 13:00	111.07	78.03
2023-05-20 13:15	102.7	77.27

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-20 13:30	104.41	75.62
2023-05-20 13:45	103.98	86.53
2023-05-20 14:00	107.54	90.9
2023-05-20 14:15	100.84	86.03
2023-05-20 14:30	103.99	83.07
2023-05-20 14:45	104.02	79.78
2023-05-20 15:00	102.48	79.61
2023-05-20 15:15	103.09	80.26
2023-05-20 15:30	105.06	82.94
2023-05-20 15:45	105.5	90.44
2023-05-20 16:00	102.87	95.88
2023-05-20 16:15	107.04	86.67
2023-05-20 16:30	107.02	84.18
2023-05-20 16:45	106.79	79.46
2023-05-20 17:00	105.43	81.28
2023-05-20 17:15	110.17	82.15
2023-05-20 17:30	109.03	84.07
2023-05-20 17:45	106.5	92.91
2023-05-20 18:00	108.82	88.53
2023-05-20 18:15	108.65	91.78
2023-05-20 18:30	106.62	87.76
2023-05-20 18:45	102.39	86.48
2023-05-20 19:00	110.57	79.46
2023-05-20 19:15	109.8	80.96
2023-05-20 19:30	108.88	83.98
2023-05-20 19:45	105.73	93.32
2023-05-20 20:00	106.52	94.8
2023-05-20 20:15	113.61	82.67
2023-05-20 20:30	101.71	80.54
2023-05-20 20:45	104.74	77.82
2023-05-20 21:00	104.76	78.14
2023-05-20 21:15	102.91	80.2
2023-05-20 21:30	101.92	83.28
2023-05-20 21:45	104.94	90.67
2023-05-20 22:00	103.39	91.27
2023-05-20 22:15	102.29	80.57
2023-05-20 22:30	102.92	78.71
2023-05-20 22:45	105.2	73.83
2023-05-20 23:00	104.99	74.78
2023-05-20 23:15	101.94	77.86
2023-05-20 23:30	106.77	82.09
2023-05-20 23:45	105	87.8

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-21 00:00	103.92	87.6
2023-05-21 00:15	104.84	79.36
2023-05-21 00:30	108.95	77.95
2023-05-21 00:45	108.85	77.67
2023-05-21 01:00	102.74	77.02
2023-05-21 01:15	111.03	79.85
2023-05-21 01:30	107.92	84.22
2023-05-21 01:45	111.48	89.78
2023-05-21 02:00	104.1	89.99
2023-05-21 02:15	108.08	79.14
2023-05-21 02:30	114.33	76.83
2023-05-21 02:45	106.68	74.22
2023-05-21 03:00	108.36	75.02
2023-05-21 03:15	108.23	76.59
2023-05-21 03:30	119.58	79.85
2023-05-21 03:45	103.57	81.95
2023-05-21 04:00	107.13	84.71
2023-05-21 04:15	106.58	85.78
2023-05-21 04:30	103.87	89.18
2023-05-21 04:45	102.82	76.03
2023-05-21 05:00	106.53	76.04
2023-05-21 05:15	104.82	76.19
2023-05-21 05:30	101.68	80.41
2023-05-21 05:45	105.01	87.69
2023-05-21 06:00	105.24	89.04
2023-05-21 06:15	105.25	80.22
2023-05-21 06:30	102.72	75.89
2023-05-21 06:45	108.55	74.78
2023-05-21 07:00	108.71	78.13
2023-05-21 07:15	103.89	80.36
2023-05-21 07:30	104.45	83.74
2023-05-21 07:45	105.96	76.96
2023-05-21 08:00	106.6	71.26
2023-05-21 08:15	101.32	72.97
2023-05-21 08:30	110.11	79.47
2023-05-21 08:45	107.65	80.38
2023-05-21 09:00	109.97	78.22
2023-05-21 09:15	101.62	78.38
2023-05-21 09:30	104.89	76.12
2023-05-21 09:45	103.57	76.98
2023-05-21 10:00	101.25	76.61
2023-05-21 10:15	108.49	77.2

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-21 10:30	105.6	79.77
2023-05-21 10:45	110.22	81.1
2023-05-21 11:00	100.32	81.95
2023-05-21 11:15	103.91	81.31
2023-05-21 11:30	103.17	80.29
2023-05-21 11:45	102.58	75.88
2023-05-21 12:00	103	75.58
2023-05-21 12:15	105.27	76.41
2023-05-21 12:30	105.28	82.01
2023-05-21 12:45	102.48	79.67
2023-05-21 13:00	106.31	85.23
2023-05-21 13:15	105.75	87.74
2023-05-21 13:30	105.08	97.09
2023-05-21 13:45	105.14	90.31
2023-05-21 14:00	109.4	80.31
2023-05-21 14:15	107.27	78
2023-05-21 14:30	104.03	79.87
2023-05-21 14:45	107.8	78.84
2023-05-21 15:00	109.25	81.04
2023-05-21 15:15	117.05	81.98
2023-05-21 15:30	104.87	91.23
2023-05-21 15:45	108.49	88.67
2023-05-21 16:00	110.74	80.97
2023-05-21 16:15	105	80.47
2023-05-21 16:30	105.14	82.91
2023-05-21 16:45	107.23	86.71
2023-05-21 17:00	104.52	82.57
2023-05-21 17:15	102.89	86.62
2023-05-21 17:30	106.71	91.51
2023-05-21 17:45	106.21	95.85
2023-05-21 18:00	105.37	92.76
2023-05-21 18:15	104.57	92.08
2023-05-21 18:30	107.79	80.41
2023-05-21 18:45	108.05	78.09
2023-05-21 19:00	106.6	81.8
2023-05-21 19:15	110.97	88.53
2023-05-21 19:30	111.6	94.58
2023-05-21 19:45	111.69	95.6
2023-05-21 20:00	108.06	84.98
2023-05-21 20:15	116.5	78.71
2023-05-21 20:30	114.33	75.16
2023-05-21 20:45	111.88	79.26

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-21 21:00	115.03	79.93
2023-05-21 21:15	114.89	88.32
2023-05-21 21:30	126.55	92.36
2023-05-21 21:45	106.93	90.54
2023-05-21 22:00	113.18	86.39
2023-05-21 22:15	114.01	80.56
2023-05-21 22:30	115.38	79.46
2023-05-21 22:45	109.02	79.72
2023-05-21 23:00	112.99	82.62
2023-05-21 23:15	110.94	89.38
2023-05-21 23:30	109.57	81.98
2023-05-21 23:45	112.56	82.97
2023-05-22 00:00	112.02	82
2023-05-22 00:15	111.65	80.26
2023-05-22 00:30	108.86	80.52
2023-05-22 00:45	114.67	81.58
2023-05-22 01:00	112.82	84.24
2023-05-22 01:15	110.87	91.73
2023-05-22 01:30	112.35	91.7
2023-05-22 01:45	115.91	82.44
2023-05-22 02:00	113.58	88.57
2023-05-22 02:15	109.23	83.56
2023-05-22 02:30	117.34	77.62
2023-05-22 02:45	115.38	79.29
2023-05-22 03:00	118.31	85.17
2023-05-22 03:15	115.43	91.23
2023-05-22 03:30	119.99	91.23
2023-05-22 03:45	125.57	85.58
2023-05-22 04:00	112.51	92.21
2023-05-22 04:15	120.44	82.6
2023-05-22 04:30	119.26	77.95
2023-05-22 04:45	127.02	76.69
2023-05-22 05:00	111.33	83.07
2023-05-22 05:15	115.36	91
2023-05-22 05:30	114.42	91.61
2023-05-22 05:45	112.65	82.42
2023-05-22 06:00	112.69	80.23
2023-05-22 06:15	115.86	77.18
2023-05-22 06:30	114.48	77.95
2023-05-22 06:45	110.81	80.14
2023-05-22 07:00	115.09	86.96
2023-05-22 07:15	114.91	91.46

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-22 07:30	113.92	92.98
2023-05-22 07:45	111.02	86.28
2023-05-22 08:00	114.93	90.82
2023-05-22 08:15	112.27	78.07
2023-05-22 08:30	108.81	75.62
2023-05-22 08:45	112.74	74.72
2023-05-22 09:00	115.31	83.49
2023-05-22 09:15	116.08	91.74
2023-05-22 09:30	109.33	108.69
2023-05-22 09:45	118.87	96.18
2023-05-22 10:00	116.93	113.56
2023-05-22 10:15	115.89	153.87
2023-05-22 10:30	113.31	159.47
2023-05-22 10:45	114.98	138.61
2023-05-22 11:00	125.23	164.01
2023-05-22 11:15	108.12	164.89
2023-05-22 11:30	110.63	176.5
2023-05-22 11:45	110.43	182.19
2023-05-22 12:00	107.7	180.44
2023-05-22 12:15	106.87	185.91
2023-05-22 12:30	110.55	182.52
2023-05-22 12:45	108.71	164.86
2023-05-22 13:00	108.24	115.23
2023-05-22 13:15	110.29	110.97
2023-05-22 13:30	112.22	106.29
2023-05-22 13:45	111.53	112.37
2023-05-22 14:00	108.34	85.5
2023-05-22 14:15	114.17	84.85
2023-05-22 14:30	112.6	89.16
2023-05-22 14:45	110.72	91.8
2023-05-22 15:00	111.34	88.6
2023-05-22 15:15	114.99	91.01
2023-05-22 15:30	113.68	95.03
2023-05-22 15:45	109.32	106.79
2023-05-22 16:00	118.83	83.23
2023-05-22 16:15	116.44	83.57
2023-05-22 16:30	119.56	90.08
2023-05-22 16:45	112.47	91.08
2023-05-22 17:00	116.13	95.14
2023-05-22 17:15	124.64	100.48
2023-05-22 17:30	114.85	102.21
2023-05-22 17:45	112.46	104.6

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-22 18:00	115.47	95.63
2023-05-22 18:15	128.58	86.17
2023-05-22 18:30	110.74	82.82
2023-05-22 18:45	118.13	87.92
2023-05-22 19:00	114.55	91.31
2023-05-22 19:15	113.92	97.86
2023-05-22 19:30	113.19	102.92
2023-05-22 19:45	116.38	101.44
2023-05-22 20:00	115.62	83.15
2023-05-22 20:15	111.94	80.13
2023-05-22 20:30	115.54	82.95
2023-05-22 20:45	115.03	85.24
2023-05-22 21:00	115.63	88.16
2023-05-22 21:15	113.19	90.59
2023-05-22 21:30	120.36	95.39
2023-05-22 21:45	117.63	93.56
2023-05-22 22:00	113.64	80.53
2023-05-22 22:15	127.53	97.44
2023-05-22 22:30	146.67	159.68
2023-05-22 22:45	157.91	185.13
2023-05-22 23:00	141.44	168.35
2023-05-22 23:15	147.89	151.85
2023-05-22 23:30	146.74	175.12
2023-05-22 23:45	146.3	169.08
2023-05-23 00:00	146.8	170.45
2023-05-23 00:15	145.18	169.42
2023-05-23 00:30	150.4	175.81
2023-05-23 00:45	143.36	164.75
2023-05-23 01:00	157.18	160.28
2023-05-23 01:15	145.73	154.29
2023-05-23 01:30	174.27	153
2023-05-23 01:45	144.32	155.87
2023-05-23 02:00	141.1	166.99
2023-05-23 02:15	142.46	171.8
2023-05-23 02:30	141.28	173.79
2023-05-23 02:45	143.2	170.3
2023-05-23 03:00	138.91	169.35
2023-05-23 03:15	143.76	173.57
2023-05-23 03:30	135.82	171.67
2023-05-23 03:45	142.89	170.09
2023-05-23 04:00	137.16	170.62
2023-05-23 04:15	138.93	172.13

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-23 04:30	138.93	175.08
2023-05-23 04:45	134.84	175.48
2023-05-23 05:00	149.34	168.38
2023-05-23 05:15	138.7	173.9
2023-05-23 05:30	145.79	164.61
2023-05-23 05:45	138.43	164.48
2023-05-23 06:00	164.98	167.22
2023-05-23 06:15	138.05	178.19
2023-05-23 06:30	142.78	175.47
2023-05-23 06:45	147.57	169.51
2023-05-23 07:00	139.2	168.36
2023-05-23 07:15	138.82	166.5
2023-05-23 07:30	135.47	159.81
2023-05-23 07:45	140.39	157.34
2023-05-23 08:00	135.05	155.53
2023-05-23 08:15	137.12	161.59
2023-05-23 08:30	135.84	165.15
2023-05-23 08:45	136.31	167.71
2023-05-23 09:00	133.71	169.5
2023-05-23 09:15	136.38	79.52
2023-05-23 09:30	135.2	0
2023-05-23 09:45	131.73	90.6
2023-05-23 10:00	139.67	50.27
2023-05-23 10:15	136.86	48.08
2023-05-23 10:30	132.85	60.26
2023-05-23 10:45	128.25	60.91
2023-05-23 11:00	135.96	59.51
2023-05-23 11:15	172.83	56.61
2023-05-23 11:30	114.7	47.38
2023-05-23 11:45	118.1	54.62
2023-05-23 12:00	116.98	55.33
2023-05-23 12:15	116.94	52.7
2023-05-23 12:30	109.82	52.55
2023-05-23 12:45	112.43	51.98
2023-05-23 13:00	117.48	40.58
2023-05-23 13:15	115.83	46.8
2023-05-23 13:30	123.86	51.96
2023-05-23 13:45	120.24	59.74
2023-05-23 14:00	117.73	72.93
2023-05-23 14:15	114.27	69.44
2023-05-23 14:30	115.24	60.26
2023-05-23 14:45	115.1	64.96

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-23 15:00	116.2	53.78
2023-05-23 15:15	112.03	48.96
2023-05-23 15:30	123.27	64.72
2023-05-23 15:45	118.57	66.33
2023-05-23 16:00	116.5	66.03
2023-05-23 16:15	117.3	60.03
2023-05-23 16:30	120.92	57.35
2023-05-23 16:45	120.64	52.95
2023-05-23 17:00	114.27	51.78
2023-05-23 17:15	122.67	54.7
2023-05-23 17:30	117.38	60.25
2023-05-23 17:45	118.85	68.03
2023-05-23 18:00	115.37	65.42
2023-05-23 18:15	120.8	67.21
2023-05-23 18:30	121.05	67.25
2023-05-23 18:45	114.53	54.08
2023-05-23 19:00	120.05	53.42
2023-05-23 19:15	118.98	53.69
2023-05-23 19:30	130.44	61.22
2023-05-23 19:45	127.09	66.7
2023-05-23 20:00	129.18	70.58
2023-05-23 20:15	131.89	58.96
2023-05-23 20:30	129.42	53.9
2023-05-23 20:45	118.46	52.37
2023-05-23 21:00	123.17	50.4
2023-05-23 21:15	128.54	52.02
2023-05-23 21:30	114.87	58.16
2023-05-23 21:45	121.04	63.69
2023-05-23 22:00	120.28	56.24
2023-05-23 22:15	121.92	61.61
2023-05-23 22:30	119.17	68.26
2023-05-23 22:45	122.7	54.11
2023-05-23 23:00	120.34	55.56
2023-05-23 23:15	116.44	55.2
2023-05-23 23:30	123.67	61.14
2023-05-23 23:45	125.32	64.32
2023-05-24 00:00	125.47	54.83
2023-05-24 00:15	115.77	55.05
2023-05-24 00:30	130.7	51.6
2023-05-24 00:45	124.79	52.22
2023-05-24 01:00	122.59	55.04
2023-05-24 01:15	123.47	58.47

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-24 01:30	126.89	67.5
2023-05-24 01:45	137.87	70.65
2023-05-24 02:00	114.97	57.17
2023-05-24 02:15	124.07	56.15
2023-05-24 02:30	121.5	52.43
2023-05-24 02:45	125.87	52.17
2023-05-24 03:00	117.97	53.14
2023-05-24 03:15	124.05	55.44
2023-05-24 03:30	119.05	65.38
2023-05-24 03:45	117.62	69.85
2023-05-24 04:00	120.62	66.15
2023-05-24 04:15	123.39	64.26
2023-05-24 04:30	121.13	56.99
2023-05-24 04:45	116.04	48.06
2023-05-24 05:00	127.08	51.48
2023-05-24 05:15	122.54	56.08
2023-05-24 05:30	119.33	62.27
2023-05-24 05:45	120.62	66.89
2023-05-24 06:00	127.5	54.79
2023-05-24 06:15	128.24	53.2
2023-05-24 06:30	117.59	47.81
2023-05-24 06:45	128.84	43.99
2023-05-24 07:00	124.59	43.38
2023-05-24 07:15	127.14	43.87
2023-05-24 07:30	120.87	43.87
2023-05-24 07:45	128.6	45.12
2023-05-24 08:00	126.61	45.35
2023-05-24 08:15	121.21	48.19
2023-05-24 08:30	126.26	50.57
2023-05-24 08:45	125.15	58.95
2023-05-24 09:00	130.67	58.8
2023-05-24 09:15	116.07	61.04
2023-05-24 09:30	121.46	68.71
2023-05-24 09:45	119.67	69.95
2023-05-24 10:00	117.4	57.09
2023-05-24 10:15	117.9	56.38
2023-05-24 10:30	121.16	67.3
2023-05-24 10:45	115.91	55.6
2023-05-24 11:00	113.37	54.94
2023-05-24 11:15	116.82	63.93
2023-05-24 11:30	117	73.07
2023-05-24 11:45	116.19	59.05

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-24 12:00	118.03	56.74
2023-05-24 12:15	123.59	53.23
2023-05-24 12:30	121.79	50.43
2023-05-24 12:45	119.4	52.89
2023-05-24 13:00	123.95	56.54
2023-05-24 13:15	125.27	65.15
2023-05-24 13:30	125.81	68.59
2023-05-24 13:45	118.47	62.96
2023-05-24 14:00	129.5	58.2
2023-05-24 14:15	127.27	56.62
2023-05-24 14:30	127.62	56.15
2023-05-24 14:45	123.1	55.27
2023-05-24 15:00	124.57	59.7
2023-05-24 15:15	135.19	67.9
2023-05-24 15:30	119.68	77.05
2023-05-24 15:45	121.42	64.14
2023-05-24 16:00	121.53	57.87
2023-05-24 16:15	121.11	49.66
2023-05-24 16:30	118.34	48.51
2023-05-24 16:45	122.96	51.52
2023-05-24 17:00	119.81	58.03
2023-05-24 17:15	119.66	66.52
2023-05-24 17:30	118.72	70.99
2023-05-24 17:45	119.7	61.89
2023-05-24 18:00	118.35	66.35
2023-05-24 18:15	115.94	59.45
2023-05-24 18:30	120.61	51.52
2023-05-24 18:45	118.97	53.69
2023-05-24 19:00	119.68	61.83
2023-05-24 19:15	119.53	68.01
2023-05-24 19:30	123.85	68.89
2023-05-24 19:45	123.2	62.2
2023-05-24 20:00	117.22	57.7
2023-05-24 20:15	125.82	53.09
2023-05-24 20:30	124.24	52.41
2023-05-24 20:45	128.55	54.66
2023-05-24 21:00	118.55	60.43
2023-05-24 21:15	124.14	67.53
2023-05-24 21:30	128.04	70.16
2023-05-24 21:45	125.45	59.85
2023-05-24 22:00	118.48	55.22
2023-05-24 22:15	120.78	51.36

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-24 22:30	120.21	51.06
2023-05-24 22:45	116.65	51.95
2023-05-24 23:00	120.25	59.56
2023-05-24 23:15	119.14	65.71
2023-05-24 23:30	118.4	66.24
2023-05-24 23:45	117.84	58.65
2023-05-25 00:00	121.49	51.45
2023-05-25 00:15	119.57	51.52
2023-05-25 00:30	117.35	52.47
2023-05-25 00:45	121.63	53.62
2023-05-25 01:00	121.97	61.75
2023-05-25 01:15	121.66	66.6
2023-05-25 01:30	118.05	68.36
2023-05-25 01:45	124.58	59.65
2023-05-25 02:00	122.62	52.02
2023-05-25 02:15	120.66	51.01
2023-05-25 02:30	123.1	51.81
2023-05-25 02:45	123.67	55.33
2023-05-25 03:00	129.38	62.9
2023-05-25 03:15	117.11	64.88
2023-05-25 03:30	127.37	66.73
2023-05-25 03:45	125.68	57.84
2023-05-25 04:00	127.34	66.81
2023-05-25 04:15	121.57	49.73
2023-05-25 04:30	125.3	50.75
2023-05-25 04:45	133.35	52.65
2023-05-25 05:00	118.03	64.08
2023-05-25 05:15	120.12	67.2
2023-05-25 05:30	121.07	67.83
2023-05-25 05:45	119.81	61.83
2023-05-25 06:00	116.66	52.65
2023-05-25 06:15	120.98	51.81
2023-05-25 06:30	118.95	53.1
2023-05-25 06:45	118.37	55.66
2023-05-25 07:00	119.16	65.07
2023-05-25 07:15	122.1	66.19
2023-05-25 07:30	121.13	66.6
2023-05-25 07:45	116.7	62.81
2023-05-25 08:00	123.07	55.88
2023-05-25 08:15	120.59	50.59
2023-05-25 08:30	121.07	52.68
2023-05-25 08:45	119.01	55.03

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-25 09:00	124.23	64.65
2023-05-25 09:15	124.1	66.44
2023-05-25 09:30	118.18	65.36
2023-05-25 09:45	123.46	63.42
2023-05-25 10:00	121.37	52.42
2023-05-25 10:15	131.03	52.04
2023-05-25 10:30	116.07	54.65
2023-05-25 10:45	120.98	58.17
2023-05-25 11:00	120.71	64.48
2023-05-25 11:15	120.06	60.95
2023-05-25 11:30	118.81	50.9
2023-05-25 11:45	122.8	52.82
2023-05-25 12:00	120.45	60.18
2023-05-25 12:15	118.97	59.8
2023-05-25 12:30	123.88	60.25
2023-05-25 12:45	123.35	62.66
2023-05-25 13:00	119.83	75.57
2023-05-25 13:15	117.13	68.84
2023-05-25 13:30	121.14	59.81
2023-05-25 13:45	118.84	55.31
2023-05-25 14:00	118.23	61.06
2023-05-25 14:15	121.51	64.72
2023-05-25 14:30	122.13	69.36
2023-05-25 14:45	120.95	78.41
2023-05-25 15:00	117.87	66.09
2023-05-25 15:15	121.76	53.13
2023-05-25 15:30	122.42	54.66
2023-05-25 15:45	120.77	59.94
2023-05-25 16:00	121.72	61.63
2023-05-25 16:15	123.85	57.84
2023-05-25 16:30	136.48	66.39
2023-05-25 16:45	122.71	76.21
2023-05-25 17:00	128.9	66.35
2023-05-25 17:15	127.82	54.11
2023-05-25 17:30	132.21	53.65
2023-05-25 17:45	121.29	54.96
2023-05-25 18:00	128.68	52.5
2023-05-25 18:15	135.08	56.79
2023-05-25 18:30	126.43	60.65
2023-05-25 18:45	123.96	71.34
2023-05-25 19:00	124.32	63.43
2023-05-25 19:15	123.33	53.98

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-25 19:30	120.92	53.83
2023-05-25 19:45	126.35	56.87
2023-05-25 20:00	124.33	59.17
2023-05-25 20:15	122.97	62.59
2023-05-25 20:30	123.42	67.23
2023-05-25 20:45	128.13	75.7
2023-05-25 21:00	126.74	61.12
2023-05-25 21:15	121.99	51.94
2023-05-25 21:30	129.28	52.62
2023-05-25 21:45	126.25	55.89
2023-05-25 22:00	129.53	59.83
2023-05-25 22:15	123.85	62.92
2023-05-25 22:30	131.96	60.53
2023-05-25 22:45	130.77	57.98
2023-05-25 23:00	124.95	56.46
2023-05-25 23:15	121.65	66.9
2023-05-25 23:30	125.43	66.68
2023-05-25 23:45	126.49	53.64
2023-05-26 00:00	121.67	69.79
2023-05-26 00:15	125.71	62.05
2023-05-26 00:30	124.9	58.52
2023-05-26 00:45	123.71	55.94
2023-05-26 01:00	122.9	55.91
2023-05-26 01:15	125.94	54.25
2023-05-26 01:30	124.04	60.67
2023-05-26 01:45	121.9	68.91
2023-05-26 02:00	125.76	71.57
2023-05-26 02:15	125.17	61.76
2023-05-26 02:30	125.46	56.04
2023-05-26 02:45	122.87	53.97
2023-05-26 03:00	129.71	55.21
2023-05-26 03:15	126.32	57.7
2023-05-26 03:30	124.44	63.06
2023-05-26 03:45	127.75	66.25
2023-05-26 04:00	128.17	64.31
2023-05-26 04:15	128.75	67.11
2023-05-26 04:30	122.17	75.29
2023-05-26 04:45	130.82	56.24
2023-05-26 05:00	131.33	54.96
2023-05-26 05:15	133.99	59.05
2023-05-26 05:30	128.46	67.65
2023-05-26 05:45	131.79	68.48

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-26 06:00	143.46	68.26
2023-05-26 06:15	123.92	59.15
2023-05-26 06:30	125.9	53.09
2023-05-26 06:45	125.3	52.67
2023-05-26 07:00	124.99	53.32
2023-05-26 07:15	122.5	61.56
2023-05-26 07:30	125.28	68.12
2023-05-26 07:45	121.6	73.53
2023-05-26 08:00	121.03	70.27
2023-05-26 08:15	121.29	68.81
2023-05-26 08:30	123.01	57.47
2023-05-26 08:45	121.33	74.79
2023-05-26 09:00	118.94	58.14
2023-05-26 09:15	126.32	57.55
2023-05-26 09:30	123.4	60.24
2023-05-26 09:45	121.48	58.57
2023-05-26 10:00	119.06	62.13
2023-05-26 10:15	123.38	67.45
2023-05-26 10:30	121.68	73.26
2023-05-26 10:45	117.64	63.45
2023-05-26 11:00	123.81	54.65
2023-05-26 11:15	125.79	57.44
2023-05-26 11:30	128.04	57.73
2023-05-26 11:45	119.02	63.12
2023-05-26 12:00	126.24	69.12
2023-05-26 12:15	128.51	74.78
2023-05-26 12:30	127.24	77.48
2023-05-26 12:45	122.25	62.06
2023-05-26 13:00	121.73	60.23
2023-05-26 13:15	119.94	69.05
2023-05-26 13:30	117.98	66.23
2023-05-26 13:45	121.3	69.3
2023-05-26 14:00	120.32	74.75
2023-05-26 14:15	119.53	81.35
2023-05-26 14:30	119.06	63.75
2023-05-26 14:45	122.38	61.95
2023-05-26 15:00	119.63	56.14
2023-05-26 15:15	120.8	61.33
2023-05-26 15:30	124.32	62.04
2023-05-26 15:45	123.73	65.28
2023-05-26 16:00	125.43	75.89
2023-05-26 16:15	121.74	83.33

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-26 16:30	129.29	61.9
2023-05-26 16:45	125.97	61.17
2023-05-26 17:00	122.01	62.82
2023-05-26 17:15	122.59	67.08
2023-05-26 17:30	124.78	67.04
2023-05-26 17:45	132.55	67.73
2023-05-26 18:00	117.48	66.32
2023-05-26 18:15	122.66	77.71
2023-05-26 18:30	0	75.58
2023-05-26 18:45	0	60.59
2023-05-26 19:00	0	61.18
2023-05-26 19:15	0	64.92
2023-05-26 19:30	57.61	66.47
2023-05-26 19:45	130.71	70.65
2023-05-26 20:00	123.62	71.14
2023-05-26 20:15	129.03	70.36
2023-05-26 20:30	126.88	56.69
2023-05-26 20:45	124.51	57.68
2023-05-26 21:00	123.82	60.61
2023-05-26 21:15	128.5	63.79
2023-05-26 21:30	124.88	63.96
2023-05-26 21:45	121.55	66
2023-05-26 22:00	126.55	71.95
2023-05-26 22:15	128.1	65.47
2023-05-26 22:30	122.67	56.74
2023-05-26 22:45	117.55	56.65
2023-05-26 23:00	125.11	63.41
2023-05-26 23:15	122.51	65.59
2023-05-26 23:30	120.57	69.46
2023-05-26 23:45	122.48	72.31
2023-05-27 00:00	124.01	78.18
2023-05-27 00:15	130.05	58.66
2023-05-27 00:30	117.18	55.85
2023-05-27 00:45	124.3	57.79
2023-05-27 01:00	123.5	64.21
2023-05-27 01:15	131	65.81
2023-05-27 01:30	117.06	67.99
2023-05-27 01:45	120.84	71.43
2023-05-27 02:00	127.14	77.93
2023-05-27 02:15	119.49	73.63
2023-05-27 02:30	119.03	56.36
2023-05-27 02:45	120.11	55.23

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-27 03:00	118.71	62.25
2023-05-27 03:15	116.62	60.88
2023-05-27 03:30	121.31	64.22
2023-05-27 03:45	119.59	68.81
2023-05-27 04:00	117.82	74.6
2023-05-27 04:15	117.86	76.27
2023-05-27 04:30	120.21	61.05
2023-05-27 04:45	119.16	60.11
2023-05-27 05:00	117.36	62.14
2023-05-27 05:15	122.82	62.16
2023-05-27 05:30	121.84	66.58
2023-05-27 05:45	122.94	70.7
2023-05-27 06:00	120.54	77.99
2023-05-27 06:15	125.09	56.61
2023-05-27 06:30	125.96	55.76
2023-05-27 06:45	121.78	58.96
2023-05-27 07:00	123.28	63.74
2023-05-27 07:15	126.27	61.68
2023-05-27 07:30	140.59	65.45
2023-05-27 07:45	118.94	70.85
2023-05-27 08:00	123.33	79.25
2023-05-27 08:15	124.09	76.21
2023-05-27 08:30	123.32	61.97
2023-05-27 08:45	117.65	58.8
2023-05-27 09:00	117.84	61.6
2023-05-27 09:15	115.68	61.78
2023-05-27 09:30	114.07	66.13
2023-05-27 09:45	116.2	71.79
2023-05-27 10:00	115.71	79.95
2023-05-27 10:15	115.88	70.54
2023-05-27 10:30	114.26	59.44
2023-05-27 10:45	117.32	58.35
2023-05-27 11:00	116.39	60.68
2023-05-27 11:15	114.75	64.78
2023-05-27 11:30	117.89	62.67
2023-05-27 11:45	119.19	57.92
2023-05-27 12:00	118.52	59.54
2023-05-27 12:15	114.22	70.28
2023-05-27 12:30	121.76	69.23
2023-05-27 12:45	119	68.14
2023-05-27 13:00	123.85	64.3
2023-05-27 13:15	119.89	65.8

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-27 13:30	121.65	68.68
2023-05-27 13:45	131.23	77.14
2023-05-27 14:00	116.15	71.62
2023-05-27 14:15	122.37	71.69
2023-05-27 14:30	119.41	66.86
2023-05-27 14:45	130.61	58.5
2023-05-27 15:00	116.86	56.26
2023-05-27 15:15	119.53	57.72
2023-05-27 15:30	116.32	63.62
2023-05-27 15:45	115.48	67.44
2023-05-27 16:00	117.1	75.46
2023-05-27 16:15	117.96	72.59
2023-05-27 16:30	117.67	65.62
2023-05-27 16:45	121.3	69.26
2023-05-27 17:00	118.07	70.93
2023-05-27 17:15	120.49	74
2023-05-27 17:30	116.9	76.45
2023-05-27 17:45	120.86	62.69
2023-05-27 18:00	123.55	58.98
2023-05-27 18:15	121.03	58.64
2023-05-27 18:30	104.29	59.87
2023-05-27 18:45	0	62.16
2023-05-27 19:00	0	74.93
2023-05-27 19:15	0	77.1
2023-05-27 19:30	0	82.04
2023-05-27 19:45	0	64.77
2023-05-27 20:00	0	57.41
2023-05-27 20:15	0	61.24
2023-05-27 20:30	0	67.82
2023-05-27 20:45	0	68.56
2023-05-27 21:00	0	76.7
2023-05-27 21:15	0	74.78
2023-05-27 21:30	0	78.1
2023-05-27 21:45	7.41	60.14
2023-05-27 22:00	126.89	59.21
2023-05-27 22:15	128.78	60.38
2023-05-27 22:30	128.09	64
2023-05-27 22:45	130.95	66.52
2023-05-27 23:00	125.51	72.97
2023-05-27 23:15	130.38	73.78
2023-05-27 23:30	123	77.97
2023-05-27 23:45	130.41	58.35

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-28 00:00	128.31	59.14
2023-05-28 00:15	130.8	60.54
2023-05-28 00:30	125.03	66
2023-05-28 00:45	130.67	69.73
2023-05-28 01:00	129.33	62.46
2023-05-28 01:15	124.38	62.32
2023-05-28 01:30	131.2	76.69
2023-05-28 01:45	129.21	77.64
2023-05-28 02:00	140.54	61.57
2023-05-28 02:15	123.09	57.84
2023-05-28 02:30	129.09	54.48
2023-05-28 02:45	131.45	57.63
2023-05-28 03:00	130.57	62.93
2023-05-28 03:15	123.54	69.56
2023-05-28 03:30	126.56	74.87
2023-05-28 03:45	125.63	76.95
2023-05-28 04:00	123.52	73.22
2023-05-28 04:15	125.62	73.74
2023-05-28 04:30	125.02	58.56
2023-05-28 04:45	124.77	58.51
2023-05-28 05:00	123.29	63.57
2023-05-28 05:15	126.67	70.62
2023-05-28 05:30	124.99	73.44
2023-05-28 05:45	124.19	76.04
2023-05-28 06:00	126.08	64.67
2023-05-28 06:15	126.5	59.58
2023-05-28 06:30	127.18	58.74
2023-05-28 06:45	120.44	64.08
2023-05-28 07:00	126.03	65.46
2023-05-28 07:15	123.27	72.83
2023-05-28 07:30	123.48	74.35
2023-05-28 07:45	122.31	66
2023-05-28 08:00	124.7	65.58
2023-05-28 08:15	127.39	55.06
2023-05-28 08:30	118.81	58.51
2023-05-28 08:45	124.2	66.15
2023-05-28 09:00	121.5	76.21
2023-05-28 09:15	134.22	83.92
2023-05-28 09:30	119.02	87.07
2023-05-28 09:45	122.25	76.88
2023-05-28 10:00	120.13	71.29
2023-05-28 10:15	118.03	66.59

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-28 10:30	118.63	63
2023-05-28 10:45	120.07	64.44
2023-05-28 11:00	120.2	64.4
2023-05-28 11:15	117.67	71
2023-05-28 11:30	121.41	64.68
2023-05-28 11:45	121.84	66.71
2023-05-28 12:00	120.9	68.8
2023-05-28 12:15	122.02	68.38
2023-05-28 12:30	124.98	70.33
2023-05-28 12:45	124.82	71.35
2023-05-28 13:00	122.11	76.63
2023-05-28 13:15	126.49	88.53
2023-05-28 13:30	126.1	82.05
2023-05-28 13:45	127.42	71.49
2023-05-28 14:00	124.84	64.78
2023-05-28 14:15	130.73	66.79
2023-05-28 14:30	130.65	65.82
2023-05-28 14:45	129.05	69.27
2023-05-28 15:00	126.86	82.61
2023-05-28 15:15	128.82	85.91
2023-05-28 15:30	141.38	72.85
2023-05-28 15:45	125.72	68.63
2023-05-28 16:00	130.45	61.42
2023-05-28 16:15	130.29	64.11
2023-05-28 16:30	131	65.9
2023-05-28 16:45	126.97	69.67
2023-05-28 17:00	130.73	82.29
2023-05-28 17:15	128.88	88.19
2023-05-28 17:30	127.59	82.58
2023-05-28 17:45	130.31	78.67
2023-05-28 18:00	131.06	88.82
2023-05-28 18:15	130.01	68.24
2023-05-28 18:30	128.42	70.49
2023-05-28 18:45	131.5	73.07
2023-05-28 19:00	131.13	88.37
2023-05-28 19:15	129.85	89.42
2023-05-28 19:30	131.81	81.9
2023-05-28 19:45	133.27	77.61
2023-05-28 20:00	135.4	70.33
2023-05-28 20:15	128.99	70.15
2023-05-28 20:30	137.17	71.47
2023-05-28 20:45	133.9	75.06

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-28 21:00	138.76	85.5
2023-05-28 21:15	132.9	86.65
2023-05-28 21:30	134.87	76.42
2023-05-28 21:45	143.47	76.07
2023-05-28 22:00	132.03	69.53
2023-05-28 22:15	132.47	69.58
2023-05-28 22:30	132.08	71.11
2023-05-28 22:45	137.2	75.36
2023-05-28 23:00	129.63	86.22
2023-05-28 23:15	132.85	87.37
2023-05-28 23:30	131.55	77.11
2023-05-28 23:45	130.24	76.25
2023-05-29 00:00	130.23	69.95
2023-05-29 00:15	132.77	69.42
2023-05-29 00:30	132.23	71.36
2023-05-29 00:45	129.9	75.03
2023-05-29 01:00	133.97	84.36
2023-05-29 01:15	132.94	85.66
2023-05-29 01:30	133.17	76.05
2023-05-29 01:45	131.9	76.13
2023-05-29 02:00	135.88	68.98
2023-05-29 02:15	134.75	69.09
2023-05-29 02:30	131.77	71.55
2023-05-29 02:45	135.89	76.11
2023-05-29 03:00	135.6	85.97
2023-05-29 03:15	139.67	87.17
2023-05-29 03:30	131.82	76.33
2023-05-29 03:45	138.09	76.53
2023-05-29 04:00	136.44	75.07
2023-05-29 04:15	137.12	66.08
2023-05-29 04:30	137.85	65.78
2023-05-29 04:45	138.87	70.51
2023-05-29 05:00	139.22	82.66
2023-05-29 05:15	131.62	85.02
2023-05-29 05:30	135.11	75.62
2023-05-29 05:45	135.09	75.17
2023-05-29 06:00	133.3	65.86
2023-05-29 06:15	132.12	67.12
2023-05-29 06:30	134.21	70.73
2023-05-29 06:45	132.34	74.99
2023-05-29 07:00	131.07	81.4
2023-05-29 07:15	133.14	83.42

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-29 07:30	133.78	74.37
2023-05-29 07:45	135.82	74.57
2023-05-29 08:00	133.83	77.27
2023-05-29 08:15	138.83	79.4
2023-05-29 08:30	136.19	74.11
2023-05-29 08:45	135	75.29
2023-05-29 09:00	133.93	63.59
2023-05-29 09:15	132.36	62.86
2023-05-29 09:30	132.54	66.26
2023-05-29 09:45	127.88	72.04
2023-05-29 10:00	135.02	82.2
2023-05-29 10:15	132.62	82.33
2023-05-29 10:30	140.98	75.73
2023-05-29 10:45	130.25	70.34
2023-05-29 11:00	4.29	66.53
2023-05-29 11:15	0	67.4
2023-05-29 11:30	0	72.21
2023-05-29 11:45	0	81
2023-05-29 12:00	0	78.34
2023-05-29 12:15	0	81.43
2023-05-29 12:30	0	80.43
2023-05-29 12:45	0	90.3
2023-05-29 13:00	0	66.94
2023-05-29 13:15	0	67.28
2023-05-29 13:30	0	69.56
2023-05-29 13:45	0	76.21
2023-05-29 14:00	0	80.54
2023-05-29 14:15	0	82.33
2023-05-29 14:30	0	80.67
2023-05-29 14:45	0	75.69
2023-05-29 15:00	0	67.36
2023-05-29 15:15	0	69.14
2023-05-29 15:30	0	73.56
2023-05-29 15:45	0	80.1
2023-05-29 16:00	0	80.22
2023-05-29 16:15	0	77.15
2023-05-29 16:30	0	80.47
2023-05-29 16:45	0	68.48
2023-05-29 17:00	0	66.35
2023-05-29 17:15	0	65.64
2023-05-29 17:30	0	68.73
2023-05-29 17:45	46.48	75.81

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-29 18:00	0	70.73
2023-05-29 18:15	0	76.03
2023-05-29 18:30	13.02	78.67
2023-05-29 18:45	144.42	87.6
2023-05-29 19:00	146.54	67.09
2023-05-29 19:15	146.28	68.52
2023-05-29 19:30	141.04	72.3
2023-05-29 19:45	148.83	78.11
2023-05-29 20:00	146.04	81.37
2023-05-29 20:15	146.12	80.65
2023-05-29 20:30	143.93	80.47
2023-05-29 20:45	145.73	65.91
2023-05-29 21:00	158.11	65.81
2023-05-29 21:15	142.7	67.12
2023-05-29 21:30	144.36	72.36
2023-05-29 21:45	142.44	77.21
2023-05-29 22:00	148.67	80.92
2023-05-29 22:15	139.27	79.05
2023-05-29 22:30	143.58	79.87
2023-05-29 22:45	143.78	66.3
2023-05-29 23:00	139.83	66.35
2023-05-29 23:15	141.32	68.5
2023-05-29 23:30	142.47	73.69
2023-05-29 23:45	141.68	77.04
2023-05-30 00:00	142.61	81.22
2023-05-30 00:15	145.07	76.82
2023-05-30 00:30	142.28	77.93
2023-05-30 00:45	142.5	64.7
2023-05-30 01:00	142.19	66.5
2023-05-30 01:15	145.25	68.07
2023-05-30 01:30	144.68	73.9
2023-05-30 01:45	142.64	72.13
2023-05-30 02:00	155.42	73.05
2023-05-30 02:15	151.24	77.41
2023-05-30 02:30	207.29	70.07
2023-05-30 02:45	348.21	65.86
2023-05-30 03:00	360.26	68.06
2023-05-30 03:15	360.31	70.1
2023-05-30 03:30	337.88	76.24
2023-05-30 03:45	334.67	75.74
2023-05-30 04:00	349.05	72.54
2023-05-30 04:15	384.19	78.04

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-30 04:30	378.13	84.12
2023-05-30 04:45	411.31	71.34
2023-05-30 05:00	364.81	65.55
2023-05-30 05:15	327.14	70.04
2023-05-30 05:30	342.52	77.62
2023-05-30 05:45	344.25	78.98
2023-05-30 06:00	360.81	76.13
2023-05-30 06:15	358.11	77.98
2023-05-30 06:30	324.11	86.28
2023-05-30 06:45	271.7	72.41
2023-05-30 07:00	299.34	73.85
2023-05-30 07:15	295.97	73.26
2023-05-30 07:30	268.38	65.82
2023-05-30 07:45	244.04	66.67
2023-05-30 08:00	331.01	66.95
2023-05-30 08:15	305.55	69.44
2023-05-30 08:30	296.18	74.7
2023-05-30 08:45	308.36	80.3
2023-05-30 09:00	303.48	75.07
2023-05-30 09:15	338.57	68.89
2023-05-30 09:30	321.17	67.55
2023-05-30 09:45	116.91	67.24
2023-05-30 10:00	10.86	69.49
2023-05-30 10:15	53.85	80.15
2023-05-30 10:30	45.89	84.02
2023-05-30 10:45	144.35	83.8
2023-05-30 11:00	12.49	78.44
2023-05-30 11:15	0	68.26
2023-05-30 11:30	0	68.91
2023-05-30 11:45	42.96	69.04
2023-05-30 12:00	0	71.9
2023-05-30 12:15	0	80.78
2023-05-30 12:30	0	83.25
2023-05-30 12:45	0	71.22
2023-05-30 13:00	0	74.55
2023-05-30 13:15	0	81.51
2023-05-30 13:30	0	80.5
2023-05-30 13:45	0	77.84
2023-05-30 14:00	0	77.98
2023-05-30 14:15	0	67.72
2023-05-30 14:30	0	64.17
2023-05-30 14:45	0	66.62

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-30 15:00	0	71.57
2023-05-30 15:15	0	82.09
2023-05-30 15:30	0	81.88
2023-05-30 15:45	0	84.79
2023-05-30 16:00	0	77.7
2023-05-30 16:15	0	67.69
2023-05-30 16:30	203.92	66.43
2023-05-30 16:45	181.65	68.7
2023-05-30 17:00	85.53	72.52
2023-05-30 17:15	27.51	75.96
2023-05-30 17:30	29.99	70.97
2023-05-30 17:45	31.47	75.48
2023-05-30 18:00	27.17	70.85
2023-05-30 18:15	33.43	76.24
2023-05-30 18:30	32.11	76.4
2023-05-30 18:45	34.38	79.21
2023-05-30 19:00	27.16	68.24
2023-05-30 19:15	28.95	67.91
2023-05-30 19:30	28.67	67.81
2023-05-30 19:45	27.99	72.97
2023-05-30 20:00	29.13	82.45
2023-05-30 20:15	29.73	85.48
2023-05-30 20:30	29.79	68.91
2023-05-30 20:45	27.99	65.7
2023-05-30 21:00	32.49	67.38
2023-05-30 21:15	31.33	66.54
2023-05-30 21:30	31.75	68.93
2023-05-30 21:45	31.88	74.4
2023-05-30 22:00	33.64	80.09
2023-05-30 22:15	36.68	84.52
2023-05-30 22:30	29.04	67.68
2023-05-30 22:45	35.07	65.2
2023-05-30 23:00	32.37	68.67
2023-05-30 23:15	41.46	69.39
2023-05-30 23:30	30.66	70.27
2023-05-30 23:45	32.07	75.31
2023-05-31 00:00	31.58	84.05
2023-05-31 00:15	30.28	80.2
2023-05-31 00:30	30.26	61.53
2023-05-31 00:45	31.57	58.57
2023-05-31 01:00	32.15	64.5
2023-05-31 01:15	29.6	68.13

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-31 01:30	31.8	70.36
2023-05-31 01:45	29.59	73.35
2023-05-31 02:00	30.34	81.73
2023-05-31 02:15	30.18	81.29
2023-05-31 02:30	32.21	65.46
2023-05-31 02:45	31.29	64.67
2023-05-31 03:00	29.25	68.47
2023-05-31 03:15	32.73	69.02
2023-05-31 03:30	31.14	71
2023-05-31 03:45	31.78	75.32
2023-05-31 04:00	29.27	76.43
2023-05-31 04:15	32.33	79.17
2023-05-31 04:30	31.25	81.28
2023-05-31 04:45	30.1	75.87
2023-05-31 05:00	34	66.53
2023-05-31 05:15	32.39	68.06
2023-05-31 05:30	38.37	70.59
2023-05-31 05:45	28.05	75.04
2023-05-31 06:00	31.35	85.19
2023-05-31 06:15	33.97	82.29
2023-05-31 06:30	31.73	65.92
2023-05-31 06:45	28.87	62.97
2023-05-31 07:00	31.09	67.71
2023-05-31 07:15	29.09	68.41
2023-05-31 07:30	27.62	69.68
2023-05-31 07:45	29.94	73.48
2023-05-31 08:00	29.09	84.85
2023-05-31 08:15	29.61	80.82
2023-05-31 08:30	29.54	65.82
2023-05-31 08:45	29.43	63.39
2023-05-31 09:00	29.77	68.67
2023-05-31 09:15	29.78	70.4
2023-05-31 09:30	29.85	75.53
2023-05-31 09:45	30.5	81.53
2023-05-31 10:00	29.38	95.04
2023-05-31 10:15	28.02	86.81
2023-05-31 10:30	28.31	71.29
2023-05-31 10:45	27.91	69.67
2023-05-31 11:00	27.53	71.27
2023-05-31 11:15	27.25	70.89
2023-05-31 11:30	27.02	73.87
2023-05-31 11:45	27.09	78.59

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-31 12:00	27.11	87.78
2023-05-31 12:15	26.87	80.5
2023-05-31 12:30	26.88	67.31
2023-05-31 12:45	27.06	64.4
2023-05-31 13:00	27.63	66.67
2023-05-31 13:15	26.68	68.71
2023-05-31 13:30	26.96	71.51
2023-05-31 13:45	27.19	77.63
2023-05-31 14:00	27.25	87.76
2023-05-31 14:15	27.08	83.5
2023-05-31 14:30	27.15	69.01
2023-05-31 14:45	27.14	66.71
2023-05-31 15:00	27.13	68.31
2023-05-31 15:15	27.02	69.54
2023-05-31 15:30	27.06	73
2023-05-31 15:45	27.38	80.47
2023-05-31 16:00	27.47	87.94
2023-05-31 16:15	28.42	78.46
2023-05-31 16:30	28.18	72.1
2023-05-31 16:45	28.2	66.68
2023-05-31 17:00	27.84	68.75
2023-05-31 17:15	28	69.67
2023-05-31 17:30	27.54	72.42
2023-05-31 17:45	28.56	79.91
2023-05-31 18:00	28.4	78.09
2023-05-31 18:15	28.13	81.11
2023-05-31 18:30	26.89	76.12
2023-05-31 18:45	31.04	76.62
2023-05-31 19:00	55.33	67.03
2023-05-31 19:15	45.92	67.58
2023-05-31 19:30	24.52	70.53
2023-05-31 19:45	26.35	80.66
2023-05-31 20:00	27.21	84.51
2023-05-31 20:15	23.9	70.66
2023-05-31 20:30	24.72	69.37
2023-05-31 20:45	25.53	63.81
2023-05-31 21:00	26.16	63.49
2023-05-31 21:15	24.26	65.58
2023-05-31 21:30	26.65	69.45
2023-05-31 21:45	27	77.24
2023-05-31 22:00	25.77	81.17
2023-05-31 22:15	24.96	70.04

Time	RP_Stack-PM	Cooler_Stack-PM
2023-05-31 22:30	25.83	67.65
2023-05-31 22:45	27.33	91.95
2023-05-31 23:00	23.74	79.06
2023-05-31 23:15	26.66	78.73
2023-05-31 23:30	27.89	82.02
2023-05-31 23:45	NA	NA

Goa State Pollution Control Board

Industry Name	:	M/S Goa Carbon Limited
Address	:	ST.-JOSE-DE,AREAL-SALCETE
District	:	South Goa
Category	:	Petrochemicals
Parameters	:	RP_Stack-PM, Cooler_Stack-PM
Report Format	:	Tabular
Criteria	:	15min
Date	:	From 2023/06/01 To 2023/06/30

RealTime Data

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-01 00:00	24.16	77.23
2023-06-01 00:15	24.53	75.86
2023-06-01 00:30	24.15	100.25
2023-06-01 00:45	23.55	93.24
2023-06-01 01:00	24.59	74.55
2023-06-01 01:15	25.29	80.28
2023-06-01 01:30	26.05	89.79
2023-06-01 01:45	24.74	87.19
2023-06-01 02:00	25.99	100.57
2023-06-01 02:15	26.72	78.51
2023-06-01 02:30	25.59	75.04
2023-06-01 02:45	25.57	77.52
2023-06-01 03:00	26.95	95.08
2023-06-01 03:15	27.01	94.9
2023-06-01 03:30	24.96	93.66
2023-06-01 03:45	27.75	86.98
2023-06-01 04:00	27.55	74.78
2023-06-01 04:15	27.23	73.64
2023-06-01 04:30	25.62	74.86
2023-06-01 04:45	27.17	76.35
2023-06-01 05:00	28.25	85.66
2023-06-01 05:15	25.51	90.9
2023-06-01 05:30	25.16	93.61
2023-06-01 05:45	25.35	90.1
2023-06-01 06:00	25.25	73.6
2023-06-01 06:15	25.31	80.39
2023-06-01 06:30	41.52	104.87
2023-06-01 06:45	38.42	114.93
2023-06-01 07:00	41.4	129.07
2023-06-01 07:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-01 07:30	NA	NA
2023-06-01 07:45	NA	NA
2023-06-01 08:00	NA	NA
2023-06-01 08:15	NA	NA
2023-06-01 08:30	NA	NA
2023-06-01 08:45	NA	NA
2023-06-01 09:00	NA	NA
2023-06-01 09:15	NA	NA
2023-06-01 09:30	NA	NA
2023-06-01 09:45	NA	NA
2023-06-01 10:00	NA	NA
2023-06-01 10:15	NA	NA
2023-06-01 10:30	NA	NA
2023-06-01 10:45	NA	NA
2023-06-01 11:00	NA	NA
2023-06-01 11:15	NA	NA
2023-06-01 11:30	NA	NA
2023-06-01 11:45	NA	NA
2023-06-01 12:00	NA	NA
2023-06-01 12:15	NA	NA
2023-06-01 12:30	NA	NA
2023-06-01 12:45	NA	NA
2023-06-01 13:00	NA	NA
2023-06-01 13:15	NA	NA
2023-06-01 13:30	NA	NA
2023-06-01 13:45	NA	NA
2023-06-01 14:00	NA	NA
2023-06-01 14:15	NA	NA
2023-06-01 14:30	NA	NA
2023-06-01 14:45	NA	NA
2023-06-01 15:00	NA	NA
2023-06-01 15:15	NA	NA
2023-06-01 15:30	NA	NA
2023-06-01 15:45	NA	NA
2023-06-01 16:00	NA	NA
2023-06-01 16:15	NA	NA
2023-06-01 16:30	NA	NA
2023-06-01 16:45	NA	NA
2023-06-01 17:00	NA	NA
2023-06-01 17:15	NA	NA
2023-06-01 17:30	NA	NA
2023-06-01 17:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-01 18:00	NA	NA
2023-06-01 18:15	NA	NA
2023-06-01 18:30	NA	NA
2023-06-01 18:45	NA	NA
2023-06-01 19:00	NA	NA
2023-06-01 19:15	NA	NA
2023-06-01 19:30	NA	NA
2023-06-01 19:45	NA	NA
2023-06-01 20:00	NA	NA
2023-06-01 20:15	NA	NA
2023-06-01 20:30	NA	NA
2023-06-01 20:45	NA	NA
2023-06-01 21:00	NA	NA
2023-06-01 21:15	NA	NA
2023-06-01 21:30	NA	NA
2023-06-01 21:45	NA	NA
2023-06-01 22:00	NA	NA
2023-06-01 22:15	NA	NA
2023-06-01 22:30	NA	NA
2023-06-01 22:45	NA	NA
2023-06-01 23:00	NA	NA
2023-06-01 23:15	NA	NA
2023-06-01 23:30	NA	NA
2023-06-01 23:45	NA	NA
2023-06-02 00:00	NA	NA
2023-06-02 00:15	NA	NA
2023-06-02 00:30	NA	NA
2023-06-02 00:45	NA	NA
2023-06-02 01:00	NA	NA
2023-06-02 01:15	NA	NA
2023-06-02 01:30	NA	NA
2023-06-02 01:45	NA	NA
2023-06-02 02:00	NA	NA
2023-06-02 02:15	NA	NA
2023-06-02 02:30	NA	NA
2023-06-02 02:45	NA	NA
2023-06-02 03:00	NA	NA
2023-06-02 03:15	NA	NA
2023-06-02 03:30	NA	NA
2023-06-02 03:45	NA	NA
2023-06-02 04:00	NA	NA
2023-06-02 04:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-02 04:30	NA	NA
2023-06-02 04:45	NA	NA
2023-06-02 05:00	NA	NA
2023-06-02 05:15	NA	NA
2023-06-02 05:30	NA	NA
2023-06-02 05:45	NA	NA
2023-06-02 06:00	NA	NA
2023-06-02 06:15	NA	NA
2023-06-02 06:30	NA	NA
2023-06-02 06:45	NA	NA
2023-06-02 07:00	NA	NA
2023-06-02 07:15	NA	NA
2023-06-02 07:30	NA	NA
2023-06-02 07:45	NA	NA
2023-06-02 08:00	NA	NA
2023-06-02 08:15	NA	NA
2023-06-02 08:30	NA	NA
2023-06-02 08:45	NA	NA
2023-06-02 09:00	NA	NA
2023-06-02 09:15	NA	NA
2023-06-02 09:30	NA	NA
2023-06-02 09:45	NA	NA
2023-06-02 10:00	NA	NA
2023-06-02 10:15	NA	NA
2023-06-02 10:30	NA	NA
2023-06-02 10:45	NA	NA
2023-06-02 11:00	NA	NA
2023-06-02 11:15	NA	NA
2023-06-02 11:30	NA	NA
2023-06-02 11:45	NA	NA
2023-06-02 12:00	NA	NA
2023-06-02 12:15	NA	NA
2023-06-02 12:30	NA	NA
2023-06-02 12:45	NA	NA
2023-06-02 13:00	NA	NA
2023-06-02 13:15	NA	NA
2023-06-02 13:30	NA	NA
2023-06-02 13:45	NA	NA
2023-06-02 14:00	NA	NA
2023-06-02 14:15	NA	NA
2023-06-02 14:30	NA	NA
2023-06-02 14:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-02 15:00	NA	NA
2023-06-02 15:15	NA	NA
2023-06-02 15:30	NA	NA
2023-06-02 15:45	NA	NA
2023-06-02 16:00	NA	NA
2023-06-02 16:15	NA	NA
2023-06-02 16:30	NA	NA
2023-06-02 16:45	NA	NA
2023-06-02 17:00	NA	NA
2023-06-02 17:15	NA	NA
2023-06-02 17:30	NA	NA
2023-06-02 17:45	NA	NA
2023-06-02 18:00	NA	NA
2023-06-02 18:15	NA	NA
2023-06-02 18:30	NA	NA
2023-06-02 18:45	NA	NA
2023-06-02 19:00	NA	NA
2023-06-02 19:15	NA	NA
2023-06-02 19:30	NA	NA
2023-06-02 19:45	NA	NA
2023-06-02 20:00	NA	NA
2023-06-02 20:15	NA	NA
2023-06-02 20:30	NA	NA
2023-06-02 20:45	NA	NA
2023-06-02 21:00	NA	NA
2023-06-02 21:15	NA	NA
2023-06-02 21:30	NA	NA
2023-06-02 21:45	NA	NA
2023-06-02 22:00	NA	NA
2023-06-02 22:15	NA	NA
2023-06-02 22:30	NA	NA
2023-06-02 22:45	NA	NA
2023-06-02 23:00	NA	NA
2023-06-02 23:15	NA	NA
2023-06-02 23:30	NA	NA
2023-06-02 23:45	NA	NA
2023-06-03 00:00	NA	NA
2023-06-03 00:15	NA	NA
2023-06-03 00:30	NA	NA
2023-06-03 00:45	NA	NA
2023-06-03 01:00	NA	NA
2023-06-03 01:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-03 01:30	NA	NA
2023-06-03 01:45	NA	NA
2023-06-03 02:00	NA	NA
2023-06-03 02:15	NA	NA
2023-06-03 02:30	NA	NA
2023-06-03 02:45	NA	NA
2023-06-03 03:00	NA	NA
2023-06-03 03:15	NA	NA
2023-06-03 03:30	NA	NA
2023-06-03 03:45	NA	NA
2023-06-03 04:00	NA	NA
2023-06-03 04:15	NA	NA
2023-06-03 04:30	NA	NA
2023-06-03 04:45	NA	NA
2023-06-03 05:00	NA	NA
2023-06-03 05:15	NA	NA
2023-06-03 05:30	NA	NA
2023-06-03 05:45	NA	NA
2023-06-03 06:00	NA	NA
2023-06-03 06:15	NA	NA
2023-06-03 06:30	NA	NA
2023-06-03 06:45	NA	NA
2023-06-03 07:00	NA	NA
2023-06-03 07:15	NA	NA
2023-06-03 07:30	NA	NA
2023-06-03 07:45	NA	NA
2023-06-03 08:00	NA	NA
2023-06-03 08:15	NA	NA
2023-06-03 08:30	NA	NA
2023-06-03 08:45	NA	NA
2023-06-03 09:00	NA	NA
2023-06-03 09:15	NA	NA
2023-06-03 09:30	NA	NA
2023-06-03 09:45	NA	NA
2023-06-03 10:00	NA	NA
2023-06-03 10:15	NA	NA
2023-06-03 10:30	NA	NA
2023-06-03 10:45	NA	NA
2023-06-03 11:00	NA	NA
2023-06-03 11:15	NA	NA
2023-06-03 11:30	NA	NA
2023-06-03 11:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-03 12:00	NA	NA
2023-06-03 12:15	NA	NA
2023-06-03 12:30	NA	NA
2023-06-03 12:45	NA	NA
2023-06-03 13:00	NA	NA
2023-06-03 13:15	NA	NA
2023-06-03 13:30	NA	NA
2023-06-03 13:45	NA	NA
2023-06-03 14:00	NA	NA
2023-06-03 14:15	NA	NA
2023-06-03 14:30	NA	NA
2023-06-03 14:45	NA	NA
2023-06-03 15:00	NA	NA
2023-06-03 15:15	NA	NA
2023-06-03 15:30	NA	NA
2023-06-03 15:45	NA	NA
2023-06-03 16:00	NA	NA
2023-06-03 16:15	NA	NA
2023-06-03 16:30	NA	NA
2023-06-03 16:45	NA	NA
2023-06-03 17:00	NA	NA
2023-06-03 17:15	NA	NA
2023-06-03 17:30	NA	NA
2023-06-03 17:45	NA	NA
2023-06-03 18:00	NA	NA
2023-06-03 18:15	NA	NA
2023-06-03 18:30	NA	NA
2023-06-03 18:45	NA	NA
2023-06-03 19:00	NA	NA
2023-06-03 19:15	NA	NA
2023-06-03 19:30	NA	NA
2023-06-03 19:45	NA	NA
2023-06-03 20:00	NA	NA
2023-06-03 20:15	NA	NA
2023-06-03 20:30	NA	NA
2023-06-03 20:45	NA	NA
2023-06-03 21:00	NA	NA
2023-06-03 21:15	NA	NA
2023-06-03 21:30	NA	NA
2023-06-03 21:45	NA	NA
2023-06-03 22:00	NA	NA
2023-06-03 22:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-03 22:30	NA	NA
2023-06-03 22:45	NA	NA
2023-06-03 23:00	NA	NA
2023-06-03 23:15	NA	NA
2023-06-03 23:30	NA	NA
2023-06-03 23:45	NA	NA
2023-06-04 00:00	NA	NA
2023-06-04 00:15	NA	NA
2023-06-04 00:30	NA	NA
2023-06-04 00:45	NA	NA
2023-06-04 01:00	NA	NA
2023-06-04 01:15	NA	NA
2023-06-04 01:30	NA	NA
2023-06-04 01:45	NA	NA
2023-06-04 02:00	NA	NA
2023-06-04 02:15	NA	NA
2023-06-04 02:30	NA	NA
2023-06-04 02:45	NA	NA
2023-06-04 03:00	NA	NA
2023-06-04 03:15	NA	NA
2023-06-04 03:30	NA	NA
2023-06-04 03:45	NA	NA
2023-06-04 04:00	NA	NA
2023-06-04 04:15	NA	NA
2023-06-04 04:30	NA	NA
2023-06-04 04:45	NA	NA
2023-06-04 05:00	NA	NA
2023-06-04 05:15	NA	NA
2023-06-04 05:30	NA	NA
2023-06-04 05:45	NA	NA
2023-06-04 06:00	NA	NA
2023-06-04 06:15	NA	NA
2023-06-04 06:30	NA	NA
2023-06-04 06:45	NA	NA
2023-06-04 07:00	NA	NA
2023-06-04 07:15	NA	NA
2023-06-04 07:30	NA	NA
2023-06-04 07:45	NA	NA
2023-06-04 08:00	NA	NA
2023-06-04 08:15	NA	NA
2023-06-04 08:30	NA	NA
2023-06-04 08:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-04 09:00	NA	NA
2023-06-04 09:15	NA	NA
2023-06-04 09:30	NA	NA
2023-06-04 09:45	NA	NA
2023-06-04 10:00	NA	NA
2023-06-04 10:15	NA	NA
2023-06-04 10:30	NA	NA
2023-06-04 10:45	NA	NA
2023-06-04 11:00	NA	NA
2023-06-04 11:15	NA	NA
2023-06-04 11:30	NA	NA
2023-06-04 11:45	NA	NA
2023-06-04 12:00	NA	NA
2023-06-04 12:15	NA	NA
2023-06-04 12:30	NA	NA
2023-06-04 12:45	NA	NA
2023-06-04 13:00	NA	NA
2023-06-04 13:15	NA	NA
2023-06-04 13:30	NA	NA
2023-06-04 13:45	NA	NA
2023-06-04 14:00	NA	NA
2023-06-04 14:15	NA	NA
2023-06-04 14:30	NA	NA
2023-06-04 14:45	NA	NA
2023-06-04 15:00	NA	NA
2023-06-04 15:15	NA	NA
2023-06-04 15:30	NA	NA
2023-06-04 15:45	NA	NA
2023-06-04 16:00	NA	NA
2023-06-04 16:15	NA	NA
2023-06-04 16:30	NA	NA
2023-06-04 16:45	NA	NA
2023-06-04 17:00	NA	NA
2023-06-04 17:15	NA	NA
2023-06-04 17:30	NA	NA
2023-06-04 17:45	NA	NA
2023-06-04 18:00	NA	NA
2023-06-04 18:15	NA	NA
2023-06-04 18:30	NA	NA
2023-06-04 18:45	NA	NA
2023-06-04 19:00	NA	NA
2023-06-04 19:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-04 19:30	NA	NA
2023-06-04 19:45	NA	NA
2023-06-04 20:00	NA	NA
2023-06-04 20:15	NA	NA
2023-06-04 20:30	NA	NA
2023-06-04 20:45	NA	NA
2023-06-04 21:00	NA	NA
2023-06-04 21:15	NA	NA
2023-06-04 21:30	NA	NA
2023-06-04 21:45	NA	NA
2023-06-04 22:00	NA	NA
2023-06-04 22:15	NA	NA
2023-06-04 22:30	NA	NA
2023-06-04 22:45	NA	NA
2023-06-04 23:00	NA	NA
2023-06-04 23:15	NA	NA
2023-06-04 23:30	NA	NA
2023-06-04 23:45	NA	NA
2023-06-05 00:00	NA	NA
2023-06-05 00:15	NA	NA
2023-06-05 00:30	NA	NA
2023-06-05 00:45	NA	NA
2023-06-05 01:00	NA	NA
2023-06-05 01:15	NA	NA
2023-06-05 01:30	NA	NA
2023-06-05 01:45	NA	NA
2023-06-05 02:00	NA	NA
2023-06-05 02:15	NA	NA
2023-06-05 02:30	NA	NA
2023-06-05 02:45	NA	NA
2023-06-05 03:00	NA	NA
2023-06-05 03:15	NA	NA
2023-06-05 03:30	NA	NA
2023-06-05 03:45	NA	NA
2023-06-05 04:00	NA	NA
2023-06-05 04:15	NA	NA
2023-06-05 04:30	NA	NA
2023-06-05 04:45	NA	NA
2023-06-05 05:00	NA	NA
2023-06-05 05:15	NA	NA
2023-06-05 05:30	NA	NA
2023-06-05 05:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-05 06:00	NA	NA
2023-06-05 06:15	NA	NA
2023-06-05 06:30	NA	NA
2023-06-05 06:45	NA	NA
2023-06-05 07:00	NA	NA
2023-06-05 07:15	NA	NA
2023-06-05 07:30	NA	NA
2023-06-05 07:45	NA	NA
2023-06-05 08:00	NA	NA
2023-06-05 08:15	NA	NA
2023-06-05 08:30	NA	NA
2023-06-05 08:45	NA	NA
2023-06-05 09:00	NA	NA
2023-06-05 09:15	NA	NA
2023-06-05 09:30	NA	NA
2023-06-05 09:45	NA	NA
2023-06-05 10:00	NA	NA
2023-06-05 10:15	NA	NA
2023-06-05 10:30	NA	NA
2023-06-05 10:45	NA	NA
2023-06-05 11:00	NA	NA
2023-06-05 11:15	NA	NA
2023-06-05 11:30	NA	NA
2023-06-05 11:45	NA	NA
2023-06-05 12:00	NA	NA
2023-06-05 12:15	NA	NA
2023-06-05 12:30	NA	NA
2023-06-05 12:45	NA	NA
2023-06-05 13:00	NA	NA
2023-06-05 13:15	NA	NA
2023-06-05 13:30	NA	NA
2023-06-05 13:45	NA	NA
2023-06-05 14:00	NA	NA
2023-06-05 14:15	NA	NA
2023-06-05 14:30	NA	NA
2023-06-05 14:45	NA	NA
2023-06-05 15:00	NA	NA
2023-06-05 15:15	NA	NA
2023-06-05 15:30	NA	NA
2023-06-05 15:45	NA	NA
2023-06-05 16:00	NA	NA
2023-06-05 16:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-05 16:30	NA	NA
2023-06-05 16:45	NA	NA
2023-06-05 17:00	NA	NA
2023-06-05 17:15	NA	NA
2023-06-05 17:30	NA	NA
2023-06-05 17:45	NA	NA
2023-06-05 18:00	NA	NA
2023-06-05 18:15	NA	NA
2023-06-05 18:30	NA	NA
2023-06-05 18:45	NA	NA
2023-06-05 19:00	NA	NA
2023-06-05 19:15	NA	NA
2023-06-05 19:30	NA	NA
2023-06-05 19:45	NA	NA
2023-06-05 20:00	NA	NA
2023-06-05 20:15	NA	NA
2023-06-05 20:30	NA	NA
2023-06-05 20:45	NA	NA
2023-06-05 21:00	NA	NA
2023-06-05 21:15	NA	NA
2023-06-05 21:30	NA	NA
2023-06-05 21:45	NA	NA
2023-06-05 22:00	NA	NA
2023-06-05 22:15	NA	NA
2023-06-05 22:30	NA	NA
2023-06-05 22:45	NA	NA
2023-06-05 23:00	NA	NA
2023-06-05 23:15	NA	NA
2023-06-05 23:30	NA	NA
2023-06-05 23:45	NA	NA
2023-06-06 00:00	NA	NA
2023-06-06 00:15	NA	NA
2023-06-06 00:30	NA	NA
2023-06-06 00:45	NA	NA
2023-06-06 01:00	NA	NA
2023-06-06 01:15	NA	NA
2023-06-06 01:30	NA	NA
2023-06-06 01:45	NA	NA
2023-06-06 02:00	NA	NA
2023-06-06 02:15	NA	NA
2023-06-06 02:30	NA	NA
2023-06-06 02:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-06 03:00	NA	NA
2023-06-06 03:15	NA	NA
2023-06-06 03:30	NA	NA
2023-06-06 03:45	NA	NA
2023-06-06 04:00	NA	NA
2023-06-06 04:15	NA	NA
2023-06-06 04:30	NA	NA
2023-06-06 04:45	NA	NA
2023-06-06 05:00	NA	NA
2023-06-06 05:15	NA	NA
2023-06-06 05:30	NA	NA
2023-06-06 05:45	NA	NA
2023-06-06 06:00	NA	NA
2023-06-06 06:15	NA	NA
2023-06-06 06:30	NA	NA
2023-06-06 06:45	NA	NA
2023-06-06 07:00	NA	NA
2023-06-06 07:15	NA	NA
2023-06-06 07:30	NA	NA
2023-06-06 07:45	NA	NA
2023-06-06 08:00	NA	NA
2023-06-06 08:15	NA	NA
2023-06-06 08:30	NA	NA
2023-06-06 08:45	NA	NA
2023-06-06 09:00	NA	NA
2023-06-06 09:15	NA	NA
2023-06-06 09:30	NA	NA
2023-06-06 09:45	NA	NA
2023-06-06 10:00	NA	NA
2023-06-06 10:15	NA	NA
2023-06-06 10:30	NA	NA
2023-06-06 10:45	NA	NA
2023-06-06 11:00	NA	NA
2023-06-06 11:15	NA	NA
2023-06-06 11:30	NA	NA
2023-06-06 11:45	NA	NA
2023-06-06 12:00	NA	NA
2023-06-06 12:15	NA	NA
2023-06-06 12:30	NA	NA
2023-06-06 12:45	NA	NA
2023-06-06 13:00	NA	NA
2023-06-06 13:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-06 13:30	NA	NA
2023-06-06 13:45	NA	NA
2023-06-06 14:00	NA	NA
2023-06-06 14:15	NA	NA
2023-06-06 14:30	NA	NA
2023-06-06 14:45	NA	NA
2023-06-06 15:00	NA	NA
2023-06-06 15:15	NA	NA
2023-06-06 15:30	NA	NA
2023-06-06 15:45	NA	NA
2023-06-06 16:00	NA	NA
2023-06-06 16:15	NA	NA
2023-06-06 16:30	NA	NA
2023-06-06 16:45	NA	NA
2023-06-06 17:00	NA	NA
2023-06-06 17:15	NA	NA
2023-06-06 17:30	NA	NA
2023-06-06 17:45	NA	NA
2023-06-06 18:00	NA	NA
2023-06-06 18:15	NA	NA
2023-06-06 18:30	NA	NA
2023-06-06 18:45	NA	NA
2023-06-06 19:00	NA	NA
2023-06-06 19:15	NA	NA
2023-06-06 19:30	NA	NA
2023-06-06 19:45	NA	NA
2023-06-06 20:00	NA	NA
2023-06-06 20:15	NA	NA
2023-06-06 20:30	NA	NA
2023-06-06 20:45	NA	NA
2023-06-06 21:00	NA	NA
2023-06-06 21:15	NA	NA
2023-06-06 21:30	NA	NA
2023-06-06 21:45	NA	NA
2023-06-06 22:00	NA	NA
2023-06-06 22:15	NA	NA
2023-06-06 22:30	NA	NA
2023-06-06 22:45	NA	NA
2023-06-06 23:00	NA	NA
2023-06-06 23:15	NA	NA
2023-06-06 23:30	NA	NA
2023-06-06 23:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-07 00:00	NA	NA
2023-06-07 00:15	NA	NA
2023-06-07 00:30	NA	NA
2023-06-07 00:45	NA	NA
2023-06-07 01:00	NA	NA
2023-06-07 01:15	NA	NA
2023-06-07 01:30	NA	NA
2023-06-07 01:45	NA	NA
2023-06-07 02:00	NA	NA
2023-06-07 02:15	NA	NA
2023-06-07 02:30	NA	NA
2023-06-07 02:45	NA	NA
2023-06-07 03:00	NA	NA
2023-06-07 03:15	NA	NA
2023-06-07 03:30	NA	NA
2023-06-07 03:45	NA	NA
2023-06-07 04:00	NA	NA
2023-06-07 04:15	NA	NA
2023-06-07 04:30	NA	NA
2023-06-07 04:45	NA	NA
2023-06-07 05:00	NA	NA
2023-06-07 05:15	NA	NA
2023-06-07 05:30	NA	NA
2023-06-07 05:45	NA	NA
2023-06-07 06:00	NA	NA
2023-06-07 06:15	NA	NA
2023-06-07 06:30	NA	NA
2023-06-07 06:45	NA	NA
2023-06-07 07:00	NA	NA
2023-06-07 07:15	NA	NA
2023-06-07 07:30	NA	NA
2023-06-07 07:45	NA	NA
2023-06-07 08:00	NA	NA
2023-06-07 08:15	NA	NA
2023-06-07 08:30	NA	NA
2023-06-07 08:45	NA	NA
2023-06-07 09:00	NA	NA
2023-06-07 09:15	NA	NA
2023-06-07 09:30	NA	NA
2023-06-07 09:45	NA	NA
2023-06-07 10:00	NA	NA
2023-06-07 10:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-07 10:30	NA	NA
2023-06-07 10:45	NA	NA
2023-06-07 11:00	NA	NA
2023-06-07 11:15	NA	NA
2023-06-07 11:30	NA	NA
2023-06-07 11:45	NA	NA
2023-06-07 12:00	NA	NA
2023-06-07 12:15	NA	NA
2023-06-07 12:30	NA	NA
2023-06-07 12:45	NA	NA
2023-06-07 13:00	NA	NA
2023-06-07 13:15	NA	NA
2023-06-07 13:30	NA	NA
2023-06-07 13:45	NA	NA
2023-06-07 14:00	NA	NA
2023-06-07 14:15	NA	NA
2023-06-07 14:30	NA	NA
2023-06-07 14:45	NA	NA
2023-06-07 15:00	NA	NA
2023-06-07 15:15	NA	NA
2023-06-07 15:30	NA	NA
2023-06-07 15:45	NA	NA
2023-06-07 16:00	NA	NA
2023-06-07 16:15	NA	NA
2023-06-07 16:30	NA	NA
2023-06-07 16:45	NA	NA
2023-06-07 17:00	NA	NA
2023-06-07 17:15	NA	NA
2023-06-07 17:30	NA	NA
2023-06-07 17:45	NA	NA
2023-06-07 18:00	NA	NA
2023-06-07 18:15	NA	NA
2023-06-07 18:30	NA	NA
2023-06-07 18:45	NA	NA
2023-06-07 19:00	NA	NA
2023-06-07 19:15	NA	NA
2023-06-07 19:30	NA	NA
2023-06-07 19:45	NA	NA
2023-06-07 20:00	NA	NA
2023-06-07 20:15	NA	NA
2023-06-07 20:30	NA	NA
2023-06-07 20:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-07 21:00	NA	NA
2023-06-07 21:15	NA	NA
2023-06-07 21:30	NA	NA
2023-06-07 21:45	NA	NA
2023-06-07 22:00	NA	NA
2023-06-07 22:15	NA	NA
2023-06-07 22:30	NA	NA
2023-06-07 22:45	NA	NA
2023-06-07 23:00	NA	NA
2023-06-07 23:15	NA	NA
2023-06-07 23:30	NA	NA
2023-06-07 23:45	NA	NA
2023-06-08 00:00	NA	NA
2023-06-08 00:15	NA	NA
2023-06-08 00:30	NA	NA
2023-06-08 00:45	NA	NA
2023-06-08 01:00	NA	NA
2023-06-08 01:15	NA	NA
2023-06-08 01:30	NA	NA
2023-06-08 01:45	NA	NA
2023-06-08 02:00	NA	NA
2023-06-08 02:15	NA	NA
2023-06-08 02:30	NA	NA
2023-06-08 02:45	NA	NA
2023-06-08 03:00	NA	NA
2023-06-08 03:15	NA	NA
2023-06-08 03:30	NA	NA
2023-06-08 03:45	NA	NA
2023-06-08 04:00	NA	NA
2023-06-08 04:15	NA	NA
2023-06-08 04:30	NA	NA
2023-06-08 04:45	NA	NA
2023-06-08 05:00	NA	NA
2023-06-08 05:15	NA	NA
2023-06-08 05:30	NA	NA
2023-06-08 05:45	NA	NA
2023-06-08 06:00	NA	NA
2023-06-08 06:15	NA	NA
2023-06-08 06:30	NA	NA
2023-06-08 06:45	NA	NA
2023-06-08 07:00	NA	NA
2023-06-08 07:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-08 07:30	NA	NA
2023-06-08 07:45	NA	NA
2023-06-08 08:00	NA	NA
2023-06-08 08:15	NA	NA
2023-06-08 08:30	NA	NA
2023-06-08 08:45	NA	NA
2023-06-08 09:00	NA	NA
2023-06-08 09:15	NA	NA
2023-06-08 09:30	NA	NA
2023-06-08 09:45	NA	NA
2023-06-08 10:00	NA	NA
2023-06-08 10:15	NA	NA
2023-06-08 10:30	NA	NA
2023-06-08 10:45	NA	NA
2023-06-08 11:00	NA	NA
2023-06-08 11:15	NA	NA
2023-06-08 11:30	NA	NA
2023-06-08 11:45	NA	NA
2023-06-08 12:00	NA	NA
2023-06-08 12:15	NA	NA
2023-06-08 12:30	NA	NA
2023-06-08 12:45	NA	NA
2023-06-08 13:00	NA	NA
2023-06-08 13:15	NA	NA
2023-06-08 13:30	NA	NA
2023-06-08 13:45	NA	NA
2023-06-08 14:00	NA	NA
2023-06-08 14:15	NA	NA
2023-06-08 14:30	NA	NA
2023-06-08 14:45	NA	NA
2023-06-08 15:00	NA	NA
2023-06-08 15:15	NA	NA
2023-06-08 15:30	NA	NA
2023-06-08 15:45	NA	NA
2023-06-08 16:00	NA	NA
2023-06-08 16:15	NA	NA
2023-06-08 16:30	NA	NA
2023-06-08 16:45	NA	NA
2023-06-08 17:00	NA	NA
2023-06-08 17:15	NA	NA
2023-06-08 17:30	NA	NA
2023-06-08 17:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-08 18:00	NA	NA
2023-06-08 18:15	NA	NA
2023-06-08 18:30	NA	NA
2023-06-08 18:45	NA	NA
2023-06-08 19:00	NA	NA
2023-06-08 19:15	NA	NA
2023-06-08 19:30	NA	NA
2023-06-08 19:45	NA	NA
2023-06-08 20:00	NA	NA
2023-06-08 20:15	NA	NA
2023-06-08 20:30	NA	NA
2023-06-08 20:45	NA	NA
2023-06-08 21:00	NA	NA
2023-06-08 21:15	NA	NA
2023-06-08 21:30	NA	NA
2023-06-08 21:45	NA	NA
2023-06-08 22:00	NA	NA
2023-06-08 22:15	NA	NA
2023-06-08 22:30	NA	NA
2023-06-08 22:45	NA	NA
2023-06-08 23:00	NA	NA
2023-06-08 23:15	NA	NA
2023-06-08 23:30	NA	NA
2023-06-08 23:45	NA	NA
2023-06-09 00:00	NA	NA
2023-06-09 00:15	NA	NA
2023-06-09 00:30	NA	NA
2023-06-09 00:45	NA	NA
2023-06-09 01:00	NA	NA
2023-06-09 01:15	NA	NA
2023-06-09 01:30	NA	NA
2023-06-09 01:45	NA	NA
2023-06-09 02:00	NA	NA
2023-06-09 02:15	NA	NA
2023-06-09 02:30	NA	NA
2023-06-09 02:45	NA	NA
2023-06-09 03:00	NA	NA
2023-06-09 03:15	NA	NA
2023-06-09 03:30	NA	NA
2023-06-09 03:45	NA	NA
2023-06-09 04:00	NA	NA
2023-06-09 04:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-09 04:30	NA	NA
2023-06-09 04:45	NA	NA
2023-06-09 05:00	NA	NA
2023-06-09 05:15	NA	NA
2023-06-09 05:30	NA	NA
2023-06-09 05:45	NA	NA
2023-06-09 06:00	NA	NA
2023-06-09 06:15	NA	NA
2023-06-09 06:30	NA	NA
2023-06-09 06:45	NA	NA
2023-06-09 07:00	NA	NA
2023-06-09 07:15	NA	NA
2023-06-09 07:30	NA	NA
2023-06-09 07:45	NA	NA
2023-06-09 08:00	NA	NA
2023-06-09 08:15	NA	NA
2023-06-09 08:30	NA	NA
2023-06-09 08:45	NA	NA
2023-06-09 09:00	NA	NA
2023-06-09 09:15	NA	NA
2023-06-09 09:30	NA	NA
2023-06-09 09:45	NA	NA
2023-06-09 10:00	NA	NA
2023-06-09 10:15	NA	NA
2023-06-09 10:30	NA	NA
2023-06-09 10:45	NA	NA
2023-06-09 11:00	NA	NA
2023-06-09 11:15	NA	NA
2023-06-09 11:30	NA	NA
2023-06-09 11:45	NA	NA
2023-06-09 12:00	NA	NA
2023-06-09 12:15	NA	NA
2023-06-09 12:30	NA	NA
2023-06-09 12:45	NA	NA
2023-06-09 13:00	NA	NA
2023-06-09 13:15	NA	NA
2023-06-09 13:30	NA	NA
2023-06-09 13:45	NA	NA
2023-06-09 14:00	NA	NA
2023-06-09 14:15	NA	NA
2023-06-09 14:30	NA	NA
2023-06-09 14:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-09 15:00	NA	NA
2023-06-09 15:15	NA	NA
2023-06-09 15:30	NA	NA
2023-06-09 15:45	NA	NA
2023-06-09 16:00	NA	NA
2023-06-09 16:15	NA	NA
2023-06-09 16:30	NA	NA
2023-06-09 16:45	NA	NA
2023-06-09 17:00	NA	NA
2023-06-09 17:15	NA	NA
2023-06-09 17:30	NA	NA
2023-06-09 17:45	NA	NA
2023-06-09 18:00	NA	NA
2023-06-09 18:15	NA	NA
2023-06-09 18:30	NA	NA
2023-06-09 18:45	NA	NA
2023-06-09 19:00	NA	NA
2023-06-09 19:15	NA	NA
2023-06-09 19:30	NA	NA
2023-06-09 19:45	NA	NA
2023-06-09 20:00	NA	NA
2023-06-09 20:15	NA	NA
2023-06-09 20:30	NA	NA
2023-06-09 20:45	NA	NA
2023-06-09 21:00	NA	NA
2023-06-09 21:15	NA	NA
2023-06-09 21:30	NA	NA
2023-06-09 21:45	NA	NA
2023-06-09 22:00	NA	NA
2023-06-09 22:15	NA	NA
2023-06-09 22:30	NA	NA
2023-06-09 22:45	NA	NA
2023-06-09 23:00	NA	NA
2023-06-09 23:15	NA	NA
2023-06-09 23:30	NA	NA
2023-06-09 23:45	NA	NA
2023-06-10 00:00	NA	NA
2023-06-10 00:15	NA	NA
2023-06-10 00:30	NA	NA
2023-06-10 00:45	NA	NA
2023-06-10 01:00	NA	NA
2023-06-10 01:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-10 01:30	NA	NA
2023-06-10 01:45	NA	NA
2023-06-10 02:00	NA	NA
2023-06-10 02:15	NA	NA
2023-06-10 02:30	NA	NA
2023-06-10 02:45	NA	NA
2023-06-10 03:00	NA	NA
2023-06-10 03:15	NA	NA
2023-06-10 03:30	NA	NA
2023-06-10 03:45	NA	NA
2023-06-10 04:00	NA	NA
2023-06-10 04:15	NA	NA
2023-06-10 04:30	NA	NA
2023-06-10 04:45	NA	NA
2023-06-10 05:00	NA	NA
2023-06-10 05:15	NA	NA
2023-06-10 05:30	NA	NA
2023-06-10 05:45	NA	NA
2023-06-10 06:00	NA	NA
2023-06-10 06:15	NA	NA
2023-06-10 06:30	NA	NA
2023-06-10 06:45	NA	NA
2023-06-10 07:00	NA	NA
2023-06-10 07:15	NA	NA
2023-06-10 07:30	NA	NA
2023-06-10 07:45	NA	NA
2023-06-10 08:00	NA	NA
2023-06-10 08:15	NA	NA
2023-06-10 08:30	NA	NA
2023-06-10 08:45	NA	NA
2023-06-10 09:00	NA	NA
2023-06-10 09:15	NA	NA
2023-06-10 09:30	NA	NA
2023-06-10 09:45	NA	NA
2023-06-10 10:00	NA	NA
2023-06-10 10:15	NA	NA
2023-06-10 10:30	NA	NA
2023-06-10 10:45	NA	NA
2023-06-10 11:00	NA	NA
2023-06-10 11:15	NA	NA
2023-06-10 11:30	NA	NA
2023-06-10 11:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-10 12:00	NA	NA
2023-06-10 12:15	NA	NA
2023-06-10 12:30	NA	NA
2023-06-10 12:45	NA	NA
2023-06-10 13:00	NA	NA
2023-06-10 13:15	NA	NA
2023-06-10 13:30	NA	NA
2023-06-10 13:45	NA	NA
2023-06-10 14:00	NA	NA
2023-06-10 14:15	NA	NA
2023-06-10 14:30	NA	NA
2023-06-10 14:45	NA	NA
2023-06-10 15:00	NA	NA
2023-06-10 15:15	NA	NA
2023-06-10 15:30	NA	NA
2023-06-10 15:45	NA	NA
2023-06-10 16:00	NA	NA
2023-06-10 16:15	NA	NA
2023-06-10 16:30	NA	NA
2023-06-10 16:45	NA	NA
2023-06-10 17:00	NA	NA
2023-06-10 17:15	NA	NA
2023-06-10 17:30	NA	NA
2023-06-10 17:45	NA	NA
2023-06-10 18:00	NA	NA
2023-06-10 18:15	NA	NA
2023-06-10 18:30	NA	NA
2023-06-10 18:45	NA	NA
2023-06-10 19:00	NA	NA
2023-06-10 19:15	NA	NA
2023-06-10 19:30	NA	NA
2023-06-10 19:45	NA	NA
2023-06-10 20:00	NA	NA
2023-06-10 20:15	NA	NA
2023-06-10 20:30	NA	NA
2023-06-10 20:45	NA	NA
2023-06-10 21:00	NA	NA
2023-06-10 21:15	NA	NA
2023-06-10 21:30	NA	NA
2023-06-10 21:45	NA	NA
2023-06-10 22:00	NA	NA
2023-06-10 22:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-10 22:30	NA	NA
2023-06-10 22:45	NA	NA
2023-06-10 23:00	NA	NA
2023-06-10 23:15	NA	NA
2023-06-10 23:30	NA	NA
2023-06-10 23:45	NA	NA
2023-06-11 00:00	NA	NA
2023-06-11 00:15	NA	NA
2023-06-11 00:30	NA	NA
2023-06-11 00:45	NA	NA
2023-06-11 01:00	NA	NA
2023-06-11 01:15	NA	NA
2023-06-11 01:30	NA	NA
2023-06-11 01:45	NA	NA
2023-06-11 02:00	NA	NA
2023-06-11 02:15	NA	NA
2023-06-11 02:30	NA	NA
2023-06-11 02:45	NA	NA
2023-06-11 03:00	NA	NA
2023-06-11 03:15	NA	NA
2023-06-11 03:30	NA	NA
2023-06-11 03:45	NA	NA
2023-06-11 04:00	NA	NA
2023-06-11 04:15	NA	NA
2023-06-11 04:30	NA	NA
2023-06-11 04:45	NA	NA
2023-06-11 05:00	NA	NA
2023-06-11 05:15	NA	NA
2023-06-11 05:30	NA	NA
2023-06-11 05:45	NA	NA
2023-06-11 06:00	NA	NA
2023-06-11 06:15	NA	NA
2023-06-11 06:30	NA	NA
2023-06-11 06:45	NA	NA
2023-06-11 07:00	NA	NA
2023-06-11 07:15	NA	NA
2023-06-11 07:30	NA	NA
2023-06-11 07:45	NA	NA
2023-06-11 08:00	NA	NA
2023-06-11 08:15	NA	NA
2023-06-11 08:30	NA	NA
2023-06-11 08:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-11 09:00	NA	NA
2023-06-11 09:15	NA	NA
2023-06-11 09:30	NA	NA
2023-06-11 09:45	NA	NA
2023-06-11 10:00	NA	NA
2023-06-11 10:15	NA	NA
2023-06-11 10:30	NA	NA
2023-06-11 10:45	NA	NA
2023-06-11 11:00	NA	NA
2023-06-11 11:15	NA	NA
2023-06-11 11:30	NA	NA
2023-06-11 11:45	NA	NA
2023-06-11 12:00	NA	NA
2023-06-11 12:15	NA	NA
2023-06-11 12:30	NA	NA
2023-06-11 12:45	NA	NA
2023-06-11 13:00	NA	NA
2023-06-11 13:15	NA	NA
2023-06-11 13:30	NA	NA
2023-06-11 13:45	NA	NA
2023-06-11 14:00	NA	NA
2023-06-11 14:15	NA	NA
2023-06-11 14:30	NA	NA
2023-06-11 14:45	NA	NA
2023-06-11 15:00	NA	NA
2023-06-11 15:15	NA	NA
2023-06-11 15:30	NA	NA
2023-06-11 15:45	NA	NA
2023-06-11 16:00	NA	NA
2023-06-11 16:15	NA	NA
2023-06-11 16:30	NA	NA
2023-06-11 16:45	NA	NA
2023-06-11 17:00	NA	NA
2023-06-11 17:15	NA	NA
2023-06-11 17:30	NA	NA
2023-06-11 17:45	NA	NA
2023-06-11 18:00	NA	NA
2023-06-11 18:15	NA	NA
2023-06-11 18:30	NA	NA
2023-06-11 18:45	NA	NA
2023-06-11 19:00	NA	NA
2023-06-11 19:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-11 19:30	NA	NA
2023-06-11 19:45	NA	NA
2023-06-11 20:00	NA	NA
2023-06-11 20:15	NA	NA
2023-06-11 20:30	NA	NA
2023-06-11 20:45	NA	NA
2023-06-11 21:00	NA	NA
2023-06-11 21:15	NA	NA
2023-06-11 21:30	NA	NA
2023-06-11 21:45	NA	NA
2023-06-11 22:00	NA	NA
2023-06-11 22:15	NA	NA
2023-06-11 22:30	NA	NA
2023-06-11 22:45	NA	NA
2023-06-11 23:00	NA	NA
2023-06-11 23:15	NA	NA
2023-06-11 23:30	NA	NA
2023-06-11 23:45	NA	NA
2023-06-12 00:00	NA	NA
2023-06-12 00:15	NA	NA
2023-06-12 00:30	NA	NA
2023-06-12 00:45	NA	NA
2023-06-12 01:00	NA	NA
2023-06-12 01:15	NA	NA
2023-06-12 01:30	NA	NA
2023-06-12 01:45	NA	NA
2023-06-12 02:00	NA	NA
2023-06-12 02:15	NA	NA
2023-06-12 02:30	NA	NA
2023-06-12 02:45	NA	NA
2023-06-12 03:00	NA	NA
2023-06-12 03:15	NA	NA
2023-06-12 03:30	NA	NA
2023-06-12 03:45	NA	NA
2023-06-12 04:00	NA	NA
2023-06-12 04:15	NA	NA
2023-06-12 04:30	NA	NA
2023-06-12 04:45	NA	NA
2023-06-12 05:00	NA	NA
2023-06-12 05:15	NA	NA
2023-06-12 05:30	NA	NA
2023-06-12 05:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-12 06:00	NA	NA
2023-06-12 06:15	NA	NA
2023-06-12 06:30	NA	NA
2023-06-12 06:45	NA	NA
2023-06-12 07:00	NA	NA
2023-06-12 07:15	NA	NA
2023-06-12 07:30	NA	NA
2023-06-12 07:45	NA	NA
2023-06-12 08:00	NA	NA
2023-06-12 08:15	NA	NA
2023-06-12 08:30	NA	NA
2023-06-12 08:45	NA	NA
2023-06-12 09:00	NA	NA
2023-06-12 09:15	NA	NA
2023-06-12 09:30	NA	NA
2023-06-12 09:45	NA	NA
2023-06-12 10:00	NA	NA
2023-06-12 10:15	NA	NA
2023-06-12 10:30	NA	NA
2023-06-12 10:45	NA	NA
2023-06-12 11:00	NA	NA
2023-06-12 11:15	NA	NA
2023-06-12 11:30	NA	NA
2023-06-12 11:45	NA	NA
2023-06-12 12:00	NA	NA
2023-06-12 12:15	NA	NA
2023-06-12 12:30	NA	NA
2023-06-12 12:45	NA	NA
2023-06-12 13:00	NA	NA
2023-06-12 13:15	NA	NA
2023-06-12 13:30	NA	NA
2023-06-12 13:45	NA	NA
2023-06-12 14:00	NA	NA
2023-06-12 14:15	NA	NA
2023-06-12 14:30	NA	NA
2023-06-12 14:45	NA	NA
2023-06-12 15:00	NA	NA
2023-06-12 15:15	NA	NA
2023-06-12 15:30	NA	NA
2023-06-12 15:45	NA	NA
2023-06-12 16:00	NA	NA
2023-06-12 16:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-12 16:30	NA	NA
2023-06-12 16:45	NA	NA
2023-06-12 17:00	NA	NA
2023-06-12 17:15	NA	NA
2023-06-12 17:30	NA	NA
2023-06-12 17:45	NA	NA
2023-06-12 18:00	NA	NA
2023-06-12 18:15	NA	NA
2023-06-12 18:30	NA	NA
2023-06-12 18:45	NA	NA
2023-06-12 19:00	NA	NA
2023-06-12 19:15	NA	NA
2023-06-12 19:30	NA	NA
2023-06-12 19:45	NA	NA
2023-06-12 20:00	NA	NA
2023-06-12 20:15	NA	NA
2023-06-12 20:30	NA	NA
2023-06-12 20:45	NA	NA
2023-06-12 21:00	NA	NA
2023-06-12 21:15	NA	NA
2023-06-12 21:30	NA	NA
2023-06-12 21:45	NA	NA
2023-06-12 22:00	NA	NA
2023-06-12 22:15	NA	NA
2023-06-12 22:30	NA	NA
2023-06-12 22:45	NA	NA
2023-06-12 23:00	NA	NA
2023-06-12 23:15	NA	NA
2023-06-12 23:30	NA	NA
2023-06-12 23:45	NA	NA
2023-06-13 00:00	NA	NA
2023-06-13 00:15	NA	NA
2023-06-13 00:30	NA	NA
2023-06-13 00:45	NA	NA
2023-06-13 01:00	NA	NA
2023-06-13 01:15	NA	NA
2023-06-13 01:30	NA	NA
2023-06-13 01:45	NA	NA
2023-06-13 02:00	NA	NA
2023-06-13 02:15	NA	NA
2023-06-13 02:30	NA	NA
2023-06-13 02:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-13 03:00	NA	NA
2023-06-13 03:15	NA	NA
2023-06-13 03:30	NA	NA
2023-06-13 03:45	NA	NA
2023-06-13 04:00	NA	NA
2023-06-13 04:15	NA	NA
2023-06-13 04:30	NA	NA
2023-06-13 04:45	NA	NA
2023-06-13 05:00	NA	NA
2023-06-13 05:15	NA	NA
2023-06-13 05:30	NA	NA
2023-06-13 05:45	NA	NA
2023-06-13 06:00	NA	NA
2023-06-13 06:15	NA	NA
2023-06-13 06:30	NA	NA
2023-06-13 06:45	NA	NA
2023-06-13 07:00	NA	NA
2023-06-13 07:15	NA	NA
2023-06-13 07:30	NA	NA
2023-06-13 07:45	NA	NA
2023-06-13 08:00	NA	NA
2023-06-13 08:15	NA	NA
2023-06-13 08:30	NA	NA
2023-06-13 08:45	NA	NA
2023-06-13 09:00	NA	NA
2023-06-13 09:15	NA	NA
2023-06-13 09:30	NA	NA
2023-06-13 09:45	NA	NA
2023-06-13 10:00	NA	NA
2023-06-13 10:15	NA	NA
2023-06-13 10:30	NA	NA
2023-06-13 10:45	NA	NA
2023-06-13 11:00	NA	NA
2023-06-13 11:15	NA	NA
2023-06-13 11:30	NA	NA
2023-06-13 11:45	NA	NA
2023-06-13 12:00	NA	NA
2023-06-13 12:15	NA	NA
2023-06-13 12:30	NA	NA
2023-06-13 12:45	NA	NA
2023-06-13 13:00	NA	NA
2023-06-13 13:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-13 13:30	NA	NA
2023-06-13 13:45	NA	NA
2023-06-13 14:00	NA	NA
2023-06-13 14:15	NA	NA
2023-06-13 14:30	NA	NA
2023-06-13 14:45	NA	NA
2023-06-13 15:00	NA	NA
2023-06-13 15:15	NA	NA
2023-06-13 15:30	NA	NA
2023-06-13 15:45	NA	NA
2023-06-13 16:00	NA	NA
2023-06-13 16:15	NA	NA
2023-06-13 16:30	NA	NA
2023-06-13 16:45	NA	NA
2023-06-13 17:00	NA	NA
2023-06-13 17:15	NA	NA
2023-06-13 17:30	NA	NA
2023-06-13 17:45	NA	NA
2023-06-13 18:00	NA	NA
2023-06-13 18:15	NA	NA
2023-06-13 18:30	NA	NA
2023-06-13 18:45	NA	NA
2023-06-13 19:00	NA	NA
2023-06-13 19:15	NA	NA
2023-06-13 19:30	NA	NA
2023-06-13 19:45	NA	NA
2023-06-13 20:00	NA	NA
2023-06-13 20:15	NA	NA
2023-06-13 20:30	NA	NA
2023-06-13 20:45	NA	NA
2023-06-13 21:00	NA	NA
2023-06-13 21:15	NA	NA
2023-06-13 21:30	NA	NA
2023-06-13 21:45	NA	NA
2023-06-13 22:00	NA	NA
2023-06-13 22:15	NA	NA
2023-06-13 22:30	NA	NA
2023-06-13 22:45	NA	NA
2023-06-13 23:00	NA	NA
2023-06-13 23:15	NA	NA
2023-06-13 23:30	NA	NA
2023-06-13 23:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-14 00:00	NA	NA
2023-06-14 00:15	NA	NA
2023-06-14 00:30	NA	NA
2023-06-14 00:45	NA	NA
2023-06-14 01:00	NA	NA
2023-06-14 01:15	NA	NA
2023-06-14 01:30	NA	NA
2023-06-14 01:45	NA	NA
2023-06-14 02:00	NA	NA
2023-06-14 02:15	NA	NA
2023-06-14 02:30	NA	NA
2023-06-14 02:45	NA	NA
2023-06-14 03:00	NA	NA
2023-06-14 03:15	NA	NA
2023-06-14 03:30	NA	NA
2023-06-14 03:45	NA	NA
2023-06-14 04:00	NA	NA
2023-06-14 04:15	NA	NA
2023-06-14 04:30	NA	NA
2023-06-14 04:45	NA	NA
2023-06-14 05:00	NA	NA
2023-06-14 05:15	NA	NA
2023-06-14 05:30	NA	NA
2023-06-14 05:45	NA	NA
2023-06-14 06:00	NA	NA
2023-06-14 06:15	NA	NA
2023-06-14 06:30	NA	NA
2023-06-14 06:45	NA	NA
2023-06-14 07:00	NA	NA
2023-06-14 07:15	NA	NA
2023-06-14 07:30	NA	NA
2023-06-14 07:45	NA	NA
2023-06-14 08:00	NA	NA
2023-06-14 08:15	NA	NA
2023-06-14 08:30	NA	NA
2023-06-14 08:45	NA	NA
2023-06-14 09:00	NA	NA
2023-06-14 09:15	NA	NA
2023-06-14 09:30	NA	NA
2023-06-14 09:45	NA	NA
2023-06-14 10:00	NA	NA
2023-06-14 10:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-14 10:30	NA	NA
2023-06-14 10:45	NA	NA
2023-06-14 11:00	NA	NA
2023-06-14 11:15	NA	NA
2023-06-14 11:30	NA	NA
2023-06-14 11:45	NA	NA
2023-06-14 12:00	NA	NA
2023-06-14 12:15	NA	NA
2023-06-14 12:30	NA	NA
2023-06-14 12:45	NA	NA
2023-06-14 13:00	NA	NA
2023-06-14 13:15	NA	NA
2023-06-14 13:30	NA	NA
2023-06-14 13:45	NA	NA
2023-06-14 14:00	NA	NA
2023-06-14 14:15	NA	NA
2023-06-14 14:30	NA	NA
2023-06-14 14:45	NA	NA
2023-06-14 15:00	46.48	104.05
2023-06-14 15:15	48.18	68.24
2023-06-14 15:30	47.96	47.84
2023-06-14 15:45	47.2	56.91
2023-06-14 16:00	46.33	67.45
2023-06-14 16:15	46.98	75.65
2023-06-14 16:30	47.13	39.13
2023-06-14 16:45	45.64	36.03
2023-06-14 17:00	45.42	33.24
2023-06-14 17:15	45.4	29.49
2023-06-14 17:30	44.61	41.46
2023-06-14 17:45	45.67	60.59
2023-06-14 18:00	47.13	65.46
2023-06-14 18:15	48.83	91.36
2023-06-14 18:30	48.89	48.61
2023-06-14 18:45	46.79	57.75
2023-06-14 19:00	47.42	65.99
2023-06-14 19:15	47.75	65.65
2023-06-14 19:30	45.65	40.02
2023-06-14 19:45	48.98	38.64
2023-06-14 20:00	48.76	43.04
2023-06-14 20:15	49.83	43.84
2023-06-14 20:30	48.35	47.01
2023-06-14 20:45	49.56	52.54

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-14 21:00	54.56	46.28
2023-06-14 21:15	49.24	52.88
2023-06-14 21:30	46.65	42.1
2023-06-14 21:45	47.17	40.94
2023-06-14 22:00	47.96	42.02
2023-06-14 22:15	46.57	44.14
2023-06-14 22:30	47.77	50.05
2023-06-14 22:45	47.74	58.95
2023-06-14 23:00	47	69.9
2023-06-14 23:15	46.66	66.45
2023-06-14 23:30	47.71	44.17
2023-06-14 23:45	47.57	42.18
2023-06-15 00:00	47.07	44.68
2023-06-15 00:15	47.23	44.65
2023-06-15 00:30	47.95	49.05
2023-06-15 00:45	47.97	57.55
2023-06-15 01:00	46.6	44.45
2023-06-15 01:15	48.61	40.28
2023-06-15 01:30	48.82	41.35
2023-06-15 01:45	47.04	45.16
2023-06-15 02:00	48.38	50.47
2023-06-15 02:15	49.44	56.83
2023-06-15 02:30	50.96	63.87
2023-06-15 02:45	48.7	67.86
2023-06-15 03:00	49.26	42.56
2023-06-15 03:15	48.73	41.31
2023-06-15 03:30	47.97	42.91
2023-06-15 03:45	47.83	46.32
2023-06-15 04:00	47.89	44.92
2023-06-15 04:15	48.97	46.89
2023-06-15 04:30	47.27	51.85
2023-06-15 04:45	47.31	65.71
2023-06-15 05:00	48.42	42.72
2023-06-15 05:15	49.03	40.32
2023-06-15 05:30	48.38	43.4
2023-06-15 05:45	48.4	48.5
2023-06-15 06:00	47.91	51.7
2023-06-15 06:15	47.44	56.69
2023-06-15 06:30	47.42	62.99
2023-06-15 06:45	48.71	71.56
2023-06-15 07:00	49.23	42.21
2023-06-15 07:15	47.75	41.58

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-15 07:30	48.79	43.6
2023-06-15 07:45	48.12	48.82
2023-06-15 08:00	48.31	47.27
2023-06-15 08:15	47.74	48.46
2023-06-15 08:30	48.85	54.47
2023-06-15 08:45	49.4	69.4
2023-06-15 09:00	48.65	43.56
2023-06-15 09:15	48.71	43.57
2023-06-15 09:30	47.73	43.8
2023-06-15 09:45	47.95	51.41
2023-06-15 10:00	48.58	57.03
2023-06-15 10:15	49.24	62.27
2023-06-15 10:30	48.35	75.82
2023-06-15 10:45	48.84	NA
2023-06-15 11:00	55.6	129.79
2023-06-15 11:15	52.87	101.06
2023-06-15 11:30	53.55	98.42
2023-06-15 11:45	49.23	95.18
2023-06-15 12:00	51.95	104.11
2023-06-15 12:15	50.31	126.93
2023-06-15 12:30	47.96	124.2
2023-06-15 12:45	46.88	116.81
2023-06-15 13:00	47.27	96.23
2023-06-15 13:15	45.17	132.68
2023-06-15 13:30	41.68	141.76
2023-06-15 13:45	42.74	122.72
2023-06-15 14:00	43.24	122.95
2023-06-15 14:15	44.09	143.08
2023-06-15 14:30	41.06	153.97
2023-06-15 14:45	43.44	136.74
2023-06-15 15:00	44.14	115.69
2023-06-15 15:15	44.25	108.93
2023-06-15 15:30	48.38	111.76
2023-06-15 15:45	51.62	117.91
2023-06-15 16:00	70.43	122.71
2023-06-15 16:15	34.85	123.82
2023-06-15 16:30	91.62	132.89
2023-06-15 16:45	80.51	124.84
2023-06-15 17:00	72.72	142.74
2023-06-15 17:15	48.45	122.91
2023-06-15 17:30	9.2	104.24
2023-06-15 17:45	0	23.1

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-15 18:00	0	33.54
2023-06-15 18:15	0	42.98
2023-06-15 18:30	0	56.01
2023-06-15 18:45	0	30.94
2023-06-15 19:00	0	19.21
2023-06-15 19:15	0	19.29
2023-06-15 19:30	0	25.67
2023-06-15 19:45	0	26.8
2023-06-15 20:00	0	31.14
2023-06-15 20:15	15.43	39.96
2023-06-15 20:30	55.36	59.01
2023-06-15 20:45	56.22	45.89
2023-06-15 21:00	64.2	19.78
2023-06-15 21:15	53.36	21.51
2023-06-15 21:30	56.95	26.79
2023-06-15 21:45	53.84	27.59
2023-06-15 22:00	57.42	31.78
2023-06-15 22:15	56.23	39.92
2023-06-15 22:30	56.35	54.98
2023-06-15 22:45	56.4	50.12
2023-06-15 23:00	56.48	19.46
2023-06-15 23:15	57.09	18.65
2023-06-15 23:30	56.78	23.14
2023-06-15 23:45	56.84	25.02
2023-06-16 00:00	60.54	27.28
2023-06-16 00:15	62.67	35.22
2023-06-16 00:30	58.09	49.31
2023-06-16 00:45	59.97	54.27
2023-06-16 01:00	60.66	23.35
2023-06-16 01:15	62.14	23.76
2023-06-16 01:30	59.84	25.18
2023-06-16 01:45	62.1	27.56
2023-06-16 02:00	60.65	34.17
2023-06-16 02:15	53.54	41.32
2023-06-16 02:30	53.66	49.68
2023-06-16 02:45	52.56	19.76
2023-06-16 03:00	52.7	20.91
2023-06-16 03:15	50.32	20.52
2023-06-16 03:30	51.41	21.83
2023-06-16 03:45	52.18	21.98
2023-06-16 04:00	51.79	34.93
2023-06-16 04:15	51.6	43.18

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-16 04:30	51.92	52.72
2023-06-16 04:45	53.8	19.85
2023-06-16 05:00	51.56	19.68
2023-06-16 05:15	53.72	23.38
2023-06-16 05:30	54	30.53
2023-06-16 05:45	53.54	31.73
2023-06-16 06:00	50.94	38.82
2023-06-16 06:15	53.32	39.27
2023-06-16 06:30	54.74	46.01
2023-06-16 06:45	51.08	18.61
2023-06-16 07:00	51.42	18.65
2023-06-16 07:15	50.47	21.56
2023-06-16 07:30	50.78	23.31
2023-06-16 07:45	48.88	26.78
2023-06-16 08:00	50.19	32.01
2023-06-16 08:15	50.09	40.76
2023-06-16 08:30	48.29	50.29
2023-06-16 08:45	50.22	27.22
2023-06-16 09:00	50.92	20.67
2023-06-16 09:15	49.29	22.55
2023-06-16 09:30	45.56	23.31
2023-06-16 09:45	48.7	25.91
2023-06-16 10:00	48.06	37.45
2023-06-16 10:15	46.3	41.91
2023-06-16 10:30	46.62	44.42
2023-06-16 10:45	48.5	18.4
2023-06-16 11:00	49.89	21.18
2023-06-16 11:15	47.1	24.98
2023-06-16 11:30	51.22	22.67
2023-06-16 11:45	53.48	20.92
2023-06-16 12:00	55.01	22.19
2023-06-16 12:15	50.04	26.92
2023-06-16 12:30	50.93	30.23
2023-06-16 12:45	94.08	24.48
2023-06-16 13:00	47.79	23
2023-06-16 13:15	46.52	31.07
2023-06-16 13:30	46.79	30.55
2023-06-16 13:45	46.47	28.47
2023-06-16 14:00	48.58	27.03
2023-06-16 14:15	46.02	33.82
2023-06-16 14:30	46.13	20.25
2023-06-16 14:45	45.97	22.02

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-16 15:00	47.33	26.6
2023-06-16 15:15	48.88	31.56
2023-06-16 15:30	49.33	36.95
2023-06-16 15:45	47.99	45.78
2023-06-16 16:00	50.94	49.23
2023-06-16 16:15	50.02	61.68
2023-06-16 16:30	48.11	34.9
2023-06-16 16:45	47.43	25.52
2023-06-16 17:00	49.47	30.77
2023-06-16 17:15	50.72	36.05
2023-06-16 17:30	50.32	37.41
2023-06-16 17:45	50.14	46.83
2023-06-16 18:00	52.44	55.23
2023-06-16 18:15	56.61	39.2
2023-06-16 18:30	49.31	24.95
2023-06-16 18:45	52.26	24.79
2023-06-16 19:00	52.92	24.46
2023-06-16 19:15	52.07	25.91
2023-06-16 19:30	49.06	29.06
2023-06-16 19:45	51.64	34.37
2023-06-16 20:00	48.24	56.24
2023-06-16 20:15	47.11	33.24
2023-06-16 20:30	47.98	23.73
2023-06-16 20:45	51.96	24.24
2023-06-16 21:00	49.38	27.45
2023-06-16 21:15	49.43	36.79
2023-06-16 21:30	50.78	38.65
2023-06-16 21:45	57.53	31.23
2023-06-16 22:00	48.8	67.83
2023-06-16 22:15	48.89	35.36
2023-06-16 22:30	55.4	37.46
2023-06-16 22:45	58.2	49.53
2023-06-16 23:00	49.31	32.27
2023-06-16 23:15	53.55	25.32
2023-06-16 23:30	52	27.46
2023-06-16 23:45	57.85	30
2023-06-17 00:00	47.94	61.6
2023-06-17 00:15	49.67	27.38
2023-06-17 00:30	51.13	22.29
2023-06-17 00:45	49.68	22.39
2023-06-17 01:00	47.88	29.82
2023-06-17 01:15	50.62	35.41

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-17 01:30	50.55	35.7
2023-06-17 01:45	47.93	35.88
2023-06-17 02:00	47.62	39.66
2023-06-17 02:15	49.14	31.3
2023-06-17 02:30	47.62	35.61
2023-06-17 02:45	46.14	43.83
2023-06-17 03:00	49.25	25.29
2023-06-17 03:15	48.69	36.54
2023-06-17 03:30	46.58	22.34
2023-06-17 03:45	45.97	23.65
2023-06-17 04:00	47.37	57.78
2023-06-17 04:15	46.75	37.09
2023-06-17 04:30	45.38	23.43
2023-06-17 04:45	46.46	25.35
2023-06-17 05:00	46.02	29.75
2023-06-17 05:15	45.7	30.51
2023-06-17 05:30	47.89	34.79
2023-06-17 05:45	49.16	43.13
2023-06-17 06:00	47.35	60.48
2023-06-17 06:15	45.75	35.78
2023-06-17 06:30	46.81	22.17
2023-06-17 06:45	47.68	24.81
2023-06-17 07:00	47.31	29.72
2023-06-17 07:15	45.83	30.06
2023-06-17 07:30	48.8	34.99
2023-06-17 07:45	48.38	44.99
2023-06-17 08:00	47.57	56.54
2023-06-17 08:15	47.38	56.5
2023-06-17 08:30	48.78	31.43
2023-06-17 08:45	48.46	29.94
2023-06-17 09:00	45.6	33.02
2023-06-17 09:15	49.26	32.07
2023-06-17 09:30	49.59	40.37
2023-06-17 09:45	51.14	51.08
2023-06-17 10:00	46.78	70.02
2023-06-17 10:15	48.45	34.84
2023-06-17 10:30	49.28	28.57
2023-06-17 10:45	47.52	31.35
2023-06-17 11:00	47.86	35.83
2023-06-17 11:15	48.05	37.04
2023-06-17 11:30	47.95	43.33
2023-06-17 11:45	47.75	61.13

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-17 12:00	49.36	72.21
2023-06-17 12:15	48.39	34.63
2023-06-17 12:30	47.99	28.69
2023-06-17 12:45	48.07	34.06
2023-06-17 13:00	50.19	55.45
2023-06-17 13:15	49.56	78.94
2023-06-17 13:30	47.55	43.31
2023-06-17 13:45	49.31	63.62
2023-06-17 14:00	49.1	52.23
2023-06-17 14:15	48.64	63.78
2023-06-17 14:30	47.86	46.82
2023-06-17 14:45	50.03	33.53
2023-06-17 15:00	50.87	32.94
2023-06-17 15:15	48.07	33.98
2023-06-17 15:30	49.59	39.66
2023-06-17 15:45	50.66	59.52
2023-06-17 16:00	65.26	108.88
2023-06-17 16:15	60.84	156.54
2023-06-17 16:30	62.91	104.23
2023-06-17 16:45	65.75	55.34
2023-06-17 17:00	61.45	50.38
2023-06-17 17:15	59.65	47.65
2023-06-17 17:30	61.37	46.33
2023-06-17 17:45	60.85	60.85
2023-06-17 18:00	60.21	46.23
2023-06-17 18:15	61.72	29.5
2023-06-17 18:30	62.09	32.16
2023-06-17 18:45	61.4	34.61
2023-06-17 19:00	60.46	32.56
2023-06-17 19:15	62.48	32.86
2023-06-17 19:30	61.52	38.8
2023-06-17 19:45	60.71	52.51
2023-06-17 20:00	61.71	42.03
2023-06-17 20:15	65.84	34.82
2023-06-17 20:30	70.63	61.08
2023-06-17 20:45	66.42	59.47
2023-06-17 21:00	69.3	51.98
2023-06-17 21:15	69.24	60
2023-06-17 21:30	69.71	78.1
2023-06-17 21:45	67.4	96.21
2023-06-17 22:00	68.62	50.54
2023-06-17 22:15	80.57	45.02

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-17 22:30	92.76	50.48
2023-06-17 22:45	107.23	60.24
2023-06-17 23:00	202.42	59.99
2023-06-17 23:15	260.6	57.68
2023-06-17 23:30	168.41	51.03
2023-06-17 23:45	118.69	29.99
2023-06-18 00:00	295.7	29.13
2023-06-18 00:15	245.11	45.43
2023-06-18 00:30	111.65	47.13
2023-06-18 00:45	82.5	48.22
2023-06-18 01:00	76.92	43.14
2023-06-18 01:15	63.31	45.11
2023-06-18 01:30	63.04	47.99
2023-06-18 01:45	65.72	47.04
2023-06-18 02:00	63.2	53.66
2023-06-18 02:15	62.67	60.01
2023-06-18 02:30	62.8	66.6
2023-06-18 02:45	63	35.03
2023-06-18 03:00	61.86	35.89
2023-06-18 03:15	63.44	38.76
2023-06-18 03:30	62.26	46.81
2023-06-18 03:45	63.41	52
2023-06-18 04:00	61.63	49.34
2023-06-18 04:15	61.7	55.96
2023-06-18 04:30	85.39	68.25
2023-06-18 04:45	64.77	29.97
2023-06-18 05:00	67.97	37.66
2023-06-18 05:15	66.46	50.14
2023-06-18 05:30	74.72	65.93
2023-06-18 05:45	61.14	60.13
2023-06-18 06:00	61.52	34.7
2023-06-18 06:15	61.41	34.58
2023-06-18 06:30	62	38.06
2023-06-18 06:45	62.09	38.4
2023-06-18 07:00	62.21	32.78
2023-06-18 07:15	68.47	31.51
2023-06-18 07:30	61.99	40.66
2023-06-18 07:45	61.97	43.82
2023-06-18 08:00	64.55	48.38
2023-06-18 08:15	69.58	58.23
2023-06-18 08:30	61.13	73.82
2023-06-18 08:45	61.29	39.36

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-18 09:00	63.01	46.4
2023-06-18 09:15	63	56.83
2023-06-18 09:30	63.61	80.43
2023-06-18 09:45	63.36	63.05
2023-06-18 10:00	68.51	32.98
2023-06-18 10:15	63.44	39.17
2023-06-18 10:30	67.2	66.09
2023-06-18 10:45	67.48	38.2
2023-06-18 11:00	66.39	37.48
2023-06-18 11:15	64.1	42.38
2023-06-18 11:30	66.43	43.87
2023-06-18 11:45	70.37	46.77
2023-06-18 12:00	65.76	62.54
2023-06-18 12:15	65.65	61
2023-06-18 12:30	68.47	35.96
2023-06-18 12:45	69.67	35.8
2023-06-18 13:00	65.41	37.77
2023-06-18 13:15	68.63	44.13
2023-06-18 13:30	69.2	48.93
2023-06-18 13:45	67.64	57.29
2023-06-18 14:00	64.47	36.82
2023-06-18 14:15	65.21	40.88
2023-06-18 14:30	65.72	43.06
2023-06-18 14:45	65.04	48.67
2023-06-18 15:00	66.42	36.28
2023-06-18 15:15	68.04	42.17
2023-06-18 15:30	66.94	42.21
2023-06-18 15:45	65.77	49.49
2023-06-18 16:00	69.51	32.54
2023-06-18 16:15	69.03	37.98
2023-06-18 16:30	67.52	41.83
2023-06-18 16:45	68.45	45.82
2023-06-18 17:00	67.97	36.47
2023-06-18 17:15	66.89	41.56
2023-06-18 17:30	65.97	44.84
2023-06-18 17:45	67.88	52.27
2023-06-18 18:00	68.1	57.28
2023-06-18 18:15	105.98	47.88
2023-06-18 18:30	74.46	30.78
2023-06-18 18:45	69.57	33.23
2023-06-18 19:00	72.78	34.59
2023-06-18 19:15	65.86	38.02

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-18 19:30	68.78	51.93
2023-06-18 19:45	70.12	55.39
2023-06-18 20:00	67.72	35.19
2023-06-18 20:15	67.42	38.35
2023-06-18 20:30	68.32	41.4
2023-06-18 20:45	67.79	48.88
2023-06-18 21:00	68.17	60.51
2023-06-18 21:15	68.18	52.25
2023-06-18 21:30	68.78	30.75
2023-06-18 21:45	68.43	30.42
2023-06-18 22:00	65.25	52.03
2023-06-18 22:15	66.02	28.15
2023-06-18 22:30	65.08	28.98
2023-06-18 22:45	73.03	28.67
2023-06-18 23:00	83.15	41.74
2023-06-18 23:15	71.74	47.12
2023-06-18 23:30	67.8	55.52
2023-06-18 23:45	65.32	57.29
2023-06-19 00:00	68.19	37.23
2023-06-19 00:15	68.74	38.46
2023-06-19 00:30	70.69	42.83
2023-06-19 00:45	64.95	51.09
2023-06-19 01:00	68.14	40.25
2023-06-19 01:15	68	44.73
2023-06-19 01:30	65.95	52.83
2023-06-19 01:45	67.31	58.3
2023-06-19 02:00	68.73	53.36
2023-06-19 02:15	71.06	32.7
2023-06-19 02:30	65.05	33.2
2023-06-19 02:45	67.84	31.62
2023-06-19 03:00	68.57	33.49
2023-06-19 03:15	67.59	37.34
2023-06-19 03:30	66.59	40.1
2023-06-19 03:45	68.27	47.82
2023-06-19 04:00	66.2	48.38
2023-06-19 04:15	64.49	28.73
2023-06-19 04:30	66.77	30.45
2023-06-19 04:45	65.16	31.7
2023-06-19 05:00	66.15	66.53
2023-06-19 05:15	64.04	41.63
2023-06-19 05:30	66.66	32.85
2023-06-19 05:45	67.16	34.34

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-19 06:00	65.09	38.47
2023-06-19 06:15	67.01	41.9
2023-06-19 06:30	69.08	45.99
2023-06-19 06:45	70.88	57.13
2023-06-19 07:00	64.55	77.96
2023-06-19 07:15	66.18	41.98
2023-06-19 07:30	67.17	34.35
2023-06-19 07:45	64.82	37.96
2023-06-19 08:00	61.16	41.44
2023-06-19 08:15	63.13	41.18
2023-06-19 08:30	62.75	40.33
2023-06-19 08:45	61.65	51.1
2023-06-19 09:00	64.72	47.15
2023-06-19 09:15	64.67	49.63
2023-06-19 09:30	66.31	54.61
2023-06-19 09:45	61.33	59.37
2023-06-19 10:00	61.6	40.95
2023-06-19 10:15	60.05	43.72
2023-06-19 10:30	60.09	47.97
2023-06-19 10:45	60.64	56.84
2023-06-19 11:00	61.92	49.62
2023-06-19 11:15	63.25	53.84
2023-06-19 11:30	66.22	59.71
2023-06-19 11:45	68.2	66.01
2023-06-19 12:00	64.78	43.52
2023-06-19 12:15	62.27	31.36
2023-06-19 12:30	61.13	32.39
2023-06-19 12:45	63.15	38.28
2023-06-19 13:00	62.23	45.01
2023-06-19 13:15	60.13	51.19
2023-06-19 13:30	61.28	59.59
2023-06-19 13:45	61.55	66.1
2023-06-19 14:00	62.5	43.67
2023-06-19 14:15	57.81	44.43
2023-06-19 14:30	58.54	49.95
2023-06-19 14:45	57.84	60.61
2023-06-19 15:00	57.37	70.38
2023-06-19 15:15	59.2	35.75
2023-06-19 15:30	60.56	34.05
2023-06-19 15:45	60.8	38.27
2023-06-19 16:00	61.98	42.29
2023-06-19 16:15	63.95	37.3

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-19 16:30	65.18	38.82
2023-06-19 16:45	65.92	42.51
2023-06-19 17:00	66.27	48.83
2023-06-19 17:15	68.89	53.99
2023-06-19 17:30	68.64	63.32
2023-06-19 17:45	67.99	73.13
2023-06-19 18:00	69.95	43.58
2023-06-19 18:15	68.99	47.77
2023-06-19 18:30	69.1	52.74
2023-06-19 18:45	67.03	66.76
2023-06-19 19:00	71.24	71.83
2023-06-19 19:15	71.44	35.61
2023-06-19 19:30	69.81	33.88
2023-06-19 19:45	68.84	37.72
2023-06-19 20:00	70.68	39.18
2023-06-19 20:15	74.7	40.16
2023-06-19 20:30	68.66	45.31
2023-06-19 20:45	70.24	63.35
2023-06-19 21:00	70.38	63.93
2023-06-19 21:15	69.05	34.54
2023-06-19 21:30	68.79	31.51
2023-06-19 21:45	70.68	35.33
2023-06-19 22:00	71.85	37.62
2023-06-19 22:15	73.12	38.68
2023-06-19 22:30	71.02	43.17
2023-06-19 22:45	70.17	62.06
2023-06-19 23:00	72.52	41.82
2023-06-19 23:15	68.55	47.27
2023-06-19 23:30	71.45	58.17
2023-06-19 23:45	68.92	66.87
2023-06-20 00:00	67.25	32.32
2023-06-20 00:15	68.24	32.74
2023-06-20 00:30	66.81	33.6
2023-06-20 00:45	66.59	37.28
2023-06-20 01:00	65.65	40.5
2023-06-20 01:15	67.37	46.35
2023-06-20 01:30	67.39	55.11
2023-06-20 01:45	67.58	65.33
2023-06-20 02:00	66.15	31.86
2023-06-20 02:15	68.23	31.88
2023-06-20 02:30	65.25	33.46
2023-06-20 02:45	62.77	37.12

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-20 03:00	65.38	52.59
2023-06-20 03:15	65.68	59.3
2023-06-20 03:30	68.41	48.53
2023-06-20 03:45	63.49	32.51
2023-06-20 04:00	65.1	36.91
2023-06-20 04:15	65.53	40.09
2023-06-20 04:30	65.05	48.33
2023-06-20 04:45	64.56	65.18
2023-06-20 05:00	68.1	41.54
2023-06-20 05:15	69.39	46.81
2023-06-20 05:30	63.61	54.23
2023-06-20 05:45	65.1	64.4
2023-06-20 06:00	64.55	31.87
2023-06-20 06:15	63.65	31.25
2023-06-20 06:30	63.58	33.56
2023-06-20 06:45	63.76	38.23
2023-06-20 07:00	65	57.58
2023-06-20 07:15	62.87	32.46
2023-06-20 07:30	65.25	32.86
2023-06-20 07:45	65.51	34.54
2023-06-20 08:00	65.6	35.64
2023-06-20 08:15	62.92	39.61
2023-06-20 08:30	65.52	45.46
2023-06-20 08:45	65.32	57.35
2023-06-20 09:00	62.78	43.55
2023-06-20 09:15	63.11	50.52
2023-06-20 09:30	64.87	60.63
2023-06-20 09:45	65.12	63.92
2023-06-20 10:00	62.54	33.99
2023-06-20 10:15	67.73	33.71
2023-06-20 10:30	68.65	35.17
2023-06-20 10:45	68.26	41.5
2023-06-20 11:00	64.84	44.06
2023-06-20 11:15	68.65	50.19
2023-06-20 11:30	73.13	62.85
2023-06-20 11:45	67.94	67.79
2023-06-20 12:00	66.3	37.21
2023-06-20 12:15	66.17	36.28
2023-06-20 12:30	66.37	40.32
2023-06-20 12:45	64.44	42.23
2023-06-20 13:00	64.49	46.71
2023-06-20 13:15	63	54.53

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-20 13:30	63.19	67.03
2023-06-20 13:45	64.05	65.47
2023-06-20 14:00	64.48	37.81
2023-06-20 14:15	64.39	38.09
2023-06-20 14:30	63.98	40.16
2023-06-20 14:45	65.33	43.74
2023-06-20 15:00	65.5	48.7
2023-06-20 15:15	64.61	57.55
2023-06-20 15:30	64.22	70.13
2023-06-20 15:45	67.29	63.37
2023-06-20 16:00	69.25	36.54
2023-06-20 16:15	67.12	38.43
2023-06-20 16:30	68.27	42.32
2023-06-20 16:45	71.12	40.25
2023-06-20 17:00	78.34	44.21
2023-06-20 17:15	77.24	53.72
2023-06-20 17:30	82.31	74.97
2023-06-20 17:45	97.46	57.21
2023-06-20 18:00	97.4	38.41
2023-06-20 18:15	78	40.69
2023-06-20 18:30	79.54	59.54
2023-06-20 18:45	74.98	64.79
2023-06-20 19:00	71.23	39.88
2023-06-20 19:15	74.49	34.26
2023-06-20 19:30	73.78	33.86
2023-06-20 19:45	72.64	34.53
2023-06-20 20:00	71.94	38.4
2023-06-20 20:15	79.92	43.84
2023-06-20 20:30	81.79	61.95
2023-06-20 20:45	78.74	66.24
2023-06-20 21:00	79.47	37.86
2023-06-20 21:15	77.13	31.64
2023-06-20 21:30	79.78	34.04
2023-06-20 21:45	70.3	34.7
2023-06-20 22:00	76.84	36.39
2023-06-20 22:15	77.36	41.1
2023-06-20 22:30	75.92	56.26
2023-06-20 22:45	73.95	65.41
2023-06-20 23:00	77.54	45.64
2023-06-20 23:15	78.65	56.09
2023-06-20 23:30	69.98	68.65
2023-06-20 23:45	74.62	46.78

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-21 00:00	72.63	38.15
2023-06-21 00:15	71.65	45.07
2023-06-21 00:30	70	62.2
2023-06-21 00:45	70.97	70.54
2023-06-21 01:00	70.55	44.11
2023-06-21 01:15	69.5	51.65
2023-06-21 01:30	69.72	69.81
2023-06-21 01:45	73.59	47.36
2023-06-21 02:00	73.67	36.3
2023-06-21 02:15	74.12	43.22
2023-06-21 02:30	87.46	58.09
2023-06-21 02:45	87.26	65.51
2023-06-21 03:00	75.84	33.88
2023-06-21 03:15	77.04	38.58
2023-06-21 03:30	82.43	49.42
2023-06-21 03:45	86.99	56.75
2023-06-21 04:00	84.5	31.65
2023-06-21 04:15	87.33	30.97
2023-06-21 04:30	83.09	31.54
2023-06-21 04:45	78.3	35.42
2023-06-21 05:00	72.92	44.13
2023-06-21 05:15	78.55	54.79
2023-06-21 05:30	75.77	68.53
2023-06-21 05:45	72.91	46.63
2023-06-21 06:00	69.82	38.81
2023-06-21 06:15	70.88	47.72
2023-06-21 06:30	72.01	62.11
2023-06-21 06:45	66.99	67.68
2023-06-21 07:00	71.02	48.24
2023-06-21 07:15	72.28	58.56
2023-06-21 07:30	71.22	71.16
2023-06-21 07:45	66.11	40.12
2023-06-21 08:00	67.33	38.89
2023-06-21 08:15	66.36	45.83
2023-06-21 08:30	63.34	52.94
2023-06-21 08:45	64.72	61.48
2023-06-21 09:00	65.63	43.08
2023-06-21 09:15	66.61	34.52
2023-06-21 09:30	63.67	34.6
2023-06-21 09:45	66.16	36.45
2023-06-21 10:00	63.53	33.13
2023-06-21 10:15	63.02	36.72

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-21 10:30	63.5	37.03
2023-06-21 10:45	66.01	39.23
2023-06-21 11:00	66.59	48.13
2023-06-21 11:15	65.92	63.4
2023-06-21 11:30	69.5	72.14
2023-06-21 11:45	69.45	37.07
2023-06-21 12:00	69.01	32.45
2023-06-21 12:15	67.93	34.61
2023-06-21 12:30	70.12	34.5
2023-06-21 12:45	72.61	34.68
2023-06-21 13:00	66.88	45.93
2023-06-21 13:15	66.2	65.79
2023-06-21 13:30	66.72	66.5
2023-06-21 13:45	68.01	32.98
2023-06-21 14:00	63.77	30.64
2023-06-21 14:15	66.98	31.35
2023-06-21 14:30	67.52	32.72
2023-06-21 14:45	68.49	35.21
2023-06-21 15:00	70.85	41.12
2023-06-21 15:15	72.08	33.83
2023-06-21 15:30	73.51	34.09
2023-06-21 15:45	70.79	29.94
2023-06-21 16:00	74.65	36.97
2023-06-21 16:15	73.37	48.42
2023-06-21 16:30	72.99	55.66
2023-06-21 16:45	68.36	58.41
2023-06-21 17:00	71.01	48.19
2023-06-21 17:15	71.52	62.93
2023-06-21 17:30	70.96	64.8
2023-06-21 17:45	73.76	31.34
2023-06-21 18:00	73.55	29.98
2023-06-21 18:15	74.87	31.63
2023-06-21 18:30	72.91	30.82
2023-06-21 18:45	76.32	33.27
2023-06-21 19:00	76.43	45.69
2023-06-21 19:15	74.73	63.17
2023-06-21 19:30	73.83	60.31
2023-06-21 19:45	75.82	32.65
2023-06-21 20:00	79.16	30.64
2023-06-21 20:15	71.56	32.73
2023-06-21 20:30	72.65	33.22
2023-06-21 20:45	79.54	36.42

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-21 21:00	82.87	45.58
2023-06-21 21:15	86.68	61.9
2023-06-21 21:30	85.65	59.23
2023-06-21 21:45	82.91	31.2
2023-06-21 22:00	78.86	30.02
2023-06-21 22:15	82.17	33.1
2023-06-21 22:30	82.64	33.24
2023-06-21 22:45	77.17	35.45
2023-06-21 23:00	76.75	46.71
2023-06-21 23:15	80.5	64.34
2023-06-21 23:30	81.58	60.81
2023-06-21 23:45	76.69	30.41
2023-06-22 00:00	70	29.07
2023-06-22 00:15	73.25	33.09
2023-06-22 00:30	77.19	33.43
2023-06-22 00:45	72.2	37.51
2023-06-22 01:00	79	49.01
2023-06-22 01:15	81.78	63.65
2023-06-22 01:30	82.71	56.14
2023-06-22 01:45	76.58	32.23
2023-06-22 02:00	78.85	29.13
2023-06-22 02:15	79.74	31.97
2023-06-22 02:30	72.06	33.87
2023-06-22 02:45	71.77	38.64
2023-06-22 03:00	74.27	37.7
2023-06-22 03:15	79.22	43.33
2023-06-22 03:30	72.7	48.69
2023-06-22 03:45	75.2	51.89
2023-06-22 04:00	75.69	38.15
2023-06-22 04:15	73.27	49.41
2023-06-22 04:30	72.77	59.36
2023-06-22 04:45	77.29	53.01
2023-06-22 05:00	79.13	32.95
2023-06-22 05:15	71.91	30.34
2023-06-22 05:30	72.21	31.52
2023-06-22 05:45	73.87	34.94
2023-06-22 06:00	77.03	42.16
2023-06-22 06:15	68.45	52.99
2023-06-22 06:30	70.45	63.52
2023-06-22 06:45	72.42	47.08
2023-06-22 07:00	66.68	52.79
2023-06-22 07:15	67.43	64.86

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-22 07:30	68.82	51.82
2023-06-22 07:45	68.72	36.89
2023-06-22 08:00	63.89	39.76
2023-06-22 08:15	67.35	46.65
2023-06-22 08:30	69.1	41.64
2023-06-22 08:45	68.81	36.67
2023-06-22 09:00	88.67	38.3
2023-06-22 09:15	83.76	47.86
2023-06-22 09:30	84.52	39.39
2023-06-22 09:45	143.37	46.6
2023-06-22 10:00	171.09	48.13
2023-06-22 10:15	103.15	58.83
2023-06-22 10:30	103.88	64.25
2023-06-22 10:45	114.14	66.83
2023-06-22 11:00	118.38	47.73
2023-06-22 11:15	126.09	42.21
2023-06-22 11:30	134.89	38.7
2023-06-22 11:45	365.52	47.23
2023-06-22 12:00	406.91	40.54
2023-06-22 12:15	343.52	52.78
2023-06-22 12:30	301.65	50.24
2023-06-22 12:45	265.01	51
2023-06-22 13:00	293.73	44.92
2023-06-22 13:15	386.36	39.99
2023-06-22 13:30	351.66	47.97
2023-06-22 13:45	359.59	64.32
2023-06-22 14:00	381.51	76.03
2023-06-22 14:15	367.11	47.16
2023-06-22 14:30	407.69	41.86
2023-06-22 14:45	234.17	49.69
2023-06-22 15:00	116.13	36.91
2023-06-22 15:15	109.39	36.85
2023-06-22 15:30	114.96	41.9
2023-06-22 15:45	121.41	47.96
2023-06-22 16:00	132.2	41.17
2023-06-22 16:15	136.78	42.42
2023-06-22 16:30	145.12	48.87
2023-06-22 16:45	116.6	58.06
2023-06-22 17:00	109.15	69.19
2023-06-22 17:15	453.99	59.32
2023-06-22 17:30	231.38	54.62
2023-06-22 17:45	143.19	41.5

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-22 18:00	130.24	53.87
2023-06-22 18:15	134.7	62.94
2023-06-22 18:30	142.49	72.6
2023-06-22 18:45	151.94	49.97
2023-06-22 19:00	160.95	69.05
2023-06-22 19:15	207.94	54.17
2023-06-22 19:30	195.93	49.05
2023-06-22 19:45	144.82	40.07
2023-06-22 20:00	161.57	38.95
2023-06-22 20:15	180.84	40.96
2023-06-22 20:30	176.8	46.13
2023-06-22 20:45	156.04	53.73
2023-06-22 21:00	172.29	64.67
2023-06-22 21:15	192.15	56.06
2023-06-22 21:30	192.76	47.16
2023-06-22 21:45	193.32	32.4
2023-06-22 22:00	212.07	35.48
2023-06-22 22:15	195.82	39.12
2023-06-22 22:30	166.26	48.67
2023-06-22 22:45	175.31	54.79
2023-06-22 23:00	173.87	65.14
2023-06-22 23:15	159.93	57.15
2023-06-22 23:30	184.43	48.58
2023-06-22 23:45	160.25	42.09
2023-06-23 00:00	162.29	40.37
2023-06-23 00:15	216.42	42.01
2023-06-23 00:30	167.46	52.54
2023-06-23 00:45	135.34	54.39
2023-06-23 01:00	134.74	47.91
2023-06-23 01:15	138.13	52.87
2023-06-23 01:30	144.21	38.47
2023-06-23 01:45	230.42	38.45
2023-06-23 02:00	194.25	41.91
2023-06-23 02:15	154.61	48.38
2023-06-23 02:30	158.55	59.06
2023-06-23 02:45	125.37	64.91
2023-06-23 03:00	98.77	42.54
2023-06-23 03:15	108.72	41.34
2023-06-23 03:30	112.6	43.51
2023-06-23 03:45	93.36	44.99
2023-06-23 04:00	95.76	65.9
2023-06-23 04:15	101.16	67.81

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-23 04:30	102.68	54.57
2023-06-23 04:45	100.54	36.35
2023-06-23 05:00	109.83	55.9
2023-06-23 05:15	119.04	51.57
2023-06-23 05:30	137.31	39.2
2023-06-23 05:45	219.72	40.57
2023-06-23 06:00	393.06	47.63
2023-06-23 06:15	477.77	52.01
2023-06-23 06:30	299.71	58.68
2023-06-23 06:45	176.97	64.33
2023-06-23 07:00	170.37	41.91
2023-06-23 07:15	153.52	45.81
2023-06-23 07:30	192.41	49.44
2023-06-23 07:45	176.43	51.37
2023-06-23 08:00	172.91	52.26
2023-06-23 08:15	130.25	49.24
2023-06-23 08:30	137.04	46.77
2023-06-23 08:45	173.17	40.15
2023-06-23 09:00	191.92	42.91
2023-06-23 09:15	0	50.12
2023-06-23 09:30	32.37	52.84
2023-06-23 09:45	47.28	60.89
2023-06-23 10:00	39.13	47.2
2023-06-23 10:15	39.14	55.68
2023-06-23 10:30	39.59	63.96
2023-06-23 10:45	43.42	70.06
2023-06-23 11:00	37.72	53.05
2023-06-23 11:15	38.56	43.73
2023-06-23 11:30	38.52	44.66
2023-06-23 11:45	36.94	46.9
2023-06-23 12:00	35.9	50.37
2023-06-23 12:15	37.96	58.55
2023-06-23 12:30	37.05	65.43
2023-06-23 12:45	35.24	72.08
2023-06-23 13:00	37.02	86.8
2023-06-23 13:15	37.06	179.38
2023-06-23 13:30	34.58	83.97
2023-06-23 13:45	34.28	66.08
2023-06-23 14:00	35.11	70.38
2023-06-23 14:15	37.24	86.55
2023-06-23 14:30	36.89	89.53
2023-06-23 14:45	37.32	89.31

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-23 15:00	37.42	61.46
2023-06-23 15:15	38.34	63.33
2023-06-23 15:30	34.55	62.23
2023-06-23 15:45	38.65	132.21
2023-06-23 16:00	38.72	138.79
2023-06-23 16:15	39.23	103.51
2023-06-23 16:30	37.57	88.28
2023-06-23 16:45	39.99	91.86
2023-06-23 17:00	42.72	82.31
2023-06-23 17:15	37.93	63.24
2023-06-23 17:30	38.51	61.08
2023-06-23 17:45	38.79	62.2
2023-06-23 18:00	39.41	67.93
2023-06-23 18:15	37.78	74.66
2023-06-23 18:30	39.21	80.76
2023-06-23 18:45	39.58	92.34
2023-06-23 19:00	38.82	74.54
2023-06-23 19:15	38.58	61.92
2023-06-23 19:30	40.29	60.66
2023-06-23 19:45	40.21	61.3
2023-06-23 20:00	39.2	68.88
2023-06-23 20:15	40.05	75.09
2023-06-23 20:30	40.66	83.86
2023-06-23 20:45	41.99	87.98
2023-06-23 21:00	40.19	78.77
2023-06-23 21:15	44.83	64.18
2023-06-23 21:30	41.9	62.03
2023-06-23 21:45	41.09	64.16
2023-06-23 22:00	43.48	79
2023-06-23 22:15	42.93	88.86
2023-06-23 22:30	44.59	86.89
2023-06-23 22:45	39.39	71.34
2023-06-23 23:00	44.29	60.98
2023-06-23 23:15	47.28	62.8
2023-06-23 23:30	44.22	62.26
2023-06-23 23:45	39.65	66.15
2023-06-24 00:00	41.73	80.75
2023-06-24 00:15	40.95	87.87
2023-06-24 00:30	39.93	74.88
2023-06-24 00:45	40.57	68.42
2023-06-24 01:00	40.85	61.92
2023-06-24 01:15	41.02	61.7

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-24 01:30	39.64	62.45
2023-06-24 01:45	39.98	64.42
2023-06-24 02:00	41.64	75.74
2023-06-24 02:15	41.11	89.15
2023-06-24 02:30	40.35	85.4
2023-06-24 02:45	39.66	76.9
2023-06-24 03:00	40.48	67.85
2023-06-24 03:15	35.86	67.27
2023-06-24 03:30	39.51	65.95
2023-06-24 03:45	39.3	73.2
2023-06-24 04:00	38.51	60.93
2023-06-24 04:15	36.38	58.92
2023-06-24 04:30	40.46	60.65
2023-06-24 04:45	38.39	65.1
2023-06-24 05:00	37.71	76.67
2023-06-24 05:15	37.99	80.18
2023-06-24 05:30	38.8	89.99
2023-06-24 05:45	40.57	83.82
2023-06-24 06:00	39.37	90.48
2023-06-24 06:15	41.2	94.6
2023-06-24 06:30	42.37	80.54
2023-06-24 06:45	40.36	73.99
2023-06-24 07:00	39.3	63.4
2023-06-24 07:15	40.75	61.67
2023-06-24 07:30	39.44	62.05
2023-06-24 07:45	37.94	68.76
2023-06-24 08:00	38.21	79.57
2023-06-24 08:15	38.1	83.89
2023-06-24 08:30	36.16	80.06
2023-06-24 08:45	34.53	73.15
2023-06-24 09:00	37.37	60.76
2023-06-24 09:15	37.22	58.62
2023-06-24 09:30	38.09	61.8
2023-06-24 09:45	40.24	72.13
2023-06-24 10:00	40.45	84.42
2023-06-24 10:15	40.97	95.67
2023-06-24 10:30	38.65	78.88
2023-06-24 10:45	42.89	68.77
2023-06-24 11:00	43.42	65.11
2023-06-24 11:15	42.54	64.16
2023-06-24 11:30	42.35	67.47
2023-06-24 11:45	42.87	78.46

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-24 12:00	41.31	79.96
2023-06-24 12:15	37.22	79.96
2023-06-24 12:30	40.58	72.4
2023-06-24 12:45	40.6	66.9
2023-06-24 13:00	40.77	81.85
2023-06-24 13:15	45.62	82.91
2023-06-24 13:30	48.95	85.21
2023-06-24 13:45	50.69	71.43
2023-06-24 14:00	44.04	67.41
2023-06-24 14:15	46.57	65.87
2023-06-24 14:30	45.27	68.03
2023-06-24 14:45	42.25	68.25
2023-06-24 15:00	37.86	80.55
2023-06-24 15:15	41.61	75.63
2023-06-24 15:30	38.52	79.71
2023-06-24 15:45	37.88	82.78
2023-06-24 16:00	37.27	70.79
2023-06-24 16:15	38.32	61.96
2023-06-24 16:30	37.59	73.84
2023-06-24 16:45	35.75	57.19
2023-06-24 17:00	37.33	75.93
2023-06-24 17:15	38.79	64.49
2023-06-24 17:30	39.34	52.91
2023-06-24 17:45	41.96	59.18
2023-06-24 18:00	44.71	61.27
2023-06-24 18:15	45.77	67.18
2023-06-24 18:30	46.93	67.79
2023-06-24 18:45	46.23	63.04
2023-06-24 19:00	47.92	62.1
2023-06-24 19:15	47.57	66.23
2023-06-24 19:30	46.16	73.59
2023-06-24 19:45	48.87	91.32
2023-06-24 20:00	47.69	79.12
2023-06-24 20:15	47.51	56.72
2023-06-24 20:30	48.36	57.13
2023-06-24 20:45	51.93	63.15
2023-06-24 21:00	50.25	66.85
2023-06-24 21:15	47.53	70.82
2023-06-24 21:30	50.88	79.01
2023-06-24 21:45	50.42	95.88
2023-06-24 22:00	54.7	58.63
2023-06-24 22:15	47.37	61.73

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-24 22:30	49.61	67.91
2023-06-24 22:45	48.94	80.68
2023-06-24 23:00	47.05	61.33
2023-06-24 23:15	49.26	67.6
2023-06-24 23:30	50.97	78.4
2023-06-24 23:45	57.75	60.69
2023-06-25 00:00	44.97	57.24
2023-06-25 00:15	47.59	58.04
2023-06-25 00:30	50.91	61.06
2023-06-25 00:45	46.29	62.77
2023-06-25 01:00	43.28	65.11
2023-06-25 01:15	45.19	71.64
2023-06-25 01:30	42.59	85.2
2023-06-25 01:45	42.05	90.31
2023-06-25 02:00	44.2	56.8
2023-06-25 02:15	43.63	56.26
2023-06-25 02:30	43.33	60.04
2023-06-25 02:45	41.52	60.71
2023-06-25 03:00	45.47	74.18
2023-06-25 03:15	44.71	80.71
2023-06-25 03:30	42.83	86.49
2023-06-25 03:45	47.92	55.73
2023-06-25 04:00	45.31	58.52
2023-06-25 04:15	54.34	63.93
2023-06-25 04:30	41.17	75.87
2023-06-25 04:45	42.4	83.45
2023-06-25 05:00	44.42	78.56
2023-06-25 05:15	42.69	65.05
2023-06-25 05:30	42.34	60.73
2023-06-25 05:45	40.39	61.08
2023-06-25 06:00	41.43	62.58
2023-06-25 06:15	40.04	66.4
2023-06-25 06:30	43.07	79.87
2023-06-25 06:45	41.24	84.77
2023-06-25 07:00	44.13	78.31
2023-06-25 07:15	41.99	69.43
2023-06-25 07:30	41.59	63.31
2023-06-25 07:45	41.71	63.52
2023-06-25 08:00	41.36	61.35
2023-06-25 08:15	41.03	60.39
2023-06-25 08:30	38.81	62.41
2023-06-25 08:45	39.5	59.49

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-25 09:00	40.63	72.06
2023-06-25 09:15	41.4	64.81
2023-06-25 09:30	42.01	58.71
2023-06-25 09:45	42.35	56.73
2023-06-25 10:00	41.07	54.29
2023-06-25 10:15	45.66	55.67
2023-06-25 10:30	53.02	58.36
2023-06-25 10:45	47.32	60.27
2023-06-25 11:00	43.99	68.31
2023-06-25 11:15	42.11	71.88
2023-06-25 11:30	45.51	90.82
2023-06-25 11:45	33.05	82.26
2023-06-25 12:00	34.85	53.8
2023-06-25 12:15	42.59	55.42
2023-06-25 12:30	39.51	59.67
2023-06-25 12:45	35.67	61.91
2023-06-25 13:00	41.11	68
2023-06-25 13:15	48.27	58.01
2023-06-25 13:30	35.56	61.85
2023-06-25 13:45	37.86	63.53
2023-06-25 14:00	42.29	56.56
2023-06-25 14:15	42.8	57.48
2023-06-25 14:30	38.09	58.98
2023-06-25 14:45	37.99	61.55
2023-06-25 15:00	36.86	66.94
2023-06-25 15:15	36.31	80.26
2023-06-25 15:30	39.34	93.72
2023-06-25 15:45	39.13	64.91
2023-06-25 16:00	41.64	52.9
2023-06-25 16:15	42.35	70.08
2023-06-25 16:30	46.74	NA
2023-06-25 16:45	47.02	174.02
2023-06-25 17:00	46.4	146.37
2023-06-25 17:15	46.39	118.69
2023-06-25 17:30	47.52	97.04
2023-06-25 17:45	49.97	64.35
2023-06-25 18:00	42.89	56.73
2023-06-25 18:15	45.7	60.87
2023-06-25 18:30	48.3	59.6
2023-06-25 18:45	48.05	61.14
2023-06-25 19:00	40.98	56.65
2023-06-25 19:15	46.52	62.86

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-25 19:30	52.49	67.3
2023-06-25 19:45	39.05	79.36
2023-06-25 20:00	39.1	80.81
2023-06-25 20:15	43.83	64.9
2023-06-25 20:30	41.87	54.33
2023-06-25 20:45	37.29	55.96
2023-06-25 21:00	39.59	83.31
2023-06-25 21:15	42.31	88.45
2023-06-25 21:30	38.73	48.85
2023-06-25 21:45	37.06	54.34
2023-06-25 22:00	40.47	55.94
2023-06-25 22:15	41.14	59.23
2023-06-25 22:30	38.74	60.74
2023-06-25 22:45	42.24	67.08
2023-06-25 23:00	40.48	59.16
2023-06-25 23:15	40.54	67.12
2023-06-25 23:30	40.24	70.79
2023-06-25 23:45	42.05	79.73
2023-06-26 00:00	41.87	75.69
2023-06-26 00:15	40.24	51.21
2023-06-26 00:30	39.9	51.16
2023-06-26 00:45	41.42	56.99
2023-06-26 01:00	43.69	58.9
2023-06-26 01:15	41.66	67.34
2023-06-26 01:30	43.83	65.06
2023-06-26 01:45	47.3	77.83
2023-06-26 02:00	45.64	73.24
2023-06-26 02:15	41.37	55.99
2023-06-26 02:30	42.48	55.43
2023-06-26 02:45	42.91	56.48
2023-06-26 03:00	37.87	64.5
2023-06-26 03:15	37.47	73.69
2023-06-26 03:30	38.28	83.87
2023-06-26 03:45	38.6	66.16
2023-06-26 04:00	37.91	57.12
2023-06-26 04:15	41.04	59.62
2023-06-26 04:30	41.25	62.25
2023-06-26 04:45	39.14	67.42
2023-06-26 05:00	40.35	60.05
2023-06-26 05:15	40.05	67
2023-06-26 05:30	40.36	71.54
2023-06-26 05:45	37.06	80.62

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-26 06:00	40.01	75.01
2023-06-26 06:15	40.04	51.51
2023-06-26 06:30	39.37	52.92
2023-06-26 06:45	38.74	54.5
2023-06-26 07:00	42.06	59.93
2023-06-26 07:15	42.25	63.8
2023-06-26 07:30	37.87	72.73
2023-06-26 07:45	41.61	80.17
2023-06-26 08:00	39.46	59.01
2023-06-26 08:15	39.25	59.91
2023-06-26 08:30	39.24	61.51
2023-06-26 08:45	44.5	68.92
2023-06-26 09:00	41.39	83.64
2023-06-26 09:15	41.71	71.37
2023-06-26 09:30	42.81	48.2
2023-06-26 09:45	44.04	51.09
2023-06-26 10:00	44.07	78.36
2023-06-26 10:15	44.95	56.97
2023-06-26 10:30	44.32	53.42
2023-06-26 10:45	43.74	55.17
2023-06-26 11:00	46.92	97.65
2023-06-26 11:15	49.93	88.65
2023-06-26 11:30	51.32	77.47
2023-06-26 11:45	52.76	73.56
2023-06-26 12:00	48.06	76.62
2023-06-26 12:15	50.9	76.3
2023-06-26 12:30	51.79	73.77
2023-06-26 12:45	51.26	131.84
2023-06-26 13:00	43.83	81.41
2023-06-26 13:15	47.35	73.02
2023-06-26 13:30	46.72	93.11
2023-06-26 13:45	42.56	96.34
2023-06-26 14:00	43.12	57.34
2023-06-26 14:15	45.5	55.13
2023-06-26 14:30	45.52	56.18
2023-06-26 14:45	46.3	66.36
2023-06-26 15:00	49.39	87.07
2023-06-26 15:15	49.01	70.16
2023-06-26 15:30	49.39	47.26
2023-06-26 15:45	50.75	48.04
2023-06-26 16:00	52.23	51.21
2023-06-26 16:15	50.99	50.15

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-26 16:30	45.78	53.18
2023-06-26 16:45	50.12	61.77
2023-06-26 17:00	48.79	84.56
2023-06-26 17:15	47.29	63.73
2023-06-26 17:30	45.67	45.27
2023-06-26 17:45	49.63	46.36
2023-06-26 18:00	45.81	72.28
2023-06-26 18:15	44.45	44.69
2023-06-26 18:30	45.92	46.37
2023-06-26 18:45	44.68	49.57
2023-06-26 19:00	50.61	83.69
2023-06-26 19:15	40.98	61.04
2023-06-26 19:30	43.33	47.05
2023-06-26 19:45	44.74	48.31
2023-06-26 20:00	41.35	51.76
2023-06-26 20:15	40.72	50.72
2023-06-26 20:30	42.13	56.75
2023-06-26 20:45	42.46	64.51
2023-06-26 21:00	40.95	55.23
2023-06-26 21:15	43.57	57.95
2023-06-26 21:30	43.5	65.75
2023-06-26 21:45	44	70.09
2023-06-26 22:00	37.87	47.34
2023-06-26 22:15	40.45	48.56
2023-06-26 22:30	39.83	53.56
2023-06-26 22:45	38.73	65.14
2023-06-26 23:00	37.74	53.8
2023-06-26 23:15	39.32	55.6
2023-06-26 23:30	40.23	64.55
2023-06-26 23:45	37.15	73.01
2023-06-27 00:00	42.17	49.51
2023-06-27 00:15	41.31	50.14
2023-06-27 00:30	40.95	56.85
2023-06-27 00:45	40.6	68.75
2023-06-27 01:00	43.27	81.16
2023-06-27 01:15	44.5	49.24
2023-06-27 01:30	38.2	44.14
2023-06-27 01:45	42.37	46.49
2023-06-27 02:00	40.54	58
2023-06-27 02:15	40.68	44.13
2023-06-27 02:30	40.22	44.94
2023-06-27 02:45	42.52	40.89

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-27 03:00	43.65	61.6
2023-06-27 03:15	40.16	76.41
2023-06-27 03:30	39.45	59.69
2023-06-27 03:45	38.77	45.12
2023-06-27 04:00	39.31	40.8
2023-06-27 04:15	37.22	47.68
2023-06-27 04:30	39.81	55.78
2023-06-27 04:45	41.25	69.84
2023-06-27 05:00	41.48	78.76
2023-06-27 05:15	40.79	48.38
2023-06-27 05:30	43.17	45.12
2023-06-27 05:45	44.62	44.36
2023-06-27 06:00	39.97	48.11
2023-06-27 06:15	41.73	49.17
2023-06-27 06:30	40.35	53.64
2023-06-27 06:45	39.86	69.44
2023-06-27 07:00	37.64	49.71
2023-06-27 07:15	39.57	55.45
2023-06-27 07:30	37.6	67.58
2023-06-27 07:45	35.97	81.33
2023-06-27 08:00	38.59	80.04
2023-06-27 08:15	38.77	46.28
2023-06-27 08:30	39.06	40.96
2023-06-27 08:45	36.88	45.68
2023-06-27 09:00	38.47	50.89
2023-06-27 09:15	38.01	52.31
2023-06-27 09:30	37.97	65.32
2023-06-27 09:45	40.11	78.78
2023-06-27 10:00	40.81	47.13
2023-06-27 10:15	44.45	45.82
2023-06-27 10:30	39.85	44.15
2023-06-27 10:45	43.1	50.46
2023-06-27 11:00	42.62	76.58
2023-06-27 11:15	42.53	46.13
2023-06-27 11:30	38.4	44.12
2023-06-27 11:45	37.73	43.13
2023-06-27 12:00	38.55	45.54
2023-06-27 12:15	37.46	44.84
2023-06-27 12:30	40.12	52.41
2023-06-27 12:45	44.95	93.89
2023-06-27 13:00	43.77	173.53
2023-06-27 13:15	38.61	118.52

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-27 13:30	44.22	76.26
2023-06-27 13:45	42.95	59.69
2023-06-27 14:00	45.42	60.97
2023-06-27 14:15	43.4	64.89
2023-06-27 14:30	44.29	77.86
2023-06-27 14:45	47.2	86.54
2023-06-27 15:00	41.26	87.9
2023-06-27 15:15	43.25	78.21
2023-06-27 15:30	43.25	65.67
2023-06-27 15:45	45.08	60.72
2023-06-27 16:00	42.58	61.94
2023-06-27 16:15	45.36	67.4
2023-06-27 16:30	43.04	77.41
2023-06-27 16:45	42.86	86.05
2023-06-27 17:00	43.25	91.11
2023-06-27 17:15	44.14	67.51
2023-06-27 17:30	43.25	58.27
2023-06-27 17:45	40.7	59.08
2023-06-27 18:00	43.96	61.08
2023-06-27 18:15	43.42	64.08
2023-06-27 18:30	43.92	73.79
2023-06-27 18:45	42.46	82.1
2023-06-27 19:00	43.78	79.12
2023-06-27 19:15	42.16	87.63
2023-06-27 19:30	41.02	91.19
2023-06-27 19:45	42.12	58.52
2023-06-27 20:00	43.8	61.67
2023-06-27 20:15	45.89	66.55
2023-06-27 20:30	42.36	77.67
2023-06-27 20:45	45.32	84.62
2023-06-27 21:00	46.69	90.3
2023-06-27 21:15	44.87	78.14
2023-06-27 21:30	43.35	60.67
2023-06-27 21:45	42.86	61.87
2023-06-27 22:00	42.73	65.32
2023-06-27 22:15	40.96	68.48
2023-06-27 22:30	42.07	78.82
2023-06-27 22:45	42.27	84.72
2023-06-27 23:00	41.36	89.39
2023-06-27 23:15	41.33	81.27
2023-06-27 23:30	42.83	60.55
2023-06-27 23:45	42.04	60.32

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-28 00:00	42.36	62.78
2023-06-28 00:15	43.57	61.16
2023-06-28 00:30	43.27	77.32
2023-06-28 00:45	42.38	81.93
2023-06-28 01:00	41.18	79.18
2023-06-28 01:15	44.45	68.85
2023-06-28 01:30	44.62	63.6
2023-06-28 01:45	44.24	63.89
2023-06-28 02:00	49.28	60.63
2023-06-28 02:15	43.84	65.59
2023-06-28 02:30	51.06	71.93
2023-06-28 02:45	43.31	71.14
2023-06-28 03:00	46.54	72.09
2023-06-28 03:15	45.56	85.5
2023-06-28 03:30	45.25	94.49
2023-06-28 03:45	43.23	68.83
2023-06-28 04:00	41.16	71.53
2023-06-28 04:15	47.18	62.2
2023-06-28 04:30	40.99	69.26
2023-06-28 04:45	43.08	73.03
2023-06-28 05:00	43.1	84.53
2023-06-28 05:15	44.06	71.86
2023-06-28 05:30	43.12	57.23
2023-06-28 05:45	42.37	65.45
2023-06-28 06:00	42.24	70.05
2023-06-28 06:15	41.95	69.96
2023-06-28 06:30	40.9	72.69
2023-06-28 06:45	38.66	79.66
2023-06-28 07:00	41.24	81.4
2023-06-28 07:15	40.24	77.14
2023-06-28 07:30	40.98	64.2
2023-06-28 07:45	41.3	63.95
2023-06-28 08:00	42.05	62.36
2023-06-28 08:15	42.21	67.02
2023-06-28 08:30	42.74	68.14
2023-06-28 08:45	43.99	69.05
2023-06-28 09:00	43.09	84.69
2023-06-28 09:15	40.24	74.07
2023-06-28 09:30	38.72	60.59
2023-06-28 09:45	45.08	60.27
2023-06-28 10:00	35.1	64.54
2023-06-28 10:15	35.94	71.42

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-28 10:30	41.45	81.96
2023-06-28 10:45	37.94	117.73
2023-06-28 11:00	36.46	82.42
2023-06-28 11:15	35.86	71.15
2023-06-28 11:30	36.69	56.44
2023-06-28 11:45	38.02	53.13
2023-06-28 12:00	35.13	49.18
2023-06-28 12:15	33.91	58.91
2023-06-28 12:30	32.76	63.94
2023-06-28 12:45	32.63	73.01
2023-06-28 13:00	34.31	68.46
2023-06-28 13:15	34.49	54.29
2023-06-28 13:30	33.7	45.27
2023-06-28 13:45	34.48	46.53
2023-06-28 14:00	36.93	50.98
2023-06-28 14:15	39.92	58.86
2023-06-28 14:30	40.81	66.26
2023-06-28 14:45	43.74	79.56
2023-06-28 15:00	45.23	79.65
2023-06-28 15:15	44.14	64.7
2023-06-28 15:30	42.82	50.51
2023-06-28 15:45	42.17	48.28
2023-06-28 16:00	43.14	52.56
2023-06-28 16:15	35.81	58.63
2023-06-28 16:30	37.26	66.1
2023-06-28 16:45	39.47	77.89
2023-06-28 17:00	40.6	72.14
2023-06-28 17:15	36.51	60.75
2023-06-28 17:30	37.49	52.17
2023-06-28 17:45	37.03	49.63
2023-06-28 18:00	36.72	53.41
2023-06-28 18:15	36.71	60.86
2023-06-28 18:30	37	65.05
2023-06-28 18:45	36.65	74.6
2023-06-28 19:00	35.89	74.8
2023-06-28 19:15	37.23	86.61
2023-06-28 19:30	36.18	62.01
2023-06-28 19:45	35.73	49.8
2023-06-28 20:00	35.91	53.72
2023-06-28 20:15	37.42	62.06
2023-06-28 20:30	36.57	67.47
2023-06-28 20:45	35.26	77.45

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-28 21:00	38.28	74.92
2023-06-28 21:15	36.89	52.23
2023-06-28 21:30	36.83	49
2023-06-28 21:45	35.5	49.7
2023-06-28 22:00	36.58	54.42
2023-06-28 22:15	37.3	62.34
2023-06-28 22:30	36.07	66.73
2023-06-28 22:45	36.27	77.21
2023-06-28 23:00	37.69	76.6
2023-06-28 23:15	40.48	49.95
2023-06-28 23:30	35.96	49.58
2023-06-28 23:45	37.27	50.05
2023-06-29 00:00	38.2	56.05
2023-06-29 00:15	40.87	64.13
2023-06-29 00:30	41.09	69.25
2023-06-29 00:45	40.82	83.45
2023-06-29 01:00	37.48	79
2023-06-29 01:15	36.28	49.45
2023-06-29 01:30	37.01	50.61
2023-06-29 01:45	36.45	52.14
2023-06-29 02:00	38.15	55.53
2023-06-29 02:15	36.52	59.66
2023-06-29 02:30	38.09	67.29
2023-06-29 02:45	37.56	76.33
2023-06-29 03:00	37.04	80.7
2023-06-29 03:15	37.09	85.35
2023-06-29 03:30	37.91	51.06
2023-06-29 03:45	37.56	50.34
2023-06-29 04:00	36.75	58.86
2023-06-29 04:15	39.11	64.67
2023-06-29 04:30	39.18	71.09
2023-06-29 04:45	38.74	82.28
2023-06-29 05:00	39.42	82.16
2023-06-29 05:15	44.84	49.15
2023-06-29 05:30	45.17	57.4
2023-06-29 05:45	40.67	59.32
2023-06-29 06:00	42.14	67.29
2023-06-29 06:15	42.38	70.35
2023-06-29 06:30	49.8	62.11
2023-06-29 06:45	41.88	55.91
2023-06-29 07:00	41.96	58.82
2023-06-29 07:15	42.52	59.84

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-29 07:30	43.54	55.22
2023-06-29 07:45	49.15	49.52
2023-06-29 08:00	42.6	62.88
2023-06-29 08:15	45.93	71.2
2023-06-29 08:30	47.93	82.32
2023-06-29 08:45	46.27	81.55
2023-06-29 09:00	41.25	56.87
2023-06-29 09:15	40.43	48.18
2023-06-29 09:30	44.01	49.32
2023-06-29 09:45	43.28	53.87
2023-06-29 10:00	55.1	51.55
2023-06-29 10:15	49.23	50.33
2023-06-29 10:30	55.82	50.17
2023-06-29 10:45	57.62	56.48
2023-06-29 11:00	60.33	51.87
2023-06-29 11:15	43.41	48.14
2023-06-29 11:30	41.51	50.16
2023-06-29 11:45	46.41	51.63
2023-06-29 12:00	40.47	61.48
2023-06-29 12:15	37.01	64.46
2023-06-29 12:30	40.42	79.62
2023-06-29 12:45	47.07	80.96
2023-06-29 13:00	42.92	50.38
2023-06-29 13:15	41.81	42.76
2023-06-29 13:30	43.58	45.56
2023-06-29 13:45	42.39	48.82
2023-06-29 14:00	40.75	62.32
2023-06-29 14:15	42.91	68.97
2023-06-29 14:30	42.54	82.24
2023-06-29 14:45	41.86	83.14
2023-06-29 15:00	44.01	48.97
2023-06-29 15:15	45.15	47.23
2023-06-29 15:30	46.35	48.82
2023-06-29 15:45	45.7	54.02
2023-06-29 16:00	51.09	62.74
2023-06-29 16:15	49.49	99.03
2023-06-29 16:30	46.43	124.44
2023-06-29 16:45	45.35	94.78
2023-06-29 17:00	45.78	49.87
2023-06-29 17:15	46.88	46.46
2023-06-29 17:30	40.99	48.85
2023-06-29 17:45	44.59	54.1

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-29 18:00	44.2	61.75
2023-06-29 18:15	43.68	67.42
2023-06-29 18:30	37.89	75.47
2023-06-29 18:45	39.25	79.17
2023-06-29 19:00	42.11	85.11
2023-06-29 19:15	37.23	50.13
2023-06-29 19:30	38.02	46.28
2023-06-29 19:45	37.78	49.15
2023-06-29 20:00	38.9	55.42
2023-06-29 20:15	37.06	65.12
2023-06-29 20:30	37.31	69.64
2023-06-29 20:45	37.66	76.58
2023-06-29 21:00	36.04	43.23
2023-06-29 21:15	37.12	42.94
2023-06-29 21:30	35.81	45.21
2023-06-29 21:45	37.24	49.39
2023-06-29 22:00	37.21	53.77
2023-06-29 22:15	38.46	59.86
2023-06-29 22:30	38.02	67.94
2023-06-29 22:45	38.81	76.94
2023-06-29 23:00	38.56	43.38
2023-06-29 23:15	37.2	43.88
2023-06-29 23:30	40.54	46.39
2023-06-29 23:45	38.61	51.88
2023-06-30 00:00	41.03	56.69
2023-06-30 00:15	42.13	62.62
2023-06-30 00:30	48.84	69.71
2023-06-30 00:45	41.47	77.59
2023-06-30 01:00	41.62	46.2
2023-06-30 01:15	48.27	44.46
2023-06-30 01:30	44.39	45.79
2023-06-30 01:45	40.94	49.7
2023-06-30 02:00	39.62	50.47
2023-06-30 02:15	40.16	57.61
2023-06-30 02:30	38.03	67.21
2023-06-30 02:45	38.94	76.94
2023-06-30 03:00	40.72	71.87
2023-06-30 03:15	41.16	47.62
2023-06-30 03:30	40.07	45.64
2023-06-30 03:45	40.16	46.3
2023-06-30 04:00	39.1	53.79
2023-06-30 04:15	39.09	61.37

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-30 04:30	40.88	68.52
2023-06-30 04:45	38.52	78.57
2023-06-30 05:00	41.95	80.04
2023-06-30 05:15	40.22	161.05
2023-06-30 05:30	41	100.71
2023-06-30 05:45	40.58	62.52
2023-06-30 06:00	41.55	60.5
2023-06-30 06:15	39.65	64
2023-06-30 06:30	41.37	72.29
2023-06-30 06:45	44.33	79.1
2023-06-30 07:00	38.76	44.86
2023-06-30 07:15	40.94	44.48
2023-06-30 07:30	42.45	46.44
2023-06-30 07:45	43.48	50.38
2023-06-30 08:00	37.24	54.31
2023-06-30 08:15	36.95	62.78
2023-06-30 08:30	38.2	76.22
2023-06-30 08:45	37.95	78.17
2023-06-30 09:00	40.32	45.17
2023-06-30 09:15	39.63	41.79
2023-06-30 09:30	41.84	48.04
2023-06-30 09:45	41.64	50.81
2023-06-30 10:00	41.77	57.26
2023-06-30 10:15	41.94	68.11
2023-06-30 10:30	42.88	78.15
2023-06-30 10:45	41.89	73.43
2023-06-30 11:00	46.55	49.6
2023-06-30 11:15	44.99	71.31
2023-06-30 11:30	42.01	59.8
2023-06-30 11:45	44.11	55.02
2023-06-30 12:00	47.53	63.83
2023-06-30 12:15	49.26	72.67
2023-06-30 12:30	49.32	78.7
2023-06-30 12:45	64.01	146.91
2023-06-30 13:00	59.05	112.46
2023-06-30 13:15	59.93	80.62
2023-06-30 13:30	60.33	64.13
2023-06-30 13:45	56.96	67.7
2023-06-30 14:00	70.98	72.68
2023-06-30 14:15	59.48	73.96
2023-06-30 14:30	57.61	52.57
2023-06-30 14:45	60.36	51.36

Time	RP_Stack-PM	Cooler_Stack-PM
2023-06-30 15:00	53.97	51.16
2023-06-30 15:15	51.59	52.26
2023-06-30 15:30	53.04	55.88
2023-06-30 15:45	50.72	62.22
2023-06-30 16:00	48.84	76.03
2023-06-30 16:15	49.49	70.56
2023-06-30 16:30	50.19	48.25
2023-06-30 16:45	50.42	47.05
2023-06-30 17:00	47.79	50.15
2023-06-30 17:15	51.61	57.74
2023-06-30 17:30	51.21	62.05
2023-06-30 17:45	50.61	70.25
2023-06-30 18:00	51.05	72.75
2023-06-30 18:15	56.21	68.95
2023-06-30 18:30	59.1	55.16
2023-06-30 18:45	54.7	55.09
2023-06-30 19:00	56.54	50.75
2023-06-30 19:15	54.01	56.82
2023-06-30 19:30	53.04	57.5
2023-06-30 19:45	51.49	58.73
2023-06-30 20:00	54.39	69.59
2023-06-30 20:15	62.45	64.47
2023-06-30 20:30	48.94	46.62
2023-06-30 20:45	51.19	47.11
2023-06-30 21:00	66.21	50.19
2023-06-30 21:15	78.55	58.29
2023-06-30 21:30	52.2	55.1
2023-06-30 21:45	52.32	61.7
2023-06-30 22:00	61.18	55.27
2023-06-30 22:15	55.28	69.51
2023-06-30 22:30	52.85	75.99
2023-06-30 22:45	52.39	68.11
2023-06-30 23:00	58.52	48.09
2023-06-30 23:15	51.71	47.91
2023-06-30 23:30	56.38	48.07
2023-06-30 23:45	NA	NA

Goa State Pollution Control Board

Industry Name	:	M/S Goa Carbon Limited
Address	:	ST.-JOSE-DE,AREAL-SALCETE
District	:	South Goa
Category	:	Petrochemicals
Parameters	:	RP_Stack-PM, Cooler_Stack-PM
Report Format	:	Tabular
Criteria	:	15min
Date	:	From 2023/07/01 To 2023/07/31

RealTime Data

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-01 00:00	55.46	69.48
2023-07-01 00:15	289.52	70.98
2023-07-01 00:30	236.29	72.96
2023-07-01 00:45	86.56	75.85
2023-07-01 01:00	84.66	49.62
2023-07-01 01:15	112.07	53.24
2023-07-01 01:30	187.53	49.34
2023-07-01 01:45	532.64	50.11
2023-07-01 02:00	316.83	57.27
2023-07-01 02:15	133.74	68.87
2023-07-01 02:30	143.82	73.03
2023-07-01 02:45	130.09	75.31
2023-07-01 03:00	73.43	70.45
2023-07-01 03:15	382.65	46.25
2023-07-01 03:30	261.73	40.72
2023-07-01 03:45	105.9	43.95
2023-07-01 04:00	73.09	44.26
2023-07-01 04:15	66.22	45.08
2023-07-01 04:30	68.34	45.6
2023-07-01 04:45	129.56	45.51
2023-07-01 05:00	189.75	46.82
2023-07-01 05:15	110.08	49.03
2023-07-01 05:30	76.94	47.95
2023-07-01 05:45	72.43	46.94
2023-07-01 06:00	63.15	62.44
2023-07-01 06:15	69.87	56.37
2023-07-01 06:30	56.16	42.83
2023-07-01 06:45	55.83	39.68
2023-07-01 07:00	62.91	44.09
2023-07-01 07:15	56.5	51.5

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-01 07:30	55.7	58.73
2023-07-01 07:45	54.51	70.35
2023-07-01 08:00	55.32	72.62
2023-07-01 08:15	52.37	43.35
2023-07-01 08:30	55.58	40.91
2023-07-01 08:45	54.52	42.44
2023-07-01 09:00	53.45	45.15
2023-07-01 09:15	52.84	46.41
2023-07-01 09:30	122.39	44.34
2023-07-01 09:45	162.92	69.37
2023-07-01 10:00	145.32	82.14
2023-07-01 10:15	114.42	54.43
2023-07-01 10:30	114.87	34.79
2023-07-01 10:45	108.21	35.12
2023-07-01 11:00	94.03	39.12
2023-07-01 11:15	86.47	41.58
2023-07-01 11:30	90.62	47.87
2023-07-01 11:45	NA	60.77
2023-07-01 12:00	567.9	75.85
2023-07-01 12:15	554.73	64.93
2023-07-01 12:30	516.81	35.09
2023-07-01 12:45	540.01	37.96
2023-07-01 13:00	NA	65.44
2023-07-01 13:15	NA	57.42
2023-07-01 13:30	NA	72.45
2023-07-01 13:45	565.96	65.31
2023-07-01 14:00	543.12	57.88
2023-07-01 14:15	525.28	58.33
2023-07-01 14:30	90.29	71.22
2023-07-01 14:45	40.17	69.11
2023-07-01 15:00	41.02	61.96
2023-07-01 15:15	43.37	46.53
2023-07-01 15:30	37.78	49.62
2023-07-01 15:45	41.04	51.42
2023-07-01 16:00	43.52	51.73
2023-07-01 16:15	42.44	57.42
2023-07-01 16:30	39.51	67.61
2023-07-01 16:45	40.39	75.52
2023-07-01 17:00	42.75	74.58
2023-07-01 17:15	38.77	47.68
2023-07-01 17:30	38.04	47.65
2023-07-01 17:45	41.3	50.89

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-01 18:00	42.83	55.89
2023-07-01 18:15	44.1	63.28
2023-07-01 18:30	43.59	67.53
2023-07-01 18:45	41.38	86.88
2023-07-01 19:00	40.58	114.25
2023-07-01 19:15	42.1	70.34
2023-07-01 19:30	42.54	65.39
2023-07-01 19:45	42.24	66.71
2023-07-01 20:00	40.13	72.78
2023-07-01 20:15	43.11	74.15
2023-07-01 20:30	43.02	78.93
2023-07-01 20:45	42.91	89.23
2023-07-01 21:00	43.91	103.59
2023-07-01 21:15	43.89	81.22
2023-07-01 21:30	45.7	62.81
2023-07-01 21:45	43.5	66.37
2023-07-01 22:00	47.49	66.27
2023-07-01 22:15	46.89	66.24
2023-07-01 22:30	50.22	78.14
2023-07-01 22:45	45.09	92.92
2023-07-01 23:00	48.09	123.28
2023-07-01 23:15	52.14	103.29
2023-07-01 23:30	45.25	75.03
2023-07-01 23:45	49.2	74.4
2023-07-02 00:00	41.74	82.73
2023-07-02 00:15	44.1	84.88
2023-07-02 00:30	41.26	93.6
2023-07-02 00:45	43.79	102.43
2023-07-02 01:00	43.29	61.69
2023-07-02 01:15	42.76	62.55
2023-07-02 01:30	43.95	67.48
2023-07-02 01:45	41.5	72.93
2023-07-02 02:00	44.22	74.13
2023-07-02 02:15	41.8	76.05
2023-07-02 02:30	44.37	84.59
2023-07-02 02:45	41.93	81.65
2023-07-02 03:00	48.15	58.15
2023-07-02 03:15	42.19	61.15
2023-07-02 03:30	41.9	62.83
2023-07-02 03:45	53.51	74.34
2023-07-02 04:00	45.45	83.07
2023-07-02 04:15	44.26	84.77

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-02 04:30	41.63	65.79
2023-07-02 04:45	43.77	61.68
2023-07-02 05:00	42.18	55.48
2023-07-02 05:15	43.19	61.26
2023-07-02 05:30	43.05	57.61
2023-07-02 05:45	43.09	57.17
2023-07-02 06:00	41.96	84.85
2023-07-02 06:15	40.62	79.16
2023-07-02 06:30	40.51	69.03
2023-07-02 06:45	39.75	57.87
2023-07-02 07:00	40.03	58.68
2023-07-02 07:15	38.44	59.42
2023-07-02 07:30	39.8	63.22
2023-07-02 07:45	37.51	74.71
2023-07-02 08:00	38.35	78.9
2023-07-02 08:15	38.17	82.2
2023-07-02 08:30	37.8	69.69
2023-07-02 08:45	40.18	57.29
2023-07-02 09:00	40.37	84.39
2023-07-02 09:15	42.94	57.87
2023-07-02 09:30	37.74	62.2
2023-07-02 09:45	37.78	78.97
2023-07-02 10:00	45.51	89.42
2023-07-02 10:15	44.31	60.38
2023-07-02 10:30	37.06	54.12
2023-07-02 10:45	36.94	53.91
2023-07-02 11:00	43.79	54.06
2023-07-02 11:15	39.06	62.09
2023-07-02 11:30	37.67	73.29
2023-07-02 11:45	36.35	81.58
2023-07-02 12:00	38.94	60.47
2023-07-02 12:15	43.29	59.04
2023-07-02 12:30	70.65	54.23
2023-07-02 12:45	67.1	83.38
2023-07-02 13:00	74.3	64.88
2023-07-02 13:15	45.8	79.44
2023-07-02 13:30	38.73	79.55
2023-07-02 13:45	38.15	80.46
2023-07-02 14:00	42.66	58.17
2023-07-02 14:15	42.14	55.73
2023-07-02 14:30	43.78	59.11
2023-07-02 14:45	51.96	67.73

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-02 15:00	44.68	90.46
2023-07-02 15:15	45.74	69.73
2023-07-02 15:30	47.54	70.51
2023-07-02 15:45	44.08	72.11
2023-07-02 16:00	46.37	57.6
2023-07-02 16:15	45.38	61.22
2023-07-02 16:30	52.27	62.37
2023-07-02 16:45	43.44	58.65
2023-07-02 17:00	42.28	70.12
2023-07-02 17:15	47.52	89.25
2023-07-02 17:30	41.27	89.15
2023-07-02 17:45	40.64	65.31
2023-07-02 18:00	40.34	66.41
2023-07-02 18:15	44.46	73.67
2023-07-02 18:30	40.09	66.21
2023-07-02 18:45	41.71	71.08
2023-07-02 19:00	41.44	67.85
2023-07-02 19:15	42.48	71.18
2023-07-02 19:30	40.83	67.12
2023-07-02 19:45	38.86	66.79
2023-07-02 20:00	41.53	68.86
2023-07-02 20:15	40.87	71.09
2023-07-02 20:30	40.71	63.68
2023-07-02 20:45	41.38	68.15
2023-07-02 21:00	44.7	64.49
2023-07-02 21:15	41.51	69.72
2023-07-02 21:30	40.94	66.87
2023-07-02 21:45	44.07	66.32
2023-07-02 22:00	44.18	69.73
2023-07-02 22:15	41.37	68.88
2023-07-02 22:30	43.9	65.59
2023-07-02 22:45	46.14	70.81
2023-07-02 23:00	40.33	66.94
2023-07-02 23:15	43.07	67.67
2023-07-02 23:30	42.83	66.27
2023-07-02 23:45	43.93	68.2
2023-07-03 00:00	40.64	67.22
2023-07-03 00:15	41.89	74.6
2023-07-03 00:30	44.49	66.38
2023-07-03 00:45	41.08	62.3
2023-07-03 01:00	44.47	71.74
2023-07-03 01:15	42.53	167.69

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-03 01:30	45.66	150.04
2023-07-03 01:45	42.05	113.88
2023-07-03 02:00	41.5	81.57
2023-07-03 02:15	42.93	71.36
2023-07-03 02:30	42.27	59.78
2023-07-03 02:45	41.54	58.93
2023-07-03 03:00	40.58	66.21
2023-07-03 03:15	45.52	65.64
2023-07-03 03:30	39.69	63.83
2023-07-03 03:45	41.9	67.94
2023-07-03 04:00	41.24	70.16
2023-07-03 04:15	43.07	74.25
2023-07-03 04:30	41.12	67.3
2023-07-03 04:45	41.52	62.92
2023-07-03 05:00	44.78	63.89
2023-07-03 05:15	39.91	68.79
2023-07-03 05:30	41.27	60.5
2023-07-03 05:45	41.08	63.28
2023-07-03 06:00	45.96	67.01
2023-07-03 06:15	41.94	71.52
2023-07-03 06:30	41.38	67.4
2023-07-03 06:45	43.97	62.85
2023-07-03 07:00	42.94	64.36
2023-07-03 07:15	42.61	71.88
2023-07-03 07:30	39.67	61.62
2023-07-03 07:45	44.6	65.39
2023-07-03 08:00	40.63	67.75
2023-07-03 08:15	42.36	72.61
2023-07-03 08:30	41.8	69.38
2023-07-03 08:45	42.85	65.03
2023-07-03 09:00	40.6	66.4
2023-07-03 09:15	39.41	72.61
2023-07-03 09:30	44.52	61.67
2023-07-03 09:45	42.28	71.16
2023-07-03 10:00	41.82	60.21
2023-07-03 10:15	39.99	62.49
2023-07-03 10:30	41.93	64.86
2023-07-03 10:45	38.25	66.85
2023-07-03 11:00	38.75	71.18
2023-07-03 11:15	41	89.01
2023-07-03 11:30	41.12	82.26
2023-07-03 11:45	39.45	60.27

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-03 12:00	37.87	54.75
2023-07-03 12:15	47.12	50.66
2023-07-03 12:30	35.93	47.91
2023-07-03 12:45	37.65	48.73
2023-07-03 13:00	38.08	62.25
2023-07-03 13:15	36.99	73.81
2023-07-03 13:30	36.06	69.67
2023-07-03 13:45	37.42	57.61
2023-07-03 14:00	36.44	48.2
2023-07-03 14:15	36.03	50.6
2023-07-03 14:30	37.24	50.23
2023-07-03 14:45	39.36	54.37
2023-07-03 15:00	38.66	70.38
2023-07-03 15:15	37.11	81.45
2023-07-03 15:30	40.81	69.62
2023-07-03 15:45	41.13	55.42
2023-07-03 16:00	41.65	42.12
2023-07-03 16:15	42.28	43.04
2023-07-03 16:30	42.62	47.36
2023-07-03 16:45	42.14	60.15
2023-07-03 17:00	39.41	76.9
2023-07-03 17:15	43.43	77.1
2023-07-03 17:30	41.07	61.75
2023-07-03 17:45	42.55	53.93
2023-07-03 18:00	40.68	42.68
2023-07-03 18:15	42.96	42.28
2023-07-03 18:30	47.69	43.83
2023-07-03 18:45	42.19	48.79
2023-07-03 19:00	42.38	65.65
2023-07-03 19:15	45.3	68.16
2023-07-03 19:30	44.91	50.65
2023-07-03 19:45	40.61	43.42
2023-07-03 20:00	43.26	36.79
2023-07-03 20:15	42.85	38.51
2023-07-03 20:30	41.6	40.49
2023-07-03 20:45	42.85	46.04
2023-07-03 21:00	43.93	49.21
2023-07-03 21:15	43.19	52.36
2023-07-03 21:30	42.53	61.93
2023-07-03 21:45	44.32	62.58
2023-07-03 22:00	44.33	37.64
2023-07-03 22:15	47.05	35.69

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-03 22:30	44.31	42.69
2023-07-03 22:45	45.25	45.73
2023-07-03 23:00	45.52	65.6
2023-07-03 23:15	45.08	69.98
2023-07-03 23:30	46.16	47.73
2023-07-03 23:45	46.02	42.56
2023-07-04 00:00	49.58	36.87
2023-07-04 00:15	42.56	37.25
2023-07-04 00:30	47.29	40.02
2023-07-04 00:45	48.13	46.89
2023-07-04 01:00	49.48	61.19
2023-07-04 01:15	43.33	68.84
2023-07-04 01:30	44.9	48.88
2023-07-04 01:45	49.98	42.73
2023-07-04 02:00	43.23	38.23
2023-07-04 02:15	46.17	35.22
2023-07-04 02:30	46.04	35.97
2023-07-04 02:45	50.46	38.77
2023-07-04 03:00	43.28	52.86
2023-07-04 03:15	47.88	37.94
2023-07-04 03:30	41.83	46.44
2023-07-04 03:45	40.4	64.34
2023-07-04 04:00	40.36	45.6
2023-07-04 04:15	42.21	34.48
2023-07-04 04:30	42.15	36.21
2023-07-04 04:45	39.3	42.49
2023-07-04 05:00	42.04	45.37
2023-07-04 05:15	40.74	50.63
2023-07-04 05:30	39.87	60.21
2023-07-04 05:45	39.63	51.04
2023-07-04 06:00	41.8	44.54
2023-07-04 06:15	42.69	48.73
2023-07-04 06:30	39.58	42.65
2023-07-04 06:45	43.2	55.25
2023-07-04 07:00	42.86	35.45
2023-07-04 07:15	45.45	36.21
2023-07-04 07:30	39.57	39.36
2023-07-04 07:45	40.45	44.57
2023-07-04 08:00	42.91	44.82
2023-07-04 08:15	40.66	46.61
2023-07-04 08:30	40.11	59.83
2023-07-04 08:45	40.68	72.54

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-04 09:00	39.16	35.8
2023-07-04 09:15	36.7	37.69
2023-07-04 09:30	39.37	41.52
2023-07-04 09:45	41.28	43.28
2023-07-04 10:00	42.32	49.42
2023-07-04 10:15	43.5	62.12
2023-07-04 10:30	46.73	78.5
2023-07-04 10:45	45.18	80.25
2023-07-04 11:00	43.88	41.22
2023-07-04 11:15	41.89	39.01
2023-07-04 11:30	40.79	39.89
2023-07-04 11:45	40.46	44.14
2023-07-04 12:00	37.13	50.67
2023-07-04 12:15	38.94	61.73
2023-07-04 12:30	37.76	73.16
2023-07-04 12:45	36.91	60.62
2023-07-04 13:00	36.19	36.77
2023-07-04 13:15	37.23	38.04
2023-07-04 13:30	38.97	41.68
2023-07-04 13:45	35.55	45
2023-07-04 14:00	37.93	49.45
2023-07-04 14:15	41.69	68.75
2023-07-04 14:30	41.95	72.31
2023-07-04 14:45	37.44	60.07
2023-07-04 15:00	38.54	32.88
2023-07-04 15:15	38.64	33.82
2023-07-04 15:30	38.58	39.46
2023-07-04 15:45	39.25	42.39
2023-07-04 16:00	39.61	48.19
2023-07-04 16:15	44.94	76.69
2023-07-04 16:30	40.85	77.5
2023-07-04 16:45	44.08	58.32
2023-07-04 17:00	43.64	53.1
2023-07-04 17:15	43.14	64.68
2023-07-04 17:30	43.53	61.72
2023-07-04 17:45	43.61	42.69
2023-07-04 18:00	41.92	61.81
2023-07-04 18:15	39.93	72.75
2023-07-04 18:30	41.38	77.77
2023-07-04 18:45	41.06	47.76
2023-07-04 19:00	41.34	46.97
2023-07-04 19:15	40.93	45.22

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-04 19:30	41.71	47.39
2023-07-04 19:45	40.72	45.81
2023-07-04 20:00	39.74	61.93
2023-07-04 20:15	41.95	64.6
2023-07-04 20:30	42.03	72.83
2023-07-04 20:45	44.99	43.95
2023-07-04 21:00	40.05	41.76
2023-07-04 21:15	47.18	42.67
2023-07-04 21:30	133.01	48.91
2023-07-04 21:45	157.34	44.95
2023-07-04 22:00	81.37	55.74
2023-07-04 22:15	131.97	72.53
2023-07-04 22:30	179.34	74.46
2023-07-04 22:45	150.92	48.9
2023-07-04 23:00	103.29	47.74
2023-07-04 23:15	83.32	47.56
2023-07-04 23:30	57.98	51.9
2023-07-04 23:45	50.78	52.68
2023-07-05 00:00	51.97	62.75
2023-07-05 00:15	49.5	69.21
2023-07-05 00:30	46.66	56.54
2023-07-05 00:45	51.43	37.14
2023-07-05 01:00	51.42	37.68
2023-07-05 01:15	52.61	40.59
2023-07-05 01:30	47.3	43.52
2023-07-05 01:45	48.03	46.32
2023-07-05 02:00	47.97	44.44
2023-07-05 02:15	47.88	56.11
2023-07-05 02:30	51.14	67.45
2023-07-05 02:45	51.64	62.77
2023-07-05 03:00	59.91	36.78
2023-07-05 03:15	51.61	40.64
2023-07-05 03:30	54.45	42.89
2023-07-05 03:45	51.97	44.78
2023-07-05 04:00	51.58	54.8
2023-07-05 04:15	54.03	68.22
2023-07-05 04:30	51.47	60.37
2023-07-05 04:45	48.86	35.36
2023-07-05 05:00	47.75	36.8
2023-07-05 05:15	48.06	40.78
2023-07-05 05:30	57.7	45.08
2023-07-05 05:45	53.31	47.63

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-05 06:00	51.36	59.52
2023-07-05 06:15	54.13	77.3
2023-07-05 06:30	51.68	60.93
2023-07-05 06:45	56.8	45.14
2023-07-05 07:00	56.53	46.04
2023-07-05 07:15	53.82	49.44
2023-07-05 07:30	48.13	51.85
2023-07-05 07:45	48.36	58.66
2023-07-05 08:00	49.46	66.46
2023-07-05 08:15	46.88	81.86
2023-07-05 08:30	51.86	78.18
2023-07-05 08:45	59.28	50.68
2023-07-05 09:00	77.44	54.62
2023-07-05 09:15	80.91	63.71
2023-07-05 09:30	109.53	74.19
2023-07-05 09:45	109.22	76.46
2023-07-05 10:00	104.45	88.83
2023-07-05 10:15	101.9	102.57
2023-07-05 10:30	84.24	65.59
2023-07-05 10:45	82.5	51.03
2023-07-05 11:00	96.91	59.34
2023-07-05 11:15	96.7	53.87
2023-07-05 11:30	84.28	48.12
2023-07-05 11:45	96.72	71.13
2023-07-05 12:00	91.86	85.17
2023-07-05 12:15	106.37	82.85
2023-07-05 12:30	198.83	64.78
2023-07-05 12:45	259.06	50.4
2023-07-05 13:00	229.93	61.16
2023-07-05 13:15	99.37	64.98
2023-07-05 13:30	70.43	62.87
2023-07-05 13:45	74.84	62.99
2023-07-05 14:00	193.75	70.81
2023-07-05 14:15	105.08	73.6
2023-07-05 14:30	107.25	51.32
2023-07-05 14:45	112.95	53.01
2023-07-05 15:00	105.34	56.77
2023-07-05 15:15	138.16	49.79
2023-07-05 15:30	139.07	58.21
2023-07-05 15:45	122.64	65.92
2023-07-05 16:00	102.13	84.19
2023-07-05 16:15	108.3	83.08

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-05 16:30	88.62	55.68
2023-07-05 16:45	77.46	51.15
2023-07-05 17:00	78.05	56.8
2023-07-05 17:15	78.07	58.99
2023-07-05 17:30	76.8	57.22
2023-07-05 17:45	68.63	66.82
2023-07-05 18:00	64.4	66.22
2023-07-05 18:15	79	77.37
2023-07-05 18:30	152.47	76.2
2023-07-05 18:45	143.42	63.44
2023-07-05 19:00	116.41	59.67
2023-07-05 19:15	113.23	58.89
2023-07-05 19:30	93.89	63.8
2023-07-05 19:45	73.45	66.72
2023-07-05 20:00	116.89	111.88
2023-07-05 20:15	150.01	114.24
2023-07-05 20:30	121.85	53.37
2023-07-05 20:45	89.76	53.78
2023-07-05 21:00	76.21	58.7
2023-07-05 21:15	73.92	55.9
2023-07-05 21:30	80.41	48.64
2023-07-05 21:45	84.71	55.92
2023-07-05 22:00	79.68	72.08
2023-07-05 22:15	72.55	49.06
2023-07-05 22:30	135.06	37.95
2023-07-05 22:45	178.76	48.07
2023-07-05 23:00	234.88	47.31
2023-07-05 23:15	380.13	47.77
2023-07-05 23:30	336.87	51.98
2023-07-05 23:45	265.33	57.54
2023-07-06 00:00	180.03	76.76
2023-07-06 00:15	149.61	50.26
2023-07-06 00:30	124.23	38.24
2023-07-06 00:45	130.73	33.99
2023-07-06 01:00	138.83	38.52
2023-07-06 01:15	152.04	43.71
2023-07-06 01:30	134.23	46.31
2023-07-06 01:45	132.87	56.91
2023-07-06 02:00	143.81	67.64
2023-07-06 02:15	570.73	77.97
2023-07-06 02:30	604.22	61.58
2023-07-06 02:45	470.1	58.57

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-06 03:00	313.72	49.86
2023-07-06 03:15	282.98	46.85
2023-07-06 03:30	258.35	48.98
2023-07-06 03:45	298.62	61.34
2023-07-06 04:00	543.64	76.06
2023-07-06 04:15	412.81	48.85
2023-07-06 04:30	465.89	42.51
2023-07-06 04:45	447.46	46.36
2023-07-06 05:00	488.95	45.29
2023-07-06 05:15	321.85	52.75
2023-07-06 05:30	215.17	56.03
2023-07-06 05:45	304.61	68.45
2023-07-06 06:00	572.49	84.16
2023-07-06 06:15	563.08	57.45
2023-07-06 06:30	494.53	53.31
2023-07-06 06:45	394.02	57.44
2023-07-06 07:00	257.04	58.97
2023-07-06 07:15	181.53	57.11
2023-07-06 07:30	178.61	60.52
2023-07-06 07:45	130.54	72.6
2023-07-06 08:00	141.21	92.06
2023-07-06 08:15	128.19	68.15
2023-07-06 08:30	148.65	54.91
2023-07-06 08:45	143.66	54.36
2023-07-06 09:00	139.85	60.58
2023-07-06 09:15	141.6	58.77
2023-07-06 09:30	144.7	62.11
2023-07-06 09:45	131.29	76.34
2023-07-06 10:00	60.93	88.83
2023-07-06 10:15	37.94	51.32
2023-07-06 10:30	37.42	46.98
2023-07-06 10:45	34.26	48.61
2023-07-06 11:00	40.24	67.96
2023-07-06 11:15	41.3	79.52
2023-07-06 11:30	42.52	79.64
2023-07-06 11:45	36.47	96.86
2023-07-06 12:00	39.08	72.33
2023-07-06 12:15	40.98	53.88
2023-07-06 12:30	39.52	70.09
2023-07-06 12:45	38.82	68.04
2023-07-06 13:00	40.69	67.76
2023-07-06 13:15	40.05	70.25

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-06 13:30	38.24	87.38
2023-07-06 13:45	40.23	67.08
2023-07-06 14:00	37.86	72.56
2023-07-06 14:15	38.05	57.81
2023-07-06 14:30	37.56	57.2
2023-07-06 14:45	39.56	61.3
2023-07-06 15:00	39.07	62.87
2023-07-06 15:15	41.06	65.35
2023-07-06 15:30	41.98	77.44
2023-07-06 15:45	41.51	101.44
2023-07-06 16:00	41.63	61.55
2023-07-06 16:15	38.2	55.46
2023-07-06 16:30	41.76	54.27
2023-07-06 16:45	41.65	56.72
2023-07-06 17:00	42.89	61.81
2023-07-06 17:15	41.32	71.45
2023-07-06 17:30	43.73	80.53
2023-07-06 17:45	47.61	95.48
2023-07-06 18:00	39.62	70.04
2023-07-06 18:15	43.46	74.11
2023-07-06 18:30	41.93	73.16
2023-07-06 18:45	43.1	70.84
2023-07-06 19:00	39.01	62.54
2023-07-06 19:15	41.26	66.5
2023-07-06 19:30	40.14	76.19
2023-07-06 19:45	38.93	90.95
2023-07-06 20:00	42.58	67.46
2023-07-06 20:15	44.66	77.34
2023-07-06 20:30	50.51	77.63
2023-07-06 20:45	40.93	67.13
2023-07-06 21:00	42.89	57.69
2023-07-06 21:15	43.66	65.22
2023-07-06 21:30	42.09	84.13
2023-07-06 21:45	43.01	94.81
2023-07-06 22:00	46.35	62.33
2023-07-06 22:15	50.25	60.8
2023-07-06 22:30	44.45	62.41
2023-07-06 22:45	45.97	66.48
2023-07-06 23:00	43.42	60.4
2023-07-06 23:15	42.85	57.17
2023-07-06 23:30	42.07	60.89
2023-07-06 23:45	44.03	66.1

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-07 00:00	49.05	55.53
2023-07-07 00:15	43.56	54.79
2023-07-07 00:30	43.3	59.97
2023-07-07 00:45	43.71	64.66
2023-07-07 01:00	45.73	64.49
2023-07-07 01:15	41.1	69.89
2023-07-07 01:30	42.26	85.92
2023-07-07 01:45	43.16	92.12
2023-07-07 02:00	46.44	87.92
2023-07-07 02:15	41.79	71.53
2023-07-07 02:30	45.06	59.86
2023-07-07 02:45	43.6	54.61
2023-07-07 03:00	42.84	62.2
2023-07-07 03:15	44.86	71.81
2023-07-07 03:30	42.51	91.9
2023-07-07 03:45	44.11	98.72
2023-07-07 04:00	43.54	60.07
2023-07-07 04:15	46.58	57.86
2023-07-07 04:30	45.36	60.94
2023-07-07 04:45	42.61	60.81
2023-07-07 05:00	44.5	62.57
2023-07-07 05:15	45.79	71.2
2023-07-07 05:30	46.51	90.43
2023-07-07 05:45	40.91	92.3
2023-07-07 06:00	46.3	56.58
2023-07-07 06:15	44.1	63.65
2023-07-07 06:30	44.73	62.25
2023-07-07 06:45	40.88	62.01
2023-07-07 07:00	43.64	54.8
2023-07-07 07:15	46.95	60.64
2023-07-07 07:30	44.64	71.78
2023-07-07 07:45	43.61	65.84
2023-07-07 08:00	41.38	57.66
2023-07-07 08:15	42	55.36
2023-07-07 08:30	39.23	59.29
2023-07-07 08:45	40.86	59.29
2023-07-07 09:00	41.57	57.12
2023-07-07 09:15	42.84	56.92
2023-07-07 09:30	38.88	56.14
2023-07-07 09:45	38.71	81.93
2023-07-07 10:00	37.85	55.4
2023-07-07 10:15	35.85	62.34

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-07 10:30	39.7	65.74
2023-07-07 10:45	37.85	68.24
2023-07-07 11:00	38.25	82.86
2023-07-07 11:15	37.37	101.45
2023-07-07 11:30	42.24	95.06
2023-07-07 11:45	43.62	47.53
2023-07-07 12:00	40.2	0
2023-07-07 12:15	41.44	18.07
2023-07-07 12:30	41.52	155.24
2023-07-07 12:45	45.39	25.36
2023-07-07 13:00	41.09	33.25
2023-07-07 13:15	44.76	33.04
2023-07-07 13:30	44.97	32.97
2023-07-07 13:45	47.11	54.43
2023-07-07 14:00	42.87	155.06
2023-07-07 14:15	45.08	76.42
2023-07-07 14:30	45.11	34.7
2023-07-07 14:45	41.88	39.76
2023-07-07 15:00	43.11	48.87
2023-07-07 15:15	42.04	63.68
2023-07-07 15:30	43.16	28.82
2023-07-07 15:45	40.32	25.04
2023-07-07 16:00	41.02	32.28
2023-07-07 16:15	39.26	33.42
2023-07-07 16:30	38.44	36.83
2023-07-07 16:45	40.27	64.84
2023-07-07 17:00	39.49	128.58
2023-07-07 17:15	39.14	109.87
2023-07-07 17:30	38.1	28.2
2023-07-07 17:45	40.67	24.41
2023-07-07 18:00	40.35	25.89
2023-07-07 18:15	38.45	28.44
2023-07-07 18:30	38.17	28.5
2023-07-07 18:45	39.49	34.32
2023-07-07 19:00	40.18	48.3
2023-07-07 19:15	35.33	56.27
2023-07-07 19:30	39.11	22.39
2023-07-07 19:45	40.04	21.45
2023-07-07 20:00	40.03	24.56
2023-07-07 20:15	36.87	27.71
2023-07-07 20:30	38.75	29
2023-07-07 20:45	39.69	35.16

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-07 21:00	37.12	47.95
2023-07-07 21:15	36.45	120.21
2023-07-07 21:30	35.49	107.7
2023-07-07 21:45	36.2	30.93
2023-07-07 22:00	36.97	28.53
2023-07-07 22:15	41.97	30.13
2023-07-07 22:30	39.19	36.62
2023-07-07 22:45	39.22	40.78
2023-07-07 23:00	40.51	52.02
2023-07-07 23:15	41.04	52.79
2023-07-07 23:30	38.23	26.06
2023-07-07 23:45	36.32	26.66
2023-07-08 00:00	38.02	29.7
2023-07-08 00:15	38.04	31.44
2023-07-08 00:30	38.66	34.18
2023-07-08 00:45	38.52	43.47
2023-07-08 01:00	40.27	62.02
2023-07-08 01:15	41.98	59.37
2023-07-08 01:30	40.63	26.53
2023-07-08 01:45	42.47	28.18
2023-07-08 02:00	40.3	34.76
2023-07-08 02:15	41.47	32.6
2023-07-08 02:30	42.72	29.86
2023-07-08 02:45	46.12	31.85
2023-07-08 03:00	51.95	67.87
2023-07-08 03:15	54.08	62.06
2023-07-08 03:30	43.07	32.3
2023-07-08 03:45	41.76	31.04
2023-07-08 04:00	41.39	31.24
2023-07-08 04:15	41.22	33.16
2023-07-08 04:30	42.38	37.1
2023-07-08 04:45	40.13	40.25
2023-07-08 05:00	40.58	60.37
2023-07-08 05:15	41.3	55.76
2023-07-08 05:30	43.31	26.41
2023-07-08 05:45	41.44	28.11
2023-07-08 06:00	40.98	34.02
2023-07-08 06:15	40.76	35.18
2023-07-08 06:30	43.03	37.74
2023-07-08 06:45	42.27	45.93
2023-07-08 07:00	38.46	53.53
2023-07-08 07:15	41.89	61.49

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-08 07:30	39.51	53.18
2023-07-08 07:45	41.78	43.54
2023-07-08 08:00	44.28	38.14
2023-07-08 08:15	43.24	41.65
2023-07-08 08:30	47.47	59.85
2023-07-08 08:45	40.24	132.29
2023-07-08 09:00	44.59	114.56
2023-07-08 09:15	44.84	64.71
2023-07-08 09:30	43.8	41.97
2023-07-08 09:45	38.21	36.14
2023-07-08 10:00	40.23	60.13
2023-07-08 10:15	38.72	51.86
2023-07-08 10:30	38.15	39.71
2023-07-08 10:45	38.4	50.97
2023-07-08 11:00	39.21	76.64
2023-07-08 11:15	40.87	52.17
2023-07-08 11:30	40.5	35.73
2023-07-08 11:45	40.82	32.31
2023-07-08 12:00	42.63	53.31
2023-07-08 12:15	42.01	106.29
2023-07-08 12:30	41.59	63.33
2023-07-08 12:45	43.7	81.07
2023-07-08 13:00	43.64	NA
2023-07-08 13:15	41.42	150.15
2023-07-08 13:30	43.71	92.8
2023-07-08 13:45	41.88	53.03
2023-07-08 14:00	43.25	46.8
2023-07-08 14:15	41.6	46.37
2023-07-08 14:30	45.46	52.26
2023-07-08 14:45	47.08	61.97
2023-07-08 15:00	43.74	74.86
2023-07-08 15:15	42.36	49.42
2023-07-08 15:30	42.62	35.56
2023-07-08 15:45	48.08	38.3
2023-07-08 16:00	42.15	39.15
2023-07-08 16:15	40.79	34.65
2023-07-08 16:30	40.33	40.07
2023-07-08 16:45	39.49	50.99
2023-07-08 17:00	38.2	70.09
2023-07-08 17:15	39.25	49.61
2023-07-08 17:30	38.57	39.19
2023-07-08 17:45	37.72	40.14

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-08 18:00	38.75	42.15
2023-07-08 18:15	39.24	42.48
2023-07-08 18:30	40.43	48.51
2023-07-08 18:45	38.89	61.79
2023-07-08 19:00	40.74	72.29
2023-07-08 19:15	40.31	40.08
2023-07-08 19:30	39.84	32.42
2023-07-08 19:45	40.32	33.12
2023-07-08 20:00	39.55	62.99
2023-07-08 20:15	39.18	33.92
2023-07-08 20:30	37.16	28.95
2023-07-08 20:45	39.17	33.3
2023-07-08 21:00	41.07	68.77
2023-07-08 21:15	40.84	40.64
2023-07-08 21:30	39.49	36.01
2023-07-08 21:45	41.5	36.96
2023-07-08 22:00	42.92	38.74
2023-07-08 22:15	38.34	41.67
2023-07-08 22:30	39.67	46.4
2023-07-08 22:45	40.32	57.84
2023-07-08 23:00	40.29	61.78
2023-07-08 23:15	40.02	34.37
2023-07-08 23:30	40.23	31
2023-07-08 23:45	39.25	38.4
2023-07-09 00:00	39.38	42.63
2023-07-09 00:15	40.11	42.53
2023-07-09 00:30	40.71	48.68
2023-07-09 00:45	39.64	63.87
2023-07-09 01:00	38.89	67.96
2023-07-09 01:15	42.07	40.03
2023-07-09 01:30	41.6	36.94
2023-07-09 01:45	41.48	39.19
2023-07-09 02:00	40.54	35.3
2023-07-09 02:15	42.61	35.11
2023-07-09 02:30	41.83	38.55
2023-07-09 02:45	42	50.79
2023-07-09 03:00	47.12	70.92
2023-07-09 03:15	43.74	33.84
2023-07-09 03:30	44.91	29.88
2023-07-09 03:45	41.07	32.51
2023-07-09 04:00	44.74	35.02
2023-07-09 04:15	45.79	40.71

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-09 04:30	44.68	47.51
2023-07-09 04:45	41.92	59.69
2023-07-09 05:00	42.15	64.97
2023-07-09 05:15	42.31	34.81
2023-07-09 05:30	40.08	30.98
2023-07-09 05:45	41.76	32.53
2023-07-09 06:00	42.5	33.04
2023-07-09 06:15	41.12	33.38
2023-07-09 06:30	39.4	38.71
2023-07-09 06:45	40.49	50.2
2023-07-09 07:00	38.79	69.7
2023-07-09 07:15	38.47	35.2
2023-07-09 07:30	39.69	30.77
2023-07-09 07:45	38.88	34.45
2023-07-09 08:00	38.84	34.87
2023-07-09 08:15	36.74	37.89
2023-07-09 08:30	39.96	44.14
2023-07-09 08:45	41.21	54.22
2023-07-09 09:00	38.94	72.77
2023-07-09 09:15	38.8	39.95
2023-07-09 09:30	40.57	36.98
2023-07-09 09:45	41.33	32.2
2023-07-09 10:00	36.68	33.78
2023-07-09 10:15	40.66	42.96
2023-07-09 10:30	40.99	53.32
2023-07-09 10:45	42.79	68.2
2023-07-09 11:00	37.39	70.64
2023-07-09 11:15	37.84	40.36
2023-07-09 11:30	40.27	37.66
2023-07-09 11:45	37	39.03
2023-07-09 12:00	38.44	37.43
2023-07-09 12:15	41.72	46.17
2023-07-09 12:30	40.06	149.61
2023-07-09 12:45	38.63	89.2
2023-07-09 13:00	41.68	39.38
2023-07-09 13:15	41.05	49.99
2023-07-09 13:30	41.76	41.78
2023-07-09 13:45	42.65	45.77
2023-07-09 14:00	44.29	51.29
2023-07-09 14:15	44.97	57.94
2023-07-09 14:30	42.94	75.69
2023-07-09 14:45	46.16	56.86

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-09 15:00	44.65	31.89
2023-07-09 15:15	44.75	35.32
2023-07-09 15:30	42.73	41.03
2023-07-09 15:45	46.12	44.4
2023-07-09 16:00	49.12	49.66
2023-07-09 16:15	43.15	61.3
2023-07-09 16:30	43.71	75.34
2023-07-09 16:45	44.13	59.6
2023-07-09 17:00	45.98	34.06
2023-07-09 17:15	39.83	37.47
2023-07-09 17:30	42.28	41.26
2023-07-09 17:45	41.66	38.31
2023-07-09 18:00	41.67	46.28
2023-07-09 18:15	41.8	58.52
2023-07-09 18:30	42.63	71.14
2023-07-09 18:45	42.06	47.6
2023-07-09 19:00	40.47	32.98
2023-07-09 19:15	43.26	47.14
2023-07-09 19:30	41.61	50.95
2023-07-09 19:45	41.79	40.93
2023-07-09 20:00	41.28	46.8
2023-07-09 20:15	44.24	55.87
2023-07-09 20:30	43.49	75.42
2023-07-09 20:45	41.82	57.03
2023-07-09 21:00	43.13	35.32
2023-07-09 21:15	44.23	41.08
2023-07-09 21:30	45.97	44.21
2023-07-09 21:45	41.31	42.62
2023-07-09 22:00	45.69	47.29
2023-07-09 22:15	45.81	57.39
2023-07-09 22:30	46.1	74.38
2023-07-09 22:45	43.01	45.62
2023-07-09 23:00	44.85	33.03
2023-07-09 23:15	50.04	35.63
2023-07-09 23:30	43.49	39.89
2023-07-09 23:45	44.63	41.66
2023-07-10 00:00	44.74	51.5
2023-07-10 00:15	44.72	65.42
2023-07-10 00:30	44.83	76.06
2023-07-10 00:45	44.95	41.03
2023-07-10 01:00	44.08	35.29
2023-07-10 01:15	43.08	35.64

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-10 01:30	43.86	39.58
2023-07-10 01:45	44.58	41.26
2023-07-10 02:00	44.25	44.45
2023-07-10 02:15	44.98	52.31
2023-07-10 02:30	44.79	62.62
2023-07-10 02:45	43.44	68.72
2023-07-10 03:00	43.41	34.9
2023-07-10 03:15	43.13	38.96
2023-07-10 03:30	45.14	42.1
2023-07-10 03:45	45.99	43.85
2023-07-10 04:00	42.74	50.68
2023-07-10 04:15	45.99	64.47
2023-07-10 04:30	44.85	70.85
2023-07-10 04:45	46.4	38.89
2023-07-10 05:00	42	44.75
2023-07-10 05:15	45.29	35.04
2023-07-10 05:30	45.43	34.97
2023-07-10 05:45	42.63	35.23
2023-07-10 06:00	41.75	47.71
2023-07-10 06:15	44.08	64.2
2023-07-10 06:30	40.18	68.1
2023-07-10 06:45	38.84	35.86
2023-07-10 07:00	40.6	35
2023-07-10 07:15	40.07	38.99
2023-07-10 07:30	39.62	41.94
2023-07-10 07:45	39.14	44.42
2023-07-10 08:00	40.26	49.61
2023-07-10 08:15	40.54	70.39
2023-07-10 08:30	39.15	73.4
2023-07-10 08:45	42.15	39.87
2023-07-10 09:00	41.68	37.44
2023-07-10 09:15	42.85	38.01
2023-07-10 09:30	43.41	41.62
2023-07-10 09:45	44.34	42.7
2023-07-10 10:00	44.07	45.55
2023-07-10 10:15	44.5	41.43
2023-07-10 10:30	44.54	57.07
2023-07-10 10:45	46	35.48
2023-07-10 11:00	47.99	36.2
2023-07-10 11:15	42.38	35.51
2023-07-10 11:30	46.63	39.97
2023-07-10 11:45	46.65	57.53

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-10 12:00	47.35	69.38
2023-07-10 12:15	42.95	81.41
2023-07-10 12:30	46.43	55.97
2023-07-10 12:45	47.19	38.86
2023-07-10 13:00	43.56	66.89
2023-07-10 13:15	46.27	83.5
2023-07-10 13:30	48.49	58.19
2023-07-10 13:45	47.54	48.25
2023-07-10 14:00	48.52	57.28
2023-07-10 14:15	50	75.24
2023-07-10 14:30	48.63	36.03
2023-07-10 14:45	49.39	32.37
2023-07-10 15:00	49.92	24.49
2023-07-10 15:15	51.05	29.39
2023-07-10 15:30	50.8	40.71
2023-07-10 15:45	47.9	35.84
2023-07-10 16:00	52.96	84.78
2023-07-10 16:15	52.19	88.88
2023-07-10 16:30	51.8	44.65
2023-07-10 16:45	50.65	37.7
2023-07-10 17:00	55.93	40.92
2023-07-10 17:15	56.11	42.84
2023-07-10 17:30	49.11	44.24
2023-07-10 17:45	53.38	50.64
2023-07-10 18:00	51.83	66.46
2023-07-10 18:15	65.95	72.37
2023-07-10 18:30	48.27	38.66
2023-07-10 18:45	51.91	32.82
2023-07-10 19:00	51.37	37.29
2023-07-10 19:15	48.21	41.59
2023-07-10 19:30	49.71	42.85
2023-07-10 19:45	54.61	45.71
2023-07-10 20:00	53.53	61.37
2023-07-10 20:15	52.19	72.06
2023-07-10 20:30	52.39	37.76
2023-07-10 20:45	51.56	33.96
2023-07-10 21:00	51.52	38.71
2023-07-10 21:15	48.56	40.05
2023-07-10 21:30	52.83	42.03
2023-07-10 21:45	52.07	49.95
2023-07-10 22:00	50.76	71.47
2023-07-10 22:15	53.43	72.96

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-10 22:30	53.74	37.63
2023-07-10 22:45	55.79	33.09
2023-07-10 23:00	52.18	37.07
2023-07-10 23:15	55.66	38.07
2023-07-10 23:30	53.71	38.5
2023-07-10 23:45	51.21	42.3
2023-07-11 00:00	50.88	59.57
2023-07-11 00:15	54.14	61.53
2023-07-11 00:30	60.1	34.79
2023-07-11 00:45	47.62	33.36
2023-07-11 01:00	52.91	36.66
2023-07-11 01:15	53.95	37.49
2023-07-11 01:30	52.85	39.68
2023-07-11 01:45	47.12	47.11
2023-07-11 02:00	51.75	51.6
2023-07-11 02:15	57.9	59.23
2023-07-11 02:30	49.31	66.01
2023-07-11 02:45	50.65	54.3
2023-07-11 03:00	50.61	38.31
2023-07-11 03:15	48.61	38.71
2023-07-11 03:30	46.36	41.04
2023-07-11 03:45	48.83	50.33
2023-07-11 04:00	46.53	69.24
2023-07-11 04:15	46.44	65.25
2023-07-11 04:30	46.87	33
2023-07-11 04:45	49.65	32.49
2023-07-11 05:00	50.27	36.78
2023-07-11 05:15	47.04	37.6
2023-07-11 05:30	51.64	40.85
2023-07-11 05:45	50.06	46.94
2023-07-11 06:00	51.79	67.99
2023-07-11 06:15	48.59	65.79
2023-07-11 06:30	52.89	35.07
2023-07-11 06:45	56.28	33.31
2023-07-11 07:00	48.31	36.26
2023-07-11 07:15	48.84	37.26
2023-07-11 07:30	49.34	41.4
2023-07-11 07:45	54.18	50.85
2023-07-11 08:00	45.35	62.94
2023-07-11 08:15	47.94	71.4
2023-07-11 08:30	49.1	39.89
2023-07-11 08:45	45.54	31.82

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-11 09:00	44.79	36.41
2023-07-11 09:15	47.23	37.81
2023-07-11 09:30	47.95	43.43
2023-07-11 09:45	49.86	52.99
2023-07-11 10:00	50.69	68.66
2023-07-11 10:15	50.2	63.47
2023-07-11 10:30	49.84	37.31
2023-07-11 10:45	48.02	33.95
2023-07-11 11:00	51.98	36.06
2023-07-11 11:15	51.46	40.28
2023-07-11 11:30	49.24	47.87
2023-07-11 11:45	50.54	60.15
2023-07-11 12:00	51.92	74.51
2023-07-11 12:15	52.94	63.05
2023-07-11 12:30	48.24	40.53
2023-07-11 12:45	50.33	36.7
2023-07-11 13:00	50.7	37.26
2023-07-11 13:15	50.43	39.02
2023-07-11 13:30	46.68	44.01
2023-07-11 13:45	49.2	49.57
2023-07-11 14:00	54.33	30.5
2023-07-11 14:15	45.15	30.7
2023-07-11 14:30	47.71	29.85
2023-07-11 14:45	47.41	28.35
2023-07-11 15:00	46.4	31.24
2023-07-11 15:15	44.76	29.41
2023-07-11 15:30	48.33	29.34
2023-07-11 15:45	45.88	30.15
2023-07-11 16:00	43.42	30.72
2023-07-11 16:15	43.53	30.19
2023-07-11 16:30	43.91	34.26
2023-07-11 16:45	43.31	34.53
2023-07-11 17:00	41.89	34.6
2023-07-11 17:15	44.49	34.27
2023-07-11 17:30	44.57	30.87
2023-07-11 17:45	44.03	35.42
2023-07-11 18:00	44.07	32.95
2023-07-11 18:15	44.4	27.5
2023-07-11 18:30	45.46	30.2
2023-07-11 18:45	42.89	30.41
2023-07-11 19:00	44.87	56.27
2023-07-11 19:15	43.61	46.7

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-11 19:30	47.05	43.2
2023-07-11 19:45	44.45	57.35
2023-07-11 20:00	47.46	68.78
2023-07-11 20:15	46.57	46.8
2023-07-11 20:30	43.73	38.77
2023-07-11 20:45	41.75	34.03
2023-07-11 21:00	44.89	35.55
2023-07-11 21:15	45.29	36.39
2023-07-11 21:30	44.23	41.45
2023-07-11 21:45	46.4	57.52
2023-07-11 22:00	45.61	65.34
2023-07-11 22:15	43.45	42.04
2023-07-11 22:30	42.03	36.59
2023-07-11 22:45	43.92	29.4
2023-07-11 23:00	44.16	31.94
2023-07-11 23:15	44.03	37.76
2023-07-11 23:30	44.61	43.91
2023-07-11 23:45	43.53	55.76
2023-07-12 00:00	43.48	62.48
2023-07-12 00:15	41.26	35.59
2023-07-12 00:30	45.78	34.6
2023-07-12 00:45	45.31	33.18
2023-07-12 01:00	43.09	32.53
2023-07-12 01:15	39.8	31.84
2023-07-12 01:30	39.8	35.42
2023-07-12 01:45	42.43	42.45
2023-07-12 02:00	42.58	46.62
2023-07-12 02:15	45.49	55.96
2023-07-12 02:30	45.48	64.34
2023-07-12 02:45	44.91	61.34
2023-07-12 03:00	42.26	31.68
2023-07-12 03:15	43.31	30.22
2023-07-12 03:30	44.64	31.39
2023-07-12 03:45	39.49	36.85
2023-07-12 04:00	42.85	38.92
2023-07-12 04:15	43.69	44.94
2023-07-12 04:30	47.2	53.96
2023-07-12 04:45	42.05	63.87
2023-07-12 05:00	41.18	28.3
2023-07-12 05:15	43.98	33.53
2023-07-12 05:30	42	35.56
2023-07-12 05:45	42.66	38.85

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-12 06:00	44.02	40.64
2023-07-12 06:15	43.6	48.4
2023-07-12 06:30	42.47	62.16
2023-07-12 06:45	43.47	72.53
2023-07-12 07:00	43.74	38.98
2023-07-12 07:15	42.12	30.31
2023-07-12 07:30	42.04	36.05
2023-07-12 07:45	43.85	40.8
2023-07-12 08:00	45.55	43.18
2023-07-12 08:15	45.73	47.41
2023-07-12 08:30	45.34	56.53
2023-07-12 08:45	43.76	71.35
2023-07-12 09:00	44.19	50.98
2023-07-12 09:15	41.61	31.89
2023-07-12 09:30	40.48	35.16
2023-07-12 09:45	38.91	38.35
2023-07-12 10:00	38.8	39.73
2023-07-12 10:15	39.63	43.31
2023-07-12 10:30	43.08	58.52
2023-07-12 10:45	44.53	71.63
2023-07-12 11:00	40.39	62.63
2023-07-12 11:15	43.44	41.42
2023-07-12 11:30	43.02	34.76
2023-07-12 11:45	42.76	35.44
2023-07-12 12:00	40	36.73
2023-07-12 12:15	41.78	38.82
2023-07-12 12:30	44.11	54.49
2023-07-12 12:45	37.5	64.98
2023-07-12 13:00	37.84	79.1
2023-07-12 13:15	38.88	47.33
2023-07-12 13:30	39.94	59.58
2023-07-12 13:45	37.84	52.45
2023-07-12 14:00	40.82	44.87
2023-07-12 14:15	39.85	46.53
2023-07-12 14:30	39.48	52.28
2023-07-12 14:45	39.3	57.25
2023-07-12 15:00	39.76	66.51
2023-07-12 15:15	38.87	79.28
2023-07-12 15:30	38.83	98.27
2023-07-12 15:45	41.37	53.43
2023-07-12 16:00	41.77	61.76
2023-07-12 16:15	40.99	83.36

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-12 16:30	40.73	59.38
2023-07-12 16:45	40.58	66.48
2023-07-12 17:00	39.11	86.38
2023-07-12 17:15	37.73	74.45
2023-07-12 17:30	40.01	70.99
2023-07-12 17:45	40.27	42.95
2023-07-12 18:00	40.54	45.41
2023-07-12 18:15	38.79	44.57
2023-07-12 18:30	41.67	48.48
2023-07-12 18:45	41.71	50.17
2023-07-12 19:00	41.43	58.12
2023-07-12 19:15	41.78	65.28
2023-07-12 19:30	43.36	75.95
2023-07-12 19:45	44.98	42.88
2023-07-12 20:00	39.94	42.37
2023-07-12 20:15	42.99	42.09
2023-07-12 20:30	42.58	44.29
2023-07-12 20:45	44.3	51.43
2023-07-12 21:00	39.76	58.15
2023-07-12 21:15	39.33	57.9
2023-07-12 21:30	39.65	76.69
2023-07-12 21:45	37.44	59.39
2023-07-12 22:00	37.35	39.7
2023-07-12 22:15	41.07	41.04
2023-07-12 22:30	41.63	45.11
2023-07-12 22:45	40.88	47.45
2023-07-12 23:00	42.52	49.83
2023-07-12 23:15	40.59	59.57
2023-07-12 23:30	41.44	73.91
2023-07-12 23:45	41	74.06
2023-07-13 00:00	40.61	64.88
2023-07-13 00:15	39.37	66.68
2023-07-13 00:30	39.12	59.33
2023-07-13 00:45	40.48	39.43
2023-07-13 01:00	40.94	47.03
2023-07-13 01:15	42	54.43
2023-07-13 01:30	39.68	62.92
2023-07-13 01:45	41.34	72.35
2023-07-13 02:00	39.31	67.05
2023-07-13 02:15	38.14	66.45
2023-07-13 02:30	38.89	42.78
2023-07-13 02:45	39.15	39.95

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-13 03:00	41.62	41.89
2023-07-13 03:15	38.95	46.61
2023-07-13 03:30	42.58	54.96
2023-07-13 03:45	41.73	60.38
2023-07-13 04:00	43.48	50.19
2023-07-13 04:15	40.76	43.85
2023-07-13 04:30	41.62	41.43
2023-07-13 04:45	44.33	41.25
2023-07-13 05:00	38.98	43.5
2023-07-13 05:15	41.8	53.75
2023-07-13 05:30	42.62	64.17
2023-07-13 05:45	40.97	71.29
2023-07-13 06:00	39.89	50.55
2023-07-13 06:15	40.72	40.86
2023-07-13 06:30	41.04	41.88
2023-07-13 06:45	41.19	41.87
2023-07-13 07:00	40.88	45.56
2023-07-13 07:15	40.75	54.57
2023-07-13 07:30	41.82	64.77
2023-07-13 07:45	43.47	74.52
2023-07-13 08:00	46.19	53.45
2023-07-13 08:15	42.67	43.6
2023-07-13 08:30	44.33	43.32
2023-07-13 08:45	43.57	44.77
2023-07-13 09:00	46.55	52.23
2023-07-13 09:15	47.25	61.84
2023-07-13 09:30	44.73	68.4
2023-07-13 09:45	49.85	76.78
2023-07-13 10:00	50.66	58.93
2023-07-13 10:15	49.62	47.36
2023-07-13 10:30	41.67	40.46
2023-07-13 10:45	43.31	40.31
2023-07-13 11:00	46.82	43.96
2023-07-13 11:15	44.19	56.61
2023-07-13 11:30	42.48	64.1
2023-07-13 11:45	42.21	69.45
2023-07-13 12:00	43.35	56.79
2023-07-13 12:15	40.81	47.54
2023-07-13 12:30	41.08	45.35
2023-07-13 12:45	40.07	44.52
2023-07-13 13:00	39.74	50.59
2023-07-13 13:15	40.26	61.52

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-13 13:30	40.92	60.65
2023-07-13 13:45	40.93	50.69
2023-07-13 14:00	39.74	63.54
2023-07-13 14:15	39.88	58.99
2023-07-13 14:30	40.33	39.6
2023-07-13 14:45	40.49	39.3
2023-07-13 15:00	40.25	51.49
2023-07-13 15:15	44.19	62.9
2023-07-13 15:30	42.66	69.64
2023-07-13 15:45	41.35	49.93
2023-07-13 16:00	43.13	38.35
2023-07-13 16:15	45.38	41.36
2023-07-13 16:30	49.81	41.9
2023-07-13 16:45	46.3	43.93
2023-07-13 17:00	50.05	54.31
2023-07-13 17:15	50.91	65.8
2023-07-13 17:30	51.06	71.19
2023-07-13 17:45	45.67	50.46
2023-07-13 18:00	46.79	39.71
2023-07-13 18:15	45.79	40.09
2023-07-13 18:30	43.78	41.56
2023-07-13 18:45	45.87	44.03
2023-07-13 19:00	46.75	53.95
2023-07-13 19:15	44.18	63.57
2023-07-13 19:30	43.17	71.28
2023-07-13 19:45	46.45	53.4
2023-07-13 20:00	46.41	41.7
2023-07-13 20:15	38.69	40.43
2023-07-13 20:30	40.39	38.99
2023-07-13 20:45	42.43	38.65
2023-07-13 21:00	43.75	52.79
2023-07-13 21:15	40.65	61.11
2023-07-13 21:30	46.29	67.48
2023-07-13 21:45	45.16	52.19
2023-07-13 22:00	43.39	65.9
2023-07-13 22:15	41.51	39.05
2023-07-13 22:30	44.22	39.21
2023-07-13 22:45	43.63	41.02
2023-07-13 23:00	42.45	56.98
2023-07-13 23:15	44.15	58.83
2023-07-13 23:30	43.74	64.51
2023-07-13 23:45	47.77	47.72

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-14 00:00	42.82	35.85
2023-07-14 00:15	44.59	41.7
2023-07-14 00:30	43.86	47.78
2023-07-14 00:45	42.74	43.88
2023-07-14 01:00	43.21	45.7
2023-07-14 01:15	43.85	55.66
2023-07-14 01:30	43.18	54.96
2023-07-14 01:45	41.47	43.46
2023-07-14 02:00	42.37	55.69
2023-07-14 02:15	43.79	35.98
2023-07-14 02:30	45.1	45.06
2023-07-14 02:45	43.94	60.21
2023-07-14 03:00	44	72.08
2023-07-14 03:15	44.36	72.4
2023-07-14 03:30	43.46	79.63
2023-07-14 03:45	43.52	67.78
2023-07-14 04:00	45.04	75.97
2023-07-14 04:15	46.37	42.61
2023-07-14 04:30	44.02	41.69
2023-07-14 04:45	44.52	59.64
2023-07-14 05:00	45.3	69.99
2023-07-14 05:15	43.41	71.01
2023-07-14 05:30	41.96	70.35
2023-07-14 05:45	47.54	64.27
2023-07-14 06:00	55.32	47.48
2023-07-14 06:15	44.55	46.62
2023-07-14 06:30	46.55	48.82
2023-07-14 06:45	48.91	53.64
2023-07-14 07:00	44.73	65.9
2023-07-14 07:15	42.51	71.93
2023-07-14 07:30	45.35	67.16
2023-07-14 07:45	44.95	61.93
2023-07-14 08:00	44.16	45.79
2023-07-14 08:15	44.16	45.65
2023-07-14 08:30	43.59	48.27
2023-07-14 08:45	44.06	52.5
2023-07-14 09:00	42.05	62.65
2023-07-14 09:15	47.98	71.11
2023-07-14 09:30	48.42	71.14
2023-07-14 09:45	47.93	159.87
2023-07-14 10:00	49.09	172.21
2023-07-14 10:15	50.11	93.36

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-14 10:30	50.17	77.03
2023-07-14 10:45	46.79	81.41
2023-07-14 11:00	48.71	91.06
2023-07-14 11:15	47.7	98.26
2023-07-14 11:30	48.21	93.16
2023-07-14 11:45	49.59	85.71
2023-07-14 12:00	51.03	71.45
2023-07-14 12:15	53.93	71.9
2023-07-14 12:30	52.06	72.03
2023-07-14 12:45	52.13	73.31
2023-07-14 13:00	52.38	78.57
2023-07-14 13:15	55.9	92.59
2023-07-14 13:30	51.83	96.4
2023-07-14 13:45	53.84	89.2
2023-07-14 14:00	52.13	71.27
2023-07-14 14:15	48.01	69.25
2023-07-14 14:30	48.89	66.39
2023-07-14 14:45	48.9	66.35
2023-07-14 15:00	47.16	76.73
2023-07-14 15:15	43.12	83.4
2023-07-14 15:30	43.11	72.52
2023-07-14 15:45	42.48	64.14
2023-07-14 16:00	41.31	49.88
2023-07-14 16:15	41.49	51.09
2023-07-14 16:30	42.78	54.31
2023-07-14 16:45	44.37	80.11
2023-07-14 17:00	42.4	72.99
2023-07-14 17:15	45.91	76.96
2023-07-14 17:30	47.42	66.24
2023-07-14 17:45	47.08	49.84
2023-07-14 18:00	44.09	48.45
2023-07-14 18:15	47.44	49.59
2023-07-14 18:30	48.75	51.7
2023-07-14 18:45	48.84	64
2023-07-14 19:00	48.9	69.47
2023-07-14 19:15	50.19	72.76
2023-07-14 19:30	52.5	67.7
2023-07-14 19:45	48.17	50.15
2023-07-14 20:00	50.55	50.43
2023-07-14 20:15	48.29	49.61
2023-07-14 20:30	49.58	53.04
2023-07-14 20:45	47.45	58.02

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-14 21:00	47.03	75.36
2023-07-14 21:15	44.28	77.48
2023-07-14 21:30	43.31	67.5
2023-07-14 21:45	43.63	49.68
2023-07-14 22:00	44.2	51.36
2023-07-14 22:15	44.35	53.64
2023-07-14 22:30	45.37	57.75
2023-07-14 22:45	46.1	65.66
2023-07-14 23:00	46.31	73.08
2023-07-14 23:15	47	73.59
2023-07-14 23:30	45.57	69.8
2023-07-14 23:45	48.67	49.23
2023-07-15 00:00	50.19	47.78
2023-07-15 00:15	46.3	50.45
2023-07-15 00:30	48.78	56.49
2023-07-15 00:45	48.85	66.07
2023-07-15 01:00	50.43	73.96
2023-07-15 01:15	46.68	74.05
2023-07-15 01:30	48.52	70.07
2023-07-15 01:45	52.17	49.48
2023-07-15 02:00	48.99	48.33
2023-07-15 02:15	49.19	49.29
2023-07-15 02:30	49.4	53.04
2023-07-15 02:45	54.43	55.45
2023-07-15 03:00	48.68	74.73
2023-07-15 03:15	49.74	72.08
2023-07-15 03:30	49.64	67.83
2023-07-15 03:45	47.81	48.47
2023-07-15 04:00	46.92	50.91
2023-07-15 04:15	46.64	52.33
2023-07-15 04:30	47.69	55.15
2023-07-15 04:45	47.85	55.67
2023-07-15 05:00	50.12	74.73
2023-07-15 05:15	50.15	76.81
2023-07-15 05:30	47.97	72.4
2023-07-15 05:45	45.3	51.1
2023-07-15 06:00	48.01	50.52
2023-07-15 06:15	49.78	50.94
2023-07-15 06:30	50.04	59.1
2023-07-15 06:45	50.31	62.44
2023-07-15 07:00	52.78	71.43
2023-07-15 07:15	53.29	73.9

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-15 07:30	46.71	68.79
2023-07-15 07:45	49.68	51.04
2023-07-15 08:00	50.68	51.81
2023-07-15 08:15	49.29	54.39
2023-07-15 08:30	45.9	60.58
2023-07-15 08:45	47.42	61.81
2023-07-15 09:00	47.27	77.33
2023-07-15 09:15	45.84	74.97
2023-07-15 09:30	45.69	71.66
2023-07-15 09:45	46.04	52.82
2023-07-15 10:00	46.4	53.35
2023-07-15 10:15	47.33	63.65
2023-07-15 10:30	47.05	74.12
2023-07-15 10:45	45.58	82.62
2023-07-15 11:00	46.19	80.44
2023-07-15 11:15	46.52	79.68
2023-07-15 11:30	48.59	68.77
2023-07-15 11:45	47	69
2023-07-15 12:00	47.32	61.77
2023-07-15 12:15	50.18	59.3
2023-07-15 12:30	51.88	69.45
2023-07-15 12:45	50.03	78.36
2023-07-15 13:00	51.93	100.48
2023-07-15 13:15	55.32	84.58
2023-07-15 13:30	51.25	61.74
2023-07-15 13:45	46.46	56.52
2023-07-15 14:00	51.62	54.53
2023-07-15 14:15	47.99	54.17
2023-07-15 14:30	50.6	59.91
2023-07-15 14:45	43.94	60.85
2023-07-15 15:00	46.7	75.54
2023-07-15 15:15	47.27	73.11
2023-07-15 15:30	44.53	56.89
2023-07-15 15:45	45.57	47.87
2023-07-15 16:00	46.96	49.27
2023-07-15 16:15	47.57	49.38
2023-07-15 16:30	45.87	54.1
2023-07-15 16:45	47.65	57.36
2023-07-15 17:00	48.95	69.45
2023-07-15 17:15	48.1	73.55
2023-07-15 17:30	44.86	53.31
2023-07-15 17:45	46.85	40.42

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-15 18:00	46.19	42.17
2023-07-15 18:15	45.53	44.99
2023-07-15 18:30	45.52	47.4
2023-07-15 18:45	45.37	47.54
2023-07-15 19:00	46.89	67.12
2023-07-15 19:15	44.25	67.85
2023-07-15 19:30	47.3	45.44
2023-07-15 19:45	46.43	41.28
2023-07-15 20:00	47.44	41.75
2023-07-15 20:15	48.63	45.67
2023-07-15 20:30	49.23	51.6
2023-07-15 20:45	50.75	56.65
2023-07-15 21:00	45.79	67.55
2023-07-15 21:15	47.41	65.76
2023-07-15 21:30	48.38	42.88
2023-07-15 21:45	48.14	39.88
2023-07-15 22:00	47.19	43.77
2023-07-15 22:15	48.05	48.76
2023-07-15 22:30	46.85	53.4
2023-07-15 22:45	46.28	59.01
2023-07-15 23:00	46.83	72.53
2023-07-15 23:15	45.95	73.75
2023-07-15 23:30	45.01	44.48
2023-07-15 23:45	43.98	43.83
2023-07-16 00:00	47.26	46.58
2023-07-16 00:15	46.54	52.64
2023-07-16 00:30	46.73	57.1
2023-07-16 00:45	46.67	62.24
2023-07-16 01:00	47.46	71.12
2023-07-16 01:15	47.12	73.43
2023-07-16 01:30	45.43	44.22
2023-07-16 01:45	48.42	44.15
2023-07-16 02:00	47.42	44.63
2023-07-16 02:15	48	47.94
2023-07-16 02:30	46.61	48.77
2023-07-16 02:45	48.34	51.25
2023-07-16 03:00	53.6	70.39
2023-07-16 03:15	48.36	70.82
2023-07-16 03:30	47.43	44.53
2023-07-16 03:45	48.6	44.28
2023-07-16 04:00	50.5	44.71
2023-07-16 04:15	44.51	47.67

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-16 04:30	46.4	49.12
2023-07-16 04:45	49.79	50.7
2023-07-16 05:00	47.15	73.18
2023-07-16 05:15	47.56	79.52
2023-07-16 05:30	47.92	45.45
2023-07-16 05:45	48.16	46.89
2023-07-16 06:00	48.16	47.14
2023-07-16 06:15	49.61	54.42
2023-07-16 06:30	48.78	56.49
2023-07-16 06:45	49.58	58.47
2023-07-16 07:00	49.1	71.32
2023-07-16 07:15	51.39	79.01
2023-07-16 07:30	48.66	46.91
2023-07-16 07:45	47.4	46.92
2023-07-16 08:00	47.81	48.42
2023-07-16 08:15	47.67	52.96
2023-07-16 08:30	48.73	55.45
2023-07-16 08:45	46.15	60.73
2023-07-16 09:00	49.24	74.64
2023-07-16 09:15	50.08	80.12
2023-07-16 09:30	49.17	47.8
2023-07-16 09:45	47.64	46.02
2023-07-16 10:00	48.35	51.31
2023-07-16 10:15	52.47	60.13
2023-07-16 10:30	44.38	53.19
2023-07-16 10:45	50.01	51.39
2023-07-16 11:00	48.72	54.05
2023-07-16 11:15	49.89	54.36
2023-07-16 11:30	49.77	57.1
2023-07-16 11:45	53.41	57.77
2023-07-16 12:00	52.05	56.89
2023-07-16 12:15	51.37	56.45
2023-07-16 12:30	51.13	133.13
2023-07-16 12:45	51.28	152.28
2023-07-16 13:00	51.22	158.65
2023-07-16 13:15	47.8	119.15
2023-07-16 13:30	50.67	143.87
2023-07-16 13:45	49.82	155.11
2023-07-16 14:00	51.3	122.06
2023-07-16 14:15	51.09	92.17
2023-07-16 14:30	53.68	82.11
2023-07-16 14:45	53.66	82.28

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-16 15:00	50.49	97.31
2023-07-16 15:15	54.79	97.34
2023-07-16 15:30	53.04	61.82
2023-07-16 15:45	54.72	54.22
2023-07-16 16:00	49.99	56.12
2023-07-16 16:15	53.35	56.2
2023-07-16 16:30	53.09	64.78
2023-07-16 16:45	49.74	76.16
2023-07-16 17:00	48.1	99.24
2023-07-16 17:15	48.53	97.38
2023-07-16 17:30	47.77	61.24
2023-07-16 17:45	46.32	56.31
2023-07-16 18:00	48.24	56.69
2023-07-16 18:15	47.82	55.75
2023-07-16 18:30	48.44	51.94
2023-07-16 18:45	46.75	65.24
2023-07-16 19:00	48.13	86.53
2023-07-16 19:15	47.65	72.11
2023-07-16 19:30	46.64	60.06
2023-07-16 19:45	48.1	54.9
2023-07-16 20:00	48.22	55.71
2023-07-16 20:15	48.64	55.84
2023-07-16 20:30	46.48	62.29
2023-07-16 20:45	49.17	76.42
2023-07-16 21:00	47.43	87.43
2023-07-16 21:15	46.14	70.05
2023-07-16 21:30	47.28	59.25
2023-07-16 21:45	48.59	54.31
2023-07-16 22:00	51.5	55.32
2023-07-16 22:15	45.52	56.6
2023-07-16 22:30	48.85	61.6
2023-07-16 22:45	48.28	78.05
2023-07-16 23:00	48.94	88.79
2023-07-16 23:15	47.2	64.45
2023-07-16 23:30	48.96	59.06
2023-07-16 23:45	49.2	53.5
2023-07-17 00:00	45.79	52.63
2023-07-17 00:15	45.72	54.88
2023-07-17 00:30	45.59	61.27
2023-07-17 00:45	44.66	77.93
2023-07-17 01:00	43.83	91.84
2023-07-17 01:15	45.94	61.42

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-17 01:30	44.99	57.35
2023-07-17 01:45	44.22	52.86
2023-07-17 02:00	44.32	53.82
2023-07-17 02:15	43.56	57.2
2023-07-17 02:30	43.15	62.8
2023-07-17 02:45	42.58	71.71
2023-07-17 03:00	44.82	84.06
2023-07-17 03:15	45.26	57.91
2023-07-17 03:30	44.83	55.89
2023-07-17 03:45	44.24	58.64
2023-07-17 04:00	49.27	56.45
2023-07-17 04:15	48.46	55.3
2023-07-17 04:30	45.63	61.06
2023-07-17 04:45	45.98	69.25
2023-07-17 05:00	46.36	84.25
2023-07-17 05:15	48.96	54.44
2023-07-17 05:30	43.99	51.17
2023-07-17 05:45	45.75	53.39
2023-07-17 06:00	46.34	55.08
2023-07-17 06:15	45.86	59.4
2023-07-17 06:30	44.11	71.07
2023-07-17 06:45	44.74	97.27
2023-07-17 07:00	43.47	82.42
2023-07-17 07:15	42.59	53.08
2023-07-17 07:30	45.48	50.56
2023-07-17 07:45	46.4	55.34
2023-07-17 08:00	42.7	170.62
2023-07-17 08:15	43.07	115.17
2023-07-17 08:30	47.68	80.32
2023-07-17 08:45	49.85	91.05
2023-07-17 09:00	45.14	122.74
2023-07-17 09:15	46.42	68.2
2023-07-17 09:30	47.13	61.39
2023-07-17 09:45	47.06	62.73
2023-07-17 10:00	46.5	60.58
2023-07-17 10:15	48.54	63.92
2023-07-17 10:30	47.68	74.65
2023-07-17 10:45	47.28	84.02
2023-07-17 11:00	48.09	71.26
2023-07-17 11:15	49.32	57.11
2023-07-17 11:30	52.2	50.09
2023-07-17 11:45	47.13	52.34

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-17 12:00	49.83	56.26
2023-07-17 12:15	50.5	58.9
2023-07-17 12:30	50.25	75.81
2023-07-17 12:45	47.37	85.62
2023-07-17 13:00	49.15	72.02
2023-07-17 13:15	45.75	74.3
2023-07-17 13:30	45.32	73.14
2023-07-17 13:45	46.35	150.76
2023-07-17 14:00	47.09	154.96
2023-07-17 14:15	46.27	135.62
2023-07-17 14:30	45.32	133.72
2023-07-17 14:45	46.6	125.63
2023-07-17 15:00	47.19	118.99
2023-07-17 15:15	47.25	116.68
2023-07-17 15:30	46.65	108.29
2023-07-17 15:45	46.05	88.72
2023-07-17 16:00	46.85	91.15
2023-07-17 16:15	43.52	93.67
2023-07-17 16:30	46.97	100.28
2023-07-17 16:45	48.84	NA
2023-07-17 17:00	51.67	177.46
2023-07-17 17:15	50.33	114.82
2023-07-17 17:30	52.12	88.76
2023-07-17 17:45	52.76	89.6
2023-07-17 18:00	51.12	85.96
2023-07-17 18:15	50.9	79.82
2023-07-17 18:30	48.93	88.91
2023-07-17 18:45	51.62	91.68
2023-07-17 19:00	48.76	68.85
2023-07-17 19:15	50.45	63.84
2023-07-17 19:30	50.19	64.56
2023-07-17 19:45	49.75	64.93
2023-07-17 20:00	48.47	64.26
2023-07-17 20:15	48.84	70.71
2023-07-17 20:30	49.45	80.63
2023-07-17 20:45	50.13	89.63
2023-07-17 21:00	51.51	66.4
2023-07-17 21:15	50.34	60.46
2023-07-17 21:30	50.06	61.38
2023-07-17 21:45	47.85	62.27
2023-07-17 22:00	51.39	63.38
2023-07-17 22:15	51.28	70.21

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-17 22:30	49.47	84.4
2023-07-17 22:45	47.55	86.74
2023-07-17 23:00	53.48	52.37
2023-07-17 23:15	55.64	54.94
2023-07-17 23:30	50.53	57.75
2023-07-17 23:45	52.51	56.53
2023-07-18 00:00	51.74	63.59
2023-07-18 00:15	50.6	77.96
2023-07-18 00:30	47.05	88.78
2023-07-18 00:45	48.56	60.1
2023-07-18 01:00	48.34	51.29
2023-07-18 01:15	48.44	64.8
2023-07-18 01:30	48.66	52.57
2023-07-18 01:45	49.82	56.23
2023-07-18 02:00	50.05	65.82
2023-07-18 02:15	48.9	61.55
2023-07-18 02:30	51.26	63.32
2023-07-18 02:45	49.07	75.5
2023-07-18 03:00	48.82	43.97
2023-07-18 03:15	49.13	45.5
2023-07-18 03:30	49.18	47.78
2023-07-18 03:45	48.65	52.5
2023-07-18 04:00	48.52	158.77
2023-07-18 04:15	51.27	138.42
2023-07-18 04:30	50.71	108.78
2023-07-18 04:45	50.34	92.98
2023-07-18 05:00	49.15	58.96
2023-07-18 05:15	50.37	58.02
2023-07-18 05:30	51.47	54.79
2023-07-18 05:45	47.94	113.58
2023-07-18 06:00	50.85	170.1
2023-07-18 06:15	50.02	145.49
2023-07-18 06:30	52.6	129.08
2023-07-18 06:45	47.28	74.34
2023-07-18 07:00	48.97	62.83
2023-07-18 07:15	49.27	87.17
2023-07-18 07:30	46.43	77.8
2023-07-18 07:45	48.87	154.21
2023-07-18 08:00	50.03	130.09
2023-07-18 08:15	50.09	124.59
2023-07-18 08:30	49.3	104.14
2023-07-18 08:45	50.99	75.3

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-18 09:00	50.18	69.54
2023-07-18 09:15	49.85	70.33
2023-07-18 09:30	49.43	68.54
2023-07-18 09:45	50.23	77.76
2023-07-18 10:00	48.98	110.53
2023-07-18 10:15	47.55	104.49
2023-07-18 10:30	50.64	116.42
2023-07-18 10:45	51.26	72.22
2023-07-18 11:00	53.78	123.55
2023-07-18 11:15	52.25	159.63
2023-07-18 11:30	55.54	158.35
2023-07-18 11:45	55.26	154.56
2023-07-18 12:00	54.63	157.29
2023-07-18 12:15	53.5	141.43
2023-07-18 12:30	53.21	126.29
2023-07-18 12:45	55.02	100.64
2023-07-18 13:00	53.62	112.02
2023-07-18 13:15	58.96	85.72
2023-07-18 13:30	61.2	80.65
2023-07-18 13:45	59.67	84.75
2023-07-18 14:00	55.19	104.77
2023-07-18 14:15	56.86	108.08
2023-07-18 14:30	53.71	101.16
2023-07-18 14:45	51.22	78.09
2023-07-18 15:00	57.23	75.15
2023-07-18 15:15	58.09	73.87
2023-07-18 15:30	54.62	79.6
2023-07-18 15:45	53.53	84.74
2023-07-18 16:00	53.65	102.86
2023-07-18 16:15	54.62	111.76
2023-07-18 16:30	55.33	103.92
2023-07-18 16:45	54.02	78.1
2023-07-18 17:00	54.77	78.05
2023-07-18 17:15	53.73	77.75
2023-07-18 17:30	51.41	76.41
2023-07-18 17:45	57.2	77
2023-07-18 18:00	53.92	90.85
2023-07-18 18:15	53.92	99.62
2023-07-18 18:30	53.23	97.08
2023-07-18 18:45	55.68	86.99
2023-07-18 19:00	59.39	67.82
2023-07-18 19:15	52.93	65.71

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-18 19:30	54.11	64.02
2023-07-18 19:45	55.13	67.92
2023-07-18 20:00	59.12	86.49
2023-07-18 20:15	57.49	126.25
2023-07-18 20:30	62.8	138.8
2023-07-18 20:45	62.56	116.72
2023-07-18 21:00	66.3	101.02
2023-07-18 21:15	67.08	82.52
2023-07-18 21:30	65.32	85.58
2023-07-18 21:45	66.77	98.41
2023-07-18 22:00	62.28	105.18
2023-07-18 22:15	60.79	195.54
2023-07-18 22:30	61.42	155.17
2023-07-18 22:45	61.02	130.6
2023-07-18 23:00	59.16	110.45
2023-07-18 23:15	58.45	94.23
2023-07-18 23:30	56.57	91.29
2023-07-18 23:45	55.71	98.01
2023-07-19 00:00	57.32	104.64
2023-07-19 00:15	57.2	101.35
2023-07-19 00:30	59.12	77.53
2023-07-19 00:45	55.78	66.38
2023-07-19 01:00	59.59	74.34
2023-07-19 01:15	59.86	66.83
2023-07-19 01:30	58.42	68.61
2023-07-19 01:45	57.48	88.48
2023-07-19 02:00	58.5	80.96
2023-07-19 02:15	61.26	83.91
2023-07-19 02:30	54.79	90.01
2023-07-19 02:45	58.51	81.56
2023-07-19 03:00	59.38	67.54
2023-07-19 03:15	75.26	87.88
2023-07-19 03:30	93.42	82.26
2023-07-19 03:45	83.29	101.51
2023-07-19 04:00	67	102.2
2023-07-19 04:15	62.18	107.66
2023-07-19 04:30	62.37	101.03
2023-07-19 04:45	58.85	81.97
2023-07-19 05:00	57.22	83.95
2023-07-19 05:15	55	87.94
2023-07-19 05:30	56.83	98.95
2023-07-19 05:45	56.36	115

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-19 06:00	55.98	113.44
2023-07-19 06:15	56.94	84.09
2023-07-19 06:30	58.48	79.33
2023-07-19 06:45	59.84	82.69
2023-07-19 07:00	53.92	81.77
2023-07-19 07:15	56.87	85.42
2023-07-19 07:30	58.71	92.35
2023-07-19 07:45	58.16	109.56
2023-07-19 08:00	55.8	108.5
2023-07-19 08:15	58.45	98.6
2023-07-19 08:30	60.41	87.25
2023-07-19 08:45	55.88	81.82
2023-07-19 09:00	56.37	85.95
2023-07-19 09:15	56.45	88.05
2023-07-19 09:30	56.51	97.68
2023-07-19 09:45	55.54	110.13
2023-07-19 10:00	56.69	111.82
2023-07-19 10:15	62.61	95.43
2023-07-19 10:30	98.88	102.9
2023-07-19 10:45	97.39	87.97
2023-07-19 11:00	72.85	86.05
2023-07-19 11:15	65.64	87.09
2023-07-19 11:30	62.73	100.27
2023-07-19 11:45	66.07	107.68
2023-07-19 12:00	63.7	117.58
2023-07-19 12:15	65.62	111.68
2023-07-19 12:30	72.33	129.11
2023-07-19 12:45	126.3	145.44
2023-07-19 13:00	129.69	149.63
2023-07-19 13:15	164.45	154.74
2023-07-19 13:30	134.8	148.75
2023-07-19 13:45	135.18	140.51
2023-07-19 14:00	127.1	141.58
2023-07-19 14:15	115.53	112.41
2023-07-19 14:30	116.6	108.05
2023-07-19 14:45	103.03	107.18
2023-07-19 15:00	84.55	105.15
2023-07-19 15:15	86.86	108.71
2023-07-19 15:30	100.93	117.08
2023-07-19 15:45	75.51	124.68
2023-07-19 16:00	66.15	120.83
2023-07-19 16:15	66.49	127.62

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-19 16:30	67.24	124.27
2023-07-19 16:45	70.16	102.16
2023-07-19 17:00	63.73	102.95
2023-07-19 17:15	65.24	109.4
2023-07-19 17:30	64.58	121.96
2023-07-19 17:45	65.37	127.84
2023-07-19 18:00	66.05	129.19
2023-07-19 18:15	66.77	110.62
2023-07-19 18:30	67.45	104.09
2023-07-19 18:45	65.35	103.19
2023-07-19 19:00	69.13	103.35
2023-07-19 19:15	72.86	104.83
2023-07-19 19:30	99	113.72
2023-07-19 19:45	165.08	119.18
2023-07-19 20:00	94.88	115.82
2023-07-19 20:15	77.28	102.6
2023-07-19 20:30	67.57	94.42
2023-07-19 20:45	76.59	100.36
2023-07-19 21:00	83.35	92.98
2023-07-19 21:15	87.9	94.87
2023-07-19 21:30	66.6	109.1
2023-07-19 21:45	71.34	114.42
2023-07-19 22:00	72.4	105.98
2023-07-19 22:15	69.5	91.3
2023-07-19 22:30	69.5	85.1
2023-07-19 22:45	74.33	86.5
2023-07-19 23:00	80.05	87.65
2023-07-19 23:15	118.79	132.77
2023-07-19 23:30	159.74	128.85
2023-07-19 23:45	104.08	117.95
2023-07-20 00:00	88.49	106.73
2023-07-20 00:15	92.49	133.68
2023-07-20 00:30	125.94	129.9
2023-07-20 00:45	185.28	139.95
2023-07-20 01:00	206.85	173.9
2023-07-20 01:15	182	148.22
2023-07-20 01:30	256.54	146.64
2023-07-20 01:45	188.84	140.9
2023-07-20 02:00	137.62	145
2023-07-20 02:15	98.15	137.5
2023-07-20 02:30	115.37	126.42
2023-07-20 02:45	96.43	121.61

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-20 03:00	86.32	121.71
2023-07-20 03:15	91.46	132.59
2023-07-20 03:30	288.13	133.5
2023-07-20 03:45	326.04	126.3
2023-07-20 04:00	251.4	119.13
2023-07-20 04:15	275.25	118.57
2023-07-20 04:30	275.42	115.76
2023-07-20 04:45	516.28	150.72
2023-07-20 05:00	474.56	110.91
2023-07-20 05:15	370.43	117.58
2023-07-20 05:30	323.48	122.27
2023-07-20 05:45	263.99	114.38
2023-07-20 06:00	252.75	113.49
2023-07-20 06:15	138	107.31
2023-07-20 06:30	0	106.42
2023-07-20 06:45	0	111.62
2023-07-20 07:00	0	118.38
2023-07-20 07:15	0	112.31
2023-07-20 07:30	0	104.49
2023-07-20 07:45	0	105.08
2023-07-20 08:00	0	101.36
2023-07-20 08:15	0	131.47
2023-07-20 08:30	0	123.84
2023-07-20 08:45	0	110.99
2023-07-20 09:00	5.69	119.36
2023-07-20 09:15	18.53	138.33
2023-07-20 09:30	260.23	124.66
2023-07-20 09:45	107.88	115.98
2023-07-20 10:00	NA	107.65
2023-07-20 10:15	46.97	109.52
2023-07-20 10:30	41.12	137.39
2023-07-20 10:45	36.67	142.85
2023-07-20 11:00	34.02	169.12
2023-07-20 11:15	37.94	143.56
2023-07-20 11:30	37.25	138.64
2023-07-20 11:45	36.04	168.67
2023-07-20 12:00	36.58	172.31
2023-07-20 12:15	39.4	148.12
2023-07-20 12:30	45.14	137.52
2023-07-20 12:45	41.4	131.23
2023-07-20 13:00	44.68	152.66
2023-07-20 13:15	42.7	143.02

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-20 13:30	42.97	159.63
2023-07-20 13:45	41.2	151.05
2023-07-20 14:00	43.77	144.58
2023-07-20 14:15	42.59	148.92
2023-07-20 14:30	39.72	148.88
2023-07-20 14:45	42.04	148.09
2023-07-20 15:00	42.04	162.5
2023-07-20 15:15	42.14	151.09
2023-07-20 15:30	37.5	157.63
2023-07-20 15:45	41.56	139.67
2023-07-20 16:00	42.22	142.53
2023-07-20 16:15	40.88	137.22
2023-07-20 16:30	41.22	138.62
2023-07-20 16:45	41.38	162.92
2023-07-20 17:00	45.65	165.8
2023-07-20 17:15	36.4	152.72
2023-07-20 17:30	39.82	161.5
2023-07-20 17:45	39.72	151.67
2023-07-20 18:00	37.03	156.78
2023-07-20 18:15	35.26	143.69
2023-07-20 18:30	37.61	142.84
2023-07-20 18:45	39.78	152.99
2023-07-20 19:00	35.67	142.41
2023-07-20 19:15	38.58	146.07
2023-07-20 19:30	37.45	138.22
2023-07-20 19:45	38.29	136.68
2023-07-20 20:00	38.33	142.42
2023-07-20 20:15	39.8	132.09
2023-07-20 20:30	38.9	138.75
2023-07-20 20:45	36.78	156.88
2023-07-20 21:00	40	143.61
2023-07-20 21:15	40.21	139.68
2023-07-20 21:30	40.31	135.63
2023-07-20 21:45	35.73	136.46
2023-07-20 22:00	41.33	135.98
2023-07-20 22:15	40.45	138.06
2023-07-20 22:30	40.76	145.24
2023-07-20 22:45	37.04	160.18
2023-07-20 23:00	39.85	141.6
2023-07-20 23:15	43.72	137.99
2023-07-20 23:30	37.94	136.96
2023-07-20 23:45	38.13	139.18

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-21 00:00	37.88	141.45
2023-07-21 00:15	39.87	157.22
2023-07-21 00:30	37.12	182.21
2023-07-21 00:45	38.51	193.96
2023-07-21 01:00	38.11	157.34
2023-07-21 01:15	35.91	161.22
2023-07-21 01:30	35.69	164.47
2023-07-21 01:45	36.77	158.4
2023-07-21 02:00	38.23	174.12
2023-07-21 02:15	35.56	173.81
2023-07-21 02:30	37.5	167.09
2023-07-21 02:45	36.93	170.39
2023-07-21 03:00	36.78	171.08
2023-07-21 03:15	35.41	153
2023-07-21 03:30	38.05	152.25
2023-07-21 03:45	38.98	157.64
2023-07-21 04:00	36.01	164.08
2023-07-21 04:15	38	180.7
2023-07-21 04:30	38.9	180.85
2023-07-21 04:45	38.89	174.96
2023-07-21 05:00	36.3	159.91
2023-07-21 05:15	39.97	161.79
2023-07-21 05:30	41.34	161.06
2023-07-21 05:45	41.02	165.27
2023-07-21 06:00	37.49	167.97
2023-07-21 06:15	38.51	173.6
2023-07-21 06:30	38.57	NA
2023-07-21 06:45	34.98	164.14
2023-07-21 07:00	36.81	172.55
2023-07-21 07:15	40.31	160.75
2023-07-21 07:30	35.82	170.37
2023-07-21 07:45	35.74	166.66
2023-07-21 08:00	38.69	164.59
2023-07-21 08:15	36.99	167.81
2023-07-21 08:30	37.36	174.54
2023-07-21 08:45	38.72	159.69
2023-07-21 09:00	39.34	146.84
2023-07-21 09:15	38.28	11.94
2023-07-21 09:30	36.03	0
2023-07-21 09:45	38.48	0
2023-07-21 10:00	37.27	0
2023-07-21 10:15	37.15	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-21 10:30	37.94	0
2023-07-21 10:45	40.04	0
2023-07-21 11:00	40.98	0
2023-07-21 11:15	36.22	5.2
2023-07-21 11:30	39.9	115.57
2023-07-21 11:45	39.82	24.07
2023-07-21 12:00	44.86	53.82
2023-07-21 12:15	39.25	130.99
2023-07-21 12:30	41.17	59.07
2023-07-21 12:45	44.15	65.48
2023-07-21 13:00	40.42	45.11
2023-07-21 13:15	41.38	66.73
2023-07-21 13:30	40.95	82.23
2023-07-21 13:45	42.68	56.57
2023-07-21 14:00	39.86	52.73
2023-07-21 14:15	41.98	77.21
2023-07-21 14:30	41.37	68.48
2023-07-21 14:45	41.94	142.51
2023-07-21 15:00	41.61	NA
2023-07-21 15:15	43.57	NA
2023-07-21 15:30	41.52	NA
2023-07-21 15:45	39.5	180.97
2023-07-21 16:00	40.21	176.14
2023-07-21 16:15	39.52	173.45
2023-07-21 16:30	39.01	158.88
2023-07-21 16:45	42.02	154.57
2023-07-21 17:00	42.97	179.82
2023-07-21 17:15	41.62	162.43
2023-07-21 17:30	39.29	139.83
2023-07-21 17:45	39.19	124.34
2023-07-21 18:00	40.38	129.39
2023-07-21 18:15	43.75	145.8
2023-07-21 18:30	37.05	129.11
2023-07-21 18:45	41	116.15
2023-07-21 19:00	41.43	101.64
2023-07-21 19:15	40.59	179.21
2023-07-21 19:30	38.43	159.59
2023-07-21 19:45	40.12	117.67
2023-07-21 20:00	37.88	118.32
2023-07-21 20:15	37.31	132.44
2023-07-21 20:30	38.33	125.44
2023-07-21 20:45	37.9	128.05

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-21 21:00	39.27	149.65
2023-07-21 21:15	37.04	178.56
2023-07-21 21:30	39.5	140.16
2023-07-21 21:45	37.32	114.25
2023-07-21 22:00	37.4	108.82
2023-07-21 22:15	38.32	124.38
2023-07-21 22:30	39.08	118.64
2023-07-21 22:45	38.55	99.42
2023-07-21 23:00	36.55	107.21
2023-07-21 23:15	38.77	88.61
2023-07-21 23:30	38.13	124.02
2023-07-21 23:45	37.74	111.21
2023-07-22 00:00	37.08	91.27
2023-07-22 00:15	39.74	101.04
2023-07-22 00:30	43.22	101.15
2023-07-22 00:45	38.13	88.47
2023-07-22 01:00	42.35	121.06
2023-07-22 01:15	39.79	99.45
2023-07-22 01:30	43.9	82.49
2023-07-22 01:45	37.35	76.55
2023-07-22 02:00	44.11	98.96
2023-07-22 02:15	46.46	139.61
2023-07-22 02:30	41.84	149.84
2023-07-22 02:45	40.99	149.88
2023-07-22 03:00	41.62	157.5
2023-07-22 03:15	39.95	124.95
2023-07-22 03:30	38.22	84.93
2023-07-22 03:45	41.39	116.59
2023-07-22 04:00	42.15	167.61
2023-07-22 04:15	41.48	153.7
2023-07-22 04:30	40.99	121.23
2023-07-22 04:45	42.5	119.77
2023-07-22 05:00	43.24	78.09
2023-07-22 05:15	41.2	79.97
2023-07-22 05:30	42.81	76.45
2023-07-22 05:45	43.64	75.97
2023-07-22 06:00	44.97	114.4
2023-07-22 06:15	46.77	159.11
2023-07-22 06:30	48.39	142.94
2023-07-22 06:45	48.8	125.67
2023-07-22 07:00	48.34	131.85
2023-07-22 07:15	46.26	117.76

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-22 07:30	47.78	115.63
2023-07-22 07:45	51.23	107.04
2023-07-22 08:00	43.23	102.33
2023-07-22 08:15	44.87	102.35
2023-07-22 08:30	45.52	104.58
2023-07-22 08:45	44.27	109.99
2023-07-22 09:00	42.71	120.24
2023-07-22 09:15	44.52	116.28
2023-07-22 09:30	43.18	88.51
2023-07-22 09:45	42.79	85.4
2023-07-22 10:00	44.61	70.28
2023-07-22 10:15	45.51	59.8
2023-07-22 10:30	47.66	61.66
2023-07-22 10:45	45.23	66.36
2023-07-22 11:00	48.98	54.35
2023-07-22 11:15	48.77	54.73
2023-07-22 11:30	48.96	59.29
2023-07-22 11:45	49.06	57.36
2023-07-22 12:00	53.9	69.21
2023-07-22 12:15	50.06	69.79
2023-07-22 12:30	37.96	47.3
2023-07-22 12:45	43.31	35.22
2023-07-22 13:00	46.18	33.24
2023-07-22 13:15	49.15	49.54
2023-07-22 13:30	41.94	61.72
2023-07-22 13:45	47.19	78.51
2023-07-22 14:00	49.07	103.4
2023-07-22 14:15	46.69	71.34
2023-07-22 14:30	45.66	66.6
2023-07-22 14:45	46.6	64.2
2023-07-22 15:00	47.97	107.91
2023-07-22 15:15	45.42	81.15
2023-07-22 15:30	45.07	79.77
2023-07-22 15:45	46.9	91.74
2023-07-22 16:00	48.51	98.25
2023-07-22 16:15	44.83	75.31
2023-07-22 16:30	44.41	77.12
2023-07-22 16:45	45.42	86.4
2023-07-22 17:00	48.22	135.74
2023-07-22 17:15	48.62	136.97
2023-07-22 17:30	44.66	130.64
2023-07-22 17:45	48.8	117.41

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-22 18:00	47.51	88.04
2023-07-22 18:15	47.12	96.22
2023-07-22 18:30	45.27	112.1
2023-07-22 18:45	48.7	104.69
2023-07-22 19:00	49.3	79.5
2023-07-22 19:15	47.57	85.88
2023-07-22 19:30	48.46	99.44
2023-07-22 19:45	48.31	88.32
2023-07-22 20:00	51.36	90.86
2023-07-22 20:15	45.67	103.42
2023-07-22 20:30	48.95	118.98
2023-07-22 20:45	51.51	105.39
2023-07-22 21:00	48.57	80.42
2023-07-22 21:15	46.88	81.3
2023-07-22 21:30	48.08	84.72
2023-07-22 21:45	47.13	88.35
2023-07-22 22:00	46.72	89.56
2023-07-22 22:15	46.75	107.66
2023-07-22 22:30	47.26	119.93
2023-07-22 22:45	46.99	131.56
2023-07-22 23:00	46.5	84.97
2023-07-22 23:15	48.35	82.25
2023-07-22 23:30	47.73	85.57
2023-07-22 23:45	46.16	84.03
2023-07-23 00:00	47.03	91.97
2023-07-23 00:15	48.16	98.07
2023-07-23 00:30	47.95	110.69
2023-07-23 00:45	45.64	92.89
2023-07-23 01:00	49.08	77.23
2023-07-23 01:15	48.91	71.64
2023-07-23 01:30	48.54	71.26
2023-07-23 01:45	47.45	74.47
2023-07-23 02:00	49.98	142.21
2023-07-23 02:15	47.98	49.27
2023-07-23 02:30	46.94	0
2023-07-23 02:45	49.5	0
2023-07-23 03:00	50.15	0
2023-07-23 03:15	52.46	0
2023-07-23 03:30	46.65	0
2023-07-23 03:45	48.36	0
2023-07-23 04:00	51.06	0
2023-07-23 04:15	46.91	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-23 04:30	47.05	0
2023-07-23 04:45	47.78	0
2023-07-23 05:00	47.32	0
2023-07-23 05:15	46.98	0
2023-07-23 05:30	48.47	0
2023-07-23 05:45	47.75	0
2023-07-23 06:00	47.28	0
2023-07-23 06:15	47.76	0
2023-07-23 06:30	48.71	0
2023-07-23 06:45	48.19	0
2023-07-23 07:00	48.81	0
2023-07-23 07:15	52.17	0
2023-07-23 07:30	53.21	0
2023-07-23 07:45	53.25	0
2023-07-23 08:00	52.13	0
2023-07-23 08:15	55.18	0
2023-07-23 08:30	55.25	0
2023-07-23 08:45	53.22	0
2023-07-23 09:00	54.32	0
2023-07-23 09:15	55.35	0
2023-07-23 09:30	57.79	0
2023-07-23 09:45	51.15	0
2023-07-23 10:00	56.24	0
2023-07-23 10:15	59.79	0
2023-07-23 10:30	60.17	0
2023-07-23 10:45	59.33	0
2023-07-23 11:00	60.26	0
2023-07-23 11:15	60.41	0
2023-07-23 11:30	60.61	0
2023-07-23 11:45	61.91	0
2023-07-23 12:00	61.48	0
2023-07-23 12:15	61.02	0
2023-07-23 12:30	59.87	0
2023-07-23 12:45	60.59	0
2023-07-23 13:00	60.14	0
2023-07-23 13:15	59.14	0
2023-07-23 13:30	58.98	0
2023-07-23 13:45	59.76	0
2023-07-23 14:00	59.57	0
2023-07-23 14:15	57.74	0
2023-07-23 14:30	58.91	0
2023-07-23 14:45	50.23	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-23 15:00	48.62	0
2023-07-23 15:15	47.09	0
2023-07-23 15:30	48.2	0
2023-07-23 15:45	53.71	0
2023-07-23 16:00	52.45	0
2023-07-23 16:15	48.77	0
2023-07-23 16:30	50.89	0
2023-07-23 16:45	53.27	0
2023-07-23 17:00	51.57	0
2023-07-23 17:15	53.51	0
2023-07-23 17:30	53.91	0
2023-07-23 17:45	53.48	0
2023-07-23 18:00	51.08	0
2023-07-23 18:15	53.51	0
2023-07-23 18:30	52.62	0
2023-07-23 18:45	51.13	0
2023-07-23 19:00	51.16	0
2023-07-23 19:15	52.1	0
2023-07-23 19:30	54.34	0
2023-07-23 19:45	49.4	0
2023-07-23 20:00	52.41	0
2023-07-23 20:15	51.87	0
2023-07-23 20:30	52.59	0
2023-07-23 20:45	49.89	0
2023-07-23 21:00	50.33	0
2023-07-23 21:15	49.07	0
2023-07-23 21:30	48.98	0
2023-07-23 21:45	49.07	0
2023-07-23 22:00	49.39	0
2023-07-23 22:15	49.49	0
2023-07-23 22:30	48.07	0
2023-07-23 22:45	49.32	0
2023-07-23 23:00	48.55	0
2023-07-23 23:15	47.75	0
2023-07-23 23:30	47.85	0
2023-07-23 23:45	49.15	0
2023-07-24 00:00	50.09	0
2023-07-24 00:15	47.88	0
2023-07-24 00:30	48.86	0
2023-07-24 00:45	48.78	0
2023-07-24 01:00	50.02	0
2023-07-24 01:15	47.26	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-24 01:30	49.08	0
2023-07-24 01:45	50.29	0
2023-07-24 02:00	46.85	0
2023-07-24 02:15	50.5	0
2023-07-24 02:30	49.57	0
2023-07-24 02:45	50.49	0
2023-07-24 03:00	47.45	0
2023-07-24 03:15	48.97	0
2023-07-24 03:30	50.18	0
2023-07-24 03:45	48.97	0
2023-07-24 04:00	48.24	0
2023-07-24 04:15	50.31	0
2023-07-24 04:30	49.75	0
2023-07-24 04:45	49.17	0
2023-07-24 05:00	51.63	0
2023-07-24 05:15	49.65	0
2023-07-24 05:30	49.66	0
2023-07-24 05:45	49.05	0
2023-07-24 06:00	50.32	0
2023-07-24 06:15	51	0
2023-07-24 06:30	49.96	0
2023-07-24 06:45	53.67	0
2023-07-24 07:00	52.98	0
2023-07-24 07:15	53.46	0
2023-07-24 07:30	51.04	0
2023-07-24 07:45	55.63	0
2023-07-24 08:00	55.5	0
2023-07-24 08:15	51.15	0
2023-07-24 08:30	52.29	0
2023-07-24 08:45	54.87	0
2023-07-24 09:00	55.2	0
2023-07-24 09:15	50.84	0
2023-07-24 09:30	51.92	0
2023-07-24 09:45	53.81	0
2023-07-24 10:00	55.24	0
2023-07-24 10:15	50.99	0
2023-07-24 10:30	55.06	0
2023-07-24 10:45	53.33	0
2023-07-24 11:00	51.3	0
2023-07-24 11:15	53.84	0
2023-07-24 11:30	55.22	0
2023-07-24 11:45	53.52	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-24 12:00	52.44	0
2023-07-24 12:15	55.4	0
2023-07-24 12:30	54.28	0
2023-07-24 12:45	52.86	27.15
2023-07-24 13:00	56.45	25.45
2023-07-24 13:15	58.5	24.88
2023-07-24 13:30	56.23	31.12
2023-07-24 13:45	54.75	46.23
2023-07-24 14:00	57.58	60.56
2023-07-24 14:15	57.18	32.59
2023-07-24 14:30	55.25	44.45
2023-07-24 14:45	57.11	NA
2023-07-24 15:00	59.55	191.12
2023-07-24 15:15	58.7	151.92
2023-07-24 15:30	54.47	98.41
2023-07-24 15:45	53.92	46.25
2023-07-24 16:00	54.45	68.12
2023-07-24 16:15	54.87	29.54
2023-07-24 16:30	51.72	21.9
2023-07-24 16:45	53.25	19.99
2023-07-24 17:00	51.85	18.23
2023-07-24 17:15	51.26	20.63
2023-07-24 17:30	51.49	19.45
2023-07-24 17:45	52.65	20.2
2023-07-24 18:00	53.27	32.89
2023-07-24 18:15	52.8	61.09
2023-07-24 18:30	53.36	29.05
2023-07-24 18:45	53.77	28.27
2023-07-24 19:00	55.14	31.12
2023-07-24 19:15	54.79	34.01
2023-07-24 19:30	56.73	43.82
2023-07-24 19:45	57.1	60.66
2023-07-24 20:00	55.63	32.36
2023-07-24 20:15	57.05	20.48
2023-07-24 20:30	57.62	22.92
2023-07-24 20:45	59.05	22.91
2023-07-24 21:00	55.36	24.21
2023-07-24 21:15	58.06	31.06
2023-07-24 21:30	58.25	46.03
2023-07-24 21:45	58.5	56.72
2023-07-24 22:00	55.48	44.31
2023-07-24 22:15	56.56	29.35

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-24 22:30	59.88	22.58
2023-07-24 22:45	54.52	22.09
2023-07-24 23:00	55.3	27.23
2023-07-24 23:15	55.82	32.81
2023-07-24 23:30	55.38	46.23
2023-07-24 23:45	53.92	56.16
2023-07-25 00:00	56.14	22.93
2023-07-25 00:15	55.26	19.57
2023-07-25 00:30	54.57	23.24
2023-07-25 00:45	54.77	23.72
2023-07-25 01:00	55.28	25.7
2023-07-25 01:15	54.89	31.66
2023-07-25 01:30	53.79	48.7
2023-07-25 01:45	55.2	55.78
2023-07-25 02:00	54.42	43.61
2023-07-25 02:15	55.02	48.79
2023-07-25 02:30	55.99	49.53
2023-07-25 02:45	56.5	20.93
2023-07-25 03:00	58.93	27.43
2023-07-25 03:15	55.53	20.43
2023-07-25 03:30	56.76	22.59
2023-07-25 03:45	61.63	34.22
2023-07-25 04:00	59.18	25.83
2023-07-25 04:15	55.37	38.97
2023-07-25 04:30	57.56	59.72
2023-07-25 04:45	59.58	56.59
2023-07-25 05:00	56.26	23.8
2023-07-25 05:15	55.85	23.78
2023-07-25 05:30	56.5	24.82
2023-07-25 05:45	55.16	24.63
2023-07-25 06:00	53.79	30.28
2023-07-25 06:15	54.68	41.88
2023-07-25 06:30	54.34	57.41
2023-07-25 06:45	53.95	50.36
2023-07-25 07:00	54.51	22.03
2023-07-25 07:15	55.78	68.66
2023-07-25 07:30	58.92	42.61
2023-07-25 07:45	54.01	47.35
2023-07-25 08:00	56.7	31.67
2023-07-25 08:15	56.25	32.51
2023-07-25 08:30	56.26	27.68
2023-07-25 08:45	54.81	30.16

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-25 09:00	56.46	34.87
2023-07-25 09:15	55.99	47.08
2023-07-25 09:30	57.35	59.84
2023-07-25 09:45	56.38	52.65
2023-07-25 10:00	58.29	28.03
2023-07-25 10:15	61.05	25.64
2023-07-25 10:30	56.45	23.88
2023-07-25 10:45	60	23.82
2023-07-25 11:00	60.82	30.33
2023-07-25 11:15	61.41	41.21
2023-07-25 11:30	58.51	67.44
2023-07-25 11:45	58.94	46.45
2023-07-25 12:00	58.39	26.03
2023-07-25 12:15	61.69	26.69
2023-07-25 12:30	60.05	27.86
2023-07-25 12:45	60.53	32.9
2023-07-25 13:00	61.18	37.18
2023-07-25 13:15	60.34	50.12
2023-07-25 13:30	62.34	56.21
2023-07-25 13:45	61.75	26.49
2023-07-25 14:00	62.8	18.67
2023-07-25 14:15	62.8	23.65
2023-07-25 14:30	70.16	124.09
2023-07-25 14:45	66.5	85.06
2023-07-25 15:00	64.63	37.71
2023-07-25 15:15	62.2	50.09
2023-07-25 15:30	62.05	63.53
2023-07-25 15:45	61.98	41.36
2023-07-25 16:00	62.23	29.27
2023-07-25 16:15	65.4	33.46
2023-07-25 16:30	67.09	34.23
2023-07-25 16:45	68.55	36.42
2023-07-25 17:00	72.48	43.01
2023-07-25 17:15	71.81	59.89
2023-07-25 17:30	71.87	64.42
2023-07-25 17:45	64.9	32.84
2023-07-25 18:00	67.1	25.27
2023-07-25 18:15	64.86	26.4
2023-07-25 18:30	62.27	26.73
2023-07-25 18:45	64.11	30.28
2023-07-25 19:00	62.9	37.01
2023-07-25 19:15	62.1	55.18

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-25 19:30	61	59.61
2023-07-25 19:45	63.65	27.51
2023-07-25 20:00	63.02	24.43
2023-07-25 20:15	62.81	26.08
2023-07-25 20:30	64.75	24.99
2023-07-25 20:45	65.28	27.87
2023-07-25 21:00	64.55	37.51
2023-07-25 21:15	61.39	53.77
2023-07-25 21:30	65.1	58.15
2023-07-25 21:45	65.83	29.55
2023-07-25 22:00	65.46	23.21
2023-07-25 22:15	65.23	21.87
2023-07-25 22:30	67.64	36.34
2023-07-25 22:45	67.77	28.96
2023-07-25 23:00	60.54	41.05
2023-07-25 23:15	63.61	51.12
2023-07-25 23:30	64.41	53.98
2023-07-25 23:45	67.22	31.26
2023-07-26 00:00	60.38	23.7
2023-07-26 00:15	61.88	24.43
2023-07-26 00:30	60.42	25.32
2023-07-26 00:45	66.27	26.97
2023-07-26 01:00	64.95	37.19
2023-07-26 01:15	66.68	48.05
2023-07-26 01:30	64.81	54.95
2023-07-26 01:45	62.46	42.19
2023-07-26 02:00	64.63	24.16
2023-07-26 02:15	64.55	39.96
2023-07-26 02:30	61.95	24.99
2023-07-26 02:45	60.4	40.03
2023-07-26 03:00	62.9	61.08
2023-07-26 03:15	61.78	56.38
2023-07-26 03:30	60.1	28.49
2023-07-26 03:45	62.54	24.61
2023-07-26 04:00	60.89	24.95
2023-07-26 04:15	62.04	24.94
2023-07-26 04:30	60.07	26.94
2023-07-26 04:45	62.2	31.01
2023-07-26 05:00	63.57	57.26
2023-07-26 05:15	61.69	56.47
2023-07-26 05:30	61.15	25.78
2023-07-26 05:45	66.67	90.37

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-26 06:00	76.36	187.12
2023-07-26 06:15	67	174.21
2023-07-26 06:30	69.27	129.7
2023-07-26 06:45	69.47	98.38
2023-07-26 07:00	68.64	83.44
2023-07-26 07:15	67.77	61.3
2023-07-26 07:30	69.01	46.25
2023-07-26 07:45	68.13	38.3
2023-07-26 08:00	67.59	37.21
2023-07-26 08:15	68.76	37.26
2023-07-26 08:30	69.45	36.88
2023-07-26 08:45	70.06	43.34
2023-07-26 09:00	68.53	69.46
2023-07-26 09:15	70.16	62.29
2023-07-26 09:30	70.88	45.92
2023-07-26 09:45	71.29	48.67
2023-07-26 10:00	79.85	80.34
2023-07-26 10:15	88.41	117.44
2023-07-26 10:30	89.76	155.97
2023-07-26 10:45	88.03	178.26
2023-07-26 11:00	94.07	152.92
2023-07-26 11:15	94.7	155.33
2023-07-26 11:30	94.58	133.56
2023-07-26 11:45	92.66	110.76
2023-07-26 12:00	97.7	90.69
2023-07-26 12:15	99.28	71.45
2023-07-26 12:30	95.18	63.48
2023-07-26 12:45	96.83	83.6
2023-07-26 13:00	99.8	64.79
2023-07-26 13:15	103.33	65.17
2023-07-26 13:30	102.33	61.17
2023-07-26 13:45	104.39	55.88
2023-07-26 14:00	102.47	57.38
2023-07-26 14:15	102.51	65.14
2023-07-26 14:30	102.5	82.37
2023-07-26 14:45	105.87	81.81
2023-07-26 15:00	106.1	44.86
2023-07-26 15:15	104.75	42.51
2023-07-26 15:30	107.31	45.17
2023-07-26 15:45	106.45	47
2023-07-26 16:00	108.39	52.67
2023-07-26 16:15	106.88	61.66

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-26 16:30	109.37	80.59
2023-07-26 16:45	109.78	74.97
2023-07-26 17:00	108.48	41
2023-07-26 17:15	112.82	40.95
2023-07-26 17:30	112.6	42.8
2023-07-26 17:45	114.52	45.08
2023-07-26 18:00	109.43	49.47
2023-07-26 18:15	114.08	58.77
2023-07-26 18:30	116.96	79.75
2023-07-26 18:45	118.27	54.75
2023-07-26 19:00	110.88	42.23
2023-07-26 19:15	114.31	47.95
2023-07-26 19:30	114.56	59.39
2023-07-26 19:45	104.78	50.87
2023-07-26 20:00	107.15	60.01
2023-07-26 20:15	106.68	78.99
2023-07-26 20:30	110.48	64.61
2023-07-26 20:45	104.2	37.64
2023-07-26 21:00	104.9	38.13
2023-07-26 21:15	102.4	42.33
2023-07-26 21:30	98.27	43.33
2023-07-26 21:45	99	43.67
2023-07-26 22:00	98.54	45.15
2023-07-26 22:15	98.8	60.95
2023-07-26 22:30	98.05	35.5
2023-07-26 22:45	97.37	31.2
2023-07-26 23:00	94.8	31.79
2023-07-26 23:15	94.07	34.05
2023-07-26 23:30	94.41	34.27
2023-07-26 23:45	96.37	36.63
2023-07-27 00:00	98.24	57.68
2023-07-27 00:15	94.11	66.35
2023-07-27 00:30	97.49	30.33
2023-07-27 00:45	98.69	35.09
2023-07-27 01:00	98.89	34.63
2023-07-27 01:15	95.52	38.58
2023-07-27 01:30	100.04	41.42
2023-07-27 01:45	103.75	50.77
2023-07-27 02:00	98.23	52.51
2023-07-27 02:15	100.73	67.34
2023-07-27 02:30	101.57	72.77
2023-07-27 02:45	105.45	47.46

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-27 03:00	98.95	41.63
2023-07-27 03:15	101.59	41.79
2023-07-27 03:30	101.87	43.75
2023-07-27 03:45	102.09	47.04
2023-07-27 04:00	100.32	67.12
2023-07-27 04:15	100.53	68.41
2023-07-27 04:30	98.62	32.97
2023-07-27 04:45	100.84	99.96
2023-07-27 05:00	102.99	108.46
2023-07-27 05:15	101.53	73.71
2023-07-27 05:30	100.81	62.45
2023-07-27 05:45	100.04	75.6
2023-07-27 06:00	103.02	84.84
2023-07-27 06:15	101.48	87.93
2023-07-27 06:30	101.42	57.53
2023-07-27 06:45	101.07	49.73
2023-07-27 07:00	101.94	51
2023-07-27 07:15	102.72	53.13
2023-07-27 07:30	99.25	48.27
2023-07-27 07:45	101.25	53.52
2023-07-27 08:00	102.28	56.64
2023-07-27 08:15	103.94	66.13
2023-07-27 08:30	104.62	71.08
2023-07-27 08:45	111.63	44.02
2023-07-27 09:00	115.3	44.91
2023-07-27 09:15	116.5	45.88
2023-07-27 09:30	113.69	49.85
2023-07-27 09:45	119.19	40.27
2023-07-27 10:00	120.71	57.41
2023-07-27 10:15	114.99	40.77
2023-07-27 10:30	119.3	38.17
2023-07-27 10:45	116.31	41.84
2023-07-27 11:00	115.86	53.47
2023-07-27 11:15	114.32	59.32
2023-07-27 11:30	116.68	64.69
2023-07-27 11:45	116.32	75.84
2023-07-27 12:00	115.03	90.42
2023-07-27 12:15	121.73	45.28
2023-07-27 12:30	121.37	39.27
2023-07-27 12:45	119.18	42.12
2023-07-27 13:00	115.74	46.57
2023-07-27 13:15	118.66	46.07

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-27 13:30	121.18	53.82
2023-07-27 13:45	114.89	66.88
2023-07-27 14:00	123.73	81
2023-07-27 14:15	125.71	39.03
2023-07-27 14:30	130.43	34.59
2023-07-27 14:45	118.86	38.21
2023-07-27 15:00	120.95	42.87
2023-07-27 15:15	118.07	44.17
2023-07-27 15:30	117.34	51.17
2023-07-27 15:45	117.9	66.98
2023-07-27 16:00	117.38	76.17
2023-07-27 16:15	117.69	36.13
2023-07-27 16:30	117.66	36.3
2023-07-27 16:45	119.55	37.79
2023-07-27 17:00	122.84	43.46
2023-07-27 17:15	118.76	45.06
2023-07-27 17:30	117.43	55.47
2023-07-27 17:45	124.2	74
2023-07-27 18:00	119.5	57.97
2023-07-27 18:15	115.61	36.27
2023-07-27 18:30	118.86	36.01
2023-07-27 18:45	117.8	38.42
2023-07-27 19:00	120.34	41.81
2023-07-27 19:15	116.86	48.85
2023-07-27 19:30	124.8	57.99
2023-07-27 19:45	125.03	65.65
2023-07-27 20:00	122.3	51.91
2023-07-27 20:15	121.99	34.72
2023-07-27 20:30	123.7	35.31
2023-07-27 20:45	132.77	40.97
2023-07-27 21:00	116.38	38.25
2023-07-27 21:15	124.13	40.05
2023-07-27 21:30	125.69	43.46
2023-07-27 21:45	126.02	61.65
2023-07-27 22:00	116.86	41.52
2023-07-27 22:15	118.39	27.15
2023-07-27 22:30	116.89	32.32
2023-07-27 22:45	116.22	39.94
2023-07-27 23:00	118.81	37.62
2023-07-27 23:15	114.6	41.74
2023-07-27 23:30	115.67	55.82
2023-07-27 23:45	115.8	76.28

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-28 00:00	120.08	35.81
2023-07-28 00:15	117.32	35.39
2023-07-28 00:30	116.8	32.7
2023-07-28 00:45	118.5	40.47
2023-07-28 01:00	119.89	44.93
2023-07-28 01:15	123.66	50.01
2023-07-28 01:30	119.25	52.18
2023-07-28 01:45	122.07	68.04
2023-07-28 02:00	120.29	71.34
2023-07-28 02:15	121.78	42.27
2023-07-28 02:30	118.14	36.59
2023-07-28 02:45	121.01	37.46
2023-07-28 03:00	129.08	42.45
2023-07-28 03:15	118.71	48.16
2023-07-28 03:30	119.71	60.05
2023-07-28 03:45	119.96	79.44
2023-07-28 04:00	130.54	75.24
2023-07-28 04:15	121.08	39.23
2023-07-28 04:30	127.4	29.53
2023-07-28 04:45	126.84	33.65
2023-07-28 05:00	119.64	41.73
2023-07-28 05:15	119.43	51.25
2023-07-28 05:30	117.37	64.41
2023-07-28 05:45	115.86	89.33
2023-07-28 06:00	114.43	43.55
2023-07-28 06:15	119.3	32.75
2023-07-28 06:30	118.97	32.63
2023-07-28 06:45	119.43	44.04
2023-07-28 07:00	115.51	52.46
2023-07-28 07:15	118.92	63.8
2023-07-28 07:30	117.17	76.99
2023-07-28 07:45	114.29	86.82
2023-07-28 08:00	120.08	43.09
2023-07-28 08:15	118.39	36.28
2023-07-28 08:30	118.87	41.37
2023-07-28 08:45	115.05	44.99
2023-07-28 09:00	121.27	46.11
2023-07-28 09:15	121.59	56.85
2023-07-28 09:30	116.99	75.39
2023-07-28 09:45	117.89	91.11
2023-07-28 10:00	117.96	36.28
2023-07-28 10:15	120.01	36.63

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-28 10:30	108.1	39.36
2023-07-28 10:45	109.07	46.43
2023-07-28 11:00	107.99	52.9
2023-07-28 11:15	107.04	63.55
2023-07-28 11:30	113.01	84.58
2023-07-28 11:45	120.3	83.8
2023-07-28 12:00	120.37	40.74
2023-07-28 12:15	120.43	84.71
2023-07-28 12:30	122.1	48.83
2023-07-28 12:45	123.33	49.57
2023-07-28 13:00	126.24	46.59
2023-07-28 13:15	121.7	55.75
2023-07-28 13:30	129.14	76.53
2023-07-28 13:45	128.14	76.2
2023-07-28 14:00	126.9	34.35
2023-07-28 14:15	130.34	40.77
2023-07-28 14:30	133.71	51.25
2023-07-28 14:45	133.58	59.55
2023-07-28 15:00	130.41	56.74
2023-07-28 15:15	137.88	58.11
2023-07-28 15:30	127.73	87.01
2023-07-28 15:45	46.45	85.53
2023-07-28 16:00	40.94	39.81
2023-07-28 16:15	43.24	36.61
2023-07-28 16:30	48.76	35.23
2023-07-28 16:45	43.62	39.18
2023-07-28 17:00	44.83	42.87
2023-07-28 17:15	44.01	54.06
2023-07-28 17:30	44.68	72.28
2023-07-28 17:45	43.39	67.99
2023-07-28 18:00	44.61	32.05
2023-07-28 18:15	41.88	31.95
2023-07-28 18:30	40.12	34.53
2023-07-28 18:45	39.71	38.94
2023-07-28 19:00	40.49	38.1
2023-07-28 19:15	39.14	43.36
2023-07-28 19:30	37.51	57.31
2023-07-28 19:45	39.99	52.26
2023-07-28 20:00	39.69	46.34
2023-07-28 20:15	38.93	56.13
2023-07-28 20:30	37.13	77.19
2023-07-28 20:45	39.67	47.09

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-28 21:00	40.37	48.38
2023-07-28 21:15	39.05	36.19
2023-07-28 21:30	39.83	47.66
2023-07-28 21:45	40.22	37.4
2023-07-28 22:00	43.17	48.13
2023-07-28 22:15	37.41	59
2023-07-28 22:30	41.28	34.97
2023-07-28 22:45	40.81	40.13
2023-07-28 23:00	40.38	52.2
2023-07-28 23:15	37.21	74.49
2023-07-28 23:30	39.44	71.38
2023-07-28 23:45	39.22	35.06
2023-07-29 00:00	37.95	34.13
2023-07-29 00:15	39.25	38.25
2023-07-29 00:30	38.71	38.81
2023-07-29 00:45	38.43	41.78
2023-07-29 01:00	37.65	51.06
2023-07-29 01:15	39.33	68.76
2023-07-29 01:30	39.53	69.81
2023-07-29 01:45	39.71	36.81
2023-07-29 02:00	39.95	51.62
2023-07-29 02:15	39.29	35
2023-07-29 02:30	39.77	34.14
2023-07-29 02:45	37.99	34.63
2023-07-29 03:00	41	49.52
2023-07-29 03:15	40.34	68.88
2023-07-29 03:30	40.38	71.56
2023-07-29 03:45	40.33	36.52
2023-07-29 04:00	40.07	54.25
2023-07-29 04:15	40.35	35.1
2023-07-29 04:30	38.01	35.29
2023-07-29 04:45	41.07	37.95
2023-07-29 05:00	42.42	51.64
2023-07-29 05:15	44.61	70.21
2023-07-29 05:30	38.09	71.82
2023-07-29 05:45	39.74	35.72
2023-07-29 06:00	39.46	34.58
2023-07-29 06:15	38.35	38.61
2023-07-29 06:30	37.31	39.26
2023-07-29 06:45	38.94	42.76
2023-07-29 07:00	38.91	54.82
2023-07-29 07:15	36.7	52.52

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-29 07:30	37.98	40.37
2023-07-29 07:45	37.3	45.26
2023-07-29 08:00	38.05	66.68
2023-07-29 08:15	37.52	75.94
2023-07-29 08:30	38.2	42.53
2023-07-29 08:45	37.14	35.82
2023-07-29 09:00	35.21	43.44
2023-07-29 09:15	36.96	71.84
2023-07-29 09:30	37.03	38.79
2023-07-29 09:45	38.44	35.4
2023-07-29 10:00	39.1	38.89
2023-07-29 10:15	42.17	47.23
2023-07-29 10:30	40.94	49.54
2023-07-29 10:45	38.22	52.55
2023-07-29 11:00	38.9	74.02
2023-07-29 11:15	39.16	63.35
2023-07-29 11:30	44.97	40.58
2023-07-29 11:45	40.13	41.4
2023-07-29 12:00	42.39	44.23
2023-07-29 12:15	42.73	44.52
2023-07-29 12:30	43.6	48.2
2023-07-29 12:45	45.4	56.3
2023-07-29 13:00	47.38	79.6
2023-07-29 13:15	44.97	77.6
2023-07-29 13:30	43.41	43.34
2023-07-29 13:45	43.89	39.77
2023-07-29 14:00	43.95	42.54
2023-07-29 14:15	45.03	45.82
2023-07-29 14:30	42.83	47.95
2023-07-29 14:45	45.53	56.05
2023-07-29 15:00	44.63	79.26
2023-07-29 15:15	42.33	73.28
2023-07-29 15:30	41.83	39.7
2023-07-29 15:45	42.9	37.74
2023-07-29 16:00	41.55	42.09
2023-07-29 16:15	38.47	42.83
2023-07-29 16:30	40.11	45.08
2023-07-29 16:45	40.6	52.95
2023-07-29 17:00	39.28	54.38
2023-07-29 17:15	38.73	59.65
2023-07-29 17:30	40.48	65.99
2023-07-29 17:45	41.01	60.23

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-29 18:00	37.66	39.73
2023-07-29 18:15	38.38	40.36
2023-07-29 18:30	37.31	44.68
2023-07-29 18:45	40.12	52.32
2023-07-29 19:00	35.51	70.51
2023-07-29 19:15	37.7	69.58
2023-07-29 19:30	36.77	38
2023-07-29 19:45	37.5	36.59
2023-07-29 20:00	37.29	39.67
2023-07-29 20:15	37.69	40.1
2023-07-29 20:30	37.85	44.94
2023-07-29 20:45	38.17	55.52
2023-07-29 21:00	40.43	74.72
2023-07-29 21:15	39.38	69.53
2023-07-29 21:30	39.44	39.94
2023-07-29 21:45	38.36	37.15
2023-07-29 22:00	41.59	40.56
2023-07-29 22:15	40.13	40.85
2023-07-29 22:30	38.65	39.77
2023-07-29 22:45	41.02	47.24
2023-07-29 23:00	43.16	68.09
2023-07-29 23:15	43.55	62.31
2023-07-29 23:30	40.26	39.08
2023-07-29 23:45	44.11	37.35
2023-07-30 00:00	45.69	40
2023-07-30 00:15	45.64	39.48
2023-07-30 00:30	42.46	44.07
2023-07-30 00:45	43.29	56.39
2023-07-30 01:00	40.99	60.43
2023-07-30 01:15	40.47	34.43
2023-07-30 01:30	41.2	35.3
2023-07-30 01:45	41.21	36.56
2023-07-30 02:00	41.53	38.36
2023-07-30 02:15	40.1	40.73
2023-07-30 02:30	41.12	43.88
2023-07-30 02:45	40.92	52.52
2023-07-30 03:00	42.1	57.9
2023-07-30 03:15	46.82	36.05
2023-07-30 03:30	44.83	36.54
2023-07-30 03:45	42.85	39.67
2023-07-30 04:00	40.56	37.64
2023-07-30 04:15	42.7	39.07

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-30 04:30	41.07	46.14
2023-07-30 04:45	40.51	60.69
2023-07-30 05:00	40.14	58.59
2023-07-30 05:15	42.58	38.03
2023-07-30 05:30	45.97	39.1
2023-07-30 05:45	39.47	43.42
2023-07-30 06:00	41.13	46.49
2023-07-30 06:15	42.04	50.63
2023-07-30 06:30	42.52	58.94
2023-07-30 06:45	39.84	77.38
2023-07-30 07:00	39.53	53.94
2023-07-30 07:15	39.28	37.25
2023-07-30 07:30	37.87	38.58
2023-07-30 07:45	38.07	43.28
2023-07-30 08:00	37.7	45.95
2023-07-30 08:15	37.57	50.16
2023-07-30 08:30	37.21	60.58
2023-07-30 08:45	38.29	79.17
2023-07-30 09:00	39.22	75.83
2023-07-30 09:15	39.04	54.16
2023-07-30 09:30	38.55	49.63
2023-07-30 09:45	40.06	41.93
2023-07-30 10:00	42.8	43.91
2023-07-30 10:15	39.59	41.03
2023-07-30 10:30	42.11	50.53
2023-07-30 10:45	43.36	66.43
2023-07-30 11:00	43.89	78.12
2023-07-30 11:15	44.01	55.79
2023-07-30 11:30	46.64	52.92
2023-07-30 11:45	47.86	41.79
2023-07-30 12:00	44.84	43.7
2023-07-30 12:15	45.54	47.36
2023-07-30 12:30	45.26	49.76
2023-07-30 12:45	51.4	70.03
2023-07-30 13:00	44.49	78.53
2023-07-30 13:15	46.36	53.58
2023-07-30 13:30	45.62	44.2
2023-07-30 13:45	45.78	40.67
2023-07-30 14:00	44.7	42.38
2023-07-30 14:15	46.09	44.67
2023-07-30 14:30	44.23	56.49
2023-07-30 14:45	43.99	65.8

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-30 15:00	45.2	73.82
2023-07-30 15:15	44.92	50.15
2023-07-30 15:30	45.27	43.45
2023-07-30 15:45	44.68	40.99
2023-07-30 16:00	45.7	40.15
2023-07-30 16:15	43.99	41.25
2023-07-30 16:30	40.58	46.66
2023-07-30 16:45	42.74	47.33
2023-07-30 17:00	44.22	69.15
2023-07-30 17:15	44.87	48.46
2023-07-30 17:30	42.05	42.06
2023-07-30 17:45	45.56	40.16
2023-07-30 18:00	45.79	40.94
2023-07-30 18:15	45.7	44.37
2023-07-30 18:30	44.46	53.74
2023-07-30 18:45	46.56	60.84
2023-07-30 19:00	51.1	71.27
2023-07-30 19:15	42.96	47.67
2023-07-30 19:30	44.31	39.19
2023-07-30 19:45	45.63	39.56
2023-07-30 20:00	45.93	42.66
2023-07-30 20:15	46.04	44.26
2023-07-30 20:30	48.31	56.32
2023-07-30 20:45	46.53	65.35
2023-07-30 21:00	45.95	69.37
2023-07-30 21:15	45.7	51.78
2023-07-30 21:30	47.35	36.95
2023-07-30 21:45	46.85	39.19
2023-07-30 22:00	45.97	41.75
2023-07-30 22:15	47.43	46.11
2023-07-30 22:30	46.2	56.69
2023-07-30 22:45	45.8	63.14
2023-07-30 23:00	44.56	70.57
2023-07-30 23:15	48.04	52.73
2023-07-30 23:30	48.21	36.81
2023-07-30 23:45	44.01	37.46
2023-07-31 00:00	49.02	41.18
2023-07-31 00:15	47.49	44.7
2023-07-31 00:30	50.28	55.52
2023-07-31 00:45	44.17	60.91
2023-07-31 01:00	48.28	63.75
2023-07-31 01:15	51.65	54.89

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-31 01:30	45.86	38.14
2023-07-31 01:45	43.83	38.54
2023-07-31 02:00	46.81	38.23
2023-07-31 02:15	52.4	39.97
2023-07-31 02:30	43.22	45.8
2023-07-31 02:45	45.58	49.4
2023-07-31 03:00	43.02	67.95
2023-07-31 03:15	42.26	54.64
2023-07-31 03:30	42.45	39.72
2023-07-31 03:45	45.01	38.9
2023-07-31 04:00	43.8	37.38
2023-07-31 04:15	42.37	40.32
2023-07-31 04:30	43.34	44.74
2023-07-31 04:45	43.58	49.14
2023-07-31 05:00	44.19	66.55
2023-07-31 05:15	42.17	58.71
2023-07-31 05:30	44.55	39.76
2023-07-31 05:45	44.59	39.34
2023-07-31 06:00	44.66	41.55
2023-07-31 06:15	45.84	46.67
2023-07-31 06:30	46.77	57.5
2023-07-31 06:45	47.37	65.93
2023-07-31 07:00	40.88	67.81
2023-07-31 07:15	44.47	58.84
2023-07-31 07:30	46.75	37.86
2023-07-31 07:45	46.39	39.92
2023-07-31 08:00	41.68	40.66
2023-07-31 08:15	43.4	42.58
2023-07-31 08:30	46.03	51.56
2023-07-31 08:45	39.78	58.49
2023-07-31 09:00	41.13	62.79
2023-07-31 09:15	42.57	58.76
2023-07-31 09:30	45.01	39.32
2023-07-31 09:45	42.41	42.14
2023-07-31 10:00	43.54	41.93
2023-07-31 10:15	44.94	43.61
2023-07-31 10:30	45.35	50.95
2023-07-31 10:45	46.28	59.34
2023-07-31 11:00	47.46	68.51
2023-07-31 11:15	48.42	68.87
2023-07-31 11:30	45.22	44.23
2023-07-31 11:45	48.44	43.8

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-31 12:00	47.05	47.99
2023-07-31 12:15	50.06	57.86
2023-07-31 12:30	48.04	64.88
2023-07-31 12:45	51.71	76.13
2023-07-31 13:00	52.87	71.19
2023-07-31 13:15	48.79	70.81
2023-07-31 13:30	51.51	46.64
2023-07-31 13:45	49.74	88.09
2023-07-31 14:00	49.47	47.37
2023-07-31 14:15	44.79	51.17
2023-07-31 14:30	49.22	51.91
2023-07-31 14:45	49.04	53.03
2023-07-31 15:00	45.97	66.46
2023-07-31 15:15	42.94	63.38
2023-07-31 15:30	44.88	43.01
2023-07-31 15:45	44.84	41.7
2023-07-31 16:00	41.09	44.9
2023-07-31 16:15	42.82	58.37
2023-07-31 16:30	42.42	63.79
2023-07-31 16:45	40.77	60.87
2023-07-31 17:00	39.11	49.13
2023-07-31 17:15	41.8	40.41
2023-07-31 17:30	39.66	43.42
2023-07-31 17:45	38.08	41
2023-07-31 18:00	39.44	49.73
2023-07-31 18:15	38.77	60.66
2023-07-31 18:30	40.01	66.78
2023-07-31 18:45	38.81	60.93
2023-07-31 19:00	41.68	52.22
2023-07-31 19:15	41.45	41.72
2023-07-31 19:30	40.53	41.86
2023-07-31 19:45	40.12	43.86
2023-07-31 20:00	42.91	51.07
2023-07-31 20:15	49.77	62.09
2023-07-31 20:30	37.9	61.2
2023-07-31 20:45	41.75	59.26
2023-07-31 21:00	41.58	45.68
2023-07-31 21:15	41.69	41.62
2023-07-31 21:30	38.31	44.25
2023-07-31 21:45	40.11	44.85
2023-07-31 22:00	40.06	52
2023-07-31 22:15	40.8	67.12

Time	RP_Stack-PM	Cooler_Stack-PM
2023-07-31 22:30	40.39	69.78
2023-07-31 22:45	40.68	57.87
2023-07-31 23:00	40.3	49
2023-07-31 23:15	39.48	40.51
2023-07-31 23:30	40.81	41.46
2023-07-31 23:45	NA	NA

Goa State Pollution Control Board

Industry Name	:	M/S Goa Carbon Limited
Address	:	ST.-JOSE-DE,AREAL-SALCETE
District	:	South Goa
Category	:	Petrochemicals
Parameters	:	RP_Stack-PM, Cooler_Stack-PM
Report Format	:	Tabular
Criteria	:	15min
Date	:	From 2023/08/01 To 2023/08/31

RealTime Data

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-01 00:00	40.49	50.79
2023-08-01 00:15	39.93	60.35
2023-08-01 00:30	41.9	66.16
2023-08-01 00:45	40.85	71.67
2023-08-01 01:00	42.36	50.78
2023-08-01 01:15	42.77	44.34
2023-08-01 01:30	41.3	44.02
2023-08-01 01:45	41.96	43.72
2023-08-01 02:00	41.24	44.62
2023-08-01 02:15	43.77	52.85
2023-08-01 02:30	42.48	56.91
2023-08-01 02:45	40.43	65.94
2023-08-01 03:00	42.11	45.21
2023-08-01 03:15	43.35	44.1
2023-08-01 03:30	46.78	44.87
2023-08-01 03:45	40.45	46.33
2023-08-01 04:00	43.62	48
2023-08-01 04:15	44.38	55.28
2023-08-01 04:30	43.73	60.57
2023-08-01 04:45	40.46	68.73
2023-08-01 05:00	41.2	43.24
2023-08-01 05:15	40.55	42.62
2023-08-01 05:30	39.8	42.71
2023-08-01 05:45	40.63	45.46
2023-08-01 06:00	40.85	55.53
2023-08-01 06:15	40.88	65.88
2023-08-01 06:30	39.54	75.24
2023-08-01 06:45	41.57	58.1
2023-08-01 07:00	40.18	56.62
2023-08-01 07:15	39	42.85
2023-08-01 07:30	40.04	43.62
2023-08-01 07:45	40.76	45.93
2023-08-01 08:00	41.59	54.71

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-01 08:15	38.76	66.91
2023-08-01 08:30	42.04	79.11
2023-08-01 08:45	42.68	62.51
2023-08-01 09:00	43.04	42.87
2023-08-01 09:15	41.01	41.38
2023-08-01 09:30	43.68	45.53
2023-08-01 09:45	48.43	48.82
2023-08-01 10:00	42.44	60.79
2023-08-01 10:15	44.05	67.43
2023-08-01 10:30	44.42	74.43
2023-08-01 10:45	46.3	60.76
2023-08-01 11:00	44.83	107.05
2023-08-01 11:15	45.75	51.85
2023-08-01 11:30	48.45	51.09
2023-08-01 11:45	44.65	72.92
2023-08-01 12:00	43.32	66.89
2023-08-01 12:15	44.08	75.38
2023-08-01 12:30	44.75	60.64
2023-08-01 12:45	45.09	55.38
2023-08-01 13:00	47.46	77.9
2023-08-01 13:15	46.24	97.62
2023-08-01 13:30	45.3	98.25
2023-08-01 13:45	44.33	62.14
2023-08-01 14:00	46.29	50.58
2023-08-01 14:15	46.66	51.99
2023-08-01 14:30	44.29	56.83
2023-08-01 14:45	47.69	67.18
2023-08-01 15:00	47.01	70.41
2023-08-01 15:15	47.83	77.65
2023-08-01 15:30	42.32	55.52
2023-08-01 15:45	46.14	60.5
2023-08-01 16:00	49.16	45.56
2023-08-01 16:15	46.47	46.71
2023-08-01 16:30	45.49	49.97
2023-08-01 16:45	46.22	56.93
2023-08-01 17:00	46.78	70.07
2023-08-01 17:15	43.88	79.07
2023-08-01 17:30	45.41	59.95
2023-08-01 17:45	44.98	50.98
2023-08-01 18:00	44.46	45.94
2023-08-01 18:15	43.24	46.81
2023-08-01 18:30	44.62	48.76
2023-08-01 18:45	44.05	58.24
2023-08-01 19:00	42.72	71.6
2023-08-01 19:15	43.06	78.27

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-01 19:30	42.72	58.2
2023-08-01 19:45	43.09	46.37
2023-08-01 20:00	41.87	45.27
2023-08-01 20:15	44.58	46.09
2023-08-01 20:30	43.77	49.17
2023-08-01 20:45	43.39	59.6
2023-08-01 21:00	44.45	68.49
2023-08-01 21:15	45.65	76.68
2023-08-01 21:30	46.42	62.29
2023-08-01 21:45	42.58	50.2
2023-08-01 22:00	45.83	44.61
2023-08-01 22:15	45.74	45.2
2023-08-01 22:30	44.31	48.46
2023-08-01 22:45	41.97	60.23
2023-08-01 23:00	43.33	70.48
2023-08-01 23:15	46.16	78.59
2023-08-01 23:30	41.19	63.23
2023-08-01 23:45	41.72	47.18
2023-08-02 00:00	41.44	44.97
2023-08-02 00:15	42.92	45.57
2023-08-02 00:30	42.56	49.57
2023-08-02 00:45	43.75	61.72
2023-08-02 01:00	42.27	66.89
2023-08-02 01:15	41.24	69.57
2023-08-02 01:30	41.26	56.21
2023-08-02 01:45	41.67	44.88
2023-08-02 02:00	42.12	46.15
2023-08-02 02:15	40.97	44.15
2023-08-02 02:30	41.91	45.54
2023-08-02 02:45	41.8	50.16
2023-08-02 03:00	42.04	70.51
2023-08-02 03:15	40.66	73.18
2023-08-02 03:30	42.8	61.66
2023-08-02 03:45	42.33	45.3
2023-08-02 04:00	39.94	44.75
2023-08-02 04:15	41.45	44.52
2023-08-02 04:30	42.23	46.98
2023-08-02 04:45	43.31	52.76
2023-08-02 05:00	41.99	69.51
2023-08-02 05:15	44.9	73.42
2023-08-02 05:30	44.22	65.79
2023-08-02 05:45	42.89	46.82
2023-08-02 06:00	40.66	47.62
2023-08-02 06:15	41.97	48
2023-08-02 06:30	42.46	52.82

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-02 06:45	40.71	63.77
2023-08-02 07:00	41.97	73.81
2023-08-02 07:15	41.48	75.38
2023-08-02 07:30	41.1	63.94
2023-08-02 07:45	40.78	45.81
2023-08-02 08:00	42.56	43.89
2023-08-02 08:15	40.94	43.95
2023-08-02 08:30	39.46	49.62
2023-08-02 08:45	40.83	59.29
2023-08-02 09:00	40.76	69.43
2023-08-02 09:15	42.4	74.12
2023-08-02 09:30	42.63	71.19
2023-08-02 09:45	44.1	43.85
2023-08-02 10:00	44.33	44.51
2023-08-02 10:15	44.63	45.93
2023-08-02 10:30	44.65	96.15
2023-08-02 10:45	47.35	64.5
2023-08-02 11:00	49.44	106.36
2023-08-02 11:15	42.67	79.05
2023-08-02 11:30	45.06	66.07
2023-08-02 11:45	48.4	48.13
2023-08-02 12:00	48.74	47.56
2023-08-02 12:15	44.98	53.52
2023-08-02 12:30	46.13	58.16
2023-08-02 12:45	45.96	69.24
2023-08-02 13:00	45.11	80.71
2023-08-02 13:15	44.74	76.54
2023-08-02 13:30	45.9	72.16
2023-08-02 13:45	46.46	47.06
2023-08-02 14:00	46.01	49.13
2023-08-02 14:15	47.7	49.96
2023-08-02 14:30	45.53	57.16
2023-08-02 14:45	44.92	63.07
2023-08-02 15:00	44.59	76.12
2023-08-02 15:15	46.39	72.54
2023-08-02 15:30	45.31	69.94
2023-08-02 15:45	43.89	48.87
2023-08-02 16:00	46.09	47.47
2023-08-02 16:15	45.6	51.45
2023-08-02 16:30	46.87	58.01
2023-08-02 16:45	44.34	63.55
2023-08-02 17:00	47.93	74.8
2023-08-02 17:15	48.55	74.47
2023-08-02 17:30	45.24	61.39
2023-08-02 17:45	46.43	44.56

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-02 18:00	47.11	46.32
2023-08-02 18:15	50.01	49.02
2023-08-02 18:30	43.17	55.48
2023-08-02 18:45	45.33	61.72
2023-08-02 19:00	44.79	75.56
2023-08-02 19:15	42.61	71.57
2023-08-02 19:30	42.55	67.17
2023-08-02 19:45	43.58	43.99
2023-08-02 20:00	43.2	43.76
2023-08-02 20:15	44.64	48.47
2023-08-02 20:30	45.67	57.98
2023-08-02 20:45	45.08	63.7
2023-08-02 21:00	45.45	75.31
2023-08-02 21:15	43.37	73.98
2023-08-02 21:30	44.31	66.66
2023-08-02 21:45	43.87	45.67
2023-08-02 22:00	42.5	48.14
2023-08-02 22:15	44.24	51.41
2023-08-02 22:30	45.8	58.32
2023-08-02 22:45	46.35	62.78
2023-08-02 23:00	43.2	75.86
2023-08-02 23:15	46.37	72.1
2023-08-02 23:30	45.57	61.64
2023-08-02 23:45	44.91	42.46
2023-08-03 00:00	43.94	44.93
2023-08-03 00:15	46.11	50.04
2023-08-03 00:30	49.01	57.75
2023-08-03 00:45	42.4	62.81
2023-08-03 01:00	43.81	74.03
2023-08-03 01:15	44.64	73.53
2023-08-03 01:30	44.85	60.71
2023-08-03 01:45	41.99	45.21
2023-08-03 02:00	44.04	44.45
2023-08-03 02:15	45.62	46.45
2023-08-03 02:30	41.78	50.33
2023-08-03 02:45	40.61	51.92
2023-08-03 03:00	42.55	73.8
2023-08-03 03:15	43.07	72.57
2023-08-03 03:30	41.29	58.46
2023-08-03 03:45	42.08	44.57
2023-08-03 04:00	40.99	44.7
2023-08-03 04:15	41.44	46.41
2023-08-03 04:30	40.73	50.08
2023-08-03 04:45	42.5	51.58
2023-08-03 05:00	42.7	73.16

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-03 05:15	40.15	74.62
2023-08-03 05:30	41.92	51.47
2023-08-03 05:45	41.9	45.33
2023-08-03 06:00	43.43	47.94
2023-08-03 06:15	40.79	50.73
2023-08-03 06:30	43.15	56.38
2023-08-03 06:45	44.97	61.17
2023-08-03 07:00	42.72	72.54
2023-08-03 07:15	41.21	80.63
2023-08-03 07:30	41.95	53.46
2023-08-03 07:45	44.8	44.5
2023-08-03 08:00	39.61	50.94
2023-08-03 08:15	43.06	46.6
2023-08-03 08:30	44.99	47.99
2023-08-03 08:45	44.94	51.48
2023-08-03 09:00	41.05	77.71
2023-08-03 09:15	42.23	78.58
2023-08-03 09:30	42.75	49.58
2023-08-03 09:45	44.32	45
2023-08-03 10:00	45.4	46.83
2023-08-03 10:15	46.06	52.08
2023-08-03 10:30	46.47	56.65
2023-08-03 10:45	44.89	61.21
2023-08-03 11:00	47.28	70.21
2023-08-03 11:15	47.4	73.19
2023-08-03 11:30	49.15	47.51
2023-08-03 11:45	49.82	45.51
2023-08-03 12:00	52.18	52.56
2023-08-03 12:15	54.25	57.91
2023-08-03 12:30	49.36	61.25
2023-08-03 12:45	50.65	72.33
2023-08-03 13:00	50.29	70.01
2023-08-03 13:15	51.04	70.19
2023-08-03 13:30	47.04	48.15
2023-08-03 13:45	48.57	50.72
2023-08-03 14:00	51.33	58.52
2023-08-03 14:15	44.01	62.06
2023-08-03 14:30	43.67	65.97
2023-08-03 14:45	43.72	75.96
2023-08-03 15:00	44.57	90.03
2023-08-03 15:15	42.47	93.38
2023-08-03 15:30	42.96	54.59
2023-08-03 15:45	42.71	53.68
2023-08-03 16:00	41.31	58.8
2023-08-03 16:15	41.23	63.89

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-03 16:30	43	65.55
2023-08-03 16:45	42.64	76.34
2023-08-03 17:00	42.18	80.99
2023-08-03 17:15	43.88	70.24
2023-08-03 17:30	43.79	49.31
2023-08-03 17:45	42.27	49.96
2023-08-03 18:00	41.59	53.31
2023-08-03 18:15	43.45	59.2
2023-08-03 18:30	43.22	63.28
2023-08-03 18:45	40.74	74.84
2023-08-03 19:00	43.23	79.1
2023-08-03 19:15	43.61	61.39
2023-08-03 19:30	47.02	52.3
2023-08-03 19:45	43.37	51.8
2023-08-03 20:00	45.68	55.96
2023-08-03 20:15	47.2	60.94
2023-08-03 20:30	46.4	66.95
2023-08-03 20:45	45.23	75.6
2023-08-03 21:00	45.71	81.78
2023-08-03 21:15	45.79	59.15
2023-08-03 21:30	43.71	49.1
2023-08-03 21:45	45.38	51.47
2023-08-03 22:00	44.75	56.13
2023-08-03 22:15	43.51	60.28
2023-08-03 22:30	42.5	65.97
2023-08-03 22:45	43.54	75.39
2023-08-03 23:00	43.22	81.04
2023-08-03 23:15	42.61	54.83
2023-08-03 23:30	43.13	50.39
2023-08-03 23:45	44.04	52.09
2023-08-04 00:00	44.82	56.65
2023-08-04 00:15	41.84	62.59
2023-08-04 00:30	44.06	65.91
2023-08-04 00:45	45.62	71.48
2023-08-04 01:00	43.9	80.08
2023-08-04 01:15	44.31	91.06
2023-08-04 01:30	44.39	58.23
2023-08-04 01:45	44.64	51.17
2023-08-04 02:00	41.97	58.19
2023-08-04 02:15	44.48	60.64
2023-08-04 02:30	45.36	67.53
2023-08-04 02:45	45.94	76.36
2023-08-04 03:00	41.65	86.01
2023-08-04 03:15	42.26	50.37
2023-08-04 03:30	42.38	50.28

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-04 03:45	41.18	50.93
2023-08-04 04:00	42.93	51.53
2023-08-04 04:15	43.56	53.71
2023-08-04 04:30	45.57	57.37
2023-08-04 04:45	42.65	63.23
2023-08-04 05:00	43.32	84.01
2023-08-04 05:15	42.96	49.31
2023-08-04 05:30	42.64	49.14
2023-08-04 05:45	42.02	49.25
2023-08-04 06:00	42.62	57.4
2023-08-04 06:15	42.33	59.91
2023-08-04 06:30	41.32	64.22
2023-08-04 06:45	44.44	71.89
2023-08-04 07:00	45.43	74.04
2023-08-04 07:15	46.59	47.99
2023-08-04 07:30	46.57	52.06
2023-08-04 07:45	47.21	53.73
2023-08-04 08:00	46.51	58.13
2023-08-04 08:15	43.94	63.24
2023-08-04 08:30	44.92	70.62
2023-08-04 08:45	45.89	82.39
2023-08-04 09:00	49.1	89.23
2023-08-04 09:15	43.32	48.83
2023-08-04 09:30	45.78	48.81
2023-08-04 09:45	47.61	53.36
2023-08-04 10:00	45.31	60.59
2023-08-04 10:15	46.15	60.81
2023-08-04 10:30	47.39	67.24
2023-08-04 10:45	47.77	86.04
2023-08-04 11:00	46.44	90.16
2023-08-04 11:15	47.81	53.13
2023-08-04 11:30	48.44	53.38
2023-08-04 11:45	50.14	54.65
2023-08-04 12:00	50.11	61.87
2023-08-04 12:15	51.49	67.08
2023-08-04 12:30	50.45	73.87
2023-08-04 12:45	45.71	79.93
2023-08-04 13:00	45.49	82.71
2023-08-04 13:15	49.17	60.32
2023-08-04 13:30	50.6	54.15
2023-08-04 13:45	48.24	56.17
2023-08-04 14:00	52.15	62.92
2023-08-04 14:15	52.54	68.72
2023-08-04 14:30	51.04	73.83
2023-08-04 14:45	49.56	88.62

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-04 15:00	51.39	85.09
2023-08-04 15:15	54.42	62.78
2023-08-04 15:30	48.12	53.97
2023-08-04 15:45	50.89	57.64
2023-08-04 16:00	51.37	59.08
2023-08-04 16:15	54.08	59.14
2023-08-04 16:30	48.62	57.89
2023-08-04 16:45	50.82	71.17
2023-08-04 17:00	48.99	68
2023-08-04 17:15	47.47	76.75
2023-08-04 17:30	49.23	116.81
2023-08-04 17:45	49.78	122.56
2023-08-04 18:00	55.9	110.14
2023-08-04 18:15	49.19	66.62
2023-08-04 18:30	51.24	69.96
2023-08-04 18:45	50.93	58.11
2023-08-04 19:00	48.75	67.64
2023-08-04 19:15	48.83	35.41
2023-08-04 19:30	50.96	36.26
2023-08-04 19:45	51.64	37.48
2023-08-04 20:00	48.62	43.31
2023-08-04 20:15	51.33	53.94
2023-08-04 20:30	50.08	60.44
2023-08-04 20:45	50.88	69.84
2023-08-04 21:00	47.69	61.14
2023-08-04 21:15	52.34	38.87
2023-08-04 21:30	53.53	38.7
2023-08-04 21:45	51.02	40.15
2023-08-04 22:00	49.99	46.26
2023-08-04 22:15	51.04	56.9
2023-08-04 22:30	55.07	61.45
2023-08-04 22:45	46.87	71.31
2023-08-04 23:00	52.5	70.99
2023-08-04 23:15	52.84	77.84
2023-08-04 23:30	52.79	39.12
2023-08-04 23:45	48.22	38.38
2023-08-05 00:00	49.54	49.86
2023-08-05 00:15	47.99	60.03
2023-08-05 00:30	46.72	62.24
2023-08-05 00:45	48.54	65.09
2023-08-05 01:00	48	60.26
2023-08-05 01:15	47.11	31.95
2023-08-05 01:30	46	31.39
2023-08-05 01:45	48.17	36.14
2023-08-05 02:00	47.61	41.17

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-05 02:15	47.75	46.64
2023-08-05 02:30	47.31	50.83
2023-08-05 02:45	47.7	60.59
2023-08-05 03:00	49.77	66.53
2023-08-05 03:15	45.91	37.53
2023-08-05 03:30	49.01	38.02
2023-08-05 03:45	48.33	38.74
2023-08-05 04:00	48.97	40.7
2023-08-05 04:15	47.12	49.66
2023-08-05 04:30	48.94	54.36
2023-08-05 04:45	50.61	60.48
2023-08-05 05:00	46.65	66.72
2023-08-05 05:15	48.73	43.63
2023-08-05 05:30	47.16	40.11
2023-08-05 05:45	48.12	42.5
2023-08-05 06:00	45.48	52.94
2023-08-05 06:15	45.94	49.14
2023-08-05 06:30	45.64	62.37
2023-08-05 06:45	45.06	70.06
2023-08-05 07:00	46.23	65.73
2023-08-05 07:15	46.86	39.35
2023-08-05 07:30	45.81	40.6
2023-08-05 07:45	44.01	43.68
2023-08-05 08:00	46.55	49.58
2023-08-05 08:15	46.43	44.16
2023-08-05 08:30	45.21	50.13
2023-08-05 08:45	44.11	58.25
2023-08-05 09:00	47.68	82.46
2023-08-05 09:15	48.37	66.42
2023-08-05 09:30	49.21	41.81
2023-08-05 09:45	50.67	39.47
2023-08-05 10:00	52.11	45.32
2023-08-05 10:15	53.98	45.93
2023-08-05 10:30	51	52.13
2023-08-05 10:45	55.08	62.16
2023-08-05 11:00	56.55	83.57
2023-08-05 11:15	55.58	65.74
2023-08-05 11:30	52.96	40.61
2023-08-05 11:45	53.22	39.59
2023-08-05 12:00	52.66	43.67
2023-08-05 12:15	50.91	45.47
2023-08-05 12:30	52.45	51.62
2023-08-05 12:45	51.78	63.17
2023-08-05 13:00	53.12	84.52
2023-08-05 13:15	53.73	52.7

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-05 13:30	54.65	56.49
2023-08-05 13:45	52.29	52.13
2023-08-05 14:00	51.63	43.96
2023-08-05 14:15	52.26	50.54
2023-08-05 14:30	52.2	56.26
2023-08-05 14:45	51.48	60.08
2023-08-05 15:00	51.6	57
2023-08-05 15:15	54.37	69.66
2023-08-05 15:30	54.52	72.46
2023-08-05 15:45	53.44	64.66
2023-08-05 16:00	53.76	40.9
2023-08-05 16:15	53.97	41.84
2023-08-05 16:30	56.67	48.25
2023-08-05 16:45	51.83	51.04
2023-08-05 17:00	55.32	59.47
2023-08-05 17:15	55.39	70.85
2023-08-05 17:30	57.42	67.81
2023-08-05 17:45	52.56	62.04
2023-08-05 18:00	54.18	39.81
2023-08-05 18:15	54.76	40.12
2023-08-05 18:30	53.04	43.35
2023-08-05 18:45	53.5	52.44
2023-08-05 19:00	53.11	57.59
2023-08-05 19:15	53.28	66.83
2023-08-05 19:30	51.6	63.29
2023-08-05 19:45	52.86	56.47
2023-08-05 20:00	51.46	37.53
2023-08-05 20:15	52.47	41.74
2023-08-05 20:30	52.61	44.37
2023-08-05 20:45	53.94	52.77
2023-08-05 21:00	52.58	48.16
2023-08-05 21:15	51.27	51.71
2023-08-05 21:30	52.56	61.62
2023-08-05 21:45	52.91	79.48
2023-08-05 22:00	54.43	39.14
2023-08-05 22:15	53.28	37.75
2023-08-05 22:30	55.78	40
2023-08-05 22:45	56.34	48.75
2023-08-05 23:00	53.46	56.94
2023-08-05 23:15	54.73	69.51
2023-08-05 23:30	55.21	66.65
2023-08-05 23:45	59.39	54.68
2023-08-06 00:00	51.56	40.7
2023-08-06 00:15	51.87	41.39
2023-08-06 00:30	52.89	44.77

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-06 00:45	51.59	51.55
2023-08-06 01:00	51.65	58.48
2023-08-06 01:15	54.43	67.54
2023-08-06 01:30	53.13	66.68
2023-08-06 01:45	51.13	53.73
2023-08-06 02:00	52.7	50.18
2023-08-06 02:15	53.54	37.31
2023-08-06 02:30	53.39	40.5
2023-08-06 02:45	52.04	44.53
2023-08-06 03:00	54.01	58.21
2023-08-06 03:15	53.37	66.23
2023-08-06 03:30	53.59	68.88
2023-08-06 03:45	55.16	48.88
2023-08-06 04:00	54.34	44.98
2023-08-06 04:15	53.46	38.63
2023-08-06 04:30	52.87	38.21
2023-08-06 04:45	55.21	39.66
2023-08-06 05:00	55.6	54.05
2023-08-06 05:15	55.79	66.97
2023-08-06 05:30	54.13	62.24
2023-08-06 05:45	59.21	39.06
2023-08-06 06:00	65.39	37.83
2023-08-06 06:15	51.67	42.46
2023-08-06 06:30	53.64	50.33
2023-08-06 06:45	58.06	55.33
2023-08-06 07:00	55.57	64.6
2023-08-06 07:15	50.51	61.46
2023-08-06 07:30	53.36	61.66
2023-08-06 07:45	52.17	34.87
2023-08-06 08:00	51.86	33.3
2023-08-06 08:15	50.7	38.44
2023-08-06 08:30	52.48	43.02
2023-08-06 08:45	53.46	46.86
2023-08-06 09:00	49.51	67.18
2023-08-06 09:15	52.17	66.62
2023-08-06 09:30	52.29	65.34
2023-08-06 09:45	51.98	38.86
2023-08-06 10:00	51.32	40.27
2023-08-06 10:15	53.94	43.84
2023-08-06 10:30	53.78	49.87
2023-08-06 10:45	51.42	50.11
2023-08-06 11:00	53.7	65.65
2023-08-06 11:15	54.27	66.27
2023-08-06 11:30	56.24	61.81
2023-08-06 11:45	54.35	37.69

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-06 12:00	56.81	41.56
2023-08-06 12:15	58.27	48.88
2023-08-06 12:30	50.97	66.17
2023-08-06 12:45	48.1	70.65
2023-08-06 13:00	48.05	63.59
2023-08-06 13:15	47.37	53.56
2023-08-06 13:30	46.29	39.73
2023-08-06 13:45	47.34	39.44
2023-08-06 14:00	47.83	43.04
2023-08-06 14:15	48.78	48.26
2023-08-06 14:30	53.24	62.53
2023-08-06 14:45	54.16	72.59
2023-08-06 15:00	53.03	64.4
2023-08-06 15:15	52.91	53.2
2023-08-06 15:30	52.86	39.7
2023-08-06 15:45	52.47	36.88
2023-08-06 16:00	52.14	38.81
2023-08-06 16:15	51.02	47.56
2023-08-06 16:30	52.79	59.84
2023-08-06 16:45	52.08	67.41
2023-08-06 17:00	51.13	60.98
2023-08-06 17:15	52.27	52.44
2023-08-06 17:30	52.85	42.43
2023-08-06 17:45	54.96	41.53
2023-08-06 18:00	51.24	43.86
2023-08-06 18:15	53.68	50.24
2023-08-06 18:30	54.44	60.99
2023-08-06 18:45	54.13	70.56
2023-08-06 19:00	51.21	56.99
2023-08-06 19:15	52.97	49.39
2023-08-06 19:30	52.38	39.73
2023-08-06 19:45	51.77	39.79
2023-08-06 20:00	52.85	38.8
2023-08-06 20:15	52.43	44.51
2023-08-06 20:30	53.21	49.12
2023-08-06 20:45	52.28	52.77
2023-08-06 21:00	53.21	55.59
2023-08-06 21:15	52.55	45.54
2023-08-06 21:30	52.68	39.97
2023-08-06 21:45	53.21	41.87
2023-08-06 22:00	53.84	45.89
2023-08-06 22:15	54.88	54.29
2023-08-06 22:30	52.78	64.62
2023-08-06 22:45	55.07	75.48
2023-08-06 23:00	53.69	54.78

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-06 23:15	53.38	43.9
2023-08-06 23:30	51.83	39.68
2023-08-06 23:45	55.37	39.18
2023-08-07 00:00	55.93	43.87
2023-08-07 00:15	50.06	54.27
2023-08-07 00:30	51.99	60.67
2023-08-07 00:45	51.51	72.87
2023-08-07 01:00	55.68	59.16
2023-08-07 01:15	51.14	42.76
2023-08-07 01:30	54.77	42.17
2023-08-07 01:45	52.93	43.45
2023-08-07 02:00	54.42	42.46
2023-08-07 02:15	52.83	46.18
2023-08-07 02:30	53.98	46.25
2023-08-07 02:45	56.19	51.73
2023-08-07 03:00	51.64	55.49
2023-08-07 03:15	52.48	40.91
2023-08-07 03:30	52.08	42.41
2023-08-07 03:45	51.89	43.64
2023-08-07 04:00	51.46	42.05
2023-08-07 04:15	53.12	48.71
2023-08-07 04:30	52.18	49.31
2023-08-07 04:45	50.03	52.29
2023-08-07 05:00	52.32	60.16
2023-08-07 05:15	52.57	43.43
2023-08-07 05:30	54.19	41.42
2023-08-07 05:45	50.71	41.74
2023-08-07 06:00	52.91	45.48
2023-08-07 06:15	55.8	57.63
2023-08-07 06:30	56.26	55.16
2023-08-07 06:45	53.2	70.14
2023-08-07 07:00	57.24	61.01
2023-08-07 07:15	63.36	41.75
2023-08-07 07:30	50.79	38.64
2023-08-07 07:45	50.99	41.75
2023-08-07 08:00	54.47	45.37
2023-08-07 08:15	54.28	55.32
2023-08-07 08:30	50.39	61.14
2023-08-07 08:45	53.63	70.32
2023-08-07 09:00	53.06	68.89
2023-08-07 09:15	52.57	45.4
2023-08-07 09:30	52.77	43.05
2023-08-07 09:45	53.31	46.85
2023-08-07 10:00	52.1	53.24
2023-08-07 10:15	51.56	63.57

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-07 10:30	52.97	67.97
2023-08-07 10:45	54.23	77.87
2023-08-07 11:00	55.92	62.38
2023-08-07 11:15	54.83	42.38
2023-08-07 11:30	57.06	41.43
2023-08-07 11:45	56.61	44.23
2023-08-07 12:00	53.78	49.57
2023-08-07 12:15	56.76	62.01
2023-08-07 12:30	56.75	64.52
2023-08-07 12:45	58.13	71.63
2023-08-07 13:00	55.46	69.11
2023-08-07 13:15	58.82	43.16
2023-08-07 13:30	61.26	41.82
2023-08-07 13:45	56.67	44.73
2023-08-07 14:00	54.65	51.74
2023-08-07 14:15	55.71	58.54
2023-08-07 14:30	56.03	61.31
2023-08-07 14:45	50.63	70.24
2023-08-07 15:00	51.64	60.48
2023-08-07 15:15	50.37	40.04
2023-08-07 15:30	49.51	40.65
2023-08-07 15:45	48.71	43.7
2023-08-07 16:00	48.67	50
2023-08-07 16:15	48.01	57
2023-08-07 16:30	48.18	65.43
2023-08-07 16:45	49.61	67.92
2023-08-07 17:00	47.85	62.96
2023-08-07 17:15	47.69	38.02
2023-08-07 17:30	45.65	39.74
2023-08-07 17:45	47.85	40.15
2023-08-07 18:00	48.02	42
2023-08-07 18:15	48.31	43.98
2023-08-07 18:30	49.07	45.44
2023-08-07 18:45	48.75	52.98
2023-08-07 19:00	51.28	56.99
2023-08-07 19:15	49.56	35.83
2023-08-07 19:30	49.51	35.64
2023-08-07 19:45	70.28	35.36
2023-08-07 20:00	65.13	41.26
2023-08-07 20:15	57.89	45.79
2023-08-07 20:30	57.98	52.65
2023-08-07 20:45	56.14	69.95
2023-08-07 21:00	51.84	81.18
2023-08-07 21:15	51.92	46.59
2023-08-07 21:30	53.16	44.18

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-07 21:45	53.19	43.98
2023-08-07 22:00	50.81	54.85
2023-08-07 22:15	51.8	59.9
2023-08-07 22:30	52.85	62.69
2023-08-07 22:45	52.51	68.53
2023-08-07 23:00	53.25	67.97
2023-08-07 23:15	54.29	42.5
2023-08-07 23:30	54.51	42.65
2023-08-07 23:45	51.88	42.85
2023-08-08 00:00	53.7	54.45
2023-08-08 00:15	52.57	55.87
2023-08-08 00:30	52.95	62.8
2023-08-08 00:45	50.3	65.03
2023-08-08 01:00	53.48	64
2023-08-08 01:15	56.29	42.79
2023-08-08 01:30	52.51	44.74
2023-08-08 01:45	53.75	46.68
2023-08-08 02:00	54.12	48.38
2023-08-08 02:15	58.14	49.29
2023-08-08 02:30	52.25	50.54
2023-08-08 02:45	58.93	59.88
2023-08-08 03:00	64.68	52.16
2023-08-08 03:15	56.99	38.26
2023-08-08 03:30	53.45	42.98
2023-08-08 03:45	54.13	45.08
2023-08-08 04:00	62.29	47.02
2023-08-08 04:15	51.45	48.87
2023-08-08 04:30	52.5	53.93
2023-08-08 04:45	52.55	64.7
2023-08-08 05:00	51.45	60
2023-08-08 05:15	50.85	42.39
2023-08-08 05:30	53.01	43.74
2023-08-08 05:45	54.15	44.99
2023-08-08 06:00	53.11	51.47
2023-08-08 06:15	55.47	56.2
2023-08-08 06:30	55.58	67.18
2023-08-08 06:45	54.24	71.82
2023-08-08 07:00	53.09	52.8
2023-08-08 07:15	57.99	37.84
2023-08-08 07:30	57.59	36.58
2023-08-08 07:45	57.26	39.81
2023-08-08 08:00	53.57	53.14
2023-08-08 08:15	53.6	35.18
2023-08-08 08:30	55.21	39.08
2023-08-08 08:45	49.17	42.81

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-08 09:00	53.55	53.44
2023-08-08 09:15	58.04	49.58
2023-08-08 09:30	57.03	43.94
2023-08-08 09:45	49.79	51.05
2023-08-08 10:00	54.35	58.78
2023-08-08 10:15	53.89	65.93
2023-08-08 10:30	54.12	73.49
2023-08-08 10:45	54.5	76.68
2023-08-08 11:00	55.81	40.92
2023-08-08 11:15	57.44	51.62
2023-08-08 11:30	54.37	52.81
2023-08-08 11:45	55.56	45.29
2023-08-08 12:00	53.57	59.61
2023-08-08 12:15	54.33	67.13
2023-08-08 12:30	52.54	73.94
2023-08-08 12:45	53.98	75.78
2023-08-08 13:00	55.54	45.39
2023-08-08 13:15	52.66	50.26
2023-08-08 13:30	56.88	56.18
2023-08-08 13:45	59.66	74.43
2023-08-08 14:00	59.34	59.09
2023-08-08 14:15	56.63	68.96
2023-08-08 14:30	58.42	75.19
2023-08-08 14:45	59.65	77.03
2023-08-08 15:00	56.68	43.97
2023-08-08 15:15	57.65	43.47
2023-08-08 15:30	58.02	45.57
2023-08-08 15:45	60.82	54.07
2023-08-08 16:00	54.46	57.33
2023-08-08 16:15	56.06	66.45
2023-08-08 16:30	56.79	71.97
2023-08-08 16:45	54.12	71.98
2023-08-08 17:00	54.2	69.49
2023-08-08 17:15	53.95	41.91
2023-08-08 17:30	54.94	41.44
2023-08-08 17:45	50.35	43.56
2023-08-08 18:00	51.99	54.2
2023-08-08 18:15	52.15	64.64
2023-08-08 18:30	51.61	69.59
2023-08-08 18:45	51.38	71.59
2023-08-08 19:00	53.95	40.28
2023-08-08 19:15	54.77	41.35
2023-08-08 19:30	52.49	43.82
2023-08-08 19:45	55.7	50.01
2023-08-08 20:00	54.59	53.35

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-08 20:15	52.75	59.7
2023-08-08 20:30	50.39	65.68
2023-08-08 20:45	54.62	67.81
2023-08-08 21:00	54.3	39.03
2023-08-08 21:15	54.65	41.75
2023-08-08 21:30	52.77	46.69
2023-08-08 21:45	57.44	50.54
2023-08-08 22:00	62.53	59.57
2023-08-08 22:15	52.7	68.06
2023-08-08 22:30	52.97	73.3
2023-08-08 22:45	57.2	65.3
2023-08-08 23:00	54.2	42.36
2023-08-08 23:15	51.05	41.33
2023-08-08 23:30	52.89	45.09
2023-08-08 23:45	51.67	48.36
2023-08-09 00:00	53.63	50.64
2023-08-09 00:15	50.47	67.67
2023-08-09 00:30	49.88	73.3
2023-08-09 00:45	54.32	58.69
2023-08-09 01:00	51.55	41.29
2023-08-09 01:15	53.89	47
2023-08-09 01:30	54.14	50.98
2023-08-09 01:45	53.67	60.35
2023-08-09 02:00	51.75	52.04
2023-08-09 02:15	54.87	51.27
2023-08-09 02:30	56.13	72.37
2023-08-09 02:45	53.46	78.78
2023-08-09 03:00	54.2	53.63
2023-08-09 03:15	54.34	54.21
2023-08-09 03:30	56.41	41.56
2023-08-09 03:45	52.73	40.99
2023-08-09 04:00	54.35	47.74
2023-08-09 04:15	54.79	48.4
2023-08-09 04:30	55.96	46.21
2023-08-09 04:45	54.86	45.06
2023-08-09 05:00	57.66	42.87
2023-08-09 05:15	62.45	44.69
2023-08-09 05:30	55.52	53.08
2023-08-09 05:45	55.27	53.64
2023-08-09 06:00	55.49	56.36
2023-08-09 06:15	55.89	65
2023-08-09 06:30	54.58	82.03
2023-08-09 06:45	53.5	56.55
2023-08-09 07:00	52.68	44.29
2023-08-09 07:15	51.74	42.97

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-09 07:30	53.5	49.27
2023-08-09 07:45	54.48	53.37
2023-08-09 08:00	55.63	61.38
2023-08-09 08:15	53.4	72.75
2023-08-09 08:30	52.97	57.63
2023-08-09 08:45	53.32	62.62
2023-08-09 09:00	54.56	41.52
2023-08-09 09:15	53.7	42.91
2023-08-09 09:30	55.6	50.98
2023-08-09 09:45	58.32	53.1
2023-08-09 10:00	52.57	61.95
2023-08-09 10:15	53.97	75.51
2023-08-09 10:30	57.57	83.64
2023-08-09 10:45	59.43	48.46
2023-08-09 11:00	56.55	43.71
2023-08-09 11:15	57.6	44.63
2023-08-09 11:30	60.45	48.57
2023-08-09 11:45	54.88	54.74
2023-08-09 12:00	56.12	64.14
2023-08-09 12:15	56.28	74.44
2023-08-09 12:30	57.24	83.18
2023-08-09 12:45	55.47	44.21
2023-08-09 13:00	58.85	42.31
2023-08-09 13:15	57.58	46.11
2023-08-09 13:30	57.02	50.81
2023-08-09 13:45	56.79	53.11
2023-08-09 14:00	55.56	61.89
2023-08-09 14:15	52.89	69.31
2023-08-09 14:30	49.77	79.37
2023-08-09 14:45	51.46	42.54
2023-08-09 15:00	50.67	38.78
2023-08-09 15:15	50.06	39.41
2023-08-09 15:30	49.83	42.93
2023-08-09 15:45	52.18	43.52
2023-08-09 16:00	54.99	46.07
2023-08-09 16:15	55.4	56.44
2023-08-09 16:30	57.42	76.86
2023-08-09 16:45	57.28	84.49
2023-08-09 17:00	58.77	43.35
2023-08-09 17:15	53.72	43.87
2023-08-09 17:30	55.35	50.55
2023-08-09 17:45	55.08	70.54
2023-08-09 18:00	55.22	44.17
2023-08-09 18:15	55.12	42.3
2023-08-09 18:30	56.6	44.55

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-09 18:45	56.11	45.39
2023-08-09 19:00	53.67	48.6
2023-08-09 19:15	55.24	58.86
2023-08-09 19:30	54.52	72.82
2023-08-09 19:45	54.1	73.21
2023-08-09 20:00	51.21	45.57
2023-08-09 20:15	55.12	39.89
2023-08-09 20:30	56.55	41.36
2023-08-09 20:45	50.51	42.31
2023-08-09 21:00	50.63	45.86
2023-08-09 21:15	53.82	57.57
2023-08-09 21:30	55.35	67.11
2023-08-09 21:45	48.16	73.84
2023-08-09 22:00	51.32	52.3
2023-08-09 22:15	51.55	40.85
2023-08-09 22:30	48.96	34.19
2023-08-09 22:45	44.09	34.83
2023-08-09 23:00	41.04	34.83
2023-08-09 23:15	40.08	43.3
2023-08-09 23:30	39.8	55.3
2023-08-09 23:45	39.59	62.88
2023-08-10 00:00	38.82	45.19
2023-08-10 00:15	39.46	58.13
2023-08-10 00:30	38.98	65.35
2023-08-10 00:45	39.47	43.21
2023-08-10 01:00	40.44	37.32
2023-08-10 01:15	42.26	42.51
2023-08-10 01:30	46.52	45.22
2023-08-10 01:45	88.31	58.34
2023-08-10 02:00	25.79	9.17
2023-08-10 02:15	0	0
2023-08-10 02:30	0	0
2023-08-10 02:45	0	0
2023-08-10 03:00	0	0
2023-08-10 03:15	0	0
2023-08-10 03:30	0	0
2023-08-10 03:45	0	0
2023-08-10 04:00	0	0
2023-08-10 04:15	0	0
2023-08-10 04:30	0	0
2023-08-10 04:45	0	0
2023-08-10 05:00	0	0
2023-08-10 05:15	0	0
2023-08-10 05:30	0	0
2023-08-10 05:45	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-10 06:00	0	0
2023-08-10 06:15	16.93	9.31
2023-08-10 06:30	50.04	41.66
2023-08-10 06:45	54.35	45.27
2023-08-10 07:00	59.17	50.64
2023-08-10 07:15	49.15	57.1
2023-08-10 07:30	50.75	60.01
2023-08-10 07:45	55.28	72.65
2023-08-10 08:00	53.85	81.24
2023-08-10 08:15	46.51	65.7
2023-08-10 08:30	49.87	41.72
2023-08-10 08:45	52.77	43.57
2023-08-10 09:00	48.96	49.5
2023-08-10 09:15	48.89	56.13
2023-08-10 09:30	48.47	59.74
2023-08-10 09:45	47.58	71.92
2023-08-10 10:00	46.55	79.15
2023-08-10 10:15	47.37	61.86
2023-08-10 10:30	47.22	40.86
2023-08-10 10:45	47.5	40.67
2023-08-10 11:00	46.99	45.89
2023-08-10 11:15	48.85	49.15
2023-08-10 11:30	50.25	53.62
2023-08-10 11:45	50.37	63.84
2023-08-10 12:00	52.43	81.9
2023-08-10 12:15	52.28	59.9
2023-08-10 12:30	52.28	40.77
2023-08-10 12:45	50.96	42.09
2023-08-10 13:00	52.27	45.87
2023-08-10 13:15	53.09	47.89
2023-08-10 13:30	51.04	55.1
2023-08-10 13:45	51.94	66.09
2023-08-10 14:00	50.33	73.48
2023-08-10 14:15	53.07	86.73
2023-08-10 14:30	51.5	69.74
2023-08-10 14:45	53.08	51.9
2023-08-10 15:00	50.73	50.18
2023-08-10 15:15	50.95	50.09
2023-08-10 15:30	50.8	50.88
2023-08-10 15:45	51.22	65.61
2023-08-10 16:00	50.63	84.06
2023-08-10 16:15	50.76	59.69
2023-08-10 16:30	51.1	40.75
2023-08-10 16:45	51.53	41.07
2023-08-10 17:00	51.68	47.98

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-10 17:15	51.74	46.69
2023-08-10 17:30	53.33	55.07
2023-08-10 17:45	53.61	66.99
2023-08-10 18:00	52.21	75.21
2023-08-10 18:15	54.5	79.56
2023-08-10 18:30	55.19	51.52
2023-08-10 18:45	57.29	45.22
2023-08-10 19:00	55.02	39.32
2023-08-10 19:15	57.12	45.31
2023-08-10 19:30	55.82	44.57
2023-08-10 19:45	54.33	53.55
2023-08-10 20:00	52.35	80.9
2023-08-10 20:15	56.8	44.87
2023-08-10 20:30	64.72	41.25
2023-08-10 20:45	52.74	43.92
2023-08-10 21:00	54.59	50.65
2023-08-10 21:15	56.38	51.82
2023-08-10 21:30	52.86	57.55
2023-08-10 21:45	50.13	68.13
2023-08-10 22:00	53.17	78.54
2023-08-10 22:15	52.38	42.03
2023-08-10 22:30	51.53	40.24
2023-08-10 22:45	50.94	43.34
2023-08-10 23:00	49.84	48.42
2023-08-10 23:15	51.66	48.97
2023-08-10 23:30	50.49	55.05
2023-08-10 23:45	51.16	67.32
2023-08-11 00:00	51.04	75.06
2023-08-11 00:15	51.09	38.13
2023-08-11 00:30	49.72	39.07
2023-08-11 00:45	50.23	42.18
2023-08-11 01:00	52.13	44.43
2023-08-11 01:15	48.65	47.82
2023-08-11 01:30	49.85	56.22
2023-08-11 01:45	50.67	67.65
2023-08-11 02:00	52.8	81.58
2023-08-11 02:15	48.47	42.89
2023-08-11 02:30	53.02	38.81
2023-08-11 02:45	57.4	40.93
2023-08-11 03:00	50.1	46.22
2023-08-11 03:15	48.64	50.72
2023-08-11 03:30	51.09	58.61
2023-08-11 03:45	55.55	69.1
2023-08-11 04:00	49.19	77.71
2023-08-11 04:15	51.03	43.63

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-11 04:30	49.47	40.8
2023-08-11 04:45	49.24	45.26
2023-08-11 05:00	49.01	52.5
2023-08-11 05:15	49.82	53.93
2023-08-11 05:30	49.51	64.07
2023-08-11 05:45	48.49	76.92
2023-08-11 06:00	48.27	80.02
2023-08-11 06:15	48.25	44.99
2023-08-11 06:30	48.73	42.89
2023-08-11 06:45	47.55	47.88
2023-08-11 07:00	48.37	51.04
2023-08-11 07:15	47.7	50.93
2023-08-11 07:30	47.57	58.53
2023-08-11 07:45	47.53	80.7
2023-08-11 08:00	50.45	85.12
2023-08-11 08:15	53.62	48.26
2023-08-11 08:30	49.9	47.46
2023-08-11 08:45	51.14	50.21
2023-08-11 09:00	52.38	56.53
2023-08-11 09:15	52.52	60.44
2023-08-11 09:30	48.13	71.61
2023-08-11 09:45	50.89	89.85
2023-08-11 10:00	53.43	84.19
2023-08-11 10:15	46.24	46.67
2023-08-11 10:30	47.46	45.38
2023-08-11 10:45	46.89	48.69
2023-08-11 11:00	46.74	52.53
2023-08-11 11:15	46.78	56.75
2023-08-11 11:30	48.3	64.36
2023-08-11 11:45	49.92	88.6
2023-08-11 12:00	54.74	80.75
2023-08-11 12:15	57.66	80.63
2023-08-11 12:30	57.61	53.25
2023-08-11 12:45	61.01	54.11
2023-08-11 13:00	59.56	56.11
2023-08-11 13:15	60.58	61.19
2023-08-11 13:30	59.83	72.31
2023-08-11 13:45	60.03	95.9
2023-08-11 14:00	58.44	82.95
2023-08-11 14:15	60.13	47.75
2023-08-11 14:30	61.31	48.89
2023-08-11 14:45	57.48	50.72
2023-08-11 15:00	61.09	59.11
2023-08-11 15:15	61.2	64.13
2023-08-11 15:30	63.52	74.01

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-11 15:45	58.79	97.06
2023-08-11 16:00	61.61	74.32
2023-08-11 16:15	65.49	47.41
2023-08-11 16:30	61.61	50.34
2023-08-11 16:45	59.91	54.21
2023-08-11 17:00	60.94	57.17
2023-08-11 17:15	62.07	62.14
2023-08-11 17:30	61.45	73.94
2023-08-11 17:45	61.98	99.1
2023-08-11 18:00	61.81	75.56
2023-08-11 18:15	62.89	48.47
2023-08-11 18:30	62.87	51.61
2023-08-11 18:45	63.69	52.99
2023-08-11 19:00	63.45	51.55
2023-08-11 19:15	62.17	53.86
2023-08-11 19:30	62.94	61.19
2023-08-11 19:45	59.9	79.03
2023-08-11 20:00	60.95	88.77
2023-08-11 20:15	58.29	60.65
2023-08-11 20:30	60.57	53.16
2023-08-11 20:45	59.38	47.04
2023-08-11 21:00	61.07	53.88
2023-08-11 21:15	58.36	60.07
2023-08-11 21:30	62.9	72.22
2023-08-11 21:45	69.02	85.28
2023-08-11 22:00	57.85	64.92
2023-08-11 22:15	61.24	44.71
2023-08-11 22:30	67.85	44.57
2023-08-11 22:45	67.53	45.52
2023-08-11 23:00	55.59	42.95
2023-08-11 23:15	58.29	46.48
2023-08-11 23:30	59.07	59.51
2023-08-11 23:45	55.69	73.98
2023-08-12 00:00	54.94	50.9
2023-08-12 00:15	54.12	36.58
2023-08-12 00:30	56.35	37.95
2023-08-12 00:45	54.87	40.89
2023-08-12 01:00	56.4	48.1
2023-08-12 01:15	55.13	63.75
2023-08-12 01:30	54.24	82.72
2023-08-12 01:45	53.56	98.19
2023-08-12 02:00	55.9	59.07
2023-08-12 02:15	57.37	50.79
2023-08-12 02:30	54.92	56.47
2023-08-12 02:45	56.69	58.55

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-12 03:00	57.96	60.77
2023-08-12 03:15	58.63	67.43
2023-08-12 03:30	55.09	88.29
2023-08-12 03:45	58.47	95.67
2023-08-12 04:00	62.16	53.17
2023-08-12 04:15	56.78	47.27
2023-08-12 04:30	58.05	55.05
2023-08-12 04:45	58.94	57.8
2023-08-12 05:00	65.46	66.05
2023-08-12 05:15	55.55	72.08
2023-08-12 05:30	59.39	99.8
2023-08-12 05:45	62.3	100.07
2023-08-12 06:00	57.54	65.53
2023-08-12 06:15	56.08	57.44
2023-08-12 06:30	58.82	66.24
2023-08-12 06:45	58.25	55.32
2023-08-12 07:00	57.59	50.35
2023-08-12 07:15	56.87	58.83
2023-08-12 07:30	56.3	55.54
2023-08-12 07:45	58.61	82.1
2023-08-12 08:00	56.52	53
2023-08-12 08:15	58.01	48.44
2023-08-12 08:30	58.41	48.15
2023-08-12 08:45	58.34	43.15
2023-08-12 09:00	57.07	55.79
2023-08-12 09:15	57.13	70.06
2023-08-12 09:30	59.01	97.99
2023-08-12 09:45	55.91	84.62
2023-08-12 10:00	57.14	78.49
2023-08-12 10:15	57.09	62.99
2023-08-12 10:30	56.96	45.88
2023-08-12 10:45	55.87	45.07
2023-08-12 11:00	58.82	57.6
2023-08-12 11:15	64.6	74.21
2023-08-12 11:30	57.9	98.63
2023-08-12 11:45	62.37	80.88
2023-08-12 12:00	63.42	41.65
2023-08-12 12:15	63.76	48.11
2023-08-12 12:30	59.82	49.96
2023-08-12 12:45	60.91	53.98
2023-08-12 13:00	60.87	62.36
2023-08-12 13:15	63.32	73.62
2023-08-12 13:30	61.07	86.42
2023-08-12 13:45	60.91	75.44
2023-08-12 14:00	61.01	48.86

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-12 14:15	59.97	45.31
2023-08-12 14:30	61.76	48.75
2023-08-12 14:45	60.96	54.99
2023-08-12 15:00	62.24	59.32
2023-08-12 15:15	60.84	74.93
2023-08-12 15:30	62.51	89.32
2023-08-12 15:45	63.42	69.16
2023-08-12 16:00	60.51	47.19
2023-08-12 16:15	64.43	41.32
2023-08-12 16:30	64.4	43.96
2023-08-12 16:45	64.31	50.24
2023-08-12 17:00	61.85	61.59
2023-08-12 17:15	65.38	69.51
2023-08-12 17:30	66.86	60.43
2023-08-12 17:45	64.37	47.97
2023-08-12 18:00	64.36	45.92
2023-08-12 18:15	65.41	47.01
2023-08-12 18:30	70.22	44.59
2023-08-12 18:45	62.24	50.17
2023-08-12 19:00	68.98	50.47
2023-08-12 19:15	69.67	53.33
2023-08-12 19:30	69.76	56.12
2023-08-12 19:45	63.13	65.08
2023-08-12 20:00	66.43	68.44
2023-08-12 20:15	67.95	56.69
2023-08-12 20:30	61.19	40.51
2023-08-12 20:45	62.29	47.54
2023-08-12 21:00	62.84	62.4
2023-08-12 21:15	63.21	82.22
2023-08-12 21:30	59.84	88.34
2023-08-12 21:45	62.6	52.59
2023-08-12 22:00	63.85	41.23
2023-08-12 22:15	61.19	50.92
2023-08-12 22:30	61.48	50.89
2023-08-12 22:45	64.72	48.25
2023-08-12 23:00	63.05	45.08
2023-08-12 23:15	59.34	56.51
2023-08-12 23:30	61.32	58.64
2023-08-12 23:45	61.14	55.63
2023-08-13 00:00	68.46	46.27
2023-08-13 00:15	59.77	51.77
2023-08-13 00:30	69.03	48.44
2023-08-13 00:45	77.83	44.13
2023-08-13 01:00	62.63	48.79
2023-08-13 01:15	60.58	60.77

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-13 01:30	60.74	67.99
2023-08-13 01:45	60.65	51.11
2023-08-13 02:00	57.3	42.07
2023-08-13 02:15	60.25	42.73
2023-08-13 02:30	59.03	42.14
2023-08-13 02:45	57.95	46.71
2023-08-13 03:00	56.49	42.38
2023-08-13 03:15	62.41	53.05
2023-08-13 03:30	65.12	58.61
2023-08-13 03:45	53.15	69.3
2023-08-13 04:00	53.62	52.98
2023-08-13 04:15	53.7	59.62
2023-08-13 04:30	55.54	60.44
2023-08-13 04:45	53.35	64.1
2023-08-13 05:00	57.31	80
2023-08-13 05:15	58.53	112.97
2023-08-13 05:30	56.87	84.85
2023-08-13 05:45	57.89	66.42
2023-08-13 06:00	64.05	54.19
2023-08-13 06:15	68.84	50.85
2023-08-13 06:30	59.37	51.7
2023-08-13 06:45	63.26	59.22
2023-08-13 07:00	69.41	69.37
2023-08-13 07:15	61.18	83.61
2023-08-13 07:30	58.43	89.92
2023-08-13 07:45	60.86	56.62
2023-08-13 08:00	59.9	50.31
2023-08-13 08:15	57.37	46.38
2023-08-13 08:30	56.61	42.14
2023-08-13 08:45	55.99	48.8
2023-08-13 09:00	60.5	40.69
2023-08-13 09:15	53.63	49.29
2023-08-13 09:30	60.93	55.45
2023-08-13 09:45	67.04	70.4
2023-08-13 10:00	56.93	94.03
2023-08-13 10:15	59.38	95.42
2023-08-13 10:30	59.86	48.51
2023-08-13 10:45	61.25	47.7
2023-08-13 11:00	58.68	76.22
2023-08-13 11:15	60.56	88.54
2023-08-13 11:30	59.38	85.98
2023-08-13 11:45	58.67	56.68
2023-08-13 12:00	56.45	50.67
2023-08-13 12:15	60.29	54.44
2023-08-13 12:30	66.13	55.67

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-13 12:45	56.11	56.94
2023-08-13 13:00	57.38	54.79
2023-08-13 13:15	56.91	58.6
2023-08-13 13:30	58.27	59.82
2023-08-13 13:45	55.27	68.67
2023-08-13 14:00	58.49	49
2023-08-13 14:15	56.78	50.54
2023-08-13 14:30	54.64	55.86
2023-08-13 14:45	55.89	62.73
2023-08-13 15:00	55.39	49.51
2023-08-13 15:15	62.48	72.39
2023-08-13 15:30	55.7	60.9
2023-08-13 15:45	53.43	68.9
2023-08-13 16:00	49.65	72.08
2023-08-13 16:15	49.18	48.69
2023-08-13 16:30	48.66	47.79
2023-08-13 16:45	50.12	52.42
2023-08-13 17:00	50.73	76.32
2023-08-13 17:15	49.51	85.27
2023-08-13 17:30	58.93	83.29
2023-08-13 17:45	58.67	70.07
2023-08-13 18:00	59.51	59.86
2023-08-13 18:15	57.88	49.96
2023-08-13 18:30	58.88	52.96
2023-08-13 18:45	60.7	59.15
2023-08-13 19:00	57.1	81.4
2023-08-13 19:15	60.18	89.46
2023-08-13 19:30	60.91	75.66
2023-08-13 19:45	65.89	63.57
2023-08-13 20:00	56.1	82.32
2023-08-13 20:15	59.92	48.65
2023-08-13 20:30	60.37	47.63
2023-08-13 20:45	54.7	53.5
2023-08-13 21:00	49.47	78.77
2023-08-13 21:15	49.23	82.98
2023-08-13 21:30	45.51	77.28
2023-08-13 21:45	42.74	67.26
2023-08-13 22:00	42.19	51.46
2023-08-13 22:15	41.92	46.78
2023-08-13 22:30	41.52	47.68
2023-08-13 22:45	40.13	54.55
2023-08-13 23:00	40.99	67.04
2023-08-13 23:15	42.45	67.01
2023-08-13 23:30	41.19	69.68
2023-08-13 23:45	41.49	61.57

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-14 00:00	41.83	39.27
2023-08-14 00:15	40.11	35.22
2023-08-14 00:30	39.3	36.5
2023-08-14 00:45	39.14	40.02
2023-08-14 01:00	38.85	32.49
2023-08-14 01:15	39.18	35.13
2023-08-14 01:30	38.93	35
2023-08-14 01:45	39.03	39.65
2023-08-14 02:00	38.95	29.44
2023-08-14 02:15	39.69	30.27
2023-08-14 02:30	39.49	31.56
2023-08-14 02:45	39.45	35.24
2023-08-14 03:00	39.56	29.33
2023-08-14 03:15	40.51	28.95
2023-08-14 03:30	40.2	30
2023-08-14 03:45	42.72	32.46
2023-08-14 04:00	38.78	41.53
2023-08-14 04:15	39.08	32.32
2023-08-14 04:30	39.03	25.65
2023-08-14 04:45	39.89	24.83
2023-08-14 05:00	39.87	24.67
2023-08-14 05:15	39.69	24.68
2023-08-14 05:30	40.14	24.76
2023-08-14 05:45	39.63	24.86
2023-08-14 06:00	39.6	25.04
2023-08-14 06:15	39.33	30.44
2023-08-14 06:30	39.77	34.72
2023-08-14 06:45	40.28	31.73
2023-08-14 07:00	40.74	29.73
2023-08-14 07:15	40.96	28.87
2023-08-14 07:30	41.97	27.41
2023-08-14 07:45	42.02	25.45
2023-08-14 08:00	42.93	23.87
2023-08-14 08:15	42.17	24.55
2023-08-14 08:30	43.89	23.39
2023-08-14 08:45	44	23.04
2023-08-14 09:00	43.09	24.18
2023-08-14 09:15	42.38	24.09
2023-08-14 09:30	44.03	22.61
2023-08-14 09:45	44.41	22.49
2023-08-14 10:00	44.28	22.55
2023-08-14 10:15	47.38	21.96
2023-08-14 10:30	50.76	21.85
2023-08-14 10:45	49.78	22.11
2023-08-14 11:00	48.16	22.53

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-14 11:15	46.48	23.11
2023-08-14 11:30	50.43	22.73
2023-08-14 11:45	52.54	22.61
2023-08-14 12:00	50.36	23
2023-08-14 12:15	52.29	22.79
2023-08-14 12:30	49.29	23.13
2023-08-14 12:45	48.52	23.57
2023-08-14 13:00	47.14	23.76
2023-08-14 13:15	48.36	23.74
2023-08-14 13:30	51.01	23.39
2023-08-14 13:45	51.25	23.69
2023-08-14 14:00	50.91	23.68
2023-08-14 14:15	52.57	23.42
2023-08-14 14:30	53.42	23.12
2023-08-14 14:45	54.24	23.26
2023-08-14 15:00	53.92	23.28
2023-08-14 15:15	52.55	23.5
2023-08-14 15:30	51.34	23.52
2023-08-14 15:45	49.39	23.37
2023-08-14 16:00	48.99	23.55
2023-08-14 16:15	48.81	23.63
2023-08-14 16:30	48.18	23.73
2023-08-14 16:45	47.94	24.03
2023-08-14 17:00	49.23	23.8
2023-08-14 17:15	47.8	23.8
2023-08-14 17:30	47.26	23.87
2023-08-14 17:45	47.15	23.82
2023-08-14 18:00	47.63	23.82
2023-08-14 18:15	47.49	23.95
2023-08-14 18:30	47.39	23.95
2023-08-14 18:45	47.01	23.96
2023-08-14 19:00	46.14	24.06
2023-08-14 19:15	46.61	24.09
2023-08-14 19:30	46.99	24.09
2023-08-14 19:45	46.89	24.13
2023-08-14 20:00	46.9	24.1
2023-08-14 20:15	46.97	24.22
2023-08-14 20:30	46.89	24.25
2023-08-14 20:45	46.87	24.28
2023-08-14 21:00	47.12	24.3
2023-08-14 21:15	47.13	24.23
2023-08-14 21:30	46.97	24.33
2023-08-14 21:45	46.48	24.48
2023-08-14 22:00	46.93	24.6
2023-08-14 22:15	46.94	24.64

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-14 22:30	46.99	24.69
2023-08-14 22:45	47.21	24.67
2023-08-14 23:00	47.3	24.72
2023-08-14 23:15	47.38	24.95
2023-08-14 23:30	47.35	25.09
2023-08-14 23:45	47.27	25.15
2023-08-15 00:00	47.15	25.05
2023-08-15 00:15	47	25.05
2023-08-15 00:30	47.22	25.12
2023-08-15 00:45	47.45	25.21
2023-08-15 01:00	47.64	25.43
2023-08-15 01:15	47.47	25.6
2023-08-15 01:30	47.42	25.66
2023-08-15 01:45	47.43	25.76
2023-08-15 02:00	47.45	25.81
2023-08-15 02:15	47.86	25.82
2023-08-15 02:30	47.69	26
2023-08-15 02:45	47.95	26.1
2023-08-15 03:00	47.95	26.19
2023-08-15 03:15	48.08	26.33
2023-08-15 03:30	48.23	26.58
2023-08-15 03:45	48.16	26.71
2023-08-15 04:00	48.4	26.77
2023-08-15 04:15	48.59	26.94
2023-08-15 04:30	48.45	27.08
2023-08-15 04:45	48.83	27.21
2023-08-15 05:00	48.92	27.51
2023-08-15 05:15	49.04	27.75
2023-08-15 05:30	48.91	27.95
2023-08-15 05:45	48.59	28.13
2023-08-15 06:00	48.29	28.15
2023-08-15 06:15	48.42	28.25
2023-08-15 06:30	48.8	28.52
2023-08-15 06:45	49.37	28.85
2023-08-15 07:00	49.46	29.8
2023-08-15 07:15	48.97	30.35
2023-08-15 07:30	49.71	29.35
2023-08-15 07:45	51.56	28.47
2023-08-15 08:00	54.46	27.3
2023-08-15 08:15	57.38	25.97
2023-08-15 08:30	62.1	24.35
2023-08-15 08:45	59.49	23.52
2023-08-15 09:00	54.76	24.05
2023-08-15 09:15	58.39	23.53
2023-08-15 09:30	52.46	24.66

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-15 09:45	50.87	24.3
2023-08-15 10:00	50.42	23.99
2023-08-15 10:15	55.58	22.77
2023-08-15 10:30	58.3	22.33
2023-08-15 10:45	57.68	22.31
2023-08-15 11:00	56.21	22.31
2023-08-15 11:15	57.69	22.36
2023-08-15 11:30	60.26	22.1
2023-08-15 11:45	60.33	22.44
2023-08-15 12:00	56.19	23.02
2023-08-15 12:15	55.01	23.01
2023-08-15 12:30	53.49	23.37
2023-08-15 12:45	52.9	23.84
2023-08-15 13:00	53	23.76
2023-08-15 13:15	52.98	23.71
2023-08-15 13:30	52.31	23.81
2023-08-15 13:45	52.23	22.89
2023-08-15 14:00	53.05	21.87
2023-08-15 14:15	53.4	21.26
2023-08-15 14:30	53.51	21.31
2023-08-15 14:45	54.13	21.63
2023-08-15 15:00	54.27	22.02
2023-08-15 15:15	54.44	22.88
2023-08-15 15:30	54.23	22.89
2023-08-15 15:45	54.43	23
2023-08-15 16:00	54.27	23.11
2023-08-15 16:15	54.13	23.36
2023-08-15 16:30	53.62	23.57
2023-08-15 16:45	53.16	23.71
2023-08-15 17:00	53.93	24.13
2023-08-15 17:15	53.33	23.57
2023-08-15 17:30	53.56	23.7
2023-08-15 17:45	53.23	23.8
2023-08-15 18:00	53.35	23.8
2023-08-15 18:15	53.87	23.96
2023-08-15 18:30	53.72	24.06
2023-08-15 18:45	53.86	24.23
2023-08-15 19:00	54.08	24.23
2023-08-15 19:15	54.17	24.24
2023-08-15 19:30	53.9	24.25
2023-08-15 19:45	53.87	24.24
2023-08-15 20:00	53.78	24.16
2023-08-15 20:15	53.67	24.12
2023-08-15 20:30	53.71	24.14
2023-08-15 20:45	53.56	24.13

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-15 21:00	53.49	24.25
2023-08-15 21:15	53.63	24.22
2023-08-15 21:30	53.47	24.2
2023-08-15 21:45	53.37	24.17
2023-08-15 22:00	53.4	24.35
2023-08-15 22:15	53.52	24.56
2023-08-15 22:30	53.68	24.65
2023-08-15 22:45	53.46	24.7
2023-08-15 23:00	53.57	24.71
2023-08-15 23:15	53.62	24.75
2023-08-15 23:30	53.7	24.77
2023-08-15 23:45	53.8	24.84
2023-08-16 00:00	54.2	25.04
2023-08-16 00:15	54.45	25.24
2023-08-16 00:30	54.46	25.18
2023-08-16 00:45	54.57	25.26
2023-08-16 01:00	54.75	25.46
2023-08-16 01:15	54.65	25.71
2023-08-16 01:30	54.66	25.87
2023-08-16 01:45	54.69	26
2023-08-16 02:00	55.03	26.26
2023-08-16 02:15	54.84	26.41
2023-08-16 02:30	54.98	26.67
2023-08-16 02:45	54.9	26.85
2023-08-16 03:00	54.85	27.05
2023-08-16 03:15	54.9	27.54
2023-08-16 03:30	54.9	27.73
2023-08-16 03:45	55.02	27.99
2023-08-16 04:00	55.11	28.17
2023-08-16 04:15	55.1	28.28
2023-08-16 04:30	54.65	28.53
2023-08-16 04:45	54.87	29.03
2023-08-16 05:00	54.86	29.32
2023-08-16 05:15	54.72	29.26
2023-08-16 05:30	54.71	29.56
2023-08-16 05:45	55.06	29.86
2023-08-16 06:00	54.79	30
2023-08-16 06:15	55.1	30.13
2023-08-16 06:30	54.98	30.46
2023-08-16 06:45	55.26	30.87
2023-08-16 07:00	54.66	30.8
2023-08-16 07:15	54.78	30.27
2023-08-16 07:30	55.78	30.13
2023-08-16 07:45	57.32	29.18
2023-08-16 08:00	62.56	29.07

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-16 08:15	70.59	27.68
2023-08-16 08:30	76.05	23.08
2023-08-16 08:45	0	0
2023-08-16 09:00	0	0
2023-08-16 09:15	0	0
2023-08-16 09:30	0	0
2023-08-16 09:45	0	0
2023-08-16 10:00	0	0
2023-08-16 10:15	0	0
2023-08-16 10:30	0	0
2023-08-16 10:45	0	0
2023-08-16 11:00	0	0
2023-08-16 11:15	0	0
2023-08-16 11:30	0	0
2023-08-16 11:45	0	0
2023-08-16 12:00	0	0
2023-08-16 12:15	0	0
2023-08-16 12:30	0	0
2023-08-16 12:45	0	0
2023-08-16 13:00	0	0
2023-08-16 13:15	0	0
2023-08-16 13:30	0	0
2023-08-16 13:45	0	0
2023-08-16 14:00	0	0
2023-08-16 14:15	0	0
2023-08-16 14:30	0	0
2023-08-16 14:45	0	0
2023-08-16 15:00	0	0
2023-08-16 15:15	0	0
2023-08-16 15:30	0	0
2023-08-16 15:45	0	0
2023-08-16 16:00	0	0
2023-08-16 16:15	0	0
2023-08-16 16:30	0	0
2023-08-16 16:45	0	0
2023-08-16 17:00	0	0
2023-08-16 17:15	0	0
2023-08-16 17:30	0	0
2023-08-16 17:45	0	0
2023-08-16 18:00	0	0
2023-08-16 18:15	0	0
2023-08-16 18:30	0	0
2023-08-16 18:45	0	0
2023-08-16 19:00	0	0
2023-08-16 19:15	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-16 19:30	0	0
2023-08-16 19:45	0	0
2023-08-16 20:00	0	0
2023-08-16 20:15	0	0
2023-08-16 20:30	0	0
2023-08-16 20:45	0	0
2023-08-16 21:00	0	0
2023-08-16 21:15	0	0
2023-08-16 21:30	0	0
2023-08-16 21:45	0	0
2023-08-16 22:00	0	0
2023-08-16 22:15	0	0
2023-08-16 22:30	0	0
2023-08-16 22:45	0	0
2023-08-16 23:00	0	0
2023-08-16 23:15	0	0
2023-08-16 23:30	0	0
2023-08-16 23:45	0	0
2023-08-17 00:00	0	0
2023-08-17 00:15	0	0
2023-08-17 00:30	0	0
2023-08-17 00:45	0	0
2023-08-17 01:00	0	0
2023-08-17 01:15	0	0
2023-08-17 01:30	0	0
2023-08-17 01:45	0	0
2023-08-17 02:00	0	0
2023-08-17 02:15	0	0
2023-08-17 02:30	0	0
2023-08-17 02:45	0	0
2023-08-17 03:00	0	0
2023-08-17 03:15	0	0
2023-08-17 03:30	0	0
2023-08-17 03:45	0	0
2023-08-17 04:00	0	0
2023-08-17 04:15	0	0
2023-08-17 04:30	0	0
2023-08-17 04:45	0	0
2023-08-17 05:00	0	0
2023-08-17 05:15	0	0
2023-08-17 05:30	0	0
2023-08-17 05:45	0	0
2023-08-17 06:00	0	0
2023-08-17 06:15	0	0
2023-08-17 06:30	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-17 06:45	0	0
2023-08-17 07:00	0	0
2023-08-17 07:15	0	0
2023-08-17 07:30	0	0
2023-08-17 07:45	0	0
2023-08-17 08:00	0	0
2023-08-17 08:15	0	0
2023-08-17 08:30	0	0
2023-08-17 08:45	0	0
2023-08-17 09:00	0	0
2023-08-17 09:15	0	0
2023-08-17 09:30	0	0
2023-08-17 09:45	0	0
2023-08-17 10:00	0	0
2023-08-17 10:15	0	0
2023-08-17 10:30	0	0
2023-08-17 10:45	0	0
2023-08-17 11:00	0	0
2023-08-17 11:15	0	0
2023-08-17 11:30	0	0
2023-08-17 11:45	0	0
2023-08-17 12:00	0	0
2023-08-17 12:15	0	0
2023-08-17 12:30	0	0
2023-08-17 12:45	0	0
2023-08-17 13:00	0	0
2023-08-17 13:15	0	0
2023-08-17 13:30	0	0
2023-08-17 13:45	0	0
2023-08-17 14:00	0	0
2023-08-17 14:15	0	0
2023-08-17 14:30	0	0
2023-08-17 14:45	0	0
2023-08-17 15:00	0	0
2023-08-17 15:15	0	0
2023-08-17 15:30	0	0
2023-08-17 15:45	0	0
2023-08-17 16:00	0	0
2023-08-17 16:15	0	0
2023-08-17 16:30	0	0
2023-08-17 16:45	0	0
2023-08-17 17:00	0	0
2023-08-17 17:15	0	0
2023-08-17 17:30	0	0
2023-08-17 17:45	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-17 18:00	0	0
2023-08-17 18:15	0	0
2023-08-17 18:30	0	0
2023-08-17 18:45	0	0
2023-08-17 19:00	0	0
2023-08-17 19:15	0	0
2023-08-17 19:30	0	0
2023-08-17 19:45	0	0
2023-08-17 20:00	0	0
2023-08-17 20:15	0	0
2023-08-17 20:30	0	0
2023-08-17 20:45	0	0
2023-08-17 21:00	0	0
2023-08-17 21:15	0	0
2023-08-17 21:30	0	0
2023-08-17 21:45	0	0
2023-08-17 22:00	0	0
2023-08-17 22:15	0	0
2023-08-17 22:30	0	0
2023-08-17 22:45	0	0
2023-08-17 23:00	0	0
2023-08-17 23:15	0	0
2023-08-17 23:30	0	0
2023-08-17 23:45	0	0
2023-08-18 00:00	0	0
2023-08-18 00:15	0	0
2023-08-18 00:30	0	0
2023-08-18 00:45	0	0
2023-08-18 01:00	0	0
2023-08-18 01:15	0	0
2023-08-18 01:30	0	0
2023-08-18 01:45	0	0
2023-08-18 02:00	0	0
2023-08-18 02:15	0	0
2023-08-18 02:30	0	0
2023-08-18 02:45	0	0
2023-08-18 03:00	0	0
2023-08-18 03:15	0	0
2023-08-18 03:30	0	0
2023-08-18 03:45	0	0
2023-08-18 04:00	0	0
2023-08-18 04:15	0	0
2023-08-18 04:30	0	0
2023-08-18 04:45	0	0
2023-08-18 05:00	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-18 05:15	0	0
2023-08-18 05:30	0	0
2023-08-18 05:45	0	0
2023-08-18 06:00	0	0
2023-08-18 06:15	0	0
2023-08-18 06:30	0	0
2023-08-18 06:45	0	0
2023-08-18 07:00	0	0
2023-08-18 07:15	0	0
2023-08-18 07:30	0	0
2023-08-18 07:45	0	0
2023-08-18 08:00	0	0
2023-08-18 08:15	0	0
2023-08-18 08:30	0	0
2023-08-18 08:45	0	0
2023-08-18 09:00	0	0
2023-08-18 09:15	0	0
2023-08-18 09:30	0	0
2023-08-18 09:45	0	0
2023-08-18 10:00	0	0
2023-08-18 10:15	0	0
2023-08-18 10:30	0	0
2023-08-18 10:45	0	0
2023-08-18 11:00	0	0
2023-08-18 11:15	0	0
2023-08-18 11:30	0	0
2023-08-18 11:45	0	0
2023-08-18 12:00	0	0
2023-08-18 12:15	0	0
2023-08-18 12:30	0	0
2023-08-18 12:45	0	0
2023-08-18 13:00	0	0
2023-08-18 13:15	0	0
2023-08-18 13:30	0	0
2023-08-18 13:45	0	0
2023-08-18 14:00	0	0
2023-08-18 14:15	0	0
2023-08-18 14:30	0	0
2023-08-18 14:45	0	0
2023-08-18 15:00	0	0
2023-08-18 15:15	0	0
2023-08-18 15:30	0	0
2023-08-18 15:45	0	0
2023-08-18 16:00	0	0
2023-08-18 16:15	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-18 16:30	0	0
2023-08-18 16:45	0	0
2023-08-18 17:00	0	0
2023-08-18 17:15	0	0
2023-08-18 17:30	0	0
2023-08-18 17:45	0	0
2023-08-18 18:00	0	0
2023-08-18 18:15	0	0
2023-08-18 18:30	0	0
2023-08-18 18:45	0	0
2023-08-18 19:00	0	0
2023-08-18 19:15	0	0
2023-08-18 19:30	0	0
2023-08-18 19:45	0	0
2023-08-18 20:00	0	0
2023-08-18 20:15	0	0
2023-08-18 20:30	0	0
2023-08-18 20:45	0	0
2023-08-18 21:00	0	0
2023-08-18 21:15	0	0
2023-08-18 21:30	0	0
2023-08-18 21:45	0	0
2023-08-18 22:00	0	0
2023-08-18 22:15	0	0
2023-08-18 22:30	0	0
2023-08-18 22:45	0	0
2023-08-18 23:00	0	0
2023-08-18 23:15	0	0
2023-08-18 23:30	0	0
2023-08-18 23:45	0	0
2023-08-19 00:00	0	0
2023-08-19 00:15	0	0
2023-08-19 00:30	0	0
2023-08-19 00:45	0	0
2023-08-19 01:00	0	0
2023-08-19 01:15	0	0
2023-08-19 01:30	0	0
2023-08-19 01:45	0	0
2023-08-19 02:00	0	0
2023-08-19 02:15	0	0
2023-08-19 02:30	0	0
2023-08-19 02:45	0	0
2023-08-19 03:00	0	0
2023-08-19 03:15	0	0
2023-08-19 03:30	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-19 03:45	0	0
2023-08-19 04:00	0	0
2023-08-19 04:15	0	0
2023-08-19 04:30	0	0
2023-08-19 04:45	0	0
2023-08-19 05:00	0	0
2023-08-19 05:15	0	0
2023-08-19 05:30	0	0
2023-08-19 05:45	0	0
2023-08-19 06:00	0	0
2023-08-19 06:15	0	0
2023-08-19 06:30	0	0
2023-08-19 06:45	0	0
2023-08-19 07:00	0	0
2023-08-19 07:15	0	0
2023-08-19 07:30	0	0
2023-08-19 07:45	0	0
2023-08-19 08:00	0	0
2023-08-19 08:15	0	0
2023-08-19 08:30	0	0
2023-08-19 08:45	0	0
2023-08-19 09:00	0	0
2023-08-19 09:15	0	0
2023-08-19 09:30	0	0
2023-08-19 09:45	0	0
2023-08-19 10:00	0	0
2023-08-19 10:15	0	0
2023-08-19 10:30	0	0
2023-08-19 10:45	0	0
2023-08-19 11:00	0	0
2023-08-19 11:15	0	0
2023-08-19 11:30	0	0
2023-08-19 11:45	0	0
2023-08-19 12:00	0	0
2023-08-19 12:15	0	0
2023-08-19 12:30	0	0
2023-08-19 12:45	0	0
2023-08-19 13:00	0	0
2023-08-19 13:15	0	0
2023-08-19 13:30	0	0
2023-08-19 13:45	0	0
2023-08-19 14:00	0	0
2023-08-19 14:15	0	0
2023-08-19 14:30	0	0
2023-08-19 14:45	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-19 15:00	0	0
2023-08-19 15:15	0	0
2023-08-19 15:30	0	0
2023-08-19 15:45	0	0
2023-08-19 16:00	0	0
2023-08-19 16:15	0	0
2023-08-19 16:30	0	0
2023-08-19 16:45	0	0
2023-08-19 17:00	0	0
2023-08-19 17:15	0	0
2023-08-19 17:30	0	0
2023-08-19 17:45	0	0
2023-08-19 18:00	0	0
2023-08-19 18:15	0	0
2023-08-19 18:30	0	0
2023-08-19 18:45	0	0
2023-08-19 19:00	0	0
2023-08-19 19:15	0	0
2023-08-19 19:30	0	0
2023-08-19 19:45	0	0
2023-08-19 20:00	0	0
2023-08-19 20:15	0	0
2023-08-19 20:30	0	0
2023-08-19 20:45	0	0
2023-08-19 21:00	0	0
2023-08-19 21:15	0	0
2023-08-19 21:30	0	0
2023-08-19 21:45	0	0
2023-08-19 22:00	0	0
2023-08-19 22:15	0	0
2023-08-19 22:30	0	0
2023-08-19 22:45	0	0
2023-08-19 23:00	0	0
2023-08-19 23:15	0	0
2023-08-19 23:30	0	0
2023-08-19 23:45	0	0
2023-08-20 00:00	0	0
2023-08-20 00:15	0	0
2023-08-20 00:30	0	0
2023-08-20 00:45	0	0
2023-08-20 01:00	0	0
2023-08-20 01:15	0	0
2023-08-20 01:30	0	0
2023-08-20 01:45	0	0
2023-08-20 02:00	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-20 02:15	0	0
2023-08-20 02:30	0	0
2023-08-20 02:45	0	0
2023-08-20 03:00	0	0
2023-08-20 03:15	0	0
2023-08-20 03:30	0	0
2023-08-20 03:45	0	0
2023-08-20 04:00	0	0
2023-08-20 04:15	0	0
2023-08-20 04:30	0	0
2023-08-20 04:45	0	0
2023-08-20 05:00	0	0
2023-08-20 05:15	0	0
2023-08-20 05:30	0	0
2023-08-20 05:45	0	0
2023-08-20 06:00	0	0
2023-08-20 06:15	0	0
2023-08-20 06:30	0	0
2023-08-20 06:45	0	0
2023-08-20 07:00	0	0
2023-08-20 07:15	0	0
2023-08-20 07:30	0	0
2023-08-20 07:45	0	0
2023-08-20 08:00	0	0
2023-08-20 08:15	0	0
2023-08-20 08:30	0	0
2023-08-20 08:45	0	0
2023-08-20 09:00	0	0
2023-08-20 09:15	0	0
2023-08-20 09:30	0	0
2023-08-20 09:45	0	0
2023-08-20 10:00	0	0
2023-08-20 10:15	0	0
2023-08-20 10:30	0	0
2023-08-20 10:45	0	0
2023-08-20 11:00	0	0
2023-08-20 11:15	0	0
2023-08-20 11:30	0	0
2023-08-20 11:45	0	0
2023-08-20 12:00	0	0
2023-08-20 12:15	0	0
2023-08-20 12:30	0	0
2023-08-20 12:45	0	0
2023-08-20 13:00	0	0
2023-08-20 13:15	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-20 13:30	0	0
2023-08-20 13:45	0	0
2023-08-20 14:00	0	0
2023-08-20 14:15	0	0
2023-08-20 14:30	0	0
2023-08-20 14:45	0	0
2023-08-20 15:00	0	0
2023-08-20 15:15	0	0
2023-08-20 15:30	0	0
2023-08-20 15:45	0	0
2023-08-20 16:00	0	0
2023-08-20 16:15	0	0
2023-08-20 16:30	0	0
2023-08-20 16:45	0	0
2023-08-20 17:00	0	0
2023-08-20 17:15	0	0
2023-08-20 17:30	0	0
2023-08-20 17:45	0	0
2023-08-20 18:00	0	0
2023-08-20 18:15	0	0
2023-08-20 18:30	0	0
2023-08-20 18:45	0	0
2023-08-20 19:00	0	0
2023-08-20 19:15	0	0
2023-08-20 19:30	0	0
2023-08-20 19:45	0	0
2023-08-20 20:00	0	0
2023-08-20 20:15	0	0
2023-08-20 20:30	0	0
2023-08-20 20:45	0	0
2023-08-20 21:00	0	0
2023-08-20 21:15	0	0
2023-08-20 21:30	0	0
2023-08-20 21:45	0	0
2023-08-20 22:00	0	0
2023-08-20 22:15	0	0
2023-08-20 22:30	0	0
2023-08-20 22:45	0	0
2023-08-20 23:00	0	0
2023-08-20 23:15	0	0
2023-08-20 23:30	0	0
2023-08-20 23:45	0	0
2023-08-21 00:00	0	0
2023-08-21 00:15	0	0
2023-08-21 00:30	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-21 00:45	0	0
2023-08-21 01:00	0	0
2023-08-21 01:15	0	0
2023-08-21 01:30	0	0
2023-08-21 01:45	0	0
2023-08-21 02:00	0	0
2023-08-21 02:15	0	0
2023-08-21 02:30	0	0
2023-08-21 02:45	0	0
2023-08-21 03:00	0	0
2023-08-21 03:15	0	0
2023-08-21 03:30	0	0
2023-08-21 03:45	0	0
2023-08-21 04:00	0	0
2023-08-21 04:15	0	0
2023-08-21 04:30	0	0
2023-08-21 04:45	0	0
2023-08-21 05:00	0	0
2023-08-21 05:15	0	0
2023-08-21 05:30	0	0
2023-08-21 05:45	0	0
2023-08-21 06:00	0	0
2023-08-21 06:15	0	0
2023-08-21 06:30	0	0
2023-08-21 06:45	0	0
2023-08-21 07:00	0	0
2023-08-21 07:15	0	0
2023-08-21 07:30	0	0
2023-08-21 07:45	0	0
2023-08-21 08:00	0	0
2023-08-21 08:15	0	0
2023-08-21 08:30	0	0
2023-08-21 08:45	0	0
2023-08-21 09:00	0	0
2023-08-21 09:15	0	0
2023-08-21 09:30	0	0
2023-08-21 09:45	0	0
2023-08-21 10:00	0	0
2023-08-21 10:15	0	0
2023-08-21 10:30	0	0
2023-08-21 10:45	0	0
2023-08-21 11:00	0	0
2023-08-21 11:15	0	0
2023-08-21 11:30	0	0
2023-08-21 11:45	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-21 12:00	0	0
2023-08-21 12:15	0	0
2023-08-21 12:30	0	0
2023-08-21 12:45	0	0
2023-08-21 13:00	0	0
2023-08-21 13:15	0	0
2023-08-21 13:30	0	0
2023-08-21 13:45	0	0
2023-08-21 14:00	0	0
2023-08-21 14:15	0	0
2023-08-21 14:30	0	0
2023-08-21 14:45	0	0
2023-08-21 15:00	0	0
2023-08-21 15:15	0	0
2023-08-21 15:30	0	0
2023-08-21 15:45	0	0
2023-08-21 16:00	0	0
2023-08-21 16:15	0	0
2023-08-21 16:30	0	0
2023-08-21 16:45	0	0
2023-08-21 17:00	0	0
2023-08-21 17:15	0	0
2023-08-21 17:30	0	0
2023-08-21 17:45	0	0
2023-08-21 18:00	0	0
2023-08-21 18:15	0	0
2023-08-21 18:30	0	0
2023-08-21 18:45	0	0
2023-08-21 19:00	0	0
2023-08-21 19:15	0	0
2023-08-21 19:30	0	0
2023-08-21 19:45	0	0
2023-08-21 20:00	0	0
2023-08-21 20:15	0	0
2023-08-21 20:30	0	0
2023-08-21 20:45	0	0
2023-08-21 21:00	0	0
2023-08-21 21:15	0	0
2023-08-21 21:30	0	0
2023-08-21 21:45	0	0
2023-08-21 22:00	0	0
2023-08-21 22:15	0	0
2023-08-21 22:30	0	0
2023-08-21 22:45	0	0
2023-08-21 23:00	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-21 23:15	0	0
2023-08-21 23:30	0	0
2023-08-21 23:45	0	0
2023-08-22 00:00	0	0
2023-08-22 00:15	0	0
2023-08-22 00:30	0	0
2023-08-22 00:45	0	0
2023-08-22 01:00	0	0
2023-08-22 01:15	0	0
2023-08-22 01:30	0	0
2023-08-22 01:45	0	0
2023-08-22 02:00	0	0
2023-08-22 02:15	0	0
2023-08-22 02:30	0	0
2023-08-22 02:45	0	0
2023-08-22 03:00	0	0
2023-08-22 03:15	0	0
2023-08-22 03:30	0	0
2023-08-22 03:45	0	0
2023-08-22 04:00	0	0
2023-08-22 04:15	0	0
2023-08-22 04:30	0	0
2023-08-22 04:45	0	0
2023-08-22 05:00	0	0
2023-08-22 05:15	0	0
2023-08-22 05:30	0	0
2023-08-22 05:45	0	0
2023-08-22 06:00	0	0
2023-08-22 06:15	0	0
2023-08-22 06:30	0	0
2023-08-22 06:45	0	0
2023-08-22 07:00	0	0
2023-08-22 07:15	0	0
2023-08-22 07:30	0	0
2023-08-22 07:45	0	0
2023-08-22 08:00	0	0
2023-08-22 08:15	0	0
2023-08-22 08:30	0	0
2023-08-22 08:45	0	0
2023-08-22 09:00	0	0
2023-08-22 09:15	0	0
2023-08-22 09:30	0	0
2023-08-22 09:45	0	0
2023-08-22 10:00	0	0
2023-08-22 10:15	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-22 10:30	0	0
2023-08-22 10:45	0	0
2023-08-22 11:00	0	0
2023-08-22 11:15	0	0
2023-08-22 11:30	0	0
2023-08-22 11:45	0	0
2023-08-22 12:00	0	0
2023-08-22 12:15	0	0
2023-08-22 12:30	0	0
2023-08-22 12:45	0	0
2023-08-22 13:00	0	0
2023-08-22 13:15	0	0
2023-08-22 13:30	0	0
2023-08-22 13:45	0	0
2023-08-22 14:00	0	0
2023-08-22 14:15	0	0
2023-08-22 14:30	0	0
2023-08-22 14:45	0	0
2023-08-22 15:00	0	0
2023-08-22 15:15	0	0
2023-08-22 15:30	0	0
2023-08-22 15:45	0	0
2023-08-22 16:00	0	0
2023-08-22 16:15	0	0
2023-08-22 16:30	0	0
2023-08-22 16:45	0	0
2023-08-22 17:00	0	0
2023-08-22 17:15	0	0
2023-08-22 17:30	0	0
2023-08-22 17:45	0	0
2023-08-22 18:00	0	0
2023-08-22 18:15	0	0
2023-08-22 18:30	0	0
2023-08-22 18:45	0	0
2023-08-22 19:00	0	0
2023-08-22 19:15	0	0
2023-08-22 19:30	0	0
2023-08-22 19:45	0	0
2023-08-22 20:00	0	0
2023-08-22 20:15	0	0
2023-08-22 20:30	0	0
2023-08-22 20:45	0	0
2023-08-22 21:00	0	0
2023-08-22 21:15	0	0
2023-08-22 21:30	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-22 21:45	0	0
2023-08-22 22:00	0	0
2023-08-22 22:15	0	0
2023-08-22 22:30	0	0
2023-08-22 22:45	0	0
2023-08-22 23:00	0	0
2023-08-22 23:15	0	0
2023-08-22 23:30	0	0
2023-08-22 23:45	0	0
2023-08-23 00:00	0	0
2023-08-23 00:15	0	0
2023-08-23 00:30	0	0
2023-08-23 00:45	0	0
2023-08-23 01:00	0	0
2023-08-23 01:15	0	0
2023-08-23 01:30	0	0
2023-08-23 01:45	0	0
2023-08-23 02:00	0	0
2023-08-23 02:15	0	0
2023-08-23 02:30	0	0
2023-08-23 02:45	0	0
2023-08-23 03:00	0	0
2023-08-23 03:15	0	0
2023-08-23 03:30	0	0
2023-08-23 03:45	0	0
2023-08-23 04:00	0	0
2023-08-23 04:15	0	0
2023-08-23 04:30	0	0
2023-08-23 04:45	0	0
2023-08-23 05:00	0	0
2023-08-23 05:15	0	0
2023-08-23 05:30	0	0
2023-08-23 05:45	0	0
2023-08-23 06:00	0	0
2023-08-23 06:15	0	0
2023-08-23 06:30	0	0
2023-08-23 06:45	0	0
2023-08-23 07:00	0	0
2023-08-23 07:15	0	0
2023-08-23 07:30	0	0
2023-08-23 07:45	0	0
2023-08-23 08:00	0	0
2023-08-23 08:15	0	0
2023-08-23 08:30	0	0
2023-08-23 08:45	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-23 09:00	0	0
2023-08-23 09:15	0	0
2023-08-23 09:30	0	0
2023-08-23 09:45	0	0
2023-08-23 10:00	0	0
2023-08-23 10:15	0	0
2023-08-23 10:30	0	0
2023-08-23 10:45	0	0
2023-08-23 11:00	0	0
2023-08-23 11:15	0	0
2023-08-23 11:30	0	0
2023-08-23 11:45	0	0
2023-08-23 12:00	0	0
2023-08-23 12:15	0	0
2023-08-23 12:30	0	0
2023-08-23 12:45	0	0
2023-08-23 13:00	0	0
2023-08-23 13:15	0	0
2023-08-23 13:30	0	0
2023-08-23 13:45	0	0
2023-08-23 14:00	0	0
2023-08-23 14:15	0	0
2023-08-23 14:30	0	0
2023-08-23 14:45	0	0
2023-08-23 15:00	0	0
2023-08-23 15:15	0	0
2023-08-23 15:30	0	0
2023-08-23 15:45	0	0
2023-08-23 16:00	0	0
2023-08-23 16:15	0	0
2023-08-23 16:30	0	0
2023-08-23 16:45	0	0
2023-08-23 17:00	0	0
2023-08-23 17:15	0	0
2023-08-23 17:30	0	0
2023-08-23 17:45	0	0
2023-08-23 18:00	0	0
2023-08-23 18:15	0	0
2023-08-23 18:30	0	0
2023-08-23 18:45	0	0
2023-08-23 19:00	0	0
2023-08-23 19:15	0	0
2023-08-23 19:30	0	0
2023-08-23 19:45	0	0
2023-08-23 20:00	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-23 20:15	0	0
2023-08-23 20:30	0	0
2023-08-23 20:45	0	0
2023-08-23 21:00	0	0
2023-08-23 21:15	0	0
2023-08-23 21:30	0	0
2023-08-23 21:45	0	0
2023-08-23 22:00	0	0
2023-08-23 22:15	0	0
2023-08-23 22:30	0	0
2023-08-23 22:45	0	0
2023-08-23 23:00	0	0
2023-08-23 23:15	0	0
2023-08-23 23:30	0	0
2023-08-23 23:45	0	0
2023-08-24 00:00	0	0
2023-08-24 00:15	0	0
2023-08-24 00:30	0	0
2023-08-24 00:45	0	0
2023-08-24 01:00	0	0
2023-08-24 01:15	0	0
2023-08-24 01:30	0	0
2023-08-24 01:45	0	0
2023-08-24 02:00	0	0
2023-08-24 02:15	0	0
2023-08-24 02:30	0	0
2023-08-24 02:45	0	0
2023-08-24 03:00	0	0
2023-08-24 03:15	0	0
2023-08-24 03:30	0	0
2023-08-24 03:45	0	0
2023-08-24 04:00	0	0
2023-08-24 04:15	0	0
2023-08-24 04:30	0	0
2023-08-24 04:45	0	0
2023-08-24 05:00	0	0
2023-08-24 05:15	0	0
2023-08-24 05:30	0	0
2023-08-24 05:45	0	0
2023-08-24 06:00	0	0
2023-08-24 06:15	0	0
2023-08-24 06:30	0	0
2023-08-24 06:45	0	0
2023-08-24 07:00	0	0
2023-08-24 07:15	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-24 07:30	0	0
2023-08-24 07:45	0	0
2023-08-24 08:00	0	0
2023-08-24 08:15	0	0
2023-08-24 08:30	0	0
2023-08-24 08:45	0	0
2023-08-24 09:00	0	0
2023-08-24 09:15	0	0
2023-08-24 09:30	0	0
2023-08-24 09:45	0	0
2023-08-24 10:00	0	0
2023-08-24 10:15	0	0
2023-08-24 10:30	0	0
2023-08-24 10:45	0	0
2023-08-24 11:00	0	0
2023-08-24 11:15	0	0
2023-08-24 11:30	0	0
2023-08-24 11:45	0	0
2023-08-24 12:00	0	0
2023-08-24 12:15	0	0
2023-08-24 12:30	0	0
2023-08-24 12:45	0	0
2023-08-24 13:00	0	0
2023-08-24 13:15	0	0
2023-08-24 13:30	0	0
2023-08-24 13:45	0	0
2023-08-24 14:00	0	0
2023-08-24 14:15	0	0
2023-08-24 14:30	0	0
2023-08-24 14:45	0	0
2023-08-24 15:00	0	0
2023-08-24 15:15	0	0
2023-08-24 15:30	0	0
2023-08-24 15:45	0	0
2023-08-24 16:00	0	0
2023-08-24 16:15	0	0
2023-08-24 16:30	0	0
2023-08-24 16:45	0	0
2023-08-24 17:00	0	0
2023-08-24 17:15	0	0
2023-08-24 17:30	0	0
2023-08-24 17:45	0	0
2023-08-24 18:00	0	0
2023-08-24 18:15	0	0
2023-08-24 18:30	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-24 18:45	0	0
2023-08-24 19:00	0	0
2023-08-24 19:15	0	0
2023-08-24 19:30	0	0
2023-08-24 19:45	0	0
2023-08-24 20:00	0	0
2023-08-24 20:15	0	0
2023-08-24 20:30	0	0
2023-08-24 20:45	0	0
2023-08-24 21:00	0	0
2023-08-24 21:15	0	0
2023-08-24 21:30	0	0
2023-08-24 21:45	0	0
2023-08-24 22:00	0	0
2023-08-24 22:15	0	0
2023-08-24 22:30	0	0
2023-08-24 22:45	0	0
2023-08-24 23:00	0	0
2023-08-24 23:15	0	0
2023-08-24 23:30	0	0
2023-08-24 23:45	0	0
2023-08-25 00:00	0	0
2023-08-25 00:15	0	0
2023-08-25 00:30	0	0
2023-08-25 00:45	0	0
2023-08-25 01:00	0	0
2023-08-25 01:15	0	0
2023-08-25 01:30	0	0
2023-08-25 01:45	0	0
2023-08-25 02:00	0	0
2023-08-25 02:15	0	0
2023-08-25 02:30	0	0
2023-08-25 02:45	0	0
2023-08-25 03:00	0	0
2023-08-25 03:15	0	0
2023-08-25 03:30	0	0
2023-08-25 03:45	0	0
2023-08-25 04:00	0	0
2023-08-25 04:15	0	0
2023-08-25 04:30	0	0
2023-08-25 04:45	0	0
2023-08-25 05:00	0	0
2023-08-25 05:15	0	0
2023-08-25 05:30	0	0
2023-08-25 05:45	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-25 06:00	0	0
2023-08-25 06:15	0	0
2023-08-25 06:30	0	0
2023-08-25 06:45	0	0
2023-08-25 07:00	0	0
2023-08-25 07:15	0	0
2023-08-25 07:30	0	0
2023-08-25 07:45	0	0
2023-08-25 08:00	0	0
2023-08-25 08:15	0	0
2023-08-25 08:30	0	0
2023-08-25 08:45	0	0
2023-08-25 09:00	0	0
2023-08-25 09:15	0	0
2023-08-25 09:30	0	0
2023-08-25 09:45	0	0
2023-08-25 10:00	0	0
2023-08-25 10:15	0	0
2023-08-25 10:30	0	0
2023-08-25 10:45	0	0
2023-08-25 11:00	0	0
2023-08-25 11:15	0	0
2023-08-25 11:30	0	0
2023-08-25 11:45	0	0
2023-08-25 12:00	0	0
2023-08-25 12:15	0	0
2023-08-25 12:30	0	0
2023-08-25 12:45	0	0
2023-08-25 13:00	0	0
2023-08-25 13:15	0	0
2023-08-25 13:30	0	0
2023-08-25 13:45	0	0
2023-08-25 14:00	0	0
2023-08-25 14:15	0	0
2023-08-25 14:30	0	0
2023-08-25 14:45	0	0
2023-08-25 15:00	0	0
2023-08-25 15:15	0	0
2023-08-25 15:30	0	0
2023-08-25 15:45	0	0
2023-08-25 16:00	0	0
2023-08-25 16:15	0	0
2023-08-25 16:30	0	0
2023-08-25 16:45	0	0
2023-08-25 17:00	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-25 17:15	0	0
2023-08-25 17:30	0	0
2023-08-25 17:45	0	0
2023-08-25 18:00	0	0
2023-08-25 18:15	0	0
2023-08-25 18:30	0	0
2023-08-25 18:45	0	0
2023-08-25 19:00	0	0
2023-08-25 19:15	0	0
2023-08-25 19:30	0	0
2023-08-25 19:45	0	0
2023-08-25 20:00	0	0
2023-08-25 20:15	0	0
2023-08-25 20:30	0	0
2023-08-25 20:45	0	0
2023-08-25 21:00	0	0
2023-08-25 21:15	0	0
2023-08-25 21:30	0	0
2023-08-25 21:45	0	0
2023-08-25 22:00	0	0
2023-08-25 22:15	0	0
2023-08-25 22:30	0	0
2023-08-25 22:45	0	0
2023-08-25 23:00	0	0
2023-08-25 23:15	0	0
2023-08-25 23:30	0	0
2023-08-25 23:45	0	0
2023-08-26 00:00	0	0
2023-08-26 00:15	0	0
2023-08-26 00:30	0	0
2023-08-26 00:45	0	0
2023-08-26 01:00	0	0
2023-08-26 01:15	0	0
2023-08-26 01:30	0	0
2023-08-26 01:45	0	0
2023-08-26 02:00	0	0
2023-08-26 02:15	0	0
2023-08-26 02:30	0	0
2023-08-26 02:45	0	0
2023-08-26 03:00	0	0
2023-08-26 03:15	0	0
2023-08-26 03:30	0	0
2023-08-26 03:45	0	0
2023-08-26 04:00	0	0
2023-08-26 04:15	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-26 04:30	0	0
2023-08-26 04:45	0	0
2023-08-26 05:00	0	0
2023-08-26 05:15	0	0
2023-08-26 05:30	0	0
2023-08-26 05:45	0	0
2023-08-26 06:00	0	0
2023-08-26 06:15	0	0
2023-08-26 06:30	0	0
2023-08-26 06:45	0	0
2023-08-26 07:00	0	0
2023-08-26 07:15	0	0
2023-08-26 07:30	0	0
2023-08-26 07:45	0	0
2023-08-26 08:00	0	0
2023-08-26 08:15	0	0
2023-08-26 08:30	0	0
2023-08-26 08:45	0	0
2023-08-26 09:00	0	0
2023-08-26 09:15	0	0
2023-08-26 09:30	0	0
2023-08-26 09:45	0	0
2023-08-26 10:00	0	0
2023-08-26 10:15	0	0
2023-08-26 10:30	0	0
2023-08-26 10:45	0	0
2023-08-26 11:00	0	0
2023-08-26 11:15	0	0
2023-08-26 11:30	0	0
2023-08-26 11:45	0	0
2023-08-26 12:00	0	0
2023-08-26 12:15	0	0
2023-08-26 12:30	0	0
2023-08-26 12:45	0	0
2023-08-26 13:00	0	0
2023-08-26 13:15	0	0
2023-08-26 13:30	0	0
2023-08-26 13:45	0	0
2023-08-26 14:00	0	0
2023-08-26 14:15	0	0
2023-08-26 14:30	0	0
2023-08-26 14:45	0	0
2023-08-26 15:00	0	0
2023-08-26 15:15	0	0
2023-08-26 15:30	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-26 15:45	0	0
2023-08-26 16:00	0	0
2023-08-26 16:15	0	0
2023-08-26 16:30	0	0
2023-08-26 16:45	0	0
2023-08-26 17:00	0	0
2023-08-26 17:15	0	0
2023-08-26 17:30	0	0
2023-08-26 17:45	0	0
2023-08-26 18:00	0	0
2023-08-26 18:15	0	0
2023-08-26 18:30	0	0
2023-08-26 18:45	0	0
2023-08-26 19:00	0	0
2023-08-26 19:15	0	0
2023-08-26 19:30	0	0
2023-08-26 19:45	0	0
2023-08-26 20:00	0	0
2023-08-26 20:15	0	0
2023-08-26 20:30	0	0
2023-08-26 20:45	0	0
2023-08-26 21:00	0	0
2023-08-26 21:15	0	0
2023-08-26 21:30	0	0
2023-08-26 21:45	0	0
2023-08-26 22:00	0	0
2023-08-26 22:15	0	0
2023-08-26 22:30	0	0
2023-08-26 22:45	0	0
2023-08-26 23:00	0	0
2023-08-26 23:15	0	0
2023-08-26 23:30	0	0
2023-08-26 23:45	0	0
2023-08-27 00:00	0	0
2023-08-27 00:15	0	0
2023-08-27 00:30	0	0
2023-08-27 00:45	0	0
2023-08-27 01:00	0	0
2023-08-27 01:15	0	0
2023-08-27 01:30	0	0
2023-08-27 01:45	0	0
2023-08-27 02:00	0	0
2023-08-27 02:15	0	0
2023-08-27 02:30	0	0
2023-08-27 02:45	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-27 03:00	0	0
2023-08-27 03:15	0	0
2023-08-27 03:30	0	0
2023-08-27 03:45	0	0
2023-08-27 04:00	0	0
2023-08-27 04:15	0	0
2023-08-27 04:30	0	0
2023-08-27 04:45	0	0
2023-08-27 05:00	0	0
2023-08-27 05:15	0	0
2023-08-27 05:30	0	0
2023-08-27 05:45	0	0
2023-08-27 06:00	0	0
2023-08-27 06:15	0	0
2023-08-27 06:30	0	0
2023-08-27 06:45	0	0
2023-08-27 07:00	0	0
2023-08-27 07:15	0	0
2023-08-27 07:30	0	0
2023-08-27 07:45	0	0
2023-08-27 08:00	0	0
2023-08-27 08:15	0	0
2023-08-27 08:30	0	0
2023-08-27 08:45	0	0
2023-08-27 09:00	0	0
2023-08-27 09:15	0	0
2023-08-27 09:30	0	0
2023-08-27 09:45	0	0
2023-08-27 10:00	0	0
2023-08-27 10:15	0	0
2023-08-27 10:30	0	0
2023-08-27 10:45	0	0
2023-08-27 11:00	0	0
2023-08-27 11:15	0	0
2023-08-27 11:30	0	0
2023-08-27 11:45	0	0
2023-08-27 12:00	0	0
2023-08-27 12:15	0	0
2023-08-27 12:30	0	0
2023-08-27 12:45	0	0
2023-08-27 13:00	0	0
2023-08-27 13:15	0	0
2023-08-27 13:30	0	0
2023-08-27 13:45	0	0
2023-08-27 14:00	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-27 14:15	0	0
2023-08-27 14:30	0	0
2023-08-27 14:45	0	0
2023-08-27 15:00	0	0
2023-08-27 15:15	0	0
2023-08-27 15:30	0	0
2023-08-27 15:45	0	0
2023-08-27 16:00	0	0
2023-08-27 16:15	0	0
2023-08-27 16:30	0	0
2023-08-27 16:45	0	0
2023-08-27 17:00	0	0
2023-08-27 17:15	0	0
2023-08-27 17:30	0	0
2023-08-27 17:45	0	0
2023-08-27 18:00	0	0
2023-08-27 18:15	0	0
2023-08-27 18:30	0	0
2023-08-27 18:45	0	0
2023-08-27 19:00	0	0
2023-08-27 19:15	0	0
2023-08-27 19:30	0	0
2023-08-27 19:45	0	0
2023-08-27 20:00	0	0
2023-08-27 20:15	0	0
2023-08-27 20:30	0	0
2023-08-27 20:45	0	0
2023-08-27 21:00	0	0
2023-08-27 21:15	0	0
2023-08-27 21:30	0	0
2023-08-27 21:45	0	0
2023-08-27 22:00	0	0
2023-08-27 22:15	0	0
2023-08-27 22:30	0	0
2023-08-27 22:45	0	0
2023-08-27 23:00	0	0
2023-08-27 23:15	0	0
2023-08-27 23:30	0	0
2023-08-27 23:45	0	0
2023-08-28 00:00	0	0
2023-08-28 00:15	0	0
2023-08-28 00:30	0	0
2023-08-28 00:45	0	0
2023-08-28 01:00	0	0
2023-08-28 01:15	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-28 01:30	0	0
2023-08-28 01:45	0	0
2023-08-28 02:00	0	0
2023-08-28 02:15	0	0
2023-08-28 02:30	0	0
2023-08-28 02:45	0	0
2023-08-28 03:00	0	0
2023-08-28 03:15	0	0
2023-08-28 03:30	0	0
2023-08-28 03:45	0	0
2023-08-28 04:00	0	0
2023-08-28 04:15	0	0
2023-08-28 04:30	0	0
2023-08-28 04:45	0	0
2023-08-28 05:00	0	0
2023-08-28 05:15	0	0
2023-08-28 05:30	0	0
2023-08-28 05:45	0	0
2023-08-28 06:00	0	0
2023-08-28 06:15	0	0
2023-08-28 06:30	0	0
2023-08-28 06:45	0	0
2023-08-28 07:00	0	0
2023-08-28 07:15	0	0
2023-08-28 07:30	0	0
2023-08-28 07:45	0	0
2023-08-28 08:00	0	0
2023-08-28 08:15	0	0
2023-08-28 08:30	0	0
2023-08-28 08:45	0	0
2023-08-28 09:00	0	0
2023-08-28 09:15	0	0
2023-08-28 09:30	0	0
2023-08-28 09:45	0	0
2023-08-28 10:00	0	0
2023-08-28 10:15	0	0
2023-08-28 10:30	0	0
2023-08-28 10:45	0	0
2023-08-28 11:00	0	0
2023-08-28 11:15	0	0
2023-08-28 11:30	0	0
2023-08-28 11:45	0	0
2023-08-28 12:00	0	0
2023-08-28 12:15	0	0
2023-08-28 12:30	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-28 12:45	0	0
2023-08-28 13:00	0	0
2023-08-28 13:15	0	0
2023-08-28 13:30	0	0
2023-08-28 13:45	0	0
2023-08-28 14:00	0	0
2023-08-28 14:15	0	0
2023-08-28 14:30	0	0
2023-08-28 14:45	0	0
2023-08-28 15:00	0	0
2023-08-28 15:15	0	0
2023-08-28 15:30	0	0
2023-08-28 15:45	0	0
2023-08-28 16:00	0	0
2023-08-28 16:15	0	0
2023-08-28 16:30	0	0
2023-08-28 16:45	0	0
2023-08-28 17:00	0	0
2023-08-28 17:15	0	0
2023-08-28 17:30	0	0
2023-08-28 17:45	0	0
2023-08-28 18:00	0	0
2023-08-28 18:15	0	0
2023-08-28 18:30	0	0
2023-08-28 18:45	0	0
2023-08-28 19:00	0	0
2023-08-28 19:15	0	0
2023-08-28 19:30	0	0
2023-08-28 19:45	0	0
2023-08-28 20:00	0	0
2023-08-28 20:15	0	0
2023-08-28 20:30	0	0
2023-08-28 20:45	0	0
2023-08-28 21:00	0	0
2023-08-28 21:15	0	0
2023-08-28 21:30	0	0
2023-08-28 21:45	0	0
2023-08-28 22:00	0	0
2023-08-28 22:15	0	0
2023-08-28 22:30	0	0
2023-08-28 22:45	0	0
2023-08-28 23:00	0	0
2023-08-28 23:15	0	0
2023-08-28 23:30	0	0
2023-08-28 23:45	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-29 00:00	0	0
2023-08-29 00:15	0	0
2023-08-29 00:30	0	0
2023-08-29 00:45	0	0
2023-08-29 01:00	0	0
2023-08-29 01:15	0	0
2023-08-29 01:30	0	0
2023-08-29 01:45	0	0
2023-08-29 02:00	0	0
2023-08-29 02:15	0	0
2023-08-29 02:30	0	0
2023-08-29 02:45	0	0
2023-08-29 03:00	0	0
2023-08-29 03:15	0	0
2023-08-29 03:30	0	0
2023-08-29 03:45	0	0
2023-08-29 04:00	0	0
2023-08-29 04:15	0	0
2023-08-29 04:30	0	0
2023-08-29 04:45	0	0
2023-08-29 05:00	0	0
2023-08-29 05:15	0	0
2023-08-29 05:30	0	0
2023-08-29 05:45	0	0
2023-08-29 06:00	0	0
2023-08-29 06:15	0	0
2023-08-29 06:30	0	0
2023-08-29 06:45	0	0
2023-08-29 07:00	0	0
2023-08-29 07:15	0	0
2023-08-29 07:30	0	0
2023-08-29 07:45	0	0
2023-08-29 08:00	0	0
2023-08-29 08:15	0	0
2023-08-29 08:30	0	0
2023-08-29 08:45	0	0
2023-08-29 09:00	0	0
2023-08-29 09:15	0	0
2023-08-29 09:30	0	0
2023-08-29 09:45	0	0
2023-08-29 10:00	0	0
2023-08-29 10:15	0	0
2023-08-29 10:30	0	0
2023-08-29 10:45	0	0
2023-08-29 11:00	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-29 11:15	0	0
2023-08-29 11:30	0	0
2023-08-29 11:45	0	0
2023-08-29 12:00	0	0
2023-08-29 12:15	0	0
2023-08-29 12:30	0	0
2023-08-29 12:45	0	0
2023-08-29 13:00	0	0
2023-08-29 13:15	0	0
2023-08-29 13:30	0	0
2023-08-29 13:45	0	0
2023-08-29 14:00	0	0
2023-08-29 14:15	0	0
2023-08-29 14:30	0	0
2023-08-29 14:45	0	0
2023-08-29 15:00	0	0
2023-08-29 15:15	0	0
2023-08-29 15:30	0	0
2023-08-29 15:45	0	0
2023-08-29 16:00	0	0
2023-08-29 16:15	0	0
2023-08-29 16:30	0	0
2023-08-29 16:45	0	0
2023-08-29 17:00	0	0
2023-08-29 17:15	0	0
2023-08-29 17:30	0	0
2023-08-29 17:45	0	0
2023-08-29 18:00	0	0
2023-08-29 18:15	0	0
2023-08-29 18:30	0	0
2023-08-29 18:45	0	0
2023-08-29 19:00	0	0
2023-08-29 19:15	0	0
2023-08-29 19:30	0	0
2023-08-29 19:45	0	0
2023-08-29 20:00	0	0
2023-08-29 20:15	0	0
2023-08-29 20:30	0	0
2023-08-29 20:45	0	0
2023-08-29 21:00	0	0
2023-08-29 21:15	0	0
2023-08-29 21:30	0	0
2023-08-29 21:45	0	0
2023-08-29 22:00	0	0
2023-08-29 22:15	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-29 22:30	0	0
2023-08-29 22:45	0	0
2023-08-29 23:00	0	0
2023-08-29 23:15	0	0
2023-08-29 23:30	0	0
2023-08-29 23:45	0	0
2023-08-30 00:00	0	0
2023-08-30 00:15	0	0
2023-08-30 00:30	0	0
2023-08-30 00:45	0	0
2023-08-30 01:00	0	0
2023-08-30 01:15	0	0
2023-08-30 01:30	0	0
2023-08-30 01:45	0	0
2023-08-30 02:00	0	0
2023-08-30 02:15	0	0
2023-08-30 02:30	0	0
2023-08-30 02:45	0	0
2023-08-30 03:00	0	0
2023-08-30 03:15	0	0
2023-08-30 03:30	0	0
2023-08-30 03:45	0	0
2023-08-30 04:00	0	0
2023-08-30 04:15	0	0
2023-08-30 04:30	0	0
2023-08-30 04:45	0	0
2023-08-30 05:00	0	0
2023-08-30 05:15	0	0
2023-08-30 05:30	0	0
2023-08-30 05:45	0	0
2023-08-30 06:00	0	0
2023-08-30 06:15	0	0
2023-08-30 06:30	0	0
2023-08-30 06:45	0	0
2023-08-30 07:00	0	0
2023-08-30 07:15	0	0
2023-08-30 07:30	0	0
2023-08-30 07:45	0	0
2023-08-30 08:00	0	0
2023-08-30 08:15	0	0
2023-08-30 08:30	0	0
2023-08-30 08:45	0	0
2023-08-30 09:00	0	0
2023-08-30 09:15	0	0
2023-08-30 09:30	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-30 09:45	0	0
2023-08-30 10:00	0	0
2023-08-30 10:15	0	0
2023-08-30 10:30	0	0
2023-08-30 10:45	0	0
2023-08-30 11:00	0	0
2023-08-30 11:15	0	0
2023-08-30 11:30	0	0
2023-08-30 11:45	0	0
2023-08-30 12:00	0	0
2023-08-30 12:15	0	0
2023-08-30 12:30	0	0
2023-08-30 12:45	0	0
2023-08-30 13:00	0	0
2023-08-30 13:15	0	0
2023-08-30 13:30	0	0
2023-08-30 13:45	0	0
2023-08-30 14:00	0	0
2023-08-30 14:15	0	0
2023-08-30 14:30	0	0
2023-08-30 14:45	0	0
2023-08-30 15:00	0	0
2023-08-30 15:15	0	0
2023-08-30 15:30	0	0
2023-08-30 15:45	0	0
2023-08-30 16:00	0	0
2023-08-30 16:15	0	0
2023-08-30 16:30	0	0
2023-08-30 16:45	0	0
2023-08-30 17:00	0	0
2023-08-30 17:15	0	0
2023-08-30 17:30	0	0
2023-08-30 17:45	0	0
2023-08-30 18:00	0	0
2023-08-30 18:15	0	0
2023-08-30 18:30	0	0
2023-08-30 18:45	0	0
2023-08-30 19:00	0	0
2023-08-30 19:15	0	0
2023-08-30 19:30	0	0
2023-08-30 19:45	0	0
2023-08-30 20:00	0	0
2023-08-30 20:15	0	0
2023-08-30 20:30	0	0
2023-08-30 20:45	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-30 21:00	0	0
2023-08-30 21:15	0	0
2023-08-30 21:30	0	0
2023-08-30 21:45	0	0
2023-08-30 22:00	0	0
2023-08-30 22:15	0	0
2023-08-30 22:30	0	0
2023-08-30 22:45	0	0
2023-08-30 23:00	0	0
2023-08-30 23:15	0	0
2023-08-30 23:30	0	0
2023-08-30 23:45	0	0
2023-08-31 00:00	0	0
2023-08-31 00:15	0	0
2023-08-31 00:30	0	0
2023-08-31 00:45	0	0
2023-08-31 01:00	0	0
2023-08-31 01:15	0	0
2023-08-31 01:30	0	0
2023-08-31 01:45	0	0
2023-08-31 02:00	0	0
2023-08-31 02:15	0	0
2023-08-31 02:30	0	0
2023-08-31 02:45	0	0
2023-08-31 03:00	0	0
2023-08-31 03:15	0	0
2023-08-31 03:30	0	0
2023-08-31 03:45	0	0
2023-08-31 04:00	0	0
2023-08-31 04:15	0	0
2023-08-31 04:30	0	0
2023-08-31 04:45	0	0
2023-08-31 05:00	0	0
2023-08-31 05:15	0	0
2023-08-31 05:30	0	0
2023-08-31 05:45	0	0
2023-08-31 06:00	0	0
2023-08-31 06:15	0	0
2023-08-31 06:30	0	0
2023-08-31 06:45	0	0
2023-08-31 07:00	0	0
2023-08-31 07:15	0	0
2023-08-31 07:30	0	0
2023-08-31 07:45	0	0
2023-08-31 08:00	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-31 08:15	0	0
2023-08-31 08:30	0	0
2023-08-31 08:45	0	0
2023-08-31 09:00	0	0
2023-08-31 09:15	0	0
2023-08-31 09:30	0	0
2023-08-31 09:45	0	0
2023-08-31 10:00	0	0
2023-08-31 10:15	0	0
2023-08-31 10:30	0	0
2023-08-31 10:45	0	0
2023-08-31 11:00	0	0
2023-08-31 11:15	0	0
2023-08-31 11:30	0	0
2023-08-31 11:45	0	0
2023-08-31 12:00	0	0
2023-08-31 12:15	0	0
2023-08-31 12:30	0	0
2023-08-31 12:45	0	0
2023-08-31 13:00	0	0
2023-08-31 13:15	0	0
2023-08-31 13:30	0	0
2023-08-31 13:45	0	0
2023-08-31 14:00	0	0
2023-08-31 14:15	0	0
2023-08-31 14:30	0	0
2023-08-31 14:45	0	0
2023-08-31 15:00	0	0
2023-08-31 15:15	0	0
2023-08-31 15:30	0	0
2023-08-31 15:45	0	0
2023-08-31 16:00	0	0
2023-08-31 16:15	0	0
2023-08-31 16:30	0	0
2023-08-31 16:45	0	0
2023-08-31 17:00	0	0
2023-08-31 17:15	0	0
2023-08-31 17:30	0	0
2023-08-31 17:45	0	0
2023-08-31 18:00	0	0
2023-08-31 18:15	0	0
2023-08-31 18:30	0	0
2023-08-31 18:45	0	0
2023-08-31 19:00	0	0
2023-08-31 19:15	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-08-31 19:30	0	0
2023-08-31 19:45	0	0
2023-08-31 20:00	0	0
2023-08-31 20:15	0	0
2023-08-31 20:30	0	0
2023-08-31 20:45	0	0
2023-08-31 21:00	0	0
2023-08-31 21:15	0	0
2023-08-31 21:30	0	0
2023-08-31 21:45	0	0
2023-08-31 22:00	0	0
2023-08-31 22:15	0	0
2023-08-31 22:30	0	0
2023-08-31 22:45	0	0
2023-08-31 23:00	0	0
2023-08-31 23:15	0	0
2023-08-31 23:30	0	0
2023-08-31 23:45	NA	NA

Goa State Pollution Control Board

Industry Name	:	M/S Goa Carbon Limited
Address	:	ST.-JOSE-DE,AREAL-SALCETE
District	:	South Goa
Category	:	Petrochemicals
Parameters	:	RP_Stack-PM, Cooler_Stack-PM
Report Format	:	Tabular
Criteria	:	15min
Date	:	From 2023/09/01 To 2023/09/30

RealTime Data

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-01 00:00	0	0
2023-09-01 00:15	0	0
2023-09-01 00:30	0	0
2023-09-01 00:45	0	0
2023-09-01 01:00	0	0
2023-09-01 01:15	0	0
2023-09-01 01:30	0	0
2023-09-01 01:45	0	0
2023-09-01 02:00	0	0
2023-09-01 02:15	0	0
2023-09-01 02:30	0	0
2023-09-01 02:45	0	0
2023-09-01 03:00	0	0
2023-09-01 03:15	0	0
2023-09-01 03:30	0	0
2023-09-01 03:45	0	0
2023-09-01 04:00	0	0
2023-09-01 04:15	0	0
2023-09-01 04:30	0	0
2023-09-01 04:45	0	0
2023-09-01 05:00	0	0
2023-09-01 05:15	0	0
2023-09-01 05:30	0	0
2023-09-01 05:45	0	0
2023-09-01 06:00	0	0
2023-09-01 06:15	0	0
2023-09-01 06:30	0	0
2023-09-01 06:45	0	0
2023-09-01 07:00	0	0
2023-09-01 07:15	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-01 07:30	0	0
2023-09-01 07:45	0	0
2023-09-01 08:00	0	0
2023-09-01 08:15	0	0
2023-09-01 08:30	0	0
2023-09-01 08:45	0	0
2023-09-01 09:00	0	0
2023-09-01 09:15	0	0
2023-09-01 09:30	0	0
2023-09-01 09:45	0	0
2023-09-01 10:00	0	0
2023-09-01 10:15	0	0
2023-09-01 10:30	0	0
2023-09-01 10:45	0	0
2023-09-01 11:00	0	0
2023-09-01 11:15	0	0
2023-09-01 11:30	0	0
2023-09-01 11:45	0	0
2023-09-01 12:00	0	0
2023-09-01 12:15	0	0
2023-09-01 12:30	0	0
2023-09-01 12:45	0	0
2023-09-01 13:00	0	0
2023-09-01 13:15	0	0
2023-09-01 13:30	0	0
2023-09-01 13:45	0	0
2023-09-01 14:00	0	0
2023-09-01 14:15	0	0
2023-09-01 14:30	0	0
2023-09-01 14:45	0	0
2023-09-01 15:00	0	0
2023-09-01 15:15	0	0
2023-09-01 15:30	0	0
2023-09-01 15:45	0	0
2023-09-01 16:00	0	0
2023-09-01 16:15	0	0
2023-09-01 16:30	0	0
2023-09-01 16:45	0	0
2023-09-01 17:00	0	0
2023-09-01 17:15	0	0
2023-09-01 17:30	0	0
2023-09-01 17:45	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-01 18:00	0	0
2023-09-01 18:15	0	0
2023-09-01 18:30	0	0
2023-09-01 18:45	0	0
2023-09-01 19:00	0	0
2023-09-01 19:15	0	0
2023-09-01 19:30	0	0
2023-09-01 19:45	0	0
2023-09-01 20:00	0	0
2023-09-01 20:15	0	0
2023-09-01 20:30	0	0
2023-09-01 20:45	0	0
2023-09-01 21:00	0	0
2023-09-01 21:15	0	0
2023-09-01 21:30	0	0
2023-09-01 21:45	0	0
2023-09-01 22:00	0	0
2023-09-01 22:15	0	0
2023-09-01 22:30	0	0
2023-09-01 22:45	0	0
2023-09-01 23:00	0	0
2023-09-01 23:15	0	0
2023-09-01 23:30	0	0
2023-09-01 23:45	0	0
2023-09-02 00:00	0	0
2023-09-02 00:15	0	0
2023-09-02 00:30	0	0
2023-09-02 00:45	0	0
2023-09-02 01:00	0	0
2023-09-02 01:15	0	0
2023-09-02 01:30	0	0
2023-09-02 01:45	0	0
2023-09-02 02:00	0	0
2023-09-02 02:15	0	0
2023-09-02 02:30	0	0
2023-09-02 02:45	0	0
2023-09-02 03:00	0	0
2023-09-02 03:15	0	0
2023-09-02 03:30	0	0
2023-09-02 03:45	0	0
2023-09-02 04:00	0	0
2023-09-02 04:15	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-02 04:30	0	0
2023-09-02 04:45	0	0
2023-09-02 05:00	0	0
2023-09-02 05:15	0	0
2023-09-02 05:30	0	0
2023-09-02 05:45	0	0
2023-09-02 06:00	0	0
2023-09-02 06:15	0	0
2023-09-02 06:30	0	0
2023-09-02 06:45	0	0
2023-09-02 07:00	0	0
2023-09-02 07:15	0	0
2023-09-02 07:30	0	0
2023-09-02 07:45	0	0
2023-09-02 08:00	0	0
2023-09-02 08:15	0	0
2023-09-02 08:30	0	0
2023-09-02 08:45	0	0
2023-09-02 09:00	0	0
2023-09-02 09:15	0	0
2023-09-02 09:30	0	0
2023-09-02 09:45	0	0
2023-09-02 10:00	0	0
2023-09-02 10:15	0	0
2023-09-02 10:30	0	0
2023-09-02 10:45	0	0
2023-09-02 11:00	0	0
2023-09-02 11:15	0	0
2023-09-02 11:30	0	0
2023-09-02 11:45	0	0
2023-09-02 12:00	0	0
2023-09-02 12:15	0	0
2023-09-02 12:30	0	0
2023-09-02 12:45	0	0
2023-09-02 13:00	0	0
2023-09-02 13:15	0	0
2023-09-02 13:30	0	0
2023-09-02 13:45	0	0
2023-09-02 14:00	0	0
2023-09-02 14:15	0	0
2023-09-02 14:30	0	0
2023-09-02 14:45	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-02 15:00	0	0
2023-09-02 15:15	0	0
2023-09-02 15:30	0	0
2023-09-02 15:45	0	0
2023-09-02 16:00	0	0
2023-09-02 16:15	0	0
2023-09-02 16:30	0	0
2023-09-02 16:45	0	0
2023-09-02 17:00	0	0
2023-09-02 17:15	0	0
2023-09-02 17:30	0	0
2023-09-02 17:45	0	0
2023-09-02 18:00	0	0
2023-09-02 18:15	0	0
2023-09-02 18:30	0	0
2023-09-02 18:45	0	0
2023-09-02 19:00	0	0
2023-09-02 19:15	0	0
2023-09-02 19:30	0	0
2023-09-02 19:45	0	0
2023-09-02 20:00	0	0
2023-09-02 20:15	0	0
2023-09-02 20:30	0	0
2023-09-02 20:45	0	0
2023-09-02 21:00	0	0
2023-09-02 21:15	0	0
2023-09-02 21:30	0	0
2023-09-02 21:45	0	0
2023-09-02 22:00	0	0
2023-09-02 22:15	0	0
2023-09-02 22:30	0	0
2023-09-02 22:45	0	0
2023-09-02 23:00	0	0
2023-09-02 23:15	0	0
2023-09-02 23:30	0	0
2023-09-02 23:45	0	0
2023-09-03 00:00	0	0
2023-09-03 00:15	0	0
2023-09-03 00:30	0	0
2023-09-03 00:45	0	0
2023-09-03 01:00	0	0
2023-09-03 01:15	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-03 01:30	0	0
2023-09-03 01:45	0	0
2023-09-03 02:00	0	0
2023-09-03 02:15	0	0
2023-09-03 02:30	0	0
2023-09-03 02:45	0	0
2023-09-03 03:00	0	0
2023-09-03 03:15	0	0
2023-09-03 03:30	0	0
2023-09-03 03:45	0	0
2023-09-03 04:00	0	0
2023-09-03 04:15	0	0
2023-09-03 04:30	0	0
2023-09-03 04:45	0	0
2023-09-03 05:00	0	0
2023-09-03 05:15	0	0
2023-09-03 05:30	0	0
2023-09-03 05:45	0	0
2023-09-03 06:00	0	0
2023-09-03 06:15	0	0
2023-09-03 06:30	0	0
2023-09-03 06:45	0	0
2023-09-03 07:00	0	0
2023-09-03 07:15	0	0
2023-09-03 07:30	0	0
2023-09-03 07:45	0	0
2023-09-03 08:00	0	0
2023-09-03 08:15	0	0
2023-09-03 08:30	0	0
2023-09-03 08:45	0	0
2023-09-03 09:00	0	0
2023-09-03 09:15	0	0
2023-09-03 09:30	0	0
2023-09-03 09:45	0	0
2023-09-03 10:00	NA	NA
2023-09-03 10:15	NA	NA
2023-09-03 10:30	NA	NA
2023-09-03 10:45	NA	NA
2023-09-03 11:00	NA	NA
2023-09-03 11:15	NA	NA
2023-09-03 11:30	NA	NA
2023-09-03 11:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-03 12:00	NA	NA
2023-09-03 12:15	NA	NA
2023-09-03 12:30	NA	NA
2023-09-03 12:45	NA	NA
2023-09-03 13:00	NA	NA
2023-09-03 13:15	NA	NA
2023-09-03 13:30	NA	NA
2023-09-03 13:45	NA	NA
2023-09-03 14:00	NA	NA
2023-09-03 14:15	NA	NA
2023-09-03 14:30	NA	NA
2023-09-03 14:45	NA	NA
2023-09-03 15:00	NA	NA
2023-09-03 15:15	NA	NA
2023-09-03 15:30	NA	NA
2023-09-03 15:45	NA	NA
2023-09-03 16:00	NA	NA
2023-09-03 16:15	NA	NA
2023-09-03 16:30	NA	NA
2023-09-03 16:45	NA	NA
2023-09-03 17:00	NA	NA
2023-09-03 17:15	NA	NA
2023-09-03 17:30	NA	NA
2023-09-03 17:45	NA	NA
2023-09-03 18:00	NA	NA
2023-09-03 18:15	NA	NA
2023-09-03 18:30	NA	NA
2023-09-03 18:45	NA	NA
2023-09-03 19:00	NA	NA
2023-09-03 19:15	NA	NA
2023-09-03 19:30	NA	NA
2023-09-03 19:45	NA	NA
2023-09-03 20:00	NA	NA
2023-09-03 20:15	NA	NA
2023-09-03 20:30	NA	NA
2023-09-03 20:45	NA	NA
2023-09-03 21:00	NA	NA
2023-09-03 21:15	NA	NA
2023-09-03 21:30	NA	NA
2023-09-03 21:45	NA	NA
2023-09-03 22:00	NA	NA
2023-09-03 22:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-03 22:30	NA	NA
2023-09-03 22:45	NA	NA
2023-09-03 23:00	NA	NA
2023-09-03 23:15	NA	NA
2023-09-03 23:30	NA	NA
2023-09-03 23:45	NA	NA
2023-09-04 00:00	NA	NA
2023-09-04 00:15	NA	NA
2023-09-04 00:30	NA	NA
2023-09-04 00:45	NA	NA
2023-09-04 01:00	NA	NA
2023-09-04 01:15	NA	NA
2023-09-04 01:30	NA	NA
2023-09-04 01:45	NA	NA
2023-09-04 02:00	NA	NA
2023-09-04 02:15	NA	NA
2023-09-04 02:30	NA	NA
2023-09-04 02:45	NA	NA
2023-09-04 03:00	NA	NA
2023-09-04 03:15	NA	NA
2023-09-04 03:30	NA	NA
2023-09-04 03:45	NA	NA
2023-09-04 04:00	NA	NA
2023-09-04 04:15	NA	NA
2023-09-04 04:30	NA	NA
2023-09-04 04:45	NA	NA
2023-09-04 05:00	NA	NA
2023-09-04 05:15	NA	NA
2023-09-04 05:30	NA	NA
2023-09-04 05:45	NA	NA
2023-09-04 06:00	NA	NA
2023-09-04 06:15	NA	NA
2023-09-04 06:30	NA	NA
2023-09-04 06:45	NA	NA
2023-09-04 07:00	NA	NA
2023-09-04 07:15	NA	NA
2023-09-04 07:30	NA	NA
2023-09-04 07:45	NA	NA
2023-09-04 08:00	NA	NA
2023-09-04 08:15	NA	NA
2023-09-04 08:30	NA	NA
2023-09-04 08:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-04 09:00	NA	NA
2023-09-04 09:15	NA	NA
2023-09-04 09:30	NA	NA
2023-09-04 09:45	NA	NA
2023-09-04 10:00	NA	NA
2023-09-04 10:15	NA	NA
2023-09-04 10:30	NA	NA
2023-09-04 10:45	NA	NA
2023-09-04 11:00	NA	NA
2023-09-04 11:15	NA	NA
2023-09-04 11:30	NA	NA
2023-09-04 11:45	NA	NA
2023-09-04 12:00	NA	NA
2023-09-04 12:15	NA	NA
2023-09-04 12:30	NA	NA
2023-09-04 12:45	NA	NA
2023-09-04 13:00	NA	NA
2023-09-04 13:15	NA	NA
2023-09-04 13:30	NA	NA
2023-09-04 13:45	NA	NA
2023-09-04 14:00	NA	NA
2023-09-04 14:15	NA	NA
2023-09-04 14:30	NA	NA
2023-09-04 14:45	NA	NA
2023-09-04 15:00	NA	NA
2023-09-04 15:15	NA	NA
2023-09-04 15:30	NA	NA
2023-09-04 15:45	NA	NA
2023-09-04 16:00	NA	NA
2023-09-04 16:15	NA	NA
2023-09-04 16:30	NA	NA
2023-09-04 16:45	NA	NA
2023-09-04 17:00	NA	NA
2023-09-04 17:15	NA	NA
2023-09-04 17:30	NA	NA
2023-09-04 17:45	NA	NA
2023-09-04 18:00	NA	NA
2023-09-04 18:15	NA	NA
2023-09-04 18:30	NA	NA
2023-09-04 18:45	NA	NA
2023-09-04 19:00	NA	NA
2023-09-04 19:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-04 19:30	NA	NA
2023-09-04 19:45	NA	NA
2023-09-04 20:00	NA	NA
2023-09-04 20:15	NA	NA
2023-09-04 20:30	NA	NA
2023-09-04 20:45	NA	NA
2023-09-04 21:00	NA	NA
2023-09-04 21:15	NA	NA
2023-09-04 21:30	NA	NA
2023-09-04 21:45	NA	NA
2023-09-04 22:00	NA	NA
2023-09-04 22:15	NA	NA
2023-09-04 22:30	NA	NA
2023-09-04 22:45	NA	NA
2023-09-04 23:00	NA	NA
2023-09-04 23:15	NA	NA
2023-09-04 23:30	NA	NA
2023-09-04 23:45	NA	NA
2023-09-05 00:00	NA	NA
2023-09-05 00:15	NA	NA
2023-09-05 00:30	NA	NA
2023-09-05 00:45	NA	NA
2023-09-05 01:00	NA	NA
2023-09-05 01:15	NA	NA
2023-09-05 01:30	NA	NA
2023-09-05 01:45	NA	NA
2023-09-05 02:00	NA	NA
2023-09-05 02:15	NA	NA
2023-09-05 02:30	NA	NA
2023-09-05 02:45	NA	NA
2023-09-05 03:00	NA	NA
2023-09-05 03:15	NA	NA
2023-09-05 03:30	NA	NA
2023-09-05 03:45	NA	NA
2023-09-05 04:00	NA	NA
2023-09-05 04:15	NA	NA
2023-09-05 04:30	NA	NA
2023-09-05 04:45	NA	NA
2023-09-05 05:00	NA	NA
2023-09-05 05:15	NA	NA
2023-09-05 05:30	NA	NA
2023-09-05 05:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-05 06:00	NA	NA
2023-09-05 06:15	NA	NA
2023-09-05 06:30	NA	NA
2023-09-05 06:45	NA	NA
2023-09-05 07:00	NA	NA
2023-09-05 07:15	NA	NA
2023-09-05 07:30	NA	NA
2023-09-05 07:45	NA	NA
2023-09-05 08:00	NA	NA
2023-09-05 08:15	NA	NA
2023-09-05 08:30	NA	NA
2023-09-05 08:45	NA	NA
2023-09-05 09:00	NA	NA
2023-09-05 09:15	NA	NA
2023-09-05 09:30	NA	NA
2023-09-05 09:45	NA	NA
2023-09-05 10:00	NA	NA
2023-09-05 10:15	NA	NA
2023-09-05 10:30	NA	NA
2023-09-05 10:45	NA	NA
2023-09-05 11:00	NA	NA
2023-09-05 11:15	NA	NA
2023-09-05 11:30	NA	NA
2023-09-05 11:45	NA	NA
2023-09-05 12:00	NA	NA
2023-09-05 12:15	NA	NA
2023-09-05 12:30	NA	NA
2023-09-05 12:45	NA	NA
2023-09-05 13:00	NA	NA
2023-09-05 13:15	NA	NA
2023-09-05 13:30	NA	NA
2023-09-05 13:45	NA	NA
2023-09-05 14:00	NA	NA
2023-09-05 14:15	NA	NA
2023-09-05 14:30	NA	NA
2023-09-05 14:45	NA	NA
2023-09-05 15:00	NA	NA
2023-09-05 15:15	NA	NA
2023-09-05 15:30	NA	NA
2023-09-05 15:45	NA	NA
2023-09-05 16:00	NA	NA
2023-09-05 16:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-05 16:30	NA	NA
2023-09-05 16:45	NA	NA
2023-09-05 17:00	NA	NA
2023-09-05 17:15	NA	NA
2023-09-05 17:30	NA	NA
2023-09-05 17:45	NA	NA
2023-09-05 18:00	NA	NA
2023-09-05 18:15	NA	NA
2023-09-05 18:30	NA	NA
2023-09-05 18:45	NA	NA
2023-09-05 19:00	NA	NA
2023-09-05 19:15	NA	NA
2023-09-05 19:30	NA	NA
2023-09-05 19:45	NA	NA
2023-09-05 20:00	NA	NA
2023-09-05 20:15	NA	NA
2023-09-05 20:30	NA	NA
2023-09-05 20:45	NA	NA
2023-09-05 21:00	NA	NA
2023-09-05 21:15	NA	NA
2023-09-05 21:30	NA	NA
2023-09-05 21:45	NA	NA
2023-09-05 22:00	NA	NA
2023-09-05 22:15	NA	NA
2023-09-05 22:30	NA	NA
2023-09-05 22:45	NA	NA
2023-09-05 23:00	NA	NA
2023-09-05 23:15	NA	NA
2023-09-05 23:30	NA	NA
2023-09-05 23:45	NA	NA
2023-09-06 00:00	NA	NA
2023-09-06 00:15	NA	NA
2023-09-06 00:30	NA	NA
2023-09-06 00:45	NA	NA
2023-09-06 01:00	NA	NA
2023-09-06 01:15	NA	NA
2023-09-06 01:30	NA	NA
2023-09-06 01:45	NA	NA
2023-09-06 02:00	NA	NA
2023-09-06 02:15	NA	NA
2023-09-06 02:30	NA	NA
2023-09-06 02:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-06 03:00	NA	NA
2023-09-06 03:15	NA	NA
2023-09-06 03:30	NA	NA
2023-09-06 03:45	NA	NA
2023-09-06 04:00	NA	NA
2023-09-06 04:15	NA	NA
2023-09-06 04:30	NA	NA
2023-09-06 04:45	NA	NA
2023-09-06 05:00	NA	NA
2023-09-06 05:15	NA	NA
2023-09-06 05:30	NA	NA
2023-09-06 05:45	NA	NA
2023-09-06 06:00	NA	NA
2023-09-06 06:15	NA	NA
2023-09-06 06:30	NA	NA
2023-09-06 06:45	NA	NA
2023-09-06 07:00	NA	NA
2023-09-06 07:15	NA	NA
2023-09-06 07:30	NA	NA
2023-09-06 07:45	NA	NA
2023-09-06 08:00	NA	NA
2023-09-06 08:15	NA	NA
2023-09-06 08:30	NA	NA
2023-09-06 08:45	NA	NA
2023-09-06 09:00	NA	NA
2023-09-06 09:15	NA	NA
2023-09-06 09:30	NA	NA
2023-09-06 09:45	NA	NA
2023-09-06 10:00	NA	NA
2023-09-06 10:15	NA	NA
2023-09-06 10:30	NA	NA
2023-09-06 10:45	NA	NA
2023-09-06 11:00	NA	NA
2023-09-06 11:15	NA	NA
2023-09-06 11:30	NA	NA
2023-09-06 11:45	NA	NA
2023-09-06 12:00	NA	NA
2023-09-06 12:15	NA	NA
2023-09-06 12:30	NA	NA
2023-09-06 12:45	NA	NA
2023-09-06 13:00	NA	NA
2023-09-06 13:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-06 13:30	NA	NA
2023-09-06 13:45	NA	NA
2023-09-06 14:00	NA	NA
2023-09-06 14:15	NA	NA
2023-09-06 14:30	NA	NA
2023-09-06 14:45	NA	NA
2023-09-06 15:00	NA	NA
2023-09-06 15:15	NA	NA
2023-09-06 15:30	NA	NA
2023-09-06 15:45	NA	NA
2023-09-06 16:00	NA	NA
2023-09-06 16:15	NA	NA
2023-09-06 16:30	NA	NA
2023-09-06 16:45	NA	NA
2023-09-06 17:00	NA	NA
2023-09-06 17:15	NA	NA
2023-09-06 17:30	NA	NA
2023-09-06 17:45	NA	NA
2023-09-06 18:00	NA	NA
2023-09-06 18:15	NA	NA
2023-09-06 18:30	NA	NA
2023-09-06 18:45	NA	NA
2023-09-06 19:00	NA	NA
2023-09-06 19:15	NA	NA
2023-09-06 19:30	NA	NA
2023-09-06 19:45	NA	NA
2023-09-06 20:00	NA	NA
2023-09-06 20:15	NA	NA
2023-09-06 20:30	NA	NA
2023-09-06 20:45	NA	NA
2023-09-06 21:00	NA	NA
2023-09-06 21:15	NA	NA
2023-09-06 21:30	NA	NA
2023-09-06 21:45	NA	NA
2023-09-06 22:00	NA	NA
2023-09-06 22:15	NA	NA
2023-09-06 22:30	NA	NA
2023-09-06 22:45	NA	NA
2023-09-06 23:00	NA	NA
2023-09-06 23:15	NA	NA
2023-09-06 23:30	NA	NA
2023-09-06 23:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-07 00:00	NA	NA
2023-09-07 00:15	NA	NA
2023-09-07 00:30	NA	NA
2023-09-07 00:45	NA	NA
2023-09-07 01:00	NA	NA
2023-09-07 01:15	NA	NA
2023-09-07 01:30	NA	NA
2023-09-07 01:45	NA	NA
2023-09-07 02:00	NA	NA
2023-09-07 02:15	NA	NA
2023-09-07 02:30	NA	NA
2023-09-07 02:45	NA	NA
2023-09-07 03:00	NA	NA
2023-09-07 03:15	NA	NA
2023-09-07 03:30	NA	NA
2023-09-07 03:45	NA	NA
2023-09-07 04:00	NA	NA
2023-09-07 04:15	NA	NA
2023-09-07 04:30	NA	NA
2023-09-07 04:45	NA	NA
2023-09-07 05:00	NA	NA
2023-09-07 05:15	NA	NA
2023-09-07 05:30	NA	NA
2023-09-07 05:45	NA	NA
2023-09-07 06:00	NA	NA
2023-09-07 06:15	NA	NA
2023-09-07 06:30	NA	NA
2023-09-07 06:45	NA	NA
2023-09-07 07:00	NA	NA
2023-09-07 07:15	NA	NA
2023-09-07 07:30	NA	NA
2023-09-07 07:45	NA	NA
2023-09-07 08:00	NA	NA
2023-09-07 08:15	NA	NA
2023-09-07 08:30	NA	NA
2023-09-07 08:45	NA	NA
2023-09-07 09:00	NA	NA
2023-09-07 09:15	NA	NA
2023-09-07 09:30	NA	NA
2023-09-07 09:45	NA	NA
2023-09-07 10:00	NA	NA
2023-09-07 10:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-07 10:30	NA	NA
2023-09-07 10:45	NA	NA
2023-09-07 11:00	NA	NA
2023-09-07 11:15	NA	NA
2023-09-07 11:30	NA	NA
2023-09-07 11:45	NA	NA
2023-09-07 12:00	NA	NA
2023-09-07 12:15	NA	NA
2023-09-07 12:30	NA	NA
2023-09-07 12:45	NA	NA
2023-09-07 13:00	NA	NA
2023-09-07 13:15	NA	NA
2023-09-07 13:30	NA	NA
2023-09-07 13:45	NA	NA
2023-09-07 14:00	NA	NA
2023-09-07 14:15	NA	NA
2023-09-07 14:30	NA	NA
2023-09-07 14:45	NA	NA
2023-09-07 15:00	NA	NA
2023-09-07 15:15	NA	NA
2023-09-07 15:30	NA	NA
2023-09-07 15:45	NA	NA
2023-09-07 16:00	NA	NA
2023-09-07 16:15	NA	NA
2023-09-07 16:30	NA	NA
2023-09-07 16:45	NA	NA
2023-09-07 17:00	NA	NA
2023-09-07 17:15	NA	NA
2023-09-07 17:30	NA	NA
2023-09-07 17:45	NA	NA
2023-09-07 18:00	NA	NA
2023-09-07 18:15	NA	NA
2023-09-07 18:30	NA	NA
2023-09-07 18:45	NA	NA
2023-09-07 19:00	NA	NA
2023-09-07 19:15	NA	NA
2023-09-07 19:30	NA	NA
2023-09-07 19:45	NA	NA
2023-09-07 20:00	NA	NA
2023-09-07 20:15	NA	NA
2023-09-07 20:30	NA	NA
2023-09-07 20:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-07 21:00	NA	NA
2023-09-07 21:15	NA	NA
2023-09-07 21:30	NA	NA
2023-09-07 21:45	NA	NA
2023-09-07 22:00	NA	NA
2023-09-07 22:15	NA	NA
2023-09-07 22:30	NA	NA
2023-09-07 22:45	NA	NA
2023-09-07 23:00	NA	NA
2023-09-07 23:15	NA	NA
2023-09-07 23:30	NA	NA
2023-09-07 23:45	NA	NA
2023-09-08 00:00	NA	NA
2023-09-08 00:15	NA	NA
2023-09-08 00:30	NA	NA
2023-09-08 00:45	NA	NA
2023-09-08 01:00	NA	NA
2023-09-08 01:15	NA	NA
2023-09-08 01:30	NA	NA
2023-09-08 01:45	NA	NA
2023-09-08 02:00	NA	NA
2023-09-08 02:15	NA	NA
2023-09-08 02:30	NA	NA
2023-09-08 02:45	NA	NA
2023-09-08 03:00	NA	NA
2023-09-08 03:15	NA	NA
2023-09-08 03:30	NA	NA
2023-09-08 03:45	NA	NA
2023-09-08 04:00	NA	NA
2023-09-08 04:15	NA	NA
2023-09-08 04:30	NA	NA
2023-09-08 04:45	NA	NA
2023-09-08 05:00	NA	NA
2023-09-08 05:15	NA	NA
2023-09-08 05:30	NA	NA
2023-09-08 05:45	NA	NA
2023-09-08 06:00	NA	NA
2023-09-08 06:15	NA	NA
2023-09-08 06:30	NA	NA
2023-09-08 06:45	NA	NA
2023-09-08 07:00	NA	NA
2023-09-08 07:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-08 07:30	NA	NA
2023-09-08 07:45	NA	NA
2023-09-08 08:00	NA	NA
2023-09-08 08:15	NA	NA
2023-09-08 08:30	NA	NA
2023-09-08 08:45	NA	NA
2023-09-08 09:00	NA	NA
2023-09-08 09:15	NA	NA
2023-09-08 09:30	NA	NA
2023-09-08 09:45	NA	NA
2023-09-08 10:00	NA	NA
2023-09-08 10:15	NA	NA
2023-09-08 10:30	NA	NA
2023-09-08 10:45	NA	NA
2023-09-08 11:00	NA	NA
2023-09-08 11:15	NA	NA
2023-09-08 11:30	NA	NA
2023-09-08 11:45	NA	NA
2023-09-08 12:00	NA	NA
2023-09-08 12:15	NA	NA
2023-09-08 12:30	NA	NA
2023-09-08 12:45	NA	NA
2023-09-08 13:00	NA	NA
2023-09-08 13:15	NA	NA
2023-09-08 13:30	NA	NA
2023-09-08 13:45	NA	NA
2023-09-08 14:00	NA	NA
2023-09-08 14:15	NA	NA
2023-09-08 14:30	NA	NA
2023-09-08 14:45	NA	NA
2023-09-08 15:00	NA	NA
2023-09-08 15:15	NA	NA
2023-09-08 15:30	NA	NA
2023-09-08 15:45	NA	NA
2023-09-08 16:00	NA	NA
2023-09-08 16:15	NA	NA
2023-09-08 16:30	NA	NA
2023-09-08 16:45	NA	NA
2023-09-08 17:00	NA	NA
2023-09-08 17:15	NA	NA
2023-09-08 17:30	NA	NA
2023-09-08 17:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-08 18:00	NA	NA
2023-09-08 18:15	NA	NA
2023-09-08 18:30	NA	NA
2023-09-08 18:45	NA	NA
2023-09-08 19:00	NA	NA
2023-09-08 19:15	NA	NA
2023-09-08 19:30	NA	NA
2023-09-08 19:45	NA	NA
2023-09-08 20:00	NA	NA
2023-09-08 20:15	NA	NA
2023-09-08 20:30	NA	NA
2023-09-08 20:45	NA	NA
2023-09-08 21:00	NA	NA
2023-09-08 21:15	NA	NA
2023-09-08 21:30	NA	NA
2023-09-08 21:45	NA	NA
2023-09-08 22:00	NA	NA
2023-09-08 22:15	NA	NA
2023-09-08 22:30	NA	NA
2023-09-08 22:45	NA	NA
2023-09-08 23:00	NA	NA
2023-09-08 23:15	NA	NA
2023-09-08 23:30	NA	NA
2023-09-08 23:45	NA	NA
2023-09-09 00:00	NA	NA
2023-09-09 00:15	NA	NA
2023-09-09 00:30	NA	NA
2023-09-09 00:45	NA	NA
2023-09-09 01:00	NA	NA
2023-09-09 01:15	NA	NA
2023-09-09 01:30	NA	NA
2023-09-09 01:45	NA	NA
2023-09-09 02:00	NA	NA
2023-09-09 02:15	NA	NA
2023-09-09 02:30	NA	NA
2023-09-09 02:45	NA	NA
2023-09-09 03:00	NA	NA
2023-09-09 03:15	NA	NA
2023-09-09 03:30	NA	NA
2023-09-09 03:45	NA	NA
2023-09-09 04:00	NA	NA
2023-09-09 04:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-09 04:30	NA	NA
2023-09-09 04:45	NA	NA
2023-09-09 05:00	NA	NA
2023-09-09 05:15	NA	NA
2023-09-09 05:30	NA	NA
2023-09-09 05:45	NA	NA
2023-09-09 06:00	NA	NA
2023-09-09 06:15	NA	NA
2023-09-09 06:30	NA	NA
2023-09-09 06:45	NA	NA
2023-09-09 07:00	NA	NA
2023-09-09 07:15	NA	NA
2023-09-09 07:30	NA	NA
2023-09-09 07:45	NA	NA
2023-09-09 08:00	NA	NA
2023-09-09 08:15	NA	NA
2023-09-09 08:30	NA	NA
2023-09-09 08:45	NA	NA
2023-09-09 09:00	NA	NA
2023-09-09 09:15	NA	NA
2023-09-09 09:30	NA	NA
2023-09-09 09:45	NA	NA
2023-09-09 10:00	NA	NA
2023-09-09 10:15	NA	NA
2023-09-09 10:30	NA	NA
2023-09-09 10:45	NA	NA
2023-09-09 11:00	NA	NA
2023-09-09 11:15	NA	NA
2023-09-09 11:30	NA	NA
2023-09-09 11:45	NA	NA
2023-09-09 12:00	NA	NA
2023-09-09 12:15	NA	NA
2023-09-09 12:30	NA	NA
2023-09-09 12:45	NA	NA
2023-09-09 13:00	NA	NA
2023-09-09 13:15	NA	NA
2023-09-09 13:30	NA	NA
2023-09-09 13:45	NA	NA
2023-09-09 14:00	NA	NA
2023-09-09 14:15	NA	NA
2023-09-09 14:30	NA	NA
2023-09-09 14:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-09 15:00	NA	NA
2023-09-09 15:15	NA	NA
2023-09-09 15:30	NA	NA
2023-09-09 15:45	NA	NA
2023-09-09 16:00	NA	NA
2023-09-09 16:15	NA	NA
2023-09-09 16:30	NA	NA
2023-09-09 16:45	NA	NA
2023-09-09 17:00	NA	NA
2023-09-09 17:15	NA	NA
2023-09-09 17:30	NA	NA
2023-09-09 17:45	NA	NA
2023-09-09 18:00	NA	NA
2023-09-09 18:15	NA	NA
2023-09-09 18:30	NA	NA
2023-09-09 18:45	NA	NA
2023-09-09 19:00	NA	NA
2023-09-09 19:15	NA	NA
2023-09-09 19:30	NA	NA
2023-09-09 19:45	NA	NA
2023-09-09 20:00	NA	NA
2023-09-09 20:15	NA	NA
2023-09-09 20:30	NA	NA
2023-09-09 20:45	NA	NA
2023-09-09 21:00	NA	NA
2023-09-09 21:15	NA	NA
2023-09-09 21:30	NA	NA
2023-09-09 21:45	NA	NA
2023-09-09 22:00	NA	NA
2023-09-09 22:15	NA	NA
2023-09-09 22:30	NA	NA
2023-09-09 22:45	NA	NA
2023-09-09 23:00	NA	NA
2023-09-09 23:15	NA	NA
2023-09-09 23:30	NA	NA
2023-09-09 23:45	NA	NA
2023-09-10 00:00	NA	NA
2023-09-10 00:15	NA	NA
2023-09-10 00:30	NA	NA
2023-09-10 00:45	NA	NA
2023-09-10 01:00	NA	NA
2023-09-10 01:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-10 01:30	NA	NA
2023-09-10 01:45	NA	NA
2023-09-10 02:00	NA	NA
2023-09-10 02:15	NA	NA
2023-09-10 02:30	NA	NA
2023-09-10 02:45	NA	NA
2023-09-10 03:00	NA	NA
2023-09-10 03:15	NA	NA
2023-09-10 03:30	NA	NA
2023-09-10 03:45	NA	NA
2023-09-10 04:00	NA	NA
2023-09-10 04:15	NA	NA
2023-09-10 04:30	NA	NA
2023-09-10 04:45	NA	NA
2023-09-10 05:00	NA	NA
2023-09-10 05:15	NA	NA
2023-09-10 05:30	NA	NA
2023-09-10 05:45	NA	NA
2023-09-10 06:00	NA	NA
2023-09-10 06:15	NA	NA
2023-09-10 06:30	NA	NA
2023-09-10 06:45	NA	NA
2023-09-10 07:00	NA	NA
2023-09-10 07:15	NA	NA
2023-09-10 07:30	NA	NA
2023-09-10 07:45	NA	NA
2023-09-10 08:00	NA	NA
2023-09-10 08:15	NA	NA
2023-09-10 08:30	NA	NA
2023-09-10 08:45	NA	NA
2023-09-10 09:00	NA	NA
2023-09-10 09:15	NA	NA
2023-09-10 09:30	NA	NA
2023-09-10 09:45	NA	NA
2023-09-10 10:00	NA	NA
2023-09-10 10:15	NA	NA
2023-09-10 10:30	NA	NA
2023-09-10 10:45	NA	NA
2023-09-10 11:00	NA	NA
2023-09-10 11:15	NA	NA
2023-09-10 11:30	NA	NA
2023-09-10 11:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-10 12:00	NA	NA
2023-09-10 12:15	NA	NA
2023-09-10 12:30	NA	NA
2023-09-10 12:45	NA	NA
2023-09-10 13:00	NA	NA
2023-09-10 13:15	NA	NA
2023-09-10 13:30	NA	NA
2023-09-10 13:45	NA	NA
2023-09-10 14:00	NA	NA
2023-09-10 14:15	NA	NA
2023-09-10 14:30	NA	NA
2023-09-10 14:45	NA	NA
2023-09-10 15:00	NA	NA
2023-09-10 15:15	NA	NA
2023-09-10 15:30	NA	NA
2023-09-10 15:45	NA	NA
2023-09-10 16:00	NA	NA
2023-09-10 16:15	NA	NA
2023-09-10 16:30	NA	NA
2023-09-10 16:45	NA	NA
2023-09-10 17:00	NA	NA
2023-09-10 17:15	NA	NA
2023-09-10 17:30	NA	NA
2023-09-10 17:45	NA	NA
2023-09-10 18:00	NA	NA
2023-09-10 18:15	NA	NA
2023-09-10 18:30	NA	NA
2023-09-10 18:45	NA	NA
2023-09-10 19:00	NA	NA
2023-09-10 19:15	NA	NA
2023-09-10 19:30	NA	NA
2023-09-10 19:45	NA	NA
2023-09-10 20:00	NA	NA
2023-09-10 20:15	NA	NA
2023-09-10 20:30	NA	NA
2023-09-10 20:45	NA	NA
2023-09-10 21:00	NA	NA
2023-09-10 21:15	NA	NA
2023-09-10 21:30	NA	NA
2023-09-10 21:45	NA	NA
2023-09-10 22:00	NA	NA
2023-09-10 22:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-10 22:30	NA	NA
2023-09-10 22:45	NA	NA
2023-09-10 23:00	NA	NA
2023-09-10 23:15	NA	NA
2023-09-10 23:30	NA	NA
2023-09-10 23:45	NA	NA
2023-09-11 00:00	NA	NA
2023-09-11 00:15	NA	NA
2023-09-11 00:30	NA	NA
2023-09-11 00:45	NA	NA
2023-09-11 01:00	NA	NA
2023-09-11 01:15	NA	NA
2023-09-11 01:30	NA	NA
2023-09-11 01:45	NA	NA
2023-09-11 02:00	NA	NA
2023-09-11 02:15	NA	NA
2023-09-11 02:30	NA	NA
2023-09-11 02:45	NA	NA
2023-09-11 03:00	NA	NA
2023-09-11 03:15	NA	NA
2023-09-11 03:30	NA	NA
2023-09-11 03:45	NA	NA
2023-09-11 04:00	NA	NA
2023-09-11 04:15	NA	NA
2023-09-11 04:30	NA	NA
2023-09-11 04:45	NA	NA
2023-09-11 05:00	NA	NA
2023-09-11 05:15	NA	NA
2023-09-11 05:30	NA	NA
2023-09-11 05:45	NA	NA
2023-09-11 06:00	NA	NA
2023-09-11 06:15	NA	NA
2023-09-11 06:30	NA	NA
2023-09-11 06:45	NA	NA
2023-09-11 07:00	NA	NA
2023-09-11 07:15	NA	NA
2023-09-11 07:30	NA	NA
2023-09-11 07:45	NA	NA
2023-09-11 08:00	NA	NA
2023-09-11 08:15	NA	NA
2023-09-11 08:30	NA	NA
2023-09-11 08:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-11 09:00	NA	NA
2023-09-11 09:15	NA	NA
2023-09-11 09:30	NA	NA
2023-09-11 09:45	NA	NA
2023-09-11 10:00	NA	NA
2023-09-11 10:15	NA	NA
2023-09-11 10:30	NA	NA
2023-09-11 10:45	NA	NA
2023-09-11 11:00	NA	NA
2023-09-11 11:15	NA	NA
2023-09-11 11:30	NA	NA
2023-09-11 11:45	NA	NA
2023-09-11 12:00	NA	NA
2023-09-11 12:15	NA	NA
2023-09-11 12:30	NA	NA
2023-09-11 12:45	NA	NA
2023-09-11 13:00	NA	NA
2023-09-11 13:15	NA	NA
2023-09-11 13:30	NA	NA
2023-09-11 13:45	NA	NA
2023-09-11 14:00	NA	NA
2023-09-11 14:15	NA	NA
2023-09-11 14:30	NA	NA
2023-09-11 14:45	NA	NA
2023-09-11 15:00	NA	NA
2023-09-11 15:15	NA	NA
2023-09-11 15:30	NA	NA
2023-09-11 15:45	NA	NA
2023-09-11 16:00	NA	NA
2023-09-11 16:15	NA	NA
2023-09-11 16:30	NA	NA
2023-09-11 16:45	NA	NA
2023-09-11 17:00	NA	NA
2023-09-11 17:15	NA	NA
2023-09-11 17:30	NA	NA
2023-09-11 17:45	NA	NA
2023-09-11 18:00	NA	NA
2023-09-11 18:15	NA	NA
2023-09-11 18:30	NA	NA
2023-09-11 18:45	NA	NA
2023-09-11 19:00	NA	NA
2023-09-11 19:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-11 19:30	NA	NA
2023-09-11 19:45	NA	NA
2023-09-11 20:00	NA	NA
2023-09-11 20:15	NA	NA
2023-09-11 20:30	NA	NA
2023-09-11 20:45	NA	NA
2023-09-11 21:00	NA	NA
2023-09-11 21:15	NA	NA
2023-09-11 21:30	NA	NA
2023-09-11 21:45	NA	NA
2023-09-11 22:00	NA	NA
2023-09-11 22:15	NA	NA
2023-09-11 22:30	NA	NA
2023-09-11 22:45	NA	NA
2023-09-11 23:00	NA	NA
2023-09-11 23:15	NA	NA
2023-09-11 23:30	NA	NA
2023-09-11 23:45	NA	NA
2023-09-12 00:00	NA	NA
2023-09-12 00:15	NA	NA
2023-09-12 00:30	NA	NA
2023-09-12 00:45	NA	NA
2023-09-12 01:00	NA	NA
2023-09-12 01:15	NA	NA
2023-09-12 01:30	NA	NA
2023-09-12 01:45	NA	NA
2023-09-12 02:00	NA	NA
2023-09-12 02:15	NA	NA
2023-09-12 02:30	NA	NA
2023-09-12 02:45	NA	NA
2023-09-12 03:00	NA	NA
2023-09-12 03:15	NA	NA
2023-09-12 03:30	NA	NA
2023-09-12 03:45	NA	NA
2023-09-12 04:00	NA	NA
2023-09-12 04:15	NA	NA
2023-09-12 04:30	NA	NA
2023-09-12 04:45	NA	NA
2023-09-12 05:00	NA	NA
2023-09-12 05:15	NA	NA
2023-09-12 05:30	NA	NA
2023-09-12 05:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-12 06:00	NA	NA
2023-09-12 06:15	NA	NA
2023-09-12 06:30	NA	NA
2023-09-12 06:45	NA	NA
2023-09-12 07:00	NA	NA
2023-09-12 07:15	NA	NA
2023-09-12 07:30	NA	NA
2023-09-12 07:45	NA	NA
2023-09-12 08:00	NA	NA
2023-09-12 08:15	NA	NA
2023-09-12 08:30	NA	NA
2023-09-12 08:45	NA	NA
2023-09-12 09:00	NA	NA
2023-09-12 09:15	NA	NA
2023-09-12 09:30	NA	NA
2023-09-12 09:45	NA	NA
2023-09-12 10:00	NA	NA
2023-09-12 10:15	NA	NA
2023-09-12 10:30	NA	NA
2023-09-12 10:45	NA	NA
2023-09-12 11:00	NA	NA
2023-09-12 11:15	NA	NA
2023-09-12 11:30	NA	NA
2023-09-12 11:45	NA	NA
2023-09-12 12:00	NA	NA
2023-09-12 12:15	0	0
2023-09-12 12:30	0	0
2023-09-12 12:45	0	0
2023-09-12 13:00	0	0
2023-09-12 13:15	0	0
2023-09-12 13:30	0	0
2023-09-12 13:45	0	0
2023-09-12 14:00	0	0
2023-09-12 14:15	0	0
2023-09-12 14:30	0	0
2023-09-12 14:45	0	0
2023-09-12 15:00	0	0
2023-09-12 15:15	0	0
2023-09-12 15:30	0	0
2023-09-12 15:45	0	0
2023-09-12 16:00	0	0
2023-09-12 16:15	0	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-12 16:30	0	0
2023-09-12 16:45	0	0
2023-09-12 17:00	0	0
2023-09-12 17:15	0	0
2023-09-12 17:30	0	0
2023-09-12 17:45	0	0
2023-09-12 18:00	0	0
2023-09-12 18:15	0	0
2023-09-12 18:30	0	0
2023-09-12 18:45	0	0
2023-09-12 19:00	0	0
2023-09-12 19:15	0	0
2023-09-12 19:30	0	0
2023-09-12 19:45	0	0
2023-09-12 20:00	0	0
2023-09-12 20:15	0	0
2023-09-12 20:30	0	0
2023-09-12 20:45	0	0
2023-09-12 21:00	0	0
2023-09-12 21:15	0	0
2023-09-12 21:30	0	0
2023-09-12 21:45	0	0
2023-09-12 22:00	0	0
2023-09-12 22:15	0	0
2023-09-12 22:30	0	0
2023-09-12 22:45	0	0
2023-09-12 23:00	0	0
2023-09-12 23:15	0	0
2023-09-12 23:30	0	0
2023-09-12 23:45	0	0
2023-09-13 00:00	0	0
2023-09-13 00:15	0	0
2023-09-13 00:30	0	0
2023-09-13 00:45	0	0
2023-09-13 01:00	0	0
2023-09-13 01:15	0	0
2023-09-13 01:30	0	0
2023-09-13 01:45	0	0
2023-09-13 02:00	0	0
2023-09-13 02:15	0	0
2023-09-13 02:30	0	13.69
2023-09-13 02:45	0	18.19

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-13 03:00	0	18.29
2023-09-13 03:15	0	18.67
2023-09-13 03:30	0	19.01
2023-09-13 03:45	0	18.3
2023-09-13 04:00	0	17.97
2023-09-13 04:15	0	18.13
2023-09-13 04:30	0	18.18
2023-09-13 04:45	0	18.41
2023-09-13 05:00	0	18.61
2023-09-13 05:15	0	18.86
2023-09-13 05:30	0	19.38
2023-09-13 05:45	0	18.33
2023-09-13 06:00	0	18.15
2023-09-13 06:15	0	19.69
2023-09-13 06:30	0	18.38
2023-09-13 06:45	0	18.56
2023-09-13 07:00	0	18.89
2023-09-13 07:15	0	19.45
2023-09-13 07:30	0	19.21
2023-09-13 07:45	0	18.12
2023-09-13 08:00	0	17.65
2023-09-13 08:15	0	17.82
2023-09-13 08:30	0	17.97
2023-09-13 08:45	0	18.41
2023-09-13 09:00	27.75	18.74
2023-09-13 09:15	117.86	19.3
2023-09-13 09:30	28.63	19.39
2023-09-13 09:45	28.4	18.5
2023-09-13 10:00	27.5	17.96
2023-09-13 10:15	28.07	18.21
2023-09-13 10:30	27.78	18.24
2023-09-13 10:45	27.38	18.3
2023-09-13 11:00	28.15	18.44
2023-09-13 11:15	27.79	19.94
2023-09-13 11:30	27.12	19.23
2023-09-13 11:45	27.2	18.07
2023-09-13 12:00	27.87	18.45
2023-09-13 12:15	28.33	19.55
2023-09-13 12:30	28.99	18.27
2023-09-13 12:45	28.78	21.04
2023-09-13 13:00	29.03	19.97
2023-09-13 13:15	29.26	20.43

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-13 13:30	29.78	18.93
2023-09-13 13:45	30.14	25.96
2023-09-13 14:00	29.65	18.95
2023-09-13 14:15	29.05	18.81
2023-09-13 14:30	29.77	18.07
2023-09-13 14:45	30.32	18.31
2023-09-13 15:00	29.72	18.58
2023-09-13 15:15	29.73	20.99
2023-09-13 15:30	29.38	24.91
2023-09-13 15:45	30.31	21.31
2023-09-13 16:00	30.77	18
2023-09-13 16:15	30.35	18.1
2023-09-13 16:30	30.52	18.13
2023-09-13 16:45	30.19	18.23
2023-09-13 17:00	30.23	19.27
2023-09-13 17:15	29.88	18.72
2023-09-13 17:30	30.86	18.43
2023-09-13 17:45	30.71	17.75
2023-09-13 18:00	30.55	17.66
2023-09-13 18:15	31.02	17.72
2023-09-13 18:30	31.57	17.93
2023-09-13 18:45	31.51	17.82
2023-09-13 19:00	30.4	17.98
2023-09-13 19:15	29.64	18.3
2023-09-13 19:30	30.14	18.31
2023-09-13 19:45	30.24	29.17
2023-09-13 20:00	32.31	19.63
2023-09-13 20:15	31.77	18.33
2023-09-13 20:30	32.75	18.07
2023-09-13 20:45	33.71	18.24
2023-09-13 21:00	33.37	18.43
2023-09-13 21:15	33.33	18.91
2023-09-13 21:30	33.56	18.22
2023-09-13 21:45	34.16	17.51
2023-09-13 22:00	33.99	17.45
2023-09-13 22:15	33.77	17.51
2023-09-13 22:30	32.79	17.53
2023-09-13 22:45	34.3	17.74
2023-09-13 23:00	34.34	18
2023-09-13 23:15	33.82	18.48
2023-09-13 23:30	34.7	17.99
2023-09-13 23:45	33.17	17.54

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-14 00:00	32.62	17.51
2023-09-14 00:15	31.78	17.54
2023-09-14 00:30	30.95	17.71
2023-09-14 00:45	30.88	17.51
2023-09-14 01:00	30.91	18.01
2023-09-14 01:15	31.42	18.54
2023-09-14 01:30	33.33	18.04
2023-09-14 01:45	33.18	17.5
2023-09-14 02:00	33.13	17.37
2023-09-14 02:15	34.14	17.35
2023-09-14 02:30	32.95	17.65
2023-09-14 02:45	33.12	17.91
2023-09-14 03:00	31.24	18.3
2023-09-14 03:15	31.47	18.56
2023-09-14 03:30	32.5	17.91
2023-09-14 03:45	34.51	17.39
2023-09-14 04:00	35.2	17.43
2023-09-14 04:15	33.71	17.32
2023-09-14 04:30	33.45	17.4
2023-09-14 04:45	33.47	17.45
2023-09-14 05:00	31.79	18.08
2023-09-14 05:15	31.65	18.1
2023-09-14 05:30	32.81	18.51
2023-09-14 05:45	31.16	18.13
2023-09-14 06:00	31.35	18.11
2023-09-14 06:15	32.57	17.54
2023-09-14 06:30	32.38	17.53
2023-09-14 06:45	31.8	17.67
2023-09-14 07:00	32.26	18.03
2023-09-14 07:15	31.82	18.33
2023-09-14 07:30	31.06	18.57
2023-09-14 07:45	32.39	18.22
2023-09-14 08:00	32.87	18.61
2023-09-14 08:15	32.36	17.48
2023-09-14 08:30	32.95	17.35
2023-09-14 08:45	33.97	17.26
2023-09-14 09:00	34.37	17.31
2023-09-14 09:15	34.34	17.64
2023-09-14 09:30	32.93	18.23
2023-09-14 09:45	33.54	18.01
2023-09-14 10:00	33.46	18.96
2023-09-14 10:15	33.13	17.66

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-14 10:30	33.51	17.8
2023-09-14 10:45	33.27	18.7
2023-09-14 11:00	39.14	22.8
2023-09-14 11:15	34.82	21.97
2023-09-14 11:30	36.09	42.29
2023-09-14 11:45	33.54	24.93
2023-09-14 12:00	32.96	19.18
2023-09-14 12:15	32.99	18.6
2023-09-14 12:30	32.68	18.63
2023-09-14 12:45	31.44	19.06
2023-09-14 13:00	30.63	18.35
2023-09-14 13:15	28.91	18.21
2023-09-14 13:30	27.08	20.71
2023-09-14 13:45	26.06	19.48
2023-09-14 14:00	25.84	22.35
2023-09-14 14:15	26.68	42.76
2023-09-14 14:30	28.88	21.46
2023-09-14 14:45	28.34	21.67
2023-09-14 15:00	28.32	19.41
2023-09-14 15:15	27.79	19.1
2023-09-14 15:30	28.84	18.45
2023-09-14 15:45	27.72	18.65
2023-09-14 16:00	28.78	19.48
2023-09-14 16:15	27.53	19.3
2023-09-14 16:30	28.17	20.11
2023-09-14 16:45	28.39	20.22
2023-09-14 17:00	28.55	20.37
2023-09-14 17:15	27.75	18.55
2023-09-14 17:30	27.67	18.6
2023-09-14 17:45	27.59	17.82
2023-09-14 18:00	27.37	17.91
2023-09-14 18:15	27.1	18.54
2023-09-14 18:30	28.22	18.28
2023-09-14 18:45	28.64	18.92
2023-09-14 19:00	28.1	19.39
2023-09-14 19:15	27.67	18.2
2023-09-14 19:30	28.1	17.52
2023-09-14 19:45	27.92	17.61
2023-09-14 20:00	27.58	17.63
2023-09-14 20:15	27.19	18.02
2023-09-14 20:30	27.96	18.25
2023-09-14 20:45	27.27	18.75

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-14 21:00	27.05	19.25
2023-09-14 21:15	27.18	18.8
2023-09-14 21:30	28.86	18.2
2023-09-14 21:45	30.16	17.78
2023-09-14 22:00	27.41	17.74
2023-09-14 22:15	27.41	18
2023-09-14 22:30	26.69	18.12
2023-09-14 22:45	27.83	18.55
2023-09-14 23:00	27.76	19
2023-09-14 23:15	26.78	18.9
2023-09-14 23:30	26.76	18.52
2023-09-14 23:45	27.19	17.86
2023-09-15 00:00	27.66	19.15
2023-09-15 00:15	28.09	18.96
2023-09-15 00:30	27.14	18.39
2023-09-15 00:45	26.95	17.83
2023-09-15 01:00	26.59	17.86
2023-09-15 01:15	27.93	18.14
2023-09-15 01:30	27.76	18.34
2023-09-15 01:45	28.14	19.21
2023-09-15 02:00	27.06	17.94
2023-09-15 02:15	26.79	17.72
2023-09-15 02:30	28.22	17.88
2023-09-15 02:45	27.44	18.17
2023-09-15 03:00	30.25	18.29
2023-09-15 03:15	27.66	18.61
2023-09-15 03:30	28.74	18.37
2023-09-15 03:45	28.68	19.53
2023-09-15 04:00	28.07	17.91
2023-09-15 04:15	27.29	17.68
2023-09-15 04:30	27.42	17.83
2023-09-15 04:45	27.02	17.97
2023-09-15 05:00	27.14	17.86
2023-09-15 05:15	27.52	18.17
2023-09-15 05:30	27.83	18.34
2023-09-15 05:45	26.9	18.87
2023-09-15 06:00	26.53	17.83
2023-09-15 06:15	27.55	17.73
2023-09-15 06:30	27.43	17.97
2023-09-15 06:45	25.73	18.05
2023-09-15 07:00	25.59	18.41
2023-09-15 07:15	25.68	18.58

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-15 07:30	25.84	18.33
2023-09-15 07:45	26.15	19.53
2023-09-15 08:00	29.37	18.22
2023-09-15 08:15	26.62	18.15
2023-09-15 08:30	27.88	18.18
2023-09-15 08:45	29.06	18.09
2023-09-15 09:00	28.17	18.38
2023-09-15 09:15	28.71	18.37
2023-09-15 09:30	28.67	18.71
2023-09-15 09:45	29.05	19.86
2023-09-15 10:00	28.44	18.57
2023-09-15 10:15	29.67	18.22
2023-09-15 10:30	30.51	18.41
2023-09-15 10:45	29.15	18.54
2023-09-15 11:00	28.3	18.72
2023-09-15 11:15	27.89	19.05
2023-09-15 11:30	27.4	20.58
2023-09-15 11:45	27.62	21.77
2023-09-15 12:00	26.83	19.19
2023-09-15 12:15	26.77	18.69
2023-09-15 12:30	25.45	25.53
2023-09-15 12:45	25.56	43.74
2023-09-15 13:00	25.35	123.26
2023-09-15 13:15	25.71	30.47
2023-09-15 13:30	26.16	24.07
2023-09-15 13:45	26.04	25.26
2023-09-15 14:00	26.5	23
2023-09-15 14:15	26.58	29.86
2023-09-15 14:30	26.55	37.98
2023-09-15 14:45	25.9	124.36
2023-09-15 15:00	28.08	63.83
2023-09-15 15:15	25.76	38.76
2023-09-15 15:30	26.06	60.62
2023-09-15 15:45	25.74	89.98
2023-09-15 16:00	25.33	61.9
2023-09-15 16:15	26.83	30.49
2023-09-15 16:30	27.37	25.75
2023-09-15 16:45	26.9	22.24
2023-09-15 17:00	27.12	20.45
2023-09-15 17:15	27.86	20.3
2023-09-15 17:30	27.61	22.17
2023-09-15 17:45	26.67	20.55

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-15 18:00	26.51	20.58
2023-09-15 18:15	26.15	21.85
2023-09-15 18:30	25.56	20.04
2023-09-15 18:45	25.12	19.03
2023-09-15 19:00	24.99	29.45
2023-09-15 19:15	25.27	24.84
2023-09-15 19:30	25.38	20.04
2023-09-15 19:45	25.28	19.79
2023-09-15 20:00	24.74	18.12
2023-09-15 20:15	24.63	17.88
2023-09-15 20:30	25.16	17.96
2023-09-15 20:45	25.63	18.05
2023-09-15 21:00	25.48	18.49
2023-09-15 21:15	24.8	18.37
2023-09-15 21:30	24.86	19.48
2023-09-15 21:45	25.34	18.05
2023-09-15 22:00	26.92	17.74
2023-09-15 22:15	26.26	17.9
2023-09-15 22:30	26.04	17.99
2023-09-15 22:45	25.62	18.22
2023-09-15 23:00	25.34	18.11
2023-09-15 23:15	25.68	18.44
2023-09-15 23:30	25.9	19.08
2023-09-15 23:45	26.53	19.45
2023-09-16 00:00	25.93	18.19
2023-09-16 00:15	26.13	18.29
2023-09-16 00:30	25.94	18.43
2023-09-16 00:45	26.36	18.46
2023-09-16 01:00	26.16	18.94
2023-09-16 01:15	25.36	19.16
2023-09-16 01:30	25.05	19.56
2023-09-16 01:45	25.37	21.13
2023-09-16 02:00	24.58	20.32
2023-09-16 02:15	24.73	18.19
2023-09-16 02:30	24.38	18.22
2023-09-16 02:45	24.58	18.49
2023-09-16 03:00	24.74	18.94
2023-09-16 03:15	25.17	20.9
2023-09-16 03:30	25.62	19.75
2023-09-16 03:45	25.07	18.4
2023-09-16 04:00	24.93	21.29
2023-09-16 04:15	24.78	18.43

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-16 04:30	25.53	19.7
2023-09-16 04:45	25.16	18.82
2023-09-16 05:00	25.24	30.02
2023-09-16 05:15	25.18	19.09
2023-09-16 05:30	26.12	19.94
2023-09-16 05:45	25.7	19.11
2023-09-16 06:00	25.81	18.12
2023-09-16 06:15	25.41	18.05
2023-09-16 06:30	25.5	18.25
2023-09-16 06:45	25.7	18.67
2023-09-16 07:00	25.41	18.4
2023-09-16 07:15	25.66	20.01
2023-09-16 07:30	25.86	18.61
2023-09-16 07:45	25.89	18
2023-09-16 08:00	25.43	18.01
2023-09-16 08:15	25.86	18.35
2023-09-16 08:30	25.58	18.52
2023-09-16 08:45	26.06	18.79
2023-09-16 09:00	26.45	22.24
2023-09-16 09:15	25.44	21.67
2023-09-16 09:30	25.44	20.98
2023-09-16 09:45	25.69	23.28
2023-09-16 10:00	26.03	19.23
2023-09-16 10:15	26.59	20.14
2023-09-16 10:30	25.11	22.81
2023-09-16 10:45	24.99	33.9
2023-09-16 11:00	26.6	44.1
2023-09-16 11:15	26.63	94.35
2023-09-16 11:30	25.86	36.55
2023-09-16 11:45	25.35	35.66
2023-09-16 12:00	25.68	83.72
2023-09-16 12:15	25.84	142.97
2023-09-16 12:30	25.5	55.07
2023-09-16 12:45	26.44	23.74
2023-09-16 13:00	26.47	21.36
2023-09-16 13:15	27.94	20.87
2023-09-16 13:30	26.97	19.79
2023-09-16 13:45	26.47	28.19
2023-09-16 14:00	26.55	27.51
2023-09-16 14:15	26.99	36.99
2023-09-16 14:30	27.44	24.63
2023-09-16 14:45	28.1	47.67

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-16 15:00	29.92	154.31
2023-09-16 15:15	29.53	84.16
2023-09-16 15:30	30.21	23.12
2023-09-16 15:45	30.52	18.48
2023-09-16 16:00	30.21	18.54
2023-09-16 16:15	31.1	18.62
2023-09-16 16:30	30.29	18.89
2023-09-16 16:45	30.76	18.99
2023-09-16 17:00	30.29	20.6
2023-09-16 17:15	30.72	19.08
2023-09-16 17:30	30.23	18.39
2023-09-16 17:45	29.81	18.45
2023-09-16 18:00	30.74	19.65
2023-09-16 18:15	30.88	18.7
2023-09-16 18:30	30.37	18.84
2023-09-16 18:45	30.59	18.58
2023-09-16 19:00	30.16	19.16
2023-09-16 19:15	30.39	19.81
2023-09-16 19:30	29.87	19.39
2023-09-16 19:45	29.59	18.58
2023-09-16 20:00	30.45	18.46
2023-09-16 20:15	31.43	18.54
2023-09-16 20:30	30.17	18.73
2023-09-16 20:45	30.39	18.57
2023-09-16 21:00	29.46	19.99
2023-09-16 21:15	30.61	18.78
2023-09-16 21:30	30.29	18.21
2023-09-16 21:45	30.47	18.31
2023-09-16 22:00	30.91	18.46
2023-09-16 22:15	31.71	18.62
2023-09-16 22:30	31.59	18.85
2023-09-16 22:45	32.33	18.9
2023-09-16 23:00	32.26	20.45
2023-09-16 23:15	31.21	18.82
2023-09-16 23:30	30.15	18.5
2023-09-16 23:45	29.67	18.54
2023-09-17 00:00	30.88	18.55
2023-09-17 00:15	30.47	18.52
2023-09-17 00:30	30.69	18.75
2023-09-17 00:45	30.36	18.85
2023-09-17 01:00	29.72	20.42
2023-09-17 01:15	29.9	18.87

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-17 01:30	29.53	18.56
2023-09-17 01:45	29.49	18.71
2023-09-17 02:00	29.3	18.82
2023-09-17 02:15	28.95	19.02
2023-09-17 02:30	29.41	19.25
2023-09-17 02:45	29.14	19.33
2023-09-17 03:00	29.15	20.48
2023-09-17 03:15	28.91	18.87
2023-09-17 03:30	30.3	18.65
2023-09-17 03:45	31.07	18.81
2023-09-17 04:00	30.7	19.05
2023-09-17 04:15	31.5	19.38
2023-09-17 04:30	30.44	19.64
2023-09-17 04:45	30.65	19.51
2023-09-17 05:00	30.18	20.13
2023-09-17 05:15	30.93	20.42
2023-09-17 05:30	30.03	19.57
2023-09-17 05:45	28.91	18.5
2023-09-17 06:00	29.87	18.89
2023-09-17 06:15	29.79	19.36
2023-09-17 06:30	29.71	19.57
2023-09-17 06:45	30.89	20
2023-09-17 07:00	29.72	20.69
2023-09-17 07:15	29.92	19
2023-09-17 07:30	31.19	18.56
2023-09-17 07:45	30.93	18.71
2023-09-17 08:00	30.47	18.64
2023-09-17 08:15	30.18	18.75
2023-09-17 08:30	29.92	19.19
2023-09-17 08:45	29.87	19.42
2023-09-17 09:00	28.4	20.47
2023-09-17 09:15	29.33	37.93
2023-09-17 09:30	29.52	50.58
2023-09-17 09:45	30.23	19.65
2023-09-17 10:00	29.64	26.01
2023-09-17 10:15	29.05	59
2023-09-17 10:30	28	91.85
2023-09-17 10:45	28.95	89.31
2023-09-17 11:00	29.12	92.2
2023-09-17 11:15	29.52	98.95
2023-09-17 11:30	29.47	89.82
2023-09-17 11:45	29.88	84.08

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-17 12:00	28.85	72.36
2023-09-17 12:15	29.47	46.11
2023-09-17 12:30	29.77	38.86
2023-09-17 12:45	29.13	68.97
2023-09-17 13:00	28.99	66.89
2023-09-17 13:15	30.32	49.69
2023-09-17 13:30	30.48	47.43
2023-09-17 13:45	30.54	64.4
2023-09-17 14:00	30.29	47.66
2023-09-17 14:15	30.13	39.03
2023-09-17 14:30	30.01	81.43
2023-09-17 14:45	30.02	78.07
2023-09-17 15:00	30.08	62.52
2023-09-17 15:15	29.69	51.54
2023-09-17 15:30	30.09	32.12
2023-09-17 15:45	30.29	31.68
2023-09-17 16:00	30.28	31.95
2023-09-17 16:15	30.61	44.33
2023-09-17 16:30	30.3	33.44
2023-09-17 16:45	30.15	40.13
2023-09-17 17:00	30.29	31.92
2023-09-17 17:15	30.43	27.64
2023-09-17 17:30	30.39	23.88
2023-09-17 17:45	30.52	22.2
2023-09-17 18:00	30.64	21.48
2023-09-17 18:15	30.41	20.28
2023-09-17 18:30	30.35	19.81
2023-09-17 18:45	30.68	20.41
2023-09-17 19:00	29.78	19.85
2023-09-17 19:15	30.45	19.81
2023-09-17 19:30	29.94	19.85
2023-09-17 19:45	30.06	18.75
2023-09-17 20:00	29.14	18.84
2023-09-17 20:15	28.98	18.99
2023-09-17 20:30	28.83	18.98
2023-09-17 20:45	30.59	19.82
2023-09-17 21:00	30.34	19.99
2023-09-17 21:15	30.11	19.69
2023-09-17 21:30	31	19.14
2023-09-17 21:45	31.28	19.81
2023-09-17 22:00	31.52	19.04
2023-09-17 22:15	31.73	19.58

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-17 22:30	31.88	19.05
2023-09-17 22:45	31.26	19.93
2023-09-17 23:00	30.75	19.28
2023-09-17 23:15	32.34	18.66
2023-09-17 23:30	31.21	18.67
2023-09-17 23:45	31.23	18.86
2023-09-18 00:00	32.17	19.16
2023-09-18 00:15	32.24	19.37
2023-09-18 00:30	31.62	19.25
2023-09-18 00:45	31.88	20.29
2023-09-18 01:00	32.45	19.48
2023-09-18 01:15	31.46	18.73
2023-09-18 01:30	32.09	18.75
2023-09-18 01:45	32.76	18.97
2023-09-18 02:00	32.6	19.19
2023-09-18 02:15	33	19.22
2023-09-18 02:30	31.93	19.59
2023-09-18 02:45	31.92	20.25
2023-09-18 03:00	32.89	19.75
2023-09-18 03:15	32.13	18.71
2023-09-18 03:30	32.13	18.97
2023-09-18 03:45	32.18	19.02
2023-09-18 04:00	33.06	19.16
2023-09-18 04:15	32.66	19.28
2023-09-18 04:30	32.06	19.39
2023-09-18 04:45	32.3	20.41
2023-09-18 05:00	32.65	20.33
2023-09-18 05:15	32.53	19.75
2023-09-18 05:30	32.83	19.5
2023-09-18 05:45	33.21	18.84
2023-09-18 06:00	32.5	19.02
2023-09-18 06:15	32.57	19.26
2023-09-18 06:30	31.76	19.78
2023-09-18 06:45	31.96	20.48
2023-09-18 07:00	32.32	19.64
2023-09-18 07:15	31.87	18.86
2023-09-18 07:30	31.21	18.99
2023-09-18 07:45	32.12	19.01
2023-09-18 08:00	32.15	18.92
2023-09-18 08:15	31.28	19.1
2023-09-18 08:30	29.68	19.76
2023-09-18 08:45	29.92	22.6

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-18 09:00	29.84	39.42
2023-09-18 09:15	29.66	48.47
2023-09-18 09:30	29.32	59.52
2023-09-18 09:45	29.35	81.97
2023-09-18 10:00	29.32	109.25
2023-09-18 10:15	29.44	69.74
2023-09-18 10:30	32.43	62.16
2023-09-18 10:45	30.04	57.35
2023-09-18 11:00	29.92	73.45
2023-09-18 11:15	29.49	95.64
2023-09-18 11:30	29.66	154.69
2023-09-18 11:45	33.42	140.76
2023-09-18 12:00	29.8	112.6
2023-09-18 12:15	30.05	93.67
2023-09-18 12:30	29.93	90.18
2023-09-18 12:45	29.69	80
2023-09-18 13:00	30.17	81.69
2023-09-18 13:15	29.72	120.45
2023-09-18 13:30	30.15	130.4
2023-09-18 13:45	30.36	123.11
2023-09-18 14:00	30.73	122.76
2023-09-18 14:15	30.32	136.84
2023-09-18 14:30	30.4	147.8
2023-09-18 14:45	30.64	161.28
2023-09-18 15:00	31.76	142.27
2023-09-18 15:15	31	137.42
2023-09-18 15:30	31.82	114.22
2023-09-18 15:45	36.29	144.86
2023-09-18 16:00	35.63	165.31
2023-09-18 16:15	36.01	138.62
2023-09-18 16:30	36.33	121.53
2023-09-18 16:45	35.86	106.07
2023-09-18 17:00	35.27	90.31
2023-09-18 17:15	35.9	77.09
2023-09-18 17:30	35.9	67.72
2023-09-18 17:45	35.6	58.84
2023-09-18 18:00	35.73	52.16
2023-09-18 18:15	36.61	48.11
2023-09-18 18:30	36.59	45.62
2023-09-18 18:45	36.2	40.68
2023-09-18 19:00	36.19	39.08
2023-09-18 19:15	36.28	38.55

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-18 19:30	35.81	35.72
2023-09-18 19:45	35.46	33.75
2023-09-18 20:00	35.82	33.59
2023-09-18 20:15	35.39	32.15
2023-09-18 20:30	36.82	31.78
2023-09-18 20:45	35.96	31.01
2023-09-18 21:00	35.5	30.7
2023-09-18 21:15	35.5	29.52
2023-09-18 21:30	35.75	29.98
2023-09-18 21:45	35.82	28.75
2023-09-18 22:00	35.82	27.93
2023-09-18 22:15	35.8	28.03
2023-09-18 22:30	35.51	28.82
2023-09-18 22:45	34.94	28.32
2023-09-18 23:00	35.21	29.53
2023-09-18 23:15	34.45	27.49
2023-09-18 23:30	34.71	27.06
2023-09-18 23:45	34.97	26.64
2023-09-19 00:00	34.56	25.6
2023-09-19 00:15	34.72	24.97
2023-09-19 00:30	35.04	25.11
2023-09-19 00:45	35.91	25.72
2023-09-19 01:00	35.78	25.12
2023-09-19 01:15	34.97	25.54
2023-09-19 01:30	35.18	26.27
2023-09-19 01:45	34.86	24.08
2023-09-19 02:00	34.83	24.77
2023-09-19 02:15	34.49	23.55
2023-09-19 02:30	34.85	24.21
2023-09-19 02:45	35.35	23.79
2023-09-19 03:00	35.4	25.65
2023-09-19 03:15	35.64	24.43
2023-09-19 03:30	35.09	23.66
2023-09-19 03:45	34.29	23.23
2023-09-19 04:00	34.51	23.78
2023-09-19 04:15	34.44	23.19
2023-09-19 04:30	34.08	22.99
2023-09-19 04:45	34.15	23.39
2023-09-19 05:00	35.01	25.59
2023-09-19 05:15	34.58	23.3
2023-09-19 05:30	34.66	23.27
2023-09-19 05:45	33.82	23.4

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-19 06:00	33.72	23.39
2023-09-19 06:15	33.46	23.8
2023-09-19 06:30	33.84	24.16
2023-09-19 06:45	33.72	24.12
2023-09-19 07:00	33.58	24.93
2023-09-19 07:15	33.97	23.25
2023-09-19 07:30	33.53	22.63
2023-09-19 07:45	34.36	22.24
2023-09-19 08:00	34.87	21.9
2023-09-19 08:15	34.29	21.63
2023-09-19 08:30	34.49	21.21
2023-09-19 08:45	35.9	20.87
2023-09-19 09:00	36.76	21.98
2023-09-19 09:15	34.79	20.81
2023-09-19 09:30	34.98	20.77
2023-09-19 09:45	35.7	21.3
2023-09-19 10:00	35.53	21.31
2023-09-19 10:15	35.75	26.98
2023-09-19 10:30	34.36	26.78
2023-09-19 10:45	34.65	22.55
2023-09-19 11:00	34.83	25.19
2023-09-19 11:15	34.48	24.53
2023-09-19 11:30	35.01	27.53
2023-09-19 11:45	34.31	22.74
2023-09-19 12:00	32.45	21.3
2023-09-19 12:15	31.37	25.27
2023-09-19 12:30	32.12	27
2023-09-19 12:45	31.67	27.66
2023-09-19 13:00	32.02	25.06
2023-09-19 13:15	31.84	26.94
2023-09-19 13:30	32.75	37.13
2023-09-19 13:45	36.06	40.96
2023-09-19 14:00	35.44	112.82
2023-09-19 14:15	35.28	82.75
2023-09-19 14:30	38.39	40.49
2023-09-19 14:45	34.86	30.32
2023-09-19 15:00	35.78	27.1
2023-09-19 15:15	35.89	26.66
2023-09-19 15:30	35.03	25.68
2023-09-19 15:45	36.87	25.04
2023-09-19 16:00	34.18	24.78
2023-09-19 16:15	34.95	32.65

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-19 16:30	35.11	26.06
2023-09-19 16:45	35.58	23.17
2023-09-19 17:00	36.14	23.72
2023-09-19 17:15	35.47	22.82
2023-09-19 17:30	36.69	21.9
2023-09-19 17:45	34.95	22.56
2023-09-19 18:00	34.29	22.99
2023-09-19 18:15	36.31	21.89
2023-09-19 18:30	36.19	21.1
2023-09-19 18:45	35.88	21.1
2023-09-19 19:00	35.49	20.85
2023-09-19 19:15	35.75	21.27
2023-09-19 19:30	35.94	21.31
2023-09-19 19:45	36.02	21.47
2023-09-19 20:00	36.21	21.42
2023-09-19 20:15	36.3	20.99
2023-09-19 20:30	36.04	20.93
2023-09-19 20:45	35.54	21.13
2023-09-19 21:00	35.7	22.54
2023-09-19 21:15	35.09	21.64
2023-09-19 21:30	35.76	20.87
2023-09-19 21:45	36.46	20.83
2023-09-19 22:00	36.33	20.85
2023-09-19 22:15	35.83	20.94
2023-09-19 22:30	35.61	21.06
2023-09-19 22:45	35.76	22.09
2023-09-19 23:00	35.74	22.23
2023-09-19 23:15	35.95	21.33
2023-09-19 23:30	36.27	20.58
2023-09-19 23:45	35.28	20.57
2023-09-20 00:00	35.6	20.98
2023-09-20 00:15	35.49	20.7
2023-09-20 00:30	34.86	20.55
2023-09-20 00:45	34.49	20.95
2023-09-20 01:00	34.95	22.47
2023-09-20 01:15	35.11	21.27
2023-09-20 01:30	35.23	20.5
2023-09-20 01:45	34.99	20.61
2023-09-20 02:00	35.66	20.68
2023-09-20 02:15	34.89	20.86
2023-09-20 02:30	34.72	21.13
2023-09-20 02:45	35.1	22.15

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-20 03:00	34.75	22.43
2023-09-20 03:15	37.02	30.51
2023-09-20 03:30	34.92	23.35
2023-09-20 03:45	34.55	21.13
2023-09-20 04:00	34.91	21.47
2023-09-20 04:15	34.5	22.2
2023-09-20 04:30	34.32	22.86
2023-09-20 04:45	34.81	23.43
2023-09-20 05:00	35.45	21.97
2023-09-20 05:15	34.63	21.39
2023-09-20 05:30	34.34	21.4
2023-09-20 05:45	34.28	21.31
2023-09-20 06:00	34.52	21.55
2023-09-20 06:15	34.61	21.66
2023-09-20 06:30	35.11	22.28
2023-09-20 06:45	34.1	22.86
2023-09-20 07:00	34.48	22.11
2023-09-20 07:15	34.5	21.91
2023-09-20 07:30	35.07	23.12
2023-09-20 07:45	36.07	22.01
2023-09-20 08:00	35.51	20.85
2023-09-20 08:15	35.59	20.83
2023-09-20 08:30	35.75	21.02
2023-09-20 08:45	37.03	21.11
2023-09-20 09:00	34.52	24.7
2023-09-20 09:15	33.41	23.04
2023-09-20 09:30	33.78	22.18
2023-09-20 09:45	34.4	27.58
2023-09-20 10:00	36.02	25.59
2023-09-20 10:15	35.87	25.74
2023-09-20 10:30	35.79	27.59
2023-09-20 10:45	35.17	26.79
2023-09-20 11:00	34.76	36.18
2023-09-20 11:15	36.02	50.61
2023-09-20 11:30	36.09	29.65
2023-09-20 11:45	36.63	21.88
2023-09-20 12:00	36.69	21.29
2023-09-20 12:15	35.63	22.69
2023-09-20 12:30	35.39	27.7
2023-09-20 12:45	35.03	24.95
2023-09-20 13:00	35.25	22.06
2023-09-20 13:15	34.55	22.46

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-20 13:30	33.9	41.1
2023-09-20 13:45	34.18	50.65
2023-09-20 14:00	34.74	51.15
2023-09-20 14:15	35.53	41.26
2023-09-20 14:30	35.83	35.17
2023-09-20 14:45	35.73	59.69
2023-09-20 15:00	36.22	35.59
2023-09-20 15:15	36.31	28.88
2023-09-20 15:30	37.15	26.79
2023-09-20 15:45	37.14	24.45
2023-09-20 16:00	36.97	22.1
2023-09-20 16:15	37.2	21.38
2023-09-20 16:30	36.57	22
2023-09-20 16:45	36.44	24.1
2023-09-20 17:00	35.95	21.43
2023-09-20 17:15	36.49	21.39
2023-09-20 17:30	35.9	22.11
2023-09-20 17:45	35.8	21.12
2023-09-20 18:00	35.57	21.26
2023-09-20 18:15	35.11	21.48
2023-09-20 18:30	35.44	21.46
2023-09-20 18:45	35.48	21.51
2023-09-20 19:00	34.87	21.77
2023-09-20 19:15	34.57	22.55
2023-09-20 19:30	36.91	21.8
2023-09-20 19:45	36.09	20.94
2023-09-20 20:00	35.36	21.25
2023-09-20 20:15	35.42	21.85
2023-09-20 20:30	36.1	22.45
2023-09-20 20:45	37.01	22.3
2023-09-20 21:00	36.22	21.9
2023-09-20 21:15	37.18	21.29
2023-09-20 21:30	36.51	21.29
2023-09-20 21:45	36.48	21.27
2023-09-20 22:00	36.69	21.62
2023-09-20 22:15	36.5	22.13
2023-09-20 22:30	35.98	22.75
2023-09-20 22:45	35.46	22.52
2023-09-20 23:00	35.24	21.63
2023-09-20 23:15	35.39	20.64
2023-09-20 23:30	35.66	20.63
2023-09-20 23:45	36.23	20.93

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-21 00:00	35.82	21.67
2023-09-21 00:15	35.88	22.13
2023-09-21 00:30	35.5	22.85
2023-09-21 00:45	35.65	22.42
2023-09-21 01:00	35.53	21.87
2023-09-21 01:15	34.84	21.36
2023-09-21 01:30	35.14	21.51
2023-09-21 01:45	35.84	21.28
2023-09-21 02:00	35.81	21.08
2023-09-21 02:15	37.31	21.44
2023-09-21 02:30	37.67	21.21
2023-09-21 02:45	36.33	21.47
2023-09-21 03:00	35.34	21.6
2023-09-21 03:15	36.03	21.12
2023-09-21 03:30	36.55	21.75
2023-09-21 03:45	37.23	21.03
2023-09-21 04:00	37.73	21.05
2023-09-21 04:15	37.44	21.35
2023-09-21 04:30	36.85	21.61
2023-09-21 04:45	37.39	21.79
2023-09-21 05:00	37.67	21.44
2023-09-21 05:15	36.91	21.22
2023-09-21 05:30	36.68	22.18
2023-09-21 05:45	36.51	23.08
2023-09-21 06:00	36.64	22.41
2023-09-21 06:15	35.71	22.84
2023-09-21 06:30	35.93	23.36
2023-09-21 06:45	35.77	22.58
2023-09-21 07:00	35.69	21.75
2023-09-21 07:15	35.94	21.38
2023-09-21 07:30	37.23	21.28
2023-09-21 07:45	37.6	21.2
2023-09-21 08:00	38.38	21.39
2023-09-21 08:15	38.05	22.01
2023-09-21 08:30	38.21	22.64
2023-09-21 08:45	38.08	21.9
2023-09-21 09:00	36.38	21.12
2023-09-21 09:15	35.91	21.07
2023-09-21 09:30	36.31	21.16
2023-09-21 09:45	37.33	21.38
2023-09-21 10:00	37.02	21.56
2023-09-21 10:15	36.23	22.41

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-21 10:30	36.32	23.07
2023-09-21 10:45	42.08	22.35
2023-09-21 11:00	39.11	22.89
2023-09-21 11:15	34.87	22.06
2023-09-21 11:30	34.96	22.2
2023-09-21 11:45	35.74	21.52
2023-09-21 12:00	36.02	21.99
2023-09-21 12:15	36.41	22.53
2023-09-21 12:30	35.86	24.51
2023-09-21 12:45	35.48	22.91
2023-09-21 13:00	35.76	31.2
2023-09-21 13:15	36.05	35.08
2023-09-21 13:30	36.69	30.72
2023-09-21 13:45	35.93	26.51
2023-09-21 14:00	35.73	29.9
2023-09-21 14:15	35.98	33.97
2023-09-21 14:30	36.23	37.71
2023-09-21 14:45	36.48	47.1
2023-09-21 15:00	35.97	40.86
2023-09-21 15:15	36.07	26.62
2023-09-21 15:30	37.6	30.9
2023-09-21 15:45	38.04	29.85
2023-09-21 16:00	37.38	32.16
2023-09-21 16:15	37.84	25.5
2023-09-21 16:30	37.24	23.14
2023-09-21 16:45	36.61	21.31
2023-09-21 17:00	36.58	21.48
2023-09-21 17:15	37.39	21.02
2023-09-21 17:30	37.24	21.03
2023-09-21 17:45	37.66	20.84
2023-09-21 18:00	37.77	21.3
2023-09-21 18:15	38.05	21.7
2023-09-21 18:30	38.74	21.69
2023-09-21 18:45	39.14	21.14
2023-09-21 19:00	44.24	21.16
2023-09-21 19:15	38.75	20.95
2023-09-21 19:30	39.18	21.07
2023-09-21 19:45	38.62	21.36
2023-09-21 20:00	39.42	22.7
2023-09-21 20:15	39.16	23.11
2023-09-21 20:30	39.39	22.83
2023-09-21 20:45	39.7	22.29

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-21 21:00	39.2	21.21
2023-09-21 21:15	39.21	21.46
2023-09-21 21:30	39.16	21.37
2023-09-21 21:45	39.19	21.66
2023-09-21 22:00	39.12	22.05
2023-09-21 22:15	39.35	22.55
2023-09-21 22:30	39.34	22.42
2023-09-21 22:45	39.64	22.29
2023-09-21 23:00	40.06	21.29
2023-09-21 23:15	39.84	21.3
2023-09-21 23:30	38.84	22.07
2023-09-21 23:45	39.1	22.14
2023-09-22 00:00	39.01	22.4
2023-09-22 00:15	38.95	23.21
2023-09-22 00:30	39.3	23.17
2023-09-22 00:45	39.18	22.64
2023-09-22 01:00	39.58	21.54
2023-09-22 01:15	39.99	21.45
2023-09-22 01:30	39.52	21.26
2023-09-22 01:45	38.83	21.46
2023-09-22 02:00	39.25	22.04
2023-09-22 02:15	39.84	22.21
2023-09-22 02:30	39.53	22
2023-09-22 02:45	39.48	22.39
2023-09-22 03:00	40.16	21.61
2023-09-22 03:15	40.19	21.12
2023-09-22 03:30	39.8	21.44
2023-09-22 03:45	39.32	21.73
2023-09-22 04:00	39.21	22.47
2023-09-22 04:15	39.51	23.12
2023-09-22 04:30	39.04	22.99
2023-09-22 04:45	38.6	23.12
2023-09-22 05:00	38.85	23.91
2023-09-22 05:15	39	22.39
2023-09-22 05:30	38.41	21.22
2023-09-22 05:45	38.09	21.18
2023-09-22 06:00	38.38	22.07
2023-09-22 06:15	38.77	22.67
2023-09-22 06:30	38.74	22.42
2023-09-22 06:45	38.69	22.98
2023-09-22 07:00	39.05	21.5
2023-09-22 07:15	39.59	21.37

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-22 07:30	39.44	21.36
2023-09-22 07:45	37.62	21.37
2023-09-22 08:00	37.69	21.94
2023-09-22 08:15	37.32	21.61
2023-09-22 08:30	38.03	21.53
2023-09-22 08:45	38.42	21.98
2023-09-22 09:00	39.91	20.93
2023-09-22 09:15	40.26	22.09
2023-09-22 09:30	40.88	21.24
2023-09-22 09:45	40.93	21.87
2023-09-22 10:00	40.05	22.5
2023-09-22 10:15	39.26	23.17
2023-09-22 10:30	38.62	22.89
2023-09-22 10:45	39.7	22.48
2023-09-22 11:00	39.5	21.88
2023-09-22 11:15	39.64	22.13
2023-09-22 11:30	38.84	22.17
2023-09-22 11:45	38.57	22.49
2023-09-22 12:00	38.76	22.99
2023-09-22 12:15	38.58	23.22
2023-09-22 12:30	39.06	23.15
2023-09-22 12:45	39.06	22.48
2023-09-22 13:00	38.73	22.24
2023-09-22 13:15	38.97	21.7
2023-09-22 13:30	38.83	22.64
2023-09-22 13:45	38.17	22.81
2023-09-22 14:00	38.4	28.82
2023-09-22 14:15	38.74	35.83
2023-09-22 14:30	39.39	29.76
2023-09-22 14:45	38.93	27.63
2023-09-22 15:00	38.52	24.03
2023-09-22 15:15	38.54	23.16
2023-09-22 15:30	39.05	23.19
2023-09-22 15:45	38.89	21.13
2023-09-22 16:00	38.9	22.48
2023-09-22 16:15	39.34	21.85
2023-09-22 16:30	39.86	21.89
2023-09-22 16:45	39.83	24.98
2023-09-22 17:00	39.95	25.66
2023-09-22 17:15	39.15	22.33
2023-09-22 17:30	39.59	21.27
2023-09-22 17:45	40.61	21.12

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-22 18:00	39.41	21.11
2023-09-22 18:15	38.62	21.35
2023-09-22 18:30	38.41	21.53
2023-09-22 18:45	38.32	23.73
2023-09-22 19:00	39.49	22.25
2023-09-22 19:15	39.93	22.1
2023-09-22 19:30	41.16	22.63
2023-09-22 19:45	38.65	21.91
2023-09-22 20:00	40.36	22.03
2023-09-22 20:15	49.34	21.94
2023-09-22 20:30	39.13	22.99
2023-09-22 20:45	38.92	23.48
2023-09-22 21:00	38.88	22.07
2023-09-22 21:15	38.45	21.25
2023-09-22 21:30	38.28	21.3
2023-09-22 21:45	39.56	21.31
2023-09-22 22:00	39.47	21.41
2023-09-22 22:15	38.97	21.38
2023-09-22 22:30	38.44	22.15
2023-09-22 22:45	38.81	22.76
2023-09-22 23:00	39.54	21.59
2023-09-22 23:15	39.74	21.08
2023-09-22 23:30	39.85	20.75
2023-09-22 23:45	40.4	21.59
2023-09-23 00:00	39.7	21.68
2023-09-23 00:15	40.42	21.65
2023-09-23 00:30	39.97	22.65
2023-09-23 00:45	40.44	23.29
2023-09-23 01:00	39.94	21.96
2023-09-23 01:15	38.92	21.74
2023-09-23 01:30	39.49	21.9
2023-09-23 01:45	39.32	21.77
2023-09-23 02:00	39.26	21.47
2023-09-23 02:15	39.37	21.43
2023-09-23 02:30	40.42	22.18
2023-09-23 02:45	40.08	22.5
2023-09-23 03:00	40.05	21.64
2023-09-23 03:15	39.34	21.2
2023-09-23 03:30	39.43	21.39
2023-09-23 03:45	39.41	21.49
2023-09-23 04:00	39.92	21.77
2023-09-23 04:15	47.97	21.67

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-23 04:30	38.74	22.36
2023-09-23 04:45	53.2	22.64
2023-09-23 05:00	44.03	22.21
2023-09-23 05:15	40.31	22.62
2023-09-23 05:30	39.5	21.22
2023-09-23 05:45	38.93	21.28
2023-09-23 06:00	38.11	21.75
2023-09-23 06:15	38.34	21.75
2023-09-23 06:30	37.82	22.62
2023-09-23 06:45	37.56	22.87
2023-09-23 07:00	36.75	21.89
2023-09-23 07:15	37.18	21.24
2023-09-23 07:30	37.65	21.32
2023-09-23 07:45	36.93	21.27
2023-09-23 08:00	37.73	21.35
2023-09-23 08:15	37.09	21.59
2023-09-23 08:30	37.35	22.5
2023-09-23 08:45	37.06	22.75
2023-09-23 09:00	36.63	21.89
2023-09-23 09:15	36.61	21
2023-09-23 09:30	36.81	21.22
2023-09-23 09:45	37.77	21.59
2023-09-23 10:00	36.53	22.36
2023-09-23 10:15	37.26	23.11
2023-09-23 10:30	37.26	23.78
2023-09-23 10:45	37.34	23.57
2023-09-23 11:00	37.3	22.97
2023-09-23 11:15	37.35	22.3
2023-09-23 11:30	37.75	22.14
2023-09-23 11:45	37.35	22.18
2023-09-23 12:00	37.39	22.16
2023-09-23 12:15	37.31	22.64
2023-09-23 12:30	38.02	23.01
2023-09-23 12:45	38.87	23.16
2023-09-23 13:00	38.4	24.9
2023-09-23 13:15	38.31	22.34
2023-09-23 13:30	38.54	22.87
2023-09-23 13:45	39.53	24.48
2023-09-23 14:00	39.49	42.34
2023-09-23 14:15	38.68	29.29
2023-09-23 14:30	38.93	23.79
2023-09-23 14:45	38.64	23.28

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-23 15:00	38.71	23.58
2023-09-23 15:15	39.53	23.63
2023-09-23 15:30	39.5	24.32
2023-09-23 15:45	39.07	21.92
2023-09-23 16:00	38.91	21.67
2023-09-23 16:15	39.31	21.65
2023-09-23 16:30	39.39	21.45
2023-09-23 16:45	38.24	22.19
2023-09-23 17:00	38.89	23.23
2023-09-23 17:15	38.47	22.41
2023-09-23 17:30	38.04	21.39
2023-09-23 17:45	38.42	21.37
2023-09-23 18:00	38.16	21.45
2023-09-23 18:15	37.2	21.76
2023-09-23 18:30	35.96	22.24
2023-09-23 18:45	37.67	22.41
2023-09-23 19:00	36.89	22.25
2023-09-23 19:15	37.1	23.04
2023-09-23 19:30	37.37	22.53
2023-09-23 19:45	36.86	21.88
2023-09-23 20:00	36.81	21.44
2023-09-23 20:15	37.31	28.51
2023-09-23 20:30	36.94	21.96
2023-09-23 20:45	38.29	21.24
2023-09-23 21:00	36.4	22.74
2023-09-23 21:15	37.06	21.93
2023-09-23 21:30	37.24	21.26
2023-09-23 21:45	38.3	22.39
2023-09-23 22:00	37.6	21.92
2023-09-23 22:15	37.75	21.81
2023-09-23 22:30	38.58	22.27
2023-09-23 22:45	37.99	22.14
2023-09-23 23:00	36.84	23.7
2023-09-23 23:15	37.08	22.62
2023-09-23 23:30	37.84	22.13
2023-09-23 23:45	37.23	22.77
2023-09-24 00:00	37.5	22.93
2023-09-24 00:15	37.95	22.79
2023-09-24 00:30	37.32	23.07
2023-09-24 00:45	37.17	22.75
2023-09-24 01:00	37.98	24.21
2023-09-24 01:15	38.18	22.08

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-24 01:30	38.02	21.39
2023-09-24 01:45	37.48	21.38
2023-09-24 02:00	37.14	21.45
2023-09-24 02:15	37.41	21.74
2023-09-24 02:30	36.83	22.38
2023-09-24 02:45	36.34	22.16
2023-09-24 03:00	36.13	23.94
2023-09-24 03:15	36.39	22.17
2023-09-24 03:30	35.77	21.75
2023-09-24 03:45	35.34	21.76
2023-09-24 04:00	36.44	22.13
2023-09-24 04:15	35.25	22.27
2023-09-24 04:30	36.33	22.6
2023-09-24 04:45	37.03	22.46
2023-09-24 05:00	37.49	22.91
2023-09-24 05:15	37.58	23.43
2023-09-24 05:30	36.97	22.61
2023-09-24 05:45	36.12	22.12
2023-09-24 06:00	36.83	22.34
2023-09-24 06:15	37.08	22.04
2023-09-24 06:30	35.74	22.79
2023-09-24 06:45	35.09	23.03
2023-09-24 07:00	35.95	24.22
2023-09-24 07:15	35.89	22.19
2023-09-24 07:30	35.6	21.91
2023-09-24 07:45	35.5	21.99
2023-09-24 08:00	36.36	22.24
2023-09-24 08:15	35.92	22.63
2023-09-24 08:30	34.81	22.88
2023-09-24 08:45	36	23.05
2023-09-24 09:00	36.14	23.89
2023-09-24 09:15	34.95	24.03
2023-09-24 09:30	35.02	23.09
2023-09-24 09:45	35.14	22.28
2023-09-24 10:00	35.64	22.43
2023-09-24 10:15	35.42	22.82
2023-09-24 10:30	34.81	22.81
2023-09-24 10:45	35.04	23.21
2023-09-24 11:00	36.14	24.58
2023-09-24 11:15	36.68	23.32
2023-09-24 11:30	37.4	23.28
2023-09-24 11:45	37.64	22.63

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-24 12:00	37.71	23.72
2023-09-24 12:15	38.3	23.29
2023-09-24 12:30	37.84	32.23
2023-09-24 12:45	37.44	28.44
2023-09-24 13:00	37.96	24.82
2023-09-24 13:15	38.58	23.16
2023-09-24 13:30	38.85	22.39
2023-09-24 13:45	38.09	23
2023-09-24 14:00	39.46	22.13
2023-09-24 14:15	38.95	21.38
2023-09-24 14:30	38.72	21.68
2023-09-24 14:45	38.42	23.25
2023-09-24 15:00	38.38	21.97
2023-09-24 15:15	37.83	21.49
2023-09-24 15:30	37.93	21.85
2023-09-24 15:45	36.95	22.86
2023-09-24 16:00	37.28	22.19
2023-09-24 16:15	37.09	22.23
2023-09-24 16:30	37.53	22.8
2023-09-24 16:45	38.31	23.63
2023-09-24 17:00	37.4	21.99
2023-09-24 17:15	37.48	21.67
2023-09-24 17:30	37.31	21.4
2023-09-24 17:45	38.26	21.32
2023-09-24 18:00	38.31	21.9
2023-09-24 18:15	37.38	21.99
2023-09-24 18:30	36.89	23.38
2023-09-24 18:45	36.03	23.66
2023-09-24 19:00	36.31	23.45
2023-09-24 19:15	37.5	22.69
2023-09-24 19:30	37.5	21.66
2023-09-24 19:45	38.04	21.62
2023-09-24 20:00	37.41	22.3
2023-09-24 20:15	36.35	22.2
2023-09-24 20:30	36.84	23.18
2023-09-24 20:45	36.73	23.34
2023-09-24 21:00	37.44	27.71
2023-09-24 21:15	39.29	26.25
2023-09-24 21:30	39.02	22.94
2023-09-24 21:45	37.68	22.72
2023-09-24 22:00	36.74	23.14
2023-09-24 22:15	37.78	22.53

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-24 22:30	36.09	23.64
2023-09-24 22:45	35.62	23.19
2023-09-24 23:00	35.27	21.75
2023-09-24 23:15	35.82	21.58
2023-09-24 23:30	35.94	22.91
2023-09-24 23:45	36.4	22.29
2023-09-25 00:00	37.32	23.07
2023-09-25 00:15	36.28	22.38
2023-09-25 00:30	35.9	24.36
2023-09-25 00:45	36.46	24.12
2023-09-25 01:00	36.13	22.51
2023-09-25 01:15	36.2	22.39
2023-09-25 01:30	36.81	22.37
2023-09-25 01:45	37.06	21.97
2023-09-25 02:00	36.99	22.34
2023-09-25 02:15	35.16	22.38
2023-09-25 02:30	36.18	24.23
2023-09-25 02:45	37.92	23.3
2023-09-25 03:00	36.96	22.29
2023-09-25 03:15	37.22	22.51
2023-09-25 03:30	37.9	22.39
2023-09-25 03:45	36.75	22.32
2023-09-25 04:00	36.45	22.9
2023-09-25 04:15	36.89	22.9
2023-09-25 04:30	36.8	24.21
2023-09-25 04:45	36.46	23.01
2023-09-25 05:00	37.61	21.96
2023-09-25 05:15	37.79	22.06
2023-09-25 05:30	36.83	22.22
2023-09-25 05:45	36.87	22.49
2023-09-25 06:00	37.03	22.8
2023-09-25 06:15	37.62	22.65
2023-09-25 06:30	37.5	24.08
2023-09-25 06:45	36.38	22.87
2023-09-25 07:00	36.53	21.83
2023-09-25 07:15	35.69	21.8
2023-09-25 07:30	34.54	21.95
2023-09-25 07:45	35.45	22.38
2023-09-25 08:00	34.62	22.9
2023-09-25 08:15	36.32	22.6
2023-09-25 08:30	36.74	23.72
2023-09-25 08:45	36.25	22.54

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-25 09:00	36.5	22.89
2023-09-25 09:15	36.55	23.06
2023-09-25 09:30	36.01	23.27
2023-09-25 09:45	37.35	22.2
2023-09-25 10:00	37.22	23.37
2023-09-25 10:15	37.35	23.64
2023-09-25 10:30	37.84	24.98
2023-09-25 10:45	37.82	23.14
2023-09-25 11:00	37.07	22.45
2023-09-25 11:15	36.4	22.31
2023-09-25 11:30	37.54	22.59
2023-09-25 11:45	38.38	22.74
2023-09-25 12:00	37.74	23.34
2023-09-25 12:15	38.49	23.26
2023-09-25 12:30	38.72	24.77
2023-09-25 12:45	37.89	23.55
2023-09-25 13:00	37	22.33
2023-09-25 13:15	37.82	25.61
2023-09-25 13:30	35.92	23.57
2023-09-25 13:45	35.87	22.13
2023-09-25 14:00	41.26	21.89
2023-09-25 14:15	39.32	22.25
2023-09-25 14:30	39.4	22.18
2023-09-25 14:45	39.88	24.32
2023-09-25 15:00	38.44	26.05
2023-09-25 15:15	37.04	24.63
2023-09-25 15:30	36.65	23.88
2023-09-25 15:45	36.5	22.33
2023-09-25 16:00	35.94	23.22
2023-09-25 16:15	35.91	22.14
2023-09-25 16:30	35.51	22.35
2023-09-25 16:45	35.78	23.21
2023-09-25 17:00	36.34	22.38
2023-09-25 17:15	35.95	23.91
2023-09-25 17:30	36.07	24.04
2023-09-25 17:45	39.49	23.1
2023-09-25 18:00	35.79	22.34
2023-09-25 18:15	34.81	22.32
2023-09-25 18:30	34.95	22.59
2023-09-25 18:45	34.62	22.67
2023-09-25 19:00	35.65	22.22
2023-09-25 19:15	36.4	23.27

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-25 19:30	35.79	23.33
2023-09-25 19:45	35.9	22.27
2023-09-25 20:00	35.84	21.88
2023-09-25 20:15	35.49	22.05
2023-09-25 20:30	35.45	22.4
2023-09-25 20:45	35.58	22.54
2023-09-25 21:00	36.22	22.7
2023-09-25 21:15	36.23	23.61
2023-09-25 21:30	37.88	22.02
2023-09-25 21:45	37.29	21.69
2023-09-25 22:00	36.35	22.01
2023-09-25 22:15	35.91	22.23
2023-09-25 22:30	37.13	22.49
2023-09-25 22:45	37.22	22.67
2023-09-25 23:00	36.88	23.09
2023-09-25 23:15	36.47	23.84
2023-09-25 23:30	37.77	22.28
2023-09-25 23:45	36.73	21.98
2023-09-26 00:00	37.21	22.16
2023-09-26 00:15	38.2	22.29
2023-09-26 00:30	38.21	22.6
2023-09-26 00:45	38.49	22.58
2023-09-26 01:00	38.13	23.28
2023-09-26 01:15	37.04	23.61
2023-09-26 01:30	36.52	22.14
2023-09-26 01:45	36.07	21.74
2023-09-26 02:00	37.06	21.89
2023-09-26 02:15	37.15	22.21
2023-09-26 02:30	37.57	22.48
2023-09-26 02:45	36.84	22.46
2023-09-26 03:00	36.62	23.22
2023-09-26 03:15	37.01	23.33
2023-09-26 03:30	38.06	22.16
2023-09-26 03:45	38.54	21.79
2023-09-26 04:00	38.46	22.16
2023-09-26 04:15	37.27	22.27
2023-09-26 04:30	37.15	22.63
2023-09-26 04:45	37.49	22.28
2023-09-26 05:00	37.24	22.89
2023-09-26 05:15	37.84	23.69
2023-09-26 05:30	37.83	23.34
2023-09-26 05:45	38.69	22.98

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-26 06:00	38.21	22.24
2023-09-26 06:15	38.26	22.35
2023-09-26 06:30	37.61	22.65
2023-09-26 06:45	38.29	22.39
2023-09-26 07:00	37.47	29.11
2023-09-26 07:15	37.31	23.68
2023-09-26 07:30	37.45	23.8
2023-09-26 07:45	37.59	23.18
2023-09-26 08:00	37.34	22.49
2023-09-26 08:15	37.11	23.48
2023-09-26 08:30	37.77	23.12
2023-09-26 08:45	36.36	22.62
2023-09-26 09:00	41.33	24.31
2023-09-26 09:15	49	24.26
2023-09-26 09:30	48.13	22.75
2023-09-26 09:45	47.69	22.24
2023-09-26 10:00	47.69	22.59
2023-09-26 10:15	48.78	22.8
2023-09-26 10:30	37.89	22.92
2023-09-26 10:45	37.15	22.6
2023-09-26 11:00	36.68	24.23
2023-09-26 11:15	36.63	23.45
2023-09-26 11:30	36.83	22.17
2023-09-26 11:45	37.25	22.18
2023-09-26 12:00	35.87	22.39
2023-09-26 12:15	34.71	22.82
2023-09-26 12:30	35.31	22.94
2023-09-26 12:45	35.78	22.71
2023-09-26 13:00	34.92	23.09
2023-09-26 13:15	36.1	23.56
2023-09-26 13:30	35.74	22.55
2023-09-26 13:45	35.93	21.86
2023-09-26 14:00	35.47	21.67
2023-09-26 14:15	35.86	22.23
2023-09-26 14:30	36.46	22.79
2023-09-26 14:45	36.71	22.36
2023-09-26 15:00	37.39	23.28
2023-09-26 15:15	38.33	22.29
2023-09-26 15:30	39.37	27
2023-09-26 15:45	40.85	58.33
2023-09-26 16:00	41.17	40.34
2023-09-26 16:15	40.83	32.54

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-26 16:30	40.81	29.55
2023-09-26 16:45	41.35	32.09
2023-09-26 17:00	41	25.86
2023-09-26 17:15	40.09	24.71
2023-09-26 17:30	39.48	23.81
2023-09-26 17:45	39.56	22.97
2023-09-26 18:00	40.09	22.82
2023-09-26 18:15	39.99	22.91
2023-09-26 18:30	39.42	23.14
2023-09-26 18:45	38.98	23.24
2023-09-26 19:00	38.88	23.9
2023-09-26 19:15	38.44	23.27
2023-09-26 19:30	38.08	22.59
2023-09-26 19:45	39.51	23.63
2023-09-26 20:00	39.44	23.87
2023-09-26 20:15	40.47	22.7
2023-09-26 20:30	40.66	22.82
2023-09-26 20:45	40.67	23.08
2023-09-26 21:00	40.34	24.09
2023-09-26 21:15	40.14	23.37
2023-09-26 21:30	39.15	23.05
2023-09-26 21:45	38.79	23.7
2023-09-26 22:00	39.87	27.56
2023-09-26 22:15	40.05	24.05
2023-09-26 22:30	40.44	24.74
2023-09-26 22:45	39.77	25.7
2023-09-26 23:00	42.21	49.55
2023-09-26 23:15	42.33	27.23
2023-09-26 23:30	46.43	28.3
2023-09-26 23:45	39.75	25.62
2023-09-27 00:00	38.81	24.61
2023-09-27 00:15	39.04	24.4
2023-09-27 00:30	38.79	24.13
2023-09-27 00:45	39.46	33.04
2023-09-27 01:00	40.54	29.78
2023-09-27 01:15	39.78	25.45
2023-09-27 01:30	39.53	23.94
2023-09-27 01:45	39.32	24.15
2023-09-27 02:00	38.57	24.23
2023-09-27 02:15	38.73	25.05
2023-09-27 02:30	39.11	24.44
2023-09-27 02:45	38.91	25.53

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-27 03:00	39.47	27.2
2023-09-27 03:15	39.68	31.77
2023-09-27 03:30	40.19	31.7
2023-09-27 03:45	40.86	27.48
2023-09-27 04:00	39.97	25.34
2023-09-27 04:15	38.32	24.78
2023-09-27 04:30	38.36	24.29
2023-09-27 04:45	38.18	25.27
2023-09-27 05:00	37.95	26.7
2023-09-27 05:15	37.23	27.17
2023-09-27 05:30	36.44	24.29
2023-09-27 05:45	36.58	24.58
2023-09-27 06:00	37.63	24.7
2023-09-27 06:15	37.73	24.79
2023-09-27 06:30	38.03	24.61
2023-09-27 06:45	37.79	26.26
2023-09-27 07:00	37.49	26.79
2023-09-27 07:15	37.3	24.7
2023-09-27 07:30	37.36	24.14
2023-09-27 07:45	37.37	25.37
2023-09-27 08:00	38.23	23.96
2023-09-27 08:15	38.33	24.91
2023-09-27 08:30	38.83	24.71
2023-09-27 08:45	39.74	24.76
2023-09-27 09:00	39.01	23.87
2023-09-27 09:15	39.24	23.4
2023-09-27 09:30	39.18	23.68
2023-09-27 09:45	41.11	23.9
2023-09-27 10:00	42.23	24.1
2023-09-27 10:15	40.79	23.59
2023-09-27 10:30	41.24	24.53
2023-09-27 10:45	40.72	25.15
2023-09-27 11:00	40.64	23.71
2023-09-27 11:15	40.74	22.86
2023-09-27 11:30	41.27	23.04
2023-09-27 11:45	40.57	23.57
2023-09-27 12:00	42.66	23.95
2023-09-27 12:15	44.39	23.72
2023-09-27 12:30	43.06	25.73
2023-09-27 12:45	43.3	24.28
2023-09-27 13:00	43.18	23.39
2023-09-27 13:15	43.05	23.14

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-27 13:30	43.81	24.39
2023-09-27 13:45	44.05	23.72
2023-09-27 14:00	44.68	25.35
2023-09-27 14:15	43.89	23.64
2023-09-27 14:30	43.59	24.73
2023-09-27 14:45	44.94	26.3
2023-09-27 15:00	44.92	24.26
2023-09-27 15:15	43.15	23.89
2023-09-27 15:30	42.78	24.58
2023-09-27 15:45	42.41	24.33
2023-09-27 16:00	41.43	23.67
2023-09-27 16:15	41.36	24.38
2023-09-27 16:30	41.02	24.55
2023-09-27 16:45	40.57	24.17
2023-09-27 17:00	39.73	23.01
2023-09-27 17:15	38.92	22.74
2023-09-27 17:30	39.48	23.1
2023-09-27 17:45	38.96	23.13
2023-09-27 18:00	39.68	52.54
2023-09-27 18:15	38.86	31.08
2023-09-27 18:30	39.14	26.55
2023-09-27 18:45	39.75	26.09
2023-09-27 19:00	39.58	25.31
2023-09-27 19:15	39.22	25.4
2023-09-27 19:30	40.42	23.99
2023-09-27 19:45	40.78	23.78
2023-09-27 20:00	40.7	24.86
2023-09-27 20:15	42.01	23.82
2023-09-27 20:30	39.69	24.91
2023-09-27 20:45	39.09	24.36
2023-09-27 21:00	39.02	23.34
2023-09-27 21:15	39.28	23.64
2023-09-27 21:30	39.59	24.54
2023-09-27 21:45	40.21	28.61
2023-09-27 22:00	39.9	30.14
2023-09-27 22:15	39.02	25.94
2023-09-27 22:30	39.92	26.55
2023-09-27 22:45	40.97	26.63
2023-09-27 23:00	40.86	24
2023-09-27 23:15	39.58	23.67
2023-09-27 23:30	39.97	26.99
2023-09-27 23:45	41.69	26.47

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-28 00:00	40.44	25.51
2023-09-28 00:15	39.86	25.1
2023-09-28 00:30	41.82	26.87
2023-09-28 00:45	41.33	24.85
2023-09-28 01:00	39.78	23.63
2023-09-28 01:15	39.34	24.57
2023-09-28 01:30	39.52	24.38
2023-09-28 01:45	39.17	24.67
2023-09-28 02:00	40.06	24.63
2023-09-28 02:15	39.19	23.43
2023-09-28 02:30	39.2	25.36
2023-09-28 02:45	38.57	24.2
2023-09-28 03:00	37.83	23.03
2023-09-28 03:15	38.72	23.14
2023-09-28 03:30	37.94	23.66
2023-09-28 03:45	38.5	23.85
2023-09-28 04:00	37.46	23.31
2023-09-28 04:15	37.49	23.56
2023-09-28 04:30	38.29	24.32
2023-09-28 04:45	38.27	25.41
2023-09-28 05:00	37.78	24.06
2023-09-28 05:15	37.91	24.13
2023-09-28 05:30	39.38	24.87
2023-09-28 05:45	39.75	24.36
2023-09-28 06:00	38.1	23.9
2023-09-28 06:15	37.26	24.05
2023-09-28 06:30	37.16	24.59
2023-09-28 06:45	37.47	23.54
2023-09-28 07:00	37.55	22.87
2023-09-28 07:15	38.6	23.41
2023-09-28 07:30	38.33	24.27
2023-09-28 07:45	38.32	24.64
2023-09-28 08:00	38.92	24.46
2023-09-28 08:15	39.75	24.97
2023-09-28 08:30	39.94	25.67
2023-09-28 08:45	40.11	25.88
2023-09-28 09:00	41.72	23.98
2023-09-28 09:15	42.02	26.94
2023-09-28 09:30	38.83	25.51
2023-09-28 09:45	39.34	24.15
2023-09-28 10:00	42.2	25.71
2023-09-28 10:15	39.45	27.28

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-28 10:30	44.34	26.75
2023-09-28 10:45	44.89	26.56
2023-09-28 11:00	45.81	23.4
2023-09-28 11:15	41.86	32.34
2023-09-28 11:30	40.87	26.92
2023-09-28 11:45	42.52	24.41
2023-09-28 12:00	43.19	23.71
2023-09-28 12:15	41.13	25.05
2023-09-28 12:30	41.79	25.56
2023-09-28 12:45	40.35	25.3
2023-09-28 13:00	41.07	29.79
2023-09-28 13:15	39.54	31.34
2023-09-28 13:30	40.99	28.41
2023-09-28 13:45	38.86	26.66
2023-09-28 14:00	39.93	25.74
2023-09-28 14:15	40.13	26.25
2023-09-28 14:30	40.52	24.53
2023-09-28 14:45	39.62	23.7
2023-09-28 15:00	38.83	25.43
2023-09-28 15:15	40.09	25.59
2023-09-28 15:30	42.35	24.88
2023-09-28 15:45	42.41	23.31
2023-09-28 16:00	41.27	23.44
2023-09-28 16:15	42.47	25.22
2023-09-28 16:30	40.79	25.3
2023-09-28 16:45	41.32	23.33
2023-09-28 17:00	40.94	22.7
2023-09-28 17:15	40.07	23.13
2023-09-28 17:30	39.62	23.97
2023-09-28 17:45	39.68	23.53
2023-09-28 18:00	40.33	23.95
2023-09-28 18:15	40.18	24.44
2023-09-28 18:30	39.41	23.44
2023-09-28 18:45	39.48	23
2023-09-28 19:00	39.71	23.14
2023-09-28 19:15	39.61	22.85
2023-09-28 19:30	39.46	23.04
2023-09-28 19:45	38.9	23.15
2023-09-28 20:00	37.54	24.16
2023-09-28 20:15	37.87	24.29
2023-09-28 20:30	38.31	23.26
2023-09-28 20:45	38.66	22.59

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-28 21:00	38.52	23.07
2023-09-28 21:15	38.87	23.34
2023-09-28 21:30	38.67	23.61
2023-09-28 21:45	38.62	23.3
2023-09-28 22:00	38.63	24.37
2023-09-28 22:15	38.44	24.56
2023-09-28 22:30	38.69	23.81
2023-09-28 22:45	37.46	23.42
2023-09-28 23:00	37.89	23.1
2023-09-28 23:15	38.11	23.39
2023-09-28 23:30	37.52	23.75
2023-09-28 23:45	37.85	23.51
2023-09-29 00:00	37.41	25.01
2023-09-29 00:15	36.61	24.37
2023-09-29 00:30	36.37	23.36
2023-09-29 00:45	36.61	22.98
2023-09-29 01:00	36.61	23.58
2023-09-29 01:15	36.84	24
2023-09-29 01:30	36.74	24.09
2023-09-29 01:45	36.78	23.79
2023-09-29 02:00	38.81	28.43
2023-09-29 02:15	39.69	29.79
2023-09-29 02:30	40.05	26.16
2023-09-29 02:45	39.61	24.3
2023-09-29 03:00	39.1	27.74
2023-09-29 03:15	39.26	28.13
2023-09-29 03:30	39.44	25.34
2023-09-29 03:45	39.16	27.05
2023-09-29 04:00	37.95	34.27
2023-09-29 04:15	38.79	25.69
2023-09-29 04:30	39.31	31.67
2023-09-29 04:45	39.49	27.42
2023-09-29 05:00	39.93	27.95
2023-09-29 05:15	40.6	25.88
2023-09-29 05:30	40.44	26.06
2023-09-29 05:45	41.02	25.75
2023-09-29 06:00	38.86	27.36
2023-09-29 06:15	39.81	34.95
2023-09-29 06:30	38.45	27.78
2023-09-29 06:45	38.52	25.65
2023-09-29 07:00	39.48	29.99
2023-09-29 07:15	38.79	92.83

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-29 07:30	38.65	62.92
2023-09-29 07:45	41.35	32.4
2023-09-29 08:00	41.46	32.02
2023-09-29 08:15	40.08	34.02
2023-09-29 08:30	39.43	37.83
2023-09-29 08:45	38.73	42.3
2023-09-29 09:00	38.77	84.74
2023-09-29 09:15	38.67	77.41
2023-09-29 09:30	38.31	147.45
2023-09-29 09:45	38.92	114.91
2023-09-29 10:00	39.33	102.33
2023-09-29 10:15	39.78	94.73
2023-09-29 10:30	39.82	120.1
2023-09-29 10:45	39.77	147.28
2023-09-29 11:00	40.3	118.24
2023-09-29 11:15	40.57	103.43
2023-09-29 11:30	40.83	67.1
2023-09-29 11:45	41.79	70.08
2023-09-29 12:00	41.4	92.07
2023-09-29 12:15	41.32	94.53
2023-09-29 12:30	40.92	67.69
2023-09-29 12:45	41.39	53.35
2023-09-29 13:00	41.56	73.8
2023-09-29 13:15	40.22	101.48
2023-09-29 13:30	38.5	64.83
2023-09-29 13:45	38.43	45.72
2023-09-29 14:00	39.44	43.68
2023-09-29 14:15	39.48	36.53
2023-09-29 14:30	39.4	36.15
2023-09-29 14:45	39.24	35.38
2023-09-29 15:00	39.62	34.73
2023-09-29 15:15	39.3	35.49
2023-09-29 15:30	38.44	36.75
2023-09-29 15:45	38.45	31.98
2023-09-29 16:00	38.24	32.03
2023-09-29 16:15	38.3	31.9
2023-09-29 16:30	38.49	31.5
2023-09-29 16:45	39.92	158.28
2023-09-29 17:00	39.56	132.16
2023-09-29 17:15	39.07	128.55
2023-09-29 17:30	38.85	110.37
2023-09-29 17:45	39.11	96.56

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-29 18:00	38.44	83.57
2023-09-29 18:15	38.63	65.76
2023-09-29 18:30	39.49	53.37
2023-09-29 18:45	39.64	48.34
2023-09-29 19:00	45.89	120.9
2023-09-29 19:15	40.99	132.33
2023-09-29 19:30	40.94	97.02
2023-09-29 19:45	41.44	97.64
2023-09-29 20:00	41.76	107.62
2023-09-29 20:15	41.79	132.42
2023-09-29 20:30	42.66	166.63
2023-09-29 20:45	42.33	143.87
2023-09-29 21:00	42.55	134.5
2023-09-29 21:15	42.57	133.29
2023-09-29 21:30	42.95	154.47
2023-09-29 21:45	44.42	190.66
2023-09-29 22:00	43.93	193.41
2023-09-29 22:15	46.32	191.92
2023-09-29 22:30	45.38	192.68
2023-09-29 22:45	46.29	195.87
2023-09-29 23:00	47.88	191.05
2023-09-29 23:15	49.9	0
2023-09-29 23:30	51.15	0
2023-09-29 23:45	52.11	0
2023-09-30 00:00	55.07	0
2023-09-30 00:15	56.81	0
2023-09-30 00:30	56.87	0
2023-09-30 00:45	57.55	0
2023-09-30 01:00	57.36	0
2023-09-30 01:15	57.07	0
2023-09-30 01:30	56.16	0
2023-09-30 01:45	55.95	0
2023-09-30 02:00	58.89	0
2023-09-30 02:15	59.97	0
2023-09-30 02:30	60.86	0
2023-09-30 02:45	93.37	0
2023-09-30 03:00	91.49	0
2023-09-30 03:15	95.88	0
2023-09-30 03:30	92.26	0
2023-09-30 03:45	106.54	0
2023-09-30 04:00	98.5	0
2023-09-30 04:15	99.24	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-30 04:30	101.12	0
2023-09-30 04:45	99.98	0
2023-09-30 05:00	98.78	0
2023-09-30 05:15	93.7	0
2023-09-30 05:30	92.58	0
2023-09-30 05:45	93.48	0
2023-09-30 06:00	93.39	0
2023-09-30 06:15	92.92	0
2023-09-30 06:30	92.74	0
2023-09-30 06:45	92.25	0
2023-09-30 07:00	89.14	0
2023-09-30 07:15	88.57	0
2023-09-30 07:30	88.83	0
2023-09-30 07:45	89.28	0
2023-09-30 08:00	88.86	0
2023-09-30 08:15	91.42	0
2023-09-30 08:30	88.14	32.08
2023-09-30 08:45	87.85	28.67
2023-09-30 09:00	86.9	19.3
2023-09-30 09:15	87.85	NA
2023-09-30 09:30	69.19	0
2023-09-30 09:45	67.18	0
2023-09-30 10:00	43.99	0
2023-09-30 10:15	42.56	41.24
2023-09-30 10:30	43.31	125.91
2023-09-30 10:45	45.06	177.57
2023-09-30 11:00	45.29	136.53
2023-09-30 11:15	47.33	98.98
2023-09-30 11:30	49.63	0
2023-09-30 11:45	50.89	0
2023-09-30 12:00	51.18	0
2023-09-30 12:15	51.77	0
2023-09-30 12:30	51.71	0
2023-09-30 12:45	52.22	0
2023-09-30 13:00	52.57	0
2023-09-30 13:15	54.1	0
2023-09-30 13:30	56.07	0
2023-09-30 13:45	55.66	0
2023-09-30 14:00	56.99	0
2023-09-30 14:15	56.59	0
2023-09-30 14:30	55.25	0
2023-09-30 14:45	54.29	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-09-30 15:00	53.65	0
2023-09-30 15:15	55.89	0
2023-09-30 15:30	56.96	0
2023-09-30 15:45	58.99	0
2023-09-30 16:00	59.75	0
2023-09-30 16:15	56.95	0
2023-09-30 16:30	57.38	0
2023-09-30 16:45	57.79	0
2023-09-30 17:00	58.21	0
2023-09-30 17:15	58.43	0
2023-09-30 17:30	58.45	0
2023-09-30 17:45	58.26	0
2023-09-30 18:00	58.7	0
2023-09-30 18:15	58.76	0
2023-09-30 18:30	58.68	0
2023-09-30 18:45	59.43	0
2023-09-30 19:00	61.36	0
2023-09-30 19:15	62.41	0
2023-09-30 19:30	62.36	0
2023-09-30 19:45	62.29	0
2023-09-30 20:00	63.32	0
2023-09-30 20:15	62.98	0
2023-09-30 20:30	63.2	0
2023-09-30 20:45	62.64	0
2023-09-30 21:00	62.51	0
2023-09-30 21:15	63.06	0
2023-09-30 21:30	63.03	0
2023-09-30 21:45	64.3	0
2023-09-30 22:00	64.65	0
2023-09-30 22:15	63.93	0
2023-09-30 22:30	64.17	0
2023-09-30 22:45	64.51	0
2023-09-30 23:00	64.71	0
2023-09-30 23:15	63.89	0
2023-09-30 23:30	63.25	0
2023-09-30 23:45	NA	NA

Goa State Pollution Control Board

Industry Name	:	M/S Goa Carbon Limited
Address	:	ST.-JOSE-DE,AREAL-SALCETE
District	:	South Goa
Category	:	Petrochemicals
Parameters	:	RP_Stack-PM, Cooler_Stack-PM
Report Format	:	Tabular
Criteria	:	15min
Date	:	From 2023/10/01 To 2023/10/31

RealTime Data

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-01 00:00	64.04	0
2023-10-01 00:15	64.57	0
2023-10-01 00:30	63.87	0
2023-10-01 00:45	63.83	0
2023-10-01 01:00	63.57	0
2023-10-01 01:15	63.02	0
2023-10-01 01:30	63.04	0
2023-10-01 01:45	62.66	0
2023-10-01 02:00	63.39	0
2023-10-01 02:15	65.15	0
2023-10-01 02:30	63.64	0
2023-10-01 02:45	62.97	0
2023-10-01 03:00	64.09	0
2023-10-01 03:15	64.03	0
2023-10-01 03:30	67.91	0
2023-10-01 03:45	67.64	0
2023-10-01 04:00	64.8	0
2023-10-01 04:15	65.74	0
2023-10-01 04:30	65.15	0
2023-10-01 04:45	65.32	0
2023-10-01 05:00	63.66	0
2023-10-01 05:15	64.43	0
2023-10-01 05:30	64.74	0
2023-10-01 05:45	64.37	0
2023-10-01 06:00	64.49	0
2023-10-01 06:15	64.73	0
2023-10-01 06:30	63.93	0
2023-10-01 06:45	66.1	0
2023-10-01 07:00	70.67	0
2023-10-01 07:15	71.27	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-01 07:30	70.87	0
2023-10-01 07:45	70.49	0
2023-10-01 08:00	70.59	0
2023-10-01 08:15	70.35	0
2023-10-01 08:30	70.7	0
2023-10-01 08:45	70.26	0
2023-10-01 09:00	69.12	0
2023-10-01 09:15	69.61	0
2023-10-01 09:30	70.11	0
2023-10-01 09:45	70.51	0
2023-10-01 10:00	74.11	0
2023-10-01 10:15	74.12	0
2023-10-01 10:30	73.72	5.27
2023-10-01 10:45	72.58	8.55
2023-10-01 11:00	73.37	8.01
2023-10-01 11:15	73.85	7.11
2023-10-01 11:30	74.2	10.35
2023-10-01 11:45	74.76	5.88
2023-10-01 12:00	75.17	7.73
2023-10-01 12:15	75.26	6.63
2023-10-01 12:30	75.12	11.87
2023-10-01 12:45	75.99	13.34
2023-10-01 13:00	76.34	121.13
2023-10-01 13:15	77.64	128.41
2023-10-01 13:30	76.93	31.6
2023-10-01 13:45	77.17	19.82
2023-10-01 14:00	76.49	7
2023-10-01 14:15	75.91	6.12
2023-10-01 14:30	75.74	7.7
2023-10-01 14:45	75.68	7.98
2023-10-01 15:00	75.14	6.22
2023-10-01 15:15	74.78	5.41
2023-10-01 15:30	76.66	5.89
2023-10-01 15:45	75.54	5.59
2023-10-01 16:00	76.42	8.42
2023-10-01 16:15	78.61	19.04
2023-10-01 16:30	78.45	8
2023-10-01 16:45	77.36	8.17
2023-10-01 17:00	77.52	6.26
2023-10-01 17:15	78.01	5.53
2023-10-01 17:30	76.59	5.75
2023-10-01 17:45	77.09	5.79

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-01 18:00	76.36	6.42
2023-10-01 18:15	76.25	6.53
2023-10-01 18:30	76.72	7.36
2023-10-01 18:45	76.09	7.39
2023-10-01 19:00	74.61	6.7
2023-10-01 19:15	74.17	6.92
2023-10-01 19:30	72.71	5.74
2023-10-01 19:45	72.78	5.31
2023-10-01 20:00	72.94	5.94
2023-10-01 20:15	72.74	6.03
2023-10-01 20:30	72.38	7.5
2023-10-01 20:45	74.55	7.82
2023-10-01 21:00	75.56	7.05
2023-10-01 21:15	75.8	7.4
2023-10-01 21:30	78.09	7.94
2023-10-01 21:45	77.35	6.95
2023-10-01 22:00	77	7.06
2023-10-01 22:15	77.67	6.53
2023-10-01 22:30	78.34	8.01
2023-10-01 22:45	79.06	8.64
2023-10-01 23:00	78.91	7.26
2023-10-01 23:15	78.93	6.26
2023-10-01 23:30	78.52	6.19
2023-10-01 23:45	77.58	6.24
2023-10-02 00:00	78.01	6.42
2023-10-02 00:15	77.7	6.46
2023-10-02 00:30	77.01	7.45
2023-10-02 00:45	78.05	7.29
2023-10-02 01:00	77.37	6.1
2023-10-02 01:15	77.2	5.54
2023-10-02 01:30	76.96	5.59
2023-10-02 01:45	76.6	5.66
2023-10-02 02:00	76.59	5.86
2023-10-02 02:15	75.38	6.38
2023-10-02 02:30	75.85	7.61
2023-10-02 02:45	76.67	7.22
2023-10-02 03:00	76.87	6.08
2023-10-02 03:15	77.53	6.02
2023-10-02 03:30	77.09	5.95
2023-10-02 03:45	76.64	6.09
2023-10-02 04:00	75.63	6.25
2023-10-02 04:15	76.34	6.94

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-02 04:30	76.78	7.87
2023-10-02 04:45	76.48	7.24
2023-10-02 05:00	76.09	7.11
2023-10-02 05:15	76.85	7.94
2023-10-02 05:30	77.34	5.79
2023-10-02 05:45	77.78	5.95
2023-10-02 06:00	77.82	6.28
2023-10-02 06:15	78.87	7.15
2023-10-02 06:30	78.25	8.56
2023-10-02 06:45	78.59	7.32
2023-10-02 07:00	78.2	6.18
2023-10-02 07:15	77.83	5.8
2023-10-02 07:30	77.91	5.92
2023-10-02 07:45	78.13	6.02
2023-10-02 08:00	78.69	5.79
2023-10-02 08:15	78.92	7.2
2023-10-02 08:30	79.83	7.86
2023-10-02 08:45	79.86	6.71
2023-10-02 09:00	78.58	5.68
2023-10-02 09:15	79.23	5.6
2023-10-02 09:30	77.43	5.99
2023-10-02 09:45	75.4	6.38
2023-10-02 10:00	75.3	6.46
2023-10-02 10:15	74.41	7.72
2023-10-02 10:30	75.02	8.76
2023-10-02 10:45	79.39	7.85
2023-10-02 11:00	81.29	6.96
2023-10-02 11:15	90.03	7.42
2023-10-02 11:30	80.16	8.81
2023-10-02 11:45	80.31	7.3
2023-10-02 12:00	81.24	6.17
2023-10-02 12:15	81.27	6.32
2023-10-02 12:30	80.51	6.47
2023-10-02 12:45	80.79	6.63
2023-10-02 13:00	80.79	7.11
2023-10-02 13:15	80.66	6.52
2023-10-02 13:30	80.62	6.53
2023-10-02 13:45	78.93	6.71
2023-10-02 14:00	78.91	6.96
2023-10-02 14:15	79.65	7.81
2023-10-02 14:30	81.17	7.84
2023-10-02 14:45	80.78	6.81

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-02 15:00	79.01	5.83
2023-10-02 15:15	77.65	5.84
2023-10-02 15:30	76.1	6.12
2023-10-02 15:45	75.3	6.34
2023-10-02 16:00	75.86	6.76
2023-10-02 16:15	76.77	7.78
2023-10-02 16:30	78.71	7.34
2023-10-02 16:45	78.27	6.82
2023-10-02 17:00	98	6.18
2023-10-02 17:15	47.95	6.25
2023-10-02 17:30	48.23	6.34
2023-10-02 17:45	49.02	6.41
2023-10-02 18:00	49.3	6.73
2023-10-02 18:15	49.29	7.32
2023-10-02 18:30	50.3	6.64
2023-10-02 18:45	50.37	6.1
2023-10-02 19:00	48.41	7.42
2023-10-02 19:15	50.34	5.35
2023-10-02 19:30	49.23	5.38
2023-10-02 19:45	49.57	5.19
2023-10-02 20:00	49.19	5.81
2023-10-02 20:15	49.49	6.13
2023-10-02 20:30	49.54	6.47
2023-10-02 20:45	49.63	5.99
2023-10-02 21:00	49.92	5.37
2023-10-02 21:15	48.44	5.5
2023-10-02 21:30	49.36	5.62
2023-10-02 21:45	49.58	5.5
2023-10-02 22:00	49.09	6.55
2023-10-02 22:15	49.22	7.14
2023-10-02 22:30	50.03	6.22
2023-10-02 22:45	49.04	5.69
2023-10-02 23:00	48.43	5.39
2023-10-02 23:15	49.33	5.7
2023-10-02 23:30	49.86	5.74
2023-10-02 23:45	49.46	6.04
2023-10-03 00:00	49.8	7.13
2023-10-03 00:15	49.87	7.46
2023-10-03 00:30	50.17	6.28
2023-10-03 00:45	50.11	6.11
2023-10-03 01:00	50.1	5.78
2023-10-03 01:15	49.45	5.68

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-03 01:30	49.41	5.95
2023-10-03 01:45	49.47	6.12
2023-10-03 02:00	49.99	7.49
2023-10-03 02:15	49.82	8.13
2023-10-03 02:30	49.89	7.44
2023-10-03 02:45	50.29	6.79
2023-10-03 03:00	50.33	7.01
2023-10-03 03:15	50.65	6.47
2023-10-03 03:30	50.83	6.37
2023-10-03 03:45	50.19	8.45
2023-10-03 04:00	49.69	7.92
2023-10-03 04:15	49.99	7.73
2023-10-03 04:30	50.28	6.76
2023-10-03 04:45	51.06	6.26
2023-10-03 05:00	50.41	6.92
2023-10-03 05:15	49.53	5.47
2023-10-03 05:30	50.14	6.81
2023-10-03 05:45	50.98	6.82
2023-10-03 06:00	50.06	8.74
2023-10-03 06:15	50.24	8.02
2023-10-03 06:30	50.73	6.45
2023-10-03 06:45	50.78	6.04
2023-10-03 07:00	51	6.23
2023-10-03 07:15	50.06	5.73
2023-10-03 07:30	50.41	5.8
2023-10-03 07:45	49.47	5.83
2023-10-03 08:00	49.37	6.81
2023-10-03 08:15	50.16	6.96
2023-10-03 08:30	49.74	6.09
2023-10-03 08:45	50.87	5.56
2023-10-03 09:00	50.45	5.56
2023-10-03 09:15	49.84	5.66
2023-10-03 09:30	50.25	5.78
2023-10-03 09:45	50.49	6.12
2023-10-03 10:00	50.73	7.15
2023-10-03 10:15	49.98	7.72
2023-10-03 10:30	49.54	6.7
2023-10-03 10:45	49.54	6.1
2023-10-03 11:00	50.86	5.8
2023-10-03 11:15	50.68	6.08
2023-10-03 11:30	49.67	6.21
2023-10-03 11:45	49.61	6.48

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-03 12:00	50	6.94
2023-10-03 12:15	49.89	7.55
2023-10-03 12:30	49.2	6.68
2023-10-03 12:45	49.45	7.68
2023-10-03 13:00	50.31	6.13
2023-10-03 13:15	50.33	6.27
2023-10-03 13:30	50.54	6.4
2023-10-03 13:45	50.82	6.85
2023-10-03 14:00	51.15	7.64
2023-10-03 14:15	51.79	7.6
2023-10-03 14:30	52.57	6.78
2023-10-03 14:45	52.96	6.07
2023-10-03 15:00	51.93	6.08
2023-10-03 15:15	51.16	6.24
2023-10-03 15:30	50.88	6.04
2023-10-03 15:45	50.78	7.12
2023-10-03 16:00	50.12	7.99
2023-10-03 16:15	49.99	7.41
2023-10-03 16:30	49.38	6.92
2023-10-03 16:45	49.35	5.78
2023-10-03 17:00	49.68	5.75
2023-10-03 17:15	49.18	5.54
2023-10-03 17:30	48.64	5.43
2023-10-03 17:45	48.59	5.83
2023-10-03 18:00	49.25	7.11
2023-10-03 18:15	49.11	6.12
2023-10-03 18:30	48.56	5.66
2023-10-03 18:45	48.22	5.29
2023-10-03 19:00	47.98	5.08
2023-10-03 19:15	49.05	4.84
2023-10-03 19:30	48.71	4.9
2023-10-03 19:45	48.89	5.4
2023-10-03 20:00	49.96	6.41
2023-10-03 20:15	49.99	5.6
2023-10-03 20:30	50.91	4.98
2023-10-03 20:45	51.13	4.82
2023-10-03 21:00	50.58	5.6
2023-10-03 21:15	52.23	5.22
2023-10-03 21:30	51.75	5.02
2023-10-03 21:45	50.98	5.73
2023-10-03 22:00	51.06	7.08
2023-10-03 22:15	50.73	6.08

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-03 22:30	50.51	5.57
2023-10-03 22:45	49.78	5.4
2023-10-03 23:00	49.61	5.24
2023-10-03 23:15	49.94	5.45
2023-10-03 23:30	50.43	5.44
2023-10-03 23:45	49.25	6.61
2023-10-04 00:00	48.52	6.84
2023-10-04 00:15	49.6	5.8
2023-10-04 00:30	49.83	5.18
2023-10-04 00:45	50.26	5.58
2023-10-04 01:00	50.41	5.52
2023-10-04 01:15	49.11	5.59
2023-10-04 01:30	49.54	5.52
2023-10-04 01:45	50.17	6.78
2023-10-04 02:00	51.66	6.88
2023-10-04 02:15	50.69	6.1
2023-10-04 02:30	48.95	5.66
2023-10-04 02:45	49.59	6.33
2023-10-04 03:00	50.33	6.2
2023-10-04 03:15	49.81	7.65
2023-10-04 03:30	48.96	7.11
2023-10-04 03:45	48.57	7.64
2023-10-04 04:00	49.12	7.54
2023-10-04 04:15	49.11	7.32
2023-10-04 04:30	48.5	6.98
2023-10-04 04:45	49.25	7.53
2023-10-04 05:00	49.59	6.11
2023-10-04 05:15	49.65	7.09
2023-10-04 05:30	49.48	7.43
2023-10-04 05:45	49.22	7.12
2023-10-04 06:00	48.28	7.73
2023-10-04 06:15	49.38	6.61
2023-10-04 06:30	49.18	5.6
2023-10-04 06:45	48.67	6.99
2023-10-04 07:00	49.25	6.17
2023-10-04 07:15	48.56	5.95
2023-10-04 07:30	48.67	6.89
2023-10-04 07:45	48.73	8.4
2023-10-04 08:00	48.32	7.62
2023-10-04 08:15	47.81	6.42
2023-10-04 08:30	48.72	9.15
2023-10-04 08:45	48.74	11.49

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-04 09:00	48.82	9.07
2023-10-04 09:15	48.82	6.26
2023-10-04 09:30	50.49	6.26
2023-10-04 09:45	51.22	7.05
2023-10-04 10:00	51.49	7.2
2023-10-04 10:15	52.6	5.59
2023-10-04 10:30	53.82	6.78
2023-10-04 10:45	53.93	4.88
2023-10-04 11:00	54.59	6.63
2023-10-04 11:15	55.01	5.37
2023-10-04 11:30	54.81	5.72
2023-10-04 11:45	50.52	5.07
2023-10-04 12:00	49.68	5.2
2023-10-04 12:15	52.74	5.33
2023-10-04 12:30	55.52	6.46
2023-10-04 12:45	57.04	6.91
2023-10-04 13:00	56.68	7.14
2023-10-04 13:15	56.8	6.45
2023-10-04 13:30	55.58	7.37
2023-10-04 13:45	54.85	6.72
2023-10-04 14:00	55.27	7.62
2023-10-04 14:15	55.54	5.51
2023-10-04 14:30	55.62	4.97
2023-10-04 14:45	55.28	4.94
2023-10-04 15:00	55.05	5.15
2023-10-04 15:15	54.45	4.92
2023-10-04 15:30	54.36	5.47
2023-10-04 15:45	54.61	5.23
2023-10-04 16:00	55.4	5.93
2023-10-04 16:15	55.51	5.17
2023-10-04 16:30	55.59	6.53
2023-10-04 16:45	57.45	5.33
2023-10-04 17:00	57.69	5.78
2023-10-04 17:15	57.59	5.42
2023-10-04 17:30	57.91	5.22
2023-10-04 17:45	56.71	4.69
2023-10-04 18:00	55.82	5.09
2023-10-04 18:15	54.87	5.09
2023-10-04 18:30	54.9	5.83
2023-10-04 18:45	55.32	5.36
2023-10-04 19:00	55.35	5.8
2023-10-04 19:15	56.85	5.12

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-04 19:30	56.63	6.16
2023-10-04 19:45	56.29	5.14
2023-10-04 20:00	56.77	4.9
2023-10-04 20:15	57.43	5.07
2023-10-04 20:30	57.08	5.21
2023-10-04 20:45	56.41	5.27
2023-10-04 21:00	56.43	5.86
2023-10-04 21:15	56.39	5.15
2023-10-04 21:30	55.39	6.14
2023-10-04 21:45	55.58	5.91
2023-10-04 22:00	55.52	6.85
2023-10-04 22:15	55.3	5.83
2023-10-04 22:30	54.57	6.27
2023-10-04 22:45	54.56	6.17
2023-10-04 23:00	56.35	9.12
2023-10-04 23:15	55.1	7.96
2023-10-04 23:30	55.36	6.91
2023-10-04 23:45	55.23	8.01
2023-10-05 00:00	55.25	7.74
2023-10-05 00:15	55.36	7.91
2023-10-05 00:30	56.49	6.76
2023-10-05 00:45	56.89	7.06
2023-10-05 01:00	57.25	6.93
2023-10-05 01:15	56.8	6.37
2023-10-05 01:30	56.99	11.69
2023-10-05 01:45	55.99	12.41
2023-10-05 02:00	57.75	14.58
2023-10-05 02:15	57.01	14.44
2023-10-05 02:30	56.94	16.18
2023-10-05 02:45	56.26	9.14
2023-10-05 03:00	56.54	6.43
2023-10-05 03:15	56.71	5.83
2023-10-05 03:30	56.92	7.89
2023-10-05 03:45	56.01	6.25
2023-10-05 04:00	55.66	17.74
2023-10-05 04:15	54.93	11.73
2023-10-05 04:30	54.77	12.89
2023-10-05 04:45	54.86	14.27
2023-10-05 05:00	55.08	9.72
2023-10-05 05:15	55.35	8.72
2023-10-05 05:30	54.34	8.22
2023-10-05 05:45	53.4	6.26

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-05 06:00	53.84	12.52
2023-10-05 06:15	54.07	8.63
2023-10-05 06:30	54.3	9.18
2023-10-05 06:45	53.06	7.65
2023-10-05 07:00	52.99	8.79
2023-10-05 07:15	54.01	9.4
2023-10-05 07:30	53.22	6.82
2023-10-05 07:45	52.41	6.13
2023-10-05 08:00	52.91	6.94
2023-10-05 08:15	52.98	5.65
2023-10-05 08:30	53.52	5.71
2023-10-05 08:45	55.24	5.15
2023-10-05 09:00	53.89	6.91
2023-10-05 09:15	54.41	6.43
2023-10-05 09:30	55.41	8.39
2023-10-05 09:45	56.34	7.24
2023-10-05 10:00	56.09	7.93
2023-10-05 10:15	56.96	6.78
2023-10-05 10:30	56.92	6.36
2023-10-05 10:45	58.51	5.98
2023-10-05 11:00	59.58	6.12
2023-10-05 11:15	57.49	5.89
2023-10-05 11:30	57.87	6.26
2023-10-05 11:45	57.5	6.03
2023-10-05 12:00	57.44	7.91
2023-10-05 12:15	57.46	7.18
2023-10-05 12:30	60.1	6.95
2023-10-05 12:45	58.47	6.11
2023-10-05 13:00	58.13	6.45
2023-10-05 13:15	57.37	6.73
2023-10-05 13:30	57.46	6.83
2023-10-05 13:45	57.21	6.65
2023-10-05 14:00	58.66	6.59
2023-10-05 14:15	58.96	6.66
2023-10-05 14:30	56.72	7.38
2023-10-05 14:45	58	6.45
2023-10-05 15:00	57.4	7.17
2023-10-05 15:15	57.51	6.76
2023-10-05 15:30	57.72	5.88
2023-10-05 15:45	55.52	5.78
2023-10-05 16:00	54.07	5.78
2023-10-05 16:15	53.67	5.35

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-05 16:30	54.84	5.32
2023-10-05 16:45	54.96	5.49
2023-10-05 17:00	56.03	8.03
2023-10-05 17:15	55.75	5.76
2023-10-05 17:30	55.84	6.56
2023-10-05 17:45	57.1	12.12
2023-10-05 18:00	56.01	8.37
2023-10-05 18:15	57.5	10.29
2023-10-05 18:30	57.4	15.91
2023-10-05 18:45	58.93	18.34
2023-10-05 19:00	60.78	20.99
2023-10-05 19:15	58.92	29.96
2023-10-05 19:30	58.63	28.25
2023-10-05 19:45	58.12	15.56
2023-10-05 20:00	55.31	14.27
2023-10-05 20:15	54.91	13.22
2023-10-05 20:30	55.8	16.59
2023-10-05 20:45	56.37	11.93
2023-10-05 21:00	56.09	19.76
2023-10-05 21:15	56.5	7.78
2023-10-05 21:30	56.12	8.4
2023-10-05 21:45	56.64	7.48
2023-10-05 22:00	55.59	7.1
2023-10-05 22:15	54.97	7.36
2023-10-05 22:30	54.42	9.03
2023-10-05 22:45	54.35	11.62
2023-10-05 23:00	54.7	8.35
2023-10-05 23:15	54.68	14.15
2023-10-05 23:30	54.04	17.19
2023-10-05 23:45	54.85	22.02
2023-10-06 00:00	53.52	13.3
2023-10-06 00:15	53.55	6.78
2023-10-06 00:30	53.51	6.25
2023-10-06 00:45	53.24	14.6
2023-10-06 01:00	53.46	12.76
2023-10-06 01:15	53.24	9.68
2023-10-06 01:30	53.32	15.15
2023-10-06 01:45	52.94	20.08
2023-10-06 02:00	51.96	19.41
2023-10-06 02:15	51.98	14.32
2023-10-06 02:30	52.58	20.86
2023-10-06 02:45	52.76	18.9

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-06 03:00	52.99	23.06
2023-10-06 03:15	52.79	13.08
2023-10-06 03:30	52.81	13.66
2023-10-06 03:45	53.11	14.64
2023-10-06 04:00	53.32	8.23
2023-10-06 04:15	52.94	10.27
2023-10-06 04:30	52.82	7.37
2023-10-06 04:45	52.13	7.58
2023-10-06 05:00	52.86	7.22
2023-10-06 05:15	52.39	10.49
2023-10-06 05:30	53.1	7.44
2023-10-06 05:45	52.1	6.15
2023-10-06 06:00	52.96	6
2023-10-06 06:15	53.08	9.42
2023-10-06 06:30	53.82	8.65
2023-10-06 06:45	52.96	7.25
2023-10-06 07:00	52.63	8.2
2023-10-06 07:15	53.05	7.36
2023-10-06 07:30	53.78	10.05
2023-10-06 07:45	54.03	9.68
2023-10-06 08:00	54.6	9.75
2023-10-06 08:15	54.97	10.18
2023-10-06 08:30	53.67	8.11
2023-10-06 08:45	53.11	8.11
2023-10-06 09:00	53.68	5.23
2023-10-06 09:15	53.31	6.18
2023-10-06 09:30	54.19	5.94
2023-10-06 09:45	55.35	8.79
2023-10-06 10:00	55.03	7
2023-10-06 10:15	56	8.36
2023-10-06 10:30	56.66	6.53
2023-10-06 10:45	56.47	7.72
2023-10-06 11:00	56.96	6.06
2023-10-06 11:15	56.26	6.25
2023-10-06 11:30	57.54	5.84
2023-10-06 11:45	58.71	6.32
2023-10-06 12:00	57.48	5.99
2023-10-06 12:15	57.8	6.56
2023-10-06 12:30	57.68	5.99
2023-10-06 12:45	57.18	7.39
2023-10-06 13:00	56.39	6.31
2023-10-06 13:15	56.85	7.56

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-06 13:30	57.3	6.39
2023-10-06 13:45	56.39	8.65
2023-10-06 14:00	55.39	6.23
2023-10-06 14:15	54.55	6.37
2023-10-06 14:30	55.34	6.25
2023-10-06 14:45	54.68	6.76
2023-10-06 15:00	53.75	6.25
2023-10-06 15:15	53.36	7.18
2023-10-06 15:30	54.05	6.26
2023-10-06 15:45	53.97	8.1
2023-10-06 16:00	53.72	6.46
2023-10-06 16:15	53.09	7
2023-10-06 16:30	53.27	6.1
2023-10-06 16:45	53.28	5.89
2023-10-06 17:00	53.9	58.5
2023-10-06 17:15	52.86	30.48
2023-10-06 17:30	53.39	6.31
2023-10-06 17:45	54.03	6.46
2023-10-06 18:00	53.61	6.03
2023-10-06 18:15	53.16	6.99
2023-10-06 18:30	53.63	6.02
2023-10-06 18:45	51.68	7.25
2023-10-06 19:00	52.1	5.71
2023-10-06 19:15	52.3	5.29
2023-10-06 19:30	52.31	5.18
2023-10-06 19:45	52.01	5.5
2023-10-06 20:00	52.2	5.37
2023-10-06 20:15	51.98	5.87
2023-10-06 20:30	52.41	5.47
2023-10-06 20:45	52.48	6.31
2023-10-06 21:00	52.53	5.84
2023-10-06 21:15	54.33	7.14
2023-10-06 21:30	54.15	5.76
2023-10-06 21:45	54.2	7.03
2023-10-06 22:00	55.79	5.66
2023-10-06 22:15	54.07	5.54
2023-10-06 22:30	55.16	5.51
2023-10-06 22:45	55.3	5.84
2023-10-06 23:00	55.81	5.86
2023-10-06 23:15	55.87	6.06
2023-10-06 23:30	54.86	5.58
2023-10-06 23:45	54.89	6.79

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-07 00:00	55.34	5.88
2023-10-07 00:15	56.63	7.43
2023-10-07 00:30	55.38	5.97
2023-10-07 00:45	55.05	6.02
2023-10-07 01:00	54.14	5.44
2023-10-07 01:15	54.88	5.54
2023-10-07 01:30	55.01	5.54
2023-10-07 01:45	54.89	6.44
2023-10-07 02:00	54.22	5.85
2023-10-07 02:15	53.68	6.17
2023-10-07 02:30	53.16	5.57
2023-10-07 02:45	53.63	7.31
2023-10-07 03:00	52.73	6.31
2023-10-07 03:15	52.18	7.42
2023-10-07 03:30	52.63	6.23
2023-10-07 03:45	51.87	5.5
2023-10-07 04:00	51.87	5.33
2023-10-07 04:15	51.94	5.88
2023-10-07 04:30	52.77	5.91
2023-10-07 04:45	52.39	8.93
2023-10-07 05:00	51.86	6.53
2023-10-07 05:15	51.39	11.47
2023-10-07 05:30	51.59	12.25
2023-10-07 05:45	51.27	14.11
2023-10-07 06:00	52.19	9.99
2023-10-07 06:15	52.09	8.01
2023-10-07 06:30	50.85	6.69
2023-10-07 06:45	51.14	6.87
2023-10-07 07:00	51.46	9.65
2023-10-07 07:15	50.85	9.23
2023-10-07 07:30	50.93	6.22
2023-10-07 07:45	51.3	7.68
2023-10-07 08:00	51.1	6.04
2023-10-07 08:15	51.12	9.05
2023-10-07 08:30	51.26	9.04
2023-10-07 08:45	51.76	9.48
2023-10-07 09:00	51.8	7.14
2023-10-07 09:15	52.72	6.04
2023-10-07 09:30	52.34	5.88
2023-10-07 09:45	49.27	6.05
2023-10-07 10:00	50.12	5.96
2023-10-07 10:15	49.84	7.9

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-07 10:30	50.89	6.36
2023-10-07 10:45	52.79	6.96
2023-10-07 11:00	57.38	10.86
2023-10-07 11:15	55.31	10.29
2023-10-07 11:30	54.83	7.1
2023-10-07 11:45	55.07	6.84
2023-10-07 12:00	55.29	7.9
2023-10-07 12:15	55.64	6.91
2023-10-07 12:30	56.24	7.65
2023-10-07 12:45	56.43	9.21
2023-10-07 13:00	55.23	6.65
2023-10-07 13:15	54.2	7.36
2023-10-07 13:30	53	7.06
2023-10-07 13:45	52.97	7.63
2023-10-07 14:00	52.54	7.26
2023-10-07 14:15	52.79	6.4
2023-10-07 14:30	53.46	6.37
2023-10-07 14:45	52.91	6.32
2023-10-07 15:00	54.27	6.19
2023-10-07 15:15	54.59	6.04
2023-10-07 15:30	54.25	6.18
2023-10-07 15:45	53.85	5.92
2023-10-07 16:00	53.22	5.98
2023-10-07 16:15	53.76	6.26
2023-10-07 16:30	53.3	6.22
2023-10-07 16:45	53.29	6.66
2023-10-07 17:00	53.42	6.73
2023-10-07 17:15	53.15	6.48
2023-10-07 17:30	53.79	6.9
2023-10-07 17:45	54.05	6.01
2023-10-07 18:00	53.35	5.85
2023-10-07 18:15	54.08	5.84
2023-10-07 18:30	53.93	5.77
2023-10-07 18:45	53.42	5.84
2023-10-07 19:00	53.1	5.66
2023-10-07 19:15	53.19	5.8
2023-10-07 19:30	53.62	5.59
2023-10-07 19:45	54.11	6.08
2023-10-07 20:00	53.12	6.41
2023-10-07 20:15	52.82	5.71
2023-10-07 20:30	53.82	5.59
2023-10-07 20:45	53.62	5.22

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-07 21:00	52.86	5.22
2023-10-07 21:15	52.22	5.21
2023-10-07 21:30	53.34	5.49
2023-10-07 21:45	52.95	5.54
2023-10-07 22:00	51.86	5.92
2023-10-07 22:15	52.16	6.57
2023-10-07 22:30	51.73	6.27
2023-10-07 22:45	52.73	6.35
2023-10-07 23:00	53.9	6.6
2023-10-07 23:15	53.97	5.53
2023-10-07 23:30	53.99	5.25
2023-10-07 23:45	53.39	5.57
2023-10-08 00:00	53	5.51
2023-10-08 00:15	53.37	5.66
2023-10-08 00:30	53.64	5.93
2023-10-08 00:45	54.6	6.73
2023-10-08 01:00	53.73	8.74
2023-10-08 01:15	53.24	10.33
2023-10-08 01:30	53.07	10.92
2023-10-08 01:45	52.51	6.47
2023-10-08 02:00	52.19	6.83
2023-10-08 02:15	53.49	6.29
2023-10-08 02:30	55.14	11.02
2023-10-08 02:45	53.69	7.5
2023-10-08 03:00	52.61	6.63
2023-10-08 03:15	52.71	5.72
2023-10-08 03:30	52.21	9.14
2023-10-08 03:45	52.43	12.84
2023-10-08 04:00	53.03	13.62
2023-10-08 04:15	52.8	7.84
2023-10-08 04:30	51.16	11.3
2023-10-08 04:45	51.92	6.76
2023-10-08 05:00	53.48	8.48
2023-10-08 05:15	53.47	15.23
2023-10-08 05:30	53.06	6.8
2023-10-08 05:45	53.3	5.81
2023-10-08 06:00	52.71	8.04
2023-10-08 06:15	52.42	7.84
2023-10-08 06:30	51.77	9.06
2023-10-08 06:45	51.33	8.31
2023-10-08 07:00	52.92	8.01
2023-10-08 07:15	51.68	7.81

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-08 07:30	52.64	10.06
2023-10-08 07:45	52.72	12.38
2023-10-08 08:00	52.04	11.51
2023-10-08 08:15	52.36	24.48
2023-10-08 08:30	51.72	17.16
2023-10-08 08:45	52.39	6.6
2023-10-08 09:00	51.73	6.82
2023-10-08 09:15	52.53	6.41
2023-10-08 09:30	53.02	6.69
2023-10-08 09:45	54.28	6.38
2023-10-08 10:00	54.82	7.75
2023-10-08 10:15	55.29	6.2
2023-10-08 10:30	54.56	6.08
2023-10-08 10:45	52.46	5.98
2023-10-08 11:00	52.75	6.19
2023-10-08 11:15	52.37	5.91
2023-10-08 11:30	55.2	7.13
2023-10-08 11:45	51.62	9.39
2023-10-08 12:00	51.71	5.7
2023-10-08 12:15	50.88	6.12
2023-10-08 12:30	50.55	5.56
2023-10-08 12:45	50.18	5.65
2023-10-08 13:00	49.34	6.39
2023-10-08 13:15	48.85	9.29
2023-10-08 13:30	47.34	7.13
2023-10-08 13:45	49.45	6.2
2023-10-08 14:00	50.71	7.55
2023-10-08 14:15	49.74	6.4
2023-10-08 14:30	49.79	7
2023-10-08 14:45	50.01	6.81
2023-10-08 15:00	50.61	7.19
2023-10-08 15:15	51.81	6.8
2023-10-08 15:30	51.66	7.58
2023-10-08 15:45	51.74	6.73
2023-10-08 16:00	51.68	6.87
2023-10-08 16:15	51.86	6.42
2023-10-08 16:30	51.43	6.53
2023-10-08 16:45	51.41	6.39
2023-10-08 17:00	51.47	6.94
2023-10-08 17:15	51.79	7.03
2023-10-08 17:30	52.24	7.7
2023-10-08 17:45	51.97	6.55

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-08 18:00	51.38	7.94
2023-10-08 18:15	50.62	7.28
2023-10-08 18:30	51.37	9.29
2023-10-08 18:45	51.6	6.71
2023-10-08 19:00	51.36	5.7
2023-10-08 19:15	52.33	5.47
2023-10-08 19:30	50.82	5.57
2023-10-08 19:45	50.82	5.22
2023-10-08 20:00	50.85	5.76
2023-10-08 20:15	51.62	5.62
2023-10-08 20:30	52.42	6.2
2023-10-08 20:45	52.21	5.61
2023-10-08 21:00	51.06	7.23
2023-10-08 21:15	50.01	6.52
2023-10-08 21:30	51.73	6.16
2023-10-08 21:45	51.42	6.55
2023-10-08 22:00	51.42	6.21
2023-10-08 22:15	51.97	7.33
2023-10-08 22:30	51.02	6.05
2023-10-08 22:45	50.94	6
2023-10-08 23:00	51	6.45
2023-10-08 23:15	51.13	5.97
2023-10-08 23:30	51.17	6.52
2023-10-08 23:45	51.99	5.66
2023-10-09 00:00	52.19	6.78
2023-10-09 00:15	52.71	5.99
2023-10-09 00:30	51.98	5.65
2023-10-09 00:45	51.33	6.23
2023-10-09 01:00	51.36	5.8
2023-10-09 01:15	51.18	7.48
2023-10-09 01:30	51.64	9.04
2023-10-09 01:45	52	7.71
2023-10-09 02:00	51.61	5.91
2023-10-09 02:15	52.07	5.99
2023-10-09 02:30	51.68	10.98
2023-10-09 02:45	51.69	8.64
2023-10-09 03:00	51.88	8.68
2023-10-09 03:15	52.13	7.84
2023-10-09 03:30	52.34	11.55
2023-10-09 03:45	52.26	15.02
2023-10-09 04:00	51.43	11.97
2023-10-09 04:15	51.17	10.44

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-09 04:30	51.61	8.83
2023-10-09 04:45	53.34	6.63
2023-10-09 05:00	51.72	7.68
2023-10-09 05:15	52.59	9.88
2023-10-09 05:30	52.15	10.72
2023-10-09 05:45	50.92	11.4
2023-10-09 06:00	51.1	13.07
2023-10-09 06:15	51.59	13.49
2023-10-09 06:30	58.65	11.57
2023-10-09 06:45	50.93	12.75
2023-10-09 07:00	51.6	8.61
2023-10-09 07:15	50.79	5.97
2023-10-09 07:30	50.36	6.48
2023-10-09 07:45	50.78	5.91
2023-10-09 08:00	50.77	7.27
2023-10-09 08:15	50.43	6.18
2023-10-09 08:30	50.67	6.87
2023-10-09 08:45	50.64	6.26
2023-10-09 09:00	52.08	5.63
2023-10-09 09:15	52.56	5.67
2023-10-09 09:30	53.26	6.52
2023-10-09 09:45	53.12	7.83
2023-10-09 10:00	53.58	6.6
2023-10-09 10:15	53.85	5.82
2023-10-09 10:30	56.56	6.93
2023-10-09 10:45	54.54	6.81
2023-10-09 11:00	52.98	8.16
2023-10-09 11:15	53.11	7.47
2023-10-09 11:30	52.9	7.34
2023-10-09 11:45	52.22	6.97
2023-10-09 12:00	51.33	9.13
2023-10-09 12:15	51.14	7.88
2023-10-09 12:30	50.92	6.42
2023-10-09 12:45	48.8	6.35
2023-10-09 13:00	47.67	6.58
2023-10-09 13:15	48.44	6.32
2023-10-09 13:30	49.23	7.08
2023-10-09 13:45	48.98	6.89
2023-10-09 14:00	48.59	7.18
2023-10-09 14:15	47.88	6.76
2023-10-09 14:30	48.62	7.55
2023-10-09 14:45	46.98	7.74

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-09 15:00	46.71	6.96
2023-10-09 15:15	46.88	7.4
2023-10-09 15:30	46.41	6.59
2023-10-09 15:45	47.41	6.67
2023-10-09 16:00	48.56	7.02
2023-10-09 16:15	48.28	9.07
2023-10-09 16:30	47.93	7.82
2023-10-09 16:45	48.17	8.41
2023-10-09 17:00	48.57	7.05
2023-10-09 17:15	48.7	6.81
2023-10-09 17:30	49.1	7.17
2023-10-09 17:45	48.56	6.74
2023-10-09 18:00	48.35	8.22
2023-10-09 18:15	49.06	7.85
2023-10-09 18:30	49.4	7.1
2023-10-09 18:45	50.79	6.74
2023-10-09 19:00	51.33	6.43
2023-10-09 19:15	49.71	7.28
2023-10-09 19:30	50.35	5.93
2023-10-09 19:45	50.38	5.43
2023-10-09 20:00	50.67	5.37
2023-10-09 20:15	49.13	5.62
2023-10-09 20:30	49.07	5.41
2023-10-09 20:45	50.26	5.67
2023-10-09 21:00	50.7	5.73
2023-10-09 21:15	49.61	6.16
2023-10-09 21:30	50.26	5.88
2023-10-09 21:45	49.5	6.93
2023-10-09 22:00	49.59	5.9
2023-10-09 22:15	49.77	5.57
2023-10-09 22:30	49.73	5.24
2023-10-09 22:45	49.31	5.54
2023-10-09 23:00	49.45	6.04
2023-10-09 23:15	49.34	6.19
2023-10-09 23:30	50.1	6.41
2023-10-09 23:45	50.56	7.88
2023-10-10 00:00	50.47	7.82
2023-10-10 00:15	49.57	10.27
2023-10-10 00:30	49.04	6.46
2023-10-10 00:45	49.76	7.5
2023-10-10 01:00	49.03	6.51
2023-10-10 01:15	48.55	6.44

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-10 01:30	49.28	8.01
2023-10-10 01:45	50.63	11.14
2023-10-10 02:00	50.79	8.97
2023-10-10 02:15	50.26	8.06
2023-10-10 02:30	50.33	8.38
2023-10-10 02:45	50.72	8.41
2023-10-10 03:00	50.59	13.33
2023-10-10 03:15	50.61	11.31
2023-10-10 03:30	50.31	7.12
2023-10-10 03:45	49.96	7.86
2023-10-10 04:00	49.38	7.29
2023-10-10 04:15	49.3	6.29
2023-10-10 04:30	48.64	6.23
2023-10-10 04:45	49.23	9.32
2023-10-10 05:00	49.14	8.47
2023-10-10 05:15	48.98	9.08
2023-10-10 05:30	48.98	11.92
2023-10-10 05:45	49.37	14.65
2023-10-10 06:00	49.33	14.81
2023-10-10 06:15	50.6	14.13
2023-10-10 06:30	49.58	9.69
2023-10-10 06:45	49.76	11.05
2023-10-10 07:00	49.65	15.28
2023-10-10 07:15	50.07	16.37
2023-10-10 07:30	51.18	13.57
2023-10-10 07:45	50.62	11.69
2023-10-10 08:00	50.32	13.26
2023-10-10 08:15	49.86	9.74
2023-10-10 08:30	50.42	6.1
2023-10-10 08:45	50.69	7.59
2023-10-10 09:00	50.61	6.11
2023-10-10 09:15	51.09	6.62
2023-10-10 09:30	50.13	5.8
2023-10-10 09:45	51.32	6.22
2023-10-10 10:00	53.08	5.81
2023-10-10 10:15	52.41	5.94
2023-10-10 10:30	52.56	5.97
2023-10-10 10:45	52.49	6.84
2023-10-10 11:00	51.99	6.42
2023-10-10 11:15	51.5	7.75
2023-10-10 11:30	50.49	6.63
2023-10-10 11:45	49.42	8.33

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-10 12:00	48.48	6.28
2023-10-10 12:15	47.68	6.12
2023-10-10 12:30	46.45	5.96
2023-10-10 12:45	46.39	6.12
2023-10-10 13:00	47.02	6.01
2023-10-10 13:15	48.1	6.06
2023-10-10 13:30	48.58	5.93
2023-10-10 13:45	47.93	6.29
2023-10-10 14:00	47.2	6.2
2023-10-10 14:15	48.3	8.05
2023-10-10 14:30	48.49	6.75
2023-10-10 14:45	48.47	8.19
2023-10-10 15:00	48.79	7.27
2023-10-10 15:15	49.11	7.74
2023-10-10 15:30	49.79	6.51
2023-10-10 15:45	50.42	6.37
2023-10-10 16:00	50.42	6.25
2023-10-10 16:15	50.12	6.79
2023-10-10 16:30	50.29	6.14
2023-10-10 16:45	50.32	7.31
2023-10-10 17:00	45.26	6.01
2023-10-10 17:15	57.16	8.04
2023-10-10 17:30	51.36	7.08
2023-10-10 17:45	51.14	6.59
2023-10-10 18:00	51.15	5.93
2023-10-10 18:15	50.22	5.96
2023-10-10 18:30	50.57	5.72
2023-10-10 18:45	49.87	5.92
2023-10-10 19:00	50.28	5.73
2023-10-10 19:15	50.15	6.52
2023-10-10 19:30	51.02	6.94
2023-10-10 19:45	50.96	7.82
2023-10-10 20:00	50.44	6.31
2023-10-10 20:15	50.65	7.71
2023-10-10 20:30	50.85	5.99
2023-10-10 20:45	50.95	5.8
2023-10-10 21:00	50.84	5.98
2023-10-10 21:15	51.2	6.29
2023-10-10 21:30	50.9	5.73
2023-10-10 21:45	51.44	6.94
2023-10-10 22:00	51.15	6.19
2023-10-10 22:15	50.21	6.64

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-10 22:30	50.33	5.92
2023-10-10 22:45	50.35	7.74
2023-10-10 23:00	51.15	6.32
2023-10-10 23:15	51.23	7.94
2023-10-10 23:30	50.91	7
2023-10-10 23:45	50.04	8.26
2023-10-11 00:00	50.03	8.37
2023-10-11 00:15	51.13	10.7
2023-10-11 00:30	50.8	7.46
2023-10-11 00:45	51.85	10.03
2023-10-11 01:00	51.78	11.41
2023-10-11 01:15	51.54	11.56
2023-10-11 01:30	52.37	14.69
2023-10-11 01:45	52.12	8.86
2023-10-11 02:00	52.31	13.33
2023-10-11 02:15	50.93	5.98
2023-10-11 02:30	51.79	5.66
2023-10-11 02:45	52.03	11.02
2023-10-11 03:00	51.97	6.9
2023-10-11 03:15	51.34	8.76
2023-10-11 03:30	50.78	7.95
2023-10-11 03:45	50.46	13.02
2023-10-11 04:00	50.2	6.89
2023-10-11 04:15	50.92	8.16
2023-10-11 04:30	51.03	10.45
2023-10-11 04:45	51.1	10.85
2023-10-11 05:00	51.39	17.37
2023-10-11 05:15	51.33	10.76
2023-10-11 05:30	51	7.88
2023-10-11 05:45	51.55	8.83
2023-10-11 06:00	50.69	8.07
2023-10-11 06:15	51.29	7.49
2023-10-11 06:30	50.44	10.98
2023-10-11 06:45	50.17	9.4
2023-10-11 07:00	48.77	8.11
2023-10-11 07:15	51.21	11.72
2023-10-11 07:30	50.11	7.45
2023-10-11 07:45	49.53	5.83
2023-10-11 08:00	49.96	5.99
2023-10-11 08:15	49.84	5.94
2023-10-11 08:30	50.02	6.56
2023-10-11 08:45	50.38	5.72

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-11 09:00	49.82	5.54
2023-10-11 09:15	48.7	6.51
2023-10-11 09:30	49.05	6.15
2023-10-11 09:45	49.65	7.45
2023-10-11 10:00	55.96	6.91
2023-10-11 10:15	58.94	6.51
2023-10-11 10:30	57.44	5.95
2023-10-11 10:45	57.88	6.06
2023-10-11 11:00	59.84	6.07
2023-10-11 11:15	64.46	6.32
2023-10-11 11:30	70.35	6.07
2023-10-11 11:45	81.68	6.53
2023-10-11 12:00	96.95	6.15
2023-10-11 12:15	120.25	7.26
2023-10-11 12:30	67.83	6.75
2023-10-11 12:45	50.01	7.61
2023-10-11 13:00	48.46	6.83
2023-10-11 13:15	48.29	6.18
2023-10-11 13:30	48.18	6.18
2023-10-11 13:45	49.29	6.25
2023-10-11 14:00	48.53	6.16
2023-10-11 14:15	48.93	6.49
2023-10-11 14:30	49.11	6.25
2023-10-11 14:45	48.61	6.7
2023-10-11 15:00	49.08	6.05
2023-10-11 15:15	49.47	6.62
2023-10-11 15:30	49.17	6.3
2023-10-11 15:45	49.65	7.23
2023-10-11 16:00	49.39	6.24
2023-10-11 16:15	50.64	6.05
2023-10-11 16:30	50.56	5.93
2023-10-11 16:45	51.06	6.07
2023-10-11 17:00	51.44	6
2023-10-11 17:15	51.65	6.26
2023-10-11 17:30	51.69	5.8
2023-10-11 17:45	50.87	6.71
2023-10-11 18:00	50.91	6.34
2023-10-11 18:15	50.55	7.25
2023-10-11 18:30	50.98	6.86
2023-10-11 18:45	50.63	5.73
2023-10-11 19:00	49.79	5.72
2023-10-11 19:15	49.84	5.64

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-11 19:30	49.47	5.37
2023-10-11 19:45	50.46	5.56
2023-10-11 20:00	49.51	5.47
2023-10-11 20:15	50.21	5.96
2023-10-11 20:30	50.97	5.62
2023-10-11 20:45	51.46	6.78
2023-10-11 21:00	50.99	7.8
2023-10-11 21:15	50.4	6.8
2023-10-11 21:30	51.37	6.48
2023-10-11 21:45	50.84	6.27
2023-10-11 22:00	51.05	6.78
2023-10-11 22:15	50.95	6.67
2023-10-11 22:30	50.43	6.07
2023-10-11 22:45	50.97	6.16
2023-10-11 23:00	51.02	6.65
2023-10-11 23:15	50.93	7.44
2023-10-11 23:30	50.66	6.7
2023-10-11 23:45	51.29	7.15
2023-10-12 00:00	51.82	7.61
2023-10-12 00:15	51.8	8.92
2023-10-12 00:30	51.22	9.67
2023-10-12 00:45	50.64	6.39
2023-10-12 01:00	51.24	5.75
2023-10-12 01:15	51.96	6.79
2023-10-12 01:30	51.3	6.55
2023-10-12 01:45	51.19	7.73
2023-10-12 02:00	52.02	8.93
2023-10-12 02:15	51.72	8.64
2023-10-12 02:30	51.84	7.05
2023-10-12 02:45	51.69	6.68
2023-10-12 03:00	50.88	5.59
2023-10-12 03:15	51.48	7.71
2023-10-12 03:30	51.51	8.3
2023-10-12 03:45	51.97	7.49
2023-10-12 04:00	51.44	8.42
2023-10-12 04:15	52.88	6.07
2023-10-12 04:30	52.41	5.96
2023-10-12 04:45	51.89	7.39
2023-10-12 05:00	51.5	6.35
2023-10-12 05:15	51.96	7.67
2023-10-12 05:30	52.31	7.08
2023-10-12 05:45	52	5.58

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-12 06:00	50.16	5.24
2023-10-12 06:15	50.58	5.33
2023-10-12 06:30	51.56	5.25
2023-10-12 06:45	50.7	5.39
2023-10-12 07:00	50.54	5.58
2023-10-12 07:15	50.75	6.16
2023-10-12 07:30	50.78	5.34
2023-10-12 07:45	51.2	6.25
2023-10-12 08:00	51.06	5.76
2023-10-12 08:15	50.81	6.28
2023-10-12 08:30	51.21	6.84
2023-10-12 08:45	51.47	5.89
2023-10-12 09:00	51.72	5.74
2023-10-12 09:15	52.17	5.82
2023-10-12 09:30	51.68	5.99
2023-10-12 09:45	51.3	6.04
2023-10-12 10:00	52.21	6.09
2023-10-12 10:15	50.85	6.23
2023-10-12 10:30	50.96	6.36
2023-10-12 10:45	51.01	6.88
2023-10-12 11:00	51.28	6.89
2023-10-12 11:15	51.07	7.37
2023-10-12 11:30	50.84	7.95
2023-10-12 11:45	51.76	7.04
2023-10-12 12:00	51.62	6.91
2023-10-12 12:15	51.8	6.79
2023-10-12 12:30	51.92	6.63
2023-10-12 12:45	51.24	6.3
2023-10-12 13:00	51.43	6.16
2023-10-12 13:15	51.9	6.48
2023-10-12 13:30	51.72	6.86
2023-10-12 13:45	50.88	7.1
2023-10-12 14:00	50.44	7.01
2023-10-12 14:15	50.78	7.43
2023-10-12 14:30	50.34	7.76
2023-10-12 14:45	49.94	7.17
2023-10-12 15:00	50.85	7.15
2023-10-12 15:15	49.27	6.44
2023-10-12 15:30	48.91	6.54
2023-10-12 15:45	48.89	6.34
2023-10-12 16:00	49.39	6.4
2023-10-12 16:15	49.05	6.47

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-12 16:30	48.92	6.38
2023-10-12 16:45	49.15	6.77
2023-10-12 17:00	49.95	6.75
2023-10-12 17:15	49.4	6.62
2023-10-12 17:30	49.38	7.3
2023-10-12 17:45	49.06	5.99
2023-10-12 18:00	49.47	6.15
2023-10-12 18:15	49.91	5.43
2023-10-12 18:30	49.1	5.61
2023-10-12 18:45	49.82	5.75
2023-10-12 19:00	50.4	6.15
2023-10-12 19:15	50.17	5.81
2023-10-12 19:30	49.81	5.79
2023-10-12 19:45	49.45	5.97
2023-10-12 20:00	49.77	6.52
2023-10-12 20:15	49.31	8.42
2023-10-12 20:30	50.37	7.59
2023-10-12 20:45	49.3	6.23
2023-10-12 21:00	50.21	6.73
2023-10-12 21:15	50.29	5.59
2023-10-12 21:30	49.9	5.83
2023-10-12 21:45	50.43	5.68
2023-10-12 22:00	50.49	5.99
2023-10-12 22:15	51.35	7.07
2023-10-12 22:30	50.93	6.44
2023-10-12 22:45	51.2	7.07
2023-10-12 23:00	50.2	10.32
2023-10-12 23:15	51.44	18.69
2023-10-12 23:30	50.94	7.6
2023-10-12 23:45	50.61	6.99
2023-10-13 00:00	51.21	6.34
2023-10-13 00:15	50.77	6.82
2023-10-13 00:30	50.63	7.33
2023-10-13 00:45	50.34	8.6
2023-10-13 01:00	50.19	12.91
2023-10-13 01:15	49.32	13.92
2023-10-13 01:30	49.28	9.53
2023-10-13 01:45	49.74	6.32
2023-10-13 02:00	49.68	6.42
2023-10-13 02:15	50.15	5.89
2023-10-13 02:30	50.47	7.31
2023-10-13 02:45	50.41	11.13

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-13 03:00	49.96	11.9
2023-10-13 03:15	49.73	8.96
2023-10-13 03:30	49.88	11.37
2023-10-13 03:45	49.41	14.29
2023-10-13 04:00	49.3	13.99
2023-10-13 04:15	48.58	8.11
2023-10-13 04:30	48.72	6.14
2023-10-13 04:45	49.27	6.21
2023-10-13 05:00	49.51	7.23
2023-10-13 05:15	49.84	8.87
2023-10-13 05:30	49.43	9.1
2023-10-13 05:45	48.97	8.71
2023-10-13 06:00	49	6.71
2023-10-13 06:15	49.33	9.72
2023-10-13 06:30	48.71	19.3
2023-10-13 06:45	48.24	13.09
2023-10-13 07:00	48.58	10.87
2023-10-13 07:15	48.81	15.97
2023-10-13 07:30	48.82	8.94
2023-10-13 07:45	49.22	6.12
2023-10-13 08:00	49.07	6.9
2023-10-13 08:15	48.73	6.37
2023-10-13 08:30	48.97	6.7
2023-10-13 08:45	49.21	6.01
2023-10-13 09:00	49.24	8.77
2023-10-13 09:15	48.71	5.93
2023-10-13 09:30	49.71	8.02
2023-10-13 09:45	49.24	6.33
2023-10-13 10:00	49.77	6.06
2023-10-13 10:15	50.38	5.68
2023-10-13 10:30	49.47	6.37
2023-10-13 10:45	49.66	6.27
2023-10-13 11:00	50.99	7.35
2023-10-13 11:15	50.58	6.83
2023-10-13 11:30	50.88	8.46
2023-10-13 11:45	50.79	7.19
2023-10-13 12:00	50.88	9.78
2023-10-13 12:15	50.52	7.41
2023-10-13 12:30	50.09	7.6
2023-10-13 12:45	49.5	6.66
2023-10-13 13:00	49.38	6.7
2023-10-13 13:15	49.16	6.4

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-13 13:30	49.56	7
2023-10-13 13:45	50.11	7.5
2023-10-13 14:00	49.9	7.52
2023-10-13 14:15	49.33	6.67
2023-10-13 14:30	48.29	8.02
2023-10-13 14:45	47.38	6.51
2023-10-13 15:00	46.48	8.11
2023-10-13 15:15	45.99	6.47
2023-10-13 15:30	45.67	10.9
2023-10-13 15:45	45.38	6.71
2023-10-13 16:00	46.03	6.35
2023-10-13 16:15	46.86	8.01
2023-10-13 16:30	47.2	12.55
2023-10-13 16:45	47.26	7.79
2023-10-13 17:00	48.03	8.86
2023-10-13 17:15	47.22	8.91
2023-10-13 17:30	47.36	10.48
2023-10-13 17:45	48.15	10.93
2023-10-13 18:00	47.54	15.91
2023-10-13 18:15	47.47	8.85
2023-10-13 18:30	47.66	9.76
2023-10-13 18:45	48.34	7.19
2023-10-13 19:00	47.83	9.05
2023-10-13 19:15	48.74	16.48
2023-10-13 19:30	49.73	21.27
2023-10-13 19:45	50.13	29.24
2023-10-13 20:00	49.74	29.02
2023-10-13 20:15	50.35	19.43
2023-10-13 20:30	49.92	22.74
2023-10-13 20:45	49.69	16.01
2023-10-13 21:00	50.35	20.69
2023-10-13 21:15	49.57	18.93
2023-10-13 21:30	49.89	17.18
2023-10-13 21:45	49.86	21.68
2023-10-13 22:00	50.04	19.2
2023-10-13 22:15	50.29	19.05
2023-10-13 22:30	49.46	9.84
2023-10-13 22:45	49.82	25.53
2023-10-13 23:00	49.53	10.24
2023-10-13 23:15	50.23	19.81
2023-10-13 23:30	49.93	22.41
2023-10-13 23:45	50.03	21.54

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-14 00:00	49.72	27.36
2023-10-14 00:15	49.67	20.22
2023-10-14 00:30	48.85	10.77
2023-10-14 00:45	49.07	6.5
2023-10-14 01:00	49.39	14.16
2023-10-14 01:15	49.66	19.05
2023-10-14 01:30	49.71	18.58
2023-10-14 01:45	49.58	17.68
2023-10-14 02:00	49.64	24.81
2023-10-14 02:15	49.51	11.17
2023-10-14 02:30	49.67	23.2
2023-10-14 02:45	49.4	15.75
2023-10-14 03:00	49.27	15.04
2023-10-14 03:15	49.27	28.57
2023-10-14 03:30	49.51	29.52
2023-10-14 03:45	49.59	25.62
2023-10-14 04:00	50.35	21.43
2023-10-14 04:15	50.45	29.19
2023-10-14 04:30	51.21	24.48
2023-10-14 04:45	49.86	19.38
2023-10-14 05:00	49.64	19.29
2023-10-14 05:15	48.86	9.55
2023-10-14 05:30	48.91	6.96
2023-10-14 05:45	49	6.62
2023-10-14 06:00	49.58	10.86
2023-10-14 06:15	48.95	13.03
2023-10-14 06:30	48.63	11.92
2023-10-14 06:45	48.58	7.11
2023-10-14 07:00	49.41	12.45
2023-10-14 07:15	49.62	13.41
2023-10-14 07:30	49.23	14.76
2023-10-14 07:45	48.87	7.27
2023-10-14 08:00	49.35	10.96
2023-10-14 08:15	49.05	8.71
2023-10-14 08:30	49.16	8.55
2023-10-14 08:45	49.59	7.22
2023-10-14 09:00	49.83	10.87
2023-10-14 09:15	49.91	8.25
2023-10-14 09:30	50.32	7.59
2023-10-14 09:45	50.72	7.36
2023-10-14 10:00	50.27	8.55
2023-10-14 10:15	51.56	7.31

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-14 10:30	52.35	8.19
2023-10-14 10:45	52.64	7.06
2023-10-14 11:00	52.33	6.06
2023-10-14 11:15	52.34	6.36
2023-10-14 11:30	51.82	6.92
2023-10-14 11:45	51.42	7.16
2023-10-14 12:00	51.1	7.57
2023-10-14 12:15	50.91	7.37
2023-10-14 12:30	51.53	8.2
2023-10-14 12:45	50.67	7.19
2023-10-14 13:00	50.07	8.75
2023-10-14 13:15	49.97	7.9
2023-10-14 13:30	50.06	7.02
2023-10-14 13:45	50.15	6.62
2023-10-14 14:00	50.13	6.5
2023-10-14 14:15	49.8	6.39
2023-10-14 14:30	50.34	6.52
2023-10-14 14:45	51.39	6.44
2023-10-14 15:00	51.9	6.44
2023-10-14 15:15	51.86	6.38
2023-10-14 15:30	51.88	7.52
2023-10-14 15:45	51.68	20.57
2023-10-14 16:00	51.52	88.27
2023-10-14 16:15	51.49	41.45
2023-10-14 16:30	52.04	68.84
2023-10-14 16:45	51.52	58.74
2023-10-14 17:00	51.44	57.64
2023-10-14 17:15	51.84	31.7
2023-10-14 17:30	53.14	9.27
2023-10-14 17:45	52.49	7.88
2023-10-14 18:00	51.82	8.22
2023-10-14 18:15	51.61	7.66
2023-10-14 18:30	51.78	8.36
2023-10-14 18:45	52.83	7.28
2023-10-14 19:00	52.99	5.93
2023-10-14 19:15	52.81	5.61
2023-10-14 19:30	51.89	5.7
2023-10-14 19:45	52.87	5.58
2023-10-14 20:00	52.67	5.63
2023-10-14 20:15	52.06	5.73
2023-10-14 20:30	53.47	6.19
2023-10-14 20:45	53.35	5.82

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-14 21:00	53.02	7.14
2023-10-14 21:15	52.37	6.26
2023-10-14 21:30	51.81	6.92
2023-10-14 21:45	52.62	6.72
2023-10-14 22:00	52.8	6.74
2023-10-14 22:15	52.59	6.04
2023-10-14 22:30	52.84	6.99
2023-10-14 22:45	53.03	6.7
2023-10-14 23:00	52.45	6.1
2023-10-14 23:15	53.07	6.58
2023-10-14 23:30	53.17	7.01
2023-10-14 23:45	53.29	6.96
2023-10-15 00:00	52.21	7.26
2023-10-15 00:15	52.43	6.83
2023-10-15 00:30	51.99	8.43
2023-10-15 00:45	52.55	7.34
2023-10-15 01:00	52.87	8
2023-10-15 01:15	53.42	7.16
2023-10-15 01:30	53.13	6.93
2023-10-15 01:45	52.8	6.59
2023-10-15 02:00	52.35	7.33
2023-10-15 02:15	51.86	8.18
2023-10-15 02:30	52.18	5.82
2023-10-15 02:45	51.65	5.87
2023-10-15 03:00	51.71	7.11
2023-10-15 03:15	52.8	6.97
2023-10-15 03:30	52.03	5.66
2023-10-15 03:45	52.6	6.19
2023-10-15 04:00	53.1	8.59
2023-10-15 04:15	52.6	7.1
2023-10-15 04:30	52.37	6.35
2023-10-15 04:45	52.65	5.7
2023-10-15 05:00	52.89	6
2023-10-15 05:15	51.6	5.83
2023-10-15 05:30	51.92	6.88
2023-10-15 05:45	51.11	6.49
2023-10-15 06:00	51.3	6.07
2023-10-15 06:15	55.51	5.69
2023-10-15 06:30	53.02	5.43
2023-10-15 06:45	51.16	5.71
2023-10-15 07:00	51.39	6.66
2023-10-15 07:15	51.34	6.15

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-15 07:30	51.38	5.55
2023-10-15 07:45	51.73	5.41
2023-10-15 08:00	52.62	6.47
2023-10-15 08:15	53.17	6.12
2023-10-15 08:30	52.34	6.94
2023-10-15 08:45	51.13	7.16
2023-10-15 09:00	51.58	6.77
2023-10-15 09:15	53.77	6.52
2023-10-15 09:30	53.28	7.34
2023-10-15 09:45	52.78	7.2
2023-10-15 10:00	53	6.08
2023-10-15 10:15	53.51	6.36
2023-10-15 10:30	53.57	6.5
2023-10-15 10:45	54.63	7.41
2023-10-15 11:00	53.65	7.2
2023-10-15 11:15	53.61	7.96
2023-10-15 11:30	52.92	6.28
2023-10-15 11:45	53.29	6.06
2023-10-15 12:00	52.45	5.94
2023-10-15 12:15	53.02	6.38
2023-10-15 12:30	52.58	6.71
2023-10-15 12:45	52.88	7.09
2023-10-15 13:00	54.6	7.29
2023-10-15 13:15	52.69	7.48
2023-10-15 13:30	52.91	7.57
2023-10-15 13:45	53.35	7.95
2023-10-15 14:00	54.88	7.51
2023-10-15 14:15	54.96	7.41
2023-10-15 14:30	54.59	6.73
2023-10-15 14:45	52.93	6.39
2023-10-15 15:00	52.7	6.96
2023-10-15 15:15	52.4	8.61
2023-10-15 15:30	52.7	6.35
2023-10-15 15:45	52.82	6.94
2023-10-15 16:00	52.54	6.48
2023-10-15 16:15	53.59	8.06
2023-10-15 16:30	53.86	6.36
2023-10-15 16:45	53.65	8.67
2023-10-15 17:00	52.63	6.01
2023-10-15 17:15	53.11	7.78
2023-10-15 17:30	53.14	10.72
2023-10-15 17:45	52.63	11.5

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-15 18:00	53.83	13.92
2023-10-15 18:15	53.91	24.7
2023-10-15 18:30	54.6	21.29
2023-10-15 18:45	54.65	20.96
2023-10-15 19:00	54.5	18.75
2023-10-15 19:15	54.79	13.63
2023-10-15 19:30	55.34	15.59
2023-10-15 19:45	55.3	7.29
2023-10-15 20:00	55.23	6.4
2023-10-15 20:15	55.04	8.63
2023-10-15 20:30	56.19	7.79
2023-10-15 20:45	55.34	8.62
2023-10-15 21:00	55.87	12.31
2023-10-15 21:15	55.84	11.26
2023-10-15 21:30	55.18	18.28
2023-10-15 21:45	55.82	18.51
2023-10-15 22:00	55.72	18.55
2023-10-15 22:15	57.03	13.04
2023-10-15 22:30	56.18	17.22
2023-10-15 22:45	57.23	12.54
2023-10-15 23:00	56.21	11.47
2023-10-15 23:15	55.99	16.71
2023-10-15 23:30	55.68	24.11
2023-10-15 23:45	54.93	20.44
2023-10-16 00:00	55.53	19.44
2023-10-16 00:15	55.1	20.42
2023-10-16 00:30	55.12	8.28
2023-10-16 00:45	55.17	7.97
2023-10-16 01:00	54.89	11.49
2023-10-16 01:15	55.08	9.39
2023-10-16 01:30	55.36	21.05
2023-10-16 01:45	55.37	22.2
2023-10-16 02:00	55.03	8.29
2023-10-16 02:15	55.29	13.67
2023-10-16 02:30	54.56	7.15
2023-10-16 02:45	54.85	11.04
2023-10-16 03:00	55	22.86
2023-10-16 03:15	54.93	16.76
2023-10-16 03:30	54.54	15.2
2023-10-16 03:45	54.49	6.77
2023-10-16 04:00	55.78	6.26
2023-10-16 04:15	54.79	7.4

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-16 04:30	55.35	16.72
2023-10-16 04:45	54.58	9.96
2023-10-16 05:00	54.36	14.9
2023-10-16 05:15	53.7	14.31
2023-10-16 05:30	54.1	6.54
2023-10-16 05:45	55.32	14.96
2023-10-16 06:00	54.42	16.18
2023-10-16 06:15	53.59	10.29
2023-10-16 06:30	53.35	7.87
2023-10-16 06:45	53.6	9.12
2023-10-16 07:00	53.09	11.46
2023-10-16 07:15	52.89	16.26
2023-10-16 07:30	53.3	17.37
2023-10-16 07:45	54.07	12.56
2023-10-16 08:00	53.86	8.38
2023-10-16 08:15	52.84	7.36
2023-10-16 08:30	54.75	6.36
2023-10-16 08:45	53.39	6.75
2023-10-16 09:00	53.09	7.23
2023-10-16 09:15	53.99	6.37
2023-10-16 09:30	53.16	5.78
2023-10-16 09:45	52.3	6.25
2023-10-16 10:00	53.2	6.62
2023-10-16 10:15	53.72	8.04
2023-10-16 10:30	53.73	6.69
2023-10-16 10:45	53.3	8.74
2023-10-16 11:00	53.35	7.13
2023-10-16 11:15	54.25	6.78
2023-10-16 11:30	54.6	6.81
2023-10-16 11:45	54.18	7.17
2023-10-16 12:00	53.66	6.87
2023-10-16 12:15	53.77	6.73
2023-10-16 12:30	53.27	6.37
2023-10-16 12:45	52.53	6.84
2023-10-16 13:00	52.61	6.64
2023-10-16 13:15	52.76	8.2
2023-10-16 13:30	52.88	7.08
2023-10-16 13:45	52.4	7.85
2023-10-16 14:00	53.08	6.82
2023-10-16 14:15	52.58	6.53
2023-10-16 14:30	53.31	6.52
2023-10-16 14:45	52.91	6.51

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-16 15:00	53	6.33
2023-10-16 15:15	53.63	6.63
2023-10-16 15:30	54.06	6.62
2023-10-16 15:45	53.02	6.82
2023-10-16 16:00	52.81	6.74
2023-10-16 16:15	52.75	8.35
2023-10-16 16:30	52.88	7.25
2023-10-16 16:45	53.19	6.55
2023-10-16 17:00	51.92	8
2023-10-16 17:15	50	13.39
2023-10-16 17:30	48.39	22.21
2023-10-16 17:45	49.84	7.99
2023-10-16 18:00	49.52	9.04
2023-10-16 18:15	50.48	19.19
2023-10-16 18:30	51.59	8.02
2023-10-16 18:45	51.85	8.38
2023-10-16 19:00	51.1	8.7
2023-10-16 19:15	51.23	13.4
2023-10-16 19:30	51.78	22.98
2023-10-16 19:45	51.55	19.73
2023-10-16 20:00	51.57	18.28
2023-10-16 20:15	51.12	12.83
2023-10-16 20:30	50.71	15.68
2023-10-16 20:45	50.51	9.1
2023-10-16 21:00	50.32	12.84
2023-10-16 21:15	50.58	18.73
2023-10-16 21:30	49.91	8.42
2023-10-16 21:45	49.76	18.79
2023-10-16 22:00	50.9	7.53
2023-10-16 22:15	49.48	7.14
2023-10-16 22:30	48.93	10.04
2023-10-16 22:45	49.34	8.5
2023-10-16 23:00	49.14	11.66
2023-10-16 23:15	49.35	8.46
2023-10-16 23:30	48.61	14.05
2023-10-16 23:45	48.74	15.43
2023-10-17 00:00	47.79	17.37
2023-10-17 00:15	48.37	17.26
2023-10-17 00:30	48.24	13.12
2023-10-17 00:45	47.64	10.89
2023-10-17 01:00	47.98	9.86
2023-10-17 01:15	47.63	7.36

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-17 01:30	47.77	7.17
2023-10-17 01:45	47.95	6.58
2023-10-17 02:00	48.05	13.69
2023-10-17 02:15	48.03	7.76
2023-10-17 02:30	47.92	8.94
2023-10-17 02:45	47.29	9.81
2023-10-17 03:00	47.6	9.96
2023-10-17 03:15	47.29	11.63
2023-10-17 03:30	47.9	7.68
2023-10-17 03:45	47.37	10.32
2023-10-17 04:00	47.26	6.6
2023-10-17 04:15	47.53	7.82
2023-10-17 04:30	47.89	7.9
2023-10-17 04:45	47.57	8.08
2023-10-17 05:00	47.41	8.4
2023-10-17 05:15	47.76	12.92
2023-10-17 05:30	48.04	12.57
2023-10-17 05:45	48.23	15.25
2023-10-17 06:00	48.48	18.37
2023-10-17 06:15	48.22	15.05
2023-10-17 06:30	48.64	16.44
2023-10-17 06:45	51.91	19.79
2023-10-17 07:00	48.46	21.48
2023-10-17 07:15	48.36	20.25
2023-10-17 07:30	48.28	8.21
2023-10-17 07:45	47.54	8.18
2023-10-17 08:00	46.55	12.08
2023-10-17 08:15	46.76	15
2023-10-17 08:30	47.63	16.43
2023-10-17 08:45	47.29	16.09
2023-10-17 09:00	47.25	10.96
2023-10-17 09:15	47.26	9.11
2023-10-17 09:30	47.28	8.06
2023-10-17 09:45	47.47	7.36
2023-10-17 10:00	48.92	6.67
2023-10-17 10:15	49.02	7
2023-10-17 10:30	49.67	7.75
2023-10-17 10:45	48.43	7.33
2023-10-17 11:00	47.89	7.5
2023-10-17 11:15	47.86	8
2023-10-17 11:30	47.86	8.6
2023-10-17 11:45	46.99	7.15

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-17 12:00	46.13	6.71
2023-10-17 12:15	46.03	6.6
2023-10-17 12:30	46.81	6.9
2023-10-17 12:45	47.36	6.88
2023-10-17 13:00	47.66	6.86
2023-10-17 13:15	47.74	7.22
2023-10-17 13:30	47.57	7.25
2023-10-17 13:45	46.44	7.47
2023-10-17 14:00	46.26	7.88
2023-10-17 14:15	45.71	7.51
2023-10-17 14:30	46.09	7.89
2023-10-17 14:45	47	6.68
2023-10-17 15:00	47.48	8.31
2023-10-17 15:15	47.32	6.87
2023-10-17 15:30	47.05	6.75
2023-10-17 15:45	46.89	6.6
2023-10-17 16:00	47.73	6.39
2023-10-17 16:15	48.34	6.53
2023-10-17 16:30	48.01	6.77
2023-10-17 16:45	47.35	6.74
2023-10-17 17:00	47.25	7.82
2023-10-17 17:15	48.09	9.64
2023-10-17 17:30	48.21	25.82
2023-10-17 17:45	50.54	19.79
2023-10-17 18:00	51.81	12.34
2023-10-17 18:15	51.85	9.76
2023-10-17 18:30	51.41	14.43
2023-10-17 18:45	51.65	10.6
2023-10-17 19:00	51.62	7.72
2023-10-17 19:15	51.66	15.28
2023-10-17 19:30	51.79	11.13
2023-10-17 19:45	52.19	8.8
2023-10-17 20:00	51.69	12.48
2023-10-17 20:15	52	10.01
2023-10-17 20:30	52.24	17.35
2023-10-17 20:45	52.35	8.28
2023-10-17 21:00	52.5	7.1
2023-10-17 21:15	52.47	18.85
2023-10-17 21:30	52.13	9.43
2023-10-17 21:45	51.96	11.09
2023-10-17 22:00	52.19	22.75
2023-10-17 22:15	52.17	8.37

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-17 22:30	52.19	10.62
2023-10-17 22:45	52.85	11.98
2023-10-17 23:00	52.81	19.09
2023-10-17 23:15	52.48	8.39
2023-10-17 23:30	52.29	13.88
2023-10-17 23:45	51.75	14.14
2023-10-18 00:00	51.6	10.36
2023-10-18 00:15	51.7	15.6
2023-10-18 00:30	52.17	14.34
2023-10-18 00:45	52.18	10.97
2023-10-18 01:00	51.93	7.15
2023-10-18 01:15	51.97	11.56
2023-10-18 01:30	52.26	11.66
2023-10-18 01:45	52.16	9.14
2023-10-18 02:00	51.03	17.63
2023-10-18 02:15	50.72	8.99
2023-10-18 02:30	51.71	13.78
2023-10-18 02:45	52.19	29.59
2023-10-18 03:00	51.47	13.83
2023-10-18 03:15	51	13.66
2023-10-18 03:30	51.66	14.26
2023-10-18 03:45	52.55	12.4
2023-10-18 04:00	51.68	16.8
2023-10-18 04:15	51.46	20.33
2023-10-18 04:30	51.31	15.94
2023-10-18 04:45	51.27	10.55
2023-10-18 05:00	51.71	8.65
2023-10-18 05:15	52.02	15.35
2023-10-18 05:30	51.17	6.97
2023-10-18 05:45	50.79	16.83
2023-10-18 06:00	51.46	22.26
2023-10-18 06:15	51.42	22.24
2023-10-18 06:30	51.94	32.3
2023-10-18 06:45	53.1	24.45
2023-10-18 07:00	52.61	14.85
2023-10-18 07:15	53.93	6.57
2023-10-18 07:30	51.9	6.73
2023-10-18 07:45	51.04	6.64
2023-10-18 08:00	52.54	9.22
2023-10-18 08:15	52.81	9.23
2023-10-18 08:30	52.16	7.39
2023-10-18 08:45	51.84	6.41

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-18 09:00	52.05	8.01
2023-10-18 09:15	52.41	6.43
2023-10-18 09:30	51.89	8.98
2023-10-18 09:45	53.36	7.19
2023-10-18 10:00	52.19	6.5
2023-10-18 10:15	51.46	6.4
2023-10-18 10:30	51.77	6.64
2023-10-18 10:45	51.96	6.55
2023-10-18 11:00	52.71	6.87
2023-10-18 11:15	52.36	6.77
2023-10-18 11:30	53.16	7.59
2023-10-18 11:45	52.67	6.97
2023-10-18 12:00	52.97	9.38
2023-10-18 12:15	52.92	8.1
2023-10-18 12:30	53.62	8.8
2023-10-18 12:45	53.86	7.72
2023-10-18 13:00	53.38	7.26
2023-10-18 13:15	52.59	7.02
2023-10-18 13:30	50.93	7.14
2023-10-18 13:45	50.66	6.78
2023-10-18 14:00	52.05	7.87
2023-10-18 14:15	51.17	7.07
2023-10-18 14:30	51.87	8.75
2023-10-18 14:45	52.32	7.22
2023-10-18 15:00	52.38	7.73
2023-10-18 15:15	52.51	6.84
2023-10-18 15:30	54.51	8.49
2023-10-18 15:45	54.71	7.35
2023-10-18 16:00	54.29	6.71
2023-10-18 16:15	53.92	6.58
2023-10-18 16:30	53.88	6.77
2023-10-18 16:45	53.94	6.68
2023-10-18 17:00	53.47	1.78
2023-10-18 17:15	52.67	0
2023-10-18 17:30	52	0
2023-10-18 17:45	52.18	0
2023-10-18 18:00	52.23	0
2023-10-18 18:15	51.96	0
2023-10-18 18:30	52.31	0
2023-10-18 18:45	52.79	0
2023-10-18 19:00	52.71	0
2023-10-18 19:15	52.52	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-18 19:30	52.59	0
2023-10-18 19:45	53.51	0
2023-10-18 20:00	52.54	0
2023-10-18 20:15	51.69	0
2023-10-18 20:30	50.71	0
2023-10-18 20:45	51.74	0
2023-10-18 21:00	51.57	0
2023-10-18 21:15	50.85	0
2023-10-18 21:30	52.31	0
2023-10-18 21:45	52.11	0
2023-10-18 22:00	52.2	0
2023-10-18 22:15	52.53	0
2023-10-18 22:30	52.82	0
2023-10-18 22:45	53	0
2023-10-18 23:00	52.4	0
2023-10-18 23:15	51.55	0
2023-10-18 23:30	52.95	0
2023-10-18 23:45	52.9	0
2023-10-19 00:00	52.57	0
2023-10-19 00:15	51.46	0
2023-10-19 00:30	52.19	0
2023-10-19 00:45	52.06	0
2023-10-19 01:00	52.2	0
2023-10-19 01:15	51.81	0
2023-10-19 01:30	51.3	0
2023-10-19 01:45	52.02	0
2023-10-19 02:00	51.2	0
2023-10-19 02:15	52.22	0
2023-10-19 02:30	53.09	0
2023-10-19 02:45	52.95	0
2023-10-19 03:00	51.66	0
2023-10-19 03:15	52.36	0
2023-10-19 03:30	52.51	0
2023-10-19 03:45	52.59	0
2023-10-19 04:00	53.06	0
2023-10-19 04:15	54.06	0
2023-10-19 04:30	53.57	0
2023-10-19 04:45	53.31	0
2023-10-19 05:00	53.51	0
2023-10-19 05:15	53.24	0
2023-10-19 05:30	52.76	0
2023-10-19 05:45	53.65	0

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-19 06:00	54.2	2.74
2023-10-19 06:15	54.17	0.91
2023-10-19 06:30	54.37	0
2023-10-19 06:45	54.14	0
2023-10-19 07:00	52.83	0
2023-10-19 07:15	53.18	0
2023-10-19 07:30	54.27	0
2023-10-19 07:45	54.11	0
2023-10-19 08:00	53.27	0
2023-10-19 08:15	52.64	0
2023-10-19 08:30	52.99	0
2023-10-19 08:45	53.02	0
2023-10-19 09:00	54.25	2.42
2023-10-19 09:15	53.78	58.75
2023-10-19 09:30	52.32	114.02
2023-10-19 09:45	53.72	92.08
2023-10-19 10:00	54.79	99.58
2023-10-19 10:15	54.28	110.04
2023-10-19 10:30	54.28	114.69
2023-10-19 10:45	54.59	76.25
2023-10-19 11:00	54.92	0
2023-10-19 11:15	54.46	0
2023-10-19 11:30	55.06	0
2023-10-19 11:45	54.15	0
2023-10-19 12:00	53.95	0
2023-10-19 12:15	53.76	0
2023-10-19 12:30	54.3	0
2023-10-19 12:45	54.16	0
2023-10-19 13:00	53.36	0
2023-10-19 13:15	54.01	6.39
2023-10-19 13:30	53.32	10.49
2023-10-19 13:45	53.25	8.11
2023-10-19 14:00	53.09	8.17
2023-10-19 14:15	51.56	8.04
2023-10-19 14:30	50.88	8.1
2023-10-19 14:45	51.86	7.12
2023-10-19 15:00	50.35	7.05
2023-10-19 15:15	50.73	6.65
2023-10-19 15:30	50.69	7.39
2023-10-19 15:45	50.45	6.74
2023-10-19 16:00	50.27	6.62
2023-10-19 16:15	50.56	6.58

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-19 16:30	50.55	6.77
2023-10-19 16:45	50.56	6.52
2023-10-19 17:00	49.98	6.87
2023-10-19 17:15	49.86	6.48
2023-10-19 17:30	50.17	7.25
2023-10-19 17:45	50.34	6.79
2023-10-19 18:00	49.97	7.38
2023-10-19 18:15	51.46	7.1
2023-10-19 18:30	51.18	6.38
2023-10-19 18:45	50.39	6.06
2023-10-19 19:00	49.96	6.72
2023-10-19 19:15	50.97	6.28
2023-10-19 19:30	50.58	5.79
2023-10-19 19:45	50.93	5.66
2023-10-19 20:00	52.13	5.83
2023-10-19 20:15	52.51	6
2023-10-19 20:30	53.2	6.2
2023-10-19 20:45	52.67	6.11
2023-10-19 21:00	53.5	6.28
2023-10-19 21:15	53.3	6.15
2023-10-19 21:30	53.17	6.2
2023-10-19 21:45	52.68	6.04
2023-10-19 22:00	53.73	6.12
2023-10-19 22:15	53.32	5.82
2023-10-19 22:30	53.9	6.07
2023-10-19 22:45	53.8	6.42
2023-10-19 23:00	53.65	7.09
2023-10-19 23:15	53.66	6.78
2023-10-19 23:30	54.43	8.05
2023-10-19 23:45	54.66	7.33
2023-10-20 00:00	53.79	7.85
2023-10-20 00:15	53.13	7.05
2023-10-20 00:30	52.85	6.7
2023-10-20 00:45	52.36	7.72
2023-10-20 01:00	52.07	9.19
2023-10-20 01:15	52.89	10.3
2023-10-20 01:30	52.65	8.49
2023-10-20 01:45	52.77	7.36
2023-10-20 02:00	53.16	11.52
2023-10-20 02:15	53.39	7.51
2023-10-20 02:30	53.28	8.27
2023-10-20 02:45	54.32	8.45

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-20 03:00	52.99	6.54
2023-10-20 03:15	52.08	9.71
2023-10-20 03:30	51.89	15.13
2023-10-20 03:45	53.17	9.16
2023-10-20 04:00	51.89	13.32
2023-10-20 04:15	55.86	11.53
2023-10-20 04:30	54.51	8.29
2023-10-20 04:45	53.11	7.91
2023-10-20 05:00	52.13	9.06
2023-10-20 05:15	52.75	8.7
2023-10-20 05:30	51.82	8.32
2023-10-20 05:45	52.62	13.11
2023-10-20 06:00	52.83	7.79
2023-10-20 06:15	51.83	7.83
2023-10-20 06:30	52.97	6.62
2023-10-20 06:45	52.47	13.16
2023-10-20 07:00	52.48	18.07
2023-10-20 07:15	52.38	11.81
2023-10-20 07:30	52.01	11.47
2023-10-20 07:45	53.47	10.05
2023-10-20 08:00	53.53	6.97
2023-10-20 08:15	53.89	6.36
2023-10-20 08:30	53.12	6.88
2023-10-20 08:45	52.71	7.58
2023-10-20 09:00	52.58	6.46
2023-10-20 09:15	51.69	6.53
2023-10-20 09:30	51.94	6.78
2023-10-20 09:45	54.2	6.83
2023-10-20 10:00	55.13	7.01
2023-10-20 10:15	54.08	7.04
2023-10-20 10:30	53.05	7.02
2023-10-20 10:45	53.7	7.66
2023-10-20 11:00	52.8	7.76
2023-10-20 11:15	52.24	7.7
2023-10-20 11:30	52.35	7.81
2023-10-20 11:45	51.67	7.91
2023-10-20 12:00	51.36	7.82
2023-10-20 12:15	51.08	7.76
2023-10-20 12:30	51.28	8.24
2023-10-20 12:45	51.42	8.11
2023-10-20 13:00	51.78	7.45
2023-10-20 13:15	51.46	7.32

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-20 13:30	50.61	7.57
2023-10-20 13:45	50.39	7.6
2023-10-20 14:00	51.36	8.13
2023-10-20 14:15	50.83	8.33
2023-10-20 14:30	51.07	7.34
2023-10-20 14:45	50.56	7.15
2023-10-20 15:00	51.54	7.22
2023-10-20 15:15	51.24	6.77
2023-10-20 15:30	51.57	6.9
2023-10-20 15:45	46.51	7.11
2023-10-20 16:00	42.96	8.26
2023-10-20 16:15	71.58	7.96
2023-10-20 16:30	59.98	7.2
2023-10-20 16:45	50.53	6.77
2023-10-20 17:00	50.08	6.46
2023-10-20 17:15	49.79	6.5
2023-10-20 17:30	48.01	6.28
2023-10-20 17:45	51.77	6.41
2023-10-20 18:00	48.92	6.46
2023-10-20 18:15	48.56	6.85
2023-10-20 18:30	47.68	6.53
2023-10-20 18:45	48.11	7.79
2023-10-20 19:00	48.37	6.07
2023-10-20 19:15	47.48	5.83
2023-10-20 19:30	47.42	5.73
2023-10-20 19:45	48.02	5.86
2023-10-20 20:00	49.37	5.8
2023-10-20 20:15	48.94	5.93
2023-10-20 20:30	47.48	6.08
2023-10-20 20:45	47.51	6.44
2023-10-20 21:00	47.65	6.34
2023-10-20 21:15	47.67	7.29
2023-10-20 21:30	47.38	6.09
2023-10-20 21:45	47.28	6.92
2023-10-20 22:00	46.82	5.79
2023-10-20 22:15	48.28	5.79
2023-10-20 22:30	48.23	5.51
2023-10-20 22:45	47.89	5.54
2023-10-20 23:00	47.03	5.5
2023-10-20 23:15	47.11	5.89
2023-10-20 23:30	47.12	5.64
2023-10-20 23:45	47.44	5.77

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-21 00:00	47.51	5.61
2023-10-21 00:15	48.35	6.41
2023-10-21 00:30	47.48	6
2023-10-21 00:45	47.67	7.25
2023-10-21 01:00	47.83	5.98
2023-10-21 01:15	47.96	6.06
2023-10-21 01:30	47.59	5.8
2023-10-21 01:45	48.21	6.13
2023-10-21 02:00	48.1	6.15
2023-10-21 02:15	47.51	7.27
2023-10-21 02:30	47.82	6.58
2023-10-21 02:45	48.02	8.36
2023-10-21 03:00	47.69	6.32
2023-10-21 03:15	47.36	7.38
2023-10-21 03:30	47.32	6.31
2023-10-21 03:45	47.56	6.62
2023-10-21 04:00	47.2	6.32
2023-10-21 04:15	47.59	6.57
2023-10-21 04:30	47.7	6.42
2023-10-21 04:45	47.55	6.89
2023-10-21 05:00	48	6.5
2023-10-21 05:15	47.76	6.44
2023-10-21 05:30	47.1	6.43
2023-10-21 05:45	47.68	7.03
2023-10-21 06:00	47.53	7.33
2023-10-21 06:15	47.52	7.29
2023-10-21 06:30	47.59	6.6
2023-10-21 06:45	46.93	6.54
2023-10-21 07:00	46.86	6.8
2023-10-21 07:15	47.49	6.6
2023-10-21 07:30	47.49	6.05
2023-10-21 07:45	47.95	6.01
2023-10-21 08:00	48	5.84
2023-10-21 08:15	48.17	6.13
2023-10-21 08:30	47.93	5.78
2023-10-21 08:45	48.98	6.36
2023-10-21 09:00	49.11	5.85
2023-10-21 09:15	49.07	7.48
2023-10-21 09:30	48.3	6.5
2023-10-21 09:45	48.71	8.67
2023-10-21 10:00	49.35	6.3
2023-10-21 10:15	50.22	6.67

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-21 10:30	49.09	6.37
2023-10-21 10:45	49.08	7.36
2023-10-21 11:00	48.93	6.73
2023-10-21 11:15	48.75	8.94
2023-10-21 11:30	48.76	7.53
2023-10-21 11:45	48.59	8.25
2023-10-21 12:00	48.56	7.34
2023-10-21 12:15	48.11	9.45
2023-10-21 12:30	48.5	7.91
2023-10-21 12:45	48.09	8.35
2023-10-21 13:00	47.85	6.64
2023-10-21 13:15	47.49	6.75
2023-10-21 13:30	47.57	6.6
2023-10-21 13:45	47.87	7.35
2023-10-21 14:00	47.82	7.2
2023-10-21 14:15	48.57	7.32
2023-10-21 14:30	47.9	6.69
2023-10-21 14:45	48.05	6.56
2023-10-21 15:00	48.62	6.8
2023-10-21 15:15	49.09	8.01
2023-10-21 15:30	48.84	6.95
2023-10-21 15:45	48.77	6.48
2023-10-21 16:00	45.64	7.08
2023-10-21 16:15	51.04	6.85
2023-10-21 16:30	49.28	6.63
2023-10-21 16:45	48.11	7.06
2023-10-21 17:00	48.52	6.53
2023-10-21 17:15	47.83	6.71
2023-10-21 17:30	48.39	6.94
2023-10-21 17:45	48.91	7.11
2023-10-21 18:00	48.23	7.62
2023-10-21 18:15	47.55	6.63
2023-10-21 18:30	48.34	6.14
2023-10-21 18:45	49.23	6.29
2023-10-21 19:00	48.89	6.42
2023-10-21 19:15	48.59	6.24
2023-10-21 19:30	48.81	6.9
2023-10-21 19:45	49.43	7.68
2023-10-21 20:00	49.3	7.45
2023-10-21 20:15	49.59	9.67
2023-10-21 20:30	48.96	8.16
2023-10-21 20:45	49.87	11.6

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-21 21:00	49.7	6.28
2023-10-21 21:15	49.43	8.21
2023-10-21 21:30	49.2	8.46
2023-10-21 21:45	49.76	13.87
2023-10-21 22:00	49.07	7.28
2023-10-21 22:15	48.94	9.39
2023-10-21 22:30	49.86	15.7
2023-10-21 22:45	49.61	12.04
2023-10-21 23:00	50.66	10.53
2023-10-21 23:15	50.5	9.45
2023-10-21 23:30	50.5	14.84
2023-10-21 23:45	50.33	23.05
2023-10-22 00:00	49.58	10.81
2023-10-22 00:15	50.51	25.23
2023-10-22 00:30	50.94	26.4
2023-10-22 00:45	50.94	17.03
2023-10-22 01:00	50.21	6.92
2023-10-22 01:15	50.54	8.53
2023-10-22 01:30	51.39	20.62
2023-10-22 01:45	51.01	21.57
2023-10-22 02:00	50.51	9.12
2023-10-22 02:15	50.16	7.61
2023-10-22 02:30	50.52	8.53
2023-10-22 02:45	50.54	12.76
2023-10-22 03:00	49.69	13.41
2023-10-22 03:15	50.02	8.44
2023-10-22 03:30	50.81	14.31
2023-10-22 03:45	50.32	22.2
2023-10-22 04:00	50.06	16.99
2023-10-22 04:15	49.94	32.69
2023-10-22 04:30	50.44	9.74
2023-10-22 04:45	50.33	13.02
2023-10-22 05:00	50.91	23.63
2023-10-22 05:15	50.5	17.93
2023-10-22 05:30	50.33	10.02
2023-10-22 05:45	49.97	15.46
2023-10-22 06:00	49.62	18.6
2023-10-22 06:15	50.08	9.42
2023-10-22 06:30	50.41	18.13
2023-10-22 06:45	50.27	28.02
2023-10-22 07:00	50.21	23
2023-10-22 07:15	49.97	14.98

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-22 07:30	49.73	9.31
2023-10-22 07:45	49.95	20.24
2023-10-22 08:00	50.62	13.33
2023-10-22 08:15	50.05	7.17
2023-10-22 08:30	50.62	6.21
2023-10-22 08:45	50.64	6.54
2023-10-22 09:00	50.92	7.02
2023-10-22 09:15	52.19	6.72
2023-10-22 09:30	52.34	7.01
2023-10-22 09:45	51.29	7.77
2023-10-22 10:00	51.74	7.24
2023-10-22 10:15	52.56	7.66
2023-10-22 10:30	52.87	7.12
2023-10-22 10:45	51.5	7.19
2023-10-22 11:00	52.3	6.83
2023-10-22 11:15	51.69	6.66
2023-10-22 11:30	51.44	6.77
2023-10-22 11:45	51.62	7.01
2023-10-22 12:00	52.14	7.18
2023-10-22 12:15	51.96	7.38
2023-10-22 12:30	51.23	7.27
2023-10-22 12:45	50.86	7.73
2023-10-22 13:00	50.69	7.66
2023-10-22 13:15	50.91	8.2
2023-10-22 13:30	50.71	8.49
2023-10-22 13:45	53.53	7.74
2023-10-22 14:00	50.72	7.41
2023-10-22 14:15	50.99	7.4
2023-10-22 14:30	51.1	7.19
2023-10-22 14:45	50.9	7.32
2023-10-22 15:00	51.35	6.99
2023-10-22 15:15	50.64	7.71
2023-10-22 15:30	51.17	6.99
2023-10-22 15:45	51.1	7.02
2023-10-22 16:00	50.91	7.22
2023-10-22 16:15	51.03	6.96
2023-10-22 16:30	50.46	6.79
2023-10-22 16:45	50.27	7.46
2023-10-22 17:00	50.85	6.86
2023-10-22 17:15	50.3	7.08
2023-10-22 17:30	50.09	6.75
2023-10-22 17:45	50.2	6.97

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-22 18:00	50.3	7.02
2023-10-22 18:15	49.98	8.64
2023-10-22 18:30	50.98	8.09
2023-10-22 18:45	51.84	7.27
2023-10-22 19:00	52.42	8
2023-10-22 19:15	51.47	7.19
2023-10-22 19:30	51.51	9.92
2023-10-22 19:45	51.96	11.81
2023-10-22 20:00	51.1	9.28
2023-10-22 20:15	51.16	7.38
2023-10-22 20:30	50.73	6.59
2023-10-22 20:45	51.11	6.83
2023-10-22 21:00	51.66	7.27
2023-10-22 21:15	51.98	8.68
2023-10-22 21:30	51.69	11.97
2023-10-22 21:45	51.29	11.78
2023-10-22 22:00	50.69	8.83
2023-10-22 22:15	50.83	8.66
2023-10-22 22:30	51.85	12.28
2023-10-22 22:45	52	9.86
2023-10-22 23:00	51.72	13.97
2023-10-22 23:15	52.92	10.79
2023-10-22 23:30	52.32	13.92
2023-10-22 23:45	53.42	12.21
2023-10-23 00:00	51.76	12.67
2023-10-23 00:15	52.08	7.79
2023-10-23 00:30	51.42	12.93
2023-10-23 00:45	52.06	15.86
2023-10-23 01:00	52.08	17.97
2023-10-23 01:15	51.62	15.65
2023-10-23 01:30	51.86	19.74
2023-10-23 01:45	52.43	23.63
2023-10-23 02:00	51.42	14.73
2023-10-23 02:15	52.24	18.28
2023-10-23 02:30	51.99	8.32
2023-10-23 02:45	51.91	7.65
2023-10-23 03:00	52.39	10.07
2023-10-23 03:15	52.65	7.35
2023-10-23 03:30	52.24	8.74
2023-10-23 03:45	51.88	10.69
2023-10-23 04:00	52.38	33.35
2023-10-23 04:15	52.5	41.29

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-23 04:30	52.67	29.42
2023-10-23 04:45	52.55	29.26
2023-10-23 05:00	51.96	13.79
2023-10-23 05:15	52.07	14.27
2023-10-23 05:30	51.17	7.96
2023-10-23 05:45	51.66	15.25
2023-10-23 06:00	52.07	32.23
2023-10-23 06:15	51.88	20.68
2023-10-23 06:30	52.38	24.87
2023-10-23 06:45	51.28	23.74
2023-10-23 07:00	51.48	16.84
2023-10-23 07:15	51.28	19.84
2023-10-23 07:30	51.1	22.96
2023-10-23 07:45	51.15	8.45
2023-10-23 08:00	50.98	15.85
2023-10-23 08:15	50.76	8.27
2023-10-23 08:30	51.69	6.76
2023-10-23 08:45	52.76	7.87
2023-10-23 09:00	51.78	8.55
2023-10-23 09:15	51.55	7.23
2023-10-23 09:30	52.57	6.38
2023-10-23 09:45	52.91	6.26
2023-10-23 10:00	51.34	7.76
2023-10-23 10:15	50.8	6.48
2023-10-23 10:30	51.77	6.52
2023-10-23 10:45	51.52	6.77
2023-10-23 11:00	50.79	7.29
2023-10-23 11:15	50.19	6.88
2023-10-23 11:30	49.77	8.18
2023-10-23 11:45	49.85	10.19
2023-10-23 12:00	49.78	9.92
2023-10-23 12:15	50.02	7.9
2023-10-23 12:30	50.25	7.76
2023-10-23 12:45	49.68	7.42
2023-10-23 13:00	50.2	7.68
2023-10-23 13:15	50.28	7.69
2023-10-23 13:30	48.27	7.68
2023-10-23 13:45	48.67	7.47
2023-10-23 14:00	48.87	7.97
2023-10-23 14:15	48.38	6.92
2023-10-23 14:30	49.04	7.6
2023-10-23 14:45	48.66	7.11

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-23 15:00	49.32	7.25
2023-10-23 15:15	49.66	6.63
2023-10-23 15:30	50	6.83
2023-10-23 15:45	49.86	6.81
2023-10-23 16:00	49.25	6.79
2023-10-23 16:15	48.92	6.56
2023-10-23 16:30	48.78	6.97
2023-10-23 16:45	48.91	6.73
2023-10-23 17:00	48.72	7.33
2023-10-23 17:15	48.22	7.22
2023-10-23 17:30	48.13	8.25
2023-10-23 17:45	48.03	7
2023-10-23 18:00	49.59	6.68
2023-10-23 18:15	49.35	6.16
2023-10-23 18:30	48.61	6.26
2023-10-23 18:45	48.52	6.29
2023-10-23 19:00	48.45	6.01
2023-10-23 19:15	49.47	5.48
2023-10-23 19:30	48.32	6.42
2023-10-23 19:45	50.16	5.61
2023-10-23 20:00	50.29	7.06
2023-10-23 20:15	50.4	5.8
2023-10-23 20:30	49.46	6.85
2023-10-23 20:45	49.81	6.06
2023-10-23 21:00	50.94	6.64
2023-10-23 21:15	51.61	6.06
2023-10-23 21:30	50.73	6.37
2023-10-23 21:45	50.26	6.54
2023-10-23 22:00	50.69	6.98
2023-10-23 22:15	51.48	8.06
2023-10-23 22:30	50.56	12.22
2023-10-23 22:45	50.84	11.13
2023-10-23 23:00	50.89	15.16
2023-10-23 23:15	50.36	11.21
2023-10-23 23:30	50.24	10.15
2023-10-23 23:45	51	12.04
2023-10-24 00:00	51.13	17.47
2023-10-24 00:15	51.6	6.97
2023-10-24 00:30	51.11	9.29
2023-10-24 00:45	49.99	6.95
2023-10-24 01:00	50.87	8.9
2023-10-24 01:15	49.97	17.71

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-24 01:30	49.57	12.36
2023-10-24 01:45	50.92	10.3
2023-10-24 02:00	50.49	17.09
2023-10-24 02:15	50.46	30.06
2023-10-24 02:30	50.97	7.23
2023-10-24 02:45	51.34	13.87
2023-10-24 03:00	51.64	8.48
2023-10-24 03:15	51.94	7.29
2023-10-24 03:30	51.56	10.89
2023-10-24 03:45	51.33	11.07
2023-10-24 04:00	50.72	11.63
2023-10-24 04:15	50.14	6.45
2023-10-24 04:30	50.82	7.97
2023-10-24 04:45	50.8	6.76
2023-10-24 05:00	51.01	11.76
2023-10-24 05:15	50.17	7.33
2023-10-24 05:30	50.73	12.35
2023-10-24 05:45	50.96	12.14
2023-10-24 06:00	50.62	8.37
2023-10-24 06:15	50.38	12.06
2023-10-24 06:30	51.38	7.73
2023-10-24 06:45	49.95	8.01
2023-10-24 07:00	50.74	29.03
2023-10-24 07:15	50.99	13.74
2023-10-24 07:30	51.58	13.24
2023-10-24 07:45	50.24	8.34
2023-10-24 08:00	50.58	6.97
2023-10-24 08:15	50.98	6.17
2023-10-24 08:30	51.42	6.35
2023-10-24 08:45	51	5.72
2023-10-24 09:00	51.81	6.38
2023-10-24 09:15	51.84	6.27
2023-10-24 09:30	51.41	7.21
2023-10-24 09:45	51.49	6.45
2023-10-24 10:00	51.73	8.41
2023-10-24 10:15	51.46	6.8
2023-10-24 10:30	52.68	7.82
2023-10-24 10:45	52.76	6.8
2023-10-24 11:00	52.92	6.68
2023-10-24 11:15	53.17	6.79
2023-10-24 11:30	52.43	7.59
2023-10-24 11:45	51.81	7.66

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-24 12:00	49.71	8.22
2023-10-24 12:15	49.65	7.49
2023-10-24 12:30	49.92	8.54
2023-10-24 12:45	49.7	7.37
2023-10-24 13:00	48.97	8.7
2023-10-24 13:15	48.39	7.33
2023-10-24 13:30	48.83	7.03
2023-10-24 13:45	48.88	6.57
2023-10-24 14:00	48.82	6.58
2023-10-24 14:15	48.03	6.32
2023-10-24 14:30	47.32	6.22
2023-10-24 14:45	47.58	6.25
2023-10-24 15:00	48.64	6.18
2023-10-24 15:15	48.65	6.27
2023-10-24 15:30	48.56	6.2
2023-10-24 15:45	48.88	6.72
2023-10-24 16:00	49.24	7.3
2023-10-24 16:15	49.04	7.22
2023-10-24 16:30	48.48	8.18
2023-10-24 16:45	48.72	8.29
2023-10-24 17:00	48.46	7.32
2023-10-24 17:15	48.05	9.26
2023-10-24 17:30	48.1	7.99
2023-10-24 17:45	49.09	6.73
2023-10-24 18:00	49.76	7.19
2023-10-24 18:15	49.6	6.73
2023-10-24 18:30	49.72	6.92
2023-10-24 18:45	49.83	6.98
2023-10-24 19:00	50.35	6.62
2023-10-24 19:15	50.16	7.53
2023-10-24 19:30	49.23	7.87
2023-10-24 19:45	48.6	9.47
2023-10-24 20:00	51.06	13.4
2023-10-24 20:15	50.93	11.09
2023-10-24 20:30	50.47	11.16
2023-10-24 20:45	49.65	12.65
2023-10-24 21:00	49.24	13.4
2023-10-24 21:15	49.57	12.24
2023-10-24 21:30	50.1	11.13
2023-10-24 21:45	50.09	13.75
2023-10-24 22:00	50.27	14.3
2023-10-24 22:15	49.78	12.18

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-24 22:30	50.74	18.34
2023-10-24 22:45	50.61	31.8
2023-10-24 23:00	51.34	15.41
2023-10-24 23:15	51.07	20.62
2023-10-24 23:30	51.47	38.89
2023-10-24 23:45	51.41	23.08
2023-10-25 00:00	51.67	28.21
2023-10-25 00:15	51.26	22.79
2023-10-25 00:30	50.18	10.7
2023-10-25 00:45	49.87	27.98
2023-10-25 01:00	50	24.26
2023-10-25 01:15	49.55	23.79
2023-10-25 01:30	50.23	23.27
2023-10-25 01:45	50.83	36.49
2023-10-25 02:00	51.6	47.97
2023-10-25 02:15	52.12	38.7
2023-10-25 02:30	51.91	44.77
2023-10-25 02:45	51.06	14.25
2023-10-25 03:00	50.51	21.91
2023-10-25 03:15	51.01	14.59
2023-10-25 03:30	51.15	42.58
2023-10-25 03:45	50.13	19.58
2023-10-25 04:00	51.22	9.4
2023-10-25 04:15	50.99	20.93
2023-10-25 04:30	51.3	18.73
2023-10-25 04:45	51.52	23.44
2023-10-25 05:00	50.85	17.32
2023-10-25 05:15	50.67	34.2
2023-10-25 05:30	50.88	29.39
2023-10-25 05:45	50.71	14.65
2023-10-25 06:00	51.53	13.72
2023-10-25 06:15	51.5	30.5
2023-10-25 06:30	51.11	61.7
2023-10-25 06:45	51.2	31.74
2023-10-25 07:00	50.61	41.73
2023-10-25 07:15	50.67	38.64
2023-10-25 07:30	49.86	37.19
2023-10-25 07:45	50.61	23.05
2023-10-25 08:00	49.82	14.24
2023-10-25 08:15	48.94	29.39
2023-10-25 08:30	49.39	18.13
2023-10-25 08:45	50.09	16.95

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-25 09:00	50.94	12.37
2023-10-25 09:15	51.41	8.76
2023-10-25 09:30	51.17	7.74
2023-10-25 09:45	51.69	6.59
2023-10-25 10:00	51.98	6.45
2023-10-25 10:15	51.68	6.81
2023-10-25 10:30	50.61	7.04
2023-10-25 10:45	50.61	6.66
2023-10-25 11:00	50.98	8.34
2023-10-25 11:15	50.65	8.29
2023-10-25 11:30	50.23	9.02
2023-10-25 11:45	50.05	8.77
2023-10-25 12:00	50.21	7.6
2023-10-25 12:15	49.24	7.52
2023-10-25 12:30	50.28	7.44
2023-10-25 12:45	100.67	7.35
2023-10-25 13:00	25.99	7.62
2023-10-25 13:15	25.28	7.7
2023-10-25 13:30	27.58	7.91
2023-10-25 13:45	NA	NA
2023-10-25 14:00	26.5	9.26
2023-10-25 14:15	26.48	8
2023-10-25 14:30	25.88	8.42
2023-10-25 14:45	25.95	8.3
2023-10-25 15:00	26.38	6.5
2023-10-25 15:15	26.16	6.53
2023-10-25 15:30	26.59	6.79
2023-10-25 15:45	26.35	7.06
2023-10-25 16:00	25.66	7.1
2023-10-25 16:15	25.01	7.21
2023-10-25 16:30	25.09	7.82
2023-10-25 16:45	25.14	7.82
2023-10-25 17:00	25.41	7.49
2023-10-25 17:15	25.57	7.33
2023-10-25 17:30	26.56	7.36
2023-10-25 17:45	26.62	7.89
2023-10-25 18:00	26.82	6.27
2023-10-25 18:15	26.9	6.19
2023-10-25 18:30	27.56	6.17
2023-10-25 18:45	27.6	6.13
2023-10-25 19:00	26.1	6.59
2023-10-25 19:15	27.07	6.14

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-25 19:30	28.11	6.37
2023-10-25 19:45	27.46	7.11
2023-10-25 20:00	27.09	5.52
2023-10-25 20:15	27.33	5.42
2023-10-25 20:30	27	5.23
2023-10-25 20:45	27.29	5.39
2023-10-25 21:00	27.9	6.32
2023-10-25 21:15	27.57	7.86
2023-10-25 21:30	27.93	9.54
2023-10-25 21:45	27.8	10.16
2023-10-25 22:00	27.19	7.43
2023-10-25 22:15	28.1	10.42
2023-10-25 22:30	27.37	6.85
2023-10-25 22:45	28.03	6.51
2023-10-25 23:00	27.34	9.17
2023-10-25 23:15	28.29	9.66
2023-10-25 23:30	28.35	8.75
2023-10-25 23:45	27.74	8.77
2023-10-26 00:00	28.16	7.41
2023-10-26 00:15	27.4	9.04
2023-10-26 00:30	28.27	8.29
2023-10-26 00:45	28.65	14.04
2023-10-26 01:00	27.79	8.34
2023-10-26 01:15	27.89	10.43
2023-10-26 01:30	27.84	7.79
2023-10-26 01:45	27.59	10.2
2023-10-26 02:00	27.98	11.3
2023-10-26 02:15	27.79	10.01
2023-10-26 02:30	26.99	7.94
2023-10-26 02:45	27.02	8.38
2023-10-26 03:00	27.86	6.98
2023-10-26 03:15	27.54	8.58
2023-10-26 03:30	27.29	8.25
2023-10-26 03:45	27.63	14.33
2023-10-26 04:00	27.7	12.43
2023-10-26 04:15	27.4	9.68
2023-10-26 04:30	27.78	8.23
2023-10-26 04:45	27.43	8.92
2023-10-26 05:00	27.96	11.89
2023-10-26 05:15	27.17	12.05
2023-10-26 05:30	27.53	13.48
2023-10-26 05:45	27.87	18.32

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-26 06:00	27.99	17.36
2023-10-26 06:15	27.15	21.92
2023-10-26 06:30	26.89	12.05
2023-10-26 06:45	26.98	10.98
2023-10-26 07:00	27	9.73
2023-10-26 07:15	26.99	8.22
2023-10-26 07:30	27.05	10.67
2023-10-26 07:45	26.79	8.74
2023-10-26 08:00	27.3	6.85
2023-10-26 08:15	27.01	6.32
2023-10-26 08:30	27.55	5.69
2023-10-26 08:45	27.7	6.25
2023-10-26 09:00	28.03	5.39
2023-10-26 09:15	26.76	5.92
2023-10-26 09:30	27.14	5.14
2023-10-26 09:45	27.76	5.83
2023-10-26 10:00	28	5.83
2023-10-26 10:15	28.81	6.54
2023-10-26 10:30	28.35	6.01
2023-10-26 10:45	27.91	7.02
2023-10-26 11:00	28.13	6.28
2023-10-26 11:15	27.34	7.92
2023-10-26 11:30	27.14	6.6
2023-10-26 11:45	27.4	7.39
2023-10-26 12:00	27.43	7.14
2023-10-26 12:15	27.15	6.54
2023-10-26 12:30	26.73	6.38
2023-10-26 12:45	27.11	6.74
2023-10-26 13:00	26.77	6.29
2023-10-26 13:15	27.04	6.72
2023-10-26 13:30	27.69	6.34
2023-10-26 13:45	27.08	6.99
2023-10-26 14:00	27.09	6.31
2023-10-26 14:15	26.63	8.52
2023-10-26 14:30	27.42	6.99
2023-10-26 14:45	27.8	8.47
2023-10-26 15:00	27.02	6.99
2023-10-26 15:15	26.88	7.53
2023-10-26 15:30	28.31	7.25
2023-10-26 15:45	27.56	7.67
2023-10-26 16:00	27.18	6.62
2023-10-26 16:15	27.3	6.53

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-26 16:30	26.86	6.48
2023-10-26 16:45	27.52	6.78
2023-10-26 17:00	27.99	6.38
2023-10-26 17:15	27.77	8.59
2023-10-26 17:30	27.7	6.9
2023-10-26 17:45	27.49	6.36
2023-10-26 18:00	27.22	6.35
2023-10-26 18:15	27.87	8.43
2023-10-26 18:30	27.35	6.67
2023-10-26 18:45	27.18	5.94
2023-10-26 19:00	26.75	5.72
2023-10-26 19:15	27.58	6.2
2023-10-26 19:30	28.45	5.32
2023-10-26 19:45	27.95	6.75
2023-10-26 20:00	28	5.34
2023-10-26 20:15	27.54	7.17
2023-10-26 20:30	27.39	5.81
2023-10-26 20:45	28.25	5.27
2023-10-26 21:00	28.67	5.09
2023-10-26 21:15	27.91	10.94
2023-10-26 21:30	28.29	14.79
2023-10-26 21:45	27.62	16.77
2023-10-26 22:00	27.39	14.04
2023-10-26 22:15	28.17	19.02
2023-10-26 22:30	27.78	16.63
2023-10-26 22:45	28.1	21.57
2023-10-26 23:00	28.39	15.95
2023-10-26 23:15	28.27	8.19
2023-10-26 23:30	27.52	13.52
2023-10-26 23:45	27.95	17.16
2023-10-27 00:00	28.24	20.64
2023-10-27 00:15	28.07	22.83
2023-10-27 00:30	27.98	12.44
2023-10-27 00:45	27.41	10.68
2023-10-27 01:00	28.01	22.65
2023-10-27 01:15	28.02	23.43
2023-10-27 01:30	27.86	20.28
2023-10-27 01:45	27.77	22.5
2023-10-27 02:00	27.24	16.17
2023-10-27 02:15	27.73	21.93
2023-10-27 02:30	27.72	24.36
2023-10-27 02:45	27.42	19.96

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-27 03:00	27.19	21.46
2023-10-27 03:15	27.67	17.02
2023-10-27 03:30	27.65	25.64
2023-10-27 03:45	27.61	22.89
2023-10-27 04:00	27.43	27.71
2023-10-27 04:15	27.55	34.7
2023-10-27 04:30	27.7	30.39
2023-10-27 04:45	27.56	27.33
2023-10-27 05:00	27.22	28.61
2023-10-27 05:15	26.88	33.11
2023-10-27 05:30	26.94	9.84
2023-10-27 05:45	27.04	15.66
2023-10-27 06:00	26.67	25.68
2023-10-27 06:15	26.82	13.18
2023-10-27 06:30	26.94	9.9
2023-10-27 06:45	26.73	27.41
2023-10-27 07:00	26.47	32.23
2023-10-27 07:15	26.66	31.75
2023-10-27 07:30	26.84	16.3
2023-10-27 07:45	26.79	8.37
2023-10-27 08:00	26.92	6.32
2023-10-27 08:15	26.9	6.35
2023-10-27 08:30	27.44	6.16
2023-10-27 08:45	27.38	6.16
2023-10-27 09:00	28.07	5.57
2023-10-27 09:15	28.56	7.09
2023-10-27 09:30	27.88	6.8
2023-10-27 09:45	28.36	7.61
2023-10-27 10:00	27.83	6.69
2023-10-27 10:15	27.26	6.33
2023-10-27 10:30	27.08	5.95
2023-10-27 10:45	27.47	5.99
2023-10-27 11:00	27.22	5.91
2023-10-27 11:15	27.4	6.29
2023-10-27 11:30	27.05	6.04
2023-10-27 11:45	27.14	6.85
2023-10-27 12:00	26.3	6.29
2023-10-27 12:15	25.82	8.01
2023-10-27 12:30	26.2	6.79
2023-10-27 12:45	26.27	7.5
2023-10-27 13:00	26.17	7.25
2023-10-27 13:15	26.15	6.46

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-27 13:30	26.4	6.45
2023-10-27 13:45	25.94	6.65
2023-10-27 14:00	26.38	6.49
2023-10-27 14:15	26.35	6.72
2023-10-27 14:30	26.67	6.58
2023-10-27 14:45	26.31	7.16
2023-10-27 15:00	25.6	7.02
2023-10-27 15:15	25.48	7.42
2023-10-27 15:30	25.8	7.35
2023-10-27 15:45	25.95	7.83
2023-10-27 16:00	25.32	7.53
2023-10-27 16:15	25.99	6.7
2023-10-27 16:30	25.93	6.49
2023-10-27 16:45	25.54	6.71
2023-10-27 17:00	25.33	6.45
2023-10-27 17:15	25.55	7.06
2023-10-27 17:30	26.83	6.71
2023-10-27 17:45	26.84	7.64
2023-10-27 18:00	26.27	6.86
2023-10-27 18:15	25.65	7.96
2023-10-27 18:30	25.97	6.89
2023-10-27 18:45	25.64	6.57
2023-10-27 19:00	26.87	5.39
2023-10-27 19:15	27.31	5.51
2023-10-27 19:30	27.01	5.45
2023-10-27 19:45	26.8	5.77
2023-10-27 20:00	27.07	5.55
2023-10-27 20:15	26.96	6.1
2023-10-27 20:30	26.62	5.59
2023-10-27 20:45	26.77	6.75
2023-10-27 21:00	27.71	6.61
2023-10-27 21:15	27.33	7.92
2023-10-27 21:30	27.71	7.71
2023-10-27 21:45	27.1	8.26
2023-10-27 22:00	27.29	8.27
2023-10-27 22:15	27.37	5.74
2023-10-27 22:30	27.68	6.15
2023-10-27 22:45	27.22	8.55
2023-10-27 23:00	28	8.34
2023-10-27 23:15	27.78	9.62
2023-10-27 23:30	28.15	6
2023-10-27 23:45	27.5	10.27

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-28 00:00	26.99	13.16
2023-10-28 00:15	26.66	11.41
2023-10-28 00:30	27.53	10.82
2023-10-28 00:45	26.54	10.58
2023-10-28 01:00	27.17	10.78
2023-10-28 01:15	26.7	8.69
2023-10-28 01:30	27.37	6.01
2023-10-28 01:45	27.03	8.57
2023-10-28 02:00	27.26	15.54
2023-10-28 02:15	27.48	13.28
2023-10-28 02:30	27.26	17.28
2023-10-28 02:45	27.54	14.99
2023-10-28 03:00	27.3	11.03
2023-10-28 03:15	27.56	13.12
2023-10-28 03:30	27.21	9.24
2023-10-28 03:45	27.4	9.92
2023-10-28 04:00	27.78	8.32
2023-10-28 04:15	28.13	14.41
2023-10-28 04:30	28.04	14.64
2023-10-28 04:45	27.93	15.06
2023-10-28 05:00	28.01	14.78
2023-10-28 05:15	27.72	18.95
2023-10-28 05:30	27.58	17.33
2023-10-28 05:45	27.67	12.73
2023-10-28 06:00	27.88	16.03
2023-10-28 06:15	27.66	13.26
2023-10-28 06:30	27.9	7.97
2023-10-28 06:45	27.35	9.33
2023-10-28 07:00	27.41	8.09
2023-10-28 07:15	27.6	12.29
2023-10-28 07:30	28.26	13.17
2023-10-28 07:45	27.2	9.04
2023-10-28 08:00	27.59	7.06
2023-10-28 08:15	27.44	6.2
2023-10-28 08:30	27.19	6.87
2023-10-28 08:45	27.4	5.49
2023-10-28 09:00	26.93	5.34
2023-10-28 09:15	27.23	5.27
2023-10-28 09:30	31.61	5.38
2023-10-28 09:45	27.23	5.64
2023-10-28 10:00	26.68	6.13
2023-10-28 10:15	27.5	6.63

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-28 10:30	28.15	6.93
2023-10-28 10:45	28.15	7.2
2023-10-28 11:00	27.39	7.88
2023-10-28 11:15	28.67	6.67
2023-10-28 11:30	27.3	6.4
2023-10-28 11:45	27.02	6.41
2023-10-28 12:00	26.59	6.43
2023-10-28 12:15	26.59	6.87
2023-10-28 12:30	26.77	6.92
2023-10-28 12:45	26.33	7.13
2023-10-28 13:00	25.94	6.79
2023-10-28 13:15	26.29	6.91
2023-10-28 13:30	26.62	6.99
2023-10-28 13:45	26.57	7.46
2023-10-28 14:00	26.34	7.43
2023-10-28 14:15	26.78	7.35
2023-10-28 14:30	26.9	8.11
2023-10-28 14:45	26.67	6.61
2023-10-28 15:00	27.07	6.53
2023-10-28 15:15	25.58	6.65
2023-10-28 15:30	27.12	6.9
2023-10-28 15:45	27.02	6.24
2023-10-28 16:00	26.86	6.71
2023-10-28 16:15	27.87	6.85
2023-10-28 16:30	27.73	8.04
2023-10-28 16:45	27.45	6.43
2023-10-28 17:00	27.78	5.91
2023-10-28 17:15	27.13	5.67
2023-10-28 17:30	27.36	6.03
2023-10-28 17:45	27.25	5.63
2023-10-28 18:00	27.05	5.8
2023-10-28 18:15	27.48	5.13
2023-10-28 18:30	27.22	5.8
2023-10-28 18:45	27.59	5.69
2023-10-28 19:00	28.38	7.19
2023-10-28 19:15	28.08	5.9
2023-10-28 19:30	28.4	6.5
2023-10-28 19:45	27.17	5.36
2023-10-28 20:00	27.53	5.48
2023-10-28 20:15	27.4	5.31
2023-10-28 20:30	27.54	5.46
2023-10-28 20:45	28.62	5.28

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-28 21:00	28.23	5.77
2023-10-28 21:15	27.33	6.07
2023-10-28 21:30	27.86	6.69
2023-10-28 21:45	27.43	10.04
2023-10-28 22:00	27.8	8.62
2023-10-28 22:15	28.01	11.56
2023-10-28 22:30	27.96	17.87
2023-10-28 22:45	27.37	13.11
2023-10-28 23:00	27.59	22.02
2023-10-28 23:15	28.29	17.28
2023-10-28 23:30	28.11	20.01
2023-10-28 23:45	28.21	22.49
2023-10-29 00:00	28.13	21.65
2023-10-29 00:15	27.96	11.59
2023-10-29 00:30	28.29	12.28
2023-10-29 00:45	27.74	6.28
2023-10-29 01:00	28.5	9.3
2023-10-29 01:15	28.96	10.92
2023-10-29 01:30	28.5	19.49
2023-10-29 01:45	28.58	21.33
2023-10-29 02:00	28.52	12.03
2023-10-29 02:15	28.57	12.5
2023-10-29 02:30	28.32	12.65
2023-10-29 02:45	28.22	7.91
2023-10-29 03:00	28.3	12.8
2023-10-29 03:15	28.59	18.63
2023-10-29 03:30	28.83	11.08
2023-10-29 03:45	29.09	20.33
2023-10-29 04:00	29.31	21.22
2023-10-29 04:15	28.61	29.82
2023-10-29 04:30	28.78	31.05
2023-10-29 04:45	28.63	24.33
2023-10-29 05:00	28.85	11.82
2023-10-29 05:15	28.47	9.18
2023-10-29 05:30	28.15	10.16
2023-10-29 05:45	28.76	6.87
2023-10-29 06:00	28.27	8.56
2023-10-29 06:15	28.83	7.46
2023-10-29 06:30	28.79	7.1
2023-10-29 06:45	29.5	7.6
2023-10-29 07:00	29	9.75
2023-10-29 07:15	28.7	7.6

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-29 07:30	28.71	11.43
2023-10-29 07:45	28.86	6.65
2023-10-29 08:00	29.2	7.11
2023-10-29 08:15	28.87	5.78
2023-10-29 08:30	28.81	6.89
2023-10-29 08:45	29.2	6.06
2023-10-29 09:00	28.76	5.26
2023-10-29 09:15	28.1	5.24
2023-10-29 09:30	28.21	6.6
2023-10-29 09:45	28.49	5.8
2023-10-29 10:00	28.56	6.49
2023-10-29 10:15	29.17	6.23
2023-10-29 10:30	28.95	7.1
2023-10-29 10:45	29.04	5.98
2023-10-29 11:00	28.11	7.59
2023-10-29 11:15	28.2	7.3
2023-10-29 11:30	28.27	6.49
2023-10-29 11:45	27.55	6.35
2023-10-29 12:00	27.73	6.65
2023-10-29 12:15	27.78	6.31
2023-10-29 12:30	28.07	6.45
2023-10-29 12:45	28.04	6.71
2023-10-29 13:00	27.63	7.04
2023-10-29 13:15	27.5	10.58
2023-10-29 13:30	27.36	7.06
2023-10-29 13:45	27.1	9.29
2023-10-29 14:00	27.47	6.82
2023-10-29 14:15	26.89	6.08
2023-10-29 14:30	27.68	25.47
2023-10-29 14:45	27.32	7.25
2023-10-29 15:00	27.2	6.45
2023-10-29 15:15	27.39	6.16
2023-10-29 15:30	27.38	6.37
2023-10-29 15:45	27.15	7.84
2023-10-29 16:00	27.17	7.9
2023-10-29 16:15	26.97	6.82
2023-10-29 16:30	27.11	6.1
2023-10-29 16:45	25.94	6.03
2023-10-29 17:00	26.15	5.84
2023-10-29 17:15	26.28	5.98
2023-10-29 17:30	27.4	5.87
2023-10-29 17:45	27.19	6.28

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-29 18:00	26.87	6.48
2023-10-29 18:15	27.19	6.81
2023-10-29 18:30	27.68	6.96
2023-10-29 18:45	28.88	6.72
2023-10-29 19:00	28.24	7.41
2023-10-29 19:15	27.39	10.44
2023-10-29 19:30	27.5	6.42
2023-10-29 19:45	27.63	5.97
2023-10-29 20:00	28.63	6.16
2023-10-29 20:15	27.84	5.34
2023-10-29 20:30	28.16	5.12
2023-10-29 20:45	27.99	5.85
2023-10-29 21:00	27.74	8.96
2023-10-29 21:15	27.85	6.26
2023-10-29 21:30	27.42	6.69
2023-10-29 21:45	28.49	8.77
2023-10-29 22:00	28.48	10.4
2023-10-29 22:15	28.17	11.74
2023-10-29 22:30	28.18	12.97
2023-10-29 22:45	28.15	10.9
2023-10-29 23:00	28.85	18.22
2023-10-29 23:15	28.31	14.65
2023-10-29 23:30	28.53	7.26
2023-10-29 23:45	28.48	10.51
2023-10-30 00:00	28.86	8.48
2023-10-30 00:15	28.18	9.33
2023-10-30 00:30	27.88	10.28
2023-10-30 00:45	28.22	15.18
2023-10-30 01:00	28.54	12.31
2023-10-30 01:15	28.13	14.4
2023-10-30 01:30	28.15	9.12
2023-10-30 01:45	27.92	17.37
2023-10-30 02:00	27.59	13.4
2023-10-30 02:15	28.19	7.14
2023-10-30 02:30	28.59	7.48
2023-10-30 02:45	28.91	7.48
2023-10-30 03:00	29.1	12.49
2023-10-30 03:15	28.84	12.21
2023-10-30 03:30	28.66	10.45
2023-10-30 03:45	28.56	7.15
2023-10-30 04:00	28.37	15.43
2023-10-30 04:15	27.86	7.19

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-30 04:30	28.51	8.66
2023-10-30 04:45	28.55	16.15
2023-10-30 05:00	28.27	16.81
2023-10-30 05:15	27.76	15.32
2023-10-30 05:30	27.83	14.18
2023-10-30 05:45	27.96	16.09
2023-10-30 06:00	28.53	14.97
2023-10-30 06:15	28.74	29.58
2023-10-30 06:30	27.43	14.59
2023-10-30 06:45	27.69	37.4
2023-10-30 07:00	27.93	17.23
2023-10-30 07:15	27.83	18.68
2023-10-30 07:30	28.34	9.11
2023-10-30 07:45	28.33	13.81
2023-10-30 08:00	28.37	16.11
2023-10-30 08:15	27.68	12.21
2023-10-30 08:30	27.86	21.89
2023-10-30 08:45	27.7	9.66
2023-10-30 09:00	27.9	13.22
2023-10-30 09:15	28.85	10.05
2023-10-30 09:30	29.07	7.25
2023-10-30 09:45	27.96	5.61
2023-10-30 10:00	28.9	8.5
2023-10-30 10:15	28.14	6.72
2023-10-30 10:30	28.33	6.23
2023-10-30 10:45	28.27	6.05
2023-10-30 11:00	27.91	6.44
2023-10-30 11:15	28.05	6.24
2023-10-30 11:30	27.99	6.77
2023-10-30 11:45	27.86	6.32
2023-10-30 12:00	28.25	7.45
2023-10-30 12:15	27.69	7.02
2023-10-30 12:30	27.97	8.62
2023-10-30 12:45	28.06	6.8
2023-10-30 13:00	27.52	7.93
2023-10-30 13:15	27.42	6.58
2023-10-30 13:30	27.85	8.68
2023-10-30 13:45	27.41	6.99
2023-10-30 14:00	27.58	7.39
2023-10-30 14:15	27.68	6.68
2023-10-30 14:30	27.54	7.18
2023-10-30 14:45	28.47	8.22

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-30 15:00	27.4	7.39
2023-10-30 15:15	26.93	8.43
2023-10-30 15:30	28.28	7.85
2023-10-30 15:45	27.6	6.36
2023-10-30 16:00	26.92	6.36
2023-10-30 16:15	26.85	5.66
2023-10-30 16:30	27.82	5.87
2023-10-30 16:45	27.91	5.82
2023-10-30 17:00	27.68	6.1
2023-10-30 17:15	27.24	5.69
2023-10-30 17:30	26.99	6.69
2023-10-30 17:45	27.2	6.16
2023-10-30 18:00	27.15	7.74
2023-10-30 18:15	27.69	6.08
2023-10-30 18:30	28.2	6.1
2023-10-30 18:45	28.46	5.49
2023-10-30 19:00	29.04	5.57
2023-10-30 19:15	28.99	5.45
2023-10-30 19:30	28.21	5.84
2023-10-30 19:45	28.98	5.67
2023-10-30 20:00	28.62	6.31
2023-10-30 20:15	27.69	5.89
2023-10-30 20:30	28.13	7.01
2023-10-30 20:45	28	6.2
2023-10-30 21:00	28.05	7.4
2023-10-30 21:15	27.59	6.29
2023-10-30 21:30	28.18	5.61
2023-10-30 21:45	28.6	5.3
2023-10-30 22:00	28.47	5.6
2023-10-30 22:15	28.2	6
2023-10-30 22:30	28.01	9.22
2023-10-30 22:45	27.91	6.09
2023-10-30 23:00	27.93	6.47
2023-10-30 23:15	28.17	6.08
2023-10-30 23:30	28.33	7.77
2023-10-30 23:45	27.91	6.68
2023-10-31 00:00	28.03	8.37
2023-10-31 00:15	27.68	6.69
2023-10-31 00:30	27.13	5.86
2023-10-31 00:45	26.81	5.68
2023-10-31 01:00	27.05	5.85
2023-10-31 01:15	27.72	5.74

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-31 01:30	27.66	6.14
2023-10-31 01:45	27.68	5.86
2023-10-31 02:00	27.46	6.76
2023-10-31 02:15	27.3	6.16
2023-10-31 02:30	27.66	8.38
2023-10-31 02:45	27.25	7.03
2023-10-31 03:00	27.03	6.89
2023-10-31 03:15	26.82	6.19
2023-10-31 03:30	26.66	6.27
2023-10-31 03:45	26.41	5.9
2023-10-31 04:00	26.94	6.12
2023-10-31 04:15	26.93	6.11
2023-10-31 04:30	27.06	6.49
2023-10-31 04:45	26.69	6.22
2023-10-31 05:00	27.08	7.46
2023-10-31 05:15	26.82	6.42
2023-10-31 05:30	26.98	8.34
2023-10-31 05:45	27.03	7.18
2023-10-31 06:00	27.3	5.85
2023-10-31 06:15	27	5.79
2023-10-31 06:30	26.67	5.84
2023-10-31 06:45	27.63	5.7
2023-10-31 07:00	27.75	6.16
2023-10-31 07:15	27.44	6.39
2023-10-31 07:30	27.25	6.79
2023-10-31 07:45	27.24	6.01
2023-10-31 08:00	27.4	7.51
2023-10-31 08:15	27.34	6.36
2023-10-31 08:30	27.82	8.04
2023-10-31 08:45	27.4	6.96
2023-10-31 09:00	27.31	6.32
2023-10-31 09:15	27.04	5.87
2023-10-31 09:30	27.92	5.78
2023-10-31 09:45	28.39	5.94
2023-10-31 10:00	27.73	7.19
2023-10-31 10:15	28.39	6.92
2023-10-31 10:30	28.21	7.94
2023-10-31 10:45	27.59	6.88
2023-10-31 11:00	28.13	8.37
2023-10-31 11:15	27.05	7.57
2023-10-31 11:30	27.65	6.59
2023-10-31 11:45	28.38	6.56

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-31 12:00	28.08	6.65
2023-10-31 12:15	27.66	6.74
2023-10-31 12:30	27.93	7.93
2023-10-31 12:45	26.67	7.19
2023-10-31 13:00	26.75	6.86
2023-10-31 13:15	26.98	6.87
2023-10-31 13:30	27.88	7.68
2023-10-31 13:45	27.28	7.26
2023-10-31 14:00	27.32	8.11
2023-10-31 14:15	27.72	7.57
2023-10-31 14:30	27.69	7.38
2023-10-31 14:45	27.58	8.23
2023-10-31 15:00	28.07	6.66
2023-10-31 15:15	27.4	6.96
2023-10-31 15:30	28.06	10.25
2023-10-31 15:45	41.52	18.48
2023-10-31 16:00	45.36	55.37
2023-10-31 16:15	34.34	24.92
2023-10-31 16:30	32.67	15.19
2023-10-31 16:45	31.96	27.64
2023-10-31 17:00	31.19	17.96
2023-10-31 17:15	29.9	18.37
2023-10-31 17:30	31.52	16.83
2023-10-31 17:45	30.99	16.37
2023-10-31 18:00	31.65	15.42
2023-10-31 18:15	31.33	17.64
2023-10-31 18:30	30.8	17
2023-10-31 18:45	29.79	22.31
2023-10-31 19:00	30.63	21.79
2023-10-31 19:15	31.02	33.11
2023-10-31 19:30	30.36	19.34
2023-10-31 19:45	31.46	15.8
2023-10-31 20:00	31.04	15.23
2023-10-31 20:15	29.76	15.23
2023-10-31 20:30	30.33	16.84
2023-10-31 20:45	30.81	18.21
2023-10-31 21:00	30.59	16.92
2023-10-31 21:15	30.92	18.11
2023-10-31 21:30	30.67	17.24
2023-10-31 21:45	32.05	19.1
2023-10-31 22:00	30.37	22.64
2023-10-31 22:15	30.76	24.12

Time	RP_Stack-PM	Cooler_Stack-PM
2023-10-31 22:30	29.77	18.52
2023-10-31 22:45	29.9	19.86
2023-10-31 23:00	29.9	17.57
2023-10-31 23:15	30.5	19.12
2023-10-31 23:30	30.71	27.52
2023-10-31 23:45	NA	NA

Goa State Pollution Control Board

Industry Name	:	M/S Goa Carbon Limited
Address	:	ST.-JOSE-DE,AREAL-SALCETE
District	:	South Goa
Category	:	Petrochemicals
Parameters	:	RP_Stack-PM, Cooler_Stack-PM
Report Format	:	Tabular
Criteria	:	15min
Date	:	From 2023/11/01 To 2023/11/30

RealTime Data

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-01 00:00	30.76	23.21
2023-11-01 00:15	31.11	28.32
2023-11-01 00:30	31.1	29.36
2023-11-01 00:45	31.05	25.13
2023-11-01 01:00	30.96	21.82
2023-11-01 01:15	30.42	19.65
2023-11-01 01:30	30.54	19.04
2023-11-01 01:45	30.34	20.63
2023-11-01 02:00	30	11.66
2023-11-01 02:15	29.77	9.4
2023-11-01 02:30	29.34	9.25
2023-11-01 02:45	29.45	13.92
2023-11-01 03:00	28.3	19.09
2023-11-01 03:15	27.01	16.79
2023-11-01 03:30	31.61	18.11
2023-11-01 03:45	30.52	19.99
2023-11-01 04:00	29.95	20.03
2023-11-01 04:15	29.18	12.84
2023-11-01 04:30	28.6	14.35
2023-11-01 04:45	28.7	14.28
2023-11-01 05:00	29.37	13.59
2023-11-01 05:15	29.6	15.69
2023-11-01 05:30	29.18	17.41
2023-11-01 05:45	28.81	17.3
2023-11-01 06:00	28.64	16.87
2023-11-01 06:15	28.93	18.35
2023-11-01 06:30	28.75	22.39
2023-11-01 06:45	28.58	19.13
2023-11-01 07:00	28.66	18.03
2023-11-01 07:15	28.32	18.14

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-01 07:30	28.65	24.86
2023-11-01 07:45	28.89	18.39
2023-11-01 08:00	28.63	15.7
2023-11-01 08:15	28.44	9.82
2023-11-01 08:30	28.78	9.28
2023-11-01 08:45	29.52	9.22
2023-11-01 09:00	29.55	9.94
2023-11-01 09:15	29.31	8.59
2023-11-01 09:30	29.52	9.16
2023-11-01 09:45	30.12	8.41
2023-11-01 10:00	29.13	7.45
2023-11-01 10:15	29.52	8.11
2023-11-01 10:30	30.05	7.7
2023-11-01 10:45	29.82	8.03
2023-11-01 11:00	30.46	7.92
2023-11-01 11:15	29.31	8.72
2023-11-01 11:30	29.75	8.41
2023-11-01 11:45	28.83	9.61
2023-11-01 12:00	28.59	9.58
2023-11-01 12:15	28.24	8.36
2023-11-01 12:30	29.02	8.05
2023-11-01 12:45	29.13	8.24
2023-11-01 13:00	28.64	8.92
2023-11-01 13:15	29.09	8.88
2023-11-01 13:30	29.68	9.29
2023-11-01 13:45	28.96	11.22
2023-11-01 14:00	28.66	13.92
2023-11-01 14:15	28.67	15
2023-11-01 14:30	28.69	14.2
2023-11-01 14:45	28.24	15.07
2023-11-01 15:00	29.8	12.67
2023-11-01 15:15	29.19	13.2
2023-11-01 15:30	27.87	14.01
2023-11-01 15:45	28.23	11.87
2023-11-01 16:00	28.48	11.79
2023-11-01 16:15	28.25	12.73
2023-11-01 16:30	28.23	13.15
2023-11-01 16:45	28.68	13.38
2023-11-01 17:00	28.21	13.29
2023-11-01 17:15	28.21	13.9
2023-11-01 17:30	27.89	12.93
2023-11-01 17:45	28.77	10.35

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-01 18:00	28.44	9.48
2023-11-01 18:15	28.57	9.19
2023-11-01 18:30	29.24	9.28
2023-11-01 18:45	28.51	9.26
2023-11-01 19:00	27.58	10.26
2023-11-01 19:15	28.25	9.21
2023-11-01 19:30	28.59	9.75
2023-11-01 19:45	30.01	9.07
2023-11-01 20:00	28.79	10.58
2023-11-01 20:15	29.21	11.83
2023-11-01 20:30	28.81	12.25
2023-11-01 20:45	28.8	11.03
2023-11-01 21:00	29.43	12.01
2023-11-01 21:15	29.15	11.87
2023-11-01 21:30	29.79	13.17
2023-11-01 21:45	29.2	12.65
2023-11-01 22:00	29	14.02
2023-11-01 22:15	29.43	13.83
2023-11-01 22:30	29.35	13.78
2023-11-01 22:45	29.09	12.21
2023-11-01 23:00	28.94	12.85
2023-11-01 23:15	28.72	12.75
2023-11-01 23:30	28.23	12.6
2023-11-01 23:45	28.71	12.23
2023-11-02 00:00	29.53	15.35
2023-11-02 00:15	29.93	13.76
2023-11-02 00:30	28.94	14.9
2023-11-02 00:45	29.47	15.75
2023-11-02 01:00	28.88	15.27
2023-11-02 01:15	29.57	13.8
2023-11-02 01:30	30.02	15.64
2023-11-02 01:45	29.79	15.89
2023-11-02 02:00	29.88	16.55
2023-11-02 02:15	29.82	14.52
2023-11-02 02:30	30.4	14.23
2023-11-02 02:45	30.22	13.32
2023-11-02 03:00	30.01	15.45
2023-11-02 03:15	30.57	14.28
2023-11-02 03:30	30.63	14.78
2023-11-02 03:45	29.9	14.54
2023-11-02 04:00	28.89	14.05
2023-11-02 04:15	29.59	12.85

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-02 04:30	29.99	12.83
2023-11-02 04:45	29.62	12.52
2023-11-02 05:00	29.32	14.81
2023-11-02 05:15	28.99	12.76
2023-11-02 05:30	29.59	16.04
2023-11-02 05:45	29.29	15.71
2023-11-02 06:00	29.31	14.52
2023-11-02 06:15	28.98	13.21
2023-11-02 06:30	28.83	12.9
2023-11-02 06:45	28.27	12.05
2023-11-02 07:00	29	12.66
2023-11-02 07:15	29.3	11.81
2023-11-02 07:30	29.08	12.87
2023-11-02 07:45	29.38	12.39
2023-11-02 08:00	28.76	13.19
2023-11-02 08:15	28.93	11.2
2023-11-02 08:30	28.78	13.02
2023-11-02 08:45	28.66	9.56
2023-11-02 09:00	28.51	8.16
2023-11-02 09:15	28.74	7.62
2023-11-02 09:30	29.14	7.81
2023-11-02 09:45	29.06	7.7
2023-11-02 10:00	29.01	8.58
2023-11-02 10:15	28.62	8.69
2023-11-02 10:30	29.1	10.54
2023-11-02 10:45	29.2	8.49
2023-11-02 11:00	29.36	9.92
2023-11-02 11:15	29.34	7.98
2023-11-02 11:30	29.25	9.34
2023-11-02 11:45	29.41	8.26
2023-11-02 12:00	29.27	7.81
2023-11-02 12:15	29.05	7.43
2023-11-02 12:30	29.22	7.9
2023-11-02 12:45	28.81	8.12
2023-11-02 13:00	28.93	9.63
2023-11-02 13:15	29.2	11.36
2023-11-02 13:30	29.38	12.95
2023-11-02 13:45	28.88	12.8
2023-11-02 14:00	28.51	14.66
2023-11-02 14:15	28.41	12.79
2023-11-02 14:30	28.04	12.3
2023-11-02 14:45	27.68	13.19

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-02 15:00	28.64	14.3
2023-11-02 15:15	27.19	14.13
2023-11-02 15:30	27.64	14.71
2023-11-02 15:45	27.9	12.26
2023-11-02 16:00	28.27	13.22
2023-11-02 16:15	28.57	13.14
2023-11-02 16:30	28.45	14.4
2023-11-02 16:45	28.49	12.62
2023-11-02 17:00	28.54	11.97
2023-11-02 17:15	28.26	10.29
2023-11-02 17:30	27.93	8.97
2023-11-02 17:45	29.07	8.69
2023-11-02 18:00	29.24	10.2
2023-11-02 18:15	28.88	12.37
2023-11-02 18:30	29.03	11.8
2023-11-02 18:45	27.76	10.48
2023-11-02 19:00	27.54	11.03
2023-11-02 19:15	27.4	9.08
2023-11-02 19:30	27.61	10.54
2023-11-02 19:45	27.73	11.54
2023-11-02 20:00	28.44	13.12
2023-11-02 20:15	28.66	14.42
2023-11-02 20:30	29.85	13.47
2023-11-02 20:45	29.28	11.62
2023-11-02 21:00	28.36	12.39
2023-11-02 21:15	27.31	12.27
2023-11-02 21:30	27.48	14.51
2023-11-02 21:45	29.96	14.42
2023-11-02 22:00	28.69	13.18
2023-11-02 22:15	28.14	12.45
2023-11-02 22:30	28.26	13.57
2023-11-02 22:45	29.95	18.25
2023-11-02 23:00	29.48	20.83
2023-11-02 23:15	28.18	20.99
2023-11-02 23:30	28.3	19.47
2023-11-02 23:45	28.22	20.14
2023-11-03 00:00	28.62	23.01
2023-11-03 00:15	28.88	22.27
2023-11-03 00:30	28	21.69
2023-11-03 00:45	28.07	20.54
2023-11-03 01:00	27.89	20.7
2023-11-03 01:15	28.05	28.32

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-03 01:30	28.26	21.93
2023-11-03 01:45	28.71	29
2023-11-03 02:00	27.99	28.23
2023-11-03 02:15	28.92	28.84
2023-11-03 02:30	28.83	28.62
2023-11-03 02:45	28.65	24.01
2023-11-03 03:00	28.31	22.47
2023-11-03 03:15	28.8	32.81
2023-11-03 03:30	28.55	30.22
2023-11-03 03:45	27.91	15.48
2023-11-03 04:00	28.69	21.53
2023-11-03 04:15	28.58	21.97
2023-11-03 04:30	28.44	22.01
2023-11-03 04:45	28.84	29.7
2023-11-03 05:00	29.28	31.18
2023-11-03 05:15	28.69	31.43
2023-11-03 05:30	28.89	27.98
2023-11-03 05:45	28.49	25.86
2023-11-03 06:00	28.09	27.06
2023-11-03 06:15	28.74	29.11
2023-11-03 06:30	28.71	23.21
2023-11-03 06:45	28.57	24.54
2023-11-03 07:00	27.75	17.53
2023-11-03 07:15	27.68	16.22
2023-11-03 07:30	27.5	16.22
2023-11-03 07:45	27.19	13.55
2023-11-03 08:00	26.88	11.15
2023-11-03 08:15	27.57	10.41
2023-11-03 08:30	28.13	10.68
2023-11-03 08:45	28.38	9.11
2023-11-03 09:00	28.53	9.18
2023-11-03 09:15	29.25	8.76
2023-11-03 09:30	29.27	8.07
2023-11-03 09:45	30.8	7.56
2023-11-03 10:00	30.52	7.72
2023-11-03 10:15	29.14	7.37
2023-11-03 10:30	30.01	7.7
2023-11-03 10:45	30.59	7.5
2023-11-03 11:00	29.51	8.35
2023-11-03 11:15	30.03	8.22
2023-11-03 11:30	29.01	10.23
2023-11-03 11:45	28.6	9.64

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-03 12:00	28.16	9.7
2023-11-03 12:15	28.29	8.8
2023-11-03 12:30	28.25	8.49
2023-11-03 12:45	28.34	8.33
2023-11-03 13:00	28.22	8.48
2023-11-03 13:15	28.34	9.13
2023-11-03 13:30	28.32	10.19
2023-11-03 13:45	27.95	11.74
2023-11-03 14:00	27.92	13.24
2023-11-03 14:15	27.52	13.1
2023-11-03 14:30	27.7	12.41
2023-11-03 14:45	27.54	13.01
2023-11-03 15:00	27.52	13.59
2023-11-03 15:15	27.41	13.32
2023-11-03 15:30	26.91	12.59
2023-11-03 15:45	26.65	11.85
2023-11-03 16:00	26.51	12.55
2023-11-03 16:15	26.85	12.82
2023-11-03 16:30	27.04	13.09
2023-11-03 16:45	26.88	11.85
2023-11-03 17:00	27.16	12.65
2023-11-03 17:15	26.93	10.09
2023-11-03 17:30	26.99	10.53
2023-11-03 17:45	28.15	10.13
2023-11-03 18:00	28.03	9.28
2023-11-03 18:15	28.24	9.46
2023-11-03 18:30	27.19	9.97
2023-11-03 18:45	27.05	9.8
2023-11-03 19:00	27.9	10.99
2023-11-03 19:15	29.08	12.42
2023-11-03 19:30	28.43	11.97
2023-11-03 19:45	27.92	10.52
2023-11-03 20:00	29.13	11.73
2023-11-03 20:15	28.2	11.63
2023-11-03 20:30	28.11	10.78
2023-11-03 20:45	27.86	11.18
2023-11-03 21:00	28.08	10.5
2023-11-03 21:15	28.51	9.72
2023-11-03 21:30	28.85	10.13
2023-11-03 21:45	29.12	10.79
2023-11-03 22:00	29.78	10.65
2023-11-03 22:15	29.03	11.43

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-03 22:30	29.44	11.39
2023-11-03 22:45	28.65	11
2023-11-03 23:00	28.68	12.07
2023-11-03 23:15	28.93	12.49
2023-11-03 23:30	29.05	11.53
2023-11-03 23:45	28.77	11.18
2023-11-04 00:00	28.77	11.13
2023-11-04 00:15	29.39	11.71
2023-11-04 00:30	29.25	12.04
2023-11-04 00:45	28.62	11.18
2023-11-04 01:00	29.21	11.78
2023-11-04 01:15	29.78	11.38
2023-11-04 01:30	29.97	11.88
2023-11-04 01:45	29.87	11.31
2023-11-04 02:00	29.17	11.75
2023-11-04 02:15	29.23	12.31
2023-11-04 02:30	29.9	10.65
2023-11-04 02:45	29.77	10.41
2023-11-04 03:00	29.37	11.84
2023-11-04 03:15	30.42	9.12
2023-11-04 03:30	30.09	9.89
2023-11-04 03:45	29.64	9.97
2023-11-04 04:00	29.42	10.28
2023-11-04 04:15	30.96	10.66
2023-11-04 04:30	30.05	12.01
2023-11-04 04:45	29.46	11.6
2023-11-04 05:00	29.79	14.87
2023-11-04 05:15	30.02	16.49
2023-11-04 05:30	30.82	15.71
2023-11-04 05:45	31.21	14.87
2023-11-04 06:00	30.45	15.44
2023-11-04 06:15	30.53	15.63
2023-11-04 06:30	30.41	13.86
2023-11-04 06:45	30.27	13.87
2023-11-04 07:00	30.16	12.83
2023-11-04 07:15	29.74	13.35
2023-11-04 07:30	29.88	14.07
2023-11-04 07:45	30.13	14.64
2023-11-04 08:00	29.88	13.85
2023-11-04 08:15	29.27	13.52
2023-11-04 08:30	29.86	14.05
2023-11-04 08:45	30.03	15.43

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-04 09:00	30.25	15.24
2023-11-04 09:15	30.65	14
2023-11-04 09:30	29.73	13.04
2023-11-04 09:45	29.71	12.43
2023-11-04 10:00	30.23	11.75
2023-11-04 10:15	31.01	11.93
2023-11-04 10:30	28.79	10.54
2023-11-04 10:45	28.59	9.29
2023-11-04 11:00	0	8.78
2023-11-04 11:15	0	8.93
2023-11-04 11:30	0	10.22
2023-11-04 11:45	0	9.57
2023-11-04 12:00	0	8.48
2023-11-04 12:15	0	8.14
2023-11-04 12:30	0	8.67
2023-11-04 12:45	0	8.55
2023-11-04 13:00	0	8.99
2023-11-04 13:15	0	9.97
2023-11-04 13:30	0	10.31
2023-11-04 13:45	0	11.74
2023-11-04 14:00	0	14.96
2023-11-04 14:15	0	15.78
2023-11-04 14:30	0	15.35
2023-11-04 14:45	0	15.54
2023-11-04 15:00	0	15.14
2023-11-04 15:15	0	15.01
2023-11-04 15:30	0	14.94
2023-11-04 15:45	0	14.73
2023-11-04 16:00	0	15.99
2023-11-04 16:15	0	16.25
2023-11-04 16:30	0	14.54
2023-11-04 16:45	0	14.55
2023-11-04 17:00	0	14.4
2023-11-04 17:15	0	14.24
2023-11-04 17:30	0	14.17
2023-11-04 17:45	0	14.66
2023-11-04 18:00	0	15.14
2023-11-04 18:15	0	15.42
2023-11-04 18:30	0	14.35
2023-11-04 18:45	0	14.79
2023-11-04 19:00	0	13.53
2023-11-04 19:15	0	13.22

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-04 19:30	0	12.29
2023-11-04 19:45	0	9.8
2023-11-04 20:00	0	10.48
2023-11-04 20:15	0	9.52
2023-11-04 20:30	0	8.41
2023-11-04 20:45	0	8.86
2023-11-04 21:00	0	8.97
2023-11-04 21:15	0	10.24
2023-11-04 21:30	0	10.1
2023-11-04 21:45	0	10.17
2023-11-04 22:00	0	11
2023-11-04 22:15	0	11.15
2023-11-04 22:30	0	11.21
2023-11-04 22:45	0	14.82
2023-11-04 23:00	0	16.41
2023-11-04 23:15	0	14.52
2023-11-04 23:30	0	12.63
2023-11-04 23:45	0	12.13
2023-11-05 00:00	0	12.5
2023-11-05 00:15	0	13.72
2023-11-05 00:30	0	10.7
2023-11-05 00:45	0	13.95
2023-11-05 01:00	0	14.08
2023-11-05 01:15	0	12.18
2023-11-05 01:30	0	13.45
2023-11-05 01:45	0	12.85
2023-11-05 02:00	0	13.95
2023-11-05 02:15	0	14.27
2023-11-05 02:30	0	15.74
2023-11-05 02:45	0	17.56
2023-11-05 03:00	0	15.05
2023-11-05 03:15	0	15.16
2023-11-05 03:30	0	15.5
2023-11-05 03:45	0	15.91
2023-11-05 04:00	0	17.05
2023-11-05 04:15	0	15.75
2023-11-05 04:30	0	11.59
2023-11-05 04:45	0	11.23
2023-11-05 05:00	0	12.54
2023-11-05 05:15	0	14.86
2023-11-05 05:30	0	21.02
2023-11-05 05:45	0	22.18

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-05 06:00	0	15.39
2023-11-05 06:15	16.87	18.24
2023-11-05 06:30	32.29	24.75
2023-11-05 06:45	32.29	21.3
2023-11-05 07:00	32.47	19.1
2023-11-05 07:15	32.46	16.05
2023-11-05 07:30	32.25	19.28
2023-11-05 07:45	32.19	17.68
2023-11-05 08:00	31.88	10.17
2023-11-05 08:15	32.08	11.59
2023-11-05 08:30	31.2	10.98
2023-11-05 08:45	30.79	14.1
2023-11-05 09:00	30.67	10.43
2023-11-05 09:15	31.99	10
2023-11-05 09:30	30.74	9.67
2023-11-05 09:45	30.65	9.14
2023-11-05 10:00	30.76	8.38
2023-11-05 10:15	30.27	9.2
2023-11-05 10:30	30.59	8.17
2023-11-05 10:45	30.5	9.77
2023-11-05 11:00	30.55	8.4
2023-11-05 11:15	30.01	11.25
2023-11-05 11:30	30.12	8.97
2023-11-05 11:45	30.21	8.33
2023-11-05 12:00	29.71	8.1
2023-11-05 12:15	30.34	9.75
2023-11-05 12:30	31.24	8.03
2023-11-05 12:45	31.31	8.1
2023-11-05 13:00	30.66	8.59
2023-11-05 13:15	33.51	9.96
2023-11-05 13:30	30.87	10.01
2023-11-05 13:45	30.24	12.14
2023-11-05 14:00	29.73	13.69
2023-11-05 14:15	29.92	14.31
2023-11-05 14:30	31.36	13.54
2023-11-05 14:45	31.02	15.02
2023-11-05 15:00	30.96	14.44
2023-11-05 15:15	30.72	14.27
2023-11-05 15:30	31.49	14.02
2023-11-05 15:45	30.28	16.05
2023-11-05 16:00	29.79	14.79
2023-11-05 16:15	29.4	15.53

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-05 16:30	29.36	16
2023-11-05 16:45	29.43	20.87
2023-11-05 17:00	30.03	16.59
2023-11-05 17:15	30.2	16.21
2023-11-05 17:30	29.84	15.24
2023-11-05 17:45	29.13	14.05
2023-11-05 18:00	28.98	14.17
2023-11-05 18:15	28.86	13.8
2023-11-05 18:30	28.82	13.43
2023-11-05 18:45	29.24	11.73
2023-11-05 19:00	29.02	10.57
2023-11-05 19:15	29	10.3
2023-11-05 19:30	28.81	9.26
2023-11-05 19:45	29.01	9.6
2023-11-05 20:00	28.85	9.11
2023-11-05 20:15	30.19	10.29
2023-11-05 20:30	30.37	10.89
2023-11-05 20:45	31.01	11.18
2023-11-05 21:00	31.03	11.5
2023-11-05 21:15	31.78	10.38
2023-11-05 21:30	31.48	11.31
2023-11-05 21:45	31.44	11.07
2023-11-05 22:00	31.49	11.92
2023-11-05 22:15	31.21	13.14
2023-11-05 22:30	31.73	12.47
2023-11-05 22:45	31.08	13.93
2023-11-05 23:00	31.1	12.91
2023-11-05 23:15	31.86	11.75
2023-11-05 23:30	32.03	12.72
2023-11-05 23:45	32.6	14.39
2023-11-06 00:00	32.98	14.66
2023-11-06 00:15	31.34	13.16
2023-11-06 00:30	31.51	12.48
2023-11-06 00:45	31.43	13.1
2023-11-06 01:00	32.04	13.52
2023-11-06 01:15	32.3	14.1
2023-11-06 01:30	31.68	12.96
2023-11-06 01:45	32.61	14.68
2023-11-06 02:00	32.42	13.58
2023-11-06 02:15	31.5	12.97
2023-11-06 02:30	30.93	12.52
2023-11-06 02:45	31.87	12.32

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-06 03:00	32.45	13.1
2023-11-06 03:15	32.6	15.65
2023-11-06 03:30	32.72	15.72
2023-11-06 03:45	31.44	14.65
2023-11-06 04:00	31.11	14.59
2023-11-06 04:15	31.08	14.44
2023-11-06 04:30	32.33	15.64
2023-11-06 04:45	32.16	17.05
2023-11-06 05:00	31.07	13.07
2023-11-06 05:15	30.68	16.97
2023-11-06 05:30	31.73	19.78
2023-11-06 05:45	31.33	13.07
2023-11-06 06:00	30.76	10.56
2023-11-06 06:15	31.94	13.49
2023-11-06 06:30	31.61	16.95
2023-11-06 06:45	31.63	12.54
2023-11-06 07:00	30.86	14.32
2023-11-06 07:15	31.19	15.82
2023-11-06 07:30	32.24	16.71
2023-11-06 07:45	32.23	16.34
2023-11-06 08:00	32.36	22.44
2023-11-06 08:15	32.96	20.1
2023-11-06 08:30	32.35	16.37
2023-11-06 08:45	32.71	12.91
2023-11-06 09:00	32.88	18.8
2023-11-06 09:15	32.88	19.26
2023-11-06 09:30	32.06	15.32
2023-11-06 09:45	32.43	15.67
2023-11-06 10:00	31.42	13.46
2023-11-06 10:15	31.19	14.99
2023-11-06 10:30	30.85	15.21
2023-11-06 10:45	32.27	14.93
2023-11-06 11:00	31.94	14.54
2023-11-06 11:15	31.05	14.19
2023-11-06 11:30	31.31	14.19
2023-11-06 11:45	31.8	12.89
2023-11-06 12:00	31.75	13.3
2023-11-06 12:15	30.7	11.42
2023-11-06 12:30	30.02	12.27
2023-11-06 12:45	29.64	10.56
2023-11-06 13:00	29.22	13.32
2023-11-06 13:15	29.09	12.74

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-06 13:30	29.49	13.16
2023-11-06 13:45	30.18	13.76
2023-11-06 14:00	29.46	13.72
2023-11-06 14:15	29.78	13.49
2023-11-06 14:30	31.11	15.07
2023-11-06 14:45	31.07	23.5
2023-11-06 15:00	44.17	39.34
2023-11-06 15:15	25.45	40.44
2023-11-06 15:30	0	22.4
2023-11-06 15:45	0	18.08
2023-11-06 16:00	0	16.6
2023-11-06 16:15	0	20.16
2023-11-06 16:30	0	20.61
2023-11-06 16:45	0	20.43
2023-11-06 17:00	0	20.85
2023-11-06 17:15	0	21.1
2023-11-06 17:30	0	21.54
2023-11-06 17:45	0	19.88
2023-11-06 18:00	0	22.23
2023-11-06 18:15	0	21.06
2023-11-06 18:30	0	20.76
2023-11-06 18:45	0	19.99
2023-11-06 19:00	0	20.64
2023-11-06 19:15	0	20.32
2023-11-06 19:30	0	21.24
2023-11-06 19:45	0	20.96
2023-11-06 20:00	0	22.01
2023-11-06 20:15	0	21.1
2023-11-06 20:30	0	22.5
2023-11-06 20:45	0	18.02
2023-11-06 21:00	0	20.22
2023-11-06 21:15	0	20.44
2023-11-06 21:30	0	20.14
2023-11-06 21:45	0	18.61
2023-11-06 22:00	15.23	20.48
2023-11-06 22:15	37.3	21.08
2023-11-06 22:30	38.12	20.97
2023-11-06 22:45	34.25	21.5
2023-11-06 23:00	34.78	22.22
2023-11-06 23:15	34.34	21.17
2023-11-06 23:30	34.18	23.31
2023-11-06 23:45	33.09	20.09

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-07 00:00	34.04	20.9
2023-11-07 00:15	34.1	21.08
2023-11-07 00:30	32.62	21.39
2023-11-07 00:45	33.67	20.98
2023-11-07 01:00	33.71	20.74
2023-11-07 01:15	32.28	21.75
2023-11-07 01:30	32.76	21.82
2023-11-07 01:45	33.62	20.08
2023-11-07 02:00	33.07	22.27
2023-11-07 02:15	34.87	19.32
2023-11-07 02:30	32.73	23.31
2023-11-07 02:45	31.9	22.65
2023-11-07 03:00	31.77	22.19
2023-11-07 03:15	31.7	21.31
2023-11-07 03:30	31.8	21.62
2023-11-07 03:45	31.36	21.68
2023-11-07 04:00	31.62	22.98
2023-11-07 04:15	32.3	21.82
2023-11-07 04:30	34.09	24.56
2023-11-07 04:45	35.27	20.41
2023-11-07 05:00	33.79	24.2
2023-11-07 05:15	34.03	21.8
2023-11-07 05:30	33.44	22.68
2023-11-07 05:45	33.09	21.9
2023-11-07 06:00	31.56	21.79
2023-11-07 06:15	32.02	21.17
2023-11-07 06:30	31.57	21.13
2023-11-07 06:45	31.49	20.26
2023-11-07 07:00	31.18	21.14
2023-11-07 07:15	31.06	19.56
2023-11-07 07:30	32.11	21.18
2023-11-07 07:45	32.52	17.02
2023-11-07 08:00	32.64	17.24
2023-11-07 08:15	32.9	15.04
2023-11-07 08:30	32.53	16.08
2023-11-07 08:45	33.84	16.67
2023-11-07 09:00	33.25	19.22
2023-11-07 09:15	33.76	18.4
2023-11-07 09:30	32.73	17.51
2023-11-07 09:45	32.86	16.5
2023-11-07 10:00	33.22	19.51
2023-11-07 10:15	32.35	19.24

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-07 10:30	32.68	18.12
2023-11-07 10:45	32.61	15.76
2023-11-07 11:00	31.9	16.61
2023-11-07 11:15	31.82	15.33
2023-11-07 11:30	32.03	16.44
2023-11-07 11:45	31.93	15.43
2023-11-07 12:00	32.45	15.08
2023-11-07 12:15	32.83	19.07
2023-11-07 12:30	32.32	15.67
2023-11-07 12:45	32.12	19.01
2023-11-07 13:00	32	18.07
2023-11-07 13:15	31.58	17.65
2023-11-07 13:30	32.48	22.75
2023-11-07 13:45	32.26	23.89
2023-11-07 14:00	32.58	23.69
2023-11-07 14:15	32.52	23.67
2023-11-07 14:30	32.93	24.28
2023-11-07 14:45	32.5	23.64
2023-11-07 15:00	32.42	23.06
2023-11-07 15:15	33.15	22.31
2023-11-07 15:30	33	23.45
2023-11-07 15:45	33.41	23.38
2023-11-07 16:00	32.83	24.9
2023-11-07 16:15	33.01	23.92
2023-11-07 16:30	33.32	24.77
2023-11-07 16:45	33.36	23
2023-11-07 17:00	33.21	21.02
2023-11-07 17:15	33.39	22.9
2023-11-07 17:30	33.6	23.32
2023-11-07 17:45	33.89	20.8
2023-11-07 18:00	34.03	17.73
2023-11-07 18:15	32.01	16.62
2023-11-07 18:30	31.67	16.69
2023-11-07 18:45	31.84	15.46
2023-11-07 19:00	31.73	17.66
2023-11-07 19:15	31.84	18.25
2023-11-07 19:30	31.53	18.45
2023-11-07 19:45	31.35	17.55
2023-11-07 20:00	32.12	19.11
2023-11-07 20:15	32.47	21.22
2023-11-07 20:30	32.57	19.63
2023-11-07 20:45	32.6	16.73

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-07 21:00	31.94	16.95
2023-11-07 21:15	32.95	18.14
2023-11-07 21:30	33.63	21.41
2023-11-07 21:45	32.45	20.85
2023-11-07 22:00	32.56	22.95
2023-11-07 22:15	33.03	21.77
2023-11-07 22:30	33.58	19.6
2023-11-07 22:45	32.99	19.1
2023-11-07 23:00	33.66	19.89
2023-11-07 23:15	33.09	19.73
2023-11-07 23:30	33.14	20.49
2023-11-07 23:45	32.94	20.77
2023-11-08 00:00	33.12	20.9
2023-11-08 00:15	32.7	18
2023-11-08 00:30	33.87	20.45
2023-11-08 00:45	34.44	21.22
2023-11-08 01:00	33.32	21.55
2023-11-08 01:15	33.93	20.75
2023-11-08 01:30	34.26	19.02
2023-11-08 01:45	32.62	18.61
2023-11-08 02:00	32.96	18.72
2023-11-08 02:15	32.54	20.13
2023-11-08 02:30	33.42	21.21
2023-11-08 02:45	33.62	20.26
2023-11-08 03:00	34.03	22.57
2023-11-08 03:15	34.69	22.32
2023-11-08 03:30	34.62	23.87
2023-11-08 03:45	36.26	21.87
2023-11-08 04:00	35.5	20.82
2023-11-08 04:15	35.87	20.86
2023-11-08 04:30	34.9	22.33
2023-11-08 04:45	33.36	25.14
2023-11-08 05:00	34.38	36.65
2023-11-08 05:15	35.45	52.78
2023-11-08 05:30	41.42	NA
2023-11-08 05:45	38.97	NA
2023-11-08 06:00	NA	NA
2023-11-08 06:15	NA	NA
2023-11-08 06:30	NA	NA
2023-11-08 06:45	NA	NA
2023-11-08 07:00	NA	NA
2023-11-08 07:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-08 07:30	NA	NA
2023-11-08 07:45	NA	NA
2023-11-08 08:00	NA	NA
2023-11-08 08:15	NA	NA
2023-11-08 08:30	NA	NA
2023-11-08 08:45	NA	NA
2023-11-08 09:00	NA	NA
2023-11-08 09:15	NA	NA
2023-11-08 09:30	NA	NA
2023-11-08 09:45	NA	NA
2023-11-08 10:00	NA	NA
2023-11-08 10:15	NA	NA
2023-11-08 10:30	NA	NA
2023-11-08 10:45	NA	NA
2023-11-08 11:00	NA	NA
2023-11-08 11:15	NA	NA
2023-11-08 11:30	NA	NA
2023-11-08 11:45	NA	NA
2023-11-08 12:00	NA	NA
2023-11-08 12:15	NA	NA
2023-11-08 12:30	NA	NA
2023-11-08 12:45	NA	NA
2023-11-08 13:00	NA	NA
2023-11-08 13:15	NA	NA
2023-11-08 13:30	NA	NA
2023-11-08 13:45	NA	NA
2023-11-08 14:00	NA	NA
2023-11-08 14:15	NA	NA
2023-11-08 14:30	NA	NA
2023-11-08 14:45	NA	NA
2023-11-08 15:00	NA	NA
2023-11-08 15:15	NA	NA
2023-11-08 15:30	NA	NA
2023-11-08 15:45	NA	NA
2023-11-08 16:00	NA	NA
2023-11-08 16:15	NA	NA
2023-11-08 16:30	NA	NA
2023-11-08 16:45	NA	NA
2023-11-08 17:00	NA	NA
2023-11-08 17:15	NA	NA
2023-11-08 17:30	NA	NA
2023-11-08 17:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-08 18:00	NA	NA
2023-11-08 18:15	NA	NA
2023-11-08 18:30	NA	NA
2023-11-08 18:45	NA	NA
2023-11-08 19:00	NA	NA
2023-11-08 19:15	NA	NA
2023-11-08 19:30	NA	NA
2023-11-08 19:45	NA	NA
2023-11-08 20:00	NA	NA
2023-11-08 20:15	NA	NA
2023-11-08 20:30	NA	NA
2023-11-08 20:45	NA	NA
2023-11-08 21:00	NA	NA
2023-11-08 21:15	NA	NA
2023-11-08 21:30	NA	NA
2023-11-08 21:45	NA	NA
2023-11-08 22:00	NA	NA
2023-11-08 22:15	NA	NA
2023-11-08 22:30	NA	NA
2023-11-08 22:45	NA	NA
2023-11-08 23:00	NA	NA
2023-11-08 23:15	NA	NA
2023-11-08 23:30	NA	NA
2023-11-08 23:45	NA	NA
2023-11-09 00:00	NA	NA
2023-11-09 00:15	NA	NA
2023-11-09 00:30	NA	NA
2023-11-09 00:45	NA	NA
2023-11-09 01:00	NA	NA
2023-11-09 01:15	NA	NA
2023-11-09 01:30	NA	NA
2023-11-09 01:45	NA	NA
2023-11-09 02:00	NA	NA
2023-11-09 02:15	NA	NA
2023-11-09 02:30	NA	NA
2023-11-09 02:45	NA	NA
2023-11-09 03:00	NA	NA
2023-11-09 03:15	NA	NA
2023-11-09 03:30	NA	NA
2023-11-09 03:45	NA	NA
2023-11-09 04:00	NA	NA
2023-11-09 04:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-09 04:30	NA	NA
2023-11-09 04:45	NA	NA
2023-11-09 05:00	NA	NA
2023-11-09 05:15	NA	NA
2023-11-09 05:30	NA	NA
2023-11-09 05:45	NA	NA
2023-11-09 06:00	NA	NA
2023-11-09 06:15	NA	NA
2023-11-09 06:30	NA	NA
2023-11-09 06:45	NA	NA
2023-11-09 07:00	NA	NA
2023-11-09 07:15	NA	NA
2023-11-09 07:30	NA	NA
2023-11-09 07:45	NA	NA
2023-11-09 08:00	NA	NA
2023-11-09 08:15	NA	NA
2023-11-09 08:30	NA	NA
2023-11-09 08:45	NA	NA
2023-11-09 09:00	NA	NA
2023-11-09 09:15	NA	NA
2023-11-09 09:30	NA	NA
2023-11-09 09:45	NA	NA
2023-11-09 10:00	NA	NA
2023-11-09 10:15	NA	NA
2023-11-09 10:30	NA	NA
2023-11-09 10:45	NA	NA
2023-11-09 11:00	NA	NA
2023-11-09 11:15	NA	NA
2023-11-09 11:30	NA	NA
2023-11-09 11:45	NA	NA
2023-11-09 12:00	NA	NA
2023-11-09 12:15	NA	NA
2023-11-09 12:30	NA	NA
2023-11-09 12:45	NA	NA
2023-11-09 13:00	NA	NA
2023-11-09 13:15	NA	NA
2023-11-09 13:30	NA	NA
2023-11-09 13:45	NA	NA
2023-11-09 14:00	NA	NA
2023-11-09 14:15	NA	NA
2023-11-09 14:30	NA	NA
2023-11-09 14:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-09 15:00	NA	NA
2023-11-09 15:15	NA	NA
2023-11-09 15:30	NA	NA
2023-11-09 15:45	NA	NA
2023-11-09 16:00	NA	NA
2023-11-09 16:15	NA	NA
2023-11-09 16:30	NA	NA
2023-11-09 16:45	NA	NA
2023-11-09 17:00	NA	NA
2023-11-09 17:15	NA	NA
2023-11-09 17:30	NA	NA
2023-11-09 17:45	NA	NA
2023-11-09 18:00	NA	NA
2023-11-09 18:15	NA	NA
2023-11-09 18:30	NA	NA
2023-11-09 18:45	NA	NA
2023-11-09 19:00	NA	NA
2023-11-09 19:15	NA	NA
2023-11-09 19:30	NA	NA
2023-11-09 19:45	NA	NA
2023-11-09 20:00	NA	NA
2023-11-09 20:15	NA	NA
2023-11-09 20:30	NA	NA
2023-11-09 20:45	NA	NA
2023-11-09 21:00	NA	NA
2023-11-09 21:15	NA	NA
2023-11-09 21:30	NA	NA
2023-11-09 21:45	NA	NA
2023-11-09 22:00	NA	NA
2023-11-09 22:15	NA	NA
2023-11-09 22:30	NA	NA
2023-11-09 22:45	NA	NA
2023-11-09 23:00	NA	NA
2023-11-09 23:15	NA	NA
2023-11-09 23:30	NA	NA
2023-11-09 23:45	NA	NA
2023-11-10 00:00	NA	NA
2023-11-10 00:15	NA	NA
2023-11-10 00:30	NA	NA
2023-11-10 00:45	NA	NA
2023-11-10 01:00	NA	NA
2023-11-10 01:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-10 01:30	NA	NA
2023-11-10 01:45	NA	NA
2023-11-10 02:00	NA	NA
2023-11-10 02:15	NA	NA
2023-11-10 02:30	NA	NA
2023-11-10 02:45	NA	NA
2023-11-10 03:00	NA	NA
2023-11-10 03:15	NA	NA
2023-11-10 03:30	NA	NA
2023-11-10 03:45	NA	NA
2023-11-10 04:00	NA	NA
2023-11-10 04:15	NA	NA
2023-11-10 04:30	NA	NA
2023-11-10 04:45	NA	NA
2023-11-10 05:00	NA	NA
2023-11-10 05:15	NA	NA
2023-11-10 05:30	NA	NA
2023-11-10 05:45	NA	NA
2023-11-10 06:00	NA	NA
2023-11-10 06:15	NA	NA
2023-11-10 06:30	NA	NA
2023-11-10 06:45	NA	NA
2023-11-10 07:00	NA	NA
2023-11-10 07:15	NA	NA
2023-11-10 07:30	NA	NA
2023-11-10 07:45	NA	NA
2023-11-10 08:00	NA	NA
2023-11-10 08:15	NA	NA
2023-11-10 08:30	NA	NA
2023-11-10 08:45	NA	NA
2023-11-10 09:00	NA	NA
2023-11-10 09:15	NA	NA
2023-11-10 09:30	NA	NA
2023-11-10 09:45	NA	NA
2023-11-10 10:00	NA	NA
2023-11-10 10:15	NA	NA
2023-11-10 10:30	NA	NA
2023-11-10 10:45	NA	NA
2023-11-10 11:00	NA	NA
2023-11-10 11:15	NA	NA
2023-11-10 11:30	NA	NA
2023-11-10 11:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-10 12:00	NA	NA
2023-11-10 12:15	NA	NA
2023-11-10 12:30	NA	NA
2023-11-10 12:45	NA	NA
2023-11-10 13:00	NA	NA
2023-11-10 13:15	NA	NA
2023-11-10 13:30	NA	NA
2023-11-10 13:45	NA	NA
2023-11-10 14:00	NA	NA
2023-11-10 14:15	NA	NA
2023-11-10 14:30	NA	NA
2023-11-10 14:45	NA	NA
2023-11-10 15:00	NA	NA
2023-11-10 15:15	NA	NA
2023-11-10 15:30	NA	NA
2023-11-10 15:45	NA	NA
2023-11-10 16:00	NA	NA
2023-11-10 16:15	NA	NA
2023-11-10 16:30	NA	NA
2023-11-10 16:45	NA	NA
2023-11-10 17:00	NA	NA
2023-11-10 17:15	NA	NA
2023-11-10 17:30	NA	NA
2023-11-10 17:45	NA	NA
2023-11-10 18:00	NA	NA
2023-11-10 18:15	NA	NA
2023-11-10 18:30	NA	NA
2023-11-10 18:45	NA	NA
2023-11-10 19:00	NA	NA
2023-11-10 19:15	NA	NA
2023-11-10 19:30	NA	NA
2023-11-10 19:45	NA	NA
2023-11-10 20:00	NA	NA
2023-11-10 20:15	NA	NA
2023-11-10 20:30	NA	NA
2023-11-10 20:45	NA	NA
2023-11-10 21:00	NA	NA
2023-11-10 21:15	NA	NA
2023-11-10 21:30	NA	NA
2023-11-10 21:45	NA	NA
2023-11-10 22:00	NA	NA
2023-11-10 22:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-10 22:30	NA	NA
2023-11-10 22:45	NA	NA
2023-11-10 23:00	NA	NA
2023-11-10 23:15	NA	NA
2023-11-10 23:30	NA	NA
2023-11-10 23:45	NA	NA
2023-11-11 00:00	NA	NA
2023-11-11 00:15	NA	NA
2023-11-11 00:30	NA	NA
2023-11-11 00:45	NA	NA
2023-11-11 01:00	NA	NA
2023-11-11 01:15	NA	NA
2023-11-11 01:30	NA	NA
2023-11-11 01:45	NA	NA
2023-11-11 02:00	NA	NA
2023-11-11 02:15	NA	NA
2023-11-11 02:30	NA	NA
2023-11-11 02:45	NA	NA
2023-11-11 03:00	NA	NA
2023-11-11 03:15	NA	NA
2023-11-11 03:30	NA	NA
2023-11-11 03:45	NA	NA
2023-11-11 04:00	NA	NA
2023-11-11 04:15	NA	NA
2023-11-11 04:30	NA	NA
2023-11-11 04:45	NA	NA
2023-11-11 05:00	NA	NA
2023-11-11 05:15	NA	NA
2023-11-11 05:30	NA	NA
2023-11-11 05:45	NA	NA
2023-11-11 06:00	NA	NA
2023-11-11 06:15	NA	NA
2023-11-11 06:30	NA	NA
2023-11-11 06:45	NA	NA
2023-11-11 07:00	NA	NA
2023-11-11 07:15	NA	NA
2023-11-11 07:30	NA	NA
2023-11-11 07:45	NA	NA
2023-11-11 08:00	NA	NA
2023-11-11 08:15	NA	NA
2023-11-11 08:30	NA	NA
2023-11-11 08:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-11 09:00	NA	NA
2023-11-11 09:15	NA	NA
2023-11-11 09:30	NA	NA
2023-11-11 09:45	NA	NA
2023-11-11 10:00	NA	NA
2023-11-11 10:15	NA	NA
2023-11-11 10:30	NA	NA
2023-11-11 10:45	NA	NA
2023-11-11 11:00	NA	NA
2023-11-11 11:15	NA	NA
2023-11-11 11:30	NA	NA
2023-11-11 11:45	NA	NA
2023-11-11 12:00	NA	NA
2023-11-11 12:15	NA	NA
2023-11-11 12:30	NA	NA
2023-11-11 12:45	NA	NA
2023-11-11 13:00	NA	NA
2023-11-11 13:15	NA	NA
2023-11-11 13:30	NA	NA
2023-11-11 13:45	NA	NA
2023-11-11 14:00	NA	NA
2023-11-11 14:15	NA	NA
2023-11-11 14:30	NA	NA
2023-11-11 14:45	NA	NA
2023-11-11 15:00	NA	NA
2023-11-11 15:15	NA	NA
2023-11-11 15:30	NA	NA
2023-11-11 15:45	NA	NA
2023-11-11 16:00	NA	NA
2023-11-11 16:15	NA	NA
2023-11-11 16:30	NA	NA
2023-11-11 16:45	NA	NA
2023-11-11 17:00	NA	NA
2023-11-11 17:15	NA	NA
2023-11-11 17:30	NA	NA
2023-11-11 17:45	NA	NA
2023-11-11 18:00	NA	NA
2023-11-11 18:15	NA	NA
2023-11-11 18:30	NA	NA
2023-11-11 18:45	NA	NA
2023-11-11 19:00	NA	NA
2023-11-11 19:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-11 19:30	NA	NA
2023-11-11 19:45	NA	NA
2023-11-11 20:00	NA	NA
2023-11-11 20:15	NA	NA
2023-11-11 20:30	NA	NA
2023-11-11 20:45	NA	NA
2023-11-11 21:00	NA	NA
2023-11-11 21:15	NA	NA
2023-11-11 21:30	NA	NA
2023-11-11 21:45	NA	NA
2023-11-11 22:00	NA	NA
2023-11-11 22:15	NA	NA
2023-11-11 22:30	NA	NA
2023-11-11 22:45	NA	NA
2023-11-11 23:00	NA	NA
2023-11-11 23:15	NA	NA
2023-11-11 23:30	NA	NA
2023-11-11 23:45	NA	NA
2023-11-12 00:00	NA	NA
2023-11-12 00:15	NA	NA
2023-11-12 00:30	NA	NA
2023-11-12 00:45	NA	NA
2023-11-12 01:00	NA	NA
2023-11-12 01:15	NA	NA
2023-11-12 01:30	NA	NA
2023-11-12 01:45	NA	NA
2023-11-12 02:00	NA	NA
2023-11-12 02:15	NA	NA
2023-11-12 02:30	NA	NA
2023-11-12 02:45	NA	NA
2023-11-12 03:00	NA	NA
2023-11-12 03:15	NA	NA
2023-11-12 03:30	NA	NA
2023-11-12 03:45	NA	NA
2023-11-12 04:00	NA	NA
2023-11-12 04:15	NA	NA
2023-11-12 04:30	NA	NA
2023-11-12 04:45	NA	NA
2023-11-12 05:00	NA	NA
2023-11-12 05:15	NA	NA
2023-11-12 05:30	NA	NA
2023-11-12 05:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-12 06:00	NA	NA
2023-11-12 06:15	NA	NA
2023-11-12 06:30	NA	NA
2023-11-12 06:45	NA	NA
2023-11-12 07:00	NA	NA
2023-11-12 07:15	NA	NA
2023-11-12 07:30	NA	NA
2023-11-12 07:45	NA	NA
2023-11-12 08:00	NA	NA
2023-11-12 08:15	NA	NA
2023-11-12 08:30	NA	NA
2023-11-12 08:45	NA	NA
2023-11-12 09:00	NA	NA
2023-11-12 09:15	NA	NA
2023-11-12 09:30	NA	NA
2023-11-12 09:45	NA	NA
2023-11-12 10:00	NA	NA
2023-11-12 10:15	NA	NA
2023-11-12 10:30	NA	NA
2023-11-12 10:45	NA	NA
2023-11-12 11:00	NA	NA
2023-11-12 11:15	NA	NA
2023-11-12 11:30	NA	NA
2023-11-12 11:45	NA	NA
2023-11-12 12:00	NA	NA
2023-11-12 12:15	NA	NA
2023-11-12 12:30	NA	NA
2023-11-12 12:45	NA	NA
2023-11-12 13:00	NA	NA
2023-11-12 13:15	NA	NA
2023-11-12 13:30	NA	NA
2023-11-12 13:45	NA	NA
2023-11-12 14:00	NA	NA
2023-11-12 14:15	NA	NA
2023-11-12 14:30	NA	NA
2023-11-12 14:45	NA	NA
2023-11-12 15:00	NA	NA
2023-11-12 15:15	NA	NA
2023-11-12 15:30	NA	NA
2023-11-12 15:45	NA	NA
2023-11-12 16:00	NA	NA
2023-11-12 16:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-12 16:30	NA	NA
2023-11-12 16:45	NA	NA
2023-11-12 17:00	NA	NA
2023-11-12 17:15	NA	NA
2023-11-12 17:30	NA	NA
2023-11-12 17:45	NA	NA
2023-11-12 18:00	NA	NA
2023-11-12 18:15	NA	NA
2023-11-12 18:30	NA	NA
2023-11-12 18:45	NA	NA
2023-11-12 19:00	NA	NA
2023-11-12 19:15	NA	NA
2023-11-12 19:30	NA	NA
2023-11-12 19:45	NA	NA
2023-11-12 20:00	NA	NA
2023-11-12 20:15	NA	NA
2023-11-12 20:30	NA	NA
2023-11-12 20:45	NA	NA
2023-11-12 21:00	NA	NA
2023-11-12 21:15	NA	NA
2023-11-12 21:30	NA	NA
2023-11-12 21:45	NA	NA
2023-11-12 22:00	NA	NA
2023-11-12 22:15	NA	NA
2023-11-12 22:30	NA	NA
2023-11-12 22:45	NA	NA
2023-11-12 23:00	NA	NA
2023-11-12 23:15	NA	NA
2023-11-12 23:30	NA	NA
2023-11-12 23:45	NA	NA
2023-11-13 00:00	NA	NA
2023-11-13 00:15	NA	NA
2023-11-13 00:30	NA	NA
2023-11-13 00:45	NA	NA
2023-11-13 01:00	NA	NA
2023-11-13 01:15	NA	NA
2023-11-13 01:30	NA	NA
2023-11-13 01:45	NA	NA
2023-11-13 02:00	NA	NA
2023-11-13 02:15	NA	NA
2023-11-13 02:30	NA	NA
2023-11-13 02:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-13 03:00	NA	NA
2023-11-13 03:15	NA	NA
2023-11-13 03:30	NA	NA
2023-11-13 03:45	NA	NA
2023-11-13 04:00	NA	NA
2023-11-13 04:15	NA	NA
2023-11-13 04:30	NA	NA
2023-11-13 04:45	NA	NA
2023-11-13 05:00	NA	NA
2023-11-13 05:15	NA	NA
2023-11-13 05:30	NA	NA
2023-11-13 05:45	NA	NA
2023-11-13 06:00	NA	NA
2023-11-13 06:15	NA	NA
2023-11-13 06:30	NA	NA
2023-11-13 06:45	NA	NA
2023-11-13 07:00	NA	NA
2023-11-13 07:15	NA	NA
2023-11-13 07:30	NA	NA
2023-11-13 07:45	NA	NA
2023-11-13 08:00	NA	NA
2023-11-13 08:15	NA	NA
2023-11-13 08:30	NA	NA
2023-11-13 08:45	NA	NA
2023-11-13 09:00	NA	NA
2023-11-13 09:15	NA	NA
2023-11-13 09:30	NA	NA
2023-11-13 09:45	NA	NA
2023-11-13 10:00	NA	NA
2023-11-13 10:15	NA	NA
2023-11-13 10:30	NA	NA
2023-11-13 10:45	NA	NA
2023-11-13 11:00	NA	NA
2023-11-13 11:15	NA	NA
2023-11-13 11:30	NA	NA
2023-11-13 11:45	NA	NA
2023-11-13 12:00	NA	NA
2023-11-13 12:15	NA	NA
2023-11-13 12:30	NA	NA
2023-11-13 12:45	NA	NA
2023-11-13 13:00	NA	NA
2023-11-13 13:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-13 13:30	NA	NA
2023-11-13 13:45	NA	NA
2023-11-13 14:00	NA	NA
2023-11-13 14:15	NA	NA
2023-11-13 14:30	NA	NA
2023-11-13 14:45	NA	NA
2023-11-13 15:00	NA	NA
2023-11-13 15:15	NA	NA
2023-11-13 15:30	NA	NA
2023-11-13 15:45	NA	NA
2023-11-13 16:00	NA	NA
2023-11-13 16:15	NA	NA
2023-11-13 16:30	NA	NA
2023-11-13 16:45	NA	NA
2023-11-13 17:00	NA	NA
2023-11-13 17:15	NA	NA
2023-11-13 17:30	NA	NA
2023-11-13 17:45	NA	NA
2023-11-13 18:00	NA	NA
2023-11-13 18:15	NA	NA
2023-11-13 18:30	NA	NA
2023-11-13 18:45	NA	NA
2023-11-13 19:00	NA	NA
2023-11-13 19:15	NA	NA
2023-11-13 19:30	NA	NA
2023-11-13 19:45	NA	NA
2023-11-13 20:00	NA	NA
2023-11-13 20:15	NA	NA
2023-11-13 20:30	NA	NA
2023-11-13 20:45	NA	NA
2023-11-13 21:00	NA	NA
2023-11-13 21:15	NA	NA
2023-11-13 21:30	NA	NA
2023-11-13 21:45	NA	NA
2023-11-13 22:00	NA	NA
2023-11-13 22:15	NA	NA
2023-11-13 22:30	NA	NA
2023-11-13 22:45	NA	NA
2023-11-13 23:00	NA	NA
2023-11-13 23:15	NA	NA
2023-11-13 23:30	NA	NA
2023-11-13 23:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-14 00:00	NA	NA
2023-11-14 00:15	NA	NA
2023-11-14 00:30	NA	NA
2023-11-14 00:45	NA	NA
2023-11-14 01:00	NA	NA
2023-11-14 01:15	NA	NA
2023-11-14 01:30	NA	NA
2023-11-14 01:45	NA	NA
2023-11-14 02:00	NA	NA
2023-11-14 02:15	NA	NA
2023-11-14 02:30	NA	NA
2023-11-14 02:45	NA	NA
2023-11-14 03:00	NA	NA
2023-11-14 03:15	NA	NA
2023-11-14 03:30	NA	NA
2023-11-14 03:45	NA	NA
2023-11-14 04:00	NA	NA
2023-11-14 04:15	NA	NA
2023-11-14 04:30	NA	NA
2023-11-14 04:45	NA	NA
2023-11-14 05:00	NA	NA
2023-11-14 05:15	NA	NA
2023-11-14 05:30	NA	NA
2023-11-14 05:45	NA	NA
2023-11-14 06:00	NA	NA
2023-11-14 06:15	NA	NA
2023-11-14 06:30	NA	NA
2023-11-14 06:45	NA	NA
2023-11-14 07:00	NA	NA
2023-11-14 07:15	NA	NA
2023-11-14 07:30	NA	NA
2023-11-14 07:45	NA	NA
2023-11-14 08:00	NA	NA
2023-11-14 08:15	NA	NA
2023-11-14 08:30	NA	NA
2023-11-14 08:45	NA	NA
2023-11-14 09:00	NA	NA
2023-11-14 09:15	NA	NA
2023-11-14 09:30	NA	NA
2023-11-14 09:45	NA	NA
2023-11-14 10:00	NA	NA
2023-11-14 10:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-14 10:30	NA	NA
2023-11-14 10:45	NA	NA
2023-11-14 11:00	NA	NA
2023-11-14 11:15	NA	NA
2023-11-14 11:30	NA	NA
2023-11-14 11:45	NA	NA
2023-11-14 12:00	NA	NA
2023-11-14 12:15	NA	NA
2023-11-14 12:30	NA	NA
2023-11-14 12:45	NA	NA
2023-11-14 13:00	NA	NA
2023-11-14 13:15	NA	NA
2023-11-14 13:30	NA	NA
2023-11-14 13:45	NA	NA
2023-11-14 14:00	NA	NA
2023-11-14 14:15	NA	NA
2023-11-14 14:30	NA	NA
2023-11-14 14:45	NA	NA
2023-11-14 15:00	NA	NA
2023-11-14 15:15	NA	NA
2023-11-14 15:30	NA	NA
2023-11-14 15:45	NA	NA
2023-11-14 16:00	NA	NA
2023-11-14 16:15	NA	NA
2023-11-14 16:30	NA	NA
2023-11-14 16:45	NA	NA
2023-11-14 17:00	NA	NA
2023-11-14 17:15	NA	NA
2023-11-14 17:30	NA	NA
2023-11-14 17:45	NA	NA
2023-11-14 18:00	NA	NA
2023-11-14 18:15	NA	NA
2023-11-14 18:30	NA	NA
2023-11-14 18:45	NA	NA
2023-11-14 19:00	NA	NA
2023-11-14 19:15	NA	NA
2023-11-14 19:30	NA	NA
2023-11-14 19:45	NA	NA
2023-11-14 20:00	NA	NA
2023-11-14 20:15	NA	NA
2023-11-14 20:30	NA	NA
2023-11-14 20:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-14 21:00	NA	NA
2023-11-14 21:15	NA	NA
2023-11-14 21:30	NA	NA
2023-11-14 21:45	NA	NA
2023-11-14 22:00	NA	NA
2023-11-14 22:15	NA	NA
2023-11-14 22:30	NA	NA
2023-11-14 22:45	NA	NA
2023-11-14 23:00	NA	NA
2023-11-14 23:15	NA	NA
2023-11-14 23:30	NA	NA
2023-11-14 23:45	NA	NA
2023-11-15 00:00	NA	NA
2023-11-15 00:15	NA	NA
2023-11-15 00:30	NA	NA
2023-11-15 00:45	NA	NA
2023-11-15 01:00	NA	NA
2023-11-15 01:15	NA	NA
2023-11-15 01:30	NA	NA
2023-11-15 01:45	NA	NA
2023-11-15 02:00	NA	NA
2023-11-15 02:15	NA	NA
2023-11-15 02:30	NA	NA
2023-11-15 02:45	NA	NA
2023-11-15 03:00	NA	NA
2023-11-15 03:15	NA	NA
2023-11-15 03:30	NA	NA
2023-11-15 03:45	NA	NA
2023-11-15 04:00	NA	NA
2023-11-15 04:15	NA	NA
2023-11-15 04:30	NA	NA
2023-11-15 04:45	NA	NA
2023-11-15 05:00	NA	NA
2023-11-15 05:15	NA	NA
2023-11-15 05:30	NA	NA
2023-11-15 05:45	NA	NA
2023-11-15 06:00	NA	NA
2023-11-15 06:15	NA	NA
2023-11-15 06:30	NA	NA
2023-11-15 06:45	NA	NA
2023-11-15 07:00	NA	NA
2023-11-15 07:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-15 07:30	NA	NA
2023-11-15 07:45	NA	NA
2023-11-15 08:00	NA	NA
2023-11-15 08:15	NA	NA
2023-11-15 08:30	NA	NA
2023-11-15 08:45	NA	NA
2023-11-15 09:00	NA	NA
2023-11-15 09:15	NA	NA
2023-11-15 09:30	NA	NA
2023-11-15 09:45	NA	NA
2023-11-15 10:00	NA	NA
2023-11-15 10:15	NA	NA
2023-11-15 10:30	NA	NA
2023-11-15 10:45	NA	NA
2023-11-15 11:00	NA	NA
2023-11-15 11:15	NA	NA
2023-11-15 11:30	NA	NA
2023-11-15 11:45	NA	NA
2023-11-15 12:00	NA	NA
2023-11-15 12:15	NA	NA
2023-11-15 12:30	NA	NA
2023-11-15 12:45	NA	NA
2023-11-15 13:00	NA	NA
2023-11-15 13:15	NA	NA
2023-11-15 13:30	NA	NA
2023-11-15 13:45	NA	NA
2023-11-15 14:00	NA	NA
2023-11-15 14:15	NA	NA
2023-11-15 14:30	NA	NA
2023-11-15 14:45	NA	NA
2023-11-15 15:00	NA	NA
2023-11-15 15:15	NA	NA
2023-11-15 15:30	NA	NA
2023-11-15 15:45	NA	NA
2023-11-15 16:00	NA	NA
2023-11-15 16:15	NA	NA
2023-11-15 16:30	NA	NA
2023-11-15 16:45	NA	NA
2023-11-15 17:00	NA	NA
2023-11-15 17:15	NA	NA
2023-11-15 17:30	NA	NA
2023-11-15 17:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-15 18:00	NA	NA
2023-11-15 18:15	NA	NA
2023-11-15 18:30	NA	NA
2023-11-15 18:45	NA	NA
2023-11-15 19:00	NA	NA
2023-11-15 19:15	NA	NA
2023-11-15 19:30	NA	NA
2023-11-15 19:45	NA	NA
2023-11-15 20:00	NA	NA
2023-11-15 20:15	NA	NA
2023-11-15 20:30	NA	NA
2023-11-15 20:45	NA	NA
2023-11-15 21:00	NA	NA
2023-11-15 21:15	NA	NA
2023-11-15 21:30	NA	NA
2023-11-15 21:45	NA	NA
2023-11-15 22:00	NA	NA
2023-11-15 22:15	NA	NA
2023-11-15 22:30	NA	NA
2023-11-15 22:45	NA	NA
2023-11-15 23:00	NA	NA
2023-11-15 23:15	NA	NA
2023-11-15 23:30	NA	NA
2023-11-15 23:45	NA	NA
2023-11-16 00:00	NA	NA
2023-11-16 00:15	NA	NA
2023-11-16 00:30	NA	NA
2023-11-16 00:45	NA	NA
2023-11-16 01:00	NA	NA
2023-11-16 01:15	NA	NA
2023-11-16 01:30	NA	NA
2023-11-16 01:45	NA	NA
2023-11-16 02:00	NA	NA
2023-11-16 02:15	NA	NA
2023-11-16 02:30	NA	NA
2023-11-16 02:45	NA	NA
2023-11-16 03:00	NA	NA
2023-11-16 03:15	NA	NA
2023-11-16 03:30	NA	NA
2023-11-16 03:45	NA	NA
2023-11-16 04:00	NA	NA
2023-11-16 04:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-16 04:30	NA	NA
2023-11-16 04:45	NA	NA
2023-11-16 05:00	NA	NA
2023-11-16 05:15	NA	NA
2023-11-16 05:30	NA	NA
2023-11-16 05:45	NA	NA
2023-11-16 06:00	NA	NA
2023-11-16 06:15	NA	NA
2023-11-16 06:30	NA	NA
2023-11-16 06:45	NA	NA
2023-11-16 07:00	NA	NA
2023-11-16 07:15	NA	NA
2023-11-16 07:30	NA	NA
2023-11-16 07:45	NA	NA
2023-11-16 08:00	NA	NA
2023-11-16 08:15	NA	NA
2023-11-16 08:30	NA	NA
2023-11-16 08:45	NA	NA
2023-11-16 09:00	NA	NA
2023-11-16 09:15	NA	NA
2023-11-16 09:30	NA	NA
2023-11-16 09:45	NA	NA
2023-11-16 10:00	NA	NA
2023-11-16 10:15	NA	NA
2023-11-16 10:30	NA	NA
2023-11-16 10:45	NA	NA
2023-11-16 11:00	NA	NA
2023-11-16 11:15	NA	NA
2023-11-16 11:30	NA	NA
2023-11-16 11:45	NA	NA
2023-11-16 12:00	NA	NA
2023-11-16 12:15	NA	NA
2023-11-16 12:30	NA	NA
2023-11-16 12:45	NA	NA
2023-11-16 13:00	NA	NA
2023-11-16 13:15	NA	NA
2023-11-16 13:30	NA	NA
2023-11-16 13:45	NA	NA
2023-11-16 14:00	NA	NA
2023-11-16 14:15	NA	NA
2023-11-16 14:30	NA	NA
2023-11-16 14:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-16 15:00	NA	NA
2023-11-16 15:15	NA	NA
2023-11-16 15:30	NA	NA
2023-11-16 15:45	NA	NA
2023-11-16 16:00	NA	NA
2023-11-16 16:15	NA	NA
2023-11-16 16:30	NA	NA
2023-11-16 16:45	NA	NA
2023-11-16 17:00	NA	NA
2023-11-16 17:15	NA	NA
2023-11-16 17:30	NA	NA
2023-11-16 17:45	NA	NA
2023-11-16 18:00	NA	NA
2023-11-16 18:15	NA	NA
2023-11-16 18:30	NA	NA
2023-11-16 18:45	NA	NA
2023-11-16 19:00	NA	NA
2023-11-16 19:15	NA	NA
2023-11-16 19:30	NA	NA
2023-11-16 19:45	NA	NA
2023-11-16 20:00	NA	NA
2023-11-16 20:15	NA	NA
2023-11-16 20:30	NA	NA
2023-11-16 20:45	NA	NA
2023-11-16 21:00	NA	NA
2023-11-16 21:15	NA	NA
2023-11-16 21:30	NA	NA
2023-11-16 21:45	NA	NA
2023-11-16 22:00	NA	NA
2023-11-16 22:15	NA	NA
2023-11-16 22:30	NA	NA
2023-11-16 22:45	NA	NA
2023-11-16 23:00	NA	NA
2023-11-16 23:15	NA	NA
2023-11-16 23:30	NA	NA
2023-11-16 23:45	NA	NA
2023-11-17 00:00	NA	NA
2023-11-17 00:15	NA	NA
2023-11-17 00:30	NA	NA
2023-11-17 00:45	NA	NA
2023-11-17 01:00	NA	NA
2023-11-17 01:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-17 01:30	NA	NA
2023-11-17 01:45	NA	NA
2023-11-17 02:00	NA	NA
2023-11-17 02:15	NA	NA
2023-11-17 02:30	NA	NA
2023-11-17 02:45	NA	NA
2023-11-17 03:00	NA	NA
2023-11-17 03:15	NA	NA
2023-11-17 03:30	NA	NA
2023-11-17 03:45	NA	NA
2023-11-17 04:00	NA	NA
2023-11-17 04:15	NA	NA
2023-11-17 04:30	NA	NA
2023-11-17 04:45	NA	NA
2023-11-17 05:00	NA	NA
2023-11-17 05:15	NA	NA
2023-11-17 05:30	NA	NA
2023-11-17 05:45	NA	NA
2023-11-17 06:00	NA	NA
2023-11-17 06:15	NA	NA
2023-11-17 06:30	NA	NA
2023-11-17 06:45	NA	NA
2023-11-17 07:00	NA	NA
2023-11-17 07:15	NA	NA
2023-11-17 07:30	NA	NA
2023-11-17 07:45	NA	NA
2023-11-17 08:00	NA	NA
2023-11-17 08:15	NA	NA
2023-11-17 08:30	NA	NA
2023-11-17 08:45	NA	NA
2023-11-17 09:00	NA	NA
2023-11-17 09:15	NA	NA
2023-11-17 09:30	NA	NA
2023-11-17 09:45	NA	NA
2023-11-17 10:00	NA	NA
2023-11-17 10:15	NA	NA
2023-11-17 10:30	NA	NA
2023-11-17 10:45	NA	NA
2023-11-17 11:00	NA	NA
2023-11-17 11:15	NA	NA
2023-11-17 11:30	NA	NA
2023-11-17 11:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-17 12:00	NA	NA
2023-11-17 12:15	NA	NA
2023-11-17 12:30	NA	NA
2023-11-17 12:45	NA	NA
2023-11-17 13:00	NA	NA
2023-11-17 13:15	NA	NA
2023-11-17 13:30	NA	NA
2023-11-17 13:45	NA	NA
2023-11-17 14:00	NA	NA
2023-11-17 14:15	NA	NA
2023-11-17 14:30	NA	NA
2023-11-17 14:45	NA	NA
2023-11-17 15:00	NA	NA
2023-11-17 15:15	NA	NA
2023-11-17 15:30	NA	NA
2023-11-17 15:45	NA	NA
2023-11-17 16:00	NA	NA
2023-11-17 16:15	NA	NA
2023-11-17 16:30	NA	NA
2023-11-17 16:45	NA	NA
2023-11-17 17:00	NA	NA
2023-11-17 17:15	NA	NA
2023-11-17 17:30	NA	NA
2023-11-17 17:45	NA	NA
2023-11-17 18:00	NA	NA
2023-11-17 18:15	NA	NA
2023-11-17 18:30	NA	NA
2023-11-17 18:45	NA	NA
2023-11-17 19:00	NA	NA
2023-11-17 19:15	NA	NA
2023-11-17 19:30	NA	NA
2023-11-17 19:45	NA	NA
2023-11-17 20:00	NA	NA
2023-11-17 20:15	NA	NA
2023-11-17 20:30	NA	NA
2023-11-17 20:45	NA	NA
2023-11-17 21:00	NA	NA
2023-11-17 21:15	NA	NA
2023-11-17 21:30	NA	NA
2023-11-17 21:45	NA	NA
2023-11-17 22:00	NA	NA
2023-11-17 22:15	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-17 22:30	NA	NA
2023-11-17 22:45	NA	NA
2023-11-17 23:00	NA	NA
2023-11-17 23:15	NA	NA
2023-11-17 23:30	NA	NA
2023-11-17 23:45	NA	NA
2023-11-18 00:00	NA	NA
2023-11-18 00:15	NA	NA
2023-11-18 00:30	NA	NA
2023-11-18 00:45	NA	NA
2023-11-18 01:00	NA	NA
2023-11-18 01:15	NA	NA
2023-11-18 01:30	NA	NA
2023-11-18 01:45	NA	NA
2023-11-18 02:00	NA	NA
2023-11-18 02:15	NA	NA
2023-11-18 02:30	NA	NA
2023-11-18 02:45	NA	NA
2023-11-18 03:00	NA	NA
2023-11-18 03:15	NA	NA
2023-11-18 03:30	NA	NA
2023-11-18 03:45	NA	NA
2023-11-18 04:00	NA	NA
2023-11-18 04:15	NA	NA
2023-11-18 04:30	NA	NA
2023-11-18 04:45	NA	NA
2023-11-18 05:00	NA	NA
2023-11-18 05:15	NA	NA
2023-11-18 05:30	NA	NA
2023-11-18 05:45	NA	NA
2023-11-18 06:00	NA	NA
2023-11-18 06:15	NA	NA
2023-11-18 06:30	NA	NA
2023-11-18 06:45	NA	NA
2023-11-18 07:00	NA	NA
2023-11-18 07:15	NA	NA
2023-11-18 07:30	NA	NA
2023-11-18 07:45	NA	NA
2023-11-18 08:00	NA	NA
2023-11-18 08:15	NA	NA
2023-11-18 08:30	NA	NA
2023-11-18 08:45	NA	NA

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-18 09:00	NA	NA
2023-11-18 09:15	NA	NA
2023-11-18 09:30	NA	NA
2023-11-18 09:45	NA	NA
2023-11-18 10:00	NA	NA
2023-11-18 10:15	NA	NA
2023-11-18 10:30	NA	NA
2023-11-18 10:45	NA	NA
2023-11-18 11:00	NA	NA
2023-11-18 11:15	NA	NA
2023-11-18 11:30	NA	NA
2023-11-18 11:45	NA	NA
2023-11-18 12:00	NA	NA
2023-11-18 12:15	NA	NA
2023-11-18 12:30	NA	NA
2023-11-18 12:45	NA	NA
2023-11-18 13:00	NA	NA
2023-11-18 13:15	NA	NA
2023-11-18 13:30	NA	NA
2023-11-18 13:45	NA	NA
2023-11-18 14:00	NA	NA
2023-11-18 14:15	NA	NA
2023-11-18 14:30	NA	NA
2023-11-18 14:45	NA	NA
2023-11-18 15:00	NA	NA
2023-11-18 15:15	NA	NA
2023-11-18 15:30	NA	NA
2023-11-18 15:45	NA	NA
2023-11-18 16:00	NA	NA
2023-11-18 16:15	NA	NA
2023-11-18 16:30	NA	NA
2023-11-18 16:45	NA	NA
2023-11-18 17:00	NA	NA
2023-11-18 17:15	NA	NA
2023-11-18 17:30	NA	NA
2023-11-18 17:45	NA	NA
2023-11-18 18:00	NA	15.73
2023-11-18 18:15	20.05	17.07
2023-11-18 18:30	30.3	18.73
2023-11-18 18:45	30.37	17.2
2023-11-18 19:00	30.76	18.5
2023-11-18 19:15	30.5	18.15

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-18 19:30	30.49	19.43
2023-11-18 19:45	30.82	18.1
2023-11-18 20:00	30.23	18.03
2023-11-18 20:15	30.48	17.92
2023-11-18 20:30	33.42	17.48
2023-11-18 20:45	33.2	18.17
2023-11-18 21:00	31.61	20.12
2023-11-18 21:15	31.12	18.62
2023-11-18 21:30	30.71	18.31
2023-11-18 21:45	31.26	20.13
2023-11-18 22:00	31.99	22.66
2023-11-18 22:15	30.62	20.36
2023-11-18 22:30	31.07	19.75
2023-11-18 22:45	30.66	19.11
2023-11-18 23:00	31.09	18.47
2023-11-18 23:15	31.19	18.88
2023-11-18 23:30	30.75	18.78
2023-11-18 23:45	31.27	19.22
2023-11-19 00:00	30.94	17.91
2023-11-19 00:15	30.51	19.06
2023-11-19 00:30	31.36	18.86
2023-11-19 00:45	31.27	18.91
2023-11-19 01:00	31.55	20.67
2023-11-19 01:15	31.76	19.88
2023-11-19 01:30	31.34	19.32
2023-11-19 01:45	30.71	18.62
2023-11-19 02:00	31.1	19.24
2023-11-19 02:15	31.12	19.28
2023-11-19 02:30	32.08	18.83
2023-11-19 02:45	31.75	15.97
2023-11-19 03:00	30.66	16.29
2023-11-19 03:15	30.8	16.7
2023-11-19 03:30	32.16	20.35
2023-11-19 03:45	33.41	17.2
2023-11-19 04:00	32.61	17.16
2023-11-19 04:15	31.55	15.32
2023-11-19 04:30	31.94	18.01
2023-11-19 04:45	31.75	14.34
2023-11-19 05:00	31.16	14.38
2023-11-19 05:15	31.42	17.07
2023-11-19 05:30	31.48	17.8
2023-11-19 05:45	32.06	19.51

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-19 06:00	33.29	20.31
2023-11-19 06:15	33.64	17.68
2023-11-19 06:30	35.29	18.12
2023-11-19 06:45	36.13	14.05
2023-11-19 07:00	33.65	13.73
2023-11-19 07:15	32.32	13.13
2023-11-19 07:30	31.65	15.9
2023-11-19 07:45	31.91	17.28
2023-11-19 08:00	31.5	17.71
2023-11-19 08:15	32.32	17
2023-11-19 08:30	32.18	17.58
2023-11-19 08:45	32.3	17.19
2023-11-19 09:00	33.1	19.12
2023-11-19 09:15	32.33	17.93
2023-11-19 09:30	33.43	21.21
2023-11-19 09:45	36.42	18.55
2023-11-19 10:00	35.01	19.14
2023-11-19 10:15	35.22	19.55
2023-11-19 10:30	33.87	22.18
2023-11-19 10:45	32.68	22.73
2023-11-19 11:00	33.56	23.01
2023-11-19 11:15	33.66	22.16
2023-11-19 11:30	33.1	22.86
2023-11-19 11:45	33.39	21.91
2023-11-19 12:00	33.11	23.98
2023-11-19 12:15	32.85	21.13
2023-11-19 12:30	31.27	22.59
2023-11-19 12:45	30.38	21.47
2023-11-19 13:00	31.09	20.91
2023-11-19 13:15	31.38	19.71
2023-11-19 13:30	31.2	19.93
2023-11-19 13:45	31.16	19.06
2023-11-19 14:00	31.22	19.88
2023-11-19 14:15	30.31	18.76
2023-11-19 14:30	30.27	20.06
2023-11-19 14:45	30.89	19.01
2023-11-19 15:00	31.42	21.62
2023-11-19 15:15	31.34	18.21
2023-11-19 15:30	31.47	17.82
2023-11-19 15:45	31.62	17.41
2023-11-19 16:00	30.89	17.69
2023-11-19 16:15	30.55	17.4

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-19 16:30	30.09	18.1
2023-11-19 16:45	29.65	17.27
2023-11-19 17:00	30.08	17.63
2023-11-19 17:15	30.36	17
2023-11-19 17:30	30.13	17.65
2023-11-19 17:45	30.93	16.83
2023-11-19 18:00	31.07	18.42
2023-11-19 18:15	31.38	16.75
2023-11-19 18:30	31.18	18.8
2023-11-19 18:45	30.38	17.59
2023-11-19 19:00	30.22	17.51
2023-11-19 19:15	31.5	16.95
2023-11-19 19:30	31.3	17.47
2023-11-19 19:45	31.31	17.25
2023-11-19 20:00	30.27	18.88
2023-11-19 20:15	30.39	18.14
2023-11-19 20:30	30.52	20.12
2023-11-19 20:45	31.07	18.06
2023-11-19 21:00	32.4	17.85
2023-11-19 21:15	32.5	18.26
2023-11-19 21:30	31.69	17.99
2023-11-19 21:45	33.5	15.6
2023-11-19 22:00	35.35	15.31
2023-11-19 22:15	37.11	14.86
2023-11-19 22:30	36	16.33
2023-11-19 22:45	33.27	14.21
2023-11-19 23:00	32.48	17.85
2023-11-19 23:15	32.51	17.91
2023-11-19 23:30	32.51	19.34
2023-11-19 23:45	33.28	19.14
2023-11-20 00:00	33.26	19.53
2023-11-20 00:15	34.46	17.1
2023-11-20 00:30	32.66	19.33
2023-11-20 00:45	33.01	15.93
2023-11-20 01:00	32.33	21.82
2023-11-20 01:15	32.32	21.41
2023-11-20 01:30	32.2	19.69
2023-11-20 01:45	32.85	21.66
2023-11-20 02:00	33.73	23.88
2023-11-20 02:15	36.48	19.42
2023-11-20 02:30	33.85	16.11
2023-11-20 02:45	33.11	21.25

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-20 03:00	32.88	15.91
2023-11-20 03:15	32.18	17.69
2023-11-20 03:30	32.39	18.23
2023-11-20 03:45	31.79	17.31
2023-11-20 04:00	31.3	20.26
2023-11-20 04:15	33.43	20.93
2023-11-20 04:30	32.92	21.33
2023-11-20 04:45	34.92	19.37
2023-11-20 05:00	37.06	19.8
2023-11-20 05:15	37	18.18
2023-11-20 05:30	35.61	18.43
2023-11-20 05:45	33.68	20.4
2023-11-20 06:00	31.89	19.81
2023-11-20 06:15	31.05	18.19
2023-11-20 06:30	31.06	18.67
2023-11-20 06:45	31.75	20.27
2023-11-20 07:00	34.27	20.07
2023-11-20 07:15	34.02	19.62
2023-11-20 07:30	34.45	20.19
2023-11-20 07:45	34.02	19.3
2023-11-20 08:00	35.34	21.16
2023-11-20 08:15	35.96	19.83
2023-11-20 08:30	34.43	18.21
2023-11-20 08:45	35.62	17.88
2023-11-20 09:00	36.62	18
2023-11-20 09:15	34.99	17.89
2023-11-20 09:30	35.35	18.36
2023-11-20 09:45	36.6	17.94
2023-11-20 10:00	37.29	18.52
2023-11-20 10:15	35.08	19.31
2023-11-20 10:30	35.11	20.31
2023-11-20 10:45	35.18	21.42
2023-11-20 11:00	34.96	22.75
2023-11-20 11:15	35.3	22.42
2023-11-20 11:30	33.96	22.53
2023-11-20 11:45	34.29	22.7
2023-11-20 12:00	33.78	22.96
2023-11-20 12:15	32.7	22.18
2023-11-20 12:30	32.58	22.4
2023-11-20 12:45	32.42	20.93
2023-11-20 13:00	30.73	21.66
2023-11-20 13:15	31.83	19.66

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-20 13:30	33.28	20.07
2023-11-20 13:45	31.94	19.12
2023-11-20 14:00	32.08	18.06
2023-11-20 14:15	31.16	18.16
2023-11-20 14:30	31.05	18.28
2023-11-20 14:45	30.31	18.11
2023-11-20 15:00	30.79	18.92
2023-11-20 15:15	30.48	18.5
2023-11-20 15:30	30.7	20.19
2023-11-20 15:45	29.84	19.41
2023-11-20 16:00	29.72	19.75
2023-11-20 16:15	29.77	19.24
2023-11-20 16:30	29.95	19.45
2023-11-20 16:45	30.8	20.36
2023-11-20 17:00	32.29	17.64
2023-11-20 17:15	33.15	17.21
2023-11-20 17:30	33.36	17.74
2023-11-20 17:45	33.64	17.7
2023-11-20 18:00	32.98	18.66
2023-11-20 18:15	32.42	17.97
2023-11-20 18:30	32.45	19.1
2023-11-20 18:45	31.64	18.31
2023-11-20 19:00	31.32	18.02
2023-11-20 19:15	30.95	17.35
2023-11-20 19:30	33.1	18.21
2023-11-20 19:45	31.6	17.9
2023-11-20 20:00	31.98	17.3
2023-11-20 20:15	33.85	16.74
2023-11-20 20:30	34.84	16.93
2023-11-20 20:45	33.84	17.12
2023-11-20 21:00	32.06	18.38
2023-11-20 21:15	32.17	18.79
2023-11-20 21:30	32.4	19.65
2023-11-20 21:45	32.45	21.98
2023-11-20 22:00	33.88	19.13
2023-11-20 22:15	34.03	20.24
2023-11-20 22:30	33.06	17.87
2023-11-20 22:45	33.31	18.44
2023-11-20 23:00	34.74	18.02
2023-11-20 23:15	34.6	18.76
2023-11-20 23:30	33.47	19.4
2023-11-20 23:45	33.1	20.01

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-21 00:00	34.81	20.08
2023-11-21 00:15	35.56	18.85
2023-11-21 00:30	34.29	20.84
2023-11-21 00:45	32.88	18.56
2023-11-21 01:00	33.26	20.91
2023-11-21 01:15	34.41	18.84
2023-11-21 01:30	32.58	17.79
2023-11-21 01:45	32.18	19.63
2023-11-21 02:00	32.4	20.3
2023-11-21 02:15	32.25	18.37
2023-11-21 02:30	32.68	18.67
2023-11-21 02:45	33.02	19.84
2023-11-21 03:00	33.28	22.28
2023-11-21 03:15	33.34	16.79
2023-11-21 03:30	34.12	14.63
2023-11-21 03:45	33.86	18.2
2023-11-21 04:00	33.35	18.63
2023-11-21 04:15	32.78	18.09
2023-11-21 04:30	34.04	19.21
2023-11-21 04:45	33.5	17.8
2023-11-21 05:00	33	16.95
2023-11-21 05:15	34.2	17.96
2023-11-21 05:30	34.34	19.84
2023-11-21 05:45	33.74	16.9
2023-11-21 06:00	35.18	19.69
2023-11-21 06:15	36.67	18.4
2023-11-21 06:30	34.49	15.7
2023-11-21 06:45	33.67	14.55
2023-11-21 07:00	33.79	14.05
2023-11-21 07:15	33.46	17.01
2023-11-21 07:30	34.68	18.52
2023-11-21 07:45	34.85	19.22
2023-11-21 08:00	36.4	18.59
2023-11-21 08:15	35.81	18.54
2023-11-21 08:30	35.91	20.46
2023-11-21 08:45	38.67	20.99
2023-11-21 09:00	40.78	20.24
2023-11-21 09:15	43.16	19.04
2023-11-21 09:30	43.23	17.18
2023-11-21 09:45	43.44	16.46
2023-11-21 10:00	42.76	16
2023-11-21 10:15	41.48	16.14

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-21 10:30	37.93	15.88
2023-11-21 10:45	38.38	16.28
2023-11-21 11:00	37.61	17.27
2023-11-21 11:15	36.42	20.46
2023-11-21 11:30	38.5	21.75
2023-11-21 11:45	38.51	21.71
2023-11-21 12:00	37.13	21.04
2023-11-21 12:15	37.06	20.22
2023-11-21 12:30	36.12	20.15
2023-11-21 12:45	35.63	20.1
2023-11-21 13:00	36.41	19.15
2023-11-21 13:15	35.98	18.95
2023-11-21 13:30	36.53	18.54
2023-11-21 13:45	35.08	17.87
2023-11-21 14:00	33.53	18.73
2023-11-21 14:15	34.99	17.91
2023-11-21 14:30	33.77	17.98
2023-11-21 14:45	32.54	17.56
2023-11-21 15:00	33.38	16.19
2023-11-21 15:15	33.68	16.7
2023-11-21 15:30	34.12	16.26
2023-11-21 15:45	32.18	16.96
2023-11-21 16:00	31.44	17.07
2023-11-21 16:15	30.5	17.12
2023-11-21 16:30	30.51	17.29
2023-11-21 16:45	29.19	18.24
2023-11-21 17:00	29.11	19.05
2023-11-21 17:15	29.86	20.35
2023-11-21 17:30	30.44	19.72
2023-11-21 17:45	31.71	19.98
2023-11-21 18:00	30.91	18.95
2023-11-21 18:15	30.27	18.91
2023-11-21 18:30	29.37	18.42
2023-11-21 18:45	29.41	18.29
2023-11-21 19:00	29.77	18.66
2023-11-21 19:15	29.89	18.38
2023-11-21 19:30	29.99	18.27
2023-11-21 19:45	30.17	18.64
2023-11-21 20:00	31	18.55
2023-11-21 20:15	32.5	19.34
2023-11-21 20:30	30.53	17.94
2023-11-21 20:45	30.14	18.16

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-21 21:00	30.2	18.23
2023-11-21 21:15	30.02	18.13
2023-11-21 21:30	30.69	17.91
2023-11-21 21:45	30.99	18.13
2023-11-21 22:00	31.93	17.03
2023-11-21 22:15	32.83	17.06
2023-11-21 22:30	32.35	17.75
2023-11-21 22:45	31.78	18.45
2023-11-21 23:00	31.44	18.01
2023-11-21 23:15	32.35	18.27
2023-11-21 23:30	32.07	17.66
2023-11-21 23:45	33.23	17.52
2023-11-22 00:00	33.83	17.69
2023-11-22 00:15	34.57	18
2023-11-22 00:30	35.25	18.73
2023-11-22 00:45	35.35	17.51
2023-11-22 01:00	35.12	17.31
2023-11-22 01:15	32.58	17.75
2023-11-22 01:30	32.49	18.28
2023-11-22 01:45	30.78	20.13
2023-11-22 02:00	31.61	18.57
2023-11-22 02:15	33.16	18.41
2023-11-22 02:30	32.32	18.38
2023-11-22 02:45	32.67	18.51
2023-11-22 03:00	33.96	18.15
2023-11-22 03:15	35.84	18
2023-11-22 03:30	36.1	18.04
2023-11-22 03:45	35.23	18.64
2023-11-22 04:00	35.78	18.58
2023-11-22 04:15	33.48	20.81
2023-11-22 04:30	33.23	20.21
2023-11-22 04:45	32.15	18.18
2023-11-22 05:00	31.86	18.73
2023-11-22 05:15	32.84	18.39
2023-11-22 05:30	33.14	17.86
2023-11-22 05:45	32.22	18.43
2023-11-22 06:00	32.1	18.12
2023-11-22 06:15	32.26	18.26
2023-11-22 06:30	32.8	18.29
2023-11-22 06:45	32.03	18.38
2023-11-22 07:00	31.52	18.47
2023-11-22 07:15	32.12	18.38

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-22 07:30	32.41	17.82
2023-11-22 07:45	33.6	18.66
2023-11-22 08:00	34.5	17.72
2023-11-22 08:15	35.18	17.03
2023-11-22 08:30	34.92	16.55
2023-11-22 08:45	36.04	17.41
2023-11-22 09:00	40.13	16.74
2023-11-22 09:15	41.36	17.36
2023-11-22 09:30	42.34	16.69
2023-11-22 09:45	40.78	19.66
2023-11-22 10:00	40.07	18.88
2023-11-22 10:15	39.63	20.94
2023-11-22 10:30	38.54	19.92
2023-11-22 10:45	36.18	21.9
2023-11-22 11:00	35.63	21.34
2023-11-22 11:15	38.19	22.58
2023-11-22 11:30	37.05	22.07
2023-11-22 11:45	40.77	22.55
2023-11-22 12:00	39.22	21.27
2023-11-22 12:15	38.14	23.55
2023-11-22 12:30	37.44	20.25
2023-11-22 12:45	38	20.01
2023-11-22 13:00	36.29	18.06
2023-11-22 13:15	35.03	18.94
2023-11-22 13:30	33.07	17.92
2023-11-22 13:45	32.93	19.47
2023-11-22 14:00	33.29	16.65
2023-11-22 14:15	33.34	18.94
2023-11-22 14:30	33.02	16.71
2023-11-22 14:45	31.64	19.4
2023-11-22 15:00	34.17	16.81
2023-11-22 15:15	34.35	16.59
2023-11-22 15:30	32.35	16.24
2023-11-22 15:45	30.75	16.21
2023-11-22 16:00	31.97	15.39
2023-11-22 16:15	33.46	15.67
2023-11-22 16:30	32.28	14.47
2023-11-22 16:45	32.84	16.01
2023-11-22 17:00	33.8	16.45
2023-11-22 17:15	31.84	15.91
2023-11-22 17:30	31.84	14.9
2023-11-22 17:45	32.07	17.79

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-22 18:00	31.96	19.07
2023-11-22 18:15	31.37	18.87
2023-11-22 18:30	30.4	18.2
2023-11-22 18:45	29.79	18.01
2023-11-22 19:00	29.72	17.65
2023-11-22 19:15	29.3	17.91
2023-11-22 19:30	29.35	16.86
2023-11-22 19:45	29.88	18.86
2023-11-22 20:00	30.03	18.11
2023-11-22 20:15	31.25	20.31
2023-11-22 20:30	31.39	20.16
2023-11-22 20:45	30.8	20.97
2023-11-22 21:00	30.81	18.23
2023-11-22 21:15	30.88	17.57
2023-11-22 21:30	31.38	17.82
2023-11-22 21:45	31.62	17.96
2023-11-22 22:00	32.78	17.56
2023-11-22 22:15	32.11	18.04
2023-11-22 22:30	31.06	17.87
2023-11-22 22:45	30.83	19.39
2023-11-22 23:00	30.54	18.5
2023-11-22 23:15	30.8	19.04
2023-11-22 23:30	31.1	18.6
2023-11-22 23:45	31.6	17.36
2023-11-23 00:00	31.46	17.76
2023-11-23 00:15	31.99	17.31
2023-11-23 00:30	31.1	17.77
2023-11-23 00:45	31.48	17.96
2023-11-23 01:00	32.36	17.36
2023-11-23 01:15	32.26	18.05
2023-11-23 01:30	31.91	17.01
2023-11-23 01:45	31.14	19.35
2023-11-23 02:00	31.09	18.82
2023-11-23 02:15	31.13	17.29
2023-11-23 02:30	31.94	16.87
2023-11-23 02:45	31.77	17.29
2023-11-23 03:00	31.28	17.18
2023-11-23 03:15	33.21	16.8
2023-11-23 03:30	34.14	15.65
2023-11-23 03:45	35.08	16.09
2023-11-23 04:00	32.91	15.25
2023-11-23 04:15	32.1	17.17

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-23 04:30	30.82	17.26
2023-11-23 04:45	31.15	18.73
2023-11-23 05:00	30.66	18.51
2023-11-23 05:15	30.63	16.74
2023-11-23 05:30	30.78	16.18
2023-11-23 05:45	32.58	16.95
2023-11-23 06:00	33.1	16.44
2023-11-23 06:15	34.32	14.75
2023-11-23 06:30	36.68	13.81
2023-11-23 06:45	33.81	16.14
2023-11-23 07:00	32.28	16.24
2023-11-23 07:15	31.47	18.16
2023-11-23 07:30	32.22	18.22
2023-11-23 07:45	32.72	19.98
2023-11-23 08:00	33.36	19.53
2023-11-23 08:15	34.7	18.62
2023-11-23 08:30	37.53	19.14
2023-11-23 08:45	36.39	19.56
2023-11-23 09:00	35.32	18.72
2023-11-23 09:15	34.88	19.16
2023-11-23 09:30	34.63	21.03
2023-11-23 09:45	34.94	22.87
2023-11-23 10:00	34.05	21.73
2023-11-23 10:15	32.76	23.99
2023-11-23 10:30	31.67	24.33
2023-11-23 10:45	31.34	23.46
2023-11-23 11:00	30.61	22.6
2023-11-23 11:15	30	22.66
2023-11-23 11:30	30.46	22.69
2023-11-23 11:45	30.51	22.76
2023-11-23 12:00	29.97	22.64
2023-11-23 12:15	30.88	23.09
2023-11-23 12:30	30.57	22.64
2023-11-23 12:45	30.06	22.84
2023-11-23 13:00	30.03	21.98
2023-11-23 13:15	29.37	21.9
2023-11-23 13:30	30.69	21.08
2023-11-23 13:45	30.28	18.56
2023-11-23 14:00	30.41	17.22
2023-11-23 14:15	30.56	16.56
2023-11-23 14:30	31.85	15.89
2023-11-23 14:45	30.47	16.29

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-23 15:00	30.75	15.23
2023-11-23 15:15	30.68	17.05
2023-11-23 15:30	31.23	15.8
2023-11-23 15:45	31.52	15.34
2023-11-23 16:00	31.46	15.83
2023-11-23 16:15	31.69	14.43
2023-11-23 16:30	31.33	13.92
2023-11-23 16:45	31.04	15.38
2023-11-23 17:00	31.18	16.13
2023-11-23 17:15	31.56	15.42
2023-11-23 17:30	31.19	15.43
2023-11-23 17:45	31.28	16.87
2023-11-23 18:00	30.12	18.36
2023-11-23 18:15	29.91	19.26
2023-11-23 18:30	29.47	18.31
2023-11-23 18:45	29.74	19.57
2023-11-23 19:00	30.32	20.12
2023-11-23 19:15	31.39	18.26
2023-11-23 19:30	29.24	18.58
2023-11-23 19:45	28.9	18.69
2023-11-23 20:00	30.87	18.25
2023-11-23 20:15	30.57	18.11
2023-11-23 20:30	29.96	17.42
2023-11-23 20:45	30.3	17.55
2023-11-23 21:00	31.52	16.3
2023-11-23 21:15	32.77	16.15
2023-11-23 21:30	32.2	15.7
2023-11-23 21:45	30.99	17.12
2023-11-23 22:00	30.86	17.57
2023-11-23 22:15	29.93	16.98
2023-11-23 22:30	30.15	17.08
2023-11-23 22:45	30.44	16.92
2023-11-23 23:00	29.82	17.04
2023-11-23 23:15	29.74	17.3
2023-11-23 23:30	30.03	17.29
2023-11-23 23:45	29.78	17.7
2023-11-24 00:00	31.06	16.51
2023-11-24 00:15	31.75	16.05
2023-11-24 00:30	31.8	17.17
2023-11-24 00:45	32.61	17.06
2023-11-24 01:00	34.11	14.49
2023-11-24 01:15	33.51	15.8

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-24 01:30	32.71	16.22
2023-11-24 01:45	32.63	16.04
2023-11-24 02:00	32.61	16.64
2023-11-24 02:15	32.53	16.77
2023-11-24 02:30	32.81	17.35
2023-11-24 02:45	32.97	17.69
2023-11-24 03:00	32.58	18.03
2023-11-24 03:15	33.87	16.64
2023-11-24 03:30	34.53	17.1
2023-11-24 03:45	33.27	16.28
2023-11-24 04:00	32.22	16.69
2023-11-24 04:15	33.31	17.11
2023-11-24 04:30	32.54	16.68
2023-11-24 04:45	31.71	16.6
2023-11-24 05:00	31.5	16.89
2023-11-24 05:15	31.59	17.4
2023-11-24 05:30	33.69	16.94
2023-11-24 05:45	34.61	17.61
2023-11-24 06:00	33.69	18.06
2023-11-24 06:15	32.08	16.84
2023-11-24 06:30	31.94	16.74
2023-11-24 06:45	31.88	16.88
2023-11-24 07:00	31.7	16.93
2023-11-24 07:15	31.3	16.89
2023-11-24 07:30	31.15	16.42
2023-11-24 07:45	31.56	17.33
2023-11-24 08:00	31.44	17.76
2023-11-24 08:15	31.09	18.13
2023-11-24 08:30	31.54	18.61
2023-11-24 08:45	32.21	19.01
2023-11-24 09:00	32.26	18.76
2023-11-24 09:15	31.78	19.27
2023-11-24 09:30	32.59	20.99
2023-11-24 09:45	32.65	20.7
2023-11-24 10:00	33.45	21.77
2023-11-24 10:15	33.51	21.97
2023-11-24 10:30	33.37	21.27
2023-11-24 10:45	33.06	23.11
2023-11-24 11:00	33.74	23.51
2023-11-24 11:15	33.52	24.52
2023-11-24 11:30	32.81	24.57
2023-11-24 11:45	31.68	23.97

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-24 12:00	31.92	24.38
2023-11-24 12:15	31.86	22.54
2023-11-24 12:30	32.1	22.08
2023-11-24 12:45	31.06	21.82
2023-11-24 13:00	30.98	21.53
2023-11-24 13:15	31.68	21.32
2023-11-24 13:30	31.83	20.54
2023-11-24 13:45	31.43	20.59
2023-11-24 14:00	31.58	20.65
2023-11-24 14:15	31.29	23.69
2023-11-24 14:30	32.47	32.62
2023-11-24 14:45	35.1	76.16
2023-11-24 15:00	37.22	155.93
2023-11-24 15:15	36.51	32.27
2023-11-24 15:30	36.34	28.82
2023-11-24 15:45	36.64	67.6
2023-11-24 16:00	37.89	65.11
2023-11-24 16:15	37.34	44.49
2023-11-24 16:30	36.97	39.4
2023-11-24 16:45	35.91	39.09
2023-11-24 17:00	36	41.59
2023-11-24 17:15	35.19	42.98
2023-11-24 17:30	33.47	46.8
2023-11-24 17:45	33.51	46.4
2023-11-24 18:00	NA	NA
2023-11-24 18:15	NA	NA
2023-11-24 18:30	NA	NA
2023-11-24 18:45	NA	NA
2023-11-24 19:00	NA	NA
2023-11-24 19:15	35.1	44.11
2023-11-24 19:30	33.02	40.56
2023-11-24 19:45	32.51	38.01
2023-11-24 20:00	32.28	47.31
2023-11-24 20:15	31.82	42.37
2023-11-24 20:30	31.37	37.25
2023-11-24 20:45	31.93	36.12
2023-11-24 21:00	33.5	32.69
2023-11-24 21:15	34.25	35.66
2023-11-24 21:30	33.97	33.38
2023-11-24 21:45	34.78	24.17
2023-11-24 22:00	33.64	21.7
2023-11-24 22:15	32.2	21.07

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-24 22:30	32.36	22.37
2023-11-24 22:45	32.31	22.9
2023-11-24 23:00	34.37	27.04
2023-11-24 23:15	34.02	24.85
2023-11-24 23:30	36.14	25.88
2023-11-24 23:45	35.59	24.22
2023-11-25 00:00	34.02	23.72
2023-11-25 00:15	34.15	28.56
2023-11-25 00:30	35.78	25.46
2023-11-25 00:45	33.93	23.21
2023-11-25 01:00	34.61	28.7
2023-11-25 01:15	34.75	22.25
2023-11-25 01:30	33.42	25.25
2023-11-25 01:45	33.42	25.6
2023-11-25 02:00	32.77	29.72
2023-11-25 02:15	34.29	24.45
2023-11-25 02:30	34.42	23.06
2023-11-25 02:45	33.93	25.89
2023-11-25 03:00	32.92	28.42
2023-11-25 03:15	32.9	32.39
2023-11-25 03:30	33.28	33.14
2023-11-25 03:45	33.07	35.83
2023-11-25 04:00	32.27	37.92
2023-11-25 04:15	32.29	32.32
2023-11-25 04:30	32.24	36.4
2023-11-25 04:45	33.22	31.05
2023-11-25 05:00	32.92	28.7
2023-11-25 05:15	32.53	25.33
2023-11-25 05:30	31.86	34.32
2023-11-25 05:45	33.09	31.37
2023-11-25 06:00	33.49	28.39
2023-11-25 06:15	32.81	26.13
2023-11-25 06:30	33.13	25.19
2023-11-25 06:45	34.01	22.92
2023-11-25 07:00	33.79	26.63
2023-11-25 07:15	33.94	24.4
2023-11-25 07:30	33.51	24.51
2023-11-25 07:45	33.89	24.56
2023-11-25 08:00	34.11	25.25
2023-11-25 08:15	33.39	22.62
2023-11-25 08:30	33.59	28.04
2023-11-25 08:45	33.15	30.44

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-25 09:00	33.16	31.36
2023-11-25 09:15	33.66	33.35
2023-11-25 09:30	32.3	37.92
2023-11-25 09:45	32.02	33.6
2023-11-25 10:00	32.75	48
2023-11-25 10:15	32.51	46.71
2023-11-25 10:30	33.02	38.8
2023-11-25 10:45	34.68	30.61
2023-11-25 11:00	35.6	34.67
2023-11-25 11:15	34.83	41.13
2023-11-25 11:30	34.45	41.73
2023-11-25 11:45	34.42	42.2
2023-11-25 12:00	34.32	43.99
2023-11-25 12:15	33.56	40.88
2023-11-25 12:30	33.8	42.42
2023-11-25 12:45	34.56	41.56
2023-11-25 13:00	34.46	43.26
2023-11-25 13:15	35.12	48.26
2023-11-25 13:30	35.71	49.63
2023-11-25 13:45	36.16	47.45
2023-11-25 14:00	35.78	41.28
2023-11-25 14:15	36.1	37.27
2023-11-25 14:30	36.82	31.01
2023-11-25 14:45	36.38	24.43
2023-11-25 15:00	35.34	27.29
2023-11-25 15:15	34.17	23.41
2023-11-25 15:30	33.05	24.76
2023-11-25 15:45	33.31	27.6
2023-11-25 16:00	33.4	26.39
2023-11-25 16:15	32.96	23.84
2023-11-25 16:30	32.88	26.41
2023-11-25 16:45	32.51	22.63
2023-11-25 17:00	32.32	24.31
2023-11-25 17:15	32	25.31
2023-11-25 17:30	32.05	29.65
2023-11-25 17:45	32.62	27.3
2023-11-25 18:00	32.47	25.9
2023-11-25 18:15	31.88	28.33
2023-11-25 18:30	31.93	27.86
2023-11-25 18:45	33.21	34.54
2023-11-25 19:00	33.36	41.34
2023-11-25 19:15	32.97	33.34

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-25 19:30	32.35	27.76
2023-11-25 19:45	32.98	25.24
2023-11-25 20:00	32.89	26.52
2023-11-25 20:15	33.9	23.47
2023-11-25 20:30	32.86	23.45
2023-11-25 20:45	33.17	35.26
2023-11-25 21:00	33.12	37.82
2023-11-25 21:15	34.42	39.35
2023-11-25 21:30	34.56	35.06
2023-11-25 21:45	35.23	32.88
2023-11-25 22:00	35.62	33.45
2023-11-25 22:15	35.37	33.16
2023-11-25 22:30	33.94	35.43
2023-11-25 22:45	33.81	36.99
2023-11-25 23:00	32.9	35.93
2023-11-25 23:15	34.02	35.01
2023-11-25 23:30	36	30.29
2023-11-25 23:45	36.4	31.97
2023-11-26 00:00	35.04	34.14
2023-11-26 00:15	37.57	33.85
2023-11-26 00:30	37.35	31.17
2023-11-26 00:45	35.01	29.39
2023-11-26 01:00	35.91	33.91
2023-11-26 01:15	34.86	35.21
2023-11-26 01:30	35.68	31.92
2023-11-26 01:45	36.5	34.22
2023-11-26 02:00	35.29	31.57
2023-11-26 02:15	35.7	27.87
2023-11-26 02:30	35.89	27.65
2023-11-26 02:45	36.24	30.24
2023-11-26 03:00	35.33	32.55
2023-11-26 03:15	35.05	34.63
2023-11-26 03:30	34.28	37.21
2023-11-26 03:45	33.84	37.59
2023-11-26 04:00	33.95	38.17
2023-11-26 04:15	33.76	33.39
2023-11-26 04:30	33.53	33.66
2023-11-26 04:45	32.84	32.76
2023-11-26 05:00	32.99	34.7
2023-11-26 05:15	33.24	29.51
2023-11-26 05:30	33.17	33.21
2023-11-26 05:45	33.55	39.78

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-26 06:00	32.99	42.55
2023-11-26 06:15	32.99	40.66
2023-11-26 06:30	33.04	40.63
2023-11-26 06:45	32.95	35.07
2023-11-26 07:00	32.91	40.18
2023-11-26 07:15	32.57	40.24
2023-11-26 07:30	32.12	46.27
2023-11-26 07:45	32.55	44.82
2023-11-26 08:00	33.35	45.91
2023-11-26 08:15	33.46	46.11
2023-11-26 08:30	32.71	44.68
2023-11-26 08:45	32.86	45.67
2023-11-26 09:00	33.09	43.83
2023-11-26 09:15	33.16	46.22
2023-11-26 09:30	32.61	43.64
2023-11-26 09:45	32.8	46.03
2023-11-26 10:00	31.87	47.68
2023-11-26 10:15	31.66	47.26
2023-11-26 10:30	31.56	47.15
2023-11-26 10:45	32.03	48.81
2023-11-26 11:00	31.87	46.99
2023-11-26 11:15	32.37	43.37
2023-11-26 11:30	32.32	44.76
2023-11-26 11:45	32.35	47.11
2023-11-26 12:00	32.72	49.06
2023-11-26 12:15	32.66	47.93
2023-11-26 12:30	33.54	49.56
2023-11-26 12:45	33.61	48.41
2023-11-26 13:00	33.55	47.23
2023-11-26 13:15	33.41	47.8
2023-11-26 13:30	33.55	46.41
2023-11-26 13:45	33.69	41.11
2023-11-26 14:00	33.46	43.1
2023-11-26 14:15	33.46	44.06
2023-11-26 14:30	33.78	42.69
2023-11-26 14:45	34.35	40.47
2023-11-26 15:00	33.73	44.17
2023-11-26 15:15	33.07	46.6
2023-11-26 15:30	32.37	49.36
2023-11-26 15:45	32.04	48.71
2023-11-26 16:00	32.22	42.02
2023-11-26 16:15	32.23	37.61

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-26 16:30	32.92	35.64
2023-11-26 16:45	32.79	38.19
2023-11-26 17:00	32.64	41.08
2023-11-26 17:15	33.14	41.61
2023-11-26 17:30	33.88	36.82
2023-11-26 17:45	34.21	31.5
2023-11-26 18:00	35.24	29.45
2023-11-26 18:15	34.54	30.89
2023-11-26 18:30	36.04	30.82
2023-11-26 18:45	35.08	31.88
2023-11-26 19:00	35.42	31.66
2023-11-26 19:15	35.29	36.83
2023-11-26 19:30	35.24	32.13
2023-11-26 19:45	35.09	32.05
2023-11-26 20:00	34.86	31.37
2023-11-26 20:15	35.59	31.09
2023-11-26 20:30	34.29	38.94
2023-11-26 20:45	34.31	38.42
2023-11-26 21:00	35.07	40.8
2023-11-26 21:15	35.8	37.19
2023-11-26 21:30	35	34.02
2023-11-26 21:45	35.21	34.36
2023-11-26 22:00	34.85	35.22
2023-11-26 22:15	34.37	33.06
2023-11-26 22:30	34.66	35.96
2023-11-26 22:45	34.47	37.68
2023-11-26 23:00	34.66	34.89
2023-11-26 23:15	35.47	30.16
2023-11-26 23:30	35.9	30.5
2023-11-26 23:45	35.07	30.95
2023-11-27 00:00	35.18	29.94
2023-11-27 00:15	34.76	31.42
2023-11-27 00:30	35.15	31.71
2023-11-27 00:45	34.47	33.45
2023-11-27 01:00	34.17	33.76
2023-11-27 01:15	34.07	33.34
2023-11-27 01:30	33.91	30.83
2023-11-27 01:45	35.2	23.41
2023-11-27 02:00	36.82	22.6
2023-11-27 02:15	36.52	27.78
2023-11-27 02:30	36.18	21.61
2023-11-27 02:45	35.18	24.44

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-27 03:00	35.88	25.3
2023-11-27 03:15	38.1	28.25
2023-11-27 03:30	34.81	27.49
2023-11-27 03:45	34.68	28.39
2023-11-27 04:00	34.92	29.54
2023-11-27 04:15	34.07	27.46
2023-11-27 04:30	35.01	26.83
2023-11-27 04:45	35.09	23.95
2023-11-27 05:00	34.72	21.44
2023-11-27 05:15	34.22	25.03
2023-11-27 05:30	34.45	28.66
2023-11-27 05:45	34.55	32.31
2023-11-27 06:00	34.46	37.44
2023-11-27 06:15	35.22	30.35
2023-11-27 06:30	36.14	25.87
2023-11-27 06:45	37.41	24.3
2023-11-27 07:00	37	24.04
2023-11-27 07:15	36.2	26.87
2023-11-27 07:30	34.72	27.25
2023-11-27 07:45	33.92	33.5
2023-11-27 08:00	34.58	44.93
2023-11-27 08:15	33.58	44.1
2023-11-27 08:30	32.92	43.81
2023-11-27 08:45	33.96	43.7
2023-11-27 09:00	35.47	42.99
2023-11-27 09:15	36.69	42.57
2023-11-27 09:30	36.64	41.98
2023-11-27 09:45	36.41	40.56
2023-11-27 10:00	36.95	41.91
2023-11-27 10:15	36.74	40.95
2023-11-27 10:30	36.23	40.34
2023-11-27 10:45	35.63	41.56
2023-11-27 11:00	35.59	40.05
2023-11-27 11:15	35.4	38.78
2023-11-27 11:30	35.41	39.52
2023-11-27 11:45	34.86	38.79
2023-11-27 12:00	33.49	40.12
2023-11-27 12:15	33.67	42.38
2023-11-27 12:30	33.67	43.38
2023-11-27 12:45	32.86	44.36
2023-11-27 13:00	35.88	45.86
2023-11-27 13:15	33.45	50.22

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-27 13:30	32.96	48.36
2023-11-27 13:45	32.13	48.08
2023-11-27 14:00	32.22	45.86
2023-11-27 14:15	32.89	37.78
2023-11-27 14:30	33.26	27
2023-11-27 14:45	33.24	25.87
2023-11-27 15:00	34.17	28.67
2023-11-27 15:15	34.06	29.58
2023-11-27 15:30	34.39	27.49
2023-11-27 15:45	34.04	28.41
2023-11-27 16:00	33.94	27.23
2023-11-27 16:15	34.19	26.1
2023-11-27 16:30	34.24	25.14
2023-11-27 16:45	34.46	27.1
2023-11-27 17:00	33.67	23.38
2023-11-27 17:15	33.3	25.35
2023-11-27 17:30	33.14	24.96
2023-11-27 17:45	33.63	26.3
2023-11-27 18:00	32.79	26.38
2023-11-27 18:15	33.83	34.3
2023-11-27 18:30	33.95	41.67
2023-11-27 18:45	37.42	42.24
2023-11-27 19:00	34.47	36.41
2023-11-27 19:15	33.65	35.1
2023-11-27 19:30	33.42	33.92
2023-11-27 19:45	33.44	33.45
2023-11-27 20:00	32.97	39.03
2023-11-27 20:15	33.5	37.69
2023-11-27 20:30	33.59	31.92
2023-11-27 20:45	33.16	34.21
2023-11-27 21:00	33.41	30.33
2023-11-27 21:15	35.77	31.63
2023-11-27 21:30	33.63	31.69
2023-11-27 21:45	32.45	30.5
2023-11-27 22:00	32.18	34.1
2023-11-27 22:15	32.77	35.62
2023-11-27 22:30	32.49	32.56
2023-11-27 22:45	32.17	34.65
2023-11-27 23:00	32.57	33.06
2023-11-27 23:15	32.68	35.45
2023-11-27 23:30	31.96	32.82
2023-11-27 23:45	32.05	35.02

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-28 00:00	31.79	33.9
2023-11-28 00:15	31.61	37.3
2023-11-28 00:30	31.37	31.99
2023-11-28 00:45	31.68	30.91
2023-11-28 01:00	32.06	30.07
2023-11-28 01:15	33.23	28.24
2023-11-28 01:30	35.51	22.17
2023-11-28 01:45	35.54	33.22
2023-11-28 02:00	33.15	20.7
2023-11-28 02:15	32.06	26.44
2023-11-28 02:30	32.83	31.33
2023-11-28 02:45	33.25	32.79
2023-11-28 03:00	33.66	29.85
2023-11-28 03:15	33.14	33.11
2023-11-28 03:30	32.54	30.21
2023-11-28 03:45	32.5	32.83
2023-11-28 04:00	32.31	29.35
2023-11-28 04:15	32.16	29.93
2023-11-28 04:30	32.5	28.35
2023-11-28 04:45	32.73	26.27
2023-11-28 05:00	32.9	24.75
2023-11-28 05:15	34.76	23.9
2023-11-28 05:30	35.79	22.36
2023-11-28 05:45	34.43	33.2
2023-11-28 06:00	33.74	37.99
2023-11-28 06:15	38.01	30.35
2023-11-28 06:30	32.51	27.39
2023-11-28 06:45	31.94	28.65
2023-11-28 07:00	31.8	28.17
2023-11-28 07:15	32.07	33.56
2023-11-28 07:30	31.69	35.01
2023-11-28 07:45	32.25	43.03
2023-11-28 08:00	33.67	46.09
2023-11-28 08:15	34.11	48.05
2023-11-28 08:30	34.33	46.85
2023-11-28 08:45	35.28	44.23
2023-11-28 09:00	35.62	41.19
2023-11-28 09:15	35.04	37.89
2023-11-28 09:30	34.48	39.72
2023-11-28 09:45	36.15	42.58
2023-11-28 10:00	34.9	39.77
2023-11-28 10:15	35.62	42.26

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-28 10:30	34.05	39.5
2023-11-28 10:45	32.48	38.77
2023-11-28 11:00	33.89	35.85
2023-11-28 11:15	32.39	35.64
2023-11-28 11:30	32.21	35.51
2023-11-28 11:45	31.98	40.07
2023-11-28 12:00	31.2	42.82
2023-11-28 12:15	30.57	47.51
2023-11-28 12:30	31.57	48.98
2023-11-28 12:45	32.31	53.27
2023-11-28 13:00	32.53	52.39
2023-11-28 13:15	33.22	50.7
2023-11-28 13:30	32.45	45.35
2023-11-28 13:45	32.25	37.09
2023-11-28 14:00	33.01	31.56
2023-11-28 14:15	33.06	32.38
2023-11-28 14:30	33.57	27.22
2023-11-28 14:45	33.75	26.83
2023-11-28 15:00	33.44	28.3
2023-11-28 15:15	33.47	27.78
2023-11-28 15:30	33.75	25.37
2023-11-28 15:45	34.48	23.43
2023-11-28 16:00	34.18	24.61
2023-11-28 16:15	34.36	27.02
2023-11-28 16:30	34.05	29.06
2023-11-28 16:45	34.58	33.93
2023-11-28 17:00	34.49	37.63
2023-11-28 17:15	34.8	41.56
2023-11-28 17:30	33.5	41.75
2023-11-28 17:45	35.67	37.59
2023-11-28 18:00	35.55	31.53
2023-11-28 18:15	33.87	29.99
2023-11-28 18:30	32.97	34.46
2023-11-28 18:45	33.16	36.98
2023-11-28 19:00	34.79	26.78
2023-11-28 19:15	35.44	23.04
2023-11-28 19:30	35.33	26.14
2023-11-28 19:45	36.04	31.88
2023-11-28 20:00	34.91	45.02
2023-11-28 20:15	36.02	44.66
2023-11-28 20:30	36.09	36
2023-11-28 20:45	35.75	31.06

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-28 21:00	36.31	32.48
2023-11-28 21:15	36.02	34.53
2023-11-28 21:30	36.1	32.85
2023-11-28 21:45	36.46	31.22
2023-11-28 22:00	37.77	29.92
2023-11-28 22:15	39.99	27.39
2023-11-28 22:30	39.64	29.02
2023-11-28 22:45	39.1	30.03
2023-11-28 23:00	39.9	32.25
2023-11-28 23:15	37.7	35.31
2023-11-28 23:30	36.46	38.48
2023-11-28 23:45	37.77	35.24
2023-11-29 00:00	38.85	32.01
2023-11-29 00:15	38.69	34.95
2023-11-29 00:30	38.27	33.4
2023-11-29 00:45	37.71	35.11
2023-11-29 01:00	39.27	32.29
2023-11-29 01:15	40.16	29.99
2023-11-29 01:30	41.34	28.66
2023-11-29 01:45	41.77	31.49
2023-11-29 02:00	39.65	34.58
2023-11-29 02:15	38.15	31.31
2023-11-29 02:30	38.27	34.46
2023-11-29 02:45	38.85	36.62
2023-11-29 03:00	39.05	37.29
2023-11-29 03:15	39.64	30.14
2023-11-29 03:30	38.39	29.05
2023-11-29 03:45	37.76	31.72
2023-11-29 04:00	37.55	32.85
2023-11-29 04:15	36.89	40.14
2023-11-29 04:30	36.5	36.05
2023-11-29 04:45	36.54	35.75
2023-11-29 05:00	37.54	38.39
2023-11-29 05:15	36.93	32.59
2023-11-29 05:30	36.64	31.22
2023-11-29 05:45	36.67	30.32
2023-11-29 06:00	36.81	28.52
2023-11-29 06:15	36.44	28.12
2023-11-29 06:30	36	29.31
2023-11-29 06:45	36.88	26.34
2023-11-29 07:00	38.35	25.97
2023-11-29 07:15	39.14	24.98

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-29 07:30	37.21	27.12
2023-11-29 07:45	38.3	32.55
2023-11-29 08:00	36.42	45.41
2023-11-29 08:15	36.4	44.35
2023-11-29 08:30	38.18	43.98
2023-11-29 08:45	39.65	40.6
2023-11-29 09:00	39.88	38.27
2023-11-29 09:15	38.6	36.91
2023-11-29 09:30	38.14	37.3
2023-11-29 09:45	38.29	35.12
2023-11-29 10:00	36.68	32.12
2023-11-29 10:15	35.73	30.85
2023-11-29 10:30	36.74	30.61
2023-11-29 10:45	35.8	28.96
2023-11-29 11:00	35.06	29.59
2023-11-29 11:15	34.47	32.1
2023-11-29 11:30	33.56	34.94
2023-11-29 11:45	34.02	36.91
2023-11-29 12:00	33.94	40.13
2023-11-29 12:15	34.73	41.54
2023-11-29 12:30	35.16	41.25
2023-11-29 12:45	31.94	47.97
2023-11-29 13:00	31.42	48.03
2023-11-29 13:15	37.77	50.32
2023-11-29 13:30	39.23	48.95
2023-11-29 13:45	37.56	48.73
2023-11-29 14:00	38.51	44.96
2023-11-29 14:15	38.44	40.4
2023-11-29 14:30	39.23	34.27
2023-11-29 14:45	38.44	33.46
2023-11-29 15:00	38.1	32.01
2023-11-29 15:15	38.88	33.02
2023-11-29 15:30	39.56	35.77
2023-11-29 15:45	38.61	43.92
2023-11-29 16:00	38.46	43.84
2023-11-29 16:15	39.39	48.22
2023-11-29 16:30	39.35	49.37
2023-11-29 16:45	39.03	46.64
2023-11-29 17:00	39.08	35.44
2023-11-29 17:15	38.91	37.02
2023-11-29 17:30	38.45	44.16
2023-11-29 17:45	38.12	46.32

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-29 18:00	38.34	44.05
2023-11-29 18:15	37.31	41.01
2023-11-29 18:30	38	40.03
2023-11-29 18:45	38.75	42.08
2023-11-29 19:00	38.15	43.27
2023-11-29 19:15	37.23	43.66
2023-11-29 19:30	37.05	44.49
2023-11-29 19:45	35.47	44.43
2023-11-29 20:00	36.38	45.18
2023-11-29 20:15	36.28	42.51
2023-11-29 20:30	35.57	45.31
2023-11-29 20:45	35.6	45.42
2023-11-29 21:00	35.34	45.74
2023-11-29 21:15	35.38	45.88
2023-11-29 21:30	35.27	45.52
2023-11-29 21:45	36.23	43.64
2023-11-29 22:00	36.95	45.59
2023-11-29 22:15	35.78	41.54
2023-11-29 22:30	36.32	43.01
2023-11-29 22:45	36.18	42.75
2023-11-29 23:00	36.28	38.96
2023-11-29 23:15	36.7	41.75
2023-11-29 23:30	36.84	36.55
2023-11-29 23:45	36.2	36.12
2023-11-30 00:00	35.7	38.66
2023-11-30 00:15	34.97	40.88
2023-11-30 00:30	34.82	37.68
2023-11-30 00:45	35.2	34.44
2023-11-30 01:00	34.46	34.16
2023-11-30 01:15	34.38	40.06
2023-11-30 01:30	34.71	44.14
2023-11-30 01:45	36.44	40.69
2023-11-30 02:00	37.07	27.78
2023-11-30 02:15	43.32	33.14
2023-11-30 02:30	41.46	30.51
2023-11-30 02:45	40.19	23.44
2023-11-30 03:00	38.1	24.02
2023-11-30 03:15	35.74	23.08
2023-11-30 03:30	34.33	24.1
2023-11-30 03:45	34.86	21.5
2023-11-30 04:00	36.77	23.41
2023-11-30 04:15	38.18	21.84

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-30 04:30	38.32	21.08
2023-11-30 04:45	35.57	20.39
2023-11-30 05:00	36.12	20.76
2023-11-30 05:15	37.84	22.67
2023-11-30 05:30	35.5	27.11
2023-11-30 05:45	35.76	37.12
2023-11-30 06:00	34.93	43.6
2023-11-30 06:15	34.48	34.48
2023-11-30 06:30	34.77	30.77
2023-11-30 06:45	34.52	27.08
2023-11-30 07:00	34.06	28.83
2023-11-30 07:15	34.9	36.82
2023-11-30 07:30	34.64	47.68
2023-11-30 07:45	35.6	42.5
2023-11-30 08:00	35.48	41.6
2023-11-30 08:15	36.46	40.33
2023-11-30 08:30	35.94	38.21
2023-11-30 08:45	36.61	32.22
2023-11-30 09:00	36.84	30.55
2023-11-30 09:15	36.56	27.8
2023-11-30 09:30	36.9	30.24
2023-11-30 09:45	36.17	27.77
2023-11-30 10:00	35.86	25.81
2023-11-30 10:15	34.88	25.49
2023-11-30 10:30	35.98	28.2
2023-11-30 10:45	36.13	26.51
2023-11-30 11:00	35.33	30.39
2023-11-30 11:15	34.98	34.4
2023-11-30 11:30	35.4	42.03
2023-11-30 11:45	33.86	42.81
2023-11-30 12:00	34.7	42.5
2023-11-30 12:15	34.74	40.33
2023-11-30 12:30	34.81	41.09
2023-11-30 12:45	35.3	42.85
2023-11-30 13:00	34.97	45.55
2023-11-30 13:15	35.06	49.31
2023-11-30 13:30	34.82	46.73
2023-11-30 13:45	34.9	37.96
2023-11-30 14:00	34.94	33.03
2023-11-30 14:15	35.24	28.88
2023-11-30 14:30	35.05	26.01
2023-11-30 14:45	35.16	27.59

Time	RP_Stack-PM	Cooler_Stack-PM
2023-11-30 15:00	36.22	27.95
2023-11-30 15:15	36.03	30.33
2023-11-30 15:30	35.33	32.38
2023-11-30 15:45	34.9	33.96
2023-11-30 16:00	34.93	35.88
2023-11-30 16:15	34.87	37.25
2023-11-30 16:30	35.46	40.8
2023-11-30 16:45	35.22	41.44
2023-11-30 17:00	35.38	43.13
2023-11-30 17:15	35.78	44.03
2023-11-30 17:30	36.2	43.08
2023-11-30 17:45	34.85	44.07
2023-11-30 18:00	35.35	49.26
2023-11-30 18:15	35.29	47.21
2023-11-30 18:30	36.77	45.78
2023-11-30 18:45	34.94	46.23
2023-11-30 19:00	35.23	46.2
2023-11-30 19:15	35.77	46.28
2023-11-30 19:30	35.68	45.06
2023-11-30 19:45	34.34	43.15
2023-11-30 20:00	34.07	46.94
2023-11-30 20:15	33.56	43.21
2023-11-30 20:30	34.57	40.57
2023-11-30 20:45	34.43	39.08
2023-11-30 21:00	33.98	44.04
2023-11-30 21:15	34.14	42.3
2023-11-30 21:30	34.61	40.87
2023-11-30 21:45	35.43	39.12
2023-11-30 22:00	35.23	41.27
2023-11-30 22:15	34.98	40.91
2023-11-30 22:30	35.79	37.56
2023-11-30 22:45	36.08	35.62
2023-11-30 23:00	35.22	36.95
2023-11-30 23:15	35.43	36.27
2023-11-30 23:30	35.82	39.94
2023-11-30 23:45	NA	NA

Goa State Pollution Control Board

Industry Name	:	M/S Goa Carbon Limited
Address	:	ST.-JOSE-DE,AREAL-SALCETE
District	:	South Goa
Category	:	Petrochemicals
Parameters	:	RP_Stack-PM, Cooler_Stack-PM
Report Format	:	Tabular
Criteria	:	15min
Date	:	From 2023/12/01 To 2023/12/31

Display 10 records

RealTime Data Search:

Time	RP_Stack-PM	Cooler_Stack-PM
2023-12-01 00:00	35.73	39.15
2023-12-01 00:15	35.78	38.2
2023-12-01 00:30	36	32.25
2023-12-01 00:45	36.21	32.77
2023-12-01 01:00	35.58	37.7
2023-12-01 01:15	36.02	35.39
2023-12-01 01:30	35.85	36.02
2023-12-01 01:45	37.39	34.02
2023-12-01 02:00	36.36	32.33
2023-12-01 02:15	35.76	29.26

Showing 1 to 10 of 2,976 entries

Previous 1 2 3 4 5 ... 298 Next

Goa State Pollution Control Board

Industry Name	:	M/S Goa Carbon Limited
Address	:	ST.-JOSE-DE,AREAL-SALCETE
District	:	South Goa
Category	:	Petrochemicals
Parameters	:	RP_Stack-PM, Cooler_Stack-PM
Report Format	:	Tabular
Criteria	:	15min
Date	:	From 2024/01/01 To 2024/01/31

RealTime Data

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-01 00:00	37.59	18.09
2024-01-01 00:15	37.3	16.52
2024-01-01 00:30	37.05	16.39
2024-01-01 00:45	37.18	16.15
2024-01-01 01:00	37.47	16.49
2024-01-01 01:15	37.38	16.52
2024-01-01 01:30	37.61	16.75
2024-01-01 01:45	37.72	16.35
2024-01-01 02:00	38	16.9
2024-01-01 02:15	38.37	17.3
2024-01-01 02:30	38.03	17.52
2024-01-01 02:45	37.75	17.25
2024-01-01 03:00	38.05	18
2024-01-01 03:15	37.86	16.19
2024-01-01 03:30	38.75	16.13
2024-01-01 03:45	38.27	16.28
2024-01-01 04:00	38.16	16.54
2024-01-01 04:15	38.47	16.14
2024-01-01 04:30	38.36	16.69
2024-01-01 04:45	38.67	16.21
2024-01-01 05:00	38.42	18.16
2024-01-01 05:15	38.34	17.31
2024-01-01 05:30	38.58	20.89
2024-01-01 05:45	38.27	19.26
2024-01-01 06:00	39.29	19.38
2024-01-01 06:15	38.37	18.54
2024-01-01 06:30	37.98	18.97
2024-01-01 06:45	38.34	17.98
2024-01-01 07:00	37.8	17.4
2024-01-01 07:15	37.42	16.91
2024-01-01 07:30	38.24	17.68
2024-01-01 07:45	37.82	16.59
2024-01-01 08:00	38.03	19.63

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-01 08:15	38.87	17.31
2024-01-01 08:30	39.12	19.33
2024-01-01 08:45	39.22	17.8
2024-01-01 09:00	38.88	18.05
2024-01-01 09:15	40.24	18.13
2024-01-01 09:30	39.11	18.15
2024-01-01 09:45	39.15	17.84
2024-01-01 10:00	39.43	18.08
2024-01-01 10:15	39.21	17.44
2024-01-01 10:30	39.03	18.61
2024-01-01 10:45	39.3	18.13
2024-01-01 11:00	38.91	20.05
2024-01-01 11:15	39.12	18.61
2024-01-01 11:30	39.68	19.44
2024-01-01 11:45	38.54	17.62
2024-01-01 12:00	38.5	20.46
2024-01-01 12:15	37.65	18.6
2024-01-01 12:30	37.69	18.32
2024-01-01 12:45	36.83	18.44
2024-01-01 13:00	36.56	18.78
2024-01-01 13:15	37.12	18.69
2024-01-01 13:30	36.61	19.23
2024-01-01 13:45	37.06	17.15
2024-01-01 14:00	36.81	18.14
2024-01-01 14:15	36.88	16.32
2024-01-01 14:30	36.69	16.11
2024-01-01 14:45	36.47	16.02
2024-01-01 15:00	37.23	18.22
2024-01-01 15:15	36.73	16.47
2024-01-01 15:30	36.51	16.13
2024-01-01 15:45	36.52	15.83
2024-01-01 16:00	36.47	16.11
2024-01-01 16:15	37.29	15.77
2024-01-01 16:30	37.23	15.93
2024-01-01 16:45	36.88	15.37
2024-01-01 17:00	37.48	17.89
2024-01-01 17:15	36.88	15.96
2024-01-01 17:30	36.62	16.35
2024-01-01 17:45	36.65	15.24
2024-01-01 18:00	36.59	15.43
2024-01-01 18:15	36.84	15.27
2024-01-01 18:30	37.96	15.65
2024-01-01 18:45	37.8	15.36
2024-01-01 19:00	38.42	16.49
2024-01-01 19:15	38.91	15.69

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-01 19:30	38.72	17.58
2024-01-01 19:45	38.26	15.85
2024-01-01 20:00	38.24	15.33
2024-01-01 20:15	38.31	15.46
2024-01-01 20:30	38.15	15.83
2024-01-01 20:45	38.11	15.93
2024-01-01 21:00	38.16	16.23
2024-01-01 21:15	38.16	15.83
2024-01-01 21:30	38.7	16.78
2024-01-01 21:45	38.43	16.48
2024-01-01 22:00	37.8	17.4
2024-01-01 22:15	38.13	16.51
2024-01-01 22:30	37.56	17.36
2024-01-01 22:45	37.61	16.54
2024-01-01 23:00	37.31	16.05
2024-01-01 23:15	37.27	16.17
2024-01-01 23:30	37.32	16.17
2024-01-01 23:45	37.13	15.93
2024-01-02 00:00	37.29	16.88
2024-01-02 00:15	37.23	16.51
2024-01-02 00:30	36.77	18.14
2024-01-02 00:45	36.72	16.6
2024-01-02 01:00	37.21	19.58
2024-01-02 01:15	37.42	17.77
2024-01-02 01:30	37.23	17.16
2024-01-02 01:45	36.94	16.46
2024-01-02 02:00	37.07	17.04
2024-01-02 02:15	37.66	16.46
2024-01-02 02:30	37.75	16.76
2024-01-02 02:45	37.94	17.19
2024-01-02 03:00	37.72	18.31
2024-01-02 03:15	37.96	18.34
2024-01-02 03:30	38.18	19.82
2024-01-02 03:45	38.81	19.3
2024-01-02 04:00	39.11	20.69
2024-01-02 04:15	38.47	19.47
2024-01-02 04:30	39.06	18.56
2024-01-02 04:45	38.38	18.34
2024-01-02 05:00	38.59	17.01
2024-01-02 05:15	38.75	17.23
2024-01-02 05:30	38.15	17.73
2024-01-02 05:45	38.06	16.84
2024-01-02 06:00	38.34	18
2024-01-02 06:15	38.76	17.78
2024-01-02 06:30	39.33	20.22

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-02 06:45	38.95	18.73
2024-01-02 07:00	37.9	17.49
2024-01-02 07:15	38.12	16.58
2024-01-02 07:30	37.93	16.81
2024-01-02 07:45	37.98	17.47
2024-01-02 08:00	37.93	18.6
2024-01-02 08:15	38.01	16.91
2024-01-02 08:30	38.78	16.94
2024-01-02 08:45	39.07	16.85
2024-01-02 09:00	39.57	18.55
2024-01-02 09:15	39.81	17.68
2024-01-02 09:30	40.29	19.95
2024-01-02 09:45	40.54	18.42
2024-01-02 10:00	40.14	17.11
2024-01-02 10:15	40.72	16.54
2024-01-02 10:30	40.18	17.67
2024-01-02 10:45	38.82	18.12
2024-01-02 11:00	38.47	18.25
2024-01-02 11:15	39.09	18.18
2024-01-02 11:30	40.04	18.4
2024-01-02 11:45	40.28	18.33
2024-01-02 12:00	40.63	18.52
2024-01-02 12:15	39.4	18.55
2024-01-02 12:30	39.26	18.31
2024-01-02 12:45	37.96	17.95
2024-01-02 13:00	37.56	17.57
2024-01-02 13:15	37.71	17.5
2024-01-02 13:30	37.04	17.42
2024-01-02 13:45	37.17	17.07
2024-01-02 14:00	36.87	16.27
2024-01-02 14:15	36.72	15.98
2024-01-02 14:30	37.65	16.82
2024-01-02 14:45	36.99	16.53
2024-01-02 15:00	36.55	18.12
2024-01-02 15:15	36.91	17.36
2024-01-02 15:30	36.87	16.3
2024-01-02 15:45	37.18	16.25
2024-01-02 16:00	37.76	16.33
2024-01-02 16:15	37.33	16.31
2024-01-02 16:30	36.74	16.33
2024-01-02 16:45	36.28	16.1
2024-01-02 17:00	36.06	15.94
2024-01-02 17:15	36.34	15.6
2024-01-02 17:30	36.26	15.93
2024-01-02 17:45	35.57	15.74

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-02 18:00	35.46	17
2024-01-02 18:15	36.02	16.14
2024-01-02 18:30	36.82	16.71
2024-01-02 18:45	36.77	16.08
2024-01-02 19:00	36.89	15.78
2024-01-02 19:15	37.65	16.17
2024-01-02 19:30	38.42	16.33
2024-01-02 19:45	38.45	15.39
2024-01-02 20:00	37.83	16.26
2024-01-02 20:15	39.62	15.66
2024-01-02 20:30	38.87	15.78
2024-01-02 20:45	39.69	15.53
2024-01-02 21:00	38.62	16.23
2024-01-02 21:15	38.48	15.86
2024-01-02 21:30	38.96	17.42
2024-01-02 21:45	38.56	16.88
2024-01-02 22:00	38.74	16.04
2024-01-02 22:15	38.25	15.65
2024-01-02 22:30	37.98	15.68
2024-01-02 22:45	38.48	15.72
2024-01-02 23:00	38.52	16.03
2024-01-02 23:15	39.03	16.24
2024-01-02 23:30	39.15	17.42
2024-01-02 23:45	39.03	17.45
2024-01-03 00:00	39.01	18.31
2024-01-03 00:15	38.83	17.25
2024-01-03 00:30	39.36	17.8
2024-01-03 00:45	39.01	18.12
2024-01-03 01:00	39.51	16.53
2024-01-03 01:15	39.75	16.77
2024-01-03 01:30	39.77	16.56
2024-01-03 01:45	39.47	16.56
2024-01-03 02:00	39.43	17.29
2024-01-03 02:15	39.53	17.62
2024-01-03 02:30	39.53	17.68
2024-01-03 02:45	39.67	17.69
2024-01-03 03:00	39.45	18.45
2024-01-03 03:15	39.98	18.5
2024-01-03 03:30	39.92	18.89
2024-01-03 03:45	39.98	18.51
2024-01-03 04:00	39.54	17.16
2024-01-03 04:15	39.27	16.61
2024-01-03 04:30	39.19	16.55
2024-01-03 04:45	39.46	16.72
2024-01-03 05:00	39.47	16.94

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-03 05:15	39.73	16.77
2024-01-03 05:30	39.28	17.42
2024-01-03 05:45	39.51	17.71
2024-01-03 06:00	39.05	18.92
2024-01-03 06:15	39.25	18.84
2024-01-03 06:30	38.77	17.08
2024-01-03 06:45	38.68	17.11
2024-01-03 07:00	38.57	17.36
2024-01-03 07:15	38.53	17.39
2024-01-03 07:30	38.17	17.46
2024-01-03 07:45	38.24	17.16
2024-01-03 08:00	38.71	17.13
2024-01-03 08:15	38.74	16.6
2024-01-03 08:30	39.23	16.92
2024-01-03 08:45	39.03	17.08
2024-01-03 09:00	39.4	17.81
2024-01-03 09:15	38.87	18.25
2024-01-03 09:30	38.83	18.23
2024-01-03 09:45	39.03	18.13
2024-01-03 10:00	39.44	16.24
2024-01-03 10:15	39.86	16.25
2024-01-03 10:30	40.13	16.49
2024-01-03 10:45	39.98	17.17
2024-01-03 11:00	40.48	16.9
2024-01-03 11:15	39.95	17.27
2024-01-03 11:30	38.93	18.24
2024-01-03 11:45	38.55	18.56
2024-01-03 12:00	38.71	18.71
2024-01-03 12:15	38.76	18.82
2024-01-03 12:30	38.27	19.29
2024-01-03 12:45	37.87	19.62
2024-01-03 13:00	37.23	18.61
2024-01-03 13:15	37.72	18.49
2024-01-03 13:30	38.02	18.27
2024-01-03 13:45	37.46	17.48
2024-01-03 14:00	36.87	17.93
2024-01-03 14:15	37.1	17.8
2024-01-03 14:30	37.44	16.81
2024-01-03 14:45	37.57	17.66
2024-01-03 15:00	36.8	17.39
2024-01-03 15:15	36.76	17.89
2024-01-03 15:30	37.51	17.09
2024-01-03 15:45	37.52	17.19
2024-01-03 16:00	37.03	16.46
2024-01-03 16:15	37.93	16.48

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-03 16:30	37.55	17.17
2024-01-03 16:45	37.65	16.66
2024-01-03 17:00	37.86	17.05
2024-01-03 17:15	38.21	17.9
2024-01-03 17:30	37.8	16.5
2024-01-03 17:45	37.43	16.18
2024-01-03 18:00	37.05	15.96
2024-01-03 18:15	37.01	15.78
2024-01-03 18:30	36.99	16.04
2024-01-03 18:45	36.84	16.67
2024-01-03 19:00	37.87	15.73
2024-01-03 19:15	39.05	15.98
2024-01-03 19:30	36.88	15.92
2024-01-03 19:45	47.4	16.18
2024-01-03 20:00	45.22	16.15
2024-01-03 20:15	41.26	28.82
2024-01-03 20:30	76.95	18.57
2024-01-03 20:45	68.87	15.4
2024-01-03 21:00	61.37	15.82
2024-01-03 21:15	0	16.81
2024-01-03 21:30	0	15.58
2024-01-03 21:45	0	16.24
2024-01-03 22:00	17.61	16.41
2024-01-03 22:15	36.14	17.02
2024-01-03 22:30	36.38	16.55
2024-01-03 22:45	36.87	17.97
2024-01-03 23:00	36.72	17.41
2024-01-03 23:15	37.08	17.49
2024-01-03 23:30	37.01	17.58
2024-01-03 23:45	38.14	16.65
2024-01-04 00:00	38.31	17.36
2024-01-04 00:15	38.24	17.93
2024-01-04 00:30	37.9	19.4
2024-01-04 00:45	36.77	20.81
2024-01-04 01:00	36.01	19.1
2024-01-04 01:15	36.36	19.18
2024-01-04 01:30	36.17	19.5
2024-01-04 01:45	36.19	18.58
2024-01-04 02:00	35.73	18.35
2024-01-04 02:15	35.96	21.13
2024-01-04 02:30	36.31	22.31
2024-01-04 02:45	36.37	19.49
2024-01-04 03:00	35.84	19.23
2024-01-04 03:15	35.7	19.46
2024-01-04 03:30	36.05	20.58

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-04 03:45	35.99	20.96
2024-01-04 04:00	36.33	22.18
2024-01-04 04:15	36.06	23.28
2024-01-04 04:30	35.8	21.99
2024-01-04 04:45	35.89	20.12
2024-01-04 05:00	35.88	19.75
2024-01-04 05:15	35.88	18.52
2024-01-04 05:30	36.8	18.31
2024-01-04 05:45	35.9	17.78
2024-01-04 06:00	36.19	19.37
2024-01-04 06:15	36.65	19.56
2024-01-04 06:30	35.88	20.06
2024-01-04 06:45	35.15	17.91
2024-01-04 07:00	35.22	18.38
2024-01-04 07:15	35.82	17.42
2024-01-04 07:30	35.8	16.93
2024-01-04 07:45	35.51	16.78
2024-01-04 08:00	35.44	18.31
2024-01-04 08:15	37.58	17.91
2024-01-04 08:30	36.52	17.28
2024-01-04 08:45	35.99	16.59
2024-01-04 09:00	36.64	16.95
2024-01-04 09:15	37.16	17.1
2024-01-04 09:30	37.73	17.55
2024-01-04 09:45	37	17.28
2024-01-04 10:00	35.44	17.36
2024-01-04 10:15	37.85	16.4
2024-01-04 10:30	36.99	19.12
2024-01-04 10:45	36.6	17.65
2024-01-04 11:00	36.9	17.87
2024-01-04 11:15	37.12	18.53
2024-01-04 11:30	38.46	18.87
2024-01-04 11:45	37.33	18.98
2024-01-04 12:00	37.5	19.64
2024-01-04 12:15	37.39	19.41
2024-01-04 12:30	37.39	20.6
2024-01-04 12:45	37.5	19.01
2024-01-04 13:00	37.64	20.08
2024-01-04 13:15	37.38	18.46
2024-01-04 13:30	37.17	19.08
2024-01-04 13:45	36.12	17.67
2024-01-04 14:00	35.72	19.49
2024-01-04 14:15	35.99	17.07
2024-01-04 14:30	36.04	17.41
2024-01-04 14:45	35.61	16.81

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-04 15:00	36.06	17.42
2024-01-04 15:15	36.17	16.57
2024-01-04 15:30	36.15	16.29
2024-01-04 15:45	36.18	16.03
2024-01-04 16:00	35.63	17.38
2024-01-04 16:15	36.03	16.37
2024-01-04 16:30	36.2	16.78
2024-01-04 16:45	36.02	16.59
2024-01-04 17:00	36.2	18.56
2024-01-04 17:15	36.14	17.31
2024-01-04 17:30	36.43	17.49
2024-01-04 17:45	36.21	16.56
2024-01-04 18:00	36.67	16.49
2024-01-04 18:15	36.55	16.31
2024-01-04 18:30	36.61	16.76
2024-01-04 18:45	37.05	16.2
2024-01-04 19:00	36.72	18.05
2024-01-04 19:15	36.86	16.55
2024-01-04 19:30	36.74	17.92
2024-01-04 19:45	37.88	16.3
2024-01-04 20:00	38.08	16.05
2024-01-04 20:15	38.11	16.09
2024-01-04 20:30	37.55	16.56
2024-01-04 20:45	36.6	16.74
2024-01-04 21:00	36.88	17
2024-01-04 21:15	36.96	16.38
2024-01-04 21:30	37.3	17.26
2024-01-04 21:45	37.22	16.35
2024-01-04 22:00	36.98	18.73
2024-01-04 22:15	37.77	17.17
2024-01-04 22:30	37.4	16.71
2024-01-04 22:45	37.49	16.62
2024-01-04 23:00	37.61	16.93
2024-01-04 23:15	37.71	16.77
2024-01-04 23:30	37.7	16.99
2024-01-04 23:45	37.05	17.96
2024-01-05 00:00	36.6	18.55
2024-01-05 00:15	36.93	17.25
2024-01-05 00:30	37.34	19.04
2024-01-05 00:45	36.63	17.82
2024-01-05 01:00	37.17	19.69
2024-01-05 01:15	37.67	18.75
2024-01-05 01:30	37.63	19.52
2024-01-05 01:45	37.45	17.98
2024-01-05 02:00	37.83	18.45

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-05 02:15	37.32	17.23
2024-01-05 02:30	37.54	17.84
2024-01-05 02:45	37.73	17.84
2024-01-05 03:00	37.59	18.69
2024-01-05 03:15	37.35	18.52
2024-01-05 03:30	37.26	20.15
2024-01-05 03:45	37.41	18.8
2024-01-05 04:00	37.46	18.44
2024-01-05 04:15	37.51	17.98
2024-01-05 04:30	38.29	17.6
2024-01-05 04:45	37.85	17.9
2024-01-05 05:00	37.71	18.21
2024-01-05 05:15	37.65	18.15
2024-01-05 05:30	37.68	18.83
2024-01-05 05:45	38.05	20.43
2024-01-05 06:00	37.44	21.68
2024-01-05 06:15	37.48	20.91
2024-01-05 06:30	38	23.17
2024-01-05 06:45	38.19	19.94
2024-01-05 07:00	37.48	19.23
2024-01-05 07:15	37.44	18.22
2024-01-05 07:30	37.44	18.09
2024-01-05 07:45	38.49	18.34
2024-01-05 08:00	37.96	20.06
2024-01-05 08:15	37.95	18.8
2024-01-05 08:30	37.8	18.54
2024-01-05 08:45	38.83	18.25
2024-01-05 09:00	38.91	18.44
2024-01-05 09:15	38.73	18.22
2024-01-05 09:30	39.13	16.93
2024-01-05 09:45	38.86	17.95
2024-01-05 10:00	38.82	17.83
2024-01-05 10:15	39.11	17.33
2024-01-05 10:30	38.64	18.13
2024-01-05 10:45	38.91	18.44
2024-01-05 11:00	39.08	18.91
2024-01-05 11:15	38.43	18.54
2024-01-05 11:30	37.93	18.53
2024-01-05 11:45	38.51	18.91
2024-01-05 12:00	39	19.84
2024-01-05 12:15	39.18	19.78
2024-01-05 12:30	37.79	19.73
2024-01-05 12:45	36.54	20.57
2024-01-05 13:00	36.68	18.55
2024-01-05 13:15	36.43	18.17

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-05 13:30	36.86	18.76
2024-01-05 13:45	36.72	18.2
2024-01-05 14:00	36.3	17.41
2024-01-05 14:15	35.81	17.83
2024-01-05 14:30	35.5	17.28
2024-01-05 14:45	35.8	16.9
2024-01-05 15:00	35.89	17.02
2024-01-05 15:15	35.37	17.69
2024-01-05 15:30	34.94	17.74
2024-01-05 15:45	35.16	17.44
2024-01-05 16:00	36.13	16.94
2024-01-05 16:15	35.81	16.89
2024-01-05 16:30	35.55	17.72
2024-01-05 16:45	35.65	18.04
2024-01-05 17:00	35.73	16.89
2024-01-05 17:15	35.6	16.72
2024-01-05 17:30	35.63	16.31
2024-01-05 17:45	35.79	16.33
2024-01-05 18:00	36.08	16.26
2024-01-05 18:15	36.27	16.11
2024-01-05 18:30	35.71	16.27
2024-01-05 18:45	36.56	16.44
2024-01-05 19:00	36.33	17.05
2024-01-05 19:15	36.23	17.6
2024-01-05 19:30	36.37	17.11
2024-01-05 19:45	36.89	17.88
2024-01-05 20:00	37.64	16.03
2024-01-05 20:15	38.14	16.04
2024-01-05 20:30	38.4	16.15
2024-01-05 20:45	37.96	16.26
2024-01-05 21:00	38.26	16.25
2024-01-05 21:15	37.5	16.35
2024-01-05 21:30	38.37	16.57
2024-01-05 21:45	37.79	16.92
2024-01-05 22:00	37.52	17.33
2024-01-05 22:15	37.02	18.33
2024-01-05 22:30	37	17.44
2024-01-05 22:45	37.66	17.56
2024-01-05 23:00	36.67	17.11
2024-01-05 23:15	37.44	17.63
2024-01-05 23:30	38.54	17.19
2024-01-05 23:45	37.18	18.48
2024-01-06 00:00	37.06	17.69
2024-01-06 00:15	37.41	17.55
2024-01-06 00:30	37.1	18.3

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-06 00:45	37.61	18.42
2024-01-06 01:00	37.74	18.4
2024-01-06 01:15	37.75	19.77
2024-01-06 01:30	38.2	17.87
2024-01-06 01:45	37.69	19.42
2024-01-06 02:00	37.16	20.03
2024-01-06 02:15	37.15	17.8
2024-01-06 02:30	37.87	18.97
2024-01-06 02:45	37.46	19.25
2024-01-06 03:00	37.05	20.19
2024-01-06 03:15	37.22	21.03
2024-01-06 03:30	36.9	19.72
2024-01-06 03:45	37.21	21.1
2024-01-06 04:00	37.28	19.11
2024-01-06 04:15	37.75	21.04
2024-01-06 04:30	37.38	18.95
2024-01-06 04:45	37.3	19.21
2024-01-06 05:00	36.86	18.46
2024-01-06 05:15	37.13	18.54
2024-01-06 05:30	37.48	17.74
2024-01-06 05:45	37.45	17.68
2024-01-06 06:00	37.56	17.79
2024-01-06 06:15	37.45	18.47
2024-01-06 06:30	43.98	18.64
2024-01-06 06:45	37.16	20.31
2024-01-06 07:00	37.19	18.09
2024-01-06 07:15	37.19	18.09
2024-01-06 07:30	37.17	19.03
2024-01-06 07:45	37.16	18.21
2024-01-06 08:00	37.23	17.43
2024-01-06 08:15	37.5	17.83
2024-01-06 08:30	37.33	17.66
2024-01-06 08:45	37.56	20.62
2024-01-06 09:00	37.52	18.2
2024-01-06 09:15	37.68	19.25
2024-01-06 09:30	37.6	17.96
2024-01-06 09:45	37.93	18.84
2024-01-06 10:00	37.81	16.39
2024-01-06 10:15	37.74	16.59
2024-01-06 10:30	37.41	16.38
2024-01-06 10:45	37.36	16.63
2024-01-06 11:00	36.61	16.41
2024-01-06 11:15	37.1	18.28
2024-01-06 11:30	36.73	18.29
2024-01-06 11:45	37.48	19.76

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-06 12:00	37.14	18.23
2024-01-06 12:15	37.23	19.76
2024-01-06 12:30	36.92	18.13
2024-01-06 12:45	37.3	21.26
2024-01-06 13:00	37	18.43
2024-01-06 13:15	36.82	17.81
2024-01-06 13:30	37.21	17.31
2024-01-06 13:45	37.15	17.39
2024-01-06 14:00	36.94	16.51
2024-01-06 14:15	36.53	17.32
2024-01-06 14:30	36.84	16.7
2024-01-06 14:45	36.66	18.42
2024-01-06 15:00	37.12	17.42
2024-01-06 15:15	37.17	19.56
2024-01-06 15:30	36.74	17.05
2024-01-06 15:45	36.96	16.68
2024-01-06 16:00	37.06	16.32
2024-01-06 16:15	36.79	16.87
2024-01-06 16:30	36.28	16.9
2024-01-06 16:45	36.81	17
2024-01-06 17:00	36.37	16.47
2024-01-06 17:15	36.88	17.41
2024-01-06 17:30	37.05	16.58
2024-01-06 17:45	37.06	18.43
2024-01-06 18:00	36.99	16.38
2024-01-06 18:15	37.92	18.78
2024-01-06 18:30	37.59	16.83
2024-01-06 18:45	37.78	18.17
2024-01-06 19:00	37.69	16.11
2024-01-06 19:15	37.25	16.58
2024-01-06 19:30	37.16	16.38
2024-01-06 19:45	37.65	17.27
2024-01-06 20:00	37.39	16.67
2024-01-06 20:15	37.85	16.86
2024-01-06 20:30	37.7	16.55
2024-01-06 20:45	37.52	17.48
2024-01-06 21:00	37.11	17.66
2024-01-06 21:15	37.38	16.62
2024-01-06 21:30	37.46	16.39
2024-01-06 21:45	37.69	17.07
2024-01-06 22:00	38.02	17.6
2024-01-06 22:15	37.47	17.17
2024-01-06 22:30	37.83	17.25
2024-01-06 22:45	37.54	18.09
2024-01-06 23:00	37.6	17.52

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-06 23:15	37.44	18.02
2024-01-06 23:30	37.63	17.48
2024-01-06 23:45	37.69	18.29
2024-01-07 00:00	37.69	18.04
2024-01-07 00:15	37.57	19.42
2024-01-07 00:30	37.57	18.38
2024-01-07 00:45	37.57	18.26
2024-01-07 01:00	37.84	17.92
2024-01-07 01:15	37.82	18.48
2024-01-07 01:30	37.53	17.48
2024-01-07 01:45	37.78	18.78
2024-01-07 02:00	37.72	17.8
2024-01-07 02:15	37.82	20.51
2024-01-07 02:30	37.92	19.33
2024-01-07 02:45	37.79	18.52
2024-01-07 03:00	38.23	17.8
2024-01-07 03:15	37.83	19.18
2024-01-07 03:30	37.71	18.8
2024-01-07 03:45	37.78	19.95
2024-01-07 04:00	37.93	18.98
2024-01-07 04:15	38.14	20.02
2024-01-07 04:30	37.79	20
2024-01-07 04:45	37.63	20.94
2024-01-07 05:00	37.62	18.31
2024-01-07 05:15	37.94	17.75
2024-01-07 05:30	37.91	17.18
2024-01-07 05:45	38.16	17.64
2024-01-07 06:00	37.94	17.82
2024-01-07 06:15	37.95	18.52
2024-01-07 06:30	37.5	18.29
2024-01-07 06:45	37.81	19.67
2024-01-07 07:00	37.78	18.32
2024-01-07 07:15	38.09	19.95
2024-01-07 07:30	38.04	18.19
2024-01-07 07:45	38.09	18.26
2024-01-07 08:00	37.8	18.15
2024-01-07 08:15	37.49	17.22
2024-01-07 08:30	37.87	17.17
2024-01-07 08:45	38.08	17.41
2024-01-07 09:00	38.02	17.24
2024-01-07 09:15	37.8	18.27
2024-01-07 09:30	38.12	17.05
2024-01-07 09:45	38.78	18.79
2024-01-07 10:00	39.16	17.75
2024-01-07 10:15	39.06	20.13

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-07 10:30	38.71	19.27
2024-01-07 10:45	41.21	19.06
2024-01-07 11:00	39.33	18.34
2024-01-07 11:15	38.57	18.38
2024-01-07 11:30	38.4	18.64
2024-01-07 11:45	38.74	18.74
2024-01-07 12:00	38.52	18.67
2024-01-07 12:15	38.81	19.88
2024-01-07 12:30	37.78	19.52
2024-01-07 12:45	37.17	20.44
2024-01-07 13:00	38.04	19.52
2024-01-07 13:15	38.55	18.26
2024-01-07 13:30	37.43	17.93
2024-01-07 13:45	37.24	18.03
2024-01-07 14:00	36.82	17.22
2024-01-07 14:15	36.53	16.78
2024-01-07 14:30	36.86	16.91
2024-01-07 14:45	36.83	17.18
2024-01-07 15:00	36.55	17.2
2024-01-07 15:15	37.31	17.07
2024-01-07 15:30	37.38	16.95
2024-01-07 15:45	37.13	16.68
2024-01-07 16:00	37.32	16.95
2024-01-07 16:15	37.18	16.95
2024-01-07 16:30	36.68	17.28
2024-01-07 16:45	36.92	17.27
2024-01-07 17:00	37.18	17.17
2024-01-07 17:15	36.96	16.98
2024-01-07 17:30	36.84	16.75
2024-01-07 17:45	36.98	17.06
2024-01-07 18:00	36.86	16.73
2024-01-07 18:15	36.91	17.45
2024-01-07 18:30	36.65	17.03
2024-01-07 18:45	37.3	18.75
2024-01-07 19:00	37.16	17.12
2024-01-07 19:15	37.22	17.72
2024-01-07 19:30	37.95	17.85
2024-01-07 19:45	37.7	17.5
2024-01-07 20:00	36.74	16.56
2024-01-07 20:15	37.58	16.64
2024-01-07 20:30	38.43	16.35
2024-01-07 20:45	37.22	16.59
2024-01-07 21:00	37.47	17.42
2024-01-07 21:15	37.72	17.64
2024-01-07 21:30	37.66	17.6

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-07 21:45	37.43	17
2024-01-07 22:00	37.66	16.86
2024-01-07 22:15	38.04	17.39
2024-01-07 22:30	37.82	17.65
2024-01-07 22:45	37.63	18.18
2024-01-07 23:00	37.25	17.65
2024-01-07 23:15	38.24	17.99
2024-01-07 23:30	37.58	17.39
2024-01-07 23:45	38.29	19.29
2024-01-08 00:00	38.06	18.63
2024-01-08 00:15	37.86	17.18
2024-01-08 00:30	38.26	17.77
2024-01-08 00:45	37.76	18.23
2024-01-08 01:00	37.72	17.7
2024-01-08 01:15	38.62	17.55
2024-01-08 01:30	38.41	18.11
2024-01-08 01:45	38.26	18.25
2024-01-08 02:00	38.38	18.35
2024-01-08 02:15	38.33	19.05
2024-01-08 02:30	37.75	18.39
2024-01-08 02:45	37.94	19.05
2024-01-08 03:00	38.13	18.8
2024-01-08 03:15	38.26	17.79
2024-01-08 03:30	38.04	17.57
2024-01-08 03:45	37.85	17.68
2024-01-08 04:00	37.87	17.65
2024-01-08 04:15	38.6	17.55
2024-01-08 04:30	38.54	17.41
2024-01-08 04:45	38.4	18.09
2024-01-08 05:00	38.69	18.36
2024-01-08 05:15	38.37	19.42
2024-01-08 05:30	38.02	20.34
2024-01-08 05:45	38.14	18.8
2024-01-08 06:00	38.28	17.98
2024-01-08 06:15	38.09	18.19
2024-01-08 06:30	38.13	17.86
2024-01-08 06:45	38.32	17.99
2024-01-08 07:00	37.91	18.07
2024-01-08 07:15	37.94	18.2
2024-01-08 07:30	37.99	18.52
2024-01-08 07:45	38.12	19.39
2024-01-08 08:00	38.29	19.29
2024-01-08 08:15	38.33	18.69
2024-01-08 08:30	38.74	17.76
2024-01-08 08:45	39.38	19.09

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-08 09:00	39.46	19.22
2024-01-08 09:15	40.11	17.21
2024-01-08 09:30	40.22	17.41
2024-01-08 09:45	40.16	17.64
2024-01-08 10:00	39.68	19.28
2024-01-08 10:15	38.75	18.48
2024-01-08 10:30	38.45	18.42
2024-01-08 10:45	39.1	18.47
2024-01-08 11:00	38.29	19.07
2024-01-08 11:15	38.85	19.64
2024-01-08 11:30	38.5	20.11
2024-01-08 11:45	38.63	19.53
2024-01-08 12:00	38.48	19.1
2024-01-08 12:15	38.43	17.97
2024-01-08 12:30	38.91	17.75
2024-01-08 12:45	37.39	18.52
2024-01-08 13:00	36.94	18.77
2024-01-08 13:15	37.24	18.07
2024-01-08 13:30	37.23	17.59
2024-01-08 13:45	37.29	17.52
2024-01-08 14:00	37.7	17.44
2024-01-08 14:15	38.23	17.89
2024-01-08 14:30	38.32	19.7
2024-01-08 14:45	37.3	17.54
2024-01-08 15:00	37.53	16.84
2024-01-08 15:15	36.18	17.61
2024-01-08 15:30	37.42	18.24
2024-01-08 15:45	37.78	17.33
2024-01-08 16:00	37.51	16.79
2024-01-08 16:15	36.88	16.43
2024-01-08 16:30	36.94	16.31
2024-01-08 16:45	37.25	16.12
2024-01-08 17:00	36.78	17.96
2024-01-08 17:15	37.35	16.86
2024-01-08 17:30	37.8	16.94
2024-01-08 17:45	37.45	15.83
2024-01-08 18:00	37.39	15.97
2024-01-08 18:15	37.94	15.49
2024-01-08 18:30	37.92	15.82
2024-01-08 18:45	37.96	15.71
2024-01-08 19:00	38.55	16.8
2024-01-08 19:15	38.3	16.67
2024-01-08 19:30	37.66	18.85
2024-01-08 19:45	38.48	17.14
2024-01-08 20:00	38.75	16.69

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-08 20:15	38.94	16.37
2024-01-08 20:30	37.76	16.14
2024-01-08 20:45	37.14	16.01
2024-01-08 21:00	37.33	17.43
2024-01-08 21:15	37.1	17.82
2024-01-08 21:30	37.11	18.75
2024-01-08 21:45	37.43	17.51
2024-01-08 22:00	37.18	18.23
2024-01-08 22:15	37.81	16.33
2024-01-08 22:30	37.89	18.64
2024-01-08 22:45	37.73	16.69
2024-01-08 23:00	37.63	16
2024-01-08 23:15	36.85	15.95
2024-01-08 23:30	37.49	16.73
2024-01-08 23:45	37.19	17.53
2024-01-09 00:00	36.99	17.66
2024-01-09 00:15	37.65	16.98
2024-01-09 00:30	37.92	17.94
2024-01-09 00:45	38.24	17.24
2024-01-09 01:00	37.84	19.38
2024-01-09 01:15	37.84	17.65
2024-01-09 01:30	38.64	18.3
2024-01-09 01:45	38.52	17.64
2024-01-09 02:00	37.84	19.71
2024-01-09 02:15	37.79	17.92
2024-01-09 02:30	37.48	17.67
2024-01-09 02:45	37.74	17.55
2024-01-09 03:00	37.81	17.98
2024-01-09 03:15	37.88	17.84
2024-01-09 03:30	38.04	18.4
2024-01-09 03:45	38.11	16.92
2024-01-09 04:00	37.87	19.09
2024-01-09 04:15	38.13	17.68
2024-01-09 04:30	37.38	16.76
2024-01-09 04:45	38.02	16.81
2024-01-09 05:00	39.41	17.16
2024-01-09 05:15	46.81	18
2024-01-09 05:30	39.85	17.79
2024-01-09 05:45	39.83	17.44
2024-01-09 06:00	42.52	17.59
2024-01-09 06:15	40.6	17.99
2024-01-09 06:30	39.25	17.79
2024-01-09 06:45	38.3	17.43
2024-01-09 07:00	39.04	16.92
2024-01-09 07:15	38.69	18.06

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-09 07:30	38.2	17.9
2024-01-09 07:45	37.89	17.38
2024-01-09 08:00	38.33	17.22
2024-01-09 08:15	38.39	18.22
2024-01-09 08:30	36.85	19.04
2024-01-09 08:45	37.45	18.3
2024-01-09 09:00	37.94	20.14
2024-01-09 09:15	37.53	18.65
2024-01-09 09:30	37.81	19.32
2024-01-09 09:45	38.93	18.25
2024-01-09 10:00	38.87	17.75
2024-01-09 10:15	38.12	16.56
2024-01-09 10:30	37.56	16.59
2024-01-09 10:45	37.63	16.85
2024-01-09 11:00	37.6	16.37
2024-01-09 11:15	37.34	16.34
2024-01-09 11:30	37.64	16.53
2024-01-09 11:45	37.46	16.43
2024-01-09 12:00	37.41	16.99
2024-01-09 12:15	37.45	17
2024-01-09 12:30	37.35	18
2024-01-09 12:45	37.58	17.47
2024-01-09 13:00	37.24	16.99
2024-01-09 13:15	37.15	16.87
2024-01-09 13:30	37.25	17.04
2024-01-09 13:45	37.67	16.99
2024-01-09 14:00	37.11	17.2
2024-01-09 14:15	36.63	17.66
2024-01-09 14:30	36.8	17.73
2024-01-09 14:45	37.2	16.96
2024-01-09 15:00	37.26	17
2024-01-09 15:15	37.28	16.77
2024-01-09 15:30	36.93	17.39
2024-01-09 15:45	36.86	16.73
2024-01-09 16:00	37.1	16.89
2024-01-09 16:15	36.74	16.87
2024-01-09 16:30	37.07	17.32
2024-01-09 16:45	37.51	17.04
2024-01-09 17:00	38.73	16.84
2024-01-09 17:15	38.63	17.7
2024-01-09 17:30	38.41	19.07
2024-01-09 17:45	38.09	18.94
2024-01-09 18:00	39.11	19.71
2024-01-09 18:15	39.67	19.16
2024-01-09 18:30	40.3	19.87

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-09 18:45	40.11	19
2024-01-09 19:00	38.69	17.83
2024-01-09 19:15	38.13	18.02
2024-01-09 19:30	37.96	18.54
2024-01-09 19:45	37.68	18.06
2024-01-09 20:00	37.38	19.41
2024-01-09 20:15	37.62	19.05
2024-01-09 20:30	37.8	20.37
2024-01-09 20:45	37.66	20.11
2024-01-09 21:00	37.51	18.67
2024-01-09 21:15	37.73	18.47
2024-01-09 21:30	37.45	18.3
2024-01-09 21:45	37.44	18.44
2024-01-09 22:00	37.22	18.24
2024-01-09 22:15	37.9	17.78
2024-01-09 22:30	37.93	18.97
2024-01-09 22:45	37.42	18.31
2024-01-09 23:00	37.8	19.74
2024-01-09 23:15	37.7	19.47
2024-01-09 23:30	37.83	18.63
2024-01-09 23:45	37.79	18.03
2024-01-10 00:00	38.29	16.97
2024-01-10 00:15	37.92	17.4
2024-01-10 00:30	38.49	18.76
2024-01-10 00:45	38.34	18.53
2024-01-10 01:00	38.88	19.03
2024-01-10 01:15	38.21	19.02
2024-01-10 01:30	37.52	19.61
2024-01-10 01:45	37.66	19.26
2024-01-10 02:00	38.01	19.77
2024-01-10 02:15	39.29	18.66
2024-01-10 02:30	38.5	19.19
2024-01-10 02:45	38.71	19.5
2024-01-10 03:00	38.51	17.52
2024-01-10 03:15	38.77	17.16
2024-01-10 03:30	38.98	17.21
2024-01-10 03:45	38.08	17.45
2024-01-10 04:00	37.63	17.66
2024-01-10 04:15	38.4	18.04
2024-01-10 04:30	38.06	19.63
2024-01-10 04:45	38.29	18.91
2024-01-10 05:00	38.95	18.43
2024-01-10 05:15	37.99	19.77
2024-01-10 05:30	37.75	18.14
2024-01-10 05:45	37.84	17.96

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-10 06:00	37.49	17.39
2024-01-10 06:15	37.2	17.84
2024-01-10 06:30	37.52	18.2
2024-01-10 06:45	40.46	17.56
2024-01-10 07:00	37.76	18.4
2024-01-10 07:15	37.25	17.94
2024-01-10 07:30	37.41	18.81
2024-01-10 07:45	37.59	19
2024-01-10 08:00	37.69	19.23
2024-01-10 08:15	37.47	19.06
2024-01-10 08:30	37.16	17.34
2024-01-10 08:45	37.42	17.2
2024-01-10 09:00	38.06	17.87
2024-01-10 09:15	37.73	17.61
2024-01-10 09:30	37.15	17.66
2024-01-10 09:45	39.26	18.34
2024-01-10 10:00	38.82	19.61
2024-01-10 10:15	37.83	19.46
2024-01-10 10:30	37.85	20.31
2024-01-10 10:45	37.92	19.55
2024-01-10 11:00	38.07	19.08
2024-01-10 11:15	38.29	18.78
2024-01-10 11:30	37.59	20.1
2024-01-10 11:45	38.38	20.67
2024-01-10 12:00	39.06	19.16
2024-01-10 12:15	38.2	19.56
2024-01-10 12:30	38.86	19.88
2024-01-10 12:45	38.33	19.73
2024-01-10 13:00	37.74	19.65
2024-01-10 13:15	37.4	20.48
2024-01-10 13:30	38	19.09
2024-01-10 13:45	38.02	18.7
2024-01-10 14:00	37.28	17.56
2024-01-10 14:15	38.13	16.83
2024-01-10 14:30	37.84	16.65
2024-01-10 14:45	37.4	16.92
2024-01-10 15:00	36.95	17.06
2024-01-10 15:15	36.89	17.16
2024-01-10 15:30	36.94	17.5
2024-01-10 15:45	36.59	17.71
2024-01-10 16:00	36.82	17.86
2024-01-10 16:15	36.9	18.69
2024-01-10 16:30	37.32	16.72
2024-01-10 16:45	37.27	16.74
2024-01-10 17:00	37.46	16.64

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-10 17:15	37.35	17.03
2024-01-10 17:30	37.26	16.72
2024-01-10 17:45	36.73	17.18
2024-01-10 18:00	37.02	16.99
2024-01-10 18:15	37.23	17.17
2024-01-10 18:30	37.37	17.15
2024-01-10 18:45	37.53	17.72
2024-01-10 19:00	37.41	17.1
2024-01-10 19:15	37.62	16.68
2024-01-10 19:30	38.34	17.2
2024-01-10 19:45	38.25	16.81
2024-01-10 20:00	37.83	17.05
2024-01-10 20:15	37.6	17.84
2024-01-10 20:30	38.5	16.36
2024-01-10 20:45	38.53	16.35
2024-01-10 21:00	38.97	16.47
2024-01-10 21:15	37.61	18.03
2024-01-10 21:30	38.75	16.42
2024-01-10 21:45	38.45	20.15
2024-01-10 22:00	37.3	17.28
2024-01-10 22:15	37.86	20.54
2024-01-10 22:30	38.37	18.46
2024-01-10 22:45	38.34	18.13
2024-01-10 23:00	38.07	16.99
2024-01-10 23:15	37.67	17.79
2024-01-10 23:30	37.66	17.13
2024-01-10 23:45	38.27	18.44
2024-01-11 00:00	37.62	17.52
2024-01-11 00:15	37.89	20.08
2024-01-11 00:30	38.17	18.07
2024-01-11 00:45	38.5	17.48
2024-01-11 01:00	38.44	17.21
2024-01-11 01:15	38.89	17.81
2024-01-11 01:30	39.62	17.5
2024-01-11 01:45	39.02	17.3
2024-01-11 02:00	38.17	17.58
2024-01-11 02:15	38.06	17.56
2024-01-11 02:30	38.31	17.3
2024-01-11 02:45	38.26	18.18
2024-01-11 03:00	38.05	17.91
2024-01-11 03:15	38.15	19.92
2024-01-11 03:30	37.58	18.02
2024-01-11 03:45	38.32	18.93
2024-01-11 04:00	39.67	17.38
2024-01-11 04:15	38.78	18.67

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-11 04:30	38.2	17.05
2024-01-11 04:45	38.87	19.22
2024-01-11 05:00	38.44	17.52
2024-01-11 05:15	39.2	17.47
2024-01-11 05:30	39.29	17.42
2024-01-11 05:45	38.42	17.69
2024-01-11 06:00	37.96	17.3
2024-01-11 06:15	38.26	17.74
2024-01-11 06:30	38.51	17.12
2024-01-11 06:45	38.64	17.69
2024-01-11 07:00	38.28	16.64
2024-01-11 07:15	38	19.08
2024-01-11 07:30	37.67	17.59
2024-01-11 07:45	37.6	19.21
2024-01-11 08:00	37.79	17.06
2024-01-11 08:15	38.72	17.43
2024-01-11 08:30	38.12	16.87
2024-01-11 08:45	38.52	17.39
2024-01-11 09:00	39.1	17.06
2024-01-11 09:15	39.3	18.02
2024-01-11 09:30	39.23	17.7
2024-01-11 09:45	39.13	18.69
2024-01-11 10:00	39.77	17.57
2024-01-11 10:15	39.82	19.53
2024-01-11 10:30	38.63	18.24
2024-01-11 10:45	38.63	19.34
2024-01-11 11:00	38.51	18.57
2024-01-11 11:15	38.57	19.46
2024-01-11 11:30	38.49	18.7
2024-01-11 11:45	38.83	19.39
2024-01-11 12:00	37.77	18.95
2024-01-11 12:15	37.93	19.02
2024-01-11 12:30	37.05	20.05
2024-01-11 12:45	36.88	19.42
2024-01-11 13:00	37.32	18.37
2024-01-11 13:15	36.43	18.42
2024-01-11 13:30	37.35	18.19
2024-01-11 13:45	37.5	17.99
2024-01-11 14:00	37.71	17.28
2024-01-11 14:15	36.73	17.87
2024-01-11 14:30	36.88	17.68
2024-01-11 14:45	37	19.77
2024-01-11 15:00	36.91	19.15
2024-01-11 15:15	36.83	17.72
2024-01-11 15:30	36.81	17.84

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-11 15:45	36.59	20.02
2024-01-11 16:00	37.63	18.52
2024-01-11 16:15	36.94	18.28
2024-01-11 16:30	36.86	17.45
2024-01-11 16:45	36.7	17.76
2024-01-11 17:00	36.37	17.4
2024-01-11 17:15	36.86	17.69
2024-01-11 17:30	37.25	17.38
2024-01-11 17:45	36.98	17.76
2024-01-11 18:00	36.97	17.02
2024-01-11 18:15	37.02	18.17
2024-01-11 18:30	37.32	17.15
2024-01-11 18:45	37.24	19.14
2024-01-11 19:00	37.74	17.45
2024-01-11 19:15	37.69	17.72
2024-01-11 19:30	37.63	17.15
2024-01-11 19:45	37.76	18.78
2024-01-11 20:00	38.23	17.21
2024-01-11 20:15	37.65	16.66
2024-01-11 20:30	38.16	16.5
2024-01-11 20:45	38.61	16.97
2024-01-11 21:00	38.13	16.81
2024-01-11 21:15	38.64	17.39
2024-01-11 21:30	38.34	17.99
2024-01-11 21:45	38.4	18.77
2024-01-11 22:00	38.21	18.24
2024-01-11 22:15	38.76	19.41
2024-01-11 22:30	38.9	18.39
2024-01-11 22:45	38.56	19.52
2024-01-11 23:00	38.73	18.75
2024-01-11 23:15	38.52	18.46
2024-01-11 23:30	38.91	18.22
2024-01-11 23:45	38.47	18.14
2024-01-12 00:00	38.65	19.13
2024-01-12 00:15	39.03	19.01
2024-01-12 00:30	38.8	18.96
2024-01-12 00:45	38.38	17.95
2024-01-12 01:00	38.61	17.63
2024-01-12 01:15	38.93	18.45
2024-01-12 01:30	39.25	18.78
2024-01-12 01:45	39.39	21.15
2024-01-12 02:00	38.72	19.23
2024-01-12 02:15	38.54	19.24
2024-01-12 02:30	38.58	18.1
2024-01-12 02:45	38.78	18.91

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-12 03:00	38.74	18.06
2024-01-12 03:15	38.42	17.98
2024-01-12 03:30	38.33	17.85
2024-01-12 03:45	38.52	18.07
2024-01-12 04:00	38.69	17.93
2024-01-12 04:15	38.77	19.87
2024-01-12 04:30	39.39	18.71
2024-01-12 04:45	38.93	17.72
2024-01-12 05:00	39.39	17.78
2024-01-12 05:15	38.99	17.92
2024-01-12 05:30	38.61	17.64
2024-01-12 05:45	37.94	17.98
2024-01-12 06:00	38.48	17.42
2024-01-12 06:15	38.41	18.17
2024-01-12 06:30	38.78	17.6
2024-01-12 06:45	38.21	19.12
2024-01-12 07:00	38.73	18.99
2024-01-12 07:15	38.44	18.44
2024-01-12 07:30	39.17	17.51
2024-01-12 07:45	39.29	17.19
2024-01-12 08:00	39.18	17.13
2024-01-12 08:15	39.32	17.87
2024-01-12 08:30	39.63	17.59
2024-01-12 08:45	40.22	18.2
2024-01-12 09:00	40	17.86
2024-01-12 09:15	39.67	19.1
2024-01-12 09:30	40.25	19
2024-01-12 09:45	40.26	20.75
2024-01-12 10:00	40.95	19.45
2024-01-12 10:15	41.43	20.03
2024-01-12 10:30	40.92	18.51
2024-01-12 10:45	40.71	18.29
2024-01-12 11:00	39.94	18.46
2024-01-12 11:15	40.12	19.45
2024-01-12 11:30	40.07	18.63
2024-01-12 11:45	39.44	18.48
2024-01-12 12:00	39.02	18.86
2024-01-12 12:15	38.36	19.94
2024-01-12 12:30	38.89	20.21
2024-01-12 12:45	37.49	19.39
2024-01-12 13:00	38.3	19.13
2024-01-12 13:15	37.23	20.97
2024-01-12 13:30	37.3	19.64
2024-01-12 13:45	37.39	17.58
2024-01-12 14:00	37.39	17.88

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-12 14:15	37.71	18.64
2024-01-12 14:30	37.14	18.36
2024-01-12 14:45	37.3	19.55
2024-01-12 15:00	37.11	18.15
2024-01-12 15:15	36.85	18.97
2024-01-12 15:30	37.76	19.07
2024-01-12 15:45	37.99	18.42
2024-01-12 16:00	37.29	19.65
2024-01-12 16:15	37.61	18.28
2024-01-12 16:30	37.69	17.8
2024-01-12 16:45	37.74	17.63
2024-01-12 17:00	38.41	17.96
2024-01-12 17:15	37.97	17.92
2024-01-12 17:30	37.45	17.53
2024-01-12 17:45	37.57	17.59
2024-01-12 18:00	37.37	17.89
2024-01-12 18:15	37.31	18.12
2024-01-12 18:30	37.58	18.7
2024-01-12 18:45	37.72	16.92
2024-01-12 19:00	38.3	16.97
2024-01-12 19:15	39.15	17.25
2024-01-12 19:30	38.06	17.82
2024-01-12 19:45	38.76	17.5
2024-01-12 20:00	38.76	16.64
2024-01-12 20:15	38.94	16.82
2024-01-12 20:30	39.28	16.98
2024-01-12 20:45	38.67	17.58
2024-01-12 21:00	39.05	16.87
2024-01-12 21:15	38.97	17.01
2024-01-12 21:30	39.63	16.96
2024-01-12 21:45	40.45	17.38
2024-01-12 22:00	40.29	18.21
2024-01-12 22:15	38.92	18.57
2024-01-12 22:30	39.53	18.65
2024-01-12 22:45	38.71	18.95
2024-01-12 23:00	39.61	20.36
2024-01-12 23:15	39.81	19.02
2024-01-12 23:30	39.26	18.94
2024-01-12 23:45	39.14	18.62
2024-01-13 00:00	39.37	18.62
2024-01-13 00:15	39.6	19.27
2024-01-13 00:30	39.34	19.58
2024-01-13 00:45	39.04	20.64
2024-01-13 01:00	38.57	19.19
2024-01-13 01:15	39.03	18.45

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-13 01:30	39.55	19.02
2024-01-13 01:45	39.49	19.36
2024-01-13 02:00	39.94	20.64
2024-01-13 02:15	40.12	20.91
2024-01-13 02:30	39.18	21.06
2024-01-13 02:45	39.37	20.77
2024-01-13 03:00	39.29	20.21
2024-01-13 03:15	38.69	19.65
2024-01-13 03:30	39.08	19.81
2024-01-13 03:45	39.37	21.39
2024-01-13 04:00	39.11	22.44
2024-01-13 04:15	39.16	19
2024-01-13 04:30	39.12	22.31
2024-01-13 04:45	39.16	20.09
2024-01-13 05:00	39.2	23.77
2024-01-13 05:15	39.16	22.92
2024-01-13 05:30	39.51	24.22
2024-01-13 05:45	38	20.16
2024-01-13 06:00	38.23	21.2
2024-01-13 06:15	38.27	19.75
2024-01-13 06:30	38.07	18
2024-01-13 06:45	38.09	21.63
2024-01-13 07:00	38.28	23.42
2024-01-13 07:15	38.25	22.79
2024-01-13 07:30	38.36	20.42
2024-01-13 07:45	37.83	23.24
2024-01-13 08:00	38.34	17.79
2024-01-13 08:15	38.7	17.47
2024-01-13 08:30	39.7	18.13
2024-01-13 08:45	40.56	17.97
2024-01-13 09:00	41.06	18.73
2024-01-13 09:15	41	18.45
2024-01-13 09:30	40.19	18.48
2024-01-13 09:45	39.71	18.73
2024-01-13 10:00	39.31	20.7
2024-01-13 10:15	39.29	19.2
2024-01-13 10:30	40.46	19.87
2024-01-13 10:45	40.51	18.1
2024-01-13 11:00	23.08	17.99
2024-01-13 11:15	0	17.75
2024-01-13 11:30	0	18.08
2024-01-13 11:45	0	17.95
2024-01-13 12:00	0	18.15
2024-01-13 12:15	0	17.74
2024-01-13 12:30	0	18.46

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-13 12:45	0	18.72
2024-01-13 13:00	0	21.71
2024-01-13 13:15	0	19.8
2024-01-13 13:30	0	19.82
2024-01-13 13:45	0	18.19
2024-01-13 14:00	0	20.67
2024-01-13 14:15	0	17.65
2024-01-13 14:30	0	19.69
2024-01-13 14:45	0	18.05
2024-01-13 15:00	0	17.95
2024-01-13 15:15	0	17.81
2024-01-13 15:30	0	18.49
2024-01-13 15:45	0	17.56
2024-01-13 16:00	0	20.62
2024-01-13 16:15	0	17.93
2024-01-13 16:30	0	17.56
2024-01-13 16:45	0	17.21
2024-01-13 17:00	0	17.52
2024-01-13 17:15	0	17.3
2024-01-13 17:30	71.27	17.72
2024-01-13 17:45	88.54	17.15
2024-01-13 18:00	32.17	17.83
2024-01-13 18:15	32.19	17.38
2024-01-13 18:30	32.25	18.65
2024-01-13 18:45	32.14	17.28
2024-01-13 19:00	31.7	16.91
2024-01-13 19:15	31.86	16.64
2024-01-13 19:30	31.73	17.04
2024-01-13 19:45	32.59	17.62
2024-01-13 20:00	31.71	17.75
2024-01-13 20:15	32.21	16.82
2024-01-13 20:30	31.38	17.66
2024-01-13 20:45	32.46	16.86
2024-01-13 21:00	31.33	20.16
2024-01-13 21:15	31.8	18.81
2024-01-13 21:30	31.19	17.74
2024-01-13 21:45	31	17.58
2024-01-13 22:00	31.13	17.72
2024-01-13 22:15	31.32	17.49
2024-01-13 22:30	31.37	17.84
2024-01-13 22:45	30.64	17.55
2024-01-13 23:00	30.85	19.03
2024-01-13 23:15	30.29	18.72
2024-01-13 23:30	30.37	20.62
2024-01-13 23:45	30.96	19.99

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-14 00:00	30.8	20.65
2024-01-14 00:15	30.68	18.59
2024-01-14 00:30	30.85	18.13
2024-01-14 00:45	31.03	18.19
2024-01-14 01:00	31.78	18.7
2024-01-14 01:15	31.03	20.27
2024-01-14 01:30	31.27	19.51
2024-01-14 01:45	31.79	19.02
2024-01-14 02:00	32.1	20.2
2024-01-14 02:15	32.06	20.48
2024-01-14 02:30	31.88	24.03
2024-01-14 02:45	31.94	22.14
2024-01-14 03:00	31.85	19.02
2024-01-14 03:15	31.88	19.43
2024-01-14 03:30	31.69	19.46
2024-01-14 03:45	32.38	18.84
2024-01-14 04:00	32.64	18.87
2024-01-14 04:15	32.67	20.08
2024-01-14 04:30	32.02	21.45
2024-01-14 04:45	32.08	20.57
2024-01-14 05:00	32.23	20.2
2024-01-14 05:15	32.27	21.83
2024-01-14 05:30	32.39	26.02
2024-01-14 05:45	32.28	24.31
2024-01-14 06:00	32.22	23.41
2024-01-14 06:15	32.13	20.66
2024-01-14 06:30	31.92	18.89
2024-01-14 06:45	32.69	22.28
2024-01-14 07:00	32.06	23.38
2024-01-14 07:15	31.89	22.39
2024-01-14 07:30	31.96	21.13
2024-01-14 07:45	31.9	19.95
2024-01-14 08:00	31.75	20.74
2024-01-14 08:15	31.64	19.26
2024-01-14 08:30	31.66	18.85
2024-01-14 08:45	32.3	18.31
2024-01-14 09:00	32.47	18.32
2024-01-14 09:15	31.98	18.1
2024-01-14 09:30	31.89	18.19
2024-01-14 09:45	34.09	17.68
2024-01-14 10:00	36.51	18.37
2024-01-14 10:15	36.16	18.64
2024-01-14 10:30	36.77	19.61
2024-01-14 10:45	36.66	19.46
2024-01-14 11:00	37.53	21.28

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-14 11:15	37.18	20.42
2024-01-14 11:30	37.69	19.13
2024-01-14 11:45	36.63	19.13
2024-01-14 12:00	37.02	18.63
2024-01-14 12:15	36.79	18.65
2024-01-14 12:30	36.38	19.6
2024-01-14 12:45	35.82	19.59
2024-01-14 13:00	35.8	19.97
2024-01-14 13:15	35.61	18.85
2024-01-14 13:30	35.33	20.03
2024-01-14 13:45	35.49	18.9
2024-01-14 14:00	35.51	19.76
2024-01-14 14:15	35.38	19.4
2024-01-14 14:30	35.63	18.63
2024-01-14 14:45	34.86	18.26
2024-01-14 15:00	35.59	18.14
2024-01-14 15:15	35.64	17.73
2024-01-14 15:30	35.7	17.92
2024-01-14 15:45	36.04	17.49
2024-01-14 16:00	35.83	18.52
2024-01-14 16:15	35.51	17.97
2024-01-14 16:30	35.2	19.52
2024-01-14 16:45	35.45	18.72
2024-01-14 17:00	35.84	18.71
2024-01-14 17:15	35.29	18.32
2024-01-14 17:30	35.51	17.54
2024-01-14 17:45	36.08	17.17
2024-01-14 18:00	36.2	17.23
2024-01-14 18:15	36.49	16.71
2024-01-14 18:30	36.39	16.98
2024-01-14 18:45	31.92	16.69
2024-01-14 19:00	33.03	18.03
2024-01-14 19:15	33.62	17.5
2024-01-14 19:30	31.19	18.41
2024-01-14 19:45	31.61	18.44
2024-01-14 20:00	31.95	17.17
2024-01-14 20:15	31.37	16.97
2024-01-14 20:30	31.37	17.16
2024-01-14 20:45	31.76	17.21
2024-01-14 21:00	31.47	17.85
2024-01-14 21:15	31.59	18.34
2024-01-14 21:30	31.13	17.89
2024-01-14 21:45	30.39	17.96
2024-01-14 22:00	30.46	19.93
2024-01-14 22:15	30.99	19.21

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-14 22:30	31.24	18.17
2024-01-14 22:45	30.95	18.31
2024-01-14 23:00	30.59	18.83
2024-01-14 23:15	30.48	18.47
2024-01-14 23:30	30.39	18.55
2024-01-14 23:45	30.65	18.82
2024-01-15 00:00	30.41	19.01
2024-01-15 00:15	30.42	19.3
2024-01-15 00:30	30.87	19.6
2024-01-15 00:45	30.74	19.26
2024-01-15 01:00	30.79	19.39
2024-01-15 01:15	30.7	21.3
2024-01-15 01:30	30.75	20.72
2024-01-15 01:45	31.02	20.68
2024-01-15 02:00	30.83	18.3
2024-01-15 02:15	30.89	20.08
2024-01-15 02:30	30.8	19.93
2024-01-15 02:45	30.67	21.47
2024-01-15 03:00	30.68	22.24
2024-01-15 03:15	30.82	21.68
2024-01-15 03:30	30.65	24.05
2024-01-15 03:45	30.97	22.45
2024-01-15 04:00	31.37	20.63
2024-01-15 04:15	31.04	24.86
2024-01-15 04:30	30.77	23.81
2024-01-15 04:45	30.21	23.22
2024-01-15 05:00	30.01	22.17
2024-01-15 05:15	31.62	21.88
2024-01-15 05:30	31.96	21.56
2024-01-15 05:45	31.14	18.54
2024-01-15 06:00	30.74	20.2
2024-01-15 06:15	30.54	19.72
2024-01-15 06:30	30.85	20.1
2024-01-15 06:45	31.14	20.42
2024-01-15 07:00	30.61	19.5
2024-01-15 07:15	30.64	18.5
2024-01-15 07:30	30.92	17.98
2024-01-15 07:45	30.5	18.1
2024-01-15 08:00	31.08	19.04
2024-01-15 08:15	30.8	19.15
2024-01-15 08:30	30.41	18.1
2024-01-15 08:45	30.95	18.02
2024-01-15 09:00	30.78	19.15
2024-01-15 09:15	30.77	19.23
2024-01-15 09:30	30.45	19.5

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-15 09:45	31.2	19.96
2024-01-15 10:00	31.58	18.46
2024-01-15 10:15	31.12	18.17
2024-01-15 10:30	30.74	18.18
2024-01-15 10:45	30.82	18.34
2024-01-15 11:00	30.69	18.57
2024-01-15 11:15	30.12	18.56
2024-01-15 11:30	29.74	18.99
2024-01-15 11:45	28.95	19.15
2024-01-15 12:00	29.06	20.09
2024-01-15 12:15	28.9	20.38
2024-01-15 12:30	29.03	20.32
2024-01-15 12:45	29.94	20.17
2024-01-15 13:00	30.19	18.8
2024-01-15 13:15	31.72	18.16
2024-01-15 13:30	30.01	17.81
2024-01-15 13:45	30.16	17.75
2024-01-15 14:00	31.09	17.92
2024-01-15 14:15	29.96	17.85
2024-01-15 14:30	30.3	18.16
2024-01-15 14:45	29.83	18.4
2024-01-15 15:00	30.34	18.29
2024-01-15 15:15	29.49	18.16
2024-01-15 15:30	30.18	21.49
2024-01-15 15:45	29.89	18.17
2024-01-15 16:00	29.93	17.38
2024-01-15 16:15	29.49	17.95
2024-01-15 16:30	29.81	18.6
2024-01-15 16:45	29.86	17.5
2024-01-15 17:00	29.8	18.06
2024-01-15 17:15	29.77	18.01
2024-01-15 17:30	29.64	18.51
2024-01-15 17:45	29.61	18.78
2024-01-15 18:00	29.81	17.88
2024-01-15 18:15	29.98	17.83
2024-01-15 18:30	30.14	17.97
2024-01-15 18:45	30.28	17.73
2024-01-15 19:00	30.4	17.42
2024-01-15 19:15	30.7	16.99
2024-01-15 19:30	30.63	16.71
2024-01-15 19:45	32.32	16.74
2024-01-15 20:00	30.95	17.47
2024-01-15 20:15	30.94	17.51
2024-01-15 20:30	30.51	17.79
2024-01-15 20:45	30.58	19.43

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-15 21:00	30.84	17.36
2024-01-15 21:15	30.97	17.04
2024-01-15 21:30	31.32	16.98
2024-01-15 21:45	31.36	17.19
2024-01-15 22:00	31.13	17.64
2024-01-15 22:15	30.71	17.94
2024-01-15 22:30	31.13	18.72
2024-01-15 22:45	31.29	18.3
2024-01-15 23:00	31.17	19.12
2024-01-15 23:15	31.09	19.63
2024-01-15 23:30	31.32	18.46
2024-01-15 23:45	31.11	19.73
2024-01-16 00:00	31.37	18.13
2024-01-16 00:15	30.98	18.4
2024-01-16 00:30	31.35	18.22
2024-01-16 00:45	31.07	18.47
2024-01-16 01:00	30.96	18.6
2024-01-16 01:15	31.43	19.57
2024-01-16 01:30	32.03	17.83
2024-01-16 01:45	31.94	19.45
2024-01-16 02:00	31.61	21.67
2024-01-16 02:15	32.53	24.23
2024-01-16 02:30	32.55	20.73
2024-01-16 02:45	33.05	19.47
2024-01-16 03:00	31.9	19.96
2024-01-16 03:15	31.78	19.76
2024-01-16 03:30	32.01	21.16
2024-01-16 03:45	32.42	23.13
2024-01-16 04:00	31.88	21.73
2024-01-16 04:15	31.81	20.54
2024-01-16 04:30	31.71	20.46
2024-01-16 04:45	31.53	20.35
2024-01-16 05:00	32.31	20.68
2024-01-16 05:15	32.6	23.33
2024-01-16 05:30	32.65	21.67
2024-01-16 05:45	32.81	24.73
2024-01-16 06:00	33.22	24.47
2024-01-16 06:15	33.94	25.4
2024-01-16 06:30	32.49	24.13
2024-01-16 06:45	31.41	25.62
2024-01-16 07:00	32.53	25.61
2024-01-16 07:15	31.86	27.65
2024-01-16 07:30	31.81	22.8
2024-01-16 07:45	31.22	21.42
2024-01-16 08:00	31.15	19.92

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-16 08:15	31.58	19.56
2024-01-16 08:30	31.86	18.15
2024-01-16 08:45	31.76	19.37
2024-01-16 09:00	31.39	18.34
2024-01-16 09:15	32	18.57
2024-01-16 09:30	31.87	18.02
2024-01-16 09:45	31.63	18.26
2024-01-16 10:00	32.19	18.83
2024-01-16 10:15	32.16	19.08
2024-01-16 10:30	32.67	18.83
2024-01-16 10:45	33.1	20.29
2024-01-16 11:00	32.7	18.84
2024-01-16 11:15	32.66	18.63
2024-01-16 11:30	32.82	18.4
2024-01-16 11:45	32.33	18.56
2024-01-16 12:00	32.5	18.93
2024-01-16 12:15	32.12	20.99
2024-01-16 12:30	32.2	19.52
2024-01-16 12:45	32.57	20.9
2024-01-16 13:00	32.4	18.31
2024-01-16 13:15	31.71	19.51
2024-01-16 13:30	31.7	17.87
2024-01-16 13:45	31.2	17.56
2024-01-16 14:00	30.84	17.78
2024-01-16 14:15	30.65	19.62
2024-01-16 14:30	30.9	18.16
2024-01-16 14:45	31.12	18.27
2024-01-16 15:00	30.61	18.18
2024-01-16 15:15	31.08	18.81
2024-01-16 15:30	31.52	17.9
2024-01-16 15:45	31.06	18.88
2024-01-16 16:00	31.18	17.98
2024-01-16 16:15	31.05	20.78
2024-01-16 16:30	31.18	19
2024-01-16 16:45	30.88	18.54
2024-01-16 17:00	32.46	18.2
2024-01-16 17:15	31.13	18.27
2024-01-16 17:30	30.82	17.95
2024-01-16 17:45	31.17	17.82
2024-01-16 18:00	31.09	17.26
2024-01-16 18:15	31.07	17.51
2024-01-16 18:30	31.05	17
2024-01-16 18:45	31.11	17.5
2024-01-16 19:00	31.76	17.36
2024-01-16 19:15	31.57	20.05

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-16 19:30	31.85	17.91
2024-01-16 19:45	32.27	17.57
2024-01-16 20:00	32.43	17.86
2024-01-16 20:15	32.41	17.9
2024-01-16 20:30	31.66	18.35
2024-01-16 20:45	32.53	18.76
2024-01-16 21:00	32.38	18.43
2024-01-16 21:15	32.04	19.67
2024-01-16 21:30	32.93	18.7
2024-01-16 21:45	32.38	20.38
2024-01-16 22:00	32.37	19.22
2024-01-16 22:15	32.68	19.01
2024-01-16 22:30	32.23	19.11
2024-01-16 22:45	32.1	18.96
2024-01-16 23:00	32.55	18.07
2024-01-16 23:15	32.31	18.95
2024-01-16 23:30	32.58	18.8
2024-01-16 23:45	32.85	19.19
2024-01-17 00:00	32.69	19
2024-01-17 00:15	33.12	20.55
2024-01-17 00:30	32.67	20.48
2024-01-17 00:45	32.47	22.34
2024-01-17 01:00	32.38	19.31
2024-01-17 01:15	32.98	21
2024-01-17 01:30	33.25	21.03
2024-01-17 01:45	32.91	24.26
2024-01-17 02:00	32.78	21.42
2024-01-17 02:15	32.73	20.83
2024-01-17 02:30	32.51	21.72
2024-01-17 02:45	32.52	26.04
2024-01-17 03:00	32.37	22.73
2024-01-17 03:15	32.53	25.03
2024-01-17 03:30	32.6	21.12
2024-01-17 03:45	32.89	24.53
2024-01-17 04:00	32.54	21.97
2024-01-17 04:15	32.72	24.56
2024-01-17 04:30	33.07	20.98
2024-01-17 04:45	33.19	24.11
2024-01-17 05:00	32.82	21.14
2024-01-17 05:15	32.41	18.83
2024-01-17 05:30	32.11	19.02
2024-01-17 05:45	32.2	19.21
2024-01-17 06:00	32.96	19.01
2024-01-17 06:15	33.23	25.49
2024-01-17 06:30	32.8	30.03

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-17 06:45	32.85	27.92
2024-01-17 07:00	33.15	20.98
2024-01-17 07:15	32.54	20.87
2024-01-17 07:30	32.69	20.69
2024-01-17 07:45	32.78	19.22
2024-01-17 08:00	33.24	22.02
2024-01-17 08:15	32.8	20.32
2024-01-17 08:30	32.97	19.55
2024-01-17 08:45	33.57	20.25
2024-01-17 09:00	33.7	18.86
2024-01-17 09:15	33.98	20.16
2024-01-17 09:30	34.08	18.65
2024-01-17 09:45	33.77	18.11
2024-01-17 10:00	32.86	18.29
2024-01-17 10:15	32.93	17.85
2024-01-17 10:30	32.97	17.38
2024-01-17 10:45	32.75	18.18
2024-01-17 11:00	32.39	17.98
2024-01-17 11:15	33.09	18.07
2024-01-17 11:30	32.55	17.98
2024-01-17 11:45	32.54	19.3
2024-01-17 12:00	32.58	19.18
2024-01-17 12:15	31.72	20.19
2024-01-17 12:30	32.14	19.24
2024-01-17 12:45	32.61	21.29
2024-01-17 13:00	31.44	19.09
2024-01-17 13:15	31.82	18.28
2024-01-17 13:30	32.19	18.48
2024-01-17 13:45	31.96	18.12
2024-01-17 14:00	31.79	17.81
2024-01-17 14:15	32.26	18.39
2024-01-17 14:30	32.6	18.25
2024-01-17 14:45	32.71	19.09
2024-01-17 15:00	32.53	18.36
2024-01-17 15:15	32.61	19.6
2024-01-17 15:30	32.45	19.34
2024-01-17 15:45	32.4	19.44
2024-01-17 16:00	32.12	17.97
2024-01-17 16:15	32.47	18.39
2024-01-17 16:30	32.5	18.35
2024-01-17 16:45	32.22	18.85
2024-01-17 17:00	32.31	19.72
2024-01-17 17:15	32.61	19.36
2024-01-17 17:30	32.57	18.47
2024-01-17 17:45	32.89	18.54

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-17 18:00	32.66	19.36
2024-01-17 18:15	32.5	17.57
2024-01-17 18:30	32.29	17.95
2024-01-17 18:45	32.58	18.03
2024-01-17 19:00	32.56	17.82
2024-01-17 19:15	32.47	18.63
2024-01-17 19:30	32.59	17.97
2024-01-17 19:45	33.19	19.45
2024-01-17 20:00	33.63	19.23
2024-01-17 20:15	34.03	18.09
2024-01-17 20:30	34.03	18.52
2024-01-17 20:45	32.98	18.18
2024-01-17 21:00	32.81	18.28
2024-01-17 21:15	32.2	18.44
2024-01-17 21:30	32.57	18.26
2024-01-17 21:45	32.99	18.69
2024-01-17 22:00	32.43	18.83
2024-01-17 22:15	32.87	19.5
2024-01-17 22:30	32.59	19.13
2024-01-17 22:45	32.54	18.71
2024-01-17 23:00	32.78	18.64
2024-01-17 23:15	33.34	19.79
2024-01-17 23:30	34.09	19.65
2024-01-17 23:45	32.93	19.8
2024-01-18 00:00	32.41	19.03
2024-01-18 00:15	32.68	20.03
2024-01-18 00:30	33.05	20.6
2024-01-18 00:45	32.84	22.84
2024-01-18 01:00	32.98	22.2
2024-01-18 01:15	33.31	23.14
2024-01-18 01:30	33.16	24.7
2024-01-18 01:45	33.04	27.15
2024-01-18 02:00	32.92	24.23
2024-01-18 02:15	33.21	23.63
2024-01-18 02:30	33.46	20.76
2024-01-18 02:45	33.31	19.86
2024-01-18 03:00	33.14	18.82
2024-01-18 03:15	33.81	20.13
2024-01-18 03:30	33.52	23.61
2024-01-18 03:45	33.25	26.13
2024-01-18 04:00	32.99	21.14
2024-01-18 04:15	32.89	20.26
2024-01-18 04:30	32.85	21.87
2024-01-18 04:45	33.85	26.48
2024-01-18 05:00	33.25	24.38

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-18 05:15	33.26	23.79
2024-01-18 05:30	34.05	25.16
2024-01-18 05:45	32.92	25.92
2024-01-18 06:00	32.96	23.59
2024-01-18 06:15	32.71	19.99
2024-01-18 06:30	32.84	21.22
2024-01-18 06:45	33.15	22.11
2024-01-18 07:00	33.26	21.28
2024-01-18 07:15	33.26	24.56
2024-01-18 07:30	32.65	20.24
2024-01-18 07:45	32.41	22.44
2024-01-18 08:00	32.36	25.94
2024-01-18 08:15	32.5	21.63
2024-01-18 08:30	33.09	19.88
2024-01-18 08:45	32.65	18.93
2024-01-18 09:00	33.61	18.68
2024-01-18 09:15	33.46	19.48
2024-01-18 09:30	33.96	19.43
2024-01-18 09:45	33.68	19.67
2024-01-18 10:00	33.65	20.58
2024-01-18 10:15	34.07	19.11
2024-01-18 10:30	33.94	19.28
2024-01-18 10:45	33.18	18.59
2024-01-18 11:00	32.92	19.47
2024-01-18 11:15	32.89	18.68
2024-01-18 11:30	32.65	18.61
2024-01-18 11:45	32.65	19.81
2024-01-18 12:00	32.75	20.91
2024-01-18 12:15	32.65	19.34
2024-01-18 12:30	32.86	20.22
2024-01-18 12:45	33.07	18.91
2024-01-18 13:00	33.25	18.62
2024-01-18 13:15	32.27	19.35
2024-01-18 13:30	32.25	19.99
2024-01-18 13:45	32.08	19.61
2024-01-18 14:00	32.33	18.97
2024-01-18 14:15	32.28	18.96
2024-01-18 14:30	32.44	19.09
2024-01-18 14:45	31.72	18.71
2024-01-18 15:00	31.81	18.85
2024-01-18 15:15	31.54	18.98
2024-01-18 15:30	32.02	18.81
2024-01-18 15:45	32.3	19.35
2024-01-18 16:00	31.79	18.32
2024-01-18 16:15	31.53	18.19

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-18 16:30	31.72	18.18
2024-01-18 16:45	31.73	18.42
2024-01-18 17:00	32.08	18.2
2024-01-18 17:15	31.86	17.96
2024-01-18 17:30	31.35	17.35
2024-01-18 17:45	31.51	17.92
2024-01-18 18:00	31.53	18.49
2024-01-18 18:15	31.49	18
2024-01-18 18:30	32.03	19.49
2024-01-18 18:45	31.44	17.91
2024-01-18 19:00	31.73	17.83
2024-01-18 19:15	31.72	17.89
2024-01-18 19:30	31.56	18.25
2024-01-18 19:45	31.75	18.08
2024-01-18 20:00	32.19	18.24
2024-01-18 20:15	32.85	18.18
2024-01-18 20:30	32.54	18.26
2024-01-18 20:45	32.24	18.55
2024-01-18 21:00	32.88	19.72
2024-01-18 21:15	32.72	18.45
2024-01-18 21:30	32.75	18.31
2024-01-18 21:45	33.3	18.22
2024-01-18 22:00	33.62	19.68
2024-01-18 22:15	34.13	19.8
2024-01-18 22:30	33.53	19.88
2024-01-18 22:45	34.01	20.21
2024-01-18 23:00	33.26	20.68
2024-01-18 23:15	33.19	21.59
2024-01-18 23:30	33.57	24.19
2024-01-18 23:45	32.99	22.95
2024-01-19 00:00	33.12	22.73
2024-01-19 00:15	32.72	19.99
2024-01-19 00:30	33.13	26.9
2024-01-19 00:45	33.12	25.67
2024-01-19 01:00	32.66	20.42
2024-01-19 01:15	33.6	21.74
2024-01-19 01:30	34	21.51
2024-01-19 01:45	34.12	21.43
2024-01-19 02:00	33.01	24.74
2024-01-19 02:15	32.95	21.11
2024-01-19 02:30	33.42	21.63
2024-01-19 02:45	33.78	19.66
2024-01-19 03:00	33.94	23.95
2024-01-19 03:15	33.73	21.65
2024-01-19 03:30	34.21	26.05

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-19 03:45	33.37	25.02
2024-01-19 04:00	33.63	25.88
2024-01-19 04:15	33.62	23.41
2024-01-19 04:30	34.17	26.67
2024-01-19 04:45	33.36	23.89
2024-01-19 05:00	33.13	23.93
2024-01-19 05:15	33.8	30.08
2024-01-19 05:30	33.19	24.59
2024-01-19 05:45	33.57	24.81
2024-01-19 06:00	33.39	20.96
2024-01-19 06:15	33.67	26.62
2024-01-19 06:30	34.03	27.65
2024-01-19 06:45	33.5	19.92
2024-01-19 07:00	33.37	21.57
2024-01-19 07:15	33.39	23.7
2024-01-19 07:30	32.92	23.75
2024-01-19 07:45	33.7	23.79
2024-01-19 08:00	33.24	23.4
2024-01-19 08:15	32.88	19.29
2024-01-19 08:30	33.58	22.75
2024-01-19 08:45	33.03	19.88
2024-01-19 09:00	33.21	18.9
2024-01-19 09:15	33.34	18.15
2024-01-19 09:30	33.65	19.18
2024-01-19 09:45	33.79	18.84
2024-01-19 10:00	33.73	19.57
2024-01-19 10:15	33.31	18.64
2024-01-19 10:30	32.67	19.93
2024-01-19 10:45	33.53	19.01
2024-01-19 11:00	33.04	22.88
2024-01-19 11:15	33.93	20.17
2024-01-19 11:30	35.44	22.5
2024-01-19 11:45	35.14	19.62
2024-01-19 12:00	34.27	22.42
2024-01-19 12:15	33.46	20.47
2024-01-19 12:30	33.36	20.27
2024-01-19 12:45	32.82	19.66
2024-01-19 13:00	32.36	19.64
2024-01-19 13:15	32.35	19.31
2024-01-19 13:30	31.79	18.83
2024-01-19 13:45	32.37	18.04
2024-01-19 14:00	33.18	18.86
2024-01-19 14:15	32.97	18.01
2024-01-19 14:30	32.25	20.53
2024-01-19 14:45	32.48	18.92

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-19 15:00	32.46	18.87
2024-01-19 15:15	32.34	18.64
2024-01-19 15:30	32.72	18.84
2024-01-19 15:45	32.68	18.46
2024-01-19 16:00	32.2	19.52
2024-01-19 16:15	33.24	18.81
2024-01-19 16:30	32.85	20.72
2024-01-19 16:45	32.42	19.27
2024-01-19 17:00	32.32	19.3
2024-01-19 17:15	32.26	17.81
2024-01-19 17:30	32.21	18.25
2024-01-19 17:45	32.33	17.93
2024-01-19 18:00	32.19	17.92
2024-01-19 18:15	32.29	17.31
2024-01-19 18:30	32.04	17.92
2024-01-19 18:45	32.32	17.67
2024-01-19 19:00	32.46	18.91
2024-01-19 19:15	32.67	17.76
2024-01-19 19:30	32.46	20.34
2024-01-19 19:45	32.6	18.66
2024-01-19 20:00	33.76	18.08
2024-01-19 20:15	33.29	18.13
2024-01-19 20:30	34.35	18.53
2024-01-19 20:45	34.58	18.39
2024-01-19 21:00	34.66	18.82
2024-01-19 21:15	34.66	17.99
2024-01-19 21:30	34.12	18.24
2024-01-19 21:45	33.78	17.73
2024-01-19 22:00	34.75	20.58
2024-01-19 22:15	33.65	19.92
2024-01-19 22:30	32.93	22.03
2024-01-19 22:45	33.77	19.85
2024-01-19 23:00	33.75	18.91
2024-01-19 23:15	34.01	18.67
2024-01-19 23:30	34.02	19.04
2024-01-19 23:45	35.08	20.03
2024-01-20 00:00	35.29	21.74
2024-01-20 00:15	34.72	22.37
2024-01-20 00:30	34.22	23.37
2024-01-20 00:45	35.17	22.44
2024-01-20 01:00	34.96	25.36
2024-01-20 01:15	34.92	23.27
2024-01-20 01:30	34.95	24.78
2024-01-20 01:45	34.83	22.47
2024-01-20 02:00	34.24	22.88

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-20 02:15	33.73	20.16
2024-01-20 02:30	34.31	24.31
2024-01-20 02:45	33.92	24.04
2024-01-20 03:00	34.16	27.92
2024-01-20 03:15	33.32	20.17
2024-01-20 03:30	33.87	23.77
2024-01-20 03:45	34.22	26.79
2024-01-20 04:00	34.19	26.86
2024-01-20 04:15	33.23	20.23
2024-01-20 04:30	33.8	20.41
2024-01-20 04:45	33.52	19.62
2024-01-20 05:00	33.9	23.66
2024-01-20 05:15	34.2	29.51
2024-01-20 05:30	33.3	27.71
2024-01-20 05:45	33.22	25.68
2024-01-20 06:00	33.01	25.38
2024-01-20 06:15	33.6	22.29
2024-01-20 06:30	33.12	21.46
2024-01-20 06:45	32.21	20.91
2024-01-20 07:00	32.89	37.07
2024-01-20 07:15	32.58	20.31
2024-01-20 07:30	32.02	20.46
2024-01-20 07:45	31.53	18.92
2024-01-20 08:00	33.32	19.5
2024-01-20 08:15	33.28	20.43
2024-01-20 08:30	33.43	20.44
2024-01-20 08:45	33.01	19.53
2024-01-20 09:00	33.52	21.82
2024-01-20 09:15	34.17	20.6
2024-01-20 09:30	34.27	19.92
2024-01-20 09:45	34.04	19.31
2024-01-20 10:00	34.53	18.92
2024-01-20 10:15	35.02	18.83
2024-01-20 10:30	33.84	19.78
2024-01-20 10:45	33.55	19.55
2024-01-20 11:00	33.76	20.43
2024-01-20 11:15	32.62	19.26
2024-01-20 11:30	32.64	20.91
2024-01-20 11:45	32.94	20.14
2024-01-20 12:00	32.83	22.22
2024-01-20 12:15	32.49	20.99
2024-01-20 12:30	31.93	20.29
2024-01-20 12:45	31.62	19.14
2024-01-20 13:00	31.97	18.67
2024-01-20 13:15	32.37	18.37

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-20 13:30	32.56	18
2024-01-20 13:45	32.74	17.78
2024-01-20 14:00	31.79	18.43
2024-01-20 14:15	32.18	18.58
2024-01-20 14:30	31.9	19.96
2024-01-20 14:45	31.64	19.36
2024-01-20 15:00	31.56	20.99
2024-01-20 15:15	31.82	20.38
2024-01-20 15:30	32.21	18.88
2024-01-20 15:45	31.98	18.57
2024-01-20 16:00	31.99	18.25
2024-01-20 16:15	32.23	18.48
2024-01-20 16:30	32.33	18.98
2024-01-20 16:45	32.56	18.93
2024-01-20 17:00	32.45	19.8
2024-01-20 17:15	32.06	18.78
2024-01-20 17:30	32.26	19.74
2024-01-20 17:45	31.63	19.18
2024-01-20 18:00	31.61	17.68
2024-01-20 18:15	31.44	17.28
2024-01-20 18:30	31.55	17.41
2024-01-20 18:45	31.98	17.22
2024-01-20 19:00	32.65	17.25
2024-01-20 19:15	33.15	17.19
2024-01-20 19:30	32.57	18.26
2024-01-20 19:45	33.01	18.87
2024-01-20 20:00	32.93	20.58
2024-01-20 20:15	34.13	19.9
2024-01-20 20:30	34.12	19.67
2024-01-20 20:45	33.42	18.35
2024-01-20 21:00	32.88	17.65
2024-01-20 21:15	32.82	17.92
2024-01-20 21:30	32.65	18.37
2024-01-20 21:45	33.05	18.2
2024-01-20 22:00	32.73	18.69
2024-01-20 22:15	32.73	18.87
2024-01-20 22:30	32.42	20.28
2024-01-20 22:45	33.63	19.98
2024-01-20 23:00	33.43	21.06
2024-01-20 23:15	33.76	22.51
2024-01-20 23:30	32.94	24.13
2024-01-20 23:45	33.64	22.03
2024-01-21 00:00	33.09	23.76
2024-01-21 00:15	33.34	19.46
2024-01-21 00:30	33.43	22.42

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-21 00:45	32.86	22.35
2024-01-21 01:00	32.83	23.64
2024-01-21 01:15	33.62	24.6
2024-01-21 01:30	32.62	19.83
2024-01-21 01:45	33.41	19.75
2024-01-21 02:00	33.52	19.6
2024-01-21 02:15	33.65	19.55
2024-01-21 02:30	33.87	21.02
2024-01-21 02:45	33.22	24.31
2024-01-21 03:00	33.45	24.31
2024-01-21 03:15	35.85	19.94
2024-01-21 03:30	33.29	24.46
2024-01-21 03:45	33.12	25.28
2024-01-21 04:00	32.98	20.46
2024-01-21 04:15	33.66	23.98
2024-01-21 04:30	33.74	24.07
2024-01-21 04:45	33.71	23.8
2024-01-21 05:00	33.42	25.09
2024-01-21 05:15	33.4	26.86
2024-01-21 05:30	33.49	27.02
2024-01-21 05:45	33.17	30.2
2024-01-21 06:00	34.27	25.85
2024-01-21 06:15	33.88	27.94
2024-01-21 06:30	33.73	24.66
2024-01-21 06:45	33.54	23.62
2024-01-21 07:00	33.36	21.92
2024-01-21 07:15	32.95	20.39
2024-01-21 07:30	33.95	20
2024-01-21 07:45	33.8	19.61
2024-01-21 08:00	33.47	19.48
2024-01-21 08:15	33.38	19.69
2024-01-21 08:30	33.67	19.71
2024-01-21 08:45	34.23	19.3
2024-01-21 09:00	34.07	19.41
2024-01-21 09:15	34.83	19.36
2024-01-21 09:30	35.02	20.03
2024-01-21 09:45	36.45	20.64
2024-01-21 10:00	35.23	19.59
2024-01-21 10:15	35.15	20.07
2024-01-21 10:30	35.06	19.4
2024-01-21 10:45	34.6	19.71
2024-01-21 11:00	34.72	19.68
2024-01-21 11:15	34.28	19.31
2024-01-21 11:30	34.72	19.35
2024-01-21 11:45	35.3	19.53

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-21 12:00	33.44	20.37
2024-01-21 12:15	32.78	20.3
2024-01-21 12:30	32.73	20.32
2024-01-21 12:45	33.35	21.48
2024-01-21 13:00	33.2	19.79
2024-01-21 13:15	34.27	19.71
2024-01-21 13:30	33.8	18.61
2024-01-21 13:45	32.91	17.98
2024-01-21 14:00	32.78	17.76
2024-01-21 14:15	32.67	18.37
2024-01-21 14:30	32.59	18.71
2024-01-21 14:45	32.39	19.1
2024-01-21 15:00	32.08	19.32
2024-01-21 15:15	42.35	19.95
2024-01-21 15:30	38.68	18.99
2024-01-21 15:45	0	19.09
2024-01-21 16:00	0	19.34
2024-01-21 16:15	0	21.08
2024-01-21 16:30	0	18.72
2024-01-21 16:45	0	19.14
2024-01-21 17:00	0	18.44
2024-01-21 17:15	0	18.64
2024-01-21 17:30	0	18.17
2024-01-21 17:45	0	18.95
2024-01-21 18:00	0	18.76
2024-01-21 18:15	0	17.85
2024-01-21 18:30	0	17.43
2024-01-21 18:45	0	17.42
2024-01-21 19:00	0	17.21
2024-01-21 19:15	0	17.81
2024-01-21 19:30	0	17.43
2024-01-21 19:45	0	18.36
2024-01-21 20:00	0	17.98
2024-01-21 20:15	0	20.53
2024-01-21 20:30	0	19.31
2024-01-21 20:45	0	21.15
2024-01-21 21:00	0	19.57
2024-01-21 21:15	0	18.93
2024-01-21 21:30	0	18.53
2024-01-21 21:45	0	18.56
2024-01-21 22:00	0	18.57
2024-01-21 22:15	0	18.99
2024-01-21 22:30	0	18.31
2024-01-21 22:45	0	19.57
2024-01-21 23:00	0	19.4

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-21 23:15	0	21.24
2024-01-21 23:30	0	19.18
2024-01-21 23:45	0	20.48
2024-01-22 00:00	0	18.96
2024-01-22 00:15	0	18.99
2024-01-22 00:30	0	20.25
2024-01-22 00:45	0	20.07
2024-01-22 01:00	0	19.64
2024-01-22 01:15	0	19.83
2024-01-22 01:30	0	21.51
2024-01-22 01:45	0	20.46
2024-01-22 02:00	0	21.43
2024-01-22 02:15	0	24.56
2024-01-22 02:30	0	22.15
2024-01-22 02:45	0	21.35
2024-01-22 03:00	0	19.75
2024-01-22 03:15	0	19.26
2024-01-22 03:30	0	19.54
2024-01-22 03:45	0	24.11
2024-01-22 04:00	0	20.68
2024-01-22 04:15	0	20.21
2024-01-22 04:30	0	19.66
2024-01-22 04:45	0	22.39
2024-01-22 05:00	0	19.65
2024-01-22 05:15	0	23.15
2024-01-22 05:30	0	22.67
2024-01-22 05:45	0	22.81
2024-01-22 06:00	0	20.83
2024-01-22 06:15	0	21.27
2024-01-22 06:30	0	20.57
2024-01-22 06:45	0	22.11
2024-01-22 07:00	0	23.02
2024-01-22 07:15	0	23.05
2024-01-22 07:30	0	22.11
2024-01-22 07:45	0	23.43
2024-01-22 08:00	0	20.97
2024-01-22 08:15	0	19.24
2024-01-22 08:30	0	20.54
2024-01-22 08:45	0	20.74
2024-01-22 09:00	2.48	19.28
2024-01-22 09:15	31.09	19.8
2024-01-22 09:30	33.28	19.24
2024-01-22 09:45	33.11	20.41
2024-01-22 10:00	32.69	19.16
2024-01-22 10:15	32.53	20.57

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-22 10:30	31.1	20.53
2024-01-22 10:45	31.54	19.58
2024-01-22 11:00	31.67	20.21
2024-01-22 11:15	31.12	19.73
2024-01-22 11:30	31.55	19.71
2024-01-22 11:45	31.31	19.66
2024-01-22 12:00	31.13	20.29
2024-01-22 12:15	31.58	21.1
2024-01-22 12:30	31.39	20.65
2024-01-22 12:45	31.16	22.16
2024-01-22 13:00	31.43	20.94
2024-01-22 13:15	30.89	21.84
2024-01-22 13:30	30.51	19.71
2024-01-22 13:45	30.84	19.77
2024-01-22 14:00	29.51	18.88
2024-01-22 14:15	30.24	19.08
2024-01-22 14:30	29.34	18.54
2024-01-22 14:45	29.97	18.11
2024-01-22 15:00	30	17.45
2024-01-22 15:15	28.84	18.15
2024-01-22 15:30	28.72	17.64
2024-01-22 15:45	29.48	18.77
2024-01-22 16:00	29.33	19.89
2024-01-22 16:15	29.07	20.39
2024-01-22 16:30	29.58	20.83
2024-01-22 16:45	29.55	18.91
2024-01-22 17:00	29.94	19.09
2024-01-22 17:15	29.87	19.05
2024-01-22 17:30	30.08	18.43
2024-01-22 17:45	29.95	19.14
2024-01-22 18:00	30.47	18.73
2024-01-22 18:15	29.82	19.3
2024-01-22 18:30	29.91	19.47
2024-01-22 18:45	30.67	18.92
2024-01-22 19:00	31.03	18.27
2024-01-22 19:15	33.22	17.87
2024-01-22 19:30	32.62	17.63
2024-01-22 19:45	31.23	17.97
2024-01-22 20:00	31.87	18.54
2024-01-22 20:15	31.59	18.98
2024-01-22 20:30	31.33	18.78
2024-01-22 20:45	31.82	19.52
2024-01-22 21:00	32.86	19.91
2024-01-22 21:15	33	20.54
2024-01-22 21:30	32.67	20.86

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-22 21:45	32.62	19.18
2024-01-22 22:00	33.11	19.64
2024-01-22 22:15	31.53	20.32
2024-01-22 22:30	31.87	21.03
2024-01-22 22:45	32.36	19.52
2024-01-22 23:00	32.17	19.91
2024-01-22 23:15	31.86	18.87
2024-01-22 23:30	32.08	19.31
2024-01-22 23:45	31.92	19.43
2024-01-23 00:00	32.26	20.96
2024-01-23 00:15	33.06	21.66
2024-01-23 00:30	32.56	19.98
2024-01-23 00:45	32.41	21.74
2024-01-23 01:00	32.65	19.89
2024-01-23 01:15	32.52	20.14
2024-01-23 01:30	32.69	19.96
2024-01-23 01:45	33.16	22.71
2024-01-23 02:00	32.87	22.65
2024-01-23 02:15	33	21.55
2024-01-23 02:30	33.03	20.54
2024-01-23 02:45	33.45	22.32
2024-01-23 03:00	33.65	21.13
2024-01-23 03:15	32.93	21.44
2024-01-23 03:30	33.22	20.54
2024-01-23 03:45	33	21.02
2024-01-23 04:00	32.96	21.59
2024-01-23 04:15	33.28	21.91
2024-01-23 04:30	33.97	20.31
2024-01-23 04:45	34.07	20.86
2024-01-23 05:00	33.46	20.47
2024-01-23 05:15	33.19	20.66
2024-01-23 05:30	33.8	23.06
2024-01-23 05:45	35	25.18
2024-01-23 06:00	33.41	25.4
2024-01-23 06:15	33.25	23.79
2024-01-23 06:30	35.14	23.8
2024-01-23 06:45	45.43	20.36
2024-01-23 07:00	46.48	26.45
2024-01-23 07:15	46.37	24.02
2024-01-23 07:30	47.25	26.05
2024-01-23 07:45	46.48	20.01
2024-01-23 08:00	47.28	20.59
2024-01-23 08:15	47.96	19.96
2024-01-23 08:30	40.74	19.24
2024-01-23 08:45	0	19.52

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-23 09:00	0	19.88
2024-01-23 09:15	0	20.46
2024-01-23 09:30	0	21.44
2024-01-23 09:45	0	20.06
2024-01-23 10:00	0	19.51
2024-01-23 10:15	0	19.14
2024-01-23 10:30	0	19.34
2024-01-23 10:45	0	19.35
2024-01-23 11:00	0	21.39
2024-01-23 11:15	0	19.66
2024-01-23 11:30	0	19.73
2024-01-23 11:45	0	19.78
2024-01-23 12:00	0	20.38
2024-01-23 12:15	0	20.66
2024-01-23 12:30	0	21.65
2024-01-23 12:45	0	20.56
2024-01-23 13:00	0	19.49
2024-01-23 13:15	0	18.89
2024-01-23 13:30	0	20.36
2024-01-23 13:45	0	18.1
2024-01-23 14:00	0	18.54
2024-01-23 14:15	0	19
2024-01-23 14:30	0	19.27
2024-01-23 14:45	0	18.58
2024-01-23 15:00	0	19.91
2024-01-23 15:15	0	18.13
2024-01-23 15:30	17.73	19.39
2024-01-23 15:45	31.44	18.65
2024-01-23 16:00	30.15	19.78
2024-01-23 16:15	29.12	18.74
2024-01-23 16:30	29.61	18.57
2024-01-23 16:45	29.67	18.16
2024-01-23 17:00	29.57	18.6
2024-01-23 17:15	31.37	18.7
2024-01-23 17:30	31.2	19.51
2024-01-23 17:45	31.47	19.26
2024-01-23 18:00	31.34	21.09
2024-01-23 18:15	31.33	18.89
2024-01-23 18:30	31.42	17.91
2024-01-23 18:45	31.57	17.78
2024-01-23 19:00	31.41	18.16
2024-01-23 19:15	31.36	18.46
2024-01-23 19:30	32.44	18.32
2024-01-23 19:45	31.99	18.33
2024-01-23 20:00	32.21	18.92

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-23 20:15	31.61	19.28
2024-01-23 20:30	31.65	20.21
2024-01-23 20:45	33.1	19.73
2024-01-23 21:00	32.44	19.84
2024-01-23 21:15	31.11	19.63
2024-01-23 21:30	31.5	20.9
2024-01-23 21:45	31.67	19.69
2024-01-23 22:00	32.38	19.54
2024-01-23 22:15	31.55	19.52
2024-01-23 22:30	32.08	19.94
2024-01-23 22:45	31.84	20.41
2024-01-23 23:00	31.47	21
2024-01-23 23:15	31.92	21.35
2024-01-23 23:30	31.9	24.75
2024-01-23 23:45	31.81	23.14
2024-01-24 00:00	32.67	23.43
2024-01-24 00:15	31.89	21.08
2024-01-24 00:30	32.07	20.69
2024-01-24 00:45	33.16	26.09
2024-01-24 01:00	31.95	26.68
2024-01-24 01:15	31.79	24.32
2024-01-24 01:30	32.62	25.8
2024-01-24 01:45	32.4	25.53
2024-01-24 02:00	32.41	28.63
2024-01-24 02:15	31.84	30.45
2024-01-24 02:30	31.43	29.36
2024-01-24 02:45	31.58	28.12
2024-01-24 03:00	32.57	30.46
2024-01-24 03:15	32.22	24.76
2024-01-24 03:30	32.18	21.2
2024-01-24 03:45	32.19	23.39
2024-01-24 04:00	32.26	26.96
2024-01-24 04:15	32.11	28.79
2024-01-24 04:30	32.29	22.06
2024-01-24 04:45	32.47	21.04
2024-01-24 05:00	31.52	21.33
2024-01-24 05:15	31.32	21.47
2024-01-24 05:30	31.09	25.31
2024-01-24 05:45	31.71	24
2024-01-24 06:00	31.99	29.04
2024-01-24 06:15	32.08	26.26
2024-01-24 06:30	31.1	25.43
2024-01-24 06:45	31.81	23.69
2024-01-24 07:00	31.73	28.06
2024-01-24 07:15	31.34	31.18

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-24 07:30	31.47	24.2
2024-01-24 07:45	31.62	20.97
2024-01-24 08:00	31.82	22.78
2024-01-24 08:15	32.14	22.99
2024-01-24 08:30	31.9	22.28
2024-01-24 08:45	31.72	19.83
2024-01-24 09:00	32.55	20.75
2024-01-24 09:15	32.45	19.31
2024-01-24 09:30	32.28	19.39
2024-01-24 09:45	33.06	19.08
2024-01-24 10:00	33.22	20.16
2024-01-24 10:15	32.83	19.01
2024-01-24 10:30	33.06	20.99
2024-01-24 10:45	32.9	19.84
2024-01-24 11:00	32.49	21.2
2024-01-24 11:15	32.75	19.72
2024-01-24 11:30	32.61	19.36
2024-01-24 11:45	32.19	18.88
2024-01-24 12:00	32.23	19.61
2024-01-24 12:15	31.23	19.32
2024-01-24 12:30	31.87	19.84
2024-01-24 12:45	31.61	19.89
2024-01-24 13:00	31.1	20.97
2024-01-24 13:15	31.61	18.84
2024-01-24 13:30	31.74	20.46
2024-01-24 13:45	31.43	18.94
2024-01-24 14:00	30.85	19.52
2024-01-24 14:15	30.24	18.5
2024-01-24 14:30	29.68	23.51
2024-01-24 14:45	30.05	18.09
2024-01-24 15:00	30.13	18.55
2024-01-24 15:15	29.71	18.34
2024-01-24 15:30	29.72	19.19
2024-01-24 15:45	29.78	18.17
2024-01-24 16:00	29.54	19.21
2024-01-24 16:15	29.52	17.36
2024-01-24 16:30	29.67	19.1
2024-01-24 16:45	30.06	17.27
2024-01-24 17:00	29.8	16.51
2024-01-24 17:15	29.84	16.41
2024-01-24 17:30	31.17	16.66
2024-01-24 17:45	31.96	16.49
2024-01-24 18:00	31.41	17.01
2024-01-24 18:15	31.48	16.87
2024-01-24 18:30	31.88	18.37

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-24 18:45	30.99	18.28
2024-01-24 19:00	31.02	20.33
2024-01-24 19:15	30.66	18.42
2024-01-24 19:30	31.45	18.2
2024-01-24 19:45	32.76	17.86
2024-01-24 20:00	33.38	18.39
2024-01-24 20:15	33.44	18.19
2024-01-24 20:30	32.36	18.89
2024-01-24 20:45	32.73	18.9
2024-01-24 21:00	32.18	19.17
2024-01-24 21:15	32.14	18.68
2024-01-24 21:30	31.78	20.22
2024-01-24 21:45	32.19	19.71
2024-01-24 22:00	32.09	19.71
2024-01-24 22:15	31.78	19.01
2024-01-24 22:30	32.41	19.81
2024-01-24 22:45	32.14	19.41
2024-01-24 23:00	32.92	19.58
2024-01-24 23:15	31.92	19.58
2024-01-24 23:30	32.01	19.27
2024-01-24 23:45	32.26	19.65
2024-01-25 00:00	32.65	21.68
2024-01-25 00:15	32.1	22.25
2024-01-25 00:30	31.9	21.51
2024-01-25 00:45	31.83	19.97
2024-01-25 01:00	31.83	21.25
2024-01-25 01:15	32.39	20.31
2024-01-25 01:30	32.45	21.81
2024-01-25 01:45	32.44	21.67
2024-01-25 02:00	32.16	23.31
2024-01-25 02:15	31.73	19.63
2024-01-25 02:30	32.22	20.09
2024-01-25 02:45	32.94	20.24
2024-01-25 03:00	32.48	25.85
2024-01-25 03:15	32.12	23.56
2024-01-25 03:30	31.89	27.97
2024-01-25 03:45	31.03	25.45
2024-01-25 04:00	31.1	23.32
2024-01-25 04:15	31.55	23.76
2024-01-25 04:30	31.73	23.28
2024-01-25 04:45	31.36	20.69
2024-01-25 05:00	31.3	20.73
2024-01-25 05:15	32.07	23.02
2024-01-25 05:30	31.39	21.87
2024-01-25 05:45	31.72	22.21

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-25 06:00	31.35	22.36
2024-01-25 06:15	31.47	20.98
2024-01-25 06:30	31.35	22.85
2024-01-25 06:45	30.82	24.52
2024-01-25 07:00	31.65	22.82
2024-01-25 07:15	31.68	20.04
2024-01-25 07:30	31.4	20.7
2024-01-25 07:45	31.5	20.23
2024-01-25 08:00	31.3	20.4
2024-01-25 08:15	31.88	19.6
2024-01-25 08:30	31.44	20.42
2024-01-25 08:45	31.09	19.64
2024-01-25 09:00	31.09	19.49
2024-01-25 09:15	31.27	18.98
2024-01-25 09:30	30.95	20.42
2024-01-25 09:45	30.74	19.62
2024-01-25 10:00	30.86	18.68
2024-01-25 10:15	31.29	19.05
2024-01-25 10:30	32.09	19.28
2024-01-25 10:45	31.64	18.71
2024-01-25 11:00	31.69	19.48
2024-01-25 11:15	31.75	19.53
2024-01-25 11:30	31.58	20.15
2024-01-25 11:45	31.39	19.68
2024-01-25 12:00	31.25	21.89
2024-01-25 12:15	30.23	21.27
2024-01-25 12:30	30.16	19.87
2024-01-25 12:45	29.71	19.53
2024-01-25 13:00	29.44	19.65
2024-01-25 13:15	29.76	17.77
2024-01-25 13:30	29.05	17.91
2024-01-25 13:45	29.02	18.25
2024-01-25 14:00	29.02	19.1
2024-01-25 14:15	28.56	18.53
2024-01-25 14:30	28.35	19.44
2024-01-25 14:45	28.25	18.4
2024-01-25 15:00	29.06	18.42
2024-01-25 15:15	28.58	17.75
2024-01-25 15:30	29.02	19.43
2024-01-25 15:45	29.53	19.1
2024-01-25 16:00	29.64	17.18
2024-01-25 16:15	30.19	17.72
2024-01-25 16:30	29.19	17.17
2024-01-25 16:45	29.45	16.64
2024-01-25 17:00	30.17	19.16

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-25 17:15	30.84	17.11
2024-01-25 17:30	30.56	17.85
2024-01-25 17:45	31.35	17.52
2024-01-25 18:00	31.51	19.09
2024-01-25 18:15	30.77	19.2
2024-01-25 18:30	30	18.18
2024-01-25 18:45	30.37	18.24
2024-01-25 19:00	30.96	17.84
2024-01-25 19:15	31.62	17.59
2024-01-25 19:30	30.88	18.51
2024-01-25 19:45	30.35	18.92
2024-01-25 20:00	32.28	19.38
2024-01-25 20:15	30.93	18.91
2024-01-25 20:30	29.84	19.87
2024-01-25 20:45	29.52	20.16
2024-01-25 21:00	29.77	19.49
2024-01-25 21:15	30.9	19.58
2024-01-25 21:30	29.76	17.95
2024-01-25 21:45	29.84	17.97
2024-01-25 22:00	29.62	18.91
2024-01-25 22:15	29.5	19.12
2024-01-25 22:30	29.99	19.88
2024-01-25 22:45	30.44	19.79
2024-01-25 23:00	30.34	21.26
2024-01-25 23:15	30.51	20.41
2024-01-25 23:30	29.86	21.82
2024-01-25 23:45	29.96	22.37
2024-01-26 00:00	29.78	19.41
2024-01-26 00:15	29.88	19.32
2024-01-26 00:30	29.61	21.25
2024-01-26 00:45	29.55	20.74
2024-01-26 01:00	29.4	19.99
2024-01-26 01:15	29.69	23.94
2024-01-26 01:30	29.53	22.27
2024-01-26 01:45	29.41	23.92
2024-01-26 02:00	29.92	23.62
2024-01-26 02:15	29.87	20.46
2024-01-26 02:30	30.77	20.86
2024-01-26 02:45	30.96	21.23
2024-01-26 03:00	30.64	19.31
2024-01-26 03:15	30.54	20.15
2024-01-26 03:30	30.63	22.99
2024-01-26 03:45	30.88	28.98
2024-01-26 04:00	30.75	29.98
2024-01-26 04:15	30.52	29.68

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-26 04:30	31.02	29
2024-01-26 04:45	31.97	22.84
2024-01-26 05:00	32.08	22.31
2024-01-26 05:15	32.48	28.04
2024-01-26 05:30	31.71	23.15
2024-01-26 05:45	32.35	25.5
2024-01-26 06:00	32.54	29.52
2024-01-26 06:15	31.73	25.71
2024-01-26 06:30	31.98	29.41
2024-01-26 06:45	32.07	25.93
2024-01-26 07:00	33.35	25.82
2024-01-26 07:15	32.14	29.1
2024-01-26 07:30	32.52	20.38
2024-01-26 07:45	32.02	21.39
2024-01-26 08:00	32.31	22.42
2024-01-26 08:15	32.99	27.28
2024-01-26 08:30	32.76	20.61
2024-01-26 08:45	32.82	19.55
2024-01-26 09:00	33.43	19.29
2024-01-26 09:15	33.3	19.37
2024-01-26 09:30	33.93	19.15
2024-01-26 09:45	34.47	19.45
2024-01-26 10:00	36.23	20.33
2024-01-26 10:15	33.08	20.88
2024-01-26 10:30	33.39	22.03
2024-01-26 10:45	33.76	22.22
2024-01-26 11:00	40.45	20.98
2024-01-26 11:15	35.86	20.88
2024-01-26 11:30	36.34	20.2
2024-01-26 11:45	35.55	20.18
2024-01-26 12:00	34.82	20.24
2024-01-26 12:15	33.59	20.45
2024-01-26 12:30	32.64	20.72
2024-01-26 12:45	32.54	20.48
2024-01-26 13:00	32.12	20.48
2024-01-26 13:15	31.26	19.14
2024-01-26 13:30	31.55	19.05
2024-01-26 13:45	31.01	20.62
2024-01-26 14:00	31.98	19.01
2024-01-26 14:15	32.62	18.55
2024-01-26 14:30	32.78	17.99
2024-01-26 14:45	32.62	17.97
2024-01-26 15:00	32.23	18.17
2024-01-26 15:15	32.05	18.33
2024-01-26 15:30	31.29	19.03

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-26 15:45	31.17	18.91
2024-01-26 16:00	31	19.33
2024-01-26 16:15	30.59	19.77
2024-01-26 16:30	31.42	19.34
2024-01-26 16:45	31.37	20.49
2024-01-26 17:00	31.62	18.06
2024-01-26 17:15	31.06	17.55
2024-01-26 17:30	30.9	17.4
2024-01-26 17:45	31.21	17.57
2024-01-26 18:00	31.07	17.73
2024-01-26 18:15	30.32	17.76
2024-01-26 18:30	30.37	17.96
2024-01-26 18:45	30.69	18.32
2024-01-26 19:00	30.87	18.86
2024-01-26 19:15	30.87	20.35
2024-01-26 19:30	31.86	18.38
2024-01-26 19:45	32.83	17.82
2024-01-26 20:00	32.33	17.51
2024-01-26 20:15	32.38	17.9
2024-01-26 20:30	31.22	17.63
2024-01-26 20:45	32.14	18.35
2024-01-26 21:00	32.5	18.82
2024-01-26 21:15	32.27	18.75
2024-01-26 21:30	31.89	19.15
2024-01-26 21:45	30.55	20.07
2024-01-26 22:00	31.24	18.72
2024-01-26 22:15	31	19.24
2024-01-26 22:30	31.38	20.08
2024-01-26 22:45	31.27	21.35
2024-01-26 23:00	30.96	18.34
2024-01-26 23:15	31.35	18.86
2024-01-26 23:30	31.83	19.09
2024-01-26 23:45	31.76	19.61
2024-01-27 00:00	31.58	19.9
2024-01-27 00:15	31.57	19.43
2024-01-27 00:30	31.75	19.63
2024-01-27 00:45	31.69	22.22
2024-01-27 01:00	31.23	21.03
2024-01-27 01:15	31.12	22.4
2024-01-27 01:30	31.51	22.14
2024-01-27 01:45	31.43	23.65
2024-01-27 02:00	32.08	23.88
2024-01-27 02:15	31.77	23
2024-01-27 02:30	32.06	25.63
2024-01-27 02:45	31.51	22.23

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-27 03:00	31.4	19.49
2024-01-27 03:15	31.64	24.95
2024-01-27 03:30	31.49	23.32
2024-01-27 03:45	31.9	26.36
2024-01-27 04:00	31.52	19.9
2024-01-27 04:15	31.72	23.09
2024-01-27 04:30	31.99	27.23
2024-01-27 04:45	32.03	28
2024-01-27 05:00	32.24	25.39
2024-01-27 05:15	32.31	19.79
2024-01-27 05:30	32.24	19.3
2024-01-27 05:45	32.32	20.31
2024-01-27 06:00	32.09	19.66
2024-01-27 06:15	35.27	28.39
2024-01-27 06:30	36.73	25.02
2024-01-27 06:45	32.53	28.52
2024-01-27 07:00	33	20.91
2024-01-27 07:15	32.67	22.49
2024-01-27 07:30	33.3	22.16
2024-01-27 07:45	32.55	26.31
2024-01-27 08:00	31.61	26.31
2024-01-27 08:15	31.75	22.11
2024-01-27 08:30	32.3	20.24
2024-01-27 08:45	32.89	21.09
2024-01-27 09:00	33.45	19.06
2024-01-27 09:15	33.74	22.52
2024-01-27 09:30	32.73	18.92
2024-01-27 09:45	32.66	18.59
2024-01-27 10:00	32.26	19.05
2024-01-27 10:15	33.02	18.15
2024-01-27 10:30	33.77	19.04
2024-01-27 10:45	33.95	20.04
2024-01-27 11:00	33.45	19.97
2024-01-27 11:15	34.51	22.01
2024-01-27 11:30	33.97	20.21
2024-01-27 11:45	33.42	22.83
2024-01-27 12:00	33.48	20.5
2024-01-27 12:15	32.88	22.48
2024-01-27 12:30	33.02	20.32
2024-01-27 12:45	33.35	20.53
2024-01-27 13:00	33.32	19.87
2024-01-27 13:15	33.44	19.82
2024-01-27 13:30	33.52	18.32
2024-01-27 13:45	33.49	19.59
2024-01-27 14:00	33.69	17.68

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-27 14:15	33.81	19.61
2024-01-27 14:30	33.09	18.33
2024-01-27 14:45	32.96	21.2
2024-01-27 15:00	33.02	18.99
2024-01-27 15:15	32.47	18.73
2024-01-27 15:30	31.99	17.84
2024-01-27 15:45	30.79	18.04
2024-01-27 16:00	30.84	17.85
2024-01-27 16:15	30.64	18.07
2024-01-27 16:30	29.8	17.8
2024-01-27 16:45	30.05	18.56
2024-01-27 17:00	29.79	17.53
2024-01-27 17:15	29.58	19.15
2024-01-27 17:30	29.69	18.11
2024-01-27 17:45	29.81	20.57
2024-01-27 18:00	29.31	18.8
2024-01-27 18:15	28.76	17.94
2024-01-27 18:30	28.76	17.38
2024-01-27 18:45	29.11	17.69
2024-01-27 19:00	30.66	17.49
2024-01-27 19:15	29.38	18.17
2024-01-27 19:30	30.14	17.89
2024-01-27 19:45	31.91	19.03
2024-01-27 20:00	30.21	18.54
2024-01-27 20:15	30.76	21.5
2024-01-27 20:30	30.03	19.38
2024-01-27 20:45	29.05	19.43
2024-01-27 21:00	29.13	18.92
2024-01-27 21:15	29.35	20.53
2024-01-27 21:30	30.48	19.12
2024-01-27 21:45	29.67	18.76
2024-01-27 22:00	29.96	18.72
2024-01-27 22:15	29.9	19.73
2024-01-27 22:30	29.42	18.79
2024-01-27 22:45	29.9	20.45
2024-01-27 23:00	29.82	19.92
2024-01-27 23:15	29.46	22.65
2024-01-27 23:30	30.02	21.13
2024-01-27 23:45	29.99	20.85
2024-01-28 00:00	29.45	20.09
2024-01-28 00:15	29.3	19.8
2024-01-28 00:30	30.1	22.42
2024-01-28 00:45	30.75	24.18
2024-01-28 01:00	30.54	22.71
2024-01-28 01:15	30.86	25.96

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-28 01:30	30.16	22.78
2024-01-28 01:45	29.63	22.43
2024-01-28 02:00	30.81	24.13
2024-01-28 02:15	30.39	25.3
2024-01-28 02:30	30.79	23.97
2024-01-28 02:45	29.7	22.4
2024-01-28 03:00	30.59	24.62
2024-01-28 03:15	30.04	25.84
2024-01-28 03:30	29.36	21.2
2024-01-28 03:45	29.56	23.89
2024-01-28 04:00	30.49	25.03
2024-01-28 04:15	29.49	27.12
2024-01-28 04:30	30.48	26.05
2024-01-28 04:45	29.74	24.29
2024-01-28 05:00	30.07	21.86
2024-01-28 05:15	30.42	24.77
2024-01-28 05:30	30.51	21.95
2024-01-28 05:45	30.34	22.11
2024-01-28 06:00	30.32	20.32
2024-01-28 06:15	30.39	24.72
2024-01-28 06:30	30.2	23.6
2024-01-28 06:45	29.82	23.86
2024-01-28 07:00	30.22	22.31
2024-01-28 07:15	30.43	23.99
2024-01-28 07:30	31.1	23.34
2024-01-28 07:45	30.5	22.53
2024-01-28 08:00	30.38	21.11
2024-01-28 08:15	30.15	20.85
2024-01-28 08:30	30.38	19.03
2024-01-28 08:45	30.71	19.62
2024-01-28 09:00	31.03	19.97
2024-01-28 09:15	30.53	21.18
2024-01-28 09:30	31.29	20.86
2024-01-28 09:45	30.63	23.06
2024-01-28 10:00	31.24	22.09
2024-01-28 10:15	32.27	23.07
2024-01-28 10:30	32.4	21.79
2024-01-28 10:45	32.04	21.7
2024-01-28 11:00	31.51	21.66
2024-01-28 11:15	31	21.61
2024-01-28 11:30	30.45	20.61
2024-01-28 11:45	30.91	21.22
2024-01-28 12:00	30.68	21.09
2024-01-28 12:15	29.75	22.55
2024-01-28 12:30	29.54	21.61

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-28 12:45	29.61	23.76
2024-01-28 13:00	28.73	21.38
2024-01-28 13:15	28.5	22.76
2024-01-28 13:30	27.87	19.62
2024-01-28 13:45	27.76	17.7
2024-01-28 14:00	28.11	17
2024-01-28 14:15	27.69	17.73
2024-01-28 14:30	27.47	17.89
2024-01-28 14:45	27.82	18.53
2024-01-28 15:00	28.52	18.24
2024-01-28 15:15	28.63	20.1
2024-01-28 15:30	27.71	19.05
2024-01-28 15:45	27.95	21.38
2024-01-28 16:00	27.35	19.87
2024-01-28 16:15	27.57	18.4
2024-01-28 16:30	28.22	18.22
2024-01-28 16:45	28	17.79
2024-01-28 17:00	28.26	17.87
2024-01-28 17:15	28.53	17.98
2024-01-28 17:30	28.58	17.72
2024-01-28 17:45	28.57	18.21
2024-01-28 18:00	28.34	18
2024-01-28 18:15	28.98	20.31
2024-01-28 18:30	29.11	18.76
2024-01-28 18:45	29.42	19.06
2024-01-28 19:00	30.17	17.84
2024-01-28 19:15	30.56	18.05
2024-01-28 19:30	31.23	17.62
2024-01-28 19:45	29.96	17.5
2024-01-28 20:00	30.25	17.49
2024-01-28 20:15	30.73	17.94
2024-01-28 20:30	30.51	18.26
2024-01-28 20:45	31.09	19.59
2024-01-28 21:00	30.83	18.91
2024-01-28 21:15	30.12	20.68
2024-01-28 21:30	30.49	19.29
2024-01-28 21:45	30.39	18.38
2024-01-28 22:00	29.96	18.36
2024-01-28 22:15	30.35	18.61
2024-01-28 22:30	30.53	18.49
2024-01-28 22:45	30.49	18.54
2024-01-28 23:00	30.75	18.83
2024-01-28 23:15	30.31	19.32
2024-01-28 23:30	30.55	19.55
2024-01-28 23:45	30.02	20.77

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-29 00:00	30.31	20.45
2024-01-29 00:15	30.25	20.84
2024-01-29 00:30	29.88	20.05
2024-01-29 00:45	30.39	19.23
2024-01-29 01:00	30.17	20.33
2024-01-29 01:15	29.74	19.64
2024-01-29 01:30	30	20.05
2024-01-29 01:45	30.32	19.98
2024-01-29 02:00	30.67	20.05
2024-01-29 02:15	30.66	20.99
2024-01-29 02:30	30.68	19.55
2024-01-29 02:45	31.13	21.66
2024-01-29 03:00	31.36	20.57
2024-01-29 03:15	31.22	19.53
2024-01-29 03:30	31.11	19.43
2024-01-29 03:45	31.35	19.47
2024-01-29 04:00	31.08	19.05
2024-01-29 04:15	30.98	19.32
2024-01-29 04:30	31.24	19.83
2024-01-29 04:45	31.29	20.56
2024-01-29 05:00	31.14	19.52
2024-01-29 05:15	31.45	21.12
2024-01-29 05:30	31.66	20.45
2024-01-29 05:45	32.23	22.14
2024-01-29 06:00	32.68	22.35
2024-01-29 06:15	32.07	19.53
2024-01-29 06:30	31.99	19.95
2024-01-29 06:45	31.31	19.25
2024-01-29 07:00	31.21	19.78
2024-01-29 07:15	32.15	19.59
2024-01-29 07:30	32.58	18.93
2024-01-29 07:45	31.69	19.67
2024-01-29 08:00	31.54	20.53
2024-01-29 08:15	31.52	22.08
2024-01-29 08:30	31.85	22.12
2024-01-29 08:45	31.75	20.7
2024-01-29 09:00	32.19	19.17
2024-01-29 09:15	32.6	19.64
2024-01-29 09:30	33.08	20.34
2024-01-29 09:45	34.06	20.67
2024-01-29 10:00	34.24	20.44
2024-01-29 10:15	33.59	21.48
2024-01-29 10:30	33.42	21.7
2024-01-29 10:45	32.92	22.4
2024-01-29 11:00	32.72	21.89

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-29 11:15	33.08	22.59
2024-01-29 11:30	33.4	22.63
2024-01-29 11:45	33.5	20.79
2024-01-29 12:00	33.03	23.19
2024-01-29 12:15	33.1	21.97
2024-01-29 12:30	32.43	21.82
2024-01-29 12:45	31.63	20.96
2024-01-29 13:00	31.94	21.56
2024-01-29 13:15	32.63	21.56
2024-01-29 13:30	32.38	18.66
2024-01-29 13:45	32.65	19.03
2024-01-29 14:00	31.6	19.52
2024-01-29 14:15	31	19.76
2024-01-29 14:30	30.7	19.8
2024-01-29 14:45	30.28	18.3
2024-01-29 15:00	30.25	18.18
2024-01-29 15:15	30.12	18.2
2024-01-29 15:30	30.3	18.01
2024-01-29 15:45	29.96	18.16
2024-01-29 16:00	29.87	18.43
2024-01-29 16:15	29.35	19.09
2024-01-29 16:30	29.44	18.94
2024-01-29 16:45	29.58	19.52
2024-01-29 17:00	29.76	20.31
2024-01-29 17:15	29.72	18.7
2024-01-29 17:30	29.24	17.77
2024-01-29 17:45	29.27	17.45
2024-01-29 18:00	29.42	17.16
2024-01-29 18:15	29.29	17.05
2024-01-29 18:30	29.42	17.24
2024-01-29 18:45	29.24	17.26
2024-01-29 19:00	29.6	17.24
2024-01-29 19:15	29.66	17.71
2024-01-29 19:30	30.96	17.93
2024-01-29 19:45	29.75	18.58
2024-01-29 20:00	29.23	19.32
2024-01-29 20:15	29.14	17.35
2024-01-29 20:30	28.77	17.47
2024-01-29 20:45	28.8	17.3
2024-01-29 21:00	29.5	18
2024-01-29 21:15	29.53	18.53
2024-01-29 21:30	29.88	18.69
2024-01-29 21:45	29.51	19.45
2024-01-29 22:00	29.35	20.19
2024-01-29 22:15	29.97	21.93

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-29 22:30	30.01	21.89
2024-01-29 22:45	30.56	22.57
2024-01-29 23:00	30.63	26.61
2024-01-29 23:15	30.04	23.52
2024-01-29 23:30	29.78	21.09
2024-01-29 23:45	30.54	24.08
2024-01-30 00:00	30.01	20.88
2024-01-30 00:15	30.03	20.74
2024-01-30 00:30	29.65	20.25
2024-01-30 00:45	29.65	18.65
2024-01-30 01:00	30.11	18.81
2024-01-30 01:15	30.87	20.71
2024-01-30 01:30	30.34	21.73
2024-01-30 01:45	29.93	20.41
2024-01-30 02:00	29.89	22.34
2024-01-30 02:15	30.12	22.47
2024-01-30 02:30	30.08	23.09
2024-01-30 02:45	30.04	18.72
2024-01-30 03:00	30.68	22.19
2024-01-30 03:15	30.74	22.27
2024-01-30 03:30	30.18	19.74
2024-01-30 03:45	29.84	20.33
2024-01-30 04:00	30.35	21.49
2024-01-30 04:15	30.97	22.13
2024-01-30 04:30	30.26	21.91
2024-01-30 04:45	30.45	21.52
2024-01-30 05:00	30.5	19.97
2024-01-30 05:15	30.68	20.16
2024-01-30 05:30	30.58	21.42
2024-01-30 05:45	30.78	22.81
2024-01-30 06:00	30.53	20.77
2024-01-30 06:15	30.74	22.99
2024-01-30 06:30	36.03	23.92
2024-01-30 06:45	31.19	24.96
2024-01-30 07:00	30.68	24.12
2024-01-30 07:15	30.55	22.13
2024-01-30 07:30	30.07	22.04
2024-01-30 07:45	29.91	19.57
2024-01-30 08:00	30.17	18.85
2024-01-30 08:15	30.28	18.57
2024-01-30 08:30	31.34	19.48
2024-01-30 08:45	31.03	19.37
2024-01-30 09:00	31.04	19.72
2024-01-30 09:15	31.38	20.33
2024-01-30 09:30	31.85	20.86

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-30 09:45	31.65	20.43
2024-01-30 10:00	30.92	21.75
2024-01-30 10:15	30.25	20.8
2024-01-30 10:30	30.88	21.37
2024-01-30 10:45	32.82	21.25
2024-01-30 11:00	31.7	20.91
2024-01-30 11:15	32.41	21.16
2024-01-30 11:30	31.95	21.71
2024-01-30 11:45	31.82	21.58
2024-01-30 12:00	31.02	22.92
2024-01-30 12:15	32.22	22.32
2024-01-30 12:30	32.61	24.84
2024-01-30 12:45	32	21.82
2024-01-30 13:00	31.74	22.21
2024-01-30 13:15	31.47	22.66
2024-01-30 13:30	31.29	22.61
2024-01-30 13:45	29.89	19.1
2024-01-30 14:00	29.74	18.07
2024-01-30 14:15	30.16	17.56
2024-01-30 14:30	29.98	18.17
2024-01-30 14:45	28.76	18.14
2024-01-30 15:00	28.56	20.37
2024-01-30 15:15	28.58	18.95
2024-01-30 15:30	29.09	20.41
2024-01-30 15:45	28.67	18.06
2024-01-30 16:00	29.15	17.61
2024-01-30 16:15	28.74	17.38
2024-01-30 16:30	28.32	17.88
2024-01-30 16:45	28.37	17.45
2024-01-30 17:00	28.77	17.61
2024-01-30 17:15	29.31	17.06
2024-01-30 17:30	29.07	17.59
2024-01-30 17:45	29.43	17.03
2024-01-30 18:00	29.78	17.93
2024-01-30 18:15	30.08	17.13
2024-01-30 18:30	30.02	18.77
2024-01-30 18:45	30.33	17.72
2024-01-30 19:00	30.49	17.93
2024-01-30 19:15	31.11	17.94
2024-01-30 19:30	31.86	18.95
2024-01-30 19:45	32.28	18.48
2024-01-30 20:00	31.2	19.19
2024-01-30 20:15	31.88	18.12
2024-01-30 20:30	31.42	20.82
2024-01-30 20:45	32.51	18.69

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-30 21:00	31.83	19.92
2024-01-30 21:15	31.66	18.06
2024-01-30 21:30	31.4	20.59
2024-01-30 21:45	30.78	18.12
2024-01-30 22:00	31.22	18.48
2024-01-30 22:15	30.77	18.38
2024-01-30 22:30	29.83	19.02
2024-01-30 22:45	30.28	18.23
2024-01-30 23:00	30.16	18.32
2024-01-30 23:15	30.21	18.09
2024-01-30 23:30	30.37	18.53
2024-01-30 23:45	30.83	18.17
2024-01-31 00:00	30.45	19.2
2024-01-31 00:15	30.56	19.34
2024-01-31 00:30	30.51	20.18
2024-01-31 00:45	30.18	19.27
2024-01-31 01:00	30.62	21.53
2024-01-31 01:15	30.41	21.62
2024-01-31 01:30	30.61	19.15
2024-01-31 01:45	31.18	19.55
2024-01-31 02:00	31.49	29.09
2024-01-31 02:15	30.89	24.86
2024-01-31 02:30	30.88	29.55
2024-01-31 02:45	30.51	25.74
2024-01-31 03:00	30.27	23.07
2024-01-31 03:15	30.74	19.3
2024-01-31 03:30	30.33	20.46
2024-01-31 03:45	30.93	24.73
2024-01-31 04:00	31.56	27.32
2024-01-31 04:15	30.85	20.47
2024-01-31 04:30	31.1	21.54
2024-01-31 04:45	31.79	23.73
2024-01-31 05:00	31.34	24.67
2024-01-31 05:15	30.43	19.81
2024-01-31 05:30	30.96	24.67
2024-01-31 05:45	31.36	22.15
2024-01-31 06:00	31.2	29.58
2024-01-31 06:15	31.47	37.25
2024-01-31 06:30	31.84	31.38
2024-01-31 06:45	31.25	25.43
2024-01-31 07:00	32.64	42.26
2024-01-31 07:15	32.34	49.89
2024-01-31 07:30	31.86	29.92
2024-01-31 07:45	31.82	25.77
2024-01-31 08:00	31.89	23.31

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-31 08:15	28.96	20.75
2024-01-31 08:30	80.51	22.95
2024-01-31 08:45	36.87	18.9
2024-01-31 09:00	33.24	18.17
2024-01-31 09:15	34.3	18.61
2024-01-31 09:30	33.77	21.84
2024-01-31 09:45	34.41	21.28
2024-01-31 10:00	34.46	21.59
2024-01-31 10:15	34.32	20.13
2024-01-31 10:30	33.37	19.88
2024-01-31 10:45	34.07	19.95
2024-01-31 11:00	33.61	24.28
2024-01-31 11:15	33	21.64
2024-01-31 11:30	33.12	21.01
2024-01-31 11:45	33.48	20.77
2024-01-31 12:00	33.17	21.17
2024-01-31 12:15	33.42	21.26
2024-01-31 12:30	32.65	23.07
2024-01-31 12:45	32.61	23.23
2024-01-31 13:00	31.97	23.41
2024-01-31 13:15	32.59	20.1
2024-01-31 13:30	32.74	23.29
2024-01-31 13:45	32.04	19.46
2024-01-31 14:00	32.04	20.75
2024-01-31 14:15	32.47	18.09
2024-01-31 14:30	31.49	19.48
2024-01-31 14:45	30.25	17.6
2024-01-31 15:00	29.9	17.75
2024-01-31 15:15	29.83	17.42
2024-01-31 15:30	29.86	18.37
2024-01-31 15:45	29.66	17.56
2024-01-31 16:00	30.24	19.56
2024-01-31 16:15	29.87	17.7
2024-01-31 16:30	30.68	20.31
2024-01-31 16:45	30.38	18.15
2024-01-31 17:00	30.24	17.31
2024-01-31 17:15	30.3	17.13
2024-01-31 17:30	31.02	17.47
2024-01-31 17:45	31.06	17.44
2024-01-31 18:00	31.02	18.13
2024-01-31 18:15	31.12	17.47
2024-01-31 18:30	31.25	18.91
2024-01-31 18:45	31.02	18.03
2024-01-31 19:00	31.22	20.95
2024-01-31 19:15	32.86	18.99

Time	RP_Stack-PM	Cooler_Stack-PM
2024-01-31 19:30	32.55	20.42
2024-01-31 19:45	32.86	18.58
2024-01-31 20:00	31.86	19.4
2024-01-31 20:15	32.3	18.07
2024-01-31 20:30	30.61	18.05
2024-01-31 20:45	30.83	17.53
2024-01-31 21:00	31.79	18.35
2024-01-31 21:15	32.61	17.83
2024-01-31 21:30	32.75	19.55
2024-01-31 21:45	33.11	18.49
2024-01-31 22:00	32.96	21.13
2024-01-31 22:15	31.99	19.73
2024-01-31 22:30	32.45	18.8
2024-01-31 22:45	31.59	18.45
2024-01-31 23:00	31.99	18.51
2024-01-31 23:15	31.58	18.39
2024-01-31 23:30	30.59	18.89
2024-01-31 23:45	NA	NA

ANNEURE R-4/C

Government of Goa,
Directorate of Health Services,
Primary Health Centre,
Curtorim - Goa.

No: PHCC/NOC/2018-19/626 Date: 27/7/2018

Sub: - NOC from Sanitary Point of view for proposed construction of dust extraction unit.

Sir/Madam,

With reference to your letter No: Nil dated 20/07/2018, I am to inform you that there is NO OBJECTION from sanitary point of view for proposed construction of dust extraction unit. As per the enclosed approved order issued by TCP dept, wide order No.TPM/10910/SJDA/68/18/4316 dated 16/07/18, in the property zoned as settlement in Regional Plan for Goa 2001 & 2021 and situated in survey no.68 of Sao Jose de Areal village, Salcete Taluka.

Subject to the following conditions: -

1. The construction is carried out as per the approved plan.
2. Cleanliness is maintained in and around the construction sites.
3. The Capacity of the ST/SP for the said constructions should be for 10 persons as per the approved plan & any water source should be 15 meters away from septic tank/soak pit.
4. No health hazard or any other environmental pollution is created in the surrounding area.
5. The owner/contractor shall co-operate with the Health Authorities whenever they visit the construction.
6. This office is not responsible for any court litigation as regards to the ownership and of the construction.
7. Health Cards should be available at the site and be produced to the Health Staff on demand and builder shall take necessary anti – larval measures at the construction sites.
8. Board should be displayed with licence/N.O.C numbers with detail contractor/builder name, address & contact number.
9. Sanitary conveniences should be provided to the site.
10. The NOC from this office shall be obtained before occupying the premises.

The NOC issued is liable to be withdrawn if the conditions stipulated above are not complied with.

PRIMARY HEALTH CENTRE CURTORIM

(HEALTH OFFICER)
27/7/18
HEALTH OFFICER
PRIMARY HEALTH CENTRE
CURTORIM-GOA

To,
M. P. Nagesha
Goa Carbon Limited,
Moll, Sao Jopse de Areal, Salcete-Goa.

Copy to:-

1) The Secretary, Village Panchayat, Sao Jose de Areal, salcete-Goa.
2) Office Copy 3) G/F

ANNEXURE R-4/D



Picture 1: Green Cover around the Plant



Picture 2: Conveyor belts



Picture 3 : Automated Road Sweeping Machine





Picture 4: Water Sprinklers at the plant and along the internal roads





Picture 5- Barricade to prevent flying of dust



Picture - Rainwater har esting pit



Picture 7- Dust Extraction System



Picture 8: Water being sprinkled along internal roads

ANNEXURE R-4/E

Report

On

Air Dispersion Study (Modeling) of Coal Particles Released During the Manufacture of Calcined Petroleum Coke from Raw Petroleum Coke at Salcete Plant of Goa Carbon

Prepared For

GOA CARBON LIMITED

by



BITS PILANI, K.K. BIRLA GOA CAMPUS

Zuarinagar, 403726.

July 2022

Acknowledgement

The authors are thankful to the Director of BITS-Pilani, K.K. Birla, Goa Campus, Goa, for allowing us to take up this project and extending all the support required to complete this project. The authors are grateful to the Board of Directors, Goa Carbon, for providing all the support to complete this project.

We are thankful to University-wide Dean, of Sponsored Research and Consultancy Division (SRCD); Associate Dean, SRCD, Prof Meenal Kowshik and Dean Administration Prof D M Kulkarni, for their encouragement & providing us all administrative support to complete this project. We thank HOD, Dept. of Chemical Engineering for his encouragement and support to complete this project.

We acknowledge the support of Executive Director Mr J J Chhabra, Company Secretary Mr. Pravin Satardekar, Chief Engineer Mr. Mohan Haldankar; and Plant Manager Mr. Nagesh of Goa Carbon for making necessary arrangements for our visits and providing all essential data required to carry out this study.

We are grateful to the Dept. of Chemical Engg., BITS-Pilani, K.K. Birla, Goa Campus for providing the entire necessary infrastructure required for computational work of this project. We are grateful to finance officer, BITS-Pilani, K.K. Birla, Goa Campus, Mr Ian and Senior Accountant, Ms Niyata for their advice on management of project budget. We thank Ms Namita office in charge of SRCD office, for her secretarial assistance during completion of this project.

Project Team, BITS Pilani K K Birla Goa Campus

Abstract

Goa Carbon Limited, Goa initiated this study based on the direction issued by Goa State Pollution Control Board (GSPCB)

This report discusses studies on dispersion of coal particles emitted during manufacturing of calcined petroleum coke at Goa Carbon, Salcete, Goa. The objective of this study was to estimate the downwind ambient concentrations of total suspended particulates (TSP) after their emission from stack. The AERMOD software based on the Gaussian dispersion model is used for the said purpose. This study is carried out using the meteorological data for the period December 2021, to February 2022.

Detailed simulation study has been carried out to understand the effect of wind velocity on dispersion of particles. From the study it is observed that wind velocity has a major role in the dispersion of TSP. Emissions of coal particles during the manufacturing of calcined petroleum coke at wind velocity greater than 8 m/s doesn't affects the air quality significantly in downstream up to 5 km from the source and wind velocity less than 8 m/s affects air quality nearby sources however due to dispersion of coal particles, the concentration of particles decreases below permissible limit within 5 km distance from the sources.

INDEX

Chapter	Contents		Page No.
1. Project Description			**7-12**
1.1	Company Profile		7
	1.1.1	Project Location	7
	1.1.2	Emissions Source	7
	1.1.3	Meteorological Conditions	7
1.2	Raw Petroleum Coke (RPC)		8
1.3	Composition of Raw Petroleum Coke		9
1.4	Manufacturing process of Calcined Petroleum Coke (CPC)		9
1.5	Composition of Calcined Petroleum Coke		10
1.6	Product profile at Goa Carbon Limited		10
1.7	Air dispersion modeling studies using AERMOD software		11
2. Studies on Air Dispersion of Total Suspended Particulates (TSP): Effect of Change in Wind Velocity			**13-16**
2.1	Effect of change in wind velocity on dispersion of TSP		13
3. Studies on Dispersion of Total Suspended Particulate (TSP) at GCL			**17-23**
3.1	Results on dispersion studies of TSP for different wind directions in the month of December 2021		17
3.2	Results on dispersion studies of TSP for different wind directions in the month of January 2022		19
3.3	Results on dispersion studies of TSP for different wind directions in the month of February 2022		21
Conclusion			**24**
Recommendations			**24**
References			**24**

List of Figures

Fig. No.	Name of Figure		Page No.
1	Effect of change in wind velocity on dispersion of TSP at different directions from GCL for the month of January 2022		14-16
	a	Effect of wind velocity = 2 m/s on dispersion of TSP at different directions	14
	b	Effect of wind velocity = 4 m/s on dispersion of TSP at different directions	14
	c	Effect of wind velocity = 6 m/s on dispersion of TSP at different directions	15
	d	Effect of wind velocity = 8 m/s on dispersion of TSP at different directions	15
	e	Effect of wind velocity = 10 m/s on dispersion of TSP at different directions	16
	f	Effect of wind velocity = 12 m/s on dispersion of TSP at different directions	16
2	Wind rose diagram for the month of December 2021 at GCL		17
3	Isopleth on dispersion of TSP for the month of (December 2021)		18
4	Dispersion profiles of TSP in different directions from GCL for the month of December 2021		19
5	Wind rose diagram for the month of January 2022		19
6	Isopleth of TSP dispersion for the month January 2022		20
7	Dispersion profiles of TSP in different directions from GCL for the month of January 2022		20
8	Wind rose diagram for February 2022		21
9	Isopleth diagram for the Month of February 2022		22
10	Dispersion profiles of TSP in different directions from GCL for the month of February 2022		23

List of Tables

Table. No.	Name of Table	Page No.
1	Details of Project Location	7
2	Stack dimensions and flue gas details	8
3	Composition of RPC	9
4	Composition of CPC	10
5	Product profile at GCL	10

Chapter 1

Project Description

1.1 Company Profile

Goa Carbon Ltd. is the second largest manufacturer of Calcined Petroleum Coke in the country, with a manufacturing facility each on both of India's coasts (Goa and Paradeep) and one in Central India at Bilaspur.

Calcined Petroleum Coke (CPC), a pure form of carbon is used for making anodes for aluminium smelting, apart from its uses as a source of carbon in the steel industry and in speciality consumer segments such as titanium dioxide and other chemicals.

1.1.1 Project Location

Goa Carbon Limited (GCL) is a public limited company and is in the business of manufacture and marketing of CPC.

The company's calcination plant of 1,00,000 TPA capacity is located in southern Goa, 40 km away from the Mormugao port. The details of project location is provided in Table 1

Table 1: Details of project Location

Sr. no.	Name	Latitude	Longitude
1	GCL	15° 24' 29"	74° 00' 76"

1.1.2 Emissions Source

The TSP's are emitted from a stack of a height 30 m. Therefore the emission source is assumed to be a point source.

1.1.3 Meteorological Conditions

The meteorological data on temperature, wind speed, wind direction, and atmospheric pressure for the said location for the year 2021-2022 was taken from research data archive (RDA) via weather research forecast model (WRF) [1]. The physical dimensions of stack and flue gas related data was provided by GCL and is provided in Table 2.

Table 2: Stack dimensions and flue gas details

Sr. No.	Parameters	Value
1	Stack height	30 m
2	Diameter of stack	2.4 m
3	Flow rate of flue gas	56000-73000 $Nm^3/hr.$
4	flue gas temperature	200-240 °C
5	Conc. of total suspended particulate	118.98 mg/Nm^3
6	Velocity of total suspended particulate	10.38 m/s

1.2 Raw Petroleum Coke (RPC):

It is a final carbon-rich solid material that derives from oil refining. Raw petroleum coke is the coke that, in particular, derives from a final cracking process, a thermo-based process that splits long chain hydrocarbons of petroleum into shorter chains that takes place in units termed coker units. In petroleum coker units, residual oils from other distillation processes used in petroleum refining are treated at high temperature and pressure leaving the raw petroleum coke after driving off gases and volatiles, and separating off remaining light and heavy oils.

This coke can either be fuel grade (high in sulfur and metals) or anode grade (low in sulfur and metals). The raw coke directly out of the coker is often referred to as green (unprocessed) coke. The further processing of green coke by calcining in a rotary kiln removes residual volatile hydrocarbons from the coke. The calcined petroleum coke can be further processed in an anode baking oven to produce anode coke of the desired shape and physical properties. The anodes are mainly used in the aluminium and steel industry.

Raw petroleum coke has over 80% carbon and emits 5% to 10% more carbon dioxide (CO_2) than coal on a per-unit-of-energy basis when it is burned. The difference between coal and coke in CO_2 production depends upon the moisture in the coal, which increases the CO_2 per unit of energy-heat of combustion and on the volatile hydrocarbons in coal and coke, which decrease the CO_2 per unit of energy.

1.3 Composition of Raw Petroleum Coke:

RPC, altered through the process of calcining which it is heated, eliminates much of the component of the resource. Usually RPC when refined does not release the heavy metals as volatiles or emissions. The composition of RPC is provided in Table 3

Table 3: Composition of RPC

Component	(wt. %)
Carbon	80-95
Hydrogen	3.0-4.5
Nitrogen	0.1- 0.5
Sulfur	0.2-6.0
Volatile matter	5.0-15
Moisture	0.5-10
Ash	0.1- 1.0
Density	1.2- 1.6

1.4 Manufacturing process of Calcined Petroleum Coke (CPC):

Calcination is a high-temperature process for transforming the physical properties of raw petroleum coke. Sized petroleum coke is stored in silos and fed into a rotary kiln in controlled ratios. The calcination process raises the material temperatures in the kiln to around 1200 to 1260 °C depending on the quality of raw cokes and the specification of CPC desired.

The material flows in a counter direction to the temperature-controlled hot gases fired from a kiln burner. During the radiation heat transfer process, the material comes across various reactive zones where it de-moisturises, devolatilises and stabilizes with improved crystalline structure. Operating parameters are controlled to impart the required crystal structure, density and electrical conductivity.

The calcined coke is first cooled by water quenching the red-hot material, and then further cooled by natural draft air as it tumbles through the length of the cooler, on its way to the conveyors leading to storage in the godowns. Run of the kiln (ROK) calcined coke silos is also sieved in various sizes as specified by customers.

1.5 Composition of Calcined Petroleum Coke

Through thermal processing, the composition and weight is reduced with the volatile matter and sulfur being emitted. The composition of CPC is provided in Table 4.

Table 4: Composition of CPC

Component (wt. %)	CPC (Calcined @ 2375°F = 1300°C)
Carbon	98.0-99.5
Hydrogen	0.1
Volatile matter	0.2-0.8
Moisture	0.1
Ash	0.02-0.7
Density	1.9-2.1

1.6 Product profile at Goa Carbon Limited

Generic Name: Calcined Petroleum Coke

Product Name: Calcined Petroleum Coke (CPC)/Recarburiser / Laddle additive/Carbon raiser. Detailed product profile is provided in Table 5.

Table 5: Product profile at GCL

	Specifications		Typical End-User product profile		
	Value	Range	For Aluminium Industry	Recarburiser Grade	For TiO_2 Industry
Fixed Carbon	%	98.5 - 99.3	99% Min	98.5% Min	98.5% Min
Ash	%	0.2 - 1	0.5% Max	0.5% Max	1.0% Max
Volatile matter	%	0.35 - 0.5	0.5% Max	1.0% Max	1.0% Max
Moisture	%	0.01 - 0.5	0.1% Max	0.5% Max	0.5% Max
Real Density	gm/cc	2.00 - 2.09	2.03-2.06	-	-
Apparent Density	gm/cc	1.68 - 1.75	1.70 Min	-	-
Bulk Density	gm/cc	0.75 - 0.85	0.80 Min	-	-
Sizing	mm	0 - 30	+4 mesh content% 30% min -0.25 content% 5% max	2 - 8 1 - 3 0.5 - 3 0 – 1	0 - 4

Calcined petroleum coke (CPC) is the product from raw petroleum coke. This coke is the product of the coker unit in a crude oil refinery. The calcined petroleum coke is used to make anodes for the aluminium, steel and titanium smelting industry. The green coke must have

sufficiently low metal content to be used as anode material. Green coke with this low metal content is called anode-grade coke. When green coke has excessive metal content, it is not calcined and is used as fuel-grade coke in furnaces.

During the CPC manufacturing, the particle laden flue gas is emitted via a stack. The total suspended particulates present (TSP) in flue gas gets settled in the plant vicinity and nearby areas.

This project was undertaken to estimate the ambient air concentrations of TSP in downwind directions up to 5 kms, after its emissions from stack.

1.7 Air dispersion modeling studies using AERMOD software

Dispersion model uses information about sources and meteorological conditions to calculate how a pollutant diffuses through the atmosphere and estimate the pollutant concentration at specific points.

Based on inputs of meteorological data (ambient temperature, atmospheric humidity wind direction, wind speed, etc.) and source information like flue has emission rates, pollutant concentrations and stack height, the dispersion models predicts the ambient concentrations of various pollutants at various locations in downwind direction. These models are important to our air quality management system because they are widely used by agencies tasked with controlling air pollution to both identify source contributions to air quality problems and assist in the design of effective strategies to reduce harmful air pollutants. For example, air quality models can be used during the permitting process to verify that a new source will not exceed ambient air quality standards or, if necessary, determine appropriate additional control requirements. In addition, air quality models can also be used to predict future pollutant concentrations from multiple sources after the implementation of a new regulatory program, in order to estimate the effectiveness of the program in reducing harmful exposures to humans and the environment.

In this project work, to estimate the downwind concentrations of TSP from the above mentioned source, the dispersion modelling has been done on AERMOD cloud (ENVITRANS, V18.5.154). In AERMOD, a plume model that incorporates air dispersion based on planetary boundary layer turbulence structure and scaling concepts, including both surface and elevated sources, and both simple and complex terrain. Thus, the AERMOD model described here is applicable to rural and urban areas, flat and complex terrain, surface

and elevated releases and multiple sources including point, area and volume sources. In the stable boundary layer (SBL), it assumes the concentration distribution to be Gaussian in both the vertical and horizontal directions.

Chapter 2

Studies on Air Dispersion of Total Suspended Particulates (TSPs): Effect of Change in Wind Velocity

In this section, Air dispersion of total suspended particulate (TSP) of coal particles emitted during the production of Calcined Petroleum Coke at GCL, Goa, is studied for the month of January 2022. The monthly data for ambient temperature, wind speed, wind direction, and relative humidity, which was required for study, was taken from research data archive (RDA) via weather research forecast model (WRF). The effect of wind velocity on dispersion of TSP released along with the flue gas from stack at GLC has been studied for the month of January 2022 and the results obtained for the mentioned studies are presented and discussed here.

2.1 Effect of change in wind velocity on dispersion of TSP

The effect of change in wind velocity on dispersion of TSP in different directions from GCL is studied and the results are presented in Fig.1 (a, b, c, d, e and f). All other variables viz., flue gas temperature, stack height, concentration of TSP in flue gas and flue gas flow rate were kept constant along with relative humidity. Wind velocity was varied between minimum of 2 m/s to maximum of 12 m/s. This range of velocity is based on the minimum and maximum velocity noted in month of January 2022. As seen in the all the figures mentioned, the concentration of TSP near the source is between 3 to 18 $\mu g/m^3$ which is well within permissible limits (100 $\mu g/m^3$) and decreases to less than 2 $\mu g/m^3$ away from the source at around up to 1.5 to 3 kms for all velocities considered.

From Figure 1 (a, b, c, d, e and f) it is noted that, at higher velocities, the TSP particles are carried at a longer distance compared to at lower velocities. However, the concentration of TSP decreases rapidly at higher velocities. At higher velocities, the dispersion rate of TSP is higher.




Fig. 1: a) Effect of wind velocity = 2 m/s on dispersion of TSP at different directions




Fig. 1: b) Effect of wind velocity = 4 m/s on dispersion of TSP at different directions




Fig. 1: c) Effect of wind velocity = 6 m/s on dispersion of TSP at different directions




Fig. 1: d) Effect of wind velocity = 8 m/s on dispersion of TSP at different directions




Fig. 1: e) Effect of wind velocity = 10 m/s on dispersion of TSP at different directions




Fig. 1: f) Effect of wind velocity = 12 m/s on dispersion of TSP at different directions

Figure 1: Effect of change in wind velocity on dispersion of TSP at different directions from GCL for the month of January 2022 (for average flue gas temperature = 220 °C; avg. flow rate of flue gas = 63000 Nm³/hr; concentration of TSP in flue gas = 118.98 mg/Nm³; Stack height =30 m)

Chapter 3

Studies on Dispersion of Total suspended particulate (TSP) at GCL

In this section, dispersion patterns of TSP released during the manufacturing of CPC at GCL is presented for the months of December 2021, January 2022 and February 2022. The monthly data, required for the study was ambient temperature, wind speed, wind direction, and relative humidity was taken from research data archive (RDA) via weather research forecast model (WRF). The data related to stack and flue gas is provided by GCL.

3.1 Results on dispersion studies of TSP for different wind directions in the month of December 2021

The wind rose diagram and isopleth of TSP dispersion are presented in Figure 2 and Figure 3 respectively.




Figure 2: Wind rose diagram for the month of December 2021 at GCL




Figure 3: Isopleth on dispersion of TSP for the month of (December 2021)

Figure 4 presents the dispersion profile of TSP in various directions at average wind velocity for the month of **December 2021**. From the figure it is noted that maximum concentration near the source is around 14 $\mu g/m^3$ and decreases to minimum value of around 2 $\mu g/m^3$ within 2.5 kms distance from the source at an average wind velocity of around 3-4 m/s in all directions for the month of December 2021. Further it is noted that TSP dispersion rate is very slow because average wind velocity is less in the range of 3 to 4 m/s. At low velocity, particles remain suspended in the atmosphere for longer time and also carried at longer distances.




Figure 4: Dispersion profiles of TSP in different directions from GCL for the month of December 2021 (for average flue gas temperature = 220 °C; avg. flow rate of flue gas = 63000 Nm³/hr; concentration of TSP in flue gas = 118.98 mg/Nm³; Stack height =30 m)

3.2 Results on dispersion studies of TSP in various directions for the month of January 2022

The wind rose diagram and isopleth of TSP dispersion for the month of January 2022 are shown in Figure 5 and Figure 6 respectively.




Figure 5: Wind rose diagram for the month of January 2022




Figure 6: Isopleth of TSP dispersion for the month January 2022

Figure 7 presents the dispersion profile of TSP at average velocity of around 3 to 4 m/s for the month of January 2022. From the figure it is noted that maximum concentration near the source is around 13 $\mu g/m^3$ and decreases to minimum value of less than 2 $\mu g/m^3$ within 3 kms distance from the source in all directions at average wind velocity of **around 3 to 4 m/s for the month of January 2022**. Further it is also noted that particles are carried beyond 4 kms in west, North West and south west directions. At low wind velocities the particulates remain suspended in the air for longer time and longer distance since dispersion and dilution is slow.




Figure 7: Dispersion profiles of TSP in different directions from GCL for the month of January 2022 (for average flue gas temperature = 220 °C; avg. flow rate of flue gas = 63000 Nm³/hr; concentration of TSP in flue gas = 118.98 mg/Nm³; Stack height =30 m)

3.3 Results on dispersion studies of TSP for month of February 2022

Figure 8 and Figure 9 shows the wind rose diagram and isopleth respectively for the month of February 2022.




Figure 8: Wind rose diagram for February 2022




Figure 9: Isopleth diagram for the Month of February 2022

Figure 10 presents the dispersion profile of TSP in various directions at average wind velocity for the month of **February 2022**. From the figure it is noted that maximum concentration near the source is around 8 µg/m^3 and decreases to minimum value of around 2 µg/m^3 within 2.5 kms distance from the source at an average velocity of around 4 - 5 m/s for February 2022. Further it is noted that TSP dispersion rate is very slow because average wind velocity is less.



Figure 10: Dispersion profiles of TSP in different directions from GCL for the month of February 2022 (for average flue gas temperature = 220 °C; avg. flow rate of flue gas = 63000 Nm³/hr; concentration of TSP in flue gas = 118.98 mg/Nm³; Stack height =30 m)

Conclusion

In this study, concentration of total suspended particulate (TSP) emitted in the atmosphere during manufacturing of calcined petroleum coke (CPC) at Goa Carbon Limited, Salcete, Goa, is estimated at various locations up to 5 kms using the AERMOD software (based Gaussian plume air dispersion model). The effect of wind velocity on dispersion of particulates released in the atmosphere during above said operation is studied for the months of December 2021, January 2022 and February 2022. The necessary meteorological data is taken from taken from research data archive (RDA) via weather research forecast model (WRF) and the operational data is provided by Goa Carbon Limited.

From the results of the dispersion studies, it is noted that, the model predicted concentrations of TSP near the source is less than 15 $\mu g/m^3$ for all the three months considered for this study.

Recommendations

These results can be attributed to the installation of a bag filter/scrubber on the stack, which has reduced the emissions in a significant manner. Moreover, the highest concentration of TSP occurs at different directions with prevailing winds in which there is no direct adverse effect on human health by this carbon plant. With regard to the results of this study, the systematic application of bag filters/scrubbers/increase in stack height/increase in gas velocity in all industrial units across the country is recommended.

References

[1] NCAR's Research Data Archive (ucar.edu)

ANNEXURE R-4/F

DIVINE MEDICAL CENTRE

S1, S2 & S5, Kamat Commercial, Above Women's Look,
Martires Dias Road, Near Hari Mandir, Margao, Salcete, Goa - 403 601.
Ph.: 2711140 E-mail : medicalsdivine@yahoo.com

ISO 9001: 2015
Reg. No RQ91/6643

27TH JANUARY 2023

TO WHOM SO EVER IT MAY CONCERN

This is to certify that I, Dr. Phillip Mascarenhas have performed Periodic Medical Examination of GOA CARBON LIMITED of 58 employees on 21st JANUARY 2023 according to Factories Act 1948.

All the 58 employees are FIT and free from any Occupational Health Hazards.

DIVINE MEDICAL CENTRE DGFASLI Reg. No. 1097 MARGAO-GOA

Dr. Phillip Mascarenhas
MBBS, DNB (Med), AFIH
Occupation Health Physician
DIVINE MEDICAL CENTRE, GMC Reg. No. 1458
DGFASLI Reg. No: 1097
Margao - Goa

Goa HEALTHCARE

1384

ANNEXURE R-4/G

31st MAY 2024

TO WHOME SO EVER IT MAY CONCERN

This is to certify that I, Dr.Vinayak G. Buvaji have performed periodic Medical Examination of GOA CARBON LIMITED of 55 employees on 09th and 10th MAY 2024 according to factories Act 1948.

All the 55 employees are fit and free from any Occupational Health Hazards.

Dr. Vinayak G. Buvaji
MBBS DOH AFIH
246
Goa Healthcare Verna - Goa

www.goahealthcare.in
goahealthcare@yahoo.com
(0832)2887777 +91-880518119
1st floor GIDC bldg. Verna Ind. Estate
Verna-Goa.