

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI**

ORIGINAL APPLICATION NO. 52 OF 2026

IN THE MATTER OF:

**News Item Titled “Noida CEO Removed CM Orders SIT probe into techie’s
Drowning” appearing in The Times of India Dated-20.01.2026**

INDEX

S.NO.	PARTICULARS	PAGE NO.
1.	REPLY ON BEHALF OF RESPONDENT NO. 5 IN COMPLIANCE OF THE ORDER DT. 22.01.2026 PASSED BY THE HON'BLE NATIONAL GREEN TRIBUNAL	
	ANNEXURES	
2.	COPY OF THE LETTER DT. 08.04.2026 ANNEXED HEREWITH AS ANNEXURE R-1.	
3.	COPY OF THE LETTER 08.04.2026 ANNEXED HEREWITH AS ANNEXURE R-2	
4.	COPY OF THE LETTER DT. 24.03.2026 ANNEXED HEREWITH AS ANNEXURE R-3	
5.	COPIES OF LETTER DT. 28.01.2026 ANNEXED HEREWITH AS ANNEXURE R-4	
6.	COPY OF THE UPPCB REPORT ANNEXED HEREWITH AS ANNEXURE R-5	

7.	COPY OF THE WRIT PETITION, ORDERS AND CASE STATUS ANNEXED HEREWITH AS ANNEXURE R-6	
8.	COPY OF THE AFFIDAVIT FILED BY DEPOENT HAVE BEEN ANNEXED HEREWITH AS ANNEXURE R-7	

THROUGH COUNSEL



BHANWAR PAL SINGH JADON
COUNSEL FOR STATE OF U.P.
Bhanwar09jadon09@gmail.com | 9639286572

Date: 09.04.2026

Place: NOIDA

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI**

ORIGINAL APPLICATION NO. 52 OF 2026

IN THE MATTER OF:


**News Item Titled "Noida CEO Removed CM Orders SIT probe into
techie's Drowning" appearing in The Times of India Dated-20.01.2026**

**RESPONSE ON BEHALF OF RESPONDENT NO. 5 IN COMPLIANCE OF
THE ORDER DT. 22.01.2026 PASSED BY THE HON'BLE NATIONAL
GREEN**

I, Medha Roopam, aged about 35 years W/o Manish Bansal, presently posted as District Magistrate, Gautam Buddha Nagar, do hereby solemnly affirm and state on oath as under:


1. That I, the deponent in official capacity mentioned above, am acquainted with the facts and circumstances of the case and as such I am competent and authorized to swear this affidavit.

2. That I state that the contents of the affidavit have been drafted by my counsel on my instructions and the contents of the same are true to my knowledge and nothing material has been concealed therefrom.




BACKGROUND OF THE MATTER

3. That the present original application is registered suo motu by the Hon'ble




Tribunal on the basis of the news item titled "*Noida CEO Removed CM orders SIT probe into techie's Drowning*" appearing in The Times of India dated 20.01.2026. That the news item relates to the drowning of a

software engineer Sh. Yuvraj Mehta in a waterlogged trench at a commercial site in Sector 150 Nodia. As per the news item, Sh. Mehta took a sharp right-angle turn and due to fog conditions, fell into the trench. The said land in Sector 150 where the person died was initially allotted for a private mall project, but had turned into pond as rainwater and wastewater discharged from nearby housing societies was allowed to accumulate in it for a decade. The storm water management plan that was chalked out by the Irrigation Department in 2015 remained on papers despite multiple rounds of surveys and site inspections. The documents assessed showed that the Irrigation Department in 2015 proposed a head regulator to divert water flow into the Hindon. In 2016, it received Rs. 13.05 Lakh from Noida Authority to undertake a survey and prepare a design of the proposed




regulator. As per the news item, the said storm water received from existing drains potentially increasing discharge and suggested that hydraulic or pneumatic gates to be used instead of mechanical ones. The delay in taking up remedial measures saw severe water logging. The basement of several

housing societies in nearby areas were flooded as rains could not be discharged in the Hindon in the absence of a regulator. Without a controlled outlet, water stagnated and risked backflow into the river that swelled. Residents alleged inaction by the Noida Authority due to water logging. The news item indicates laps by the Noida Authority in taking up remedial measures which resulted in the death of the person.




4. That the incident occurred at **Plot No. SC-02/A-3 situated in Sector-150, NOIDA.** Plot No. SC-02/A-3 falling under Sector 150 located in Kondali Bangar, Noida, which falls in the notified area of New Okhla Industrial Development Authority (hereinafter referred to as the 'Noida Authority'), the said plot was sub leased by Noida Authority to subsidiary of M/S Lotus Green Construction Pvt Ltd, D107 Panchsheel Enclave, New Delhi 110017 by letter no नौएडा/वाणिज्य/2016/471 dt. 06.06.2016 Hence the site in question lies under jurisdiction of Noida Authority.

5. That the Hon'ble Tribunal vide order dt. 22.01.2026 issued a notice to Deponent for filing the response/reply for which Deponent sought Reports from various departments, details of which is given as under-




REPORT FROM THE IRRIGATION DEPARTMENT,
GHAZIABAD, U.P.

6. That the Deponent vide letter dt. 08.04.2026 has directed the Executive Engineer, Irrigation Department, Ghaziabad, U.P. to provide the report with respect to the actions taken in the present matter. **ANNEXURE R-1.**



7. That Irrigation Department vide letter dt. 08.04.2026 has provided their report. The detailed report is hereby annexed as **ANNEXURE R-2.** According to that report Noida Authority requested the Irrigation Department to provide the estimate for construction of regulator for proper flow of rainwater drainage at Sector-150 vide their letter dt. 28.08.2015. After which several correspondence took place between Noida Authority and Irrigation Department. Noida Authority vide their letter dt. 24.03.2026 approved/granted their Administrative and financial approval to the estimate amounting to Rs. 3139.66 lakh. A Copy of the letter dt. 24.03.2026 has been annexed herewith as **ANNEXURE R-3.**

8. That Irrigation Department has filed its separate response in the same matter before the Before The Hon'ble National Green Tribunal, Principal Bench, New Delhi



REPORT OF GROUND WATER DEPARTMENT

9. That the Executive Engineer, Ground Water Department, Division—

Gautam Buddh Nagar vide letter dt. 28.01.2026 has stated that a site

inspection of the incident location in Noida Sector-150 on 22.01.2026 and

23.01.2026. The observations are as follows:

- During field verification, it was observed that two sewer drains exist along the road. The sewer drain constructed towards the pit had a damaged wall, with cracks at multiple places, due to which seepage is occurring and the drain water is continuously flowing into the pit. This has resulted in the present condition of waterlogging.



- Some local residents present at the site also stated that a similar situation of water accumulation existed in the pit during the previous year as well. Due to continuous seepage of sewer water, the pit remains filled with water at all times. They further informed that even during the summer season, the waterlogging condition remains more or less the same.

- The incident site falls within the floodplain area of the Yamuna River.

The groundwater level in this area is high, due to which the water present in the pit does not percolate into the ground. Continuous seepage of sewer water into the pit prevents any reduction in the water level of the pit.

A Copy of the letter dt. 28.01.2026 has been annexed herewith as

ANNEXURE R-4.



REPORT OF UPPCB

10. That pursuant to the directions of this Hon'ble Tribunal and the Deponent

an inspection was conducted by UPPCB. As per the report of such inspection, it was found that the said plot and adjacent Plot No. SC-02B

belonging to Iilet Renters Private Limited presently have water accumulated in the form of a lake/pond. That as per Google Maps and as

mentioned in the letter dt. 17.01.2017, the area of Plot No. SC-02B is

approximately 1,00,000 sq. meters; thus, total area of the developed water

body is approximately 1,27,000 sq. meters. That as per Google Earth, water

accumulation on the said plot is visible since November 2021. During

inspection, it was observed that the entire area had severe waterlogging due

to accumulation of rainwater, stormwater, and wastewater other effluents

generated from Sector-150. The said pond/lake structure is surrounded on

three sides by storm water drains, which are damaged at various places,

due to which drain effluent is entering and accumulating in the said plots.



The blockage has rendered the drainage system non-functional. That due

to such blockage, there exists no effective outlet for water discharge. That


further, multiple breaches and openings were observed in the storm water

drain walls, through which water is seeping into adjoining plots.

Report of UPPCB has been annexed herewith as **ANNEXURE R-5**.



That UP Pollution Control Board has filed its separate response in the same matter before the Before The Hon'ble National Green Tribunal, Principal Bench, New Delhi



PENDENCY BEFORE THE HON'BLE HIGH COURT OF
JUDICATURE AT ALLAHABAD

11. That it is pertinent to note that the matter of "*Himanshu Jaiswal Vs State of U.P. & Ors.*)" *Civil Misc. Writ Petition (P.I.L) No. 306 of 2026* is pending before the Hon'ble High Court of Judicature at Allahabad. That in the said Writ Petition the prayer of the Petitioner is reiterated as under:

"PRAYER


a) Issue an appropriate writ, order or direction for court-monitored comprehensive safety audit of all open construction sites, basements, excavations, trenches, and water-logged bodies endangering Public safety across Noida and Greater Noida. including all those abandoned, stalled, or non-operational projects, and further direct the Respondent Authorities to:

1. complete the said safety audit within a time-bound period to be fixed by this Hon'ble Court; and

b) constituting an independent high-level Court monitored inquiry, preferably headed by a retired Judge of this Hon'ble Court in a time-bound manner, to inquire into the circumstances leading to the death of Mr. Yuvraj Mehta, including:

I. prolonged failure of statutory authorities to secure the hazardous site;

II. omissions and delays on the part of police and rescue agencies; and



III. fixing responsibility of all concerned officials and authorities, without confining accountability solely to private builders.

c) Issue directions to frame, notify, and strictly enforce mandatory safety guidelines for all ongoing and abandoned construction sites.

d) Direct the Respondent State and authorities to formulate and implement clear Standard Operating Procedures (SOPs) for urban emergencies

e) Pass such other and further orders as this Hon'ble Court may deem fit and proper in the interest of justice, public safety, and protection of fundamental rights under the Constitution of India.”

A Copy of the Writ Petition, Orders and Case Status has been annexed herewith as **ANNEXURE R-6**.

12. That in the above-mentioned Writ Petition, the Deponent is *Respondent No. 4* and a Response has been filed by the Deponent and in that response the deponent has said that-

13. That the Chief Executive Officer, Noida Authority appointed by the State Government is a whole time officer of the authority and in exercise of such powers, he performs such duties as may be notified by the regulation or delegated to him by the State Government.

14. That Section 6 of the UP Industrial Area Development Act, 1976 provides the functions of the Industrial Development Authority. For ready reference Section 6 of the Act is reproduced hereunder:

“1. The object of the Authority shall be to secure the planned development of the industrial development area.

(2) Without prejudice to the generality of the objects of the Authority, the Authority shall perform the following functions:-

(b) to prepare a plan for the development of the industrial development area;

(c) to demarcate and develop sites for industrial, commercial and residential purpose according to the plan;

(d) to provide infrastructure for industrial, commercial and residential purposes;

(e) to provide amenities;

(f) to allocate and transfer either by way of sale or lease or otherwise plots of land for industrial, commercial or residential purposes;

(g) to regulate the erection of buildings and setting up of industries: and



(h) to lay down the purpose for which a particular site or plot of land shall be used, namely for industrial or commercial or residential purpose or any other specified purpose in such area.”

15. That Section 9 provides that no person shall erect or occupied any building in the Industrial Development area in contravention of any building regulation made under Sub-Section 2. For ready reference Section 9 of the Act is reproduced hereunder:-

“(1) No person shall erect or occupy any building in the industrial development area in contravention of any building regulation made under sub-section (2).

(2) The Authority may by notification and with prior approval of the State Government make regulations to regulate the erection of buildings and such regulations may provide for all or any of the following matters, namely



(a) The materials to be used for external and partition walls, roofs, floors and other parts of a buildings and their position or location or the method of construction;



- (b) Lay out plan of the building whether industrial, commercial or residential;
- (c) the height and slope of the roofs and floors of any building which is intended to be used for residential or cooking purposes;
- (d) the ventilation in, or the space to be left about any building or part thereof to secure circulation of air or for the prevention of fire;
- (e) the number and height of the storeys of any building;
- (f) the means to be provided for the ingress and egress to and from any building;
- (g) the minimum dimensions of rooms intended for use as living rooms or sleeping rooms and the provisions of ventilation;
- (h) any other matter in furtherance of the proper regulation of erection, completion and occupation of buildings and
- (i) the certificates necessary and incidental to the submission of plans amended plans and completion reports.”

16. That Section 10 of UP Industrial Area Development Act, 1976 vests power with the Noida Authority for requiring proper maintenance of sites or building. For ready reference Section 10 of the Act is reproduced hereunder:

“If it appears to the Authority that the condition or use of any site or building is prejudicially affecting or is likely to affect the proper planning of, or the amenities in any part of the industrial development area of the interests of the general public there, it may serve on the transferee or occupier of that site of building a notice requiring him to take such steps and within such period as may be specified in the notice and thereafter to maintain in it in such manner as may be specified therein and in case such transferee of occupier fails to take such steps or to maintain it thereafter



the Authority man itself take such steps or maintain it, and realize the cost incurred on its from such transferee or occupier.”

17. That similarly Section 16 of the UP Industrial Area Development Act, 1976 empowers the authority with the power of entry to enter upon any land with or without assistance for the purpose of enquiry, inspection, measurement or survey of land or building and for other incidental measures/performance etc.



18. That the overriding effect of the aforesaid Act has been provided in Section 17 of the Act. For ready reference Section 17 of the Act is reproduced hereunder:-

“17. Upon any area being declared on industrial development area under the provision of this act, such area, if included in the master plan or the zonal development plan under the Uttar Pradesh Urban planing and Development Act, 1973, or any development plan under any other Uttar Pradesh Act, shall with effect from the date of such declaration be deemed to be excluded from any such plan.”

19. That Section 18 and 19 of the Act empowers the authority to make rules and regulations for the matters referred therein.

“18. The State Government may by notification make rules for carrying out time purposes of this act.

19. (1) The Authority may with the previous approval of the State Government make regulation not inconsistent with the provisions of this Act or the rules mode thereunder for the administration of the affairs of the Authority.





(2) In particular, and without prejudice to the generally of the foreboding power, such regulations may provide for all or any the following matters namely-

- (a) the summoning and holding of meetings of the Authority the time and place where such meetings are to be held the conduct of business at such meetings. and the number of members necessary to form a quorum there at;
- (b) the power and duties of the Chief Executive Officer;
- (c) the form of register of application for permission to erect a building;
- (d) the management of properties of the Authority;
- (e) fee to be levied in the discharge of its functions;
- (f) such other matters as are to be provided for in regulation.”

20. That in exercise of powers under Sub-Section 2 of Section 9 and Section 19 regulations have been framed namely New Okhla Industrial Development Area Building regulation, 2010 vide notification dated 30.11.2010.

21. That Regulation 20.2 of the New Okhla Industrial Development Area building Regulation, 2010 defines unsafe buildings and Regulation 20.3 empowers the Chief Executive Officer of the Industrial Developmental Authority to take such action as may be necessary in respect of unauthorized construction. For ready reference Regulation 20.2 and 20.3 are reproduced hereunder:-

“20.2 'Unsafe Buildings' Unsafe buildings are buildings which are structurally unsafe and unsanitary or lack adequate means of egress or are a fire hazard or are otherwise dangerous to human life or which, by reason of inadequate maintenance, dilapidation or prohibition in relation to their existing use, have become hazardous to safety, health or public welfare.



20.3 'Unauthorised development.' In case of unauthorised development, the Chief Executive Officer shall-

(a) take such appropriate action as may be necessary, including demolition of unauthorised constructions, closure of premises and prosecution and criminal proceedings against the offenders in accordance with the relevant Acts in force.


(b) take appropriate action against the concerned technical person."

22. That thus it is apparent that under the provisions of the Act as well as regulations framed thereunder the Noida Authority for all practical purposes exercises such powers in respect of superintendence, preservation, management and control of all the development works taking place in its notified area.

23. That the Uttar Pradesh Shashan, Girha, Police Anubhag-6 vide Notification No. 6/2020/52 p/vi-pu-6-2020-01 vividh/2020, Lucknow: dated 13.01.2020 declared the District Gautam Budh Nagar as a metropolitan area and the Uttar Pradesh Shashan, Girha, Police Anubhag-6 vide Notification No. 7/2020/53 p/vi-pu-6-2020-01 vividh/2020, Lucknow: dated 13.01.2020 conferred on the Joint Commissioner of Police, the Additional Commissioner of Police, Deputy Commissioner of Police, Additional Deputy Commissioner of Police and the Assistant Commissioner of Police posted in District Gautam Budh Nagar, the powers of Executive Magistrate for the purposes under Sections 58, Chapter VIII and Chapter X of the Code of Criminal Procedure.

24. That after coming into force of Bhartiya Nagarik Suraksha Sanhita, 2023 (hereinafter referred to as 'BNSS') in place of code of Criminal Procedure Section 152 of Chapter XI of BNSS gives the powers of conditional order for removal of public nuisance to the police department in police commissionerate system. In the following sections which are reproduced

below, the powers earlier vested in the District Magistrate or a Sub-divisional Magistrate or any other Executive Magistrate are now conferred on the Joint Commissioner of Police, the Additional Commissioner of Police, Deputy Commissioner of Police, Additional Deputy Commissioner of Police and the Assistant Commissioner of Police posted in District Gautam Budh Nagar. For ready reference Section 152 of BNSS is reproduced hereunder.



152. Conditional order for removal of nuisance.


(1) Whenever a District Magistrate or a Sub-divisional Magistrate or any other Executive Magistrate specially empowered in this behalf by the State Government, on receiving the report of a police officer or other information and on taking such evidence (if any) as he thinks fit, considers—

(a) that any unlawful obstruction or nuisance should be removed from any public place or from any injurious to the health or physical comfort of the community, and that in consequence such trade or

(b). occupation should be prohibited or regulated or such goods or merchandise should be removed or the keeping thereof regulated; or

(c) that the construction of any building, or, the disposal of any substance, as is likely to occasion conflagration or explosion, should be prevented or stopped; or

(d) that any building, tent or structure, or any tree is in such a condition that it is likely to fall and thereby cause injury to persons living or carrying on business in the neighbourhood or passing by, and that in consequence the removal, repair or support of such building, tent or structure, or the removal or support of such tree, is necessary; or



(e) that any tank, well or excavation adjacent to any such way or public place should be fenced in such manner as to prevent danger arising to the public; or

(f) that any dangerous animal should be destroyed, confined or otherwise disposed of such Magistrate may make a conditional order requiring the person causing such obstruction or nuisance, or carrying on such trade or occupation, or keeping any such goods or merchandise, or owning, possessing or controlling such building, tent, structure, substance, tank, well or excavation, or owning or possessing such animal or tree, within a time to be fixed in the order—

(i) to remove such obstruction or nuisance; or

(ii) to desist from carrying on, or to remove or regulate in such manner as may be directed, such trade or occupation, or to remove such goods or merchandise, or to regulate the keeping thereof in such manner as may be directed; or



(iii) to prevent or stop the construction of such building, or to alter the disposal of such substance; or

(iv) to remove, repair or support such building, tent or structure, or to remove or support such trees; or


(v) to fence such tank, well or excavation; or

(vi) to destroy, confine or dispose of such dangerous animal in the manner provided in the said order, or, if he objects so to do, to appear before himself or some other Executive Magistrate subordinate to him at a time and place to be fixed by the order, and show cause, in the manner hereinafter provided, why the order should not be made absolute.

(2) No order duly made by a Magistrate under this section shall be called in question in any Civil Court.




Explanation.—A “public place” includes also property belonging to the State, camping grounds and grounds left unoccupied for sanitary or recreative purposes.”



25. That thus any water pit or excavation site filled with water like the present one in sector 150 can be considered as a public nuisance as defined above in section 152 of chapter XI of BNSS falls within the jurisdiction of police commissionerate. Similarly, power to prohibit repetition or continuance of public nuisance (Section 162 of BNSS) and to issue order in urgent cases of nuisance or apprehended danger (Section 163 of BNSS) which were earlier under the jurisdiction of District Magistrate or a Sub-divisional Magistrate or any other Executive Magistrate are now conferred on the Joint Commissioner of Police, the Additional Commissioner of Police, Deputy Commissioner of Police, Additional Deputy Commissioner of Police and the Assistant Commissioner of Police posted in District Gautam Budh Nagar. For ready reference Section 162/163 of BNSS, 2023 are being quoted hereunder: -

“162. Magistrate may prohibit repetition or Continuance of public nuisance.—A District Magistrate or Sub-divisional Magistrate, or any other Executive Magistrate or Deputy Commissioner of Police empowered by the State Government or the District Magistrate in this behalf, may order any person not to repeat or continue a public nuisance, as defined in the Bharatiya Nyaya Sanhita, 2023, or any special or local law.

163. Power to issue order in urgent cases of nuisance or apprehended danger.— (1) In cases where, in the opinion of a District Magistrate, a Sub-divisional Magistrate or any other Executive Magistrate specially empowered by the State Government in this behalf, there is sufficient ground for proceeding under this section and immediate prevention or



speedy remedy is desirable, such Magistrate may, by a written order stating the material facts of the case and served in the manner provided by section 153, direct any person to abstain from a certain act or to take certain order with respect to certain property in his possession or under his management, if such Magistrate considers that such direction is likely to prevent, or tends to prevent, obstruction, annoyance or injury to any person lawfully employed, or danger to human life, health or safety or a disturbance of the public tranquillity, or a riot, or an affray.


(2) An order under this section may, in cases of emergency or in cases where the circumstances do not admit of the serving in due time of a notice upon the person against whom the order is directed, be passed ex parte.

(3) An order under this section may be directed to a particular individual, or to persons residing in a particular place or area, or to the public generally when frequenting or visiting a particular place or area.

(4) No order under this section shall remain in force for more than two months from the making thereof:

Provided that if the State Government considers it necessary so to do for preventing danger to human life, health or safety or for preventing a riot or any affray, it may, by notification, direct that an order made by a Magistrate under this section shall remain in force for such further period not exceeding six months from the date on which the order made by the Magistrate would have, but for such order, expired, as it may, specify in the said notification.

(5) Any Magistrate, may either on his own motion or the application of any person aggrieved, rescind or alter any order made under this Section by himself or any Magistrate subordinate to him or by his predecessor-in-office.





(6). *The State Government may, either on its own motion or on the application of any person aggrieved, rescind or alter any order made by it under the proviso to sub-section (4).*


(7) *Where an application under sub-section (5) or sub-section (6) is received, the Magistrate, or the State Government, as the case may be, shall afford to the applicant an early opportunity of appearing before him or it, either in person or by an advocate and showing cause against the order; and if the Magistrate or the State Government, as the case may be, rejects the application wholly or in part, he or it shall record in writing the reasons for so doing."*

26. That in view of the facts stated above the Noida Authority under the provisions of 1976 Act and the Regulations framed thereunder possesses power of superintendence, preservation, management and control in respect of all developmental and constructional activities within its notified area. Similarly, under the police Commissionerate system, the power to tackle with public nuisance have been conferred on the police officials under the notification dated 13.01.2020.

27. That as stated above the 1976 Act vests power for superintendence, preservation management and control of everything construction sites falling within its jurisdiction and the power vested in the Commissionerate system to tackle with public nuisance including management of any tank, well, excavation adjacent to any public places to prevent danger arising to the public, however, taking into consideration of the unfortunate incident which resulted in loss of life, the State Government on the recommendation



of the District Magistrate, Gautam Budh Nagar, provided compensatory relief of Rs. 4,00,000/- timely to the family of the deceased i.e. Yuvraj Mehta.



28. Affidavit filed by Deponent in Hon'ble High Court of Judicature at Allahabad is attached as **Annexure R-7**.

29. Hence, the present response is being submitted for the kind perusal of this Hon'ble Tribunal. It is prayed that the same be taken on record.

[Signature]
जिलाधिकारी
गौतमबुद्ध
DEPONENT

VERIFICATION

Verified at Surajpur, Greater Noida, Gautam Buddha Nagar on this 09 day of April, 2026, that the contents of the above affidavit from paragraphs 1 to 24 are believed to be true and correct to the best of my knowledge and belief. No part of it is false and nothing material has been concealed therefrom.



[Signature]
जिलाधिकारी
गौतमबुद्ध
DEPONENT

No. 1003 Date 09/04/2026 Certified that Before the Hon'ble National Green Tribunal
Principle Bench New Delhi.
M/s. Manish Bansal
Presently posted as District Magistrate Gautam Budh Nagar
Identified by Self
Presented his office for 09/04/2026 today date
and verified the contents of document.

[Signature]
09/04/2026
Vijay Pal Singh

कार्यालय
पत्रांक : 4272 / एस0टी0-ए0डी0एम0 / 2026


जिलाधिकारी,

गौतमबुद्ध नगर
दिनांक : 08/04/2026

अधिकासी अभियता,
सिंचाई निर्माण खण्ड,
गाजियाबाद।


मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में आयोजित ओ0ए0 संख्या 52/2026 News Item titled "Noida CEO removed CM, Order SIT probe into techie's Drowning" appearing in The Times of India dated 20-01-2026 में दिनांक 22.01.2026 को पारित आदेश के अनुपालन में आपके स्तर से कार्यवाही की जानी अपेक्षित है। प्रकरण में मा0 राष्ट्रीय हरित अधिकरण में दिनांक 10.04.2026 को सुनवाई हेतु नियत की गई है।

अतः आपको निर्देशित किया जाता है कि उक्त के सम्बन्ध में आपके स्तर से की गई कार्यवाही से अधोहस्ताक्षरी को आज ही अवगत कराना सुनिश्चित करें


(अतुल कुमार),
अपर जिलाधिकारी(वि0/रा0),
गौतमबुद्धनगर।

प्रतिलिपि :

01. जिलाधिकारी महोदया, गौतमबुद्ध नगर को अवलोकनार्थ प्रेषित।


अपर जिलाधिकारी(वि0/रा0),
गौतमबुद्धनगर।

प्रेषक,
अधिशारी अभियन्ता,
सिंचाई निर्माण खण्ड, गाजियाबाद।

सेवा में,
जिलाधिकारी महोदया,
जनपद-गौतमबुद्धनगर

पत्रांक: 1626 / सिनिखगा0 /

दिनांक: 08-01-2026

विषय: मा0 राष्ट्रीय हरित अभिकरण, नई दिल्ली में विचाराधीन ओ0ए0संख्या-52/2026 News item Titled "Noida CEO Removed CM Orders SIT probr into techoe s Drowning" appearing in The Times of India dated 20-01-2026 में पारित आदेश दिनांक 22.01.2026 के अनुपालन के सम्बन्ध में।

महोदया,

उपरोक्त विषयक सन्दर्भित पत्र के सम्बन्ध में अवगत कराना है कि इस कार्यालय द्वारा मा0 राष्ट्रीय हरित अभिकरण, नई दिल्ली में विचाराधीन ओ0ए0संख्या-52/2026 के अन्तर्गत उक्त रिट का बिन्दुवार नैरेटिव श्री रमाकान्त वर्मा, संयुक्त सचिव, उ0प्र0 शासन, लखनऊ के पत्र संख्या-39/एन0जी0टी0/26-27-सिं0-4-सीएन-2020746 दिनांक 31.03.2026 के द्वारा अनुमोदित कराने के उपरान्त मा0 राष्ट्रीय हरित अभिकरण, नई दिल्ली में पूर्व में ही दाखिल किये जाने हेतु आवश्यक कार्यवाही की जा चुकी है, जो संलग्न कर आपको प्रेषित की जा रही है।

यह भी अनुरोध करना है कि नवीन ओखला औद्योगिक विकास प्राधिकरण सैक्टर-6, नोएडा के द्वारा वित्तीय स्वीकृति दिनांक 24.03.2026 को प्रदान की गयी है। रेगूलेटर निर्माण हेतु विभागीय मुख्य अभियन्ता समिति की बैठक दिनांक 04.04.2026 को सिंचाई एवं जल संसाधन विभाग, लखनऊ में आयोजित की गयी थी, जिसमें रेगूलेटर निर्माण हेतु परियोजना प्रस्तुत की गयी। तदोपरान्त रेगूलेटर निर्माण हेतु नवीन ओखला औद्योगिक विकास प्राधिकरण से धनराशि उपलब्ध होने पर आवश्यक कार्यवाही की जायेगी।

संलग्नक:- उपरोक्तानुसार।

अधिशारी अभियन्ता,

सिंचाई निर्माण खण्ड, गाजियाबाद।

पत्रांक:

/ सिनिखगा0 /

दिनांक:

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है।

1. मुख्य अभियन्ता (यमुना), सिंचाई एवं जल संसाधन विभाग, ओखला, नई दिल्ली-25।
2. अधीक्षण अभियन्ता, ड्रेनेज मण्डल, गाजियाबाद।
3. अपर जिलाधिकारी (वि0/रा0), जनपद गौतमबुद्धनगर।

अधिशारी अभियन्ता,

सिंचाई निर्माण खण्ड, गाजियाबाद।

प्रेषक,

संख्या-39 एनजीटी/26-27-डि0-4-सीएन-2020746

रमा कान्त वर्मा,
संयुक्त सचिव,
उत्तर प्रदेश शासन।

सेवा में,

प्रमुख अभियन्ता एवं विभागाध्यक्ष,
सिंचाई एवं जल संसाधन विभाग,
उ0प्र0, लखनऊ।

सिंचाई एवं जल संसाधन अनुभाग-4 लखनऊ, दिनांक 31-03-2026
विषय: मा0 राष्ट्रीय हरित अधिकरण नई दिल्ली में विचाराधीन ओ0 ए0 संख्या- 52/2026 News Item Titled "Noida CEO Removed CM orders SIT probe into techie's Drowning" appearing in The Times of India dated 20.01.2026 में पारित आदेश दिनांक-22.01.2026 के अनुपालन के सम्बन्ध में।

महोदय,

उपर्युक्त विषयक मुख्य अभियन्ता(जल संसाधन), सिंचाई एवं जल संसाधन विभाग, उ0प्र0 के पत्रांक-291/मु0अ0(ज0सं0)/अनिम-1/अनिख-3 दिनांक 23.03.2026 का कृपया संदर्भ ग्रहण करने का कष्ट करें, जिसके माध्यम से विषयांकित वाद में मा0 राष्ट्रीय हरित अधिकरण नई दिल्ली द्वारा पारित आदेश दिनांक 22.01.2026 के अनुपालन में आख्या शासन के अनुमोदन हेतु उपलब्ध करायी गयी है।
2- इस संबंध में मुझे यह कहने का निदेश हुआ है कि कृपया माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में विचाराधीन ओ0 ए0 संख्या-52/2026 News Item Titled "Noida CEO Removed CM orders SIT probe into techie's Drowning" appearing in The Times of India dated 20.01.2026 में पारित आदेश दिनांक-22.01.2026 के अनुपालन में अनुमोदित अनुपालन आख्यानुसार समयान्तर्गत अग्रतर आवश्यक कार्यवाही व प्रभावी पैरवी सुनिश्चित कराते हुये मा0 अधिकरण द्वारा समय-समय पर पारित किये जाने वाले आदेशों/ निर्णयों एवं उक्त से संबंधित कार्यवाही की आख्या से शासन को यथासमय अवगत कराने का कष्ट करें। यह भी सूचित करना है कि प्रश्नगत वाद में विभागीय पक्ष प्रस्तुत करने/जवाब दाखिल करने/पैरोकारी हेतु मुख्य अभियन्ता(यमुना)सिंचाई एवं जल संसाधन विभाग, उ0प्र0, ओखला, नई दिल्ली को नोडल अधिकारी/पैरोकार नामित/अधिकृत किया जाता है।

भवदीय,
Digitally signed by
RAMA KANT VERMA
Date: 31-03-2026
13(रमा कान्त वर्मा)
संयुक्त सचिव।

संख्या एवं दिनांक तदैव

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. मुख्य अभियन्ता(जल संसाधन), सिंचाई एवं जल संसाधन विभाग, उ0प्र0।
2. मुख्य अभियन्ता(यमुना)सिंचाई एवं जल संसाधन विभाग, उ0प्र0, ओखला, नई दिल्ली।

आज्ञा से,
रमा कान्त वर्मा
संयुक्त सचिव।

टाईम्स आफ इण्डिया में 20.1.2026 को प्रकाशित समाचार का शीर्षक O.A.No. 52/2026 News Item titled "Noida CEO Removed CM orders SIT probe into techie's Drowning" appearing in The Time of india dated 20.01.2026 का बिन्दुवार नरेटिव ।

बिन्दु सं०-1 यह है कि सिंचाई एवं जल संसाधन विभाग से सम्बन्धित नहीं।

बिन्दु सं०-2 यह है कि नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा विकसित किए गये सैक्टरों में बरसात के पानी की निकासी हेतु सैक्टर 150 पर 16.66 क्यूमैक क्षमता के रेग्युलेटर निर्माण का अनुरोध नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा अपने पत्रांक 563/दिनांक 28.08.2015 (संलग्नक-1) द्वारा किया गया था। तत्कम में नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा अपने पत्रांक 1198 दिनांक 03.02.2016 (संलग्नक-2) के द्वारा उल्लिखित स्थल पर रेग्युलेटर निर्माण के डिजाइन एवं ड्रॉइंग हेतु धनराशि रू० 15.00 लाख सिंचाई विभाग को उपलब्ध करायी गयी तत्पश्चात उपलब्ध कराये गये डिस्चार्ज के डेटा के अनुसार रेग्युलेटर की डिजाइन एवं ड्रॉइंग कराकर धनराशि रू० 2083.31 लाख का प्राक्कलन इस कार्यालय के पत्रांक 372 दि० 14-2-2017 (संलग्नक-3) के द्वारा वित्तपोषण की सैद्धांतिक सहमति हेतु नवीन ओखला औद्योगिक विकास प्राधिकरण को प्रेषित किया गया। तत्पश्चात नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा अपने पत्रांक 1502 दिनांक 27.03.2017 (संलग्नक-4) के द्वारा प्राक्कलन संशोधन का अनुरोध किया गया। तत्कम में सिंचाई विभाग द्वारा अपने पत्रांक 993, दिनांक 04.05.2017 (संलग्नक-5) के द्वारा पुनः संशोधित प्राक्कलन धनराशि रू० 1646.92 लाख का प्रेषित किया गया। इसके उपरान्त लगातार आपत्तियों का निराकरण कर प्राक्कलन कई बार नवीन ओखला औद्योगिक विकास प्राधिकरण को प्रेषित किया गया परन्तु नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा रेग्युलेटर के प्राक्कलन पर वित्तपोषण की सैद्धांतिक सहमति दि० 29-1-2026 तक भी अपेक्षित थी।

नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा पत्रांक 2459 दिनांक 15.02.2018 (संलग्नक-7) को (लगभग एक वर्ष बाद) आपत्ति लगाते हुए सिंचाई विभाग को वापिस भेजा गया तदानुसार पत्रांक 1581 दिनांक 18.5.2018 (संलग्नक-8) को संशोधित प्राक्कलन धनराशि रू० 1836.98 लाख प्रेषित किया गया। नवीन ओखला औद्योगिक विकास प्राधिकरण के पत्रांक 777 दिनांक 21.8.2018 (संलग्नक-9) को पुनः आपत्ति लगाई गयी जिसका निराकरण कर प्राक्कलन को पत्रांक 2966 दिनांक 07.9.2018 (संलग्नक-10) के द्वारा धनराशि रू० 1837.84 लाख का प्रेषित किया गया। नवीन ओखला औद्योगिक विकास प्राधिकरण अपने पत्रांक 1686 दि० 28-02-2019 (संलग्नक-11) के द्वारा रेगुलेटर के स्थान पर अन्य विकल्पों पर विचार करने हेतु अनुरोध किया गया, परन्तु विचारोपरान्त रेगुलेटर ही विकल्प है से सम्बन्धित नवीन ओखला औद्योगिक विकास प्राधिकरण को इस कार्यालय के पत्रांक 1314 दि० 23-4-2019 (संलग्नक-12) द्वारा अवगत कराया गया। दिनांक 04.9.2020 को महाप्रबन्धक नवीन ओखला औद्योगिक विकास प्राधिकरण की बैठक में आगणन को 2018 के अनुसार पुनः संशोधित करने हेतु निर्देशित किया गया।

आगणन को संशोधित करते हुए इस कार्यालय के पत्रांक 2553 दिनांक 30.9.2020 (संलग्नक-13) को आगणन पुनः नवीन ओखला औद्योगिक विकास प्राधिकरण को धनराशि रू० 2525.67 लाख का प्रेषित किया गया। अंतिम प्राक्कलन उपलब्ध कराने के लगभग तीन वर्ष पश्चात दिनांक 04.10.2023 को नवीन ओखला औद्योगिक विकास प्राधिकरण, गौतमबुद्धनगर एवं इस कार्यालय के अधिकारियों/कर्मचारियों के द्वारा संयुक्त स्थलीय निरीक्षण किया गया। निरीक्षण के समय सहमति बनी कि इस कार्यालय द्वारा डिजाईन व ड्रॉइंग तैयार की गयी, जिसको आई.आई.टी. दिल्ली द्वारा वैट कराया गया है, में रेग्युलेटर के गेट मैकेनिकल थे उनके स्थान पर हाईड्रोलिक एवं न्यूमेटिक गेटों का प्रावधान किया जाये। नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा यह भी अवगत कराया गया कि





अन्य सैक्टरों को भी इसी नाले से जोड़ा गया है जिसके कारण नाले का डिस्चार्ज बढ़ जायेगा इस कारण पूर्व में जो रेग्युलेटर के लिये जो ड्रॉइंग एवं डिजाइन बनायी गयी थी उसमें संशोधन की आवश्यकता है अतः रेग्युलेटर को पुनः 43.79 क्यूमेक क्षमता का बनना है । जिसके लिए ड्रॉइंग एवं डिजाइन कराने हेतु इस कार्यालय के पत्रांक 2281/सि.नि.ख.गा/दिनांक 09.10.2023 (संलग्नक-14) के द्वारा नालो का डाटा एवं रेग्युलेटर के पुनः सर्वेक्षण, ड्रॉइंग एवं डिजाइन हेतु धनराशि रू0 30.00 लाख 28-8-2024 द्वारा निम्न बिन्दुओं पर आख्या मांगी गयी :-

1- Put up Drawing/Design illustration map of explain about the above project.

2- What are the uses of Regulator.

नवीन ओखला ओद्योगिक विकास प्राधिकरण द्वारा अपने पत्र सं0-1803 दिनांक 24-4-2025 (संलग्नक-15) द्वारा रेगुलेटर निर्माण के डिजाइन एवं ड्राइंग हेतु धनराशि रू0 30.00 लाख सिंचाई एवं जल संसाधन विभाग को उपलब्ध करायी गयी, पुनः सिंचाई एवं जल संसाधन विभाग द्वारा पत्रांक 3094 दिनांक 25.08.2025 (संलग्नक-16) द्वारा बड़े हुए डिस्चार्ज 43.79 क्यूमेक के सापेक्ष संशोधित प्राक्कलन नवीन ओखला ओद्योगिक विकास प्राधिकरण को सैद्धान्तिक एवं वित्तीय स्वीकृति हेतु प्रेषित किया गया । सिंचाई एवं जल संसाधन विभाग द्वारा लगभग 5 बार प्राक्कलन प्रेषित करने के उपरान्त भी नवीन ओखला ओद्योगिक विकास प्राधिकरण द्वारा सैद्धान्तिक स्वीकृति दि0 29-1-2026 तक अपेक्षित थी। नवीन ओखला ओद्योगिक विकास प्राधिकरण के पत्र सं0-3361/नोएडा/व0प्र0(व0स0-10)2026 दिनांक 30-1-2026 (संलग्नक-17) द्वारा प्रकरण में सैद्धान्तिक स्वीकृति की सूचना दी गयी ।

अधिशारी अभियन्ता, सिंचाई निर्माण खण्ड-गाजियाबाद के पत्र सं0-616/सिनिख/रेगुलेटर दिनांक 09-2-2026 (संलग्नक-18) द्वारा बड़े हुए डिस्चार्ज 43.79 क्यूमेक के सापेक्ष पुनः रेगुलेटर निर्माण हेतु संशोधित प्राक्कलन धनराशि रू0 3139.66 लाख वरिष्ठ प्रबंधक (वर्क सर्किल-10) नवीन ओखला ओद्योगिक विकास प्राधिकरण,सैक्टर-6,नोएडा को प्रेषित किया गया तथा अधिशारी अभियन्ता, सिंचाई निर्माण खण्ड-गाजियाबाद के पत्र सं0-665/सिनिख/रेगुलेटर दिनांक 13-2-2026 (संलग्नक-19) द्वारा एम0ओ0यू0 गठन हेतु एम0ओ0यू0 ड्राफ्ट तैयार कर प्रेषित कर दिया गया है, जिस पर नवीन ओखला ओद्योगिक विकास प्राधिकरण,सैक्टर-6,नोएडा स्तर पर वित्तीय स्वीकृति अपेक्षित है।


बिन्दु सं0-3 यह है कि सिंचाई एवं जल संसाधन विभाग से सम्बन्धित नहीं।


बिन्दु सं0-4 यह है कि सिंचाई एवं जल संसाधन विभाग से सम्बन्धित नहीं।

बिन्दु सं0-5 यह है कि सिंचाई एवं जल संसाधन विभाग से सम्बन्धित नहीं।

बिन्दु सं0-6 यह है कि मा0 राष्ट्रीय हरित न्याधिकारण के आदेश दिनांक 22-1-2026 के अनुपालन में सिंचाई एवं जल संसाधन विभाग से सम्बन्धित बिन्दुओं पर संलग्नकों सहित आख्या प्रेषित की जा रही है।

अतः प्रकरण सिंचाई एवं जल संसाधन विभाग के स्तर पर लम्बित नहीं रहा है।


अधिशारी अभियन्ता
सिंचाई निर्माण खण्ड,
गाजियाबाद


अधीक्षण अभियन्ता
ड्रेनेज मण्डल, गाजियाबाद

मुख्य अभियन्ता (यमुना),
सिंचाई एवं जल संसाधन
विभाग उ0 प्र0 ओखला, नई
दिल्ली-25

मा0 राष्ट्रीय हरित न्यायाधिकरण, नई दिल्ली के मूल आवेदन सं0-52/2026 को टाइम्स आफ इण्डिया में प्रकाशित O.A.No. 52/2026 News Item titled "Noida CEO Removed CM orders SIT probe into techie's Drowning" appearing in The Time of india dated 20.01.2026 खबर के आधार पर स्वतः संज्ञान से पंजीकृत किया गया है, हिण्डन यमुना दोआब बंध के किमी0 13.000 के निकट नौएडा के सैक्टर-150 में खुद रहे बेसमेन्ट में भरे हुए पानी में गाडी सहित व्यक्ति के डूब जाने के सम्बन्ध में है। जिसमें अन्य के साथ-साथ सिंचाई एवं जल संसाधन विभाग, उ0प्र0, को प्रतिवादी संख्या-3 बनाया गया है, जिसमें बिन्दुवार नैरेटिव तैयार कर मा0 राष्ट्रीय हरित न्यायाधिकरण, नई दिल्ली में शपथ पत्र दाखिल किया जाना है।

अवगत कराना है कि नौएडा द्वारा निर्मित नाले के पानी की हिण्डन नदी में निकासी हेतु सिंचाई विभाग द्वारा बनाये जाने वाले रेगुलेटर के सम्बन्ध में निम्नानुसार कार्यवाही की गयी है। अवगत कराना है कि नवीन ओखला औद्योगिक विकास प्राधिकरण अपने पत्र सं0 563 दिनांक 28.05.2015 के द्वारा 16.66 क्यूमेक क्षमता का रेगुलेटर निर्माण की वांछना की थी, जिसके लिए नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा धनराशि रू0 15.00 लाख सिंचाई विभाग को डिजाइन हेतु उपलब्ध करायी गयी। जिसके परिपेक्ष में सिंचाई विभाग द्वारा रेगुलेटर निर्माण हेतु आगणन डिजाइन, ड्राइंग, भारतीय प्रौद्योगिकी संस्थान से वैट कराने के उपरान्त इस कार्यालय के पत्रांक 372 दिनांक 14.02.2017 को परियोजना प्राक्कलन सैद्धान्तिक एवं वित्तीय स्वीकृति हेतु प्रेषित किया गया था। नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा पत्रांक 2459 दिनांक 15.02.2018 को (लगभग एक वर्ष बाद) आपत्ति लगाते हुए सिंचाई विभाग को वापिस भेजा गया तदानुसार पत्रांक 1581 दिनांक 18.5.2018 को संशोधित परियोजना प्राक्कलन धनराशि रू0 1836.98 लाख प्रेषित किया गया। नवीन ओखला औद्योगिक विकास प्राधिकरण के पत्रांक 777 दिनांक 21.8.2018 को पुनः आपत्ति लगाई गयी जिसका निराकरण कर परियोजना प्राक्कलन को पत्रांक 2966 दिनांक 07.9.2018 के द्वारा धनराशि रू0 1837.84 लाख का प्रेषित किया गया। नवीन ओखला औद्योगिक विकास प्राधिकरण अपने पत्रांक 1686 दि0 28-02-2019 के द्वारा रेगुलेटर के स्थान पर अन्य विकल्पों पर विचार करने हेतु अनुरोध किया गया, परन्तु विचारोपरान्त रेगुलेटर ही विकल्प है से सम्बन्धित नवीन ओखला औद्योगिक विकास प्राधिकरण को इस कार्यालय के पत्रांक 1314 दि0 23-4-2019 के द्वारा अवगत कराया गया। दिनांक 04.9.2020 को महाप्रबन्धक नवीन ओखला औद्योगिक विकास प्राधिकरण की बैठक में आगणन को 2018 के अनुसार पुनः संशोधित करने हेतु निर्देशित किया गया।

आगणन को संशोधित करते हुए इस कार्यालय के पत्रांक 2553 दिनांक 30.9.2020 को आगणन पुनः नवीन ओखला औद्योगिक विकास प्राधिकरण को धनराशि रू0 2525.67 लाख का प्रेषित किया गया। अंतिम परियोजना प्राक्कलन उपलब्ध कराने के लगभग तीन वर्ष पश्चात दिनांक 04.10.2023 को नवीन ओखला औद्योगिक विकास प्राधिकरण, गौतमबुद्धनगर एवं इस कार्यालय के अधिकारियों/कर्मचारियों के द्वारा संयुक्त स्थलीय निरीक्षण किया गया। निरीक्षण के समय सहमति बनी कि इस कार्यालय द्वारा डिजाइन व ड्राइंग तैयार की गयी, जिसको आई.आई.टी. दिल्ली द्वारा वैट कराया गया है, में रेगुलेटर के गेट मैकेनिकल थे उनके स्थान पर हाईड्रोलिक एवं न्यूमेटिक गेटों का प्रावधान किया जाये। नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा यह भी अवगत कराया गया कि अन्य सैक्टरों को भी इसी नाले से जोडा गया है जिसके कारण नाले का डिस्चार्ज बढ़ जायेगा इस

✓ 

कारण पूर्व में जो रेग्युलेटर के लिये जो ड्रॉइंग एवं डिजाइन बनायी गयी थी उसमें संशोधन की आवश्यकता है अतः रेग्युलेटर को पुनः 43.79 क्यूमेक क्षमता का बनना है । जिसके लिए

ड्रॉइंग एवं डिजाइन कराने हेतु इस कार्यालय के पत्रांक 2281/सि.नि.ख. गा/दिनांक 09.10.2023 के द्वारा नालो का डाटा एवं रेग्युलेटर के पुनः सर्वेक्षण , ड्रॉइंग एवं डिजाइन हेतु धनराशि रू0 30.00 लाख 28-8-2024 द्वारा निम्न विन्दुओं पर आख्या मांगी गयी :-


3- Put up Drawing/Design illustration map of explain about the above project.


4- What are the uses of Regulator.

नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा अपने पत्र सं0-1803 दिनांक 24-4-2025 द्वारा रेगुलेटर निर्माण के डिजाइन एवं ड्राइंग हेतु धनराशि रू0 30.00 लाख सिंचाई एवं जल संसाधन विभाग को उपलब्ध करायी गयी, पुनः सिंचाई एवं जल संसाधन विभाग द्वारा पत्रांक 3094 दिनांक 25.08.2025 द्वारा बढे हुए डिस्जार्च 43.79 क्यूमेक के सापेक्ष संशोधित प्राक्कलन नवीन ओखला औद्योगिक विकास प्राधिकरण को सैद्धान्तिक एवं वित्तीय स्वीकृति हेतु प्रेषित किया गया । सिंचाई एवं जल संसाधन विभाग द्वारा लगभग 5 बार प्राक्कलन प्रेषित करने के उपरान्त भी नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा वित्तीय एवं सैद्धान्तिक स्वीकृति दि0 29-1-2026 तक अपेक्षित थी । नवीन ओखला औद्योगिक विकास प्राधिकरण के पत्र सं0-3361/नोएडा/व0प्र0(व0स0-10)2026 दिनांक 30-1-2026 को सैद्धान्तिक स्वीकृति के सम्बंध में सूचना दी गयी ।

अधिशायी अभियन्ता, सिंचाई निर्माण खण्ड-गाजियाबाद के पत्र सं0-616/सिनिख/रेगुलेटर दिनांक 09-2-2026 द्वारा बढे हुए डिस्जार्च 43.79 क्यूमेक के सापेक्ष पुनः रेगुलेटर निर्माण हेतु संशोधित प्राक्कलन धनराशि रू0 3139.66 लाख वरिष्ठ प्रबंधक (वर्क सर्किल-10) नवीन ओखला औद्योगिक विकास प्राधिकरण,सैक्टर-6,नोएडा को प्रेषित किया गया तथा अधिशायी अभियन्ता, सिंचाई निर्माण खण्ड-गाजियाबा के पत्र सं0-665/सिनिख/रेगुलेटर दिनांक 13-2-2026 द्वारा एम0ओ0यू0 गठन हेतु एम0ओ0यू0 ड्राफ्ट तैयार कर प्रेषित कर दिया गया है, जिस पर नवीन ओखला औद्योगिक विकास प्राधिकरण,सैक्टर-6,नोएडा स्तर पर वित्तीय स्वीकृति अपेक्षित है ।

अतः प्रकरण सिंचाई एवं जल संसाधन विभाग के किसी भी स्तर पर लम्बित नहीं रहा है ।


अधिशायी अभियन्ता
सिंचाई निर्माण खण्ड,
गाजियाबाद


अधीक्षण अभियन्ता
ड्रेनेज मण्डल, गाजियाबाद

मुख्य अभियन्ता (यमुना),
सिंचाई एवं जल संसाधन
विभाग उ0 प्र0 ओखला, नई
दिल्ली-25

संलग्नक-1

औद्योगिक विकास प्राधिकरण
मुख्य प्रशासनिक भवन,
सैक्टर-6, नौएडा,
गौतमबुद्ध नगर - 201301


NOIDA

NEW OKHLA INDUSTRIAL DEVELOPMENT
AUTHORITY
Main Administrative Building,
Sector-VI, NOIDA
Distt. Gautam Budh Nagar - 201301

कार्यालय मुख्य परियोजना अभियन्ता, सैक्टर-6, नौएडा

पत्रांक: नौएडा/मु0प0अ0/2015/ 563
दिनांक: 28-08-15

मुख्य अभियन्ता (गंगा)
सिंचाई विभाग, मेरठ
जेल चुंगी रोड, विक्टोरिया पार्क
मेरठ, उत्तर प्रदेश



विषय:- नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा विकसित सैक्टर-150 का वरसाती पानी को हिण्डन नदी में प्रवाह करने के सम्यन्ध में।

कृपया संज्ञान में लाना है कि नौएडा-ग्रेटर नौएडा एक्सप्रेस-वे एवं हिण्डन, यमुना बांध के मध्य भूमि पर स्पोर्ट सिटी सैक्टर-150 का विकास नौएडा प्राधिकरण द्वारा किया जा रहा है। इस सैक्टर का भूगोलीय निम्नरथ होने के कारण वरसाती पानी का प्रवाह हिण्डन नदी में ही किया जाना सम्य है, जो एक्सप्रेस-वे गार्ड के किनारे से 0.520 किमी० दूरी में यथारथान से हिण्डन बांध को क्रास करना होगा। उपरोक्त एकल समावना के अतिरिक्त गुरुत्व प्रवाह के लिये अन्य विकल्प नहीं हैं।

अतः उपरोक्त के दृष्टिगत आपसे अनुरोध है कि सैक्टर-150 व आस-पास के वरसाती पानी को राव को हिण्डन नदी में प्रवाह किये जाने के लिये हिण्डन बांध क्रास करने की अनुमति प्रदान करने की कृपा करें। अनुमति की दशा में यह भी अनुरोध है कि बांध के पास यदि रेगुलेटर बनाये जाने की आवश्यकता हो तो कार्य का प्रायकलन भी अधोहस्ताक्षरी को उपलब्ध कराने का कष्ट करें। जिससे प्रायकलानुसार सिंचाई विभाग के पक्ष में धनराशि अव्ययत करने हेतु निर्णय लिया जा सके।

मुख्य परियोजना अभियन्ता
नौएडा

प्रतिलिपि:-

1. उप मुख्य कार्यपालक अधिकारी (एस) महोदय को सादर सूचनार्थ।
2. परियोजना अभियन्ता, वर्क सर्किल-10, नौएडा को आवश्यक कार्यवाही हेतु।
3. अधीक्षण अभियन्ता (प्रथम सर्किल) सिंचाई विभाग मेरठ को सूचनार्थ।
4. अधिशासी अभियन्ता, सिंचाई निर्माण खण्ड, कविनगर, गाजियाबाद, को स्वीकृति हेतु आवरणी।

कार्यवाही करने के सम्यन्ध में।

मुख्य परियोजना अभियन्ता
नौएडा

कार्यालय अधिशासी अभियन्ता
सिंचाई निर्माण खण्ड
गाजियाबाद

पत्रांक 1745 - सिंचाई निर्माण खण्ड गाजियाबाद | अनापत्ति दिनांक 02/09/15

प्रतिक्रिया प्राप्त करके उपरोक्त सूचना-वाचुर्था सिंचाई निर्माण खण्ड गाजियाबाद को सूचित है कि प्रश्नगत प्रकरण पर निष्पत्ति परीक्षा का निरीक्षण कर प्रेषित करने का कष्ट करें।

संलग्नक - 2

नवीन ओखला औद्योगिक विकास प्राधिकरण

कार्यालय परियोजना अभियन्ता, वर्क सर्किल-10, रोड-6, नौएडा

उद्दिष्टाभिियन्ता
डिजाई निर्माण खण्ड
कवे नगर गाजियाबादपत्रांक: नौएडा/परि.अभि.-व.स-10/16/1198
दिनांक: 03-02-16

विषय:- नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा विकसित सैक्टर-150 के बरसाती पानी को हिण्डन नदी में प्रवाह करने के सम्बन्ध में।

कृपया आप अपने कार्यालय पत्र सं० 1865/सि.नि.खं.गा.बाद/अनापत्ति पत्र दिनांक 21.09.2015 एवं पत्र सं० 2412/सि.नि.खं.गा.बाद/अनापत्ति पत्र दिनांक 14.12.2015 का संज्ञान लेने का कष्ट करें, जिसमें उपरोक्त कार्य हेतु आप द्वारा रु० 15.00 लाख की मांग की गई थी। मुख्य परियोजना अभियन्ता नौएडा के पत्र सं० नौएडा/मु०प०अ०/2015/563 दिनांक 28.08.2015 के परिपेक्ष्य में सर्वेक्षण, डिजाईन एवं ड्राईंग आदि के कार्य हेतु धनराशि रु० 15.00 लाख पर टैक्स काटते हुए रु० 13,50,000.00 का पंजाब नेशनल बैंक का चेक सं० 210642 दिनांक 01.02.2016 पत्र के साथ संलग्न है। कृपया हिण्डन बांध पर बरसाती पानी के प्रवाह हेतु रेगुलेटर बनाये जाने एवं हिण्डन बांध क्रास करने की अनुमति प्रदान करने का कष्ट करें:-

आपके पत्र दिनांक 21.09.2015 के परिपेक्ष में मांगी गई सूचना निम्न प्रकार है:-

1. नालों का डिस्चार्ज - 16.66 क्यूसेक (सूचना)
2. नालों का सैक्शन/लम्ब छिन्नक - संलग्न है।
3. नालों का स्लोप एवं बन्धे के पास नालों के बैंड लेविल आदि - सैक्शन संलग्न है।
4. प्रस्तावित क्षेत्र का विस्तृत प्लान - संलग्न है।

संलग्नक:-
1. बैंक सं० 210642
2. बाउचर (विवरण सहित) छायाप्रति।
3. उपरोक्तानुसार विवरण एवं विस्तृत प्लान, (1 से 4 तक)।

(एम०सी० त्यागी)
परियोजना अभियन्ता
व०स०-10, नौएडा

प्रतिलिपि :-

1. मुख्य अभियन्ता नौएडा महोदय को सादर सूचनार्थ।
2. अधीक्षण अभियन्ता, ड्रेनेज गण्डल गाजियाबाद।
3. सहायक परियोजना अभियन्ता (एम) वर्क सर्किल-10, नौएडा।
4. खण्डीय लेखाकार, वर्क सर्किल-10, नौएडा।
5. सम्बन्धित अवर अभियन्ता।

परियोजना अभियन्ता
व०स०-10, नौएडा

कार्यालय अधिशासी अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद

संलग्नक-3

पत्रांक : 372 / सिनिखगा /

दिनांक : 14/2/2017

विषय : नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा विकसित सेक्टर-150 के बरसाती पानी को हिण्डन नदी में प्रवाह करने के सम्बन्ध में।

संदर्भ : आपका पत्रांक-नौएडा/प.स.-व.स.-10/16/695 दि. 18.10.2016

मुख्य परियोजना अभियन्ता, नवीन ओखला औद्योगिक विकास प्राधिकरण, प्रशासनिक भवन, सेक्टर-6, नौएडा, गौतमबुद्धनगर।

अवगत कराना है कि आपके द्वारा विकसित सेक्टर-150 का भूमितल निम्नस्थ होने के कारण उक्त सेक्टर व आस-पास के बरसाती पानी को हिण्डन नदी में प्रवाहित करने (एकल सम्भावना) हेतु हिण्डन यमुना दोआब बंध को क्रॉस कर बंध के पास रेगुलेटर बनाये जाने का अनुरोध आपके द्वारा किया गया था। तत्पश्चात् एक प्रख्यात एजेन्सी के माध्यम से रेगुलेटर का डिजाइन (IIT, Delhi द्वारा vetted) एक प्राक्कलन "Project estimate for Construction of Regulator at Km. 12.000 on Hindon Yamuna Doab Bund for Outlet of Storm Water for Sector-150, Noida, in Distt. Gautambudh Nagar" तैयार कराया गया, जिसकी अनुमानित लागत रु. 2083.31 लाख है। परियोजना में भूमि की लागत सम्मिलित नहीं है।

संलग्न परियोजना वित्त पोषण की सैद्धांतिक सहमति हेतु प्रेषित की जा रही है, ताकि परियोजना को उच्चधिकारियों को स्वीकृति हेतु प्रेषित किये जाने सम्बन्धित आवश्यक कार्यवाही की जा सके।


संलग्नक : उपरोक्तानुसार।


अधिशासी अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद।

पत्रांक : 372 / सिनिखगा / तदिनांक 14/2/17

प्रतिलिपि

- 1 मुख्य अभियन्ता (यमुना), सिंचाई एवं जल संसाधन विभाग, उत्तर प्रदेश, ओखला, नई दिल्ली-110025 को सूचनार्थ प्रेषित।
- 2 अधीक्षण अभियन्ता, ड्रेनेज मण्डल, गाजियाबाद को सूचनार्थ प्रेषित।
- 3 सहायक अभियन्ता-चतुर्थ, सिंचाई निर्माण खण्ड, गाजियाबाद को इस आशय से प्रेषित है कि परियोजना प्रबन्धक, नवीन ओखला औद्योगिक विकास प्राधिकरण, प्रशासनिक भवन, सेक्टर-6, नौएडा, गौतमबुद्धनगर से सम्पर्क स्थापित कर आवश्यक कार्यवाही हेतु प्रेषित।




अधिशासी अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद।

नवीन ओखला औद्योगिक विकास
प्राधिकरण
मुख्य प्रशासनिक भवन,
सेक्टर-6, नौएडा,
जिला गौतमबुद्ध नगर - 201301

NOIDA

NOOKHLA INDUSTRIAL DEVELOPMENT
AUTHORITY
Main Administrative Building,
Sector- VI, NOIDA
Distt. Gautam Budh Nagar - 201301

संलग्नक-4

कार्यालय परियोजना अभियन्ता, वर्क सर्किल-10, सेक्टर-6, नौएडा

पत्रांक : नौएडा/परि0अभि0(व0स-10)/2017/ 1502

दिनांक . 27-03-17

अधिसासी अभियन्ता
सिंचाई निर्माण खण्ड-गाजियाबाद

विषय : नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा विकसित सेक्टर-150 में बरसाती पानी को हिण्डन नदी में प्रवाह करने के सम्बन्ध में।

कृपया उपरोक्त के सम्बन्ध में अवगत कराना है कि नौएडा प्राधिकरण में कार्यों के आगमन गठन करने हेतु केन्द्रीय विभाग निर्माण विभाग द्वारा जारी डी0एस0आर0-2013 प्रचलन में है। अतः आप द्वारा प्रेषित आगमन में डी0एस0आर0-2013 के आधार पर संशोधन की आवश्यकता है। सेक्टर-150 के बरसाती पानी को हिण्डन नदी में प्रवाह करने सम्बन्धी रेगुलेटर बनाये जाने एवं रेगुलेटर से हिण्डन नदी तक बनाई जाने वाली ड्रेन का आगमन डी0एस0आर0-2013 की दरों के आधार पर अलग-अलग गठित करते हुए आगमन धनराशि को संकलित कर अनुमानित लागत से अवगत कराने का कष्ट करें, जिसकी सैद्धान्तिक स्वीकृति सक्षम स्तर से प्राप्त कर एम0ओ0यू का गठन किया जा सकें।

वरिष्ठ परियोजना अभियन्ता
वर्क सर्किल-10, नौएडा

प्रतिलिपि:-

1. मुख्य अभियन्ता महोदय को सादर सूचनार्थ।
2. मुख्य अभियन्ता (यमुना), सिंचाई एवं जल संसाधन विभाग, उत्तर प्रदेश, ओखला, नई दिल्ली-110025 को सूचनार्थ प्रेषित।
3. अधीक्षण अभियन्ता, ड्रेनेज मण्डल, गाजियाबाद को सूचनार्थ।
4. सहायक परियोजना अभियन्ता-एम, वर्क सर्किल-10, नौएडा।

वरिष्ठ परियोजना अभियन्ता
वर्क सर्किल-10, नौएडा

सिंचाई निर्माण
कार्य नं० 833
फाईल नं० 3153-17
दिनांक
महिमा

संलग्नक - 5

कार्यालय अधिशासी अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद

पत्रांक : 993 / सिनिखगा /

दिनांक : 4/5/2017

विषय : नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा विकसित सेक्टर-150 के बरसाती पानी को हिण्डन नदी में प्रवाह करने के सम्बन्ध में।

संदर्भ : आपका पत्रांक-नौएडा/परि.अभि.(व.स.-10)/2017/1502 दि. 27.03.2017

मुख्य परियोजना अभियन्ता, नवीन ओखला औद्योगिक विकास प्राधिकरण, प्रशासनिक भवन, सेक्टर-6, नौएडा, गौतमबुद्धनगर।

अवगत कराना है कि आपके द्वारा विकसित सेक्टर-150 के बरसाती पानी को हिण्डन नदी में प्रवाहित करने हेतु हिण्डन यमुना दोआब बंध को क्रास कर बंध के पास रेगुलेटर एवं रेगूलेटर से हिण्डन नदी तक ड्रेन बनाये जाने का अनुरोध आपके द्वारा किया गया था। तत्पश्चात् एक प्रख्यात एजेन्सी के माध्यम से रेगूलेटर का डिजाइन (IIT, Delhi द्वारा vetted) एक प्राक्कलन "Project estimate for Construction of Regulator at Km. 12.000 on Hindon Yamuna Doab Bund for Outlet of Storm Water for Sector-150, Noida, in Distt. Gautambudh Nagar" तैयार कराया गया, जिसकी अनुमानित लागत रु. 2083.31 लाख थी, किन्तु सन्दर्भित पत्र द्वारा आगणन को नौएडा विकास प्राधिकरण में कार्यों के लिये प्रचलित केन्द्रीय निर्माण विभाग के द्वारा जारी DSR-2013 के अनुसार संशोधित करने का आग्रह किया गया है।

अतः उक्त सन्दर्भित पत्र के सापेक्ष नौएडा विकास प्राधिकरण में प्रचलित DSR-2013 एवं विभागीय विश्लेषित दरों के आधार पर संशोधित आगणन की अनुमानित लागत रु. 1646.92 लाख है। परियोजना में भूमि की लागत सम्मिलित नहीं है।

संलग्नक संशोधित परियोजना वित्त पोषण की सैद्धांतिक सहमति हेतु प्रेषित की जा रही है। ताकि परियोजना को उच्चाधिकारियों की स्वीकृति हेतु प्रेषित किये जाने सम्बन्धित आवश्यक कार्यवाही की जा सके।

अधिशासी अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद।

पत्रांक : 993 / सिनिखगा / तदिनांक 04-05-17

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-

- 1 मुख्य अभियन्ता (यमुना), सिंचाई एवं जल संसाधन विभाग, उत्तर प्रदेश, ओखला, नई दिल्ली-110025 को सूचनार्थ प्रेषित।
- 2 अधीक्षण अभियन्ता, ड्रेनेज मण्डल, गाजियाबाद को सूचनार्थ प्रेषित।
- 3 सहायक अभियन्ता-चतुर्थ, सिंचाई निर्माण खण्ड, गाजियाबाद को इस आशय से प्रेषित है कि परियोजना प्रबन्धक, नवीन ओखला औद्योगिक विकास प्राधिकरण, प्रशासनिक भवन, सेक्टर-6, नौएडा, गौतमबुद्धनगर से सम्पर्क स्थापित कर आवश्यक कार्यवाही हेतु प्रेषित।

अधिशासी अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद।

नवीन ओखला औद्योगिक विकास प्राधिकरण
कार्यालय परियोजना अभियन्ता, वर्क सर्किल-10, सैक्टर-6, नौएडा

संलग्नक-7

अधिसासी अभियन्ता
सिंचाई निर्माण खण्ड
गाजियाबाद

पत्रांक: नौएडा/प.अ.-व.स.-10/18/2459
दिनांक: 15/02/18

विषय:-नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा विकसित सैक्टर-150 में बरसाती पानी को डिप्लेन नदी में प्रवाहित करने के सम्बन्ध में।

कृपया उक्त विषयक आपके द्वारा पत्रांक 68/सिनिखगा/दिनांक 09.01.2018 के माध्यम से इस कार्यालय को प्रस्तुत परियोजना के सम्बन्ध में परियोजना अभियन्ता (टी0ए0सी0) द्वारा निम्न बिन्दुओं पर कार्यवाही की वांछना की गई है:-

- अ) 1. आगणन में मदों की भाषा डी0एस0आर0-2013 के अनुरूप ली जाये।
2. आगणन डी.एस.आर.-2013 पर गठित किया गया है। अतः समस्त सामग्रियां, लेबर इत्यादि की दरें जो डी.एस.आर.-13 में सम्मिलित हैं उनको डी.एस.आर.-2013 के आधार पर ही लिया जाना है।
3. आगणन में सम्मिलित ए.ओ.आर. में VAT/Trade Tax के स्थान पर GST का प्राविधान किया जाये।
4. आगणन में मूल कुटेशन लगायी जायें।
5. आगणन में मिट्टी भराव के मद में ली गयी Royalti का आधार क्या है।

ब) उल्लेखनीय है कि दिनांक 13.02.2018 को मुख्य अनुरक्षण अभियन्ता (सिविल), महोदय, नौएडा प्राधिकरण, नौएडा के कार्यालय कक्ष में उक्त परियोजना पर आपसे हुई मिटिंग के दौरान निर्णय लिया गया कि वर्ष ऋतु में डिप्लेन नदी का Water level अधिक होने की दशा में नौएडा के सैक्टरों के पानी की निकासी हेतु प्रस्तावित रेगुलेटर के साथ पम्पिंग स्टेशन की व्यवस्था किया जाना उचित होगा। अतः उक्त प्रेषित परियोजना में पम्पिंग व्यवस्था को भी सम्मिलित कर लिया जाये।

अतः अनुरोध है कि उक्त बिन्दुओं पर यथाशीघ्र कार्यवाही करते हुए संशोधित परियोजना यथाशीघ्र इस कार्यालय को उपलब्ध कराना कष्ट करें ताकि अग्रिम कार्यवाही की जा सके।

Simple

परियोजना अभियन्ता
वर्क सर्किल-10, नौएडा

प्रतिलिपि:-

1. मुख्य अभियन्ता (सिविल) महोदय को सूचनाार्थ।
2. मुख्य अनुरक्षण अभियन्ता (सिविल) महोदय को सूचनाार्थ एवं उक्त मिटिंग में लिए गए निर्णय के क्रम में।
3. सहायक परियोजना अभियन्ता (ए) वर्क सर्किल-10, नौएडा।
4. श्री अनिल, कुमार शर्मा, अग्र अभियन्ता (सिविल), को आवश्यक कार्यवाही हेतु।

श्री 2-5
55/18

दिनांक 10/2/18
वर्क सर्किल-10
नौएडा

परियोजना अभियन्ता
वर्क सर्किल-10, नौएडा
सिंचाई निर्माण खण्ड
गाजियाबाद

पत्रांक 5551/सिनिखगा / दि. 23/02/18

प्रतिक्रिया- सहायक अभियन्ता (सिविल) महोदय को उक्त परियोजना के सम्बन्ध में दिनांक 10/2/18 को प्रेषित परियोजना के सम्बन्ध में दिनांक 23/02/18 को प्रेषित पत्रांक 5551/सिनिखगा के माध्यम से प्राप्त किया गया। उक्त परियोजना के सम्बन्ध में दिनांक 23/02/18 को प्रेषित पत्रांक 5551/सिनिखगा के माध्यम से प्राप्त किया गया। उक्त परियोजना के सम्बन्ध में दिनांक 23/02/18 को प्रेषित पत्रांक 5551/सिनिखगा के माध्यम से प्राप्त किया गया।

संलग्नक-8

कार्यालय अधिशासी अभियन्ता सिंचाई निर्माण खण्ड, गाजियाबाद

पत्रांक : /सिनिखगा/
विषय : नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा विकसित सेक्टर-150 के वरसाती पानी को हिण्डन नदी में प्रवाह करने के सम्वन्ध में।
संदर्भ : आपका पत्रांक-नौएडा/परि.अभि.(व.स.-10)/2018/2459 दि० 15.02.2018 एवं नौएडा/परि.अभि.(व.स.-10)/2018/25 दि० 05.04.2018

परियोजना अभियन्ता, नवीन ओखला औद्योगिक विकास प्राधिकरण, प्रशासनिक भवन, सेक्टर-6, नौएडा, गौतमबुद्धनगर।

कृपया उपरोक्त विषयक सन्दर्भित पत्र का अवलोकन करने का कष्ट करें, जिसमें कुछ विन्दुओं पर कार्यवाही की अपेक्षा की गई है। इस सम्वन्ध में विन्दुवार सूचना निम्न प्रकार है :-

- अ)1 आगणन में प्रयुक्त मदों में से जो मद डी.एस.आर.-2013 में उपलब्ध है। उन मदों की भाषा डी.एस.आर.-2013 से ही ली गयी है। अन्य मदों की भाषा सिंचाई विभाग में प्रचलित एस.ओ.आर. से ली गयी है।
- 2 आगणन में प्रयुक्त मदों में से जिन मदों में सामग्रियां एवं लेवर इत्यादि की दरें डी.एस.आर.-2013 में उपलब्ध हैं। उन मदों में सामग्रियां एवं लेवर इत्यादि की दरें डी.एस.आर.-2013 से ही ली गयी हैं। अन्य मदों में सामग्रियां एवं लेवर इत्यादि की दरें सिंचाई विभाग में प्रचलित एस.ओ.आर. से ली गयी हैं।
- 3 आगणन में जी.एस.टी. का प्राविधान कर दिया गया है।
- 4 आगणन में कुटेशन की मूल प्रति ही पूर्व में आपको उपलब्ध करायी गयी परियोजना की मूल कापी में लगायी गयी है, जोकि भौतिक रूप से आपके कार्यालय में दिखा दी गई है।
- 5 आगणन में भिट्टी भराव के मद में रायल्टी प्रचलित दरों के अनुसार ही ली गयी है।
- ब)1 प्रस्तावित परियोजना में पम्पिंग व्यवस्था हेतु स्टाफ के लिये हटमेन्ट का प्राविधान कर दिया गया है।

अतः आप द्वारा सन्दर्भित विन्दुओं का निराकरण कर संशोधित परियोजना रु. 1836.98 लाख की तैयार कर वित्त प्रोषण की सैद्धांतिक सहमति हेतु पुनः प्रेषित है।

संलग्नक : उपरोक्तानुसार।

अधिशासी अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद।

पत्रांक : 1581 /सिनिखगा/तदिनांक 18-05-18

प्रतिलिपि :-

- 1 मुख्य अभियन्ता (यमुना), सिंचाई एवं जल संसाधन विभाग, उत्तर प्रदेश, ओखला, नई दिल्ली-110025 को सूचनार्थ प्रेषित।
- 2 अधीक्षण अभियन्ता, ड्रेनेज मण्डल, गाजियाबाद को सूचनार्थ प्रेषित।
- 3 सहायक अभियन्ता-चतुर्थ, सिंचाई निर्माण खण्ड, गाजियाबाद को इस आशय से प्रेषित है कि परियोजना प्रबन्धक, नवीन ओखला औद्योगिक विकास प्राधिकरण, प्रशासनिक भवन, सेक्टर-6, नौएडा, गौतमबुद्धनगर से सम्पर्क स्थापित कर आवश्यक कार्यवाही हेतु प्रेषित।

अधिशासी अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद।

संलग्नक - 10

प्रेषक,

अधिशारी अभियन्ता
सिंचाई निर्माण खण्ड,
गाजियाबाद।

प्रेषित,

उप महाप्रबन्धक (वर्क सर्किल-10) 10-01-18
नवीन ओखला औद्योगिक विकास प्राधिकरण,
प्रशासनिक भवन, सै0-6, नौएडा।

पत्रांक : 2966 / सिनिखगा /

दिनांक : 07-09-18

विषय : नवीन ओखला औद्योगिक विकास प्राधिकरण द्वारा विकसित सैक्टर-150
के बरसाती पानी को हिण्डन नदी में प्रवाह करने के सम्बन्ध में।

संदर्भ:-आपका पत्रांक-नौएडा / व0प्र0(व0स0-10) / 2018 / 777 दिनांक 21.08.18

महोदय,

कृप्या उपरोक्त विषयक संदर्भित पत्र का अवलोकन करने की कृपा करे, जिसमें आपके द्वारा उक्त विषयक परियोजना को प्राक्कलन में प्रयुक्त डी0एस0आर0-2013 की दरों के स्थान पर डी0एस0आर0-2016 की दरों पर संशोधित कर उपलब्ध कराने हेतु अनुरोध किया गया है।

अतः उक्त विषयक परियोजना डी0एस0आर0-2016 की दरों के आधार पर संशोधित कर तकनीकी अधिकारी की संस्तुति सहित धनराशि रु0 1837.84 लाख की आपको सैद्धांतिक सहमति एवं वित्त पोषण के लिये प्रेषित है।

संलग्नक:- उपरोक्तानुसार

0/0


अधिशारी अभियन्ता

सिंचाई निर्माण खण्ड, गाजियाबाद।

पत्रांक : 2966 / सिनिखगा / तदिनांक : 07-09-18

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है:-

1. मुख्य अभियन्ता(यमुना),सिंचाई एवं जल संसाधन, ओखला।
2. अधीक्षण अभियन्ता, ड्रेनेज मण्डल, गाजियाबाद।
3. सहायक अभियन्ता (चतुर्थ), सिंचाई निर्माण खण्ड, गाजियाबाद को इस निर्देश के साथ प्रेषित है। कि उप महाप्रबन्धक (वर्क सर्किल-10) नवीन ओखला औद्योगिक विकास प्राधिकरण,नौएडा से सम्पर्क स्थापित कर आवश्यक कार्यवाही करे।



.kan1/2014 Letter 2

अधिशारी अभियन्ता

सिंचाई निर्माण खण्ड, गाजियाबाद।

नवीन ओखला औद्योगिक विकास प्राधिकरण
कार्यालय वरिष्ठ प्रबन्धक, वर्क सर्किल-10, सैक्टर-6, नौएडा

पत्रांक: नौएडा/व.प्र.(व.स.-10)/2019/1686
दिनांक: 28/2/19

अधिशासी अभियन्ता
सिंचाई निर्माण खण्ड
शास्त्रीनगर, गाजियाबाद
(थाना कविनगर के सामने)



विषय:- नौएडा ग्रेटर नौएडा एक्सप्रेस-वे के दांयी ओर स्थित नाले के पानी को हिण्डन नदी में प्रवाहित किये जाने की योजना।

उपरोक्त विषयान्तर्गत अवगत कराना है कि नौएडा ग्रेटर-नौएडा एक्सप्रेस-वे के दांयी ओर स्थित नाले के पानी को हिण्डन नदी में प्रवाहित किये जाने हेतु रेगुलेटर एवं रेगुलटर के डाउन स्ट्रीम में नाला निर्माण किये जाने हेतु एक कार्ययोजना प्रस्तुत की गई थी। प्रश्नगत परियोजना पर विचार विमर्श हेतु महाप्रबन्धक (के) महोदय के कार्यालय कक्ष में आपसे हुई वार्ता में प्रश्नगत रेगुलेटर के स्थान पर अन्य विकल्पों पर विचार करते हुए प्रस्ताव प्रस्तुत किये जाने हेतु निर्देशित किया गया था जो आज दिनांक 27.02.2019 में अप्राप्त है।

अतः अनुरोध है कि नौएडा ग्रेटर नौएडा के एक्सप्रेस-वे के दांयी ओर स्थित नाले के पानी को हिण्डन नदी में प्रवाहित किये जाने हेतु आपके द्वारा प्रस्तुत कार्ययोजना में रेगुलेटर के स्थान पर अन्य विकल्प पर विचार करते हुए प्रस्ताव यथाशीघ्र इस कार्यालय को प्रस्तुत करने का कष्ट करें ताकि अग्रिम कार्यवाही की जा सकें।

(एसओ पीओ सिंह)
वरिष्ठ प्रबन्धक
वर्क सर्किल-10, नौएडा

कार्यालय अधिशासी अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद

पत्रांक- 688 / सिंचाई/ व.प्र. (व.स.-10) / 2019 / 1686
दिनांक 28/2/19

प्रतिनिधि निदेशिका हेतु प्रेषित।
1-सहायक अभियन्ता-प्रबन्ध, सिंचाई निर्माण खण्ड, गाजियाबाद।
2-सहायक अभियन्ता-प्रबन्ध, सिंचाई निर्माण खण्ड, गाजियाबाद।
3-सहायक अभियन्ता-प्रबन्ध, सिंचाई निर्माण खण्ड, गाजियाबाद।

अभिशासी अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद

कार्यालय अधिशासी अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद।

संलग्नक - 12

पत्रांक : /सिनिखगा/डी/व.स.-10/बैंक रेगुलेटर दिनांक : /04/2019

विषय : नौएडा ग्रेटर नौएडा एक्सप्रेस-वे के दांयी ओर स्थित नाले के पानी को हिण्डन नदी में प्रवाहित किये जाने के सम्बन्ध में।

सन्दर्भ : आपका पत्रांक-नौएडा/व.स.(व.स.-10)/2019/1875 दि०15.04.19

वरिष्ठ प्रबन्धक, वर्क सर्किल-10, नौएडा, गौतमबुद्धनगर।

उपरोक्त विषयक पत्र के माध्यम से रेगुलेटर के स्थान पर अन्य विकल्पों पर विचार करते हुए प्रस्ताव प्रस्तुत करने हेतु लिखा गया है। इस सम्बन्ध में अवगत कराना है कि विषयक प्रकरण पर विभागीय उच्चाधिकारियों से वार्ता की गयी। वार्ता के उपरान्त उच्चाधिकारियों द्वारा निर्देशित किया गया है कि उक्त स्थल पर बैंक रेगुलेटर का निर्माण किया जाना ही उचित होगा।

अतः आपसे अनुरोध है कि बैंक रेगुलेटर के निर्माण हेतु इस खण्ड को वित्तीय /तकनीकी स्वीकृति प्रदान करने का कष्ट करें।

अधिशासी अभियन्ता

सिंचाई निर्माण खण्ड, गाजियाबाद।

पत्रांक: 1314 /सिनिखगा/ डी/व.स.-10/बैंक रेगुलेटर तददिनांक 23.04.19

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-

1. अधीक्षण अभियन्ता, ड्रेनेज मण्डल गाजियाबाद।
- सहायक अभियन्ता, चतुर्थ, सिंचाई निर्माण खण्ड, गाजियाबाद।

अधिशासी अभियन्ता

सिंचाई निर्माण खण्ड, गाजियाबाद।

अधिरासी अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद।
प्रेषित,

परिष्ठा प्रबन्धक,
वर्क सर्किल-10,
नौएछा विकास प्राधिकरण, नौएछा
गौतमबुद्ध नगर।



पत्रांक : 2553/ सिनिखगा

दिनांक : 30/09/2020

विषय:- जनपद गौतमबुद्ध नगर में पिण्डन यमुना दोआब बन्ध के किमी 12.000 पर रेगुलेटर बनाने के कार्य का प्राकलन डी0एस0आर0-2018 के आधार पर बनाकर प्रेषण के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक के सम्बन्ध में अवगतनीय है कि दिनांक 04.09.2020 को महाप्रबन्धक, नौएछा विकास प्राधिकरण, नौएछा के कार्यालय में हुई बैठक में लिये चर्चे निर्णय के क्रम में महाप्रबन्धक नौएछा विकास प्राधिकरण, नौएछा की वाञ्छानुसार पूर्व में प्रेषित रेगुलेटर बनाने के प्राकलन को डी0एस0आर0-2018 पर संशोधन कर घनराशि रु0 2525.67 लाख का बनाकर आपको इस अनुरोध के साथ प्रेषित है कि रेगुलेटर बनाने के लिये कार्यवाही कर सूचित करने का कष्ट करे।

संलग्नक:- उपरोक्तानुसार।

अधिरासी अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद

पत्रांक : 2553/ सिनिखगा दिनांक : 30/9/2020

- प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यावाही हेतु प्रेषित है।
1. मुख्य कार्यकारी अधिकारी, नौएछा विकास प्राधिकरण, नौएछा, गौतमबुद्ध नगर।
 2. सहायक अभियन्ता उपखण्ड-चतुर्थ, सिंचाई निर्माण खण्ड, गाजियाबाद।

अधिरासी अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद

संलग्नक - 14

अधिशारी अभियन्ता,
सिंचाई निर्माण खण्ड, गाजियाबाद।

प्रेषित,

वरिष्ठ प्रबंधक,
वर्क सर्किल-10, नोएडा औद्योगिक विकास प्राधिकरण,
गौतमबुद्धनगर।

पत्रांक: 2281 / सिनिखगा0 / प्रा0अनु0रेगुलेटर / दिनांक: 02/10/23
विषय: नवीन ओखला औद्योगिक विकास प्राधिकरण, नोएडा द्वारा विकसित सैक्टर-150 में
बरसाती पानी को हिण्डन नदी में प्रवाहित करने हेतु हेड रेगुलेटर के निर्माण के
सन्बन्ध में।

सन्दर्भ: आपका पत्रांक नोएडा / व0प्र0 (व0स0-10) / 2023 / 3001 दिनांक 14.07.2023,
आपका पत्रांक नोएडा / व0प्र0 (व0स0-10) / 2023 / 3407 दिनांक 26.09.2023 एवं आपका
पत्रांक नोएडा / नु0प0अ0 / 2015 / 563 दिनांक 28.08.2015।

महोदय,

उपरोक्त विषयक सन्दर्भित पत्रों के क्रम में अवगत कराना है कि सैक्टर-150 पर प्रस्तावित हेड
रेगुलेटर के निर्माण हेतु दिनांक 04.10.2023 को कार्यस्थल का संयुक्त निरीक्षण किया गया। निरीक्षण के दौरान
निम्नलिखित अधिकारी/कर्मचारी उपस्थित रहे।

1. श्री श्रीपाल भाटी, डी0जी0एम0 (सिविल), नोएडा औद्योगिक विकास प्राधिकरण गौतमबुद्धनगर।
2. श्री आर0पी0सिंह, डी0जी0एम0 (जल), नोएडा औद्योगिक विकास प्राधिकरण गौतमबुद्धनगर।
3. श्री के0वी0 सिंह, वरिष्ठ प्रबंधक, नोएडा औद्योगिक विकास प्राधिकरण गौतमबुद्धनगर।
4. श्री सुरेश कुमार, सहायक प्रबंधक, नोएडा औद्योगिक विकास प्राधिकरण गौतमबुद्धनगर।
5. श्री छत्रप्रताप सिंह रावल, सहायक अभियन्ता, सिंचाई निर्माण खण्ड, गाजियाबाद।
6. श्री मुकेश कुमार जैन, सहायक अभियन्ता, सिंचाई निर्माण खण्ड, गाजियाबाद।
7. श्री रामवीर सिंह, जूनियर इंजीनियर, सिंचाई निर्माण खण्ड, गाजियाबाद।
8. श्री परवीन कुमार, जूनियर इंजीनियर, सिंचाई निर्माण खण्ड, गाजियाबाद।
9. श्री विमल कुमार, जूनियर इंजीनियर, सिंचाई निर्माण खण्ड, गाजियाबाद।

उपरोक्त सन्दर्भित पत्रों के द्वारा पूर्व में अवगत कराया गया था कि विकासाधीन सैक्टर 150 में बरसाती
पानी को हिण्डन नदी में प्रवाहित किया जाएगा है। जिसके लिए रेगुलेटर बनाये जाने की वांछना सिंचाई विभाग से
की गयी थी, जिसके निर्माण हेतु सर्वेक्षण, डिजाइन एवं ड्राइंग के लिए आपके कार्यालय के पत्रांक नोएडा
परि0अभि0-व0स0-10/16/1198 दिनांक 03.02.2016 के द्वारा धनराशि रू0 13.50 लाख इस कार्यालय को
उपलब्ध करायी गयी थी। उक्त धनराशि से आपके द्वारा उपलब्ध कराये गये डाटा के अनुसार रेगुलेटर के कार्य
का डिजाइन एवं ड्राइंग कन्सलटेन्ट से तैयार कर आई0आई0टी0 दिल्ली से वेंट कराया गया, जिसमें रेगुलेटर के
नेट मैकेनिकल थे। दिनांक 04.10.2023 को निरीक्षण के दौरान आपके द्वारा अवगत कराया गया कि अन्य सैक्टरों
को भी इसी नाले में जोड़ा गया है, जिसके कारण सम्भवतः नाले का डिस्चार्ज बढ़ जायेगा। श्री आर0पी0 सिंह,
डी0जी0एम0 (जल) नोएडा औद्योगिक विकास प्राधिकरण, गौतमबुद्धनगर द्वारा यह भी अवगत कराया गया कि
रेगुलेटर में हाईड्रोलिक/न्यूमैटिक गेटों का ही प्राविधान किया जाये। उपरोक्त परिस्थितियों के दृष्टिगत पूर्व में
रेगुलेटर के लिए जो डिजाइन एवं ड्राइंग बनवायी गयी थी, उसमें संशोधन की आवश्यकता है। अतः रेगुलेटर के
पुनः सर्वेक्षण, डिजाइन एवं ड्राइंग हेतु धनराशि रू0 30.00 लाख एवं नाले के कास सर्वेक्षण, एल सर्वेक्षण
तथा ले आउट प्लान के साथ ही निम्नलिखित डाटा की आवश्यकता होगी, कृपया तदनुसार आवश्यक कार्यवाही
कर डाटा एवं धनराशि उपलब्ध करने का कष्ट करें।

1. बरसाती नाले का अधिकतम डिस्चार्ज।
2. बरसाती नाले की वाटर डेपथ व लेवलस।
3. बरसाती नाले का Longitudinal Slope
4. बरसाती नाले का फी बोर्ड।
5. बरसाती नाले के डिस्चार्ज में प्रयुक्त "N" की वैल्यू।

अधिशारी अभियन्ता,
सिंचाई निर्माण खण्ड, गाजियाबाद

पत्रांक: 2281 / सिनिखगा0 / प्रा0अनु0रेगुलेटर / दिनांक: 02/10/23
प्रतिलिपि सहायक अभियन्ता, चतुर्थ, सिंचाई निर्माण खण्ड, गाजियाबाद को उनके पत्रांक
216 / स0अ0-चतुर्थ / दिनांक 06.10.2023 के क्रम में आवश्यक कार्यवाही हेतु प्रेषित है।

अधिशारी अभियन्ता,
सिंचाई निर्माण खण्ड, गाजियाबाद

९५०३

जांना हे

संलग्नक -15

नवीन ओखला औद्योगिक विकास प्राधिकरण
कार्यालय वरिष्ठ प्रबन्धक, बर्क सर्किल-10, सैक्टर-6, नोएडा

पत्रांक: नोएडा/व.प्र.(स.स.-10)/2025/18'03
दिनांक: 24/04/2025

श्री अनियन्ता
निर्माण खण्ड
नगर, गाजियाबाद
त कविनगर के सामने, उत्तर प्रदेश

व्य:- नोएडा प्राधिकरण, द्वारा विकसित सेक्टर- 150 में बरसाती पानी को हिण्डन नदी में प्रवाहित करने हेतु ईड रेगुलेटर के निर्माण के सम्बन्ध में।

गृहणा उपरोक्त विषयान्तर्गत अपने पत्र सं० 2064/सिनिखगा/प्र०अनु०रेगुलेटर/ दिनांक 29.07.2024 का अवलोकन करने का काट करे जिराके माध्यम से उपरोक्त विषयक गटित प्र०अनु०रेगुलेटर के सापेक्ष धनराशि अवमुक्त किये जाने की मांग की गई है।

उपरोक्त के क्रम में बैंक संख्या 778224 दिनांक 21.04.2025 Canara Bank धनराशि ₹० 30,00,000.00 (₹० तीस लाख मात्र) पत्र के साथ संलग्न करते हुए अधिम कार्यवाही हेतु प्रेषित है।

संलग्नक:- उपरोक्तानुसार बैंक नूलरूप में।

वरिष्ठ प्रबन्धक
बर्क सर्किल-10, नोएडा

- प्रतिलिपि:-
1. निधि सभित को अपर मुख्य कार्यपालक अधिकारी (एस.के.) महोदय के सादर अग्रभाषणार्थ।
 2. उप महाप्रबन्धक (सिबिल) महोदय को सादर अवलोकनार्थ।
 3. प्रबन्धक (ए) बर्क सर्किल-10, नोएडा।
 4. श्री निजार्थ नगर, अपर अनियन्ता को अनुरोधक कार्यवाही हेतु।
 5. कार्यपालक पत्रावली।

वरिष्ठ प्रबन्धक
बर्क सर्किल-10, नोएडा

अथवा

iner

प्रेषक,

प्रेषित,

अधिकासी अभियन्ता,
सिंचाई निर्माण खण्ड, गाजियाबाद।

संलग्नक-16

वरिष्ठ प्रबन्धक (वर्क सर्किल-10),
नोएडा औद्योगिक विकास प्राधिकरण
गौतमबुद्धनगर।



पत्रांक: 3094 / सिनिखगा0 /

दिनांक: 25.08.25

विषय: नोएडा प्राधिकरण द्वारा विकसित सैक्टर-150 में बरसाती पानी को हिण्डन नदी में प्रवाहित करने हेतु रेग्युलेटर के निर्माण के सम्बन्ध में।

सन्दर्भ: आपकी पत्रांक-नोएडा/व0प्र0(व0स0-10)/2025/2001, दिनांक 26.05.2025।
महोदय,

उपरोक्त विषयक सन्दर्भित पत्र का अवलोकन करने की कृपा करें, उक्त के क्रम में सैक्टर-150 के निकट अन्य सैक्टरों के बरसाती पानी को हिण्डन नदी में प्रवाहित करने के लिए एक प्राक्कलन "Construction of head regulator and drain at km. 12.000 of Hindon Yamuna Doab Bund in District Gautambudh Nagar(Sector-150 Noida)" घनराशि रू0 2661.31 लाख का तैयार कर इस अनुरोध के साथ प्रेषित है कि उक्त कार्य को समयबद्ध रूप से सम्पादन कराने हेतु वित्तीय/सैद्धांतिक स्वीकृति इस कार्यालय को यथाशीघ्र उपलब्ध कराने का कष्ट करें।

संलग्नक:- प्राक्कलन की प्रति।

अधिकासी अभियन्ता,
सिंचाई निर्माण खण्ड, गाजियाबाद।

पत्रांक: 3094 / सिनिखगा0 / तदिनांक: 25/8/25

प्रतिलिपि सहायक अभियन्ता-चतुर्थ, सिंचाई निर्माण खण्ड, गाजियाबाद को इस निर्देश के साथ प्रेषित है कि वरिष्ठ प्रबन्धक (वर्क सर्किल-10), नोएडा औद्योगिक विकास प्राधिकरण, गौतमबुद्धनगर से सम्पर्क स्थापित कर आवश्यक कार्यवाही कराना सुनिश्चित करें।

अधिकासी अभियन्ता,
सिंचाई निर्माण खण्ड, गाजियाबाद।

4
संलग्नक-17

नवीन ओखला औद्योगिक विकास प्राधिकरण

कार्यालय वरिष्ठ प्रबन्धक, वर्क सर्किल-10, सैक्टर-6, नौएडा

पत्रांक: नौएडा/व०.प्र०.(व.स.-10)/2026/3361
दिनांक: 20/1/26

अधिराज्य अभियन्ता
सिंचाई एवं जल संसाधन विभाग
सिंचाई निर्माण खण्ड
शास्त्री नगर, गाजियाबाद-201002
(थाना कबिनगर के सामने)
Email: ee_icdgbz@yahoo.in

विषय: नौएडा द्वारा विकसित सैक्टर-148 एवं 150 में बरसाती पानी को हिण्डन नदी में प्रवाहित करने हेतु हेड रेगुलेटर के निर्माण के सम्बन्ध में।

कृपया उपरोक्त विषयक परियोजना हेतु आपके पत्र सं० 3094/सि०नि०ख० दिनांक 25.08.2025 के माध्यम से वर्क सर्किल को प्रेषित आगणन धनराशि रु० 2661.31 लाख के प्रस्ताव की सैद्धान्तिक स्वीकृति सक्षम स्तर द्वारा दिनांक 29.01.2026 को प्रदान की जा चुकी है। अतः प्रश्नगत अतिनहत्वपूर्ण परियोजना को यथाशीघ्र क्रियान्वित किये जाने हेतु अपने स्तर से आवश्यक कार्यवाही करने का कष्ट करें।

वरिष्ठ प्रबन्धक
वर्क सर्किल-10, नौएडा

- प्रतिलिपि:-
- निजी सचिव को अपर मुख्य कार्यपालक अधिकारी (एस.पी.) महोदय के सादर सूचनार्थ।
 - महाप्रबन्धक (ए.के.) महोदय को सादर सूचनार्थ।
 - उप महाप्रबन्धक (सिविल) महोदय को सादर सूचनार्थ।
 - सम्बन्धित प्रबन्धक/अवर अभियन्ता वर्क सर्किल-10, नौएडा को उपलब्ध करायी गयी आख्या के क्रम में।

20/1/26
वरिष्ठ प्रबन्धक
वर्क सर्किल-10, नौएडा

संलग्नक-18

प्रेषक,

अधिशाली अभियन्ता,
सिंचाई निर्माण खण्ड, गाजियाबाद

प्रेषित,

वरिष्ठ प्रबंधक, (वर्क सर्किल-10),
नवीन ओखला औद्योगिक विकास प्राधिकरण,
सैक्टर-6, नौएडा।

पत्रांक:

616 / सिनिखगा0 /

दिनांक: 09/02/26

विषय:

नौएडा प्राधिकरण द्वारा विकसित सैक्टर-150 में बरसाती पानी को हिण्डन नदी में
प्रवाहित करने हेतु हैड रेगुलेटर के निर्माण के सम्बन्ध में।

सन्दर्भ:


आपका पत्रांक नौएडा/व.प्र.(व.स.-10)/2025/2001 दिनांक 26.05.2025।

इस कार्यालय का पत्रांक 3094/सिनिखगा दिनांक 25.08.2025

महोदय,

उपरोक्त विषयक सन्दर्भित पत्रों के क्रम में अवगत कराना है कि सैक्टर-150 के निकट सैक्टरों के बरसाती पानी को हिण्डन नदी में प्रवाहित करने के लिये संशोधित प्राक्कलन धनराशि रू0 3139.66 लाख इस आशय से प्रेषित है कि प्रस्तावित रेगुलेटर के निर्माण हेतु वित्तीय स्वीकृति यथाशीघ्र इस कार्यालय को उपलब्ध कराने का कष्ट करें।

संलग्नक: संशोधित प्राक्कलन धनराशि रू0 3139.66 लाख


अधिशाली अभियन्ता,
सिंचाई निर्माण खण्ड,
गाजियाबाद


पत्रांक:

/ सिनिखगा0 /

दिनांक:

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है।

1. मुख्य अभियन्ता (यमुना), सिंचाई एवं जल संसाधन विभाग ओखला, नई दिल्ली।
2. अधीक्षण अभियन्ता, ड्रेनेज मण्डल, गाजियाबाद।
3. उप महाप्रबंधक (सिविल), नवीन ओखला औद्योगिक विकास प्राधिकरण सैक्टर-6, नौएडा।
4. सहायक अभियन्ता, चतुर्थ, सिंचाई निर्माण खण्ड, गाजियाबाद।


अधिशाली अभियन्ता,
सिंचाई निर्माण खण्ड,
गाजियाबाद

प्रेषक,

सेवा में,

अधिशाली अभियन्ता,
सिंचाई निर्माण खण्ड, गाजियाबाद।

वरिष्ठ प्रबन्धक,
वर्क सर्किल-10,
नवीन ओखला औद्योगिक विकास प्राधिकरण,
जिला गौतमबुद्धनगर।

संलग्नक-19

पत्रांक :- 665 /सि0नि0ख0गा0 /

दिनांक:- 13/02/2026

विषय:- सिंचाई निर्माण खण्ड, गाजियाबाद द्वारा जनपद गौतमबुद्धनगर में Construction of Head Regulator and Drain at Km. 12.000 of Hindon Yamuna Doab Bund in Distt-Gautambudh Nagar (Sector-150 Noida) के सम्बन्ध में।

सन्दर्भ:- आपका पत्रांक -नोएडा/व0प्र0(व0स0-10)2026/3361, दिनांक 30.01.2026

महोदय,

उपरोक्त विषयक सन्दर्भित पत्र का अवलोकन करने का कष्ट करें, जिसके द्वारा जनपद गौतमबुद्धनगर में हिण्डन नदी के दायें किनारे पर स्थित हिण्डन यमुना दोआब बंध के किमी0 12.000 पर Construction of Head Regulator and Drain at Km. 12.000 of Hindon Yamuna Doab Bund in Distt-Gautambudh Nagar (Sector-150 Noida) कार्य हेतु धनराशि रू0 3139.66 लाख के क्रियान्वयन हेतु नवीन ओखला औद्योगिक विकास प्राधिकरण, गौतमबुद्धनगर तथा अधिशाली अभियन्ता, सिंचाई निर्माण खण्ड, गाजियाबाद के मध्य एम0ओ0यू0 गठन हेतु एम0ओ0यू0 ड्राफ्ट की वांछना की गई है।

अतः "जनपद गौतमबुद्धनगर में "Construction of Head Regulator and Drain at Km. 12.000 of Hindon Yamuna Doab Bund in Distt-Gautambudh Nagar (Sector-150 Noida) के कार्य, जिसकी स्वीकृत आगणित धनराशि रू0 3139.66 लाख (रू0 इक्तीस करोड़ उन्तालीस लाख छियासठ हजार मात्र) है, का एम0ओ0यू0 गठन हेतु एम0ओ0यू0 ड्राफ्ट मूल रूप में संलग्न कर अग्रिम आवश्यक कार्यवाही हेतु प्रेषित है।

संलग्नक:-एम0ओ0यू0 मूल रूप में।

18/02/26

अधिशाली अभियन्ता

सिंचाई निर्माण खण्ड, गाजियाबाद

पत्रांक :- /सि0नि0ख0गा0 /दिनांक:-

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है:-

- 1- मुख्य अभियन्ता (यमुना), सिंचाई एवं जल संसाधन विभाग, उ0प्र0, ओखला।
- 2- अधीक्षण अभियन्ता, ड्रेनेज मण्डल, गाजियाबाद।
- 3- सहायक अभियन्ता-चतुर्थ, सिंचाई निर्माण खण्ड, गाजियाबाद।

अधिशाली अभियन्ता
सिंचाई निर्माण खण्ड, गाजियाबाद

द्वेष भाव रहित/रजिस्टर्ड

NEW OKHLA INDUSTRIAL DEVELOPMENT
AUTHORITYMain Administrative Building,
Sector- VI, NOIDA

Distt. Gautam Budh Nagar - 201301

noida

नौखला औद्योगिक विकास प्राधिकरण
मुख्य प्रशासनिक भवन,
सैक्टर-6, नौएडा,
जिला गौतमबुद्ध नगर - 201301

कार्यालय वरिष्ठ प्रबन्धक, वर्क सर्किल-10, सैक्टर-6, नौएडा

पत्रांक : नौएडा/व.प्र./व.स.-10/2026/3847

दिनांक. 24/03/26

अधिकासी अभियन्ता
सिंचाई निर्माण खण्ड
शास्त्रीनगर, गाजियाबाद
(थाना कविनगर के सामने), उत्तर प्रदेश
E-mail:- ee_icdgb@yahoo.in

PIN- 201002

विषय:- नौएडा प्राधिकरण द्वारा विकसित सैक्टर-150 में बरसाती पानी को हिण्डन नदी में प्रवाहित करने हेतु हैड
रेगुलेटर एवं नाली निर्माण के सम्बन्ध में।

कृपया उपरोक्त विषयक अवगत कराना है आपके द्वारा प्रेषित आगणन धनराशि रु0 2631.31 लाख की सैद्धान्तिक स्वीकृति सक्षम स्तर से प्रदान की गई थी। अधिकासी अभियन्ता, सिंचाई एवं जल संसाधन विभाग, सिंचाई निर्माण खण्ड, गाजियाबाद को कार्यालय के पत्रांक नौएडा/व0प्र0(व0स0-10)/2026/3460, दिनांक 06.02.2026 के क्रम में आपके द्वारा अपने पत्रांक 616/सिनिखगा0/ दिनांक 09.02.2026 के माध्यम से संशोधित प्राक्कलन धनराशि रु0 3139.66 लाख का प्रस्ताव प्रेषित किया गया था। आपके द्वारा अपने पत्रांक 1350/सिनिखगा0/ दिनांक 23.03.2026 के माध्यम से अवगत कराया गया कि आगणन आई0आई0टी0बी0एच0यू से वेट करा दिया गया है। उक्त आगणन धनराशि रु0 3139.66 लाख की प्रशासनिक एवं वित्तीय स्वीकृति सक्षम स्तर से दिनांक 24.03.2026 को प्राप्त हो चुकी है।

अतः आप आपसे अनुरोध है उपरोक्त कार्य यथाशीघ्र कराये जाने हेतु अग्रिम आवश्यक कार्यवाही करने का कष्ट करें।

(के वी सिंह)

वरिष्ठ प्रबन्धक

वर्क सर्किल-10, नौएडा

प्रतिलिपि :

1. निजी सचिव को मुख्य कार्यपालक अधिकारी महोदय के सादर अवलोकनार्थ।
2. निजी सचिव को अपर मुख्य कार्यपालक अधिकारी (एस.पी.) महोदय के सादर अवलोकनार्थ।
3. महाप्रबन्धक (सिविल/जल/विद्युत यांत्रिक) महोदय को सादर सूचनार्थ।
4. मुख्य अभियन्ता महोदय यमुना सिंचाई एवं जल संसाधन विभाग ओखला, नई दिल्ली।
5. अधीक्षण अभियन्ता महोदय ड्रेनेज मण्डल गाजियाबाद।
6. प्रबन्धक (ए)/अवर अभियन्ता को आवश्यक कार्यवाही हेतु।
7. कार्यालय पत्रावली।

अधीक्षण अभियन्ता / वृत्त-सिंचाई
सहायक/प्रारूपकार/सि. प्र. व. स. (व.स. 10) अधीक्षक

28/03/26

वर्क सर्किल-10, नौएडा
दिनांक 28/03/26

वरिष्ठ प्रबन्धक
वर्क सर्किल-10, नौएडा

Seen
Hand
AE IV

गाजियाबाद
दिनांक 30/03/2026
अधीक्षण अभियन्ता
सिंचाई निर्माण खण्ड
गाजियाबाद

अधिकासी अभियन्ता, प्रेषक,

भूगर्भ जल विभाग, खण्ड-गौतमबुद्धनगर
ए0ई0-18, अंसल गोल्फ लिंक-2
गौतमबुद्धनगर।

सेवा में,
जिलाधिकारी महोदया,
जनपद-गौतमबुद्धनगर।

पत्रांक:- 461 / भू0ज0वि0खं0गौ0/ई-1/गौतमबुद्धनगर,

दिनांक: जनवरी 28, 2026

विषय:- नोएडा सेक्टर-150 में घटना स्थल पर हो रहे जल भराव के सम्बन्ध में तकनीकी रिपोर्ट।
महोदया,

कृपया अवगत कराना है कि अद्योहस्ताक्षरी द्वारा दिनांक 22-01-2026 व दिनांक 23-01-2026 को नोएडा सेक्टर-150 में घटना स्थल का स्थलीय निरीक्षण किया, जिसका विवरण बिन्दुवत् है-

1. स्थलीय सत्यापन में देखा गया कि रोड के साथ-साथ दो सीवर नाले विद्यमान थे। जो सीवर नाला गड्ढे की ओर निर्मित था उसकी दीवार टूटी हुई थी व जगह-जगह उसमें क्रेक (दरार) पड़े हुए थे, जिससे रिसाव होकर नाले का जल गड्ढे में लगातार प्रवाहित हो रहा था। जिससे वर्तमान में जल भराव की स्थिति बनी हुई है।
2. स्थल पर खड़े कुछ स्थानीय निवासियों द्वारा भी बताया गया, यहाँ (गड्ढे में) गत वर्ष भी में भी इस गड्ढे में जल भराव की यही स्थिति थी। निरन्तर सीवर नाले के जल का रिसाव होने के कारण इस गड्ढे में सदैव जल भरा रहता है। उनके द्वारा बताया गया कि ग्रीष्म ऋतु में भी जल-भराव की स्थिति कमोवेश समान रहती है।
3. घटनास्थल, यमुना नदी के फ्लड प्लैन का क्षेत्र है। यहाँ उच्च जल स्तर है जिस कारण गड्ढे में विद्यमान जल का रिसाव भी जमीन के अन्दर नहीं हो पाता और लगातार सीवर नाले के जल का रिसाव गड्ढे में होने के कारण गड्ढे का जल स्तर कम नहीं हो पाता है।

संलग्नक:-रिपोर्ट सम्बन्धी फोटोग्राफ,वीडियोज पेनड्राइव।



अधिकासी अभियन्ता
भूगर्भ जल विभाग,
खण्ड-गौतमबुद्धनगर

मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 52/2026 News Item Titled "Noida CEO Removed CM Orders SIT probe into techie's Drowning" appearing in The Times of India Dated-20.01.2026 के माध्यम से दिनांक 22.01.2026 के अनुपालन में विस्तृत निरीक्षण आख्या।

सेक्टर-150 में कॉमर्शियल साईट में भण्डारित जल में गिर कर सॉफ्टवेयर इंजीनियर श्री युवराज मेहता मृत्यु की घटना दिनांक 20.01.2026 को Times of India में प्रकाशित खबर पर मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा स्वतः संज्ञान लेते हुए ओ0ए0 नं0 52/2026 News Item Titled "Noida CEO Removed CM Orders SIT probe into techie's Drowning" appearing in The Times of India date-20-01-2026 में दिनांक 22.01.2026 को आदेश पारित किया गया है, (संलग्नक-1) जिसकी अगली सुनवाई दिनांक 10.04.2026 को नियत है।

मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा पारित आदेश के अनुपालन में क्षेत्रीय कार्यालय, उ0प्र0 प्रदूषण नियंत्रण बोर्ड की विस्तृत आख्या निम्नवत् है-

कार्यालय अभिलेखानुसार प्लॉट नं0 एस0सी0-02/ए, सेक्टर-150 को नोएडा प्राधिकरण के आवंटन पत्र संख्या नोएडा/वाणिज्य/2014/1971 दिनांक 24.12.2014 द्वारा मै0 लोट्स ग्रीन कन्स्ट्रक्शन्स प्रा0लि0 को कब्जा एवं स्पोर्ट सिटी (Recreation not less than 70%, Commerical not more than 0.5%, Residencial including group hoising 29.5%) विकसित किये जाने हेतु दिनांक 11.05.2015 को लीज निर्गत की गयी है, (संलग्नक-2)।

कार्यालय अभिलेखानुसार मै0 लोट्स ग्रीन कन्स्ट्रक्शन्स प्रा0लि0 द्वारा बोर्ड से अनापत्ति प्रमाण पत्र प्राप्त किये जाने हेतु वर्ष 2016 में सीटीई आवेदन किया गया था, जिसे इस कार्यालय के पत्र संख्या 3181/एनओसी-53/एल-4/2016 दिनांक 17.03.2016 द्वारा निरस्त किये जाने हेतु पत्र बोर्ड मुख्यालय प्रेषित किया गया था, (संलग्नक-3)।

मै0 लोट्स ग्रीन कन्स्ट्रक्शन्स प्रा0लि0 द्वारा SEIAA (State Level Environment Impact Assessment Authority, Uttar Pradesh) के पत्र संख्या 233/Parya/SEAC/2901/2014/AD(H) Date-28-10-2015 द्वारा प्लॉट एरिया-6,47,600.0 वर्गमीटर व बिल्टअप एरिया-19,86,644.0 वर्गमीटर हेतु प्रथम पर्यावरणीय स्वीकृति प्राप्त की गयी है, (संलग्नक-4)।


उक्त के उपरान्त नोएडा प्राधिकरण के पत्र संख्या नोएडा/वाणिज्य/2016/471 दिनांक 06.06.2016 द्वारा मै0 लोट्स ग्रीन कन्स्ट्रक्शन्स प्रा0लि0 को आवंटित स्पोर्ट सिटी के क्षेत्रफल 7,91,600.0 वर्गमीटर पर स्वयं मै0 लोट्स ग्रीन कन्स्ट्रक्शन्स प्रा0लि0 तथा 12 सबसिडेयरीज के माध्यम से विकसित किये जाने हेतु सबसिडेयरीज किया गया है, (संलग्नक-5)। प्लॉट सबसिडेयरीज के उपरान्त मै0 लोट्स ग्रीन कन्स्ट्रक्शन्स प्रा0लि0 द्वारा

SEIAA (State Level Environment Impact Assessment Authority, Uttar Pradesh) के पत्र संख्या 276/Parya/SEAC/2901/2016 Date-07-10-2016 द्वारा पूर्व निर्गत ई0सी0 के प्लॉट एरिया एवं बिल्टअप एरिया को 11 भाग में Bifurcate किया गया है (संलग्नक-6)। नोएडा प्राधिकरण द्वारा मै0 लोट्स ग्रीन कन्स्ट्रक्शन्स प्रा0लि0 को पत्र संख्या नोएडा/मु0व0नि0/2017/IV-1451/950 दिनांक 17.01.2017 द्वारा सबसिडेयरीज पत्र के आधार पर स्पोर्ट सिटी हेतु मानचित्र स्वीकृत किया गया है। (संलग्नक-7)।


कॉमर्शियल साईट में भण्डारित जल में गिर कर सॉफ्टवेयर इंजीनियर श्री युवराज मेहता मृत्यु की घटना प्लॉट नं0 एस0सी0-02/ए-3 पर हुई है। नोएडा प्राधिकरण के पत्र संख्या नोएडा/वाणिज्य/2016/471 दिनांक 06.06.2016 द्वारा किये गये सबसिडेयरीज पत्र व मानचित्र स्वीकृत के अनुसार उक्त प्लॉट M/s Wiztown Planners Pvt Ltd एवं मै0 लोट्स



निरीक्षण के दौरान पाया गया की सेक्टर-150 से बरसाती व सेक्टर से जनित घरेलू व अन्य उत्प्रवाह के निकासी हेतु स्टार्म वाटर ड्रेन बना हुआ है, जो सेक्टर-150 एस मेडेली मॉल गोल चक्कर के पास सेक्टर-151 के ड्रेन से जुड़ा हुआ है, जिसके माध्यम से सेक्टर-150 की स्टार्म वाटर ड्रेन के जल का निस्तारण कोण्डली ड्रेन में होना है, परन्तु निरीक्षण के दौरान पाया गया कि सेक्टर-150 की स्टार्म वाटर ड्रेन सेक्टर-151 की ड्रेन के बीच मिट्टी भरी हुई है तथा पूर्ण रूप से बन्द पायी गयी, जिससे सेक्टर-150 के ड्रेन का पानी की निकासी न होने कारण उक्त ड्रेन में भरा हुआ है। उक्त झील के तीन तरफ स्टार्म वाटर ड्रेन है, उक्त ड्रेन जगर-जगह क्षतिग्रस्त है, जिसके माध्यम से ड्रेन का उत्प्रवाह उक्त प्लाटों में भण्डारित हो रहा है। निरीक्षण के दौरान लिये गये फोटोग्राफ निम्नवत् है-



सेक्टर-150 से जनित होने वाले घरेलू उत्प्रवाह की सीवर लाइन सेक्टर-168 में नोएडा प्राधिकरण के स्थिति एस0टी0पी0 (क्षमता 100 एम0एल0डी0, 50 एम0एल0डी0) से कनेक्ट होना अवगत कराया गया परन्तु निवासियों द्वारा सीवर लाइन का जगह-जगह बन्द व क्षतिग्रस्त होना अवगत कराया गया, जिससे उक्त सेक्टर से निस्तारित घरेलू (शुद्धिकृत/अशुद्धिकृत) उत्प्रवाह स्टार्म वाटर ड्रेन में निस्तारित हो रहा है तथा स्टार्म वाटर ड्रेन से सेक्टर-151 के पास बन्द होने से उत्प्रवाह नाले व उक्त प्लाट में भण्डारित हो रहा है, निरीक्षण के दौरान लिये गये फोटोग्राफ निम्नवत् है-



अनु. R.R. K. Singh

निरीक्षण के समय क्षेत्रीय कार्यालय, उ०प्र० प्रदूषण नियंत्रण बोर्ड की प्रयोगशाला की टीम द्वारा प्लाट नं० एस०सी०-०२/ए३ पर एकत्रित जल का ०२ बिन्दुओं तक स्टार्मवाटर ड्रेन में प्रवाहित जल का नमूना एकत्रण का कार्य किया गया, विश्लेषण आख्या में उल्लिखित प्रचालको का विवरण निम्नवत् है-

Analysis Report of Pit, Sector- 150, Noida										
Sr. No.	Location	Latitude and Longitude	Sampling Date	pH (mg/L)	BOD (mg/L)	COD (mg/L)	TSS (mg/L)	TDS (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)
1	Point 1	28.426127, 77.490700	31.01.2026	7.16	48.0	240.0	93.0	1896.0	33000	27000
2	Point 2	28.425164, 77.4913	31.01.2026	7.64	44.0	256.0	108.0	2019.0	47000	33000
3	Drain Flowing into Pit	28.428363, 77.488081	31.01.2026	7.44	52.0	272.0	149.0	2006.0	430000	310000

विश्लेषण आख्या संलग्न है (संलग्नक-८)।

निरीक्षण के दौरान सेक्टर-150, नोएडा में स्थित आवासीय एवं कॉमर्शियल परियोजनाओं का निरीक्षण किया गया, जिनका विवरण निम्नवत् है-

तालिका नं०-०१

S.No	Project Name & Address	Date of Inspection
1	Brick Rise Developers Pvt. Ltd. Plot No-SC-02/ HI, Sector 150, Noida	29.01.2026
2	Fest Homes Developers Pvt. Ltd. (ATS Homecraft), Plot No-SC-02/J & K, Sector-150, Noida	29.01.2026
3	Assertive Infrastructure Pvt Ltd (ATS Prestine), Plot No-SC-01/A1, Sector-150, Noida	29.01.2026
4	Wondrous Buidmart Pvt. Ltd. (Eldeco Live by the Green), Plot No-SC-02/A-09, Sector-150, Noida	29.01.2026
5	Nobility Estates Pvt. Ltd. (ATS Legrandiose), Plot No-SC-01/C-A1, Sector-150, Noida	30.01.2026
6	SAMRIDHI INFRA SQUARE PRIVATE LIMITED (Samridhi Luxuria Avenue), Plot No-SC-02D, Sector-150, Noida	31.01.2026
7	Ace Infracity Developers Pvt. Ltd. (Ace Golfshire), Plot No-SC-01/A-5, Sector-150, Noida	04.02.2026
8	Logix Height Pvt. Ltd. (Mahagun Medows), Plot No-SC-01/A-03, Sector-150, Noida	04.02.2026
9	ANTRIKSH GRAND VIEW (Promotor Consortium Infrastructure Pvt. Ltd.) (Antriksh Green View), Plot No-SC-01/B-3, Sector-150, Noida	09.02.2026
10	Contend Infrastructure Pvt. Ltd. (Antriksh Golf City), Plot No-SC-01/B-2, Sector-150, Noida	09.02.2026
11	Ace Infracity Developers Pvt. Ltd. (Ace Parkway), Plot No-SC-01/B-08, Sector-150, Noida	09.02.2026
12	Landcart Builders Pvt. Ltd. (Tata Euseka Park), Plot No-SC-02/A-1, Sector-150, Noida	09.02.2026
13	Content Builders Pvt. Ltd. Plot No-SC-01/B-1, Sector-150, Noida	17.02.2026
14	LOGIX INFRA DEVELOPERS PRIVATE LIMITED (Bhutani City Center), Plot No-SC-01/B, Sector-150, Noida	17.02.2026
15	LOGIX BUILDERS PROMOTERS PRIVATE LIMITED (Ace Medley Avenue), Plot No-SC-01/A, Sector-150, Noida	17.02.2026
16	Ace Infracity Developers Pvt. Ltd. (Crist Promotors Pvt. Ltd.) Plot No-SC-02F, Sector-150, Noida	17.02.2026

उपरोक्त 16 परियोजनाओं में से वर्तमान में 11 परियोजनाओं में आक्यूपेन्सी पायी गयी। शेष 05 परियोजनाओं में आक्यूपेन्सी नहीं पायी गयी। आक्यूपेन्सी नहीं पाये जाने वाली 05 परियोजनाएँ निम्नवत् है-

S.No	Name & Address	Date of Inspection
1	Brick Rise Developers Pvt. Ltd. Plot No-SC-02/ HI, Sector 150, Noida	29.01.2026
2	Contend Infrastructure Pvt. Ltd. (Antriksh Golf City), Plot No-SC-01/B-2, Sector-150, Noida	09.02.2026
3	Content Builders Pvt. Ltd. Plot No-SC-01/B-1, Sector-150, Noida	17.02.2026
4	LOGIX INFRA DEVELOPERS PRIVATE LIMITED (Bhutani City Center), Plot No-SC-01/B, Sector-150, Noida	17.02.2026
5	Ace Infracity Developers Pvt. Ltd. (Crist Promotors Pvt. Ltd.) Plot No-SC-02F, Sector-150, Noida	17.02.2026

Queen *1-1-2026*

वर्तमान में 11 परियोजनाओं में आक्यूपेन्सी पायी गयी। जिनमें स्थापित एस0टी0पी का निरीक्षण किया गया तथा जनित उत्प्रवाह का नमूना एकत्रित किया गया। जिनका विवरण निम्नवत् है-

तालिका नं0-02

S.No	Project Name and Address	Sampling Date	Capacity of STP	Status of STP Operational/ non operational	Sample Taken Status (Yes/No)	Sampling Result Status	Status of Consent (Air & Water)
1	Fest Homes Developers Pvt. Ltd. (ATS Homecraft) , Plot No-SC-02/J & K, Sector-150, Noida	29-01-2026	600 KLD	Operational	Yes	Within norms	Reject
2	Assertive Infrastructure Pvt Ltd (ATS Prestine), Plot No-SC-01/A1, Sector-150, Noida	29-01-2026	700 KLD	Operational	Yes	Within norms	31-12-2025, Reject
3	Wondrous Buidmart Pvt. Ltd. (Eldeco Live by the Green), Plot No-SC-02/A-09, Sector-150, Noida	29-01-2026	760 KLD	Operational	Yes	Within norms	31-12-2027
4	Nobility Estates Pvt. Ltd. (ATS Legrandiose), Plot No-SC-01/C-A1, Sector-150, Noida	30-01-2026	450 KLD	Operational	Yes	Within norms	Reject
5	SAMRIDHI INFRA SQUARE PRIVATE LIMITED (Samridhi Luxuria Avenue), Plot No-SC-02D, Sector-150, Noida	31-01-2026	360 KLD	Operational	Yes	Within norms	31-12-2027
6	Ace Infracity Developers Pvt. Ltd. (Ace Golfshire), Plot No-SC-01/A-5, Sector-150, Noida	04-02-2026	190 KLD	Non-operational	Yes	Beyond norm	31-12-2022
7	Logix Height Pvt. Ltd. (Mahagun Meadows), Plot No-SC-01/A-03, Sector-150, Noida	04-02-2026	150 KLD	Non-operational	Yes	Beyond norm	Not applied
8	ANTRIKSH GRAND VIEW Consortium Infrastructure Pvt. Ltd. (Antriksh Green View), Plot No-SC-01/B-3, Sector-150, Noida	09-02-2026	125 KLD	Operational	Yes	Beyond norm	31-12-2029
9	Ace Infracity Developers Pvt. Ltd. (Ace Parkway), Plot No-SC-01/B-08, Sector-150, Noida	09-02-2026	400 KLD	Operational	Yes	Within norms	31-12-2029
10	Landcart Builders Pvt. Ltd. (Tata Euseka Park), Plot No-SC-02/A-1, Sector-150, Noida	09-02-2026	1020 KLD	Operational	Yes	Within norms	31-12-2028
11	LOGIX BUILDERS PROMOTERS PRIVATE LIMITED (Ace Medley Avenue), Plot No-SC-01/A, Sector-150, Noida	17-02-2026	55.63 KLD	Operational	Yes	Beyond norm	31-07-2029

नमूने की विश्लेषण आख्यायें संलग्न है (संलग्नक-9)

निरीक्षण के दौरान जिन परियोजनाओं में (तालिका नं0-02 में क्रम संख्या 06, 07) एस0टी0पी0 कार्यरत नहीं पाया गया, जिनके नमूना मानको के अनुरूप (तालिका नं0-02 में क्रम संख्या 08, 11) नहीं पाये गये अथवा जिनके पास बोर्ड के सहमति नहीं (तालिका नं0-02 में क्रम संख्या 01, 02, 04, 07) पायी गयी उनके विरुद्ध कार्यवाही हेतु आख्या बोर्ड मुख्यालय प्रेषित की गयी, जिनका विवरण निम्नवत् है-

क्र0	परियोजना का नाम व पता	क्षेत्रीय कार्यालय द्वारा कारण बताओ नोटिस निर्गत किये जाने की संस्तुति का विवरण
1	Fest Homes Developers Pvt. Ltd. (ATS Homecraft), Plot No-SC-02/J & K, Sector-150, Noida	2030/C/F-179/2026, Date-09-03-2026
2	Assertive Infrastructure Pvt Ltd (ATS Prestine), Plot No-SC-01/A1, Sector-150, Noida	2031/C/A-726/2026, Date-09-03-2026
3	Nobility Estates Pvt. Ltd. (ATS Legrandiose), Plot No-SC-01/C-A1, Sector-150, Noida	2032/C/N-385/2026, Date-09-03-2026
4	Ace Infracity Developers Pvt. Ltd. (Ace Golfshire), Plot No-SC-01/A-5, Sector-150, Noida	1720/C/A-708/2026, Date-09-02-2026

Dev *RL* *← Singh*

5	Logix Height Pvt. Ltd. (Mahagun Medows), Plot No-SC-01/A-03, Sector-150, Noida	1721/Noc-142/2026, Date-09-02-2026
6	ANTRIKSH GRAND VIEW (Promotor Consortium Infrastructure Pvt. Ltd.) (Antriksh Green View), Plot No-SC-01/B-3, Sector-150, Noida	2033/C/C-395/2026, Date-09-03-2026
7	Contend Infrastructure Pvt. Ltd. (Antriksh Golf City), Plot No-SC-01/B-2, Sector-150, Noida	2028/Noc-458/2026, Date-09-03-2026
8	M/s Logix Builders Promoters Pvt Ltd (ACE Medley Avenue), Plot No. SC-01/A, Sector-150, Noida	2029/C/L-160/2026, Date-09-03-2026

बोर्ड मुख्यालय को प्रेषित आख्याओं की प्रति संलग्न है (संलग्नक-10)।

उक्त तालिका में निम्न परियोजना को बोर्ड मुख्यालय से कारण बताओ नोटिस निर्गत किये गये हैं, जिनका विवरण निम्नवत् है-

क्र०	परियोजना का नाम व पता	बोर्ड मुख्यालय द्वारा निर्गत कारण बताओ नोटिस का विवरण
1	Ace Infracity Developers Pvt. Ltd. (Ace Golfshire), Plot No-SC-01/A-5, Sector-150, Noida	एच-38934/सी-1/जल-337/ का0ब0नो0-जल/2026 दिनांक 13.03.2026
2	Logix Height Pvt. Ltd. (Mahagun Medows), Plot No-SC-01/A-03, Sector-150, Noida	एच-38866/सी-1/सा0-2553/ का0ब0नो0-जल/2026 दिनांक 11.03.2026

बोर्ड मुख्यालय से निर्गत कारण बताओ नोटिस की प्रति संलग्न है (संलग्नक-11)।

आख्या आपके अवलोकनार्थ एवं अग्रिम आवश्यक कार्यवाही हेतु सादर प्रस्तुत है।

(रवि कुमार)
16/03/26
जे0ई0ए0

(विशाल मौर्या)
16/03/26
प्रयोगशाला सहायक

(राहुल पटेल)
16/03/26
अवर अभियन्ता

(किशन सिंह)
16/03/26
सहायक पर्यावरण अभियन्ता

क्षेत्रीय अधिकारी

(हस्ताक्षर)
16.3.26
र०

IN THE HIGH COURT OF JUDICATURE AT ALLAHABAD

INDEX

IN

CIVIL MISC. WRIT PETITION (P.L.L.) NO. _____ 2026

(Under Article 226 of the Constitution of India)

DISTRICT: GAUTAM BUDH NAGAR

Himanshu Jaiswal

.....Petitioner (In Person)

VERSUS

State of U.P. and Others

.....Respondents

Sl. No.	Particular of Papers	Dates	Annexures	Pages
	Dates and Events			1-8
	Stay Application			9-11
	Writ Petition (Under Article 226 of the Constitution of India)			12-25
	True copies of satellite images & photos of place of incident		1	26-30
	Contemporaneous media - reports, of the incident available on digital news platforms etc.		2	31-49
	Copies of the relevant media reports, statements given by Moninder Singh (Delivery Worker) to the media, including of his interaction published by <i>The Times of India</i> .		3	50-52

	Copy of the Judgment dated 24.02.2025 of this Hon'ble Court and the consequent FIR registered by CBI in Noida Sport City Scam.	4	53-139
	Copy of letter dated 14.03.2022 issued by M/s Wigtown Planners Pvt. Ltd. to the CEO of Noida Authority accessed by Press Trust of India.	5	140-141
	True copy of news report published by Press trust of India	6	142-143
	True Copy of Photographs & satellite images and site details of multiple unsecured, water-filled excavations and sites across Noida Greater Noida, posing imminent danger to public safety.	7	144-148
	Affidavit along with ID proof of the deponent.		149-152

Dated:

Himanshu Jaiswal, Advocate
 Petitioner (In Person)
 +91 9454576575
advocatehjaiswal@gmail.com,

IN THE HIGH COURT OF JUDICATURE AT ALLAHABAD
 DATES AND EVENTS
 IN
 CIVIL MISC. WRIT PETITION (P.I.L.) NO. _____2026
 (Under Article 226 of the Constitution of India)

DISTRICT: GAUTAM BUDDH NAGAR

Himanshu Jaiswal

.....Petitioner(In Person)

VERSUS

State of U.P. and 6 Others

.....Respondents

Sl. No.	Dates	Events
	2014	<p>In 2014, the Noida Authority invited developers to participate in the Sports City scheme, the developer was supposed to create sports facilities over 70% of the entire land area, which would be non-transferable. To offset the cost of developing these facilities, the developer was allowed to build group housing on 29.5% of the land, and commercial establishments on the remaining 0.5%.</p> <p>The project was awarded to a consortium led by real estate company Lotus Green Constructions Pvt Ltd for more than Rs 2,300 crore. The sporting facilities at the plot were to be developed by December 2019 and the residential facilities by December 2021.</p>

	2015	In 2015, the land parcel under Lotus Green was subdivided into 24 plots, one of which, SC-02/A-3(the very site involved in the fatal waterlogging incident causing tragic death of Mr. Yuvraj Mehta), was to be developed by M/s Wiztown Planners Pvt Ltd.
	2015	In the same year 2015,theUttar Pradesh Irrigation Department, taking note of persistent waterlogging risks in Sector-150, prepared a stormwater management proposal recommending construction of a head regulator to divert excess rainwater and drainage into the Hindon River. The proposal specifically acknowledged the danger of water accumulation in low-lying and excavated areas. However, the proposal was never implemented and remained confined to official record
	February 2016	The Noida Authority sanctioned Rs13.5 lakh specifically for the survey and preparation of the technical design of the proposed head regulator. Despite this financial approval and clear recognition of the risk, the project did not advance beyond preliminary paperwork. The failure of the Uttar Pradesh Irrigation Department to execute the projectand theNoida Authorityto ensure follow-up, coordination, andon-ground

		safeguards reflects a shared administrative lapse. This non-responsible behavior by both authorities, despite sanctioned funds and prior knowledge of the hazard, establishes joint responsibility for allowing a known danger to persist
	2017	In 2017, Noida extended the deadlines for completion of residential and commercial facilities under the Sports City project to September 2023, despite limited progress on the mandatory sports infrastructure.
	2015-2021	Large-scale construction activity commenced and continued in Sector-150, Noida, including excavation of deep basements and pits as part of real estate projects. Several such excavation sites remained open, unsecured and water-filled, without permanent barricading or any safety infrastructure.
	2021	In 2021, a detailed CAG report flagged serious deficiencies and irregularities in the Sports City allotments, including lack of requisite approvals for improper land-use change, unauthorized sub-division of plots, failure to recover over Rs.140 crore, and systemic lapses by the Noida Authority. The CAG estimated a cumulative loss of nearly INR.9,000 crore to the public exchequer and recommended fixing responsibility on erring officials. In June 2021, Noida Authority froze

4

		all activities under the Sports City project and referred the matter to the State Government, following which a Public Accounts Committee of the Uttar Pradesh Legislative Assembly was constituted.
14 March 2022		A letter written by developer MZ WIZTOWN Planners to the Noida Authority in March 2022 collapse of sewer and main drain lines at multiple points and continuous inflow of sewage and drainage water into Plot SC-02/A-3 and sought repairs. This letter explicitly warned that "any accident can happen" if immediate repairs were not carried out at the water-filled excavation site in Sector 150 owned by the company, where software engineer Yuvraj Mehta drowned after his car plunged into the pit a few days ago. According to sources accessed by PTI, the letter, addressed to the Chief Executive Officer of the Noida Authority.
2023		Following the 2015 proposal by the UP-Irrigation Department, a comprehensive drainage design featuring a Head Regulator with mechanical gates was finalized and formally vetted by IIT-Delhi. Despite this high-level academic and technical clearance, the Noida Authority stalled execution for a decade.

	October 4, 2023	<p>During a joint inspection, authority officials proposed changing the vetted mechanical gates to 'hydraulic or pneumatic' systems. Following this, the irrigation department sought an additional Rs. 30 lakhs for a fresh survey. Notwithstanding repeated awareness of the conditions prevailing, neither a mechanical solution nor a hydraulic solution was ever initiated by the Noida Authority.</p> <p>This constitutes criminal non-feasance and a direct violation of the public's Right to Life</p>
	9 October 2023	<p>The Irrigation Department, through a written communication addressed to the Noida Authority (Work Circle-10), recorded that the IIT-vetted technical plan for addressing the water accumulation and drainage issue was complete and ready for execution. The communication expressly warned that continued delay in implementation could lead to catastrophic waterlogging in the area.</p> <p>Despite repeated communications exchanged between concerned departments and the Authority over a prolonged period from 2015 to 2023, no steps have been taken, not even interim or permanent safety barricading was erected. The Authority permitted the matter to remain buried in technical disputes and internal file</p>

		movement.
	24 February 2025	In the meantime, litigation relating to the Sports City project continued. In its judgment dated 24 February 2025, the Allahabad High Court observed that the alleged scam in land allotment could not have occurred without the involvement of senior officials of the Noida Authority, and directed the Central Bureau of Investigation (CBI) to register an FIR against builders and public officials. The High Court noted that while residential development was allowed to proceed, the mandatory sports infrastructure was ignored.
	7 March 2025- 17 March 2025	On 7 March 2025, the Supreme Court permitted the investigation to continue, while directing that no coercive steps be taken. Subsequently, on 17 March 2025, the CBI registered an FIR against Lotus Green Constructions, its directors, unknown officials of the Noida Authority, and other entities for offences including cheating, criminal conspiracy, breach of trust, and corruption.
	16 January 2026	On the night of 16 January 2026, software engineer Yuvraj Mehta (27) was driving home in greater Noida's Sector-150 when his SUV plunged into a deep, water-filled excavation pit in Sector-150, Noida. The site SC-02/A-3 was part of an unbarricaded

		<p>construction area beside a road, with a sharp 90-degree turn and dense fog reducing visibility. Trapped in the foul-smelling, murky water, Yuvraj, who did not know how to swim, initially climbed onto the roof of his sinking vehicle and pleaded desperately and cried for help for nearly two hours, using his mobile phone's flashlight to mark his location.</p> <p>Despite the victim's visible and prolonged distress, emergency responders including police, fire brigade, SDRF, and even NDRF — having proper training for such situation and having equipment like 100-meter rope, Life Jacket and boat, were reluctant to enter the water and effect a timely rescue.</p> <p>A civilian (a delivery executive) without any training had risk his life to attempt a rescue while officials and authority's omission that ultimately contributed to the tragic incident.</p>
	<p>17 January - 22 January 2026</p>	<p>FIRs were registered against private builders and other entities. And due to nation wide spread public criticism The State Government placed the CEO of Noida Authority on removed and issued show-cause notices to certain officials. The State Government constituted a Special Investigation Team (SIT) to inquire into the incident, including the role of Noida</p>

8

		Authority and other officials. The National Green Tribunal (NGT) took <i>suomotu</i> cognizance of media reports seeking response from local authorities over alleged environmental non-compliance.
		Hence, the present petition filed in public interest seeking constitutional scrutiny, systemic reform and preventive directions, as the hazard is recurring...

Dated:

Himanshu Jaiswal, Advocate
Petitioner (In Person)
+91 9454576575
advocatehjaiswal@gmail.com,

IN THE HIGH COURT OF JUDICATURE AT ALLAHABAD

CIVIL MISC. Stay Application (P.I.L.) NO. _____2026
(Under Chapter XXII Rule-1 of the High Court Rules
R/W Section 151 of C.P.C.)

On behalf of petitioner

IN

CIVIL MISC. WRIT PETITION (P.I.L.) NO. _____2026
(Under Article 226 of the Constitution of India)

DISTRICT: GAUTAM BUDH NAGAR

Himanshu Jaiswal, Advocate S/O Sh. Bhairo Prasad
Jaiswal R/O Mau- Chitrakoot, currently residing at I-
309, Delta-2 Gautam Budh Nagar, Uttar Pradesh.

.....**Petitioner (In Person)**

VERSUS

- ✓ (1) State of U.P through Principal Secretary (Urban Development), Lucknow.
- (2) New Okhla Industrial Development Authority (NOIDA Authority), through its Chairman/Chief Executive Officer, Noida, Gautam Budh Nagar.
- ✓ (3) Uttar Pradesh Irrigation Department through its Principal Secretary, Irrigation & Water Resources Department, Government of Uttar Pradesh, Lucknow
- ✓ (4) District Magistrate, Gautam Buddh Nagar, Collectorate, Gautam Buddh Nagar, Uttar Pradesh.

(5) Commissioner of Police, Gautam Buddh Nagar
Police Commissionerate, Gautam Buddh Nagar, Uttar
Pradesh.

(6) State Disaster Response Authority (SDRF), Uttar
Pradesh through its Commandant/Head, Uttar Pradesh.

(7) National Disaster Response Force (NDRF) through its
Director General, New Delhi.

.....Respondents

To,

The Hon'ble Chief Justice and his other Companion
Judges of the aforesaid Court.

The Humble petition of above-named petitioners Most
Respectfully as under: -

- (1) That the full facts and circumstances have been
given in the accompanying writ petition, which will
form part of this application.

P R A Y E R

It is therefore, most respectfully prayed that this Hon'ble
Court may graciously be please to issued ad- interim
measure directing the Respondent authorities: -

- I. undertake immediate interim safety measures,
including barricading, fencing, lighting, reflective
markers, pumping out of accumulated water where

feasible, and installation of warning signage at all identified hazardous site.

- II. place a detailed action-taken report before this Hon'ble Court, confirming compliance and remedial steps undertaken, so as to prevent recurrence of accidents and loss of life pending final implementation of long-term safety protocols.

Dated:

Himanshu Jaiswal, Advocate
Petitioner (In Person)

+91 9454576575
advocatehjaiswal@gmail.com,

12

IN THE HIGH COURT OF JUDICATURE AT
ALLAHABAD

CIVIL MISC. WRIT PETITION (P.I.L.) NO. _____ 2026
(Under Article 226 of the Constitution of India)

DISTRICT: GAUTAM BUDH NAGAR

Himanshu Jaiswal, Advocate S/O Sh. Bhairo Prasad
Jaiswal R/O Mau- Chitrakoot, currently residing at I-
309, Delta-2 Gautam Budh Nagar, Uttar Pradesh.

.....**Petitioner(In Person)**

VERSUS

(1) ~~State~~ of U.P through Principal Secretary (Urban
Development), Lucknow.

(2) New Okhla Industrial Development Authority (NOIDA),
through its Chairman/Chief Executive Officer, Noida,
Gautam Budh Nagar.

(3) ~~Uttar Pradesh~~ Irrigation Department through its
Principal Secretary, Irrigation & Water Resources
Department, Government of Uttar Pradesh, Lucknow

(4) ~~District~~ Magistrate, Gautam Buddh Nagar, Collectorate,
Gautam Buddh Nagar, Uttar Pradesh.

(5) Commissioner of Police, Gautam Buddh Nagar Police Commissionerate, Gautam Buddh Nagar, Uttar Pradesh.

(6) State Disaster Response Authority (SDRF), Uttar Pradesh through its Commandant/Head, Uttar Pradesh.

(7) National Disaster Response Force (NDRF) through its Director General, New De hi.

.....Respondents

To,

The Hon'ble Chief Justice and his other Companion Judges of the aforesaid Court.

The Humble petition of above-named petitioners Most Respectfully as under:

1. This is the first petition before this Hon'ble Court and no other petition has been filed or pending before this Hon'ble court or its Lucknow bench for such cause of action.
2. The petitioner has not received any notice, information or copy of any caveat application from any of the respondent, till today.
3. That Petitioners are public spirited persons and this public interest writ petition is filed in the interest of Public at large and has no personal interest of in the matter as contemplated under chapter 22 Rule 3(A) of the rules of the court.

4. That Petitioners declare that they are peace loving and law-abiding citizens of India and has no criminal antecedents.
5. That Petitioners further declare that the result of the public interest litigation will not lead any undue gain to the petitioners or anyone associated with them or any undue loss to any person or estate.
6. That the present petition arises out of a grave and wholly avoidable tragedy, resulting in the death of Mr. Yuvraj Mehta, aged about 27 years, a young software professional, who lost his life on the night of 16 January 2026 in Sector-150, Noida, not due to any natural cause, but as a direct consequence of prolonged administrative neglect and failure of public authorities to discharge their statutory duties.
7. On that night, his vehicle plunged into a deep, water-filled excavation at Plot No. SC-02/A-3, at sector 150, Noida which had over time become a stagnant, sewage-laden water body. The excavation was left open, unbarricaded, unlit, and without any warning signage,
8. That the said excavation was situated immediately adjacent to a public road having a sharp 90-degree turn, and in the absence of barricading, lighting, or warning signage, the area stood effectively converted from a planned urban development into a fatal hazard for unsuspecting road users. True copies of Google Earth satellite images and photographs taken post-incident, clearly depicting the unsecured condition of

the site, are annexed herewith and marked as **Annexure-No.1.**

9. That after the fall, the deceased managed to escape the sinking vehicle and climbed onto its roof, heremained alive and pleaded desperately and cried for help for nearly two hours, using his mobile phone's flashlight to mark his location. Despite the presence of several bystanders and the arrival of police personnel in 9 minutes, no immediate or effective rescue operation was undertaken during the critical period.The contemporaneous media reports, video footage,availble on digital news platforms and eyewitness accounts, copies whereof are collectively annexed herewith and marked as **Annexure-No.2.**
10. Despite the victim's visible distress and repeated cries for help, the response of the authorities on the ground was slow and hesitant. Eyewitnesses and media footage show that police personnel and rescue teams, including the Fire Brigade, SDRF and later the NDRF who were trained for such situations and had safety equipment available; such as life jackets, long-length safety ropes (approximately more than 100 meters), and a rescue boat, hesitated and reluctantly delayed entering the water during the crucial period when the victim was still alive and calling for help.The vehicle of the deceased was recovered only after approximately three and a half dayswhichreveals the absence of preparedness and accountability.
11. That in stark contrast, an untrained civilian delivery worker, identified as Moninder Singh, acting purely out

of human desperation, entered the water-filled excavation pit to attempt a rescue when the victim was alive and calling for help. Despite hazardous conditions, including cold, near-zero visibility, and submerged iron rods, he tied a rope and searched for the victim for approximately 30 minutes. Efforts uncorroborated by official rescue personnel at that time.

12. That thereafter, Mr. Moninder Singh has publicly alleged that police personnel pressured and intimidated him to withdraw or dilute his initial criticism of the delayed rescue response and warned him against speaking to the media. He has further stated that he was asked to refrain from public commentary and effectively distance himself from public attention. These statements given by Moninder Singh (Delivery Worker) to the media, including video recordings of his interaction published by *The Times of India*, copies of the relevant media reportage annexed herewith and marked as **Annexure-No.3**.
13. That the Noida Authority is a statutory body constituted under the Uttar Pradesh Industrial Area Development Act, 1976, entrusted with the responsibility of planned development, regulation of land use, construction oversight, and protection of public safety within its jurisdiction. These functions are not discretionary in nature but constitute mandatory public duties owed to citizens using public infrastructure.

14. In the present case, the excavation at Plot No. SC-02/A-3 (the very site involved in the fatal waterlogging incident causing tragic death of Mr. Yuvraj Mehta) was undertaken under the supervision and regulatory control of the Noida Authority as part of the Sports City Project. The Authority was, therefore, fully aware of the nature, location and depth of the excavation, as well as its proximity to a public road carrying regular vehicular traffic.
15. That the site of the incident forms part of the Sports City Scheme launched by the Noida Authority in 2014, under which the developer was obligated to first develop sports infrastructure over 70% of the land. The project was awarded to a consortium led by M/s Lotus Green Constructions Pvt. Ltd., and in 2015 the land was subdivided in 24 plots, with Plot No. SC-02/A-3 allotted to M/s Wiztown Planners Pvt. Ltd. In the same year (2015), the Uttar Pradesh Irrigation Department identified persistent waterlogging in Sector-150 and proposed construction of a head regulator to divert excess water to the Hindon River, for which the Noida Authority sanctioned Rs.13.5 lakh for technical survey and design. Despite admitted risk and sanctioned funds, the proposal was never executed, and no interim safety measures were put in place.
16. That from 2015 to 2021 Large-scale construction activity commenced and continued in Sector-150, Noida, including excavation of deep basements and pits as part of real estate projects. Several such excavation sites remained open, unsecured and water-filled, without permanent barricading or any safety

18

infrastructure. In the year 2021, CAG Report flagged serious irregularities in the Sports City project, including unauthorized subdivision, improper land-use change, failure to recover more than Rs140 crore, and systemic lapses by the Noida Authority, estimating a public loss of nearly **Rs.9,000 crore**, pursuant to which all development activities were frozen and the matter has been referred to Uttar Pradesh Government and thereafter a Public Accounts Committee was constituted.

17. That in the meantime, litigation relating to the Sports City project continued. By judgment dated 24 February 2025 passed in ***Writ-C No. 15604 of 2021***, the Hon'ble Allahabad High Court observed that the alleged scam in allotment of land under the Sports City Scheme could not have occurred without the involvement of senior officials of the Noida Authority, and accordingly directed the *Central Bureau of Investigation (CBI)* to register an FIR against the concerned builders and public officials. The Hon'ble Court further noted that while residential development was permitted to proceed, the mandatory sports infrastructure envisaged under the scheme was ignored. Copies of the said judgment dated 24.02.2025 and the consequent CBI FIR are annexed herewith and marked as **Annexure-No.4**.
18. That from 2022 onwards, the excavation at Plot No. SC-02/A-3 continued to receive substantial inflow of sewage and drainage water. Letter dated 14 March 2022 by M/s Wiztown Planners Pvt. Ltd. formally addressed a written communication to the Chief Executive Officer,

Noida Authority, reporting collapse of sewer and main drain lines and continuous inflow of sewage and wastewater into the excavation and basement area of the plot and sought repairs. This letter explicitly warned that "any accident can happen" if immediate repairs were not carried out. Copies of the said letter, as accessed and reported by the Press Trust of India (PTI), are annexed herewith and marked as **Annexure-No.5.**

19. That despite such knowledge, the Authority failed to take elementary or interim steps required to secure the site. No barricading, fencing, lights & reflectors, warning signage, or access restriction was put in place, even though such measures are basic safety requirements that do not depend on complex engineering approvals or long-term project execution.
20. That on 9th October 2023, the Irrigation Department, by written communication addressed to Noida Authority (Work Circle-10), recorded that the IIT-vetted technical plan for addressing the waterlogging issue was ready and cautioned that further delay in implementation would result in catastrophic waterlogging. Despite this express warning, no physical remedial action was undertaken. Copy of news report published by the Press Trust of India (PTI), are annexed herewith and marked as **Annexure-No.6.**
21. That the Noida Authority permitted the matter to remain buried in technical disputes and internal file movement without taking any effective steps to secure the site. This inaction by both authorities, despite

sanctioned funds and prior knowledge of the hazard, establishes joint responsibility.

22. That it is pertinent that prior to this incident, a truck had reportedly fallen into the same excavation, such fatal incidents were therefore the direct and foreseeable consequence of years of administrative inaction, regulatory failure, and absence of basic civic safety measures, rather than an isolated or unavoidable accident. The tragedy exposed a systemic collapse of urban governance, emergency preparedness, and accountability, resulting in the loss of a young life in circumstances that were entirely preventable.
23. That the tragic incident in question is not an isolated occurrence, but indicative of a wider and continuing pattern of civic negligence across Noida and Greater Noida. The Petitioners have identified and documented several similarly situated sites comprising open construction pits, water-filled excavations, unsecured basements, and abandoned trenches, which remain unbarricaded, unlit, and without warning signage, posing imminent danger to public safety. True Copy of Photographs, satellite images, and site details evidencing such hazardous conditions at multiple locations within Noida and Greater Noida are annexed herewith and marked as **Annexure-No.7**.
24. That the Petitioner has no other alternative and speedy remedy available except to approach before this Hon'ble Court under article 226 of constitution of India amongst the following grounds.

GROUNDS

- A.** Because the facts disclosed a direct violation of Article 21 of the Constitution of India, which guarantees not merely the right to life, but the right to live with safety, dignity, and reasonable protection from foreseeable hazards. The prolonged existence of an open, water-filled excavation in a planned urban area, coupled with failure of emergency response when the victim remained alive and pleading for help, constitutes a gross breach of the State's positive obligation to protect life.
- B.** Because the Noida Authority is a statutory body constituted under the Uttar Pradesh Industrial Area Development Act, 1976, entrusted with the responsibility of planned development, regulation of land use, construction oversight, and protection of public safety within its jurisdiction. These functions are not discretionary in nature but constitute mandatory public duties owed to citizens using public infrastructure.
- C.** Because the danger posed by the water-filled excavation was foreseeable, visible, and known to the authorities for several years prior to the incident, as evidenced by official correspondence, sanctioned funds, audit reports, and prior mishaps. The failure to act constitutes a civic negligence, which gives rise to a continuing cause of action, and thereby justifying intervention by this Hon'ble Court.

- D.** Because despite the victim remaining alive for nearly two hours, visibly marking his location and calling for help, the first responders failed to initiate a timely, coordinated rescue, even though trained agencies equipped for water rescue were present. The reluctance to enter the water and the absence of command coordination, while permitting an untrained civilian to risk his life, reflects a systemic collapse of emergency preparedness, in violation of statutory and constitutional obligations.
- E.** Because public authorities hold land, infrastructure, and civic safety in trust for the public, and cannot abdicate responsibility by prolonged inaction. Allowing a planned urban development to degenerate into a lethal hazard violates the Doctrine of Public Trust, rendering the State and its instrumentalities accountable for failure to protect public spaces from becoming instruments of death.
- F.** Because the constitution of an SIT confined to criminal culpability and individual liability, whereas the present Public Interest Litigation concerns systemic governance failures, breach of statutory duties, and continuing threats to public safety, which fall squarely within the writ jurisdiction of this Hon'ble Court.
- G.** Because criminal investigations address "who is guilty", while the present petition seeks judicial scrutiny of "why known hazards were allowed to subsist for years" and what institutional safeguards

are required to prevent recurrence, matters which are beyond the scope of a criminal probe.

H. Because neither the SIT proceedings can issue binding directions for:

- I. time-bound execution of stormwater and drainage infrastructure,
- II. city-wide safety audits of open excavations and waterlogged plots,
- III. formulation of mandatory road-edge safety and barricading norms, or institutional accountability mechanisms for urban planning authorities.

I. Because post-incident actions undertaken by the authorities are reactive and compensatory, and do not address the underlying institutional failures that threaten public safety. In the absence of court-monitored directions, similar hazardous sites will continue to exist, exposing citizens to recurring and preventable loss of life.

J. Because the issues raised herein concern public safety, urban governance, and enforcement of constitutional duties, affecting not only the deceased and his family but the general public at large. The Petitioners, being public-spirited citizens, therefore have locus standi to invoke the extraordinary jurisdiction of this Hon'ble Court.

PRAYER

- a) Issue an appropriate writ, order or direction for court-monitored comprehensive safety audit of all

open construction sites, basements, excavations, trenches, and water-logged bodies endangering Public safety across Noida and Greater Noida, including all those abandoned, stalled, or non-operational projects, and further direct the Respondent Authorities to:

- I. complete the said safety audit within a time-bound period to be fixed by this Hon'ble Court; and
- b) constituting an independent high-level Court monitored inquiry, preferably headed by a retired Judge of this Hon'ble Court in a time-bound manner, to inquire into the circumstances leading to the death of Mr. Yuvraj Mehta, including:
 - I. prolonged failure of statutory authorities to secure the hazardous site;
 - II. omissions and delays on the part of police and rescue agencies; and
 - III. fixing responsibility of all concerned officials and authorities, without confining accountability solely to private builders.
- c) Issue directions to frame, notify, and strictly enforce mandatory safety guidelines for all ongoing and abandoned construction sites.
- d) Direct the Respondent State and authorities to formulate and implement clear Standard Operating Procedures (SOPs) for urban emergencies
- e) Pass such other and further orders as this Hon'ble Court may deem fit and proper in the interest of

justice, public safety, and protection of fundamental rights under the Constitution of India.

Dated:

Himanshu Jaiswal, Advocate
Petitioner (In Person)
+91 9454576575
advocatehjaiswal@gmail.com,

26

IN THE HIGH COURT OF JUDICATURE AT
ALLAHABAD

ANNEXURE NO. (|)

IN
CIVIL MISC. WRIT PETITION (P.I.L.) NO. _____ 2026
(Under Article 226 of the Constitution of India)

DISTRICT: GAUTAM BUDH NAGAR

Himanshu Jaiswal

.....Petitioner (In Person)

VERSUS

State of U.P. and 6 Others

.....Respondents

IN THE HIGH COURT OF JUDICATURE AT
ALLAHABAD

ANNEXURE NO. (7)

IN
CIVIL MISC. WRIT PETITION (P.I.L.) NO. _____ 2026
(Under Article 226 of the Constitution of India)

DISTRICT: GAUTAM BUDH NAGAR

Himanshu Jaiswal

.....Petitioner (In Person)

VERSUS

State of U.P. and 6 Others

.....Respondents

180

(6) State Disaster Response Authority (SDRF), Uttar Pradesh through its Commandant/Head, Uttar Pradesh.

(7) National Disaster Response Force (NDRF) through its Director General, New Delhi.

.....Respondents

Affidavit of Himanshu Jaiswal, aged about 28 years son of Sh. Bhairo Prasad Jaiswal is a practicing Advocate and Resident of Mau-Chitrakoot and currently residing at I-309, Delta-2 Gautam Budh Nagar, Uttar Pradesh, Religion Hindu.

(DEPONENT)

I am the deponent named do hereby solemnly affirm and state on oath as under:-

1. The deponent in aforesaid writ petition is fully conversant with the facts of the case deposed to below and those stated in the petition.

I the deponent do hereby declare that the contents of the paragraphs no 1 of this affidavit and those of paragraphs No. 7, 10, 11, 14 & 16, 19, 21, 22 of the writ Petition are true to personal knowledge of the deponent, and those of paragraphs no. 2, 3, 4, 5, 6, 8, 9, 12, 13, 15, 17, 18, 20, 23 of the writ petition are based on perusal of the records, those of

paragraphs 8, 9, 12, 17, 18, 20, 23 of
 the writ petition are based on information received by
 the deponent, those of paragraphs 24
 Of the writ petition are based on legal advice which also
 the deponent verify believes to be true, that nothing
 material has been concealed and no. para of this
 affidavit is false.

So help me God

(DEPONENT)

I myself Himanshu Jaiswal, Advocate, Supreme Court
 is the same person swearing the affidavit.

IN PERSON

Solemnly affirmed before me on this 30 day of
~~March~~ ^{Jan} 2026 at about 5:30 a.m. / p.m. by the deponent
 who is identified by the aforesaid Advocate.

I have satisfied myself by examining the deponent that
 he has understood the contents of this affidavit, which
 has been read over and explained by me to the
 deponent.

OATH COMMISSIONER

High Court of Judicature at Allahabad

PENDING

Case Status - **WRIT - PUBLIC INTEREST LITIGATION (WPIL)-[306/2026]**

[Diary/Token No.: 2594512026]

Generated on : 07-04-2026 at 03:48:23 pm

Filing No.	CIVIL12/27029/2026	Filing Date : 31-01-2026
CNR	UPHC050672212026	Date of Registration : 02-02-2026

Case Status

First Hearing Date	05th February 2026
Next Hearing Date	
Stage of Case	As Fresh
Coram	
Bench Type	Division Bench
Causelist Type	Fresh List
State	UTTARPRADESH
District	GAUTAM BUDDH NAGAR

Petitioner/Respondent and their Advocate(s)

Petitioner	Respondent
1. HIMANSHU JAISWAL Advocate - In Person(IP/2012),SHUBHANGINI DWIVEDI(A/S0805/2023),ARUN BHANU SHUKLA(A/A2307/2013)	1. STATE OF U.P AND 6 OTHERS 2. NEW OKHLA INDUSTRIAL DEVELOPMENT AUTHORITY (NOIDA), THROUGH ITS CHAIRMAN / CHIEF EXECUTIVE OFFICER 3. UTTAR PRADESH IRRIGATION DEPARTMENT THROUGH ITS PRINCIPAL SECRETARY,IRRIGATION & WATER RESOURCES DEPARTMENT 4. DISTRICT MAGISTRATE 5. COMMISSIONER OF POLICE 6. STATE DISASTER RESPONS AUTHORITY (SDRF) 7. NATIONAL DISASTER RESPONSE FORCE (NDRF) THROUGH ITS DIRECTOR GENERAL Advocate - C.S.C.(CSC/2012),A.S.G.I.(ASGI/2012),KAUSHALENDRA NATH SINGH(A/K0175/2012),VIVEK KUMAR SINGH(A/V0572/2012)

Category Details

Category	PUBLIC INTEREST LITIGATION (370000)
Sub Category	MISCELLANEOUS (370090)

Disclaimer: Status report is based on data available on CCMS servers.

Printed on 07-04-2026 at 03:39:04 pm



HIGH COURT OF JUDICATURE AT ALLAHABAD

PUBLIC INTEREST LITIGATION (PIL) No. - 306 of 2026

Himanshu Jaiswal

.....Petitioner(s)

Versus

State of U.P and 6 others

.....Respondent(s)

Counsel for Petitioner(s)	:	In Person
Counsel for Respondent(s)	:	A.S.G.I., Manish Goel (AAG) with A.K. Goyal (A.C.S.C.), M.C. Chaturvedi (Sr.Adv.) with Kaushalendra Nath Singh, Vivek Kumar Singh

Chief Justice's Court

**HON'BLE ARUN BHANSALI, CHIEF JUSTICE
HON'BLE KSHITIJ SHAILENDRA, J.**

1. It is submitted by the petitioner, appearing in person, that the matter has been extensively heard by the Bench headed by Hon'ble Mr. Justice M.C. Tripathi on 17.03.2026 and 20.03.2026 and matter was ordered to be listed today at 2:00 pm.

2. In view of the submissions made, the matter is released, the same be listed before the appropriate Bench after seeking nomination.

(Kshitij Shailendra,J.) (Arun Bhansali,CJ.)

April 1, 2026
P.Sri./Mukesh Pal



HIGH COURT OF JUDICATURE AT ALLAHABAD

PUBLIC INTEREST LITIGATION (PIL) No. - 306 of 2026

Himanshu Jaiswal

.....Petitioner(s)

Versus

State Of U.P And 6 Others

.....Respondent(s)

Counsel for Petitioner(s)	:	In Person	
Counsel for Respondent(s)	:	A.S.G.I.,	C.S.C.,
		Kaushalendra Nath Singh,	
		Vivek Kumar Singh	

Court No. - 21

HON'BLE MAHESH CHANDRA TRIPATHI, J.
HON'BLE KUNAL RAVI SINGH, J.

1. Let the Director General, Fire Safety, State of U.P. be impleaded as necessary party in the array of parties forthwith.
2. In response to the detailed order dated 17.03.2026, Sri Manish Goyal, learned Additional Advocate General assisted by Sri A.K. Goyal, learned Additional Chief Standing Counsel has filed an affidavit on behalf of the respondent nos. 5 and 6 and the same is taken on record.
3. Sri M.C. Chaturvedi, learned Senior Advocate assisted by Sri Kaushalendra Nath Singh, learned counsel appearing for New Okhla Industrial Development Authority (respondent no.2) has filed an affidavit, which is also taken on record.
4. Sri Vivek Kumar Singh, learned Senior Panel Counsel, Union of India, appearing for the National Disaster Response Force (NDRF) has filed an affidavit on behalf of the NDRF, which is also taken on record.
5. On the request of the parties, put up this matter again as fresh on 01.04.2026 at 02:00 pm.

6. In the meantime, Sri Manish Goyal, learned Additional Advocate General may also obtain instructions on behalf of the newly impleaded party.

March

20,

2026

Priya

(Kunal Ravi Singh,J.) (Mahesh Chandra Tripathi,J.)



HIGH COURT OF JUDICATURE AT ALLAHABAD

PUBLIC INTEREST LITIGATION (PIL) No. - 306 of 2026

Himanshu Jaiswal

.....Petitioner(s)

Versus

State Of U.P And 6 Others

.....Respondent(s)

Counsel for Petitioner(s)	: In Person
Counsel for Respondent(s)	: A.S.G.I., C.S.C., Kaushalendra Nath Singh, Vivek Kumar Singh

Court No. - 21

**HON'BLE MAHESH CHANDRA TRIPATHI, J.
HON'BLE KUNAL RAVI SINGH, J.**

1. The instant writ petition is preferred seeking following principal reliefs:-

"a) Issue an appropriate writ, order or direction for court-monitored comprehensive safety audit of all open construction sites, basements, excavations, trenches, and water-logged bodies endangering Public safety across Noida and Greater Noida, including all those abandoned, stalled or non-operational projects, and further direct the Respondent Authorities to :

1. complete the said safety audit within a time-bound period to be fixed by this Hon'ble Court; and

b) constituting an independent high-level Court monitored inquiry, preferably headed by a retired Judge of this Hon'ble Court in a time-bound manner, to inquire into the circumstances leading to the death of Mr. Yuvraj Mehta, including:

I. prolonged failure of statutory authorities to secure the hazardous site;

II. omissions and delays on the part of police and rescue agencies; and

III. fixing responsibility of all concerned officials and authorities, without confining accountability solely to private builders.

c) Issue directions to frame, notify, and strictly enforce mandatory safety guidelines for all ongoing and abandoned construction sites.

d) Direct the Respondent State and authorities to formulate and implement clear Standard Operating Procedures (SOPs) for urban emergencies."

2. Earlier the matter was taken up on 05.02.2026 and on the said date, the respondents were directed to obtain instructions in the matter and file counter affidavit inter alia indicating the steps taken/proposed to be taken to prevent the recurring of the

incidents, reference whereof has been made in the petition. In response to the said order dated 05.02.2026, Sri Manish Goyal, learned Additional Advocate General assisted by Sri A.K. Goyal, learned Additional Chief Standing Counsel has filed an affidavit on behalf of the State-respondents and the same is taken on record.

3. Sri M.C. Chaturvedi, learned Senior Advocate assisted by Sri Kaushalendra Nath Singh, learned counsel appearing for New Okhla Industrial Development Authority (respondent no.2) has filed short counter affidavit, which is also taken on record.

4. In the instant matter, we find that at the time of the incident, there was no shortage of information to the first respondents as the distress call was immediately made by the father of the deceased. The recipient of SOS had immediately informed the police and the nearest patrolling team had reached there. The Fire Brigade, State Disaster Response Force (in short "SDRF"), and the National Disaster Response Force (in short "NDRF") also reached there. Before drowning, there was a substantial period of time, in which, rescue could have been attempted. It is not in dispute that as per the pleadings set up before us, the expert team of SDRF and NDRF were available at the site. Even though, the responses have been filed by the respondents-Authority and the State-respondents, but till date no response of SDRF and NDRF are filed.

5. Confronted with this situation, Sri Manish Goyal, learned Additional Advocate General, appearing for the State respondents and Sri Vivek Kumar Singh, learned Senior Panel Counsel, Union of India, appearing for the NDRF seek a short adjournment.

6. We expect that the responses are to be filed within two days and the affidavit be served upon to the petitioner-in person on or before the next date fixed in the matter. The response is to be filed by an officer not below the rank of Gazetted Officer. It is also expected that the responses must indicate the steps taken for rescue and also the training received by both the response teams for preparation of emergencies. The response must also indicate the details of the team present at the site along with the name of the Commanding Officer of the said teams.

7. We have also perused the counter affidavit filed by the NOIDA and we find that even though, notices were issued to various erring builders on 06.02.2026 to rectify the defects within three days but counter affidavit is completely silent with regard to what remedial steps were taken and whether NOIDA had actually verified the remedial steps taken. Furthermore, the affidavit is also silent whether in NOIDA, there is any Nodal Officer

nominated to deal with emergency situations and to coordinate between various agencies in such emergencies. The affidavit is also silent as to who was the officer of NOIDA Authority, who had reached the spot, when the entire incident was being broadcasted live. We expect that an affidavit indicating the above should be filed by the next date fixed.

8. Put up this matter again as fresh on 20.03.2026 at 10:00 am.

(Kunal Ravi Singh,J.) (Mahesh Chandra Tripathi,J.)

March 17, 2026

Priya



HIGH COURT OF JUDICATURE AT ALLAHABAD

PUBLIC INTEREST LITIGATION (PIL) No. - 306 of 2026

Himanshu Jaiswal

.....Petitioner(s)

Versus

State of U.P and 6 others

.....Respondent(s)

Counsel for Petitioner(s)	:	In Person
Counsel for Respondent(s)	:	M.C. Chaturvedi (Sr. Adv.) with K.N. Singh, A.K. Goyal (A.C.S.C.), S.P. Singh (A.S.G.I.) with Vivek Kumar Singh, Kaushalendra Nath Singh

Chief Justice's Court


**HON'BLE ARUN BHANSALI, CHIEF JUSTICE
HON'BLE KSHITIJ SHAILENDRA, J.**

1. Learned Senior Counsel representing respondent no.2-New Okhla Industrial Development Authority and the Standing Counsel representing the State respondents pray for time to obtain instructions in the matter and file counter affidavit *inter alia* indicating the steps taken/proposed to be taken to prevent the recurring of the incidents, reference whereof has been made in the petition.
2. Needful may be done before the next date.
3. List the petition on 17.03.2026, as fresh.

(Kshitij Shailendra, J) (Arun Bhansali, CJ)

February 5, 2026

AHA/Jyotsana



IN THE HIGH COURT OF JUDICATURE AT ALLAHABAD

SHORT COUNTER AFFIDAVIT
CIVIL MISC. WRIT PETITION (P.I.L) NO. 306 OF 2026
 (Under Article 226 of Constitution of India)

DISTRICT: GAUTAM BUDH NAGAR

Himanshu Jaiswal, Advocate Son of Sh. Bhairo Prasad Jaiswal, Resident of Mau-Chitrakoot, currently residing at I-309, Delta-2 Gautam Budh Nagar, Uttar Pradesh.

-----**Petitioner.**


VERSUS

1. State of U.P. through Principal Secretary (Urban Development), Lucknow.
2. New Okhla Industrial Development Authority (NOIDA Authority), through its Chairman/ Chief Executive Officer, Noida, Gautam Budh Nagar.
3. Uttar Pradesh Irrigation Department through its Principal Secretary, Irrigation & Water Resources Department, Government of Uttar Pradesh, Lucknow.
4. District Magistrate, Gautam Budh Nagar, Collectorate, Gautam Budh Nagar, Uttar Pradesh.
5. Commissioner of Police, Gautam Budh Nagar Police Commissionerate, Gautam Budh Nagar, Uttar Pradesh.
6. State Disaster Response Authority (SDRF), Uttar Pradesh through its Commandant/Head, Uttar Pradesh.
7. National Disaster Response Force (NDRF) through its Director General, New Delhi.

-----**Respondents.**

Affidavit of Medha Roopam, aged about 35 years, daughter of Sri Gyanesh Roopam, Presently posted as District Magistrate, District-Gautam Budh Nagar.






Religion-Hindu,

Occupation-Government Service.


(Deponent)

I, the above name deponent do hereby solemnly affirm and state on oath as under:-

1. That the deponent, above named, is presently posted as District Magistrate, District-Gautam Budh Nagar and has arrayed as Respondent No.4 and as such, she is well acquainted with the facts deposed to below.
2. That the deponent has read and understood the contents of writ petition, affidavit and Annexures, filed in support thereof, and in reply submits as follows.
3. That the aforesaid writ petition has been filed in respect of unfortunate incident which took place in the night of 16.01.2026 when a vehicle being driven by Sri Yuvraj Mehta fell in water filled Plot No. SC-02/A-3 at Sector 150 located in Kondali Bangar, Noida. As per the information gathered by the deponent the rescue team comprising of police, fire brigade personnel, SDRF and NDRF team made their respective possible efforts to rescue, however, could not save Sri Yuvraj Mehta who died due to drowning.
4. That the petitioner alleging systematic collapse of Urban Governance and Civics negligence has filed the present writ petition with the following prayers:-



“a). Issue an appropriate writ, order or direction for Court monitored comprehensive safety audit of all open construction sites, basement, excavations, trenches, and water-logged bodies endangering public safety across Noida and Greater Noida, including all those abandoned, stailed, or non-



operational projects, and further direct the Respondent Authorities to:

a) Complete the said safety audit within a time bound period to be fixed by this Hon'ble Court, and

b). constituting an independent high-level Court monitored inquiry, preferably headed by a retired Judge of this Hon'ble Court in a time-bound manner, to inquire into the circumstances leading to the death of Mr. Yuvraj Mehta, including:

I. prolonged failure of statutory authorities to secure the hazardous site;

II. omissions and delays on the part of police and rescue agencies; and

III. fixing responsibility of all concerned officials and authorities, without confining accountability solely to private builders.


c). Issue directions to frame, notify, and strictly enforce mandatory safety guidelines for all ongoing and abandoned construction sites.

d). Direct the Respondent State and authorities to formulate and implement clear Standard Operating Procedures (SOPs) for urban emergencies.

e). Pass such other and further order as this Hon'ble Court may deem fit and proper in the interest of justice, public safety, and protection of fundamental rights under the Constitution of India."


5. That Plot No. SC-02/A-3 falling under Sector 150 located in Kondali Bangar, Noida falls in the notified area of New Okhla Industrial Development Authority (hereinafter referred to as the 'Noida Authority').

6. That the State Legislature in order to provide for the constitution of an authority for the development of certain area in the State into Industrial and Urban township and for matters connected therewith enacted the Uttar Pradesh Industrial Development Area Act, 1976 (hereinafter referred to as the Act, 1976).



7. That initially the State vide notification dated 17.04.1976 included 37 villages in the notified area of Noida Authority.

Thereafter from time to time vide subsequent notifications



other surrounding villages were also notified in the Industrial Development Area of Noida Authority. Village Kundali Bangar of District Gautam Budh Nagar, where Sector 150 falls was also notified in the Industrial Development Area of the Noida Authority vide notification dated 06.08.1997. A true copy of the said notification dated 06.08.1997 is being filed herewith and marked as **Annexure No. SCA-1** to this affidavit.

8. That the Chief Executive Officer, Noida Authority appointed by the State Government is a whole time officer of the authority and in exercise of such powers, he performs such duties as may be notified by the regulation or delegated to him by the State Government.

9. That Section 6 of the UP Industrial Area Development Act, 1976 provides the functions of the Industrial Development Authority. For ready reference Section 6 of the Act is reproduces hereunder:

"1. The object of the Authority shall be to secure the planned development of the industrial development area.

(2) Without prejudice to the generality of the objects of the Authority, the Authority shall perform the following functions:-

(b) to prepare a plan for the development of the industrial development area;


(c) to demarcate and develop sites for industrial, commercial and residential purpose according to the plan;

(d) to provide infrastructure for industrial, commercial and residential purposes;


(e) to provide amenities;

(f) to allocate and transfer either by way of sale or lease or otherwise plots of land for industrial, commercial or residential purposes;

(g) to regulate the erection of buildings and setting up of industries: and



AS



(h) to lay down the purpose for which a particular site or plot of land shall be used, namely for industrial or commercial or residential purpose or any other specified purpose in such area."

That Section 9 provides that no person shall erect or occupied any building in the Industrial Development area in contravention of any building regulation made under Sub-Section 2. For ready reference Section 9 of the Act is reproduced hereunder:-

"(1) No person shall erect or occupy any building in the industrial development area in contravention of any building regulation made under sub-section (2).

(2) The Authority may by notification and with prior approval of the State Government make regulations to regulate the erection of buildings and such regulations may provide for all or any of the following matters, namely

(a) The materials to be used for external and partition walls, roofs, floors and other parts of a buildings and their position or location or the method of construction;

(b) Lay out plan of the building whether industrial, commercial or residential;

(c) the height and slope of the roofs and floors of any building which is intended to be used for residential or cooking purposes;

(d) the ventilation in, or the space to be left about any building or part there of to secure circulation of air or for the prevention of fire;


(e) the number and height of the storeys of any building;

(f) the means to be provided for the ingress and egress to and from any building;

(g) the minimum dimensions of rooms intended for use as living rooms or sleeping rooms and the provisions of ventilation;

(h) any other matter in furtherance of the proper regulation of erection, completion and occupation of buildings and

(i) the certificates necessary and incidental to the submission of plans amended plans and completion reports."



Handwritten signature




That Section 10 of UP Industrial Area Development Act, 1976 vests power with the Noida Authority for requiring proper maintenance of sites or building. For ready reference Section 10 of the Act is reproduced hereunder:

“If it appears to the Authority that the condition or use of any site or building is prejudicially affecting or is likely to affect the proper planning of, or the amenities in any part of the industrial development area of the interests of the general public there, it may serve on the transferee or occupier of that site of building a notice requiring him to take such steps and within such period as may be specified in the notice and thereafter to maintain in it in such manner as may be specified therein and in case such transferee or occupier fails to take such steps or to maintain it thereafter the Authority may itself take such steps or maintain it, and realize the cost incurred on its from such transferee or occupier.”


12. That similarly Section 16 of the UP Industrial Area Development Act, 1976 empowers the authority with the power of entry to enter upon any land with or without assistance for the purpose of enquiry, inspection, measurement or survey of land or building and for other incidental measures/performance etc.

13. That the overriding effect of the aforesaid Act has been provided in Section 17 of the Act. For ready reference Section 17 of the Act is reproduced hereunder:-

“17. Upon any area being declared on industrial development area under the provision of this act, such area, if included in the master plan or the zonal development plan under the Uttar Pradesh Urban planning and Development Act, 1973, or any development plan under any other Uttar Pradesh Act, shall with effect from the date of such declaration be deemed to be excluded from any such plan.”



MA



14. That Section 18 and 19 of the Act empowers the authority to make rules and regulations for the matters referred therein.

“18. The State Government may by notification make rules for carrying out time purposes of this act.

19. (1) The Authority may with the previous approval of the State Government make regulation not inconsistent with the provisions of this Act or the rules mode thereunder for the administration of the affairs of the Authority.

(2) In particular, and without prejudice to the generally of the foreboding power, such regulations may provide for all or any the following matters namely-

- (a) the summoning and holding of meetings of the Authority the time and place where such meetings are to be held the conduct of business at such meetings. and the number of members necessary to form a quorum there at;
- (b) the power and duties of the Chief Executive Officer;
- (c) the form of register of application for permission to erect a building;
- (d) the management of properties of the Authority;
- (e) fee to be levied in the discharge of its functions;
- (f) such other matters as are to be provided for in regulation.”

15. That in exercise of powers under Sub-Section 2 of Section 9 and Section 19 regulations have been framed namely New Okhla Industrial Development Area Building regulation, 2010 vide notification dated 30.11.2010.


16. That Regulation 20.2 of the New Okhla Industrial Development Area building Regulation, 2010 defines unsafe buildings and Regulation 20.3 empowers the Chief


Executive Officer of the Industrial Developmental Authority

to take such action as may be necessary in respect of

unauthorized construction. For ready reference Regulation

20.2 and 20.3 are reproduced hereunder:-





"20.2 'Unsafe Buildings' Unsafe buildings are buildings which are structurally unsafe and unsanitary or lack adequate means of egress or are a fire hazard or are otherwise dangerous to human life or which, by reason of inadequate maintenance, dilapidation or prohibition in relation to their existing use, have become hazardous to safety, health or public welfare.


20.3 'Unauthorised development.' In case of unauthorised development, the Chief Executive Officer shall-


(a) take such appropriate action as may be necessary, including demolition of unauthorised constructions, closure of premises and prosecution and criminal proceedings against the offenders in accordance with the relevant Acts in force.

(b) take appropriate action against the concerned technical person."

17. That thus it is apparent that under the provisions of the Act as well as regulations framed thereunder the Noida Authority for all practical purposes exercises such powers in respect of superintendence, preservation, management and control of all the development works taking place in its notified area.

18. That the Uttar Pradesh Shashan, Girha, Police Anubhag-6 vide Notification No. 6/2020/52 p/vi-pu-6-2020-01 vividh/2020, Lucknow: dated 13.01.2020 declared the District Gautam Budh Nagar as a metropolitan area and the Uttar Pradesh Shashan, Girha, Police Anubhag-6 vide Notification No. 7/2020/53 p/vi-pu-6-2020-01 vividh/2020, Lucknow: dated 13.01.2020 conferred on the Joint Commissioner of Police, the Additional Commissioner of Police, Deputy Commissioner of Police, Additional Deputy Commissioner of Police and the Assistant Commissioner of Police posted in District Gautam Budh Nagar, the powers of Executive Magistrate for the purposes under Sections 58, Chapter VIII and Chapter X of the Code of Criminal





Procedure. For ready reference a true copy of the notifications dated 13.01.2020 is being filed herewith respectively and marked as **Annexure Nos. SCA-2 and SCA-3** to this affidavit.

19. That after coming into force of Bhartiya Nagarik Suraksha Sanhita, 2023 (hereinafter referred to as 'BNSS') in place of code of Criminal Procedure Section 152 of Chapter XI of BNSS gives the powers of conditional order for removal of public nuisance to the police department in police commissionerate system. In the following sections which are reproduced below, the powers earlier vested in the District Magistrate or a Sub-divisional Magistrate or any other Executive Magistrate are now conferred on the Joint Commissioner of Police, the Additional Commissioner of Police, Deputy Commissioner of Police, Additional Deputy Commissioner of Police and the Assistant Commissioner of Police posted in District Gautam Budh Nagar. For ready reference Section 152 of BNSS is reproduced hereunder.


“152. Conditional order for removal of nuisance.

(1) Whenever a District Magistrate or a Sub-divisional Magistrate or any other Executive Magistrate specially empowered in this behalf by the State Government, on receiving the report of a police officer or other information and on taking such evidence (if any) as he thinks fit, considers—

(a) that any unlawful obstruction or nuisance should be removed from any public place or from any injurious to the health or physical comfort of the community, and that in consequence such trade or

(b). occupation should be prohibited or regulated or such goods or merchandise should be removed or the keeping thereof regulated; or

(c) that the construction of any building, or, the disposal of any substance, as is likely to occasion conflagration or explosion, should be prevented or stopped; or



(Handwritten signature)



(d) that any building, tent or structure, or any tree is in such a condition that it is likely to fall and thereby cause injury to persons living or carrying on business in the neighbourhood or passing by, and that in consequence the removal, repair or support of such building, tent or structure, or the removal or support of such tree, is necessary; or

(e) that any tank, well or excavation adjacent to any such way or public place should be fenced in such manner as to prevent danger arising to the public; or

(f) that any dangerous animal should be destroyed, confined or otherwise disposed of such Magistrate may make a conditional order requiring the person causing such obstruction or nuisance, or carrying on such trade or occupation, or keeping any such goods or merchandise, or owning, possessing or controlling such building, tent, structure, substance, tank, well or excavation, or owning or possessing such animal or tree, within a time to be fixed in the order—

(i) to remove such obstruction or nuisance; or

(ii) to desist from carrying on, or to remove or regulate in such manner as may be directed, such trade or occupation, or to remove such goods or merchandise, or to regulate the keeping thereof in such manner as may be directed; or

(iii) to prevent or stop the construction of such building, or to alter the disposal of such substance; or


(iv) to remove, repair or support such building, tent or structure, or to remove or support such trees; or

(v) to fence such tank, well or excavation; or

(vi) to destroy, confine or dispose of such dangerous animal in the manner provided in the said order, or, if he objects so to do, to appear before himself or some other Executive Magistrate subordinate to him at a time and place to be fixed by the order, and show cause, in the manner hereinafter provided, why the order should not be made absolute.


(2) No order duly made by a Magistrate under this section shall be called in question in any Civil Court.

Explanation.—A “public place” includes also property belonging to the State, camping grounds and grounds left unoccupied for sanitary or recreative purposes.”



That thus any water pit or excavation site filled with water like the present one in sector 150 can be considered as a


NA



public nuisance as defined above in section 152 of chapter XI of BNSS falls within the jurisdiction of police commissionerate. Similarly, power to prohibit repetition or continuance of public nuisance (Section 162 of BNSS) and to issue order in urgent cases of nuisance or apprehended danger (Section 163 of BNSS) which were earlier under the jurisdiction of District Magistrate or a Sub-divisional Magistrate or any other Executive Magistrate are now conferred on the Joint Commissioner of Police, the Additional Commissioner of Police, Deputy Commissioner of Police, Additional Deputy Commissioner of Police and the Assistant Commissioner of Police posted in District Gautam Budh Nagar. For ready reference Section 162/163 of BNSS, 2023 are being quoted hereunder: -

162. Magistrate may prohibit repetition or Continuance of public nuisance.—A District Magistrate or Sub-divisional Magistrate, or any other Executive Magistrate or Deputy Commissioner of Police empowered by the State Government or the District Magistrate in this behalf, may order any person not to repeat or continue a public nuisance, as defined in the Bharatiya Nyaya Sanhita, 2023, or any special or local law.

163. Power to issue order in urgent cases of nuisance or apprehended danger.— (1) In cases where, in the opinion of a District Magistrate, a Sub-divisional Magistrate or any other Executive Magistrate specially empowered by the State Government in this behalf, there is sufficient ground for proceeding under this section and immediate prevention or speedy remedy is desirable, such Magistrate may, by a written order stating the material facts of the case and served in the manner provided by section 153, direct any person to abstain from a certain act or to take certain order with respect to certain property in his possession or under his management, if such Magistrate considers that such direction is likely to prevent, or tends to prevent, obstruction, annoyance or injury to any person lawfully employed, or danger to human life, health or safety or a disturbance of the public tranquillity, or a riot, or an affray.





(2) An order under this section may, in cases of emergency or in cases where the circumstances do not admit of the serving in due time of a notice upon the person against whom the order is directed, be passed *ex parte*.

(3) An order under this section may be directed to a particular individual, or to persons residing in a particular place or area, or to the public generally when frequenting or visiting a particular place or area.

(4) No order under this section shall remain in force for more than two months from the making thereof:


Provided that if the State Government considers it necessary so to do for preventing danger to human life, health or safety or for preventing a riot or any affray, it may, by notification, direct that an order made by a Magistrate under this section shall remain in force for such further period not exceeding six months from the date on which the order made by the Magistrate would have, but for such order, expired, as it may, specify in the said notification.

(5) Any Magistrate, may either on his own motion or the application of any person aggrieved, rescind or alter any order made under this Section by himself or any Magistrate subordinate to him or by his predecessor-in-office.


(6) The State Government may, either on its own motion or on the application of any person aggrieved, rescind or alter any order made by it under the proviso to sub-section (4).

(7) Where an application under sub-section (5) or sub-section (6) is received, the Magistrate, or the State Government, as the case may be, shall afford to the applicant an early opportunity of appearing before him or it, either in person or by an advocate and showing cause against the order; and if the Magistrate or the State Government, as the case may be, rejects the application wholly or in part, he or it shall record in writing the reasons for so doing."

21. That in view of the facts stated above the Noida Authority under the provisions of 1976 Act and the Regulations framed thereunder possesses power of superintendence, preservation, management and control in respect of all developmental and constructional activities within its notified area. Similarly under the police Commissionerate




M



system, the power to tackle with public nuisance have been conferred on the police officials under the notification dated 13.01.2020.

That as stated above the 1976 Act vests power for superintendence, preservation management and control of everything construction sites falling within its jurisdiction and the power vested in the Commissionerate system to tackle with public nuisance including management of any tank, well, excavation adjacent to any public places to prevent danger arising to the public, however, taking into consideration of the unfortunate incident which resulted in loss of life, the State Government on the recommendation of the District Magistrate, Gautam Budh Nagar, provided compensatory relief of Rs. 4,00,000/- timely to the family of the deceased i.e. Yuvraj Mehta. A true copy of the aforesaid transaction details is being filed herewith and marked as **Annexure No. SCA-4** to this affidavit.

23. That as the incident took place in District Gautam Budh Nagar, in respect whereof the effective measures to control such kind of accidents lies with the Industrial Development Authority under the Industrial Development Act, 1976 and with the police department as police commissionerate system is in vogue in district Gautam Budh Nagar. After the unfortunate incident of 16.01.2026, the District Magistrate in larger public interest convened a meeting of officials including all 03 developmental authorities, Police Officials and other government department on 30.01.2026 in order to ensure various factors including repair of roads, lights and reflectors, warning signage for vehicle and roads and fire incident, medical and emergency services including







public safety measures. A true copy of the minutes of meeting dated 30.01.2026 convened by the District Magistrate, Gautam Budh Nagar is being filed herewith and marked as **Annexure No. SCA-5** to this affidavit.

24. That the District Magistrate Gautam Budha Nagar convened multiple advisory meetings with the authority and police before the incident and many meetings after the incident with utmost sincerity in which multifarious directions and the instructions were issued to the concerned departments with strict instructions for immediate compliance.

25. That apart from it on behalf of the District Magistrate, Gautam Budh Nagar a request letter dated 01.02.2026 has been sent to the Noida Development Authority for appropriate barricading of water submerged area of Sector 150 falling under jurisdiction of the authority. Similarly, another letter dated 01.02.2026 has been sent to the Greater Noida Industrial Development Authority for removal of abandoned overhead water tank situated over Gata No. 168 situated in Village Sakipur as well as for appropriate cement barricading on roads. Multiple such letters written in the past focusing on preventive and precautionary actions required to be taken up by the development authority. For convenient perusal of this Hon'ble Court a true copy of the aforesaid letters dated 01.02.2026 sent to the Noida Industrial as well as Greater Noida Development Authority is being filed herewith respectively and marked as **Annexure No. SCA-6 and SCA-7** to this affidavit.



(Handwritten signature)




26. That it may also be stated that after the unfortunate incident the National Green Tribunal took *suo moto cognizance and registered* O.A. No 52/2026 and by order dated 22.01.2026 directed the respondents to file their response/reply by way of affidavit. Copy of Order dated 22.01.2026 passed by the Hon'ble National Green Tribunal, Principal Bench, New Delhi is being filed herewith and marked as **Annexure No. SCA-8** to this affidavit.

27. That in view of the assertions made in the public interest litigation it will be appropriate that the version of the developer/allottee of plot no. SC-02/A-3 of sector 150 Noida may also come on record, so that justice may be done. It is therefore expedient and in the interest of justice that the developer/allottee of plot no. SC-02/A-3 of sector 150 Noida may also be impleaded as a necessary party to the present writ petition.


28. That taking into consideration the facts and circumstances referred above, the deponent being a responsible Government official, apart from the steps already taken, will comply with such other directions which this Hon'ble Court may deem fit and proper to be performed at the level of District Magistrate, Gautam Budh Nagar.

I, the deponent above named do hereby swear and verify that the contents of paragraph Nos..... of this counter affidavit are true to my personal knowledge; those paragraph Nos..... of this affidavit are based on perusal of record of the case; those of paragraph Nos..... of



[Handwritten signature]

this affidavit are based on information received; and those of paragraph Nos.....of this affidavit are based on legal advice, which all I believe to be true, no part of this affidavit is false and nothing material has been concealed.



So help me God.




Medha R
(DEPONENT)

No. 19 Date 15-03-2026. Certifies the
Sh. Smt. Medha Raopam
S/o Sh. Gyanesh Raopam
R/o Presently Posted as D.M. Gattam Budh Nagar (U.P.)
Identified by Shri.....
Presented his affidavit before me today da.
and verified the contents of Documents

CMK
15/03/2026
Advocate Notary
G.B. Nagar (U.P.)

उत्तर प्रदेश शासन
औद्योगिक विकास अनुभाग-10
संख्या 1730-भाउ/18-10-97
लखनऊ : 6 अगस्त, 1997



अधिसूचना

3040 साधारण खण्ड अधिनियम, 1904 13020 अधिनियम संख्या -1, 1904 । की धारा 21 के माध्यम से पठित 3040 औद्योगिक क्षेत्र विकास अधिनियम 1976 । अधिनियम संख्या -6 सन् 1976 (1976) का उपधारा-2 के खण्ड 1 प । और धारा -3 के अधीन शक्ति का प्रयोग करके श्री राज्यपाल महोदय न्यू ओखला औद्योगिक विकास क्षेत्र विषयक सरकारी अधिसूचना संख्या -4157 भाउ/18-1 11 दिनांक 17-4-76 में निम्नलिखित संशोधन के आदेश देते हैं ।


संशोधन

उपरोक्त अधिसूचना में अधिसूचित 37ग्रामों के अनुसूची में क्रम संख्या-37 के पश्चात निम्नलिखित प्रविष्टियां बढा दी जायेंगी:-

अनुसूची

न्यू ओखला औद्योगिक विकास क्षेत्र


जिला	क्र०सं०	ग्राम
गौतमबुद्धनगर	38	असदुल्लापुर
तदेव	39	चकमगलौर
तदेव	40	दोस्तपुर
तदेव	41	दोस्तपुर छादर
तदेव	42	चक ददसियान
तदेव	43	याकूतपुर
तदेव	44	गुलाबटी
तदेव	45	झरटा
तदेव	46	बदीलीछादर
तदेव	47	बदीलीगागर
तदेव	48	कम्बपसपुर
तदेव	49	कोन्डलीछादर
तदेव	50	औरगाबाद
तदेव	51	गढीसमस्तपुर
तदेव	52	मोमनघाल




S. S. S. S.

1730/1627
12/8/97

तदेव	53	कौन्डली बागार
तदेव	54	तिलवाडा
तदेव	55	हनुमन्पुर
तदेव	56	सिकन्दरपुर
तदेव	57	मोतीपुर





 । बाबू राम ।
 प्रमुख सचिव


पृष्ठांकन संख्या-1730। 1 । भाउ-18-10-97 तददिनांक

प्रतिलिपि निम्नलिखित को सूचनाएं एवं आवश्यक कार्यवाही हेतु प्रेषित:-

- 1- संयुक्त निदेशक मुद्रण एवं लेखन सामग्री, ऐशबाग लखनऊ के उक्त सूचना के अग्रणी अनुवाद की एक प्रति सहित प्रेषित कि ऑफिस सूचना को आगामी अंक में प्रकाशित कराकर गजटकी 25 प्रतिपा शासन को उपलब्ध कराई जाय ।
- 2- अध्यक्ष नोएडा गौतमबुद्ध नगर ।
- 3- जिलाधिकारी गौतमबुद्धनगर ।

आज्ञा से,


 । अविनाश कुमार अवस्थी ।
 विशेष सचिव



उत्तर प्रदेश शासन
औद्योगिक विकास अनुभाग-10
संख्या 1730-भाउ/18-10-97
लखनऊ: 6 अगस्त, 1997

अधिसूचना


उ0प्र0 साधारण खण्ड अधिनियम-1904 उ0प्र0 अधिनियम संख्या-1,1904 । की धारा 21 के साथ पठित उ0प्र0 औद्योगिक क्षेत्र विकास अधिनियम 1976 । अधिनियम संख्या -6 सन् 1976 की उपधारा-2 के खण्ड (घ) और धारा-3 के अधीन शक्ति का प्रयोग करके श्री राज्यपाल महोदय न्यू ओखला औद्योगिक विकास क्षेत्र विषयक सरकारी अधिसूचना संख्या- 4157 भाउ/16-1 11 । दिनांक 17-4-76 में निम्नलिखित संशोधन दे, आदेश देते हैं।

संशोधन

उपर्युक्त अधिसूचना में अधिसूचित 37 ग्रामों को अनुसूची में कम संख्या-37 के पश्चात निम्नलिखित प्रविष्टियां बढ़ा दी जायेगी:

अनुसूची न्यू ओखला औद्योगिक विकास क्षेत्र

जिला	क्र0स0	ग्राम
गौतमबुद्धनगर	38	असदुल्लापुर
तदैव	39	चकमगलौर
तदैव	40	दोस्तपुर
तदैव	41	दोस्तपुर खादर
तदैव	42	चक दादसियान
तदैव	43	याकूतपुर
तदैव	44	गुलावटी
तदैव	45	झाटटा
तदैव	46	बदौलीखादर
तदैव	47	बदौलीबांगर
तदैव	48	कम्बक्सपुर
तदैव	49	कोन्डलीखादर
तदैव	50	औरंगाबाद
तदैव	51	गढीसमस्तपुर
तदैव	52	मोमनाथल



तदैव	53	कौन्डली बांगर
तदैव	54	तिलवाडा
तदैव	55	हमीरपुर
तदैव	56	सिकन्दरपुर
तदैव	57	मोतीपुर

(बाबू राम)
प्रमुख सचिव

पृष्ठांकन संख्या-1730(1)/भाउ/18-10-97 तददिनांक


प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु।

प्रेषित:-

01. संयुक्त निदेशक मुद्रण एवं लेखन सामग्री/ऐशबाग लखनऊ को उक्त सूचना के अंग्रेजी अनुवाद की एक प्रति सहित प्रेषित कि अधिसूचना को आगामी अंक में प्रकाशित कराकर गजटकी 25 प्रतियां शासन को उपलब्ध कराई जाय।
- 2- अध्यक्ष नोएडा, गौतमबुद्धनगर ।
- 3- जिलाधिकारी गौतमबुद्धनगर ।

आज्ञा से,

(अवनीश कुमार अवस्थी)
विशेष सचिव



Uttar Pradesh Shasan
Grih (Police) Anubhag-6

IN pursuance of the provisions of clause (3) of Article 348 of the Constitution, the Governor is pleased to order the publication of the following English translation of notification no.6 /2020/52p/vi-pu-6-2020-01vividh /2020 dated January 13, 2020:


Notification

No. 6 /2020/ 52 p/vi-pu-6-2020-01vividh/ 2020
Lucknow : Dated January 13, 2020

In exercise of powers conferred under section 8 of the Code of Criminal Procedure 1973 (Act 2 of 1974), the Governor is pleased to declare that the areas of Lucknow (City) and GautamBudh Nagar districts shall be the Metropolitan Areas, from the date of publication of this notification in the Gazette.

By Order
Awanish Kumar Awasthi
Additional Chief Secretary

-
- 1- यह शासनादेश इलेक्ट्रानिकली जारी किया गया है, अतः इस पर हस्ताक्षर की आवश्यकता नहीं है।
 - 2- इस शासनादेश की प्रमाणिकता वेब साइट <http://shasanadesh.up.gov.in> से सत्यापित की जा सकती है।



Uttar Pradesh Shasan
Grih Police Anubhag-6

IN pursuance of the provisions of clause (3) of Article 348 of the Constitution, the Governor is pleased to order the publication of the following English translation of notification no.7/2020/53p/vi-pu-6-2020-01vividh/2020 dated 13, January 2020:

Notification

No. 7/2020/53 p/vi-pu-6-2020-01vividh/ 2020
Lucknow : Dated January 13, 2020


In exercise of the powers under section 20 of the Code of Criminal Procedure 1973 (Act No. 2 of 1974), the Governor is pleased to confer on the Commissioner of Police the powers of Executive Magistrate and Additional District Magistrate and with the powers of District Magistrate with respect to the Acts mentioned in the Schedule below.

Under section 21 of the said Act the Governor is further pleased to confer on the Joint Commissioner of Police, the Additional Commissioner of Police, the Deputy Commissioner of Police, the Additional Deputy Commissioner of Police and the Assistant Commissioner of police posted in Lucknow (City) and District GautamBudh Nagar the powers of executive magistrates for the purposes under sections 58, Chapter VIII and Chapter X of the Code of Criminal Procedure (Act 2 of 1974), till further orders.

Schedule

- 1) The Uttar Pradesh Control of Goonda Act, 1970
- 2) Poisons Act , 1919
- 3) Immoral Trafficking (Prevention) Act, 1956
- 4) Police (Incitement to Disaffection) Act, 1922

1- यह शासनादेश इलेक्ट्रानिकली जारी किया गया है, अतः इस पर हस्ताक्षर की आवश्यकता नहीं है।
2- इस शासनादेश की प्रमाणिकता वेब साइट <http://shasanadesh.up.gov.in> से सत्यापित की जा सकती है।



- 5) Prevention to Cruelty to Animals Act, 1960
- 6) Explosives Act, 1884
- 7) Prisons Act, 1894
- 8) Official Secrets Act, 1923
- 9) Foreigners Act, 1946
- 10) Unlawful Activities (Prevention) Act, 1967
- 11) Police Act, 1861
- 12) Uttar Pradesh Fire Services Act, 1944
- 13) Uttar Pradesh Fire prevention and Fire Safety Act, 2005
- 14) Uttar Pradesh Gangster and Anti-social Activities (Prevention) Act, 1986

By Order
Awanish Kumar Awasthi
Additional Chief Secretary

- 1- यह शासनादेश इलेक्ट्रानिकली जारी किया गया है, अतः इस पर हस्ताक्षर की आवश्यकता नहीं है।
- 2- इस शासनादेश की प्रमाणिकता वेब साइट <http://shasanadesh.up.gov.in> से सत्यापित की जा सकती है।



WARRANT REGISTER (Daily Report)

Page No.: 1

Treasury : G.H.NAGARI (700)

DATE: 20-JAN-2026

ROLL NO: 8478

VALID TILL: 02.09.2026


DIST NO: 188

OPERATOR: JOHNY KUMAR PAYMENT (45)

7626237697N


400000.00 Budget Through VEST 103010000

Plan Total :	0.00	Non-Plan Total :	400000.00
Grant Total :	400000.00		
051 GRANT AS ON DATE	0.00	Non-Plan :	400000.00
		Project Non-Plan :	21679250.00
		Project Plan :	0.00
		Expenditure Non-Plan :	16379709.00
		Expenditure Plan :	0.00
		Balance Non-Plan :	529541.00
		Balance Plan :	0.00



दिनांक 30.01.2026 को समय अपराहन: 12:00 बजे से कलेक्ट्रेट सभागार में आपदा प्रबंधन समिति एवं सिटी हीट बेव एक्शन प्लान(CHAP) तैयार कराने के संबंध में जिलाधिकारी महोदया की अध्यक्षता में आहूत बैठक में निम्नलिखित अधिकारियों द्वारा प्रतिभाग किया गया।

क्र०स०	नाम	पदनाम	मोबाईल नं०
1	श्री अतुल कुमार	अपर जिलाधिकारी वि०रा०	9870944876
2	श्री शिव प्रताप	जिला विकास अधिकारी	81216586667
3	डा० टीकम सिंह	डिप्टी सी०एम०ओ०	9650826925
4	श्री विक्रान्त	सी०ई०ओ० स्फेयर इण्डिया	9818666331
5	श्री राजेश निम	मैनेजर जी०एन०आई०डी०ए०	8130771146
6	श्री आर० पी० सिंह	जनरल मैनेजर नोएडा	9205691161
7	श्री एस० पी० सिंह	जनरल मैनेजर नोएडा	9910423145
8	श्री गौरव बंसल	पी०ई० सी०पी०एच० नोएडा	9717597708
9	श्री सुभम पुनडीर	मैनेजर प्रोजेक्ट यीडा	8126301208
10	श्री पी०सी० सैन	एस० एम० जल नोएडा	9205692573
11	श्री रोहिताश कुमार	ए०आर०एम नोएडा	8726005093
12	श्रीमती शालनी	ई०ओ० एन०पी०पी दादरी	8189077907
13	श्री मौहम्मद आमिर	ए०ई० जल निगम(आर)	7838204447
14	श्री अमित पाल	डिस्ट्रिक्ट कॉर्डिनेटर(आई०सी०टी०एस)	8218002477
15	श्री वैभव मिश्रा	ई०ई० हाईडल	7290055802
16	श्री योगेन्द्र चौरसिया	एफ०एस०ओ०	9935174061
17	श्रीमती रिचा शर्मा	ए०एच०आई--डी०एच०ओ	9259235906
18	श्री राजेश	टी० सी० एन० पी	9761622633
19	श्री गौरव सैनी	टी०सी० एन०पी० दनकौर	8307020718
20	श्री श्रवन कुमार	टी०सी० एन०पी बिलासपुर	7830521379



21	श्री सुयश पाण्डेय	ए०एल०सी	9559859312
22	श्री डा० अरुन कुमार	सी०वी०ओ०	9451013030
23	श्री अभिषेक शाही	एस०डी०एम० यीडा	8299399170
24	श्रीएस० चन्द्रा	जे० मैनेजर जीएनआईडीए	9999426666
25	डा० मिनाक्षी लोहीया	प्रो० कॉलिज बादलपुर	9891303105
26	श्री चारूल यादव	एस०डी०एम०(जे)	8532005065
27	श्री राहुल पंवार	बी०एस०ए०	8979777551
28	श्री ओमकार चतुर्वेदी	आपदा विशेषज्ञ	8145563077
29	श्री कुलदीप खन्ना	सी०आर०ए०	9873601706
30	श्री भारत भूषण		
31	श्री डा० श्वेता कुमार	डी०सी०एन० / सी०पी०	9560405045


बैठक में उपस्थित समस्त अधिकारियों को आपदा के बारे में जागरूक करते हुए बताया गया कि आपदा क्या है:-

आपदा-“से किसी क्षेत्र में प्राकृतिक या मानवकृत कारणों से या दुर्घटना या उपेक्षा से उद्भूत ऐसी कोई महाविपत्ति, अनिष्ट, विपत्ति या घोर घटना अभिप्रेत है जिसका प्ररिणाम जीवन की सारवान् हानि या मानवीय पीडाएं या संमत्ति का नुकसान और विनाश या पर्यावरण का नुकसान या अवक्रमण है और प्रकृति या परिमाण का है, जो प्रभावित क्षेत्र के समुदाय कि सामना करने की क्षमता से परे है।” अतः आपदा एक ऐसी चर्म घटना है जो प्राकृतिक या मानव जनित होती है जिसके द्वारा मानव, जीव जन्तु, सम्पत्ति तथा पादप समुदय को अपार क्षति होती है एवं उसका सामना समुदाय के अपने संसाधनो से नहीं किया जा सकता।

पूर्व में भी संबंधित विभागों को आपदा से बचाव एवं आवश्यक कार्यवाही किये जाने के सम्बन्ध में इस कार्यालय के पत्र सं० 988/आपदा/2025-26 दिनांक 2 दिसम्बर 2025 तथा कार्यालय के पत्र सं० 868/सी०आर०ए०आपदा/2025-26 दिनांक 03 सितम्बर 2025, कार्यालय के पत्र सं० 721/आपदा/2025-26 दिनांक 16 मई 2025, कार्यालय के पत्र सं० 860/आपदा/2025-26 दिनांक 01 सितम्बर 2025, कार्यालय के पत्र सं० 710/जि०आ०प्र०प्र०/2025-26 दिनांक 01 मई 2025, कार्यालय के पत्र सं० 635/सी०आर०ए०/2025-26 दिनांक 10 मार्च 2025, के द्वारा आवश्यक दिशा निर्देश दिये गये थे।

बैठक मे तीनों प्राधिकरणो से जनरल मैनेजर/मैनेजर स्तर के अधिकारियों द्वारा प्रतिभाग किया गया किसी भी वरिष्ठ अधिकारी /अपर मुख्य कार्यपालक अधिकारी/विशेष कार्यधिकारी द्वारा प्रतिभाग नहीं किया गया। इसके अतिरिक्त पुलिस विभाग से भी किसी अधिकारी द्वारा प्रतिभाग नहीं किया गया। मुख्य चिक्वितसा अधिकारी उपस्थित नहीं हुए मुख्य अग्निशमन अधिकारी स्वयं उपस्थित नहीं हुए। जिला उद्ययान अधिकारी स्वयं उपस्थित नहीं हुए। उप श्रमायुक्त स्वयं उपस्थित नहीं हुए। अधिशासी अधिकारी नगर पंचायत दनकौर, बिलासपुर, रबुपुरा, जहांगीरपुर, जेवर स्वयं उपस्थित नहीं हुए जिनके विरुद्ध के अन्तर्गत पर्थक से कार्यवाही की जायेगी तथा अनुपस्थिति के सम्बन्ध में स्पष्टीकरण जारी किया जायेगा।

अधोहस्ताक्षरी द्वारा बैठक के प्रारम्भ में कोल्ड वेव (शीतलहरी) में राहत एवं बचाव कार्यों पर चर्चा की गई जनपद गौतमबुद्धनगर एक औद्योगिक नगरी है जहां पर अत्यधिक श्रमिक काम करने हेतु बाहर से आते



21	श्री सुयश पाण्डेय	ए0एल0सी	9559850312
22	श्री डा0 अरून कुमार	सी0वी0ओ0	9451013030
23	श्री अभिषेक शाही	एस0डी0एम0 यीडा	8299399170
24	श्रीएस0 चन्द्रा	जे0 मैनेजर जीएनआईडीए	9999426666
25	डा0 मिनाक्षी लोहीया	प्रो0 कॉलिज बादलपुर	9891303105
26	श्री चारूल यादव	एस0डी0एम(जे)	8532005065
27	श्री राहुल पंवार	बी0एस0ए0	8979777551
28	श्री ओमकार चतुर्वेदी	आपदा विशेषज्ञ	8145563077
29	श्री कुलदीप खन्ना	सी0आर0ए0	9873601706
30	श्री भारत भूषण		
31	श्री डा0 श्वेता कुमार	डी0सी0एन0 / सी0पी0	9560405045


बैठक में उपस्थित समस्त अधिकारियों को आपदा के बारे में जागरूक करते हुए बताया गया कि आपदा क्या है:-

आपदा-“से किसी क्षेत्र में प्राकृतिक या मानवकृत कारणों से या दुर्घटना या उपेक्षा से उद्भूत ऐसी कोई महाविपत्ति, अनिष्ट, विपत्ति या घोर घटना अभिप्रेत है जिसका प्ररिणाम जीवन की सारवान् हानि या मानवीय पीडाएं या संमत्ति का नुकसान और विनाश या पर्यावरण का नुकसान या अवक्रमण है और प्रकृति या परिमाण का है, जो प्रभावित क्षेत्र के समुदाय कि सामना करने की क्षमता से परे है।” अतः आपदा एक ऐसी चर्म घटना है जो प्राकृतिक या मानव जनित होती है जिसके द्वारा मानव, जीव जन्तु, सम्पत्ति तथा पादप समुदाय को अपार क्षति होती है एवं उसका सामना समुदाय के अपने संसाधनो से नहीं किया जा सकता।

पूर्व में भी संबंधित विभागों को आपदा से बचाव एवं आवश्यक कार्यवाही किये जाने के सम्बन्ध में इस कार्यालय के पत्र सं0 988/आपदा/2025-26 दिनांक 2 दिसम्बर 2025 तथा कार्यालय के पत्र सं0 868/सी0आर0ए0आपदा/2025-26 दिनांक 03 सितम्बर 2025, कार्यालय के पत्र सं0 721/आपदा/2025-26 दिनांक 16 मई 2025, कार्यालय के पत्र सं0 860/आपदा/2025-26 दिनांक 01 सितम्बर 2025, कार्यालय के पत्र सं0 710/जि0आ0प्र0प्र0/2025-26 दिनांक 01 मई 2025, कार्यालय के पत्र सं0 635/सी0आर0ए0/2025-26 दिनांक 10 मार्च 2025, के द्वारा आवश्यक दिशा निर्देश दिये गये थे।

बैठक मे तीनों प्राधिकरणो से जनरल मैनेजर/मैनेजर स्तर के अधिकारियों द्वारा प्रतिभाग किया गया किसी भी वरिष्ठ अधिकारी /अपर मुख्य कार्यपालक अधिकारी/विशेष कार्याधिकारी द्वारा प्रतिभाग नहीं किया गया। इसके अतिरिक्त पुलिस विभाग से भी किसी अधिकारी द्वारा प्रतिभाग नहीं किया गया। मुख्य चिकित्सा अधिकारी उपस्थित नहीं हुए मुख्य अग्निशमन अधिकारी स्वयं उपस्थित नहीं हुए। जिला उद्ययान अधिकारी स्वयं उपस्थित नहीं हुए। उप श्रमायुक्त स्वयं उपस्थित नहीं हुए। अधिशासी अधिकारी नगर पंचायत दनकौर, बिलासपुर, रबुपुरा, जहांगीरपुर, जेवर स्वयं उपस्थित नहीं हुए जिनके विरुद्ध के अर्न्तगत पर्यक से कार्यवाही की जायेगी तथा अनुपस्थिति के सम्बन्ध में स्पष्टीकरण जारी किया जायेगा।

अधोहस्ताक्षरी द्वारा बैठक के प्रारम्भ में कोल्ड वेव (शीतलहरी) में राहत एवं बचाव कार्यों पर चर्चा की गई जनपद गौतमबुद्धनगर एक औद्योगिक नगरी है जहां पर अत्यधिक श्रमिक काम करने हेतु बाहर से आते



हैं जिसके दृष्टिगत प्रयाप्त संख्या में रैन बसेरों तथा अलाव की व्यवस्था होना अति आवश्यक है। जनपद में संचालित रैन बसेरों में साफ-सफाई, शुद्ध पेयजल की व्यवस्था, प्रकाश एवं सही तापमान रखने की व्यवस्था करना, अपने-अपने क्षेत्रों में संबंधित प्राधिकरण, नगर पालिका एवं नगर पंचायत तथा ग्राम विकास विभाग की जिम्मेदारी है। इसके अतिरिक्त नोएडा विकास प्राधिकरण/ग्रेटर विकास प्राधिकरण/यमुना एक्सप्रेसवे प्राधिकरण एवं पुलिस विभाग की संयुक्त जिम्मेदारी है कि वह रात्रि भ्रमण हेतु ऐसी टीम बनाये जो खुले में सो रहे व्यक्तियों को रैन बसेरों में लेकर जाये। दोनों विभाग टीम बनाकर उसकी एक प्रति उप अधोहस्ताक्षरी को तत्काल प्रस्तुत करें एवं उप जिलाधिकारी अपने पर्यवेक्षण में उपरोक्त कार्य को सम्पन्न करायें। (कार्यवाही यमुना प्राधिकरण/ग्रेटर नोएडा/नोएडा विकास प्राधिकरण/पुलिस विभाग/उप जिलाधिकारी)


उपरोक्त के अतिरिक्त यह भी निर्देश दिये गये कि नोएडा विकास प्राधिकरण/ग्रेटर विकास प्राधिकरण/यमुना एक्सप्रेसवे प्राधिकरण यह भी सुनिश्चित कराये कि जिला गौतमबुद्धनगर में समस्त बहुमंजिला इमारतों की अग्नि सुरक्षा के मानकों पर जाँच कर ली जाये एवं जो भी बहुमंजिला इमारत उपरोक्त मानकों के अनुरूप नहीं है उनके विरुद्ध तत्काल वेधानिक कार्यवाही की जाये, इसी प्रकार उप निदेशक कारखाना तथा मुख्य अग्निशमन अधिकारी को निर्देशित किया जाता है कि जनपद के समस्त मैजर एक्सीडेंट हार्ड एवं हर्जालियस कारखानों की जाँच कर ली जाये तथा मानकों का अनुपालन सुनिश्चित कराया जाये। अग्निशमन विभाग यह सुनिश्चित करें कि प्रत्येक बहुमंजिला इमारतों में अग्निकाण्ड की घटनाओं से बचाव हेतु घटनाओं को रोकने के लिए हर आवश्यक उपकरण होना चाहिए।

1. सड़कों की मरम्मत व अन्य कार्य- सड़कों में बने गडकों का मरम्मत कार्य तत्काल पूर्ण कराया जाये। साथ ही डिवाइडर की मरम्मत एवं मानक के अनुसार उनका रंग-रोगन का कार्य पूर्ण हो। विभिन्न प्रकार की सड़क की सतह का अंकन (Road Surface Marking), गतिरोधक, जैब्रा क्रॉसिंग आदि पर पेन्टिंग का कार्य, निर्धारित मानक के अनुसार सुनिश्चित हो। यह भी सुनिश्चित किया जाये कि जनपद में कहीं भी जलभराव की स्थिति न हो। अति संवेदनीय/दुर्घटना बाहुल्य क्षेत्र/तीखे मोड़, जहाँ पर प्रायः दुर्घटनायें होती हैं, को सूचीबद्ध कर दुर्घटना अवरोधक/रक्षात्मक कार्य पूर्ण कराना सुनिश्चित करें। जनपद में विभिन्न विकास परियोजनायें संचालित हैं, जिस हेतु अनेक स्थानों पर गडडे खोदने व सड़क आदि का निर्माण किया जा रहा है। उक्त स्थलों पर Road Reflector/Radium Sticker इत्यादि अन्य सुरक्षात्मक कार्य तत्काल पूर्ण कराया जाना सुनिश्चित किया जाये। (कार्यवाही- समस्त नगर पालिका व नगर पंचायत/लोक निर्माण विभाग/ग्रामीण अभियंत्रण /एन0एच0ए0आई0/जिला पंचायत/एक्सप्रेसवे/ नोएडा/ग्रेटर नोएडा/यमुना एक्सप्रेसवे विकास प्राधिकरण।)

2. प्रकाश बिन्दुओं की मरम्मत- प्रमुख मार्गों/सड़कों व मौहल्लों में स्थापित प्रकाश बिन्दुओं, जो कि खराब व क्षतिग्रस्त हैं, उन्हें तत्काल ठीक करायें। साथ ही निर्धारित समयानुसार उनके चालू एवं बंद होने का कार्य सुनिश्चित करें। (कार्यवाही- समस्त नगर पालिका व नगर पंचायत /नोएडा पॉवर कॉरपोरेशन लिमिटेड/ नोएडा/ग्रेटर नोएडा/ यमुना एक्सप्रेसवे विकास प्राधिकरण।)

3. वाहनों पर चेतावनी स्टीकर (रेडियम):- समस्त वाहनों पर नारंगी रंग का चेतावनी स्टीकर (रेडियम) लगवाना सुनिश्चित करें, जिससे कि वाहनों के मध्य उचित दूरी बनाये रखने तथा अस्पतालों, बस, स्टेशन, बाजारों जैसे भीड़भाड़ वाले सार्वजनिक स्थानों पर फेस मास्क लगाये जाने के लिए जागरूक करना तथा शीत लहरी के दौरान दुर्घटनाओं को न्यून किये जाने हेतु यातायात नियमों को पालन कराने के लिए चालान स्थाई समाधान नहीं है। हमें जागरूकता पर बल देना होगा। इसी प्रकार शीतलहरी के दौरान यह भी सुनिश्चित किया जाये कि कोई व्यक्ति सड़क आदि पर सोता हुआ नहीं पाया जाये। हर जरूरत मदों के लिए रैन बसों की सुविधा उपलब्ध करायी गयी है। (कार्यवाही-पुलिस/यातायात/उ00प्र0 राज्य सड़क परिवहन निगम/ए0आर0टी0ओ0/ नोएडा/ग्रेटर नोएडा/यमुना एक्सप्रेसवे विकास प्राधिकरण।)

4. अलाव व कंबल की व्यवस्था:- शासन के सहयोग से महत्वपूर्ण सार्वजनिक स्थलों पर अलाव जलाने की व्यवस्था की जानी है। ऐसे स्थलों को चिन्हित कर सूचीबद्ध कर लें। साथ ही अपने कार्यक्षेत्र में लेखपाल/ग्राम विकास अधिकारी/सुपरवाइजर के माध्यम से स्वैच्छिक संगठनों व अलाव जलवाने तथा जनप्रतिनिधियों के माध्यम से भी निराश्रितों को कंबल वितरण करना सुनिश्चित करें तथा शीतलहरी के



दौरान होने वाली ठण्ड से लोगों को बचाव आदि के सम्बन्ध में भी जागरूक किया जायें। (कार्यवाही-समस्त नगर पालिका व नगर पंचायत/समस्त उप जिलाधिकारी/समस्त खंड विकास अधिकारी/नोएडा/ग्रेटर नोएडा/यमुना एक्सप्रेसवे विकास प्राधिकरण।)


5. रैन बसेरों की सफाई एवं आवश्यक संसाधन:- विभाग द्वारा संचालित रैन बसेरों की सफाई एवं आवश्यक संसाधनों तथा शौचालयों, विद्युत आपूर्ति, जलापूर्ति, पेयजल, कंबल, चादर, तकिया, गद्दा आदि अन्य आवश्यक व्यवस्थायें कराना सुनिश्चित करें। समस्त रैन बसेरे में साफ-सफाई, सैनिटाइजेशन आदि कराया जाये सभी कार्य गुणवत्तापूर्वक ढंग से 24 x 7 क्रियाशील रहें। समस्त रैन बसेना में नोडल अधिकारी की ड्यूटी लगाया जाए जिसकी सुचना मोबाइल नम्बर के साथ कार्यालय में भेजें। प्रत्येक दिवस आपदा प्रहरी ऐप में रैन बसेरा और अलाव संबंधी सुचना अपडेट किया जाये। हर जरूरत मंद लोगों को कम्बल वितरित किये जाने हेतु अपनी अधिनस्थ कर्मचारी को जिम्मेदारी दी जाए तथा कोई भी व्यक्ति सडक में सोता हुआ नजर ना आये। (कार्यवाही-तहसील /समस्त नगर पालिका व नगर पंचायत/नोएडा/ग्रेटर नोएडा/यमुना एक्सप्रेसवे विकास प्राधिकरण।)

6. अग्निकाण्ड:- प्रायः ग्रामीण आंचल में ग्रामीणों द्वारा जलाये जाने वाले अलाव को ठीक ढंग से न बुझाये जाने के कारण अग्निकांड की घटनायें घटित हो जाती है। उक्त के दृष्टिगत अग्निशमन विभाग द्वारा मुख्यालय व तहसीलों में स्थापित उपकेन्द्रों को आवश्यक संसाधनों सहित 24 x 7 क्रियाशील रखा जाये। साथ ही लेखपाल/ग्राम विकास अधिकारी के माध्यम से ग्राम स्तर पर बैठक आयोजित कर अग्निकांड से बचाव हेतु नागरिकों को प्रेरित करें। अधोहस्ताक्षरी द्वारा जनपद के विभिन्न कारखाने, अस्पतालों, शिक्षण संस्थानों, समस्त मॉल, रेजिडेंशियल सोसायटी, समस्त होटल एवं रेस्टोरेन्ट आदि में अग्नि से बचाव हेतु मुख्य अग्निशमन अधिकारी को निर्देशित किया कि जनपद के समस्त मॉल में अग्निशमन यंत्र की जांच करा ली जाए एवं हॉस्पिटलों में भी अग्निशमन यंत्र कार्यशील है कि नहीं इसकी जांच रिपोर्ट प्रस्तुत करें। उन्होंने यह भी निर्देश दिये कि जनपद के समस्त कारखाने, शिक्षण संस्थानों, मॉल, हॉस्पिटल में अग्नि कांड की दृष्टिगत सुरक्षा को लेकर सभी व्यवस्थाओं को सुदृढ़ रखा जाये। जो भी कारखाना आदी में सुरक्षा व्यवस्था को लेके कोई भी कमी पायी जाने पर उसपे तुरंत कार्यावाही करना सुनिश्चित करें। (कार्यवाही-पुलिस/अग्निशमन विभाग/समस्त उप जिलाधिकारी/समस्त खंड विकास अधिकारी/नोएडा/ग्रेटर नोएडा/उप निदेशक कारखाना यमुना एक्सप्रेसवे विकास प्राधिकरण।)

7. गौशाला का चिन्हिकरण-बीमारी से बचाव:- गौशाला को चिन्हित करके पशुओं के लिए अलाव एवं आवश्यक सामग्री की व्यवस्था कर सुचना प्रेषित करना सुनिश्चित करें शीतलहर में प्रायः पशुओं में विशेषकर उनके बछड़ों को निमोनिया, डायरिया इत्यादि तथा टीकाकरण न होने के कारण खुरपका, मुंहपका आदि बीमारी होने की संभावना बनी रहती है। पशुओं को सुरक्षित रखने हेतु टीकाकरण का कार्य नियमित रूप से संचालित किया जाये। साथ ही पशु केन्द्रों पर आवश्यक दवाईयों का भंडारण सुनिश्चित हो। पशु चिकित्सकों के माध्यम से ग्रामीणों को पशु की सुरक्षा एवं शीतलहर से बचाव हेतु जागरूक किया जाये। (कार्यवाही-(मुख्य पशुचिकित्साधिकारी/पुलिस/अग्निशमन विभाग/समस्त उप जिलाधिकारी/समस्त खंड विकास अधिकारी/नोएडा/ग्रेटर नोएडा/यमुना एक्सप्रेसवे विकास प्राधिकरण।)

8. विद्यार्थियों को जागरूक किया जाना:- जनपद के समस्त विद्यालयों को शिक्षकों के माध्यम से ठंड से बचाव के सम्बन्ध में फेस मास्क, सैनिटाइजेशन आदि के लिए जाने वाले उपायों, खान-पान विषय में प्रशिक्षित व जागरूक किया जाये। साथ सडक दुर्घटना के सम्बन्ध में बेसिक और माध्यमिक स्कूलों में बच्चों को यातायात/ट्रैफिक के नियमों के सम्बन्ध में जागरूक करने के लिए कार्यक्रम संचालित किए जाये तथा उक्त जानकारी पोस्टर इत्यादि के माध्यम से भी प्रदर्शित किया जाये। विद्यालयों में युनिफर्म कोड तय कर लें। (कार्यवाही-जिला विद्यालय निरीक्षक/जिला बेसिक शिक्षा अधिकारी/नोएडा/ग्रेटर नोएडा/यमुना एक्सप्रेसवे विकास प्राधिकरण।)

09. चिकित्सा सुविधाएं एवं आपातकालीन सेवायें:- घने कोहरे आदि के कारण घटित होने वाली सडक दुर्घटनाओं में घायल व्यक्तियों के त्वरित बचाव एवं उपचार हेतु यह आवश्यक है कि जिला व ब्लॉक स्तर पर स्थापित स्वास्थ्य केन्द्रों एवं निजी चिकित्सालयों में बेड आरक्षित कर लिये जायें। साथ ही आवश्यक दवाईयों का भंडारण व चिकित्सकों की उपलब्धता 24 x 7 सुनिश्चित की जाये। रैपिड रेस्पान्स टीम को



क्रियाशील किया जाये। सरकारी व गैर सरकारी एम्बुलेन्सों को सूचीबद्ध करते हुये आवश्यकता सामग्री उपलब्ध कराना सुनिश्चित करें। (कार्यवाही-समस्त उप जिलाधिकारी/पुलिस/मुख्य चिकित्साधिकारी/नोएडा/ग्रेटर नोएडा/यमुना एक्सप्रेसवे विकास प्राधिकरण।)

10.लेवर चौराहा का निरीक्षण:- प्रत्येक लेवर चौराहा का निरीक्षण कर उनके लिए वैकल्पिक व्यवस्था करना एवं प्रत्येक लेवर चौराहा पर श्रम विभाग के एक एक अधिकारी का ड्यूटी लगवाया जाए एवं संबंधित तहसीलदार से समन्वय कर उन्हें कम्बल वितरित की जाए।(कार्यवाही-श्रमायुक्त/उपनिदेशक कारखाना/नोएडा/ग्रेटर नोएडा/यमुना एक्सप्रेसवे विकास प्राधिकरण।)

11.कोटेदार द्वारा गरीब असहाय लोगो का लिस्ट-गांव/क्षेत्र के गरीब असहाय लोगो को चिन्हित कर संबंधित तहसीलदार से समन्वय कर कम्बल वितरण कि जाए (जिला पुर्ति अधिकारी/उपजिलाधिकारी)

उपरोक्त के अतिरिक्त बैठक में उपस्थित अधिकारीगणों से जनपद गौतमबुद्धनगर के सिटी हीट वेव प्लान (CHAP) तैयार कराने के सम्बन्ध में निम्नलिखित निर्देश निर्गत किये गये:-

1-स्वास्थ्य विभाग, गौतमबुद्धनगर।

जनपद गौतमबुद्धनगर में कुल 42 सामुदायिक/प्राथमिक स्वास्थ्य केन्द्र है। सम्भावित सूखे की स्थिति में उत्पन्न होने वाली बीमारियों तथा स्वास्थ्य सम्बन्धी समस्याओं के नियन्त्रण हेतु जागरूक रहना तथा संक्रामक रोगों की रोक थाम के लिए प्रभावित क्षेत्रों में चिकित्सा की पर्याप्त व्यवस्था सुनिश्चित किया जाना आवश्यक है। सूखा प्रभावित क्षेत्रों में ऐसी व्यवस्था की जानी चाहिए कि राहत सामग्री के साथ-साथ दवाओं का भी वितरण होता रहे।

मुख्य चिकित्साधिकारी कृपया क्षेत्रों में आवश्यक व्यवस्था सुनिश्चित करें तथा यह भी सुनिश्चित करे कि चिकित्सक समय से प्राथमिक/सामुदायिक स्वास्थ्य केन्द्रों पर उपस्थित रहकर इलाज सुनिश्चित करें तथा समस्त प्राथमिक/सामुदायिक स्वास्थ्य केन्द्रों पर 24 घंटे चिकित्सकों तथा पर्याप्त मात्रा में दवाओं की उपलब्धता सुनिश्चित करें। अपने यहां से एक नोडल नामित कर का नाम, पदनाम, और नम्बर भेजे जिससे समय समय पर समन्वय किया जा सके।

- जन जागरूकता के लिए प्रशिक्षण कार्यक्रम चलाना एवं ग्रामीण स्तर के कार्यकर्ताओं को अलर्ट जारी करना हीट-वेव के सम्बन्ध में।
- सन स्ट्रोक से बचाव के लिए जन सूचना जारी करने के साथ-साथ आपातकालीन स्थिति के लिए अतिरिक्त कर्मचारियों को तैनात करना।
- 108/102 व अन्य आपातकालीन सेवाएं सक्रिय करना।
- अस्पतालों एवं हेल्प सेंटर्स में पावर सप्लाय की व्यवस्था सुनिश्चित किए जाये।
- सभी अस्पतालों/पी.एच.सी./सी.एच.सी. में ओ.आर.एस. और तरल पदार्थ के पर्याप्त स्टॉक की व्यवस्था कराना।
- प्राथमिक स्वास्थ्य केंद्र/सामुदायिक स्वास्थ्य केंद्रों एवं जिला अस्पताल पर आवश्यक दवाईयां उपलब्ध हों तथा स्वास्थ्य केंद्रों को हीट-वेव से किसी भी प्रकार की घटना होने पर 24X7 क्रियाशील रहने हेतु निर्देशित किया जाये।

(कार्यवाही-मुख्य

चिकित्साधिकारी, गौतमबुद्धनगर)

2-परिवहन विभाग, गौतमबुद्धनगर।


1. बस स्टैंडों और अन्य सार्वजनिक स्थानों पर सुरक्षित परिवहन के लिए स्वास्थ्य टीमों की तैयारी एवं पीने के पानी तथा यात्रियों के लिए लू से बचाव की उचित व्यवस्था कराना।

- बस स्टैंडों पर यात्रियों के लिए छाया एवं पेयजल की व्यवस्था करना।

(कार्यवाही -सहायक क्षेत्रीय प्रबंधक रोडवेज, गौतमबुद्धनगर डिपो, गौतमबुद्धनगर, नोएडा/ग्रेटर नोएडा/यमुना एक्सप्रेसवे विकास प्राधिकरण।)

3-पशुपालन विभाग, गौतमबुद्धनगर।

- मवेशियों की सुरक्षा के लिए हीट वेव एक्शन प्लान की तैयारी, कार्यान्वयन और समीक्षा करना।



- गर्मी की स्थितियों के दौरान पशु प्रबंधन पर पशुधन के किसानों के बीच जागरूकता लाने के लिए पोस्टर प्रकाशित करना।
- क्षेत्रीय कर्मचारियों और गौपालों को सक्रिय करें।
- सार्वजनिक स्थानों में लू से बचाव के लिए पशु प्रबंधन पर उपायों को पोस्टर के माध्यम से प्रकाशित करना।
- मवेशियों के लिए पीने के पानी की उचित व्यवस्था करना।
- पशुओं को सुरक्षित रखने हेतु टीकाकरण का कार्य नियमित रूप से संचालित किया जाये साथ ही पशु केन्द्रों पर आवश्यक दवाओं का भण्डारण सुनिश्चित हो तथा पशु चिकित्सकों के माध्यम से ग्रामीणों को पशुओं की सुरक्षा एवं लू से बचाव हेतु जागरूक किया जाये। (कार्यवाही-मुख्य पशु चिकित्साधिकारी, गौतमबुद्धनगर, नोएडा/ग्रेटर नोएडा/यमुना एक्सप्रेसवे विकास प्राधिकरण।)

4-सूचना प्रौद्योगिकी विभाग, गौतमबुद्धनगर।

- गर्मी से संबंधित बीमारियों पर जन जागरूकता, सोशल मीडिया (फेसबुक, ट्विटर और व्हाट्सएप) व दैनिक समाचार पत्रों के माध्यम से हीट वेव/लू से बचाव का व्यापक प्रचार प्रसार करना।
- हीट वेव/लू से बचाव हेतु क्या करें, क्या ना करें की एडवार्जरी का व्यापक प्रचार प्रसार करना। (कार्यवाही- जिला सूचना अधिकारी, गौतमबुद्धनगर)

5-मनरेगा विभाग, गौतमबुद्धनगर।

- महात्मा गांधी राष्ट्रीय ग्रामीण रोजगार गारंटी अधिनियम के अंतर्गत काम करने वाले मजदूरों के लिए समय (12:00 से 03:00 बजे) हीट वेव/लू से बचाव हेतु आवश्यक व्यवस्था करना।
- कार्य करने के स्थान पर पेयजल और छाया की व्यवस्था करना।
- सार्वजनिक स्थलों पर पेयजल की समुचित व्यवस्था किए जाये।
- श्रमिकों/कामगारों के कार्य घंटों में परिवर्तन किए जाये। (कार्यवाही-उपायुक्त मनरेगा/उपभ्रमायुक्त, गौतमबुद्धनगर)

6-वन विभाग, गौतमबुद्धनगर।

- पब्लिक प्लेस/सार्वजनिक स्थानों में उचित वनीकरण करना।
- जंगल क्षेत्र में आग से बचाव के लिए उचित व्यवस्था करना एवं निरंतर निगरानी बनाये रखना।
- वन क्षेत्र में जानवरों एवं पक्षियों के लिए तालाब एवं पानी के स्रोतों का उचित प्रबंधन करना।
- सार्वजनिक स्थलों पर पेयजल की समुचित व्यवस्था किए जाये। (कार्यवाही-प्रभागीय वनाधिकारी, गौतमबुद्धनगर)

7-अग्निशमन विभाग, गौतमबुद्धनगर।

विगत वर्ष गर्मी के माह में जनपद में बहुत ज्यादा अग्निकांड हुवी है जसे हमे न्यून करने हेतू इस वर्ष आवश्यक कार्य पहले से करना प्रारंभ कर देना चाहिए । मुख्य अग्निशमन अधिकारी गौतमबुद्धनगर को निर्देशित किया जाता है कि वे अग्निशमन से सम्बन्धित समस्त उपकरण को क्रियाशील दशा में रखें और नगरीय एवं ग्रामीण क्षेत्रों में फायर हाइड्रैण्टों की जांच करले तथा उसे क्रियाशील स्थिति में करना सुनिश्चित करेंगे। मुख्य अग्निशमन अधिकारी एवं तहसीलों में स्थापित अग्निशमन केन्द्रों में समस्त तैयारियों को पूर्ण कराया जाये, जिससे किसी अग्नि काण्ड की सूचना प्राप्त होने पर तत्काल आग बुझाने की व्यवस्था सुनिश्चित की जाए तथा प्रत्येक तहसीलों के नजदीक के थानों में आग बुझाने हेतु वाहन उपलब्ध रखा जाए ताकि ग्रामीण क्षेत्र में हुई अग्निकाण्ड को शीघ्र कन्ट्रोल किया जा सके।

- लू के दृष्टिगत अग्निशमन विभाग द्वारा मुख्यालय एवं तहसीलों में स्थापित उप केन्द्रों को आवश्यक संसाधनों सहित 24x7 क्रियाशील रखा जाये तथा अग्नि से बचाव हेतु नागरिकों को जागरूक करें।

(Handwritten signature)



- लू के दृष्टिगत अग्निशमन विभाग की जनपद एवं तहसील व समस्त उपकेन्द्रों पर पूर्ण विवरण सहित तथा संबंधित जिम्मेदार अधिकारी/कर्मचारी का विवरण आपदा कार्यवाही को उपलब्ध कराना।
- आम-जनमानस द्वारा दी जाने वाली सूचना हेतु समस्त उपकेन्द्रों पर स्थापित टोल फ्री नंबरों के प्रसार प्रसार एवं अद्यतन कराना।

8-शिक्षा विभाग, गौतमबुद्धनगर।

- छात्र/छात्राओं को जलवायु परिवर्तन के कारण हो रहे मौसम (गर्मी) में बदलाव के कारण हीट वेव से होने वाले नुकसान व बचाव के बारे में बताया जाए।
 - छात्र/छात्राओं हेतु पेयजल तथा विद्यालयों में पावर सप्लाय व परखें आदि की व्यवस्था की व्यवस्था कराना।
- (कार्यवाही -जिला विद्यालय निरीक्षक/बेसिक शिक्षा अधिकारी, गौतमबुद्धनगर)

9-नगर निकाय, गौतमबुद्धनगर।

- मंदिरों/लोक भवन/मॉल में कुलिंग सेंटर संचालित किए जाये।
 - नगरीय क्षेत्रों के सब्जी मण्डी/चौराहो व सार्वजनिक स्थलों पर शीतल जल की समुचित व्यवस्था तथा नगर के दूर-दराज क्षेत्रों में पानी आदि की व्यवस्था सुनिश्चित कराना।
 - आवश्यकतानुसार विभिन्न नगरीय क्षेत्रों/स्थलों पर (जहां छाया हो/लोगों का ठहराव होता हो) आदि का चिन्हाकरण करते हुये विभिन्न स्थलों पर प्याऊ (गिलास सहित) आदि का व्यवस्था कराना।
- (कार्यवाही -नगरपालिका/नगर पंचायत, गौतमबुद्धनगर)

10-पंचायती राज विभाग गौतमबुद्धनगर।


- ग्रामीण क्षेत्रों के सार्वजनिक स्थलों, चौराहो व आवश्यकतानुसार संबंधित ग्रामों में पानी की टंकी/टैंकरो आदि की व्यवस्था कराना सुनिश्चित करायें।
 - आवश्यकतानुसार विभिन्न ग्रामीण क्षेत्रों/स्थलों पर (जहां छाया हो/लोगों का ठहराव होता हो) आदि का चिन्हाकरण करते हुये विभिन्न स्थलों पर प्याउ (गिलास सहित) आदि का व्यवस्था कराना।
- (कार्यवाही -जिला पंचायतराज अधिकारी, गौतमबुद्धनगर)

11-विद्युत विभाग, गौतमबुद्धनगर।

- शहरी व ग्रामीण क्षेत्रों में दूटे हुए बिजली के खंभों आदि को सुदृढ़ करना व क्षेत्रों में समय-समय पर रोस्टर के आधार पर बिजली आपूर्ति सुनिश्चित करना।
 - जनमानस द्वारा दी गई सूचना के आधार पर यदि किसी कारण से बिजली आपूर्ति ठप हो जाए उन क्षेत्रों में यथाशिघ्र बिजली आपूर्ति व्यवस्था कराना सुनिश्चित करें।
- (कार्यवाही -अधिसासी अभियंता विद्युत वितरण खंड गौतमबुद्धनगर)

12-पुलिस पैट्रोलिंग एवं सुरक्षा व्यवस्था।

सूखे की स्थिति उत्पन्न होने पर नहर कटिंग की काफी समस्याएं उत्पन्न होने लगती हैं जिससे शान्ति-व्यवस्था पर भी प्रतिकूल प्रभाव पड़ता है। वरिष्ठ पुलिस अधीक्षक, गौतमबुद्धनगरसूखे से प्रभावित क्षेत्रों में पर्याप्त मात्रा में पुलिस बल एवं होमगार्ड का प्रबन्ध सुनिश्चित करेंगे तथा नहर कटिंग करने वाले व्यक्तियों के विरुद्ध कठोर से कठोर दण्डात्मक कार्यवाही सुनिश्चित करने तथा सूखे से प्रभावित व्यक्तियों की जान-माल की सुरक्षा के सम्बन्ध में समस्त थानाध्यक्षों को अपने स्तर से आवश्यक दिशा-निर्देश निर्गत करेंगे। सम्बन्धित पुलिस क्षेत्राधिकारी इस व्यवस्था के लिए अपने-अपने क्षेत्र के प्रभारी होंगे और पुलिस



कार्यवाही एवं होमगार्ड्स की उपलब्धता सूखे से प्रभावित ग्रामों में किया जाने का फैसला करेगा।
 पुलिस विभाग गौतमबुद्धनगर)

13- पेयजल की व्यवस्था।

सूखा की समस्या उत्पन्न होने पर सबसे अधिक मनुष्यों/पशुओं में पेयजल की समस्या उत्पन्न होती है, क्योंकि सूखा की स्थिति उत्पन्न होने पर तालाब/पोखर व कुओं आदि सूख जाते हैं तथा जो थोड़ा बहुत पानी शेष रहता है उसके दूषित होने की आशंका बहुत अधिक होती है। दूषित पानी से संक्रामक रोगों के फैलने की आशंका भी बढ़ जाती है। पेयजल की शुद्धता सुनिश्चित करने हेतु मुख्य चिकित्साधिकारी आवश्यक व्यवस्था सुनिश्चित करेंगे।

पशुओं के पेयजल की व्यवस्था हेतु सूखे तालाबों/पोखरों को नहरों/राजकीय नलकूपों से भरवाए जाने हेतु उप जिलाधिकारियों अपनी अपनी तहसीलों में उपरोक्तानुसार कार्यवाही करना सुनिश्चित करें। ग्रीष्म ऋतु में जिन ग्रामों में पेयजल की आपूर्ति टैंकर से सुनिश्चित की जाएगी, उन ग्रामों में आपूर्ति हेतु निम्नलिखित बिन्दुओं पर विशेष ध्यान दिया जाए:-


- 1- जिन-जिन ग्रामों में पेयजल की गम्भीर समस्या होगी, उन ग्रामों को तहसील स्तर पर चिन्हित कर लिया जाएगा तथा सम्बन्धित उप जिलाधिकारी/तहसीलदार ऐसे समस्त ग्रामों का स्वयं निरीक्षण करके यह सुनिश्चित करेंगे कि उक्त ग्राम में टैंकर से पेयजल की आपूर्ति आवश्यक है अथवा नहीं ?
- 2- जिन ग्रामों में टैंकर से पेयजल की आपूर्ति की जानी है, उस ग्राम सभा से उप जिलाधिकारी/तहसीलदार स्वयं ट्रेक्टर/टैंकर निःशुल्क प्राप्त करने का प्रयास करेंगे और यदि ग्राम सभा किन्हीं कारणों से ट्रेक्टर उपलब्ध कराने में असमर्थ है तो आस-पास की ग्राम सभाओं/स्वयं सेवी संस्थाओं/संगठनों से ट्रेक्टर प्राप्त करने का प्रयास करेंगे और यदि फिर भी ट्रेक्टर उपलब्ध न हो पाए तो ट्रेक्टर किराए पर लेकर प्रभावित ग्राम में प्राथमिकता के आधार पर पेयजल आपूर्ति सुनिश्चित की जाए।
- 3- जिन ग्रामों में टैंकर से पेयजल की आपूर्ति की जाएगी, उसकी सूचना प्रतिदिन वायरलेस/दूरभाष, व्हाटसेप, ई-मेल एवं विशेष पत्र वाहक के माध्यम से अधोहस्ताक्षरी/अपर जिलाधिकारी(वि०/रा०) गौतमबुद्धनगर को उपलब्ध कराएंगे। (कार्यवाही -उपजिलाधिकारी सदर/दादरी/जेवर- गौतमबुद्धनगर/ समस्त नगरपालिका एवं नगर पंचायत)

14-अग्निकाण्ड से बचाव

ग्रीष्म ऋतु प्रारम्भ हो चुकी है और इस मौसम में प्रायः तेज हवाओं/ओंधी के कारण अग्निकाण्ड, पराली जलाये जाने के कारण तथा विद्युत शॉर्ट सर्किट एवं हाई टेंशन तार टूटने से फसलों, खेत-खलिहानों तथा मकानों में आगजनी/अग्निकाण्ड की घटनाएं देखने को मिलती हैं, जिससे फसल, गृह क्षति तथा पशुहानि एवं जनहानि की सम्भावना बढ़ जाती है। ऐसी स्थिति में यह सुनिश्चित किया जाना आवश्यक है कि विद्युत तारों को सही करा दिया जाये तथा कहीं भी विद्युत तार ढीले एवं जर्जर तार न हो और किसानों को यह पराली जलाये जाने से रोका जाये, जिससे खेत-खलिहान तथा फसलों में अग्निकाण्ड से बचाया जा सके। इस सम्बन्ध में समस्त उप जिलाधिकारियों, गौतमबुद्धनगर को निर्देशित किया जाता है कि वे अपनी-अपनी तहसीलों में विद्युत विभाग के अधिकारियों, गौतमबुद्धनगर को निर्देशित किया जाता है विभाग के अधिकारियों/कर्मचारियों, कृषि विभाग तथा मण्डी समिति के अधिकारियों तथा राजस्व करते हुए अग्निकाण्ड को रोकने तथा बचाव के लिए समस्त उपाय करना सुनिश्चित करेंगे। अग्निकाण्ड से सम्बन्धित हुई क्षति को नियमानुसार सम्बन्धित विभाग को प्रेषित करते हुए पात्र लाभार्थियों को क्षति की धनराशि का भुगतान कराना सुनिश्चित किया जायेगा। (कार्यवाही -उपजिलाधिकारी सदर/दादरी/जेवर- गौतमबुद्धनगर)

अपर कार्यापालक अधिकारी लखनऊ, उ०प्र० शासन, उत्तर प्रदेश राज्य आपदा प्रबन्धन प्राधिकरण लखनऊ के पत्र सं०-1380/कृषि/सिटी हीट/2025-26 दिनांक-19.01.2026 का संदर्भ ग्रहण करने का कष्ट करें, जिसके माध्यम से राज्य में लू प्रकोप (Heat Wave) की बढ़ती तीव्रता एवं उसके प्रतिकूल प्रभावों को दृष्टिगत रखते हुए मुख्य सचिव उ०प्र० शासन की अध्यक्षता में गठित राज्य कार्यकारिणी समिति की बैठक दिनांक 22.05.2025 में प्राप्त अनुमोदन के क्रम में जनपद गौतमबुद्धनगर में प्रभावी क्रियान्वयन योग्य सिटी हीट वेव एक्शन प्लान को समयबद्ध रूप से तैयार किया जाना लक्षित है।

(Handwritten signature)




उक्त के क्रम में जनपद गौतमबुद्धनगर में हीटवेव प्रबंधन हेतु सिटी हीट एक्शन प्लान विकसित, क्रियान्वित एवं अनुश्रवण किये जाने के संबंध में अधोहस्ताक्षरी की अध्यक्षता में निम्नवत् समिति का गठन किया गया है।

क्रमांक	विभाग/संस्था/अधिकारी	अध्यक्ष/सदस्य
1	जिलाधिकारी	अध्यक्ष
2	नगर आयुक्त, नगर निगम	सदस्य संयोजक
3	अपर नगर आयुक्त, नगर निगम	सदस्य
4	जिलाधिकारी द्वारा नामित अपर जिलाधिकारी(वि०/रा)	सदस्य
5	उपाध्यक्ष, विकास प्राधिकरण द्वारा नामित वरिष्ठ अधिकारी	सदस्य
6	वरिष्ठ पुलिस अधीक्षक द्वारा नामित अपर पुलिस अधीक्षक	सदस्य
7	मुख्य चिकित्सा अधिकारी अथवा उनके द्वारा नामित अन्य वरिष्ठ अधिकारी	सदस्य
8	मौसम विज्ञान केन्द्र, लखनऊ द्वारा नामित जिला स्तरीय अधिकारी	सदस्य
9	बेसिक शिक्षा अधिकारी	सदस्य
10	जिला विद्यालय निरीक्षक	सदस्य
11	संयुक्त निदेशक/प्रवर्तन अधिकारी, श्रम विभाग	सदस्य
12	मुख्य पशु चिकित्सा अधिकारी	सदस्य
13	रीजनल मैनेजर, परिवहन विभाग	सदस्य
14	जिला कार्यक्रम अधिकारी, महिला एवं बाल विकास विभाग	सदस्य
15	जिला अग्निशमन अधिकारी	सदस्य
16	अधिकांश अभियंता, ऊर्जा विभाग	सदस्य
17	अधिकांश अभियंता, जल निगम	सदस्य
18	जिला सूचना अधिकारी	सदस्य
19	जिला उद्यान अधिकारी, उद्यान एवं खाद्य प्रसंस्करण विभाग	सदस्य
20	नगर आयुक्त द्वारा एनजीओ, एसएजी, कम्युनिटी ग्रुप एवं सामाजिक संस्थानों से नामित पदाधिकारी।	सदस्य

उक्त समिति के सदस्यों द्वारा शहर के सिटी हीट एक्शन प्लान विकसित, क्रियान्वित एवं अनुश्रवण करने के सम्बन्ध में अधोहस्ताक्षरी की अध्यक्षता में उ०प्र० राज्य आपदा प्रबंधन प्राधिकरण के कार्यालय ज्ञाप सं० 1212/ हीटवेव/कृषि/2025-26 दिनांक 2026 (संलग्नक) के माध्यम से समिति का गठन किया गया है।

उक्त के सन्दर्भ में अधोहस्ताक्षरी की अध्यक्षता में गठित समिति की तत्काल बैठक आहूत कर हीट एक्शन प्लान (CHAP) तैयार करने हेतु निम्नानुसार कार्यवाहियां सुनिश्चित की जाए:-

1. तकनीकी सहयोग / सुझाव / परामर्श हेतु अधिकतम 03 प्रतिष्ठित संस्थानों / विषय विशेषज्ञों को चिन्हित किया जाए, जिसमें जलवायु परिवर्तन से संबंधित विषय विशेषज्ञ सम्मिलित हों।
2. समिति को आंकड़ों, केस स्टडी, शोध दस्तावेजों के संकलन एवं उनके विश्लेषण तथा हीट एक्शन प्लान की तैयारी में सहायता प्रदान करने हेतु किसी विषय विशेषज्ञ की सेवाएँ ली जायें।
3. अत्यधिक तापमान को कम करने एवं उससे निपटने हेतु पदजमतअमदजपवद के क्षेत्रों की पहचान कर कार्ययोजना तैयार की जाए। इन कार्यों के क्रियान्वयन की समय-सीमा निम्नानुसार होगी-
 अल्पकालिक (1-3 माह) तत्काल अनुपालन सुनिश्चित करें।
 मध्यकालिक (4-12 माह)
 दीर्घकालिक (12-24 माह)



• **Short term (1-3 माह)** नगर निगम में सिटी हीट सेल की स्थापना करना, जागरूकता कार्यक्रम, पोस्टर, सोशल मीडिया, गारवेज गाड़ी द्वारा माइकिंग, रेडियो, जिपल्स एवं मोड़-भाड़ वाले स्थान जैसे मंदिर परिसर, रेलवे स्टेशन, बस स्टैण्ड, चौराहों पर पेयजल कियोस्क (प्यायू), कूलरूम, कूल वार्ड, शेड्स (फुटपाथ किनारे छायादार स्थान), ग्रीष्म ऋतु के दौरान स्कूलों में समय परिवर्तन, श्रमिकों के कार्य करने के समय में परिवर्तन, हीट जनित बीमारियों की रिपोर्टिंग आदि की समुचित व्यवस्था करना।

• **Mid term (4-12 माह)**— स्कूल आंगनबाडी, झुग्गी, बस्तियों में कूलरूफ (सफेद पेंट), बस शॉप, बाजार, चौराहें, मंदिर परिसर पर स्थायी छाया व्यवस्था (छाउंदमदजॉकमे) हीटसिंक, पार्क, ग्रीन लाइन, वृक्षारोपण (सड़क किनारे एवं सार्वजनिक स्थानों पर), सार्वजनिक भवनों में हीट रेफ्लेक्टिव पेंट एवं टाइल्स आदि की समुचित व्यवस्था करना।

• **Long term (12-24 माह)** ग्रीन कवर मानक (जतमम बवअमत छवतउे, हर्बल प्लांट्स को प्राथमिकता), शहर में अर्बन फॉरेस्ट व सिटी पार्क नेटवर्क, विकसित करना, जल निकायों का पुनर्जीवन व संरक्षण, छतों दिवारों पर ग्रीन रूफ एवं वर्टिकल गार्डन, सड़क किनारे छायादार वृक्षों की सत श्रंखला, कूलरूफ अनिवार्यता, हीट रेजिलिएंट बिल्डिंग मेटेरियल का प्रयोग करना, हीट स्मार्ट हाउसिंग मॉडल अनिवार्यता, ग्रीन कॉरिडोर विकसित करना, मिस्टिंग सिस्टम व जल फव्वारों की समुचित व्यवस्था करना।

उक्त के साथ अत्यधिक गर्मी की स्थिति में प्रत्येक stakeholder के लिए response matrix तैयार क्या जाए।


4. ग्रीन एरिया में वृद्धि, सड़कों के किनारे छायादार/ हरित वृक्ष, जलाशयों का पुनर्निर्माण, मियावाकी जंगल, ताप परावर्तक/अवशोषक पेंट एवं निर्माण सामग्री का उपयोग आदि क्षेत्रों की पहचान किये जानको तैयार करने में समन्वय एवं सहयोग प्रदान किया जायेगा तथा प्लान में उल्लिखित कार्य एवं दायित्वों का निर्वहन करते हुए उक्त समिति में लिये गये निर्णयों तथा उत्तर प्रदेश राज्य आपदा प्रबंधन प्राधिकरण के दिशानिर्देशों का पालन किया जायेगा। कर कार्यान्वयन किया जाए। शीतलन आश्रयों (Cooling Shelters), आपातकालीन उपचार सुविधाएँ, औद्योगिक गतिविधियों का विनियमन तथा जन-जागरूकता/जन-शिक्षा की योजना बनाई जाए। उक्त कार्यवाहियों के संबंध में गठित समिति उपलब्ध मौजूदा अध्ययन एवं आंकड़ों का संदर्भ लेगी।
5. उपर्युक्त गतिविधियों के पश्चात् जिला समिति द्वारा हीट एक्शन प्लान को सुदृढ़ बनाने हेतु विशेषज्ञों, सिविल सोसायटी एवं प्रतिष्ठित संस्थानों से परामर्श की कार्यवाही की जाए।
6. जिला समिति द्वारा हीट एक्शन प्लान का प्रारूप तैयार कर स्थानीय जनप्रतिनिधियों के समक्ष प्रस्तुत किया जाएगा तथा परामर्श के पश्चात् CHAP को अंतिम रूप दिया जाएगा।
7. हीट एक्शन प्लान 20 मार्च 2026 तक तैयार कर राज्य आपदा प्रबंधन प्राधिकरण (SDMA) के समक्ष प्रस्तुत किये जायेंगे, जिसके पश्चात् इसे अंतिम रूप देकर प्रकाशित किया जाएगा।
8. उपर्युक्त गतिविधियों के संचालन हेतु जिला आपदा प्रबंधन प्राधिकरण (DDMA) को बजट उपलब्ध कराया जाएगा। बजट का उपयोग निम्नानुसार होगा—

- विषय विशेषज्ञ (अधिकतम 03) को प्रति बैठक रू० 10,000/- का मानदेय देय होगा (अधिकतम 03 बैठकें)।
3 × 10,000 = 50 30,000/- प्रति विशेषज्ञ विशेषज्ञ रू० 90,000/-1
- हीट एक्शन प्लान के मसौदे एवं संकलन हेतु व्यवसायिक विशेषज्ञ की सहायता: रू० 50,000/- (एकमुश्त, 45 दिवस हेतु)।
- विविध/आकस्मिक व्यय: रू० 25,000/-



बैठक में उपरोक्त के अतिरिक्त यमुना औद्योगिक विकास प्राधिकरण परिक्षेत्र में स्थापित ATS Allure Society, Plot No.TS-02,सेक्टर 22D, Yamuna Expressway, Greater Noida संबंधित शिकायत के निस्तारण हेतु यमुना विकास प्राधिकरण को निर्देश पारित किये गये कि प्रसंगत सम्पत्ति से आमजन को खतरा होने की प्रबल संभावना होने के दृष्टिगन नियमानुसार निस्तारण की कार्यवाही यथाशीघ्र कराने के निर्देश दिये गये ताकि किसी प्रकार की विषम परिस्थिति उत्पन्न न हो।

पूर्व में भी संबंधित विभागों को आपदा से बचाव एवं आवश्यक कार्यवाही किये जाने के सम्बन्ध में इस कार्यालय के पत्र सं० 988/आपदा/2025-26 दिनांक 2 दिसम्बर 2025 तथा कार्यालय के पत्र सं० 868/सी०आर०ए०आपदा/2025-26 दिनांक 03 सितम्बर 2025, कार्यालय के पत्र सं० 721/आपदा/2025-26 दिनांक 16 मई 2025, कार्यालय के पत्र सं० 860/आपदा/2025-26 दिनांक 01 सितम्बर 2025, कार्यालय के पत्र सं० 710/जि०आ०प्र०प्रा०/2025-26 दिनांक 01 मई 2025, कार्यालय के पत्र सं० 635/सी०आर०ए०/2025-26 दिनांक 10 मार्च 2025, के द्वारा आवश्यक दिशा निर्देश दिये गये थे परन्तु उन विभागों के द्वारा कृत कार्यवाही से जिला प्रशासन को अब तक अवगत नहीं कराया गया। अतः उपरोक्त बैठक में उपस्थित एवं संबंधित विभागों को एक बार पुनः निर्देशित किया जाता है कि अपने-अपने विभाग से सम्बन्धित बिन्दुओं पर कार्यवाही करतें हुए 02 दिवस के अन्तराल में उपरोक्त कार्यवाही से सम्बन्धित विस्तृत विवरण मय फोटोग्राफ अधोहस्ताक्षरी के कार्यालय एवं ईमेल आई०डी० ddmagbn@gmail.com, पर प्रत्येक दशा में उपलब्ध कराया जाना सुनिश्चित करें।




(मेधा रूपम)
जिलाधिकारी,
गौतमबुद्धनगर।

पत्रांक 1077/सी०आर०ए०/2025-26

दिनांक 30 जनवरी 2026

- प्रतिलिपि:—1. पुलिस आयुक्त महोदया को इस अनुरोध के साथ पत्र प्रेषित है कि इस अनुरोध के साथ कि सक्षम अधिकारियों को बैठक में भाग लेने एवं बैठक में दिये गये दिशा निर्देश को ससमय पूर्ण कराने हेतु संबंधित को निर्देश करने का कष्ट करें।
2. मुख्य कार्यपालक अधिकारी यमुना / ग्रेटर नोएडा / नोएडा औद्योगिक विकास प्राधिकरण गौतमबुद्धनगर महोदय को इस अनुरोध के साथ कि सक्षम अधिकारियों को बैठक में भाग लेने एवं बैठक में दिये गये दिशा निर्देश को ससमय पूर्ण कराने हेतु संबंधित निर्देश करने का कष्ट करें।
3. जिला विद्यालय निरीक्षक गौतमबुद्धनगर को इस निर्देश के साथ पत्र प्रेषित है कि उपरोक्त विषय (Climate Change & Heat wave) से सम्बंधित जनपद के 3 प्रतिष्ठित संस्थानों के जलवायु परिवर्तन से संबंधित विषय विशेषज्ञ को इस बैठक में प्रतिभाग करने हेतु समन्वय कर प्रतिभाग कराना सुनिश्चित करें।

जिलाधिकारी
गौतमबुद्धनगर।



बैठक में उपरोक्त के अतिरिक्त यमुना औद्योगिक विकास प्राधिकरण परिक्षेत्र में स्थापित ATS Allure Society, Plot No.TS-02, सेक्टर 22D, Yamuna Expressway, Greater Noida संबंधित अधिकारियों के निस्तारण हेतु यमुना विकास प्राधिकरण को निर्देश पारित किये गये कि प्रसंगत सम्पत्ति से आमजन को खतरा होने की प्रबल संभावना होने के दृष्टिगन नियमानुसार निस्तारण की कार्यवाही यथाशीघ्र कराने के निर्देश दिये गये ताकि किसी प्रकार की विषम परिस्थिति उत्पन्न न हो।


पूर्व में भी संबंधित विभागों को आपदा से बचाव एवं आवश्यक कार्यवाही किये जाने के सम्बन्ध में इस कार्यालय के पत्र सं० 988/आपदा/2025-26 दिनांक 2 दिसम्बर 2025 तथा कार्यालय के पत्र सं० 868/सी0आर0ए0आपदा/2025-26 दिनांक 03 सितम्बर 2025, कार्यालय के पत्र सं० 721/आपदा/2025-26 दिनांक 16 मई 2025, कार्यालय के पत्र सं० 860/आपदा/2025-26 दिनांक 01 सितम्बर 2025, कार्यालय के पत्र सं० 710/जि0आ0प्र0प्रा0/2025-26 दिनांक 01 मई 2025, कार्यालय के पत्र सं० 635/सी0आर0ए0/2025-26 दिनांक 10 मार्च 2025, के द्वारा आवश्यक दिशा निर्देश दिये गये थे परन्तु उन विभागों के द्वारा कृत कार्यवाही से जिला प्रशासन को अब तक अवगत नहीं कराया गया। अतः उपरोक्त बैठक में उपस्थित एवं संबंधित विभागों को एक बार पुनः निर्देशित किया जाता है कि अपने-अपने विभाग से सम्बन्धित बिन्दुओं पर कार्यवाही करतें हुए 02 दिवस के अन्तराल में उपरोक्त कार्यवाही से सम्बन्धित विस्तृत विवरण मय फोटोग्राफ अधोहस्ताक्षरी के कार्यालय एवं ईमेल आईडी ddmagbn@gmail.com, पर प्रत्येक दशा में उपलब्ध कराया जाना सुनिश्चित करें।


(मेधा रूपम)
जिलाधिकारी,
गौतमबुद्धनगर।

पत्रांक 1077/सी0आर0ए0/2025-26

दिनांक 30 जनवरी 2026

- प्रतिलिपि:—1. पुलिस आयुक्त महोदया को इस अनुरोध के साथ पत्र प्रेषित है कि इस अनुरोध के साथ कि सक्षम अधिकारियों को बैठक में भाग लेने एवं बैठक में दिये गये दिशा निर्देश को ससमय पूर्ण कराने हेतु संबंधित को निर्देश करने का कष्ट करें।
2. मुख्य कार्यपालक अधिकारी यमुना / ग्रेटर नोएडा / नोएडा औद्योगिक विकास प्राधिकरण गौतमबुद्धनगर महोदय को इस अनुरोध के साथ कि सक्षम अधिकारियों को बैठक में भाग लेने एवं बैठक में दिये गये दिशा निर्देश को ससमय पूर्ण कराने हेतु संबंधित निर्देश करने का कष्ट करें।
3. जिला विद्यालय निरीक्षक गौतमबुद्धनगर को इस निर्देश के साथ पत्र प्रेषित है कि उपरोक्त विषय (Climate Change & Heat wave) से सम्बंधित जनपद के 3 प्रतिष्ठित संस्थानों के जलवायु परिवर्तन से संबंधित विषय विशेषज्ञ को इस बैठक में प्रतिभाग करने हेतु समन्वय कर प्रतिभाग कराना सुनिश्चित करें।


जिलाधिकारी
गौतमबुद्धनगर।



प्रेषक,

जिलाधिकारी,
गौतमबुद्धनगर।

सेवा में,

अपर मुख्य कार्यपालक अधिकारी
नोएडा औद्योगिक विकास प्राधिकरण।

दिनांक:-01.02.2026

पत्रांक-1087/सी0आर0ए0-आपदा/2025-2026

विषय:-विगत दिनों जनपद में हुई घटनाओं की आख्या पर आवश्यक कार्यवाही किये जाने के सम्बन्ध में।

महोदय,

अवगत कराना है उपजिलाधिकारी सदर के पत्रांक सं0-4328/एस0टी0-एस0डी0एम0/2025-26 दिनांक 29.01.2026 का संदर्भ ग्रहण करने का कष्ट करें, जिसके द्वारा जनपद गौतमबुद्धनगर की तहसील सदर क्षेत्रान्तर्गत प्राधिकरण क्षेत्र में अधिसूचित स्थानों के सम्बंध उपजिलाधिकारी सदर द्वारा जन सुरक्षा एवं न्यायहित में कार्यवाही किये जाने हेतु निम्न प्रकरण संदर्भित किया गया है:-

नोएडा प्राधिकरण के क्षेत्रान्तर्गत सेक्टर 150 की मुख्य सड़क के जलप्लावित क्षेत्र के किनारे से निकलने वाले वाहनों की सुरक्षा के लिए स्थायी सुरक्षात्मक उपाय(सीमेटेड बैरिकेडिंग) आशिक रूप से किये गये हैं। सड़क के ठीक सामने जलप्लावित क्षेत्र के किनारे से जाने वाले वाहनों की सुरक्षा के लिए मात्र लोहे की अस्थाई बैरिकेडिंग लगायी गयी है जो वाहनों की सुरक्षा के दृष्टिगत उपयुक्त नहीं है।

तदनुसार उपरोक्त प्रकरण का संज्ञान लेते हुये त्वरित कार्यवाही करने हेतु सम्बंधित को अपने स्तर से निर्देशित करने का कष्ट करें।


संलग्नक:-उपरोक्तानुसार।

भवदीय,

(अतुल कुमार)
अपर जिलाधिकारी(वि0/रा0)
गौतमबुद्धनगर।

प्रतिलिपि:-1.मुख्य कार्यपालक अधिकारी, नोएडा औद्योगिक विकास प्राधिकरण को सादर सूचनार्थ प्रेषित।
2.जिलाधिकारी महोदया गौतमबुद्धनगर को सादर सूचनार्थ प्रेषित।

अपर जिलाधिकारी(वि0/रा0)
गौतमबुद्धनगर।



प्रेषक,

जिलाधिकारी,
गौतमबुद्धनगर।

सेवा में,

अपर मुख्य कार्यपालक अधिकारी
ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण।

दिनांक:-01.02.2026

पत्रांक-1088/सी0आर0ए0-आपदा/2025-2026

विषय:-विगत दिनों जनपद में हुई घटनाओं की आख्या पर आवश्यक कार्यवाही किये जाने के सम्बन्ध में।

महोदय,

अवगत कराना है उपजिलाधिकारी सदर के पत्रांक सं0-4331/एस0टी0-एस0डी0एम0/2025-26 दिनांक 31.01.2026 एवं पत्र सं0-4332/एस0टी0-एस0डी0एम0/2025-26 दिनांक 01.02.2026 एवं का संदर्भ ग्रहण करने का कष्ट करें, जिसके द्वारा जनपद गौतमबुद्धनगर की तहसील सदर क्षेत्रान्तर्गत प्राधिकरण क्षेत्र में अधिसूचित स्थानों के सम्बन्ध उपजिलाधिकारी सदर द्वारा जन सुरक्षा एवं न्यायहित में कार्यवाही किये जाने हेतु निम्न प्रकरण संदर्भित किये गये हैं:-

1. ग्रेटर नोएडा प्राधिकरण के क्षेत्रान्तर्गत ग्राम साकीपुर के गाटा सं0 168 पर जल निगम द्वारा लगभग 38 वर्ष पूर्व पानी की टंकी की निष्प्रयोगिता व जर्जर स्थिति के दृष्टिगत स्थानीय जनजीवन की सुरक्षा के दृष्टिगत टंकी को हटाये जाने के सम्बन्ध में।
2. ग्रेटर नोएडा प्राधिकरण के क्षेत्रान्तर्गत ग्राम कासना में भाटी गोलचक्कर के निकट ईकोटेक-6 की सड़क के किनारे सीमेन्ट बैरिकेडिंग जैसे उपाय किये जाने की आवश्यकता है। इसके अतिरिक्त सड़क के क्षतिग्रस्त होने पर इस सड़क की मरम्मत कराया जाना भी आवश्यक है।

तदनुसार उपरोक्त प्रकरण का संज्ञान लेते हुये त्वरित कार्यवाही करने हेतु सम्बंधित को अपने स्तर से निर्देशित करने का कष्ट करें।

संलग्नक:-उपरोक्तानुसार।

भवदीय,

(अतुल कुमार)
अपर जिलाधिकारी(वि0/रा0)
गौतमबुद्धनगर।

प्रतिलिपि:-1.मुख्य कार्यपालक अधिकारी, ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण को सादर सूचनार्थ प्रेषित।


2.जिलाधिकारी महोदया गौतमबुद्धनगर को सादर सूचनार्थ प्रेषित।

अपर जिलाधिकारी(वि0/रा0)
गौतमबुद्धनगर।

Item No. 26

**BEFORE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI**

Original Application No. 52/2026




News Item Titled "Noida CEO Removed CM orders SIT probe into techie's Drowning" appearing in The Times of India dated 20.01.2026

Date of hearing: 22.01.2026

**CORAM: HON'BLE MR. JUSTICE PRAKASH SHRIVASTAVA, CHAIRPERSON
HON'BLE DR. A. SENTHIL VEL, EXPERT MEMBER**

ORDER

1. This original application is registered *suo motu* on the basis of the news item titled "Noida CEO Removed CM orders SIT probe into techie's Drowning" appearing in The Times of India dated 20.01.2026.
2. The news item relates to the drowning of a software engineer Sh. Yuvraj Mehta in a waterlogged trench at a commercial site in Sector 150 Nodia. As per the news item, Sh. Mehta took a sharp right-angle turn and due to fog conditions, fell into the trench. The said land in Sector 150 where the person died was initially allotted for a private mall project, but had turned into pond as rainwater and wastewater discharged from nearby housing societies was allowed to accumulate in it for a decade. The storm water management plan that was chalked out by the Irrigation Department in 2015 remained on papers despite multiple rounds of surveys and site inspections. The documents assessed showed that the Irrigation Department in 2015 proposed a head regulator to divert water flow into the Hindon. In 2016, it received Rs. 13.05 Lakh from Noida Authority to undertake a survey and prepare a design of the proposed regulator. As per the news item, the said storm water received from existing drains potentially increasing discharge and suggested that hydraulic or pneumatic gates to be used instead of mechanical ones. The



delay in taking up remedial measures saw severe water logging. The basement of several housing societies in nearby areas were flooded as rains could not be discharged in the Hindon in the absence of a regulator. Without a controlled outlet, water stagnated and risked backflow into the river that swelled. Residents alleged inaction by the Noida Authority due to water logging. The news item indicates laps by the Noida Authority in taking up remedial measures which resulted in the death of the person.

3. The above matter indicates violation of the Environment (Protection) Act, 1986.

4. The news item raises substantial issues relating to compliance with the environmental norms and implementation of the provisions of scheduled enactment.


5. Power of the Tribunal to take up the matter *suo-motu* has been recognized by the Hon'ble Supreme Court in the matter of "*Municipal Corporation of Greater Mumbai vs. Ankita Sinha & Ors.*" reported in 2021 SCC Online SC 897.

6. Hence, we implead the following as respondents in the matter:

- (1). Noida Authority, Administrative Complex Sector 6, Noida - 201301, District. Gautam Budh Nagar, Uttar Pradesh, India.
- (2). Uttar Pradesh Pollution Control Board, Building. No. TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow - 226010.
- (3). Irrigation Department, Government of UP, 589kha/616, VIP Rd Awadh Nagar, Dwaraka Puri, VIP Rd, Awadh Nagar, Dwaraka Puri, Telibagh, Lucknow, Uttar Pradesh 226002.
- (4). Principal Secretary, Environment, Government of U.P., Room No. 601, Bapu Bhawan, Secretariat, Vidhan Sabha Marg, Lucknow - 226001.

A handwritten signature in blue ink, appearing to be 'A.A.' or similar, located at the bottom of the page.

- (5). District Magistrate, G.B. Nagar (UP), Plot Number G 28, Near
Kailash Hospital, Tulsi Marg, Sector 27, Noida 201301, Uttar
Pradesh.



7. Issue notice to the above respondents for filing their response/reply by way of affidavit before the Tribunal at least one week before the next date of hearing. If any respondent directly files the reply without routing it through his advocate, then the said respondent will remain virtually present to assist the Tribunal.

8. List on 10.04.2026.

Prakash Shrivastava, CP

Dr. A. Senthil Vel, EM

January 22, 2026
Original Application No. 52/2026
dv