



645
 क्षेत्रीय कार्यालय
 उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल कॉम्प्लेक्स, पीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स- 0120-4259329

संख्या : 1490 / C / E - 465 / 2023

दिनांक 27/11/23

सेवा में -

मेसर्स सोलिटैबर इन्फ्राहोम प्रा०लि० (वी०वी०आई०पी० होर्स),
 प्लॉट नं०-जी०सी०-०३के/जी०एच०-०३, सेक्टर-16सी,
 ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: जल (प्रदूषण निवारण एवं नियंत्रण) अधिनियम, 1974 एवं वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम, 1981 के प्राविधानों के अनुपालन के सम्बन्ध में।

उपरोक्त विषय का संदर्भ ग्रहण करें। आप अवगत हैं कि आपके परियोजना का निरीक्षण इस कार्यालय के अधिकारियों द्वारा दिनांक 21.01.2023 को उद्योग प्रतिनिधि श्री मधुसूदन त्यागी, जी०एम० की उपस्थिति में किया गया। कार्यालय अभिलेखों के अनुसार परियोजना को संचालनार्थ राज्य बोर्ड से सहमति जल/वायु प्राप्त है, जिसकी वैधता अवधि दिनांक 31.12.2021 तक है। तदोपरान्त परियोजना को संचालनार्थ राज्य बोर्ड से सहमति जल/वायु प्राप्त नहीं है। निरीक्षण के दौरान परियोजना से जनित घरेलू सीवेज के शुद्धिकृत हेतु स्थापित एस०टी०पी० का संतोषजनक संचालन होता नहीं पाया गया, जिसमें मुख्य रूप से एम०बी०बी०आर० टैंक में एम०एल०एस०एस० की मात्रा अल्प पायी गयी। निरीक्षण के दौरान आंशिक सीवेज एस०टी०पी० के माध्यम से शुद्धिकरण किया जा रहा है एवं अशुद्धिकृत सीवेज का शेष भाग सीधे नाले में निस्तारित किया जाता पाया गया। उक्त से स्पष्ट है कि परियोजना द्वारा जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1974 के आज्ञापक प्राविधानों का अनुपालन नहीं किया जा रहा है। निरीक्षण के दौरान पायी गयी कमियों के निराकरण हेतु निम्न बिन्दु के अनुपालन हेतु निर्देशित किया जाता है:-

- परियोजना में स्थापित एस०टी०पी० के रख-रखाव एवं सुचारु संचालन सुनिश्चित किया जाये, जिससे निस्तारित हो रहे उत्प्रवाह की गुणता सदैव मानकों के अनुरूप रहे तथा परियोजना में स्थापित एस०टी०पी० के संचालन सम्बन्धी लॉगबुक मेनटेन किया जाये।
- परियोजना परिसर से किसी भी दशा में अशुद्धिकृत घरेलू सीवेज निस्तारित न हो, सुनिश्चित किया जाये।
- परियोजना के संचालनार्थ राज्य बोर्ड से सहमति जल/वायु नवीनीकरण कराया जाना सुनिश्चित करें।
- परियोजना में भूगर्भीय जल के निस्कर्षण हेतु उ०प्र० भूगर्भ जल विभाग से अनुमति प्राप्त किया जाना सुनिश्चित करें।

उक्त बिन्दुओं की अनुपालन आख्या पत्र प्राप्ति के एक सप्ताह में इस कार्यालय को प्रेषित किया जाना सुनिश्चित करें। अन्यथा की दशा में परियोजना के विरुद्ध नियमानुसार वर्णित अधिनियमों के अन्तर्गत पर्यावरणीय क्षतिपूर्ति अधिरोपित करते हुये विधिक कार्यवाही की जायेगी, जिसका सम्पूर्ण उत्तरदायित्व परियोजना एवं परियोजना के जिम्मेदार पदाधिकारियों का होगा।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: मुख्य पर्यावरण अधिकारी (वृत्त-1), उ० प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ; को सूचनार्थ एवं आवश्यक कार्यवाही हेतु सादर प्रेषित।

क्षेत्रीय अधिकारी

1118 646

1.0 INTRODUCTION

The proposed group housing with the name of "VVIP Homes" is a Multistoried Housing Complex shall consist of 10 nos. tower with all necessary facilities. The site is located in Greater Noida with over all site area is 7.8 Acre.

As per the guidelines of Ministry of Environment and Forest, it has decided to install a Sewage Treatment Plant in order to conserve water and to reduce the total water requirement and dependability on municipal & ground water sources. The treated effluent from sewage treatment plant shall be used for recycling in flushing & horticulture scheme. The sewage is to be generated basically from toilets use & kitchens waste etc.

It is proposed to install Sewage Treatment Plant based on FAB (Fluidized Aerobic Bio-reactor) Technology.

1119
847

Queries

Your application is scrutinized and it was found that the following information is required- 1. Pointwise compliance report to CTO dt. 31.12.2019 is required. 2. Point-wise compliance report of refusal certificate by Board's online Ref No. - 157908/UPPCB/Greater Noida(UPPCBRO)/CTO/both/GREATER NOIDA/2022 Dated : 17/09/2022 is not provided. 3. Compliance report of the order passed by the Hon'ble National Green Tribunal, New Delhi in Original Application No. 392 of 2022 Prasoon Pant Versus Union of India & Ors. 4. As per the CA certificate attached with the application, fixed asset of the project is shown 28.20 lakhs only and current assets of 7054.28 lakhs. Please clarify that amount of fixed assets seems very less. 5. Source of water supply. If the water supply in the project is done through a bore well, then a copy of permission from the Uttar Pradesh Ground Water Department in compliance with the Uttar Pradesh Ground Water Management and Regulation Act, 2019, and If done through the Authority, a copy of the permission issued by the Authority. 6. STP-treated effluent ultimate disposal point is not provided. 7. Detail of retrofitting of DG set hybrid mode running of DG set is not provided. 8. Disposal facility of municipal solid waste with quantity is not provided. 9. Copy of water balance chart with flow meter. Please upload the above information within 3 days.

Reply

Dear Sir,

1. Pointwise compliance report of CTO already attached with application and again attached herewith.
2. Point-wise compliance report of CTO refusal letter attached.
3. We are complying as order passed by the Hon'ble National Green Tribunal, New Delhi in Original Application No. 392 of 2022 Prasoon Pant Versus Union of India & Ors.
4. As a infrastructure group housing developers our fixed assets are very limited as our assets transferred to our resident during occupancy.
5. We already submitted ground water abstraction to CGWA and due to change of authority from CGWA to UPGWD we again submitted application with UPGWD. Application copy of CGWA and UPGWD already attached with online application. As per UPGWD notification our pending application in CGWA deemed to granted and our application with UPGWD treated as renewal. Notification of UPGWD attached herewith for your steady reference.
6. STP treated water reused in flushing/green belt development and surplus water discharge in GNIDA nala during rainy season only.
7. We are in process to install RECD on DG Set.
8. We install decomposer/digester for organic waste generated approx. 2018KG. We have proper arrangement for solid waste disposal. Solid waste digester installed and organic solid waste converted in manure for green belt development. Detail Solid waste management attached.
9. Water Balance Flow Chart Attached.

1120⁶⁴⁸ ANNEXURE
कार्यालय जिलाधिकारी, गौतमबुद्धनगर A-22

पत्रांक 1073 / NUT-54 / 2022.

दिनांक : 30/11/22.


कार्यालय आदेश

मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0- 392/2022 प्रसून पंत व अन्य बनाम यूनिजन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 15.11.2022 (प्रति संलग्न) के अनुपालन हेतु जिलाधिकारी महोदय, गौतमबुद्धनगर की टिप्पणी दिनांक 24.11.2022 के अनुक्रम में अधोहस्ताक्षरी के साथ निम्न अधिकारियों की संयुक्त समिति गठित की जाती है-

1.	अपर मुख्य कार्यपालक अधिकारी, ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा नामित अधिकारी, जो विशेष कार्याधिकारी स्तर से निम्न न हो
2.	नोडल अधिकारी, उ0प्र0 भू-गर्भ जल विभाग, गौतमबुद्धनगर
3.	क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा
4.	सहायक अभियन्ता, लघु सिंचाई विभाग, गौतमबुद्धनगर


उक्त समिति को निर्देशित किया जाता है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0- 392/2022 में पारित आदेश दिनांक 15.11.2022 का अनुपालन तथा मा0 अधिकरण द्वारा वांछित आख्या के सम्बन्ध में आवश्यक कार्यवाही सुनिश्चित किया जाये।

संलग्नक: यथोपरि।


अपर जिलाधिकारी (प्रशासन)
गौतमबुद्धनगर

प्रतिलिपि:

1. जिलाधिकारी महोदय, गौतमबुद्धनगर को सूचनार्थ सादर प्रेषित।
2. अपर मुख्य कार्यपालक अधिकारी, ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण को इस अनुरोध के साथ कि संयुक्त समिति हेतु सदस्य नामित करने का कष्ट करें।
3. क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा को अनुपालन हेतु।
4. नोडल अधिकारी, उ0प्र0 भू-गर्भ जल विभाग, गौतमबुद्धनगर को अनुपालन हेतु।
5. सहायक अभियन्ता, लघु सिंचाई विभाग, गौतमबुद्धनगर को अनुपालन हेतु।


अपर जिलाधिकारी (प्रशासन)
गौतमबुद्धनगर

1121

649

234

कार्यालय

जिलाधिकारी

गौतमबुद्धनगर।

पत्रांक : 462 / एन0जी0टी0-54 / 22 / ओ0ए0न-392 / 2022

दिनांक 18 / 07 / 2022

कार्यालय आवेश

मा0 एन0जी0टी0, नई दिल्ली में योजित OA No-392/2022 Prasoan Pant & Anr Versus Union Of India & Ors में पारित आदेश दिनांक 05.07.2022, का मुख्य अंश निम्नवत है:-
 ".....1. Grievance in this application is against illegal extraction of ground water by the builders operating in Noida, implicated as respondent Nos. 09 to 48 - Gaursons Or Gaur Builder, ACE GROUP, Trident Embassy, Eros Sampoomam, Coco County, ATS Rhapsody, Aastha Greens, Mahagun Builders, ATS Infrastructure Ltd., Nirala Estate, Gulshan Bellina, Paramount Emotions, Capital Athena, Apex Golf Avenue, La Residentia, Arihant Arden, Stellar Jeevan, Divyansh Flora, Galaxy Group, Lucky Palm Valley, Sikka Kaamya Greens, Bulland Elevates, Supertech, Ajnara Group, Cherry County, Mangalya Ophira, Aims Green Avenue, VVIP Meridian, Vihaan Villas, Sindhuja Greens, Patel Newtown, Novel Valley, JNC The Park, Emenox La Solara, JM Florence, Amaatra Homes, Paneshheel Hynish, Samridhi Grand Avenue, Ratan Pearls and Rajhans Residency at NOIDA. According to the applicants, the statutory authorities have failed to prevent illegal extraction of ground water for commercial purposes resulting in depletion of ground water level in the area identified as 'overexploited' as per assessment of the CGWA.

In view of above, we consider it appropriate to require a joint Committee of CPCB, State PCB and District Magistrate, NOIDA to verify facts and furnish an action taken report in the matter within two months by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF. If any adverse material is found by the Committee, the affected parties may be put to notice of these proceedings and a copy of report be furnished to the said parties for their response, if any, before the next date"

List for further consideration on 11.10.2022

प्रकरण भूगर्भ जल निष्कर्षण से सम्बन्धित है। उपरोक्त Original Application में उल्लिखित बिल्डिंग परियोजनाओं की जाँच हेतु निम्न अधिकारियों की संयुक्त समिति गठित की जाती है:-

क्र.सं.	अधिकारी का नाम	पद
1.	मुख्य विकास अधिकारी, गौतमबुद्धनगर।	अध्यक्ष
2.	मुख्य कार्यपालक अधिकारी, ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा नामित अधिकारी जो विशेष कार्यधिकारी स्तर से निम्न न हो।	सदस्य
3.	नोडल अधिकारी उ0प्र0 भूगर्भ जल विभाग, गौतमबुद्धनगर।	सदस्य
4.	सहायक अभियन्ता, लघु सिंचाई विभाग, गौतमबुद्धनगर।	सदस्य
5.	क्षेत्रीय अधिकारी उ0प्र0 प्रदूषण नियंत्रण बोर्ड ग्रेटर नोएडा।	सदस्य-सचिव

उपरोक्त मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा दिनांक 05.07.2022 को पारित आदेश को अनुपालन में Original Application में उल्लिखित बिल्डिंग परियोजनाओं का संयुक्त समिति द्वारा केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा नामित अधिकारी के साथ स्थलीय निरीक्षण कर नियमानुसार कार्यवाही करते हुए आख्या अघोहस्ताक्षरी एवं मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में नियमानुसार दाखिल किया जाना सुनिश्चित किया जाए, जिससे कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा पारित आदेशों का ससमय अनुपालन सुनिश्चित हो सके।

(सुहास एल0वाई0)
जिलाधिकारी
गौतमबुद्धनगर

प्रतिलिपि: निम्नलिखित को अनुपालनार्थ एवं आवश्यक कार्यवाही हेतु।

- मुख्य कार्यपालक अधिकारी, ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण को इस अनुरोध के साथ कि संयुक्त निरीक्षण हेतु अधिकारी नामित करने का कष्ट करें।
- मुख्य विकास अधिकारी, गौतमबुद्धनगर।
- सदस्य सचिव केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली।
- मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
- नोडल अधिकारी उ0प्र0 भूगर्भ जल विभाग, गौतमबुद्धनगर।
- सहायक अभियन्ता, लघु सिंचाई विभाग, गौतमबुद्धनगर।
- क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा।

जिलाधिकारी
गौतमबुद्धनगर



1122

650 ANNEXURE A-23

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या :

1098/NGT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स गौर सिटी मॉल (प्रमोटर-मेसर्स गौरसंसा प्रमोटर्स प्रा0लि0),
गौर सिटी-1, जीएच-1, सेक्टर-4,
ग्रेटर नोएडा, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 768/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 17.0 एचपी प्रत्येक) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवाधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी

all
Re



1123

651

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1099/NGT-54/22

दिनांक : 05/12/22

सेवा मे,

मेसर्स वीवीआईपी होम्स, (मेसर्स रॉलिटैयर इंफाहोम प्रा०लि०)
प्लॉट नं०-जी०सी०-०३के/जीएच-०३, सेक्टर-१६सी,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

4/1/22

विषय: मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यलय के पत्र सं० 856/एनजीटी-54/2022 दिनांक 01.10.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ०प्र० भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 7.5 एचपी व 10 एचपी) स्थापित किये गये हैं। इस सम्बन्ध में उ०प्र० भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है। परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 को छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी

el
22



1124

652 क्षेत्रीय कार्यालय

ANNEXURE-A24

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या :

1100/N&T-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स महागुन मंत्रा-2,
प्लॉट नं0- जीएच-01/ए, सेक्टर-10,
ग्रेटर नोएडा, गौतमबुद्धनगर।

i.d.r

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषय का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल (क्षमता 5 एचपी) स्थापित किया गया है। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको निरीक्षण के समय निर्देशित किया था, परन्तु आप द्वारा उक्त निर्देश का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

05/12/22
क्षेत्रीय अधिकारी



653
A-25
1125
TINIVEX V&E
क्षेत्रीय कार्यालय
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल कॉम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

संदर्भ संख्या : 1101/NGT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स एटीएस इन्फ्रास्ट्रक्चर लि० (एटीएस रेपसोडी)
प्लॉट नं०- जीएच-12/1, सेक्टर-1,
ग्रेटर नोएडा, गौतमबुद्धनगर।

विषय: मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषय का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ०प्र० भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल स्थापित किया गया है। इस सम्बन्ध में उ०प्र० भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको निरीक्षण के समय निर्देशित किया था, परन्तु आप द्वारा उक्त निर्देश का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. **In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects.** Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवाधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी

all
R



1126

654
क्षेत्रीय कार्यालय

ANNEXURE A-26

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल कामप्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
ई-मेल : rogrenternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1102/NGT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स जे०एम० पलोरेन्स,
प्लॉट नं०-डी०वी०-जीएच-०९सी, सेक्टर-टेकजोन-४,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

21/22

विषय: मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं० 848/एनजीटी-54/2022 दिनांक 28.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ०प्र० भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 7.5 एचपी प्रत्येक) स्थापित किये गये हैं। इस सम्बन्ध में उ०प्र० भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवाधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी

et
Re



1127

ANNEXURE

A-27

क्षेत्रीय कार्यालय

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन / फैक्स. 0120-232102

दिनांक : 05/12/22

संदर्भ संख्या :

1103/NGT-54/22

सेवा में,

मेसर्स नियो टाउन, (प्रमोटर-मेसर्स पटेल इंफ्रास्ट्रक्चर प्रा0लि0),
प्लॉट नं0-जीएच-03, सेक्टर-टेकजोन-4,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

[Signature]

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 846/एनजीटी-54/2022 दिनांक 28.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल (क्षमता 7.5 एचपी) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

[Signature]

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

[Signature]
क्षेत्रीय अधिकारी

[Signature]



656
 1128
 क्षेत्रीय कार्यालय
 उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ANNEXURE
 A-28

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
 ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स : 0120-232102

सन्दर्भ संख्या : 1104/NGT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स कोको काउन्टी (प्रमोटर-मेसर्स शिरजा रियल स्टेट सल्यूशन प्रा0लि0)
 प्लॉट नं0-जीएच-03सी, सेक्टर-10,
 ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य
 बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के
 अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 774/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ
 ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत करना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में
 योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश
 दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा
 निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति
 प्राप्त किये बिना 01 बोरवेल (क्षमता 7.5 एचपी) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल
 विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु
 आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय
 हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में
 दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells
 and recovery of compensation for illegal extraction of ground water in the past considering the cost of such
 water with deterrent element and the cost of replenishing ground water level. **In absence of clear data
 on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project
 cost of the PPs, apart from remedial action for future. The PPs may deposit compensation
 with the respective District Magistrates and the State PCB within one month from today,
 failing which the District Magistrate will be free to take coercive measures including filing
 of theft cases against the projects extracting ground water without permission and stopping
 the ongoing projects.** Final compensation may be assessed by the joint Committee comprising of
 Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh
 Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर
 इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित
 समयवाधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)
 क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



1129

657
क्षेत्रीय कार्यालय

ANNEXURE A-29

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल कॉम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स: 0120-232102

सन्दर्भ संख्या :

1105/NGT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स महागुन माईवुड-फेज-1 व 2 (प्रमोटर-मेसर्स महागुन इण्डिया प्रा0लि0)
प्लॉट नं0-जीएच-04, सेक्टर-16सी,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

i.d.s.r

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 775/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 05 बोरवेल (क्षमता 10 एचपी के तीन एवं 7.5 एचपी के दो) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. **In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects.** Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



1130

ANNEXURE

A-30

266

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या :

1106/N&T-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स महागुन मंत्रा-1 (प्रमोटर-मेसर्स महागुन इण्डिया प्रा0लि0)

प्लॉट नं0-जीएच-01/बी, सेक्टर-10,

ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 776/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल (क्षमता 7.5 एचपी) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



ANNEXURE

1131

क्षेत्रीय कार्यालय A-31

265

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स: 0120-232102

सन्दर्भ संख्या :

1107/NGT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स एटीएस डेस्टीनायर (प्रमोटर-मेसर्स एटीएस इंफ्रास्ट्रक्चर लि0)
प्लॉट नं0-जीएच-14ए, सेक्टर-1,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

in/ise

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 777/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल (क्षमता 10 एचपी) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय


(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।


क्षेत्रीय अधिकारी

१८
१२

A JE 1 not know notice source to project letter Pdf.docx

मुख्यालय- टी0सी0- 12 वी, विभूति खण्ड, गोमती नगर, लखनऊ- 226010, वेब साईट- www.uppcb.com

33



1133

661 ANNEXURE A-33

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स: 0120-232102

सन्दर्भ संख्या : 1109/NGT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स अपैक्स गोल्फ अवेन्यू (प्रमोटर-मेसर्स अपैक्स डेवलपर्स प्रा०लि०),
प्लॉट नं०-जीएच-11, सेक्टर-1,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं० 779/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु 30प्र० भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 3 एचपी व 5 एचपी) स्थापित किये गये हैं। इस सम्बन्ध में 30प्र० भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनाार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), 30प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

05/12/22
क्षेत्रीय अधिकारी



34 1134 662 ANNEXURE A-34
 क्षेत्रीय कार्यालय
 उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा-262

ए-1, प्रथम तल, कॉमर्शियल कामप्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
 ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या :

1110/NGT-54/22

दिनांक :

05/12/22

सेवा में,

मेसर्स दिव्यांस पलोरा (प्रमोटर-मेसर्स अपैक्स डेवलपर्स प्रा0लि0),
 प्लॉट नं0-जीएच-11, सेक्टर-1,
 ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 780/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल (क्षमता 5 एचपी) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

05/12/22
 क्षेत्रीय अधिकारी

all



1135

663 क्षेत्रीय कार्यालय

ANNEXURE

A-35

261

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या :

1111/NGRT-54/22

दिनांक :

05/12/22

सेवा में,

मेसर्स लक्की पॉम वैली,

खसरा नं०-784, ग्राम-बिसरख, सेक्टर-1, स्टेलर जीवन के पीछे,

ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

Handwritten signature

विषय: मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं० 781/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ०प्र० भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 17 बोरवेल (क्षमता 1.5 एचपी प्रत्येक) स्थापित किये गये हैं। इस सम्बन्ध में उ०प्र० भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवधि में किया जाना सुनिश्चित करें।

संलग्नक: यथापरि।

भवदीय

Handwritten signature

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

Handwritten signature
क्षेत्रीय अधिकारी

au

Handwritten signature



1136

664

ANNEXURE
A-36

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1112 / NGT-54 / 22

दिनांक : 05/12/22

सेवा में,

मेसर्स सिक्का काम्या ग्रीन्स, (प्रमोटर-मेसर्स सिक्का इंफाटेक प्रा0लि0),
प्लॉट नं0-जीएच-02बी, सेक्टर-10,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 847/एनजीटी-54/2022 दिनांक 28.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 2 एचपी प्रत्येक) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवाधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

- 1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
- 2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



1137

665 ANNEXURE

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या :

1113/NGT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स गैलेक्सी वेजा, (प्रमोटर-मेसर्स गैलेक्सी इंफ्रास्ट्रक्चर प्रा0लि0),
प्लॉट नं0-जीएच-08सी, सेक्टर-टेकजोन-4,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य
बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के
अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यलय के पत्र सं0 786/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ
ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में
योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश
दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा
निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति
प्राप्त किये बिना 01 बोरवेल (क्षमता 10 एचपी) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल
विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु
आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।


आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय
हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में
दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells
and recovery of compensation for illegal extraction of ground water in the past considering the cost of such
water with deterrent element and the cost of replenishing ground water level. In absence of clear data
on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project
cost of the PPs, apart from remedial action for future. The PPs may deposit compensation
with the respective District Magistrates and the State PCB within one month from today,
failing which the District Magistrate will be free to take coercive measures including filing
of theft cases against the projects extracting ground water without permission and stopping
the ongoing projects. Final compensation may be assessed by the joint Committee comprising of
Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh
Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर
इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित
समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय


(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।


क्षेत्रीय अधिकारी



1138

666

ANNEXURE

A-38

258

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1114/NGT-59/22

दिनांक : 05/12/22

सेवा में,

मेसर्स हैप्पी ट्रेल, (प्रमोटर-मेसर्स एटीएस होमक्राफ्ट/मेसर्स श्रीधारा इंफाटेक प्रा0लि0),
प्लॉट नं0-जीएच-02ए, सेक्टर-10,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 788/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 5 एचपी प्रत्येक) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



1139

667 ANNEXURE

कीर्तीय कार्यालय

A-39

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉंग्रेसियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स: 0120-232102

सन्दर्भ संख्या : 1115/NGT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स ला रेजिडेन्सिया, (प्रमोटर-मेसर्स ला रेजिडेन्सिया डेवलेपर्स प्रा0लि0),
प्लॉट नं0-जीएच-06ए, सेक्टर-टेकजोन-4,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

in/22

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 787/एनजीटी-54/2022 दिनांक 28.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 18 एचपी व 1.5 एचपी) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवाधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

[Signature]
(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

[Signature]
क्षेत्रीय अधिकारी

[Signature]



668
ANNEXURE
A-40
1140
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा
ए-1, प्रथम तल, कॉमर्शियल कॉम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102
दिनांक : 05/12/22

सन्दर्भ संख्या :

1116/NGT-54/22

सेवा में,

मेसर्स राजहंस रेजिडेन्सी, (प्रमोटर-मेसर्स राजहंस इंफाटेक प्रा0लि0),
प्लॉट नं0-जीएच-06बी, सेक्टर-01,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 785/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 7.5 एचपी प्रत्येक) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

05/12/22
क्षेत्रीय अधिकारी



1141

669

ANNEXURE

A-41

255

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन / फैक्स. 0120-232102

सन्दर्भ संख्या : 117/NGCT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स पंचशील हाईनेस, (प्रमोटर-मेसर्स पंचशील बिल्डटेक प्रा0लि0),
प्लॉट नं0-जीएच-08ए, सेक्टर-01,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

[Handwritten Signature]

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 784/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 20 एचपी प्रत्येक) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

“.....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. **In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects.** Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate.....”

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

[Handwritten Signature]
(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

[Handwritten Signature]
क्षेत्रीय अधिकारी



670
 1142
 क्षेत्रीय कार्यालय
 उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ANNEXURE
 A-42
 254

ए-1, प्रथम तल, कॉमर्शियल कॉम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स: 0120-232102

दिनांक : 05/12/22

सन्दर्भ संख्या : 1118/NGT-S/22

सेवा में,

मेसर्स गौर सौन्दर्यम (प्रमोटर्स-मेसर्स गौरसंस प्रमोटर्स प्रा०लि०),
 प्लॉट नं०-जीएच-05सी, सेक्टर-टेकजोन-4,
 ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

india

विषय: मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं० 769/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ०प्र० भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 09 बोरवेल स्थापित किये गये हैं। इस सम्बन्ध में उ०प्र० भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)
 क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



1143

671 ANNEXURE

क्षेत्रीय कार्यालय A-43
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा 253

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1119/NGT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स गौर सिटी-2 (प्रमोटर्स-मेसर्स गौरसंस प्रमोटर्स प्रा0लि0),
सेक्टर-16सी, ग्रेटर नोएडा वेस्ट,
गौतमबुद्धनगर।

u.s. 22

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 770/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 25 बोरवेल स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



1144

672

ANNEXURE

A-44

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1120/NGT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स गौर सिटी-1 (प्रमोटर्स-मेसर्स गौरसंस प्रमोटर्स प्रा0लि0),
प्लॉट नं0- जी0एच0-01, सेक्टर-4,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

idyl

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 771/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 18 बोरवेल स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवाधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी

ae

R



1145 673 ANNEXURE
 क्षेत्रीय कार्यालय A-45
 उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1121/N&T-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स एस सिटी (प्रमोटर-मेसर्स एस इंफासिटी डेवलपर्स प्रा0लि0)
 प्लॉट नं0- जीएच-01, सेक्टर-1,
 ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

Handwritten signature

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 772/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल (क्षमता 5 एचपी) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

Handwritten signature
 (राधेश्याम)
 क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

Handwritten signature
 क्षेत्रीय अधिकारी



674
 क्षेत्रीय कार्यालय
 उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा
 ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
 ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

संदर्भ संख्या : 1122 / NGT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स एस एसपायर (प्रमोटर-मेसर्स एस इंफासिटी डेवलपर्स प्रा0लि0)
 प्लॉट नं0-जीएच-05बी, सेक्टर-1,
 ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

20/12/22

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 773/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 10 एचपी प्रत्येक) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

05/12/22
 क्षेत्रीय अधिकारी



ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
 ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1123/NGT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स अजनारा ली गार्डन,
 प्लॉट नं०- जी0एच0-02, सेक्टर-16बी,
 ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

(Signature)

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 1037/एनजीटी-54/2022 दिनांक 17.11.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 7.5 एचपी प्रत्येक) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

“.....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate.....”

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(Signature)

(राधेश्याम)
 क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

(Signature)
 क्षेत्रीय अधिकारी



क्षेत्रीय कार्यालय **ANNEXURE A-48**
1148 उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
 ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

संदर्भ संख्या : 12001/MG.F.5.1/2022-12

67.6

दिनांक : 20/11/22

सेवा में,

मेसर्स गैलेक्सी रॉयल (प्रमोटर-पृथ्वीलिंग बिल्डवेल प्रा0लि0),
 प्लॉट नं0-जीएच-03, सेक्टर-16सी, गौर सिटी-2,
 ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

20/11/22

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषय का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल (क्षमता 5 एचपी) स्थापित किया गया है। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको निरीक्षण के समय निर्देशित किया था, परन्तु आप द्वारा उक्त निर्देश का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. **In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects.** Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



ANNEXURE
A-49

677
1149
राष्ट्रीय कार्यालय
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1200/N47-54/2-13

दिनांक : 20/11/22

सेवा में,

मेसर्स गैलेक्सी डायमण्ड प्लाजा (प्रमोटर-एस्टोरायड शोल्टर्स होम्स प्रा0लि0),
प्लॉट नं0-सी-01ए, सेक्टर-4,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषय का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 10 एचपी व 7.5 एचपी) स्थापित किया गया है। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको निरीक्षण के समय निर्देशित किया था, परन्तु आप द्वारा उक्त निर्देश का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



1150

678 क्षेत्रीय कार्यालय

ANNEXURE
A-50

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1200/MGT-54/22/4

दिनांक : 20/12/22

सेवा में,

मेसर्स गैलेक्सी ब्लू सफायर (प्रमोटर-जी0एल0डी0 इंफा प्रोजेक्ट्स प्रा0लि0),
प्लॉट नं0-सी-03, सेक्टर-4,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य
बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के
अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषय का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय
हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ
इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त
समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0
भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल (क्षमता 10 एचपी) स्थापित किया गया है। इस
सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको निरीक्षण के
समय निर्देशित किया था, परन्तु आप द्वारा उक्त निर्देश का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय
हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में
दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells
and recovery of compensation for illegal extraction of ground water in the past considering the cost of such
water with deterrent element and the cost of replenishing ground water level. In absence of clear data
on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project
cost of the PPs, apart from remedial action for future. The PPs may deposit compensation
with the respective District Magistrates and the State PCB within one month from today,
failing which the District Magistrate will be free to take coercive measures including filing
of theft cases against the projects extracting ground water without permission and stopping
the ongoing projects. Final compensation may be assessed by the joint Committee comprising of
Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh
Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर
इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित
समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



679- ANNEXURE
 क्षेत्रीय कार्यालय
 उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
 ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1200/NCT-54/22/15

दिनांक : 20/11/22

सेवा में,

मेसर्स मंगलाया ओफेरा (प्रमोटर-मेसर्स मंगलाया बिल्डटेक प्रा0लि0),
 प्लॉट नं0-जी0एच0-16एफ, सेक्टर-1,
 ग्रेटर नोएडा, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषय का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल (क्षमता 1.5 एचपी) स्थापित किया गया है। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको निरीक्षण के समय निर्देशित किया था, परन्तु आप द्वारा उक्त निर्देश का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



1152 क्षेत्रीय कार्यालय
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल कामप्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1152/MP/22/16

दिनांक : 20/11/22

सेवा में,

मेसर्स एम्स ग्रीन एवेन्यू (प्रमोटर-मेसर्स एम्स गोल्फ टाउन डेवलपर्स प्रा0लि0),
प्लॉट नं0-जी0एच0-04, सेक्टर-4,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषय का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल (क्षमता 10 एचपी) स्थापित किया गया है। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको निरीक्षण के समय निर्देशित किया था, परन्तु आप द्वारा उक्त निर्देश का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with detergent element and the cost of replenishing ground water level. **In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects.** Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी
20/11/22



1153

681 क्षेत्रीय कार्यालय

ANNEXURE

A-53

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा 275

ए-1, प्रथम तल, कॉमर्शियल कॉम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : roggreaternoidea@uppcb.in, फोन/फैक्स. 0120-232102

संदर्भ संख्या : 1200/N4P-54/22-17

दिनांक : 20/12/22

सेवा में,

मेसर्स सिंधुजा ग्रीन्स (प्रमोटर-मेसर्स होम टॉपर प्रा0लि0),
ग्राम-वेदपुरा, सेक्टर-10,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

u/ksr

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषय का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल (क्षमता 03 एचपी) स्थापित किया गया है। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको निरीक्षण के समय निर्देशित किया था, परन्तु आप द्वारा उक्त निर्देश का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

[Signature]

(राधेश्याम)

ok क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

[Signature]
ok क्षेत्रीय अधिकारी
u/ksr



682
 1154
 क्षेत्रीय कार्यालय
 उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

संदर्भ संख्या : 200/N.G.F-54/2022/1

दिनांक : 20/12/2022

सेवा में,

मेसर्स एस डिवार्डिनो (प्रमोटर-स्टारसिटी रियल स्टेट प्रा0लि0),
 प्लॉट नं0-जीएच-14ए, सेक्टर-1,
 ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

u/Ans

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषय का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल (क्षमता 10 एचपी) स्थापित किया गया है। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको निरीक्षण के समय निर्देशित किया था, परन्तु आप द्वारा उक्त निर्देश का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

e/c

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

e/c क्षेत्रीय अधिकारी

u/Ans



1155

683

ANNEXURE

P-55

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल कॉम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या :

1215

MGF-54/22

दिनांक : 23/12/22

सेवा में,

मेसर्स एस एसपायर (Ace Aspire)
प्लॉट नं०-GH-02A, TechZone-4,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं० 773/एनजीटी-54/2022 दिनांक 26.09.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ०प्र० भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 10 एचपी प्रत्येक) स्थापित किये गये हैं। इस सम्बन्ध में उ०प्र० भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवाधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



1156

684

ANNEXURE

A-56

235

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गीतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स: 0120-232102

सन्दर्भ संख्या :

1276/MG/254/22

दिनांक : 9/1/23

सेवा में,

अपर मुख्य कार्यपालक अधिकारी (हाउसिंग),
ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण,
ग्रेटर नोएडा।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 16.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में जनपद गीतमबुद्धनगर के ग्रेटर नोएडा वेस्ट क्षेत्र में हो रहे भूजल दोहन के सम्बन्ध में OA No. 392/2022 दायर की गयी है, जो वर्तमान में विचाराधीन है, का संदर्भ ग्रहण करने का कष्ट करें। उक्त ओ0ए0 में परियोजनाओं द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level....."

".....The joint Committee may also consider the data and view point of the PPs, if any, filed....."

उपरोक्त आदेश के अनुपालन हेतु संयुक्त समिति द्वारा परियोजनाओं में स्थापित बोरवेल्ल्स/सबर्भसेबल पम्प के सिलिंग के दौरान 11 परियोजनाओं द्वारा जिलाधिकारी महोदय को सम्बोधित एवं आपको पृष्ठांकित प्रत्यावेदन प्रेषित किये गये हैं, जो निम्नानुसार हैं:-

क्रम संख्या	परियोजना का नाम व पता	प्रत्यावेदन के मुख्य अंश
1.	Mahagun Mantraa-1, GH-01/B, Sector 10, Greater Noida West, G.B. Nagar.	Bore well could not be sealed by the Joint Committee. As per representation submitted by PP, no water supply has been provided by GNIDA and around 300 families are residing in project.
2.	Galaxy Vega, GH-08C, Tech Zone-IV, Greater Noida, G.B. Nagar.	Bore well could not be sealed by the Joint Committee. As per representation submitted by PP, water supply provided by GNIDA is insufficient with respect to required quantity for 900 families in project.
3.	La Residentia, GH-06A, Sector Tech Zone-4, Greater Noida, G.B. Nagar.	Bore well could not be sealed by the Joint Committee. As per representation submitted by RWA, no water supply has been provided by GNIDA and around 1300 families are residing in project.
4.	Divyansh Flora, Plot No.-3H, Sector 16C, Gaur City-2, Greater Noida, G.B. Nagar.	Bore well could not be sealed by the Joint Committee. As per representation submitted by PP, water supply provided by GNIDA is insufficient with respect to required quantity for 466 families in project.
5.	Apex Golf Avenue, GH 11, Sector-1, Greater Noida West, G.B. Nagar.	Bore well could not be sealed by the Joint Committee. As per representation submitted by PP, no water supply has been provided by GNIDA and around 450 families are residing in project.
6.	VVIP Meridian/Home, PLOT NO. GC-03K/GH-03, Sector-16-C, Greater Noida West, G.B. Nagar.	Bore well could not be sealed by the Joint Committee. As per representation submitted by PP, no water supply has been provided by GNIDA and around 900 families are residing in project.

P.T.O.

E:\MAX\Project\B-WOP\Letter\Pool BC\Noida.docx

मुख्यालय- टी0सी0- 12 बी, विभूति खण्ड, गोमती नगर, लखनऊ- 226010, वेब साईट- www.uppcb.in

28/12/22
mm A-56
1157085

236

7.	Rajhans Residency, GH-6B, sector -1, Greater Noida, G.B. Nagar.	Bore well could not be sealed by the Joint Committee. As per representation submitted by PP, water supply has been provided by GNIDA and around 200 families are residing in project.
8.	Lucky Palm Valley, Khasra No. 784, Vill-Bisrakh, Sector 1, Greater Noida, West, behind Stellar Jeevan, G.B.Nagar.	Bore well could not be sealed by the Joint Committee. As per representative, no water supply has been provided by GNIDA and around 200 families are residing in project.
9.	Mywoods Phase-1,2&3, GH 04, Sector 16C, Gaur City 2, Greater Noida, G.B.Nagar.	Bore well could not be sealed by the Joint Committee. As per representation submitted by PP, water supply provided by GNIDA is insufficient with respect to required quantity for 4000 families in project.
10.	Gaur City-1, GH-01, Sector-4, Greater Noida West, G.B.Nagar.	As per information provided by PP, 07 operational Tubewells/Borewells are established by GNIDA and no ground water abstraction is being done by PP itself.
11.	Gaur City-2, GH-01, Sector-16C, Greater Noida West, G.B.Nagar.	As per information provided by PP, 06 operational Tubewells/Borewells are established by GNIDA and no ground water abstraction is being done by PP itself.


उक्त परियोजनाओं के प्रत्यावेदन का विषय जलापूर्ति के सम्बन्ध में है, जो प्राधिकरण से सम्बन्धित प्रकरण है। अतः उक्त परियोजनाओं के प्रत्यावेदनो की छायाप्रति संलग्न कर इस अनुरोध के साथ प्रेषित है कि मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 के अनुपालन में परियोजनाओं के प्रत्यावेदनो का निस्तारण किये जाने हेतु प्राधिकरण के सक्षम अधिकारी को निर्देशित करने का कष्ट करें।

भवदीय,


(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य कार्यपालक अधिकारी महोदया, ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण, ग्रेटर नोएडा।
2. जिलाधिकारी महोदय, गौतमबुद्धनगर।
3. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
4. विधि अधिकारी-प्रथम, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।


09/01/23
क्षेत्रीय अधिकारी



क्षेत्रीय कार्यालय

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल कॉम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स: 0120-232102

सन्दर्भ संख्या :

1415 / NGP-54/22

दिनांक 19/11/23

सेवा में,

1. अपर मुख्य कार्यपालक अधिकारी
ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण, ग्रेटर नोएडा।
2. हाइड्रोलॉजिस्ट, उ०प्र० मू-गर्भ जल विभाग, गौतमबुद्धनगर।
3. सहायक अभियन्ता, लघु सिंचाई विभाग, गौतमबुद्धनगर।

विषय: मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 15.11.2022 के अनुपालन में सम्पन्न बैठक की कार्यवृत्त के सम्बन्ध में।

महोदय,

उपरोक्त विषय का संदर्भ ग्रहण करने का कष्ट करें। आप अवगत है कि मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 15.11.2022 के अनुपालन में मुख्य विकास अधिकारी महोदय, गौतमबुद्धनगर की अध्यक्षता में दिनांक 16.01.2023 को प्रातः 11.00 बजे विकास भवन सभागार में बैठक सम्पन्न हुई थी।

उक्त बैठक की कार्यवृत्त संलग्न कर इस अनुरोध के साथ प्रेषित है कि कार्यवृत्त में उल्लिखित बिन्दुओं पर अपने विभाग से सम्बन्धित नियमानुसार कार्यवाही करने का कष्ट करें एवं कृत कार्यवाही की आख्या से इस कार्यालय को भी अवगत करायें।

संलग्न: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

२

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. जिलाधिकारी महोदय, गौतमबुद्धनगर।
2. मुख्य विकास अधिकारी महोदय, गौतमबुद्धनगर।
3. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

क्षेत्रीय अधिकारी

२

३

मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 प्रसून पंत एवं अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 15.11.2022 के अनुपालन में प्राप्त प्रत्यावेदनो के निस्तारण सम्बन्धी सम्पन्न बैठक दिनांक 16.01.2023 की कार्यवृत्त।

मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 प्रसून पंत एवं अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 15.11.2022 के प्रासंगिक अंश निम्नवत् हैं—

“.....The joint Committee may also consider the data and view point of the PPs, if any, filed.....”

उपरोक्त आदेश के अनुपालन में मेसर्स गौर ग्रुप द्वारा अपने 04 प्रोजेक्ट्स (गौर सिटी-1, गौर सिटी-2, गौर सौन्दर्यम एवं गौर सिटी मॉल) एवं अन्य परियोजना प्रस्तावको (सूची संलग्न) द्वारा भू-गर्भ जल निष्कर्षण के सम्बन्ध में जिलाधिकारी महोदय के समक्ष अपना स्पष्टीकरण/प्रत्यावेदन प्रेषित किया गया है। प्राप्त स्पष्टीकरण/प्रत्यावेदन के निस्तारण हेतु मुख्य विकास अधिकारी महोदय की अध्यक्षता में विकास भवन सभागार में दिनांक 16.01.2023 को बैठक आयोजित की गयी। बैठक में उपस्थित अधिकारियों का विवरण निम्नवत् है:-

1. मुख्य विकास अधिकारी, गौतमबुद्धनगर।
2. श्रीमती अंकिता राय, हाईड्रोजोलिस्ट, उ0प्र0 भू-गर्भ जल विभाग, गौतमबुद्धनगर।
3. श्री चेताराम सिंह, वरिष्ठ प्रबंधक, ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण।
4. श्री रंजीत सिंह, सहायक पर्यावरण अभियंता, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा।
5. श्री हिमांशू गौतम, सहायक अभियंता, लघु सिंचाई विभाग, गौतमबुद्धनगर।
6. श्री विवेक कुमार, सहायक पर्यावरण अभियंता, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा।

सर्व प्रथम उ0प्र0 प्रदूषण नियंत्रण बोर्ड द्वारा मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 प्रसून पंत एवं अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 15.11.2022 के अनुपालन में परियोजनाओं द्वारा प्रेषित प्रत्यावेदनों के तथ्यों के विषय में अध्यक्ष महोदय को अवगत कराया गया। मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा पारित आदेश के सम्बन्ध में लिये गये निर्णय निम्नानुसार है:-

1. कतिपय परियोजना प्रस्तावकों के प्रत्यावेदनों में अंकित कार्पोरेट इन्टिटी समिति द्वारा दी गयी आख्या में अंकित कार्पोरेट इन्टिटी से भिन्न है। संयुक्त समिति द्वारा अंकित सूचना निरीक्षण के समय उपलब्ध करायी गयी मौखिक सूचना के आधार पर होने के कारण त्रुटीपूर्ण प्रतीत होती है। परियोजनाओं द्वारा प्रस्तुत किये गये अभिलेखों का समिति ने अवलोकन किया तथा सहमति व्यक्त की गयी कि परियोजना प्रस्तावकों के प्रत्यावेदनों के अनुसार आख्या के कार्पोरेट इन्टिटी में संशोधन किया जाये। जो निम्नानुसार है-

पूर्व प्रेषित आख्या के अनुसार	संशोधित आख्या के अनुसार
Gaur City-2, Gaursons Promoters Pvt. Ltd., Gaur city-2, plot no- GH-01, sector-16C, Gr. Noida	Gaur City-2, GH-01, sector-16C, Gr. Noida (M/s Gaursons Promoter Private Limited)
Gaur Saundaryam, Gaursons Realty Pvt. Ltd.,	Gaur Saundaryam, GH-05C, Techzone-IV,

Gaur Saundaryam, Plot No- GH-05C, Techzone-IV, Gr. Noida	Gr. Noida (M/s Gaursons Realty Pvt. Ltd)
Gaur City Mall, Gaursons Hi-Tech Infrastructure Pvt. Ltd., Plot No. C-1B/GH-01, sector-4, Gr. Noida	Gaur City Mall, C-1B/GH-01, sector-4, Gr. Noida (M/s Gaursons Hi-Tech Infrastructure Pvt. Ltd).
Gaur City-1, Gaursons Hi-Tech Infrastructure Pvt. Ltd., GH-01, Gaur City-1, Sector-4, Gr. Noida	Gaur City-1, GH-01, Sector-4, Gr. Noida (M/s Gaursons Hi-Tech Infrastructure Pvt. Ltd)

(कार्यवाही-उ०प्र० भू-गर्म जल विभाग/ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण/उ०प्र० प्रदूषण नियंत्रण बोर्ड/लघु सिंचाई विभाग)

2. मा० एन०जी०टी० में प्रेषित आख्या दिनांक 07.10.2022 के तालिका-1 में क्रम संख्या-1 पर उल्लेखित परियोजना गौर सिटी मॉल के स्थान पर वीवीआईपी होम्स/मेरेडियन का नाम, पता एवं बोरवेल/सबमर्सिबल पम्प संशोधित किये जाने हेतु संयुक्त समिति द्वारा सहमति व्यक्त की गयी।

पूर्व प्रेषित आख्या के अनुसार	संशोधित आख्या के अनुसार
Gaur City Mall (Promoters-M/s Gaursons Promoters (P) Ltd), Gaur City-1, Sector-4, Greater Noida West, G.B. Nagar	M/s VVIP Home /Meridian (Promoter-Solitaire Infra home Pvt Ltd), GC-03K/ GH-03, Sector-16C, Greater Noida, Gautam Budh Nagar

(कार्यवाही-उ०प्र० भू-गर्म जल विभाग/ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण/उ०प्र० प्रदूषण नियंत्रण बोर्ड/लघु सिंचाई विभाग)

3. परियोजना प्रस्तावक के प्रत्यावेदन में सीवेज शोधन एवं शोधन के उपरान्त नॉन कान्टेक्ट पर्पजेज (फलशिंग, गार्डनिंग आदि) के उपयोग हेतु दिये गये तथ्यों की जाँच समिति द्वारा किये जाने हेतु महोदय द्वारा निर्देशित किया गया।

(कार्यवाही-उ०प्र० भू-गर्म जल विभाग/ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण/उ०प्र० प्रदूषण नियंत्रण बोर्ड/लघु सिंचाई विभाग)

4. संयुक्त समिति द्वारा सहमति व्यक्त की गयी कि परियोजना प्रस्तावकों द्वारा प्रेषित स्पष्टीकरण/प्रत्यावेदन के सम्बन्ध में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा जलापूर्ति हेतु निर्गत बीजक/भुगतान की प्रति को प्राधिकरण द्वारा जलापूर्ति किये जाने के साक्ष्य के रूप में माना जाये।

(कार्यवाही-उ०प्र० भू-गर्म जल विभाग/ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण/उ०प्र० प्रदूषण नियंत्रण बोर्ड/लघु सिंचाई विभाग)

5. संयुक्त समिति द्वारा सहमति व्यक्त की गयी कि परियोजना प्रस्तावक (मेसर्स गौर ग्रुप के 04 परियोजनाओं) द्वारा प्रेषित प्रत्यावेदन दिनांक 09.12.2022 में उल्लिखित केन्द्रीय भूगर्भ जल बोर्ड/उ०प्र० भूगर्भ जल विभाग में भूगर्भ जल निष्कर्षण हेतु प्रेषित अनापत्ति प्रमाण पत्र सम्बन्धी आवेदन की जाँच/निष्कर्ष उ०प्र० भूगर्भ जल विभाग द्वारा कर लिया जाये एवं विस्तृत आख्या प्रेषित की जाये।

(कार्यवाही-उ०प्र० भू-गर्म जल विभाग)

प्राप्त प्रत्यावेदनो का विवरण निम्नवत् है:-

1. मेसर्स गौर सिटी-1, जी०एच०-01, सेक्टर-4, ग्रेटर नोएडा।

उक्त परियोजना प्रस्तावक द्वारा प्रेषित स्पष्टीकरण/प्रत्यावेदन दिनांक 09.12.2022 एवं 04.01.2023 के तथ्यों एवं आंकड़ों के दृष्टिगत पूर्व निरीक्षण के दौरान परियोजना परिसर में पाये गये कुल 18 बोरवेल के प्रयोजन की गहन जाँच

परियोजना के अधिकृत प्रतिनिधि श्री रोहित शर्मा, सी0ई0ओ0, गौर ग्रुप की उपस्थिति में समिति द्वारा दिनांक 04.01.2023 को किया गया। परियोजना प्रतिनिधि के अनुसार परियोजना परिसर के गौर सिटी-1 में 07 ट्यूबवेल ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा प्रयोग किये जा रहे हैं। उक्त ट्यूबवेल से गौर सिटी-1 का कोई सम्बन्ध नहीं है। संयुक्त समिति के नवीनतम निरीक्षण दिनांक 04.01.2023 के दौरान परियोजना मेसर्स गौर सिटी-1 के कुल 18 बोरवेल में से कुल 11 बोरवेल में पम्प एवं विद्युत आपूर्ति की कोई व्यवस्था स्थापित नहीं पायी गयी। इस सम्बन्ध में परियोजना के अधिकृत प्रतिनिधि श्री रोहित शर्मा, सी0ई0ओ0, गौर ग्रुप द्वारा अवगत कराया गया कि परियोजना के स्थल की प्रारम्भिक जाँच/जीयोटेक्नीकल इनवेस्टीगेशन हेतु कुछ बोरवेल बनाये गये थे। प्राधिकरण द्वारा जलदोहन हेतु विकसित किये गये ट्यूबवेल/बोरवेल के अतिरिक्त अन्य बोरवेल में परियोजना द्वारा किसी भी बोरवेल में स्टेनर (जाली) व पम्प स्थापित नहीं किया गया है और न ही अवैध जल दोहन किया गया है। परियोजना द्वारा प्रेषित स्पष्टीकरण/प्रत्यावेदन दिनांक 09.12.2022, 04.01.2023 एवं 11.01.2023 सम्बन्ध में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा कार्यवाही किया जाना अपेक्षित है।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)

II. मेसर्स गौर सिटी-2, जी0एच0-01, सेक्टर-16सी, ग्रेटर नोएडा।

उक्त परियोजना प्रस्तावक द्वारा प्रेषित स्पष्टीकरण/प्रत्यावेदन दिनांक 09.12.2022 एवं 04.01.2023 के तथ्यों एवं आंकड़ों के दृष्टिगत पूर्व निरीक्षण के दौरान परियोजना परिसर में पाये गये कुल 25 बोरवेल के प्रयोजन की गहन जाँच परियोजना के अधिकृत प्रतिनिधि श्री रोहित शर्मा, सी0ई0ओ0, गौर ग्रुप की उपस्थिति में समिति द्वारा दिनांक 04.01.2023 को किया गया। परियोजना प्रतिनिधि के अनुसार परियोजना परिसर के गौर सिटी-2 में 06 ट्यूबवेल ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा प्रयोग किये जा रहे हैं। उक्त ट्यूबवेल से गौर सिटी-2 का कोई सम्बन्ध नहीं है। संयुक्त समिति के नवीनतम निरीक्षण दिनांक 04.01.2023 के दौरान परियोजना मेसर्स गौर सिटी-2 के कुल 25 बोरवेल में से कुल 19 बोरवेल में पम्प एवं विद्युत आपूर्ति की कोई व्यवस्था स्थापित नहीं पायी गयी। इस सम्बन्ध में परियोजना के अधिकृत प्रतिनिधि श्री रोहित शर्मा, सी0ई0ओ0, गौर ग्रुप द्वारा अवगत कराया गया कि परियोजना के स्थल की प्रारम्भिक जाँच/जीयोटेक्नीकल इनवेस्टीगेशन हेतु कुछ बोरवेल बनाये गये थे। प्राधिकरण द्वारा जलदोहन हेतु विकसित किये गये ट्यूबवेल/बोरवेल के अतिरिक्त अन्य बोरवेल में परियोजना द्वारा किसी भी बोरवेल में स्टेनर (जाली) व पम्प स्थापित नहीं किया गया है और न ही अवैध जल दोहन किया गया है। परियोजना द्वारा प्रेषित स्पष्टीकरण/प्रत्यावेदन दिनांक 09.12.2022, 04.01.2023 एवं 11.01.2023 सम्बन्ध में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा कार्यवाही किया जाना अपेक्षित है।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)



III. मेसर्स गौर सौन्दर्यम, जी0एच0-05सी, टेकजोन-4, ग्रेटर नोएडा।

उक्त परियोजना प्रस्तावक द्वारा प्रेषित स्पष्टीकरण/प्रत्यावेदन दिनांक 09.12.2022 एवं 31.12.2022 के तथ्यों एवं आंकड़ों के दृष्टिगत पूर्व निरीक्षण के दौरान परियोजना परिसर में पाये गये कुल 09 बोरवेल्स के प्रयोजन की गहन जाँच परियोजना के अधिकृत प्रतिनिधि श्री रोहित शर्मा, सी0ई0ओ0, गौर ग्रुप की उपस्थिति में समिति द्वारा दिनांक 31.12.2022 को किया गया। निरीक्षण के दौरान परियोजना के प्रतिनिधि द्वारा परियोजना में स्थापित 01 बोरवेल/सबमर्सिबल से भू-गर्भ जल निष्कर्षण हेतु उ0प्र0 भू-गर्भ जल विभाग द्वारा प्रदत्त अनुमति की प्रति उपलब्ध करायी गयी है। संयुक्त समिति के नवीनतम निरीक्षण दिनांक 31.12.2022 के दौरान परियोजना मेसर्स गौर सौन्दर्यम के कुल 09 बोरवेल्स में से 08 बोरवेल्स में पम्प एवं विद्युत आपूर्ति की कोई व्यवस्था स्थापित नहीं पायी गयी। इस सम्बन्ध में परियोजना के अधिकृत प्रतिनिधि श्री रोहित शर्मा, सी0ई0ओ0, गौर ग्रुप द्वारा अवगत कराया गया कि परियोजना के स्थल की प्रारम्भिक जाँच/जीयोटेक्नीकल इनवेस्टीगेशन हेतु कुछ बोरवेल्स बनाये गये थे। परियोजना द्वारा मात्र 01 बोरवेल/सबमर्सिबल का प्रयोग नियमानुसार उ0प्र0 भू-गर्भ जल विभाग से एन0ओ0सी0 प्राप्त कर किया जा रहा है एवं उक्त के अतिरिक्त किसी भी बोरवेल्स में स्टेनर (जाली) व पम्प स्थापित नहीं किया गया है और न ही अवैध जल दोहन किया गया है। परियोजना द्वारा प्रेषित स्पष्टीकरण/प्रत्यावेदन दिनांक 09.12.2022, 31.12.2022 एवं 11.01.2023 सम्बन्ध में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा कार्यवाही किया जाना अपेक्षित है।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)

IV. मेसर्स गौर सिटी मॉल, सी-1बी/जी0एच0-1, सेक्टर-4, ग्रेटर नोएडा।

उक्त परियोजना प्रस्तावक द्वारा प्रेषित स्पष्टीकरण/प्रत्यावेदन दिनांक 09.12.2022 एवं 31.12.2022 के तथ्यों एवं आंकड़ों के दृष्टिगत पूर्व निरीक्षण के दौरान परियोजना परिसर में पाये गये 01 बोरवेल के प्रयोजन की गहन जाँच परियोजना के अधिकृत प्रतिनिधि श्री रोहित शर्मा, सी0ई0ओ0, गौर ग्रुप की उपस्थिति में समिति द्वारा दिनांक 31.12.2022 को किया गया। संयुक्त समिति के नवीनतम निरीक्षण दिनांक 31.12.2022 के दौरान परियोजना के प्रतिनिधि द्वारा परियोजना में स्थापित 01 बोरवेल/सबमर्सिबल से भू-गर्भ जल निष्कर्षण हेतु उ0प्र0 भू-गर्भ जल विभाग द्वारा प्रदत्त एन0ओ0सी0/अनुमति की प्रति उपलब्ध करायी गयी है। परियोजना द्वारा प्रेषित स्पष्टीकरण/प्रत्यावेदन दिनांक 09.12.2022 एवं 31.12.2022 सम्बन्ध में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा कार्यवाही किया जाना अपेक्षित है।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)

V. मेसर्स गैलेक्सी वेगा, जी0एच0-08सी, टेकजोन-4, ग्रेटर नोएडा।

उक्त परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 24.12.2022 में उल्लेख किया गया है कि परियोजना में कुल जल खपत के सापेक्ष वर्तमान में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा पर्याप्त मात्रा में पानी की सप्लाई नहीं की जा रही है, जिस कारण परियोजना के अन्तःवासियों के पेयजल की आवश्यकतापूर्ति

हेतु भू-गर्भ जल का प्रयोग किया जा रहा है। प्राधिकरण द्वारा आवश्यक जलापूर्ति सुनिश्चित किये जाने की दशा में ही परियोजना में बोरवेल/सबमर्सिबल आवश्यक नहीं होगा। परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 24.12.2022 के सम्बन्ध में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा कार्यवाही किया जाना आपेक्षित है।
(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)

VI. मेसर्स दिव्यांश फलोरा, प्लाट नं०-3एच/जी0एच0-01, सेक्टर-16सी, गौर सिटी-2, ग्रेटर नोएडा।

उक्त परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 27.12.2022 में उल्लेख किया गया है कि परियोजना में कुल जल खपत 2.5 लाख ली0/दिन के सापेक्ष वर्तमान में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा 75,000 ली0/दिन पानी की सप्लाई की जा रही है, जिस कारण परियोजना के अन्तःवासियों के पेयजल की आवश्यकतापूर्ति हेतु भू-गर्भ जल का प्रयोग किया जा रहा है। प्राधिकरण द्वारा आवश्यक जलापूर्ति सुनिश्चित किये जाने की दशा में ही परियोजना में बोरवेल/सबमर्सिबल आवश्यक नहीं होगा। परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 27.12.2022 के सम्बन्ध में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा कार्यवाही किया जाना आपेक्षित है।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)

VII. मेसर्स महागुन माईवुड, जी0एच0-04, सेक्टर-16सी, ग्रेटर नोएडा।

उक्त परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 27.12.2022 में उल्लेख किया गया है कि परियोजना में कुल जल खपत 22 लाख ली0/दिन के सापेक्ष वर्तमान में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा 2 लाख ली0/दिन पानी की सप्लाई की जा रही है, जिस कारण परियोजना के अन्तःवासियों के पेयजल की आवश्यकतापूर्ति हेतु भू-गर्भ जल का प्रयोग किया जा रहा है। प्राधिकरण द्वारा आवश्यक जलापूर्ति सुनिश्चित किये जाने की दशा में ही परियोजना में बोरवेल/सबमर्सिबल आवश्यक नहीं होगा। परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 27.12.2022 के सम्बन्ध में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा कार्यवाही किया जाना आपेक्षित है।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)

VIII. मेसर्स महागुन मंत्रा-1, जी0एच0-01/बी, सेक्टर-10, ग्रेटर नोएडा।

उक्त परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 15.12.2022 में उल्लेख किया गया है कि परियोजना में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा पानी की सप्लाई नहीं की जा रही है, जिस कारण परियोजना के अन्तःवासियों के पेयजल की आवश्यकतापूर्ति हेतु भू-गर्भ जल का प्रयोग किया जा रहा है। प्राधिकरण द्वारा आवश्यक जलापूर्ति सुनिश्चित किये जाने की दशा में ही परियोजना में बोरवेल/सबमर्सिबल आवश्यक नहीं होगा। परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 15.12.2022 के सम्बन्ध में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा कार्यवाही किया जाना आपेक्षित है।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)

IX. मेसर्स लॉ रेसीडेन्सिया, जी0एच0-06ए, टेकजोन-4, ग्रेटर नोएडा।

उक्त परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 24.12.2022 में उल्लेख किया गया है कि परियोजना में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा पानी की सप्लाई नहीं की जा रही है, जिस कारण परियोजना के अन्तःवासियों के पेयजल की आवश्यकतापूर्ति हेतु भू-गर्भ जल का प्रयोग किया जा रहा है। प्राधिकरण द्वारा आवश्यक जलापूर्ति सुनिश्चित किये जाने की दशा में ही परियोजना में बोरवेल/सबमर्सिबल आवश्यक नहीं होगा। परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 24.12.2022 के सम्बन्ध में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा कार्यवाही किया जाना अपेक्षित है।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)

X. मेसर्स अपेक्स गोल्फ एवेन्यू, जी0एच0-03, स्पोर्ट्स सिटी-1, एडज्वाइनिंग टेकजोन-4, ग्रेटर नोएडा।

उक्त परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 28.12.2022 में उल्लेख किया गया है कि परियोजना में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा पानी की सप्लाई नहीं की जा रही है, जिस कारण परियोजना के अन्तःवासियों के पेयजल की आवश्यकतापूर्ति हेतु भू-गर्भ जल का प्रयोग किया जा रहा है। प्राधिकरण द्वारा आवश्यक जलापूर्ति सुनिश्चित किये जाने की दशा में ही परियोजना में बोरवेल/सबमर्सिबल आवश्यक नहीं होगा। परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 28.12.2022 के सम्बन्ध में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा कार्यवाही किया जाना अपेक्षित है।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)

XI. मेसर्स वीवीआईपी होम्स/मेरेडियन, जी0सी0-03के/जी0एच0-03, सेक्टर-16सी, ग्रेटर नोएडा।

उक्त परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 28.12.2022 में उल्लेख किया गया है कि परियोजना में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा पानी की सप्लाई नहीं की जा रही है, जिस कारण परियोजना के अन्तःवासियों के पेयजल की आवश्यकतापूर्ति हेतु भू-गर्भ जल का प्रयोग किया जा रहा है। प्राधिकरण द्वारा आवश्यक जलापूर्ति सुनिश्चित किये जाने की दशा में ही परियोजना में बोरवेल/सबमर्सिबल आवश्यक नहीं होगा। परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 28.12.2022 के सम्बन्ध में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा कार्यवाही किया जाना अपेक्षित है।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)

XII. मेसर्स राजहंस रेसीडेन्सी, जी0एच0-06बी, सेक्टर-1, ग्रेटर नोएडा।

उक्त परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 30.12.2022 में उल्लेख किया गया है कि परियोजना में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा पानी की सप्लाई नहीं की जा रही है, जिस कारण परियोजना के अन्तःवासियों के पेयजल की आवश्यकतापूर्ति हेतु भू-गर्भ जल का प्रयोग किया जा रहा है। प्राधिकरण द्वारा आवश्यक जलापूर्ति सुनिश्चित किये जाने की दशा में ही परियोजना में

बोरवेल/सबमर्सिबल आवश्यक नहीं होगा। परियोजना द्वारा प्रेषित प्रत्यावेदन दिनांक 30.12.2022 के सम्बन्ध में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा कार्यवाही किया जाना अपेक्षित है।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)

6. परियोजनाओं द्वारा प्रेषित प्रत्यावेदनो में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा जल आपूर्ति न कराने अथवा पर्याप्त मात्रा में उपलब्ध न कराने के कारण भू-गर्भ जल निष्कर्षण किया जाना अवगत कराया गया है। संयुक्त समिति द्वारा सहमति व्यक्त की गयी कि परियोजनाओं में स्थापित बोरवेल/सबमर्सिबल पम्प के सीलिंग के दौरान प्राप्त प्रत्यावेदनो का विषय परियोजना के अन्तःवासियो के पेयजल की आवश्यकतापूर्ति के सम्बन्ध में है, जो ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण से सम्बन्धित प्रकरण है। संयुक्त समिति द्वारा सहमति व्यक्त की गयी कि प्रश्नगत परियोजनाओं से प्राप्त समस्त प्रत्यावेदनो को ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा समयान्तर्गत नियमानुसार निस्तारण कर लिया जाये।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)

7. परियोजना प्रस्तावक मेसर्स गौर ग्रुप द्वारा प्रेषित स्पष्टीकरण/प्रत्यावेदन दिनांक 31.12.2022 में उल्लिखित परियोजना गौर सिटी-1 एवं गौर सिटी-2 के स्थल पर संचालित ट्यूबवेल्स के संचालन एवं स्वामित्व का सत्यापन के सम्बन्ध में ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा कार्यवाही किया जाना अपेक्षित है। संयुक्त समिति द्वारा सहमति व्यक्त की गयी कि गौर ग्रुप के प्रत्यावेदनो को ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा समयान्तर्गत नियमानुसार निस्तारण कर लिया जाये। अग्रेतर संयुक्त समिति द्वारा सहमति व्यक्त की गयी कि उ0प्र0 भू-गर्भ जल विभाग को ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा संचालित समस्त ट्यूबवेल्स की भू-गर्भ जल निष्कर्षण हेतु एन0ओ0सी0 आवेदन/निर्गमन की कार्यवाही पूर्ण कर ली जाये।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण/उ0प्र0 भू-गर्भ जल विभाग)

8. परियोजना प्रस्तावक मेसर्स गौर ग्रुप द्वारा प्रेषित स्पष्टीकरण/प्रत्यावेदन दिनांक 09.12.2022 के क्रम में संयुक्त समिति द्वारा सहमति व्यक्त की गयी कि गौर ग्रुप के 04 प्रोजेक्ट्स (गौर सिटी-1, गौर सिटी-2, गौर सौन्दर्यम एवं गौर सिटी मॉल) द्वारा प्रेषित प्रत्यावेदन दिनांक 09.12.2022 में परियोजना के निर्माण के दौरान किये गये जलापूर्ति हेतु वेन्डर मेसर्स क्रासिंग इन्फ्रास्ट्रक्चर प्रा0लि0, गाजियाबाद द्वारा प्रेषित अभिलेखों/गेट पास/चालान की जाँच कर ली जाये कि उक्त फर्म द्वारा दिये गये गेट पास/चालान के अनुसार एस0टी0पी0 में शोधित जल की उपलब्धता फर्म के पास थी अथवा नहीं एवं तदानुसार नियमानुसार कार्यवाही सुनिश्चित कर लिया जाये।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)

9. परियोजना प्रस्तावक मेसर्स गौर ग्रुप द्वारा प्रेषित स्पष्टीकरण/प्रत्यावेदन दिनांक 11.01.2023 में अप्रयोज्य बोरवेल्स के सम्बन्ध में जीयोटेक्नीकल इनवेस्टीगेशन के साक्ष्य के रूप में मेसर्स विश्वेसरय्या कन्सल्टेन्सी, रोहिणी, दिल्ली द्वारा तैयार की गयी रिपोर्ट की प्रति प्रस्तुत की गयी है, उक्त की जाँच हेतु संयुक्त समिति द्वारा सहमति व्यक्त की गयी कि गौर ग्रुप के 03 प्रोजेक्ट्स (गौर सिटी-1, गौर सिटी-2

एवं गौर सौन्दर्यम) द्वारा प्रेषित प्रत्यावेदन दिनांक 11.01.2023 मे प्रेषित जीयोटेक्नीकल इनवेस्टीगेशन रिपोर्ट को ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा जाँच कर लिया जाये।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)

10. संयुक्त समिति द्वारा सहमति व्यक्त की गयी कि ग्रेटर नोएडा वेस्ट क्षेत्र में स्थापित परियोजनाओं से जनित घरेलू सीवेज हेतु सीवर लाइन एवं शुद्धिकरण हेतु स्थापित किये जाने वाले कॉमन एस0टी0पी0 का निर्माण ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण द्वारा यथाशीघ्र पूर्ण किया जाये।

(कार्यवाही- ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण)


11. गौर सिटी-1, गौर सिटी-2 एवं गौर सौन्दर्यम में स्थापित बोरवेल्ल के सम्बन्ध में महोदय द्वारा उ0प्र0 भू-गर्भ जल विभाग को निर्देशित किया गया कि भविष्य में गौर ग्रुप की परियोजनाओं में स्थापित समस्त बोरवेल्ल का समय-समय पर औचक निरीक्षण किया जाये।

(कार्यवाही- मेसर्स गौर ग्रुप की परियोजनाओं/उ0प्र0 भू-गर्भ जल विभाग)


12. अन्त में अध्यक्ष महोदय द्वारा उ0प्र0 प्रदूषण नियंत्रण बोर्ड को निर्देशित किया गया कि उपरोक्त वर्णित परियोजनाओं के प्रत्यावेदनो में वर्णित तथ्यो पर प्रभावी कार्यवाही करने एवं प्रत्यावेदनो के निस्तारण करने हेतु परियोजनाओं के प्रत्यावेदनो को ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण को एक सप्ताह के अन्दर अग्रसारित कर दिया जाये तथा सभी विभागो द्वारा उपरोक्त बिन्दुओं पर नियमानुसार अनुपालन किया जाये।

(कार्यवाही-उ0प्र0 भू-गर्भ जल विभाग/ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण/उ0प्र0 प्रदूषण नियंत्रण बोर्ड)

अन्त मे सभी का धन्यवाद व्यक्त करते हुए बैठक का समापन किया गया।


(राधेश्याम)

क्षेत्रीय अधिकारी
उ0प्र0 प्रदूषण नियंत्रण बोर्ड,
ग्रेटर नोएडा।


(तेज प्रताप मिश्र)
मुख्य विकास अधिकारी
गौतमबुद्धनगर।
17/11/2023

कार्यालय मुख्य विकास अधिकारी,
गौतमबुद्धनगर

पत्रांक ...1405/146F54/22

दिनांक...18/11/23

प्रतिलिपि:

1. जिलाधिकारी महोदय, गौतमबुद्धनगर को सादर अवलोकनार्थ प्रेषित।
2. सम्बन्धित विभाग/अधिकारियों को अनुपालनार्थ प्रेषित।


मुख्य विकास अधिकारी
गौतमबुद्धनगर।
17/11/2023



1167 क्षेत्रीय कार्यालय
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा 248

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogrenternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1124/NGT-54/22

दिनांक : 05/12/22

सेवा में,

मेसर्स इको विलेज-3 (प्रमोटर- मेसर्स सुपरटेक लि0),
प्लॉट नं0- जी0एच0-03, सेक्टर-16बी,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 1038/एनजीटी-54/2022 दिनांक 17.11.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 15 एचपी प्रत्येक) स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

05/12/22
क्षेत्रीय अधिकारी

60
1168ANNEXURE
A-58

दिनांक-30.01.2023

भेज में

श्रीमान क्षेत्रीय अधिकारी
उ०प्र० प्रदूषण नियंत्रण बोर्ड
ए-1, प्रथम तल, कॉमिश्नरियल कॉम्प्लेक्स
सीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर (उ०प्र०)

विषय- आपके पत्रांक संख्या 1400/सी/एस-465/2023 दिनांक 27.01.2023 को संदर्भ में।

महोदय,

संदर्भ यह भी अवगत कराना है कि आपके विभाग द्वारा परियोजना का निरीक्षण दिनांक 21.01.2023 को किया गया था, परियोजना में स्थापित एस.टी.पी का संचालन सतोषजनक इसलिए नहीं पाया गया क्योंकि दिनांक 10 जनवरी से 22 जनवरी तक एस.टी.पी. मशीनों की सर्विस/मैटीनेंस का कार्य चल रहा था। सर्विस/मैटीनेंस कार्य समाप्त होने परवात हमारे द्वारा प्रत्येक माह की तरह ही दिनांक 27 जनवरी 2023 को एस.टी.पी. सैम्यल को टेस्टिंग हेतु लैब में भेजा दिया गया था, जिसकी रिपोर्ट इस पत्र के साथ संलग्न है। और आपसे यह भी अवगत कराना है कि अशुद्धिकृत सीवरेज का कोई भी मात्रा सीधे नाले में निस्तारित नहीं किया जा रहा है। निरीक्षण के दौरान बताई गई कमियों के निराकरण हेतु स्पष्टीकरण विन्दुवार निम्न प्रकार है-


1. परियोजना में स्थापित एस.टी.पी. के रखरखाव एवं सुचारु संचालन सुनिश्चित रूप से किया जा रहा है, निस्तारित हो रहे उत्पन्न जल की गुणता मानकों के अनुकूल है और परियोजना में स्थापित एस.टी.पी. के संचालन सम्बन्धी लॉगबुक मैनेटेन की जा रही है।
2. परियोजना परिसर से किसी भी दशा में अशुद्धिकृत घरेलू सीवरेज निस्तारित नहीं किया जा रहा है।
3. परियोजना के संचालनार्थ राज्य बोर्ड से सहमति जल/वायु नवीनीकरण हेतु आवेदन कर दिया गया है।
4. परियोजना में भूतर्मीय जल को निरक्षण हेतु उ०प्र० भूगर्भ जल विभाग से अनुमति हेतु आवेदन कर दिया गया है जिसकी छायाप्रति संलग्न है।

उक्त से यह स्पष्ट है कि परियोजना द्वारा जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1974 के अज्ञापक प्राविधानों का अनुपालन किया जा रहा है।

संलग्नक-

1. आवेदन प्रति सीजी डब्ल्यू ए
2. आवेदन प्रति उ०प्र० भू-गर्भ जल विभाग

कृते सोलिटैर इन्फ्राहोम प्रा. लि.
For Solitaire Infrahome Pvt. Ltd.

अधिकृत  Authorized Signatory

प्रतिनिधि-मुख्य पर्यावरण अधिकारी (वृत्त-1) उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ को सूचना एवं आवश्यक कार्यवाही हेतु सादर प्रेषित।

Solitaire Infrahome Pvt. Ltd.

Regd. Off : S-551, School Block, Shakarpur, Delhi-110092
Corp. Off : Chamber No-02, Second Floor, VVIP Style, Raj Nagar Extension,
NH-58, Ghaziabad - 201017 Uttar Pradesh
E-mail Id : info@vvipapart.com
Website : www.vvipapart.in

RERA No. : UPRERAPRJ3390 (Pn-I, VVIP Homes)
RERA No. : UPRERAPRJ3977 (Pn-II, VVIP Homes)
GSTIN : 09AAFCA3459H1ZK
CIN : U70109DL2005PTC140262

Customer Care : +91 8826-90-2020 / 8826-92-2020
Sales & Marketing Enquiry : +91 8826-82-3010 / 8826-51-3010



APEX TESTING AND RESEARCH LABORATORY

1169

ATRL-35591

ANNEXURE
A-59

9/50, Kirti Nagar, Industrial Area, New Delhi-110015
E-mail : info.apex2015@gmail.com,
apextesting.researchlab2015@gmail.com
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025
ISO 9001:2015 | ISO 14001:2015
ISO 45001:2018 Certified | Govt. Approved Lab

TEST REPORT

Issued To : M/s. Solitare Infracore Pvt. Ltd.
: Sector - 16c Greater Noida West Gautam Budh Nagar

Nature of the Sample : Inlet Water
Customer Reference : N.S
No.
Brand Name : N.S
Sampling Method : N.S
Sample collected : By Our lab Representative Mr. Saran

Report /Sample No. : AS1520232501002
Date Of Receipt : 25.01.2023
Date of Issue : 31.01.2023
Test Started On : 25.01.2023
Test Completed on : 31.01.2023

Sample Quantity : 2.5 ltr.
Sample Pkg. : Pet Bottle
Any Other Information : N.S

S. No.	Parameters	Units	Results	Test Method
CHEMICAL PARAMETRES				
1	pH	--	7.21	IS: 3025(Pt-11)-2022
2	Biochemical Oxygen demand (BOD at 20°C for 5 days)	mg/l	115	IS: 3025(Pt-44)-1993 [RA2019]
3	Total Suspended Solids	mg/l	130	IS: 3025 (Pt-17)-2022
4	Fecal Coliform	MPN/100ml	280000.0	IS 1622: 1981[RA 2019]
5	Chemical Oxygen Demand	mg/l	273	IS: 3025 (Pt-17)-1984 [RA-2017]
6	Mixed liquor suspended solids	mg/l	3150	IS: 8413 (P - II)-1982 [RA-2019]

** page 1 of 1**
End of Report



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



APEX TESTING AND RESEARCH LABORATORY

APEX LAB

117098 ANNEXURE A-60

ATRL-35692

9/50, Kirti Nagar, Industrial Area, New Delhi-110015
 E-mail : info.apex2015@gmail.com,
 apextesting.researchlab2015@gmail.com
 Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025
 ISO 9001:2015 | ISO 14001:2015
 ISO 45001:2018 Certified | Govt. Approved Lab

TEST REPORT

Issued To	: M/s. Solitare Infrahome Pvt. Ltd. : Sector - 16c Greater Noida West Gautam Budh Nagar	Report /Sample No.	: AS1520232501003
Nature of the Sample	: Outlet Water	Date of Receipt	: 25.01.2023
Customer Reference No.	: N.S	Date of Issue	: 31.01.2023
Brand Name	: N.S	Test Started On	: 25.01.2023
Sampling Method	: N.S	Test Completed on	: 31.01.2023
Sample collected	: By Our lab Representative Mr. Saran	Sample Quantity	: 2.5 ltr.
		Sample Pkg.	: Pet Bottle
		Any Other Information	: N.S

S. No.	Parameters	Units	Results	Requirement as per CPCB	Test Method
CHEMICAL PARAMETRES					
1	pH	--	7.52	5.5-9.0	IS: 3025(Pt-11)-2022
2	Biochemical Oxygen demand (BOD at 20°C for 5 days)	mg/l	8	30 max	IS: 3025(Pt-44)-1993 [RA2019]
3	Total Suspended Solids	mg/l	8	100 max	IS: 3025 (Pt-17)-2022
4	Fecal Coliform	MPN/100ml	64.0	-	IS 1622: 1981[RA 2019]
5	Chemical Oxygen Demand	mg/l	32	250	IS: 3025 (Pt-17)-1984 [RA-2017]

**** page 1 of 1****
****End of Report****



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



APEX TESTING AND RESEARCH LABORATORY

1171089

ATRL-35689

ANNEXURE

A-61

9/50, Kirti Nagar, Industrial Area, New Delhi-110015
E-mail : info.apex2015@gmail.com,
apextesting.researchlab2015@gmail.com
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025
ISO 9001:2015 | ISO 14001:2015
ISO 45001:2018 Certified | Govt. Approved Lab

TEST REPORT

Issued To : M/s. Solitare Infrahome Pvt. Ltd.
: Sector - 16c Greater Noida West Gautam Budh Nagar

Nature of the Sample : Inlet Water
Customer Reference : N.S
No.
Brand Name : N.S
Sampling Method : N.S
Sample collected : By Our lab Representative Mr. Saran

Report /Sample No. : AS2420231403004
Date Of Receipt : 14.03.2023
Date of Issue : 21.03.2023
Test Started On : 14.03.2023
Test Completed on : 21.03.2023

Sample Quantity : 2.5 ltr.
Sample Pkg. : Pet Bottle
Any Other Information : N.S

S. No.	Parameters	Units	Results	Test Method
CHEMICAL PARAMETRES				
1	pH	--	7.17	IS: 3025(Pt-11)-2022
2	Biochemical Oxygen demand (BOD at 20°C for 5 days)	mg/l	120	IS: 3025(Pt-44)-1993 [RA2019]
3	Total Suspended Solids	mg/l	116	IS: 3025 (Pt-17)-2022
4	Fecal Coliform	MPN/100ml	2700000.0	IS 1622: 1981[RA 2019]
5	Chemical Oxygen Demand	mg/l	264	IS: 3025 (Pt-17)-1984 [RA-2017]
6	Mixed liquor suspended solids	mg/l	2760	IS: 8413 (P - II)-1982 [RA-2019]

** page 1 of 1**
End of Report



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM

64
GREATER NOIDA INDUSTRIAL DEVELOPMENT AUTHORITY

PLOT NO 1, SECTOR KNOWLEDGE PARK - II, GREATER NOIDA CITY,
 GREATER NOIDA DISTRICT (AUTOM BUDI NAGAR), (U.P.)
 Website: www.greaternoidaauthority.in e-Mail: authority@gnida.in

ANNEXURE
 700 A-62

BUILDER RESIDENTIAL WATER CHARGES CUM PAYMENT INTIMATION

To,
 M/S SOLITAIRE INFRAHOME PVT. LTD.
 VVIP STYLL MALL,
 4TH FLOOR, RAJ NAGAR EXTEN
 NH 58,
 GHAZIABAD

Ref: GNIDA/BRS03/10
 As On Date: 07 Feb 2023 03:26:02 PM
 Allotment No.: BRS03/1000032
 Plot Size (In SQM): 31475
 Plot No.: GH 03K
 Block: N/A
 Block Name: NIL
 Sector Name: SECTOR 16C
 Location: N/A
 Interest: 12%
 Bill Start Date: 06 Mar 2020

Plot Size For Water Bill Generation (in SQM):

31475

Ducs Inst.	Duc Amount	Duc Date	Outstanding at Due Date	Deposit Inst.	Amount Paid	Deposit Date	Outstanding at Deposit Date
1	1,03,637.00	31/03/2020	10,27,363.00	1	11,31,000.00	2019-2020	11,31,000.00
2	13,68,008.40	31/03/2021	3,40,645.40				
3	15,04,809.24	31/03/2022	18,83,985.25				
4	16,55,292.00	31/03/2023					
Total					1131000.00		

Outstanding Balance:	₹	18,83,985.25	As On Last Due/Deposit Date
Interest on Outstanding Balance:	₹	2,09,943.48	as on 30/03/2023
Min. Charges for Bill Period 01/04/2022 To 31/3/2023 :	₹	1655292.00	
Kindly Deposit:	₹	37,49,220.73	

NOTE: GNIDA offers 'ONLINE WATER BILL PAYMENT SERVICES'. You can use this facility after applying KYA. KYA form is available on GNIDA website <http://www.greaternoidaauthority.in>

NOTE:

- Please ensure to deposit these charges otherwise Authority will take appropriate action to recover the dues. Expenditure on recovery of above will be borne by you.
- In case of any discrepancy please contact Water Bill Department.

***This is a computer generated report, hence require no signature.**

General Condition:

- Discount of 5% will be given against payment of water charges if the annual charges is paid before 1st Six month (1st April to 30th Sep) of the financial year.
- Rate of 12% annual interest till 28-MAR-2018 and 11% annual interest will be applied from 29-MAR-2018 on Half Yearly compounding basis on the amount payable for water charges after 31st March will be chargeable in case of non-payment of the annual water charges after the end of the financial year.
- Kindly make payment by using Online Portal.

Your's Sincerely

Manager (Jal)

1173701

ANNEXURE
A-63

ग्रेटर नौएडा औद्योगिक विकास प्राधिकरण

प्लॉट नं० ०१, सेक्टर के०पी०४, ग्रेटर नौएडा सिटी, जिला गौतमबुद्ध नगर (उ०प्र०)।
website: www.greaternoideaauthority.in email id: authority@gnida.in

पत्रांक-जल/2023/नोटिस/91

दिनांक 07/02/2023

नोटिस

सेवा में,

मैसर्स / श्री / श्रीमती / कु०
Solitaire Imp/rahome PVT LTD.
VVIP style mall
4th Floor Raj Nagar Exten
NH-58, CHAZIABAD

विषय:- जल शुल्क देयक के मद में डिफाल्टर धनराशि जमा करने के सम्बन्ध में।

कृपया उपरोक्त विषयक अवगत कराना है कि ग्रेटर नौएडा औद्योगिक विकास प्राधिकरण द्वारा आवासीय / व्यवसायिक / आईटी / संस्थागत / औद्योगिक / ग्रुप हाउसिंग / बिल्डर्स भूखण्ड संख्या-4M-03K आवंटन संख्या-BRS03/1000032 सेक्टर- 16C, ग्रेटर नौएडा आपको आवंटित किया गया है, जिस पर वर्तमान में संलग्न जल शुल्क देयक बकाया है।

ऑनलाईन के माध्यम से निम्नानुसार बिल जमा किया जा सकता है:-

<https://investgnida.in/myGNIDAServices/> → click on PAY BILL → Select your Category (Residential/Industrial/Institutional/Commercial/Group Housing/I.T./Builder/6% abadi) → enter your ALLOTMENT NUMBER → enter MOBILE NUMBER → enter O.T.P. (received on your mobile number) → paid your WATER BILL in water bill head

अतः उपरोक्तानुसार डिफाल्ट जल शुल्क देयक धनराशि को पत्र प्राप्ति की तिथि से एक सप्ताह के अन्दर उपरोक्त दिशा-निर्देशों के अनुसार जमा कराना सुनिश्चित करें। निर्धारित समयवधि में डिफाल्ट जल शुल्क धनराशि जमा न कराये जाने की दशा में आपके विरुद्ध नियमानुसार कार्यवाही प्रस्तावित कर दी जायेगी, जिसकी समस्त जिम्मेदारी आपकी होगी।

वरिष्ठ प्रबन्धक (जल)

प्रतिलिपि:-

1. स्टाफ ऑफिसर को, अपर मुख्य कार्यपालक अधिकारी (पी०) महोदया के सादर संज्ञानार्थ।
2. प्रबन्धक / सहायक प्रबन्धक को आवश्यक कार्यवही हेतु।

वरिष्ठ प्रबन्धक (जल)



संदर्भ सं०

Ref H88622/C-1/NET-158/2023

1174

ANNEXURE

A-64

293

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

UTTAR PRADESH POLLUTION CONTROL BOARD

दिनांक

Date - 7-2-23

सेवा में,

महत्वपूर्ण/मा० एनजीटी प्रकरण

1. जिलाधिकारी
गौतमबुद्ध नगर।

2. निदेशक
केन्द्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र,
भूजल भवन, सेक्टर-बी, सीतापुर रोड
योजना, अलीगंज लखनऊ
(दूरभाष-9452985988) (ई-मेल rdnr-
cgwa@nic.in)

विषय:- मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० संख्या- 392/2022 प्रसून पन्त व अन्य बनाम यूनियन आफ इण्डिया व अन्य में पारित आदेश दिनांक 15.11.2022 का अनुपालन कराये जाने के संबंध में।

महोदय,

कृपया उपरोक्त विषयक मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० संख्या- 392/2022 प्रसून पन्त व अन्य बनाम यूनियन आफ इण्डिया व अन्य में पारित आदेश दिनांक 15.11.2022 का संदर्भ ग्रहण करने का कष्ट करें (छायाप्रति संलग्न)। मा० अधिकरण द्वारा पारित आदेश के अनुपालन में मुख्यतः निम्नानुसार कार्यवाही की जानी है:-

- बिना अनुमति के संचालित बोरवेल जिनके द्वारा अवैध रूप से भूजल दोहन किया जा रहा है की सीलिंग की कार्यवाही की जानी है।
- संबंधित इकाइयों द्वारा Interim compensation प्रोजेक्ट लागत की 0.5 प्रतिशत के बराबर होगा, संबंधित जिलाधिकारी/उ०प्र० प्रदूषण नियंत्रण बोर्ड के माध्यम से एक माह में जमा किया जाना है। अनुपालन न करने वाली इकाइयों के विरुद्ध कार्यवाही जिसके अन्तर्गत परियोजनाओं के खिलाफ चोरी के मामले दर्ज करना तथा बिना भूजल दोहन की अनुमति के चल रही परियोजनाओं को रोकना शामिल है, की जाएगी।
- केन्द्रीय भूमि जल बोर्ड, उ०प्र० प्रदूषण नियंत्रण बोर्ड एवं जिलाधिकारी की समिति द्वारा समस्त दोषी परियोजनाओं के विरुद्ध Final compensation की गणना संबंधी कार्यवाही की जानी है।
- राज्य बोर्ड से जल एवं वायु सहमति प्रदान करते समय डिजिटल वाटर मीटर की स्थापना करते हुए सेंट्रल सर्वर से उसे जोड़ने की प्रमुख शर्त अधिरोपित की जाएगी, जिसका अनुपालन प्रतिष्ठानों द्वारा सुनिश्चित किया जाएगा।
- परियोजना द्वारा भूजल दोहन की मात्रा के संबंध में एक अप्रेजल रिपोर्ट भी प्रस्तुत की जानी है, जिसमें संबंधित क्षेत्र में निष्कर्षण हेतु उपलब्ध भूगर्भ जल की मात्रा एवं उसके पुनः रिचार्ज हेतु अपनाये जाने वाले उपाय यथा: रेन वाटर हार्वेस्टिंग, सीवेज ट्रीटमेंट एवं ट्रीटेड सीवेज के पुनः उपयोग आदि सम्मिलित हो, को बोर्ड की समिति द्वारा सत्यापित किया जाएगा।
- संबंधित इकाइयों द्वारा पर्यावरण की भरपाई के उपाय भी करना है जैसे भूगर्भ जल की मात्रा में वृद्धि और वनीकरण द्वारा पानी की गुणवत्ता में सुधार, शिक्षा और अन्य उपाय आदि। स्थानीय निकायों से भी पानी की आपूर्ति वाले प्रतिष्ठानों द्वारा पृथक-पृथक रूप से डिजिटल मीटर होने चाहिए दोनों स्रोतों पर।

टी.सी. - 12 वी, विभूति खण्ड, गोमती नगर
लखनऊ - 226010
दूरभाष : 0522-2720828, 2720831
फैक्स : 0522-2720764, 2720676
ई-मेल : info@uppcb.com
वेबसाइट : www.uppcb.com

T.C.-12 V, Vibhuti Khand, Gomti Nagar,
Lucknow - 226 010
Phone : 0522-2720828, 2720831
Fax : 0522-2720764, 2720676
E-mail : info@uppcb.com
Website : www.uppcb.com

- गैर-संपर्क उद्देश्यों के लिए पीने योग्य पानी के उपयोग को विनियमित किया जाना है।
 - जिन प्रतिष्ठानों द्वारा राज्य बोर्ड से जल एवं वायु सहमति 01 माह के अन्दर प्राप्त नहीं जाएगी, उनके विरुद्ध जल/वायु अधिनियम के आज्ञापक प्राविधानों के अन्तर्गत बन्दी की कार्यवाही की जाएगी।
- उपरोक्त के अनुपालन में आपसे अनुरोध है कि मा0 एन0जी0टी0 के आदेशों का अनुपालन सुनिश्चित कराये जाने तथा अनुपालन की अद्यावधिक आख्या राज्य बोर्ड को पाक्षिक रूप से प्रेषित कराने हेतु संबंधित अधिकारी को निर्देशित करने का कष्ट करें। ज्ञातव्य है कि 30.04.2023 तक की अनुपालन आख्या मा0 एन0जी0टी0 में दिनांक 15.05.2023 तक राज्य बोर्ड के माध्यम से दाखिल की जानी है। उक्त के अतिरिक्त ओ.ए. सं. 438/2018 के अन्तर्गत मा0 एन0जी0टी0 द्वारा पारित आदेश दिनांक 17.10.2022 वर्तमान संदर्भ में लागू होगा।
- संलग्नक:- उपरोक्तानुसार।

भवदीय,

A

४) (अजय कुमार शर्मा)
सदस्य सचिव

प्रतिलिपि:- निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. अपर मुख्य कार्यपालक अधिकारी, ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण, ग्रेटर नोएडा।
2. निदेशक, उ0प्र0 भूगर्भ जल विभाग, 9वां तल, इन्दिरा भवन, अशोक मार्ग, लखनऊ।
(upgwd.in@gmail.com)
3. मुख्य अभियंता/विभागाध्यक्ष, लघु सिंचाई विभाग, उ0प्र0, तृतीय तल, जवाहर भवन, लखनऊ।
4. श्री जगदम्बा प्रसाद, केन्द्रीय भूमि जल बोर्ड, उत्तरी क्षेत्र, भूजल भवन, सेक्टर-बी, सीतापुर रोड योजना, अलीगंज लखनऊ (ई-मेल rdnr-cgwa@nic.in)।
5. क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा को इस निर्देश के साथ कि संबंधित विभागों से समन्वय स्थापित कर मा0 एन0जी0टी0 के आदेशों का ससमय अनुपालन सुनिश्चित कराये।
6. विधि अधिकारी, द्वितीय, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।

A

५) सदस्य सचिव

A



764
 क्षेत्रीय कार्यालय
 ANNEXURE
 A-65
 1176
 उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल कॉम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
 ई-मेल : rogreaternojda@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1553/NWT-54/2023

दिनांक : 09/02/23

सेवा में,

मेसर्स बुलन्द एलीवेट्स,
 प्लॉट नं०- जी०एच०-०३ए, सेक्टर-16सी,
 ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं० 1210/एनजीटी-54/22 दिनांक 23.12.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ०प्र० भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल (क्षमता 7.5 एचपी) स्थापित किया गया है। इस सम्बन्ध में उ०प्र० भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

09/02/23
 (राधेश्याम)
 क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

09/02/23
 क्षेत्रीय अधिकारी



765
 क्षेत्रीय कार्यालय
 उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
 ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1554 / NMT-54 / 2023

दिनांक : 09/02/23

सेवा में,

मेसर्स विहान ग्रीन,
 प्लॉट नं०- जी०एच०-15सी, सेक्टर-1,
 ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

ANNEXURE
 A-66

विषय: मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं० 1208/एनजीटी-54/22 दिनांक 23.12.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ०प्र० भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 01 बोरवेल (क्षमता 7.5 एचपी) स्थापित किया गया है। इस सम्बन्ध में उ०प्र० भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयवाधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)
 क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

09/02/23
 क्षेत्रीय अधिकारी



1178

786 क्षेत्रीय कार्यालय

ANNEXURE A-67

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1555/NWT-54/2023

दिनांक : 09/02/23

सेवा में,

मेसर्स जे0एन0सी0 द पार्क (प्रमोटर- मेसर्स जी0आर0सी0 कंस्ट्रक्शन प्रा0लि0),
प्लॉट नं0- जी0एच0-1सी, सेक्टर-16सी,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य
बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के
अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 1209/एनजीटी-54/22 दिनांक 23.12.2022 का संदर्भ
ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में
योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश
दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा
निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति
प्राप्त किये बिना 01 बोरवेल (क्षमता 1.5 एचपी) स्थापित किया गया है। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल
विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु
आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय
हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में
दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells
and recovery of compensation for illegal extraction of ground water in the past considering the cost of such
water with deterrent element and the cost of replenishing ground water level. In absence of clear data
on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project
cost of the PPs, apart from remedial action for future. The PPs may deposit compensation
with the respective District Magistrates and the State PCB within one month from today,
failing which the District Magistrate will be free to take coercive measures including filing
of theft cases against the projects extracting ground water without permission and stopping
the ongoing projects. Final compensation may be assessed by the joint Committee comprising of
Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh
Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर
इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित
समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

09/02/23
(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (यूत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



69 70

1179

757

ANNEXURE
A-68

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

दिनांक : 09/02/23

सन्दर्भ संख्या : 1556 / NUT-54 / 2023

सेवा में,

मेसर्स अजनारा होम्स
प्लॉट नं०- जी०एच०-०३, सेक्टर-१६बी,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० ३९२/२०२२ प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक ०५.०७.२०२२ एवं १५.११.२०२२ के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यलय के पत्र सं० १२१२/एनजीटी-५४/२२ दिनांक २३.१२.२०२२ का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० ३९२/२०२२ प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक ०५.०७.२०२२ के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु ३०प्र० भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना ०१ बोरवेल (क्षमता ७.५ एचपी) स्थापित किया गया है। इस सम्बन्ध में ३०प्र० भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० सं० ३९२/२०२२ प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक १५.११.२०२२ को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक १५.११.२०२२ की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनाार्थ सादर प्रेषित।

- मुख्य पर्यावरण अधिकारी (वृत्त-१), ३०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
- अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



708 ANNEXURE
A-69
1180 क्षेत्रीय कार्यालय
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या : 1557/NIT-54/2023

दिनांक 09/02/23

सेवा में,

मेसर्स नोवेल वैली (प्रमोटर- मेसर्स ए0के0जे0 रियल इन्फ्रा प्रा0लि0),
खसरा नं0- 288, 290, 299, 302, ग्राम शाहबेरी,
निकट सेक्टर-16बी, ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं0 1213/एनजीटी-54/22 दिनांक 23.12.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना प्रत्येक विला में 0.5 एचपी क्षमता के बोरवेल स्थापित किये गये हैं। इस सम्बन्ध में उ0प्र0 भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण-पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

भवदीय

(राधेश्याम)

क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

09/02/23
क्षेत्रीय अधिकारी



1181

7 09
क्षेत्रीय कार्यालय

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स. 0120-232102

सन्दर्भ संख्या :

1214/114554/22

दिनांक : 23/11/22

सेवा में,

मेसर्स इको विलेज-3 (Ecovillage-III),
प्लॉट नं०-GH-06, Sector 16B,
ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 एवं 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक इस कार्यालय के पत्र सं० 1038/एनजीटी-54/2022 दिनांक 17.11.2022 का संदर्भ ग्रहण करना चाहें। उक्त के सम्बन्ध में अवगत कराना है कि मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 05.07.2022 के अनुपालन में आपकी परियोजना का निरीक्षण संयुक्त समिति द्वारा किया गया था तथा निरीक्षण के समय पाया गया है कि परियोजना में जल आपूर्ति हेतु उ०प्र० भू-गर्भ जल विभाग की अनुमति प्राप्त किये बिना 02 बोरवेल (क्षमता 15 एचपी प्रत्येक) स्थापित किये गये हैं। इस सम्बन्ध में उ०प्र० भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण पत्र प्राप्त करने हेतु आपको पूर्व में निर्देशित किया जा चुका है, परन्तु आप द्वारा उक्त निर्देशों का अभी तक अनुपालन नहीं किया गया है।

आपकी परियोजना द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा० राष्ट्रीय हरित अधिकरण द्वारा ओ०ए० सं० 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

अतः मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 की छायाप्रति संलग्न कर इस आशय से प्रेषित है कि मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश का अनुपालन निर्धारित समयावधि में किया जाना सुनिश्चित करें।

संलग्नक: यथोपरि।

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी (प्रशासन), गौतमबुद्धनगर।

भवदीय

(राधेरयाम)
क्षेत्रीय अधिकारी

2

क्षेत्रीय अधिकारी

2

2

72
1182
7/10

ANNEXURE
A-70



Date: 13/02/2023

VVIP

To,
The Director,
Directorate of Environment, U.P.
Dr Bhim Rao Ambedkar Paryavaran Parisar
Vineet Khand-1, Gomti Nagar
Lucknow-226010

Subject : Six-Monthly Environmental Compliance Report of the stipulated Environmental conditions/safeguards in the Environmental clearance letter for the group housing project "VVIP Addresses" at Village- Noor Nagar, Sadik Nagar, Raj Nagar Extension, Ghazalbad Uttar Pradesh.

Ref. : Environmental clearance Letter No. 147/Parya/SEAC/3091/2015/OSD(T) Dated 24/06/2016

Dear Sir,

With reference to the State Environmental Impact Assessment Authority, Uttar Pradesh (U.P.) EC letter No. 147/Parya/SEAC/3091/2015/OSD(T) Dated 24/06/2016 vide which it was asked to submit the compliance with the specific and general conditions.

In view of above, we are submitting a copy of the following information/documents for your kind perusal (In one hard and one soft electronic CD) submission period of December 2022:

1. Point-wise compliance of the stipulated environmental conditions/safeguards.
2. Environmental monitoring reports.

We fully assure you that we will comply with all conditions as specified in the Environmental clearance granted us.

Thanking You

For Vibhor Vaibhav Infracome Pvt. Ltd.

For Vibhor Vaibhav Infracome Pvt. Ltd.

Authorized Signatory

Authorized Signatory

डिस्पेंसर

पर्यावरण निदेशालय, उ०प्र०

विशाल खण्ड-1, गमती नगर

लखनऊ, 226010

CC:

1. The Member Secretary, UPPCB, Building No. TC-12V, Vibhuti Khand, Gomati Nagar, Lucknow.
2. The Director, Regional Office, MoEFCC (Rentral Region), Kendriya, Bhawan, Aliganj, Lucknow.

दिनांक: 16/02/23

हस्ताक्षर: ALG

उपरोक्त नियमों के अनुसार

Vibhor Vaibhav Infracome Pvt. Ltd.

Regd. Off : S-551, School Block, Shakarpur, Delhi - 110092
Corp. Off. : Second Floor, VVIP Style, Raj Nagar Extension, NH-58, Ghaziabad - 201017 (U.P.)
E-mail Id : info@vvipspaces.com
Website : www.vvipgroup.in

RERA No. : UPRERAPRJ2499 (Ph-III, VVIP Addresses)

RERA No. : UPRERAPRJ8861 (Club VVIP Addresses)

GSTIN - : 09AABCF2720J1ZS

CIN - : U70101DL2007PTC170268

Customer Care : +91 8826-90-2020 / 8826-92-2020

Sales & Marketing Enquiry : +91 8826-52-3030 / 8826-53-3030

★
VVIP

73
1183
711

ANNEXURE
A-72

The Senior Manager-Jal,
Greater Noida Industrial Development Authority (GNIDA),
Plot No -1, KP-IV, Greater Noida City,
Gautam Budh Nagar, U.P.

Date: 21st February, 2023

Sub: Waiver of Water Charges

Dear Sir,

We have received notice from your side having Ref. No-Jal/2023/Notice/91 for payment of water bill for the period of Apr-19 to Mar-23. This is for your information that we applied for water connection but till date we have not get connected with water line. You are also requested that we get occupancy certificate for only for 8571.16 Sq. Ft. (3 Towers) out of 31475 Sq. Ft. (10 Towers). You are requested to please look into the matter and waive off our Water charges.

Thanks & Regards

For Solitaire Infrahome Pvt. Ltd.

Authorized Signatory



2-2-23
जय देव प्रसाद जैन (अधीन)
महेश प्रसाद जैन (अधीन)
कल्याण लाल शर्मा (अधीन)
महेश प्रसाद जैन (अधीन)

Solitaire Infrahome Pvt. Ltd.

Plot No. 1, Block, Greater Noida, U.P.
Office: 1st Floor, Greater Noida, U.P.
Phone: 0522-2010111
Email: info@solitaire.com
Website: www.solitaire.com

RERA No. UPRERARR13390
RERA No. UPRERARR13397
OBTIN: 09AAFCR488N12K
CIN: U70109DL2005PTD160162

Customer Care: +91 8826-82-3020 / 8826-82-3026
Sales & Marketing Enquiry: +91 8826-82-3030 / 8826-82-3036



APEX LAB

APEX TESTING AND RESEARCH LABORATORY

11842

ANNEXURE A-73

9/50, Kirti Nagar, Industrial Area, New Delhi-110015
E-mail : info.apex2015@gmail.com,
apextesting.researchlab2015@gmail.com
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025
ISO 9001:2015 | ISO 14001:2015
ISO 45001:2018 Certified | Govt. Approved Lab

TEST REPORT


Issued To	: M/s. Solitare Infrahome Pvt. Ltd. : Sector – 16c Greater Noida West Gautam Budh Nagar	Report /Sample No.	: AS1620231602032
Nature of the Sample	: Inlet Water	Date Of Receipt	: 16.02.2023
Customer Reference No.	: N.S	Date of Issue	: 22.02.2023
Brand Name	: N.S	Test Started On	: 16.02.2023
Sampling Method	: N.S	Test Completed on	: 22.02.2023
Sample collected	: By Our lab Representative Mr. Saran	Sample Quantity	: 2.5 ltr.
		Sample Pkg.	: Pet Bottle
		Any Other Information	: N.S

S. No.	Parameters	Units	Results	Test Method
CHEMICAL PARAMETRES				
1	pH	--	7.13	IS: 3025(Pt-11)-2022
2	Biochemical Oxygen demand (BOD at 20°C for 5 days)	mg/l	110	IS: 3025(Pt-44)-1993 [RA2019]
3	Total Suspended Solids	mg/l	124	IS: 3025 (Pt-17)-2022
4	Fecal Coliform	MPN/100ml	260000.0	IS 1622: 1981[RA 2019]
5	Chemical Oxygen Demand	mg/l	248	IS: 3025 (Pt-17)-1984 [RA-2017]
6	Mixed liquor suspended solids	mg/l	2800	IS: 8413 (P - II)-1982 [RA-2019]

** page 1 of 1**
End of Report



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



APEX TESTING AND RESEARCH LABORATORY

1185

ANNEXURE
A-74

9/50, Kirti Nagar, Industrial Area, New Delhi-110015
E-mail : info.apex2015@gmail.com,
apextesting.researchlab2015@gmail.com
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025
ISO 9001:2015 | ISO 14001:2015
ISO 45001:2018 Certified | Govt. Approved Lab

TEST REPORT

Issued To : M/s. Solitare Infrahome Pvt. Ltd.
: Sector - 16c Greater Noida West Gautam Budh Nagar

Nature of the Sample : Outlet Water

Customer Reference No. : N.S

Brand Name : N.S

Sampling Method : N.S

Sample collected : By Our lab Representative Mr. Saran

Report /Sample No. : AS1620231602033

Date Of Receipt : 16.02.2023

Date of Issue : 22.02.2023

Test Started On : 16.02.2023

Test Completed on : 22.02.2023

Sample Quantity : 2.5 ltr.

Sample Pkg. : Pet Bottle


Any Other Information : N.S

S. No.	Parameters	Units	Results	Requirement as per CPCB	Test Method
CHEMICAL PARAMETRES					
1	pH	--	7.48	5.5-9.0	IS: 3025(Pt-11)-2022
2	Biochemical Oxygen demand (BOD at 20°C for 5 days)	mg/l	8	30 max	IS: 3025(Pt-44)-1993 [RA2019]
3	Total Suspended Solids	mg/l	7	100 max	IS: 3025 (Pt-17)-2022
4	Fecal Coliform	MPN/100ml	52.0	-	IS 1622: 1981[RA 2019]
5	Chemical Oxygen Demand	mg/l	28	250	IS: 3025 (Pt-17)-1984 [RA-2017]

** page 1 of 1**
End of Report



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM



APEX TESTING AND RESEARCH LABORATORY

1186

ANNEXURE
A-75

9/50, Kirti Nagar, Industrial Area, New Delhi-110015
E-mail : info.apex2015@gmail.com,
apextesting.researchlab2015@gmail.com
Website : www.atrl.in, Tel. : 011-47081611, +91-8376945025
ISO 9001:2015 | ISO 14001:2015
ISO 45001:2018 Certified | Govt. Approved Lab

TEST REPORT

Issued To : M/s. Solitare Infrahome Pvt. Ltd.
: Sector – 16c Greater Noida West Gautam Budh Nagar

Nature of the Sample : **Outlet Water**
Customer Reference : N.S
No.
Brand Name : N.S
Sampling Method : N.S
Sample collected : By Our lab Representative Mr. Saran

Report /Sample No. : **AS2420231403005**
Date Of Receipt : 14.03.2023
Date of Issue : 21.03.2023
Test Started On : 14.03.2023
Test Completed on : 21.03.2023

Sample Quantity : 2.5 ltr.
Sample Pkg. : Pet Bottle
Any Other Information : N.S

S. No.	Parameters	Units	Results	Requirement as per CPCB	Test Method
CHEMICAL PARAMETRES					
1	pH	--	7.55	5.5-9.0	IS: 3025(Pt-11)-2022
2	Biochemical Oxygen demand (BOD at 20°C for 5 days)	mg/l	9	30 max	IS: 3025(Pt-44)-1993 [RA2019]
3	Total Suspended Solids	mg/l	8	100 max	IS: 3025 (Pt-17)-2022
4	Fecal Coliform	MPN/100ml	49.0	-	IS 1622: 1981[RA 2019]
5	Chemical Oxygen Demand	mg/l	36	250	IS: 3025 (Pt-17)-1984 [RA-2017]

**** page 1 of 1****
****End of Report****



Terms & Conditions : 1 Test reports are valid only for the samples tested in our laboratory. 2. Samples will be destroyed after 30 days from the date of issue of test reports unless otherwise specified. 3. Samples tested are Non-Returnable until specified at time of sample submission. 4. This report will not be valid for judicial purpose or for advertisement. 5. Any complaints about this report should be communicated in writing within 7 days of issue of this report. 6. Total liability of our laboratory is limited to invoiced amount.
THIS REPORT IS NOT VALID WITHOUT HOLOGRAM

दिनांक-14.04.2023

सेवा में

श्रीमान् क्षेत्रीय अधिकारी
उ०प्र० प्रदूषण नियंत्रण बोर्ड
ए-1, प्रथम तल, कॉमिश्नरियल कॉम्प्लेक्स,
बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर (उ०प्र०)

विषय- आपके पत्रांक संख्या 1490/सी/एस-465/2023 दिनांक 27.01.2023 के संदर्भ में।

महोदय,

उपरोक्त विषयक का संदर्भ ग्रहण करने का कष्ट करे, आपको यह अवगत कराना है कि उक्त पत्र का उत्तर हमारे द्वारा दिनांक 30 जनवरी 2023 को आपके कार्यालय में दिया जा चुका है।

महोदय, यह भी अवगत कराना है कि आपके विभाग द्वारा परियोजना का निरीक्षण दिनांक 21.01.2023 को किया गया था, परियोजना में स्थापित एस.टी.पी. का संचालन संतोषजनक इसलिए नहीं पाया गया क्योंकि दिनांक 10 जनवरी से 22 जनवरी तक एस.टी.पी. मशीनों की सर्किल/मैटीनेंस का कार्य चल रहा था। सर्किल/मैटीनेंस कार्य समाप्त होने परवातु हमारे द्वारा प्रत्येक माह की तरह ही दिनांक 27 जनवरी 2023 को एस.टी.पी. सैम्पल को टेस्टिंग हेतु लैब में भेजा दिया गया था, जिसकी रिपोर्ट इस पत्र के साथ संलग्न है। और आपको यह भी अवगत कराना है कि अशुद्धिकृत सीवरेज का कोई भी मात्रा सीधे नाले में निस्तारित नहीं किया जा रहा है। निरीक्षण के दौरान बताई गई कमियों के निराकरण हेतु स्पष्टीकरण **बिन्दुवार** निम्न प्रकार है-

1. परियोजना में स्थापित एस.टी.पी. के रखरखाव एवं सुचारु संचालन सुनिश्चित रूप से किया जा रहा है, निस्तारित हो रहे उत्स्रावक की गुणता मानकों के अनुरूप है और परियोजना में स्थापित एस.टी.पी. के संचालन सम्बन्धी **लॉगबुक** मैनेटेन की जा रही है।
2. परियोजना परिसर से किसी भी दशा में अशुद्धिकृत घरेलु सीवरेज निस्तारित नहीं किया जा रहा है।
3. परियोजना के संचालनार्थ राज्य बोर्ड से सहमति जल/वायु नवीनीकरण हेतु आवेदन कर दिया गया है।
4. परियोजना में **भूगर्भीय** जल के निस्कर्षण हेतु उ०प्र० भूगर्भ जल विभाग से अनुमति हेतु आवेदन कर दिया गया है जिसकी छायाप्रति संलग्न है।

उक्त से यह स्पष्ट है कि परियोजना द्वारा जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1974 के आज़ापक प्राविधानों का अनुपालन किया जा रहा है।

हमें समाचार पत्र के माध्यम से ज्ञात हुआ है कि आपके द्वारा कम्पनी पर 15 लाख का **जुर्माना** लगाया गया है जो कि **अनुचित** है। कृपया करके हमारी कम्पनी पर किसी भी प्रकार का जुर्माना न लगाया जाये। हमें इस सम्बन्ध में कोई भी कारण बताने नोटिस प्राप्त नहीं हुआ है।

संलग्नक-

1. आवेदन प्रति सी.जी.डब्ल्यू.ए.
2. आवेदन प्रति उ०प्र० भू-गर्भ जल विभाग
3. जनदरी, फरवरी व मार्च माह की PH, TSS, COD, BOD, Fecal Caliform & MLSH, Inlet रिपोर्ट की छायाप्रति

कृते सोलिटैयर इन्फ्राहोम प्रा. लि.

For Solitaire Infrahome Pvt. Ltd.

अधिकृत हस्ताक्षर
Authorised Signatory

प्रतिलिपि-मुख्य पर्यावरण अधिकारी (वृत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ को सूचनार्थ एवं आवश्यक कार्यवाही हेतु सावर प्रेषित।

Solitaire Infrahome Pvt. Ltd.

Regd. Off: S-551, School Block, Shakerpur, Delhi-110092
Corp. Off: Chamber No-02, Second Floor, VVIP Style, Ra; Nagar Extension
NH-58, Ghaziabad - 201017 Uttar Pradesh
E-mail Id: info@vviptapes.com
Website: www.vvipgroup.in

RERA No. : UPRERAPRJ3390 (Ph: VVIP Homes)
RERA No. : UPRERAPRJ3977 (Ph: VVIP Homes)
GSTIN : 09AAFCA3459H1ZK
CIN : U70109DL2005PTC140262

Customer Care : +91 8826-90-2020 / 8826-92-3020
Sales & Marketing Enquiry : +91 8826-32-3030 / 8826-33-3030



1188716

ANNEXURE
A 770

237

क्षत्रीय कार्यालय
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल काम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गीतमबुद्धनगर
ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स, 0120-232102

सन्दर्भ संख्या :

1799 / MGT-54/22

दिनांक : 24/8/23

सेवा में,

अपर मुख्य कार्यपालक अधिकारी (हाउसिंग),
ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण,
ग्रेटर नोएडा।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 15.11.2022 के अनुपालन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में जनपद गीतमबुद्धनगर के ग्रेटर नोएडा वेस्ट क्षेत्र में हो रहे भूजल दोहन के सम्बन्ध में OA No. 392/2022 दायर की गयी है, जो वर्तमान में विचाराधीन है, का संदर्भ ग्रहण करने का कष्ट करें। उक्त ओ0ए0 में परियोजनाओं द्वारा अवैध रूप से भूमिगत जल निष्कर्षण किये जाने के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 के मुख्य अंश निम्नानुसार हैं-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level....."

".....The joint Committee may also consider the data and view point of the PPs, if any, filed....."

उपरोक्त आदेश के अनुपालन हेतु संयुक्त समिति द्वारा कुल 63 परियोजनाओं में फेज-1 के अन्तर्गत 33 परियोजनाओं के निरीक्षण के दौरान प्राप्त 11 प्रत्यावेदन को आपको नियमानुसार निस्तारण किये जाने हेतु इस कार्यालय के पत्रांक 1276/एन0जी0टी0-54/22 दिनांक 09.01.2023 को अग्रसारित किये गये हैं। अग्रेतर फेज-2 के अन्तर्गत 30 परियोजनाओं में निरीक्षण एवं स्थापित बोरवेल्स/सबर्मसेबल पम्प के सिलिंग के दौरान 03 परियोजनाओं द्वारा जिलाधिकारी महोदय को सम्बोधित एवं आपको पृष्ठांकित प्रत्यावेदन प्रेषित किये गये हैं एवं 02 परियोजनाओं द्वारा मौखिक अवगत कराया गया, जो निम्नानुसार हैं:-

क्रम संख्या	परियोजना का नाम व पता	प्रत्यावेदन के मुख्य अंश
1.	M/s Bulland Elevates, GH-03A, Sector-16C, Greater Noida West, G.B. Nagar.	Bore well could not be sealed by the Joint Committee. As per representative, no water supply has been provided by GNIDA and around 100 families are residing in project but no written representation has submitted.
2.	M/s Noval Velly (M/s AKJ real infra Pvt Ltd), Khasara No. 288,290,299,302, village-sahberi, near sector- 16B, Greater Noida west, G.B. Nagar.	Bore well could not be sealed by the Joint Committee. As per representative, no water supply has been provided by GNIDA and around 100 families are residing in project but no written representation has submitted.
3.	M/s Galaxy Blue Sapphire Plaza, Plot no. C-3, Sector-4, Greater Noida west, G.B. Nagar.	Bore well could not be sealed by the Joint Committee. As per representation submitted by PP, no water supply has been provided by GNIDA and it is a commercial mall, which is operational.
4.	M/s Galaxy Diamond Plaza, Plot no. C-01A, Sector-4, Greater Noida west, G.B. Nagar.	Bore well could not be sealed by the Joint Committee. As per representation submitted by PP, no water supply has been provided by GNIDA and it is a commercial mall, which is operational.

P.T.O

E-Mail: rogreaternoida@uppcb.in

मुख्यालय- टी0सी0- 12 वी, विमूक्ति खण्ड, गोमती नगर, लखनऊ- 228010, वेब साईट- www.uppcb.in

5. M/s ACE Divino, GH-14A, Sector-1, Greater Noida West, G.B. Nagar.	Bore well could not be sealed by the Joint Committee. As representation submitted by PP, no water supply has been provided by GNIDA and around 500 families are residing in project.
--	--

उक्त परियोजनाओं के प्रत्यावेदन का विषय जलापूर्ति के सम्बन्ध में है, जो प्राधिकरण से सम्बन्धित प्रकरण है। अतः उक्त परियोजनाओं के प्रत्यावेदनो की छायाप्रति संलग्न कर इस अनुरोध के साथ प्रेषित है कि मा० राष्ट्रीय हरित अधिकरण द्वारा पारित आदेश दिनांक 15.11.2022 के अनुपालन में परियोजनाओं के प्रत्यावेदनो का निस्तारण किये जाने हेतु प्राधिकरण के सक्षम अधिकारी को निर्देशित करने का कष्ट करें।
संलग्नक: यथोपरि।

भवदीय,



(राधेश्याम)
क्षेत्रीय अधिकारी

०२

प्रतिलिपि: निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. मुख्य कार्यपालक अधिकारी महोदया, ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण, ग्रेटर नोएडा।
2. जिलाधिकारी महोदय, गौतमबुद्धनगर।
3. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
4. विधि अधिकारी-प्रथम, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।



क्षेत्रीय अधिकारी

०३



190

1190

क्षेत्रीय कार्यालय

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा 5

ए-1, प्रथम तल, कॉमर्सियल कॉम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स: 0120-232102

सन्दर्भ संख्या :

5P

1/16.5/23

718

दिनांक : 18/4/23

सेवा में,

हाइड्रोलॉजिस्ट/नोडल अधिकारी,
उ0प्र0 भूगर्भ जल विभाग,
गौतमबुद्धनगर।

ANNEXURE
A-80

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित Prasoan Pant & Anr vs. Union of India & Ors (OA No. 392/2022) में पारित आदेश दिनांक 15.11.2022 के अनुपालन के सम्बन्ध में।

कृपया उपरोक्त विषयक केन्द्रीय भूगर्भ जल बोर्ड, लखनऊ के ई-मेल दिनांक 18.04.2023 (प्रति संलग्न) का सन्दर्भ ग्रहण करने का कष्ट करें। तत्क्रम में केन्द्रीय भूगर्भ जल बोर्ड, लखनऊ द्वारा मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित Prasoan Pant & Anr vs. Union of India & Ors (OA No. 392/2022) में पारित आदेश दिनांक 15.11.2022 के अनुपालन हेतु प्रश्नगत परियोजनाओं में निम्न बिन्दुओं पर सूचना चाही गयी है:-

1. Period of EC from which date at which date (nos of days).
2. Ground Water in per day consumption in cubic meter.
3. Total coast of project areas.
4. Name of block area etc.

अतः उपरोक्त के दृष्टिगत मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित Prasoan Pant & Anr vs. Union of India & Ors (OA No. 392/2022) में पारित आदेश दिनांक 15.11.2022 के अनुपालन हेतु प्रश्नगत परियोजनाओं के सम्बन्ध में उक्त सूचनाएं केन्द्रीय भूगर्भ जल बोर्ड, लखनऊ एवं इस कार्यालय को उपलब्ध कराने का कष्ट करें, जिससे दोषी परियोजनाओं के विरुद्ध अग्रिम कार्यावाही की जा सके।

संलग्नक: यथोपरि।

भवदीय

(राधेश्वर मिश्रा)

क्षेत्रीय अधिकारी

प्रतिलिपि:

1. जिलाधिकारी महोदय, गौतमबुद्धनगर को सूचनार्थ सादर प्रेषित।
2. अपर मुख्य कार्यपालक अधिकारी (हाउसिंग), ग्रेटर नोएडा औद्योगिक विकास प्राधिकरण को इस अनुरोध के साथ प्रेषित की बिन्दु संख्या-3 पर वर्णित संलग्न सूची में अंकित परियोजनाओं की लागत से सम्बन्धित सूचना को संकलित कर प्रेषित किये जाने हेतु सम्बन्धित को निर्देशित करने का कष्ट करें।
3. मुख्य पर्यावरण अधिकारी (वृत्त-1), उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ को सूचनार्थ सादर प्रेषित।

क्षेत्रीय अधिकारी

1191

719

96

	Name and Address of the Project
1	Aastha Greens Plot No-03, GH-04 Sector-04, Greater Noida, Uttar Pradesh
2	ACE Aspire (Promoter- Ideal Realtech Pvt Ltd), GH-02A, TechZone-4, Greater Noida West
3	ACE City, GH-01, Sector-01, Greater Noida
4	Acc Divino Plot No. GH-14A, Sector-01, Greater Noida (As per CTO)
5	Aims Green Avenue, Phase-1, Plot No-1, GH-04, Greater Noida (West), Gautam Budh Nagar
6	Ajnara Homes Plot No. GH-03, Sector-16B, Greater West, Uttar Pradesh
7	Ajnara Le Garden GH-02, Sector-16B, Greater Noida West, Uttar Pradesh
8	Apex developers Ltd., Apex Golf Avenue, GH-01, Sector-1, Gr. Noida west
9	ATS Destinaire (Promoter- Starcity Real Estates Pvt. Ltd.), GH-14, Sector-1, Gr. Noida
10	ATS Home Craft (Happy Trails), Shridham Infotech (P) Ltd., GH-02A, sector-10, Gr. Noida
11	ATS Rhapsody (Promoter- DAR Housing Limited) GH-12/1, Sector-1, Gr. Noida
12	Bulland Elevates, Plot No GH-3A, Sector-16C, Greater Noida, Gautam Budh nagar
13	Capital Athena, Capital Athena, GH-12A-2, Sector-01, Gr. Noida
14	Coco county (Promoter- SHIRJA REAL ESTATE SOLUTIONS PVT LTD), GH-03C, sector-10, Gr. Noida
15	Divyansh Flora (Promoter Divyansh Infra high (P) Ltd.), Plot No.-03H/GH-01, sector-16C, Gaur City-2, Gr. Noida
16	Ecovillage III Plot No. GH-06, Sector 16B, Greater Noida, Uttar Pradesh
17	Galaxy Blue Sapphire (GLD INFRA PROJECTS PRIVATE LIMITED) Plot No. C-03, Sector 4, Greater Noida, Gautam Budh nagar
18	Galaxy Diamond Plaza (ASTEROID SHELTERS HOMES PVT LTD) Plot no. C-01 A, Sector 4, Greater Noida, GAUTAM BUDH NAGAR
19	Galaxy Royale Plot No. GH-03, Sector-16C, Gaur City 2, Greater Noida, Uttar Pradesh
20	Galaxy Vega, (Promoter- Panchtatva Promoter (P) Ltd.), GH-08C, Sector-Techzone-IV, Gr. Noida west.
21	Gaur City Mall, Plot No.C-1B/ GH-01, sector-4, Gr. Noida
22	Gaur City-1, GH-01, Sector-4, Gr. Noida
23	Gaur City-2, GH-01, sector-16C, Gr. Noida
24	Gaur Saundaryam, Plot No- GH-05C, Techzone-IV, Gr. Noida
25	Gulshan Bellina, Plot No GH-02/A, Sector 16, Vaidpura, Greater Noida, Uttar Pradesh
26	JM Florence (JM Housing Ltd), Plot No. DV-GH-09C, Sector-Techzone-4, Gr. Noida west.
27	JNC The Park, GH-1C, Sector-16 C, Greater Noida, District- Gautam Buddha Nagar
28	La Residentia (Promoter- La Residentia Developer Pvt. Ltd), GH-06A, sector-Techzone-4, Gr. Noida
29	Lucky Plam Velly, Khasra No. 784, Vill-Bisrakh, near Stellar jeevan, Sector-1, Gr. Noida west.
30	Mahagun Maantra-1, (Promoter- Dhanya Promoters Pvt.), Ltd. GH-01/B, sector-10, Gr. Noida.
31	Mahagun Maantra-2, GH-01/A, sector-10, Gr. Noida
32	Mahagun mywood (Phase-1, Phase-2, Phase-3) Mahagun (India) Pvt. Ltd., GH-04, sector-16, Gr. Noida
33	Mangalya Ophira, Plot no GH-16F, Sector-1, Greater Noida West, Gautam Budh Nagar
34	Neo Town (Patel Infrastructure Pvt. Ltd.) Plot No.GH-03, Sector-Techzone-4, Gr. Noida west.
35	Novel Valley (AKG Infra Pvt. Ltd.,) Khasra No. 288, 290, 299, 302, Village Shahberi, Near Sector-16B, Greater Noida
36	Panchsheel Hynish., GH-08A, Sector-1, Gr. Noida west.
37	Rajhans Residency, Rajhans Infotech (p) Ltd., GH-06B, Sector-01, Gr. Noida west.
38	Sikka Kammya Green (Promoter- Sikka Infotech (p) Ltd.), GH-02B, sector-10, Gr. Noida
39	Sindhuja Greens Village- Vaidpura, Near Sector-1, Greater Noida, Uttar Pradesh
40	Vihaan Villas (Vihaan Green) Plot No-GH-15C, Sector 1, Greater Noida, Uttar Pradesh
41	VVIP Home /Meridian (Promoter- Solitaire Infra home Pvt Ltd), GC-03K/ GH-03, Sector-16C, Greater Noida, Gautam Budh Nagar

1192

ANNEXURE

297

RO Greater Noida <rogreaternoida@uppcb.in>

720

so. 392/2022 Prasoon pant & Anr. Union of India & Ors.

CEO 1 <ceo1@uppcb.in>
To: RO Greater Noida <rogreaternoida@uppcb.in>

18 April 2023 at 10:50

----- Forwarded message -----

From: JAGDAMBA PRASAD <jprasad-cgwb@gov.in>

Date: Tue, 18 Apr, 2023, 10:14

Subject: Fwd: O.A. so. 392/2022 Prasoon pant & Anr. Union of India & Ors.

To: ceo1 <ceo1@uppcb.in>, <rogreaternoida@uppcb.in>, ms <ms@uppcb.in>

Cc: RD CGWB NR Lucknow <rdnr-cgwb@nic.in>, Rahul Kumar <kumar.rahul-cgwb@gov.in>

Sir,

In reference to your letter no H91885/C-1/no-158/2023 dated 12.04.23 and earlier mail dated 09.02.2023 regarding assessment of final compensation, no required data have been provided, neither joint inspection report of committee has been sent SO far

to nominated member of CGWB Shri Rahul Kumar, AHG, CGWB NR Lucknow. (8409341461, kumar.rahul-cgwb@gov.in)

Again it is requested to kindly send joint inspection report along with required data collected by the joint committee as - Period of EC from which date to which date (nos of days), Ground Water in per day consumption in cubic meter, total cost of project area, Name of block area etc. to nominated member Shri Rahul Kumar, AHG, CGWB NR Lucknow. (8409341461, kumar.rahul-cgwb@gov.in). Further a meeting may please be called among the joint committee members in online /off line mode for assessment of final compensation so that confusion and doubts may be cleared in above subject meter.

With Regards
Jagdamba Prasad
Sc-D



721
1193

ANNEXURE
A-76A

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

298

ए-1, प्रथम तल, कोमलेश्वर कॉम्प्लेक्स, गीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
ई-मेल : rpgreaternoida@uppcb.in, फोन/फैक्स 0170 2321024

सन्दर्भ संख्या : 1760 /MGT-54/n

दिनांक 13/3/23

सेवा में,

मा0 न्यायालय प्रकरण / रामयवद्ध

नोडल अधिकारी / हाइड्रोलॉजिस्ट,
उ0 प्र0 भूगर्भ जल विभाग,
गौतमबुद्धनगर।

विषय:- मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 संख्या 392/2022 प्रसून पंत व अन्य बनाम
यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दि0 15.11.2022 के अनुपालन के संबंध में।

महोदय,

कृपया उपरोक्त विषयक मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 संख्या 392/2022 प्रसून पंत व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 15.11.2022 का सदर्भ ग्रहण करना चाहें (संलग्नक-1)। उक्त के संबंध में अवगत कराना है कि मा0 अधिकरण द्वारा पारित अपने आदेश में अनधिकृत रूप से भूगर्भ जल का दोहन करने वाली निर्माण परियोजनाओं पर परियोजनाओं की लागत का 0.5 प्रतिशत Interim/floor level Compensation अधिरोपित करने हेतु स्पष्ट आदेश पारित किया गया है। Interim/floor level Compensation जमा नहीं किये जाने की दशा में सम्यन्धित परियोजनाओं के विरुद्ध जल के चोरी का परिवाद दायर कराया जाना है। मा0 न्यायालय द्वारा पारित आदेश दिनांक 15.11.2022 के मुख्य अंश निम्नानुसार है-

".....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate....."

मा0 न्यायालय द्वारा पारित उक्त आदेश के अनुपालन में सभी निर्माण परियोजनाओं का निरीक्षण संयुक्त समिति द्वारा कर लिया गया है। जिन परियोजनाओं में अवैध रूप से भूगर्भ जल निष्कर्षण हेतु बोरवेल स्थापित पाये गये थे, उन सभी परियोजनाओं को आदेश का अनुपालन सुनिश्चित करने हेतु मा0 न्यायालय के आदेश की छायाप्रति प्रेषित कर दिया गया है (संलग्नक-2)।

... प्रमाण पत्र सं 2

अवगत अपर जिलाधिकारी महोदय के कार्यालय आदेश संख्या 1073/एनओसी/सी/54, 2022 दिनांक 30.11.2022 द्वारा प्रतिन संयुक्त समिति द्वारा अधिमम निर्माणधीन परियोजनाओं में स्थापित बोरेल को सील/डिस्कॉल करा दिया गया है तथा उक्त कार्यवाही अभी विकसकीन है (संलग्नक-3)।

अवगत सिध तक पिररी भी निर्माण परियोजना द्वारा Interim/floor level Compensation जमा किये जाने की सूचना इस कार्यालय को प्राप्त नहीं हुई है। आप अवगत ही है कि अवैध रूप से भूगर्भ जल का दोहन करने वाली निर्माण परियोजनाओं के विरुद्ध दिनांक 30.04.2023 तक कृत कार्यवाही सम्बन्धी अनुपालन आख्या मा0 न्यायालय के समक्ष दिनांक 15.05.2023 से पूर्व दाखिल किया जाना है, जिस हेतु राज्य बोर्ड को नोडल अधिकारी नामित किया गया है।

अतः उपरोक्त तथ्यों को दृष्टिगत रखते हुए आपसे अनुरोध है कि अवैध रूप से भूगर्भ-जल का दोहन करने वाली सभी निर्माण परियोजनाओं पर मा0 न्यायालय के आदेशानुसार Interim/floor level Compensation जमा किये जाने हेतु आवश्यक कार्यवाही करने का कष्ट करें एवं अनुपालन नहीं किये जाने की दशा में तदानुसार सम्बन्धित दोषी परियोजनाओं के विरुद्ध जल के चोरी का परिवाद दायर कराते हुए अनुपालन आख्या इस कार्यालय को समय से प्रेषित करने का कष्ट करें, जिससे कि अनुपालन आख्या मा0 न्यायालय में दिनांक 15.05.2023 से पूर्व दाखिल की जा सकें।

संलग्नक:- यथोपरि।

भवदीय,

 (राधेश्याम)
 क्षेत्रीय अधिकारी

पृ0सं0 एवं दिनांक उपरोक्तानुसार।

प्रतिलिपि:- निम्नलिखित को सूचनार्थ सादर प्रेषित-

1. जिलाधिकारी महोदय, गौतमबुद्धनगर।
2. मुख्य पर्यावरण अधिकारी (वृत्त-1), महोदय, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
3. अपर जिलाधिकारी (प्रशासन) महोदय, गौतमबुद्धनगर।

क्षेत्रीय अधिकारी



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कोमर्शियल कॉम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर

ई-मेल : rogreternoida@uppcb.in, फोन/फैक्स- 0120-4259329

1195

300

सन्दर्भ संख्या :
सेवा में,

13 / MGT-54/23. ANNEXURE

दिनांक : 3/4/23

मा० न्यायालय प्रकरण
अतिमहत्वपूर्ण

A-78

हाइड्रोलॉजिस्ट/नोडल अधिकारी,
उ०प्र० भू-गर्भ जल विभाग,
गौतमबुद्धनगर।

विषय: मा० राष्ट्रीय हरित अधिकरण में योजित ओ०ए० संख्या 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 15.11.2022 के अनुपालन के सम्यन्ध में।

महोदया,

कृपया उपरोक्त विषयक इस कार्यालय के पत्र दिनांक 17.03.2023 के अनुक्रम में अपने पत्रांक 230/भू०ज०वि०ख०गौ०बु०न०/अधि-19/गौतमबुद्धनगर दिनांक 29.03.2023 का सन्दर्भ ग्रहण करने का कष्ट करें। ज्ञातव्य है कि उ०प्र० प्रदेश शासन के विधायी अनुभाग-1 के गजट संख्या 1468/79-वि-1-19-1(क)-14-19 दिनांक 07.08.2019 द्वारा उत्तर प्रदेश भू-गर्भ जल (प्रबंधन और विनियमन) अधिनियम, 2019 के चैप्टर-8 की धारा 39(1) में निम्नानुसार प्राविधानित है-

CHAPTER-VIII

OFFENCES AND PENALTIES

39. (1) If any commercial, industrial, infrastructural and bulk user of groundwater or any drilling agency,-

(a) Contravenes or fails to comply with any of the provisions of this Act or any rule made there under except provisions described under chapter-V; or

(b) obstructs the Appropriate Authorities or any other person authorized by the State Ground Water Management and Regulatory Authority to exercise any of the powers under this Act, shall be punishable with fine which shall not be less than two lakh rupees which may extend up to five lakh rupees or imprisonment which shall not be less than six month and which may extend to one year or with both, in case of first offence.

इसी प्रकार अधिनियम की धारा 41(1) में विधिक कार्यवाही किये जाने को निम्नानुसार प्राविधानित

किया गया है-

(1) An offence punishable under sub Clause (i) of clause (b) of Compounding of sub-section (1) of section 39 may be compounded on the application of the accused before or after the institution of the prosecution by such officers as may be notified by the State Government after imposing fifty percent of minimum fine prescribed for the offences as compounding fee along with the minimum prescribed fine :

उपरोक्त तथ्यों से स्पष्ट होता है कि उ०प्र० भू-गर्भ जल विभाग द्वारा अवैध भू-जल दोहन के प्रकरणों में आर्थिक दण्ड के साथ-साथ विधिक कार्यवाही प्राविधानित है।

अतः आपसे पुनः अनुरोध है कि मा० राष्ट्रीय हरित अधिकरण में योजित ओ०ए० संख्या 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में पारित आदेश दिनांक 15.11.2022 में उल्लिखित परियोजनाओं जिनमें अवैध भू-जल दोहन किया गया है अथवा किया जा रहा है, उन परियोजनाओं के विरुद्ध नियमानुसार जल की चोरी हेतु प्रथम सूचना रिपोर्ट अथवा परिवाद दायर किये जाने हेतु आवश्यक कार्यवाही करते हुये दिनांक 30.04.2023 तक की कृत कार्यवाही सम्बन्धी आख्या इस कार्यालय को प्रेषित करने का कष्ट करें जिससे की सूचना संकलित कर मा० अधिकरण के समक्ष दिनांक 15.05.2023 तक प्रेषित की जा सके।

(राधेश्याम)
क्षेत्रीय अधिकारी

प्रतिलिपि: 1. जिलाधिकारी महोदय, गौतमबुद्धनगर को सूचनार्थ सादर प्रेषित।
2. मुख्य पर्यावरण अधिकारी (यूत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड लखनऊ को सूचनार्थ सादर प्रेषित।

क्षेत्रीय अधिकारी

724
1196

ANNEXURE
A-82 289

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड
UTTAR PRADESH POLLUTION CONTROL BOARD

Ref No- 11931013 /C-1/एन0जी0टी0-158/पर्या0सति0/2023

Date: 12/05/2023

सेवा में,

पंजीकृत

सूची संलग्न-38 परियोजना।

विषय:-मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.2022 के अनुपालन में परियोजना के विरुद्ध Interim/floor level Compensation जमा किये जाने के सम्बन्ध में।

यह कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.2022 के सुसंगत अंश निम्नवत् है:-

“....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate.....”

यह कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.2022 के अनुपालन में परियोजना को क्षेत्रीय कार्यालय द्वारा परियोजना की कुल लागत का 0.5 प्रतिशत Interim/floor level Compensation जमा किये जाने हेतु नोटिस प्रेषित किया गया है, जिसका प्रतिउत्तर प्राप्त नहीं है एवं न ही आपके द्वारा Interim/floor level Compensation जमा किये जाने की सूचना इस कार्यालय में प्राप्त है।

क्षेत्रीय कार्यालय द्वारा प्रेषित विवरण अनुसार परियोजना की कुल लागत सूची में अंकित है। मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.2022 के अनुपालन में परियोजना की कुल लागत का 0.5 प्रतिशत Interim/floor level Compensation जमा किये जाने हेतु निर्देश पारित हैं।

टी0सी0-12वीं, विभूति खण्ड
गोमती नगर, लखनऊ-226010
दूरभाष: 2720831, 2720828, 2720691, 2720681
फैक्स : 0522-2720764
ई-मेल : info@uppcb.com website: www.uppcb.com

TC-12V, Vibhuti Khand,
Gomti Nagar, Lucknow-226010
Phone : 2720831, 2720828, 2720691, 2720681
Fax : 0522-2720764
e-mail : info@uppcb.com website: www.uppcb.com

उपरोक्त के दृष्टिगत सूचीबद्ध 38 परियोजनाओं को मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.2022 के अनुपालन में कुल लागत का 0.5 प्रतिशत Interim/floor level Compensation जमा किये जाने हेतु निर्देशित किया जाता है की Interim/floor level Compensation को बोर्ड के खाते में 15 दिन के अन्दर जमा कराया जाये।

सक्षम अधिकारी की अनुमति से निर्गत।

भवदीय,

(विवेक राय)

मुख्य पर्यावरण अभियन्ता, वृत्त-1

प्रतिलिपि:-

1. जिलाधिकारी, गौतमबुद्धनगर को इस आशय के साथ प्रेषित कि मा0 एन0जी0टी0 के उक्त आदेश के अनुपालन में परियोजना पर अधिरोपित Interim/floor level Compensation जमा न किये जाने की दशा में मा0 एन0जी0टी0 के आदेश के अनुरूप परियोजना के विरुद्ध कार्यवाही करने का कष्ट करें।
2. वरिष्ठ कोषाधिकारी, कोषागार, गौतमबुद्धनगर को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।
3. क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा को इस निर्देश के साथ प्रेषित कि अधिरोपित Interim/floor level Compensation को बोर्ड के खाते में जमा कराया जाना सुनिश्चित कर अनुपालन आख्या प्रेषित करें।

मुख्य पर्यावरण अभियन्ता, वृत्त-1

S. No.	Name and Address of the Project	Project Cost in Cr. (As per record)	Interim/ floor level Compensation in Cr. (0.5%)
1	Aastha Greens (AASTHA INFRACITY LIMITED) Plot No-03, GH-04 Sector-04, Greater Noida, Uttar	324.27	1.62
2	ACE Aspire (Promoter- M/S Ideal Realtech Pvt Ltd.), GH-02A, TechZone-4, Greater Noida West	277.58	1.38
3	ACE City (IDEAL REALTECH PVT LTD), GH-01, Sector-01, Greater Noida .	783	3.91
4	Ace Divino (STARCITY REAL ESTATES PRIVATE LIMITED) Plot No. GH-14A, Sector-01, Greater Noida	661	3.3
5	Aims Green Avenue (Aims Golf Town Developers Private Limited), Phase-I, Plot No-4, GH-04, Greater Noida (West), Gautam Budh Nagar	326.3	1.63
6	Ajnara Homes (APV Realty Ltd.) Plot No. GH-03, Sector-16B, Greater West, Uttar Pradesh	369.62	1.84
7	Ajnara Le Garden (Ajnara Realtech Limited), GH-02, Sector-16B, Greater Noida West, Uttar Pradesh	203.0016	1.01
8	Apex Golf Avenue (FLORAL REALCON PRIVATE LIMITED), GH-03/SC-1, Adjoining TechZone, Gr.	210.2317	1.05
9	ATS Destinaire (Promoter- M/s Starcity Real Estates Pvt. ltd.), GH-14, Sector-1, Gr. Noida	634.18	3.17
10	ATS Home Craft (Happy Trails), (Shridhara Infratech (P) Ltd), GH-02A, sector-10, Gr. Noida	464	2.32
11	ATS Rhapsody (Promoter- DAR Housing Limited) GH-12/1, Sector-1, Gr. Noida	415.93	2.07
12	Bulland Elevates (BULLAND BUILDTECH PVT LTD.), Plot No GH-3A, Sector-16C, Greater Noida,	284.55	1.42
13	Capital Athena (CAPITAL INFRATECHOMES PRIVATE LIMITED), GH-12A-2, Sector-01, Gr.	350	1.75
14	Coco county (Promoter- M/s SHIRJA REAL ESTATE SOLUTIONS PVT LTD), GH-03C, sector-	262.95	1.31
15	Divyansh Flora (Promoter M/s Divyansh Infra hight (P) Ltd.), Plot No.-03H/GH-01, sector-16C, Gaur City-	128	0.64
16	Ecovillage III (SUPERTECH LIMITED), Plot No. GH-06, Sector 16B, Greater Noida, Uttar Pradesh	479.4973	2.39
17	Galaxy Blue Sapphire (GLD INFRA PROJECTS PRIVATE LIMITED)Plot No. C-03, Sector 4, Greater Noida, Gautam Budh nagar	726.5	3.63
18	Galaxy Diamond Plaza (ASTEROID SHELTERS HOMES PVT LTD) Plot no. C-01 A, Sector 4, Greater Noida, ,GAUTAM BUDH NAGAR	277.66	1.38

19	Galaxy Royale (PRITHVEELINK BUILDWELL PRIVATE LIMITED), Plot No. GH-03, Sector-16C, Gaur City 2, Greater Noida, Uttar Pradesh	190.42	0.952
20	Galaxy Vega, (Promoter- M/s Panchtatva Promoter (P) Ltd.), GH-08C, Sector-Techzone-IV, Gr. Noida	63.304	0.316
21	Gaur City Mall, Plot No.C-1B/ GH-01, sector-4, Gr. Noida	652	3.26
22	Gaur City-1, GH-01, Sector-4, Gr. Noida	800	4
23	Gaur City-2, GH-01, sector-16C, Gr. Noida	1320	6.6
24	Gaur Saundaryam, Plot No- GH-05C, Techzone-IV, Gr. Noida	581	2.9
25	Gulshan Bellina (GULSHAN HOMZ PRIVATE LIMITED), Plot No GH-02/A, Sector 16, Vaidpura, Greater Noida, Uttar Pradesh	465.37	2.32
26	JM Florence (J.M. HOUSING LTD), Plot No. DV-GH-09C, Sector-Techzone-4, Gr. Noida west.	449.05	2.24
27	JNC The Park (JNC Construction Pvt. Ltd.), GH-1C, Sector-16 C, Greater Noida, District- Gautam Buddha	266.9475	1.33
28	La Residentia (Promoter- M/s La Residentia Developer Pvt. Ltd), GH-06A, sector-Techzone-4, Gr.	542.83	2.71
29	Mahagun Maantra-1, (Promoter- M/s Dhanya Promoters Pvt.), Ltd. GH-01/B, sector-10, Gr. Noida.	177.41	0.887
30	Mahagun Maantra-2 (Hebe Infrastructure Pvt Ltd), GH-01/A, sector-10, Gr. Noida	205.83	1.02
31	Mahagun mywood (Phase-1, Phase-2, Phase-3) M/s Mahagun (India) Pvt. Ltd., GH-04, sector-16, Gr.	463	2.31
32	Mangalya Ophira (MANGALYA BUILDTECH PRIVATE LIMITED), Plot no GH-16F, Sector-1, Greater Noida West, Gautam Budh Nagar	67.75	0.338
33	Neo Town (M/s Patel Advance JV.) Plot No.GH-03, Sector-Techzone-4, Gr. Noida west.	670.41	3.35
34	Panchsheel Hynish (Panchsheel Buildtech Pvt. Ltd), GH-08A, Sector-1, Gr. Noida west.	405.24	2.02
35	Rajhans Residency, (Rajhans Infratech (p) ltd.), GH-06B, Sector-01, Gr. Noida west.	127.88	0.639
36	Sikka Kammya Green (Promoter- M/s Sikka Infratech (p) ltd.), GH-02B, sector-10, Gr. Noida	230.28	1.15
37	Vihaan Green (Vihaan Developers Pvt. Ltd.), Plot No-GH-15C, Sector 1, Greater Noida, Uttar Pradesh	117	0.585
38	VVIP Home /Meridian (Promoter- Solitaire Infra home Pvt Ltd), GC-03K/ GH-03, Sector-16C, Greater	370	1.85

[Handwritten signature]



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड
UTTAR PRADESH POLLUTION CONTROL BOARD

ANNEXURE

A-83

1200

728

Ref No-

1193473/C-1/एन0जी0टी-158/पर्या0क्षति0/2023

Date: 12.05/2023

सेवा में,

पंजीकृत

M/s VVIP Home /Meridian
(Promoter- Solitaire Infra home Pvt Ltd),
GC-03K/ GH-03, Sector-16C,
Greater Noida, Gautam Budh Nagar.

विषय:-मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.2022 के अनुपालन में परियोजना के विरुद्ध Interim/floor level Compensation जमा किये जाने के सम्बन्ध में।

यह कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.2022 के सुसंगत अंश निम्नवत् है:-

“...Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate.....”

यह कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.2022 के अनुपालन में परियोजना को क्षेत्रीय कार्यालय द्वारा परियोजना की कुल लागत का 0.5 प्रतिशत Interim/floor level Compensation जमा किये जाने हेतु नोटिस प्रेषित किया गया है, जिसका प्रतिउत्तर प्राप्त नहीं है एवं न ही आपके द्वारा Interim/floor level Compensation जमा किये जाने की सूचना इस कार्यालय में प्राप्त है।

क्षेत्रीय कार्यालय द्वारा प्रेषित विवरण अनुसार परियोजना की कुल लागत रू0 370 करोड़ सूचित है। मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.2022 के अनुपालन में परियोजना की कुल लागत का 0.5 प्रतिशत Interim/floor level Compensation जमा किये जाने हेतु निर्देश पारित हैं।

टी0सी0-12वीं, विभूति खण्ड
गोमती नगर, लखनऊ-226010
दूरभाष : 2720831, 2720828, 2720691, 2720681
फैक्स : 0522-2720764
ई-मेल : info@uppcb.co.in | website: www.uppcb.com

TC-12V, Vibhuti Khand,
Gomti Nagar, Lucknow-226010
Phone : 2720831, 2720828, 2720691, 2720681
Fax : 0522-2720764
e mail : info@uppcb.com | website: www.uppcb.com

1201729

उपरोक्त के दृष्टिगत परियोजना को मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.2022 के अनुपालन में कुल लागत कां 0.5 प्रतिशत रू0 1,85,00,000/- (रू0 एक करोड़ पचासी लाख मात्र) Interim/floor level Compensation जमा किये जाने हेतु निर्देशित किया जाता है कि उक्त Interim/floor level Compensation को बोर्ड के खाते में 15 दिन के अन्दर जमा कराया जाये।

सक्षम अधिकारी की अनुमति से निर्गत।

भवदीय,

(विवेक शाय)

मुख्य पर्यावरण अभियन्ता, वृत्त-1

प्रतिलिपि:-

1. जिलाधिकारी, गौतमबुद्धनगर को इस आशय के साथ प्रेषित कि मा0 एन0जी0टी0 के उक्त आदेश के अनुपालन में परियोजना पर अधिरोपित Interim/floor level Compensation जमा न किये जाने की दशा में मा0 एन0जी0टी0 के आदेश के अनुरूप परियोजना के विरुद्ध कार्यवाही करने का कष्ट करें।
2. वरिष्ठ क्षेत्राधिकारी, कोषागार, गौतमबुद्धनगर को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।
3. क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, गेटर नौएडा को इस निर्देश के साथ प्रेषित कि अधिरोपित Interim/floor level Compensation को बोर्ड के खाते में जमा कराया जाना सुनिश्चित कर अनुपालन आख्या प्रेषित करें।

मुख्य पर्यावरण अभियन्ता, वृत्त-1



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड
UTTAR PRADESH POLLUTION CONTROL BOARD

ANNEXURE A-84
A-84

Let No- 1202/2023/C-1/जल/सा0-1318/का0ए0बी0-पर्या 2023

Date: 13/05/23

720

पंजीकृत

मैसर्स वी0वी0आई0पी0 होम्स (प्रमोटर-मैसर्स सॉलिटैयर्स इन्फ्राहोम प्रा0लि0),
जी0सी0-03के/ जी0एच0-03, सेक्टर-16सी, ग्रेटर
नोएडा वेस्ट, गौतमबुद्धनगर।

यह कि परियोजना ग्रुप हाउसिंग सोसाइटी जो कि जी0सी0-03के/ जी0एच0-03, सेक्टर-16सी, ग्रेटर
नोएडा वेस्ट, गौतमबुद्धनगर पर स्थापित है तथा जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1974 की
धारा 47 के अन्तर्गत एक कम्पनी है।

यह कि ना0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश
दिनांक 15.11.2022 के सुसंगत अंश निम्नवत् है:-

".....Following the above order, we issue directions for sealing of all illegally operating
borewells and recovery of compensation for illegal extraction of ground water in the past considering
the cost of such water with deterrent element and the cost of replenishing ground water level. In
absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5%
of the project cost of the PPs, apart from remedial action for future. The PPs may deposit
compensation with the respective District Magistrates and the State PCB within one month from
today, failing which the District Magistrate will be free to take coercive measures including filing of
theft cases against the projects extracting ground water without permission and stopping the ongoing
projects. Final compensation may be assessed by the joint Committee comprising of Regional
Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution
Control Board and the District Magistrate....."

यह कि क्षेत्रीय कार्यालय के अधिकारियों द्वारा दिनांक 21.01.2023 को परियोजना मैसर्स वी0वी0आई0पी0
होम्स, (प्रमोटर-मैसर्स सॉलिटैयर्स इन्फ्राहोम प्रा0लि0), जी0सी0-03के/ जी0एच0-03, सेक्टर-16सी, ग्रेटर
नोएडा वेस्ट, गौतमबुद्धनगर का निरीक्षण किया गया। निरीक्षण के दौरान जनित घरेलू सीवेज के शुद्धिकरण हेतु
MBBR पद्धति पर आधारित 600 KLD क्षमता का एक एस0टी0पी0 स्थापित है, निरीक्षण के समय परियोजना में
स्थापित एस0टी0पी0 संचालित नहीं पाया गया। जिसमें मुख्य रूप से एम0बी0वी0आर टैंक में एम0एल0एस0एस0
की मात्रा अल्प पायी गयी। निरीक्षण के दौरान परियोजना से जनित घरेलू सीवेज का अशिक भाग एस0टी0पी0
के माध्यम से शुद्धिकृत होता पाया गया। अशुद्धिकृत सीवेज का एक नमूना एकत्र कर क्षेत्रीय प्रयोगशाला,
नोएडा में विश्लेषण हेतु जमा किया गया। प्राप्त विश्लेषण आख्या के अनुसार BOD-58 मिलीग्राम/लीटर COD-
326.4 मिलीग्राम/लीटर, Suspended Solids-148 मिलीग्राम/लीटर Oil Grease-13.9 मिलीग्राम/लीटर, पायी
गयी है जो कि मानकों से अधिक है।

उपरोक्त के दृष्टिगत क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा द्वारा की गयी संस्तुति
के क्रम में सक्षम अधिकारी से प्राप्त अनुमति के उपरान्त परियोजना के विरुद्ध निम्नानुसार कारण बताओ नोटिस
जारी किया जाता है:-

1. यह कि क्यों न मा0 एन0जी0टी0 द्वारा ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.202 के
अनुपालन में परियोजना मैसर्स वी0वी0आई0पी0 होम्स, (प्रमोटर-मैसर्स सॉलिटैयर्स इन्फ्राहोम प्रा0लि0),
जी0सी0-03के/ जी0एच0-03, सेक्टर-16सी, ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर द्वारा परियोजना की कुल
लागत का 0.5 प्रतिशत Interim/floor level Compensation जमा न किये जाने के कारण परियोजना
के विरुद्ध मा0 एनजीटी के आदेशानुसार दण्डात्मक कार्यवाही प्रारम्भ कर दी जाए?

..... 2 / -

1203

2. यह कि क्यों न परियोजना द्वारा सहमति प्राप्त होने के दृष्टिगत मा10 एन0जी0टी0 द्वारा पारित आदेशों के अनुपालन में केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा दोषी इकाईयों के विरुद्ध पर्यावरणीय क्षतिपूर्ति अधिरोपित करने हेतु प्रचलित गाइडलाइन के आधार दिनांक 22.02.2023 से नवीनतम निरीक्षण दिनांक 10.04.2023 तक (कुल दिन 48 डिफाल्टर दिवस हेतु) पर रू0 15,00,000/- (रू0 पन्द्रह लाख मात्र) की पर्यावरणीय क्षतिपूर्ति अधिरोपित कर दी जाये?
3. यह कि क्यों न परियोजना मैसर्स वी0वी0आई0पी0 होम्स, (प्रमोटर-मेसर्स सॉलिटेयर इन्फाहोम प्रा0लि0), जी0सी0-03के/ जी0एच0-03, सेक्टर-16सी, ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर के विरुद्ध जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1974 यथासंशोधित के प्रावधानों के अन्तर्गत परियोजना के उत्तर दायी व्यक्तियों के विरुद्ध अभियोजनात्मक कार्यवाही प्रारम्भ करा दी जाये?

उपरोक्त पर अपनापक्ष/स्पष्टीकरण 15 दिन के अन्दरराज्य बोर्ड को प्रेषित किया जाना सुनिश्चित करें, अन्यथा की स्थिति में आपके परियोजना के विरुद्ध उपरोक्तानुसार पर्यावरणीय क्षतिपूर्ति अधिरोपित करते हुये नियमानुसार अग्रिम कार्यवाही प्रारम्भ कर दी जायेगी, जिसका सम्पूर्ण उत्तर दायित्व आपका स्वयं का होगा।

सक्षम अधिकारी की अनुमति से निर्गत।

भवदीय

(विवेक राय)

मुख्य पर्यावरणअभियन्ता, वृत्त-1

प्रतिलिपि:-क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा को सूचनार्थ एवं अग्रिम आवश्यक कार्यवाही हेतु प्रेषित।

मुख्य पर्यावरण अभियन्ता, वृत्त-1



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड
UTTAR PRADESH POLLUTION CONTROL BOARD

1204

ANNEXURE 225
A-85

संदर्भ सं०

Ref. No

H93573

सी-1/NGT-158/2023

दिनांक

Date - 15/05/2023

To,
The Registrar,
National Green Tribunal,
Principal Bench,
New Delhi.
E-mail : judicial-ngt@gov.in

Sub.: Report in compliance to direction issued by Hon'ble NGT on dated 15.11.2022 in matter of OA No. 392/2022, Prasoon Pant & Anr. Vs. Union of India & Ors.

Sir,

That in compliance of the orders dated 15.11.2022 passed by the Hon'ble National Green Tribunal, New Delhi in OA No. 392/2022, Prasoon Pant & Anr. Vs. Union of India & Ors., the report of the status of compliance as on 30-04-2023 is annexed herewith and forwarded to you with the request that the same may be placed before the Hon'ble Tribunal for perusal.

Encl:- As above.

Yours Sincerely

(Vivek Roy)

Chief Environmental Officer,
Circle-1

Copy to:

1. Member Secretary, U.P. Pollution Control Board, Lucknow for information.
2. Shri Pradeep Misra, Advocate, Hon'ble Supreme Court/ NGT, New Delhi for perusal and necessary action please.
3. Law Officer-I, U.P. Pollution Control Board, Lucknow for information.
4. Regional Officer, UPPCB, Greater Noida.

Chief Environmental Officer,
Circle-1

टी.सी. - 12 वी, विभूति खण्ड, गोमती नगर,
लखनऊ - 226010
दूरभाष : 0522-2720828, 2720831
फैक्स : 0522-2720764, 2720676
ई-मेल : info@uppcb.com
वेबसाइट : www.uppcb.com

T.C.-12 V, Vibhuti Khand, Gomti Nagar,
Lucknow - 226 010
Phone : 0522-2720828, 2720831
Fax : 0522-2720764, 2720676
E-mail : info@uppcb.com
Website : www.uppcb.com

Compliance Report

In

Original Application No. 392/2022

Prasoon Pant & Anr.

Versus

Union of India & Ors.

Order Date – 15.11.2022

Report in compliance to direction issued by Hon'ble NGT on dated 15.11.2022 in matter of OA No. 392/2022, Prasoon Pant & Anr. Vs. Union of India & Ors.

1. Brief background

Hon'ble NGT on dated 15.11.2022 in matter of OA No. 392/2022, Prasoon Pant & Anr. Vs. Union of India & Ors. has passed following order: -

".....11. Following the above order, we issue directions for sealing of all illegally operating bore wells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate.

12. The joint Committee may also consider the data and view point of the PPs, if any, filed. We also direct that while granting consents, requirement of installing digital water metres connected to central servers may be laid down. Concerned establishment may be required to furnish an 'Appraisal report' with regard to the quantity of ground water available for extraction in the area and replenishment measures proposed by the concerned establishment such as rain water harvesting, sewage treatment, use of treated sewage. Such Appraisal report may be duly verified by the State PCB by an appropriate mechanism.

Such project proponents may also undertake measures to compensate environment, particularly augmenting water quantity and improve water quality by afforestation, education and other measures which may be mentioned in the consent conditions and NOCs for extraction of ground water. Further, in respect of establishments having water supply from the local bodies and also extracting ground water, there should be separate digital metres in respect of both sources.

13. We also direct the concerned statutory regulators to look into and regulate use of potable water for non-contact purposes for which non potable water can be used to augment availability of potable water for drinking. If consents/NOCs are not applied for within one month, the establishments may be closed by the State PCB. If filed, such applications may be examined within next one month.

14. The States other than Uttar Pradesh may also take necessary action on the subject by issuing necessary SOP through their Water Resources Departments and State PCBs within one month from today. The activities which need to replace use of potable water may be listed and mentioned in consents.

15. Report of status of compliance as on 30.04.2023 may be filed by the UP State PCB, after compiling the relevant data from the concerned District Magistrates by 15.05.2023 by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.

16. Other directions in the order dated 17.10.2022 in O.A. No.438/2018 to the extent applicable to present context may also be filed. The joint Committee may continue the work of inspection of the remaining projects and adopt the same course of action as in the present matter and cover the actions taken in the next report.

Any person aggrieved by this order will be free to move this Tribunal, if not satisfied with the approach of the Committee in the matter. ”

2. Action taken Report:-**I. Summary:-**

1. All 63 projects to whom letter dated 07.09.2022 was issued for procuring information pertaining to source of water, quantity of water requirement and NOC from CGWB/SGWB, have been inspected by the Joint Committee.
2. Out of 63 projects, in 41 projects illegal bore wells have been indentified during inspections, in which Committee formed under Chairmanship of ADM(E), Gautam buddh Nagar vide letter dated 30-11-2022 (a copy of which is annexed as Annexure -1) in continuation to the previously formed committee vide letter dated 18.07.2022, has sealed bore wells in 12 projects and 10 projects have dismantled their bore wells, 03 projects have obtained NOC for ground water abstraction and rest 16 projects have submitted their representation to District Magistrate, Gautam buddh Nagar, regarding insufficient water supply/no water supply by Authority (a copy of which is annexed as Annexure-2).
3. As per the decision taken in the Joint Committee meeting dated 16.01.2023 regarding representation of PPs, further action has to be taken by GNIDA to provide water in required quantity or UPGWD to comply with U. P. ground water act, 2019, minutes of meeting is annexed as Annexure-3.
4. In compliance of Hon'ble NGT order dated 15.11.2022, regarding deposition of Floor level compensation (0.5% of project cost as directed by Hon'ble NGT) for illegal extraction of ground water, notices have been issued by Regional office, UPPCB, Greater Noida, to concerning 41 projects for the same. Further, again directions have been issued to 38 projects for deposition of Interim/ Floor Level Compensation by UPPCB based upon the project cost available with UPPCB. No data of 03 projects

pertaining to the cost of the projects is available with UPPCB. However, UPPCB has requested GNIDA to provide data regarding the cost of the projects and also has addressed it to Nodal officer UPGWD Gautam buddh Nagar vide its letter dated 18.04.2023 in continuation to the communication received from CGWB via email dated 18.04.2023, the copies of which are annexed as Annexure- 4 & 5.

5. Further, UPPCB has initiated action under Water (Prevention and Control of Pollution) Act, 1974 against 29 projects show cause has been issued by the State Board. Apart from this, Show Cause Notices for imposition of Environmental Compensation as per CPCB guidelines to the tune of approximate Rs 2.21 Crores have also been issued.
6. In compliance of Hon'ble NGT order dated 15.11.2022, UPPCB vide its letter dated 03.04.2023 has requested to U.P. Ground Water Department to take legal action against defaulter projects under Uttar Pradesh Ground Water (Management and Regulation) Act, 2019 also. A copy of the same is annexed as Annexure- 6.
7. Summary of the Status in tabular form regarding action taken against projects with illegal water abstraction and defaulter found under the provisions of Water Act is being given in table 1 and 2 as below:-

Status of action against illegal water abstraction

Table-1

Total number of projects	No. of Projects in which Bore well found	Bore well sealed by Joint Committee	Bore well dismantled	Not sealed	Project having valid NOC for Ground water abstraction	No. of Show Cause notices issued for deposition of interim/ floor compensation
63	41	12	10	19 *	03	38**

* 03 Project having valid NOC for Ground water abstraction & 16 projects have submitted representation before Joint Committee.

** 03 Projects have not provided any information regarding project cost although Show Cause Notices have been issued against these 03 projects also.

Status of compliance of Water Act (CTE/CTO)Table-2

Total number of projects	No. of projects having CTE/ valid CTO	Construction work is closed since long time due to its own reasons	Show Cause Notice issued under the provisions of Water Act	Show cause Notice under process	Amount of Show Cause Notices issued for imposition of EC as per CPCB guidelines (In Crores)
63	30	02	29	2	2.21

II. In compliance to the order passed on dated 15.11.2022, rest 30 projects have also been inspected apart from the earlier 33 Projects by the Joint Committee. The status of which is annexed as Annexure-7.

III. Assessment of Final Compensation:-

In compliance of Hon'ble NGTs order dated 15-11-2022 regarding assessment of final compensation CGWB has nominated its representative vide letter dated 31 January, 2023 for assessment of final compensation in coordination with UPGWD, UPPCB and District Administration. CGWA has also asked for data such as period of EC comprising number of days, consumption of ground water per day, total cost of project area and name of block area, regarding which Regional Office, UPPCB, Greater Noida has written vide letter dated 18-04-2023 to U.P. Groundwater enclosing the list of 41 projects to provide the data for the assessment of final compensation. Final Compensation is proposed to be assessed and imposed by the Joint Committee as per the directions of Hon'ble NGT.

IV. Further Actions

- i) U.P. Pollution Control Board is undertaking further strict actions against the defaulters to ensure the compliance of Hon'ble NGTs order date 15-11-2022 under Water and Air Act provisions.

Imposition of Environmental Compensation as per CPCB's guidelines is also under process against the defaulters as it shall act as a deterrent for continuation of violation of Air and Water Act provisions.

- ii) Final Compensation is proposed to be assessed and imposed by the Joint Committee as per the directions of Hon'ble NGT.

1212

740

ANNEXURE

A-87

Form No. 10/2019
Date: 10/10/2021
Page: 1/1
10/10/2021 10:10:10

प्रेषक,

निदेशक,
भूगर्भ जल विभाग, उत्तर प्रदेश
भूजल भवन(रा0भू0सू0प्र0के0), ग्राम हरिहरपुर,
शहीद पथ, लखनऊ।

सेवा में,

जिलाधिकारी, जनपद-गौतमबुद्धनगर/
अध्यक्ष, जिला भूगर्भ जल प्रबन्धन परिषद,
गौतमबुद्धनगर।

पत्रांक 06 /भू0ज0वि0/एक्ट(एनओसी)-23

लखनऊ: मई 19 2023

विषय:- केन्द्रीय भूमिजल प्राधिकरण के समक्ष पूर्व में अनापत्ति निर्गमन/नवीनीकरण हेतु जनपद-गौतमबुद्धनगर के लम्बित प्रकरणों के निस्तारण के सन्दर्भ में।

संदर्भ:- केन्द्रीय भूमिजल प्राधिकरण के सम्मुख प्रेषित आवेदनों के संबंध में।

महोदय,

कृपया उपर्युक्त विषयक अवगत होने का कष्ट करें कि जनपद-गौतमबुद्धनगरने वेब-पोर्टल पर प्राप्त ऐसे आवेदनों, जो पूर्व में केन्द्रीय भूमि जल प्राधिकरण, भारत सरकार के समक्ष लम्बित थे, जनपद-गौतमबुद्धनगर में भूजल निष्कर्षण हेतु अनापत्ति निर्गमन/नवीनीकरण के लम्बित प्रकरणों को निस्तारित किये जाने हेतु इस कार्यालय को प्रेषित किया गया है। प्रकरणों के क्रम में केन्द्रीय भूजल प्राधिकरण, भारत सरकार के ई-मेल दिनांक 10-09-2021 के द्वारा प्रस्तुत लम्बित प्रकरणों की सूची के अनुसार कतिपय अभिलेखों के अपूर्ण होने के कारण उपरोक्त सन्दर्भित पांचप्रकरणों को केन्द्रीय भूजल प्राधिकरण द्वारा तत्समय निरस्त कर दिया गया था। प्रत्यावेदन निरस्त करते हुए अंकित किया गया है कि "Application for NOC rejected."

अवगत कराना है कि मुख्य सचिव, उत्तर प्रदेश शासन की अध्यक्षता में उत्तर प्रदेश भूगर्भ जल (प्रबन्धन एवम् विनियमन) अधिनियम, 2019 के प्राविधानानुसार गठित उत्तर प्रदेश राज्य भूगर्भ जल प्रबन्धन और विनियामक प्राधिकरण की दिनांक 28-10-2021 को आयोजित तृतीय बैठक में निर्णय लिया गया कि "एसे सभी प्रकरणों को निरस्त होने के कारण एवं फर्मा द्वारा उनका निवारण पूर्ण किये जाने की जानकारी प्राप्त करने के पश्चात् जनपदीय परिषद की संस्तुति के आधार पर ऐसे प्रकरणों को अधिनियम में निहित प्राविधानों के अन्तर्गत नवीनीकरण की श्रेणी में लाते हुए अग्रोत्तर कार्यवाही की जाये।"

उपरोक्त के क्रम में आपसे अनुरोध है कि संलग्नित तालिका के अनुसार उपरोक्ता से पूर्व में किए गए आवेदन के निरस्त किये जाने का कारण प्राप्त करते हुए, आवेदकों के अभिलेखों का पुनः परीक्षण एवम् कार्यक्षेत्र का स्थलीय निरीक्षण जनपद स्तर पर गठित टास्क फोर्स से करवा लें कि निरस्तीकरण की उन शर्तों को वर्तमान में पूरा कर लिया गया है अथवा नहीं? अधिनियम-2019 में निहित प्राविधानों के अन्तर्गत उनके समस्त वांछित तकनीकी अभिलेखों से संतुष्ट होने की स्थिति में जनपद स्तर से अनापत्ति निर्गमन/नवीनीकरण की कार्यवाही करने का कष्ट करें, जिसकी संस्तुति की जाती है तथा कृत कार्यवाही से इस कार्यालय को भी अवगत कराने का कष्ट करें।

संलग्नक: यथोक्त (05 आवेदन)

भवदीय
(वी०के० उपाध्याय)
निदेशक।

पत्रांक (1)/भू०ज०वि०/तददिनांक।


प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आकषक कार्यवाही हेतु प्रेषित है:-

1. सदस्य सचिव, राज्य भूगर्भ जल प्रबन्धन और नियामक प्राधिकरण, उ०प्र०, लखनऊ।
2. नोडल अधिकारी, वेब पोर्टल, जनपद गौतमबुद्धनगर।
3. सम्बन्धित उपरोक्ता को उसके आवेदन पत्र के क्रम में उनके ई-मेल के माध्यम से।

(वी०के० उपाध्याय)
निदेशक।

जिला भुगर्म जल प्रबंधन परिषद्, जनपद-गौतमबुद्धनगर से प्राप्त प्रकरणों पर निदेशालय, भुगर्म जल विभाग, उओप्रो का मतल्य

क्र. सं०	कार्यालय निदेशक, भुगर्म जल विभाग, उत्तर प्रदेश को आवेदन प्राप्ति की तिथि	आवेदन संख्या	आवेदनकर्ता का विवरण	मूल उपयोग का प्रकार	मूल निष्कर्षण हेतु क्षेत्र का विवरण		विकास खण्ड / शहरी क्षेत्र की श्रेणी (नोटिफाइड / नाम-नोटिफाइड)	केन्द्रीय भूमिजल प्राधिकरण द्वारा पूर्व में निरग्न एनालाइसिस का विवरण	केन्द्रीय भूमिजल विभाग, उओप्रो द्वारा पूर्व में निरग्न एनालाइसिस के वैधता की तिथि	केन्द्रीय भूमिजल प्राधिकरण/ भुगर्म जल विभाग को एनालाइसिस के नवीनीकरण हेतु आवेदन करने की तिथि	केन्द्रीय भूमिजल प्राधिकरण के द्वारा प्राप्त सूची के अन्तर्गत पर भुगर्म जल विभाग का मतल्य	अभिप्रेति
					जनपद	विकास खण्ड / शहरी क्षेत्र						
1	2	3	4	5	6	7	8	9	10	11	12	
1	29-03-2023	GTBN0822RIN0367	Vibracoustic Noida Private Limited, Sri Jagminder Singh Bawa	Industrial	Gautam Buddh Nagar	Bisrakh	Notified	N/A	N/A	Application No 21-4/6357/UP/IND/2018, Date 10-10-2018	केन्द्रीय भूमिजल बोर्ड द्वारा प्रेषित सूची/अनुसूची के अनुसार खण्ड 31 से 05 तक के आवेदकों को Application for NOC rejected. के कारण निरस्त किया जाने का कारण प्राप्त करते हुए आवेदकों को अतिरिक्त का पूरा परीक्षण एनालाइसिस का खर्च स्वयं भुगर्म जल विभाग पर करवा देना है कि निरस्तकरण की उन शर्तों को ध्यान में पूरा कर लिया गया है आया नहीं ?	
2	29-03-2023	GTBN0822RIN0366	Vibracoustic Noida Private Limited, Sri Jagminder Singh Bawa	Industrial	Gautam Buddh Nagar	Noida Authority	Notified	N/A	N/A	Application No 21-4/6357/UP/IND/2018, Date 10-10-2018	केन्द्रीय भूमिजल बोर्ड द्वारा प्रेषित सूची/अनुसूची के अनुसार खण्ड 31 से 05 तक के आवेदकों को Application for NOC rejected. के कारण निरस्त किया जाने का कारण प्राप्त करते हुए आवेदकों को अतिरिक्त का पूरा परीक्षण एनालाइसिस का खर्च स्वयं भुगर्म जल विभाग पर करवा देना है कि निरस्तकरण की उन शर्तों को ध्यान में पूरा कर लिया गया है आया नहीं ?	
3	29-03-2023	GTBN0922RBU0011	VVIP Homes, Sri Bhageshwar Tyagi	Bulk Users	Gautam Buddh Nagar	Greater Noida Authority	Notified	N/A	N/A	Application No 21-4/2172/UP/INF/2017, Date 24-05-2017	केन्द्रीय भूमिजल बोर्ड द्वारा प्रेषित सूची/अनुसूची के अनुसार खण्ड 31 से 05 तक के आवेदकों को Application for NOC rejected. के कारण निरस्त किया जाने का कारण प्राप्त करते हुए आवेदकों को अतिरिक्त का पूरा परीक्षण एनालाइसिस का खर्च स्वयं भुगर्म जल विभाग पर करवा देना है कि निरस्तकरण की उन शर्तों को ध्यान में पूरा कर लिया गया है आया नहीं ?	
4	29-03-2023	GTBN0922RBU0012	VVIP Homes, Sri Bhageshwar Tyagi	Bulk Users	Gautam Buddh Nagar	Greater Noida Authority	Notified	N/A	N/A	Application No 21-4/2172/UP/INF/2017, Date 05-2017	केन्द्रीय भूमिजल बोर्ड द्वारा प्रेषित सूची/अनुसूची के अनुसार खण्ड 31 से 05 तक के आवेदकों को Application for NOC rejected. के कारण निरस्त किया जाने का कारण प्राप्त करते हुए आवेदकों को अतिरिक्त का पूरा परीक्षण एनालाइसिस का खर्च स्वयं भुगर्म जल विभाग पर करवा देना है कि निरस्तकरण की उन शर्तों को ध्यान में पूरा कर लिया गया है आया नहीं ?	
5	29-03-2023	GTBN0422RIN0324	Burda Druck India Pvt. Ltd., Sri Manoj Kumar	Industrial	Gautam Buddh Nagar	Dankaur	Non Notified	N/A	N/A	Application No 21-4/7767/UP/IND/2019, Date 01-08-2019	केन्द्रीय भूमिजल बोर्ड द्वारा प्रेषित सूची/अनुसूची के अनुसार खण्ड 31 से 05 तक के आवेदकों को Application for NOC rejected. के कारण निरस्त किया जाने का कारण प्राप्त करते हुए आवेदकों को अतिरिक्त का पूरा परीक्षण एनालाइसिस का खर्च स्वयं भुगर्म जल विभाग पर करवा देना है कि निरस्तकरण की उन शर्तों को ध्यान में पूरा कर लिया गया है आया नहीं ?	


 (Signature)
 निदेशक



1214

GROUND WATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)
Ministry of Jal Shakti
Government of Uttar Pradesh

742

Form 8 (B)

[See rule 14(1)]

APPLICATION FOR RENEWAL OF NO-OBJECTION CERTIFICATE FOR SINKING OF WELL FOR ANY COMMERCIAL OR INDUSTRIAL OR INFRASTRUCTURAL OR BULK USER IN NOTIFIED AND NON-NOTIFIED AREA

अनापत्ति प्रमाण पत्र के नवीनीकरण का आवेदन पत्र

[UIS 10(1) or 11(1) of the Uttar Pradesh Ground Water Management and Regulation Act, 2019.]
[उत्तर प्रदेश भूगर्भ जल प्रबंधन और विनियमन अधिनियम, 2019 का युआईएस 10 (1) या 11 (1)]

Applicant's Details आवेदक का विवरण			
Type of Applicant आवेदक का प्रकार	Individual	Application Number आवेदन संख्या	GTBN0523RBU0029
Application Date आवेदन तिथि	24/05/2023		
Name of the Applicant आवेदक का नाम	BHAGESHWAR TYAGI		
Mobile No. मोबाइल नंबर	8800697244	Email ID. ईमेल आईडी	dinesh@vvipspaces.com
Date of Birth जन्मतिथि	04/03/1983	Gender लिंग	Male
Nationality राष्ट्रीयता	Indian	ID as Address Proof निवास प्रमाण हेतु आईडी	Aadhaar Card
Aadhaar Card Number	8220-7176-4508	Uploaded Aadhaar Card अपलोड किया गया आधार कार्ड	Download
House No./Flat No./Building No. मकान सं०/फ्लैट सं०/भवन सं०	VIBHOR VAIBHAV INFRAHOME PVT. LTD., RAJNAGAR EXTENSION	Locality/Village मुहल्ला/गाँव	
City/Town/Post Office नगर/कस्बा/पोस्ट ऑफिस	GHAZIABAD	State राज्य	Uttar Pradesh
District जनपद	GHAZIABAD	Pin Code पिन कोड	201206
Company Name कंपनी का नाम	VVIP HOMES	Company Address कंपनी का पता	GH-03 SECTOR- 16CGREATER NOIDA WEST, GAUTAMBUDDH
Details of Proposed Well प्रस्तावित कूप का विवरण			
District जनपद	Gautam Buddh Nagar	Block ब्लॉक	Greater Noida Authority
Plot No./Khasra No. प्लॉट संख्या/खसरा संख्या	GH-03 SECTOR- 16C GREATER NOIDA WEST	Municipality/Municipal Corporation नगर पालिका/नगर निगम	N/A
Ward No./Holding No. वॉर्ड संख्या/होल्डिंग संख्या	N/A	Uploaded Land Details अपलोड किया गया भूमि का विवरण	Download

1215743

Uploaded Google / Toposheet Map
अपलोड किया गया कूप का गूगल / टोपोशीट मैप

Download

Particulars of The Proposed Well
प्रस्तावित कूप का ब्योरा

Date of Construction/Sinking of Well कूप की निर्माण तिथि	06/03/2020	Type of Well कूप का प्रकार	Tube Well/Boring	
Discharge of Tube Well (cum./hr) ट्यूबवेल का निर्वहन (cum./hr)	29			
Housing Pipe If Any यदि कोई है	Yes	Approx. Length of Housing Pipe (In meter) हाउसिंग पाईप की अनुमानित लंबाई (मीटर में)	116.00	
Approx. Diameter of Housing Pipe (mm) हाउसिंग पाईप का अनुमानित व्यास (मिलीमीटर में)	200.00	Material of the Housing Pipe & Blank Pipe हाउसिंग पाईप एवं ब्लैंक पाईप की सामग्री	PVC	
Strainer Details स्ट्रेनर का विवरण				
Material of Strainer स्ट्रेनर की सामग्री	PVC	Number of Strainer(s) स्ट्रेनर की संख्या	4	
S.No. क्रम संख्या	Strainer Installed at what Depth from Ground Level (in Meter) स्ट्रेनर, भू-स्तर से कितनी गहराई पर स्थापित है (मीटर में)	Strainer Installed upto what Depth from Ground Level (In Meter) स्ट्रेनर, भू-स्तर से कितनी गहराई तक स्थापित है (मीटर में)	Length (In meter) लंबाई (मीटर में)	Diameter (In millimeter) व्यास (मिलीमीटर में)
1	90.00	96.00	6.00	200.00
2	96.00	102.00	6.00	200.00
3	102.00	108.00	6.00	200.00
4	108.00	114.00	6.00	200.00
Approx. Depth of Well (In meter) कूप की अनुमानित गहराई (मीटर में)	116.00	Whether There has been Any Adverse Report Regarding Water Quality of the Well? क्या कूप के जल की गुणवत्ता के संबंध में कोई प्रतिकूल रिपोर्ट है?	No	
Ground Water Level (In meter) भूजल स्तर (मीटर में)	25.00			
Details of Proposed Pumping Device प्रस्तावित पंपिंग उपकरण का विवरण				
Type of Pump to be Used प्रयोग किये जाने वाले पंप का प्रकार	Submersible	Pump Capacity (In m ³ /hr) पंप क्षमता (m ³ /hr)	29.00	
Horse Power (H.P.) हॉर्स पावर (एच.पी.)	7.50	Length of Suction Pipe (In meter) सक्शन पाइप की लंबाई (मीटर में)	50.00	

Operational Device
परिचालन उपकरण

Electric Motor

1216

Date of Energization
विद्युतकरण तिथि

28/02/2019

Details of Utilization of Well
कूप के उपयोग का विवरण

744

Purpose of the Proposed Well प्रस्तावित कूप का उद्देश्य?	Bulk User		
Annual Running Hours वार्षिक उपयोग (घंटे में)	2190.00	Annual Days वार्षिक उपयोग (दिनों में)	365
Daily Running Hours दैनिक उपयोग (घंटे में)	6.00	Whether the Water Supplied in Well Area Through Pipe Water Supply or Not? क्या क्षेत्र में जल की आपूर्ति पाइप जलापूर्ति के माध्यम से होती है?	No
Whether Rain Water Harvesting Structure has been Constructed within the Premises? क्या परिसर में वर्षा जल संचयन संरचना का निर्माण किया गया है?	No	Any Other Information Which You Would Like to Furnish कोई अन्य जानकारी जो आप प्रदान करना चाहते हैं	As per UPGWD head office Letter No.06भूजंवि०/एक्ट (एनओसी) 23 dated 19 May 2023 our One application No GTBN0922RBU0011 will be processed for 76650 KL per year and Second application No GTBN0922RBU0012 with demand quantity 65700 KL per year will not be processed further as quantity exceeding a tune of 1825 KL per year. Now we revised our application No. GTBN0922RBU0012 with quantity 63510 KL per Year and now our total annual water demand will be 140160 KL per year and well within the CGWA Application quantity of 140525 KL per year with two borewells. Requested to refuse our application No. GTBN0922RBU0012 and consider this application to grant NOC for 63510 KL per year
Maximum Allowable Annual Extraction of Ground Water:		63510	
Affidavit on non judicial stamp paper of Rs, 10 for installation of appropriate rain water harvesting structure/ measure within a period of one year from Issuing of NOC Date एन.ओ.सी तिथि जारी करने से एक वर्ष की अवधि के भीतर उचित वर्षा जल संचयन संरचना / माप की स्थापना के लिए रु 10- के गैर न्यायिक स्टाम्प पेपर		Download	
Affidavit on non judicial stamp paper of Rs, 10 that no alteration/ modification of well against the details submitted at the time of filling up application for grant of N.O.C. will be done. 10 रुपये के न्यायिकेतर स्टाम्प पेपर पर शपथ पत्र प्रस्तुत करने के निर्देश दिये जाते हैं जिसपर यह उल्लिखित हो कि अनापत्ति प्रमाणपत्र प्राप्त करने हेतु भरे गए आवेदन पत्र पर प्रदान की गई जानकारी के विरुद्ध आवेदक द्वारा कूप में किसी प्रकार के बदलाव/परिवर्तन नहीं किए जाएंगे।।		Download	
Does industry come under MSME ? क्या उद्योग MSME के अंतर्गत आता है ?	No		
NOC Issued By: अनापत्ति प्रमाण पत्र (द्वारा निर्गत)			
Central Ground Water Authority केन्द्रीय भूगर्भ जल प्राधिकरण		Yes	
Certificate Number प्रमाणपत्र संख्या	21-4/2172/UP/INF/2017	Issue Date निर्गमन तिथि	24/05/2017

Expiry Date
अंतिम तिथि

24/05/2023

1217

Upload Certificate
प्रमाणपत्र अपलोड करें

Download

Ground Water Department Uttar Pradesh
भूगर्भ जल विभाग उत्तर प्रदेश सरकार

No

745

When N.O.C. is not valid at the date of filling the application
जब अनापत्ति प्रमाण पत्र आवेदन भरने की तिथि में मान्य नहीं है

Date of Expiry of N.O.C	24/05/2023	Date of filling application for renewal	24/05/2023
Any clarification Report		Reason For Pendency	
Reason for renewal of N.O.C. एन.ओ.सी. के नवीनीकरण का कारण	Our CGWA Application 21-4/2172/UP/INF/2017 not processed due to change of Authority from CGWA to UPGWD	Affidavit on non judicial stamp paper of Rs, 10 that no alteration/ modification of well against the details submitted at the time of filling up application for grant of N.O.C. will be done	Download
Against Case	No		

I do hereby declare that the particulars furnished herein above are correct and true. I understand that in case any of the information and particulars is found to be incorrect at any stage of scrutiny and investigation or thereafter, my application/registration is liable to be rejected/cancelled ..

मैं एतद्वारा घोषित करता हूँ कि ऊपर दिये गए विवरण सही व सत्य हैं। मैं जानता हूँ कि यदि जांच पड़ताल के दौरान किसी भी स्तर पर उपरोक्त विवरण असत्य पाये गए तो मेरा आवेदन/रजिस्ट्रीकरण अस्वीकृत/निरस्त किए जाने योग्य होगा।

I Agree/मैं सहमत हूँ

Note/नोट

- Separate application form should be used for registration of each individual well.
- The application form should be completed in all respect before submission. Incomplete applications are liable for rejection. Any correction or alteration shall be duly authenticated.
- In case any of the particulars/information is found to be incorrect at any stage of verification or scrutiny, the application is liable for rejection.
- In case any of the particulars/ information furnished is found to be incorrect at any stage even after issue of the AUTHORIZATION/ NO_OBJECTION CERTIFICATE FOR SINKING OF NEW WELL, same shall be liable for cancellation.
- Please write 'N.A.' against those items which are not applicable.
- Please attach the following documents along with the application:
 - (a) Document showing proof of ownership of land;
 - (b) Photocopy of Aadhaar card / voter ID / ration card / any other proof of identification
 - (c) Map showing location of the proposed well, which have been referred to in item no.2(a), (b)and(c)
 - (d) Affidavit referred to in item no. 5.
 - (e) Affidavit referred to in item no. 7.
 - (f) Copy of N.O.C. as referred in item no.3.
- Additional Documents to be submitted with the application
 - (I) For Industrial User;
 - (a) An affidavit on non judicial stamp paper of Rs. 10/- regarding non availability of water supply from local government agencies in cases where ground water requirement is up to 10 m³/day.
 - (b) Certificate regarding non/ partial availability of fresh water/ treated waste water supply from the concerned local government water supply agency in cases where requirement of ground water is more than 10m³/day.
 - (c) Ground water quality data of bore well/ tube well/ dug well in respect of existing industries from NABL accredited laboratories/Government approved laboratories.
 - (d) Proposal for rain water harvesting/ recharge within the premises as per Model Building Bye Laws issued by Ministry of Housing & Urban Affairs.
 - (e) Impact Assessment report: All projects extracting/proposing to extract ground water in excess of 100 m³/day in Over-exploited, Critical and Semi-critical areas shall have to mandatorily submit impact assessment report of existing/ proposed ground water withdrawal on the ground water regime and also socio-economic impacts report prepared by accredited consultants. Pro-forma for the report is given in Annexure-1.
 - (II) For Commercial User:
 - (a) In cases where dewatering is involved, submission of impact assessment report prepared by an accredited consultant on the ground water situation in the area giving detailed plan of pumping, proposed usage of pumped water and comprehensive impact assessment of the same on the ground water regime shall be mandatory. The report should highlight environmental risks and proposed management strategies to overcome any significant environmental issues such as ground water level decline, land subsidence etc.
 - (b) An affidavit on non judicial stamp paper of Rs. 10/- regarding non availability of water from any other source in case water is required for construction in safe and semi critical areas.
 - (c) Certificate from a government agency regarding non availability of treated sewage water for construction within 10 km radius of the site in notified areas.
 - (d) Certificate of non-availability of water from local government water supply agency in respect of all categories of assessments units for commercial use.
 - (e) Details of water requirement computed as per National Building Code, 2016 (Annexure I), taking into account recycling/ reuse of treated water for flushing etc. (in case of completed infrastructure projects for commercial use).
 - (f) Completion certificate from the concerned agency for infrastructure projects requiring water for commercial use.
- 7. The District Ground Water Management Council reserves the right to ask for any other document(s) from the owner applicant for examination of the merit of the case.

747
1219

Government of Noida
Ministry of Jal Shakti
Department of Water Resources, River Development and Ganga Rejuvenation
Central Ground Water Authority (CGWA)
Application for Issue of NOC to Abstract Ground Water (NOCAP)

**Application for Permission to Abstract Ground Water for Infrastructure Use
(Application for New NOC)**

Application Number : 21-4/2172/UP/INF/2017

1. General Information:

Water Quality:	Fresh Water		
Application Type Category/ Type of Application:	Residential apartment		
(i) Name of Infrastructure:	VVIP HOMES		
(ii) Location Details of the Infrastructure Unit- (Attach Approved Site Plan with Location Map) (\$)			
Address Line 1 :	GH-03		
Address Line 2 :	SECTOR- 16C		
Address Line 3 :	GREATER NOIDA WEST		
State:	UTTAR PRADESH		
District:	GAUTAM BUDDHA NAGAR		
Sub-District:	DADRI		
Village/Town:	Dadri (NPP)		
Latitude:			
Longitude:			
Area Type :	Non-Notified		
Area Type Category :	Safe		
Whether industry is MSME:	Not Define		
Whether the project falls in Wetland Area:	Not Define		
(iii) Communication Address			
Address Line 1:	VIBHOR VAIBHAV INFRAHOME PVT. LTD.		
Address Line 2:	RAJNAGAR EXTENSION		
Address Line 3:	GHAZIABAD		
State:	UTTAR PRADESH		
District:	GHAZIABAD		
Sub-District:			
Pincode:	201002		
Phone Number with Area Code:			
Mobile Number:	91 8800695400		
Fax Number:			
(v) Email Use Details of the Existing/Proposed	jainbk@gmail.com		
(iv) Land Use Details :	Existing (sq meter)	Proposed (sq meter)	Grand Total (sq meter)
Green Belt Area		13253.37	13253.37
Open Land		0.00	0.00
Road/ Paved Area		10893.03	10893.03

**Application for Permission to Abstract Ground Water for Infrastructure Use
(Application for New NOC)**

Application Number : 21-4/2172/UP/INF/2017

	Rooftop area of building/ sheds		7328.60	7328.60
	Total		31475.00	31475.00
(vi)	Source of Availability of Surface Water for Infrastructure Use (Submit Water Availability / Non Availability Certificate):(\$)	NA		
(vii)	Average Annual Rainfall in the Area (in mm):	700.60		
(viii)	Whether Ground Water Utilization for:	New Industry		
	Date of Commencement Infrastructure:			
	Date of Expansion :			
2.	Total Number and Type of :			
a)	Dwelling Units	1302 DU		
b)	Commercials Units	32 Shops		
c)	Industrial Units	Nil		
d)	Others	Nil		
3.	Details of Water Requirement (Fresh and Recycled Water Usage) (Please Enclose Water Flow Chart of Activities and Requirement of Water at each Stage)(\$)			
(i)	Total Water Requirement (a+b+c+d) (m3/day)			
		Existing	Proposed	Total
	Water Requirement Details (Fresh Water) (m3/day)			
(a)	Ground Water Requirement (m3/day):	0.00	385.00	385.00
(b)	Surface Water Available (Canal, River, Ponds etc.) (m3/day):	0.00	0.00	0.00
(c)	Water Supply from Any Agency (m3/day):	0.00	0.00	0.00
	Total Fresh Water Requirement (a+b+c)(m3/day):	0.00	385.00	385.00
(d)	Recycled Water Usage (m3/day):	0.00	189.00	189.00
	Total Water Requirement (a+b+c+d)(m3/Day):	0.00	574.00	574.00
3. (i-a)	Dewatering Required, Whether the Groundwater Table will be Intersected			No
(a)	Depth (m bgl)			
	Minimum (m bgl)			
	Maximum (m bgl)			
(b)	Maximum Depth Proposed to Dewater (m bgl)			
(c)	Proposed Quantity of Ground Water to be Dewaterd:		(m3/day)	
			(m3/year)	
(d)	Proposed Utilisation of Pumped Water(\$)			
(e)	Any Other Information			
(f)	Particulars (i-a) is yes (Fill details of Dewatering Existing Structures)			
	Number of Existing Structures	0		

Government of India
Ministry of Jal Shakti
Department of Water Resources, River Development and Ganga Rejuvenation
Central Ground Water Authority (CGWA)
Application for Issue of NOC to Abstract Ground Water (NOCAP)

**Application for Permission to Abstract Ground Water for Infrastructure Use
(Application for New NOC)**

Application Number : 21-4/2172/UP/INF/2017

SNo.	Type of Structure Name / Year of Construction	Depth (Meter) / Diameter (mm)	Depth to Water Level (Meters below Ground Level)	Discharge (m3/Hour)	Operational Hours (day) / days (year)	Mode of Lift Name	Horse Power of Pump	Whether fitted with Water Meter	Whether Permission Registered with CGWA / If so Details Thereof
(g) Particulars (i-a) is yes (Fill details of Dewatering Proposed Structures)									
Number of Proposed Structures					0				
(ii) Breakup of Water Requirement and Usage:									
Activity	Existing Requirement (m3/day)	Proposed Requirement (m3/day)	Total Requirement (m3/day)	No. of Operational Days in a Year	Annual Requirement (m3/year)				
Residential/Domestic	0.00	522.00	522.00	365	190530.00				
Commercial Activity	0.00	0.00	0.00	0	0.00				
Industrial Activity	0.00	0.00	0.00	0	0.00				
Greenbelt Development /Environment Maintenance	0.00	33.00	33.00	275	9075.00				
Other Use	0.00	19.00	19.00	365	6935.00				
Grand Total	0.00	574.00	574.00		206540.00				
(iii) Whether ETP/STP Proposed, if so furnish following details:								Yes	
Breakup of Recycled Water Usage				(m3/day)	(Days)	(m3/year)			
a)	Total Waste Water Generated:			467.00	365	170455.00			
b)	Quantity of Treated Water Available :			189.00					
	(i)	Reuse in Commercial Activity:		0.00	0	0.00			
	(ii)	Reuse in Industrial Activity		0.00	0	0.00			
	(iii)	Reuse in Greenbelt Development :		13.00	275	3575.00			
	(iv)	Other Uses		176.00	365	64240.00			
c)	Total Treated Water Utilised:			189.00		67815.00			
Net Ground Water Requirement :				385.00 (m3/day)					

Department of Water Resources, River Development and Ganga Rejuvenation
Central Ground Water Authority (CGWA)
Application for Issue of NOC to Abstract Ground Water (NOCAP)

**Application for Permission to Abstract Ground Water for Infrastructure Use
(Application for New NOC)**

Application Number : 21-4/2172/UP/INF/2017

4.	Whether Local Government Water Supply Network Exists in the Area, if yes, provide details.(\$)	No																																																																						
5.	(i) Water Supply Application Status	Applied																																																																						
	(ii) Water Supply Agency	Government																																																																						
	a) Whether Water Supply Committed	No																																																																						
	b) Whether Water Supply Denied	No																																																																						
6.	(a) Groundwater Abstraction Structure- Existing																																																																							
	Number of Existing Structures:	0																																																																						
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">SNo.</th> <th style="width: 15%;">Type of Structure Name / Year of Construction</th> <th style="width: 10%;">Depth (Meter) / Diameter (mm)</th> <th style="width: 10%;">Depth to Water Level (Meters below Ground Level)</th> <th style="width: 10%;">Discharge (m3/Hour)</th> <th style="width: 10%;">Operational Hours (Day) / Days (Year)</th> <th style="width: 10%;">Mode of Lift Name</th> <th style="width: 10%;">Horse Power of Pump</th> <th style="width: 10%;">Whether fitted with Water Meter</th> <th style="width: 10%;">Whether Permission Registered with CGWA / If so Details Thereof</th> </tr> </thead> <tbody> <tr> <td colspan="10">(b) Groundwater Abstraction Structure- Proposed</td> </tr> <tr> <td colspan="10">Number of Proposed Structures: 2</td> </tr> <tr> <td></td> <td> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">SNo.</th> <th style="width: 15%;">Type of Structure Name / Year of Construction</th> <th style="width: 10%;">Depth (Meter) / Diameter (mm)</th> <th style="width: 10%;">Depth to Water Level (Meters below Ground Level)</th> <th style="width: 10%;">Discharge (m3/Hour)</th> <th style="width: 10%;">Operational Hours (Day) / Days (Year)</th> <th style="width: 10%;">Mode of Lift Name</th> <th style="width: 10%;">Horse Power of Pump</th> <th style="width: 10%;">Whether fitted with Water Meter</th> <th style="width: 10%;">Whether Permission Registered with CGWA / If so Details Thereof</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>Tubewell / -</td> <td>116.00 / 150</td> <td style="text-align: center;">30.00</td> <td style="text-align: center;">30.00</td> <td style="text-align: center;">7 / 365</td> <td>Submersible Pump</td> <td style="text-align: center;">7.50</td> <td style="text-align: center;">No</td> <td style="text-align: center;">No / -</td> </tr> <tr> <td style="text-align: center;">2</td> <td>Tubewell / -</td> <td>116.00 / 150</td> <td style="text-align: center;">30.00</td> <td style="text-align: center;">30.00</td> <td style="text-align: center;">6 / 365</td> <td>Submersible Pump</td> <td style="text-align: center;">7.50</td> <td style="text-align: center;">No</td> <td style="text-align: center;">No / -</td> </tr> </tbody> </table> </td> <td colspan="9"> <p>7. Groundwater Availability (Please Enclose a Comprehensive Report / Note on Groundwater Condition in and Around the Area) Applicable to Industries Consuming Greater Than 500 m3/day : (\$) Attached as Annexure-2</p> <p>8. Details of Rainwater Harvesting / Artificial Recharge Measures for Groundwater Recharge in the Area. If already Implemented, details may be Furnished. (Attach Report on Comprehensive & Feasible Rainwater Harvesting / Recharge Proposal).- (\$) Attached as Annexure-A</p> <p>9. Approval Letter of State Government Agency Approving the Infrastructure Development Attached as Annexure-B</p> </td> </tr> </tbody></table>	SNo.	Type of Structure Name / Year of Construction	Depth (Meter) / Diameter (mm)	Depth to Water Level (Meters below Ground Level)	Discharge (m3/Hour)	Operational Hours (Day) / Days (Year)	Mode of Lift Name	Horse Power of Pump	Whether fitted with Water Meter	Whether Permission Registered with CGWA / If so Details Thereof	(b) Groundwater Abstraction Structure- Proposed										Number of Proposed Structures: 2											<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">SNo.</th> <th style="width: 15%;">Type of Structure Name / Year of Construction</th> <th style="width: 10%;">Depth (Meter) / Diameter (mm)</th> <th style="width: 10%;">Depth to Water Level (Meters below Ground Level)</th> <th style="width: 10%;">Discharge (m3/Hour)</th> <th style="width: 10%;">Operational Hours (Day) / Days (Year)</th> <th style="width: 10%;">Mode of Lift Name</th> <th style="width: 10%;">Horse Power of Pump</th> <th style="width: 10%;">Whether fitted with Water Meter</th> <th style="width: 10%;">Whether Permission Registered with CGWA / If so Details Thereof</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>Tubewell / -</td> <td>116.00 / 150</td> <td style="text-align: center;">30.00</td> <td style="text-align: center;">30.00</td> <td style="text-align: center;">7 / 365</td> <td>Submersible Pump</td> <td style="text-align: center;">7.50</td> <td style="text-align: center;">No</td> <td style="text-align: center;">No / -</td> </tr> <tr> <td style="text-align: center;">2</td> <td>Tubewell / -</td> <td>116.00 / 150</td> <td style="text-align: center;">30.00</td> <td style="text-align: center;">30.00</td> <td style="text-align: center;">6 / 365</td> <td>Submersible Pump</td> <td style="text-align: center;">7.50</td> <td style="text-align: center;">No</td> <td style="text-align: center;">No / -</td> </tr> </tbody> </table>	SNo.	Type of Structure Name / Year of Construction	Depth (Meter) / Diameter (mm)	Depth to Water Level (Meters below Ground Level)	Discharge (m3/Hour)	Operational Hours (Day) / Days (Year)	Mode of Lift Name	Horse Power of Pump	Whether fitted with Water Meter	Whether Permission Registered with CGWA / If so Details Thereof	1	Tubewell / -	116.00 / 150	30.00	30.00	7 / 365	Submersible Pump	7.50	No	No / -	2	Tubewell / -	116.00 / 150	30.00	30.00	6 / 365	Submersible Pump	7.50	No	No / -	<p>7. Groundwater Availability (Please Enclose a Comprehensive Report / Note on Groundwater Condition in and Around the Area) Applicable to Industries Consuming Greater Than 500 m3/day : (\$) Attached as Annexure-2</p> <p>8. Details of Rainwater Harvesting / Artificial Recharge Measures for Groundwater Recharge in the Area. If already Implemented, details may be Furnished. (Attach Report on Comprehensive & Feasible Rainwater Harvesting / Recharge Proposal).- (\$) Attached as Annexure-A</p> <p>9. Approval Letter of State Government Agency Approving the Infrastructure Development Attached as Annexure-B</p>								
SNo.	Type of Structure Name / Year of Construction	Depth (Meter) / Diameter (mm)	Depth to Water Level (Meters below Ground Level)	Discharge (m3/Hour)	Operational Hours (Day) / Days (Year)	Mode of Lift Name	Horse Power of Pump	Whether fitted with Water Meter	Whether Permission Registered with CGWA / If so Details Thereof																																																															
(b) Groundwater Abstraction Structure- Proposed																																																																								
Number of Proposed Structures: 2																																																																								
	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 5%;">SNo.</th> <th style="width: 15%;">Type of Structure Name / Year of Construction</th> <th style="width: 10%;">Depth (Meter) / Diameter (mm)</th> <th style="width: 10%;">Depth to Water Level (Meters below Ground Level)</th> <th style="width: 10%;">Discharge (m3/Hour)</th> <th style="width: 10%;">Operational Hours (Day) / Days (Year)</th> <th style="width: 10%;">Mode of Lift Name</th> <th style="width: 10%;">Horse Power of Pump</th> <th style="width: 10%;">Whether fitted with Water Meter</th> <th style="width: 10%;">Whether Permission Registered with CGWA / If so Details Thereof</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td>Tubewell / -</td> <td>116.00 / 150</td> <td style="text-align: center;">30.00</td> <td style="text-align: center;">30.00</td> <td style="text-align: center;">7 / 365</td> <td>Submersible Pump</td> <td style="text-align: center;">7.50</td> <td style="text-align: center;">No</td> <td style="text-align: center;">No / -</td> </tr> <tr> <td style="text-align: center;">2</td> <td>Tubewell / -</td> <td>116.00 / 150</td> <td style="text-align: center;">30.00</td> <td style="text-align: center;">30.00</td> <td style="text-align: center;">6 / 365</td> <td>Submersible Pump</td> <td style="text-align: center;">7.50</td> <td style="text-align: center;">No</td> <td style="text-align: center;">No / -</td> </tr> </tbody> </table>	SNo.	Type of Structure Name / Year of Construction	Depth (Meter) / Diameter (mm)	Depth to Water Level (Meters below Ground Level)	Discharge (m3/Hour)	Operational Hours (Day) / Days (Year)	Mode of Lift Name	Horse Power of Pump	Whether fitted with Water Meter	Whether Permission Registered with CGWA / If so Details Thereof	1	Tubewell / -	116.00 / 150	30.00	30.00	7 / 365	Submersible Pump	7.50	No	No / -	2	Tubewell / -	116.00 / 150	30.00	30.00	6 / 365	Submersible Pump	7.50	No	No / -	<p>7. Groundwater Availability (Please Enclose a Comprehensive Report / Note on Groundwater Condition in and Around the Area) Applicable to Industries Consuming Greater Than 500 m3/day : (\$) Attached as Annexure-2</p> <p>8. Details of Rainwater Harvesting / Artificial Recharge Measures for Groundwater Recharge in the Area. If already Implemented, details may be Furnished. (Attach Report on Comprehensive & Feasible Rainwater Harvesting / Recharge Proposal).- (\$) Attached as Annexure-A</p> <p>9. Approval Letter of State Government Agency Approving the Infrastructure Development Attached as Annexure-B</p>																																								
SNo.	Type of Structure Name / Year of Construction	Depth (Meter) / Diameter (mm)	Depth to Water Level (Meters below Ground Level)	Discharge (m3/Hour)	Operational Hours (Day) / Days (Year)	Mode of Lift Name	Horse Power of Pump	Whether fitted with Water Meter	Whether Permission Registered with CGWA / If so Details Thereof																																																															
1	Tubewell / -	116.00 / 150	30.00	30.00	7 / 365	Submersible Pump	7.50	No	No / -																																																															
2	Tubewell / -	116.00 / 150	30.00	30.00	6 / 365	Submersible Pump	7.50	No	No / -																																																															

751
1223

Government of India
Ministry of Jal Shakti
Department of Water Resources, River Development and Ganga Rejuvenation
Central Ground Water Authority (CGWA)
Application for Issue of NOC to Abstract Ground Water (NOCAP)

**Application for Permission to Abstract Ground Water for Infrastructure Use
(Application for New NOC)**

Application Number : 21-4/2172/UP/INF/2017

10. Consent to Operate / Establish / Approval Letter from Statutory Bodies viz Ministry of Environment & Forests (MoEF) or State Pollution Control Board (SPCB) or State Level Expert Appraisal Committee (SEAC) or State Level Environment Impact Assessment Authority (SLEIAA): (\$)

Attached Consent/ Approval of Government Agency (Previous: Referral Letter)

Letter Number

Sr.N o.	Attached Referral Letter	Attachment Name	File Name
1	State Pollution Control Board	Referral Letter	SEIAA Letter.pdf

11. Have you Applied Earlier for Groundwater Clearance Permission from CGWA / State Government Agency:

If Yes, so Details thereof with Status:

INFRASTRUCTURE USE- Self Declaration

I hereby certify that the data and information furnished above are true to the best of my knowledge and belief and I am aware that if any part of the data / information submitted is found to be false or misleading at any stage, the application will be rejected outright.

I hereby declare that all the mandatory documents prescribed in the application form have been uploaded and no blank /irrelevant documents have been uploaded. I am also aware that any false/ wrong submission /uploading of document will lead to rejection of my application without any notice.

It is to certify that no case related to ground water withdrawal/ contamination is pending against the industry/ project/ unit as on date. Any such case filed against the company/ project/ unit in respect of ground water withdrawal/ contamination during the pendency of this application shall be immediately brought to the notice of CGWA.

I hereby undertake that in case any environmental compensation/ penalty is imposed on the firm by any statutory authority, I shall comply with the decision of such authority.

1. Application proforma is subject to modification from time to time.

2. Application should be submitted to Regional Office.

Regional Director, Central Ground Water Board Northern Region, Bhujal Bhavan, Sector-B. Sitapur Road Yojna, Ram Ram Bank Chauraha, LUCKNOW, UTTAR PRADESH, 226021

3. Incomplete application will be summarily rejected.

Submitted Application will not be Processed till the Print Out of the Signed Complete Application is Submitted to Regional Office.

4. Applicant has to Submit Processing Fee of Rs. 1000.00/- (Rupees One Thousand Only) in the form of Demand Draft drawn in Favour of PAO, CGWB and Payable at Faridabad, Haryana.

Demand Draft Details:-

D.D. No.		Dated :	
Bank Name:		Amount:	

Note:- The Processing Fee is Non-Refundable. Applicant should ensure and Check Eligibility of Submission of Application and Required Documents before Submitting Online Application.

5.	Hard copy of application required:	Yes	
6.	Ground Water Quality Approved	Not Define	Ground Water Charge Required: Not Define
	Ground Water Charge Recieve:	Not Define	Ground Water Charge Amount:
			Ground Water Arear Amount:

752

1224

Government of India
Ministry of Jal Shakti
Department of Water Resources, River Development and Ganga Rejuvenation
Central Ground Water Authority (CGWA)
Application for Issue of NOC to Abstract Ground Water (NOCAP)

**Application for Permission to Abstract Ground Water for Infrastructure Use
(Application for New NOC)**

Application Number : 21-4/2172/UP/INF/2017

Attached Files:

1). Site Plan with Location Map (Previous:Site Plan) : (Refer: 1 (ii))

S.No	Attachment Name	File Name
1	Site Plan	SITE PLAN.pdf

2). Location Map : (Refer: 1 (ii))

No Attachment Found!

3). Documents of Ownership / Lease : (Refer: 1 (v))

No Attachment Found!

**4). Source Water Availability/Non-availability Certificate(Previous:Source of Availability of Surface Water) :
(Refer: 1 (vi))**

No Attachment Found!

**5). Water Balance Flow Chart(Previous:Water Requirement - Flow Chart of Activity and Requirement) :
(Refer: 3)**

S.No	Attachment Name	File Name
1	Water Requirement	Water flow chart.pdf

6). Hydrogeological Report (Previous:Groundwater Availability Report) : (Refer: 7)

S.No	Attachment Name	File Name
1	Groundwater Availability	Annexure-2- Groundwater quality.pdf

7). Rain Water Harvesting/Artificial Recharge proposal (Previous:Rainwater Harvesting / Artificial Recharge Measures) : (Refer: 8)

S.No	Attachment Name	File Name
1	Rainwater Harvesting	Rainwater harvesting proposal.pdf

8). Authorization Letter (Previous:Authorization) :

No Attachment Found!

9). Approval Letter of State Government Agency : (Refer 9)

No Attachment Found!

10). Ground Water Quality :

No Attachment Found!

11). Scanned Infrastructure Application :

No Attachment Found!

12). Extra Attachment :

No Attachment Found!

13). Bharat Kosh Reciept (Porcessing Fee):

No Attachment Found!

Department of Water Resources, River Development and Ganga Rejuvenation
Central Ground Water Authority (CGWA)
Application for Issue of NOC to Abstract Ground Water (NOCAP)

**Application for Permission to Abstract Ground Water for Infrastructure Use
(Application for New NOC)**

Application Number : 21-4/2172/UP/INF/2017

14). Application with Signature and Seal:

No Attachment Found!

15). MSME certificate in case of MSME:

No Attachment Found!

16). Approval from Wetland Authority (in case of project area falling in Wetland zone):

No Attachment Found!

759

1226

Government of India
Ministry of Jal Shakti
Department of Water Resources, River Development and Ganga Rejuvenation
Central Ground Water Authority (CGWA)
Application for Issue of NOC to Abstract Ground Water (NOCAP)

**Application for Permission to Abstract Ground Water for Infrastructure Use
(Application for New NOC)**

Application Number : 21-4/2172/UP/INF/2017

17). Penalty :

No Attachment Found!

Date :

Name & Signature of the applicant

Place :

(With official seal)

Associated User : neha1987

Submitted By User : neha1987

Submission Date : 24/05/2017

* In case signed by any authorized signatory, the details of the signatory with the authorization shall be enclosed.



755
about:blank

1227

GROUNDWATER DEPARTMENT

(Namami Gange & Rural Water Supply Department)
Ministry of Jal Shakti
Government of Uttar Pradesh

Form 8 (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER)

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO:

VALID FROM --- TO ---

Registration No.: 202209001032			
Name of the Owner	BHAGESHWAR TYAGI		
Address of the Applicant	VIBHOR VAIBHAV INFRAHOME PVT. LTD., RAJNAGAR EXTENSION	Application Form Serial No.	GTBN0922RBU0011
Date of Submission	19/09/2022	Specimen Signature	
Company Name	VVIP HOMES	Company Address	GH-03 SECTOR- 16C GREATER NOIDA WEST, GAUTAM BUDDH
NOC Issued By: अनापत्ति प्रमाण पत्र (द्वारा निर्गत)			
Central Ground Water Authority केन्द्रीय भूगर्भ जल प्राधिकरण			Yes
Certificate Number प्रमाणपत्र संख्या	21-4/2172/UP/INF/2017	Issue Date निर्गमन तिथि	24/05/2017
Expiry Date अंतिम तिथि	19/09/2022		
Ground Water Department Uttar Pradesh भूगर्भ जल विभाग उत्तर प्रदेश सरकार			No
Location Particulars			
District	Gautam Buddh Nagar	Block	Greater Noida Authority
Plot No./Khasra No.	GH-03, SECTOR- 16C GREATER NOIDA WEST	Municipality/Corporation	N/A
Ward No./Holding No.			N/A
Particular of the Existing Well and Pumping Device			
Date of Construction/Sinking of the Well	06/03/2020		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	116.00
Purpose of well	Bulk User	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	7.50
Operational Device	Electric Motor	Rate of Withdrawal (m³/hr.)	30.00

1228

about:blank

756

Date of Energization (In Case of Electric Pump)

Maximum Allowable Rate of Withdrawal (m³/hr.): 30.00

Maximum Allowable Running Hours Per Day: 7.00

Maximum Allowable Annual Extraction of Ground Water: 76650

Reason for renewal of N.O.C. We earlier applied in CGWA and now authority changed from CGWA to UPGWD
एन.ओ.सी. के नवीनीकरण का कारण

Against Case

757
1229

This No-Objection certificate authorizes the owner applicant to sink a well at the location specified at Sl. (3) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hours per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

Place:

Date:

Yours Faithfully,
Signature of the Issuing Authority
and Designation

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- (8) The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- (10) Guidelines for Installation of Piezometers and their Monitoring
- Piezometer is a borewell /tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
 - The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
 - The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
 - No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitoring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.

1230

- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site-specific requirement regarding safety and access for measurement may be taken care of.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (13) Any other condition imposed by the concerned Authority
- **SPECIFIC CONDITIONS:**
- (A) **For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department, Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
- (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

This NOC is not authorized by any Official. This should only be used for Preview purpose.

यह अनापत्ति प्रमाणपत्र किसी प्राधिकारी द्वारा प्रमाणित नहीं है। इसे मात्र पूर्ववलोकन के उद्देश्य से प्रयोग किया जाना चाहिए।

123159

FORM 1

CONSOLIDATED CONSENT & AUTHORIZATION

Application for consent for discharge/continuation of discharge under section 25/26 of the Water (Prevention and Control of Pollution) Act, 1974 and for emissions/continuation of emission under section 21 of the Air (Prevention and Control of Pollution) Act, 1981 and for grant/renewal of authorisation for generation or collection or storage or transport or reception or recycling or reuse or recovery or pre-processing or co-processing or utilisation or treatment or disposal of hazardous and other waste under Hazardous and other waste (Management and Transboundary Movement) Rules 2016 read with Environment (Protection) Act 1986.

From ,

SOLITAIRE INFRAHOME PVT LTD VVIP
HOMES, PLOT NO. GC-03K/GH-03, SECTOR-16-
C, NOIDA EXTENSION, GREATER
NOIDA, GAUTAM BUDH NAGAR, 201306
City: GREATER NOIDA
Block: Dadri
District: GREATER NOIDA

Dated

15/10/2022

To ,

The Member Secretary,
U. P. Pollution Control Board,
Lucknow.

Sir,

I/We apply for Consolidated Consent to Operate and Authorization under section 25/26 of the Water (Prevention and Control of Pollution) Act, 1974, under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 and Hazardous and other Waste (Management and Transboundary Movement) Rules 2016 noted under Environment (Protection) Act 1986 to make discharge/emission/disposal of hazardous and other waste from

DINESH KUMAR for a period upto 5 years

2. The annexure, appendices other particulars and plans in triplicate are attached herewith.
3. I/We further declare that the information furnished in the Annexure, appendices and plans is correct to the best of my/our knowledge.
4. I/We hereby submit that in case of change either of the point or the quantity of discharge or its quality, a fresh application for CONSENT shall be made and until such CONSENT is granted no change shall be made
5. I/We hereby agree to submit to the Board and application for renewal of consent one month in advance of the date of expiry of the consent period
6. I/We undertake to furnish other information within one month of its being called by the Board.

1232

760

Accompaniments:-

1. Solid Waste Management (Attached) -
2. DG Monitoring Report (Attached)
3. STP Effluent Analysis Report (Attached)
4. STP Feasibility Certificate (Attached)
5. UPGWD Office Order to Consider pending CGWA application by UPGWD (Attached)
6. UPGWD Application Copy BW-2 (Attached)
7. UPGWD Application Copy BW-1 (Attached)
8. CGWA NOC Application Copy (Attached)
9. Fee Adjustment Request Letter (Attached)
10. CTO Compliance Report (Attached)
11. CTO Water (Attached)
12. CTO Air (Attached)
13. CTE Copy (Attached)
14. EC Compliance Report (Attached)
15. EC Copy (Attached)
16. Report showing project cost (Attached)

Yours faithfully,

Signature

Name of the applicant: DINESH KUMAR

Address of the Applicant: PLOT NO. GC-03K/GH-03, SECTOR-16-C, NOIDA EXTENSION, GREATER NOIDA

123361

ANNEXURE TO FORM

New Outlet

NOTE- Any applicant knowingly giving incorrect information or suppressing any information pertaining thereto shall be liable to be punished under the Act.

While filling this Annexure the applicant not concerned with any of the item shall state 'No concerned' against the relevant one:

7. Is the industry/factory for which application is made closed on Sunday/Holiday No
8. State working days per year and working season for the industry/factory Jan to Dec
9. a) Number of workers attending the factory shift wise &/ or per day : 42
b) Number of workers residing in the premises : 10
10. For local bodies only:-
a) Present population : NA
b) Population covered under regular sewer facilities : NA
c) population having septic tank/Soak pit facilities : NA
d) Population covered by conservancy latrines : NA
11. For Industries Only:-

A. Give the list of raw materials

Raw Material Name	Material Trade Name	Qty	Principle Use
Group Housing Project Plot Area-31475Sqm	Group Housing Project Plot Area-31475Sqm	31475	group housing project in Plot Area-31475 sq.mt. & Builtup Area-172207.609 sq.mt

Fuel Details:-

Fuel	Consumption
------	-------------

B. Give the list Products and By Product Details

Product Name	Quantity
Group Housing Project Builtup Area-172207.609 Sqm	172207.609

ByProduct Name	Licence Qty	Installed Qty
NA	0	0

C. Give the list of possible Inter-mediate Products:

Name of Product	Quantity per month
-----------------	--------------------

1234

762

Section A

12. State daily quantity of water utilized :

Source Consumption	Quantity
Domestic	574.0

13. A) State the hourly maximum and daily quantity of effluents arising from land/premises for which the application is made:

Generation	Waste Water Generation Quantity
Domestic	467.0

(B) State how measurement of rate and quantity are carried out: NA

14. State whether storm water drains are kept separate from Industrial / Domestic Effluents? Yes

15. (a) Is domestic effluent allowed to get mixed in industrial effluents? No

16. (a) Describe if any treatment industrial or domestic effluent or one for combined effluent is made. No

(b) Is the quantity of effluent emanating either without or after treatment approved by the authority? No

(c) If approved, furnish the authority (Two certified copies to be sent)

(d) If any effluent from any shop/ shops toxic? If so volume of this effluent NA

17. Is there any provision for disposal ?

Name	Status (Already made)	Status (proposed to)
Industrial effluents in Public underground sewer	Yes	Yes

18. State the area of land used for (a) Above in Hectares 172207.609 SQ METRE

19. Give the quantitative disposal of effluent in liters provided for the places mentioned below

Name	Mode	Mixed

20. Is there any provision for equalizing or made holding lagoons of tanks

Name	Mode
Domestic	467.0

21. Is sufficient land available / can be made available? In case pumping effluent: on lands have to considered. No

22. (a) Give details of composition of Domestic / Industrial / Combined effluent in respect of the Following

Name of Effluent	Effluent before treatment	Effluent after treatment

Note:-

- 1) Furnish a copy of the analysis report of representative samples carried out by a competent laboratory
- 2) Methods of determination as approved by the Board will be followed for determination of above mentioned parameters.

(b) Is the effluent toxic No

1235⁷⁶³

(c) State if the Industrial effluent is having With odour

(d) Is there any hidden change of temperature exceeding 10°C at any time No

23. (a) Are facilities available with the applicant for carrying out the following test of the waste waters

Name	Existing	Proposed
------	----------	----------

(b) If yes, give details of equipments

24. Has the land/premises, etc., for which the application is made open? No

Highly polluting material : NA

Toxic Organic Inorganic Microbiological : Cooling Tank

25. State details for solid waste

Type of Solid Waste	Composition	Quantity	Method of Collection	Method of Disposal
---------------------	-------------	----------	----------------------	--------------------

Section A

Existing

12. Fuel Consumption in Tonnes/day

Fuel Name	Daily Consumption (T/day)	Unit	Calorific value	Ash contents	Sulphur contents	Others
-----------	---------------------------	------	-----------------	--------------	------------------	--------

13. Atmospheric Emission from each stack

Total no. of stacks:	3
Material for construction of Stack:	MS Stack for 500KVA DG SET , MS Stack for 500KVA DG SET , MS Stack for 200KVA DG Set ,
Stack Attached to:	DG Set , DG Set , DG Set ,
Height above ground level (in metres):	64 , 64 , 64 ,
Height above roof (in metres):	5 , 5 , 3.5 ,
Stack Top:	Round , Round , Round ,
Inner dimensions (in meters):	0 , 0 , 0 ,
Gas quantity-m³/hr:	0 , 0 , 0 ,
Flue gas temperature 'C:	0 , 0 , 0 ,
Exit velocity of gas/sec:	0 , 0 , 0 ,

(a) Flue gas emission

Stack No.	Type of fuel	Quantity of fuel/hr	Type of firing	So ₂	Nox	CO/HC	Particulates	Others
-----------	--------------	---------------------	----------------	-----------------	-----	-------	--------------	--------

(b) Process Emission

Quantity of gas (in Nm ³ /hr)	So ₂	Co ₂	Analysis of vent hydrocarbons	Particulates in mg/Nm ³	Other Specify
--	-----------------	-----------------	-------------------------------	------------------------------------	---------------

(c) Particulate analysis

1236⁷⁶⁴

(d) Chemical Composition(if available) :

14. Give details of flue gas sampling arrangements : NA
15. Give details of laboratory facilities available for analysis of emission : AUTHORISED LAB
16. Is there sufficient space available for installing air pollution control equipment :
17. Details of Air Pollution :-

Stack Name	Equipment Name	State
------------	----------------	-------

18. State the total quantity of air handled by ventilation equipments,specify size and no.of equipments, installed or to be installed

Equipment Name	Equipment Size	No. of equipments	Status
----------------	----------------	-------------------	--------

19. Give the following details

(a) Total investment in the factory and the year of investment. : Investment:-250 CR
Year of Investment is :-2019

(b) The estimated expenditure for implementation of the scheme to control air pollution :INSTALLED

(c) Expenditure incurred to update progress achieved(physical) for air pollution control, if any, and the year/years of investment along with physical progress achieved. The firm should give details of action taken to date and the expenditure incurred and the time required for the scheme. : NA

(d) Annual operation and maintenance-cost of Air Pollution Control Plant, if any : STP INSTALLED

(e) Further action that is being taken up by the firm to control air pollution. : NA

20. Other relevent information, if any : NA

Signature

Name and Address of the applicant on behalf of : DINESH KUMAR,PLOT NO. GC-03K/GH-03, SECTOR-16-C, NOIDA EXTENSION, GREATER NOIDA

Name and Address of the Firm on behalf of which application is made : DINESH KUMAR,PLOT NO. GC-03K/GH-03, SECTOR-16-C, NOIDA EXTENSION, GREATER NOIDA

1237⁷⁶⁵

Explanatory Notes for filing in form and the Annexure .

The notes are given only for those items for which explanations is considered desirable .

Form-

1. Here mention the name of the owner of the land/premises, if other than the applicant industry or factory in continuation of legal business as per Air (Prevention and Control of Pollution) Act,1981. If the land/premises belongs to the factory/ industry, say self
2. Here mention the date up to which the consent is sought for.

Annexure to form-

'Existing' means that which is operation at the time of applying for consent .

'New' that which has been modified due to change in quantity and/or quality of emission.

'Altered' means that which has been modified due to change in quantity and/or quality of discharge arrangement and/or point of discharge etc.

Item 1 : Here mention name of the owner of the land/premises if other than the applicant industry or factory in continuation of of legal busines as per Air (Prevention and Control of Polution) Act ,1981 if land/premises belong to the factory/industry say self .

Item 1(a) : The industrtes are categorised based on the investment as follows : Major industry- having investment of more than 2 crores. Medium industry- having investment of 10 lakhs to 2 crores.Small scale industry having investment of less than 10 lakhs rupees

In place of above criteria kindly give category as per latest notification

Item 2 : Here give the registered name of the industry/institution factory/local bodies etc under which the business is carried out.

Item 6 : Applicable to only those are as which are prohibited areas such astheOrdinance Factories, Mint, etc.

Item 10(c) : Here State the temperature in C in summer winter monsoon and post monsoon seas on.

Item 10(d) : Here state the seasonal average wind direction and speed in and around the site of the plant. The above information can be had from representative Meterological centre .

Item 13 : Analysis of the flue gas emission, process emission and particulars analysis should be done for each stack, emissions. Where ever stacks are not provided the shop floor specific concentration should be reported . Chemical Analysis of particulars matter in the emission should be furnished giving details such as organic matter ,metals ,non-metals , redioactive, substances, asbastos, silicates etc.

Item 17 : Here mention the detailed specifications of control system used or proposed to be used with efflciency . Also furnish ihe layout of the control system with dimensions.

Item 18 : Here state the total quantity of ventilation air handled by equipments' such as roof extractors, Evaporative coolers etc

Additional Documents suggested for submission:

- 1 : Separate Demand Draft towards consent fee Water & Air .
- 2 : Annual Report or certificate from Chartered Accountants in support of fixed assets,current assets and current liabilities .
- 3 : Layout plan showing the location of stacks (chimneys), effluent treatment plant, effluent disposal areas,

1238⁷⁶⁶

air pollution control devices, hazardous waste treatment and disposal areast .

4 : Manufacturing process flow sheet, with description note on the manufacturing process for each product .

5 : Copies of latest consenVauthorisation/Environmental Impact Assessment Clearance .

6 : Copies of SSI registration Letter of IntenV industrial licenses, clearances from the Department or any other relevant document (ifapplicable) .

7 : Copies of planning permission certificate issued by the local bodies/District Town & Country Planning/Metropolitan Development Authorities .

8 : Compliance report on the latest CTE /CTO conditions stipulated under Water & Air Acts issued to the Unit .

1239⁷⁶⁷

Common General Information required for consent to operate under Water Pollution (Prevention & Control) Act, 1974 and Air Water Pollution (Prevention & Control) Act, 1981.

1. (a) Full name of the applicant with address : DINESH KUMAR, PLOT NO. GC-03K/GH-03, SECTOR-16-C, NOIDA EXTENSION, GREATER NOIDA (Tel. No.) -
- (b) Is the firm registered? : YES
- (c) If yes, give the number & date of registration and authority with whom registered. : ,
- (d) Full Address of the registered office :
- (e) Names, designation and full address of persons like Partners, Managing Director/Manager etc. : DINESH KUMAR
PLOT NO. GC-03K/GH-03, SECTOR-16-C, NOIDA EXTENSION, GREATER NOIDA
GAUTAM BUDH NAGAR
8800697244
Email: dinesh@vvipspace.com
- (f) Under which category does the industry fall: Large/Medium/Small Scale. : large
2. Full name of the Land/Premises/Institute/Factory/Industry/Local body with address : SOLITAIRE INFRAHOME PVT LTD
VVIP HOMES

Address: PLOT NO. GC-03K/GH-03, SECTOR-16-C, NOIDA EXTENSION, GREATER NOIDA, GAUTAM BUDH NAGAR, 201306
Tel. No.: -
E-mail :
3. Give revenue /City Survey No. of the land/premises for which the application is made: : District: GREATER NOIDA
Town/Village: GREATER NOIDA
City Survey no./Revenue Survey no.:
Khata No.:
Area in Hectares: 172207.609 SQ METRE
4. State month and year in which the plant was actually put into commissions or is proposed to be put into commission: : January, 2019
5. State the Civil/Military /Defence/industrial Estate etc. under whose administrative jurisdiction the occupiers/industrial plant is situated: : Other

District: GREATER NOIDA
Corporation:
Village Panchayat
Contonment:
Defence Deptt:
State Govt: GNIDA
Prohibited areas:
Others:
6. (a) State whether plant site has been declared as prohibited area: : NO
- (b) If yes, state the name of the Authority and furnish a certified copy of the order under which the area has been declared as prohibited area : -



768

1240

ANNEXURE
A-88उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड
UTTAR PRADESH POLLUTION CONTROL BOARD

Ref.No. H95/47 / सी-1/एन0जी0टी0-158/पर्या0क्षति0/2023

पंजीकृत
Date 06/06/23

सेवा में,

M/s VVIP Home /Meridian (Promoter- Solitaire Infra home Pvt Ltd),
GC-03K/ GH-03, Sector-16C,
Greater Noida , Uttar Pradesh

विषय- जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1974 की धारा-25/26 एवं वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1981 की धारा-21/22 के अन्तर्गत प्राविधानों के सम्बन्ध में।

महोदय,

उपरोक्त विषयक बोर्ड के पत्र सं0-एच 93473/सी-1/एन0जी0टी0-158/पर्या0क्षति0/2023, दिनांक 12.05.2023 का सन्दर्भ ग्रहण करने का कष्ट करें। उक्त पत्र द्वारा मा0 एन0जी0टी0 द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश एवं मा0 एन0जी0टी0 द्वारा ओ0ए0 सं0 438/2018 आरती बनाम सेन्ट्रल ग्राउण्ड वाटर अथारिटी व अन्य में दिनांक 17.10.2022 को पारित आदेश के अनुपालन में परियोजना की कुल लागत का 0.5 प्रतिशत Interim/floor level Compensation जमा किये जाने हेतु निर्देशित किया गया था कि Interim/floor level Compensation को बोर्ड के खाते में 15 दिन के अन्दर जमा कराया जाये। परन्तु आप द्वारा उक्त धनराशि(परियोजना की कुल लागत का 0.5 प्रतिशत) बोर्ड के खाते में जमा नहीं कराई गई है।

अतः मा0 एन0जी0टी0 द्वारा ओ0ए0 सं0 392/2022 प्रसून पन्त व अन्य बनाम यूनियन ऑफ इण्डिया व अन्य में दिनांक 15.11.2022 को पारित आदेश एवं मा0 एन0जी0टी0 द्वारा ओ0ए0 सं0 438/2018 आरती बनाम सेन्ट्रल ग्राउण्ड वाटर अथारिटी व अन्य में दिनांक 17.10.2022 को पारित आदेशों के अनुक्रम में बोर्ड द्वारा उपरोक्त प्रेषित पत्र दिनांक 12.05.2023 की अनुपालन आख्या प्रेषित नहीं की गई है। उक्त पर अपना पक्ष/स्पष्टीकरण 15 दिन के अन्दर राज्य बोर्ड को प्रेषित किया जाना सुनिश्चित करें अन्यथा की स्थिति में परियोजना के विरुद्ध नियमानुसार पर्यावरणीय क्षतिपूर्ति अधिरोपित किया जाना एवु अभियोजनात्मक कार्यवाही की जा सकती है, जिसका सम्पूर्ण उत्तरदायित्व स्वयं आपका होगा।

भवदीय,

(विवेक राय)

मुख्य पर्यावरण अधिकारी(वृत्त-1)

प्रतिलिपि -निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. जिलाधिकारी, गौतमबुद्धनगर।
2. वरिष्ठ कोषाधिकारी, कोषागार, गौतमबुद्धनगर।
3. क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा को इस निर्देश के साथ प्रेषित कि उपरोक्त के संबंध में निर्धारित समयावधि में अपनी आख्या व संस्तुति प्रेषित करना सुनिश्चित करें।

मुख्य पर्यावरण अधिकारी(वृत्त-1)

टी.सी.- 12 वी, विभूति खण्ड, गोमती नगर,
लखनऊ - 226 010
दूरभाष : 0522-2720828, 2720831,
ई-मेल : info@uppcb.com

T.C.-12V, Vibhuti Khand, Gomti Nagar,
Lucknow : 226010
Phone : 0522-2720828, 2720831
email : info@uppcb.com



उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड
UTTAR PRADESH POLLUTION CONTROL BOARD

Ref No- 1193/P/5/C-1/एन0जी0टी0-158/पर्या0क्षति0/2023

Date: 15/11/2023

सेवा में,

पंजीकृत

सूची संलग्न-38 परियोजना।

विषय:-मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.2022 के अनुपालन में परियोजना के विरुद्ध Interim/floor level Compensation जमा किये जाने के सम्बन्ध में।

यह कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.2022 के सुसंगत अंश निम्नवत् है:-

“....Following the above order, we issue directions for sealing of all illegally operating borewells and recovery of compensation for illegal extraction of ground water in the past considering the cost of such water with deterrent element and the cost of replenishing ground water level. In absence of clear data on these aspects, interim/floor level compensation can be equal to atleast 0.5% of the project cost of the PPs, apart from remedial action for future. The PPs may deposit compensation with the respective District Magistrates and the State PCB within one month from today, failing which the District Magistrate will be free to take coercive measures including filing of theft cases against the projects extracting ground water without permission and stopping the ongoing projects. Final compensation may be assessed by the joint Committee comprising of Regional Director, CGWB, Northern Region/or his Representative, representative of Uttar Pradesh Pollution Control Board and the District Magistrate.....”

यह कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.2022 के अनुपालन में परियोजना को क्षेत्रीय कार्यालय द्वारा परियोजना की कुल लागत का 0.5 प्रतिशत Interim/floor level Compensation जमा किये जाने हेतु नोटिस प्रेषित किया गया है, जिसका प्रतिउत्तर प्राप्त नहीं है एवं न ही आपके द्वारा Interim/floor level Compensation जमा किये जाने की सूचना इस कार्यालय में प्राप्त है।

क्षेत्रीय कार्यालय द्वारा प्रेषित विवरण अनुसार परियोजना की कुल लागत सूची में अंकित है। मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 392/2022 में पारित आदेश दिनांक 15.11.2022 के अनुपालन में परियोजना की कुल लागत का 0.5 प्रतिशत Interim/floor level Compensation जमा किये जाने हेतु निर्देश पारित हैं।

टी0सी0-12वी, विभूति खण्ड
गोमती नगर, लखनऊ-226010
दूरभाष : 2720831, 2720828, 2720691, 2720681
फैक्स : 0522-2720764
ई-मेल : info@uppcb.com | website: www.uppcb.com

TC-12V, Vibhuti Khand,
Gomti Nagar, Lucknow-226010
Phone : 2720831, 2720828, 2720691, 2720681
Fax : 0522-2720764
e.mail : info@uppcb.com | website: www.uppcb.com

1242

सर्वोच्च न्यायालय के इतिहास में सर्वोच्च न्यायालय के माध्यम से राष्ट्रीय हरीय अभिकरण नई दिल्ली में योजित
आयुष्य संख्या 28/2022 के तहत सर्वोच्च न्यायालय 19/11/2022 के अनुयायन में कुल लागत का 0.5 प्रतिशत
Interim/floor level Compensation जमा किया जाने हेतु निर्देशित किया जाता है की Interim/floor
level Compensation को बोर्ड के खाते में 15 दिन के अन्दर जमा कराया जाये।

सर्वोच्च न्यायालय की अनुयायन में निर्देश।

सर्वोच्च

(विशेष संघ)

मुख्य पर्यावरण अभियन्ता, वृत्त-1

प्रतिक्रिया -

1. कोषाधिकारी, गौतमबुद्धनगर को इस आदेश के साथ प्रेषित कि माओ एनओजी(टी) के उक्त आदेश के अनुयायन में परियोजना पर अधिरोपित Interim/floor level Compensation जमा न किये जाने की दृष्टि में माओ एनओजी(टी) के आदेश के अनुयायन परियोजना के विरुद्ध कार्यवाही करने का कष्ट करें।
2. सर्वोच्च न्यायालय कोषाधिकारी, गौतमबुद्धनगर को सूचनाएं एवं आवश्यक कार्यवाही हेतु प्रेषित।
3. सर्वोच्च न्यायालय द्वारा प्रदूषण नियंत्रण बोर्ड, मेट्रो नोएडा को इस निर्देश के साथ प्रेषित कि अधिरोपित Interim/floor level Compensation को बोर्ड के खाते में जमा कराया जाना सुनिश्चित कर अनुयायन अक्षर प्रेषित करें।

मुख्य पर्यावरण अभियन्ता, वृत्त-1

124371

S. No.	Name and Address of the Project	Project Cost in Cr. (As per record)	Interim/ floor level Compensation in Cr. (0.5%)
1	Aastha Greens (AASTHA INFRACITY LIMITED) Plot No-03, GH-04 Sector-04, Greater Noida, Uttar	324.27	1.62
2	ACE Aspire (Promoter- M/S Ideal Realtech Pvt Ltd.), GH-02A, TechZone-4, Greater Noida West	277.58	1.38
3	ACE City (IDEAL REALTECH PVT LTD), GH-01, Sector-01, Greater Noida .	783	3.91
4	Ace Divino (STARCITY REAL ESTATES PRIVATE LIMITED) Plot No. GH-14A, Sector-01, Greater Noida	661	3.3
5	Aims Green Avenue (Aims Golf Town Developers Private Limited), Phase-I, Plot No-4, GH-04, Greater Noida (West), Gautam Budh Nagar	326.3	1.63
6	Ajnara Homes (APV Realty Ltd.) Plot No. GH-03, Sector-16B, Greater West, Uttar Pradesh	369.62	1.84
7	Ajnara Le Garden (Ajnara Realtech Limited), GH-02, Sector-16B, Greater Noida West, Uttar Pradesh	203.0016	1.01
8	Apex Golf Avenue (FLORAL REALCON PRIVATE LIMITED), GH-03/SC-1, Adjoining TechZone, Gr.	210.2317	1.05
9	ATS Destinaire (Promoter- M/s Starcity Real Estates Pvt. Ltd.), GH-14, Sector-1, Gr. Noida	634.18	3.17
10	ATS Home Craft (Happy Trails), (Shridhara Infratech (P) Ltd), GH-02A, sector-10, Gr. Noida	464	2.32
11	ATS Rhapsody (Promoter- DAR Housing Limited) GH-12/1, Sector-1, Gr. Noida	415.93	2.07
12	Bulland Elevates (BULLAND BUILDTECH PVT LTD.), Plot No GH-3A, Sector-16C, Greater Noida,	284.55	1.42
13	Capital Athena (CAPITAL INFRATECHOMES PRIVATE LIMITED), GH-12A-2, Sector-01, Gr.	350	1.75
14	Coco county (Promoter- M/s SHIRJA REAL ESTATE SOLUTIONS PVT LTD), GH-03C, sector-	262.95	1.31
15	Divyansh Flora (Promoter M/s Divyansh Infra hight (P) Ltd.), Plot No.-03H/GH-01, sector-16C, Gaur City-	128	0.64
16	Ecovillage III (SUPERTECH LIMITED), Plot No. GH-06, Sector 16B, Greater Noida, Uttar Pradesh	479.4973	2.39
17	Galaxy Blue Sapphire (GLD INFRA PROJECTS PRIVATE LIMITED)Plot No. C-03, Sector 4, Greater Noida, Gautam Budh nagar	726.5	3.63
18	Galaxy Diamond Plaza (ASTEROID SHELTERS HOMES PVT LTD) Plot no. C-01 A, Sector 4, Greater Noida, ,GAUTAM BUDH NAGAR	277.66	1.38

1244

772

19	Galaxy Royale (PRITHVEELINK BUILDWELL PRIVATE LIMITED), Plot No. GH-03. Sector-16C, Gaur City 2, Greater Noida, Uttar Pradesh	190.42	0.952
20	Galaxy Vega. (Promoter- M/s Panchtatva Promoter (P) Ltd.), GH-08C, Sector-Techzone-IV, Gr. Noida	63.304	0.316
21	Gaur City Mall, Plot No.C-1B/ GH-01, sector-4, Gr. Noida	652	3.26
22	Gaur City-1, GH-01, Sector-4, Gr. Noida	800	4
23	Gaur City-2, GH-01, sector-16C, Gr. Noida	1320	6.6
24	Gaur Saundayam, Plot No- GH-05C, Techzone-IV, Gr. Noida	581	2.9
25	Gulshan Bellina (GULSHAN HOMZ PRIVATE LIMITED), Plot No GH-02/A, Sector 16, Vaidpura, Greater Noida, Uttar Pradesh	465.37	2.32
26	JM Florence (J.M. HOUSING LTD), Plot No. DV-GH-09C, Sector-Techzone-4, Gr. Noida west.	449.05	2.24
27	JNC The Park (JNC Construction Pvt. Ltd.), GH-1C, Sector-16 C. Greater Noida. District- Gautam Buddha	266.9475	1.33
28	La Residentia (Promoter- M/s La Residentia Developer Pvt. Ltd). GH-06A,sector-Techzone-4, Gr.	542.83	2.71
29	Mahagun Maantra-1, (Promoter- M/s Dhanya Promoters Pvt.), Ltd. GH-01/B, sector-10. Gr. Noida.	177.41	0.887
30	Mahagun Maantra-2 (Hebe Infrastructure Pvt Ltd), GH-01/A, sector-10. Gr. Noida	205.83	1.02
31	Mahagun mywood (Phase-1, Phase-2, Phase-3) M/s Mahagun (India) Pvt. Ltd., GH-04, sector-16. Gr.	463	2.31
32	Mangalya Ophira (MANGALYA BUILDTECH PRIVATE LIMITED), Plot no GH-16F, Sector-1, Greater Noida West, Gautam Budh Nagar	67.75	0.338
33	Neo Town (M/s Patel Advance JV.) Plot No.GH-03, Sector-Techzone-4, Gr. Noida west.	670.41	3.35
34	Panchsheel Hynish (Panchsheel Buildtech Pvt. Ltd), GH-08A, Sector-1, Gr. Noida west.	405.24	2.02
35	Rajhans Residency, (Rajhans Infrateh (p) Ltd.), GH-06B, Sector-01, Gr. Noida west.	127.88	0.639
36	Sikka Kammya Green (Promoter- M/s Sikka Infratech (p) Ltd.), GH-02B, sector-10, Gr. Noida	230.28	1.15
37	Vihaan Green (Vihaan Developers Pvt. Ltd.), Plot No-GH-15C, Sector 1, Greater Noida, Uttar Pradesh	117	0.585
38	VVIP Home /Meridian (Promoter- Solitaire Infra home Pvt Ltd), GC-03K/ GH-03, Sector-16C, Greater	370	1.85

1245

ANNEXURE
A-88

Newcon Consultants & Laboratories



(GOVERNMENT APPROVED TESTING LABORATORIES)

An ISO 9001 : 2015, ISO 14001 : 2015, ISO 45001 : 2018 Certified Laboratory

TEST REPORT

Page No.: 1 of 1

TEST REPORT No. NCL/ED-080/05/06/23		DATE OF REPORT : 09/06/2023
Name and Address of Customer	M/S VVIP HOMES Plot no-K-462, Site-V, Surajpur Industrial Area, Kasna, Greater Noida-201310 (U.P.)	

SAMPLING DETAILS

Sample Name	: WASTE WATER	Analysis End Date	: 09/06/2023
Analysis Start Date	: 05/06/2023	Sample ID No.	: NCL/ED-080/05/06/23
Date of Sampling	: 03/06/2023	Sample Receipt Date	: 05/06/2023
Time of Sampling	: 12:50 PM	Environmental Condition	: 27±2°C
Sampling Done By	: NCL		
Sampling Description	: SEWAGE WATER AFTER TREATMENT		
Sampling Location	: STP OUTLET		
Sampling Protocol	: IS:3025 (P-1)	Sample Quantity	: 2 Ltr
Packing Condition	: Sealed	Packing	: PVC BOTTLE

TEST RESULT

S.No.	Parameter	Units	Test Method	Results	Specification/limits as per CPCB
1	pH	-	APHA 23rd -4500 H+(B)	7.58	6.5-9.0
2	Total Suspended Solids (TSS)	mg/L	APHA 23rd -2540 (D)	23.6	50.0
3	Bio Chemical Oxygen Demand (3 days at 27°C)	mg/L	APHA 23rd -5210 (B)	9.2	20.0
4	Chemical Oxygen Demand (COD)	mg/L	APHA 23rd -5220 (B)	24.6	250.0
5	Oil & Grease	mg/l	APHA 23rd -5520 (B)	BDL(DL=5.0)	10.0
6	Colour	--	APHA 2120 (B)	BDL(DL=5.0)	Not Specified
7	Odour	--	IS:3025 (P-5)	Agreeable	Not Specified

End of Report

Remarks : BDL = BELOW DETECTION LIMIT

ED-080/05/06/23-1



Fahed
Checked by



1. The test report refers only to the particular sample/s submitted for testing and listed parameters.
2. Endorsement of the same is neither inferred nor implied.
3. Laboratory shall maintain the confidentiality of all information related to the samples & test reports.
4. Complaints about this report should be communicated within 10 days of the issue date of this report.
5. The report is not to be produced wholly or in part without prior permission of the Managing Partner. All disputes subject to Ghaziabad Jurisdiction.

Laboratory : A-1/156, Sector-17, (Swadeshi Compound) Kavi Nagar Industrial Area, GHAZIABAD - 201 002 (U.P.)

Mobile : 9810430345, 9205501788 | Website : www.newconlab.in

E-mail : newconlab@gmail.com, newconlabfinance@gmail.com

1246

779



x



GROUND WATER DEPART

(Namami Gange & Rural Water Supply Dep

Ministry of Jal Shakti

Government of Uttar Pradesh

Application No	GTBN0922RBU0011
Applicant Name	BHAGESHWAR TYAGI
Payment Status	Transaction done successfully
Amount	383250.00
Transaction No / Challan No	BHV230003177
Payment Date	19/06/2023 11:32:53 AM

Close


1247

775

Browser tabs: Inbox - relzlo@gmsa.com, Inbox (47) - sviax.padiya@636, Entrepreneur Dashboard, Ground Water Department

Address bar: upgwdonline.in/Access/ApplicationForm/UseDownload


Navigation: Welcome to Ekoba, BRCC New Circular, Sites & Services, upgwd Online, Kisanam, Budget, Indian Kisan, Centralized BRCC, Hygiene Water, E&E Solutions, Online Log

Logo: 

Nivesh Mitra



Single Window System, Govt. of Uttar Pradesh

Buttons: [Go Back](#), [Download Myself Hydro-Geological Report](#)

Logo: 

GROUND WATER DEPARTMENT, UTTAR PRADESH

DOWNLOAD/डाउनलोड

1. Application Form आवेदन फॉर्म	
2. Renewal NCC Fee नवीकरण फीन/वेरी फी	I. Renew Payment To Payment Pay Now
3. No-Objection Certification अनापत्ति प्रमाणपत्र	
4. Modification/Alteration Request in Application Form दिए/वेन-अनुबंध	Download

© 2019 UPGWD | Powered by QWIN-1111



1248
7/7/20

ANNEXURE A-90
~~A-89~~

Date: 24/07/2023

To,
Chief Environmental Officer C-1
Uttar Pradesh Pollution Control Board
TC-12V Vibhuti Khand, Gomati Nagar, Lucknow

Subject: Request for adjustment of Application fee submitted against Payment ID UP01522032918054590 & UP01522060415105194.

Dear Sir,

This is with reference to subject matter we have paid Rs. 200000/- (Rupees Two Lakh Only) & Rs. 100000/- (Rupees One Lakh Only) against our consolidated CTO application for Air and Water Consent. Some queries issued against our application and got rejected.

We again applying with requisite details/information and requested to adjust the application fee as per UPPCB rule and grant our consent validity accordingly.

Application fee acknowledgement receipt with Payment ID UP01522032918054590 (Rs. 200000/-) and Payment ID UP01522060415105194 (Rs.100000/-) attached herewith and marked as Annexure-1.

Requested to acknowledge the same and do needful please.

Thanking You

For SOLITAIRE INFRAHOME PVT LTD VVIP HOMES



Authorized Signatory

Enclosure: A/A

Solitaire Infrahome Pvt. Ltd.

Regd. Off. : S-551, School Block, Shakarpur, Delhi-110092
Corp. Off. : Chamber No-02, Second Floor, VVIP Style, Raj Nagar Extension,
NH-58, Ghaziabad - 201017 Uttar Pradesh
E-mail Id : info@vvipspaces.com
Website : www.vvipspaces.com

RERA No. : UPRERAPRJ3390 (Ph-I, VVIP Homes)
RERA No. : UPRERAPRJ3977 (Ph-II, VVIP Homes)
GSTIN : 09AAFCA3459H1ZK
CIN : U70109DL2005PTC140262

Customer Care : +91 8826-90-2020 / 8826-92-2020
Sales & Marketing Enquiry : +91 8826-52-3030 / 8826-53-3030



124977

ANNEXURE A-91
A-91

Uttar Pradesh Pollution Control Board

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.in, Website: www.uppcb.com

189656/UPPCB/GreaterNoida(UPPCBRO)/CTO/both/GREATER
NOIDA/2023

Date: 28/08/2023

To,

M/s

SOLITAIRE INFRAHOME PVT LTD VVIP HOMES

**PLOT NO. GC-03K/GH-03, SECTOR-16-C, NOIDA EXTENSION,
GREATER NOIDA,GAUTAM BUDH NAGAR,201306**

Application Id-
22179192

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981

CCA is hereby granted to **SOLITAIRE INFRAHOME PVT LTD VVIP HOMES** located at **PLOT NO. GC-03K/GH-03, SECTOR-16-C, NOIDA EXTENSION, GREATER NOIDA,GAUTAM BUDH NAGAR,201306.** subject to the provisions of the Water Act, Air Act and the orders that may be made further and subject to following terms and conditions :-

1. This CCA **SOLITAIRE INFRAHOME PVT LTD VVIP HOMES** granted for the period from **26/07/2023 to 31/12/2026** and valid for manufacturing of following products.

S No	Product	Quantity	Unit
1	Group Housing Project (10 Tower in which	..	Metric Tonnes/Day
2	there are 1302 flats, 36 shops and 1 club in	..	Metric Tonnes/Day
3	which 900 flats occupied)	..	Metric Tonnes/Day

2. Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended :-

(i) The daily quantity of effluent discharge (KLD) :-

Kind of Effluent	Quantity(KLD)	Treatment facility	Discharge point
Domestic	467 KLD	STP	Treated effluent to be used for flushing and irrigation and rest to be discharged in Greater Noida Authority Sewer Line

(ii) Trade Effluent Treatment and Disposal :-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

	75	70	65	55	55	45	50	40
--	----	----	----	----	----	----	----	----

779
1251

4. Essential documents to be submitted by the Industry/Unit as Applicable :-

- (i) Environment Statement in Form-V of Environment (Protection) Rules, 1986.
 - (ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.
5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.
7. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-<http://www.upecp.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.
8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the competent authority and submit to the Board, within 3 months time failing which CTO will be revoked.

General Conditions:-

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated Industrial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof
6. The industry shall provide uninterrupted entry to the STP/ETP inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.
7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point

1252⁷⁸⁰ 12. The Board reserves the right to revoke add/modify any stipulated condition issued along with CCA, as may be necessary.

Specific Conditions:-

1. The unit shall not abstract the ground water under any circumstances without prior permission from the CGWA/UPGWD. Water shall be obtained from legally permissible sources only. If the project fails to comply with this condition then this consent shall automatically stand revoked.
2. The Unit shall comply with various provisions of Air (Prevention and Control of Pollution) Act 1981 as amended, Water (Prevention and Control of Pollution) Act 1974 as amended and all other applicable rules notified under E.P. Act 1986.
3. The Unit shall dispose the hazardous waste through authorized recyclers/TSDF and comply with the provisions of Hazardous and Other Wastes (Management and Trans-boundary Movement) Amendment Rules, 2016 and The Solid Waste Management Rules, 2016.
4. The treated effluent/sewage shall be used for irrigation purposes as much as possible. The guidelines developed by the CPCB for the utilization of treated effluent for the irrigation purposes is available at the URL <http://cpcb.nic.in/NGT/Guidelines-UTE-Irrigation.pdf>.
5. The Unit shall comply with the provisions of notification dt.07-10-2016 of Ministry of Water Resources, River Development and Ganga Conservation, GOI.
6. The Unit shall submit the point wise compliance report of the CTO/CTE issued by the Board earlier and the audited balance sheet for the current year and the details of fees deposited during last three years within a month failing which consent would be deemed void.
7. At the site a display board size 4x6 feet shall be installed to display the provisions of Construction and Demolition Rules 2016.
8. The Unit shall ensure proper operation and maintenance of Sewage Treatment Plant. Also independent flow meters, logbook and electric meter should be installed for Sewage treatment plant.
9. The Unit should be operated in such a way so that there is no adverse impact on public and environment.
10. The Unit shall develop proper green belt and rain water harvesting system as per guidelines. For green belt at least 8 feet height plants should be planted which shall be properly protected as proper irrigation and maneuvering arrangements shall be made. For the development of the green belt the guidelines issued vide Board office order no. H10405/220/2018/02 Dt. 16-02-2018 shall be complied.
11. This consent is valid only for products and quantity mentioned above. The Unit shall obtain prior approval before making any modification in product/process /fuel/ Plant machinery failing which consent would be deemed void.
12. The Unit shall submit quarterly monitoring reports of treated effluent from a certified / approved laboratory under E.P. Act 1986.
13. The Unit will ensure the continuous and uninterrupted data supply from the OCEEMS to the CPCB server. The unit shall maintain strict supervision on fluctuations in operating parameters with respect to each treatment unit of the Effluent treatment plant.
14. If the CPCB or UPPCB issues the Closure order against the Unit this consent order stands automatically suspended for that period.
15. Unit shall install flow meters on inlet and final outlet of STP and maintain log book.
16. Project shall maintain records regarding generation & disposal of municipal solid waste and submit necessary permission from competent authority for disposal of solid waste generated in project.
17. At the Unit site a display board size 4x6 feet shall be installed to display the provisions of Construction and Demolition Rules 2016.
18. This consent is only valid for emission generated from DG Sets. Project shall obtain CTE before installing any other source of emission i.e. DG Sets etc.
19. The Unit shall abide by orders / directions issued by Hon'ble Supreme Court Hon'ble High Court,

1253

781

Hon'ble National Green Tribunal, Central Pollution Control Board and U.P Pollution Control Board for protection and safe guard of environment from time to time.

20. Unit shall comply with Board's OM dated 27-02-2020 regarding stringent norms in CEPI areas.
21. Unit shall establish Miyawaki forest as per the GO no. 1011/81-7-2021-09(rit)/2016 dated 13.10.2021 of Deptt. of Environment, forest and climate change and BG of Rs. 50,000/- be deposited within a months time along with the proposal for proposed plantation.
22. Unit shall comply with the CAQM (Commission for Air Quality Management in NCR and Adjoining Areas) direction no. 53 and 62-65 and other direction issued time to time regarding use of cleaner fuel.
23. Unit shall operate and maintain/upgrade the air pollution control device in such manner that emission should be as per norms prescribed by CAQM.
24. For operation of DG sets during GRAP period unit shall comply with CAQM direction no. 55 and 68.
25. Unit shall submit latest stack monitoring report from NABL approved laboratory within one month.
26. Project shall ensure to maintain MLSS in aeration tank of STP.
27. Unit shall comply with the CAQM (Commission for Air Quality Management in NCR and Adjoining Areas) direction no.73.
28. The project shall ensure compliance of the order dated 15.11.2022 passed in the Hon'ble National Green Tribunal, New Delhi in OA No. 392/2022 Prasun Pant and others vs. Union of India and others.
29. Unit shall abide by decision regarding imposition of EC and its representation regarding show cause notice for environmental compensation of Rs. 15,00,000/-.
30. The validity of this CTO is subject to the orders of Hon/ble NGT in OA 392/2022 Prasun Pant & Ors. Vs UoI.
- 31-Project shall comply with the direction no. 73 of CAQM dated 02-06-2023 regarding operation of DG Set.

Copy to:

Regional Officer, U.P. Pollution Control Board, Greater Noida.

VIVEK ROY Digitally signed by VIVEK ROY Date: 2023.08.28 16:07:53 +05'30' CEO C-1.

VIVEK ROY Digitally signed by VIVEK ROY Date: 2023.08.28 16:08:16 +05'30' CEO C-1.



1254 782
मिशन LIFE - पर्यावरण के लिए जीवन शैली
(Lifestyle For Environment)
जनसहभागिता का सन्देश



- स्वच्छता - देशभेदा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें - एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय |
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन टोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त वचत उत्पन्न कर सकता है | वेस्ट/अपशिष्ट फेकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रुकें | इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई-वेस्ट रीसाइकलर को दें | प्राधिकृत ई-रीसाइकलिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को माझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम टोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाक्रीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के बंचित वर्ग तक पहुंचाई जा सकती है | वहीं अनुपयोगी भोजन/खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रैफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 विलियन kWh तक ऊर्जा की वचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं | उपयोग में न होने पर बिजली उपकरणों को बंद करें | स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है |

1.0 INTRODUCTION

The proposed group housing with the name of "VVIP Homes" is a Multistoried Housing Complex shall consist of 10 nos. tower with all necessary facilities. The site is located in Greater Noida with over all site area is 7.8 Acre.

As per the guidelines of Ministry of Environment and Forest, it has decided to install a Sewage Treatment Plant in order to conserve water and to reduce the total water requirement and dependability on municipal & ground water sources. The treated effluent from sewage treatment plant shall be used for recycling in flushing & horticulture scheme. The sewage is to be generated basically from toilets use & kitchens waste etc.

It is proposed to install Sewage Treatment Plant based on FAB (Fluidized Aerobic Bio-reactor) Technology.

1256⁶⁴

INFLUENT SEWAGE & TREATED EFFLUENT CHARACTERISTICS

BASIC DATA ON INFLUENT RAW WASTE WATER (SEWAGE)

Total Suspended Solids (TSS)	:	250 - 450 mg/lit
BOD ₅	:	250 - 350 mg/lit
COD	:	500 - 700 mg/lit
pH	:	6.0 - 8.5
Oil / Grease	:	upto 50 mg/lit
Inflow time	:	24 Hrs.
Peak factor	:	3
Temperature	:	Ambient

TREATED EFFLUENT WASTE WATER QUALITY

As stipulated by State Pollution Control Board (PCB), the treated effluent quality shall be within the following values for various parameters, for both present and future.

For Recycling in Landscaping and Flushing -

pH	:	7 - 8
Total Suspended Solids (TSS)	:	< 10 mg/lit
BOD ₅	:	< 10 mg/lit
COD	:	< 50 mg/lit
Oil / Grease	:	< 10 mg/lit
Colour	:	5 hazen unit
Odor	:	unobjectionable

The Aeration Tank will be provided with a drain line with valve to empty the tank as required. The drain point will be protected by a wire mesh having mesh size 10 mm to prevent any media loss while draining the Aeration Tank.

Aerated sewage will overflow to a Hopper Bottom Secondary Clarifier through a Screen having clear spacing 10 mm to prevent overflow of media into the Clarifier. The screen will be cleaned periodically with a rake to avoid choking due to bacterial growth. The Hopper Bottom Secondary Clarifier will be equipped with tube settler media. Tube settlers effectively increase the clarification plan area available by a factor of 6-7.

The Tube Settler shall be provided with adjustable overflow weir to collect the treated effluent and a scum baffle shall keep any floating matter from passing out in the final treated water. Treated supernatant from the Secondary Clarifier will overflow by gravity to the Buffer Tank for tertiary treatment.

Excess sludge from the bottom of the Tube Settler shall be wasted in an adjoining aerobic digester cum thickener tank. In this tank sludge shall be aerated. The air shall be shut off periodically and supernatant water shall flow into the collection tank. This way the sludge shall be thickened and its volume shall be reduced. The sludge digester cum thickener tank shall be sized to hold excess sludge. The excess sludge would be further passed into a filter press where the sludge would be pressed between plates and the liquid concentration in the sludge would be further reduced. The sludge would then form into semi-solid cake which can be removed for disposal.

TERTIARY TREATMENT

The treated sewage from Secondary Clarifier is collected in a Buffer Tank. From Buffer tank water is pumped through a Multigrade Pressure Sand Filter and Activated Carbon Filter in series and after that treated water will be stored in treated water storage tank. Ozonator shall be provided to disinfect the water.

30 PROCESS DESCRIPTION

The treatment scheme is aerobic biological aeration treatment using the fluidized media process. The process is named as Fluidized Aerobic Bio-reactor (FAB). Excess aerobic biological sludge generated will be thickened in the aerobic digester cum thickener tank. The treatment scheme proposed is split into three distinct parts:

- Pre-treatment, which comprises of screening, oil and grease trap.
- Biological treatment comprising of fluidized media aeration followed by clarification.
- Tertiary treatment comprising of dual media pressure filtration, activated carbon filtration and ozonator.

Detailed description of each treatment step is given below:

PRE-TREATMENT

The raw sewage is collected through a max. 10 mm clear spacing Bar Screen and Oil / Grease Trap in a Collection/Equalization tank and then pumped to the aeration tank. The Bar Screens are made of steel bars, placed at equal intervals. The inclination of bars is kept such that manual raking becomes easy. Manual removal of large foreign objects trapped in the Bar Screen will be carried out so as to protect downstream pipelines/ pumps from choking. The oil & grease from the Oil & Grease Trap would have to be removed manually. Venturi type flow measurement arrangement is provided for flow measurement.


BIOLOGICAL TREATMENT

The organic pollutants in the raw sewage are measured in the form of Bio-chemical Oxygen Demand (BOD) and Chemical Oxygen Demand (COD). Aerobic bacteria biodegrade the organic pollutants present in domestic sewage to harmless by-products such as water and carbon dioxide as well as to additional bacterial biomass which has to be disposed off as sludge.

Aerobic biological treatment using the fluidized media technology is carried out in the Sewage Treatment Plant. The Sewage Treatment Plant consists of an Aeration Tank, a Hopper Bottom Secondary Clarifier, and Filter Press. The Aeration Tank is filled with corrugated polypropylene fluidized media. Aerobic bacteria will attach on to the corrugated media surface thereby allowing a large bacterial concentration to be maintained in the Aeration Tank.

The media is made of small plastic elements. Due to constant aeration, the media is set in whirling motion, so that continuous mixing takes place.

4.0 PROCESS FLOW BLOCK DIAGRAM



DESIGN BASIS

The major parameters towards basis of design for STP under reference have been considered as follow:

1.	Nature of Sewage	Domestic Sewage from Toilet use & Kitchen Waste
2.	Flow rate	730 m ³ / day
3.	Modules	In 2 Modules of 365 m ³ / day
4.	Peak Factor	3
5.	Technology	Fluidized Aerobic Bio-reactor (FAB) Technology
6.	BOD Load	210 Kg per day

The Sewage Treatment Plant will be constructing under ground adjoining with basement. The plant has to be designed with the most optimum utilization of space with sufficient space for maintenance of the plant.

1261 788

INFLUENT SEWAGE & TREATED EFFLUENT CHARACTERISTICS

BASIC DATA ON INFLUENT RAW WASTE WATER (SEWAGE)

Total Suspended Solids (TSS)	:	250 - 450 mg/lit
BOD ₅	:	250 - 350 mg/lit
COD	:	500 - 700 mg/lit
pH	:	6.0 - 8.5
Oil / Grease	:	upto 50 mg/lit
Inflow time	:	24 Hrs.
Peak factor	:	3
Temperature	:	Ambient

TREATED EFFLUENT WASTE WATER QUALITY

As stipulated by State Pollution Control Board (PCB), the treated effluent quality shall be within the following values for various parameters, for both present and future.

For Recycling in Landscaping and Flushing -

pH	:	7 - 8
Total Suspended Solids (TSS)	:	< 10 mg/lit
BOD ₅	:	< 10 mg/lit
COD	:	< 50 mg/lit
Oil / Grease	:	< 10 mg/lit
Colour	:	5 hazen unit
Odor	:	unobjectionable

The treatment scheme is aerobic biological aeration treatment using the fluidized media process. The process is named as Fluidized Aerobic Bio-reactor (FAB). Excess aerobic biological sludge generated will be thickened in the aerobic digester cum thickener tank. The treatment scheme proposed is split into three distinct parts:

- ▶ Pre-treatment, which comprises of screening, oil and grease trap.
- ▶ Biological treatment comprising of fluidized media aeration followed by clarification.
- ▶ Tertiary treatment comprising of dual media pressure filtration, activated carbon filtration and ozonator.

Detailed description of each treatment step is given below:

PRE-TREATMENT

The raw sewage is collected through a max. 10 mm clear spacing Bar Screen and Oil / Grease Trap in a Collection/Equalization tank and then pumped to the aeration tank. The Bar Screens are made of steel bars, placed at equal intervals. The inclination of bars is kept such that manual raking becomes easy. Manual removal of large foreign objects trapped in the Bar Screen will be carried out so as to protect downstream pipelines/pumps from choking. The oil & grease from the Oil & Grease Trap would have to be removed manually. Venturi type flow measurement arrangement is provided for flow measurement.

BIOLOGICAL TREATMENT

The organic pollutants in the raw sewage are measured in the form of Bio-chemical Oxygen Demand (BOD) and Chemical Oxygen Demand (COD). Aerobic bacteria bio-degrade the organic pollutants present in domestic sewage to harmless by-products such as water and carbon dioxide as well as to additional bacterial biomass which has to be disposed off as sludge.

Aerobic biological treatment using the fluidized media technology is carried out in the Sewage Treatment Plant. The Sewage Treatment Plant consists of an Aeration Tank, a Hopper Bottom Secondary Clarifier, and Filter Press. The Aeration Tank is filled with corrugated polypropylene fluidized media. Aerobic bacteria will attach on to the corrugated media surface thereby allowing a large bacterial concentration to be maintained in the Aeration Tank.

The media is made of small plastic elements. Due to constant aeration, the media is set in whirling motion, so that continuous mixing takes place.

1263 790

The Aeration Tank will be provided with a drain line with valve to empty the tank as required. The drain point will be protected by a wire mesh having mesh size 10 mm to prevent any media loss while draining the Aeration Tank.

Aerated sewage will overflow to a Hopper Bottom Secondary Clarifier through a Screen having clear spacing 10 mm to prevent overflow of media into the Clarifier. The screen will be cleaned periodically with a rake to avoid choking due to bacterial growth. The Hopper Bottom Secondary Clarifier will be equipped with tube settler media. Tube settlers effectively increase the clarification plan area available by a factor of 6-7.


The Tube Settler shall be provided with adjustable overflow weir to collect the treated effluent and a scum baffle shall keep any floating matter from passing out in the final treated water. Treated supernatant from the Secondary Clarifier will overflow by gravity to the Buffer Tank for tertiary treatment.

Excess sludge from the bottom of the Tube Settler shall be wasted in an adjoining aerobic digester cum thickener tank. In this tank sludge shall be aerated. The air shall be shut off periodically and supernatant water shall flow into the collection tank. This way the sludge shall be thickened and its volume shall be reduced. The sludge digester cum thickener tank shall be sized to hold excess sludge. The excess sludge would be further passed into a filter press where the sludge would be pressed between plates and the liquid concentration in the sludge would be further reduced. The sludge would then form into semi-solid cake which can be removed for disposal.

TERTIARY TREATMENT

The treated sewage from Secondary Clarifier is collected in a Buffer Tank. From Buffer tank water is pumped through a Multigrade Pressure Sand Filter and Activated Carbon Filter in series and after that treated water will be stored in treated water storage tank. Ozonator shall be provided to disinfect the water.

4.0 PROCESS FLOW BLOCK DIAGRAM



The major parameters towards basis of design for STP under reference have been considered as follow:

1.	Nature of Sewage	Domestic Sewage from Toilet use & Kitchen Waste
2.	Flow rate	730 m ³ / day
3.	Modules	In 2 Modules of 365 m ³ / day
4.	Peak Factor	3
5.	Technology	Fluidized Aerobic Bio-reactor (FAB) Technology
6.	BOD Load	210 Kg per day

Waste Treatment Plant will be constructing under ground adjoining with basement. The plant has to be designed with the most optimum utilization of space with sufficient space for maintenance of the plant.



Form 8 (E)

[See rules 15(2)]

(RENEWAL OF AUTHORIZATION/ NO-OBJECTION CERTIFICATE FOR SINKING OF EXISTING WELL FOR INDUSTRIAL/ COMMERCIAL/ INFRASTRUCTURAL OR BULK USER OF GROUND WATER)

AUTHORIZATION/ NO-OBJECTION CERTIFICATE NO: REG032243

VALID FROM 15/06/2023 TO 14/06/2028

Registration No.: 202209001032

Name of the Owner	BHAGESHWAR TYAGI	Application Form Serial No.	GTBN0922RBU0011
Address of the Applicant	VIBHOR VAIBHAV INFRAHOME PVT. LTD., RAJNAGAR EXTENSION	Specimen Signature	
Date of Submission	19/09/2022	Company Address	GH-03 SECTOR- 16C GREATER NOIDA WEST, GAUTAM BUDDH
Company Name	VVIP HOMES		
NOC Issued By: अनापत्ति प्रमाण पत्र (द्वारा निर्गत)			
Central Ground Water Authority केन्द्रीय भूगर्भ जल प्राधिकरण			
		Yes	
Certificate Number प्रमाणपत्र संख्या	21-4/2172/UP/INF/2017	Issue Date निर्गमन तिथि	24/05/2017
Expiry Date अंतिम तिथि	19/09/2022		
Ground Water Department Uttar Pradesh भूगर्भ जल विभाग उत्तर प्रदेश सरकार			
		No	
Location Particulars			
District	Gautam Buddh Nagar	Block	Greater Noida Authority
Plot No./Khasra No.	GH-03, SECTOR- 16C GREATER NOIDA WEST	Municipality/Corporation	N/A
Ward No./Holding No.			N/A
Particular of the Existing Well and Pumping Device			
Date of Construction/Sinking of the Well	06/03/2020		
Type of Well	Tube Well/Boring	Depth of the Well (In meter)	116.00
Purpose of well	Bulk User	Assembly Size(For Tube Well)	
Strainer Position (For Tube Well)			
Type of Pump Used	Submersible	H.P. of the Pump	7.50
Operational Device	Electric Motor	Rate of Withdrawal (m ³ /hr.)	30.00

Date of Energization (In Case of Electric Pump)

1267
28/12/2019

Maximum Allowable Rate of
Withdrawal (m³/hr.): 30.00

Maximum Allowable Running Hours
Per Day: 7.00

Maximum Allowable Annual Extraction of Ground Water: 76650

Reason for renewal of N.O.C. We earlier applied in CGWA and now authority changed from CGWA to UPGWD
एन.ओ.सी. के नवीनीकरण का कारण

Against Case

295
1268

This No-Objection certificate authorizes the owner applicant (user) to draw water in the location specified at Sl. (3) for extraction of ground water at a rate not exceeding that as shown at Sl. (3j), for Running Hour per day as shown at Sl. (3k), and for maximum allowable annual extraction of ground water as shown at Sl. (3k) and is valid subject to the observance of the conditions stated overleaf.

Conditions

- (1) In case of any change of ownership of the proposed well, fresh authorization has to be obtained.
- (2) No change of location, design, rate of withdrawal and pumping device in respect of the proposed well as indicated at SL (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this authorization.
- (3) For the purpose of measuring and recording the quantity of ground water extracted, every said user shall affix digital water flow meters (conforming to BIS/ IS standards) having telemetry system in the abstraction structure, which record rate and quantum of extraction, at outlet of pumping devices and it shall be presumed that the quantity recorded by the meter has been extracted by the said user, until the contrary is proved. The rate of extraction of ground water from the well as shown in item 3(k) shall not exceed to the recorded rate from water meters
- (4) The concerned Authority reserves the right to stop extraction of ground water from the well due to quality hazards or any other reasons, if the situation so demands.
- (5) In case of any change of ownership of the existing well, fresh registration has to be obtained.
- (6) No change of location, design, rate of withdrawal and pumping device in respect of the existing well as indicated at Sl. (2) and (3) of this certificate shall be made without prior permission of the Competent Authority. Any deviation in this regard shall lead to cancellation of this registration.
- (7) In case, any of the particulars / information furnished by the applicant in his application for issuance of this registration is found to be incorrect during verification at any subsequent stage, this registration is liable for cancellation.
- (8) The Certificate of Authorization/ NOC shall be valid for a period of five years from the date of issue. The applicant shall have to apply for renewal through a fresh application, at least ninety days prior to expiry of its validity.
- (9) Construction of piezometers and installation of digital water level recorders with telemetry shall be mandatory for user. Depth and zone tapped of piezometer should be commensurate with that of the pumping well. The data, obtained from digital water level recorders shall be made available to this office on monthly basis.
- (10) Guidelines for Installation of Piezometers and their Monitoring
- Piezometer is a borewell /tube well used only for measuring the water level by lowering the tape/ sounder or automatic water level measuring equipment. It is also used to take water sample for water quality testing whenever needed. General guidelines for installation of piezometers are as follows for compliance of NOC:
 - The piezometer is to be installed/constructed at the minimum of 50 m distance from the pumping well through which ground water is being withdrawn. The diameter of the piezometer should be about 4" to 6".
 - The depth of the piezometer should be same as is case of the pumping well from which ground water is being abstracted. If, more than one piezometer are installed the second piezometer should monitor the shallow ground water regime. It will facilitate shallow as well as deeper ground water aquifer monitoring.
 - No. of piezometers to be constructed & Type of water level monitoring mechanism shall be as per below table:

S.No	Quantum of Ground water withdrawal (cum/day)	No.of piezometers required	Monitoring Mechanism	
			Manual	DWLR with Telemetry
1	< 10	0	0	0
2	11 - 50	1	1	0
3	50- 500	1	0	1
4	> 500	2	0	2

- The measuring frequency should be monthly and accuracy of measurement should be up to cm. the reported measurement should be given in meter up to two decimals.
- For measurement of water level sounder or automatic water level recorder (AWLR)/ Digital Automatic water level recorder (DWLR) with telemetry system should be used for accuracy.
- The measurement of water level in piezometer should be taken, only after the pumping from the surrounding tube wells has been stopped for about four to six hours.
- All the details regarding coordinates, reduced level (with respect to mean level), depth, zone taped and assembly lowered should be provided for bringing the piezometer into the Hydrograph Monitoring System for Ground Water Department, Uttar Pradesh, and for its validation.
- The ground water quality has to be monitored twice in a year during pre-monsoon (May/June) and post-monsoon (October/November) periods. Quality may be got analyzed from NABL approved lab. Besides, one sample (1 lt. capacity bottle) to the concerned Director, Ground Water Department, Uttar Pradesh, for chemical analysis.
- A Permanent display board should be installed at piezometer/Tube wells site for providing the location, piezometer/ tube well number, depth and zone tapped of piezometer/tube well for standard referencing and identification.
- Any other site-specific requirement regarding safety and access for measurement may be taken care of.
- (11) Any other condition(s) that may be imposed by the concerned Authority.
- (12) In case, any of the particulars / information furnished by the applicant in his application for issuance of this permit is found to be incorrect during verification at any subsequent stage, this permit is liable for cancellation.
- (13) Any other condition imposed by the concerned Authority
- **SPECIFIC CONDITIONS:**

- 1269
- (A) **For Industrial User:** No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:
 - i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
 - ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
 - iii) All industries abstracting ground water in excess of 100 m³/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Ground Water Department, Uttar Pradesh. All such industries shall be required to reduce their ground water use by at least 20% over the next five years through appropriate means.
 - iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in General Condition no.10 shall be mandatory for industries drawing/ proposing to draw more than 10 m³/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 50 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Monthly water level data shall be submitted online to the Ground Water Department, UP.
 - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
 - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
 - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution.
 - (B) **Infrastructural User:** The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:
 - i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data online to Ground Water Department, UP as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by District Ground Water Management Council.
 - ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m³ /day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.

Date :19/06/2023

Place:Gautam Buddh Nagar

This certificate is electronically generated and does not require digital signature



757
 1270
 क्षेत्रीय कार्यालय
 उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, ग्रेटर नोएडा

ए-1, प्रथम तल, कॉमर्शियल कॉम्प्लेक्स, बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर
 ई-मेल : rogreaternoida@uppcb.in, फोन/फैक्स 0120-232102

संदर्भ संख्या

856 /MGT-54/22

दिनांक

01/10/22

पंजीकृत नोटिस

मेसर्स वी0वी0आई0पी0 होम्स (मेसर्स ऑलिटेटेर इफाहोम प्रा0लि0)
 प्लॉट नं0-जी0सी0-03के/जीएच-03, सेक्टर-16सी,
 ग्रेटर नोएडा वेस्ट, गौतमबुद्धनगर।

विषय: मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित Prasoan Pant & Anr vs. Union of India & Ors (OA No. 392/2022) में पारित आदेश दिनांक 05.07.2022 के अनुपालन के सम्बन्ध में।

संदर्भ जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1974 एवं वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1981 के आज्ञापक प्राविधानों के अनुपालन के सम्बन्ध में।

उपरोक्त विषयक अवगत हो कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में जनपद गौतमबुद्धनगर के ग्रेटर नोएडा वेस्ट क्षेत्र में हो रहे भूजल दोहन के सम्बन्ध में OA No. 392/2022 दायर की गयी है, जो वर्तमान में विचारधीन है, का संदर्भ ग्रहण करने का कष्ट करें। उक्त योजित OA No. 392/2022 में पारित आदेश दिनांक 05.07.2022 के अनुपालन हेतु जिलाधिकारी महोदय द्वारा संयुक्त समिति गठित की गयी है। संयुक्त समिति द्वारा परियोजना का निरीक्षण दिनांक 27.09.2022 को किया गया। निरीक्षण के समय परियोजना में जल आपूर्ति हेतु 2 बोरवेल (क्षमता 7.5 एचपी, 10 एचपी) स्थापित पाये गये। निरीक्षण के समय उपस्थित प्रतिनिधि द्वारा भूजल निष्कर्षण हेतु उ0प्र0 भू-गर्भ जल विभाग की अनुमति उपलब्ध नहीं करायी गयी।

कार्यालय अभिलेखों के अनुसार परियोजना को राज्य बोर्ड से संचालनार्थ सहमति जल एवं वायु प्राप्त है। राज्य बोर्ड से निर्गत सहमति जल एवं वायु के विशिष्ट शर्ता में परियोजना को भूजल निष्कर्षण हेतु उ0प्र0 भूगर्भ जल विभाग से अनुमति प्राप्त करने के उपरान्त ही जल निष्कर्षण हेतु मान्य है।

अतः आपको निर्देशित किया जाता है कि परियोजना संचालन हेतु आवश्यक जल निष्कर्षण के संबंध में उ0प्र0 भूगर्भ जल विभाग की अनुमति/अनापत्ति प्रमाण पत्र प्राप्त कर एक सप्ताह के भीतर इस कार्यालय में प्रेषित किया जाना सुनिश्चित क

भवदीय

(Signature)

(भुवन प्रकाश यादव)
 क्षेत्रीय अधिकारी

प्रतिलिपि

1. मुख्य पर्यावरण अधिकारी (वृत्त-1): उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ को सूचनाार्थ एवं आवश्यक कार्यवाही हेतु सादर प्रेषित।
2. सीनियर हाइड्रोलॉजिस्ट, उ0प्र0 भूगर्भ जल विभाग, गौतमबुद्धनगर को इस आशय से प्रेषित कि उक्त परियोजना के विरुद्ध मा0 अधिकरण के आदेश के अनुपालन में नियमांनुसार आवश्यक कार्यवाही करने का कष्ट करें।

क्षेत्रीय अधिकारी



1271
798

दिनांक- 22/12/2022

सेवा में

श्रीमान् क्षेत्रीय अधिकारी
उत्तर प्रदेश प्रदूषण नियन्त्रण बोर्ड
ए-1, प्रथम तल, कॉमर्शियल कांम्प्लेक्स,
बीटा-2, ग्रेटर नोएडा, गौतमबुद्धनगर (उ०प्र०)

विषय- आपके पत्रांक 1099/एनजीटी-54/22 दिनांक 05/12/22 के सन्दर्भ में-

महोदय,

आपके कार्यालय द्वारा पत्रांक 1099/एनजीटी-54/22 दिनांक 05/12/22 के विषयक में आपको अवगत कराना चाहते हैं कि इसके सम्बंध में उ०प्र० भू-गर्भ जल विभाग से आवश्यक अनापत्ति प्रमाण पत्र प्राप्त करने हेतु सी०जी०डब्लू०ए० में दिनांक 24/05/2017 को आवेदन स० 21-4/2172/उ०प्र०/आईएनएफ/2017 के माध्यम से पूर्व में ही आवेदन हो चुका है जिसके बाद आपके कार्यालय द्वारा दिनांक 07/09/2022 को सूचित किया गया कि हमें अनापत्ति प्रमाण पत्र प्राप्त करने के लिए उ०प्र० भू-गर्भ जल विभाग में आवेदन करना है। उसके उपरान्त हमारे द्वारा उ०प्र० भू-गर्भ जल विभाग में दिनांक 19/09/2022 को आवेदन किया जा चुका है जोकि अभी विचाराधीन है।

संलग्न

1. आवेदन प्रति सी०जी०डब्लू०ए०
2. आवेदन प्रति उ०प्र० भू-गर्भ जल विभाग

22/12/2022
क्षेत्रीय कार्यालय,
उत्तर प्रदेश प्रदूषण नियन्त्रण बोर्ड,
ग्रेटर नोएडा।

कृते सोलिटैयर इन्फ्राहोम प्रा० लि०

For Solitaire Infrahome Pvt. Ltd.

अधिकृत हस्ताक्षरी

Solitaire Infrahome Pvt. Ltd.

Regd. Off. : S-551, School Block, Shakarpur, Delhi-110092
Corp. Off. : Chamber No-02, Second Floor, VVIP Style, Raj Nagar Extension,
NH-58, Ghaziabad - 201017 Uttar Pradesh
E-mail id : info@vvipspaces.com
Website : www.vvipgroup.in

RERA No. : UPRERAPRJ3390 (Ph-I, VVIP Homes)
RERA No. : UPRERAPRJ3977 (Ph-II, VVIP Homes)
GSTIN : 09AAFCA3459H1ZK
CIN : U70109DL2005PTC140262

Customer Care : +91 8826-90-2020 / 8826-92-2020
Sales & Marketing Enquiry : +91 8826-52-3030 / 8826-53-3030



1272
799

To

The District Magistrate

Date : 28/12/2022

Gautam Budh Nagar

Uttar Pradesh

Respected Sir,

This is to request your good self that we have around 900 families residing in the high rise society. Currently we don't have Ganga water supply from greater Noida authority and we are continuously perusing for ganga water supply. Currently Greater Noida industrial development authority has not provided ganga water supply to our society and borewell is the only source of water, currently we are having 02 borewells of 10 HP each. We have applied online application at Nivesh Mitra portal for Ground water abstraction in UP Ground water Department, which is presently pending with UPGWD side.

Therefore we request you kindly do not seal the borewells till we get ganga water supply from the authority, as humanitarian ground of basis need of above families

We would respect your kind support in this regard and oblige.

Thanking you in anticipation.

Kind regards

For Solitaire Infra Home Pvt. Ltd

Jagdish Pandey (Sr. G.M)

CC: For Kind Perusal and necessary action please

1. CEO, Greater Noida Industrial development Authority, Greater Noida
2. UP Pollution Control Board, Greater Noida
3. UP Ground water Department, Gautam Budh Nagar

Solitaire Infrahome Pvt. Ltd.

Regd. Off: S-551, School Block, Shakarpur, Delhi-110092
Corp. Off: Chamber No-02, Second Floor, VVIP Style, Raj Nagar Extension,
NH-58, Ghaziabad - 201017 Uttar Pradesh
E-mail id: info@vvipspaces.com
Website: www.vvipspaces.com

RERA No. : UPRERAPRJ3390 (Phd. VVIP Home)
RERA No. : UPRERAPRJ3977 (Phd. VVIP Home)
GSTIN : 09AAFCA3459H1ZK
CIN. : U70109DL2005PTC140262

Customer Care : +91 8826-90-2020 / 8826-92-2020
Sales & Marketing Enquiry : +91 8826-52-3030 / 8826-53-3030



1273

दिनांक 1980/5/1

दिनांक 27/1/83

800

भारत सरकार द्वारा स्थापित प्रदूषण नियंत्रण बोर्ड (पी.सी.बी.) द्वारा
अधिनियम 1981 के प्रावधानों के अनुपालन के संबंध में।

विषय जल (प्रदूषण निवारण एवं नियंत्रण) अधिनियम 1974 एवं जल (प्रदूषण निवारण एवं नियंत्रण) अधिनियम 1981 के प्रावधानों के अनुपालन के संबंध में।

उपरोक्त विषय का सक्षम सचिव, ग्रेटर नोएडा, उत्तर प्रदेश के आदेश परियोजना का निरीक्षण इस प्रकार किया गया कि अतिरिक्तों द्वारा दिनांक 21.01.2023 का संशोधन प्रतिनिधि श्री मधुसूदन लखवी जी द्वारा उपरोक्त में किया गया। कार्यालय अतिरिक्तों के अनुसार परियोजना का संचालन कार्य राज्य बोर्ड से अनुमति जल/वायु प्राप्त है जिसकी प्रतिलिपि दिनांक 31.12.2021 तक है। उपरोक्त परियोजना के संचालन कार्य बोर्ड से सहमति प्राप्त/वायु प्राप्त नहीं है। निरीक्षण के दौरान परियोजना से उत्पन्न घरेलू सीवेज के शुद्धिकृत हस्त-स्थानित एस०टी०पी० का संचालन संचालन होता नहीं पाया गया जिसमें मुख्य रूप से एस०टी०पी० टैंक में एस०एल०एस०एस० की मात्रा अल्प पायी गयी। निरीक्षण के दौरान आंशिक सीवेज एस०टी०पी० के माध्यम से शुद्धिकरण किया जा रहा है एवं अशुद्धित सीवेज का शेष भाग सीधे नाले में निस्तारित किया जाता पाया गया। उक्त से स्पष्ट है कि परियोजना द्वारा उत्पन्न (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1974 के आदेशों, प्रावधानों का अनुपालन नहीं किया जा रहा है। निरीक्षण के दौरान पायी गयी कमियों के निराकरण हेतु निम्न किन्तु अनुपालन हेतु निर्देशित किया जाता है-

- परियोजना में स्थापित एस०टी०पी० के रख-रखाव एवं सुचारु संचालन सुनिश्चित किया जाये जिससे निस्तारित हो रहे अशुद्धित की गुणता सर्वसमानकों के अनुरूप रहे तथा परियोजना में स्थापित एस०टी०पी० के संचालन सम्बन्धी तालमेल मंजूर किया जाये।
- परियोजना परिसर से किसी भी दशा में अशुद्धित घरेलू सीवेज निस्तारित न हो सुनिश्चित किया जाये।
- परियोजना के संचालनार्थ राज्य बोर्ड से सहमति जल/वायु नवीनीकरण कराया जाना सुनिश्चित करे।
- परियोजना में दृगर्भीय जल के निस्कर्षण हेतु 10प्र० मुगम जल विभाग से अनुमति प्राप्त किया जाना सुनिश्चित करे।

उक्त किन्तुओं की अनुपालन आख्या पत्र प्राप्ति के एक सप्ताह में इस कार्यालय का प्रेषित किया जाना सुनिश्चित करे। अन्यथा की दशा में परियोजना के विरुद्ध नियमानुसार वर्गीत अधिनियमों के अन्तर्गत पर्यावरणीय क्षतिपूर्ति अधिनियम करते हुये विधिक कार्यवाही की जायेगी जिसका सम्पूर्ण व्यय परियोजना एवं परियोजना के जिम्मेदार व्यक्ति/इंजीनियर का होगा।

भवदीय

(राजेश्वराम)
क्षेत्रीय अधिकारी

प्रतिनिधि मुख्य पर्यावरण अधिकारी (जल) 30 प्र० प्रदूषण नियंत्रण बोर्ड, जखनस, जल संचालन एवं आवश्यक कार्यवाही हेतु सादर प्रेषित।
क्षेत्रीय अधिकारी

1274

BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
ORIGINAL APPLICATION NO. 392/ 2023

IN THE MATTER OF:

Prasoon Pant & Ors.

...Applicants

Vs.

Union of India & Ors.

...Respondents

VAKALATNAMA

I, Bhageshwar Tyagi S/o Sunder Lal Tyagi, Manager in the Respondent company having its office at S-551, Shakarpur, New Delhi-110092, do hereby appoint:-

SUNITA BHARDWAJ/ARUN SHUKLA/RUDRASHISH BHARDWAJ

D-38/93:D/2491/2017

9868535388/9560895924

Office Add.:

27, Barakhamba Road, New Delhi -110001

(Hereinafter called the advocate/s) to be my advocate in the above noted case and authorize him/them:-

To act, appear and plead in the above noted case in this court or in any other Court in which the same may be heard and also in any appellate Court, subject to payment of fee separately for each court by me.

To sign, file, verify and present pleadings, appeals, objections or petitions for execution, review, revision, withdrawal, compromise or other petitions or affidavits or other documents as may be necessary or proper for the prosecution of the said case in all its stages.

To file and take back documents, to admit and /or deny to documents of opposite party.

To withdraw compromise of the said case or submit to arbitration any differences or disputes that may arise touching on in any manner relating to the said case.

1275

To deposit, draw and receive money, cheque, cash and grant receipts thereof and to do all other acts and things which may be necessary to be done for the progress and in the course of the prosecution of the said case.

To appoint and instruct any other Legal Practitioner, authorizing him to exercise the power and authority hereby conferred upon the Advocate whenever he may think fit to do so and to sign the Power of Attorney on our behalf.

And I undersigned do hereby agree to ratify and confirm all acts done by the Advocate or his substitute on the matter as my own acts as if done by me to all intents and purpose.

And I undertake that my duly authorized agent or I would appear in the court on all hearings and will inform the Advocate for all appearance when the case is listed or called for.

And I undersigned so hereby agree not to hold the Advocate or his substitute responsible for the result of the said case.

The adjournment cost whenever ordered by the court in favour of the petitioner shall be of the Advocate, which he shall receive and retain himself.

And I undersigned do hereby agree that in the event of the whole of part of the fee agreed by me to be paid to the Advocate remaining unpaid he shall be entitled to withdraw from the prosecution of the said case until the same is paid up.

The fee settled is only for the above case and above Court. I hereby agree that once the fee is paid, I will not be entitled for the refund of the same in any cases whatsoever. If the case lasts for more than 3 year the Advocate shall be for additional fee equivalent to half of the agreed fee for any additional or part thereof.

IN WITNESS WHEREOF I do hereunto set my hand in these present contents of which have been understood by me on this 18 day of March, 2024.

Accepted subject to the terms of fees:


ADVOCATES


CLIENT