



क्षेत्रीय कार्यालय एवं प्रयोगशाला  
उत्प्रेषण प्रदूषण नियंत्रण बोर्ड  
जे-1, ज्ञान सरोवर कालोनर,  
रामघाट रोड, अलीगढ़-202001

पत्रांक 2334/0A-426/2024

दि०-31-01-2024

To,

The Registrar General,  
Hon'ble National Green Tribunal,  
New Delhi.

**Sub:- Response on behalf of U.P. Pollution Control Board in the matter of O.A No. 426 of 2023 Surendra Singh Chouhan Vs State of U.P. & Ors. as per order of Hon'ble National Green Tribunal dated 10.10.2023.**

Respected Sir,

Hon'ble NGT has passed an order dated 10.10.2023 in O.A. No. 426/2023 Surendra Singh Chouhan Vs State of U.P. & Ors. The operative part of the order is as under:-

- “.....2. In view of the observations made in the report, we consider it appropriate to seek response of (1) the State of U.P. through the District Magistrate, Harduaganj, (2) the Divisional Railway Manager, Northern Central Zone, (3) UPPCB, through its Member Secretary, (4) M/s Mangalam Cement CDF, Complex, Anoopsahar Road, Cherat. District – Aligarh and (5) M/s P&P Exim Pvt. Ltd., Sootmil Chauraha, Aligarh who are impleaded as respondents no. 1 to 5.
3. The Registry is directed to prepare and attach memo of parties with the application and to issue notices to respondents no. 1 to 5 requiring them to file their reply/response within two month by e-mail at [judicialngt@gov.in](mailto:judicialngt@gov.in) preferably in the form of searchable PDF/OCR Supported PDF and not in the form of Image PDF.
4. List for further consideration on 06.02.2024 with O.A. No. 537/2022 titled as Mukesh Kumar Chauhan Vs. State of U.P. & Ors.
5. A copy of this order may be placed with the connected file of O.A. No. 457/2023.”

Please find enclosed herewith response on behalf of U.P. Pollution Control Board in compliance of the above directions of Hon'ble National Green Tribunal for kind perusal and necessary action.

Encl: As above

Your's Sincerely,

(Dr. J.P. Singh)  
Regional Officer

Copy: For necessary action please.

1. Chief Environment Officer, C-4, U.P. Pollution Control Board, Lucknow.
2. Chief Law Officer, U.P. Pollution Control Board, Lucknow.
3. Sri Pradeep Mishra, Counsel, Hon;ble NGT, New Delhi.

Regional Officer

**Response on behalf of U.P. Pollution Control Board in the matter of O.A No. 426 of 2023  
Surenra Singh Chouhan Vs State of U.P. & Ors. as per order of Hon'ble National Green  
Tribunal dated 10.10.2023.**

Hon'ble NGT has passed an order dated 10.10.2023 in O.A. No. 426/2023 Surenra Singh Chouhan Vs State of U.P. & Ors. The operative part of the order is as under:-

".....2. In view of the observations made in the report, we consider it appropriate to seek response of (1) the State of U.P. through the District Magistrate, Harduaganj, (2) the Divisional Railway Manager, Northern Central Zone, (3) UPPCB, through its Member Secretary, (4) M/s Mangalam Cement CDF, Complex, Anoopsahar Road, Cherat. District – Aligarh and (5) M/s P&P Exim Pvt. Ltd., Sootmil Chauraha, Aligarh who are impleaded as respondents no. 1 to 5.

3. The Registry is directed to prepare and attach memo of parties with the application and to issue notices to respondents no. 1 to 5 requiring them to file their reply/response within two month by e-mail at [judicialngt@gov.in](mailto:judicialngt@gov.in) preferably in the form of searchable PDF/OCR Supported PDF and not in the form of Image PDF.


4. List for further consideration on 06.02.2024 with O.A. No. 537/2022 titled as Mukesh Kumar Chauhan Vs. State of U.P. & Ors.

5. A copy of this order may be placed with the connected file of O.A. No. 457/2023.

In compliance of the earlier direction passed by the Hon'ble National Green Tribunal on 01.08.2023 the Joint Committee of the officials of District Administration Aligarh and Regional Officer, U.P. Pollution Control Board Aligarh visited the site on 12.09.2023. The report of Joint Committee was submitted before the Hon'ble Tribunal. The copy of report is enclosed as **Annexure-I**

- 2- The Environmental Compensation of Rs. 1,68,750/- against Station Superintendent, Harduaganj Railway Station, Aligarh has been imposed vide letter dt. 22.09.2023 by U.P. Pollution Control Board as recommended by Regional Office, U.P. Pollution Control Board, Aligarh. The copy of the letter dt. 22-09-2023 is enclosed as **Annexure-II**
- 3- The online Consolidated Consent to Operate and/or Authorization application dt. 27.10.2023 has been submitted by unit M/s Goods Shed Harduaganj, Railway Station Harduaganj, Aligarh has been refused by the Regional Officer, U.P. Pollution Control Board, Aligarh on 01.12.2023. The copy of the refusal letter dt. 01.12.2023 is enclosed as **Annexure-III**
- 4- As per official record the imposed Environmental Compensation of Rs. 1,68,750/- has not been deposited by the Station Superintendent, Harduaganj Railway Station, Aligarh. The Member Secretary, U.P. Pollution Control Board has requested District Magistrate, Aligarh to recover the amount of imposed Environmental Compensation of Rs. 1,68,750/- as arrear of land revenue. The copy of the letter dt. 30.10.2023 is enclosed as **Annexure-IV**.
- 5- At present M/s Goods Shed Harduaganj, Railway Station Harduaganj, Aligarh has not applied for the online Consolidated Consent to Operate and/or Authorization application.
- 6- Ambient Air Quality monitoring was conducted by Regional Office, U.P. Pollution Control Board, Aligarh on dt. 29.01.2024 at Harduaganj, Railway Station, Harduaganj, Aligarh. Ambient Air Quality report is not as per the prescribed standards. **Annexure-V**

With reference to the Hon'ble NGT order dated 10.10.2023, the aforesaid Response is being hereby filed.

  
**Regional Officer,  
U.P. Pollution Control Board,  
Aligarh**



21  
क्षेत्रीय कार्यालय एवं प्रयोगशाला  
उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड,  
जे-1, ज्ञान सरोवर कॉलोनी, रामघाट रोड, अलीगढ़

ANNEXURE-I

Anx-I

पत्रांक 1223/OANo-537/23

दिनांक 12-9-23

सेवा में,

मुख्य पर्यावरण अधिकारी (वृत्त-4),  
उ०प्र० प्रदूषण नियंत्रण बोर्ड,  
लखनऊ।

विषय: बोर्ड मुख्यालय, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ के पत्र संख्या-एच88949/सी-4/सा-II-844/2022 दिनांक 11.02.2023 के द्वारा रू० 1,68,750/- (रू० एक लाख अड़सठ हजार सात सौ पच्चास मात्र) की पर्यावरणीय क्षतिपूर्ति अधिरोपित किये जाने हेतु जारी कारण बताओं नोटिस के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक बोर्ड मुख्यालय के पत्र संख्या-एच88949/सी-4/सा-II-844/2022 दिनांक 11.02.2023 का सन्दर्भ ग्रहण करने का कष्ट करें। शिकायती स्थल मै० हरदुआगंज रेलवे स्टेशन, हरदुआगंज, अलीगढ़ का निरीक्षण इस कार्यालय द्वारा दिनांक 12.09.2023 को किया गया। विस्तृत निरीक्षण आख्या पत्र के साथ संलग्न कर इकाई को जारी कारण बताओं नोटिस की पुष्टि सहित आख्या आपके अवलोकनार्थ एवं अग्रिम आवश्यक कार्यवाही हेतु सादर प्रेषित है।  
संलग्नक:- उपरोक्तानुसार।

भवदीय

(डॉ० जे०पी० सिंह)  
क्षेत्रीय अधिकारी (प्र०)

बोर्ड मुख्यालय, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ के पत्र संख्या-एच88949/सी-4/सा-II-844/2022 दिनांक 11.02.2023 के द्वारा रू० 1,68,750/- (रू० एक लाख अडसठ हजार सात सौ पच्चास मात्र) की पर्यावरणीय क्षतिपूर्ति अधिरोपित किये जाने हेतु जारी कारण बताओं नोटिस के सम्बन्ध में शिकायती स्थल हरदुआगंज रेलवे स्टेशन, हरदुआगंज, अलीगढ़ की निरीक्षण आख्या।

मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में दायर ओ.ए. संख्या-426/2023 सुरेन्द्र सिंह चौहान बनाम उ०प्र० राज्य में दिनांक 01.08.2023 को आदेश पारित किया गया है। उक्त आदेश के मुख्य विन्दु निम्नवत् हैं:-

1. The grievance in this present application is regarding air pollution caused in the area of Village Satha, District Aligarh, UP during loading and unloading of clinker by Birla Uttam Cement Company, C.D.F., Cherat at Harduaganj Railway Station.
2. The applicant has submitted that clinker is being loaded and unloaded at the above-mentioned Railway Station by the Project Proponent for the last six years. The air and dust pollution caused during loading and unloading of clinker is posing serious health hazards to the residents of the locality and is also adversely affecting fertility of the adjoining agricultural land.
3. Prima facie, the averments made in the application raise questions relating to environment arising out of the implementation of the enactments specified in Schedule I to the National Green Tribunal Act, 2010. In view of the averments made in the application, we consider it appropriate that a Joint Committee be constituted to verify the factual position and take appropriate remedial action. Accordingly, we constitute a Joint Committee comprising of State PCB and District Magistrate, Aligarh and direct the same to meet within one week, undertake visits to the site, look into the grievances of the applicant, associate the applicant and representative of the concerned project proponent, verify the factual position and take appropriate remedial action by following due course of law and giving opportunity of being heard to the project proponent. The State PCB will be the nodal agency for coordination and compliance.
4. Factual and Action taken Report may be submitted within one month by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR Supported PDF and not in the form of Image PDF.
5. List for further consideration on 10.10.2023.
6. A copy of this order, along with a copy of the application and documents attached with the same, be forwarded to the Member Secretary, State PCB and District Magistrate, Aligarh by e-mail for requisite compliance.

मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में दायर ओ०ए० संख्या-457/2023 एस०एस० सिंह बनाम उ०प्र० राज्य में पारित आदेश दिनांक 02.08.2023 के मुख्य अंश निम्नवत् है-

1. The grievance in this present application is regarding air pollution caused in the area of Village Cherat, District Aligarh, UP during loading and unloading of clinker by Mangalam Cement Company, Cherat at Harduaganj Railway Station.
2. The applicant has submitted that clinker is being loaded and unloaded at the above-mentioned Railway Station by the Project Proponent for the last seven years. The air and dust pollution caused during loading and unloading of clinker is posing serious health hazards to the residents of the locality and is also adversely affecting fertility of the adjoining agricultural land.
3. Similar matter (O.A. No. 426/2023) complaining about air pollution by loading and unloading of clinker at Harduaganj Railway Station came up for hearing before this Tribunal and this Tribunal vide order dated 01.08.2023 constituted a joint Committee with direction to verify the factual position and submit factual and action taken report within one 2 month by e-mail at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR Supported PDF and not in the form of Image PDF.
4. List for further consideration on 10.10.2023 along with O.A. No. 426/2023.

नई दिल्ली द्वारा जारी आदेश दिनांक 01.08.2023 एवं 02.08.2023 के अन्तर्गत शिकायती स्थल हरदुआगंज, रेलवे स्टेशन, हरदुआगंज, अलीगढ़ पर क्लिंकर की लोडिंग-अनलोडिंग से जनित वायु प्रदूषण की जांच किये जाने हेतु जिलाधिकारी-अलीगढ़ के कार्यालय आदेश संख्या-1087/ओ.एं. नं.-426/2023 दिनांक 17.08.2023 (छायाप्रति संलग्न-1) के द्वारा निम्नलिखित अधिकारियों की संयुक्त समिति गठित की गयी है-

1. उप जिलाधिकारी, तहसील-कोल, जनपद अलीगढ़।
2. सहायक पर्यावरण अभियन्ता/अवर अभियन्ता, उ०प्र० प्रदूषण नियंत्रण बोर्ड, अलीगढ़।

सदस्य सचिव, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ के पत्र संख्या-एच९९७२१/सी-४/विधि/एन.जी.टी. नं.-४५७/२०२३ दिनांक २२.०८.२०२३ (छायाप्रति संलग्नक-२) के द्वारा क्षेत्रीय अधिकारी (प्रभारी), उ०प्र० प्रदूषण नियंत्रण बोर्ड, अलीगढ़ को राज्य बोर्ड के प्रतिनिधित्व हेतु नामित किया गया है।

शिकायती स्थल हरदुआगंज, रेलवे स्टेशन, हरदुआगंज, अलीगढ़ का निरीक्षण इस कार्यालय द्वारा दिनांक 12.09.2023 को किया गया। निरीक्षण एवं वार्ता के समय निम्नलिखित व्यक्ति उपस्थित थे:-

1. श्री डी.के. गौतम, स्टेशन अधीक्षक, हरदुआगंज रेलवे स्टेशन, हरदुआगंज, अलीगढ़।
2. श्री हेमराज मीना, चीफ गुड सुपरवाइजर, हरदुआगंज रेलवे स्टेशन, हरदुआगंज, अलीगढ़।
3. श्री मनीष कुमार, प्रबंधक, मै० मंगलम सीमेण्ट, सी०डी०एफ० काम्प्लेक्स, छेरत, अनूपशहर रोड, अलीगढ़।
4. श्री संजय यादव, प्रबंधक, मै० विजन नेक्स्ट रोड लॉजिस्टिक प्रा०लि०, 103, क्लासिक होम्स अपार्टमेंट, मैरिस रोड, अलीगढ़।
5. श्री राजा, सुपरवाइजर, मै० पी एण्ड पी एक्जिम प्रा०लि०, सूतमिल चौराहा, जनपद-अलीगढ़।

निरीक्षण आख्या निम्नवत् है:-

1. निरीक्षण के समय रेलवे स्टेशन हरदुआगंज, अलीगढ़ के अक्षांश-27.990085 देशान्तर-78.127543 पाये गये।
2. निरीक्षण के समय रेलवे स्टेशन हरदुआगंज, अलीगढ़ के रेलवे साइडिंग की लाइन नं.-14 के किनारे क्लिंकर की लोडिंग/अनलोडिंग का कार्य होता हुआ पाया गया, निरीक्षण के समय खींचे गये फोटोग्राफ संलग्न है। (संलग्नक-3)
3. निरीक्षण के समय पाया गया कि मै० मंगलम सीमेण्ट, सी०डी०एफ० काम्प्लेक्स, छेरत, अनूपशहर रोड, अलीगढ़ के द्वारा ट्रांसपोर्ट एजेन्सी मै० पी एण्ड पी एक्जिम प्रा०लि०, सूतमिल चौराहा, जनपद-अलीगढ़ के माध्यम से रेलवे स्टेशन हरदुआगंज, अलीगढ़ के रेलवे साइडिंग की लाइन नं.-14 के किनारे क्लिंकर की लोडिंग/अनलोडिंग कर ट्रकों के द्वारा क्लिंकर को भरकर मै० मंगलम सीमेण्ट, सी०डी०एफ० काम्प्लेक्स, छेरत, अनूपशहर रोड, अलीगढ़ तक आवागमन किया जाता है।
4. निरीक्षण के समय रेलवे स्टेशन हरदुआगंज, रेलवे साइडिंग के लाइन नं.-14 के किनारे स्थित लोडिंग/अनलोडिंग के मार्ग पर वाटर सिप्रिकलिंग का कार्य होता हुआ नहीं पाया गया। निरीक्षण के समय रथल पर स्थापित 02 नग पोर्टेवल एन्टी स्मॉगगन संचालित नहीं पाये गये।
5. निरीक्षण के समय हरदुआगंज, रेलवे साइडिंग पर वाहनों के आवागमन एवं लोडिंग/अनलोडिंग से जनित डस्ट के नियंत्रण हेतु रेलवे स्टेशन, हरदुआगंज की पूरव एवं पश्चिम दिशा में लगभग-20 फीट ऊँची तथा लगभग-600 मीटर दोनों तरफ लम्बाई में अस्थाई ग्रीन नेट स्थापित पायी गयी, जोकि निरीक्षण के समय क्षतिग्रस्त पायी गयी। (फोटोग्राफ संलग्न-4)।
6. बोर्ड मुख्यालय, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ के पत्र संख्या-एच८८९४९/सी-४/सा-II-844/2022 दिनांक 11.02.2023 (छायाप्रति संलग्नक-5) के द्वारा ₹० 1,68,750/- (₹० एक लाख अड़सठ हजार सात सौ पच्चास मात्र) की पर्यावरणीय क्षतिपूर्ति अधिरोपित किये जाने हेतु कारण वताओं नोटिस जारी किया गया है।

267  
243

7. हरदुआगंज, रेलवे स्टेशन, हरदुआगंज, अलीगढ़ पर क्लिंकर की लॉडिंग-अनलोडिंग से जनित वायु प्रदूषण सम्बन्ध में मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 नं.-537/2022 मुकेश कुमार बंनम स्टेट ऑफ यू0पी0 एवं अन्य विचाराधीन है, जिसमें दिनांक 28.08.2023 को आदेश पारित गया है, जोकि निम्नवत् है-
- 1- Pursuant to service of notice on respondent no. 8 in compliance of order dated 24.05.2023, Mr. Manu Garg, Advocate has appeared on behalf of respondent no. 8. Reply on behalf of respondent no. 8 has also been filed vide email dated 26.08.2023.
  - 2- Action Taken Report has also been filed by DRM, North Central Railway, Prayagraj vide email dated 25.08.2023
  - 3- In the above said Action Taken Report, it has been mentioned that applications for consent filed on behalf of DRM, North Central Zone, Prayagraj Division, U.P. were rejected twice by UPPCB.
  - 4- Learned Counsel for UPPCB has submitted that UPPCB will look into the matter of grant of consent on requisite compliance/issuing appropriate directions for closure.
  - 5- Mr. Himanshu Badoni, DRM, North Central Zone, Prayagraj Division, U.P. has appeared before this Tribunal through VC and we have interacted with him. Mr. Himanshu Badoni, DRM, North Central Zone, Prayagraj Division, U.P has mentioned that tender has been floated and the requisite remedial measures are being taken.
  - 6- In reply filed by respondent no. 5 it has been mentioned that brand new green cloth has been provided on both sides of the railway sidings. We are of the considered view that till the time long term remedial measures are executed, the aspect of replacement of green cloth with tin sheets may also be considered for the purpose of preventing/controlling the dust pollution likely to be generated during loading unloading of clinker.
  - 7- Learned Counsel for the respondents no. 2, 4 and 5 to 8 seek time for filing of Action Taken Report/Status Report regarding remedial measures.
  - 8- Action Taken Report/Status Report by respondents no. 2, 4 and 5 to 8 be filed within two months at judicial-ngt@gov.in preferably in the form of searchable PDF/OCR supported PDF and not in the form of Image PDF.
  - 9- List for further consideration on 02.11.2023

उपरोक्त तथ्यों को दृष्टिगत रखते हुए बोर्ड मुख्यालय, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ के पत्र संख्या-एच88949/सी-4/सा-II-844/2022 दिनांक 11.02.2023 (छायाप्रति संलग्नक-5) के द्वारा रू0 1.68.750/- (रू0 एक लाख अडसठ हजार सात सौ पच्चास मात्र) की पर्यावरणीय क्षतिपूर्ति अधिरोपित किये जाने हेतु जारी कारणां नोटिस की पुष्टि सहित निरीक्षण आख्या आपके अवलोकनार्थ एवं अग्रिम आवश्यक कार्यवाही हेतु प्रस्तुत है।

(जितेन्द्र कुमार शर्मा)  
प्रयोगशाला सहायक

(अजय कुमार)  
सहायक पर्यावरण अभियन्ता

क्षेत्रीय अधिकारी (प्र0)



## उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड UTTAR PRADESH POLLUTION CONTROL BOARD

पत्रांक : 110114 / सी-4/सा-II-844/पर्या0क्षति0/2023.

पंजीकृत  
दिनांक : 22-9-23

सेवा में

संरक्षण अधीक्षक,  
हरदुआगंज रेलवे स्टेशन,  
जनपद-अलीगढ़।

विषय : मै0 हरदुआगंज रेलवे स्टेशन, हरदुआगंज, जनपद-अलीगढ़ के विरुद्ध पर्यावरणीय क्षतिपूर्ति (Environmental Compensation) अधिरोपित किये जाने के सम्बन्ध में।

पहल में

मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में ओ0ए0 संख्या 537/2022 मुकेश कुमार चौहान बनाम स्टेट ऑफ यू0पी0 पारित आदेश दिनांक 05.09.2022 के अनुपालन में गठित संयुक्त समिति द्वारा हरदुआगंज रेलवे स्टेशन, अलीगढ़ के शिकायती स्थल का निरीक्षण दिनांक 10.11.2022 एवं क्षेत्रीय कार्यालय उ0प्र0 प्रदूषण नियंत्रण बोर्ड अलीगढ़ द्वारा 09.01.2023 को किया गया था। क्षेत्रीय कार्यालय, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, अलीगढ़ द्वारा पत्र संख्या-2905/ओ0ए0-537/22/2023, दिनांक 11.02.2023 के माध्यम से निरीक्षण आख्या मुख्यालय प्रेषित की गई जिसके अनुक्रम में मुख्यालय के पत्रांक -एच88949/सी-4/सा-II-844/2022 दिनांक-11.02.2023 द्वारा स्टेशन अधीक्षक हरदुआगंज रेलवे स्टेशन अलीगढ़ के विरुद्ध रू0 1,68,750/- (रू0 एक लाख अड़सठ हजार सात सौ पचास मात्र) पर्यावरणीय क्षतिपूर्ति अधिरोपित किए जाने हेतु कारण बताओ नोटिस जारी किया गया।

यह कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में दायर ओ0ए0 सं0-426/2023 सुरेन्द्र सिंह चौहान बनाम उ0प्र0 राज्य में पारित आदेश दिनांक 01.08.2023 एवं मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में दायर ओ0ए0 सं0-457/2023 एस0एस0 सिंह बनाम उ0प्र0 राज्य में पारित आदेश दिनांक 02.08.2023 तथा मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में दायर ओ0ए0 सं0-537/2022 मुकेश कुमार चौहान बनाम स्टेट ऑफ यू0पी0 व अन्य में पारित आदेश दिनांक 28.08.2023 के अनुपालन में शिकायती स्थल हरदुआगंज, रेलवे स्टेशन, हरदुआगंज, अलीगढ़ पर क्लिंकर की लोडिंग-अनलोडिंग से जनित वायु प्रदूषण की जांच किये जाने हेतु क्षेत्रीय कार्यालय उ0प्र0 प्रदूषण नियंत्रण बोर्ड, अलीगढ़ द्वारा द्वारा रेलवे स्टेशन, हरदुआगंज के शिकायती स्थल का निरीक्षण दिनांक 12.09.2023 को किया गया। निरीक्षण के दौरान रेलवे स्टेशन हरदुआगंज, अलीगढ़ के रेलवे साइडिंग की लाइन नं0-14 के किनारे क्लिंकर की लोडिंग/अनलोडिंग का कार्य होता हुआ पाया गया। निरीक्षण के समय पोर्टेबल एन्टी स्मॉगगन संचालित नहीं पाये गये तथा लोडिंग/अनलोडिंग के मार्ग पर वाटर स्प्रिंकलिंग का कार्य होता हुआ नहीं पाया गया। रेलवे साइडिंग पर वाहनों के आवागमन एवं लोडिंग/अनलोडिंग से जनित डस्ट के नियंत्रण हेतु अस्थाई ग्रीन नेट क्षतिग्रस्त स्थापित पायी गयी।

उक्त को दृष्टिगत रखते हुए क्षेत्रीय कार्यालय, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, अलीगढ़ द्वारा पत्रांक-1223/ओ0ए0 नं0-537/2023, दिनांक 12.09.2023 के माध्यम से प्रेषित आख्या में क्षेत्रीय अधिकारी, अलीगढ़ द्वारा मै0 हरदुआगंज रेलवे स्टेशन, हरदुआगंज, जनपद-अलीगढ़ के विरुद्ध बोर्ड मुख्यालय के पत्र सं0-एच88949/सी-4/सा-II-844/2022 दिनांक-11.02.2023 द्वारा जारी कारण बताओ नोटिस को पुष्टि करते हुए, दिनांक 14.12.2022 से दिनांक 09.01.2023 तक कुल 27 उल्लंघन दिवसों हेतु रू0 1,68,750/- (रुपया एक लाख अड़सठ हजार सात सौ पचास मात्र) की पर्यावरणीय क्षतिपूर्ति अधिरोपित किये जाने की संस्तुति की गई है।

अतः क्षेत्रीय कार्यालय, अलीगढ़ द्वारा प्रेषित आख्या/संस्तुति दिनांक 12.09.2023 के अनुक्रम में स्टेशन अधीक्षक, मै0 हरदुआगंज रेलवे स्टेशन, हरदुआगंज, जनपद-अलीगढ़ के विरुद्ध दिनांक 14.12.2022 से दिनांक 09.01.2023 तक कुल 27 उल्लंघन दिवसों हेतु रू0 1,68,750/- (रुपया एक लाख अड़सठ हजार सात सौ पचास मात्र) की पर्यावरणीय क्षतिपूर्ति अधिरोपित की जाती है एवं निर्देशित किया जाता है कि पर्यावरणीय क्षतिपूर्ति की धनराशि को उ0प्र0 प्रदूषण नियंत्रण बोर्ड के यूनियन बैंक ऑफ इण्डिया, विभूति खण्ड गोमती नगर, लखनऊ के बैंक खाता सं0-701502010002104 IFSC Code UBIN0570150 में एक सप्ताह के प्रन्दर जमा कर जमा की गयी धनराशि का साक्ष्य क्षेत्रीय कार्यालय, अलीगढ़ एवं बोर्ड मुख्यालय, लखनऊ में प्रस्तुत करना सुनिश्चित करें।

राक्षम अधिकारी की अनुमति से निर्गत।

मुख्य पर्यावरण अधिकारी, वृत्त-4

प्रतिलिपि: निम्नलिखित को सूचनार्थ प्रेषित :-

1. जिलाधिकारी अलीगढ़।

2. क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, अलीगढ़ को इस निर्देश के साथ प्रेषित कि मै0 हरदुआगंज रेलवे स्टेशन, हरदुआगंज, जनपद-अलीगढ़ से उपरोक्तानुसार पर्यावरणीय क्षतिपूर्ति की धनराशि को बोर्ड मुख्यालय के खाते में जमा कराया जाना सुनिश्चित करें तथा इसकी पुष्टि की सूचना बोर्ड मुख्यालय को प्रेषित करें।

मुख्य पर्यावरण अधिकारी, वृत्त-4

टी सी - 12वीं, विभूति खण्ड,  
गोमती नगर, लखनऊ-226010  
ई-मेल-[info@uppcb.com](mailto:info@uppcb.com)  
वेबसाइट-[www.uppcb.com](http://www.uppcb.com)

F.C.-12V., Vibhuti Khand,  
Gomti Nagar, Lucknow-226010  
E-mail: [info@uppcb.com](mailto:info@uppcb.com)  
Web Site: [www.uppcb.com](http://www.uppcb.com)



Building.No. TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226 010  
Telephone: +91-522-2720831, 2720681, 2720691 (Fax): +91-522-2720764

Ref No. -

195531/UPPCB/Aligarh(UPPCBRO)/CTO/both/ALIGARH/2023

Dated : 01/12/2023

To ,

M/S GOODSSHED HARDUAGANJ  
GOODS SHED HARDUAGANJ  
Railway Station Harduaganj, Aligarh, U.P.,ALIGARH,202125  
ALIGARH

**Sub :** Consolidated Consent to Operate and/or Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) Application under section 25/26 of Water (Prevention & Control of Pollution) Act, 1974 as amended, under section 21/22 of Air (Prevention & Control of Pollution) Act, 1981 as amended and Authorization under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules , 2016.

Kindly refer to your Consolidated Consent to Operate and/or Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) application dated 27/10/2023 and received on 27/10/2023 under section 25/26 of Water (Prevention & Control of Pollution) Act, 1974 as amended, under section 21/22 of Air (Prevention & Control of Pollution) Act, 1981 as amended and Authorization under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016. Your application and the information submitted by you have been examined along with the facts found during inspection made by officers of UPPCB on 01/12/2023 . Your consent application is hereby refused due to following reason.

**Reasons :-**

CTO application submitted on dt. 27.10.2023. Online clarification was raised by this office on dt. 04.11.2023 for seeking the requisite information. The desired information has not been uploaded through online or off-line that the no documents have been submitted by the unit regarding establishment. The land papers have not been uploaded in the name of the person who is the owner/partner of the unit and the land use certificate has also not been uploaded. 2. The unit has not uploaded the information regarding air pollution control device with detail design. 3. The unit has not uploaded ground water NOC. 4. The unit has not uploaded ambient air quality report. The unit has not uploaded CA Certified Investment details (Fixed assist, Current assist & Current Liabilities). 5. The unit has not uploaded ambient air quality monitoring report. Industry submitted the reply of query, but its not satisfied. In the above circumstances desired information & above reasons it is not possible to process this application further necessary action. So its CTO application is being rejected /refused.

The Consolidated Consent to Operate and/or Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) Application under section 25/26 of Water (Prevention & Control of

(ion) Act, 1974 as amended, under section 21/22 of Air (Prevention & Control of Pollution) Act, 1986 as amended and Authorization under the provisions of Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 is hereby refused. Further, you are hereby informed to comply with the mandatory provisions of Water Act 1974, Air Act 1981 and HWM Rules 2016



This order is issued with the approval of competent authority.

Jaipal Singh (Authorized Signatory)  
Digitally signed by Jaipal Singh  
Date: 2023.12.01 12:49:53 +05'30'  
JAIPAL SINGH  
REGIONAL OFFICER (I)

Copy To -

CEO-4; U.P. Pollution Control Board, Lucknow.

Jaipal Singh Digitally signed by Jaipal Singh  
Date: 2023.12.01 12:50:04 +05'30'

JAIPAL SINGH  
REGIONAL OFFICER (I)  
(Authorized Signatory)



28

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड  
UTTAR PRADESH POLLUTION CONTROL BOARD

Anx-IV

पत्रांक : 14 07433 /सी-4/सा-11-846/2023

पंजीकृत  
दिनांक : 30-10-23

सेवा में  
जिलाधिकारी,  
अलीगढ़।

विषय: स्टेशन अधीक्षक, मै0 हरदुआगंज रेलवे स्टेशन, जनपद-अलीगढ़ के विरुद्ध अधिरोपित पर्यावरणीय क्षतिपूर्ति की भू-राजस्व की भौति वसूली के संबंध में।

महोदय

कृपया बोर्ड मुख्यालय के पत्र संख्या-एच01141/सी-4/सा-11-844/पर्या0क्षति0/2023, दिनांक 22.09.2023 का संदर्भ ग्रहण करने का कष्ट करें, जोकि आपको भी पृष्ठांकित है (छायाप्रति संलग्न)। उक्त पत्र के मध्यम से स्टेशन अधीक्षक, मै0 हरदुआगंज रेलवे स्टेशन, जनपद-अलीगढ़ के विरुद्ध रू0 1,68,750/- (रू0 एक लाख अड़सठ हजार सात सौ पचास मात्र) की पर्यावरणीय क्षतिपूर्ति अधिरोपित की गयी थी। बोर्ड अभिलेखों के अनुसार उद्योग द्वारा पर्यावरणीय क्षतिपूर्ति की धनराशि जमा नहीं की गयी है।

अतः आपसे अनुरोध है कि स्टेशन अधीक्षक, मै0 हरदुआगंज रेलवे स्टेशन, जनपद-अलीगढ़ के विरुद्ध पर्यावरणीय क्षतिपूर्ति की अधिरोपित धनराशि रू0 1,68,750/- (रू0 एक लाख अड़सठ हजार सात सौ पचास मात्र) को वसूली भू-राजस्व के वकाये की भौति करते हुए उ0प्र0 प्रदूषण नियंत्रण बोर्ड के यूनियन बैंक ऑफ इण्डिया, विभूति खण्ड, गोमती नगर, लखनऊ के बैंक खाता सं0-701502010002104 IFSC Code UBIN0570150 में जमा कराकर बोर्ड को सूचित करने का कष्ट करें।

संलग्नक उपरोक्तानुसार।

भवदीय,

(अजय कुमार शर्मा)  
सदस्य सचिव

प्रतिलिपि: निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित -

- 1 अनु सचिव, पर्यावरण अनुभाग-6, उ0प्र0 शासन, लखनऊ को इस अनुरोध के साथ प्रेषित कि प्रकरण पर शासन स्तर से नियमानुसार अग्रिम कार्यवाही करने का कष्ट करें।
- 2 क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, अलीगढ़ को इस निर्देश के साथ प्रेषित कि व्यवितगत रूप से जिलाधिकारी, अलीगढ़ से समन्वय स्थापित कर वसूली संबंधी कार्यवाही कराया जाना सुनिश्चित करें।

सदस्य सचिव

पता: 124, विभूति खण्ड,  
गोमती नगर, लखनऊ-226010  
ई-मेल: info@uppcb.com  
वेबसाइट: www.uppcb.com

T.C.-12V., Vibhuti Khand,  
Gomti Nagar, Lucknow-226010  
E-mail: info@uppcb.com  
Web Site: www.uppcb.com