

**BEFORE THE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH AT NEW DELHI**

ORIGINAL APPLICATION NO. 602 OF 2023

IN THE MATTER OF:

SARDAR SATNAM SINGH AND ORS. APPLICANT(S)

VERSUS

STATE OF UTTAR PRADESH & ORS. RESPONDENT(S)

INDEX

SL. No.	PARTICULARS	PAGE NO.
1.	Reply on behalf of the Respondent No.7 M/s. Bajaj Energy Private Limited along with affidavit.	1-10
2.	<u>ANNEXURE-R-7/1:</u> A photograph of the dry ash collection silos at the answering Respondent's Power Plant	11
3.	<u>ANNEXURE-R-7/2:</u> A photograph of the Ash pond near the Power Plant of the answering Respondent	12
4.	<u>ANNEXURE-R-7/3:</u> A copy of the monthly abstract of Ash Generation and utilisation for the period 01.04.2023 till 31.03.2024	13
5.	<u>ANNEXURE-R-7/4</u> A photograph showing bed ash temporarily stored by vendors at their land before sale/disposal	14
6.	<u>ANNEXURE-R-7/5 (Colly)</u> A copies of the photographs greenery at the answering Respondent's Power Plant and the nearby areas.	15-20
7.	<u>ANNEXURE-R-7/6:</u> A photograph showing Electrostatic Precipitators at the answering Respondent's Power Plant	21
8.	<u>ANNEXURE-R-7/7:</u> A photograph showing 110 Mt High Stack at the answering Respondent's Power Plant.	22

9.	<u>ANNEXURE-R-7/8:</u> A photograph showing closed pipeline based ash conveying system at the answering Respondent's Power Plant	23
10.	<u>ANNEXURE-R-7/9: (Colly)</u> A copies of photographs showing Effluent Treatment Plant and Sewage Treatment Plant at the answering Respondent's Power Plant	24-25
11.	<u>ANNEXURE-R-7/10:</u> A copy of the Test Reports issued by independent NABL accredited labs in respect of the answering Respondent's Power Plant, from time to time	26-46
12.	<u>ANNEXURE-R-7/11: (Colly)</u> A copies of photographs showing Continuous Emission Monitoring System in stack and Online Effluent Monitoring System at ETP outlet at the answering Respondent's Power Plant	47-48
13.	<u>ANNEXURE-R-7/12: (Colly)</u> A copy of the letters issued by Agriculture Dept., Fishery Department and Veterinary Department of District Shahjahanpur	49-51
14.	<u>ANNEXURE-R-7/13:</u> A photograph showing road leading to village Sadiya	52
15.	<u>ANNEXURE-R-7/14:</u> A photograph showing existence of Hume pipe installed by the answering Respondent	53
16.	Vakalatnama	54
17.	Proof of Service	55

FILED BY:


[SANJEEV KUMAR SINGH & SHIGHRA KUMAR]
(ADVOCATES FOR THE RESPONDENT NO.7)
 LEGAL VIBES (ADVOCATES & SOLICITORS)

NEW DELHI**Dated: 12.04.2024**

G-27, FIRST FLOOR,
 JANGPURA EXTENSION,
 NEW DELHI-110014.

PH: 011-43580335; 9560306295

EMAIL: legalvibes.lawfirm@gmail.com

**BEFORE THE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH AT NEW DELHI
ORIGINAL APPLICATION NO. 602 OF 2023**

IN THE MATTER OF:

SARDAR SATNAM SINGH AND ORS. APPLICANT(S)

VERSUS

STATE OF UTTAR PRADESH & ORS. RESPONDENT(S)

**REPLY ON BEHALF OF THE RESPONDENT NO.7 M/S. BAJAJ
ENERGY PRIVATE LIMITED.**

MOST RESPECTFULLY SHOWETH:

1. At the very outset the Respondent No. 7 M/s. Bajaj Energy Private Limited (hereinafter referred to as the “answering respondent”) submits that, save as would appear from the records or otherwise categorically and specifically admitted, each and every contention, allegations, statements and or assertions made by the Applicants in the above titled Petition, are being specifically denied as false and incorrect. It is submitted that the Application has been made with malafides and ulterior motives by the Applicants. That the fact the allegations in the Petition are false is *ex-facie* evident from the interim report dated 01.02.2024 filed by the Member Secretary, CPCB. The answering Respondent craves leave of this Hon’ble Tribunal to respond to each and every allegation made in the above titled Application to show and demonstrate that the said allegation is false and incorrect.

2. That the allegations made in the above titled Application that the Power Plant is causing pollution by throwing the fly ash by the side of Sharda Canal is false in as much as the quantity of fly ash generated in the power plant is very low because the generation capacity of the said power plant is only 2 X 45 MW (90 MW). The said plant operates for 230-240 days in a year because of frequent demand based reserve shutdowns give by the Uttar Pradesh Power Corporation Limited (UPPCL). The said power plant operates at very low annual Plant Load Factor (PLF). The Annual PLF for FY 2023-2024 was only 44.21%.
3. That furthermore, the answering Respondent follows a robust ash management system at the said power plant as would be seen from the points below:
 - a. For collection of the ash generated during plant operation, 3 nos of dry ash collection siloes are installed.
 - b. No wet ash disposal system is installed at the power plant.
 - c. In order to meet any exigency due to low/no ash demand in the market, an ash pond with capacity of 6000MT ash storage is also constructed.
 - d. The Power Plant has achieved 100% Ash utilisation. Bed ash, which is primarily used as sand replacement/brick making in construction activities is taken by the vendors. During low demand, this bed ash, in very small quantity,

is temporarily stored by such vendors at their land and once demand increases, it is used immediately.

- e. There is no throwing of ash by the side of canal, but is kept temporarily on a secured land with side bunds and regular water sprinkling to avoid any slippage into adjacent land or fugitive emissions.

A Photograph of the dry ash collection silos at the answering Respondent's Power Plant is annexed hereto as **ANNEXURE-R-7/1.**

A Photograph of the Ash pond of the answering Respondent is annexed hereto as **ANNEXURE-R-7/2.**

A copy of the monthly abstract of Ash Generation and utilisation for the period 01.04.2023 till 31.03.2024 is annexed hereto as **ANNEXURE-R-7/3.**

Copies of the Photograph showing bed ash temporarily stored by vendors at their land before sale/disposal is annexed hereto as **ANNEXURE-R-7/4 (Colly).**

4. Similarly, the allegation that there is no collection pond near the power plant for collecting the fly ash is also false and incorrect. It is submitted that in order to meet exigency any exigency due to low/no ash demand in the market, an ash pond with capacity of 6000MT ash storage is also constructed near the said power plant.

5. The allegation that there is no provision of greenery at the power plant is also false. It is submitted that the unit has already developed green belt covering an area of 13.85 acres in and around the power plant. Further, as advised by UPPCB, the unit has also developed Miyawaki Forest within the plant premises, which ensures plant growth 10 times faster and with 30 times higher density.

A Copies of the Photographs of greenery at the answering Respondent's Power Plant and its periphery are annexed hereto as **ANNEXURE-R-7/5. (Colly)**

6. The allegation that pollution is being caused by the Power plant of the answering respondent and as a result the nearby crops are being damaged is false and incorrect. It is submitted that the answering Respondent has made robust arrangements for the control of pollutants as follows:

- a. The answering Respondent has installed State of the Art high efficiency Electrostatic Precipitators (ESPs) at the power plant for the control of Particulate Matter from the stack.

A Photograph showing Electrostatic Precipitators at the answering Respondent's Power Plant is annexed hereto as **ANNEXURE-R-7/6.**

- b. The answering Respondent has installed 110 mt. high stack at the power plant for better dispersion of pollutants

A Photograph showing 110 Mt. High Stack at the answering Respondent's Power Plant is annexed hereto as **ANNEXURE-R-7/7.**

- c. The answering Respondent has installed closed pipeline based ash conveying system for the transport of ash from ESP to the dry ash siloes.

A photograph showing closed pipeline based ash conveying system at the answering Respondent's Power Plant is annexed hereto as **ANNEXURE-R-7/8.**

- d. The Dry ash from the silo is transported to be used in road construction, cement industries, brick making etc.

- e. Furthermore, Ash pond is constructed within the plant premises to temporarily store the ash in the case of low / no demand.

- f. Also, Effluent Treatment Plant of capacity 1000KLD and Sewage treatment Plant of capacity 50KLD are installed for the treatment of process and domestic effluent generated at the power plant.

A Copies of the Photographs showing Effluent Treatment Plant and Sewage Treatment Plant at the answering

Respondent's Power Plant are annexed hereto as

ANNEXURE-R-7/9. (Colly)

- g. Dense plantation is also carried out by the answering Respondent within and at the periphery of the plant premises to work as the greenbelt to curb emissions, if any from the power plant.
- h. In addition to the above, regular environmental monitoring of stack, ambient air, ground /surface water, effluents quality etc is carried out by the independent NABL Accredited and MoEF&CC approved agency. As per the analysis reports, monitored parameters are well within the permissible limits.

A Copies of the Test Reports issued by independent NABL accredited labs in respect of the answering Respondent's Power Plant, from time to time are annexed hereto as **ANNEXURE-R-7/10.**

- i. The answering Respondent has also installed Continuous Emission Monitoring System in stack and Online Effluent Monitoring System at ETP outlet and the data is connected to the PCB server for continuous vigilance.

A Copies of the Photographs showing Continuous Emission Monitoring System in stack and Online Effluent Monitoring System at ETP outlet at the answering Respondent's Power Plant is annexed hereto as **ANNEXURE-R-7/11.**

In view of above, there is no pollution caused because of power plant operation.

7. Pertinently, in order to ascertain that whether there is any impact of power plant operation on nearby crops, aquatic life and animals / cattles, the answering Respondent had also approached Agriculture Dept., Fishery Department and Veterinary Department of District Shahjahanpur and all the said departments have confirmed to the answering Respondent that there is no report of any adverse impact of operations in the power plant on crops, aquatic life and animals / cattles in the nearby areas.

Copies of letters issued by Agriculture Dept., Fishery Department and Veterinary Department of District Shahjahanpur are annexed hereto as **ANNEXURE-R-7/12 (Colly)**.

8. The allegation that the answering Respondent has thrown ash on the road leading to village Sadiya is false and incorrect. There is no dumping of fly ash on any side of the road leading to village Sadiya. The same was also evidenced during the site visit conducted by the Joint Committee appointed by this Hon'ble Tribunal.

A photograph showing road leading to village Sadiya is annexed hereto as **ANNEXURE-R-7/13**.

9. The allegation that polluted water from the plant is discharged in river Khannot which is affecting aquatic life and the health of cattles drinking the said water is false and incorrect. As stated above, because of robust environment control and monitoring steps taken by answering Respondent at the Power Plant, there is no discharge of any polluted water from the power plant. In fact, treated water from the power plant is totally reused for fire fighting, coal dust suppression, ash conditioning, dust quenching, and horticulture. Furthermore, as stated hereinabove, the Fishery Department and veterinary Department of District Shahjahanpur have also confirmed that there is no report of any adverse impact of operation of power plant on the aquatic life and animals/cattles in the nearby areas.
10. The allegation that air pollution is being caused by the Power Plant of the answering Respondent is false and incorrect. It is reiterated that on account of robust environment control and monitoring steps taken by plant, the environmental monitoring parameters are well within the permissible limits as set by the CPCB.
11. The allegation that Rain water drain is blocked by throwing the fly ash as a result of which the water logging takes place and the crops are being destroyed is false and hence denied. It is categorically stated that there is no blockage of rainwater drains by throwing the ash generated at the Power Plant.

In fact, for maintaining the free flow of water seepage from the Sharda canal, hume pipes are installed by the answering Respondent. Pertinently, the District Agriculture Officer, Shahjahanpur has also confirmed that there is no crop damage on account of the operation of the Power Plant of the answering Respondent.

A photograph showing existence of Hume pipe installed by the answering Respondent is annexed hereto as **ANNEXURE-R-7/14.**

12. In such circumstance the answering Respondent humbly prays for the dismissal of the present Application with exemplary costs and in the interest of justice, keeping in view the compliances and the steps undertaken by the answering Respondent and the fact that there is no violation as alleged by the Applicants in the above titled Application.


RESPONDENT NO.7

FILED BY:


[SANJEEV KUMARSINGH & SHIGHRA KUMAR]
(ADVOCATES FOR THE RESPONDENT NO.7)

LEGAL VIBES (ADVOCATES & SOLICITORS)

G-27, FIRST FLOOR,

JANGPURA EXTENSION,

NEW DELHI-110014.

PH: 011-43580335; 9560306295

EMAIL: legalvibes.lawfirm@gmail.com

NEW DELHI

Dated: 12.04.2024

**BEFORE THE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH AT NEW DELHI**

ORIGINAL APPLICATION NO. 602 OF 2023

IN THE MATTER OF:

SARDAR SATNAM SINGH AND ORS. APPLICANT(S)

VERSUS

STATE OF UTTAR PRADESH & ORS. RESPONDENT(S)

AFFIDAVIT

I, Arun Garg, S/o. Sh. M. K. Garg, aged about 46 years, having Regd. Office at:- Khambarkhera, Shardanagar Road, Kheri, Lakhimpur, Uttar Pradesh-261506, Presently at New Delhi, do hereby solemnly affirm and state as under:

1. That I am the (Assistant Vice President, Finance & Accounts) and the authorized representative of the Respondent No.7 M/s. Bajaj Energy Pvt. Ltd. and I have been duly authorized to file the present affidavit.
2. That being the authorised representative of the Respondent No.7 Company, I am well conversant with the facts and records of the case and therefore, competent to swear this affidavit.
3. I, have read and understood the contents of the reply to the Application which has been drafted as per my instructions and state that the contents thereof are true as per the verification.

[Signature]
DEPONENT


VERIFICATION :

I, Arun Garg, the deponent above named, do hereby verify declare that the contents of paras 1 to 3 of the above affidavit are true to my personal knowledge and that I have not suppressed any material facts.

Verified at New Delhi on this the 12 day of April 2024.

[Signature]
 Identified by *[Signature]*
 has Seen *[Signature]*
 New Delhi on 12 APR 2024
 That the Contents of the Affidavit which have been read & explained to him are true and correct to this knowledge.

[Signature]
DEPONENT



[Signature]
I identified the deponent who has signed in my presence





Ministry of Power
Central Electricity Authority
Thermal Civil Design Division

Monthly Abstract of Ash Generation and Utilization
(For the Period from 1st April, 2023 to 31st March, 2024)

NAME OF POWER UTILITY/Company : Maqsoodapur TPS

NAME OF THERMAL POWER PLANT : Bajaj Energy Limited

INSTALLED CAPACITY (Total): 2x45 MW

Period of Report : 1st April, 2023 to 31st March, 2024

SI.NO.	ASH GENERATION AND UTILIZATION (in LMT)						MODE OF ASH UTILIZATION AND UTILIZATION IN EACH MODE (in LMT)									
	Month	Coal consumed	Ash Content of Coal	Ash generation	Ash Utilized	% Ash Utilization	In making of Fly Ash based Bricks/ Blocks/ tiles etc.	In Manufacture of Portland Pozzolana Cement	In construction of Highways & Roads Including Flyovers	Part replacement of cement in concrete	In Hydro sector in RCC Dam Construction	In Ash Dyke Raising	In Reclamation of Low Lying area	In Mine Filling	In Agriculture/ Waste Land Development	Others
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
1	April-23	0.187	33.199	0.062	0.062	100.0	0.005	0.012					0.046			
2	May-23	0.222	38.956	0.087	0.087	100.0	0.008	0.025					0.053			
3	June-23	0.308	38.908	0.120	0.120	100.0	0.011	0.057					0.052			
4	July-23	0.309	38.315	0.118	0.118	100.0	0.012	0.030					0.077			
5	August-23	0.404	43.778	0.177	0.177	100.0	0.016	0.034					0.127			
6	September-	0.360	39.142	0.141	0.141	100.0	0.012	0.055					0.074			
7	October-	0.361	36.924	0.133	0.133	100.0	0.016	0.094					0.023			
8	November-	0.119	37.773	0.045	0.045	100.0	0.005	0.040					-0.001			
9	December-	0.111	33.826	0.038	0.038	100.0	0.003	0.027					0.008			
10	January-	0.264	31.850	0.084	0.084	100.0	0.008	0.056					0.020			
11	February-	0.132	37.325	0.049	0.049	100.0	0.005	0.039					0.006			
12	March-24	0.092	34.667	0.032	0.032	100.0	0.004	0.027					0.000			
	TOTAL	2.869	37.839	1.086	1.086	100.000	0.104	0.497	0.000	0.000	0.000	0.000	0.485	0	0	0

Note (i) Ash means all type of ash including Fly Ash, Bottom
(ii) Quantity of ash may be provided in Lakh Mitric
(iii) Ash utilisation Column (6) shall be equal to summation of modes of ash utilisation in each mode

Abbreviations:-

MW	Mega Watt
TPS	Thermal Power Station
KM	Kilometre
LMT	Lakh Mitric Tonnes
Kcl	Kilocalories



ANNEXURE-R-7/5 (Colly)
263

15





264

16

265

17



266

18



267


19



268

20









272

ANNEXURE-R-7/9 (Colly)

24



273

25





Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

26

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.

Address: Village - Maqsoodapur, Tehsi Pawayan,
District - Shahjahanpur, Uttar Pradesh. (242401)

Report Code : ST -241223-01
ULR No. : TC6814230000019967 F
Test Report of : Boiler Stack Emission
Service Request No : NTL/SRF/12/23-15
Service Request Date : 20/12/2023
Report Issue Date : 30/12/2023

SAMPLING & ANALYSIS DATA

Sample Drawn on : 23/12/2023
Sample Drawn By : NTL
Sample Description : Stack Emission
Sampling Time : 40
Sampling Plan & Procedure : SOP/SE/09
Analysis Duration : 24/12/2023 to 29/12/2023
Stack Temperature (°C) : 132.0
Source of Emission : Stack Attached To Boiler no.1 & 2 (190 TPH
(2*45MW) each)
Type of Stack (Material of Construction) : RCC
Type of Fuel used : Coal
Quantity of Fuel used (Ton/hr) : 590 x 2 MT/day
Quantity of emission discharged (m³/hr) : -
Operating Load : Normal
Top Diameter of Stack (m) : 3.9
Height of Stack from ground level(meter) : 110
Sampling Flow Rate for SPM (LPM) : 22.0
Sampling Flow Rate For Gas (LPM) : 2.50
Average Velocity of Flue Emission (m/s) : 12.0
APCs : ESP with GE Smart controller (in Both)

TEST RESULT

S.N.	Parameter	Test Method	Results	Units	Emission limits for Boiler
1.	Particulate Matter (PM)	IS:11255(Part-1)	41.0	mg /Nm ³	50
2.	Sulphur dioxide (SO ₂)	IS:11255(Part-2)	393.0	mg /Nm ³	600
3.	Nitrogen dioxide (NO ₂)	IS:11255(Part-7)	258.0	mg /Nm ³	450
4.	Carbon monoxide(% CO)	USEPA Method No.10	0.0042	%	1 % by Volume
5.	Mercury (Hg)	AAS Method	ND	mg/Nm ³	0.03

*N.D.- Not Detected

Notes:

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. This test report will not be used for any publicity/legal purpose.
5. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

Analyzing for an Assured
Future

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.

**Address: Village - Maqsoodapur, Tehsi Pawayan,
District - Shahjahanpur, Uttar Pradesh. (242401)**

Report Code : AAQ -24122301
ULR No. : TC6814230000019953 F
Test Report of : Ambient Air Quality
Service Request No : NTL/SRF/12/23-15
Service Request Date : 20/12/2023
Report Issue Date : 30/12/2023

SAMPLING & ANALYSIS DATA

Sample Drawn On : 23/12/2023
Sample Drawn By : NTL
Sample description : Ambient Air
Sampling Location : Maqsoodapur Village
Sampling Plan & Procedure : SOP-AAQ/08
Analysis Duration : 24/12/2023 to 29/12/2023
Average Flow Rate of SPM₁ (m³/min.) : 1.12
Average Flow Rate of Gases (lpm) : 1.0
Sampling Instrument Used : Respirable Dust Sampler (PM₁₀), Fine Particulate (PM_{2.5}) Sampler
Weather Condition : Clear
Wind Direction : East to West
Sampling Machine Placed at Height : 1.7 Mtr (from ground level)

TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM ₁₀)	IS:5182 Part-XXIII	65.3	µg/m ³	100.0
2.	Particulate Matter (PM _{2.5})	CPCB Volume - I / Gravimetric	31.0	µg/m ³	60.0
3.	Sulphur dioxide (as SO ₂)	IS:5182 Part-II	9.5	µg/m ³	80.0
4.	Nitrogen dioxide (as NO ₂)	IS:5182 Part-VI	13.3	µg/m ³	80.0
5.	Carbon monoxide (as CO)	IS:5182 Part-X	< 1.10	mg/m ³	4.0

Notes:

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. This test report will not be used for any publicity/legal purpose.
5. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Arjari
CHECKED BY

AUTHORIZED SIGNATORY


Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



Analyzing for an Assured
Future

(A Government of India Approved Testing Laboratory)
(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)
MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory
+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.

Address: Village - Maqsoodapur, Tehsi Pawayan,
District - Shahjahanpur, Uttar Pradesh. (242401)

Report Code : AAQ -241223-02
ULR No. : TC6814230000019954 F
Test Report of : Ambient Air Quality
Service Request No : NTL/SRF/12/23-15
Service Request Date : 20/12/2023
Report Issue Date : 30/12/2023

SAMPLING & ANALYSIS DATA

Sample Drawn On : 23/12/2023
Sample Drawn By : NTL
Sample description : Ambient Air
Sampling Location : Bhami Village
Sampling Plan & Procedure : SOP-AAQ/08
Analysis Duration : 24/12/2023 to 29/12/2023
Average Flow Rate of SPM ($m^3/min.$) : 1.10
Average Flow Rate of Gases (lpm) : 1.0
Sampling Instrument Used : Respirable Dust Sampler (PM_{10}), Fine Particulate ($PM_{2.5}$) Sampler
Weather Condition : Clear
Wind Direction : East to West
Sampling Machine Placed at Height : 1.8 Mtr (from ground level)

TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM_{10})	IS:5182 Part-XXIII	66.4	$\mu g/m^3$	100.0
2.	Particulate Matter ($PM_{2.5}$)	CPCB Volume - 1 / Gravimetric	32.5	$\mu g/m^3$	60.0
3.	Sulphur dioxide (as SO_2)	IS:5182 Part-II	8.4	$\mu g/m^3$	80.0
4.	Nitrogen dioxide (as NO_2)	IS:5182 Part-VI	13.6	$\mu g/m^3$	80.0
5.	Carbon monoxide (as CO)	IS:5182 Part-X	< 1.10	mg/m^3	4.0

Notes:

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. This test report will not be used for any publicity/legal purpose.
5. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Checked by
CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.

**Address: Village - Maqsoodapur, Tehsi Pawayan,
District - Shahjahanpur, Uttar Pradesh. (242401)**

Report Code : AAQ -241223-03
ULR No. : TC6814230000019955 F
Test Report of : Ambient Air Quality
Service Request No : NTL/SRF/12/23-15
Service Request Date : 20/12/2023
Report Issue Date : 30/12/2023

SAMPLING & ANALYSIS DATA

Sample Drawn On : 23/12/2023
Sample Drawn By : NTL
Sample description : Ambient Air
Sampling Location : Residential Colony Corner
Sampling Plan & Procedure : SOP-AAQ/08
Analysis Duration : 24/12/2023 to 29/12/2023
Average Flow Rate of SPM (m³/min.) : 1.14
Average Flow Rate of Gases (lpm) : 1.0
Sampling Instrument Used : Respirable Dust Sampler (PM₁₀), Fine Particulate (PM_{2.5}) Sampler
Weather Condition : Clear
Wind Direction : East to West
Sampling Machine Placed at Height : 1.8 Mtr (from ground level)

TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM ₁₀)	IS:5182 Part-XXIII	75.8	µg/m ³	100.0
2.	Particulate Matter (PM _{2.5})	CPCB Volume - I / Gravimetric	44.0	µg/m ³	60.0
3.	Sulphur dioxide (as SO ₂)	IS:5182 Part-II	10.8	µg/m ³	80.0
4.	Nitrogen dioxide (as NO ₂)	IS:5182 Part-VI	17.3	µg/m ³	80.0
5.	Carbon monoxide (as CO)	IS:5182 Part-X	< 1.10	mg/m ³	4.0

Notes:

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- This test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Accepted
CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

Analyzing for an Assured
Future

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.

Address: Village - Maqsoodapur, Tehsi Pawayan,
District - Shahjahanpur, Uttar Pradesh. (242401)

Report Code : AAQ -241223-04
ULR No. : TC6814230000019956 F
Test Report of : Ambient Air Quality
Service Request No : NTL/SRF/12/23-15
Service Request Date : 20/12/2023
Report Issue Date : 30/12/2023

SAMPLING & ANALYSIS DATA

Sample Drawn On : 23/12/2023
Sample Drawn By : NTL
Sample description : Ambient Air
Sampling Location : TG-2 Corner
Sampling Plan & Procedure : SOP-AAQ/08
Analysis Duration : 24/12/2023 to 29/12/2023
Average Flow Rate of SPM (m³/min.) : 1.15
Average Flow Rate of Gases (lpm) : 1.0
Sampling Instrument Used : Respirable Dust Sampler (PM₁₀), Fine Particulate (PM_{2.5}) Sampler
Weather Condition : Clear
Wind Direction : East to West
Sampling Machine Placed at Height : 1.6 Mtr (from ground level)

TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM ₁₀)	IS:5182 Part-XXIII	82.3	µg/m ³	100.0
2.	Particulate Matter (PM _{2.5})	CPCB Volume - I / Gravimetric	48.8	µg/m ³	60.0
3.	Sulphur dioxide (as SO ₂)	IS:5182 Part-II	12.2	µg/m ³	80.0
4.	Nitrogen dioxide (as NO ₂)	IS:5182 Part-VI	20.7	µg/m ³	80.0
5.	Carbon monoxide (as CO)	IS:5182 Part-X	< 1.10	mg/m ³	4.0

Notes:

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- This test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Prachi
CHECKED BY

AUTHORIZED SIGNATORY
[Signature]
NOIDA TESTING LABORATORIES
NTL

Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



Analyzing for an Assured
Future

(A Government of India Approved Testing Laboratory)
(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)
MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory
+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.

**Address: Village - Maqsoodapur, Tehsi Pawayan,
District - Shahjahanpur, Uttar Pradesh. (242401)**

Report Code : AAQ-241223-05
ULR No. : TC6814230000019957 F
Test Report of : Ambient Air Quality
Service Request No : NTL/SRF/12/23-15
Service Request Date : 20/12/2023
Report Issue Date : 30/12/2023

SAMPLING & ANALYSIS DATA

Sample Drawn On : 23/12/2023
Sample Drawn By : NTL
Sample description : Ambient Air
Sampling Location : Near Power Gate
Sampling Plan & Procedure : SOP-AAQ/08
Analysis Duration : 24/12/2023 to 29/12/2023
Average Flow Rate of SPM (m³/min.) : 1.10
Average Flow Rate of Gases (lpm) : 1.0
Sampling Instrument Used : Respirable Dust Sampler (PM₁₀), Fine Particulate (PM_{2.5}) Sampler
Weather Condition : Clear
Wind Direction : East to West
Sampling Machine Placed at Height : 1.8 Mtr (from ground level)

TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM ₁₀)	IS:5182 Part-XXIII	80.0	µg/m ³	100.0
2.	Particulate Matter (PM _{2.5})	CPCB Volume - I / Gravimetric	43.5	µg/m ³	60.0
3.	Sulphur dioxide (as SO ₂)	IS:5182 Part-II	10.9	µg/m ³	80.0
4.	Nitrogen dioxide (as NO ₂)	IS:5182 Part-VI	17.2	µg/m ³	30.0
5.	Carbon monoxide (as CO)	IS:5182 Part-X	< 1.10	mg/m ³	4.0

Notes:

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. This test report will not be used for any publicity/legal purpose.
5. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Checked by
CHECKED BY

AUTHORIZED SIGNATURE



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



Analyzing for an Assured
Future

(A Government of India Approved Testing Laboratory)
(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)
MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.

Address: Village - Maqsoodapur, Tehsi Pawayan,
District - Shahjahanpur, Uttar Pradesh. (242401)

Report Code : AAQ-241223-06
ULR No. : TC6814230000019958 F
Test Report of : Ambient Air Quality
Service Request No : NTL/SRF/12/23-15
Service Request Date : 20/12/2023
Report Issue Date : 30/12/2023

SAMPLING & ANALYSIS DATA

Sample Drawn On : 23/12/2023
Sample Drawn By : NTL
Sample description : Ambient Air
Sampling Location : Cane Yard Corner
Sampling Plan & Procedure : SOP-AAQ/08
Analysis Duration : 24/12/2023 to 29/12/2023
Average Flow Rate of SPM (m³/min.) : 1.16
Average Flow Rate of Gases (lpm) : 1.0
Sampling Instrument Used : Respirable Dust Sampler (PM₁₀), Fine Particulate (PM_{2.5}) Sampler
Weather Condition : Clear
Wind Direction : East to West
Sampling Machine Placed at Height : 1.6 Mtr (from ground level)

TEST RESULT

S.No.	Parameter	Test Method	Results	Units	Limits as per Environment (Protection) Act.
1.	Particulate Matter (PM ₁₀)	IS:5182 Part-XXIII	76.6	µg/m ³	100.0
2.	Particulate Matter (PM _{2.5})	CPCB Volume - I / Gravimetric	47.6	µg/m ³	60.0
3.	Sulphur dioxide (as SO ₂)	IS:5182 Part-II	11.9	µg/m ³	80.0
4.	Nitrogen dioxide (as NO ₂)	IS:5182 Part-VI	22.4	µg/m ³	80.0
5.	Carbon monoxide (as CO)	IS:5182 Part-X	< 1.10	mg/m ³	4.0

Notes:

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- This test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Checked by
CHECKED BY

AUTHORIZED SIGNATORY


Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.

Address: Village - Maqsoodapur, Tehsi Pawayan,
District - Shahjahanpur, Uttar Pradesh. (242401)Report Code : W -241223-01
ULR No. : TC6814230000019972F
Test Report of : Water Sample
Service Request No : NTL/SRF/12/23-15
Service Request Date : 20/12/2023
Report Issue Date : 30/12/2023

SAMPLING & ANALYSIS DATA

Sample Drawn By : Laboratory (NTL)
Sample Received On : 24/12/2023
Sample Quantity : 2.0 Lt.
Analysis Duration : 24/12/2023 to 29/12/2023
Sample Description : Borewell No. 1

MICROBIOLOGICAL REQUIREMENT RESULT

S.No.	Parameter	Test Method	Results	Requirements as per IS-10500:2012
1.	<i>Escherichia coli</i>	IS-15185	Absent	Absent/100ml
2.	<i>Coliform Bacteria</i>	IS-15185	Absent	Absent/100ml

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.No.	Parameter	Test Method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Colour	IS-3025(P-04)	<1.00	Hazen Unit	5	15
2.	Odour	IS-3025(P-05)	Agreeable	-	Agreeable	Agreeable
3.	Taste	IS-3025(P-07 & 08)	Agreeable	-	Agreeable	-
4.	Turbidity	IS-3025(P-10)	<1.00	NTU	1	5
5.	pH value	IS-3025(P-11)	7.48	-	6.5 - 8.5	-
6.	Total dissolve solid (TDS)	IS-3025(P-16)	428.0	mg/l	500	2000

GENERAL PARAMETERS CONCERNING SUBSTANCES UNDESIRABLE IN EXCESSIVE AMOUNTS

S.No.	Parameter	Test method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Aluminum (as Al)	IS: 3025 (P- 55)	<0.01	mg/l	0.03	0.2

Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

Analyzing for an Assured
Future

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

2.	Total Ammonia	IS: 3025 (P- 34)	<0.10	mg/l	0.5	No Relaxation
3.	Anionic Detergents (as MBAS)	Annex K of IS- 13428	<0.10	mg/l	0.2	1.0
4.	Barium (as Ba)	IS: 15302	<0.10	mg/l	0.7	No Relaxation
5.	Boron (as B)	IS: 3025 (P- 57)	<0.10	mg/l	0.5	2.4
6.	Calcium (as Ca)	IS: 3025 (P- 40)	36.0	mg/l	75	200
7.	Chloramines (as Cl ₂)	IS: 3025 (P- 26)	<1.00	mg/l	4.0	No Relaxation
8.	Chloride (as Cl)	IS: 3025 (P- 32)	40.0	mg/l	250	1000
9.	Copper (as Cu)	IS : 3025 (P-42)	<0.05	mg/l	0.05	1.5
10.	Fluoride (as F)	IS: 3025 (P-60)	0.25	mg/l	1.0	1.5
11.	Free Residual Chlorine	IS: 3025 (P-26)	BDL	mg/l	0.2	1.0
12.	Iron (as Fe)	IS: 3025(P-53)	0.125	mg/l	1.0	No Relaxation
13.	Magnesium (as Mg)	IS: 3025 (P-46)	17.4	mg/l	30	100
14.	Manganese (as Mn)	IS: 3025 (P-59)	<0.10	mg/l	0.1	0.3
15.	Mineral Oil	Clause 6 of IS: 3025	<0.50	mg/l	0.5	No Relaxation
16.	Nitrate (as NO ₃)	IS: 3025 (P- 34)	5.2	mg/l	45	No Relaxation
17.	Selenium (as Se)	IS: 3025 (P- 56)	<0.01	mg/l	0.01	No Relaxation
18.	Silver (as Ag)	Annex J IS: 13428	<0.05	mg/l	0.1	No Relaxation
19.	Sulphate (as SO ₄)	IS: 3025 (P- 24)	46.7	mg/l	200	400
20.	Sulphide(as H ₂ S)	IS-3025 (P-29)	<0.05	mg/l	0.05	No Relaxation
21.	Alkalinity (as Ca CO ₃)	IS: 3025 (P- 23)	125.0	mg/l	200	600
22.	Total Hardness (as CaCO ₃)	IS: 3025 (P- 21)	162.0	mg/l	200	600
23.	Zinc (as Zn)	IS: 3025 (P- 49)	<0.2	mg/l	5.0	15

Parameters Concerning Toxic Substances:

S.No.	Parameter	Test method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Cadmium (as Cd)	IS-3025(P-41)	<0.001	mg/l	0.003	No Relaxation
2.	Cyanide (as CN)	IS-3025(P-27)	<0.01	mg/l	0.05	No Relaxation
3.	Lead (as Pb)	IS-3025(P-47)	<0.01	mg/l	0.01	No Relaxation
4.	Mercury (as Hg)	IS-3025(P-48)	<0.001	mg/l	0.001	No Relaxation
5.	Molybdenum (Mo)	IS-3025(P-2)	<0.05	mg/l	0.07	No Relaxation
6.	Nickel (as Ni)	IS-3025(P-54)	<0.01	mg/l	0.02	No Relaxation
7.	Poly nuclear Aromatic Hydro Carbons	APHA 6440	<0.0001	mg/l	0.0001	No Relaxation
8.	Poly chlorinated biphenyl	APHA 6630	<0.0001	mg/l	0.0005	No Relaxation
9.	Total Arsenic (as As)	IS-3025(P-37)	<0.01	mg/l	0.01	No Relaxation
10.	Total Chromium (as Cr)	IS-3025(P-52)	<0.05	mg/l	0.05	No Relaxation

BDL: Below Detection limit.

W -290923-018

Notes:

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. This test report will not be used for any publicity/legal purpose.
5. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

Analyzing for an Assured
Future

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.

Address: Village - Maqsoodapur, Tehsi Pawayan,
District - Shahjahanpur, Uttar Pradesh. (242401)Report Code : W -241223-02
ULR No. : TC6814230000019973F
Test Report of : Water Sample
Service Request No : NTL/SRF/12/23-15
Service Request Date : 20/12/2023
Report Issue Date : 30/12/2023

SAMPLING & ANALYSIS DATA

Sample Drawn By : Laboratory (NTL)
Sample Received On : 24/12/2023
Sample Quantity : 2.0 Lt.
Analysis Duration : 24/12/2023 to 29/12/2023
Sample Description : Borewell No.2

MICROBIOLOGICAL REQUIREMENT RESULT

S.No.	Parameter	Test Method	Results	Requirements as per IS-10500:2012
1.	<i>Escherichia coli</i>	IS-15185	Absent	Absent/100ml
2.	<i>Coliform Bacteria</i>	IS-15185	Absent	Absent/100ml

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.No.	Parameter	Test Method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Colour	IS-3025(P-04)	<1.00	Hazen	5	15
2.	Odour	IS-3025(P-05)	Agreeable	-	Agreeable	Agreeable
3.	Taste	IS-3025(P-07 & 08)	Agreeable	-	Agreeable	-
4.	Turbidity	IS-3025(P-10)	<1.00	NTU	1	5
5.	pH value	IS-3025(P-11)	7.50	-	6.5 - 8.5	-
6.	Total dissolve solid (TDS)	IS-3025(P-16)	370.0	mg/l	500	2000

GENERAL PARAMETERS CONCERNING SUBSTANCES UNDESIRABLE IN EXCESSIVE AMOUNTS

S.No.	Parameter	Test method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Aluminum (as Al)	IS: 3025 (P- 55)	<0.01	mg/l	0.03	0.2

Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

Analyzing for an Assured
Future

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

2.	Total Ammonia	IS: 3025 (P- 34)	<0.10	mg/l	0.5	No Relaxation
3.	Anionic Detergents (as MBAS)	Annex K of IS- 13428	<0.10	mg/l	0.2	1.0
4.	Barium (as Ba)	IS: 15302	<0.10	mg/l	0.7	No Relaxation
5.	Boron (as B)	IS: 3025 (P- 57)	<0.10	mg/l	0.5	2.4
6.	Calcium (as Ca)	IS: 3025 (P- 40)	32.8	mg/l	75	200
7.	Chloramines (as Cl ₂)	IS: 3025 (P- 26)	<1.00	mg/l	4.0	No Relaxation
8.	Chloride (as Cl)	IS: 3025 (P- 32)	19.0	mg/l	250	1000
9.	Copper (as Cu)	IS : 3025 (P-42)	<0.05	mg/l	0.05	1.5
10.	Fluoride (as F)	IS: 3025 (P-60)	0.36	mg/l	1.0	1.5
11.	Free Residual Chlorine	IS: 3025 (P-26)	BDL	mg/l	0.2	1.0
12.	Iron (as Fe)	IS: 3025(P-53)	0.140	mg/l	1.0	No Relaxation
13.	Magnesium (as Mg)	IS: 3025 (P-46)	16.5	mg/l	30	100
14.	Manganese (as Mn)	IS: 3025 (P-59)	<0.10	mg/l	0.1	0.3
15.	Mineral Oil	Clause 6 of IS: 3025	<0.50	mg/l	0.5	No Relaxation
16.	Nitrate (as NO ₃)	IS: 3025 (P- 34)	4.0	mg/l	45	No Relaxation
17.	Selenium (as Se)	IS: 3025 (P- 56)	<0.01	mg/l	0.01	No Relaxation
18.	Silver (as Ag)	Annex J IS: 13428	<0.05	mg/l	0.1	No Relaxation
19.	Sulphate (as SO ₄)	IS: 3025 (P- 24)	39.0	mg/l	200	400
20.	Sulphide(as H ₂ S)	IS-3025 (P-29)	<0.05	mg/l	0.05	No Relaxation
21.	Alkalinity (as Ca CO ₃)	IS: 3025 (P- 23)	121.0	mg/l	200	600
22.	Total Hardness (as CaCO ₃)	IS: 3025 (P- 21)	150.0	mg/l	200	600
23.	Zinc (as Zn)	IS: 3025 (P- 49)	<0.2	mg/l	6.0	15

Parameters Concerning Toxic Substances:

S.No.	Parameter	Test method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Cadmium (as Cd)	IS-3025(P-41)	<0.001	mg/l	0.003	No Relaxation
2.	Cyanide (as CN)	IS-3025(P-27)	<0.01	mg/l	0.05	No Relaxation
3.	Lead (as Pb)	IS-3025(P-47)	<0.01	mg/l	0.01	No Relaxation
4.	Mercury (as Hg)	IS-3025(P-48)	<0.001	mg/l	0.001	No Relaxation
5.	Molybdenum (Mo)	IS-3025(P-2)	<0.05	mg/l	0.07	No Relaxation
6.	Nickel (as Ni)	IS-3025(P-54)	<0.01	mg/l	0.02	No Relaxation
7.	Poly nuclear Aromatic Hydro Carbons	APHA 6440	<0.0001	mg/l	0.0001	No Relaxation
8.	Poly chlorinated biphenyl	APHA 6630	<0.0001	mg/l	0.0005	No Relaxation
9.	Total Arsenic (as As)	IS-3025(P-37)	<0.01	mg/l	0.01	No Relaxation
10.	Total Chromium (as Cr)	IS-3025(P-52)	<0.05	mg/l	0.05	No Relaxation

BDL: Below Detection limit.

W -290923-019

Notes:

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- This test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY

Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar -201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



Analyzing for an Assured
Future

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.

Address: Village - Maqsoodapur, Tehsi Pawayan,
District - Shahjahanpur, Uttar Pradesh. (242401)

Report Code : W -241223-03
ULR No. : TC6814230000019974F
Test Report of : Water Sample
Service Request No : NTL/SRF/12/23-15
Service Request Date : 20/12/2023
Report Issue Date : 30/12/2023

SAMPLING & ANALYSIS DATA

Sample Drawn By : Laboratory (NTL)
Sample Received On : 24/12/2023
Sample Quantity : 2.0 Lt.
Analysis Duration : 24/12/2023 to 29/12/2023
Sample Description : Borewell No.3

MICROBIOLOGICAL REQUIREMENT RESULT

S.No.	Parameter	Test Method	Results	Requirements as per IS-10500:2012
1.	<i>Escherichia coli</i>	IS-15185	Absent	Absent/100ml
2.	<i>Coliform Bacteria</i>	IS-15185	Absent	Absent/100ml

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.No.	Parameter	Test Method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Colour	IS-3025(P-04)	<1.00	Hazen Unit	5	15
2.	Odour	IS-3025(P-05)	Agreeable	-	Agreeable	Agreeable
3.	Taste	IS-3025(P-07 & 08)	Agreeable	-	Agreeable	-
4.	Turbidity	IS-3025(P-10)	<1.00	NTU	1	5
5.	pH value	IS-3025(P-11)	6.92	-	6.5 - 8.5	-
6.	Total dissolve solid (TDS)	IS-3025(P-16)	420.0	mg/l	500	2000

GENERAL PARAMETERS CONCERNING SUBSTANCES UNDESIRABLE IN EXCESSIVE AMOUNTS

S.No.	Parameter	Test method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Aluminum (as Al)	IS: 3025 (P- 55)	<0.01	mg/l	0.03	0.2

Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



Analyzing for an Assured
Future

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

2.	Total Ammonia	IS: 3025 (P- 34)	<0.10	mg/l	0.5	No Relaxation
3.	Anionic Detergents (as MBAS)	Annex K of IS- 13428	<0.10	mg/l	0.2	1.0
4.	Barium (as Ba)	IS: 15302	<0.10	mg/l	0.7	No Relaxation
5.	Boron (as B)	IS: 3025 (P- 57)	<0.10	mg/l	0.5	2.4
6.	Calcium (as Ca)	IS: 3025 (P- 40)	29.0	mg/l	75	200
7.	Chloramines (as Cl ₂)	IS: 3025 (P- 26)	<1.00	mg/l	4.0	No Relaxation
8.	Chloride (as Cl)	IS: 3025 (P- 32)	39.0	mg/l	250	1000
9.	Copper (as Cu)	IS : 3025 (P-42)	<0.05	mg/l	0.05	1.5
10.	Fluoride (as F)	IS: 3025 (P-60)	0.22	mg/l	1.0	1.5
11.	Free Residual Chlorine	IS: 3025 (P-26)	BDL	mg/l	0.2	1.0
12.	Iron (as Fe)	IS: 3025(P-53)	0.141	mg/l	1.0	No Relaxation
13.	Magnesium (as Mg)	IS: 3025 (P-46)	16.2	mg/l	30	100
14.	Manganese (as Mn)	IS: 3025 (P-59)	<0.10	mg/l	0.1	0.3
15.	Mineral Oil	Clause 6 of IS: 3025	<0.50	mg/l	0.5	No Relaxation
16.	Nitrate (as NO ₃)	IS: 3025 (P- 34)	6.2	mg/l	45	No Relaxation
17.	Selenium (as Se)	IS: 3025 (P- 56)	<0.01	mg/l	0.01	No Relaxation
18.	Silver (as Ag)	Annex J IS: 13428	<0.05	mg/l	0.1	No Relaxation
19.	Sulphate (as SO ₄)	IS: 3025 (P-24)	49.6	mg/l	200	400
20.	Sulphide (as H ₂ S)	IS-3025 (P-29)	<0.05	mg/l	0.05	No Relaxation
21.	Alkalinity (as Ca CO ₃)	IS: 3025 (P- 23)	130.0	mg/l	200	600
22.	Total Hardness (as CaCO ₃)	IS: 3025 (P- 21)	149.0	mg/l	200	600
23.	Zinc (as Zn)	IS: 3025 (P- 49)	<0.2	mg/l	7.0	15

Parameters Concerning Toxic Substances:

S.No.	Parameter	Test method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Cadmium (as Cd)	IS-3025(P-41)	<0.001	mg/l	0.003	No Relaxation
2.	Cyanide (as CN)	IS-3025(P-27)	<0.01	mg/l	0.05	No Relaxation
3.	Lead (as Pb)	IS-3025(P-47)	<0.01	µg/l	0.01	No Relaxation
4.	Mercury (as Hg)	IS-3025(P-48)	<0.001	mg/l	0.001	No Relaxation
5.	Molybdenum (Mo)	IS-3025(P-2)	<0.05	mg/l	0.07	No Relaxation
6.	Nickel (as Ni)	IS-3025(P-54)	<0.01	mg/l	0.02	No Relaxation
7.	Poly nuclear Aromatic Hydro Carbons	APHA 6440	<0.0001	mg/l	0.0001	No Relaxation
8.	Poly chlorinated biphenyl	APHA 6630	<0.0001	mg/l	0.0005	No Relaxation
9.	Total Arsenic (as As)	IS-3025(P-37)	<0.01	mg/l	0.01	No Relaxation
10.	Total Chromium (as Cr)	IS-3025(P-52)	<0.05	mg/l	0.05	No Relaxation

BDL: Below Detection limit.

W -290923-020

Notes:

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- Responsibility of the Laboratory is limited to the invoiced amount only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
- This test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



Analyzing for an Assured
Future

(A Government of India Approved Testing Laboratory)
(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)
MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory
+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.	Report Code : W -241223-04
Address: Village - Maqsoodapur, Tehsi Pawayan, District - Shahjahanpur, Uttar Pradesh. (242401)	ULR No. : TC6814230000019975F
	Test Report of : Water Sample
	Service Request No : NTL/SRF/12/23-15
	Service Request Date : 20/12/2023
	Report Issue Date : 30/12/2023

SAMPLING & ANALYSIS DATA

Sample Drawn By	: Laboratory (NTL)
Sample Received On	: 24/12/2023
Sample Quantity	: 2.0 Lt.
Analysis Duration	: 24/12/2023 to 29/12/2023
Sample Description	: Ground Water -Ash Pond (Towards Cane Carrier)

MICROBIOLOGICAL REQUIREMENT RESULT

S.No.	Parameter	Test Method	Results	Requirements as per IS-10500:2012
1.	<i>Escherichia coli</i>	IS-15185	Absent	Absent/100ml
2.	<i>Coliform Bacteria</i>	IS-15185	Absent	Absent/100ml

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.No.	Parameter	Test Method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Colour	IS-3025(P-04)	<1.00	Hazen Unit	5	15
2.	Odour	IS-3025(P-05)	Agreeable	-	Agreeable	Agreeable
3.	Taste	IS-3025(P-07 & 08)	Agreeable	-	Agreeable	-
4.	Turbidity	IS-3025(P-10)	<1.00	NTU	1	5
5.	pH value	IS-3025(P-11)	7.40	-	6.5 - 8.5	-
6.	Total dissolve solid (TDS)	IS-3025(P-16)	488.0	mg/l	500	2000

GENERAL PARAMETERS CONCERNING SUBSTANCES UNDESIRABLE IN EXCESSIVE AMOUNTS

S.No.	Parameter	Test method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Aluminum (as Al)	IS: 3025 (P- 55)	<0.01	mg/l	0.03	0.2

Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

Analyzing for an Assured
Future

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

2.	Total Ammonia	IS: 3025 (P- 34)	<0.10	mg/l	0.5	No Relaxation
3.	Anionic Detergents (as MBAS)	Annex K of IS- 13428	<0.10	mg/l	0.2	1.0
4.	Barium (as Ba)	IS: 15302	<0.10	mg/l	0.7	No Relaxation
5.	Boron (as B)	IS: 3025 (P- 57)	<0.10	mg/l	0.5	2.4
6.	Calcium (as Ca)	IS: 3025 (P- 40)	40.0	mg/l	75	200
7.	Chloramines (as Cl ₂)	IS: 3025 (P- 26)	<1.00	mg/l	4.0	No Relaxation
8.	Chloride (as Cl)	IS: 3025 (P- 32)	20.0	mg/l	250	1000
9.	Copper (as Cu)	IS : 3025 (P-42)	<0.05	mg/l	0.05	1.5
10.	Fluoride (as F)	IS: 3025 (P-60)	0.30	mg/l	1.0	1.5
11.	Free Residual Chlorine	IS: 3025 (P-26)	BDL	mg/l	0.2	1.0
12.	Iron (as Fe)	IS: 3025(P-53)	0.138	mg/l	1.0	No Relaxation
13.	Magnesium (as Mg)	IS: 3025 (P-46)	18.7	mg/l	30	100
14.	Manganese (as Mn)	IS: 3025 (P-59)	<0.10	mg/l	0.1	0.3
15.	Mineral Oil	Clause 6 of IS: 3025	<0.50	mg/l	0.5	No Relaxation
16.	Nitrate (as NO ₃)	IS: 3025 (P- 34)	5.5	mg/l	45	No Relaxation
17.	Selenium (as Se)	IS: 3025 (P- 56)	<0.01	mg/l	0.01	No Relaxation
18.	Silver (as Ag)	Annex J IS: 13428	<0.05	mg/l	0.1	No Relaxation
19.	Sulphate (as SO ₄)	IS: 3025 (P- 24)	33.2	mg/l	200	400
20.	Sulphide(as H ₂ S)	IS-3025 (P-29)	<0.05	mg/l	0.05	No Relaxation
21.	Alkalinity (as Ca CO ₃)	IS: 3025 (P- 23)	120.0	mg/l	200	600
22.	Total Hardness (as CaCO ₃)	IS: 3025 (P- 21)	177.0	mg/l	200	600
23.	Zinc (as Zn)	IS: 3025 (P- 49)	<0.2	mg/l	8.0	15

Parameters Concerning Toxic Substances:

S.No.	Parameter	Test method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Cadmium (as Cd)	IS-3025(P-41)	<0.001	mg/l	0.003	No Relaxation
2.	Cyanide (as CN)	IS-3025(P-27)	<0.01	mg/l	0.05	No Relaxation
3.	Lead (as Pb)	IS-3025(P-47)	<0.01	mg/l	0.01	No Relaxation
4.	Mercury (as Hg)	IS-3025(P-48)	<0.001	mg/l	0.001	No Relaxation
5.	Molybdenum (Mo)	IS-3025(P-2)	<0.05	mg/l	0.07	No Relaxation
6.	Nickel (as Ni)	IS-3025(P-54)	<0.01	mg/l	0.02	No Relaxation
7.	Poly nuclear Aromatic Hydro Carbons	APHA 6440	<0.0001	mg/l	0.0001	No Relaxation
8.	Poly chlorinated biphenyl	APHA 6630	<0.0001	mg/l	0.0005	No Relaxation
9.	Total Arsenic (as As)	IS-3025(P-37)	<0.01	mg/l	0.01	No Relaxation
10.	Total Chromium (as Cr)	IS-3025(P-52)	<0.05	mg/l	0.05	No Relaxation

BDL: Below Detection limit.

Notes:

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. This test report will not be used for any publicity/legal purpose.
5. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY
*Arpita*AUTHORIZED SIGNATORY
[Signature]

Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

Analyzing for an Assured
Future.

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.

Report Code : W -241223-05

ULR No. : TC6814230000019976F

Test Report of : Water Sample

Service Request No : NTL/SRF/12/23-15

Service Request Date : 20/12/2023

Report Issue Date : 30/12/2023

Address: Village - Maqsoodapur, Tehsi Pawayan,
District - Shahjahanpur, Uttar Pradesh. (242401)

SAMPLING & ANALYSIS DATA

Sample Drawn By : Laboratory (NTL)
Sample Received On : 24/12/2023
Sample Quantity : 2.0 Lt.
Analysis Duration : 24/12/2023 to 29/12/2023
Sample Description : Ground Water- Coal Yard (Towards DM Plant)

MICROBIOLOGICAL REQUIREMENT RESULT

S.No.	Parameter	Test Method	Results	Requirements as per IS-10500:2012
1.	<i>Escherichia coli</i>	IS-15185	Absent	Absent/100ml
2.	<i>Coliform Bacteria</i>	IS-15185	Absent	Absent/100ml

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.No.	Parameter	Test Method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Colour	IS-3025(P-04)	<1.00	Hazen Unit	5	15
2.	Odour	IS-3025(P-05)	Agreeable	-	Agreeable	Agreeable
3.	Taste	IS-3025(P-07 & 08)	Agreeable	-	Agreeable	-
4.	Turbidity	IS-3025(P-10)	<1.00	NTU	1	5
5.	pH value	IS-3025(P-11)	7.52	-	6.5 - 8.5	-
6.	Total dissolve solid (TDS)	IS-3025(P-16)	568.0	mg/l	500	2000

GENERAL PARAMETERS CONCERNING SUBSTANCES UNDESIRABLE IN EXCESSIVE AMOUNTS

S.No.	Parameter	Test method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Aluminum (as Al)	IS: 3025 (P- 55)	<0.01	mg/l	0.03	0.2
2.	Total Ammonia	IS: 3025 (P- 34)	<0.10	mg/l	0.5	No Relaxation
3.	Anionic Detergents (as MBAS)	Annex K of IS-13428	<0.10	mg/l	0.2	1.0
4.	Barium (as Ba)	IS: 15302	<0.10	mg/l	0.7	No Relaxation
5.	Boron (as B)	IS: 3025 (P- 57)	<0.10	mg/l	0.5	2.4
6.	Calcium (as Ca)	IS: 3025 (P- 40)	44.8	mg/l	75	200
7.	Chloramines (as Cl ₂)	IS: 3025 (P- 26)	<1.00	mg/l	4.0	No Relaxation
8.	Chloride (as Cl)	IS: 3025 (P- 32)	22.0	mg/l	250	1000
9.	Copper (as Cu)	IS : 3025 (P-42)	<0.05	mg /l	0.05	1.5

Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91 9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

10.	Fluoride (as F)	IS: 3025 (P-60)	0.40	mg/l	1.0	1.5
11.	Free Residual Chlorine	IS: 3025 (P-26)	BDL	mg/l	0.2	1.0
12.	Iron (as Fe)	IS: 3025(P-53)	0.155	mg/l	1.0	No Relaxation
13.	Magnesium (as Mg)	IS: 3025 (P-46)	25.0	mg/l	30	100
14.	Manganese (as Mn)	IS: 3025 (P-59)	<0.10	mg/l	0.1	0.3
15.	Mineral Oil	Clause 6 of IS: 3025	<0.50	mg/l	0.5	No Relaxation
16.	Nitrate (as NO ₃)	IS: 3025 (P- 34)	4.7	mg/l	45	No Relaxation
17.	Selenium (as Se)	IS: 3025 (P- 56)	<0.01	mg/l	0.01	No Relaxation
18.	Silver (as Ag)	Annex J IS: 1342B	<0.05	mg/l	0.1	No Relaxation
19.	Sulphate (as SO ₄)	IS: 3025 (P- 24)	32.8	mg/l	200	400
20.	Sulphide(as H ₂ S)	IS-3025 (P-29)	<0.05	mg/l	0.05	No Relaxation
21.	Alkalinity (as Ca CO ₃)	IS: 3025 (P- 23)	117.0	mg/l	200	600
22.	Total Hardness (as CaCO ₃)	IS: 3025 (P- 21)	215.0	mg/l	200	600
23.	Zinc (as Zn)	IS: 3025 (P- 49)	<0.2	mg/l	9.0	15

Parameters Concerning Toxic Substances:

S.No.	Parameter	Test method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Cadmium (as Cd)	IS-3025(P-41)	<0.001	mg/l	0.003	No Relaxation
2.	Cyanide (as CN)	IS-3025(P-27)	<0.01	mg/l	0.05	No Relaxation
3.	Lead (as Pb)	IS-3025(P-47)	<0.01	mg/l	0.01	No Relaxation
4.	Mercury (as Hg)	IS-3025(P-48)	<0.001	mg/l	0.001	No Relaxation
5.	Molybdenum (Mo)	IS-3025(P-2)	<0.05	mg/l	0.07	No Relaxation
6.	Nickel (as Ni)	IS-3025(P-54)	<0.01	mg/l	0.02	No Relaxation
7.	Poly nuclear Aromatic Hydro Carbons	APHA 6440	<0.0001	mg/l	0.0001	No Relaxation
8.	Poly chlorinated biphenyl	APHA 6630	<0.0001	mg/l	0.0005	No Relaxation
9.	Total Arsenic (as As)	IS-3025(P-37)	<0.01	mg/l	0.01	No Relaxation
10.	Total Chromium (as Cr)	IS-3025(P-52)	<0.05	mg/l	0.05	No Relaxation

BDL: Below Detection limit.

Notes:

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. This test report will not be used for any publicity/legal purpose.
5. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.	Report Code : W -241223-06
Address: Village - Maqsoodapur, Tehsi Pawayan, District - Shahjahanpur, Uttar Pradesh. (242401)	ULR No. : TC6814230000019977F
	Test Report of : Water Sample
	Service Request No : NTL/SRF/12/23-15
	Service Request Date : 20/12/2023
	Report Issue Date : 30/12/2023

SAMPLING & ANALYSIS DATA

Sample Drawn By	: Laboratory (NTL)
Sample Received On	: 24/12/2023
Sample Quantity	: 2.0 Lt.
Analysis Duration	: 24/12/2023 to 29/12/2023
Sample Description	: Village Maqsoodapur

MICROBIOLOGICAL REQUIREMENT RESULT

S.No.	Parameter	Test Method	Results	Requirements as per IS-10500:2012
1.	<i>Escherichia coli</i>	IS-15185	Absent	Absent/100ml
2.	<i>Coliform Bacteria</i>	IS-15185	Absent	Absent/100ml

ORGANOLEPTIC & PHYSICAL PARAMETERS

S.No.	Parameter	Test Method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Colour	IS-3025(P-04)	<1.00	Hazen Unit	5	15
2.	Odour	IS-3025(P-05)	Agreeable	-	Agreeable	Agreeable
3.	Taste	IS-3025(P-07 & 08)	Agreeable	-	Agreeable	-
4.	Turbidity	IS-3025(P-10)	<1.00	NTU	1	5
5.	pH value	IS-3025(P-11)	7.60	-	6.5 - 8.5	-
6.	Total dissolve solid (TDS)	IS-3025(P-16)	460.0	mg/l	500	2000

GENERAL PARAMETERS CONCERNING SUBSTANCES UNDESIRABLE IN EXCESSIVE AMOUNTS

S.No.	Parameter	Test method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Aluminum (as Al)	IS: 3025 (P- 55)	<0.01	mg/l	0.03	0.2
2.	Total Ammonia	IS: 3025 (P- 34)	<0.10	mg/l	0.5	No Relaxation
3.	Anionic Detergents (as MBAS)	Annex K of IS-13428	<0.10	mg/l	0.2	1.0
4.	Barium (as Ba)	IS: 15302	<0.10	mg/l	0.7	No Relaxation
5.	Boron (as B)	IS: 3025 (P- 57)	<0.10	mg/l	0.5	2.4
6.	Calcium (as Ca)	IS: 3025 (P- 40)	28.8	mg/l	75	200
7.	Chloramines (as Cl ₂)	IS: 3025 (P- 26)	<1.00	mg/l	4.0	No Relaxation
8.	Chloride (as Cl)	IS: 3025 (P- 32)	19.0	mg/l	250	1000
9.	Copper (as Cu)	IS : 3025 (P-42)	<0.05	mg/l	0.05	1.5
10.	Fluoride (as F)	IS: 3025 (P-60)	0.29	mg/l	1.0	1.5
11.	Free Residual Chlorine	IS: 3025 (P-26)	BDL	mg/l	0.2	1.0

Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

Analyzing for an Assured
Future

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

12.	Iron (as Fe)	IS: 3025(P-53)	0.163	mg/l	1.0	No Relaxation
13.	Magnesium (as Mg)	IS: 3025 (P-46)		mg/l	30	100
14.	Manganese (as Mn)	IS: 3025 (P-59)	<0.10	mg/l	0.1	0.3
15.	Mineral Oil	Clause 6 of IS: 3025	<0.50	mg/l	0.5	No Relaxation
16.	Nitrate (as NO ₃)	IS: 3025 (P- 34)	6.54	mg/l	45	No Relaxation
17.	Selenium (as Se)	IS: 3025 (P- 56)	<0.01	mg/l	0.01	No Relaxation
18.	Silver (as Ag)	Annex J IS: 13428	<0.05	mg/l	0.1	No Relaxation
19.	Sulphate (as SO ₄)	IS: 3025 (P- 24)	38.3	mg/l	200	400
20.	Sulphide(as H ₂ S)	IS-3025 (P-29)	<0.05	mg/l	0.05	No Relaxation
21.	Alkalinity (as Ca CO ₃)	IS: 3025 (P- 23)	130.0	mg/l	200	600
22.	Total Hardness (as CaCO ₃)	IS: 3025 (P-21)	170.0	mg/l	200	600
23.	Zinc (as Zn)	IS: 3025 (P- 49)	<0.2	mg/l	10.0	15

Parameters Concerning Toxic Substances:

S.No.	Parameter	Test method	Result	Unit	Requirement (Acceptable Limit)	Permissible Limit in absence of alternate source
1.	Cadmium (as Cd)	IS-3025(P-41)	<0.001	mg/l	0.003	No Relaxation
2.	Cyanide (as CN)	IS-3025(P-27)	<0.01	mg/l	0.05	No Relaxation
3.	Lead (as Pb)	IS-3025(P-47)	<0.01	mg/l	0.01	No Relaxation
4.	Mercury (as Hg)	IS-3025(P-48)	<0.001	mg/l	0.001	No Relaxation
5.	Molybdenum (Mo)	IS-3025(P-2)	<0.05	mg/l	0.07	No Relaxation
6.	Nickel (as Ni)	IS-3025(P-54)	<0.01	mg/l	0.02	No Relaxation
7.	Poly nuclear Aromatic Hydro Carbons	APHA 6440	<0.0001	mg/l	0.0001	No Relaxation
8.	Poly chlorinated biphenyl	APHA 6630	<0.0001	mg/l	0.0005	No Relaxation
9.	Total Arsenic (as As)	IS-3025(P-37)	<0.01	mg/l	0.01	No Relaxation
10.	Total Chromium (as Cr)	IS-3025(P-52)	<0.05	mg/l	0.05	No Relaxation

BDL: Below Detection limit.

Notes:

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. This test report will not be used for any publicity/legal purpose.
5. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

CHECKED BY
A. J. J.

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



Analyzing for an Assured
Future

(A Government of India Approved Testing Laboratory)
(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)
MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory
+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.

Address: Village - Maqsoodapur, Tehsi Pawayan,
District - Shahjahanpur, Uttar Pradesh. (242401)

Report Code : WW -241223-02
ULR No. : TC6814230000019971 F
Test Report of : Waste Water
Service Request No : NTL/SRF/12/23-15
Service Request Date : 20/12/2023
Report Issue Date : 30/12/2023

SAMPLING & ANALYSIS DATA

Sample Received On : 24/12/2023
Sample Drawn By : NTL
Sample Description : STP Outlet
Sample Quantity/Packing detail : 1 litre pet bottle
Analysis Duration : 24/12/2023 to 29/12/2023

TEST RESULTS

S.No	Parameter	Test Method	Results	Units	Limit as per CPCB norms
1.	pH	IS:3025(Part-11)	6.80	-	5.5-9.0
2.	Total Suspended Solid	IS:3025(Part-17)	18.2	mg/l	100 max
3.	Chemical Oxygen Demand (COD)	IS:3025(Part-58)	76.0	mg/l	No limit Specified
4.	Biological Oxygen Demand(as O ₂)	IS:3025(Part-44)	17.0	mg/l	30max
5.	Oil & Grease	IS:3025(Part-39)	1.8	mg/	No limit Specified
6.	Faecal Coliform (MPN/100ML)	IS: 1622:1981	205.0	-	<1000 MPN/100ML

Notes:

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. This test report will not be used for any publicity/legal purpose.
5. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Checked by
CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Issued To: M/s Bajaj Energy Ltd.

Address: Village - Maqsoodapur, Tehsi Pawayan,
District - Shahjahanpur, Uttar Pradesh. (242401)

Report Code : WW -241223-02
ULR No. : TC6814230000019969 F
Test Report of : Waste Water
Service Request No : NTL/SRF/12/23-15
Service Request Date : 20/12/2023
Report Issue Date : 30/12/2023

SAMPLING & ANALYSIS DATA

Sample Received On : 24/12/2023
Sample Drawn By : NTL
Sample Description : ETP Outlet
Sample Quantity/Packing detail : 1 litre pet bottle
Weather Conditions : Normal
Analysis Duration : 24/12/2023 to 29/12/2023

TEST RESULTS

S.No.	Parameter	Test Method	Results	Limit as per CPCB Norms
1.	pH	IS:3025(P-11)	7.65	5.0-9.0
2.	Total Suspended Solid (TSS)mg/l	IS:3025(P-17)	10.8	100
3.	Chemical Oxygen Demand (as O ₂) mg/l	APHA 5220 B-2005	44.0	250
4.	Biological Oxygen Demand (as O ₂) mg/l	IS:3025(P-44)	13.2	30
5.	Oil & Grease (mg/l)	IS:3025(P-39)	<1.0	10

EPA-Environmental Protection Act-1986

Notes:

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
2. Responsibility of the Laboratory is limited to the invoiced amount only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the laboratory.
4. This test report will not be used for any publicity/legal purpose.
5. The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.

Checked By
CHECKED BY

AUTHORIZED SIGNATORY



Laboratory : GT-20, Sector-117, NOIDA, Gautam Budh Nagar - 201301

Branch Office :

HARIDWAR | RUDRAPUR | CHANDIGARH | DEHRADUN | PUNE

E.: noida.laboratory@gmail.com, info@noidalabs.com W.: www.noidalabs.com





2024769

sc200

SOLID

40.3^{TS} mg/l

pH

7.66^{pH}

menu

home

back

enter

कार्यालय जिला कृषि अधिकारी, शाहजहाँपुर।

पत्रांक C-1632/04-कृषि/सामान्य/ 2023-24/

दिनांक 29/01/2024 49

मै0 बजाज एनर्जी लिमिटेड,
मकसूदापुर शाहजहाँपुर।

उपरोक्त विषयक आपके पत्र दि० 27.01.2024 के क्रम में अवगत कराना है कि विगत तीन-चार वर्षों से विकास खण्ड वण्डा में स्थित बजाज एनर्जी लिमिटेड मकसूदापुर शाहजहाँपुर से फसलों के नुकसान/कुप्रभाव पड़ने की कोई शिकायत प्राप्त नहीं हुयी है।

जिला कृषि अधिकारी
शाहजहाँपुर 29.01.2024
जिला कृषि अधिकारी
शाहजहाँपुर

पृष्ठांकन संख्या / तददिनांकित।

प्रतिलिपि:- निम्नलिखित की सेवा में सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित-

1. मुख्य विकास अधिकारी महोदय, शाहजहाँपुर।
2. जिलाधिकारी महोदय, शाहजहाँपुर।

जिला कृषि अधिकारी,
शाहजहाँपुर।

कार्यालय सहायक निदेशक मत्स्य , शाहजहाँपुर ।

पत्रांक :- 55 /विविध/जाँच/2023-24

दिनांक :- 29/01/2024

बजाज एनर्जी लिमिटेड
मकसूदापुर
शाहजहाँपुर

विषय :- बजाज एनर्जी लिमिटेड मकसूदापुर शाहजहाँपुर के संचालन से मछलियों के स्वास्थ्य पर कोई कुप्रभाव ना पड़ने के सम्बन्ध में।

महोदय,

उपरोक्त विषयक आपके पत्र दिनांक 27/01/2024 के क्रम में अवगत कराना है कि विगत 2-3 वर्षों में बजाज एनर्जी लिमिटेड मकसूदापुर जनपद शाहजहाँपुर के संचालन से मछलियों / जलीय जन्तुओ में किसी प्रकार की कोई व्यावसायिक बीमारी की सुचना प्राप्त नहीं हुई है।

भवदीय

सहायक निदेशक मत्स्य
शाहजहाँपुर

सहायक निदेशक मत्स्य
शाहजहाँपुर

कार्यालय मुख्य पशु चिकित्सा अधिकारी, शाहजहापुर ।

पत्रांक 1774 /स्था0 / 2023-24 दिनांक 29 जनवरी - ,2024

प्रबन्धन निदेशक

बजाज एनर्जी लिमिटेड, मकसूदापुर

शाहजहापुर । उ0प्र0

विषय- बजाज एनर्जी लिमि0के आसपास पशु स्वास्थ्य पर प्रभाव के सम्बन्ध में ।

महोदय,


आपके कार्यालय के पत्रांक दिनांक 27-1-2024 के द्वारा आपके उपरोक्त प्लान्ट के संचालन से आस पास के पर्यावरण पर पशुओ के स्वास्थ्य पर कोई प्रतिकूल प्रभाव के न होने के सम्बन्ध मे पत्र जारी करने का अनुरोध किया गया है ।

आपके अनुरोध पर दिनांक 28-1-2024 को अधोहस्ताक्षरी के द्वारा प्लान्ट कैम्पस का निरीक्षण किया गया, जिसमें प्लान्ट से निकलने वाले पानी के उपयोग व आस पास के गांव क्षेत्र को देखा गया । पशु चिकित्सा अधिकारी बण्डा से प्लान्ट के आस पास ग्रामीणों के पशुओ के स्वास्थ्य के सम्बन्ध में जानकारी प्राप्त की गयी ।

पशु चिकित्सा अधिकारी बण्डा के द्वारा बतायी गयी स्थिति तथा मौके पर पायी गयी स्थिति से ऐसा कोई प्रतिकूल तथ्य प्रकाश में नहीं पाये गये जो कि आस पास के पशुओ के स्वास्थ्य पर कोई प्रतिकूल प्रभाव डालते हों ।

अतः पत्र आवश्यक कार्यवाही हेतु जारी किया जाता है ।

भवदीय



(डा0इन्द्रजीत सिंह)

मुख्य पशु चिकित्सा अधिकारी

शाहजहापुर ।

मुख्य पशु चिकित्साधिकारी

शाहजहापुर





IN THE MATTER OF:

SARDAR SATNAM SINGH AND ORS.

..... APPLICANT(S)

VERSUS

STATE OF UTTAR PRADESH & ORS.

.... RESPONDENT(S)

KNOWN ALL TO whom these presents shall come that I/We

Arun Kumar Goog

the above-named

for R-7

do hereby appoint

SANJEEV KUMAR SINGH Enroll No. D/791/2000, SHIGHRA KUMAR Enroll No. D/899/2017

ALOK KRISHNA AGARWAL Enroll No. D/43/1989, MAYANK BUGHANI, D/1904/2005

BHISHM PRATAP SINGH-D/4574/2022, DEVANSH SHEKHAR, Enroll No. D/9344/2021

LEGAL VIBES, ADVOCATES & SOLICITORS

G-27, FIRST FLOOR, JUNG PURA EXTENSION, NEW DELHI -110014

PH: 011-43580335, MOB 9810148367

(herein after called the advocates) to be my/our Advocates in the above- noted cause, to do all the following acts, deeds and things or any of them, that is to say: -

1. To act, appear and plead in the above-noted cause on my/our behalf, in this Court or in any other Court/ Tribunal in which the same may be tried or heard and also in the Appellate Court subject to payment of fees separately for each Court by me/us.
2. To sign, file, verify and present pleadings, appeals, cross-objections or petitions for executions, review, revision, withdrawal, compromise or other petitions or affidavits or other documents as may be deemed necessary or proper for the prosecution of the said cause in all its stages subject to payment of fees for each stage.
3. To file and take back documents, to admit and/or deny the documents of opposite party.
4. To withdraw or compromise the said case or submit to arbitration-any differences or disputes that may arise, touching or any matter to the said case.
5. To take execution of the said case.
6. To deposit,  cash and grant receipt thereof and to do all other acts and things to be done for the progress and in the course of the prosecution of the said case.
7. To appoint and instruct any other Legal Practitioner authorizing him to exercise the power and authority hereby conferred upon the Advocate whatever he may think fit to do so and to sign the power of attorney on our behalf.

AND I/we the undersigned do hereby agree to ratify and confirm all, acts done by the Advocate or his substitute in the matter as my/our own acts, as if done by me/us to all intents and purposes.

AND I/we undertake that I/we or my/our duly authorized agent would appear in the Court on all hearings and will inform the Advocate for appearance when the case is called.

AND I/we undersigned do hereby agree not to hold the Advocate or his substitute responsible for the result of the said case. The adjournment & other costs whenever ordered by the Court shall be of the Advocate, which he shall receive and retain for himself.

AND I/we the undersigned do hereby agree that in the event of the whole or part of the fee agreed by me/us to be paid to the Advocate remaining unpaid he shall be entitled to withdraw from the prosecution of the said case until the same is paid.

IN WITNESS WHEREOF I/we do here unto set my/our hand these presents the contents of which have been understood by me/us on this.....10th.....day ofApril.....2024

Accepted subject to the terms of the fees.

(SANJEEV KUMAR SINGH & SHIGHRA KUMAR)

Advocates

Client

Client





Legal Vibes <legalvibes.lawfirm@gmail.com>

**O.A. No.602/2023 Titled as Sardar Satnam Singh & Ors. Vs. State of Uttar Pradesh & Ors.
(Reply on behalf of the Respondent No.7)**

1 message

Legal Vibes <legalvibes.lawfirm@gmail.com>

Fri, Apr 12, 2024 at 5:57 PM

To: "antimabazaz@gmail.com" <antimabazaz@gmail.com>, mefcc@gov.in, "sarpanchsatnam0011@gmail.com" <sarpanchsatnam0011@gmail.com>

Dear all,
Please find the attachment reply on behalf of the Respondent No.7 (M/s. Bajaj Energy Ltd.)
Kindly accept the services.

Thanks & Regards,

Legal Vibes Law Firm

G-27, First Floor,

Jangpura Extension

New Delhi-110014

Ph: 011-43580335



Sardar Satnam Singh Reply Final.pdf

6400K