

**BEFORE THE HONORABLE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI.
ORIGINAL APPLICATION NO.796/2023 (PB)**

APPLICANT:- SUO MOTU

: VERSUS :

RESPONDENTS:- 1) Maharashtra Pollution Control Board,
Through its Member Secretary
2) Collector/District Magistrate, Nagpur,

[REPLY ON BEHALF OF RESPONDENTS NO. 2]

Respondents No.2 Collector/District Magistrate, Nagpur, do hereby submits as under.

1) I say that, I have been arrayed as Respondents No.2 in the present matter of which this Honble Tribunal has taken suo motu cognizance of the news appeared in the Hindu News Paper on 18.12.2023 regarding that "Nine Workers killed in blast in an explosives factory near Nagpur " and in this background this Honble Tribunal issued notice against the respondents and as such listed the matter on 18.01.2024 before this Honble Tribunal



through physical hearing (with hybrid option) to be appeared either in person or by a pleader duly instructed with report.

- 2) It is stated in the news that “the explosion took place during a slewing operation (the explosive raw material is slevled before use) in a building where boosters for use in coal mines are made. Prima facie, nine persons died following the explosion. The situation is under control. No labourer is currently in the building, a senior company official said”.
- 3) It is submitted that on 17/12/2023 at Solar Industries India Limited, Mauja-Chakdoh, Taluka-Katol, District-Nagpur, 9 persons died due to explosion as per detailed report of the said incident submitted by Sub Divisional Police Officer, Katol Camp, Kondhali and Tahsildar, Katol **Brief information about the explosion on 17/12/2023**

Company name	Solar Industries India Limited, Chakdoh, Tahsil Katol District Nagpur (Maharashtra)
Establishment	Year 1995
Total area	570 acres
Products to be manufactured	Manufacturing of explosives and manufacturing of explosive by product
Name of the Chairman	Shri Satyanarayan Nuwal
Name of Director	Shri Milind Deshmukh
Name of Unit Head	Shri. P. P. Deotare

Date and place of incident	17/12/2023 around 9.00 AM
Place of incident	HRCPCH UNIT (HMX, RDX COMPOUNDED PRODUCT CASTING HOUSE) Building No.2
Manpower required for the unit	In A-Shift-11 Persons (from 06.00 AM to 2.30 PM)
Number of casualties	Male 3, Female 6. Total 09 Persons

Incident Details :

HRCPCH - Licensed for manufacture of building number 2 RDX / TNT pallets. On Sunday 17/12/2023 an explosion occurred in the above building while screening of INT was in progress, resulting in the death of 09 workers working in the plant.

Names of Deceased:-

1. Shri. Yuvraj Kishavji Charode, Male 31 years, R/o. Bazargaon, Nagpur Rural, Distt. Nagpur.
2. Shri. Omeshwar Kishanlal Machhirke, Male 25 years, R/o. Chakdoh, Katol, District, Wagpur
3. Shri. Mosam Rajkumar Patle, male 23 years, R/o. Pachgaon, Mohadi, Dist. Bhandara
4. Smt. Mita Pramod Uike, female 27 years, R/o. Ambada Sonak, T. Katol, District, Nagpur
5. Smt. Aarti Nilakant Sahare, female 20 years, R/o. Kamathi (Masod), t. Katol, Dist. Nagpur
6. Smt. Svetali Damodar Marbate, female 22 years, R/o. Kannamwar Village, Tahsil, Karanja, Distt. Wardha



7. Smt. Pushpa Sriramji Manapure, female 37 years, R/o. Telipura, Amravati, Dist. Amravati

8. Shrimati Bhagyashree Sudhakar Lonare, female 23 years R/o. Bhujatukum, Taluka Bramhapuri, Dist. Chandrapur

9. Mrs. Rumita Villas Uike, Female 31 years, R/o. Dhaga, Karanja, Dist. Wardha

Action taken after accident :-

- As soon as the incident was reported, the accident area was demarcated as a restricted area.
- The factory and all operations in the factory were immediately shut down.
- All the workers were sent back to their homes.
- The company launched drones to conduct aerial surveys.
- Fire highlights were used to wet the area.
- BDDS team of police force immediately deployed and inspected the accident site for safe access to the accident area,
- PESO (Petroleum and Explosive Safety Organization) team reached to carry out the search operation after inspecting the incident site, guidelines were given.
- Forensic team collected samples from the spot for further investigation.
- A team of (SDRF) and police, along with company personnel, conducted a search operation, collected the body and samples of different body parts from the spot and sent it for post-mortem.
- Crime No.882/2023 under section 304 A, 286 of IPC was registered against unknown person at Police Station Kondhali.

Public Assistance :-

- 5 lakhs per deceased from the State Government were released to the kin of diseased

- 20 lakhs per deceased person from the company management were given
- Assurance of one employment to the dependents of the deceased from the company is given.

4) It is submitted that the office of answering respondent has submitted preliminary report to the Hon'ble Principal Secretary, Department of Disaster Management, Relief and Rehabilitation, Mantralaya Mumbai by communication dated 17.12.2023.

5) It is also submitted that the Deputy Chief Controller of Explosives DTS Gondkhairi, Amravati Road Nagpur-440023 vide communication dated 18.12.2023 to the office of answering respondent has informed to the M/s Solar Industries India Limited. Amravati Road, Nagpur that the site of incidence is no more suitable for manufacture/storage of explosives and therefore the licence no. E/HQ/MH/20/98 (E113453) is suspended as per the provisions of Section 6(E) of Explosives Act, 1884 and Rule 118 of Explosives Rules. 2008 with immediate effect as an interim measure in the interest of safety. By the said communication the said company has been issued a show cause as to why the license should not be cancelled. The copy of the said communication has been forwarded to the office of answering




respondent as well as to the Chief Controller of Explosives West Circle, Navi Mumbai for information and necessary action. The copy of the said communication dated 18.12.2023 is annexed and marked here with as **ANNEXTURE-1** for the kind perusal of this Hon'ble' Tribunal.

- 6) It is further submitted that the answering respondent taking the cognizance of the above facts in exercise of the powers conferred upon the District Magistrate Nagpur under section 9(1) of the Explosives Act, 1884 issued an order on 19.12.2023 for a Magisterial enquiry into the said accident directing that the said Magisterial inquiry shall be conducted by the Sub-Divisional Magistrate Katol, in the manner prescribed U/s 9(2) of the act *ibid*. By the said order Sub-Divisional Magistrate Katol, is directed to conduct inquiry into the said accident in procedure, 1973 and the Explosives Rules, 2008 and submit a report stating the causes and the circumstances which led to the said accident within a period of one month. The copy of the said order dated 19.12.2023 is annexed and marked here with as **ANNEXTURE-2** for the kind perusal of this Hon'ble' Tribunal.

- 7) It is submitted that the Sub Divisional Magistrate, Katol has submitted the report regarding the incident occurred by communication dated 15.01.2024 to the office of answering Respondent stating that "Since the investigation of the police authorities is in progress and the further investigations of the other necessary departments are going on hence the cause of incident could not be ascertained till date. The copy of the report dated 15.01.2024 submitted by Sub Divisional Magistrate, Katol is annexed and marked here with as **ANNEXTURE-3** for the kind perusal of this Hon'ble' Tribunal.
- 8) For the aforesaid reasons it is humbly submitted that the Chief Comptroller of Explosives, DTS, Gondkhairy, Nagpur - 440023 (Email : dyccedts@explosives.gov.in) is necessary party in the present matter and hence the said authority may kindly be impleaded in the present matter.
- 9) Hence the reply is being submitted for due consideration of the Hon'ble Tribunal.

Place : Nagpur
Dated: 15.01.2024


Collector and District Magistrate, Nagpur
(Respondents No. 2)
Collector, Nagpur

NOTARIAL FEE
ENTRY NO 1034
DATE 15/1/24


Solemn Affirmation

I Dr.Vipin Itankar, Aged about 39 years, Collector and District Magistrate, Nagpur do hereby take an oath and state on solemn affirmation that the contents as stated above are true and correct to the best of my knowledge and information received from official record and hence I have signed on this day of 15th January, 2024 at Nagpur.

[Signature]
Deponent
Collector, Nagpur

I know the deponent.

[Signature]
V.R. Bhute,
law officer, Collector office,
Nagpur.



NOTARIAL FEE AFFIRMED
BY Dr. Vipin Itankar
WHO IS PERSONAL & KNOWN
TO ME IDENTIFIED BY V.R. Bhute
BEFORE ME THIS THE 15th
DAY OF Jan 24 AT NAGPUR
[Signature]
HAIDARI NAUSHAD S. ALI
NOTARY
NAGPUR DIST. (M.S.) INDIA





GOVERNMENT OF INDIA
 MINISTRY OF COMMERCE & INDUSTRY
 PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)
 (Formerly Department of Explosives)
 Departmental Testing Station, 18 Km Stone,
 Amraoti Road, Gondkhairi, Nagpur 440023
 Tele: 280374
 Email: dyccedts@explosives.gov.in

No: E/HQ/MH/20/98(E113453)

Dated : 18/12/2023

To,
 M/s. Solar Industries India Limited,
 Solar House, 14, Kachimet, Amravati Road, Nagpur., Nagpur
 Distt. NAGPUR, State. Maharashtra, Pincode-440023

Subject: Manufacturing of HMX/HMX Compounded Products - Defence, RDX/RDX Compounded Products - Defence situated at Survey No.: 75, 78, 79, 81, 82, 83, 39, 40, 71, 38, 1, 3, 8/1, 8/2, 31, 37, 70, 72, 73/1, 73/2, 74 & 85 of Chakdoh and 29/1, 29/2 of Bazargaon, Village/Town. Chakdoh & Bazargaon, Distt. NAGPUR, State. Maharashtra Licence No. E/HQ/MH/20/98 (E113453) granted in Form LE-1 of Explosives Rules, 2008- Suspension regarding.

Sir,

An accident involving explosion occurred in the building number HR-CPCH-2 (HMX / RDX Compounded Pellet Casting House-2) marked as CBH-2 at accident site of the subject premises.

During the visit at the site by the officers of this office on 17/12/2023 and 18/12/2023, it was observed that the entire building number HR-CPCH-2 (HMX / RDX Compounded Pellet Casting House-2) marked as CBH-2 was completely collapsed in the accident and debris was found scattered in the surrounding area up to a distance of approximately 500 meters. Further, unexploded explosives were also recovered from the accident site.

Special precautions to avoid accident were not taken - Violation of Rule 19 of the Explosives Rules, 2008.

As such the subject site is no more suitable for manufacture / storage of explosives.

In view of above, the license number E/HQ/MH/20/98 (E113453) is hereby suspended as per the provisions of Section 6(E) of Explosives Act, 1884 and Rule 118 of Explosives Rules, 2008, with immediate effect as an interim measure in the interest of safety. An order suspending the licence is enclosed herewith.

Please show cause within 21 days of the date of this letter as to why the subject license should not be cancelled.

Without prejudice to any action which may be taken against you, you are advised to submit

11
your internal investigation report including Panchanama, Post Mortem Report, Sample / Forensic Test Report, Process Description, recent Safety Audit, CCTV Camera footage for the previous day of accident and of the day of the accident.

Please comply the order and follow the procedure under Rule 119 of the Explosives Rules, 2008 regarding the disposal of the explosives in your possession. Please follow the procedure under Rule 121 for appeal.

Receipt of this letter may please be acknowledged.


Enclosures :

Yours faithfully,

Shivchandra D. Mishra
Controller of Explosives
Deputy Chief Controller of Explosives
DTS, Gondkhairi, Nagpur

Copy
Forwarded to:

1. District Magistrate, NAGPUR, Maharashtra for further necessary action.
2. Superintendent of Police, NAGPUR, Maharashtra for further necessary action.


Deputy Chief Controller of Explosives
DTS, Gondkhairi, Nagpur

[For more information regarding status, fees and other details, please visit our web site [http //peso.gov.in](http://peso.gov.in)]

copy to
* the Jt. Chief Controller of Explosives,
West Circle, Hari Member



12

Annexure 0-1

GOVERNMENT OF INDIA
MINISTRY OF COMMERCE & INDUSTRY
PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION(PESO)
(Formerly Department of Explosives)
Departmental Testing Station, 18 Km Stone,
Amraoti Road, Gondkhairi, Nagpur 440023
Tele: 280374
Email: dyccedts@explosives.gov.in

No: E/HQ/MH/20/98(E113453)

Dated : 18/12/2023

ORDER

In exercise of the powers conferred under Section 6E (3) of the Explosive Act, 1884, read with Rule 118 of the Explosives Rules, 2008; Licence No. E/HQ/MH/20/98(E113453) granted in Form LE-1 under Explosives Rules, 2008 to M/s. Solar Industries India Limited (Occupier : Shri Milind Deshmukh), Solar House, 14, Kachimet, Amravati Road, Nagpur., Distt. NAGPUR, State. Maharashtra, Pincode-440023 for Manufacturing HMX/HMX Compounded Products - Defence, RDX/RDX Compounded Products - Defence from their HMX/HMX Compounded Products - Defence, RDX/RDX Compounded Products - Defence manufacturing factory situated at Survey No.:75, 78, 79, 81, 82, 83, 39, 40, 71, 38, 1, 3, 8/1, 8/2, 31, 37, 70, 72, 73/1, 73/2, 74 & 85 of Chakdoh and 29/1, 29/2 of Bazargaon, Chakdoh & Bazargaon, NAGPUR, Maharashtra is suspended with immediate effect.

M/s. Solar Industries India Limited is directed to surrender their Original copy of above licence in the office of this office immediately as required under Section 6E (9) of the Explosive Act, 1884.



Shivchandra D. Mishra
Controller of Explosives

Deputy Chief Controller of Explosives

DTS, Gondkhairi, Nagpur

(Office Copy Only)**REASON FOR SUSPENSION :**

1. An accident involving explosion occurred in the building number HR-CPCH-2 (HMX / RDX Compounded Pellet Casting House-2) marked as CBH-2 at accident site of the subject premises. During the visit at the site by the officers of this office on 17/12/2023 and 18/12/2023, it was observed that the entire building number HR-CPCH-2 (HMX / RDX Compounded Pellet Casting House-2) marked as CBH-2 was completely collapsed in the accident and debris was found scattered in the surrounding

area up to a distance of approximately 500 meters. Further, unexploded explosives were also recovered from the accident site. Special precautions to avoid accident were not taken – Violation of Rule 19 of the Explosives Rules, 2008. As such the subject site is no more suitable for manufacture / storage of explosives. In view of above, the license number E/HQ/MH/20/98 (E113453) is hereby suspended as an interim measure in the interest of safety. Please show cause within 21 days of the date of this letter as to why the subject license should not be cancelled. Without prejudice to any action which may be taken against you, you are advised to submit your internal investigation report including Panchanama, Post Mortem Report, Sample / Forensic Test Report, Process Description, recent Safety Audit, CCTV Camera footage for the previous day of accident and of the day of the accident..



Most Immediate

No.ADM/Home/Desk -14(3)/WS 658/2023
Office of the District Magistrate, Nagpur
Dated 19 December 2023


ORDER

Whereas on 17/12/2023, an accident by explosion/fire attended with loss of Nine human lives has occurred in the precinct of Solar Industries India Ltd. Village Chakdoh Tahsil Katol District Nagpur in the jurisdiction of Kondhali Police Station.


And whereas, the said accident has occurred in connection with the manufacture of explosives, TNT etc. and resulted in loss of human life.

Therefore, I, Dr. Vipin Itankar, District Magistrate, Nagpur in exercise of the powers conferred upon me under Section 9(1) of the Explosives Act 1884. Hereby order an Magisterial inquiry into the said accident, and further direct that the said Magisterial inquiry shall be conducted by the Sub-Divisional Magistrate, Katol, in the manner prescribed U/s 9(2) of the act ibid.




(Dr. Vipin)
District Magistrate,
Nagpur

- 1) Copy forwarded to the Sub-Divisional Magistrate, Katol, he is directed to conduct inquiry into the said accident in procedure, 1973 and the Explosives Rules, 2008. He shall submit a report stating the causes and circumstances which led to the said accident, within a period of One Month.
- 2) The Police Station Officer, Kondhali for information and necessary action
- 3) Copy forwarded to the Dy.Chief Controller of Explosives, CGO Complex Seminary Hills, Nagpur-06
- 4) Copy forwarded to the Superintendent of Police, Nagpur (Rural) Nagpur for information and necessary action


(Dr. Vipin)
District Magistrate,
Nagpur



महसूल विभाग

उपविभागीय अधिकारी तथा उपविभागीय दंडाधिकारी, काटोल यांचे कार्यालय,
प्रशासकीय इमारत, पहिला माळा, मेन रोड काटोल, ता. काटोल, जि. नागपूर 441302
ई मेल- sdokatol@gmail.com दुरध्वनी क्रमांक: - 07112- 222040

क्र. अका / संकीर्ण / उविद / काटोल / कावि- 48/2024 दिनांक- 15.01.2024

To,
Hon'ble District Collector
Nagpur.

SUB :- Notice of hearing in Suo Moto Matter in re: News item appearing in the Hindu Bureau dated 18/12/2023 entitled "Nine workers killed in blast In an explosives factory near Nagpur".

REPORT REGARDING THE INCIDENT OCCURRED IN THE SOLAR INDUSTRIES INDIA LTD. MOUZA CHAKDOH, TAH - KATOL, DIST- NAGPUR.

Ref:- Your Office Letter क्र. प्रस्तु/निउजि/विस्फोटक/कावि 03 दि.05/01/2024

Respected Sir,

1. That the National Green Tribunal, Principal Bench New Delhi has registered Suo Moto petition on the basis of news item published in the Hindu Bureau Date 18/12/2023 entitled "Nine workers killed in blast in an explosive factory near Nagpur" and further called report regarding the incident occurred in the Solar Industries India Ltd., Mouza Chakdoh Tah- Katol, Dist- Nagpur, from District Magistrate Nagpur.
2. That in view of the said Suo Moto petition the district magistrate has given letter dated 05/01/2024 to call the detail report in respect of the incident occurred in the said company to the Sub Divisional officer Katol, Tah- Katol, Dist- Nagpur.

That in view of the said letter the following enquiry has been conducted by the undersigned. That the letter was issued to The Police Station Officer, Police Station Kondhali, The Chief Controller of explosives, petroleum and explosives safety, organization, the Tahsildar/Executive Magistrate Katol, DY. S.P Katol, in order to submit the detail reports regarding said incident dated 17/12/2023, occurred in Solar Industries India Ltd., mouza Chakdoh. That on the basis of reports submitted by the said authorities the following points has been taken into consideration.

1.	Name of the company	Solar industries India Ltd. Chakdoh, Tah-Katol, Dist- Nagpur (Maharashtra)
2.	Establishment of Company	Year 1995
3.	Area of Company	570 Acre.
4.	Product	Manufacturing of explosives and manufacture of by product explosives.
5.	Name of the president	Shri. Satyanarayan Nuwal
6.	Name of Director	Shri. Milind Deshmukh
7.	Name of Unit head	Shri. P.P. Devtare
8.	Date and place of incident	17/12/2023 HRCPCH UNIT (HMX, RDX COMPOUNDED PRODUCT CASTING HOUSE) building No. 2
9.	Man force for said unit	A-Shift 13 persons (Morning 6.00 to afternoon 2.30)
10.	Dead persons	Male- 3, female- 06 Total- 9

3. That as per the report submitted by deputy superintendent of police Katol, it appears that on 17/12/2023, at 6 O'clock in the morning the solar explosive company, total 11 workers and 1 apprentice supervisor, one supervisor, were assigned to complete screening work of TNT in HRCP- 2 Unit. At that time at about 8 a.m. to 8.30 am in the morning suddenly there was blast in HRCP- 2 Unit. That in the said blast the building of HRCP-2 Unit was collapsed. That the workers Shri. Mosan Rajkumar Patle, Shri. Yuvraj Kishnaji Charode, Nita Pramod Uike, Shri. Omeshwar Kishanlal Macchirke, Arti Nilkanth Sahare, Swetali Damodhar Marbate, Pushpa Shriramji Manapure, Bhagyashri Sudhakar Lonare and Rumita Vilas Uike expired.

4. That after the incident the information was given to BDDS Team, Forensic Team, petroleum and explosive safely organization. That said Teams arrived at the spot of incident and conducted inspection. That the excavation was started in the ruined building of HRCP-2 Unit. That the deceased who died in the said blast, their body parts were scattered and hence same were excavated from the exposed building

and the bodies were sent to Govt. Medical College Nagpur for post mortem examination. That since the bodies of the deceased could not be identified and hence in order to identify the deceased persons as per the information received from the solar company, the blood samples of relatives of the deceased persons have been taken for DNA examination and submitted in the Regional Forensic Scientific Experiment School, Nagpur for examination. Accordingly the deceased persons have been identified. That said deceased persons expired in the blast of HRCP-2 unit building in the solar company.

5. That in the said blast dated 17/12/2023 the accident occurred in the IIMX/RDX Compounded product pallet casting house (building No. HR-CPCH-2) (CBH-2) located in the premises of M/S Solar Industries India Ltd. Village Chakdoh while sieving operation of TNT flake packing of sieved TNT in plastic liner. The entire building, machinery collapsed in the explosion and debris was found catered in radius of 500 mtrs.

6. That on perusal of the preliminary accident report dated 08/01/2024 issued by Dy. Chief Controller of Explosives NAPES-TS, Gondkhari it reveals that the company has violated the following measures.

Sr. No.	Description	Specific Rule	Specific Conditions	License Form
1.	Special precaution against accident was not taken	19	4	LE-I
2.	Competent Person for the building HR-CRCH-2 was not present during operation of manufacturing process. Proper training was not provided to work force/shop floor supervisor regarding violation of SOPs related to cleaning and parts of equipment used for operation.	26(3)(C)	7&8	LE-I
3.	Safe sieving operation as per standard engineering practice was not being carried out	26 (1), 26 (3)(i), 26 (5)	3	LE-I

Therefore Dy. Chief Controller of Explosives NAPES-TS, Gondkhari has taken action against the company thereby suspended

the License of the company bearing License No. E/HQ/MII/20/98 (EH3453) and E/HQ/MH/20/90 (E89848) and further stoped order for the affected buildings and show cause notices for the other licenses were issued to M/S Solar Industries India Limited in the interest of safety. In the said preliminary accident report the Dy. Chief Controller of Explosives NAPES-TS, Gondkhari, did not disclosed the probable cause of accident as the same is under the investigation.

7. That the police authorities of Kondhali police station has registered offence under section 304-A, 286 of Indian Penal Code, in crime No. 882/2023, on dated 18/12/2023. That the investigation of the said crime is going on and the charge sheet of the said crime is yet to be final and filed by the police authorities of Kondhali police station in the court.

8. That on the inquiry it reveals that the Maharashtra pollution Control Board grant consent for renewal and renewed period of CI up to 30/06/2026 on the basis of certain terms and conditions, vide its letter dated 25/01/2022.

9. That after the incident, the accident area was demarcated as restricted area, the factory and all operations in the factory were immediately shut down, all the workers send back to their homes, the company launched drones for aerial survey, fire hydrates were used to wet the area, PESO Team inspected the site and gave guidelines for conducting the search operation, Forensic Team collected samples from the site for further investigation

10. That it is to be noted that in the inquiry it reveals that the company management has given an amount of Rs. 20,00,000/- compensation to legal heirs of each deceased in the said blast. It is further assured by the company management that they will give service to one family member of each deceased family. It is further noted that the Tahsildar Katol has also sent proposal to District Magistrate Nagpur to get monetary help of Rs. 5,00,000/- to each deceased under "Chief Minister Assistant Funds".

11. The Magistrial enquiry of the incident is ordered by District Magistrate to be conducted by Sub Divisional Magistrate Katol by order dated 19 December 2023.

Accordingly, the enquiry report is sought from PESO and Police Department with all requisite documents.

Since the investigation of the police authorities is in progress and the further investigations of the other necessary departments are going on and hence the cause of incident could not be ascertained till date.

Hence this report.

- Enclousr -1. SDPO, Katol report 162 /24 dated 11-01-2024
2. Taluka Magistrate report dated 09-01-2024 & 18-12-2023
3. Dy Chief Controller of Explosives NAPES-TS, Gondkhairy report dated 08-01-2024 (Preliminary Accident Report)
4. Maharashtra Pollution Control Board Grant of Renewal report dated 25-01-2022

Yours Faithfully



Shivraj Padole
(Shivraj Padole)
Sub Divisional Magistrate
Katol
15.1.2024



उपविभागीय पोलीस अधिकारी, कायां.
काटोल विभाग, काटोल
जावक क्रमांक:- ५९२/२०२४
दिनांक:- ११/०१/२०२४

प्रति,

मा.पोलीस अधीक्षक साहेब,
नागपुर जिल्हा ग्रामिण, नागपुर

संदर्भ क्र.:- मा.जिल्हाटंडाधिकारी साहेब नागपुर जिल्हा कार्यालयीन पत्र.

क्र.प्रस्तु/निउजि/विस्फोटक/कावि-०३/२४ दि.०५/०१/२४ अन्वये.

विषय :- पोस्टे कोंढाळी अप क्र.८८२/२३ कलम ३०४(अ), २८६ भादवीगुन्हयाचा प्रगती अहवाल सादर करणे बाबत.

महोदय,

सविनय संवेशी सादर आहे की, दि. १७/१२/२०२३ रोजी सकाळी १०.०० वा. दर. फोनव्दारे माहीती प्राप्त झाली की, पोस्टे कोंढाळी हद्दीतील सोलार एक्सप्लोझिव्ह कंपनी चाकडोह येथे स्फोट झाला असून स्फोटामध्ये काम करणारे कामगार मरण पावलेले आहेत. अशी माहीती प्राप्त झाल्याने स्टे.डा. ला साना क्र. ०६/२३ वेळ १०.०५ वा. नोंद करून लगेच पोस्टेला उपलब्ध असलेल्या स्टाफसह सोलार एक्सप्लोझिव्ह कंपनी चाकडोह येथे जावून पाहणी केली असता कंपनी समोर राष्ट्रीय महामार्ग क्र. ५३ वर अंदाजे १००० ते १२०० लोक जमलेले दिसून आले. जमलेले लोक वेगवेगळे प्रकारचे बोलणे करून जमलेल्या लोकांत असंतोष निर्माण करून कायदा व सुव्यवस्थेचा प्रश्न निर्माण करण्याची दाट शक्यता दिसून आल्याने वेळीच घटनेबाबत दुरध्वनीव्दारे मा. वरीष्ठाना सविस्तर माहीती देवून कायदा व सुव्यवस्थेच्या दृष्टीने बंदोबस्ताकरीता मनुष्यबळाची मागणी केली. सोलार एक्सप्लोझिव्ह कंपनी मध्ये जावून घटनेची माहीती घेतली असता दिनांक १७/१२/२३ रोजी सकाळी ०६.०० वा. दरम्यान HRCP -2 युनिट (कास्ट बुस्टर युनिटमध्ये) एकुण ११ कामगार व एक शिकारु सुपरवाईझर व एक सुपरवाईझर असे एकुण १३ सिव्. पुरुष स्फोटक चाळणी कामाकरीता गेले होते. अंदाजे ०८.०० ते ०८.३० वा. दरम्यान अचानकपणे HRCP -2 युनिटमध्ये स्फोट झाल्याने HRCP -2 युनिटची ईमारत उध्वस्त झाली आणि त्यामध्ये काम करणारे कामगारांपैकी १) मोसम राजकुमार पटले वय २३ वर्ष रा. नेहरू वार्ड, पाचगाव ता.मोहाडी जि.भंडारा २) युवराज किसनाजी चारोडे वय ३१ वर्ष रा. बाजारगाव ता.जि.नागपूर ३) ओमेश्वर किसनलाल मच्छीरके वय २५ वर्ष रा. चाकडोह ता.जि.नागपूर ४) निता प्रमोद उईके वय २७ वर्ष रा. अंबाडा सोनक ता.काटोल जि. नागपूर ५) आरती निळकंठ सहारे वय २० वर्ष रा. कामठी ता.काटोल जि.नागपूर ६) वेताली दामोदर मारवते वय २२ वर्ष रा.कन्नमवारग्राम जि.वर्धा ७) पुष्पा श्रीरामजी मानापूरे वय ३७ वर्ष रा. तेलीपूर सिराला, अमरावती ८) भाग्यश्री सुधाकर लोणारे वय २३ वर्ष रा. भुज तुकुम मुडझा ब्रम्हपूरी जि.चंद्रपूर ९) रूमीता विलास उईके वय ३१ वर्ष रा. ढगा ता.कारंजा जि.वर्धा असे ०३ पुरुष व ०६ महिला मरण पावल्याबाबत माहीती मिळाली. सदर घटनेचे गांभीर्य बघून घटनास्थळी BDDS पथक, फॉरेंसिक पथक व पेट्रोलियम व स्फोटके सुरक्षा संस्था, यांना माहीती देवून घटनास्थळी पाचारण करण्यात आले. घटनास्थळाची प्रथम डोनेव्दारे पाहणी करण्यात आली त्यानुसार घटनास्थळी आलेल्या BDDS टीम, फॉरेंसिक चमू तसेच पेट्रोलियम व स्फोटके सुरक्षा संस्थाव्दारे पाहणी करण्यात आली. नमुद तज्ञांचे मागदर्शनाप्रमाणे

सोलार एक्सप्लोजिव्ह कंपनी HRCP 2 युनिटची उध्वस्त झालेल्या ईमारतीचे उत्खनन करण्यात आले. झालेल्या स्फोटामुळे मरण पावलेल्या वरीलप्रमाणे मृतकांचे देह छिनविछिन झाल्याने शरीराचे अवयव उध्वस्त झालेल्या ईमारतीचे उत्खनन करून काढण्यात आले व मृतदेह उत्तरीय तपासणी करीता मेडीकल कॉलेज नागपुर येथे रवाना करण्यात आले. सदर घटनेत वरीलप्रमाणे ०३ पुरूष व ०६ महिलांचा आकस्मिक मृत्यु झाल्याचे प्रथम दर्शनी दिसून आल्याने घटनेसंबंधात सोलार एक्सप्लोजिव्ह कंपनीचे पत्राव्दारे पोस्टे कोंडाळी येथे माहिती दिल्याने आकस्मात मृत्यु क्र. ५८/२३ कलम १७४ जा.फौ. अन्वये दि. १७/१२/२३ रोजी १९.४० वा. नोंद करण्यात आला. स्फोटकाचे घटनेबाबत मा.जिल्हादंडाधिकारी साहेब नागपुर जिल्हा हयांना लेखी पत्राव्दारे कळविण्यात आले.

सदर घटनेचा घटनान्धळाचा पंचनामा तयार करण्यात आला. पंचनामा कार्यवाही दरम्याण फॉरेंसिक चमु तसेच पेट्रोलियम व स्फोटके सुरक्षा संस्था तज्ञांचे मदतीने घटनास्थळावरील पुरावे घेण्यात आले. झालेल्या स्फोटामध्ये मृतकाचे देह छिनविछिन झाल्याने त्यांची ओळख पटली नाही. मृतकाची ओळख पटावी करीता सोलार कंपनीकडून मिळालेल्या माहिती प्रमाणे उपरोक्त मृतकाचे नातेवाईकांचे रक्त सॅम्पल डि.एन.ए. परीक्षणाकरीता घेण्यात येउन प्रादेशिक न्याय सहाय्यक वैज्ञानिक प्रयोग शाळा नागपुर येथे दाखल केले आहे. घटनेसंबंधी प्रत्यक्षदर्शी साक्षदारांचे तसेच ईतरांचे बयाण नोंद करण्यात आले.

आकस्मात मृत्यु क्र. ५८/२३ कलम १७४ जा.फौ. वे चौकशीत दि.१७.१२.२०२३ रोजी ०८:४५ वा. सोलार एक्सप्लोजिव्ह कंपनी, चाकडोह येथे झालेल्या स्फोटकाच्या स्फोटामध्ये वरील महीला व पुरूष कामगार मरण पावले. सोलार एक्सप्लोजिव्ह कंपनी, चाकडोहमध्ये काम करणारे वरील कामगारांचा मृत्यु स्फोटकाच्या बाबतीत हलगीगर्जापणा व निष्काळजीपणा केल्यामुळे झाला आहे. असे दिसून आल्याने घटनेसंबंधी दि.१८/१२/२३ रोजी ०९.२३ वा. अप.क्र. ८८२/२३ कलम ३०४(अ), २८६ भादवि अन्वये गुन्हा दाखल करण्यात आला आहे.

सदर गुन्ह्याचे तपासा दरम्याण

०१. घटनेत मरण पावलेल्या वरीलप्रमाणे ०३ पुरूष व ०६ महिलांचे शरीराचे स्फोटामध्ये शरीराचे अवयव छिनविछिन झाल्याने ते सर्व जमा करून उत्तरीय तपासणी दि. १८/१२/२०२३ रोजी मेडीकल कॉलेज नागपुर येथे पाठवून मा. वैद्यकिय अधिकारीकडून उत्तरीय तपासणी करून घेण्यात आलेली आहे. मृतकाची ओळख पटावी करीता मा. वैद्यकिय अधिकारी यांना सॅम्पल काढून मिळणेस विनंती करण्यात आली. मा. वैद्यकिय अधिकारीने उपरोक्त मृतकाचे उत्तरीय तपासणी दरम्याण सिलबंद करून दिलेले सॅम्पल परीक्षणाकरीता न्याय वैज्ञानिक प्रयोगशाळा, धंतोली नागपुर येथे योग्य प्रश्नावलीसह दि. १८/१२/२०२३ रोजी कागदपत्रासह दाखल करण्यात आले होते.
०२. सदर गुन्ह्यातील मृत पावलेले ०३ पुरूष व ०६ महिलांची ओळख न्याय वैज्ञानिक प्रयोगशाळा धंतोली नागपुरकडून डि.एन.ए. अहवालावरून पटलेली आहे. घटनेत मृत पावलेले स्त्रि.पुरूष व इसमांचे नातेवाईकांनी मृतकाचे मृतदेहाची अंतिमविधी नागपुर येथील मोक्षधाममध्ये करण्यासंबंधी समंती पत्र दिलेले आहे. त्या अनु. गाने आज दि. २१/१२/२०२३ रोजी घटनेतील मयतांची नातेवाईकांना मोक्षधाम नागपुर येथे पाठवून मयतांचे सर्व मृतदेहाची अंत्यविधी करण्यात आली आहे, सर्व मृतकांचा पी एम अहवाल प्राप्त झाला असून मा.वैद्यकिय अधिकारी ने सर्व मृतकाचे मरणाचे कारण DEATH DUE TO BLAST INJURIES असे दर्शविलेले आहे मृतकाचे नातेवाईकांना गुन्ह्यासंबंधी कागदपत्रे पुरविण्यात आलेले आहेत.

घटनास्थळावरून फॉरेंसिंग चमु व पेट्रोलियम व स्फोटके सुरक्षा संस्था तज्ञांचे मागदर्शनाप्रमाणे घेण्यात आलेल्या पुरावा परीक्षणाकरीता न्याय वैज्ञानिक प्रयोगशाळा, धंताली नागपुर येथे यांग्य प्रश्नावलीसह दि. १९/१२/२०२३ रोजी कागदपत्रासह दाखल करण्यात आला होता दाखल केलेले मुद्देमालाचा परीक्षण अहवाल व मुद्देमाल न्याय वैज्ञानिक प्रयोगशाळा, धंताली नागपुर कडून प्राप्त झालेला आहे. त्यात टी एन टी स्फोटके असल्याचा अभिप्राय प्राप्त आहे. स्फोटकाचे नमुने RFSL कडून तपासणी झालेवर ते प्राप्त करून सुरक्षित ठेवले आहे. त्यात पुन्हा पत्र देउन १) Lead Azid २) LEAD Dinitrosocinate ३) Tetrazine याचा अंश आहे काय? याबाबत अहवाल प्राप्त करणे आहे.

०४. सदर घटनेसंबंधात मयताचे नातेवाईक, प्रत्यक्षदर्शी साक्षदार व ईतरांचे बयाण नोंद करण्यात आलेले आहेत.

०५. सोलार एक्सप्लोझिव्ह कंपनी परीसरात लागलेल्या सि.सि.टि.व्ही. कॅमे-याची पाहणी करण्यात आलेली आहे. घटनास्थळाची बारकाईने पाहणी करून पुढे कसल्याही प्रकारची हानी होवु नये करीता मा. तज्ञांनी व मा. वरीष्ठांनी निर्गमित केलेल्या सुचनाप्रमाणे योग्य त्या उपाययोजना करण्यात आलेल्या आहेत.

०६. मा. मुख्य नियंत्रक स्फोटके, पेट्रोलियम व स्फोटके सुरक्षा संस्था, नागपुर यांना पत्र व्यवहार करून १) सोलार एक्सप्लोझिव्ह कंपनी HRCP-2 युनिट मधील घटने पुर्वीचे एक तासाचे सि.सि.टि.व्ही. फुटेजचे आपले कडील डॉ. ए.के. दलेला व डॉ. अनुजकुमार या तज्ञ टिमकडून अवलोकन करून सदरहु तज्ञांचा सदर घटनेमध्ये टि.एन.टि. स्फोटकाचा कारणाच्या बाबतीत अभिप्राय मिळावा. २) टि.एन.टि. स्फोटक पदार्थाचा ट्रिगर फॅक्टरस काय आहेत. याबाबत आपले तज्ञ टिमकडून अभिप्राय मिळावा. ३) सोलार एक्सप्लोझिव्ह कंपनी व्यवस्थापक यांनी एक्सप्लोझिव्ह रूल्स २००८ चे नियम १८, १९, २०, २२, २७, २९, व ३७ प्रमाणे सोलार एक्सप्लोझिव्ह कंपनीने पूर्तता केलेली आहे का? याबाबत आपले तज्ञ टिमकडून पडताळणी करून अभिप्राय मिळावा. ४) सोलार एक्सप्लोझिव्ह कंपनी येथे दि. १७/१२/२०२३ रोजी झालेल्या स्फोटकाच्या घटनेविषयी कोणत्या कारणामुळे घटना घटलेली आहे. आपले तज्ञ टिमकडून अभिप्राय मिळणेस विनंती आहे. याबाबत माहिती मिळणेस विनंती करण्यात आलेली आहे.

०७. सोलार एक्सप्लोझिव्ह कंपनी चाकडोह, शाखा व्यवस्थापकास पत्र व्यवहार करून खालील मुद्दयावर माहिती मिळणेस विनंती करण्यात आलेली आहे. १) सोलार एक्सप्लोझिव्ह कंपनी एच.आर.सि.पी. २ युनिट हे दि. १३/१२/२०२३ पासून अचानकपणे सुरू करण्याचे कारण काय आहे? पुर्वी त्या ठिकाणी असणा-या स्फोटक पदार्थाची सफाई झालेली होती का? सदर ठिकाणी विविध स्फोटकांचे रासायनिक मिश्रण होते काय? २) सोलार एक्सप्लोझिव्ह कंपनी एच.आर.सि.पी. २ युनिट येथील उत्खनात जप्त व सिलबंद टि.एन.टि. स्फोटक व टि.एन.टि. मिश्रीत माती हे न्याय सहाय्यक वैज्ञानिक प्रयोगशाळा नागपुर येथे तपासणी करीता दाखल करणेकामी काय दक्षता घेण्यात यावी. याबाबत लेखी एस.ओ.पी.ची माहिती मिळावी. ३) सदर स्फोटकामध्ये मयत ०९ कामगार यांचे अभिलेखावरील करीअर चार्ट देण्यात यावा. त्यामध्ये त्यांचे संपुर्ण नाव, पत्ता, मोबाईल नंबर, आधार कार्ड, सोलार कंपनी केव्हा जाईट केली, त्यांना स्फोटका संदर्भात जाईन्ट करतेवळी देण्यात आलेले प्रशिक्षण, प्रशिक्षणाचा कालावधी व त्यानंतर नियमित प्रशिक्षणाचा कालावधी, सदर कर्मचारी हे स्फोटक हाताळणे, उत्पादन, वाहतुक या विषयी कुशल व अकुशल कामगार होते, सदर मयत कर्मचा-यांचे वेतन याबाबत सविस्तर माहिती लेखी स्वरूपात मिळावी. सदर युनिटमध्ये कोण सुपरवाईझर होते त्यांची माहिती मिळावी. ४) सोलार एक्सप्लोझिव्ह कंपनीचे स्फोटक पदार्थ उत्पादन, विक्री बाबतचे एक्सप्लोझिव्ह अॅक्ट प्रमाणे परवान्याची प्रमाणित प्रत मिळावी. ५) सोलार एक्सप्लोझिव्ह कंपनीचे अंतर्गत सेफ्टी ऑडीट केव्हा करण्यात आले, त्याची प्रमाणित प्रत मिळावी व अंतर्गत सेफ्टी ऑडीटच्या संदर्भातील नियमावलीची प्रमाणित प्रत

मिळावी. ६) एक्सप्लोझिव्ह रूल्स २००८ चे नियम १८, १९, २०, २२, २७, २९, व ३७ प्रमाणे सोलार एक्सप्लोझिव्ह कंपनीने पुर्तता केलेली आहे का? याची प्रमाणित प्रत मिळावी. ७) सोलार एक्सप्लोझिव्ह कंपनी एच.आर.सि.पी. २ युनिटचे टि.एन.टि. स्फोटक हाताळण्याचे प्रत्येक दिवसाचे किती क्षमता आहे व सदर युनिटमध्ये किती मनु यबळ काम करण्यास परवानगी आहे. याबाबत माहीती मिळावी. ८) सोलार एक्सप्लोझिव्ह कंपनी एच.आर.सि.पी. २ युनिट मध्ये टि.एन.टि. स्फोटक कोणत्या विभागातून येते त्या बाबत अभिलेखावरील प्रमाणित नोंदी मिळाव्यात. ९) सोलार एक्सप्लोझिव्ह कंपनी एच.आर.सि.पी. २ युनिटचे मान्यताप्राप्त नकाशा मिळावा व सदर ठिकाणी किती सि.सि.टि.व्ही. कॅमेरे कार्यान्वित होते याची माहीती मिळावी. १०) सदरघटनेत मृत पावलेल्या ०९ स्त्रि, पुरूष यांचे सुरक्षेच्या दृष्टीने कंपनीमार्फत कोणकोणत्या सुविधा पुरविण्यात आल्या होत्या. याबाबत पत्रव्यवहार करून माहीती प्राप्त करण्यात आलेली आहे.

०८. घटनास्थळ परीसरातील सि.सि.टि.व्ही. कॅमे—याची पाहणी करून पुराव्याच्या दृष्टीने भा.पु.का. कलम ६५(ब) नुसार प्रमाणपत्रासह तज्ञांकडून प्राप्त करण्यात आलेली आहे.

०९. सदर गुन्ह्याचे घटनास्थळी मा. पोलीस महासंचालक साहेब, मुंबई, मा. विशेष पोलीस महासंचालक साहेब, नागपुर परीक्षेत्र नागपुर, मा.पोलीस अधिक्षक साहेब, नागपुर जिल्हा ग्रामिण नागपुर, मा.अपर पोलीस अधिक्षक साहेब, नागपुर जिल्हा ग्रामिण नागपुर व मा. उपवभागीय पोलीस अधिकारी साहेब, काटोल विभाग काटोल हयांनी भेट देवुन घटनास्थळाची पाहणी करून योग्य त्या उपाययोजना व तपास संबंधाने मागदर्शन केलेले आहेत. मा.महोदयांनी निर्गमित केलेल्या सुचनाप्रमाणे उपाययोजना करण्यात आल्या आहे.

१०. घटना तारीख दि. १७/१२/२०२३ रोजी घटनास्थळी बंदोबस्त लावण्यात आला होता. घटनास्थळी जमलेल्या समुदायाला योग्य समुपदेशन करण्यात आले व तातता ठेवणेसंबंधी विनंती करण्यात आली. आज पावोतो कसल्याही प्रकारचा अनुचित प्रकार व कायदा व सुव्यवस्थेचा प्रश्न उपस्थित झालेला नाही. मा.महोदयांचे मागदर्शनाप्रमाणे घटनास्थळी दि.१७/१२/२०२३ पासुन ०७ दिवस पासुन कंपनी बंद होती बंदोबस्त लावण्यात आला होता सध्या कंपनी सुरू असुन कामगार कामावर ज्वत आहेत.

११. सदर गुन्ह्याचे घटनास्थळी मा. जिल्हाधिकारी साहेब, नागपुर जिल्हा यांनी भेट दिलेली आहे. मा. महोदयांनी घटनास्थळाची पाहणी केलेली असुन मृतकाचे नातेवाईकांना विचारपुस केलेली आहे.

१२. सदर गुन्ह्याचे घटनास्थळी 1) Director Industrial sefty and health team
2) Additional labour commissioner and team Nagpur
3) Regional officer and team MPCB Nagpur
4) Divisional officer katpl division
5) Tahsildar katol
6) IB Team 7) Police crime branch 8) ATS team 9) Police IT team 10) peso team 11) DRDO Pune and Delhi

यांनी भेटी दिलेल्या असुन योग्य ते मागदर्शन केलेले आहेत मागदर्शनाप्रमाणे कार्यवाही करण्यात आलेली आहे.

१३. दि. २०/१२/२०२३ रोजी DRDO HERML तज्ञ चमु पथक पुणे यांनी सोलार एक्सप्लोझिव्ह कंपनी येथे भेट दिली असुन सोलार एक्सप्लोझिव्ह कंपनी, HRCP-2 युनिट येथील घटनास्थळावरून मिळुन आलेले स्फोटक संबधी पुरावे गोळा केलेले आहेत. सोलार एक्सप्लोझिव्ह कंपनी व्यवस्थापकास सोलार एक्सप्लोझिव्ह कंपनीमध्ये तयार होणारे स्फोटकाचे कंट्रोल सॅम्पल तसेच स्फोटक तयार करण्याकरीता वापरण्यात येत असलेला रॉ मटेरिअलसह DRDO HERML तज्ञ चमु पथक पुणे यांनी सोलार एक्सप्लोझिव्ह कंपनी, HRCP-2 युनिट अपघातस्थळावरून गोळा केलेले सॅम्पल ज्यामध्ये TNT, RDX, अपघातस्थळावरील उर्वरित दोन ठिकाणचे सॅम्पल हे वेगवेगळ्या अॅन्टी स्टॅटीक बॅग

मध्ये जमा केले असून हे सर्व मॉडल एका हिरव्या लिफाफ्यामध्ये मिल्क कॅन्सलं आहेत. योग्य सुरक्षेतेतच्या दु टांनी योग्य ती पर्यायनांग घेवून हा मिल्कबंद कॅन्सलं हिरव्या लिफाफा एकमल्लोडिक्क व्हॅनने निदेशक DRDO HERML सुतारवाडी, पा णण पुणे (एम.बी. तलवार यांना उद्देशुन) पिन कोड ४११०२१ महारा ट्र राज्य यंधे परीक्षाणाकरीता त्वरीत पाठविण्या संबंधी कळवुन कार्यवाही करण्यात आलेली आहे.

१४. सदर गुन्ह्याचे घटनास्थळाची बारकाईने पाहणी करून घटनास्थळी मिळुन आलेले रबर हातमोजे, निळ्या रंगाची कॅरेट एक प्लास्टिक थैली तपकिरी रंगाची व पाढऱ्या रंगाची प्लास्टिक थैली जप्त करण्यात आलेली आहे. त्याचे Anti statics properties तपासणी करणे करीता पाठविण्यात येते.

१५. सदर घटनास्थळी असलेले सीसीटीव्ही कॅमेरा चे फुटेज तसेच घटनास्थळाची ड्रोन व्दारे पाहणी करून आलेले फुटेज व चित्रफित पुरावे कामी घेण्यात आलेले आहे.

१६. सदर गुन्ह्याचे घटनास्थळी असलेल्या वस्तु ज्या स्थितीत आहेत त्या स्थितीत पुराव्याच्या दृष्टीने सुरक्षित ठेवणेबाबत कंपनी व्यवस्थापकाला पत्रव्यवहार करण्यात आलेला आहे.

१७. सदर गुन्ह्याचे घटनास्थळी असलेल्या विजपुरवठा बाबत संबंधित विभागाकडुन माहिती घेण्यात आलेली आहे. त्यांनी आपल्या अहवालात HRCP-2 युनिट येथील अर्थिंग पीट ची तपासणी म.रा.वि.म.क. मर्या करू ाकत नाही आत मध्ये असलेले विद्युत उपकरणाची देखभाल करणे हि ग्राहकाची

जबाबदारी असते. म.रा.वि.म.क. मर्या चा संबंध फक्त ग्राहकाचे मिटर जोडणी पर्यंत असतो अपघात हा ग्राहकाच्या विद्युत मिटर जोडणी नंतर घडलेला आहे असे कळवुन दि.१७/१२/२३ रोजी होणारा विद्युत पुरवठा (+ 6%) सुरळीत दाबाने होता असे अहवालात नमुद आहे.

१८. HRCP-2 युनिट ह्या प्लॉट मध्ये कोणकोणते स्फोटक तयार केली जात होती व त्याकरीता कोणकोणता रॉ मटेरीयल वापरला जात होता तसेच कंपनी मध्ये तयार होणारी स्फोटके व त्याकरीता वापरात येणारा रॉ मटेरीयल बाबत माहिती कंपनीकडुन घेण्यात आलेली आहे.

१९. HRCP-2 युनिट मधील सीसीटीव्ही फुटेज ची पाहणी करून प्लॉट मधील टी एन टी चाळणी करीत असलेल्या महिला ज्या पध्दतीने व वेगाने टी एन टी चाळणी करीत आहेत ते सुरक्षेच्या दृष्टीने योग्य आहेकाय याबाबत अहवाल मिळणेस PESO कार्यालय नागपुर यांना पत्रव्यवहार करण्यात आलेला आहे.

२०. सदर गुन्ह्याचे घटनास्थळी भेट दिलेल्या अधिकाऱ्यांना घटने संबंधी अहवाल मिळणेस विनंती करण्यात आलेली आहे PESO अहवाल ईमेलव्दारे प्राप्त आहे. Probable cause of Accidental under Investigation अशा दिलेला आहे.

२१. सदर गुन्ह्याचे घटनास्थळाची बारकाईने पाहणी करण्यास मा.वरी टांनी निर्गमित केलेल्या सुचनाप्रमाणे REMOTLY CONTROL CAMERA ची व्यवस्था करून ठेणेबाबत कंपनी व्यवस्थापकाला पत्रव्यवहार

करण्यात आलेला आहे. REMOTLY CONTROL CAMERA प्राप्त होताच घटनास्थळाची पाहणी करून कार्यवाही करण्यात येते DRDO PUNE यांना Emailवर कळवुन सुचनेप्रमाणे कार्यवाही करण्यात येते

२२. सिमीड पोष्टा व्दारे व ईमेल व्दारे CEFFS संस्थेला TNT बाबत पत्रव्यवहार करण्यात आलेला आहे.


मा. वरीष्ठांनी निर्गमित केलेल्या सुचनाप्रमाणे तसेच मा.तज्ञांनी दिलेल्या सुचनाप्रमाणे तपास बारकाईने सुरू आहे. तपासामध्ये निदर्शनास येणा-या बाबीनुसार योग्य ती कार्यवाही करण्याची दक्षता घेतली आहे.

सोलार एक्सप्लोडिक्क कंपनी नागपुर जिल्ह्यात मौजा चाकडोह परीसरात आहे. सदर कंपनी सन १९९६ मध्ये सुरू झालेली आहे. कंपनीचा परीसर ५५० एकराचा आहे. कंपनीमध्ये एकुण ३२०० स्त्रि,

पुरुष कामगार आहेत. तसेच कंपनीत एकूण ५०० ऑफीस कर्मचारी आहे. कंपनीमध्ये डिटोनेटर, जिलेटिन, कास्ट बुस्टर, ईसिईएम व ईतर स्फोटके तयार होतात. गुन्ह्याचा तपास सुरू आहे स्फोटक संबंधी तज्ञाचा अहवाल येणे बाकी आहे,

सबब गुन्ह्याचा प्रगती अहवाल सेवेगी सविनय सादर आहे.

मा.सादर



उपविभागीय पोलीस अधिकारी,
काटोल उपविभाग, काटोल



महाराष्ट्र शासन

महसूल व वन विभाग

तहसिलदार तथा तालुका दंडाधिकारी कार्यालय काटोल जि. नागपूर, महाराष्ट्र, पिन ४४१३०२
office of the Tahsildar & Taluka Magistrate Katol, Dist-Nagpur (M.S) Pin : 441302

दूरध्वनी : ०७९१२-२२२०२३, फॅक्स : २२२०२३ email ID : katoltahsildar@gmail.com

क अ का/प्रस्तु-१/तहका/कावि-१४/२०२४

काटोल दिनांक :- ०९/०१/२०२४

प्रति,

मा. उपविभागीय अधिकारी,
काटोल

विषय : सोलर इंडस्ट्रीज इंडिया लिमिटेड, चाकडोह, तहसिल काटोल जिल्हा, नागपूर (महाराष्ट्र). येथे स्फोटका अहवाल सादर करण्याबाबत....

महोदय,

उपरोक्त विषयाचे अनुषंगाने सादर करण्यात येते की, दिनांक १७/१२/२०२३ रोजी बाजारगाव येथे स्फोटामुळे ९ जणांचा मृत्यु झाला आहे. सदर बाबतचा अहवाल खालीलप्रमाणे सादर करण्यात येत आहे.

दिनांक 17/12/2023 रोजी झालेल्या स्फोटाची थोडक्यात माहिती

कंपनीचे नाव :- सोलर इंडस्ट्रीज इंडिया लिमिटेड, चाकडोह, तहसिल काटोल जिल्हा, नागपूर (महाराष्ट्र).
स्थापना :- सन 1995
एकुण क्षेत्र :- 570 एकर.
तयार करण्यात येणारे उत्पादने :- स्फोटकांची निर्मिती आणि स्फोटकांची उपपदार्थ तयार करणे.
अध्यक्षाचे नाव :- श्री सत्यनारायण नुवाल
संचालकाचे नाव :- श्री मिलिंद देशमुख
युनिट प्रमुखाचे नाव :- श्री. पी.पी. देवतारे
घटनेचे तारीख व ठिकाण :- 17/12/2023 सकाळी 9.00 च्या सुमारास
घटनेचे ठिकाण :- HRCPCB UNIT (HMX,RDX COMPOUNDED PRODUCT CASTING HOUSE) बिल्डिंग क्रमांक 2
युनिट साठी लागणारे मनुष्यबळ :- ए-शिफ्टमध्ये 11 व्यक्ती (सकाळी 06-00 ते दुपारी 2-30)
मृतांची संख्या :- पुरुष 3, महिला 6, एकुण 09

घटनेचे तपशील :-

एचआरसीपीसीएच - बिल्डिंग क्रमांक 2 आरडीएक्स/टीएनटी पॅलेटच्या निर्मितीसाठी परवानाकृत आहे. रविवार दिनांक 17/12/2023 रोजी बरील इमारतीमध्ये TNT ची चाळणी चालु असताना स्फोटाची घटना घडली, यामुळे प्लांटमध्ये काम करणा-या 09 कामगारांचा मृत्यू झाला.

मृत व्यक्तीचे नावे :-

1. श्री. युवराज किशनजी चारोडे, पुरुष 31 वर्ष, रा. बाजारगाव, ता. नागपुर ग्रामीण, जि. नागपुर
2. श्री. ओमेश्वर किशनलाल मच्छरके, पुरुष 25 वर्ष, रा. चाकडोह, ता. काटोल, जि. नागपुर
3. श्री. मोसम राजकुमार पटले, पुरुष 23 वर्ष, रा. पाचगाव, ता. मोहाडी, जि. भंडारा
4. श्रीमती मिता प्रमोद उईके, स्त्री 27 वर्ष, रा. अंबाडा सोनक, ता. काटोल, जि. नागपुर
5. श्रीमती आरती नीळकंठ सहारे, स्त्री 20 वर्ष, रा. कामठी (मासोद), ता. काटोल, जि. नागपुर
6. श्रीमती स्वेताली दामोदर मारबते, स्त्री 22 वर्ष, रा. कन्नमवार ग्राम, ता. कारंजा, जि. वर्धा
7. श्रीमती पुष्पा श्रीरामजी मानापुणे, स्त्री 37 वर्ष, रा. तेलीपुरा, ता. अमरावती, जि. अमरावती
8. श्रीमती भाग्यश्री सुधाकर लोणेरे, स्त्री 23 वर्ष, रा. भुजतुकूम, ता. ब्रम्हपुरी, जि. चंद्रपुर
9. श्रीमती रूमिता विलास उईके, स्त्री 31 वर्ष, रा. ढगा, ता. कारंजा, जि. वर्धा

अपघातानंतर कलेली कार्यवाही :-

- घटनेची माहिती मिळताच अपघात क्षेत्राचे प्रतिबंधित क्षेत्र म्हणून सिमांकन करण्या आले.
- कारखाना आणि कारखान्यातील सर्व कामकाज तातडीने बंद करण्यात आले.
- सर्व कामगारांना त्यांच्या घरी परत पाठवण्यात आले.
- हवाई सर्वेक्षण करण्यासाठी कंपनीने ड्रोन लॉंच केले.
- परिसर ओला करण्यासाठी फायर हायड्रंट्सचा वापर करण्यात आला.
- अपघातग्रस्त भागात सुरक्षित प्रवेशासाठी पोलिस दलाच्या BDDS पथकाने तात्काळ पडताळणी केली आणि अपघात स्थळाची तपासणी केली.
- शोध मोहिम राबवण्यासाठी PESO (Petroleum and Explosive Safety Organization) टीमने घटनास्थळाची पाहणी करून मार्गदर्शक सुचना दिल्या.
- फॉरेंसिक टीमने पुढील तपासासाठी घटनास्थळावरून नमुने गोळा केले.
- SDRF आणि पोलिसांच्या टीमने कंपनीच्या कर्मचा-यासह शोध मोहिम राबवली. घटनास्थळावरून ४ मृतदेह आणि शरीराच्या वेगवेगळ्या अवयवांचे १३ नमुने गोळा केले आणि पोस्टमॉर्टमसाठी पाठवले.

- पोलीस स्टेशन कोंढाळी, येथे अज्ञात इसमा विरूद्ध अपराध क्र. ८८२/२०२३ भादवि कलम ३०४ अ, २८२ नुसार गुन्हा दाखल करण्यात आला.

मान्यवरांची भेट :-

- मा. श्री एकनाथ शिंदे, मुख्यमंत्री, महाराष्ट्र राज्य.
- मा. श्री देवेंद्र फडणवीस, उपमुख्यमंत्री, महाराष्ट्र राज्य
- मा. श्री अजित पवार, उपमुख्यमंत्री, महाराष्ट्र राज्य.
- मा. श्री वडेट्टीवार, विरोधीपक्ष नेता विधानसभा, महाराष्ट्र राज्य.
- मा. श्री अंबादास दानवे, विरोधीपक्ष नेता विधानपरिषद, महाराष्ट्र राज्य.

दिलेली मदत :-

- कंपनी व्यवस्थापनाकडून रूपये 20 लाख प्रति मृत व्यक्ती यांचे वारसाना मदत देण्यात आलेली आहे. तसेच कुटुंबातील 1 व्यक्तीला नोकरीचे आश्वासन कंपनी व्यवस्थापनाकडून देण्यात आलेले आहे.
- या कार्यालयाकडून मुख्यमंत्री सहाय्यता निधीकरीता प्रस्ताव सादर करण्यात आलेले आहेत.

करीता अहवाल माहितीस सविनय सादर.

आपला विश्वासू,

तहसिलदार, काटोल
तहसिलदार काटोल



महाराष्ट्र शासन

महसूल व वन विभाग

तहसिलदार तथा तालुका दंडाधिकारी कार्यालय काटोल जि. नागपूर, महाराष्ट्र, पिन ४४१३०२

office of the Tahsildar & Taluka Magistrate Katol, Dist-Nagpur (M.S) Pin : 441302

दूरध्वनी : ०७११२-२२२०२३, फॅक्स : २२२०२३ email ID : katoltahsildar@gmail.com

क्र.म.स/प्रस्तु-१/तहका/कावि-२५२/२०२३

काटोल दिनांक :- १८/१२/२०२३

प्रति,

मा जिल्हाधिकारी
नागपूर

विषय :- मुख्यमंत्री सहाय्यता निधीतुन आर्थिक मदत मिळण्याबाबत.

संदर्भ :- १. या कार्यालयाचे पत्र दिनांक दिनांक १७.१२.२०२३

२. पोलीस स्टेशन कोंढाळी यांचे प्रथम खबरी अहवाल दिनांक १७.१२.२०२३

महोदय,

उपरोक्त विषयाचे संदर्भाय पत्रान्वये मौजा चाकडोह तालुका काटोल जिल्हा नागपूर येथील Solar Industries India Limited या कंपनीत मायनिंग (Mining) साठी लागणारे विस्फोटक पदार्थ तयार करण्याचे काम चालते. येथील CBH - इमारत क्रमांक २ मध्ये RDX व TNT Composition चे काम चालते. आज सकाळी ६:०० am ते २:३० pm या पाळीत एकूण ११ व्यक्तित काम करत होते. आज सकाळी ९:०० am वाजेच्या सुमारास TNT Seiving (छाननी) चे काम सुरु असतांना स्फोट होऊन खालील नमूद ९ इसमाचा जागेवरच मृत्यू झाला आहे. अपघात स्थळावरून फॉरेंसिक पथकाने नमुने गोळा केले आहेत. तसेच त्याठिकाणाहून पोलीस विभागामार्फत चार मृतदेह व शरिराच्या वेगवेगळ्या अवयोवाचे १३ नमुने गोळा करून पोस्ट मॉर्टम साठी पाठविले आहेत. मृतदेहाची ओळख पटविण्यासाठी मृतांचे नाताईवाईकाचे डि.एन.ए नमुने घेण्यात आलेले आहेत.

पोलीस स्टेशन कोंढाळी यांचे दिनांक १७/१२/२०२३ रोजी अहवाल प्राप्त झालेला असून, त्यानुसार घटनास्थळी दिनांक १७/१२/२०२३ रोजी सकाळी ८:४५ वाजता घटनास्थळी दाखल झाले पंचनामा, कार्यवाही, घटनास्थळील पुरावे जप्त करण्यात आले. तरी मृत व्यक्तीची माहिती पंचनाम्याची कार्यवाही उत्तरीय तपासणीकरीता मेडीकल कॉलेज नागपूर येथे रवाना करण्यात आले असल्याबाबत अहवालामध्ये नमूद केलेले आहे.

सदर स्पोटामध्ये मृत्यूमुखी पडलेल्या व्यक्तीची नावे खालील प्रमाणे आहेत.

१. श्री युवराज किसनाजी चारोडे वय ३१ राहणार बाजारगाव, तालुका नागपूर (ग्रामीण)
२. श्री ओमेश्वर किसनलाल मच्छिके वय २५ रा. ब्राम्हणी, ता. सालकेसा, जि.गोंदिया
३. मिता प्रमोद उईके, वय २७, रा. अंबाडा (सो), तालुका काटोल, जि.नागपूर
४. आरती निळकंठ महारे वय २५, रा.कामठी (मा), तालुका काटोल, जि.नागपूर

५. श्वेताली दामोधर मारबते वय २२, रा.कन्नमवारग्राम, तह.कारजा (घा), जि.वर्धा
 ६. पुष्पा श्रीरामजी मानापुणे वय ३७, रा.जयस्तंभ चौक, तालुका कारजा, जि.वर्धा
 ७. भाग्यश्री सुधाकर लोणारे, वय २३, रा.भुजतुकूम, ता.ब्रम्हपूरी, जि. चंद्रपूर
 ८. रुमिता विलास उईके, वय ३१, रा.ढगा, ता.कारजा, जि.वर्धा
 ९. मोसम राजकुमार पटले, वय २३, रा.पाचगाव, ता.मोहाडी, जि.भंडारा

१) श्री युवराज किसनाजी चारोडे

अ. क्र	दुर्घटनेबाबतची माहिती	तहसिलदार यांचे अभिप्राय
१	विषय	मुख्यमंत्री सहाय्यता निधीतुन आर्थिक मदत
२	पिडीत व्यक्तीचे नाव	श्री युवराज किसनाजी चारोडे
३	पत्ता	राहणार बाजारगाव, तालुका नागपूर (ग्रामीण), जिल्हा नागपूर
४	नुकसानीचे कारण	कंपनीमध्ये स्फोटात मृत्युमुखी झाल्यामुळे
५	नुकसानीची रक्कम	जिवितहानी
६	वारसदाराचे नाव व मृत व्यक्तीशी नाते	श्रीमती कविता युवराज चारोडे (पत्नी) मोबाईल क्रमांक ७७७५०३१०९७
७	संबंधित प्राधिकरणाचा अहवाल	पोलीस स्टेशन कोंढाळी यांचा प्रथम खबरी अहवाल आहे.
८	पोलिस पंचनामा	सलग्न आहे.
९	पोस्टमॉर्टम अहवाल	अप्राप्त
१०	पोस्टमॉर्टम अहवालातील मृत्युचे कारण	अप्राप्त असले तरी पी.एम रिपोर्टची आवश्यकता नाही.
११	नुकसानीचा पंचनामा	संबंधित नाही.
१२	कुटुंबाच्या उत्पन्नाचा तपशील	एक लाखापेक्षा कमी
१३	आधारकार्ड अथवा अन्य रहिवाशी दाखला.	आधारकार्ड सोबत जोडलेले आहे.
१४	केंद्र/राज्य शासनाच्या विविध विभागामार्फत अनैसर्गिक मृत्यू प्रकरणी जाहिर केलेल्या योजनांमधून अर्थ सहाय्य/मदत अनुज्ञेय आहे किंवा कसे. (राष्ट्रीय कुटुंब कल्याण योजनेतुन आर्थिक मदत/राजीव गांधी विद्यार्थी सुरक्षा योजनेतून मदत/शेतकरी आत्महत्या समिती योजनेतून मदत/गोपीनाथ मुंडे शेतकरी अपघात विमा	नाही.

	योजनेतून मदत/संबंधित विज वितरण कंपनी/प्राण्यांच्या हल्ल्यात दगावलेल्या वन विभागामार्फत मदत/एस.टी महामंडळातील आर्थिक मदत/रोहयो अंतर्गत मजूर/संबंधित ठेकेदार)	
	असल्यास त्याचा तपशील आणि त्याबाबत केलेली कार्यवाही व पाठपुरावा	निरंक
	असल्यास त्याप्रमाणे अर्थसहाय्याची रक्कम	निरंक
१५	शासकीय योजनेमधून अर्थसहाय्य अनुदेय असूनही कार्यवाही न केल्यास त्याबाबतची कारणे आणि विलंबाची जबाबदारी	निरंक
१६	रस्त्यावरील अपघातील प्रकरणी वाहनाची ओळख पटली असल्यास/वाहन सापडले असल्यास विम्याच्या मोटर वाहन तरतुदीनुसार नुकसान भरपाईसाठी कार्यवाही केली आहे का.	सदर बाब या स्तरावरील नाही.
१७	रेल्वे अपघात प्रकरणी रेल्वे प्रशासनाकडून अर्थसहाय्य प्राप्त झाले आहे किंवा कसे असल्यास सद्यस्थिती	लागू नाही
	नसल्यास त्यांची कारणे व जबाबदारी	निरंक
१८	मालमत्तेचा विमा होता का, असल्यास त्याची रक्कम मिळण्यासाठी केलेली कार्यवाही	लागू नाही.
१९	अर्थसहाय्याची शिफारस	रु.५००००००/-
२०	इतर अभिप्राय	विशेष बाब म्हणून आर्थिक मदत देण्यास हरकत नाही.

२) श्री ओमेश्वर किसनलाल मच्छिर्के

अ. क्र	दुर्घटनेबाबतची माहिती	तहसिलदार यांचे अभिप्राय
१	विषय	मुख्यमंत्री सहाय्यता निधीतून आर्थिक मदत
२	पिडीत व्यक्तीचे नाव	ओमेश्वर किसनलाल मच्छिर्के
३	पत्ता	रा. ब्राम्हणी, ता. सालकेसा, जि.गोंदिया
४	नुकसानीचे कारण	कंपनीमध्ये स्फोटात मृत्युमुखी झाल्यामुळे
५	नुकसानीची रक्कम	जिवितहानी

६	वारसदाराचे नाव व मृत व्यक्तीशी नाते	श्रीमती अनुसया ओमेश्वर मच्छिर्के (पत्नी) मोबाईल क्रमांक. ९९२२२६४९८९
७	संबंधित प्राधिकरणाचा अहवाल	पोलीस स्टेशन कोंढाळी यांचा प्रथम खबरी अहवाल आहे.
८	पोलिस पंचनामा	संलग्न आहे.
९	पोस्टमॉर्टम अहवाल	अप्राप्त
१०	पोस्टमॉर्टम अहवालातील मृत्युचे कारण	अप्राप्त असले तरी पी.एम रिपोर्टची आवश्यकता नाही.
११	नुकसानीचा पंचनामा	संबंधित नाही.
१२	कुटुंबाच्या उत्पन्नाचा तपशील	एक लाखापेक्षा कमी
१३	आधारकार्ड अथवा अन्य गृहिवाशी दाखला.	आधारकार्ड सोबत जोडलेले आहे.
१४	केंद्र/राज्य शासनाच्या विविध विभागामार्फत अनैसर्गिक मृत्यू प्रकरणी जाहिर केलेल्या योजनांमधून अर्थ सहाय/मदत अनुज्ञेय आहे किंवा कसे. (राष्ट्रीय कुटुंब कल्याण योजनेतून आर्थिक मदत/राजीव गांधी विद्यार्थी सुरक्षा योजनेतून मदत/ शेतकरी आत्महत्या समिती योजनेतून मदत/गोपीनाथ मुंडे शेतकरी अपघात विमा योजनेतून मदत/संबंधित विज वितरण कंपनी/प्राण्यांच्या हल्ल्यात दगावलेल्या वन विभागामार्फत मदत/एस.टी महामंडळातील आर्थिक मदत/रोहयो अंतर्गत मजूर/संबंधित ठेकेदार)	नाही.
	असल्यास त्याचा तपशील आणि त्याबाबत केलेली कार्यवाही व पाठपुरावा	निरंक
	असल्यास त्याप्रमाणे अर्थसहाय्याची रक्कम	निरंक
१५	शासकीय योजनेमधून अर्थसहाय्य अनुदेय असूनही कार्यवाही न केल्यास त्याबाबतची कारणे आणि विलंबाची जबाबदारी	निरंक
१६	रस्त्यावरील अपघातील प्रकरणी वाहनाची ओळख पटली असल्यास/वाहन सापडले असल्यास विम्याच्या मोटर वाहन तरतुदीनुसार नुकसान भरपाईसाठी कार्यवाही केली आहे का.	सदर बाब या स्तरावरील नाही.
१७	रेल्वे अपघात प्रकरणी रेल्वे प्रशासनाकडून अर्थसहाय्य प्राप्त झाले आहे किंवा कसे	लागु नाही

	असल्यास सद्यस्थिती	निरंक
	नसल्यास त्यांची कारणे व जबाबदारी	निरंक
१८	मालमत्तेचा विमा होता का, असल्यास त्याची रक्कम मिळण्यासाठी केलेली कार्यवाही	लागू नाही.
१९	अर्थसहाय्याची शिफारस	रु.५०००००/-
२०	इतर अभिप्राय	विशेष बाब म्हणून आर्थिक मदत देण्यास हरकत नाही.

३) मिता प्रमोद उईके

अ. क्र	दुर्घटनेबाबतची माहिती	तहसिलदार यांचे अभिप्राय
१	विषय	मुख्यमंत्री सहाय्यता निधीतून आर्थिक मदत
२	पिडीत व्यक्तीचे नाव	मिता प्रमोद उईके
३	पत्ता	रा. अंबाडा (सौ), तालुका काटोल, जि.नागपूर
४	नुकसानीचे कारण	कंपनीमध्ये स्फोटात मृत्युमुखी झाल्यामुळे
५	नुकसानीची रक्कम	जिवितहानी
६	वारसदाराचे नाव व मृत व्यक्तीशी नाते	श्री अर्जुन श्रावण मसराम (वडील) मोबाईल क्रमांक ७७९८०३०७९७
७	संबंधित प्राधिकरणाचा अहवाल	पोलीस स्टेशन कोंढाळी यांचा प्रथम खबरी अहवाल आहे.
८	पोलिस पंचनामा	संलग्न आहे.
९	पोस्टमॉर्टम अहवाल	अप्राप्त
१०	पोस्टमॉर्टम अहवालातील मृत्युचे कारण	अप्राप्त असले तरी पी.एम रिपोर्टची आवश्यकता नाही.
११	नुकसानीचा पंचनामा	संबंधित नाही.
१२	कुटुंबाच्या उत्पन्नाचा तपशील	एक लाखापेक्षा कमी
१३	आधारकार्ड अथवा अन्य रहिवाशी दाखला.	आधारकार्ड सोबत जोडलेले आहे.
	केंद्र/राज्य शासनाच्या विविध विभागामार्फत अनैसर्गिक मृत्यू प्रकरणी जाहिर केलेल्या योजनांमधून अर्थ सहाय/मदत अनुज्ञेय आहे किंवा कसे. (राष्ट्रीय कुटुंब कल्याण	

१४	योजनेतुन आर्थिक मदत/राजीव गांधी ह्रिदयार्थी सुरक्षा योजनेतुन मदत/ शेतकरी आत्महत्या समिती योजनेतुन मदत/गोपीनाथ मुंडे शेतकरी अपघात विमा योजनेतुन मदत/संबंधित विज वितरण कंपनी/प्राण्यांच्या हल्ल्यात दगावलेल्या वन विभागामार्फत मदत/एस.टी महामंडळातील आर्थिक मदत/रोहयो अंतर्गत मजूर/संबंधित ठेकेदार)	नाही.
	असल्यास त्याचा तपशील आणि त्याबाबत केलेली कार्यवाही व पाठपुरावा	निरंक
	असल्यास त्याप्रमाणे अर्थसहाय्याची रक्कम	निरंक
१५	शासकीय योजनेमधून अर्थसहाय्य अनुदेय असूनही कार्यवाही न केल्यास त्याबाबतची कारणे आणि विलंबाची जबाबदारी	निरंक
१६	रस्त्यावरील अपघातील प्रकरणी वाहनाची ओळख पटली असल्यास/वाहन सापडले असल्यास विम्याच्या मोटर वाहन तरतुदीनुसार नुकसान भरपाईसाठी कार्यवाही केली आहे का.	सदर बाब या स्तरावरील नाही.
१७	रेल्वे अपघात प्रकरणी रेल्वे प्रशासनाकडून अर्थसहाय्य प्राप्त झाले आहे किंवा कसे	लागू नाही
	असल्यास सद्यस्थिती	निरंक
	नसल्यास त्यांची कारणे व जबाबदारी	निरंक
१८	मालमत्तेचा विमा होता का, असल्यास त्याची रक्कम मिळण्यासाठी केलेली कार्यवाही	लागू नाही.
१९	अर्थसहाय्याची शिफारस	रु.५०००००/-
२०	इतर अभिप्राय	विशेष बाब म्हणून आर्थिक मदत देण्यास हरकत नाही.

४) आरती निळकंठ सहारे

अ.	दुर्घटनेबाबतची माहिती	तहसिलदार यांचे अभिप्राय
क		
१	विषय	मुख्यमंत्री सहाय्यता निधीतुन आर्थिक मदत
२	पिडीत व्यक्तीचे नाव	आरती निळकंठ सहारे

३	पत्ता	रा.कामठी (मा), तालुका काटोल, जि.नागपूर
४	नुकसानीचे कारण	कंपनीमध्ये स्फोटाने मृत्युमुखी झाल्यामुळे
५	नुकसानीची रक्कम	जिवितहानी
६	वारसदाराचे नाव व मृत व्यक्तीशी नाते	श्री निळकंठ गजानन सहारे (वडील) मोबाईल क्रमांक ७४९८९८०४६२
७	संबंधित प्राधिकरणाचा अहवाल	पोलीस स्टेशन कोंढाळी यांचा प्रथम खबरी अहवाल आहे.
८	पोलिस पंचनामा	संलग्न आहे.
९	पोस्टमॉर्टम अहवाल	अप्राप्त
१०	पोस्टमॉर्टम अहवालातील मृत्युचे कारण	अप्राप्त असले तरी पी.एम रिपोर्टची आवश्यकता नाही.
११	नुकसानीचा पंचनामा	संबंधित नाही.
१२	कुटुंबाच्या उत्पन्नाचा तपशील	एक लाखापेक्षा कमी
१३	आधारकार्ड अथवा अन्य रहिवाशी दाखला.	आधारकार्ड सोबत जोडलेले आहे.
१४	केंद्र/राज्य शासनाच्या विविध विभागामार्फत अनैसर्गिक मृत्यू प्रकरणी जाहिर केलेल्या योजनांमधून अर्थ सहाय्य/मदत अनुज्ञेय आहे किंवा कसे. (राष्ट्रीय कुटुंब कल्याण योजनेतून आर्थिक मदत/राजीव गांधी विद्यार्थी सुरक्षा योजनेतून मदत/शेतकरी आत्महत्या समिती योजनेतून मदत/गोपीनाथ मुंडे शेतकरी अपघात विमा योजनेतून मदत/संबंधित विज वितरण कंपनी/प्राण्यांच्या हल्ल्यात दगावलेल्या वन विभागामार्फत मदत/एस.टी महामंडळातील आर्थिक मदत/रोहयो अंतर्गत मजूर/संबंधित ठेकेदार)	नाही.
	असल्यास त्याचा तपशील आणि त्याबाबत केलेली कार्यवाही व पाठपुरावा	निरंक
	असल्यास त्याप्रमाणे अर्थसहाय्याची रक्कम	निरंक
१५	शासकीय योजनेमधून अर्थसहाय्य अनुदेय असूनही कार्यवाही न केल्यास त्याबाबतची कारणे आणि विलंबाची जबाबदारी	निरंक
१६	रस्त्यावरील अपघातातील प्रकरणी वाहनाने ओळख पटली असल्यास/वाहन मापडले	सदर बाब या स्तरावरील नाही.

	असल्यास विम्याच्या मोटर वाहन वस्तुदीनुसार नुकसान भरपाईसाठी कार्यवाही केली आहे का.	
१७	रेल्वे अपघात प्रकरणी रेल्वे प्रशासनाकडून अर्थसहाय्य प्राप्त झाले आहे किंवा कसे	लागू नाही
	असल्यास सद्यस्थिती	निरंक
	नसल्यास त्यांची कारणे व जबाबदारी	निरंक
१८	मालमत्तेचा विमा होता का, असल्यास त्याची रक्कम मिळण्यासाठी केलेली कार्यवाही	लागू नाही.
१९	अर्थसहाय्याची शिफारस	रु. ५००००००/-
२०	इतर अभिप्राय	विशेष बाब म्हणून आर्थिक मदत देण्यास हरकत नाही.

५) श्वेताली दामोदर मारबते

अ.	दुर्घटनेबाबतची माहिती	तहसिलदार यांचे अभिप्राय
क		
१	विषय	मुख्यमंत्री सहाय्यता निधीतुन आर्थिक मदत
२	पिडीत व्यक्तीचे नाव	श्वेताली दामोदर मारबते
३	पत्ता	रा.कन्नमवारग्राम, तह.कारजा (घा), जि.वर्धा
४	नुकसानीचे कारण	कंपनीमध्ये स्फोटात मृत्युमुखी झाल्यामुळे
५	नुकसानीची रक्कम	जिवितहानी
६	वारसदाराचे नाव व मृत व्यक्तीशी नाते	श्री दामोदर विठ्ठोबाजी मारबते (वडील) मोबाईल क्रमांक ९०६७११७५६८
७	संबंधित प्राधिकरणाचा अहवाल	पोलीस स्टेशन कोंढाळी यांचा प्रथम खबरी अहवाल आहे.
८	पोलिस पंचनामा	संलग्न आहे.
९	पोस्टमॉर्टम अहवाल	अप्राप्त
१०	पोस्टमॉर्टम अहवालातील मृत्युचे कारण	अप्राप्त असले तरी पी.एम रिपोर्टची आवश्यकता नाही.
११	नुकसानीचा पंचनामा	संबंधित नाही.
१२	कुटुंबाच्या उत्पन्नाचा तपशील	एक लाखापेक्षा कमी

१३	आधारकार्ड अथवा अन्य रहिवाशी दाखला.	आधारकार्ड सोबत जोडलेले आहे.
१४	केंद्र/राज्य शासनाच्या विविध विभागामार्फत अनैसर्गिक मृत्यू प्रकरणी जाहिर केलेल्या योजनांमधून अर्थ सहाय/मदत अनुज्ञेय आहे किंवा कसे. (राष्ट्रीय कुटुंब कल्याण योजनेतून आर्थिक मदत/राजीव गांधी विद्यार्थी सुरक्षा योजनेतून मदत/ शेतकरी आत्महत्या समिती योजनेतून मदत/गोपीनाथ मुंडे शेतकरी अपघात विमा योजनेतून मदत/संबंधित विज वितरण कंपनी/प्राण्यांच्या हल्ल्यात दगावलेल्या वन विभागामार्फत मदत/एस.टी महामंडळातील आर्थिक मदत/रोहयो अंतर्गत मजूर/संबंधित ठेकेदार)	नाही.
	असल्यास त्याचा तपशील आणि त्याबाबत केलेली कार्यवाही व पाठपुरावा	निरंक
	असल्यास त्याप्रमाणे अर्थसहाय्याची रक्कम	निरंक
१५	शासकीय योजनेमधून अर्थसहाय्य अनुदेय असूनही कार्यवाही न केल्यास त्याबाबतची कारणे आणि विलंबाची जबाबदारी	निरंक
१६	रस्त्यावरील अपघातील प्रकरणी वाहनाची ओळख पटली असल्यास/वाहन सापडले असल्यास विम्याच्या मोटर वाहन तरतुदीनुसार नुकसान भरपाईसाठी कार्यवाही केली आहे का.	सदर बाब या स्तरावरील नाही.
१७	रेल्वे अपघात प्रकरणी रेल्वे प्रशासनाकडून अर्थसहाय्य प्राप्त झाले आहे किंवा कसे	लागू नाही
	असल्यास सद्यस्थिती	निरंक
	नसल्यास त्यांची कारणे व जबाबदारी	निरंक
१८	मालमत्तेचा विमा होता का, असल्यास त्याची रक्कम मिळण्यासाठी केलेली कार्यवाही	लागू नाही.
१९	अर्थसहाय्याची शिफारस	रु.५००००००/-
२०	इतर अभिप्राय	विशेष बाब म्हणून आर्थिक मदत देण्यास हरकत नाही.

६) पुष्पा श्रीरामजी मानापुणे

अ. क्र	दुर्घटनेबाबतची माहिती	तहसिलदार यांचे अभिप्राय
१	विषय	मुख्यमंत्री सहाय्यता निधीतुन आर्थिक मदत
२	पिडीत व्यक्तीचे नाव	पुष्पा श्रीरामजी मानापुणे
३	पत्ता	रा.जयस्तंभ चौक, तालुका कारंजा, जि.वर्धा
४	नुकसानीचे कारण	कंपनीमध्ये स्फोटात मृत्युमुखी झाल्यामुळे
५	नुकसानीची रक्कम	जिवितहानी
६	वारसदाराचे नाव व मृत व्यक्तीशी नाते	श्री हिमांशु श्रीरामजी मानापुणे (मुलगा) मोबाईल क्रमांक ९०६७११७५६८
७	संबंधित प्राधिकरणाचा अहवाल	पोलीस स्टेशन कोंढाळी यांचा प्रथम खबरी अहवाल आहे.
८	पोलिस पंचनामा	संलग्न आहे.
९	पोस्टमॉर्टम अहवाल	अप्राप्त
१०	पोस्टमॉर्टम अहवालातील मृत्युचे कारण	अप्राप्त असले तरी पी.एम रिपोर्टची आवश्यकता नाही.
११	नुकसानीचा पंचनामा	संबंधित नाही.
१२	कुटुंबाच्या उत्पन्नाचा तपशील	एक लाखापेक्षा कमी
१३	आधारकार्ड अथवा अन्य रहिवाशी दाखला.	आधारकार्ड सोबत जोडलेले आहे.
१४	केंद्र/राज्य शासनाच्या विविध विभागामार्फत अनैसर्गिक मृत्यू प्रकरणी जाहिर केलेल्या योजनांमधुन अर्थ सहाय/मदत अनुज्ञेय आहे किंवा कसे. (राष्ट्रीय कुटुंब कल्याण योजनेतुन आर्थिक मदत/राजीव गांधी विद्यार्थी सुरक्षा योजनेतून मदत/शेतकरी आत्महत्या समिती योजनेतून मदत/गोपीनाथ मुंडे शेतकरी अपघात विमा योजनेतून मदत/संबंधित विज वितरण कंपनी/प्राण्यांच्या हल्ल्यात दगावलेल्या वन विभागामार्फत मदत/एस.टी महामंडळातील आर्थिक मदत/रोहयो अंतर्गत मजूर/संबंधित ठेकेदार)	नाही.
	असल्यास त्याचा तपशील आणि त्याबाबत केलेली कार्यवाही व पाठपुरावा	निरंक

	असल्यास त्याप्रमाणे अर्थसहाय्याची रक्कम	निरंक
१५	शासकीय योजनेमधून अर्थसहाय्य अनुदेय असूनही कार्यवाही न केल्यास त्याबाबतची कारणे आणि विलंबाची जबाबदारी	निरंक
१६	रस्त्यावरील अपघातील प्रकरणी वाहनाची ओळख पटली असल्यास/वाहन सापडले असल्यास विम्याच्या मोटर वाहन तरतुदीनुसार नुकसान भरपाईसाठी कार्यवाही केली आहे का.	सदर बाब या स्तरावरील नाही.
१७	रेल्वे अपघात प्रकरणी रेल्वे प्रशासनाकडून अर्थसहाय्य प्राप्त झाले आहे किंवा कसे असल्यास सुधस्थिती	लागू नाही
	नसल्यास त्यांची कारणे व जबाबदारी	निरंक
१८	मालमत्तेचा विमा होता का, असल्यास त्याची रक्कम मिळण्यासाठी केलेली कार्यवाही	लागू नाही.
१९	अर्थसहाय्याची शिफारस	रु.५००००००/-
२०	इतर अभिप्राय	विशेष बाब म्हणून आर्थिक मदत देण्यास हरकत नाही.

७) भाग्यश्री सुधाकर लोणारे

अ. क्र	दुर्घटनेबाबतची माहिती	तहसिलदार यांचे अभिप्राय
१	विषय	मुख्यमंत्री सहाय्यता निधीतून आर्थिक मदत
२	पिडीत व्यक्तीचे नाव	भाग्यश्री सुधाकर लोणारे
३	पत्ता	ग.भुजतुकूम, ता.ब्रम्हपूरी, जि. चंद्रपूर
४	नुकसानीचे कारण	कंपनीमध्ये स्फोटात मृत्युमुखी झाल्यामुळे
५	नुकसानीची रक्कम	जिवितहानी
६	वारसदाराचे नाव व मृत व्यक्तीशी नाते	श्री सुधाकर नत्थुजी लोणारे (वडिल) मोबाईल क्रमांक ९०२२२३२५०६
७	संबंधित प्राधिकरणाचा अहवाल	पोलीस स्टेशन कोंढाळी यांचा प्रथम खबरी अहवाल आहे.
८	पोलिस पंचनामा	संलग्न आहे.

९	पोस्टमॉर्टम अहवाल	अप्राप्त
१०	पोस्टमॉर्टम अहवालातील मृत्युचे कारण	अप्राप्त असले तरी पी.एम रिपोर्टची आवश्यकता नाही.
११	नुकसानीचा पंचनामा	संबंधित नाही.
१२	कुटुंबाच्या उत्पन्नाचा तपशील	एक लाखापेक्षा कमी
१३	आधारकार्ड अथवा अन्य रहिवाशी दाखला.	आधारकार्ड सोबत जोडलेले आहे.
१४	केंद्र/राज्य शासनाच्या विविध विभागामार्फत अनैसर्गिक मृत्यू प्रकरणी जाहिर केलेल्या योजनांमधून अर्थ सहाय/मदत अनुज्ञेय आहे किंवा कसे. (राष्ट्रीय कुटुंब कल्याण योजनेतून आर्थिक मदत/राजीव गांधी विद्यार्थी सुरक्षा योजनेतून मदत/ शेतकरी आत्महत्या समिती योजनेतून मदत/गोपीनाथ मुंडे शेतकरी अपघात विमा योजनेतून मदत/संबंधित विज वितरण कंपनी/प्राण्यांच्या हल्ल्यात दगावलेल्या वन विभागामार्फत मदत/एस.टी महामंडळातील आर्थिक मदत/रोहयो अंतर्गत मजूर/संबंधित ठेकेदार)	नाही.
	असल्यास त्याचा तपशील आणि त्याबाबत केलेली कार्यवाही व पाठपुरावा	निरंक
	असल्यास त्याप्रमाणे अर्थसहाय्याची रक्कम	निरंक
१५	शासकीय योजनेमधून अर्थसहाय्य अनुदेय असूनही कार्यवाही न केल्यास त्याबाबतची कारणे आणि विलंबाची जबाबदारी	निरंक
१६	रस्त्यावरील अपघातील प्रकरणी वाहनाची ओळख पटली असल्यास/वाहन सापडले असल्यास विम्याच्या मोटर वाहन तरतुदीनुसार नुकसान भरपाईसाठी कार्यवाही केली आहे का.	सदर बाब या स्तरावरील नाही.
१७	रेल्वे अपघात प्रकरणी रेल्वे प्रशासनाकडून अर्थसहाय्य प्राप्त झाले आहे किंवा कसे	लागू नाही
	असल्यास सद्यस्थिती	निरंक
	नसल्यास त्यांची कारणे व जबाबदारी	निरंक
१८	मालमत्तेचा विमा होता का, असल्यास त्याची रक्कम मिळण्यासाठी केलेली कार्यवाही	लागू नाही.

१९	अर्थसहाय्याची शिफारस	रु.५०००००/-
२०	इतर अभिप्राय	विशेष बाब म्हणून आर्थिक मदत देण्यास हरकत नाही.

८) रूमिता विलास उईके

अ.	दुर्घटनेबाबतची माहिती	तहसिलदार यांचे अभिप्राय
१	विषय	मुख्यमंत्री सहाय्यता निधीतुन आर्थिक मदत
२	पिडीत व्यक्तीचे नाव	रूमिता विलास उईके
३	पत्ता	रा.ढगा, ता.कारजा, जि.वर्धा
४	नुकसानीचे कारण	कंपनीमध्ये स्फोटात मृत्युमुखी झाल्यामुळे
५	नुकसानीची रक्कम	जिवितहानी
६	वारसदाराचे नाव व मृत व्यक्तीशी नाते	श्री विलास रामदास उईके (पती) मोबाईल क्रमांक ७५८८१०९५४४
७	संबंधित प्राधिकरणाचा अहवाल	पोलीस स्टेशन कोंढाळी यांचा प्रथम खबरी अहवाल आहे.
८	पोलिस पंचनामा	संलग्न आहे.
९	पोस्टमॉर्टम अहवाल	अप्राप्त
१०	पोस्टमॉर्टम अहवालातील मृत्युचे कारण	अप्राप्त असले तरी पी.एम रिपोर्टची आवश्यकता नाही.
११	नुकसानीचा पंचनामा	संबंधित नाही.
१२	कुटुंबाच्या उत्पन्नाचा तपशील	एक लाखापेक्षा कमी
१३	आधारकार्ड अथवा अन्य रहिवाशी दाखला.	आधारकार्ड सोबत जोडलेले आहे.
१४	केंद्र/राज्य शासनाच्या विविध विभागामार्फत अनैसर्गिक मृत्यू प्रकरणी जाहिर केलेल्या योजनांमधुन अर्थ सहाय/मदत अनुज्ञेय आहे किंवा कसे. (राष्ट्रीय कुटुंब कल्याण योजनेतुन आर्थिक मदत/राजीव गांधी विद्यार्थी सुरक्षा योजनेतून मदत/शेतकरी आत्महत्या समिती योजनेतून मदत/गोपीनाथ मुंडे शेतकरी अपघात विमा योजनेतून मदत/संबंधित विज वितरण कंपनी/प्राण्यांच्या हल्ल्यात दगावलेल्या वन	नाही.

	विभागामार्फत मदत/एस.टी. महामंडळातील आर्थिक मदत/रोहयो अंतर्गत मजूर/संबंधित ठेकेदार)	
	असल्यास त्याचा तपशील आणि त्याबाबत केलेली कार्यवाही व पाठपुरावा	निरंक
	असल्यास त्याप्रमाणे अर्थसहाय्याची रक्कम	निरंक
१५	शासकीय योजनेमधून अर्थसहाय्य अनुदेय असूनही कार्यवाही न केल्यास त्याबाबतची कारणे आणि विलंबाची जबाबदारी	निरंक
१६	रस्त्यावरील अपघातील प्रकरणी वाहनाची ओळख पटली असल्यास/वाहन सापडले असल्यास विम्याच्या मोटर वाहन तरतुदीनुसार नुकसान भरपाईसाठी कार्यवाही केली आहे का.	सदर बाब या स्तरावरील नाही.
१७	रेल्वे अपघात प्रकरणी रेल्वे प्रशासनाकडून अर्थसहाय्य प्राप्त झाले आहे किंवा कसे	लागू नाही
	असल्यास सद्यस्थिती	निरंक
	नसल्यास त्याची कारणे व जबाबदारी	निरंक
१८	मालमत्तेचा विमा होता का, असल्यास त्याची रक्कम मिळण्यासाठी केलेली कार्यवाही	लागू नाही.
१९	अर्थसहाय्याची शिफारस	रु.५,०००,०००/-
२०	इतर अभिप्राय	विशेष बाब म्हणून आर्थिक मदत देण्यास हरकत नाही.

९) मोसम राजकुमार पटले

अ. क्र	दुर्घटनेबाबतची माहिती	तहसिलदार यांचे अभिप्राय
१	विषय	मुख्यमंत्री सहाय्यता निधीतून आर्थिक मदत
२	पिडीत व्यक्तीचे नाव	मोसम राजकुमार पटले
३	पत्ता	रा.पाचगाव, ता.मोहाडी, जि.भंडारा
४	नुकसानीचे कारण	कंपनीमध्ये स्फोटात मृत्युमुखी झाल्यामुळे
५	नुकसानीची रक्कम	जिवितहानी
६	वारसदाराचे नाव व मृत व्यक्तीशी नाते	श्रीमती शिलाबाई राजकुमार पटले (आई) मोबाईल क्रमांक ७७२१८७७६७९

७	संबंधित प्राधिकरणाचा अहवाल	पोलीस स्टेशन कोंढाळी यांचा प्रथम खबरी अहवाल आहे.
८	पोलिस पंचनामा	संलग्न आहे.
९	पोस्टमॉर्टम अहवाल	अप्राप्त
१०	पोस्टमॉर्टम अहवालातील मृत्युचे कारण	अप्राप्त असले तरी पी.एम रिपोर्टची आवश्यकता नाही.
११	नुकसानीचा पंचनामा	संबंधित नाही.
१२	कुटुंबाच्या उत्पन्नाचा तपशील	एक लाखापेक्षा कमी
१३	आधारकार्ड अथवा अन्य रहिवाशी दाखला.	आधारकार्ड सोबत जोडलेले आहे.
१४	केंद्र/राज्य शामनाच्या विविध विभागामार्फत अनैसर्गिक मृत्यू प्रकरणी जाहिर केलेल्या योजनांमधून अर्थ सहाय/मदत अनुज्ञेय आहे किंवा कसे. (राष्ट्रीय कुटुंब कल्याण योजनेतून आर्थिक मदत/राजीव गांधी विद्यार्थी सुरक्षा योजनेतून मदत/शेतकरी आत्महत्या समिती योजनेतून मदत/गोपीनाथ मुंडे शेतकरी अपघात विमा योजनेतून मदत/संबंधित विज वितरण कंपनी/प्राण्यांच्या हल्ल्यात दगावलेल्या वन विभागामार्फत मदत/एस.टी महामंडळातील आर्थिक मदत/रोहयो अंतर्गत मजूर/संबंधित ठेकेदार)	नाही.
	असल्यास त्याचा तपशील आणि त्याबाबत केलेली कार्यवाही व पाठपुरावा	निरंक
	असल्यास त्याप्रमाणे अर्थसहाय्याची रक्कम	निरंक
१५	शासकीय योजनेमधून अर्थसहाय्य अनुदेय असूनही कार्यवाही न केल्यास त्याबाबतची कारणे आणि विलंबाची जबाबदारी	निरंक
१६	रस्त्यावरील अपघातील प्रकरणी वाहनाची ओळख पटली असल्यास/वाहन सापडले असल्यास विम्याच्या मोटर वाहन तरतुदीनुसार नुकसान भरपाईसाठी कार्यवाही केली आहे का.	सदर बाब या स्तरावरील नाही.
१७	रेल्वे अपघात प्रकरणी रेल्वे प्रशासनाकडून अर्थसहाय्य प्राप्त झाले आहे किंवा कसे	लागु नाही
	असल्यास सद्यस्थिती	निरंक


	नसल्यास त्यांची कारणे व जबाबदारी	निरंक
१८	मालमत्तेचा विमा होता का, असल्यास त्याची रक्कम मिळण्यासाठी केलेली कार्यवाही	लागू नाही.
१९	अर्थसहाय्याची शिफारस	रू.५००००००/-
२०	इतर अभिप्राय	विशेष बाब म्हणून आर्थिक मदत देण्यास हरकत नाही.

करिता सादर प्रकरण पुढील कार्यवाहीस आपणाकडे सादर करण्यात येत आहे.

सबब माहितीस सविनय सादर.

- सहपत्र :- १) या कार्यालयाचा प्राथमिक अहवाल दि.१७/१२/२०२३
 २) पोलीस स्टेशन कोंढाळी, ता.काटोल, जि.नागपूर यांचा प्रथम खबरी अहवाल.
 ३) पोलीस स्टेशन कोंढाळी, ता.काटोल, जि.नागपूर यांचा घटनास्थळ पंचनामा.
 ४) उपरोक्त मृतकांचे व त्यांचे वारसाचे कागदपत्र.

आपला विश्वासू


तहसिलदार काटोल

Dated 08/01/2024

Preliminary Accident Report

1. Accident Occurred at: HMX / RDX Compounded Product Pellet Casting House (Building No: HR-CPCH-2) (marked as CBH-2) located in the premises of M/s Solar Industries India Limited, Chakdoh, Tahsil -Katol, District - Nagpur (Maharashtra)

2. Date and time of accident: 17.12.2023 about 8.43 AM.

3. Brief Description of the Accident:

An accident occurred in the HMX / RDX Compounded Product Pellet Casting House (Building No: HR-CPCH-2) (marked as CBH-2) located in the premises of M/s Solar Industries India Limited, Village Chakdoh, District, Nagpur, on 17.12.2023 at about 8.43 AM while sieving operation of TNT flakes and packing of sieved TNT in plastic liner.

4. Accident Intimation Date: 17.12.2023

5. Visit Date of Investigation: 17.12.2023

6. License No: E/HQ/MII/20/98 (E113453)

7. Name & address of the occupier: Solar House, 14, Kachimet, Amravati Rd, Nagpur, Maharashtra - 440023

8. Damage to property:

An accident occurred in the HMX / RDX Compounded Product Pellet Casting House (Building No: HR-CPCH-2) (marked as CBH-2) located in the premises of M/s Solar Industries India Limited, Village Chakdoh, District Nagpur while sieving operation of TNT flakes and packing of sieved TNT in plastic liner. Entire building, machinery, collapsed in the explosion and debris was found scattered in the radius of 500 meters. Mounds provided to the accident building were found damaged. Weighing machine, aluminum tray, TNT inspection apparatus, wooden racks, melting vessel, filling table, cooling tunnel, shell cleaning table, fume extraction hood, packing table, cooling chamber, air handling unit, air chillier, mixer motor drive, labyrinth, control panel, scrubber, activated carbon filter, blower, scrubber water tank, pumps, heat exchangers, etc were found damaged. Utility pipelines to the buildings including steam pipeline were found to be damaged. Store room near the accident premises was badly damaged. Door and windows of nearby buildings were also damaged.

9. Injured Persons: Nil

10. Death of Persons:

9 Nos.

1. Yuvraj Kishanji Charode,	Male	-31 Yrs.
2. Omeshwar Kishanlal Machhirke,	Male	-25 Yrs.
3. Mosam Rajkumar Patle,	Male	-23 Yrs.
4. Mita Pramod Uikey,	Female	- 27 Yrs.
5. Aarti Nilkanth Sahare,	Female	-20 Yrs.
6. Swetali Damodar Marbate,	Female	-22 Yrs.
7. Pushpa Shriramji Manapure,	Female	-37 Yrs.
8. Bhagyashri Sudhakar Lonare,	Female	-23 Yrs.
9. Rumita Vilas Uikey,	Female	-31 Yrs.

11. Description of the scene of occurrences (During Visit):

The accident site was barricaded by Police Authority. Debris was found scattered in a radius of approximately 500 meters. The HMX / RDX Compounded Product Pellet Casting House (Building No: HR-CPCII-2) (marked as CBII-2) was collapsed. The mounds provided to the accident building were found damaged. Weighing machine, aluminum tray, TNT inspection apparatus, wooden racks, melting vessel, filling table, cooling tunnel, shell cleaning table, fume extraction hood, packing table, cooling chamber, air handling unit, air chillier, mixer motor drive, labyrinth, control panel, scrubber, activated carbon filter, blower, scrubber water tank, pumps, heat exchangers, etc were found damaged. Scrubber tank, scrubber and pipeline were found outside the south side of the mound near internal road which were shifted to other places. Utility pipelines to the buildings including steam pipeline were found to be damaged. Store room near the accident premises was badly damaged. Door and windows of nearby building were also damaged.

A crater was not observed on the ground of accident site. Most of the unexploded TNT, burnt as well as unburnt TNT was recovered approximately 2 meter inside from entrance of the building near the mound of North direction. A fire was also noticed on the walls of mounds as black soot was deposited on the walls of the mound underneath unexploded / burnt TNT recovered. 2 dead bodies & body parts were recovered near the said entrance. Body parts were recovered from the roof of nearby building and open space around the accident building.

12. Particulars of material exhibit collected, if any

From the accident site, 1935.4 Kgs of unexploded TNT explosive mixed with debris of the building were recovered and kept in the premise of M/s. Solar Industries for testing and further necessary action in the interest of safety. Stage wise samples of accident site during recovery of unexploded explosives were also collected by the police authority / forensic.

13. Probable Cause of Accident:

Under Investigation

14. Violations:


Sr No.	Description	Specific Rule	Specific Condition	Licence Form
1	Specials precaution against accident was not taken.	19	4	LE-1
2	Competent person for the building HR-CPCII-2 was not present during operation of manufacturing process. Proper training was not provided to work force/ shop floor supervisor regarding violation of SOPs related to cleaning and parts of equipment used for operation.	26(3)(c)	7 & 8	LE-1
3	Safe sieving operation as per standard engineering practice was not being carried out	26(1), 26(3)(i) 26(5)	3	LE-1

15. Nature of action:

License No. F/110/MII/20/98 (1113453) and F/110/MII/20/90 (1789848) were suspended as an interim measure. Stop order for the affected buildings and show cause notices for the other licences were issued to M/s Solar Industries India Limited, Nagpur in the interest of safety.

16. Additional Information/Remarks, if any-

Nil


28/01/2024

(S.D. Mishra)

Dy Chief Controller of Explosives
NAPES-TS, Gondkhairy

Copy to:

- 1 The Chief Controller of Explosives, Nagpur.
- 2 The Dy Chief Controller of Explosives, West Circle, Navi Mumbai.

Dy Chief Controller of Explosives
NAPES-TS, Gondkhairy

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
 4th floor, Opp. Cine Planet
 Cinema, Near Sion Circle,
 Sion (E), Mumbai-400022

Date: 25/01/2022

RED/L.S.I (R20)

No:- Format1.0/CAC/UAN No.0000119394/CR - 220/00112

To,

M/s. Solar Industries India Ltd.,
 KH. No. 1, 3, 4, 8, 29-31, 37-40, 70-75, 78, 79, 81-83,
 85, 124, Chakdoh, Near Bazargaon,
 Katol, Nagpur.



Sub: Grant of Renewal of consent with increase in CI

- Ref:**
1. Environment Clearance for expansion accorded by MoEF & CC, GOI vide dated 07.06.2019.
 2. Previous 1st C to O for expansion with amalgamation granted by Board vide dated 29.01.2020 which is valid up to 30.06.2021.
 3. Minutes of CAC meeting held on 13.10.2021 & 29.10..2021.

Your application No.MPCB-CONSENT-0000119394 Dated 06.08.2021

For: grant of Renewal of Consent with increase in CI under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent to renewal is granted for a period up to 30/06/2026
2. The capital investment of the project is Rs.692.737 Crs. (As per C.A Certificate submitted by industry Existing CI was of Rs. 456.637 Crs + Increase in C.I. by Rs. 236.10 Crs = 692.737 Crs.)
3. Consent is valid for the manufacture of:

Sr No	Product	Maximum Quantity	UOM
Products			
1	Slurry/ Emulsion Explosives (Finished)	156250	MT/A
2	Detonators (Finished)	125	Million Nos./Year
3	Penta Erythritol Tetra Nitrate (PETN) (Intermediate & Finished & Captive)	3000	MT/A
4	Detonating Fuse (Finished)	150	Million meter/Y
5	Pentolite / Cast Booster (Finished)	3000	MT/A
6	Sorbitan Monooleate (SMO) (Intermediate & Finished)	9162	MT/A

Sr No	Product	Maximum Quantity	UOM
7	Poly Isobutylene Succinic Anhydride (PIBSA) (Captive & Finished)	6000	MT/A
8	Calcium /Sodium Nitrate Melt (Captive)	3600	MT/A
9	Dust Suppressant (Solar Pride) (Finished)	1000	MT/A
10	GI/Cu Wire Coating	90	Million Nos./Year
11	Filling / Pressing For Filled Shells (Captive)	63	Million Nos./Year
12	Lead Azide (Captive)	9	MT/A
13	Lead Styphanate (Captive)	3	MT/A
14	ASA Mixing And Drying (Captive)	12	MT/A
15	Cyclotetra Methylene Tetranitramine (HMX) & HMX Compounded Product (Captive & Finished)	300	MT/A
16	RDX & RDX Compounded Products	3000	MT/A
17	Tri-nitrotoulene (TNT)	3000	MT/A
18	Bulk Emulsion (SME)	125000	MT/A

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	153	As per Schedule-I	100% recycle/reuse in process to achieve ZLD
2.	Domestic effluent	99	As per Schedule-I	On land for gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1 to S-4	Boilers (4 Nos - 2 TPH, 3 TPH, 6 TPH & 12 TPH)	4	As per Schedule -II
2	S-5	Thermic Fluid Heater	1	As per Schedule -II
3	S-6	DG Set (400 KVA)	1	As per Schedule -II
4	S-7 to S-8	DG Set (2 x 600 KVA)	2	As per Schedule -II
5	S-9 to S-11	DG Set (3 x 500 KVA)	3	As per Schedule -II
6	S-12 to S-13	DG Set (2 x 300 KVA)	2	As per Schedule -II
7	S-14 to S-15	DG Set (2 x 380 KVA)	2	As per Schedule -II
8	S-16	DG Set (160 KVA)	1	As per Schedule -II
9	S-17	Process Emission vent (CN/SN/PETN/Cast booster)	1	As per Schedule -II
10	S-18	Process Emission vent (HMX/RDX/TNT)	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Fly Ash	575	MT/M	Sale	Sale to Brick Manufacturer
2	Biological Sludge	2.1	MT/M	Composting	Used as manure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**


Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.2 Wastes or residues containing oil	0.5	MT/A	Reprocessing	Sale to authorised party
2	35.3 Chemical sludge from waste water treatment	155	MT/A	Landfill after treatment	CHWTSDF
3	36.1 Any process or distillation residue	12	MT/A	Landfill after treatment	CHWTSDF
4	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	50	MT/A	Reconditioning	Sale to authorised party
5	37.2 Ash from incinerator and flue gas cleaning residue	160	MT/A	Landfill	CHWTSDF
6	5.1 Used or spent oil	0.5	MT/A	Recycle*	Sale to authorised party

(The applicant shall ensure the disposal of all recycle-reprocessing hazardous waste to the actual user having permission under Rule 9 of Hazardous & Other Waste (M & T M) Rules, 2016)

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
10. By forfeiting proportionate BG towards JVS exceedance of stack emissions.
11. PP shall submit upgradation proposal towards existing air pollution control system provided to coal fired 12 TPH boiler within 15 days & shall upgrade the same within next three months.
12. PP shall 100% recycle/reuse treated trade/sewage so as to achieve ZLD outside the premises.
13. PP shall submit/extend the BG to form the sum of Rs. 25.0 Lakh towards O & M of pollution control system and compliance of EC & consent conditions.
14. This consent is issued pursuant to the decision of the 7th Consent Appraisal Committee Meeting held on 13.10.2021 & 29.10.2021.
15. The applicant shall comply with the conditions of the Environmental Clearance granted vide dated 07.06.2019.

16. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.

For and on behalf of the
Maharashtra Pollution Control Board.


(Ashok Shingare IAS),
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	6927370.00	TXN2108000669	06/08/2021	Online Payment
2	164802.00	TXN2111001357	18/11/2021	Online Payment

(As per previous consent granted by Board vide dated 29.01.2020, fees of Rs. 3,07,398/- was balance with Board which is considered during this renewal of consent, hence no any fee is balance with Board)

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- They are directed to ensure the compliance of the consent conditions.
- They are directed to forfeit the bank guarantee of Rs. 5.0 Lakh towards JVS result of stack & obtain top up BG to form the sum of Rs. 25.0 Lakh from the industry.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CAC Desk - for record & updation purposes.

SCHEDULE-I**Terms & conditions for compliance of Water Pollution Control:**

1. A) As per your application, you have provided 6 Nos of ETPs (section wise) of capacity 84 KLD, 100 KLD, 15 KLD - 3 Nos, 70 KLD comprising primary, secondary, tertiary treatment followed by MEE to achieve ZLD for treatment of trade effluent to the tune of 153 CMD.
- B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
(1)	pH	6.0 -8.5
(2)	BOD (3 days 27°C)	100
(3)	COD	250
(4)	TSS	100
(5)	Oil & Grease	10
(6)	Total Dissolved Solids	2100
(7)	Chloride	600
(8)	Sulphate	1000
(9)	Lead as Pb	0.1
(10)	Nitrate as N	10
(11)	Zinc as Zn	5
(12)	Sulphide	2

- C) The treated effluent shall be 100% recycled for process & secondary purposes after confirming above standards. In no case, effluent shall find its way for gardening / outside factory premises.
2. A) As per your application, you have provided STP of designed capacity 150 CMD based on MBBR technology for the treatment of 99 CMD sewage.
- B) Industry shall comply prescribed standards & disposal path as prescribed at Sr. No. 1 B & C of schedule I.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	548.00
2.	Domestic purpose	138.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	216.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	95

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/prop osed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(In %)	Pollutant Standard
S-1	Boiler (2 TPH)	Multi Cyclone	33.50	Coal 20B3 Kg/Hr	0.5	TPM 150 Mg/Nm ³
S-2	Boiler (3 TPH)	Multi Cyclone	30.00	Coal/Agro-waste 350 Kg/Hr	0.5	TPM 150 Mg/Nm ³
S-3	Boiler (6 TPH)	Multi Cyclone	30.00	Coal/Agro-waste 500 Kg/Hr	0.5	TPM 150 Mg/Nm ³
S-4	Boiler (12 TPH)	Multi Cyclone	30.00	Coal/Agro-waste 1200 Kg/Hr	0.5	TPM 150 Mg/Nm ³
S-5	Thermic Fluid Heater	Mechanical Dust Collector	30.50	Coal/Briquette 300 Kg/Hr	0.5	TPM 150 Mg/Nm ³
S-6	DG Set (400 KVA)	Stack	4.00	HSD 84.0 Kg/Hr	1.0	SO ₂ 40.32 Kg/Day
S-7 to S-8	DG Set (2 x 600 KVA)	Stack	5.00	HSD 126 Kg/Hr	1.0	SO ₂ 60.48 Kg/Day
S-9 to S-11	DG Set (3 x 500 KVA)	Stack	4.50	HSD 105 Kg/Hr	1.0	SO ₂ 50.4 Kg/Day

Stack No.	Source	APC System provided/prop used	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant Standard	
S-12 to S-13	DG Set (2 x 300 KVA)	Stack	3.50	HSD 63.0 Kg/Hr	1.0	SO ₂	30.24 Kg/Day
S-14 to S-15	DG Set (2 x 380 KVA)	Stack	4.00	HSD 79.8 Kg/Hr	1.0	SO ₂	38.30 Kg/Day
S-16	DG Set (160 KVA)	Stack	2.50	HSD 33.6 Kg/Hr	1.0	SO ₂	16.14 Kg/Day
S-17	Process Emission Vent (CN/SN/PETN/Cast Booster)	Scrubber	11.00	-	-	Acid Mist/HCL	35 Mg/Nm ³
						So ₂	50 PPM
S-18	Process Emission Vent (HMX/RDX/TNT)	Scrubber	18.00	-	-	Acid Mist/HCL	35 Mg/Nm ³
						So ₂	50 PPM

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III
Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Renewal of Consent	Rs. 25.0 Lakh	15 days	Towards O & M of PCs and compliance of consent & EC conditions	30.06.2026	31.10.2026

****Existing BG obtained for above purpose if any, may be extended for period of validity as above.**

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
1	C2R	Rs. 25.0 Lakh	-	Towards O & M of PCs and compliance of consent conditions	Rs. 6.0 Lakh	Towards JVS exceedance

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
2	C2R	Rs. 25.0 Lakh	15 days	Towards O & M of PCs and compliance of consent conditions	Rs. 5.0 Lakh	Towards Exceedance of JVS result of stack

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG Imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.

7. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. The PP shall provide personal protection equipment as per norms of Factory Act
14. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.

