

BEFORE THE NATIONAL GREEN TRIBUNAL

PRINCIPAL BENCH, NEW DELHI

Execution Application No.12/2025

In

Original Application No. 490/2022

IN THE MATTER OF:

Sunaina.

Applicant(s)

Versus

State of Punjab & Ors.

Respondent(s)

INDEX**NEXT D.O.H- 21.04.2026**

S. No.	Particulars	Page No.
1.	Reply by way of affidavit to the Execution Application on behalf of Respondent No.11	1-11

Filed by



(Sanchar Anand)

Advocate for the Respondent No.11

14, 1st Floor, National Park

Lajpat Nagar-IV, New Delhi-110024

Phone No.-9958792346

Email- sanchar_anand@yahoo.co.in

Place: New Delhi

Dated: 09.03.2026

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,
NEW DELHI
EXECUTION APPLICATION NO. 12 OF 2025
IN
ORIGINAL APPLICATION NO. 490 OF 2022**

IN THE MATTER OF: -

SUNAINA

... APPLICANT

VERSUS



STATE OF PUNJAB AND ORS.

... RESPONDENTS

**REPLY BY WAY OF AFFIDAVIT TO THE EXECUTION
APPLICATION ON BEHALF OF RESPONDENT NO. 11**

I, Parvinder Singh S/o Sh. Kehar Singh, aged 55 years, Executive Officer /Authorized Representative of Municipal Corporation, Zirakpur, acting in my official capacity, do hereby solemnly affirm and declare as under:

1. That I am the Executive Officer /Authorized Representative of the Respondent No.1, Municipal Corporation Zirakpur in the aforesaid execution petition and as such I am fully conversant with the facts and circumstances of the above-mentioned case, hence am competent to file the present reply.
2. That I have gone through the contents of accompanying reply and the attached annexures filed in reply to the execution petition and have understood the contents thereof which are true and correct to my knowledge and belief.
3. That the present execution petition has been filed by the Applicant seeking compliance to the judgement and order dated 18.07.2023 passed this Hon'ble National Green Tribunal (hereinafter referred to as Tribunal)




in Original Application No. 490/2022, wherein, this Hon'ble Tribunal Vide judgment and order dated 18.07.2023 was pleased to pass inter-alia the following direction: -

".....Additional Deputy Commissioner has filed an affidavit and further submitted that Board has floated the tender for replacement of water supply lines from effected wards and necessary actions are being taken for supply of potable water and further ensured that above action will be completed within a time frame. Thus, we direct the District Authority/Deputy Commissioner, SAS Nagar and Respondents to ensure potable water supply to the effected persons within the area within a time frame say not more than six months..."

4. That the answering respondent humbly submits that the respondent council has already complied with the directions passed by the Hon'ble Tribunal and that there are no pending complaints in relation to supply of potable water within the area coming under its jurisdiction.
5. That in respect of issues/complaints with the water supply lines in Village Nabha and Sadashiv Enclave, it is submitted that replacement of water supply line of around 3.53 km Village Nabha and Sadashiv Enclave was completed on 15.01.2026 and the lines are now fully functional.
6. That that answering respondent humbly submits that it is regularly monitoring the situation on ground and is conducting quality testing of water samples in a periodic manner so as to ensure public safety and health of all concerned. It is to ensure compliance orders passed by this Hon'ble Tribunal, around 93 samples were collected and sent for testing to Punjab Biotechnology Incubator, a NABL certified laboratory and which were found to be safe and completely fit for drinking. A true



[Handwritten signature]



copy of NABL Lab report for water samples sent by MC, Zirakpur is attached herein as **Annexure – R /1**.

7. That the answering respondent further submits that there do not exists any pending complaints in relation to supply of portable water in the afore-said area and that it is fully committed to resolve any grievance or complaint that may arise in near future and the Action Taken Report submitted by the Hony. Chief Secretary in compliance with order dated 18.11.2025 clearly places on record the true and accurate position existing on ground.
8. That in light of afore-said facts and circumstances, it is humbly prayed that present execution petition may kindly be dismissed qua the answering respondent as all the orders and direction passed by this Hon'ble Tribunal has been duly complied in the interest of justice.



VERIFICATION:

The Contents of the affidavit Documents has been read over to the Deponent Execulent He/She has accepted this correct

[Signature]
DEPONENT
EXECUTIVE OFFICER,
MUNICIPAL COUNCIL,
ZIRAKPUR (Distt. SAS Nagar)

Verified at _____ on this the ____ day of March, 2026 that the contents of the above affidavit are true to my knowledge. No part of it is false and nothing material has been concealed therefrom.

03 MAR 2026
ATTESTED AS DEPONENT
NOTARY
GOVT OF INDIA
ZIRAKPUR

[Signature]
DEPONENT
EXECUTIVE OFFICER,
MUNICIPAL COUNCIL,
ZIRAKPUR (Distt. SAS Nagar)

This Document has been registered of Serial No. 9014
On date 03 MAR 2026

Sr.No	Date of Sample Collection	Result of Sampling	Parameters of Sampling	Tubewell Location	Result of Samples
1	3-Dec-25	9-Dec-25	Heavy Metals	Adda Jhungla	Water within Desirable Limit and fit for drinking
2	3-Dec-25	9-Dec-25	Heavy Metals	Bhuda Sahib	Water within Desirable Limit and fit for drinking
3	3-Dec-25	9-Dec-25	Heavy Metals	Bhuda Sahib TW-2	Water within Desirable Limit and fit for drinking
4	3-Dec-25	9-Dec-25	Heavy Metals	Chat Firni	Water within Desirable Limit and fit for drinking
5	3-Dec-25	9-Dec-25	Heavy Metals	Chat Pind OHSR	Water within Desirable Limit and fit for drinking
6	3-Dec-25	9-Dec-25	Heavy Metals	Dashmesh Enclave Lohgarh OHSR	Water within Desirable Limit and fit for drinking
7	3-Dec-25	9-Dec-25	Heavy Metals	Dashmesh Enclave Lohgarh Park	Water within Desirable Limit and fit for drinking
8	3-Dec-25	9-Dec-25	Heavy Metals	Gurudev Nagar Bhabat	Water within Desirable Limit and fit for drinking
9	3-Dec-25	9-Dec-25	Heavy Metals	Jarnail Enclave-1	Water within Desirable Limit and fit for drinking
10	3-Dec-25	9-Dec-25	Heavy Metals	Green Enclave Lohgarh	Water within Desirable Limit and fit for drinking
11	3-Dec-25	9-Dec-25	Heavy Metals	Shivalik Enclave TW-2	Water within Desirable Limit and fit for drinking
12	3-Dec-25	9-Dec-25	Heavy Metals	Shri Balaji Enclave	Water within Desirable Limit and fit for drinking
13	3-Dec-25	9-Dec-25	Heavy Metals	Lohgarh Vishkarma	Water within Desirable Limit and fit for drinking

14	3-Dec-25	9-Dec-25	Heavy Metals	Nabha Sahib	Water within Desirable Limit and fit for drinking
15	3-Dec-25	9-Dec-25	Heavy Metals	Adarsh Nagar	Water within Desirable Limit and fit for drinking
16	3-Dec-25	9-Dec-25	Heavy Metals	Dashmesh Colony	Water within Desirable Limit and fit for drinking
17	9-Oct-25	9-Oct-25	Ecoli and Coliform	Gurdeep Tap Water	E coli and Coliform absent and waterfit for drinking
18	9-Oct-25	9-Oct-25	Ecoli and Coliform	Tubewell Water	E coli and Coliform absent and waterfit for drinking

Sr.No	Date of Sample Collection	Result of Sampling	Parameters of Sampling	Tubewell Location	Result of Samples
1	17-Dec-25	1-Jan-26	Heavy Metals	AKS Colony	Water within Desirable Limit and fit for drinking
2	17-Dec-25	1-Jan-26	Heavy Metals	Bhabat Community Center	Water within Desirable Limit and fit for drinking
3	17-Dec-25	1-Jan-26	Heavy Metals	Bhabat Mari Wala	Water within Desirable Limit and fit for drinking
4	17-Dec-25	1-Jan-26	Heavy Metals	Bhabat O.M.SR	Water within Desirable Limit and fit for drinking
5	17-Dec-25	1-Jan-26	Heavy Metals	Bhabat Stadium	Water within Desirable Limit and fit for drinking
6	17-Dec-25	1-Jan-26	Heavy Metals	Bhabat Zohri Wala	Water within Desirable Limit and fit for drinking
7	17-Dec-25	1-Jan-26	Heavy Metals	Bishanpura Gurudwara	Water within Desirable Limit and fit for drinking
8	17-Dec-25	1-Jan-26	Heavy Metals	Friend Enclave	Water within Desirable Limit and fit for drinking
9	17-Dec-25	1-Jan-26	Heavy Metals	Gurudev Nagar	Water within Desirable Limit and fit for drinking
10	17-Dec-25	1-Jan-26	Heavy Metals	Jarnail Enclave-1	Water within Desirable Limit and fit for drinking
11	17-Dec-25	1-Jan-26	Heavy Metals	Jarnail Enclave-2	Water within Desirable Limit and fit for drinking
12	17-Dec-25	1-Jan-26	Heavy Metals	Khushha; Enclave	Water within Desirable Limit and fit for drinking
13	17-Dec-25	1-Jan-26	Heavy Metals	Lajpat Nagar	Water within Desirable Limit and fit for drinking
14	17-Dec-25	1-Jan-26	Heavy Metals	New Defece Colony	Water within Desirable Limit and fit for drinking

15	17-Dec-25	1-Jan-26	Heavy Metals	Preet Colony Stadium-1	Water within Desirable Limit and fit for drinking
16	17-Dec-25	1-Jan-26	Heavy Metals	Preet Colony Stadium-2	Water within Desirable Limit and fit for drinking
17	17-Dec-25	1-Jan-26	Heavy Metals	Ranjan Plaza	Water within Desirable Limit and fit for drinking
18	17-Dec-25	1-Jan-26	Heavy Metals	Shiva Enclave TW-1	Water within Desirable Limit and fit for drinking
19	17-Dec-25	1-Jan-26	Heavy Metals	Shiva Enclave TW-2	Water within Desirable Limit and fit for drinking
20	17-Dec-25	1-Jan-26	Heavy Metals	Shivalik Enclave TW-1	Water within Desirable Limit and fit for drinking
21	17-Dec-25	1-Jan-26	Heavy Metals	Shivalik Enclave TW-2	Water within Desirable Limit and fit for drinking
22	17-Dec-25	1-Jan-26	Heavy Metals	Shri Balaji Enclave	Water within Desirable Limit and fit for drinking
23	17-Dec-25	1-Jan-26	Heavy Metals	Victoria City	Water within Desirable Limit and fit for drinking
24	17-Dec-25	1-Jan-26	Heavy Metals	Green City Dhakoli	Water within Desirable Limit and fit for drinking
25	17-Dec-25	1-Jan-26	Heavy Metals	Ham Vihar-2	Water within Desirable Limit and fit for drinking
26	17-Dec-25	1-Jan-26	Heavy Metals	Harmilap Nagar	Water within Desirable Limit and fit for drinking
27	17-Dec-25	1-Jan-26	Heavy Metals	Harmilap Nagar-1 Market	Water within Desirable Limit and fit for drinking
28	17-Dec-25	1-Jan-26	Heavy Metals	Harmilap Nagar-2 Market	Water within Desirable Limit and fit for drinking
29	17-Dec-25	1-Jan-26	Heavy Metals	Harmilap Nagar-3 Market	Water within Desirable Limit and fit for drinking

30	17-Dec-25	1-Jan-26	Heavy Metals	Laxmi Enclave	Water within Desirable Limit and fit for drinking
31	17-Dec-25	1-Jan-26	Heavy Metals	Mamta Enclave-1	Water within Desirable Limit and fit for drinking
32	17-Dec-25	1-Jan-26	Heavy Metals	Neelkanth Enclave	Water within Desirable Limit and fit for drinking
33	17-Dec-25	1-Jan-26	Heavy Metals	Parvati Enclave	Water within Desirable Limit and fit for drinking
34	17-Dec-25	1-Jan-26	Heavy Metals	Punjab Modern Complex	Water within Desirable Limit and fit for drinking
35	17-Dec-25	1-Jan-26	Heavy Metals	Ram Vihar	Water within Desirable Limit and fit for drinking
36	17-Dec-25	1-Jan-26	Heavy Metals	Sada Shiv Enclave Buster	Water within Desirable Limit and fit for drinking
37	17-Dec-25	1-Jan-26	Heavy Metals	Sada Shiv Enclave 2	Water within Desirable Limit and fit for drinking
38	17-Dec-25	1-Jan-26	Heavy Metals	Shanti Enclave	Water within Desirable Limit and fit for drinking
39	17-Dec-25	1-Jan-26	Heavy Metals	Tribune Colony	Water within Desirable Limit and fit for drinking
40	17-Dec-25	1-Jan-26	Heavy Metals	Vaishali Enclave	Water within Desirable Limit and fit for drinking
41	17-Dec-25	1-Jan-26	Heavy Metals	Wadhawa Nagar	Water within Desirable Limit and fit for drinking
42	17-Dec-25	1-Jan-26	Heavy Metals	Vishranti City	Water within Desirable Limit and fit for drinking
43	17-Dec-25	1-Jan-26	Heavy Metals	Adarsh Nagar	Water within Desirable Limit and fit for drinking
44	17-Dec-25	1-Jan-26	Heavy Metals	Kishanpura Enclave	Water within Desirable Limit and fit for drinking

45	17-Dec-25	1-Jan-26	Heavy Metals	M.S Enclave Shani Mandir	Water within Desirable Limit and fit for drinking
46	17-Dec-25	1-Jan-26	Heavy Metals	M.S Enclave Shiv Mandir	Water within Desirable Limit and fit for drinking
47	17-Dec-25	1-Jan-26	Heavy Metals	Peer Muchalla-1	Water within Desirable Limit and fit for drinking
48	17-Dec-25	1-Jan-26	Heavy Metals	Peer Muchalla-2	Water within Desirable Limit and fit for drinking
49	17-Dec-25	1-Jan-26	Heavy Metals	Shalimar Enclave	Water within Desirable Limit and fit for drinking
50	17-Dec-25	1-Jan-26	Heavy Metals	Singhpura OHSR	Water within Desirable Limit and fit for drinking
51	17-Dec-25	1-Jan-26	Heavy Metals	Sonoli	Water within Desirable Limit and fit for drinking
52	17-Dec-25	1-Jan-26	Heavy Metals	Swami Enclave Park	Water within Desirable Limit and fit for drinking
53	17-Dec-25	1-Jan-26	Heavy Metals	Swastik Vihar	Water within Desirable Limit and fit for drinking
54	17-Dec-25	1-Jan-26	Heavy Metals	Vasant Vihar	Water within Desirable Limit and fit for drinking
55	17-Dec-25	1-Jan-26	Heavy Metals	Vasant Vihar-2	Water within Desirable Limit and fit for drinking
56	17-Dec-25	1-Jan-26	Heavy Metals	Sharma Estate	Water within Desirable Limit and fit for drinking
57	17-Dec-25	1-Jan-26	Heavy Metals	Sigma City	Water within Desirable Limit and fit for drinking
58	17-Dec-25	1-Jan-26	Heavy Metals	Skynet Enclave	Water within Desirable Limit and fit for drinking
59	17-Dec-25	1-Jan-26	Heavy Metals	VIP Enclave	Water within Desirable Limit and fit for drinking

60	17-Dec-25	1-Jan-26	Heavy Metals	Dyalpura New Firni	Water within Desirable Limit and fit for drinking
61	17-Dec-25	1-Jan-26	Heavy Metals	Dyalpura OHSR	Water within Desirable Limit and fit for drinking
62	17-Dec-25	1-Jan-26	Heavy Metals	Lohgarh Dushera Ground	Water within Desirable Limit and fit for drinking
63	17-Dec-25	1-Jan-26	Heavy Metals	Lohgarh NR Sunrise	Water within Desirable Limit and fit for drinking
64	17-Dec-25	1-Jan-26	Heavy Metals	Sani Bhavan Lohgarh	Water within Desirable Limit and fit for drinking
65	17-Dec-25	1-Jan-26	Heavy Metals	Shankar City	Water within Desirable Limit and fit for drinking
66	17-Dec-25	1-Jan-26	Heavy Metals	Saini Vihar Ph-2	Water within Desirable Limit and fit for drinking
67	17-Dec-25	1-Jan-26	Heavy Metals	Sada Shiv-2	Water within Desirable Limit and fit for drinking
68	17-Dec-25	1-Jan-26	Heavy Metals	Ravindra Enclave	Water within Desirable Limit and fit for drinking
69	17-Dec-25	1-Jan-26	Heavy Metals	Surindra	Water within Desirable Limit and fit for drinking
70	17-Dec-25	1-Jan-26	Heavy Metals	Silver City-1	Water within Desirable Limit and fit for drinking
71	17-Dec-25	1-Jan-26	Heavy Metals	Silver City-2	Water within Desirable Limit and fit for drinking
72	17-Dec-25	1-Jan-26	Heavy Metals	Khatu Shyam	Water within Desirable Limit and fit for drinking
73	17-Dec-25	1-Jan-26	Heavy Metals	Bazigar Basti	Water within Desirable Limit and fit for drinking
74	17-Dec-25	1-Jan-26	Heavy Metals	Shivalik Vihar Ph-3	Water within Desirable Limit and fit for drinking

75	17-Dec-25	1-Jan-26	Heavy Metals	Gazipur-1	Water within Desirable Limit and fit for drinking
----	-----------	----------	--------------	-----------	--