



35

क्षेत्रीय कार्यालय-उ०प्र० प्रदूषण नियंत्रण बोर्ड, गाजियाबाद
Regional Office, U.P. Pollution Control Board, Ghaziabad
Website- www.uppcb.com, e-mail:roghaziabad@uppcb.in

संदर्भ संख्या : 2504/NGT-123/OA-08/2021/2023

दिनांक 11/03/2024

To,

The Registrar,
The National Green Tribunal,
Principal Bench,
New Delhi
E-mail- judicial-ngt@gov.in & ngt.filling@gmail.com

Sub: Reply/Response on behalf UPPCB in compliance to direction issued by Hon'ble NGT in IA no. 35/2021 in OA no. 68/2021 in the matter of Sushil Raghav vs Union of India & ors.

Respected Sir,

With reference to the above-mentioned subject in compliance of Hon'ble National Green Tribunal, order dated 19.01.2024 in IA no. 35/2021 in OA no. 68/2021 in the matter of Sushil Raghav vs Union of India & ors. Reply/Response is hereby submitted for kind perusal and necessary action please.

Enclosure: As above.

Yours Sincerely

(Vikas Mishra)
Regional Officer

Copy to:

1. Member Secretary, U.P. Pollution Control Board, Lucknow for information.
2. Chief Environmental Officer, Circle-1, U.P. Pollution Control Board, Lucknow for information.
3. Shri Pradeep Misra, Advocate, Hon'ble Supreme Court/NGT, New Delhi for perusal and necessary action please.
4. Law Officer-I, U.P. Pollution Control Board, Lucknow for information.

Regional Officer

क्षेत्रीय कार्यालय : आई०एन०एस०-२, सेक्टर-१६, वसुन्धरा, गाजियाबाद-२०१०१२ फोन-०१२०-४१६०१०८
मुख्यालय : TC-12V, विभूति खण्ड, गोमती नगर, लखनऊ २२६०१०

Reply/Response on behalf UPPCB in compliance to direction issued by Hon'ble NGT in IA no. 35/2021 in OA no. 68/2021 in the matter of Sushil Raghav vs Union of India & ors.

Hon'ble NGT issued notice on 19.01.2024 in the matter of Sushil Raghav vs Union of India & ors in IA no. 35/2021 in OA no. 68/2021 and directed in para (2), which is given as under:-

".....Now, take further notice that the above application will be listed for further hearing before the Hon'ble Tribunal 12th March, 2024, at Faridkot House, Copernicus Marg, New Delhi-110001 through physical hearing (with hybrid option), when you may appear before the Hon'ble Tribunal either in person or by a pleader duly instructed, and file reply/response, as per directions of the Hon'ble Tribunal vide Order dated 12.01.2024....."

In compliance to the aforesaid notice, response/reply is as follows:-

1- That, brief note on Sahibabad Drain, Indirapuri Dran, Loni and Banthla Drain are as follows:

A- Sahibabad Drain : Sahibabad drain carries untreated domestic effluent of residential areas Bhopura, Gagan Vihar, Shalimar Garden, Garima garden, Janakpuri, Pasaunda, Rajendra Nagar Residential area, Village Sahibabad, Village Jhandapur, village Karkar mandan, Village Maharajpur, Chander Nagar, Surya Nagar, Kaushambi & Vaishali etc. and carries treated effluent of industries located in Sahibabad Industrial Area and Rajendra Nagar Industrial Area. Sahibabad drain is partially tapped for treatment near NH-24 in 74MLD STP at Indirapuram before entering in Delhi at Ghazipur. Rest effluent of Sahibabad drain meets in Shahdara Drain and finally meets in Yamuna River in Okhla Barrage.

Presently Sahibabad Industrial area is being used for Industrial, Commercial as well as institutional activities. As per office records, there are 113 water polluting industries situated / operated in the catchment area of the Sahibabad Drain.

Officials of UPPCB have taken samples from various points of Sahibabad Drain during the survey. The analysis results of drain sample collected from Various points as shown below: -

S. No	Sampling point	Date of Sampling	pH	Color	Odour	B.O.D mg/L	C.O.D mg/L	TSS mg/L
1.	Sahibabad Drain Near Hindustan Tin Factory	23.01.2024	6.2	Turbid	Faint	80.0	270.0	54.0
2.	Surya Nagar Bridge	23.01.2024	6.8	Turbid	Faint	92.0	274.0	56.0
3.	Near Country Inn Hotel Site-4, Sahibabad	23.01.2024	6.92	Turbid	Faint	90.0	278.0	64.0

	Ghaziabad							
4.	Sahibabad Drain Tapping Point	23.01.2024	8.0	Blackish	Unpleasant	94.0	246.0	70.0

The above analysis results of the drain's sample collected from various location indicates the characteristics of untreated domestic effluent.

B- Indirapuri Drain:- Indirapuri drain carries untreated domestic effluent of residential areas ikram nagar, Dehroti khurd, Balram Nagar, Indirapuri Colony etc and carries treated effluent of industries located in Roop Nagar Industrial Area, Shyam Industrial area, Arya Nagar Industrial area and Rural Industrial area. Indirapuri drain meets in Shahdara Drain near Jauharipur and finally meets in Yamuna River in Okhla Barrage.

C- Banthla drain: - Banthala drain is mainly carries untreated domestic effluent of residential areas Behta Hajipur, Gulab Vatika and Banthla etc. No industrial estate is located in the catchment of this drain. Banthla drain meets in Shahdara Drain near near Ganga Vihar and finally meets in Yamuna River in Okhla Barrage.

Officials of UPPCB have taken samples from various point of Indirapuri and Banthla Drain during the survey. The analysis results of drains sample collected from various points as shown below: -

Sl. No	Sampling point	Date	pH	Color	Odour	B.O.D mg/L	C.O.D mg/L	TSS mg/L
1	Indirapuri -01	23.01.2024	7.3	Turbid	Faint	60.0	150.0	120.0
2	Indirapuri -02	23.01.2024	7.5	Turbid	Faint	62.0	152.0	128.0

The above analysis results of the drain's sample collected from various location indicates the characteristics of untreated domestic effluent.

2- Status of Sewage Treatment Plants: -

That, there are 11 STPs in Ghaziabad District 08 in Ghaziabad, 02 in Ioni and 01 in modinagar. UPPCB is conducting regular monitoring of the STP,s and during month of February-2024 samples from outlets of STP,s were collected. Details are as follows:-

S. No	Sampling Point	Date	pH	Color	BOD (mg/L)	COD (mg/L)	TSS (mg/L)	Total Coliform (MPN/100ml)	Fecal Coliform (MPN/100 ml)
1.	74 MLD S.B.R., Indirapuram	02.02.24	7.20	Colorless	9.0	50.0	8.0	4300	790
		07.02.24	7.08	Colorless	7.0	52.0	10.0	3200	780
		15.02.24	7.62	Colorless	9.0	56.0	10.0	3900	780
2.	56 MLD S.B.R., Indirapuram	02.02.24	7.64	Colorless	8.0	56.0	10.0	2000	780
		07.02.24	7.24	Colorless	9.0	58.0	8.0	1500	680

		15.02.24	7.32	Colorless	7.0	56.0	9.0	1600	220
3.	56 MLD U.A.S.B Trans Hindon, Indirapuram	02.02.24	7.16	Turbid	20.0	108.0	32.0	6300	3300
		07.02.24	7.22	Colorless	18.0	106.0	30.0	5800	3100
		15.02.24	7.34	Turbid	14.0	94.0	28.0	3200	920
4.	30 MLD M.B.B.R Sadullabad, Loni	01.02.24	7.24	Colorless	8.0	46.0	9.0	3800	610
		06.02.24	7.66	Colorless	9.0	54.0	10.0	2500	930
		15.02.24	7.20	Colorless	7.0	56.0	8.0	3400	680
5.	56 MLD S.B.R., Dudahaida Vijay Nagar	01.02.24	7.42	Colorless	9.0	58.0	10.0	1600	540
		06.02.24	7.64	Colorless	7.0	52.0	8.0	3500	790
		15.02.24	6.92	Colorless	8.0	56.0	9.0	2200	400
6.	70 MLD U.A.S.B., Dudahaida Vijay Nagar	01.02.24	7.34	Turbid	23.0	138.0	34.0	5800	3100
		06.02.24	7.40	Colorless	24.0	142.0	32.0	4300	2300
		15.02.24	6.77	Turbid	22.0	132.0	38.0	2800	790
7.	56 MLD S.B.R.,Govindp uram	02.02.24	7.24	Colorless	6.0	48.0	8.0	1500	680
		06.02.24	7.02	Colorless	8.0	50.0	9.0	1600	170
		15.02.24	7.26	Colorless	7.0	46.0	8.0	1500	200
8.	56 MLD S.B.R., Bapudham	02.02.24	7.38	Colorless	8.0	52.0	10.0	1100	400
		06.02.24	7.04	Colorless	9.0	54.0	10.0	1700	200
		15.02.24	7.34	Colorless	7.0	50.0	8.0	1600	170
9.	5 MLD M.B.B.R.,Trans Delhi Signature City (Tronica City), Loni	07.02.24	7.14	Colorless	10.0	68.0	12.0	1100	790
		13.02.24	7.36	Colorless	8.0	64.0	10.0	1700	790
10.	56 MLD S.B.R., Morty	07.02.24	7.52	Colorless	14.0	80.0	20.0	2400	780
		13.02.24	7.22	Colorless	12.0	74.0	18.0	2500	780
11.	20 MLD S.B.R., Modinagar	08.02.24	7.22	Colorless	8.0	58.0	26.0	2500	930
		13.02.24	7.16	Colorless	9.0	60.0	30.0	2600	1700

Remark:-

From above report value of Fecal Coliform in 56 MLD U.A.S.B Trans Hindon, Indirapuram, 70 MLD U.A.S.B., Dudahaida Vijay Nagar and 20 MLD S.B.R., Modinagar is observed more than prescribed limit 1000mg/l and other parameters are within norms. Further parameters of other STPs are within prescribed norms.

3- That, UPPCB is carrying out regular inspections and sampling of industrial units located in conforming areas and appropriate action against defaulting units is being taken under the provisions of Water Act and Environmental Compensation is being levied upon them as per the guidelines of CPCB. In non-conforming areas also, regular inspections are being carried out by District Level Committee and defaulting units are either shut down/demolished and electricity connection disconnection.

A- Brief details regarding Action Taken against defaulters in area of non-conforming area of Loni during month January 2024 is as under.

Sl. No.	No. of Defaulters Units	Electricity Disconnection/Sealed
1.	21	21

List enclosed as **Annexure-I**.

B- Action Taken against defaulters in area of conforming area of Sahibabad and Loni is as under: -

Sr. No.	Name & Address	Action Taken
1	M/s Sidra Washing Plot-8, Khasra No. 96/3 Arya Nagar Industrial Area Loni, Ghaziabad.	Closure order issued on 01.01.2024 with EC Rs. 11,55,000/- and Earlier EC Rs. 5,00,000/-
4	M/s. Nisha Prints, A-11, Roop Nagar Industrial Area, Loni, Ghaziabad	Closure order issued on 01.01.2024 with EC Rs. 11,40,000/- Revocation report under preparation.
2	M/s Jai Maa Garments A-16, Roop Nagar Industrial Area, Loni, Ghaziabad.	Show Cause notice dated 12.10.2023 report sent to HO for revocation SCN with EC Rs. 11,25,000/-
3	M/s. Laskhya Enterprises (Old Name Sikha Enterprises), A-44, Roop Nagar Industrial Area, Loni, Ghaziabad.	Show Cause notice dated 12.10.2023 report sent to HO for revocation SCN with EC Rs. 11,25,000/-
5	M/s. M.A. Garments, Plot No-20/6/21, Site-4 Sahibabad Industrial Area, Ghaziabad	Show Cause notice dated 12.10.2023 revoked on 12.01.2024 with EC Rs. 90,000/-
6	M/s. Shree Mahaveer Enterprises, Plot No-28/1/15, Site-4 Sahibabad Industrial Area, Ghaziabad.	UPPCB issued Show Cause notice dated 12.10.2023. Revocation report sent to HO vide letter dated 29.01.2024 with EC Rs. 5,25,000/-

The Above report is placed for kind consideration by the Hon'ble National Green Tribunal, New Delhi.



(N.K. Pandey)

Assistant Environmental Engineer
U.P. Pollution Control Board,
Ghaziabad.



(Kunwar Santosh Kumar)

Assistant Environmental Engineer
U.P. Pollution Control Board,
Ghaziabad.

