

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI**

E.A. No.34/2023

In

Original Application No. 526/2019

IN THE MATTER OF:

Sh. Mahesh Chandra Saxena

... Applicant

VERSUS

CPCB and Ors.

.... Respondents

NDOH:-03.09.2025

INDEX

S. No.	PARTICULARS	Page No.
1.	Action taken report on behalf of DPCC.	1-5
2.	<u>Annexure-1.</u> Copy of the reply of MCD dated 21.05.2025.	6
3.	<u>Annexure-2.</u> Copy of DDA reply dated 03.05.2025.	7-8
4.	<u>Annexure-3.</u> Copy of the action taken report of DDA.	9-53
5.	<u>Annexure-4.</u> Copy of the reply of MCD dated 30.07.2025.	54-55
6.	<u>Annexure-5.</u> Copies of orders for EC issued to MCD and DDA	56-59

Filed by



Sr. Env. Engineer
Delhi Pollution Control Committee

Date: 1st Sep. 2025

Place: Delhi

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI**

E.A. No.34/2023

In

Original Application No. 526/2019

IN THE MATTER OF:

Sh. Mahesh Chandra Saxena

... Applicant

VERSUS

CPCB and Ors.


.... Respondents

**ACTION TAKEN REPORT ON BEHALF OF DELHI POLLUTON
CONTROL COMMITTEE IN FURTHERANCE TO ORDER DATED
30.04.2025.**

I, Dr. BMS Reddy, Sr. Environmental Engineer, Delhi Pollution Control Committee, 2nd Floor, Vikas Bhawan-II, Civil Lines, Delhi- 110054, do hereby solemnly affirm and state as under:


1. That, I am working as Sr. Environmental Engineer, Delhi Pollution Control Committee and am conversant with the facts of the present case on the basis of record maintained by Delhi Pollution Control Committee in its ordinary course.
2. That the present ATR is being filed in view of the order dated 30.04.2025 and to apprise further action taken subsequent to report dated 25.04.2025.

Handwritten signature



3. That, DPCC had issued a Show Cause Notice on 23.04.2025 for imposition of interim Environmental Compensation of Rs. 5,00,000/- (Rupees Five Lakh only) and for rectification of deficiencies in rain water harvesting systems (RWHS) to the DDA and MCD.
4. That MCD in response to SCN dated 23.04.2025 submitted its reply vide letter dated 21.05.2025, inter alia informing that out of 59 RWHS sites inspected by DPCC, only 29 RWHS belong to MCD. Further, all necessary suggestions made by the Committee constituted by the Hon'ble National Green Tribunal (NGT) have been conveyed to the concerned Zones of MCD for compliance. The requisite rectification work as pointed out by DPCC has commenced and the status shall be informed after completion. No further status has been submitted by MCD and there is no mention regarding the Environmental Compensation in its reply. Copy of MCD's reply dated 21.05.2025 is annexed hereto as ANNEXURE-1.
5. That DDA in response to SCN dated 23.04.2025 submitted its reply, which is as under:
- No objections or suggestions were made by the Committee regarding RWHS Reference Nos. 416 to 420, all found correct in all respects.
 - For Reference Nos. 110 to 114 and 287 to 291, concerned officers reported that no storm water drains are passing nearby which may contaminate the water.
 - For RWHS Reference Nos. 01 to 03, 45 to 47, and 76 to 80, the Committee observed absence of separators to prevent pollutants from entering RWHS. Separators have been installed at Reference Nos. 01 to 03, and for others, installation shall be undertaken at the

Handwritten signature




earliest. Final compliance report shall be submitted upon receipt of updated status.

- d. No final compliance report has been submitted by DDA to date.
- e. The department has made best possible efforts to complete the RWHS in accordance with DPCC Committee observations, and apologizes unconditionally for any discrepancies. It is requested that the proposed Environmental Compensation of Rs. 5,00,000/- not be confirmed. Completion of all RWHS aspects shall be ensured. Total lists of DDA RWHS and those inspected by DPCC have been submitted.

Copy of DDA's reply dated 05.05.2025 is annexed hereto as ANNEXURE-2.

6. That a meeting was convened by DPCC with officials of MCD and DDA on 21.07.2025, where it was decided that both agencies shall submit complete compliance reports in response to the Show Cause Notice dated 23.04.2025 issued by DPCC as well as details of all systems installed by them.
7. That DDA submitted an action taken report via email dated 11.08.2025 concerning 30 RWHS inspected by DPCC and a general report on 649 RWHS. The report sets target dates in August and December 2025 for installation of piezometers and separators. Copy of DDA's action taken report is annexed as ANNEXURE-3.
8. That MCD submitted a further reply dated 30.07.2025 stating the following corrective measures has been taken:
 - i. None of the RWHS are located adjacent to storm water drains; 28 of 29 RWHS are functional, with one at A-5 Paschim Vihar currently under rectification.

Handwritten signature




- ii. RWHS systems currently lack piezometers; however, the Corporation has initiated corrective steps and is in the tendering process for installation of piezometers at three pilot sites.
- iii. 10 out of 29 RWHS have separators installed; installation for remaining sites is ongoing based on site-specific technical feasibility.

MCD has requested withdrawal of the Show Cause Notice for imposition of Environmental Compensation, citing technical and financial constraints with older installations that are being addressed as a priority. Copy of MCD's reply dated 30.07.2025 is annexed as ANNEXURE-4.

9. That both MCD and DDA have not fully rectified the deficiencies as per the directions of this Hon'ble Tribunal dated 11.09.2019 in the present matter, which include:

- i. RWHS should not be installed close to storm water drains to avoid groundwater contamination during recharge.
- ii. Installation of piezometers near RWHS for groundwater level and quality monitoring.
- iii. Installation of separators to prevent pollutant entry before recharging.
- iv. Depth of borewells should be at least 5 meters above the Static Water Table.
- v. Closure of deficient RWHS.

10. That in view of the above observations, DPCC issued an order dated 21.08.2025 for imposition of interim Environmental Compensation of Rs. 5,00,000/- (Rupees Five Lakh only) on MCD and DDA for environmental damage caused due to pollution of groundwater through faulty RWHS. Copies



Handwritten signature

of the order's dated are annexed as ANNEXURE-5
(colly).

11. That, the present action taken report may kindly be taken on record.



DEPONENT

VERIFICATION

I, the above-named deponent, declare the contents of the present affidavit are true and correct to the best of my knowledge based upon the documents and records available in the office and nothing material has been concealed therefrom.


Verified at New Delhi on this 1 SEP 2025 day of August, 2025.



DEPONENT

ATTESTED

NOTARY PUBLIC
(DELHI INDIA)



- 1 SEP 2025

Annexure-1

6

MUNICIPAL CORPORATION OF DELHI
OFFICE OF THE CHIEF ENGINEER (SOUTH)
9TH FLOOR: DR. S.P.M. CIVIC CENTRE:JLN MARG
NEW DELHI: 110002

No.: CE(SZ)/MCD/2025/D- 10

Dated: 21 / 05/2025

To

Dr. B.M.S. Reddy,
Senior Environmental Engineer,
Delhi Pollution Control Committee,
3rd Floor, Block-1, DMRC IT Park,
Shastri Park,
Delhi-110053.

Subject: EA No. 34/2023 in OA No. 526/2019 "Mahesh Chandra Saxena Vs. CPCB & Anr."

Ref.: DPCC /(10)(10)(96)/Leg-23/5083-5084 letter dated 06.01.2025.

Sir,

Kindly refer to your letter No. DPCC /(10)(10)(96)/Leg-23/783-784 letter dated 23.04.2025 on the subject cited above.

In this regard, it is to inform that out of 59 RWHS sites inspected by DPCC, only 29 RWHS belong to MCD. It is further to inform that all necessary suggestions made by the Committee constituted by Hon'ble NGT have been conveyed to the concerned Zones of MCD for, necessary compliance. However, the requisite work to rectify the discrepancies as pointed out by the DPCC, has already commenced and after complete rectification, the status will be informed accordingly.

Delhi Pollution Control Committee
Dairy No.....163098.....
27 MAY 2025
e.m.c-2
Sign. of Receiving Officer


Chief Engineer
(South Zone)

1024/CMC
28/05/25

M. S. Reddy
28/5/25

28/5/25

JER-1
CFC-2
on priority pls.
03/06/25

29/05/25

AE/CFC-11

Annexure-2

1655078/2025/CMC 2 DPCC

(7)

DELHI DEVELOPMENT AUTHORITY
OFFICE OF THE SUPERINTENDING ENGINEER
SOUTH CIVIL CIRCLE-1, D.D.A.
17th Floor, VIKAS MINAR
NEAR ITO, NEW DELHI-110005-110002
E-mail: sesc1@dda.org.in

9/2/2025
 21/05/25

File No. F4(RWH)2024/scc-1/DDA/308

Dated: 08/05/2025

To,
 ✓ Sh. B.M.S. Reddy,
 Senior Environmental Engineer,
 Delhi Pollution Control Committee
 3rd Floor, Block-1, DMRC IT Park
 Shastri Park, New Delhi - 110053

**Subject:** Reply with explanation to the show cause notice.**Ref :** Letter no. DPCC/(10)(10)(96)/Leg-23/787-788 dt 23.04.2025 issued by your good authority and received in this office dt 05.05.2025

With reference to the above cited subject and reference, reply with respect to DPCC Committee's observations for DDA's RWH systems submitted in the status report dt 07.01.2025 before the Hon'ble National Green Tribunal is as under (Copy of DPCC Committee's status report enclosed for reference) :

1. it is submitted that no objections/suggestions were given by the aforesaid committee for RWH Ref No. – 416 to Ref. No. – 420 as all these RWH were found correct in all aspects.
2. For RWH Ref. No.- 04 to 05, Ref No.- 110 to 114 and Ref No.- 287 to 291, the committee has observed RWH system existing near Storm water drains. In this regard, the concerned officers have submitted that there are no such storm water drains passing nearby these RWH, which may carry any kind of substances causing contamination to water in any manner.
3. For RWH Ref. No. – 01 to 03, Ref. No.-45 to 47 & Ref. No. -76 to 80, committee has observed that no separators have been installed to separate pollutants from entering RWH. In this regard concerned officers have reported that separators have been installed for RWH Ref. No. – 01 to 03 and for rest of the RWH, concerned officers have submitted that separators will be installed at earliest. The final compliance report in respect to this observation will be submitted after receiving updated status report from concerned offices at the earliest.

*N. Executive
 + rest of
 25/05/25
 21/05/25
 JED-1
 CPC-2
 (5)
 21/05/25*



In addition to the above, it is submitted that that best possible efforts have been made by the department to complete all existing RWH system in respect to all the observations of the DPCC Committee, however for any discrepancy, unconditional apology is requested in this matter and it is requested that the proposed environment compensation amounting to Rs. 5,00,000/- (Rs. Five Lakh only) should not be confirmed. Completion of all RWH system in all aspects pertaining to the department will be ensured.


Encl: As stated above.

**Superintending Engineer
South Civil Circle-1**

Copy to:

1. CE(SZ)/ DDA for kind information please.
2. EE(P)/SCC-1 DDA for necessary pursuance with concerned division EE's.
3. Guard File.

**Superintending Engineer
South Civil Circle-1**



656

Mailbox of sesc1@dda.org.in

Annexure-3

9

Subject: EX. APP. NO. 34/2023 IN OA- 528/2019: Mahesh Chandra Saxena Vs Central Pollution Control Board & Anr Ref: - DPCC/(10)(10)(96)/Leg-23/1251-1254 dated 17-07-2025

From: Southern Civil Circle - 1 <sesc1@dda.org.in> on Mon, 11 Aug 2025 13:19:52

To: "kritika0504 " <kritika0504@gmail.com>, "bmsreddydpc " <bmsreddy.dpcc@delhi.gov.in>, <sloengineering@dda.org.in>, <sloengla1@gmail.com>

3 attachment(s) - General_report_of_649_RWH.xlsx (52.27KB) , Specific_report_of_30_RWH.xlsx (34.03KB) , DocScanner_17-Jul-2025_04-09_PM.pdf (717.03KB)

Please find ATR/Report of 30 RWH (Specific report) and 649 RWH (General report) regarding the above subject matter.

SE/SCC-1
Nodal Officer
RWH/DDA

UPDATED RWHS STATUS REPORT OF 30 RWHS (SPECIFIC REPORT)

S.No	S.No as per observation List	Zone	Location of the building	Name, Designation and phone Number of site Incharge/Officer	Distance of nearest storm water drain from RWH in Mtrs	Action	Whether piezometer are installed	If No, then Target date of installation	Whether separators are installed to separate pollutants from entering RWH (Yes/No)	If No, then Target date of installation	Whether Borewells in RWH are installed at least 5m above static water level (Yes/No)	If No, Target date of Rectification	Remarks/Action Taken
1	1	North Zone	112 LIG Houses, Ashoka Pahari, Faiz Road	Sh. Vivek Kumar EE/NMD-1, Contact No. 011-27325534	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
2	2	North Zone	Community Hall, Tikona Park, Shalil Idarah	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
3	3	North Zone	144 HIG Houses, Motia Khan	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
4	4	North Zone	DDA office Complex, Pitampura	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
5	5	North Zone	DDA office Complex, Pitampura	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
6	6	Rohini Zone	Community Hall, in Block-G, Sector-11, Rohini.	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
7	7	Rohini Zone	Community Hall in CS/OCF-5 at Sector-13, Rohini.	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
8	8	Rohini Zone	Multipurpose Community Hall, in Pocket-H, Sector-18, Rohini	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
9	9	Rohini Zone	Command Tank, Sector-36 (2 Nos RWH)	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
10	10	Rohini Zone	Command Tank, Sector-36 (2 Nos RWH)	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
11	11	East Zone	Community Hall SukhVihar	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
12	12	East Zone	Community Hall SukhVihar	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
13	13	East Zone	Community Hall AnandVihar	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
14	14	East Zone	Community Hall PreetVihar	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
15	15	East Zone	Community Hall Gazipur	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
16	16	Narela Zone	Pocket-3 Sec G8	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
17	17	Narela Zone	Pocket-3 Sec G8	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
18	18	Narela Zone	Pocket-3 Sec G8	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
19	19	Narela Zone	Pocket-3 Sec G8	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
20	20	Narela Zone	Pocket-3 Sec G8	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	
21	21	Dwarka Zone	Community hall at Madipur Opp. 208 SFS	Sh. Mohit Parashar, EE Contact No. 9971154443	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	N/A	No	Dec.2025	Yes	NA	Yes	-	

657

As per CPCB reports remarks which states "staff was unable to open the RWH" however it was shown to them physically by opening it. Also a basic RWH system is already in place and while it currently lacks a piezometer and separator, it is operational. We have initiated the process for retrofitting the necessary components in accordance with the latest NGT guidelines

As per CPCB reports remarks which states "a basic RWH system is already in place and while it currently lacks a piezometer, it is operational. We have initiated the process for retrofitting the necessary components in accordance with the latest NGT guidelines

A basic RWH system is already in operation, though it currently lacks a piezometer. The tender process for piezometer installation is under process.

22	288	Dwarka Zone	Community Hall at GH-1, Paschim Vihar (384)	Sh. Shaurabh Gupta EE DMD-5 8130814222	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	Not Required	No	Dec, 2025	NA	-	Yes	Nil	A basic RWH system is already in operation, though it currently lacks a piezometer. The tender process for piezometer installation is under process.
23	289	Dwarka Zone	Community Hall at GH-4, Paschim Vihar (356 SFS)						NA	-	Yes	Nil	A basic RWH system is already in operation, though it currently lacks a piezometer. The tender process for piezometer installation is under process.
24	290	Dwarka Zone	Community Hall at GH-6, Paschim Vihar	Community Hall at GH-9, Paschim Vihar	-	Yes	Nil	-	NA	-	Yes	Nil	A basic RWH system is already in operation, though it currently lacks a piezometer. The tender process for piezometer installation is under process.
25	291	Dwarka Zone	Community Hall at GH-9, Paschim Vihar						NA	-	Yes	Nil	This has been handed over to RWA
26	416	South Zone	Housing Pocket E1, DDA Flats, Vasant Kunj New Delhi- 110070	Sh Deepak Bhatt EE 9899462529	There are no such storm water drains passing nearby these RWH,	NA	No	Aug, 2025	Yes	-	No borewell in RWH Since, designed as per Conventional system	-	Boring work is completed and Piezometer installation is under process in E1 vasant kunj
27	417	South Zone	Housing Pocket E1, DDA Flats, Vasant Kunj New Delhi- 110070						Yes	-	No borewell in RWH Since, designed as per Conventional system	-	Boring work is completed and Piezometer installation is under process in E1 vasant kunj
28	418	South Zone	Housing Pocket E1, DDA Flats, Vasant Kunj New Delhi- 110070						Yes	-	No borewell in RWH Since, designed as per Conventional system	-	Boring work is completed and Piezometer installation is under process in E1 vasant kunj
29	419	South Zone	Housing Pocket E1, DDA Flats, Vasant Kunj New Delhi- 110070						Yes	-	No borewell in RWH Since, designed as per Conventional system	-	Boring work is completed and Piezometer installation is under process in E1 vasant kunj
30	420	South Zone	Housing Pocket E1, DDA Flats, Vasant Kunj New Delhi- 110070	No	-	No borewell in RWH Since, designed as per Conventional system	-	Boring work is completed and Piezometer installation is under process in E1 vasant kunj					

S.No	Zone	Location of the building	Name, Designation and phone Number of site incharge/Officer	Distance of nearest storm water drain from RWH in Mtrs				
				Distance	Action			
1	North Zone	112 LIG Houses, Ashoka Pahari, Faiz Road	Sh. Anil Kumar EE/NMD-1, Contact No. 011-27325534	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	Not Required			
2	North Zone	Community Hall, Tikona Park, Shahi Idgah						
3	North Zone	144 HIG Houses, Motia Khan						
4	North Zone	DDA office Complex, Pitampura						
5	North Zone	DDA office Complex, Pitampura						
6	North Zone	DDA office Complex, Pitampura						
7	North Zone	DDA office Complex, Pitampura						
8	North Zone	DDA office Complex, Pitampura						
9	North Zone	C/O 4740 EWS houses at Siraspur						
10	North Zone	C/O 4740 EWS houses at Siraspur						
11	North Zone	C/O 4740 EWS houses at Siraspur						
12	North Zone	C/O 4740 EWS houses at Siraspur						
13	North Zone	C/O 4740 EWS houses at Siraspur						
14	North Zone	C/O 4740 EWS houses at Siraspur						
15	North Zone	70 Nos. Two Room Apptt. In block B(H) at Shalimar Bagh				Sh. Anil Kumar EE/NMD-1, Contact No. 011-27325534	No major drain/trunk drain nearby	Not Required
16	North Zone	268 EWS Houses Ramgarh Colony, Jahangirpuri				Sh. Manoj Kumar EE/NMD-2 Contact No. 011-35911020	No major drain/trunk drain nearby	Not Required

13

17	North Zone	Vikas Minar, IP Estate, New Delhi	Sh. Arjun Lal Meena EE/NMD-4 Contact No. 011-23379515	No major drain/trunk drain nearby	Not Required
18	North Zone	Vikas Minar, IP Estate, New Delhi			
19	North Zone	Vikas Minar, IP Estate, New Delhi			
20	North Zone	Vikas Minar, IP Estate, New Delhi			
21	Rohini Zone	Sector -3 Deepalichowk office complex			
22	Rohini Zone	Sector -4, Rohini 512/384 EWS houses, Surya Enclave			
23	Rohini Zone	Sector -4, Rohini 512/384 EWS houses, Surya Enclave			
24	Rohini Zone	Community hall in Badli Sector-19, Rohini			
25	Rohini Zone	UGR at Sector-27, Rohini			
26	Rohini Zone	Sector-5 Community hall			
27	Rohini Zone	Sector-6 Community hall			
28-43	Rohini Zone	2016 ORT Flats at Sector-4, Rohini	Sh. Alok Lohia EE Contact No. 8800454900	Very Far / NA Very Far / NA	NO major drain near by NO major drain near by
44	Rohini Zone	Sector-23, Rohini, Near Mange Ram Park			
45	Rohini Zone	Community Hall, in Block-G, Sector-11, Rohini.			
46	Rohini Zone	Community Hall in CS/OCE-5 at Sector- 13, Rohini.			
47	Rohini Zone	Multipurpose Community Hall, in Pocket-H, Sector-18, Rohini			
48	Rohini Zone	Command Tank, Sector-36			
49	Rohini Zone	Command Tank, Sector-36			

Sh. Mohit Parashar, EE Contact No. 9971154443

Sh. Naresh Falwaria
EE Contact No. 9999799690

There are no such storm water drains passing nearby these RW/H, which can carry any kind of substances causing contamination to water in any manner.

80mtr.

N/A

NO major drain near by

660

50	Rohini Zone	Sewage Pumping Station, Sector-37		Very Far / NA	NO major drain near by	
51	Rohini Zone	Community hall, Sec-8, Rohini	Sh. Kanav Mahajan EE Contact No. 9718072727	Very Far / NA	NO major drain near by	
52	Rohini Zone	DDA Office, Madhuban Chowk, Rohini		15 mtr	NO major drain near by	
53	Rohini Zone	Community hall, Blk-G, Sector-16, Rohini	Sh. Kanav Mahajan EE Contact No. 9718072727	Very Far / NA	NO major drain near by	
54	Rohini Zone	Community Hall Blk-H, Sector-15, Rohini		Very Far / NA	NO major drain near by	
55-58	Rohini Zone	Pocket 1, Sector-34		Very Far / NA	NO major drain near by	
59-62	Rohini Zone	Pocket 2, Sector-34		Very Far / NA	NO major drain near by	
63-67	Rohini Zone	Pocket 3, Sector-34		Very Far / NA	NO major drain near by	
68-70	Rohini Zone	Pocket 4, Sector-34		Very Far / NA	NO major drain near by	
71-73	Rohini Zone	Pocket 5, Sector-35		Very Far / NA	NO major drain near by	
74	Rohini Zone	Pocket 6, Sector-35		Very Far / NA	NO major drain near by	
75	Rohini Zone	Community Hall, Sector-1 Avantika, Rohini.		Sh. Kanav Mahajan EE Contact No. 9718072727	Very Far / NA	NO major drain near by
76	East Zone	Community Hall SukhVihar		EE EMD-2 Vinayak Narayan 9999219526	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	Not Required
77	East Zone	Community Hall SukhVihar				
78	East Zone	Community Hall AnandVihar				
79	East Zone	Community Hall PreetVihar				
80	East Zone	Community Hall Gazipur				

15

81	East Zone	Office of the Executive Engineer Eastern Division no.12, DDA Geeta Colony, Delhi- 110031			NA	No deep drain in the nearby vicinity
82	East Zone	Near CNG 1, IFC Gazipur	EE EMD-5 Er. Taruna Choudhary 8826766244		NA	No deep drain in the nearby
83	East Zone	Near Pump House, IFC Gazipur			NA	No deep drain in the nearby
84	East Zone	At 480 IIG Kondli-Gharoli.			NA	No deep drain in the nearby
85	East Zone	Green area of Community Hall at Kondli			NA	No deep drain in the nearby vicinity
86	East Zone	At paper market, IFC Gazipur			NA	No deep drain in the nearby
87	East Zone	Community Hall at Geeta Colony			NA	No deep drain in the nearby
88	East Zone	Community Hall at Hasanpur			NA	No deep drain in the nearby
89	East Zone	Community Hall at Viswas Nagar			NA	No deep drain in the nearby
90	East Zone	Community Hall at Kanti Nagar			NA	No deep drain in the nearby
91	East Zone	Community Hall at Shankar Gali No. 2			NA	No deep drain in the nearby vicinity
92	East Zone	Community Hall at New Lahore Shastri Nagar			NA	No deep drain in the nearby vicinity
93	East Zone	District Centre Mayur Place (Pit 1)	Sh. Nayyar Ashraf EE/EMD-6 :9911585058)		NA	No deep drain in the nearby
94	East Zone	District Centre Mayur Place (Pit 2)			NA	No deep drain in the nearby
95	East Zone	District Centre Mayur Place (Pit 3)			NA	No deep drain in the nearby vicinity
96	East Zone	District Centre Mayur Place (Pit 4)			NA	No deep drain in the nearby vicinity
97	East Zone	DDA Office Complex Seed Bed Park (pit 1)			NA	No deep drain in the nearby vicinity
98	East Zone	DDA Office Complex Seed Bed Park (pit 2)			NA	No deep drain in the nearby vicinity
99	East Zone	Pump House at Vasundra Enclave, Delhi.			NA	No deep drain in the nearby vicinity
100	East Zone	Community Hall Chilla			NA	No deep drain in the nearby vicinity
101	East Zone	DDA Staff Club Mayur Vihar Ph.1			NA	No deep drain in the nearby vicinity
102	East Zone	690 IIG flats Molarband			NA	No deep drain in the nearby vicinity

662

18

103	East Zone	330 LIG houses Pkt 10B Jasola	Sh. Rupinder Ashok EE/EMD-6 (Contact No.9953841101)	NA	NA
104	East Zone	215 HIG houses Pkt 9B Jasola		NA	NA
105	East Zone	Office Complex SED-1 Saritavihar		NA	NA
106	Sports Zone	CWG Sports Complex, Cricket ground	Sh. P.K. Gupta EE/Sports Division- 2, Seedbed Park, Shakarpur, New Delhi-110092 Tele: 9350361342	No major drain/trunk drain nearby	
107	Sports Zone	CWG Sports Complex, Cricket ground			
108	Sports Zone	CWG Sports Complex, Cricket ground			
109	Sports Zone	CWG Sports Complex, Cricket ground			
110	Narela Zone	Pocket-3 Sec G8			
111	Narela Zone	Pocket-3 Sec G8	Sh. Gaurav Kumar Meena EE/NPDI Mob: 9967359947	There are no such storm water drains passing nearby these RWI, which can carry any kind of substances causing contamination to water in any manner.	
112	Narela Zone	Pocket-3 Sec G8		Not Required	
113	Narela Zone	Pocket-3 Sec G8			
114	Narela Zone	Pocket-3 Sec G8			
115	Narela Zone	Pocket-3 Sec G8			
116	Narela Zone	Pocket-3 Sec G8			
117	Narela Zone	Pocket-3 Sec G8			
118	Narela Zone	Pocket-3 Sec G8			
119	Narela Zone	Pocket-3 Sec G8			
120	Narela Zone	Pocket-3 Sec G8			
121	Narela Zone	Pocket-4 Sec G7/G8	No major drain/trunk drain nearby		Not Required

(1)

122	Narela Zone	Pocket-4 Sec G7/G8
123	Narela Zone	Pocket-4 Sec G7/G8
124	Narela Zone	Pocket-4 Sec G7/G8
125	Narela Zone	Pocket-4 Sec G7/G8
126	Narela Zone	Pocket-4 Sec G7/G8
127	Narela Zone	Pocket-4 Sec G7/G8
128	Narela Zone	Pocket-4 Sec G7/G8
129	Narela Zone	Pocket-4 Sec G7/G8
130	Narela Zone	Pocket-5 Sec G7/G8
131	Narela Zone	Pocket-5 Sec G7/G8
132	Narela Zone	Pocket-5 Sec G7/G8
133	Narela Zone	Pocket-5 Sec G7/G8
134	Narela Zone	Pocket-5 Sec G7/G8
135	Narela Zone	Pocket-5 Sec G7/G8
136	Narela Zone	Pocket-5 Sec G7/G8
137	Narela Zone	Pocket-5 Sec G7/G8
138	Narela Zone	Pocket-5 Sec G7/G8
139	Narela Zone	Pocket-6 Sec G7/G8
140	Narela Zone	Pocket-6 Sec G7/G8
141	Narela Zone	Pocket-6 Sec G7/G8
142	Narela Zone	Pocket-6 Sec G7/G8
143	Narela Zone	Pocket-6 Sec G7/G8
144	Narela Zone	Pocket-6 Sec G7/G8
145	Narela Zone	Pocket-6 Sec G7/G8
146	Narela Zone	Pocket-7 Sec G7/G8
147	Narela Zone	Pocket-7 Sec G7/G8
148	Narela Zone	Pocket-7 Sec G7/G8
149	Narela Zone	Pocket-7 Sec G7/G8
150	Narela Zone	Pocket-7 Sec G7/G8
151	Narela Zone	Pocket-7 Sec G7/G8
152	Narela Zone	Pocket-7 Sec G7/G8
153	Narela Zone	Pocket-7 Sec G7/G8

664

Sh. Sandeep Dubey
EE NPD-1 8285424498

No major drain/trunk drain nearby	Not Required
No major drain/trunk drain nearby	Not Required
No major drain/trunk drain nearby	Not Required

18

154	Narela Zone	Pocket-11 Sec G7/G8	Sh. Rajeev Sharma EE NPD-2 & 3 9891151617	Not Required
155	Narela Zone	Pocket-11 Sec G7/G8		
156	Narela Zone	Pocket-11 Sec G7/G8		
157	Narela Zone	Pocket-11 Sec G7/G8		
158	Narela Zone	Pocket-11 Sec G7/G8		
159	Narela Zone	Pocket-11 Sec G7/G8		
160	Narela Zone	Pocket-11 Sec G7/G8		
161	Narela Zone	Pocket-11 Sec G7/G8		
162	Narela Zone	Pocket-11 Sec G7/G8		
163	Narela Zone	Pocket 13 Sector A-1 to A-4, Narela-110040		
164	Narela Zone	Pocket 13 Sector A-1 to A-4, Narela-110040		
165	Narela Zone	Pocket 13 Sector A-1 to A-4, Narela-110040		
166	Narela Zone	Pocket 13 Sector A-1 to A-4, Narela-110040		
167	Narela Zone	Pocket 13 Sector A-1 to A-4, Narela-110040		
168	Narela Zone	Pocket 13 Sector A-1 to A-4, Narela-110040		
169	Narela Zone	Pocket-9, Sector A-1 to A-4, Narela-110040		
170	Narela Zone	Pocket-9, Sector A-1 to A-4, Narela-110040		
171	Narela Zone	Pocket-9, Sector A-1 to A-4, Narela-110040		
172	Narela Zone	Pocket-9, Sector A-1 to A-4, Narela-110040		
173	Narela Zone	Pocket-9, Sector A-1 to A-4, Narela-110040		
174	Narela Zone	Pocket-3 Sector A-1 to A-4, Narela-110040		
175	Narela Zone	Pocket-3 Sector A-1 to A-4, Narela-110040		
176	Narela Zone	Pocket-3 Sector A-1 to A-4, Narela-110040		
177	Narela Zone	Pocket-3 Sector A-1 to A-4, Narela-110040		
178	Narela Zone	Pocket-3 Sector A-1 to A-4, Narela-110040		
179	Narela Zone	Pocket-3 Sector A-1 to A-4, Narela-110040		
180	Narela Zone	Pocket-4 Sector A-1 to A-4, Narela-110040		
181	Narela Zone	Pocket-4 Sector A-1 to A-4, Narela-110040		
182	Narela Zone	Pocket-4 Sector A-1 to A-4, Narela-110040		
183	Narela Zone	Pocket-4 Sector A-1 to A-4, Narela-110040		
184	Narela Zone	Pocket-4 Sector A-1 to A-4, Narela-110040		
185-188	Narela Zone	C/o 1696 EWS & 280 CAT-II Houses (Design & Built) in Pkt. 1A at sector A-1 to A-4 Narela	Sh. Rajeev Sharma EE NPD-2 & 3 9891151617	Not Required

274	Dwarka Zone	C/o 1568 DU's/600 Cat-II (312 2BHK+ 288 DU's 1 BHK) & 968 EWS Multistoried Composite Houses including internal development and Electrifications in Pocket-5, Sec-14, Dwarka Phase-II			
275	Dwarka Zone	C/o 1568 DU's/600 Cat-II (312 2BHK+ 288 DU's 1 BHK) & 968 EWS Multistoried Composite Houses including internal development and Electrifications in Pocket-5, Sec-14, Dwarka Phase-II			
276	Dwarka Zone	Dwarka Phase-II			
277	Dwarka Zone	Dwarka Flyover			
278	Dwarka Zone	Dwarka Flyover			
279	Dwarka Zone	Dwarka Flyover			
280	Dwarka Zone	Dwarka Flyover			
281	Dwarka Zone	Dwarka Flyover			
282-283	Dwarka Zone				
284	Dwarka Zone	C/O 440 MS(HIG)in Sec-19b Dwarka, Ph.II,	Sh. Chandresh Kumar EE DMD-78800141239		
285	Dwarka Zone	Community Hall Sec-02 Dwarka			
286	Dwarka Zone	Community Hall Sec-13 Dwarka	Sh. Manish Kr. Gupta EE DMD-2 9911303857		
287	Dwarka Zone	Library Sec-13 Dwarka			
288	Dwarka Zone	Community hall at Madipur Opp. 208 SFS			
289	Dwarka Zone	Community Hall at GH-1, Paschim Vihar (384)	Sh. Shaurabh Gupta EE DMD-5 8130814222	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	Not Required
290	Dwarka Zone	Community Hall at GH-4, Paschim Vihar (356 SFS)			
291	Dwarka Zone	Community Hall at GH-6, Paschim Vihar			
291	Dwarka Zone	Community Hall at GH-9, Paschim Vihar			

292	Dwarka Zone	Community Hall at GH-10, Paschim Vihar		No major drain/trunk drain nearby	Not Required
293	Dwarka Zone	Community Hall at GH-13, Paschim Vihar			
294	Dwarka Zone	Community Hall at Pocket-III, Paschim Puri			
295	Dwarka Zone	Community Hall at M-Block, Vikaspuri	Sh. Shivam Kr. Agarwal EE DMD-5-9958448660	No major drain/trunk drain nearby	Not Required
296	Dwarka Zone	DDA Staff Club, Janakpuri			
297	Dwarka Zone	Site office complex at Tikri Kalan			
298	Dwarka Zone	Office Complex at Paschim Vihar			
299	Dwarka Zone	A3 Block, Near Kali Mandir Paschim Vihar			
300-301	Dwarka Zone	DDA, Office Complex, Manglapuri.	Sh. Brijesh Gupta EE DPD-2 7983747721	No major drain/trunk drain nearby	Not Required
302-307	Dwarka Zone	C/o 352 MIG Sector -19B adjoining Pkt-3, Dwarka	Sh. Neeraj Kumar EE DPD-4 9971255858	No major drain/trunk drain nearby	Not Required
308-310	Dwarka Zone	C/o 346 (M.S) MIG at Sector-16B, Pocket-II, Dwarka, Ph-II.			
311	Dwarka Zone	C/o Community hall at Sadh Nagar	Sh. Brijesh Gupta EE DPD-2 7983747721	No major drain/trunk drain nearby	Not Required
312	Dwarka Zone	C/o Community hall at Pkt-1,2,3,4 Nasirpur, Dwarka			
313	Dwarka Zone	HAF, Pkt - A, Sec-3 Dwarka			
314	Dwarka Zone	Isolated Pkt-20-B, Sitapuri			
315	Dwarka Zone	Construction of Utsav Sthal on design and built basis at Community Centre Sector-10, Dwarka			
316	Dwarka Zone	C/o Community Hall at HAF Sec-16B Dwarka	Sh. Neeraj Kumar EE DPD-4 9971255858	No major drain/trunk drain nearby	Not Required
317-326	Dwarka Zone	C/o HIG (Multi Storied) Houses, including internal Development & electrification in sec-19(b) Dwarka, Ph-II (A Turnkey project)			
327-328	Sports Zone	Saket Sports Complex	Sh. P. K. Gupta EE/Sports Division-2, Tele: 9350361342		
329-330	Sports Zone	Mandir Marg Saket, New Delhi – 110017			
331-334	Sports Zone	Siri Fort Sports Complex, August Kranti Marg			
335-337	Sports Zone	Qutub Golf Course (QGCI) Lado Sarai	Sh. Siddhant Kashyap EE/Sports Division-1. Tele: 011-43177622		
338	Sports Zone	Sector-11, Dwarka			
339-342	Sports Zone	Commonwealth Games Village Sports Complex (CWGVSC), Near Akshardham Temple			
343-344	Sports Zone	Chilla Sports Complex (CSC) Dallupura Road, Near Vasundhara Road			

23

345-346	Sports Zone	Yamuna Sports Complex. Surajmal Vihar, Delhi-110092
347-348	Sports Zone	Poorv Delhi Khel Parisar Taharpur Road, Near Gtb Hospital, Taharpur Village, Dilshad Garden, New Delhi, Delhi, 110095
349-350	Sports Zone	Major Dnyan Chand Sports Complex Ashok Vihar, Delhi-110052
351-353	Sports Zone	Rashtriya Swabhimaan Khel Parisar Pitampura, New Delhi, Delhi, 110034
354-355	Sports Zone	Hari Nagar Sports Complex Swarg Ashram Rd, Block J, Beri Wala Bagh, Hari Nagar, New Delhi, Delhi, 110064
356	Sports Zone	Paschim Vihar Sports Complex Paschim Vihar, New Delhi-110063
357-359	Sports Zone	Rohini Sports Complex Sector-14, Rohini, Delhi-110085
360	South Zone	Saraswati Apartment
361	South Zone	Saraswati Apartment
362	South Zone	Saraswati Apartment
363	South Zone	Saraswati Apartment
364	South Zone	Saraswati Apartment
365	South Zone	Saraswati Apartment
366	South Zone	Saraswati Apartment
367	South Zone	Saraswati Apartment
368	South Zone	Narmada Apartment
369	South Zone	Narmada Apartment
370	South Zone	Narmada Apartment
371	South Zone	Narmada Apartment
372	South Zone	Narmada Apartment
373	South Zone	Narmada Apartment
374	South Zone	Ganga Apartment
375	South Zone	Ganga Apartment
376	South Zone	Ganga Apartment
377	South Zone	Ganga Apartment
378	South Zone	Yamuna Apartment
379	South Zone	Ganga Apartment
380	South Zone	Yamuna Apartment

Sh. Baldeep Singh
EE/SMC, Tele: 8510000204

No major drain/trunk drain nearby

381	South Zone	Yamuna Apartment
382	South Zone	Ganga Apartment
383	South Zone	Yamuna Apartment
384	South Zone	Yamuna Apartment
385	South Zone	Ganga Apartment
386	South Zone	Ganga Apartment
387	South Zone	Ganga Apartment
388	South Zone	E-2, Vasant Kunj
389	South Zone	E-2, Vasant Kunj
390	South Zone	E-2, Vasant Kunj
391	South Zone	E-2, Vasant Kunj
392	South Zone	E-2, Vasant Kunj
393	South Zone	E-2, Vasant Kunj
394	South Zone	E-1/E-2 Road Side
395	South Zone	E-1/E-2 Road Side
396	South Zone	E-1/E-2 Road Side
397	South Zone	Kaveri, Vasant Kunj.
398	South Zone	Kaveri, Vasant Kunj.
399	South Zone	Kaveri, Vasant Kunj.
400	South Zone	Kaveri, Vasant Kunj.
401	South Zone	Kaveri, Vasant Kunj.
402	South Zone	Kaveri, Vasant Kunj.
403	South Zone	B-2, Vasant Kunj
404	South Zone	Alakhanda (Community Hall)
405	South Zone	Madangir (Community Hall)
406	South Zone	Sant Nagar (Community Hall)
407	South Zone	Lajpat Nagar (Community Hall)
408	South Zone	Zamrudpur (Community Hall)
409	South Zone	Tekhand (Community Hall)
410	South Zone	Srinivaspuri (Community Hall)
411	South Zone	Srinivaspuri (Community Hall)
412	South Zone	RWH Okhla
413	South Zone	HRD, Vasant Kunj, New Delhi
414	South Zone	HRD, Vasant Kunj, New Delhi

Sh Pramod Meena
EE SPD-1
9250921284

No major drain/trunk drain
nearby

Not Required

415	South Zone	HRD, Vasant Kunj, New Delhi			
416	South Zone	Housing Pocket E1, DDA Flats, Vasant Kunj New Delhi-110070			
417	South Zone	Housing Pocket E1, DDA Flats, Vasant Kunj New Delhi-110070			
418	South Zone	Housing Pocket E1, DDA Flats, Vasant Kunj New Delhi-110070			
419	South Zone	Housing Pocket E1, DDA Flats, Vasant Kunj New Delhi-110070	Sh Deepak Bhat EE 9899462529	There are no such storm water drains passing nearby these RWH,	NA
420	South Zone	Housing Pocket E1, DDA Flats, Vasant Kunj New Delhi-110070			
421	South Zone	Housing Pocket E1, DDA Flats, Vasant Kunj New Delhi-110070			
422	South Zone	Housing Pocket E1, DDA Flats, Vasant Kunj New Delhi-110070			
423	South Zone	Community Hall (Gujjar Dairy), New Delhi			
424	South Zone	Vikas Sadan INA, New Delhi	Sh. Sunil Kumar EE/SMD-4-8588829288	No major drain/trunk drain nearby	Not Required
425	South Zone	Near UG Tank Nehru Place			
426	South Zone	Near Park Nehru place			
427	South Zone	Near Park Nehru place			
428	South Zone	Near B-55 Back Side Nehru Place			
429	South Zone	Near Satyam Nehru Place			
430	South Zone	Near IFFCO Nehru Place			
431	South Zone	Near B-32 Nehru Place			
432	South Zone	Near Sona Nehru Place			
433	South Zone	Near B-95 Nehru Place			
434	South Zone	Near B-58 Nehru Place			
435	South Zone	Near B-90 Nehru Place			
436	South Zone	Near B-60 Nehru Place			
437	South Zone	Near Parking-1 Nehru Place	Sh. Nikesh Kumar EE/PD-2 9718486737	There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.	Not Required
438	South Zone	Near B-60 Nehru Place			
439	South Zone	Near Parking-2 Nehru Place			
440	South Zone	Near B-87 Nehru Place			
441	South Zone	Near B-84 Nehru Place			
442	South Zone	Near Ansal Tower Nehru Place			
443	South Zone	Near B-78 Back Side Nehru Place			

444	South Zone	Near B-78 Nehru Place		
445	South Zone	Near Modi Tower Nehru Place		
446	South Zone	Near Paras Cinema Nehru Place		
447	South Zone	Near Vardhman Tower Nehru Place		
448	South Zone	Near Devika Tower Nehru Place		
449	South Zone	Near Staff Parking Nehru Place		
450	South Zone	PD-4 Office		
451	South Zone	PD-4 Office		
452	South Zone	Sarita Vihar Underpass		
453	South Zone	Sarita Vihar Underpass		
454	South Zone	Sarita Vihar Underpass		
455	South Zone	Sarita Vihar Underpass		
456	South Zone	Sarita Vihar Underpass		
457	South Zone	Sarita Vihar Underpass		
458	South Zone	Sarita Vihar Underpass		
459	South Zone	Sarita Vihar Underpass		
460	South Zone	Sarita Vihar Underpass		
461	South Zone	Sarita Vihar Underpass		
462	South Zone	Sarita Vihar Underpass		
463	South Zone	Sarita Vihar Underpass		
464	South Zone	Sarita Vihar Underpass		
465	South Zone	Sarita Vihar Underpass		
466	South Zone	Sarita Vihar Underpass		
467	South Zone	Sarita Vihar Underpass		
468	South Zone	Sarita Vihar Underpass		
469	South Zone	Sarita Vihar Underpass		
470	South Zone	Sarita Vihar Underpass		
471	South Zone	Sarita Vihar Underpass		
472	South Zone	Sarita Vihar Underpass		
473	South Zone	Back side of Police Station		
474	South Zone	Front of Police Chowki (Bhikaji Cama Place)		
475	South Zone	Gali adjacent (Bhikaji Cama Place)		
476	South Zone	Bhikaji Bhawan front (Bhikaji Cama Place)		

Sh. NIKESH Kumar
4
9718486737
EE/PD-

There are no such storm water drains passing nearby these RWH, which can carry any kind of substances causing contamination to water in any manner.

Not Required

27

477	South Zone	Ramp adjacent to Bhikaji Bhawan (Bhikaji Cama Place)			
478	South Zone	Bhikaji Bhawan Back Side (Bhikaji Cama Place)			
479	South Zone	Front of Snack Bar (Bhikaji Cama Place)			
480	South Zone	Nearby Central Plaza 2 (Bhikaji Cama Place)			
481	South Zone	Nearby Central Plaza 2 (Bhikaji Cama Place)			
482	South Zone	Nearby Central Plaza 1 (Bhikaji Cama Place)			
483	South Zone	Nearby Central Plaza 1 (Bhikaji Cama Place)			
484	South Zone	Near metro gate No. 3 (Bhikaji Cama Place)			
485	South Zone	Community Hall, Kishangarh			
486	South Zone	DDA Office Complex, Nelson Mandela road Vasant Kunj			
487	South Zone	Community Hall, Sector-A Pkt. B & C Vasant Kunj			
488	South Zone	Recreational-cum-Div. Office Sarita Vihar	Sh Sachin Kumar EE/SMD-5 9555212312	No major drain/trunk drain nearby	Not Required
489	South Zone	Community Hall at Adhchini			
490	South Zone	Circle Cum-Div. Office Sarita Vihar			
491	South Zone	Community Hall at Haresh Nagar			
492	South Zone	A-14 Kalkaji			
493	South Zone	A-14 Kalkaji			
494	South Zone	A-14 Kalkaji			
495	South Zone	A-14 Kalkaji			
496	South Zone	A-14 Kalkaji	Sh Vinayak P. Ambhore EE/SPD-2 9545021900	No major drain/trunk drain nearby	Not Required
497	South Zone	A-14 Kalkaji			
498	South Zone	A-14 Kalkaji			
499	South Zone	A-14 Kalkaji			
500	South Zone	A-14 Kalkaji			
501	Horticulture Zone	Office of SE/HCC-1			
502	Horticulture Zone	Office of ELD-13			
503	Horticulture Zone	NHP Gujrat Vihar	Sh. Harshit Saxena AE-III HCD-1 9456865524		These RWH are located in the park and green area where runoff from park only is being diverted to RWH.
504	Horticulture Zone	NHP Madhuban			
505	Horticulture Zone	NHP C-Block, Preet Vihar			
506	Horticulture Zone	NHP G-Block, Preet Vihar			
507	Horticulture Zone	Children Park Jhilmil Ph-II			
508	Horticulture Zone	NHP Anand Vihar		No major drain/trunk drain	

674

509	Horticulture Zone	NHP Saini Enclave			
510	Horticulture Zone	Maharaja Surajmal Samadhi Park	Sh. Harshit Saxena AE-III HCD-1 9456865524	nearby	These RWH are located in the park and green area where runoff from park only is being diverted to RWH.
511	Horticulture Zone	NHP Surajmal Vihar			
512	Horticulture Zone	NHP Yojna Vihar			
513	Horticulture Zone	NHP Manak Vihar			
514	Horticulture Zone	Deer Park Dishad Garden	Sh. Harshit Saxena AE-III HCD-1 9456865524		
515-517	Horticulture Zone	Sanjay Lake	Sh. Amit Kumar Yadav AE 8130038243	No major drain/trunk drain nearby	These RWH are located in the park and green area where runoff from park only is being diverted to RWH.
518-519	Horticulture Zone	Rose Garden Firoz Shah Kotla	Sh. Harshit Saxena AE-III HCD-1 9456865524		
520	Horticulture Zone	Distt. Park at Dishad Garden (Link Chain)			
521	Horticulture Zone	Distt. Park at Dishad Garden (I- Pocket)		No major drain/trunk drain nearby	These RWH are located in the park and green area where runoff from park only is being diverted to RWH.
522	Horticulture Zone	Green Area at Jhilmil Ph-II (Deer Park)	Sh. Harshit Saxena AE-III HCD-1 9456865524		
523	Horticulture Zone	Green area at ITI Vivek Vihar			
524-528	Horticulture Zone	DISTRICT PARK PARK NEAR APOLO HOSPITAL AT JASOLA			
529-531	Horticulture Zone	DISTRICT PARK AT SARITA VIHAR			
532-533	Horticulture Zone	PARK AND PKT - D & E (TERRACE GARDEN) AT SARITA VIHAR			
534-539	Horticulture Zone	ASHOKA PARK YRF OPP. NEW FRIENDS COLONY			
540-541	Horticulture Zone	GREEN AREA ROAD NO-13 AT SARITA VIHAR			
542-543	Horticulture Zone	NHP SAGAR APARTMENT IP EXTENSION	Sh. Saurabh Mishra EE/HCD-2 7054520525		
544-545	Horticulture Zone	DISTRICT PARK PARK IP EXTENSION			
546-547	Horticulture Zone	NHP JAI APARTMENT IP EXTENSION			
548-549	Horticulture Zone	SEED BED PARK NEAR CAU AT SHAKARPUR			
550-551	Horticulture Zone	PARK AT NEHRU ENCLAVE			
552-553	Horticulture Zone	TIKONA PARK NEAR ENGG. ESTATE AT MANDAWALI			
554-555	Horticulture Zone	CHILDREN PARK MANDAWALI FAZALPUR			

556	Horticulture Zone	DISTRICT PARK PARK NEAR APOLO HOSPITAL AT JASOLA	Sh. Saurabh Mishra EE/HCD-2 7054520525
557	Horticulture Zone	ASHOKA PARK YRF OPP. NEW FRIENDS COLONY	
558	Horticulture Zone	DISTRICT PARK PARK IP EXTENSION	
559	Horticulture Zone	PARK AT NEHRU ENCLAVE	
560	Horticulture Zone	DISTRICT PARK PARK NEAR APOLO HOSPITAL AT JASOLA	
561	Horticulture Zone	ORNAMENTAL PARK ADJOIN SPORT COMPLEX AT JASOLA	
562	Horticulture Zone	DISTRICT PARK AT SARITA VIHAR	
563	Horticulture Zone	PARK AND PKT - D & E (TERRACE GARDEN) AT SARITA VIHAR	
564	Horticulture Zone	GREEN AREA ROAD NO-13 AT SARITA VIHAR	
565	Horticulture Zone	Lala Lajpat Rai Memorial Park	
566	Horticulture Zone	Aastha Kunj	Sh. Pankaj Katariya (Assistant Engineer/Civil) Mob: 8881288860
567	Horticulture Zone	Aastha Kunj	
568	Horticulture Zone	Aastha Kunj	
569	Horticulture Zone	J.P. City Forest	Sh. Saurav Kumar (Assistant Engineer/Civil) Mob: 8384999921
570	Horticulture Zone	J.P. City Forest	
571	Horticulture Zone	J.P. City Forest	
572	Horticulture Zone	JP club Mandakini Enclave	Sh. Deshraj Meena (Assistant Engineer/Civil) Mob: 9414161650
573	Horticulture Zone	R-Block GK-I	
574	Horticulture Zone	Picnic Hut Tughlakabad	Sh. Pankaj Katariya (Assistant Engineer/Civil) Mob: 8881288860
575	Horticulture Zone	Vijay Mandai Park	
576	Horticulture Zone	Vijay Mandai Park	
577	Horticulture Zone	Vijay Mandai Park	
578	Horticulture Zone	Vijay Mandai Park	
579	Horticulture Zone	Vijay Mandai Park	
580	Horticulture Zone	Vijay Mandai Park	
581	Horticulture Zone	Vijay Mandai Park	
582	Horticulture Zone	Vijay Mandai Park	
583	Horticulture Zone	NHP J-Block Saket	

No major drain/trunk drain nearby

These RWH are located in the park and green area where runoff from park only is being diverted to RWH. there is no such storm water drains passing nearby these RWH, which can carry any kind of substances causing causing contamination to water in any manner.

584	Horticulture Zone	NHP E-Block Saket				These RWH are located in the park and green area where runoff from the park only is being diverted to RWH
585	Horticulture Zone	NHP D-Block Saket				
586	Horticulture Zone	Kaya Maya Tughlakabad		Sh. Saurav Kumar (Assistant Engineer/Civil) Mob: 8384999921		
587	Horticulture Zone	Gulmohar Park		Sh. Deepak Kumar (Assistant Engineer / Civil) Mob: 6204863879		
588	Horticulture Zone	Gulmohar Park				
589	Horticulture Zone	Gulmohar Park		Sh. Pankaj Katariya (Assistant Engineer/Civil) Mob: 8881288860		
590	Horticulture Zone	LSR park				
591	Horticulture Zone	Park opp. Batra Hospital Sangam Vihar		Sh. Saurav Kumar (Assistant Engineer/Civil) Mob: 8384999921		
592	Horticulture Zone	Shyam Nagar park Harkesh Nagar				
593	Horticulture Zone	Satpula Park	Sh. Pankaj Katariya (Assistant Engineer/Civil) Mob: 8881288860			
594	Horticulture Zone	Satpula Park				
595	Horticulture Zone	Tarawala Park				
596	Horticulture Zone	Children park Lado Sarai				
597	Horticulture Zone	Children park Lado Sarai	Sh. Deepak Kumar (Assistant Engineer / Civil) Mob: 6204863879			
598	Horticulture Zone	Satpula park (Mandir wala park)				
599	Horticulture Zone	Aastha Kuni	Sh. Pankaj Katariya (Assistant Engineer/Civil) Mob: 8881288860			
600	Horticulture Zone	Millennium Park				
601	Horticulture Zone	Millennium Park				
602	Horticulture Zone	Millennium Park	Sh. Saurav Kumar (Assistant Engineer/Civil) Mob: 8384999921			
603	Horticulture Zone	Kaya Maya Park				
604	Horticulture Zone	M/o District park sector-A, Pocket B&C at Vasant Kuni	Sh. Ghanshyam Jorwal AE 9657061746	30m	No	

12

605	Horticulture Zone	M/o aff. M.P. green area at Smriti Van, Sector-A at Vasant Kunj	Sh. Ramesh Kumar 9166868587	25m	No
606	Horticulture Zone	M/o NHP Pocket 9 Sector-C at Vasant Kunj	Sh. Ramesh Kumar 9166868587	40m	No
607	Horticulture Zone	M/o NHP Sector B- 10 at Vasant Kunj	Sh. Ghanshyam Jorwal 9657061746	40m	No
608	Horticulture Zone	M/o Mehrauli complex III & IV	Sh. Ashish Kumar AE 8278863590	50m	No
609	Horticulture Zone	M/o NHP Sector B5 & B6 at Vasant Kunj	Sh. Ramesh Kumar 9166868587	40m	No
610	Horticulture Zone	M/o District park at Vasant Vihar (Vasant Udyan)	Sh. Ashish Abhishek AE 8130422297	50m	No
611	Horticulture Zone	Distt. Park Pitampura	Sh. Sagar Yadav 7678413104	170 mtr.	No
612	Horticulture Zone	Sanjay Enclave	Sh. Abhishek Mishra 9899635396		Not required
613	Horticulture Zone	Coronation Park Kingsway Camp, Burari	Sh. Ankit Dhaka 9811967440		Not required
614	Horticulture Zone	Coronation Park Kingsway Camp, Burari	Sh. Ankit Dhaka 9811967440		Not required
615	Horticulture Zone	Motey Wala Park, Shalimar Bagh.	Sh. Abhishek Mishra 9899635396		Not required
616	Horticulture Zone	Ashoka Garden, Ashok Vihar.	Sh. Ankit Dhaka 9811967440		Not required
617	Horticulture Zone	Green Belt, Pkt.-5, Sector-24, Rohini.		22 mtr.	Not required
618	Horticulture Zone	Distt. Park (Part-II), Sector-20, Rohini.	Sh. Kumar Anand 9110047592	42 mtr.	Not required
619	Horticulture Zone	NHP-8, Sector-24, Rohini.		65 mtr.	Not required
620	Horticulture Zone	Distt. Park (Part-I), Sector-20, Rohini.		36 mtr.	Not required
621-622	Horticulture Zone	M/o MP green area at sec 13 ph II in front of sec. 17 dwk.			
623-624	Horticulture Zone	M/o MP green area at sec 13 ph II (near pragati public school)			
625-626	Horticulture Zone	M/o MP green area at sec 12 ph II in front of Kargil colony			
627-628	Horticulture Zone	M/o Park at Sec.-10 Dwk(Park No-01 Store wala)			
629-630	Horticulture Zone	M/o Park no 3 at sec. 9 (near IITL public school)			
631-632	Horticulture Zone	M/o Park no 4 at sec. 9 (near Azad hind apartment)	Sh. Sandeep Gusain 8505818581		
633-634	Horticulture Zone	M/o Park & RSP Sec. 7 (opposite plot no 18)			
635-636	Horticulture Zone	M/o Park at Sec. 7 (store wala)			

No major drain/trunk drain nearby

These RWH are located in the park and green area where runoff from the park only is being diverted to RWH

637-638	Horticulture Zone	Park Behind DCP office Sector 19B			
639-640	Horticulture Zone	Peerbaba Wala Park Sector 19 B			
641-642	Horticulture Zone	Gym wala Park Bindapur			
643-644	Horticulture Zone	M/o Park & green belt at Keshav Park Subash Nagar	Sh. Gaurav Jaiswal 7651861255	101 mtr	Not required
645-646	Horticulture Zone	M/o NHP near Clock Tower at Hari Nagar.		83 mtr	Not required
647-648	Horticulture Zone	Guru Teg Bahadur Park	Sh. Munish 9873508801	83 mtr	Not required
649	Horticulture Zone	Jassa Singh Park, Mayapuri Road	Sh. Satya Narayan 9680544213	85 mtr	Not required

Whether piezometer are installed		Whether separators are installed to separate pollutants from entering RWH (Yes/No)		Whether Borewells in RWH are installed at least 5m above static water level (Yes/No)		Remarks
Yes/No	If No, then Target date of Installation	Yes/No	If No, then Target date of Installation	Yes/No	If No, Target date of Rectification	
No	Dec.2025	Yes	NA	Yes	-	
No	Dec.2025	Yes	NA	Yes	-	
No	Dec.2025	Yes	NA	Yes	-	
No	Dec.2025	Yes	NA	Yes	-	
No	Dec.2025	Yes	NA	Yes	-	
No	Dec.2025	Yes	NA	Yes	-	
No	May-25	Yes	-	Yes		
No	May-25	Yes	-	Yes		
No	May-25	Yes	-	Yes		
No	May-25	Yes	-	No	May-25	
No	May-25	Yes	-	No	May-25	
No	May-25	Yes	-	No	May-25	Sump
No	-	-	-	-	-	Sump
No	May-25	Yes	-	Not applicable		Recharge pit Borewell not, required
No	May-25	No	45778	Yes	-	

37

No	31.03.2025	No	31.03.2025	No	31.03.2025	
No	31.03.2025	No	31.03.2025	No	31.03.2025	
No	31.03.2025	No	31.03.2025	No	31.03.2025	
No	The matter of installation of peizometer is persuaded with Central Ground Water Board and likely date of installation is 28.02.2025	Yes	NA	Yes	-	
No		Yes	NA	Yes	-	
No	Dec.2025	Yes	Not Required	Yes	Yes	As per CPCB reports remarks which states " a basic RWH system is already in place and while it currently lacks a piezometer , it is operational. We have initiated the process for retrofitting the necessary components in accordance with the latest NGT guildlines
No	Dec.2025	Yes	Not Required	Yes	Yes	
No	Dec.2025	Yes	Not Required	Yes	Yes	
No	Dec.2025	Yes	Not Required	Yes	Yes	
No	Dec.2025	Yes	Not Required	Yes	Yes	
No	30.04.2025	Yes	30.04.2025	Yes	-	
No	30.04.2025	Yes	30.04.2025	Yes	-	
No	30.04.2025	Yes	30.04.2025	Yes	-	
No	30.04.2025	Yes	30.04.2025	Yes	-	
No	30.04.2025	Yes	30.04.2025	Yes	-	

42

No	June, 2025	Yes	Ni:1	Yes	Ni:1	
Handed over to RWA						
No	June, 2025	Yes	Ni:1	Yes	Ni:1	
No		Yes	Ni:1	Yes	Ni:1	
No		Yes	Ni:1	Yes	Ni:1	
No		Yes	Ni:1	Yes	Ni:1	
No		Yes	Ni:1	Yes	Ni:1	
No	June, 2025	No	June, 2025	Yes		
No	June, 2025	Yes	Ni:1	Yes	Ni:1	
No		Yes	Ni:1	Yes	Ni:1	
No		No	No	No	No	
No		No	No	No	No	
No		No	No	No	No	
No	June, 2025	Yes	Ni:1	Yes	N/A	
No		Yes	Ni:1	Yes	N/A	
No		Yes	Ni:1	Yes	N/A	
No		Yes	Ni:1	Yes	N/A	
No		Yes	Ni:1	Yes	N/A	
No	June, 2025	Yes	-	Yes	-	
No		Yes	-	Yes	-	
No		Yes	-	Yes	-	
No		Yes	-	Yes	-	
No		Yes	-	Yes	-	
No	June, 2025	Yes	-	Yes	-	
No		Yes	-	Yes	-	
No		Yes	-	Yes	-	
No		Yes	-	Yes	-	
No		Yes	-	Yes	-	
No	June, 2025	Yes	-	Yes	-	
No		Yes	-	Yes	-	
No		Yes	-	Yes	-	
No		Yes	-	Yes	-	
No		Yes	-	Yes	-	

53

No	31.12.2025	No		Yes	N/A	
No	31.12.2025	No		Yes	N/A	
No	31.12.2025	No		Yes	N/A	
No	31.12.2025	No	N/A	No	N/A	
No	31.12.2025	No	N/A	No	N/A	
No	31.12.2025	No	N/A	No	N/A	
No	31.12.2025	No	N/A	No	N/A	

701
MUNICIPAL CORPORATION OF DELHI
Office of the Chief Engineer (South Zone)
9th Floor, Dr. S.P.M. Civic Centre,
Minto Road, New Delhi - 110002

MS/1162
8/8/25
Annexure-4
(54)

No.CE(SZ)/MCD/2025/ 16

Date: 30/07/2025

To
The Member Secretary,
Delhi Pollution Control Committee (DPCC),
4th & 5th Floor, ISBT Building,
Kashmere Gate, Delhi - 110006.

7/8/25
CMC-III

Subject: Reply to Show Cause Notice dated 23.04.2025 regarding Rain-water Harvesting Systems (RWHS) and proposed Environmental Compensation in compliance of Hon'ble NGT Orders in OA No. 526/2019 & EA No. 34/2023.

Ref: DPCC/(10)(10)(96)/Leg-23/785-786 Dated 23/04/2025

Sir,

With reference to the above-mentioned Show Cause Notice, the Municipal Corporation of Delhi (MCD) respectfully submits its reply incorporating the current status of the Rain Water Harvesting Systems (RWHS) as verified through field inspections. Out of the 29 RWHS locations referred to in the notice, 28 systems are presently functional. One system, located at M.C. Primary School, A-5 Paschim Vihar (Keshav Puram Zone), is currently non-functional but is under rectification. A detailed site-wise report is enclosed as **Annexure-A** for reference. It is also submitted that none of the RWHS installations are located adjacent to storm water drains, and the distance from the nearest drain for each site has been provided in the annexure.

With respect to the installation of piezometers, it is submitted that RWHS systems were not equipped with piezometers. However, as per the directions of the Hon'ble NGT, the Corporation has initiated corrective steps and is in tendering process for installing piezometers at three selected sites as a pilot initiative.

The tendering process for additional installations at other feasible locations will be executed in a phased manner. Regarding the provision of separators, it is stated that 10 out of the 29 RWHS sites already have separators installed. For the remaining sites, the process of installation is in progress and will be undertaken based on site-specific technical feasibility.

In view of the above bona fide efforts and ongoing compliance measures being taken in good faith, it is humbly requested that the proposed Interim Environmental Compensation of ₹5,00,000/- may not be confirmed and the show cause notice be withdrawn. The delay in achieving full compliance is primarily due to technical and financial constraints associated with older installations, which are being addressed on priority through appropriate institutional mechanisms.

Thanking you

Yours faithfully,

Chief Engineer (SZ)
Municipal Corporation of Delhi

Delhi Pollution Control Committee
Dairy No. 166955
01 AUG 2025
Sign of Receiving Officer


1709/CMC II
13/08/25
CMC-III
08/8/25

Handwritten signatures and stamps, including 'CMC-III' and dates like '13/8/25'.

ANNEXURE-A

S.No.	Zone	Name & Address of Building Premises	RWHS Functional Status	Distance from nearest Storm Water Drain (In Mts.)	Piezo meter Installed Yes/No	Seperator Installed Yes/No
1	City-SP Zone	M.C. Pry. School Turkman Road-1 (G)	Functional	22.00	No	No
2	City-SP Zone	M.C. Pry. School Turkman Road-2 (B)	Functional	7.00	No	No
3	City-SP Zone	M.C. Pry. School Turkman Road- (Nursery)	Functional	40.00	No	No
4	City-SP Zone	M.C. Pry. School 64/ Khamba-I/N	Functional	3.00	No	No
5	Shah (N) Zone	EDMC Pry. School Nand Nagari C-Block	Functional	15.00	No	Yes
6	Shah (N) Zone	EDMC Pry. School Nathu Colony	Functional	20.00	No	Yes
7	Shah (N) Zone	EDMC Pry. School Mansarovar Park	Functional	20.00	No	Yes
8	Shah (N) Zone	EDMC Pry. School DDA Flat/Loni Road	Functional	15.00	No	Yes
9	Shah (N) Zone	EDMC Pry. School Ashok Nagar	Functional	18.00	No	Yes
10	Rohini Zone	MC Primary school Nihari School I	Functional	8.00	No	No
11	Rohini Zone	MC Primary school Nihari School II	Functional	9.00	No	No
12	Rohini Zone	MC Primary school Prem Nagar Kirari	Functional	10.00	No	No
13	Rohini Zone	MC Primary school Kirari	Functional	10.00	No	No
14	Rohini Zone	MC Primary school Mubarkpur	Functional	10.00	No	No
15	Keshav Puram Zone	M.C. Pry. School, A-4 paschim vihar	Functional	60.00	No	No
16	Keshav Puram Zone	M.C. Pry. School, A-5 paschim vihar	Non Functional	35.00	No	No
17	Keshav Puram Zone	M.C. Pry. School, Jwalaheri	Functional	30.00	No	No
18	Keshav Puram Zone	M.C. Pry. School, Peera garhi camp	Functional	25.00	No	No
19	Keshav Puram Zone	M.C. Pry. School, Rani Bagh Girls	Functional	90.00	No	No
20	Keshav Puram Zone	M.C. Pry. School, Haider Pur Village Boys	Functional	80.00	No	No
21	Keshav Puram Zone	M.C. Pry. School, Haider Pur Village Girls	Functional	50.00	No	No
22	Keshav Puram Zone	M.C. Pry. School, Haider Pur JJ Colony	Functional	50.00	No	No
23	Keshav Puram Zone	Ayurvedic Hospital, Haiderpur	Functional	50.00	No	No
24	Keshav Puram Zone	M&CW Centre, Haider Pur (Ayurvedic hospital campus)	Functional	20.00	No	No
25	West Zone	MC Primary School, Shivaji Park	Functional	20.00	No	Yes
26	West Zone	MC Primary School, Road No. 24	Functional	22.00	No	Yes
27	West Zone	MC Primary School, Basal Darapur	Functional	25.00	No	Yes
28	West Zone	Nursary School, Basal Darapur	Functional	24.00	No	Yes
29	West Zone	MC Primary School, Road No. 66	Functional	25.00	No	Yes

Through email/Speed post

	<p style="text-align: center;">DELHI POLLUTION CONTROL COMMITTEE DEPARTMENT OF ENVIRONMENT (GOVT. OF NCT OF DELHI) 3rd FLOOR, BLOCK-I, DMRC IT PARK BUILDING, SHASTRI PARK, DELHI-53 (visit us at website : http://dpcc.delhigovt.nic.in/)</p>	
---	---	---

DPCC/(10)(10)(96)/Leg-23 | 1586-87

Dated: 21/08/2025

To,

The Chief Engineer
 Surveyor of Works (SW)/KBZ,
 Karol Bagh Zone/Nodal Officer,
 Rain Water Harvesting, MCD,
 Civic Center, New Delhi 110002

Subject: Order for imposition of interim Environmental Compensation.

Sir,

Whereas, subsequent to the order of Hon'ble National Green Tribunal dated 19.9.2024 in EA No. 34/2023 of OA No. 526/2019, MCD submitted list of 1715 number of Rain Water Harvesting Structures constructed by them in various parts of Delhi. As directed by Hon'ble Tribunal, DPCC inspected randomly selected 29 RWHS sites and observations were submitted to Hon'ble NGT vide report filed dated 10.01.2025

And whereas, Hon'ble NGT vide order dated 16.01.2025 has ordered as under:

"In the aforesaid circumstances, we require the DPCC and CGWA to take appropriate action keeping in view the observations made above and submit the action taken report within ten weeks"

And whereas, in view of the above, Show Cause Notice for imposition of interim Environmental Compensation and rectification of deficiencies in Rain Water Harvesting Systems was issued to MCD vide letter dated 23.04.2025.

And whereas, a review meeting was taken by Member Secretary, DPCC with officials of MCD and DDA on 21.07.2025 and MCD and DDA were asked to submit the complete compliance report in response to Show Cause Notice of Rs. 5,00,00/- issued by DPCC as well as about total number of systems installed by the said agencies.

And whereas, vide letter dated 30.07.2025, MCD has submitted the reply and informed that RWHS systems are not equipped with piezometers and Corporation has initiated corrective steps and is in tendering process for installing piezometers at three selected sites as a pilot initiative. And with respect to the separators it is informed that only 10 out of 29 RWHS sites have separators and for the remaining sites the process of installation is in progress and will be undertaken based on site -specific technical feasibility. This indicates that the deficiencies have still not been rectified / removed as per the directions passed by Hon'ble NGT in OA No. 526/2019.

Now, therefore, as decided by the Competent Authority in DPCC, interim Environmental Compensation (EC) of Rs.5,00,000/- (Rupees Five Lakhs Only) is hereby imposed/confirmed upon you (MCD) for causing damage to the environment by way of polluting the ground water through faulty Rain water Harvesting Systems.

Hence, you are hereby required to deposit Environmental Compensation (EC) of Rs.5,00,000/- (Rupees Five Lakhs Only) in this office in the form of DD in favor of "Delhi Pollution Control Committee" within 15 days from the date of issuance of this order directions.

This is being issued with the approval of the Chairman, DPCC.



Incharge, CMC-II
Email ID: bmsreddy.dpcc@delhi.gov.in

Copy to:


1. Master File, CMC-II

Dr.B.M.S. Reddy
Senior Environmental Engineer
Delhi Pollution Control Committee
3rd Floor Block-1 DMRC IT Park
Shastri Park Delhi-110053

A

58

Through email/Speed post



DPCC/(10)(10)(96)/Leg-23 | 1588-89

Dated: 21/08/2025-

To,

The Superintending Engineer,
 South Civil Circle-1,
 Delhi Development Authority,
 17th Floor, Vikas Minar,
 IP Estate, New Delhi-110002.

Subject: Order for imposition of interim Environmental Compensation.

Sir,

Whereas, subsequent to the order of Hon'ble National Green Tribunal dated 19.9.2024 in EA No. 34/2023 of OA No. 526/2019, DDA submitted a list of 649 numbers of Rain Water Harvesting Structures constructed by them in various parts of Delhi. As directed by Hon'ble Tribunal, DPCC inspected randomly selected 30 RWHS sites and observations were submitted to Hon'ble NGT vide report filed on 10.01.2025.

And whereas, Hon'ble NGT vide order dated 16.01.2025 has ordered as under:

"In the aforesaid circumstances, we require the DPCC and CGWA to take appropriate action keeping in view the observations made above and submit the action taken report within ten weeks"

And whereas, a Show Cause Notice for imposition of interim Environmental Compensation and rectification of deficiencies in Rain Water Harvesting Systems was issued to DDA vide letter dated 23.04.2025.

And whereas, a review meeting was taken by Member Secretary, DPCC with officials of MCD and DDA on 21.07.2025 and MCD and DDA were asked to submit the complete compliance report in response to Show Cause Notice of Rs. 5,00,000/- issued by DPCC as well as about total number of systems installed by the said agencies.

And whereas, DDA has submitted the Action Taken Report through email on 11.08.2025 with respect to 30 RWHS and general report with respect to 649 RWHS. In the ATR, with respect to 30 RWHS which was inspected by DPCC, DDA has mentioned the target date i.e August and December 2025 for the installation of piezometer and separators which indicates that the deficiencies have still not been rectified / removed as per the directions passed by Hon'ble NGT in OA No. 526/2019.

Now, therefore, as decided by the Competent Authority in DPCC, interim Environmental Compensation (EC) of Rs.5,00,000/-(Rupees Five Lakhs Only) is hereby imposed/confirmed upon you (DDA) for causing damage to the environment by way of polluting the ground water through faulty Rain water Harvesting Systems.

Hence, you are hereby required to deposit Environmental Compensation (EC) of Rs.5,00,000/-(Rupees Five Lakhs Only) in this office in the form of DD in favor of "Delhi Pollution Control Committee" within 15 days from the date of issuance of this order directions.

This is being issued with the approval of the Chairman, DPCC.



Incharge, CMC-II

Email ID: bmsreddy.dpcc@delhi.gov.in

Copy to:

1. Master File, CMC-II

Dr.B.M.S. Reddy

Senior Environmental Engineer
Delhi Pollution Control Committee
3rd Floor Block-1 DMRC IT Park
Shastri Park Delhi-110053