

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,  
PRINCIPAL BENCH, NEW DELHI**

Original Application No. 678/2023

**In the matter of:**

Jangpura Extension Residents Forum RWA & Ors      ...Applicant

Versus

Govt. of NCT of Delhi & Ors.      ...Respondents

**NDOH:-18.01.2024**

**INDEX**

S. No.	Contents	Page No.
1	Status/ action report on behalf of Delhi Pollution Control Committee (DPCC) in terms the order dated 03.11.2023.	1-5
2	<b><u>Annexure-1 (Colly)</u></b> Copy of the inspection report dated 05.01.2024 alongwith photographs.	6-10
3	<b><u>Annexure-2</u></b> Copy of the letter dated 16.01.2024 issued to by DPCC to MCD.	11

Filed by:

New Delhi:

Dated:17.01.2024

Delhi Pollution Control Committee



**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI**

OA. NO. 678 OF 2023

**In the matter of :**

Jangpura Extension Residents Forum RWA & Ors. .... Applicant

Versus

Govt. of NCT of Delhi & Ors. .... Respondents

**STATUS / ACTION TAKEN REPORT ON BEHALF OF DELHI POLLUTION  
CONTROL COMMITTEE (DPCC) WITH RESPECT TO THE ORDER  
DATED 03.11.2023.**

1. That the above mentioned case relates to grievance in respect of mismanagement of three community waste storage bins (Dhalaos) situated in Blocks -H, D and P/Q of Jangpura Extension, New Delhi.
2. That the above mentioned case was listed before the Hon'ble Tribunal on 03.11.2024 wherein the Hon'ble Tribunal has pleased to ordered as follows :  

*"8. Respondent no. 2 Municipal Corporation Delhi and respondent no. 4 Delhi Pollution Control Committee are directed to file their status and action taken report on or before the next date of hearing by email at [judicial-ngt@gov.in](mailto:judicial-ngt@gov.in) preferably in the form of searchable PDF /OCR support PDF and not in the form of image PDF.*

*9. List this matter on 18.01.2024."*
3. That inspection of Dhalaos at H Block, D Block and P/Q Block near Jangpura Extension, Delhi was conducted by a team of DPCC Officials in the presence of officials of MCD and DDSIL (Dakshin Dilli Swachh Initiatives Limited) on 05.01.2024 and following are the brief of observations and information gathered during the inspections :



**a) Dhalao at D Block, Jangpura Extension.**

- i. The Dhalao is having total area of about 100 square meters.
- ii. There are two gates in this Dhalao, one of which was found closed during inspection.
- iii. Dhalao is being operated and maintained by M/s DDSIL (Dakshin Dilli Swachh Initiatives Limited) on behalf of Municipal Corporation of Delhi.
- iv. As informed by Supervisor, DDSIL, 01 Care Taker / Labour remains present from 06:00 AM to 05:00 PM for taking care of Dhalao and for Segregating Dumped Waste.
- v. Team found 08 nos. of Green Bins (for Biodegradable Waste) with capacity of 1.1 M<sup>3</sup> each & 03 nos. of Blue Bins (for Recyclable Waste) with capacity of 1.1 M<sup>3</sup> each and all were found partially filled during inspection.
- vi. As informed by Supervisor, DDSIL, approx. 7 to 8 Tons of mixed waste (from about 300 to 400 households) is being dumped at this Dhalao. Some Municipal Solid Waste is also being dumped by the local people at the Dhalao.
- vii. After segregating the dumped waste into Dry Waste & Wet Waste, Dry Waste is being transported to Waste to Energy Plant and Wet Waste is being transported to Dump Site.
- viii. Solid Waste dumped at the Dhalao is picked up by Refuse Collector cum Compactor Vehicle (RCV) two to three times daily for further processing.
- ix. Two Cameras were found installed at the site. However only one camera was found operational.
- x. Smell / Unhygienic condition was not observed at the Dhalao during inspection.
- xi. No spillage of Solid Waste out of the Dhalao and nearby areas was found during inspection.

**b) Dhalao at P/Q Block, Jangpura Extension.**

- i. Dhalao is having total area of about 40 square meters (open area without roof). No gate was found at the entry point of the Dhalao.

- ii. Dhalao is being operated and maintained by M/s DDSIL on behalf of Municipal Corporation of Delhi.
- iii. As informed by Supervisor, DDSIL, 01 Care Taker / Labour remain present from 06:00 AM to 05:00 PM for taking care of Dhalao and for Segregating Dumped Waste.
- iv. Team found 04 nos. of Green Bins (for Biodegradable Waste) with capacity of 1.1 M<sup>3</sup> each & 02 nos. of Blue Bins (for Recyclable Waste) with capacity of 1.1 M<sup>3</sup> each and all were found partially filled during inspection.
- v. As informed by Supervisor, DDSIL approx. 4 to 5 Tons of mixed waste (from about 400 to 450 households) is being dumped at this Dhalao. Some Municipal Solid Waste is also being dumped by the local people at the Dhalao.
- vi. After segregating the dumped waste into Dry Waste & Wet Waste. Dry Waste is being transported to Waste to Energy Plant and Wet Waste is being transported to Dump Site.
- vii. The Solid Waste dumped at the Dhalao is picked up by Refuse Collector cum Compactor Vehicle (RCV) two to three times daily for further processing.
- viii. No Cameras were found installed at the site.
- ix. Smell / Unhygienic condition was not observed at the Dhalao during inspection.
- x. No spillage of Solid Waste out of the Dhalao and nearby areas was found during inspection.

**c) Dhalao at H Block, Jangpura Extension.**

- i. The Dhalao is in vicinity of 30 meter to Govt. School and Langar Hall of Gurudwara.
- ii. Total area of Dhalao is about 60 square meters. No gate was found at the entry point of the Dhalao.
- iii. Dhalao is being operated and maintained by M/s DDSIL on behalf of Municipal Corporation of Delhi.
- iv. As informed by Supervisor, DDSIL, 01 Care Taker / Labour remain present from 06:00 AM to 05:00 PM for taking care of Dhalao and for Segregating Dumped Waste.

- v. Team found 08 nos. of Green Bins (for Biodegradable Waste) with capacity of 1.1 M<sup>3</sup> each & 02 nos. of Blue Bins (for Recyclable Waste) with capacity of 1.1 M<sup>3</sup> each and all were found partially filled during inspection.
- vi. As informed by Supervisor, DDSIL approx. 6 to 7 Tons of mixed waste (about 550 to 600 households) is being dumped at this Dhalao. Some Municipal Solid Waste is also being dumped by the local people at the Dhalao.
- vii. After segregating the dumped waste into Dry Waste & Wet Waste. Dry Waste is being transported to Waste to Energy Plant and Wet Waste is being transported to Dump Site.
- viii. Solid Waste dumped at the Dhalao is picked up by Refuse Collector cum Compactor Vehicle (RCV) two to three times daily for further processing.
- ix. No Cameras were found installed at the site.
- x. Smell / Unhygienic condition was not observed at the Dhalao during inspection.
- xi. No spillage of Solid Waste out of the Dhalao and nearby areas was found during inspection.


Copy of the Report of Inspection of Dhalaos at H Block, D Block and P/Q Block near Jangpura Extension, Delhi by team of DPCC is at **Annexure – 1**.

4. That MCD vide e-mail dated 16.01.2024 has informed that out of above mentioned three Dhalaos, one Dhalao at P/Q Block will be permanently closed and rest two at H Block and D Block near Jangpura Extension, Delhi will be converted to FCTS by December, 2024.
5. That a letter has been issued by DPCC to MCD on 16.01.2024 to ensure following :
  - (a) Proper entry gate and roof on the Dhalaos to avoid unauthorized entry & rainwater into the Dhalaos
  - (b) Instead of dumping wet waste at the Dumpsites (Biodegradable) waste should be composted.
  - (c) cleanliness & hygienic conditions at the abovementioned Dhalaos.
  - (d) that there is no smell from the operation of Dhalaos till their closure and providing FCTS.

(e) that segregated Municipal Solid Waste is received and processed at the Municipal Solid Waste Processing Facilities in Delhi as per the provisions of the Solid Waste Management Rules, 2016.

Copy of the letter dated 16.01.2024 issued by DPCC to MCD is enclosed as **Annexure -2.**

6. That it is essential that MCD should eliminate open Dhalaos within a timeframe at the earliest and also clears Municipal Solid Waste periodically and timely. There has to be regular and effective door to door collection from households and its enforcement on the part of MCD.
7. That the above status / action taken report may kindly be taken on record.



(D.K.Singh)

Additional Director  
Delhi Pollution Control Committee

New Delhi  
Dated: 17.01.2024

**Report of Inspection of Dhalaos Carried out by DPCC Team on 05.01.2024.**

An Inspection of Dhalaos at H Block, D Block and P/Q Block near Jangpura Extension was conducted by a team of DPCC Officials on 05.01.2024 w.r.t. Order dated 03.11.2023 in NGT O.A. No 678/2023 "Jangpura Extension Residents Forum RWA and Ors. Vs. Govt. of NCT of Delhi".

Following officials from MCD and M/s DDSIL (Dakshin Dilli Swachh Initiatives Limited) [Licenced by MCD to handle Solid Waste at this zone] were present at the site during inspection :

1. Sh. Shaquib, Jr. Engineer (Civil) MCD
2. Sh. Sunil Bhati, Operation Head, DDSIL
3. Sh. Kailash Kumar, Supervisor, DDSIL

The brief of the observations during inspection are as follows:

**a) Dhalao at D Block, Jangpura Extension.**

- i. This Dhalao is located at D Block Jangpura Extension having total area of about 100 Square meters.
- ii. There are two gates in this Dhalao, one of which was found closed during inspection.
- iii. This Dhalao is being operated and maintained by M/s DDSIL (Dakshin Dilli Swachh Initiatives Limited) on behalf of Municipal Corporation of Delhi.
- iv. As informed by Supervisor, DDSIL, 01 Care Taker / Labour remains present from 06:00 AM to 05:00 PM for taking care of Dhalao and for Segregating Dumped Waste.
- v. Team found 08 nos. of Green Bins (for Biodegradable Waste) with capacity of 1.1 M<sup>3</sup> each & 03 nos. of Blue Bins (for Recyclable Waste) with capacity of 1.1 M<sup>3</sup> each and all were found partially filled during inspection.
- vi. As informed by Supervisor, DDSIL approx. 7 to 8 Tons of mixed waste ( from about 300 to 400 households) is being dumped at this Dhalao. Some Municipal Solid Waste is also being dumped by the local people at the Dhalao.
- vii. After segregating the dumped waste into Dry Waste & Wet Waste, Dry Waste is being transported to Waste to Energy Plant and Wet Waste is being transported to Dump Site.
- viii. The Solid Waste dumped at the Dhalao is picked up by Refuse Collector cum Compactor Vehicle (RCV) two to three times daily for further processing.
- ix. Two Cameras were found installed at the site. However only one camera was found operational.
- x. Smell / Unhygienic condition was not observed at the Dhalao during inspection.
- xi. No spillage of Solid Waste out of the Dhalao and nearby areas was found during inspection.

**b) Dhalao at P/Q Block, Jangpura Extension.**

- i. Dhalao is located at P/Q Block Jangpura Extension and having total area of about 40 Square meters(open area without roof) . No gate was found at the entry point of the Dhalao.
- ii. Dhalao is being operated and maintained by M/s DDSIL (Dakshin Dilli Swachh Initiatives Limited) on behalf of Municipal Corporation of Delhi.
- iii. As informed by Supervisor, DDSIL, 01 Care Taker / Labour remain present from 06:00 AM to 05:00 PM for taking care of Dhalao and for Segregating Dumped Waste.

- iv. Team found 04 nos. of Green Bins (for Biodegradable Waste) with capacity of 1.1 M<sup>3</sup> each & 02 nos. of Blue Bins (for Recyclable Waste) with capacity of 1.1 M<sup>3</sup> each and all were found partially filled during inspection.
- v. As informed by Supervisor, DDSIL approx. 4 to 5 Tons of mixed waste (from about 400 to 450 households) is being dumped at this Dhalao. Some Municipal Solid Waste is also being dumped by the local people at the Dhalao.
- vi. After segregating the dumped waste into Dry Waste & Wet Waste. Dry Waste is being transported to Waste to Energy Plant and Wet Waste is being transported to Dump Site.
- vii. The Solid Waste dumped at the Dhalao is picked up by Refuse Collector cum Compactor Vehicle (RCV) two to three times daily for further processing.
- viii. No Cameras were found installed at the site.
- ix. Smell / Unhygienic condition was not observed at the Dhalao during inspection.
- x. No spillage of Solid Waste out of the Dhalao and nearby areas was found during inspection.


**c) Dhalao at H Block, Jangpura Extension.**

- i. This Dhalao is situated at H Block, Jangpura Extension in vicinity of 30 meter to Govt. of School and Langar Hall of Gurudwara.
- ii. Total area of about 60 Square meters. No gate was found at the entry point of the Dhalao.
- iii. Dhalao is being operated and maintained by M/s DDSIL (Dakshin Dilli Swachh Initiatives Limited) on behalf of Municipal Corporation of Delhi.
- iv. As informed by Supervisor, DDSIL, 01 Care Taker / Labour remain present from 06:00 AM to 05:00 PM for taking care of Dhalao and for Segregating Dumped Waste.
- v. Team found 08 nos. of Green Bins (for Biodegradable Waste) with capacity of 1.1 M<sup>3</sup> each & 02 nos. of Blue Bins (for Recyclable Waste) with capacity of 1.1 M<sup>3</sup> each and all were found partially filled during inspection.
- vi. As informed by Supervisor, DDSIL approx. 6 to 7 Tons of mixed waste (about 550 to 600 households) is being dumped at this Dhalao. Some Municipal Solid Waste is also being dumped by the local people at the Dhalao.
- vii. After segregating the dumped waste into Dry Waste & Wet Waste. Dry Waste is being transported to Waste to Energy Plant and Wet Waste is being transported to Dump Site.
- viii. The Solid Waste dumped at the Dhalao is picked up by Refuse Collector cum Compactor Vehicle (RCV) two to three times daily for further processing.
- ix. No Cameras were found installed at the site.
- x. Smell / Unhygienic condition was not observed at the Dhalao during inspection.
- xi. No spillage of Solid Waste out of the Dhalao and nearby areas was found during inspection.


**(Ashish Uniyal)**  
Jr. Env. Engineer, DPCC

**(Yogendra S. Tomar)**  
Trainee Engineer, DPCC

89




100



Photographs taken during the visit to Dhalao Situated at P/Q-Block, Jangpura on 05.01.2024

99




6




Photographs taken during the visit to Dhalao Situated at D-Block, Jangpura on 05.01.2024


91



98



Photographs taken during the visit to Dhalao Situated at H-Block, Jangpura on 05.01.2024



**DELHI POLLUTION CONTROL COMMITTEE**  
**DEPARTMENT OF ENVIRONMENT, GOVT. OF NCT OF DELHI**  
**5<sup>th</sup>FLOOR, ISBT BUILDING, KASHMERE GATE, DELHI-110006**  
 visit us at : <https://dpcc.delhigovt.nic.in>



F.No. DPCC/WMC-II/OA-678 of 2023/2023/ 70-73

Dated: 16 | 01 | 2024

To,

**The Commissioner,**  
 Municipal Corporation of Delhi ,  
 9th Floor, Dr. S.P.M Civic Center, JLN Marg, Delhi -110002.

**Sub: Order of Hon'ble National Green Tribunal Dated 03.11.2023 in O.A. No. 678/2023 and Inspection of Dhalaos at H Block, D Block and P/Q Block near Jangpura Extension, Delhi.**

Sir,

This has reference to the order of Hon'ble National Green Tribunal Dated 03.11.2023 in O.A. No. 678/2023 in the matter of "Jangpura Extension Residents Forum RWA & Ors. Vs. Govt. of NCT of Delhi & Ors." and Inspection of Dhalaos at H Block, D Block and P/Q Block near Jangpura Extension, Delhi by a team of DPCC officials on 05.01.2024. Copy of inspection report is enclosed.

During inspection it was observed that Dhalaos at Block P/Q & H do not have entry gate. Dhalao at Block P/Q is open area without roof. It was found that wet waste after segregation at the Dhalaos is being sent to Dumpsites instead of composting. MCD vide e-mail dated 16.01.2024 has informed that out of above mentioned three Dhalaos, one Dhalao at P/Q Block will be permanently closed and rest two at H Block and D Block near Jangpura Extension, Delhi will be converted to FCTS by December, 2024.

In view of the above MCD is hereby directed to ensure following :

- Proper entry gate and roof on the Dhalaos to avoid unauthorized entry & rainwater into the Dhalaos
- Instead of dumping wet waste at the Dumpsites (Biodegradable) waste should be composted.
- cleanliness & hygienic conditions at the abovementioned Dhalaos.
- that there is no smell from the operation of Dhalaos till their closure and providing FCTS.
- that segregated Municipal Solid Waste is received and processed at the Municipal Solid Waste Processing Facilities in Delhi as per the provisions of the Solid Waste Management Rules, 2016.

MCD shall ensure above and submit Action Taken Report to this office within 15 days.

Yours Sincerely,

( **K.S. Jayachandran** )  
 Member Secretary, DPCC

**Enclosures: As Above**

**Copy to:**

- Addl. Chief Secretary , Urban Development Deptt. Govt. of NCT of Delhi 9th Level, Delhi Secretariat, I.P. Estate, Delhi-02.
- Staff Officer to Chief Secretary, Govt. of NCT of Delhi, 5th Level, Delhi Secretariat, Delhi – 02
- PS to Chairman, DPCC.

( **K.S. Jayachandran** )  
 Member Secretary, DPCC