

**BEFORE THE PRINCIPAL BENCH, NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI
ORIGINAL APPLICATION No. 726/2019**

IN THE MATTER OF:

Residents of Village New Usmanpur, Dusra Pusta ... Applicant

VERSUS

Govt. of NCT of Delhi ... Respondents

NDOH:- 31.03.2020

INDEX

S. NO.	PARTICULARS	Page No.
1.	Action Taken Report For And On Behalf Of DPCC In Compliance Of The Order Dated 18.09.2019.	1 - 2

Filed by

(P.S. Pankaj)
Sr. Env. Engineer
(Delhi Pollution Control Committee)

New Delhi:

Dated: 16.03.2020

- iv. Messages for public in respect of prosecution and fine shall be displayed at prominent locations to discourage of dumping of waste.
- v. CCTV cameras be installed at suitable locations to monitor the garbage/C&D waste dumping.


4. That, the EDMC vide note dated 10/01/2020 submitted that directions of DPCC are compiled.

5. That, to check the status of compliance, an inspection of the area was conducted by the officials of DPCC on 06.03.2020 in the presence of EDMC officials. It was observed that the stretch of the drain is about 4 km in length.

The following observations were made during inspection:

- I. Regular cleaning is being done by EDMC. One JCB was found operational at the time of inspection.
 - II. The waste collected from drain through JCB is placed in tractors for further disposal.
 - III. The Dhala is located at a distance of 0.5 km in the area.
 - IV. Bins have been provided to facilitate locals for disposal of garbage.
 - V. That, 74 nos. of prosecution/ challans have been made and regular vigil is kept on the drain.
6. Display boards have been erected showing messages to the public to desist from garbage dumping. Nalla beldars have been deployed for preventing dumping of waste into the drain. Local enquiries revealed that the garbage is being lifted from nearby locations on daily basis.
7. That, Delhi Jal Board vide letter dated 03.02.2020 informed that the waste water flow in the drain is being trapped by Delhi Jal Board for its treatment under the Interceptor Sewer Project expected to be completed by March, 2020.

The present action taken report may kindly be taken on record.



Sr. Environmental Engineer

Date: 16/3/2020

Place: Delhi