

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,  
PRINCIPAL BENCH, NEW DELHI**

**OA NO. 582/2024**

**IN THE MATTER OF:**

Rakesh Kumar

...Applicant

Vs

Union of India & Ors

...Respondent

**INDEX**


Sr. No.	Particular	Page No.
1	Status Report on behalf of Respondent No. 4 (Haryana State Pollution Control Board) alongwith supporting affidavit	1-5
2	<b>Annexure R/1 and R/2:</b> Proceedings of the meeting held in this matter on dated 07.01.2026 & 05.03.2026	6-9
3	<b>Annexure R/3:</b> The Joint Director, DIC, Hisar report regarding examination of the issue of switching from existing approved fuels of PNG Fuels for the Industries of Hisar vide office Memo. No. DIC/HSR/ID/2537 Dated 10.03.2026	10-19
4	<b>Annexure R/4:</b> The list of industrial units using the PNG as provided by PNG supplying agency	20
5	<b>Annexure R/5 and R/6:</b> Compliance status of compliance in respect of 58 units and the list of 26 units for which recommendations have been forwarded to the Head Office	21-30
6	<b>Annexure R/7:</b> Detailed action taken by the Board against 06 number of non-complying units	31-33

**Dated: 10.07.2026**

**Place: Hisar**

  
**Regional officer**  
**Haryana State Pollution Control Board,**  
**Hisar Region**

Filed by



**Rahul Khurana, Advocate**  
**09811894060**  
**rkhuranalegal@gmail.com**

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,  
PRINCIPAL BENCH, NEW DELHI**

**OA NO. 582/2024**

**IN THE MATTER OF:**

Rakesh Kumar

...Applicant

Vs

Union of India & Ors

...Respondent

**STATUS REPORT ON BEHALF OF RESPONDENT NO. 4  
(HARYANA STATE POLLUTION CONTROL BOARD)**

**Most Respectfully Showeth:**

1. That the above-mentioned Original Application pending before this Hon'ble Tribunal and is now fixed for 13.07.2026. On 19.03.2026 this Hon'ble Tribunal after considering the grievance of the applicant to the effect of deteriorating in & around Hisar, pleased to issue direction to the respondent to file response. The relevant portion of the order dated 19.03.2026 in OA NO. 582/2024 is reproduced here for kind perusal:

"1. Learned Senior Counsel appearing for the applicant submits that many such industries have now switched to PNG, but there are still other industries which are using fuels, causing pollution and that action is required to be taken before the next winter so that problem of air pollution is not aggravated by these industries.

2. Learned Counsel appearing for HSPCB seeks eight weeks' time to file the further report.

3. List on 13.07.2026."

2. That this reply is being filed through Shakti Singh, Regional Officer, Haryana State Pollution Control Board, Hisar Region who is authorized and competent to file the reply on behalf of answering respondent.
3. That pursuant to the directions of the Hon'ble Tribunal, the Regional Office, Hisar initiated stakeholder consultations involving representatives of industrial associations, Haryana State Industrial and Infrastructure Development Corporation (HSIIDC), Haryana Shehri Vikas Pradhikaran (HSVP), and the Industries & Commerce Department, with the objective of assessing ground-level feasibility, infrastructural readiness and



implications of mandatory transition to PNG. That a meeting dated 08.07.2025 was convened at HSIIDC, Hisar, during which industry representatives highlighted issues including lack of last-mile PNG connectivity, concerns regarding uninterrupted supply, and recent investments made in biomass- and briquette-based systems.

4. That thereafter, a higher-level meeting was convened on 23.07.2025 under chairmanship of the then Member Secretary, HSPCB with participation of senior officers of HSPCB, the Industries Department, HSVP, and representatives of industrial associations. The meeting deliberated upon environmental considerations alongside practical constraints and resolved to constitute a multi-departmental committee to examine PNG infrastructure deficiencies and to explore the feasibility of a phased and evidence-based transition.
5. That in compliance of direction issued on 23.07.2025 after meeting held under the chairmanship of Member Secretary, HSPCB, the Joint Director, DIC, Hissar conducted meeting with the representative of Haryana City Gas (PNG supply agency), HSVP, HSIIDC, HSPCB and Industrial Association Hissar on 07.01.2026 and 05.03.2026 to identify the lapses in the supply of PNG supply through pipeline to air polluting industries in District Hisar. The proceedings of the meeting held in this matter on 07.01.2026 & 05.03.2026 are enclosed as **Annexure R/1 and R/2** Respectively.
6. That Joint Director, DIC, Hissar submitted the report regarding examination of the issue of switching from existing approved fuels of PNG Fuels for the Industries of Hisar vide office Memo. No. DIC/HSR/ID/2537 Dated 10.03.2026 (**Annexure R/3**), as per which out of 140 industrial units (list attached with report dated 10.10.2025 submitted before Hon'ble NGT in present OA which have obtained CTO from the HSPCB for the approved fuel for non-NCR area), 41 no of units are located on or in vicinity of main arterial PNG supply pipeline (map enclosed with DIC report dated 10.03.2026). The Haryana City Gas (PNG supply agency) has submitted vide letter dated 6-3-2026 that the time period to

provide PNG connection for the industries, where PNG network is available (as per map referred above) are 49 no of industrial units using solid/liquid fuel), could be given in 45 days from the signing of Gas Sales Agreement (GSA), and for 105 no of industrial units where PNG pipeline network is not available, the Haryana City Gas (PNG supply agency) has submitted that they would able to provide PNG supply in 90 days to 120 days from the signing of Gas Sales Agreement (GSA). However, at presently out of 140 units, 99 number of units are outside the vicinity of laid PNG supply pipeline in District Hisar. The list of units along with addresses is also attached with DIC report dated 10.03.2026.

7. Further, M/s HCG (KCE) Private Limited was asked to submit the month-wise details of PNG (Piped Natural Gas) quantity supplied/consumed by connected units for the last six months. while studying the monthly consumption pattern in the last six months, the no. of industrial units consuming PNG has increased from 16 to 22 No. of units. The list of industrial units using the PNG with monthwise PNG consumption as provided by PNG supplying agency is enclosed as **Annexure R/4**.
8. That in furtherance of affidavit dated 22.12.2025 filed by the Member Secretary, Haryana State Pollution Control Board, Panchkula, and in furtherance of the directions issued by this Hon'ble Tribunal, the 58 No. of industrial units were inspected, for examining the compliance status. 39 No. of units were found operational, out of which 37 Nos. of units were found complying, 02 No. of units were found non complying, 14 Nos. of Units were found closed its own and 05 Nos. of units were found dismantled. Further, compliance status of 26 units having valid Consent to Operate, against which Haryana City Gas (PNG supply agency) had raised allegation of using unapproved fuel, 19 nos. of units were found complying, 03 Nos. of units were found non complying, 03 Nos. of units were found closed on its own and 01 No. of unit was not having air polluting process. Copies of the status of compliance in respect of above mentioned 58 units and the list of 26 units with allegations of unapproved

fuel are annexed herewith as **Annexure R/5 and Annexure R/6** respectively.

9. That regular inspections of industrial units have been carried out by the field officers of Respondent No. 4. During the course of such inspections, 06 No. of units were found operating without obtaining the requisite consent from the Haryana State Pollution Control Board and 06 No. of units were found operational and non-complying with CTO conditions. Accordingly, action against the said units has been initiated in accordance with the provisions of the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981. A copy of the detailed action taken by the Board against the said units is annexed herewith as **Annexure R/7**.

In view of submissions made herein above, it is humbly prayed that the present status report may kindly be taken on record.

**Date: 10.07.2026**

**Place: Hisar**

  
**Regional Officer,  
Haryana State Pollution Control Board,  
Hisar Region**

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,  
PRINCIPAL BENCH, NEW DELHI**

**OA NO. 582/2024**

**IN THE MATTER OF:**

Rakesh Kumar

...Applicant

Vs

Union of India & Ors

...Respondent

**AFFIDAVIT**

I, Shakti Singh, Regional Officer, Haryana State Pollution Control Board, Hisar Region aged about 44 years do hereby solemnly affirm and state as under: -

1. That in the aforesaid official capacity, I am well conversant with the facts and circumstances of the case and is authorized to file the present reply on behalf of Respondent No. 4. Therefore, I am competent to swear this affidavit.
2. That I have gone through the contents of the accompanying status report which has been drafted under my instructions.

  
Deponent


Verification:

Verified at Hisar on this 10<sup>th</sup> day of July, 2026 that the contents of affidavit are true and correct to my knowledge and on the basis of information derived from the official record which I believe to be true and no material fact has been concealed therein.

**Date:** 10-07-2026

**Place:** Hisar



**ATTESTED**  
  
10/07/2026  
**NOTARY**  
HISAR

  
Deponent

**Joint Director**  
**841**  
**District Industries Centre, Hisar**  
**4<sup>th</sup> Floor, Mini Secretariat, Hisar**

Annexure R/1

Phone No. 01662-224021

Email ID:- [jddichsr@gmail.com](mailto:jddichsr@gmail.com)

Email:

To

1. The R.O, Hisar, HSPCB
2. Estate Manager,  
HSI IDC, Hisar
3. HSVP, Hisar
4. All Industrial Association, Hisar
5. All Large, Industries of Hisar Distt.
6. Haryana City Gas, Hisar

Memo No:- DIC/HSR/ID/-2144-49 Dated:- 07/01/26

**Subject:-** Regarding report of the committee in compliance of the Minutes of meeting held on 23.07.2025 of the officers of HSPCB, HSI IDC & representatives of industrial association of Hisar regarding examination the issue of switching form existing approved fuels to PNG Fuels for the Industries in Hisar.

\*\*\*\*\*

In context of the subjected matter, it is intimated that a meeting is held today i.e 07.01.2026 wherein following participants from various Departments/organisations were present:-

1. Sh. Shakti Singh, Regional Officer, Hisar, Haryana State Pollution Control Board.
2. Sh. Anil Kumar, Estate Officer, HSI IDC.
3. Sh. Kapil, AE, HSPCB.
4. Sh. Ashok Sharma, Jindal Stainless.
5. Sh. Sandeep Jain, DCM Textile, Hisar.
6. Sh. Piyush Bodana, Executive, HCG.

It has been decided that in context of the matter, all departments/industries/associations/HCG will submit their report/views by today so that action may be taken as directed by the authority. Further, the next meeting will held under the chairmanship R.O, HSPCB, Hisar and written view/report will be discussed and will be compiled, accordingly.

  
**Joint Director**  
**District Industries Centre**  
**HISAR**

To

1. The R.O.  
Haryana State Pollution Control Board  
Hisar.
2. The Estate Manager  
HSI IDC, Hisar
3. The Estate Manager,  
HSVP, Hisar
4. All Industrial association of Hisar.
5. Haryana City Gas, Hisar.


Memo No:- DIC/HSR/ID/2525-29 Dated:- 06/03/26

**Subject:- Minutes of Meeting held on 05-03-2026 under the Chairmanship of Joint Director DIC Hisar and representative of HSPCB, HSVP industrial association of Hisar & HCG (JCE) Private Limited at the office of HSPCB, Bays no B-7, 8, Urban Estate-II, Hisar under the regarding Examination of the issue of switching from existing approved Fuel to PNG Fuels for the Industries in Hisar.**

\*\*\*\*\*

Please find enclosed herewith the minutes of the meeting held on 05.03.2026 for your information and necessary compliance.

Ensl:- As above

  
Joint Director  
District Industries Centre,  
Hisar

**Minutes of Meeting held on 05.03.2026 under chairmanship of the Joint Director, DIC Hisar and representative of HSPCB, HSVP, industrial association of Hisar & HCG (KCE) Private Limited at the office of HSPCB, Bays No. B-7, 8, Urban Estate-II, Hisar under the regarding examination of the issue of switching from existing approved Fuels to PNG Fuels for the Industries in Hisar.**

The meeting was convened in compliance with the directions passed by the Hon'ble National Green Tribunal (NGT) in O.A. No. 582/2024 titled *Rakesh Kumar Vs Union of India & Others*, The Tribunal directed concerned authorities to examine the steps for facilitating the switch to Piped Natural Gas (PNG) or other cleaner fuels, considering the completion of PNG pipeline infrastructure in the area.

Attendance sheet of meeting is attached as **Annexure-A**.

- A. Sh. Brij Pal Chaudhary, Joint Director, DIC raised the following issues during the meeting while examining the information/record of Haryana City Gas, Hisar submitted about already laid pipeline for supply of PNG and directed to submit comprehensive information regarding list of industries already having PNG supply, the scope of work on part of the Haryana City gas, Hisar and on the part of the industry for PNG supply connection and detail of the distance of the unit from main pipeline and the time required to bring the PNG supply from pipeline to all the individual air polluting units of district hisar .
- B. Sh. Sandeep (Representative of Hisar industrial area) has raised the following issues ;
  - i. The cost proposed by the authorized PNG supplier is significantly higher compared to other approved fuels. Moreover, the industrial units are already complying with environmental norms by installing pollution control devices and maintaining the compliance of emission standards as per norms approved by CPCB and HSPCB while operation of their industrial units. Further, the industrial units are using fuels from the list of approved fuel by HSPCB for outside NCR area of Haryana.
  - ii. The possibility of switching to PNG would be economically unviable for the industrial units of Hisar (outside NCR area), as the cost of PNG is higher compared to other approved fuels currently in use. The adoption of PNG would make it difficult for these units to remain cost-competitive with similar industries located in districts outside the NCR
  - iii. Many industries have recently made significant investments in briquette-based systems, and switching to PNG at this stage may render these systems obsolete, leading to additional expenditure for up gradation, and considering that most units fall under micro and small enterprises with capital investment on plant and machinery would lay the additional financial burden which may risk the business viability.

- iv. The requirement of maintaining a parallel fuel system for backup during PNG supply disruption imposes extra capital and maintenance costs, which will lay additional financial burden for many industries. Therefore the authorised PNG supplier in hisar should give commitment/undertaking in writing for the Industrial units, which are willing to use PNG as a fuel in their unit.

C. The regional officer, HSPCB, Hisar informed that the gaseous fuel ie natural gas , PNG , CNG is having high calorific value and causes lesser pollution potential then solid and liquid fuel. The industrial units should give preference to use gaseous fuel, if available readily and consistently .

**The Meeting ends with thanks to all the participants.**

From

The Joint Director,  
District Industries Centre,  
Hisar

To

The Member Secretary,  
Haryana State Pollution Control Board  
C-11, Sector-6, Panchkula.

Memo.No. DIC / HSR /ID/2537

Dated: 10.03.2026

**Subject:-** Regarding report of the committee in compliance of the Minutes of meeting held on 23.07.2025 of the officers of HSPCB, HSIIDC & representatives of industrial association of Hisar regarding examination the issue of switching from existing approved fuels of PNG Fuels for the Industries of Hisar.

With reference to subject above, it is submitted that in compliance of direction issued after meeting held under the chairman ship of Member Secretary, HSPCB on dated 23.07.2025 (**Annexure A**), Joint director DIC Hisar conducted meeting with the representative of Haryana City Gas (PNG supply agency), HSVP, HSIIDC, HSPCB and industrial Association Hisar on dated 07.01.2026 and 05.03.2026 to identify the lapses in the supply of PNG supply through pipeline to air polluting industries in District Hisar. The proceedings of the meeting held in this matter on dated 07.01.2026 & 05.03.2026 are enclosed as **Annexure B & C** respectively CG.

As per discussion held in the meeting, record provided by Haryana City Gas (PNG supply agency), HSPCB and survey conducted, the latest status is as given below: -

- a. 17 no of industrial units have taken connection of PNG supply from Haryana City Gas (PNG supply agency). The list enclosed as **Annexure D**.
- b. The map of PNG supply pipeline availability in district Hisar is enclosed as an **Annexure E**.
- c. Out of 140 industrial units ( as per report submitted before Hon'ble NGT dated 10.10.2025 in OA No. 582/2024) which have obtained CTO from the HSPCB for the approved fuel for non-NCR area 41 no of units are located on or vicinity of main arterial PNG supply pipeline (map enclosed as **Annexure E**).
- d. The Haryana City Gas (PNG supply agency) vide letter dated 06.03.2026 has given a list of 26 no of units alleging that they are operating with another unapproved fuel rather than approved fuel for which CTO has been obtained the unit from HSPCB in the past. Regarding this to ascertain the factual status the Regional office HSPCB has recommended to head office (**Annexure F**) for grant of permission of inspection/sampling by the field officers as per policy of the HSPCB. The details provided by HSPCB & HCG.
- e. The Haryana City Gas (PNG supply agency) vide letter dated 06.03.2026 has given a list of 24 no of units alleging operating presently without obtaining CTO from HSPCB in the jurisdiction of District Hisar. Regarding this Regional office HSPCB has issued SCN for closure to 4 no of units and further action will be initiated after expiry of SCN as per laid procedure of the board.

- f. The Haryana City Gas (PNG supply agency) has submitted vide letter dated 6-3-2026 that the time period to provide PNG connection for the Industries, where PNG network is available (as per map provided in Annexure E are 49 no of industrial units using solid/liquid fuel) could be given in 45 days from the signing of Gas Sales agreement (GSA) and for 105 no of Industrial units where PNG pipeline network is not available the Haryana City Gas (PNG supply agency) has submitted that they would able to provide PNG supply in 90 days to 120 days from the signing of Gas Sales Agreement (GSA). However, at presently out of 140 units, 99 number of units are outside the vicinity of laid PNG supply pipeline in District Hissar. The list of units along with addresses are enclosed as Annexure G.

All details provided by HSPCB & HCG.

Submitted for information and further necessary action, please.

DA/- Annexure A to G.


  
Joint Director  
District Industries Centre  
Hisar

Endst No.:DIC/HSR/ADMN/2538-2542

Dated: 10.03.2026


A copy of the above is forwarded for your kind information & nessary action please.

1. The R.O.,Haryana State Pollution Control Board,Hisar.
2. The Etatse Manager, HSIIDC, Hisar.
3. The Estate Manager, HSVP, Hisar.
4. All Industrial Association of Hisar.
5. Haryana City Gas, Hisar.


  
Joint Director,  
District Industries Centre,  
Hisar.

ANNEXURE - A					
LIST OF INDUSTRIES USING PIPED NATURAL GAS (PNG)					
S.No.	Name of Industries	Category	Address	Status	Intake Volume (in SCMD)
1	Quality Foils (India) Ltd.	Industrial	Plot No. 3, Industrial Development Colony, Hisar, Haryana-125005	Connected	1800
2	Jai Bharat Industries.	Industrial	Plot No. 64, Sector-27-28, Hisar, Haryana-	Connected	200
3	Rawalwasia Ispat Udyog Pvt. Ltd.	Industrial	11th, K.M. Mile Stone, Delhi Road, Opp. Cantt. Hisar, Haryana-125006	Connected	1100
4	Sandley Chem (India) Pvt. Ltd.	Industrial	32, Udyog Nagar, Delhi Road, Hisar, Haryana-125001	Connected	550
5	Vardhman Steels	Industrial	Plot No. 8, Industrial Development Area, Hisar, Haryana-125005	Connected	240
6	Hisar Metal Industries Ltd.	Industrial	Plot No. 178, Sector 27-28, Hisar, Haryana	Connected	150
7	Alton Hi- Tech Sanitary Ware Pvt. Ltd.	Industrial	Plot No.123, Sector-27-28, Hisar, Haryana-125005	Connected	25
8	Broga Bath Fitting Pvt. Ltd.	Industrial	Plot No.98, Sector-27-28, Hisar, Haryana-125005	Connected	25
9	New Saini Sweets (Work Shop)	Industrial	Gate No. 4, Vidhyut Nagar, Hisar, Haryana-125005	Connected	300
10	Jindal Polybuttons Pvt. Ltd.	Industrial	10th KM Stone, Delhi Road, Hisar, Haryana-125006	Connected	140
11	Haryana Industrial Company	Industrial	Plot No. 6A, Industrial Development Area, Hisar, Haryana-125005	Connected	150
12	Silver Line Enterprises	Industrial	Khasra No. 58/8/1,13/2/2,18/1/1,Opp- Reliance Petrol Pump, NH-9, Mayyar,	Connected	40
13	Jindal Industries Pvt. Ltd.	Industrial	O.P. Jindal Marg, Hisar, Haryana-125001	Connected	4000
14	Hisar Metal Industries Ltd.	Industrial	Near Industrial Development Colony, Hisar, Haryana-125001	Connected	2200
15	Hissar Pipes Pvt. Ltd.	Industrial	17-18 Km Stone, Near Power Grid, Delhi Road, Hisar, Haryana-125034	Connected	900
16	Bawa Enterprises	Industrial	Plot No. 40, Industrial Development Area, Hisar, Haryana-125005	Connected	30
17	VIPIN ST Poles Pvt Ltd	Industrial	Kutubpur, Hansi	Connected	600

# HISAR-PIPELINE NETWORK



# SECTOR 9-11 (INDUSTRIAL AREA ) - HISAR



# SECTOR 27-28 (INDUSTRIAL AREA) - HISAR



Sr. No.	Name & Address of Unit	Category
1	Actilife Organics Khasra No 35 , VPO Kohli, Kohli-Kherampur Road, Adampur, Hisar	ORANGE
2	Ashish Agroils Extractions Hisar Road, Surewala Chowk, Uklana Mandi, Distt. Hisar	ORANGE
3	Bahar International Village Hazampur	ORANGE
4	Banarsi Dass Cotton Mills Pvt Ltd 7th KM Sirsa Road	ORANGE
5	Bhagwati Industries Rawat Khera Road, Mangali Surtia, Hisar	RED
6	Bharat Crop Protection Private Limited Plot no 77, Balsamand Road, VPO PATAN, Hisar	ORANGE
7	BINDAL SONS AND SPICES 4TH MILE STONE SIRSA ROAD HISAR	ORANGE
8	BRS Alloys Pvt. Ltd. P. No. 1, 2 & 3, Delhi Road, Hisar	RED
9	CBR CRUSHER PRIVATE LIMITED VPO NALWA TEH AND DISTT HISAR	ORANGE
10	City Plywood Mfg. Co. 9 Km Stone, Satroad Khas, Delhi Road	ORANGE
11	Colortex Products Private Limited Panihar Chowk Rajgarh Road vill Choudharywas, district Hisar	ORANGE
12	DASHMESH METAL VPO MOTH RANGRAN	RED
13	Deepak DYE Chem Pvt Ltd Village Durjanpur, Hisar	ORANGE
14	Deepak Industries Kharar Alipur Road Hansi	RED
15	DHAN LUXMI BIO FERTILIZERS KILA NO 15, MURABBA NO 397, VPO BALSMAND, Balsmand, Hisar, Haryana, 125001	ORANGE
16	Fruit Jump India Pvt. Ltd. 6th KM Stone, Jind Road, Hansi, Hisar	ORANGE
17	GANESH ENTERPRISES 1 KM Stone, Arya Nagar to Balsamand Road, VPO- Patan, Distt.- Hisar	ORANGE
18	HARYANA INDUSTRIES VPO SULTANPUR	RED
19	HISAR AGRO FOOD PRODUCTS Satrod Ladwa Road Southern Bypass Hisar	ORANGE
20	HISAR SPINNING MILLS LTD 9TH K.M. STONE, HISAR BHIWNI ROAD, VPO DABRA,	ORANGE
21	HISAR STEELS PRIVATE LIMITED Mauja Raipur, Sector 19, Raipur Road Hisar	ORANGE
22	Jain Agro Industries 9th KM Stone, Tohana Road, Near Pabra Minor, Vill. Gaibipur, Barwala, Distt. Hisar	ORANGE
23	JASWANT RASAYAN PRIVATE LIMITED PLOT NO 48 SECTOR 28 HISAR	ORANGE
24	Jindal Stainless Limited, (Cold Rolling Division) OP Jindal Marg Hisar	RED
25	JNB STEEL INDUSTRIES PVT LTD 51-52, SECTOR 27-28	RED
26	JNB STEEL INDUSTRIES PVT LTD RAIPUR ROAD	RED
27	JRM FOODS PRIVATE LIMITED JIND ROAD HANSI	ORANGE

28	Kartar Singh Contractor Hot Mix Plant Village Gianpura, Barwala, Hisar	ORANGE
29	Kisan Phosphates Private Limited VPO Gawar, Hisar	RED
30	Kisan Phosphates Pvt Ltd DCP Gavad Road Balsamand Hisar	RED
31	KRISHANA INDUSTRIES VILLAGE BALAK	ORANGE
32	Krishana Krishana Metal Industry Near OK Industry, Hansi	RED
33	Krishna enterprises barwala hisar road barwala	GREEN
34	KRISHNA INDUSTRY Khasra No 13//2/6 (2-0) at VPO Patan, Distt Hisar	RED
35	Krishna Metals 25-02/2280, Radhika Road, Nand Nagar, Hansi	ORANGE
36	M P SONS MIRZAPUR ROAD, VPO RAIPUR HISAR	ORANGE
37	Jindal Supreme (India) Pvt. Ltd., 9th KM Stone, OP Jindal Marg, Hisar	RED
38	M/s Jai Durga Industries VPO NEOLI KALAN	RED
39	Maa Bhanbhoori Trading Company Kallar Bhani Ukalana Mandi Hisar	RED
40	Maa Metal Kutubpur Road, Hansi	RED
41	Mahipal Ceramics Pvt. Ltd., Post Box No. 48, Mirzapur Road, Hisar	ORANGE
42	Tara Crop Care Private Limited (MENTHA OVERSEAS PRIVATE LIMITED Satrod) Satrod	ORANGE
43	RYMON CHEMICAL AND FERTILIZER 140 SECTOR 27 28 INDUSTRIAL AREA HISAR	ORANGE
44	Mukandi Lal Radha Kishan Doulatpur Road, Uklana Mandi	ORANGE
45	NATIONAL CHEMICALS 9TH KM STONE BARWALA ROAD VILLAGE TALWANDI RANA DISTT HISAR	RED
46	Naveen Enterprises vill Ludas, Hisar	ORANGE
47	Oliver Power Solution Village- Kutabpur, Teh.- Hansi, Distt.- Hissar, Haryana	RED
48	OM INDIA INDUSTRIES VPO PATAN	ORANGE
49	Rajiv Gandhi Thermal Power Plant Village - Khedar	RED
50	RAJIV METALS RAJIV METALS OPP J S INDUSTRY BARWALA ROAD HANSI	RED
51	RAWALWASIA STEEL PLANT PRIVATE LIMITED 6TH KM STONE DELHI ROAD HISAR	RED
52	Richlin Rubbers Plot No. - 559, Village- Hazampur, Tehsil- Hansi, Hisar	ORANGE
53	S A Cottex Private Limited KHASRA NO 353 KILA NO 24/1, 24/2, DOLUTPUR ROAD BARWALA DISTT HISAR - 125001	ORANGE
54	S.O. INDUSTRIES Mustil No. 124 Killa No. 24/2 , Vill. Sisar- Kharbala, Teh. Banss, Distt. Hissar, Haryana - 125042.	RED
55	SAHARAN PLYWOOD INDUSTRIES VPO NANGTHALA	ORANGE
56	SANDLEY INDUSTRIES 29 UDYOG NAGAR DELHI ROAD HISAR	RED

57	Sapna Beverages Industry Depal Road, Prem Nagar, Hansi, Hisar	ORANGE
58	SHAMBHU INDUSTRIES PVT LTD VILLAGE SATROD KHAS	ORANGE
59	Shiv Ganga Food Products Barwala road Hansi	ORANGE
60	SHIV NAUSHADER LAGHU UDYOG V.P.O. - KOTH KHURAD TEHSILL - KHERI JALAB DISTT HISAR	ORANGE
61	Shiv Shakti Industries VPO Litani Uklana Distt Hisar	ORANGE
62	Shree Balaji Oil Industries, Nalwa Village Nalwa, Hisar	RED
63	SHREE BALAJI RICE MILL 3 KM Stone, Bhiwani Road, Hansi, Distt. Hisar	ORANGE
64	S S Enterprises sarsod balak chopta road vpo jevra Hisar	ORANGE
65	Shree Salasar Balaji Industries 5th K.M. Stone, Agroha Road, Mandi Adampur	ORANGE
66	Shakti Industries, 9th KM Stone Rajgarh Road, Hisar	RED
67	SHREE SALASAR INDUSTRIES VPO KABREL TEHSIL ADAMPUR DISTRICT HISAR HARYANA	ORANGE
68	SHREE SHYAM SNACKS FOOD PRIVATE LIMITED PLOT NO 1 SHREE SHYAM SNACKS FOOD PRIVATE LIMITED AGRO PROCESSING CLUSTER VILLAGE JAGAN HISAR	ORANGE
69	SHREE SHYAM SNACKS FOOD PRIVATE LIMITED Agro Processing Cluster by SHREE SHYAM SNACKS FOOD PRIVATE LIMITED Village Jagan, Tehsil & District Hisar.	ORANGE
70	Shri Balaji Chemicals Village Matloda, Distt. Hisar	ORANGE
71	SHRI BALAJI CONSTRUCTIONS VILLAGE KANWARI, TEHSIL HANSI, HISAR	ORANGE
72	SHRI BALAJI ENTERPRISES PLOT NO.20, SECTOR 27-28, URBAN ESTATE , DELHI ROAD, HISSAR, HARYANA	RED
73	Shri Om Laxmi Plywood Industries Village Fransi Tehsil and District Hisar	ORANGE
74	Shri Ram Chemicals Village Koth kalan Distt Hisar	ORANGE
75	Sia Polymers LLP Village Mangali, Teh and Distt Hisar	ORANGE
76	Steelmint industries Pvt. Ltd. VPO Talwandi Rukka, Hisar (Haryana)	GREEN
77	Sunrise Woods Industries VPO Kohli, Agroha- Adampur Road, Hisar	ORANGE
78	Super Oil Refinery VPO Mirchpur, Distt. Hisar	ORANGE
79	YBK Industries Pvt. Ltd. Village Patan, Hisar	RED
80	Beyond Drilling and exploration Private Limited, Near Railway Bridge, Barwala	ORANGE
81	DCM Textiles PO Box No 59 Near Mela Ground Hisar	RED
82	Quality Stainless Pvt Ltd Near 7, Industrial Development Colony Hisar	RED
83	M/s Kailash Proteins Village Kalirawan Mandi Adampur Hisar	ORANGE

84	Eco Surgical (India) Plot No 181, Sector 27-28, Industrial Area-Hisar	ORANGE
85	Shree Ganga Industries Sunwin Tower, Industrial Area, Hisar	GREEN
86	M/S SARBJEET PLYWOOD INDUSTRY vill. agroha, distt. hisar.	ORANGE
87	Shri Balaji Phosphate And Organic Ind. VPO Gavad, Hisar	ORANGE
88	HARYANA TYRE INDUSTRIES H NO. 134 VILLAGE LITANI BLOCK-1, TEH-HISAR	ORANGE
89	TRIDENT ENTERPRISES, Village- KOTH KALAN, Distt. Hisar	ORANGE
90	Shri Ram Industries Village Mirjapur, Hisar	ORANGE
91	SHREE SHYAM OIL INDUSTRIES khasra no 83//15/2/1, 16/2, 25/1, 107//5/1 Vpo-Talwandi Rukka, Hisar, Haryana-	ORANGE
92	M/s Choudhery Cheese Bazar Pvt. Ltd.,Village-Kohli, Adampur, Distt. Hisar	RED
93	Hisar Surgical, VPO Shahpur, Distt Hisar, Haryana	ORANGE
94	Shree Shyam Snacks,Foods pvt,ltd(Unit 3), Plot No. 03, Shree Shyam Snacks, Food Park, APC, Vill. Jagan, Adampur, Hisar	ORANGE
95	Hisar Aluminium Pvt. Ltd.,Village Patan, Tehsil and Distt Hisar	RED
96	Dailyway Petro LLP, Village Chaudhariwas, Distt Hisar, Haryana	RED
97	AOV Feeds Private Limited, Vill Parbhuwala Uklana, HISAR	ORANGE
98	MSVS SURGICAL GOODS, VPO Mattershyam, Tehsil and District Hisar,Haryana 125001	ORANGE
99	Kalsi Plywood Industry, VPO NANGTHALA DISTRICT HISAR	ORANGE

MONTHLY PNG CONSUMPTION DETAILS OF CONNECTED INDUSTRIAL CUSTOMERS								
Sr. No.	Customer Name	TYPE	Jan-26	Feb-26	Mar-26	Apr-26	May-26	Jun-26
1	Quality Foils (India) Limited	Industrial	56943.8	48660.2	50388.7	44727.3	49931.3	41108.8
2	Jai Bharat Industries	Industrial	5428.3	4928.4	4572.2	3839.3	6197.9	5956.6
3	Rawalwasia Ispat Udyog Private Limited.	Industrial	33544.8	27211	28449.5	27691.8	28486.1	27296.4
4	Vardhman Steels	Industrial	9100.1	6288.8	9924.4	8057.1	9286.8	10808.2
5	Hisar Metal Industries Ltd	Industrial	5700	2846	1903	0	3860	0
6	Alton Hi-Tech Sanitary Ware Pvt. Ltd.	Industrial	909.825	1260.94	1347.97	541.66	0	1618.465
7	Broga Bath Fitting Private Limited	Industrial	896.105	663.93	872.46	865.28	805.065	1027.455
8	Jindal Polybuttons Pvt Ltd	Industrial	3582	3822.893	3621	4056	2587	2093
9	Sandley Chem (India) Pvt. Ltd	Industrial	15252.5	8889.2	12227	3208.1	7231.4	0
10	Haryana Industrial Company	Industrial	3471.3	2532.43	3482.4	3796.72	3815.92	2844.36
11	New Saini Sweets (WORKSHOP)	Industrial	9894.35	8871.34	8755.45	9110.5	7565.64	6422.81
12	JINDAL INDUSTRIES PVT. LTD.	Industrial	121890	145049	131743	122386	114285	81560
13	Silver Line Enterprises	Industrial	1176.25	960.817	1032.891	980.98	813.139	912.037
14	Hisar Metal Industries Ltd. (SEC-9/11)	Industrial	61048	47688	48875	43684	44319.36	44900
15	BAWA ENTERPRISES	Industrial	750.075	735.05	741.21	390.66	313.66	329.283
16	HISSAR PIPES PRIVATE LIMITED	Industrial	14176.068	25140.3	34721.5	35968.94	51068	46279.1
17	Vipin S.T. Poles Pvt. Ltd.	Industrial	0	0	22864	20619	23109	22254
18	Ravindra Tubes Private Limited	Industrial	0	0	1838.6	8623.5	8235.8	8641.2
19	Oliver Power Solution	Industrial	0	0	0	2774.52	3735.96	2884.33
20	HP Cotton Textile Mills Limited	Industrial	0	0	0	0	0	2086.84
21	Hindustan Industrial Product	Industrial	0	0	0	0	0	207.6
22	JNB Steel Industries Private Limited	Industrial	0	0	0	0	0	17360
<b>Total</b>			<b>343763.47</b>	<b>335548.3</b>	<b>367360.3</b>	<b>341321.4</b>	<b>365647</b>	<b>326590.48</b>

Sr. No.	Name unit	Adress	Category	Fuel Used	Quantity of fuel per day as per CTO in Ton	Location	Compliance Status	Fuel as per analysis report	Status
1.	M/s Jai Durga Industries	VPO NEOLI KALAN	Red	LSDF	0.1	Outside industrial area in rural area	The unit was inspected on 07.03.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit found complying. As per Analysis report No. 1000 Dated 11.03.2026 the parameters were found within prescribed limit.	LSDF	Complying
2.	JAI BHARAT INDUSTRIES	Plot No.64, Sector 27-28, Industrial Area,	Red	LSDF,Electricity	0.05	Within industrial area	The unit was inspected on 8.6.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit found complying As per Analysis report No. 137 Dated 12.6.2026, the parameters were found within prescribed limit.	Electricity	Complying
3.	RAWALWASIA STEEL PLANT PRIVATE LIMITED	6TH KM STONE DELHI ROAD HISAR	Red	LDS/LSDF	0.4	Outside industrial area but in urbanised area	The unit was inspected on 22.06.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. Unit found complying As per Analysis report No. 143 Dated 25.06.2026, the parameters were found within prescribed limit.	LDS, Electricity	Complying
4.	SHAKTI INDUSTRIES	9TH KM STONE RAJGARH ROAD HISAR	Red	LSDF	0.1	Outside industrial area but in urbanised area	The unit was inspected on 26.02.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit was found complying. As per Analysis report No. 973 Dated 03.03.2026 the parameters were found within prescribed limit.	LSDF	Complying
5.	Ravindra Tubes Private Limited	10th KM Stone, Delhi Road, Hisar	Red	LSDF	1.3	Outside industrial area but in urbanised area	The unit was inspected on 22.06.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. As per Analysis report No. 144 Dated 25.06.2026 the parameters were found within prescribed limit.	PNG	Complying
6.	QUALITY FOILS (INDIA) LTD	3, Industrial Development Colony,	Red	Electricity, LSDF	1.8	Within industrial area	The unit was inspected on 26.06.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. As per Analysis report No. 150 & 151 Dated 30.06.2026 the parameters were found within prescribed limit.	PNG	Complying
7.	K P ENTERPRISES	PLOT NO 31 SECTOR 27 28 HISAR	Red	LSDF	2	Within industrial area	The unit was inspected on 22.06.2026 by Ms. Kirti, Sc-B . During inspection the unit was found close its own due to seasonal off		Closed
8.	AANJNEY GALVANIZERS AND CONSULTANTS	VPO MATTERS HAM DISTT HISAR HARYANA	Red	LSDF	2	Outside industrial area in rural area	Unit was inspected on 16.3.2026 by Sh. Kapil Singh, AEE, wherein, unit found closed.		Closed
9.	Hindustan Metal and Chemicals	9 K.M. Stone, Delhi Road, Hisar	Red	LSDF	0.2	Outside industrial area but in urbanised area	The unit was inspected on 12.6.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit was found complying. As per Analysis report No. 139 Dated 16.06.2026 the parameters were found within prescribed limit.	Diesel	Complying

10.	National Chemicals	9TH KM STONE BARWALA ROAD VILLAGE TALWANDI RANA DISTT	Red	LSDF	0.2	Outside industrial area but in urbanised area	The unit was inspected by Sh. Kapil Singh, AEE on dated 07.03.2026 w.r.t. direction of Head Office, HSPCB in matter of Hon'ble NGT in OA No. 582/2024 titled as Rakesh Kumar Vs Union of India. During inspection, the unit was found operational. However, following deficiencies were found during the inspection: 1. The wet-scrubber is not properly functioning. 2. The sample of Air emission was collected for assessing functional adequacy of APCM, but as per report No. 997 dated 11.03.2026, the suspended particulate matter limit found 174.8 which exceeds the prescribed limit i.e. 150. 3. Not provided proper logbook of wet-scrubber. A show cause notice was issued vide this office letter No. 3035-36 dated 12.03.2026. The unit has not submitted reply of SCN. Therefore, it is recommended that closure order against the above mentioned unit may be issued under section 33-A of Water (Prevention & Control of Pollution) Act, 1974 and under section 31A of the Air (Prevention & Control of Pollution) Act, 1981 and revocation of the Consent to Operate granted under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 and Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 vide No. 14609756 valid upto 30.09.2026 as per Board policy. The unit has not submitted the reply of SCN. Therefore, it is requested to initiate closure order against the unit under section 31-A of Air (Prevention & Control of Pollution) Act, 1981 and 33-A of Water (Prevention & Control of Pollution) Act, 1974 as per board policy. Closure order was issued vide Endst. No.:HSPCB/HIS/2026/INS/142638196CONCO001-004 dated:25-Jun-2026 and same was implemented on 03.07.2026	LSDF (Diesel)	Non Complying
11.	Shree Balaji Oil Industries,Nalwa	Village Nalwa,Hisar	Red	LSDF, Electricity	0.05	Outside industrial area in rural area	The unit was inspected on 28.02.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 983 Dated 03.03.2026 the parameters were found exceeding the prescribed limit. This office has recommended for vetting and approval for prosecution vide No. 24 and dated 09.04.2026. Closure action against the unit is under process	LSDF (Diesel)	Non Complying
12.	Hissar Pipes Pvt. Ltd.	17-18 K.M. Stone, Delhi Doad, Hisar	Red	LSDF	1.1	Outside industrial area but in urbanised area	The unit was inspected on 9.12.2025 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit was found complying. As per Analysis report No. 586 & 587 Dated 15.12.2025 the parameters were found within prescribed limit.	LSHS	Complying
13.	SINGLA METALS	PLOT NO. 78, SECTOR 27-28, HISAR	Red	LSDF, Electricity	0.05	Within industrial area	The unit was inspected on 17.03.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit found complying. As per Analysis report No. 1053 Dated 24.03.2026 the parameters were found within prescribed limit.	Diesel	Complying

14.	S.O. INDUSTRIES	Mustil No. 124 Killa No. 24/2 , Vill. Sisar- Kharbala, Teh. Banss, Distt. Hissar,	Red	Coal	0.5	Outside industrial area in rural area	The unit was inspected on 13.01.2026 by Sh. Kapil Singh, AEE and during inspection the unit found temporarily closed during inspection.		Closed
15.	Maa Metal	Kutubpur Road, Hansi	Red	Coal, LSDF,Electricity	Coal = 2, LSDF = 0.01	Outside industrial area in rural area	The unit was inspected on 08.06.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit found complying. As per Analysis report No. 136 Dated 12.06.2026 the parameters were found within prescribed limit.	Coal	Complying
16.	Shree Gopala Sanwaria Chemicals	Near Janak Steel Tubes Ltd., Delhi Road, Hisar	Red	LSDF, Electricity	2	Outside industrial area but in urbanised area	The unit was inspected on 26.06.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. Unit found complying. As per Analysis report No. 149 Dated 30.06.2026 the parameters were found within prescribed limit.	Diesel, Electricity and Biomass Residue	Complying
17.	SHRI HARI METAL	VPO.- KHANDA KHERI, HANSI, HISAR-125038 HR.	Red	Coal	2	Outside industrial area in rural area	The unit was found dismantled during inspection on by 13.3.2026 by Sh. Kapil Singh, AEE.		dismantled
18.	BROGA BATH FITTING PRIVATE LIMITED	P. No. 98, Sector 27-28, Industrial Area, Hisar	Red	LSDF, Electricity	0.1	Within industrial area	The unit was inspected on 22.06.2026 by Ms. Kirti, Sc-B . During inspection the unit was found close its own due to unavailability of Raw Material		Closed
19.	Singhal Industries	10 IDC, Distt. Hisar	Red	coal	1	Within industrial area	The unit was inspected on 07.03.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit found complying. As per Analysis report No. 999 Dated 11.03.2026 the parameters were found within prescribed limit.	Diesel	Complying
20.	Deepak Industries	KhararAlipur Road Hansi	Red	coal	0.5	Outside industrial area in rural area	Unit was inspected on 13.01.2026 by Sh. Kapil Singh, AEE and during inspection the unit found dismantled		dismantled
21.	BRS Alloys Pvt. Ltd.	P. No. 1, 2 & 3, Delhi Road, Hisar	Red	Coal, LSDF,Electricity	Coal = 1, LSDF = 1	Outside industrial area but in urbanised area	The unit was inspected on 08.06.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit found complying. As per Analysis report No. 138 Dated 12.06.2026 the parameters were found within prescribed limit.	Coal	Complying
22.	DASHMESH METAL	VPO MOTH RANGRAN	Red	coal	1	Outside industrial area in rural area	The unit was inspected on 13.01.2026 by Sh. Kapil Singh, AEE and during inspection the unit was found temporarily closed.		Closed
23.	SHRI BALAJI ENTERPRISES	PLOT NO.20, SECTOR 27-28, URBAN ESTATE , DELHI ROAD,	Red	coal	0.3	Within industrial area	The unit was inspected on 24.11.2025 by Sh. Kapil Singh, AEE and during inspection the unit was found temporarily closed.		Closed
24.	KRISHNA INDUSTRY	Khasra No 13//2/6 (2-0) at VPO Patan, Distt Hisar	Red	coal	1	Outside industrial area in rural area	The unit was inspected on 16.09.2025 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 478 Dated 18.09.2025 the parameters were found within prescribed limit.	Pyrogas	Complying
25.	Kisan Phosphates Pvt Ltd DCP	Gavad Road Balsamand Hisar	Red	LSDF, Electricity	0.2	Outside industrial area in rural area	The unit was inspected on 06.04.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 32, 33 & 34 Dated 09.04.2026 the parameters were found within prescribed limit.	Disel, Electricity, Coal	Complying

26.	Kisan Phosphates Private Limited	VPO Gawar, Hisar	Red	coal	6	Outside industrial area in rural area	The unit was inspected on 06.04.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 32, 33 & 34 Dated 09.04.2026 the parameters were found within prescribed limit.	Disel, Electricity, Coal	Complying
27.	Synergy Waste Management Pvt. Ltd.,	Plot No.168 Sector 27-28, HUDA Industrial Area, Hisar	Red	LSDf, Electricity	0.3	Within industrial area	The unit was inspected on 21.02.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 959 Dated 24.02.2026 the parameters were found within prescribed limit.	LSDf	Complying
28.	Hisar Aluminium Pvt. Ltd.	Village Patan, Tehsil and Distt Hisar	Red	coal	1	Outside industrial area in rural area	The unit was inspected on 07.03.2026 by Sh. Kapil Singh, AEE and during inspection the unit found temporarily closed due to shortage of fuel.		Closed
29.	Krishana Krishana Metal Industry	Near OK Industry, Hansi	Red	coal	1.5	Outside industrial area in rural area	Unit found dismantled during inspection on 13.3.2026 by Sh. Kapil Singh, AEE.		dismantled
30.	Tirupati Chemical	Tosham Road, Village Kanwari, Tehsil Hansi, Distt. Hisar	Orange	LSDf, Electricity	0.2	Outside industrial area in rural area	Unit found non operational during inspection on 28.2.2026 by Sh. Kapil Singh, AEE.		Closed
31.	Shri Ram Enterprises	Plot No. 41,	Orange	Coal,Biomass	Coal = 0.4, LSDf = 1.6	Within industrial area	The unit was inspected on 28.02.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit was found complying. As per Analysis report No. 980 Dated 03.03.2026 the parameters were found within prescribed limit.	Biomass Briquette	Complying
32.	Mannat Construction Company	VPO Chanot, Hansi, Hisar	Orange	LSDf,Electricity	15	Outside industrial area in rural area	Unit found temporarily closed owing to shortage of raw materials during visit on 15.6.2026 by Sh. Kapil Singh, AEE.		Closed
33.	FRESH FOOD AGRO INDUSTRIES	PLOT NO 225 226 SECTOR 27 28 INDUSTRIAL AREA HISAR	Orange	Coal	1	Within industrial area	The unit was inspected on 24.06.2026 by Ms. Kirti, Sc-B and during inspection the unit was found non operational		Closed
34.	KAY ELL OVERSEAS	54 SECTOR 27-28	Orange	Coal	1	Within industrial area	The unit was inspected on 20.02.2026 by Sh. Kapil Singh, AEE and during inspection the unit found dismantled.		dismantled
35.	M/s Kailash Proteins	Village Kalirawan Mandi Adampur Hisar	Orange	LSDf,Agrowaste	Agrowaste = 2, LSDf = 0.01	Outside industrial area in rural area	The unit was inspected on 11.03.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit found complying. As per Analysis report No. 1004 Dated 18.03.2026 the parameters were found within prescribed limit.	Mustard Husk	Complying
36.	Sawant Industries Jakhod Khera	Jakhod Khera	Orange	LSDf	0.1	Outside industrial area in rural area	The unit was inspected on 24.06.2026 by Ms. Kirti, Sc-B and during inspection the unit was closed its own due to shortage in availability of raw material and shortage in demand of finished goods		Closed
37.	OM INDIA INDUSTRIES	VPO PATAN	Orange	LSDf,Agricultural/biomass refuse/briquettes	Agricultural/biomass refuse/briquettes = 1, LSDf = 0.05	Outside industrial area in rural area	The unit was inspected on 24.06.2026 by Ms. Kirti, Sc-B . During inspection the unit was found close its own due to seasonal off		closed
38.	Franklin (India) Refractories	12Th K.M. Stone, Delhi Road, Hisar	Orange	Coal	1	Outside industrial area but in urbanised area	The unit was inspected on 10.02.2026 by Sh. Kapil Singh, AEE and during inspection the unit is temporarily closed.		closed

39.	Mahender Singh Contractor	VPO Nalwa 2KM stone, Tosham Road, Near Dhaani Mayapuri-Hisar 125037.	Orange	LSDF,Electricity	0.4	Outside industrial area in rural area	Unit found dismantled during visit on 28.2.2026 by Sh. Kapil Singh, AEE .		dismantled
40.	SHRI BALAJI CONSTRUCTIONS	VILLAGE KANWARI, TEHSIL HANSI, HISAR	Orange	LSDF,Electricity	0.5	Outside industrial area in rural area	The unit was inspected on 28.02.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit found complying. As per Analysis report No. 981 Dated 03.03.2026 the parameters were found within prescribed limit.	LSDF	Complying
41.	JINDAL ROLLING MILLS LIMITED	9TH KM STONE, OP JINDAL MARG, HISAR	Orange	LSDF,Electricity	0.5	Outside industrial area but in urbanised area	The unit was inspected on 01.01.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 642 Dated 05.01.2026 the parameters were found within prescribed limit.	LSDF	Complying
42.	Richlin Rubbers	House No. - 559, Village-Hazampur, Tehsil- Hansi, Hisar	Orange	Coal,Agricultural /biomass refuse/briquettes	Agricultural/biomass refuse/briquettes = 10, Coal = 0.5	Outside industrial area in rural area	The unit was inspected on 06.01.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit found complying. As per Analysis report No. 660 Dated 09.01.2026 the parameters were found within prescribed limit.	Biomass Briquettes	Complying
43.	Jindal Stainless Limited (Hot Rolling Division)	OP Jindal Marg, Hisar	Orange	Propane/LSDF/HS	90	Outside industrial area but in urbanised area	The unit was inspected on 22.01.2026 & 23.01.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 812,813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828 & 829 Dated 29.01.2026 the parameters were found within prescribed limit.	LSHS	Complying
44.	Haryana Strips Pvt. Ltd	10th K M STONE, DELHI ROAD, HISAR	Orange	Coal	1	Outside industrial area but in urbanised area	The unit was inspected on 02.04.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 16 Dated 08.04.2026 the parameters were found within prescribed limit.	Coal	Complying
45.	Vipin ST Poles Pvt Ltd	Hansi Road, Kutubpur, Hansi, Hisar-125044	Orange	LSDF,Electricity	0.5	Outside industrial area in rural area	The unit was inspected on 14.01.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 738 Dated 20.01.2026 the parameters were found within prescribed limit.	NA	Complying
46.	Banarsi Dass Cotton Mills Pvt Ltd	7th KM stone, Hisar	Orange	LSDF,Agricultural/biomass refuse/briquettes	Agricultural/biomass refuse/briquettes = 1, LSDF = 0.015	Outside industrial area but in urbanised area	The unit was inspected on 17.03.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 1051 Dated 24.03.2026 the parameters were found within prescribed limit.	Agrowaste residue	Complying
47.	HISAR AGRO FOOD PRODUCTS	SatrodLadwa Road Southern Bypass Hisar	Orange	coal	1	Outside industrial area in rural area	The unit was inspected on 07.03.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 998 Dated 11.03.2026 the parameters were found within prescribed limit.	LSDF	Complying
48.	Balaji Electric Industries	Plot No. 55, Sector 27-28, Industrial Area, Hisar, Haryana	Orange	LSDF,Electricity	0.3	Within industrial area	The unit was inspected on 28.02.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 982 Dated 03.03.2026 the parameters were found within prescribed limit.	Electricity	Complying

49.	Actilife Organics	Khasra No 35 , VPO Kohli, Kohli-Kherampur Road, Adampur, Hisar	Orange	LSDF,Agricultural/biomass refuse/briquettes	Agricultural/biomass refuse/briquettes = 0.75, LSDF = 0.05	Outside industrial area in rural area	The unit was inspected on 14.01.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 737 Dated 20.01.2026 the parameters were found within prescribed limit.	Biomass Briquettes	Complying
50.	SARLIA STEEL ROLLING MILLS	DELHI ROAD, INDUSTRIAL AREA, HISAR	Orange	Coal	2.5	Within industrial area	The unit was inspected on 01.01.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 643 Dated 05.01.2026 the parameters were found within prescribed limit.	Coal	Complying
51.	Mahipal Ceramics Pvt. Ltd.,	Post Box No. 48, Mirzapur Road, Hisar	Orange	Coal	1.5	Outside industrial area but in urbanised area	The unit was inspected on 06.01.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 659 Dated 09.01.2026 the parameters were found within prescribed limit.	Coal	Complying
52.	Indovax Pvt. Ltd.,	Vill. Siswala, Distt. Hisar	Orange	LSDF	2	Outside industrial area in rural area	The unit was inspected on 17.03.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 1050 Dated 24.03.2026 the parameters were found within prescribed limit.	Diesel	Complying
53.	Krishna Metals	25-02/2280, Radhika Road, Nand Nagar, Hansi	Orange	Coal	3	Outside industrial area but in urbanised area	The unit was inspected on 17.03.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 1049 Dated 24.03.2026 the parameters were found within prescribed limit.	Coal	Complying
54.	Green Field	Industrial Development Colony, Delhi Road, Hisar	Orange	Coal, Biomass briquettes/biomass refuse	Biomass briquettes/biomass refuse = 14 Coal = 1	Within industrial area	The unit was inspected on 24.06.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. As per Analysis report No. 147 Dated 25.06.2026 the parameters were found within prescribed limit.	Processed wood waste & Biomass Pellets	Complying
55.	Panchmukhi Ceramic Pvt Ltd	VPO Fransi, District Hisar	Orange	Coal,Biomass / Agriculture Refuse	Biomass / Agriculture Refuse = 0.3, Coal = 0.1	Outside industrial area in rural area	The unit was inspected on 03.07.2026 by Ms. Kirti, Sc-B and during inspection the unit was found closed its own		closed
56.	Alpha Agro Foods International Private Limited	Plot No 179 B Sector 27 28 Delhi Road	Orange	Coal,Biomass /Agriculture Refuse	Biomass / Agriculture Refuse = 0.8, Coal = 0.2	Within industrial area	The unit was inspected on 22.06.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. As per Analysis report No. 142 Dated 25.06.2026 the parameters were found within prescribed limit.	Agroresidue	Complying
57.	SHREE BALAJI INDUSTRIES	khasra no 309//3/2, 309//4 ,309//7 , 309//8, 309//13, 309//16, 309//17, 309//18,	Orange	LSDF,Electricity	0.2	Outside industrial area in rural area	The unit was inspected on 13.05.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. Unit found complying. As per Analysis report No. 57 Dated 19.5.2026, the parameters were found within prescribed limit.	LSHS, Electricity	Complying
58.	Vensa Infrastructure Ltd.	Near NH-9, Police Line, Hisar	Green	LSDF	0.125	Outside industrial area but in urbanised area	The unit was inspected on 02.07.2026 by Ms. Kirti, Sc-B and during inspection the sample of Air emission was collected. Result awaited		Complying

Sr. No.	Name & Address of Unit	Category	PNG Status	Allegati on by HCG (PNG supply agency)	CTO Status	Inspection note	Fuel as per analysis report	Status
1	Alpha Agro Foods International Private Limited Plot No 179B, Sector27 28 Delhi	ORANGE	Updated infrastructure but PNG not supplied	Wood	Valid upto 31.03.2030	The unit was inspected on 22.06.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. As per Analysis report No. 142 Dated 25.06.2026 the parameters were found within prescribed limit.	Agroresidue	Complying
2	FRESH FOOD AGRO INDUSTRIES, PLOT NO 225 226, SECTOR 27 28 INDUSTRIALAREA HISAR	ORANGE	Updated infrastructure but PNG not supplied	Wood	Valid upto 31.03.2027	The unit was inspected on 24.06.2026 by Ms. Kirti, Sc-B and during inspection the unit was found non operational		Closed
3	FTHN HEALTHCARE PRODUCTS PVT LTD, Plot No. 53 Sector27-28 Hisar	ORANGE	Updated infrastructure but PNG not supplied	Wood	Valid upto 31.03.2035	The unit was inspected on 01.07.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected.Result awaited		Complying
4	Karan Surgical, Plot No.85,Sector27-28, Distt. Hisar	ORANGE	Updated infrastructure but PNG not supplied	Wood	Valid upto 31.03.2030	The unit was inspected on 30.06.2026 by Ms. Kirti, Sc-B and during inspection unit found non complying. A SCN was issued vide inspection No. 147457655 dated 01.07.2026		Non complying
5	Gopal ji fruit products plot No. 180 sec 27-28,Hisar	ORANGE	Updated infrastructure but PNG not supplied	Wood	valid upto 31.03.2028	The unit was inspected on 27.05.2026 by Sh. Prince Yadav, AEE and sample of Air emission was collected. As per Analysis report No. 108 Dated 01.06.2026 the parameters were found within prescribed limit.	Biomass Briquettes	Complying
6	HP COTTON TEXTILE MILLS LTD, 15 KM STONE DELHI ROAD VPO MAYAR HISAR HARYANA	RED	Updated infrastructure but PNG not supplied	Wood	Valid upto 30.09.2026	The unit was inspected on 18.06.2026 by Ms. Kirti, Sc-B & Sh. Prince Yadav, AEE and sample of Air emission was collected. As per Analysis report No. 246 Dated 25.06.2026 the parameters were found within prescribed limit.	Biomass	Complying
7	K P ENTERPRISES PLOT NO 31 SECTOR 27 28	RED	Updated infrastructure but PNG not supplied	LSFO	valid upto 30.09.2030	The unit was inspected on 22.06.2026 by Ms. Kirti, Sc-B . During inspection the unit was found close its own due to seasonal off		Closed
8	Jindal Supreme (India) Pvt. Ltd., 9th KM Stone,OPJindalMarg,	RED	NA	LSFO	Valid upto 30.09.2028	The unit was inspected on 03.07.2026 by Sh. Prince Yadav, AEE and sample of Air emission was collected. Result awaited		Complying

9	Tara Crop Care Private Limited (MENTHA OVERSEAS PRIVATE LIMITED Satrod) Satrod	ORANGE	NA	Wood	valid upto 31.3.2028.	The unit was inspected by Sh Kapil Singh, AEE on 18.12.2025, wherein unit was found complying, and using sawdust briquettes as fuel. As per A/R No. 619 dated 23.12.2025, the parameters were within prescribed limits.	Sawdust and briquettes	Complying
10	NATIONAL SCIENTIFIC INDUSTRIES PLOT NO 22-23 INDUSTRIAL AREA HISAR	ORANGE	Updated infrastructure but PNG not supplied	Wood	Valid upto 31.03.2026	The unit was inspected on 30.06.2026 by Ms. Kirti, Sc-B and during inspection unit found non complying. A SCN was issued vide inspection No. .147456433 dated 01.07.2026		Non complying
11	Ravindra Tubes Private Limited 10th KM Stone, Delhi Road, Hisar	RED	Updated infrastructure but PNG not supplied	LSFO	Valid Upto 30.09.2030	The unit was inspected on 22.06.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. As per Analysis report No. 144 Dated 25.06.2026 the parameters were found within prescribed limit.	PNG	Complying
12	RAWALWASIA STEEL PLANT PRIVATE LIMITED 6TH KM STONE DELHI ROAD	RED	NA	LSFO	Valid Upto 30.09.2030	The unit was inspected on 22.06.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. Unit found complying As per Analysis report No. 143 Dated 25.06.2026, the parameters were found within prescribed limit.	LDS, Electricity	Complying
13	SANDLEY INDUSTRIES 29 UDYOG NAGAR DELHI ROAD HISAR	RED	NA	LSFO	Valid upto 30.09.2027	The unit was inspected on 02.07.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. Unit found complying. Result awaited		Complying
14	Shree Gopala Sanwaria Chemicals Near Janak Steel Tubes Ltd., Delhi Road, Hisar	RED	Updated infrastructure but PNG not supplied	LSFO	Valid upto 30.09.2026	The unit was inspected on 26.06.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. Unit found complying. As per Analysis report No. 149 Dated 30.06.2026 the parameters were found within prescribed limit.	Diesel, Electricity and Biomass Residue	Complying
15	Shubh Food Agro Industries Plot No 179-A, Sector 27 28 Industrial	ORANGE	Updated infrastructure but PNG not supplied	Wood	Valid upto 31.03.2035	The unit was inspected on 03.07.2026 by Ms. Kirti, Sc-B . During inspection the unit was found close its own due to seasonal off		Closed

16	SINGLA METALS, PLOT NO.78, SECTOR 27-28, HISAR	RED	Updated infrastructure but PNG not supplied	LSFO	Valid upto 31.03.2027	The unit was inspected on 17.03.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit found complying. As per Analysis report No. 1053 Dated 24.03.2026 the parameters were found within prescribed limit.	Diesel	Complying
17	Sohan lal plywood industries near dainik jagran old industrial area Delhi road	ORANGE	Updated infrastructure but PNG not supplied	Cow Dug	Valid upto 31.03.2036	The unit was inspected on 03.07.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. Result awaited		Complying
18	Synergy Waste Management Pvt.Ltd., Plot No.168 Sector 27-28,HUDA Industrial Area, Hisar	RED	Updated infrastructure but PNG not supplied	LSFO	Valid Upto 30.09.2030	The unit was inspected on 21.02.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 959 Dated 24.02.2026 the parameters were found within prescribed limit.	LSDF	Complying
19	Soft Care Surgical, Plot No.95,Sec27-28, Hisar	ORANGE	Updated infrastructure but PNG not supplied	Wood	Valid upto 31.03.2034	The unit was inspected on 03.07.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. Result awaited		Complying
20	Green Field, Industrial Development Colony, Delhi Road, Hisar	ORANGE	Updated infrastructure but PNG not supplied	Wood	Valid upto 31.03.2030	The unit was inspected on 24.06.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. As per Analysis report No. 147 Dated 25.06.2026 the parameters were found within prescribed limit.	Processed wood waste & Biomass Pellets	Complying
21	Shri Ram Enterprises Plot No. 41,	ORANGE	Updated infrastructure but PNG not supplied	LSFO	Valid upto 31.03.2028	The unit was inspected on 28.02.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. Unit was found complying. As per Analysis report No. 980 Dated 03.03.2026 the parameters were found within prescribed limit.	Biomass Briquette	Complying
22	Hisar Silicate and Chemical Works, 6 IDC, Hisar	ORANGE	NA	Wood	Valid upto 31.03.2030	The unit was inspected on 02.07.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. Unit found complying. Result awaited		Complying
23	Assurance INTL Limited, plot no 44,Sector 27-28,Hisar	GREEN	Updated infrastructure but PNG not	Wood	Valid upto 31.12.2030	The unit was inspected on 02.07.2026 by Ms. Kirti, Sc-B and there is no trade effluent and air emission found		No Air Pollution

24	Doctor Surgical Works, Plot No.61, Sector27-28, Hisar	ORANGE	Updated infrastructure but PNG not	Wood	Valid Upto 31.03.2036	The unit was inspected on 30.06.2026 by Ms. Kirti, Sc-B and sample of Air emission was collected. Unit was found complying. Result awaited		Complying
25	Indian Surgical, Plot No. 171, Sector 27-28, Industrial Area, Hisar	ORANGE	Updated infrastructure but PNG not	Wood	Valid upto 31.03.2028	The unit was inspected on 30.06.2026 by Ms. Kirti, Sc-B and during inspection unit found non complying. A SCN was issued vide inspection No. 147457725 dated 01.07.2026		Non complying
26	Balaji Electric Industries, PlotNo.55,Sector 27-28, Industrial Area, Hisar, Haryana	ORANGE	Updated infrastructure but PNG not supplied	LSFO	Valid upto 31.03.2029	The unit was inspected on 28.02.2026 by Sh. Kapil Singh, AEE and sample of Air emission was collected. As per Analysis report No. 982 Dated 03.03.2026 the parameters were found within prescribed limit.	Electricity	Complying

Sr. No.	Name	Address of unit	Category	Action taken by Board
1	Dhamu Enterprises	Raipur Road, Delhi Bypass, Satroad, Hisar	ORANGE	<p>The unit was inspected by Sh. Kapil Singh, AEE and Ms. Kirti, Scientist B on 10.03.2026, during inspection it was observed that unit is engaged in manufacturing of particle board. Such type of activity is covered under Orange category at Sr. No. 78 "Plywood/board manufacturing (including Veneer and laminate) with biomass fired boiler/ thermic fluid heater (without resinplant) of the Board as per notification dated 01.08.2025. During inspection following deficiencies were found: 1. Unit is found established and is operating without obtaining valid CTE/CTO from the Board. 2. Not installed the adequate Air Pollution Control Devices. 3. Not provided the proper stack height and sampling facility for air sample. 4. Unit found using illegal fuel i.e. Wood. A show cause notice was issued vide this office letter No. 3037-38 dated 13.03.2026. The unit has not submitted reply of SCN. Closure order was issued vide Endst. No. HSPCB/HIS/2026/INS/142766599CONCO001-004 dated 07.07.2026 and same was complied on 09.07.2026</p>
2	Haryana Oil and General Mills	OP Jindal Marg, Delhi Road, Distt.- Hisar , , HISAR	ORANGE	<p>The unit M/s Haryana Oil and General Mills, OP Jindal Marg, Delhi Road, Distt.- Hisar was inspected by Sh. Kapil Singh, AEE and Ms. Kirti, Scientist-B on dated 10.03.2026. At the time of inspection, it is observed that unit is engaged in the process of Oil extraction. Such type of activity is covered under Orange category at Sr. No. 63 "EDIBLE OIL MILLS -Vegetable oil manufacturing including solvent extraction and refinery/hydrogenated oils" of the Board as per Notification dated 01.08.2025. During inspection, the unit was found operational and following deficiencies were observed:- 1. Unit is found established and is operating without obtaining valid CTE/CTO from the Board 2. Not provided adequate Air Pollution Control Devices. 3. Not provided the proper stack height and sampling facility for air sample. Therefore, a show cause notice for closure under Section 31A of the Air (Prevention and Control of Pollution) Act, 1981 and Section 33A of the Water (Prevention and Control of Pollution) Act, 1974, prosecution for violation of section 21 and 22 under Section 37 &amp; 40 of the Air (Prevention and Control of Pollution) Act, 1981 and violation of 25 and 26, under Section 41 &amp; 47 of the Water (Prevention and Control of Pollution) Act, 1974, levy of Environmental Compensation as per HSPCB policy dated 22.12.2021 issued against the unit vide No. 3014 dated 10.03.2026. Unit has submitted the reply of SCN on 26.03.2026, but the same was not satisfactory. Closure order was issued vide Endst. No. HSPCB/HIS/2026/INS/143539438CONCO001-004 dated 25.06.2026 and same was complied on 02.07.2026</p>

3	ARS Agro Products	Plot No. 131, Sector 27-28, Industrial Area, Distt.- Hisar	ORANGE	<p>The unit M/s ARS Agro Products, Plot No. 131, Sector 27-28, Industrial Area, Distt.- Hisar was inspected by Sh. Kapil Singh, AEE and Ms. Kirti, Scientist B on dated 10.03.2026. At the time of inspection, it is observed that unit is engaged in manufacturing of Fruit Juice. Such type of activity is covered under Orange category at Sr. No. 29 "Food and food processing including fruits and vegetable processing" of the Board as per Notification dated 01.08.2025. During inspection, the unit was found operational and following deficiencies were observed:- 1. Unit is found established and is operating without obtaining valid CTE/CTO from the Board 2. Not provided adequate Effluent Treatment Plant. 3. Not provided the proper stack height and sampling facility for air sample. 4. Unit found using illegal fuel i.e. Wood. Therefore, a show cause notice for closure under Section 31A of the Air (Prevention and Control of Pollution) Act, 1981 and Section 33A of the Water (Prevention and Control of Pollution) Act, 1974, prosecution for violation of section 21 and 22 under Section 37 &amp; 40 of the Air (Prevention and Control of Pollution) Act, 1981 and violation of 25 and 26, under Section 41 &amp; 47 of the Water (Prevention and Control of Pollution) Act, 1974, levy of Environmental Compensation as per HSPCB policy dated 22.12.2021 issued against the unit vide No. 3012 dated 10.03.2026. Unit has not submitted the reply of SCN in this office within stipulated time period. Closure order was issued vide Endst. No. HSPCB/HIS/2026/INS/143539483CONCO001-004 dated 07.07.2026 and same was complied on 09.07.2026</p>
4	Shree Balaji Food Products	Plot No. 110, Sector 27-28, Industrial Area, Distt.- Hisar	ORANGE	<p>The unit M/s Shree Balaji Food Products, Plot No. 110, Sector 27-28, Industrial Area, Distt.- Hisar was inspected by Sh. Kapil Singh, AEE and Ms. Kirti, Scientist B on dated 10.03.2026. At the time of inspection, it is observed that unit is engaged in manufacturing of Tomato Sauce. Such type of activity is covered under Orange category at Sr. No. 29 "Food and food processing including fruits and vegetable processing" of the Board as per Notification dated 01.08.2025. During inspection, the unit was found operational and following deficiencies were observed:- 1. Unit is found established and is operating without obtaining valid CTE/CTO from the Board 2. Not provided the proper stack height and sampling facility for air sample. 3. Unit found using illegal fuel i.e. Wood. 4. Not provided Effluent Treatment Plant (ETP). Therefore, a show cause notice for closure under Section 31A of the Air (Prevention and Control of Pollution) Act, 1981 and Section 33A of the Water (Prevention and Control of Pollution) Act, 1974, prosecution for violation of section 21 and 22 under Section 37 &amp; 40 of the Air (Prevention and Control of Pollution) Act, 1981 and violation of 25 and 26, under Section 41 &amp; 47 of the Water (Prevention and Control of Pollution) Act, 1974, levy of Environmental Compensation as per HSPCB policy dated 22.12.2021 issued against the unit vide No. 3010 dated 10.03.2026. Unit has not submitted the reply of SCN in this office within stipulated time period. Resultantly Closure order recommended vide application No. 143539328 and same is under process.</p>

5	Grover Agro Food Pvt. Ltd.	Plot No. 4A &B, Satroad to Raipur Road, Delhi Bypass, Hisar	ORANGE	<p>M/s Grover Agro Food Pvt. Ltd., Plot No. 4A &amp;B, Satroad to Raipur Road, Delhi Bypass, Hisar Lat: - 29.146242, Long: - 75.799709 was inspected by Sh. Muneer Saroha, AEE, Sh. Prince Yadav, AEE and Ms. Kirti, Scientist B of HSPCB, Hisar Region on 18.03.2026, during inspection it was observed that unit is engaged in manufacturing of Fruit Juice. Such type of activity is covered under Orange category at Sr. No. 29 "Food and food processing including fruits and vegetable processing" of the Board as per notification dated 01.08.2025. During inspection following deficiencies were found: 1. Unit is found established and is operating without obtaining valid CTE/CTO from the Board. 2. Not installed adequate Air Pollution Control Devices. 3. Not provided the proper stack height and sampling facility for air sample. 4. Unit is found using illegal fuel i.e. Wood. 5. Not provided adequate Effluent Treatment Plant. Therefore, a Show cause notice for closure under section 33-A, prosecution action under section 43/44 &amp; 47 for violation of section 24, 25 &amp; 26 of Water (Prevention and Control of Pollution) Act, 1974 and for closure under section 31-A, prosecution action under section 37 for violations of section 21 &amp; 22 of the Air (Prevention &amp; Control of Pollution) Act, 1981 and levy of Environmental Compensation as per Board Policy dated 22.12.2021 issued against the unit vide No. 3077-78 dated 20.03.2026. Unit has not submitted the reply of SCN in this office within stipulated time period. Resultantly Closure order recommended vide application No. 144386353 and same is under process.</p>
6	M/s Bansal Steels,	Plot No. 19, Industrial Development Colony, Hisar	Green	<p>The unit was inspected on 03.07.2026 by Ms. Kirti, SC-B w.r.t. OA No. 582/2024. At the time of inspection, the unit was engaged in process of " Wire drawing and wire netting(without pickling and with heat treatment)" of the Board as per notification dated 01.08.2025. During inspection following deficiencies were found: - 1. Unit is found established and operational without obtaining valid CTE/CTO from the Board. Therefore, a show cause notice for closure under Section 31A of the Air (Prevention and Control of Pollution) Act, 1981 and Section 33A of the Water (Prevention and Control of Pollution) Act, 1974, prosecution for violation of section 21 and 22 under Section 37 &amp; 40 of the Air (Prevention and Control of Pollution) Act, 1981 and violation of 25 and 26, under Section 41 &amp; 47 of the Water (Prevention and Control of Pollution) Act, 1974, levy of Environmental Compensation as per HSPCB policy dated 22.12.2021 issued against the unit vide No. 446 dated 04.07.2026</p>