

Phones: 0361-2652783
2655144

Fa x: 2652503

कार्यालयीन उद्देश्य के सभी पत्राचार "संयुक्त मुख्य विस्फोटक नियंत्रक" के पदनाम से भेजे जाएं, उनके व्यक्तिगत नाम से नहीं।

All communications intended for this office should be addressed to the "Jt. Chief Controller of Explosives" NOT by officer's name.



भारत सरकार

GOVERNMENT OF INDIA

पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन

PETROLEUM AND EXPLOSIVES SAFETY ORGANISATION (PESO)

(पूर्व नाम - विस्फोटक विभाग)

(Formerly Department of Explosives)

कार्यालय संयुक्त मुख्य विस्फोटक नियंत्रक,

O/o Jt. CHIEF CONTROLLER OF EXPLOSIVES

H.No.216, 2nd Floor, Above IDBI,

Chandmari, Guwahati-781021



No. C.1(4)Vol-II

Date: 27.12.2022

To,

The Hon'ble National Green Tribunal
Principal Bench
New Delhi

27 DEC 2022

Sub:- Submission of action taken and recommendation regarding incident occurred in "Stone Quarry collapse in Mizoram" in O.A No. 846/2022 in the NGT, Principal Bench, New Delhi order dated 28/11/2022.

The inspection of the subject incident site was conducted by an officer of this office on 25/12/2022. In pursuance of order dated 28/11/2022 issued by the Hon'ble National Green Tribunal, Principal Bench, New Delhi, the action taken report and recommendations of Petroleum and Explosives Safety Organization (PESO) are as follows.

Action taken report :-

The mining/excavation from the stone quarry does not come under the purview of the Petroleum and Explosives Safety Organization (PESO). As such no action is warranted from PESO side.

However, the following recommendations to prevent such disaster in future may be considered. :-

1. Mining /excavation shall be strictly as per the extant provisions under Mines Act 1952.
2. Mining activities shall be conducted strictly as per approval of DGMS or State Mining Department. Approved mining plan shall be strictly followed.
3. All operations in quarry/mines shall be strictly under the direct supervision of competent supervisor/mining engineer.
4. Use of high explosives in quarry shall be decided by DGMS or geology and mining department based on study of land strata of the site.

for Jt. Chief Controller of Explosives
Guwahati