

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL  
PB AT NEW DELHI  
IN  
O.A. NO. 530 OF 2022

IN THE MATTER OF:

Radha Raman Dwivedi & Others

...APPLICANT

VERSUS

State Of U P & Others

...RESPONDENTS

**INDEX**

SL. NO.	PARTICULARS	PAGE NO.
1.	Response of Respondent No 4, Kanpur Nsgar Nigam	2-5
2.	<b>ANNEXURE R4-1</b> A Copy NGT order dated 12.07.2023.	6-8
3.	<b>ANNEXURE R4-2</b> A Copy of letter from Jal Kal Department	9
4.	<b>ANNEXURE R4 -3</b> A copy of letter from M/S JTN Services Pvt Ltd	10
5.	<b>ANNEXURE R4 -4</b> A photograph of view cutter	11
6.	<b>ANNEXURE R4-5</b> Copy of letter to Kanpur Development Authority & Others	12
7.	<b>ANNEXURE R4- 6</b> A copy of letter from UP Jal Nigam dt 27.9.2023	13
8.	<b>ANNEXURE R4-7</b> A copy of letter to Jt Secretary UD dated 27.9.2023	14

*di*  
*29/09/23*

Executive Engineer  
Kanpur Nagar Nigam  
Mail : knnengg2@gmail.com

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL  
PB AT NEW DELHI  
IN  
O.A. NO. 530 OF 2022

IN THE MATTER OF:

Radha Raman Dwivedi & Others

...APPLICANT

VERSUS

State Of U P & Others

...RESPONDENTS

**COMPLIANCE REPORT OF RESPONDENT NO 4, KANPUR NAGAR  
NIGAM**

**MOST RESPECTFULLY SHOWETH:**

1. That upon considering the report filed by UP Pollution Control Board and Kanpur Nagar Nigam and after hearing the matter on 12.7.2023, this Hon'ble Tribunal was pleased to direct Kanpur Nagar Nigam, the Respondent No 4 and Kanpur Development Authority to file further compliance report before next date of hearing. A Copy of order dated 12.7.2023 is enclosed herewith as **Annexure R4-1**. Accordingly, the compliance/progress report on behalf of Respondent No 4 is as here under :
2. That about 6200 m long COD drain that has already been tapped in to 210 MLD Sewer Treatment Plant, Bingawan , Kanpur is being regularly cleaned/ desilted throughout the year ( Except during rainy period). A dedicated Pockland Machine has been deputed for this purpose on the drain. Apart from it, as per requirement from time to time, manual labour is also pressed in to service for said job.
3. That bar screens have already been installed in all the 18 subdrains of COD drains to arrest floating material from entering in to COD drain.

Floating material arrester device has also been installed in the COD drain at location near highway to remove floating material from the drain to prevent choking of drain at narrow stretch.


4. That the houses in slum area near Y block have been connected to 325 m sewer line which discharges sewage in to Bingawan STP through Virat Nagar sump well. 30 number manholes on the sewer have also been cleaned/ desilted. A copy of letter of Executive Engineer, Jal Kal Department , Kanpur dated 27.9.2023 is enclosed herewith as **Annexure R4-2.**
  
5. That there are about 2500 house holds in the congested catchment area of the COD drain whose municipal solid waste is being collected from door to door on daily basis by MSW operator M/S JTN Services Pvt Ltd. MSW from all about 450 houses and commercial establishments both sides of COD drain is being collected and disposed off at Sanitary Land Fill as per MSW Rules. Presently about 115 t average MSW is being collected from the area. 16 new houses have been covered under door to door MSW collection system by the operator. Vigorous awareness campaign is undertaken in the area for mass awareness and educating residents not to throw MSW in to the drain. A copy of the Report/ letter from MSW operator dated 26.9.2023 is enclosed here with as **Annexure R4-3.**
  
6. That view cutter have been installed in about 100 m distance along the drain from Highway to White House culvert to prevent any throwing of MSW in to drain as the stretch is easily approachable and vulnerable to garbage throwing in to the drain. A pic of view cutter is enclosed herewith as **Annexure R4-4.**

7. That the copy of the order of Hon'ble Tribunal dated 12.7.2023 had been sent to all concerned departments including Kanpur Development Authority vide letter dated 13.7.2023. A copy of letter dated 13.7.2023 to Kanpur Development Authority and others is enclosed herewith as **Annexure R4-5**. It is pertinent to mention here that work related to only water supply & sewerage related to Y1 block Kidwai Nagar has been handed over to Nagar Nigam by Kanpur Development Authority on 3.9.2015. All other development works of the area remain under jurisdiction of the Development Authority.
8. That there is no sewerage network in Yashoda Nagar Area. UP Jal Nigam has included the said work in its proposal under AMRUT 2 project namely "Sewerage Works in Sewerage District II , Part E of Kanpur Nagar Nigam". The Proposal is under review by the State Govt presently. Letter dated 27.9.2023 received from UP Jal Nigam is enclosed herewith as **Annexure R4-6**.
9. That the 6.2 km long COD drain is a unlined kuccha drain. In view of large expenditure involved in lining the drain to convert it in to pucca drain, Govt of UP has been requested to include said work in AMRUT/ Namami Gange/ Urban Development project work vide letter dated 19.1.2023. A copy of the latest letter sent to Jt Secy, UD, Govt of UP on 27.9.2023 is enclosed herewith as **Annexure R4-7**.

*div*  
*29/09/23*  
Executive Engineer Zone 02  
Kanpur Nagar Nigam  
For Respondent No 4

**DATED: 29 .09.2023**

47  
**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL  
PB AT NEW DELHI  
IN  
O.A. NO. 530 OF 2022**



**IN THE MATTER OF:**

Radha Raman Dwivedi & Others

...APPLICANT

VERSUS

State Of U P & Others

...RESPONDENTS

**AFFIDAVIT**

I, Divakar Bhaskar, Executive Engineer, Zone-02 Kanpur Nagar Nigam, do hereby solemnly affirm and declare as under: -

1. That I am presently working as Executive Engineer, Zone-02 Div, Kanpur Nagar Nigam and duly authorized by the Competent Authority of the Kanpur Nagar Nigam to file accompanying Response.

2. That I am fully conversant with case as derived from office record and competent to swear to this affidavit.

3. That I have read the accompanying report on behalf of Kanpur Nagar Nigam and have understood the contents thereof. The facts stated there in are true and correct to the best of my knowledge and nothing has been concealed there from.

4. That the Annexures are true copy of the originals.



*di*  
DEPONENT

**VERIFICATION:**

Verified at Kanpur on this 29 day of Sept 2023, I the above named deponent, do hereby verify that the contents of the above affidavit are true and correct. No part of it is false and nothing material has been concealed there from.

Sworn Before me  
By... *Divakar Bhaskar* ...  
to whom the contents of this affidavit  
has been read & explained and who  
is identified by Shri. *Shashi Kant*

Shashi Kant Advocate  
Govt Notary Kanpur Nagar

*di*  
DEPONENT

Item No. 05

Court No. 1

**BEFORE THE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI****(BY HYBRID MODE)**

Original Application No. 530/2022

Radha Raman Dwivedi &amp; Ors.

Applicant(s)

Versus

State of U.P.

Respondent

Date of hearing: 12.07.2023

**CORAM: HON'BLE MR. JUSTICE SHEO KUMAR SINGH, CHAIRPERSON  
HON'BLE MR. JUSTICE ARUN KUMAR TYAGI, JUDICIAL MEMBER  
HON'BLE DR. A. SENTHIL VEL, EXPERT MEMBER**Respondents: Mr. Pradeep Mishra & Mr. Daleep Dhyani, Advs. for UPPCB  
Mr. I.K. Kapila, Adv. for Kanpur Nagar Nigam**ORDER**

1. In this application two issues have been raised (i) construction and development of the road and (ii) discharge of solid and liquid waste.
2. In compliance of order of this Tribunal dated 15.12.2022, State PCB has submitted report dated 30.01.2023 mentioning that in order to bring out the solution of the problem, District Magistrate, Kanpur Nagar has held a meeting on 23.01.2023 with all stakeholders. During meeting, it was informed that COD nala is 6.2 Km in length and its average flow is 8.81 MLD. COD nala is fully tapped and its effluent is diverted to 210 MLD STP at Bingawan Kanpur for treatment. Assistant Engineer Kanpur Development Authority, informed that Kidwai NagarY-1 Block Project was handover to Nagar Nigam Kanpur on 03.09.2015. Executive Engineer Zane-2, Nagar Nigam Kanpur has informed that the estimated cost for

construction of retaining wall on both side of COD nala is 200 crores. DM Kanpur has also asked all the responsible department like Kanpur Development Authority, ADM (FIR), UP Jal Nigam (rural) and Kanpur Nagar Nigam to produce all the relevant records to him.

3. It is further submitted that COD Nala is tapped at the end and effluent goes to Bingwan STP for treatment. Regular cleaning of COD Nala is not done for which State PCB has suggested it must be done regularly and all unauthorized sewer connections joining COD Nala should be converted into authorized connections.

4. Learned Counsel appearing for Kanpur Nagar Nigam has submitted that there is problem of proper solid waste management collection, segregation and transportation for which Nagar Nigam tried to do it according to Rules. It is further submitted that some of the lands belonged to different departments for which as per averments different departments have no objection if the same is reconstructed and repaired by the State Authorities.

5. In the light of reports submitted by the State PCB on 30.01.2023 and Kanpur Nagar Nigam on 21.04.2023, respondents are directed to ensure compliance of MSW Rules, 2016 and that there shall not be any discharge of untreated water into the open land and water body.

6. It is necessary that like other storm water drains, COD Nala be maintained to drain-out storm water for this purpose, both sides of drains are free from encroachments and no sewage and solid waste dumped into drain.

7. Further compliance report may be filed by the Kanpur Nagar Nigam and Kanpur Development Authority before the next date of hearing by e-

mail at [judicial-ngt@gov.in](mailto:judicial-ngt@gov.in) preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF.

8. List for further consideration on 03.10.2023.
9. A copy of this order be forwarded to Kanpur Nagar Nigam and Kanpur Development Authority by e-mail for compliance.

Sheo Kumar Singh, CP

Arun Kumar Tyagi, JM

Dr. A. Senthil Vel, EM

July 12, 2023  
Original Application No. 530/2022  
DV

प्रेषक,

अधिकासी अभियंता जोन-2  
जलकल विभाग नगर निगम,  
कानपुर।

सेवा में,

अधिकासी अभियंता जोन-2  
नगर निगम,  
कानपुर।

पत्रांक:-जलकल / 654 / अ0अ0-2 / - / 2023-24

दिनांक: 27 सितम्बर, 2023

विषय:-मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित O.A. No. 530/2022 Radha Raman

Dwivedi Vs State of Uttar Pradesh & Ors. में मा0 अधिकरण द्वारा पारित आदेश दिनांक:  
12.07.2023 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक आप द्वारा चाही गयी आख्या के सम्बन्ध में अवगत कराना है कि वार्ड0 ब्लाक किदवई नगर में सी0ओ0डी0 नाले के पास पडी सीवर लाइन में 30 नग सीवर मैनहोलों की डिसिल्टिंग का कार्य किया गया, जिसमें लगभग 300 किग्रा0 सालिड वेस्ट निकाला गया। उक्त निकाले गये सालिड वेस्ट को नगर निगम के डिस्पोजल प्लांट में भेजा गया।

आख्या सादर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

शेखर शर्मा : मैनेजिंग शफ्टर की  
फोटो प्रि।

भवदीय,

JRCUL

अधिकासी अभियंता जोन-2  
जलकल विभाग, नगर निगम  
कानपुर

प्रतिलिपि:-

1. महाप्रबन्धक महोदय को सादर सूचनार्थ प्रेषित।

अधिकासी अभियंता जोन-2  
जलकल विभाग, नगर निगम  
कानपुर



# 52 जे०टी०एन० सर्विसेज प्रा० लि०

B-39, न्यू ट्रांसपोर्ट नगर, फेज-3 पनकी, कानपुर-208020  
कूड़ा संग्रहण एवं यूजर चार्ज वसूलने हेतु  
कानपुर नगर निगम द्वारा एक मात्र अधिकृत संस्था  
Web: www.nagarnigamdoortodoor.com  
Email: admin@nagarnigamdoortodoor.com  
Helpline: 8601002999, 8601003008

पत्रांक : 184 / J.T.N./2023-24

दिनांक: 26 सितम्बर 2023

सेवा में,  
अधिशायी अभियन्ता जोन-2  
कानपुर नगर निगम  
कानपुर नगर।

**विषय: आप द्वारा भेजे गये पत्रांक संख्या डी/430/अधि० अभि०-2/2022-23 दिनांकित 20 सितम्बर 2023 के संदर्भ में।**

महोदय,

आप द्वारा भेजे गये पत्रांक संख्या डी/430/अधि० अभि०-2/2022-23 दिनांकित 20 सितम्बर 2023 सी०ओ०डी० नाले के दोनो तरफ डाले जा रहे कूड़े के रोकथाम हेतु जो प्रभावी कदम संस्था की ओर से उठाए जा रहे हैं वह बिन्दुवार निम्नवत है-

1. सी०ओ०डी० नाले के दोनो तरफ पड़ने वाले घरों व व्यवसायिक संस्थानों से संस्था द्वारा डोर टू डोर कूड़ा संग्रहण का कार्य वर्ष 2017 से निरन्तर किया जा रहा है।
2. डोर टू डोर कूड़ा संग्रहण का कार्य किदवई नगर वाई ब्लॉक, पशुपति नगर, संजय नगर कॉलोनी, यशोदा नगर एवं राजीव विहार से लगभग 2500 घरों से कूड़ा प्राप्त हो रहा है।
3. सी०ओ०डी० नाले के दोनो तरफ पड़ने वाले लगभग सभी 450 घरों व व्यवसायिक संस्थानों से संस्था द्वारा डोर टू डोर कूड़ा संग्रहण का कार्य शत प्रतिशत किया जा रहा है।
4. डोर टू डोर कूड़ा संग्रहण का कार्य दिन में एक बार और सप्ताह में छः दिन किया जा रहा है।
5. विगत तीन माह में उक्त क्षेत्र से लगभग 115 टन कूड़ा संग्रहण डोर टू डोर के माध्यम से किया गया है।
6. संस्था द्वारा एकत्रित किए गए कूड़े को नजदीकी ट्रांसफर स्टेशन पर निस्तारण हेतु भेज दिया जाता है।

विशेष रूप से अवगत कराना है कि संस्था द्वारा नियमित रूप से डोर टू डोर कूड़ा संग्रहण का कार्य किया जा रहा है उक्त कार्य में कोई भी हीला हवाली नहीं की जा रही है। कुछ अध्यासियों द्वारा यूजर चार्ज बचाने के लिए कूड़ा डोर टू डोर में संचालित वाहन में नहीं दिया जा रहा था ऐसे अध्यासियों के खिलाफ संस्था द्वारा नगर निगम की मदद से पिछले तीन माह में 16 अध्यासियों को नोटिस दिया गया जिसके बाद वे सभी अध्यासी अपने घर का कूड़ा, गाड़ी में डालने लगे। 5 अध्यासी नोटिस देने के बावजूद भी कूड़ा खुले में या नाले में फेंक रहे थे जिसके लिए उनका चालान करवाया गया है।




धन्यवाद

अधिकृत हस्ताक्षरी

प्रतिलिप-

नगर आयुक्त महोदय को सादर अवलोकनार्थ।  
मुख्य अभियन्ता महोदय को सादर सूचनार्थ।





54

कार्यालय अधिशाषी अभियन्ता जोन-2,  
नगर निगम कानपुर

पत्रांक :- डी/310/अधि0 अभि0-2/2023-24

दिनांक :- 18-7-23

1. सचिव विकास प्राधिकरण
2. महाप्रबन्धक जल निगम
3. महाप्रबन्धक जल कल
4. नगर स्वास्थ्य अधिकारी
5. जोनल अधिकारी जोन-02
6. पर्यावरण अभियन्ता
7. जे0टी0एन0 सर्विसेस प्रा0 लि0

महोदय,

कृपया मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 नं0-530/2022 राधारमन द्विवेदी बनाम उ0प्र0 राज्य व अन्य में पारित आदेश दिनांक 12.07.2023 के अनुपालन में अपने विभाग से सम्बन्धित आवश्यक कार्यवाही कराने का कष्ट करें। मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली के आदेश की छायाप्रति अग्रेतर कार्यवाही हेतु साथ में संलग्न है।

संलग्नक:- (यथोक्त)

प्रतिलिपि :-

1. नगर आयुक्त महोदय को सादर संज्ञानार्थ।
2. मुख्य अभियन्ता महोदय को सादर सूचनार्थ।
3. रिकार्ड हेतु।

अधिशाषी अभियन्ता-2  
% नगर निगम, कानपुर

अधिशाषी अभियन्ता-2  
% नगर निगम, कानपुर

55

OFFICE OF THE EXECUTIVE ENGINEER,  
कार्यालय अधिशासी अभियन्ता,

CONSTRUCTION DIVISION - I, U.P. JAL NIGAM (URBAN), KANPUR

निर्माण खण्ड (प्रथम), 30 प्र० जल निगम (नगरीय), कानपुर



Fax- 0512-2545573

Email: pmgpcu@yahoo.co.in

पत्रांक: 837 1W-8 112

दिनांक: 27/09/2023

सेवा में,

अधिशासी अभियन्ता (जोन-2),

नगर निगम,

कानपुर।

विषय:- यशोदा नगर कानपुर में सीवरेज नेटवर्क बिछाये जाने के सम्बन्ध में।

महोदय,

उपरोक्त विषयक आपसे हुई वार्ता के क्रम में अवगत कराना है कि वार्ड यशोदा नगर ईस्ट एवं वार्ड यशोदा नगर वेस्ट में सीवर लाइन बिछाने हेतु अमृत 2.0 कार्यक्रम के अन्तर्गत सी0डब्लू0ए0पी0 सीवरेज वर्क्स इन डिस्ट्रिक्ट-2 पार्ट-ई (अनुमानित लागत रू० 188.00 करोड़) योजना अमृत 2.0 पोर्टल पर अपलोड कर दी गयी है, जोकि वर्तमान में Under State Review स्तर पर है। शासन से उक्त सी0डब्लू0ए0पी0 के स्वीकृतोपरान्त प्राक्कलन विरचन का कार्य किया जाना सम्भव होगा।

भवदीय

(विशाल सिंह)

अधिशासी अभियन्ता

पृ०सं० एवं दिनांक उपरोक्तानुसार।

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. नगर आयुक्त महोदय, नगर निगम, कानपुर।

/
  
अधिशासी अभियन्ता

प्रेषक

नगर आयुक्त  
नगर निगम, कानपुर।

प्रेषित,

श्री कल्याण बनर्जी  
संयुक्त सचिव,  
उत्तर प्रदेश शासन,  
नगर विकास अनुभाग-5,  
लखनऊ।पत्रांक:-सी/436/अ.अ.-2/न.अ./2023-24दिनांक:-27/09/2023

विषय:- मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 नं0-530/2022 राधारमन द्विवेदी बनाम उ0प्र0 राज्य व अन्य में पारित आदेश दिनांक 15.12.2022 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया स्वकीय पत्र सं0-एन0जी0टी0-44(1)/नौ-5-2023-40रिट/2022 नगर विकास अनुभाग-5 दिनांक 24 अगस्त, 2023 का संदर्भ ग्रहण करने का कष्ट करें, जिसके माध्यम से नगर आयुक्त, नगर निगम कानपुर के पत्र दिनांक 19.01.2023 के क्रम में नियमानुसार अग्रेतर कार्यवाही से शासन को अवगत कराये जाने की अपेक्षा की गयी थी।

तदक्रम मे बोर्ड मुख्यालय के पत्र संख्या-H-8189/सी-2/विधि अनुभाग/एन0जी0टी0 नं0 274/2 दिनांक 14.09.2022 का सन्दर्भ ग्रहण करने का कष्ट करें। उक्त योजित वाद में मा0 अधिकरण द्वारा पारित आदेश दिनांक 02.09.2022 के अनुपालन में जिला स्तरीय गठित समिति के सदस्यों द्वारा दिनांक 07.12.2022 को संयुक्त रूप से स्थलीय निरीक्षण किया गया। उक्त के अनुपालन में नगर निगम कानपुर द्वारा की गयी कार्यवाही का विवरण बिन्दुवार निम्नवत् है:-

- 20 नग व्यक्तिगत शौचालय, जिनका मल-जल सीधे नाले में गिरता था, को अप्रयोजनीय करा दिया गया है।
- सी0ओ0डी0 नाले के दोनो ओर लगभग 2000 घरों से वर्ष 2017 से डोर-टू-डोर कूड़ा संग्रहण का कार्य में जे0टी0एन0 सर्विसेज प्रा0 लि0 द्वारा किया जा रहा है। संस्था द्वारा अवगत कराया गया है कि विगत 3 माह में लगभग 115 टन कूड़ा संग्रहण डोर-टू-डोर के माध्यम से किया गया है एवं सी0ओ0डी0 नाले के पास से 16 नये भवनों को डोर-टू-डोर कूड़ा संग्रहण किये जाने हेतु जोड़ा गया है। (Annexure R4-1)
- नाले में फ्लोटिंग मैटेरियल को रोकने हेतु एक ड्रिवाइस नाले घर हाइवे के समीप लगायी गयी है, जिसमें फ्लोटिंग मैटेरियल को नाले में बहने से रोकते हुये उसे बाहर निकाल कर निस्तारण हेतु प्लाण्ट में भेजा जा रहा है। सी0ओ0डी0 नाले में मिलने वाले 18 नालों पर स्क्रीनिंग जाली लगाने का कार्य कराया गया है। (Annexure R4-2)
- वाई-1 ब्लाक किदवई नगर में सीवर का डिस्पोजल विराट नगर सम्पवेल के माध्यम से बिनगवाँ एस0टी0पी0 को जाता है। ट्रंक सीवर लाइन कुछ स्थानों पर सिल्टेड है जिसकी डिसिल्टिंग का कार्य कराया जा रहा है। सी0ओ0डी0 नाले के पास सटे हुये वाई-1 ब्लाक में कुछ क्षेत्र में मलिन बस्ती है जिसका सीवर डिस्पोजल सी0ओ0डी0 नाले में किया जा रहा है, वहाँ पर 325 मीटर सीवर लाइन बिछा कर मलिन बस्तियों के बने हुये मकानों का कनेक्शन सीवर लाइन में किया गया है। (Annexure R4-3)
- सी0ओ0डी0 नाले की सफाई (डी-सिल्टिंग) का कार्य पोकलैण्ड मशीन के माध्यम से 18.01.2023 से प्रारम्भ कर दिया गया है। सफाई के दौरान इस बात का विशेष ध्यान रखा जा रहा है कि नाले के किनारे स्थित वृक्षों/पेड़ों को कोई क्षति न पहुँचे न ही नाले की चौड़ाई बड़े। नाले से निकली सिल्ट/फ्लोटिंग मैटेरियल को म्यूनिसिपल सोल्डि वेस्ट मैनेजमेन्ट प्लाण्ट भाऊ सिंह पनकी में भेजा जाता है। जहाँ सैग्रीग्रेसन आदि की कार्यवाही की जाती है। (Annexure R4-4)
- हाइवे से व्हाइट हाउस पुलिया के मध्य नाले के बायी ओर 100 मीटर लम्बाई में व्यू-कटर लगाने की कार्यवाही नगर निगम कानपुर द्वारा की गयी है। (Annexure R4-5)

यहाँ यह भी अवगत कराना है कि सी0ओ0डी0 नाला पूर्णरूपेण कच्चा नाला है, जिसकी लम्बाई लगभग 6.20 किमी0 है। याचिकाकर्ता द्वारा कच्चे (सी0ओ0डी0) नाले को आर0सी0सी0 पक्के नाले में परिवर्तित किये जाने की माँग की गयी है। पुनः मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित OANO/530/2022 राधारमन द्विवेदी बनाम उ0प्र0 राज्य व अन्य में पारित आदेश दिनांक 12.07.2023 के निर्देशानुपालन में अवगत कराना है कि यह एक वृहद परियोजना है, जिस पर लगभग धनांक रु0-200.00 करोड़ से अधिक का व्यय सम्भावित है। पूर्व में प्रश्नगत कच्चे नाले को पक्के आर0सी0सी0 नाले में परिवर्तित करने हेतु शासन को पत्रांक:-1141/3/प दिनांक 19.01.2023 के माध्यम से पत्र प्रेषित किया गया था।

उपरोक्तानुसार अवगत होने का कष्ट करें।

संलग्न:- (यथोक्त)

मंवीय

27-9-23  
नगर आयुक्त  
नगर निगम, कानपुर