

118



क्षेत्रीय कार्यालय-उ०प्र० प्रदूषण नियंत्रण बोर्ड, गाजियाबाद
Regional Office, U.P. Pollution Control Board, Ghaziabad
Website- www.uppcb.com, e-mail: roghaziabad@uppcb.in

संदर्भ संख्या : 1998/NGT-143/OA-196/22/2024

दिनांक 18/01/2024

To,

The Registrar,
The National Green Tribunal,
Principal Bench,
New Delhi
E-mail- judicial-ngt@gov.in & ngt.filling@gmail.com

Sub: Report with respect to Hon'ble National Green Tribunal order dated 09-01-2024 passed in the matter of Hariom Gupta Vs Nagar Palika Parisad Loni & Ors. in MA No. 38/2023 in OA No. 196/2022.

Respected Sir,

With reference to the above subject mentioned above the joint committee inspected the site in compliance of Hon'ble National Green Tribunal order dated 09-01-2024 in OA No-196/2022 Hariom Gupta & Ors. Versus Nagar Palika Parishad, Loni & Onr. report is hereby submitted for kind perusal.

Enclosure: Report.

Yours Sincerely


(Vikas Mishra)
Regional Officer

Copy to:

- 1- Member Secretary, U.P. Pollution Control Board, Lucknow for information.
- 2- Shri Pradeep Misra, Advocate, Hon'ble Supreme Court/NGT, New Delhi for perusal and necessary action please.
- 3- Chief Environmental Officer, Circle-1, U.P. Pollution Control Board, Lucknow for information.
- 4- Law Officer-I, U.P. Pollution Control Board, Lucknow for information.


Regional Officer

क्षेत्रीय कार्यालय : आई०एन०एस०-२, सेक्टर-१६, वसुन्धरा, गाजियाबाद-२०१०१२ फोन-०१२०-४१६०१०८
मुख्यालय : TC-12V, विभूति खण्ड, गोमती नगर, लखनऊ २२६०१०

**BEFORE THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
ORIGINAL APPLICATION NO. 196 OF 2023**

IN THE MATTER OF:

Hariom Gupta

...Applicant

Versus

Nagar Pallika Parishad & Ors.

...Respondent(s)

INDEX

S.No.	Description	Pg. No.
1.	Report with respect to Hon'ble National Green Tribunal order dated 09-01-2024 passed in the matter of Hariom Gupta Vs Nagar Palika Parisad Loni & Ors. in MA No. 38/2023 in OA No. 196/2022.	1-3
2.	<u>Annexure I & II</u> –Copy of letter sent to NHAI and Nagar Pallika Parishad, Loni, Ghaziabad.	4-5
3.	<u>Annexure III</u> –Copy of letter received by NHAI.	6-10
4.	<u>Annexure IV</u> –Copy of minutes of Meeting in chairmanship of District Magistrate, Ghaziabad	11-13
5.	<u>Annexure V</u> –Copy of letter sent to Principal Secretary, Urban Development Department, Lucknow requesting for preparation of Detailed Project Report (DPR) by Nagar Pallika Parishad, Loni, Ghaziabad.	14-14
6.	<u>Annexure VI</u> – Copy of letter sent to Principal Secretary, Urban Development Department, Lucknow requesting for preparation of Detailed Project Report (DPR) by District Magistrate, Ghaziabad.	15-15
7.	<u>Annexure VII</u> –Latest inspection report by U.P. Pollution Control Board, Ghaziabad on 17.01.2024.	16-16

FILED BY

(Vikas Mishra)
Regional Officer
Ghaziabad

Report with respect to Hon'ble National Green Tribunal order dated 09-01-2024 passed in the matter of Hariom Gupta Vs Nagar Palika Parisad Loni & Ors. in MA No. 38/2023 in OA No. 196/2022.

1- Background:-

The Hon'ble National Green Tribunal in the said matter passed order on 09.01.2024 and directed following :-

“.....9. It may also be observed here that UPPCB cannot be a silent spectator to the violations of the Solid-Waste Management Rules 2016 and the Water (Prevention and Control of Pollution) Act 1974 and mere issuance of show cause notices without taking of appropriate action on the same or issuance of directions without implementation of the same cannot achieve the object of protection of environment. The UPPCB is directed to take action for of environmental compensation and also prosecution of the concerned officers and the contractor alleged to have violated the environmental norms.....”

2- Action taken by UPPCB: -

- 1) In compliance of Hon'ble National Green Tribunal Order dated 09.01.2024, Regional Office, U.P. Pollution Control Board, Ghaziabad sent letter number 1986/OA-196/2022/2023 dated 12.01.2024 & 1987/OA-196/2022/2023 dated 12.01.2024 to project Director, National Highway Authority of India, Ghaziabad and Executive Officer, Nagar Pallika Parishad, Loni, Ghaziabad respectively to provide name and address of concerned officers for initiating prosecutions. Copies of letters are annexed at **Annexure-I & II**.
- 2) In reply to this office letter dated 12.01.2024, a letter number भा.रा.रा. प्रा./प.क.ई.-गाजि./709बी-2/12021/सी.पी.सी.बी./2024/19 dated 15-01-2024 was received from Project Director, National Highway

Authority, Ghaziabad. According to the said letter it was informed that no drains has been broken by his contractor and the problem of water logging is exists before start of NHAI work and there is no role of NHAI in this matter. Further it was also informed that the area is always flooded with water being low-lying area and there is no proper drainage for disposal of sewage as well storm water. Copy of letter is annexed as **Annexure-III**.

- 3) In compliance of order dated 09.01.2024, a meeting was convened on 15.01.2024 under the chairmanship of District Magistrate, Ghaziabad. During meeting Executive Officer, Nagar Pallika Parishad, Loni, Ghaziabad apprised that the site in question is a low-lying area and there is no permanent source for its drainage. During meeting, Executive Officer, Nagar Pallika Parishad, Loni, Ghaziabad was directed to ensure regular cleaning of site till permanent drainage system is not being established. Executive Officer, Nagar Pallika Parishad, Loni, Ghaziabad was directed to write letter to Jal Nigam for preparing DPR under Amrit-2 Yojna regarding constructing proper drainage for disposal of such logged water. Copy of minutes is annexed as **Annexure-IV**.

- 4) Nagar Pallika Parishad, Loni, Ghaziabad apprised vide letter number 1579/न०पा०परि०लो०गा०/2023-24 dated 16.01.2024 that the site in question is a low-lying area and there is no permanent source for its drainage. Water accumulated in the place is being drained out through sewer suction machine and other devices as temporary measure. Therefore, a letter is being written to Principal Secretary, Urban Development Department, Lucknow requesting for preparation of Detailed Project Report (DPR) on drainage of Pooja Colony, Loni, Ghaziabad water logging under Amrit-2 Yojna for

permanent solution to problem. Copy of letter is annexed as **Annexure-V**.

- 5) District Magistrate, Ghaziabad also written its letter number 4032/ST-DM-2024 Dated 17-01-2024 to Principal Secretary, Urban Development Department, Lucknow regarding preparation of Detailed Project Report (DPR) on drainage of Pooja Colony, Loni, Ghaziabad water logging under Amrit-2 Yojna. Copy of letter is annexed as **Annexure-VI**.
- 6) Latest inspection of the site was carried out by officials of UPPCB, Ghaziabad on 17.01.2024 in presence of Sanitary Officer, as representative of Nagar Pallika Parishad, Loni, Ghaziabad. Copy of inspection report is annexed as **Annexure-VII**. During visit. 03 number of sewer suction machines were found on the site for removal of stagnant water.
- 7) Further it is respectfully stated that in compliance of Hon'ble National Green Tribunal order, imposition of environmental compensation against Nagar Pallika Parishad, Loni, Ghaziabad is under process along with prosecution against violators.

The above report is being submitted for kind perusal.



(Vikas Mishra)
Regional Officer



123
क्षेत्रीय कार्यालय-उ०प्र० प्रदूषण नियंत्रण बोर्ड, गाजियाबाद

Annexure-01

Regional Office, U.P. Pollution Control Board, Ghaziabad

संदर्भ संख्या : 1986 /01-196/22/ 2023

दिनांक 12/01/2024

सेवा में,

परियोजना निदेशक,
एन०एच०ए०आई०,
गाजियाबाद।

विषय: मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० संख्या 196/2022 हरिओम गुप्ता एवं अन्य बनाम नगर पालिका परिषद लोनी एवं अन्य में पारित आदेश दिनांक 09.01.2024 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक का संदर्भ ग्रहण करने का कष्ट करें। मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए० संख्या 196/2022 हरिओम गुप्ता एवं अन्य बनाम नगर पालिका परिषद लोनी एवं अन्य में पारित आदेश दिनांक 09.01.2024 के मुख्य अंश निम्नवत् है:-

“.....9. It may also be observed here that UPPCB cannot be a silent spectator to the violations of the Solid-Waste Management Rules 2016 and the Water (Prevention and Control of Pollution) Act 1974 and mere issuance of show cause notices without taking of appropriate action on the same or issuance of directions without implementation of the same can not achieve the object of protection of environment. The UPPCB is directed to take action for of environmental compensation and also prosecution of the concerned officers and the contractor alleged to have violated the environmental norms.....”

उपरोक्त आदेश के क्रम में उ०प्र० प्रदूषण नियंत्रण बोर्ड द्वारा पर्यावरणीय क्षतिपूर्ति अधिरोपित करने के साथ-साथ उत्तरदायी अधिकारियों के विरुद्ध अभियोजनात्मक कार्यवाही किया जाना प्रस्तावित है। उक्त के सम्बन्ध में उत्तरदायी व्यक्ति/व्यक्तियों के नाम, पूर्ण पता एवं सम्बन्धित का आधार कार्ड की छायाप्रति दिनांक 15.01.2024 तक उपलब्ध कराने का कष्ट करें। उक्त वाद में अग्रिम सुनवाई तिथि 19.01.2024 नियत है।

भवदीय

(विकास मिश्र)
क्षेत्रीय अधिकारी

प्रतिलिपि:-

मुख्य पर्यावरण अधिकारी (वृत्त-1), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ को सूचनार्थ प्रेषित।

क्षेत्रीय अधिकारी

७/८/२०२४

क्षेत्रीय कार्यालय : आई०एन०एस०-2, सेक्टर-16, वसुन्धरा, गाजियाबाद-201012 फोन-0120-4160108

मुख्यालय : TC-12V, विभूति खण्ड, गोमती नगर, लखनऊ 226010

4



संदर्भ संख्या : 1987/0A-196/2023
सेवा में,

दिनांक 12/01/2024

अधिकाारी, अघलशासी अघलकारी,
नगर पाललका परलषद-लानी,
गाजलयाबाद।

वलषय: मा० राषुुीय हरलत अघलकरण, नई दललुी में योजलत ओ०ए० संखुया 196/2022 हरलओम गुप्ता एवं अन्य बनाम नगर पाललका परलषद लानी एवं अन्य में पारलत आदेश दलनांक 09.01.2024 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त वलषयक का संदर्भ ग्रहण करने का कषुट करें। मा० राषुुीय हरलत अघलकरण, नई दललुी में योजलत ओ०ए० संखुया 196/2022 हरलओम गुप्ता एवं अन्य बनाम नगर पाललका परलषद लानी एवं अन्य में पारलत आदेश दलनांक 09.01.2024 के मुखुय अंश नलम्नवत् है:-

“.....9. It may also be observed here that UPPCB cannot be a silent spectator to the violations of the Solid-Waste Management Rules 2016 and the Water (Prevention and Control of Pollution) Act 1974 and mere issuance of show cause notices without taking of appropriate action on the same or issuance of directions without implementation of the same can not achieve the object of protection of environment. The UPPCB is directed to take action for of environmental compensation and also prosecution of the concerned officers and the contractor alleged to have violated the environmental norms.....”

उपरोक्त आदेश के कम में उ०प्र० प्रदूषण नलयंत्रण बोर्ड द्वारा पर्यावरणीय क्षतलपूरुतल अधलरोपलत करने के साथ-साथ उत्तरदायी अधलकारलयों के वलरूद्ध अभलयोजनात्मक कार्यवाही कलया जाना प्रस्तावलत है। उक्त के सम्बन्ध में अपना नाम, पूरुण पता एवं आधार कार्ड की छायाप्रतल दलनांक 15.01.2024 तक उपलब्ध कराने का कषुट करें। उक्त वाद में अग्रलम सुनवाई तलथल 19.01.2024 नलयत है।

भवदीय


(वलकास मलशुर)
क्षेत्रीय अधलकारलय

प्रतललपल:-

मुखुय पर्यावरण अधलकारलय (वृत्त-1), उ०प्र० प्रदूषण नलयंत्रण बोर्ड, लखनऊ को सूचनारुथ प्रेषलत।


क्षेत्रीय अधलकारलय
०८ लखनऊ



सत्यमेव जयते

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
(सड़क परिवहन और राजमार्ग मंत्रालय, भारत सरकार)
National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

परियोजना कार्यान्वयन इकाई, गाजियाबाद

Project Implementation Unit, Ghaziabad

सी इन्क्यू जी फ्लाईओवर के नीचे, कि. मी. 2+000 एन एच - 9, (पुराना एन एच-24), अक्षरधाम मंदिर के निकट, दिल्ली-110092
Under CWG Flyover, at Km. 2+000 of NH-9 (Old NH-24), Near Akshardham Temple, Delhi-110092

टेलीफोन : +91 9560963936

ई-मेल : gha@nhai.org

E-mail : nh24ghaziabad@gmail.com

वेबसाइट : www.nhai.gov.in

Annexure -03



भा.रा.रा.प्रा. / प.क.ई.-गाजि. / 709बी-2 / 12021 / सी.पी.सी.बी. / 2024 / 19

दिनांक 15.01.2024

सेवा में,

क्षेत्रीय अधिकारी,

30प्र0 प्रदूषण नियंत्रण बोर्ड,

गाजियाबाद।

विषय:- मा0 राष्ट्रीय हरित अभिकरण, नई दिल्ली में योजित ओ0ए0 संख्या 196/2022 हरिओम गुप्ता एवं अन्य बनाम नगर पालिका परिषद लोनी एवं अन्य में पारित आदेश दिनांक 09.01.2024 के अनुपालन के सम्बन्ध में।

सन्दर्भ:-

1. आपके कार्यालय का पत्रांक सं0- 1986/0ए-196/2022/2023 दिनांक 12.01.2024
2. भा0रा0रा0प्रा0 के ई.पी.सी. कान्ट्रेक्टर का पत्र सं0- 2356 दिनांक 15.01.2024

महोदय,

अपने कार्यालय के उपरोक्त संदर्भित पत्र दिनांक 12.01.2024 का सन्दर्भ ग्रहण करने का कष्ट करें, जो कि इस कार्यालय को प्राप्त हुआ है।

2. इस सम्बन्ध में भा0रा0रा0प्रा0 के ई.पी.सी. कान्ट्रेक्टर मै0 गायत्री प्रोजेक्ट लि0 द्वारा अपने पत्र सं0- 2356 दिनांक 15.01.2024 के माध्यम से अवगत कराया है कि उसके द्वारा कोई भी ड्रेन/नाली आदि नहीं तोड़ी गयी है। इस प्रकरण में यह भी अवगत कराना है कि प्रश्नगत जगह पर भा0रा0रा0प्रा0 का कार्य प्रारम्भ होने से पूर्व में भी कई वर्षों से मार्ग के दोनों ओर अत्यधिक मात्रा में "Waste-Water" एकत्रित रहता था और वही स्थिति आज भी बनी हुई है। इसका मुख्य कारण गारटर सीवर एवं ड्रेन आदि का निर्माण न होना है, जो कि रिहायसी घरों के प्रतिदिन के सिवेज, आसपास की रिहायस एवं हाईवे के ड्रेन के पानी को आउटफॉल तक पहुँचा सके।
3. इस सन्दर्भ में इस कार्यालय द्वारा अधिशासी अधिकारी, नगर पालिका परिषद, लोनी को पूर्व में इस कार्यालय के पत्र सं0- 2198 दिनांक 11.11.2021 के माध्यम से अवगत भी कराया गया था (छायाप्रति संलग्न है)।
4. भा0रा0रा0प्रा0 द्वारा नियुक्त कार्यदायी संस्था द्वारा केवल सरफेस ड्रेन का कार्य किया जा रहा है, जिसका मूल कार्य मार्ग पर होने वाले वर्षा जल को गारटर ड्रेन तक पहुँचाना है, जिसका कार्य प्रगति पर है और अगले 05 माह के अन्दर पूर्ण कर दिया जायेगा।
5. अतः आपको यह अवगत कराना है कि उक्त के सम्बन्ध में भा0रा0रा0प्रा0 का कोई भी अधिकारी एवं कार्यदायी संस्था उत्तरदायी नहीं है। कार्यदायी संस्था को अग्रिम सुनवाई की तिथि अवगत करा दी गयी है। कार्यदायी संस्था एवं भा0रा0रा0प्रा0 के प्रतिनिधि अग्रिम सुनवाई 19.01.2024 पर अपनी उपस्थित सुनिश्चित करेंगे।

सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

भवदीय,

संलग्नक:-उपरोक्तानुसार।

अरविन्द
(अरविन्द कुमार)
परियोजना निदेशक

प्रतिलिपि प्रेषित:-

1. जिलाधिकारी, गाजियाबाद।
2. मै0 ली एसोसिएटस् साउथ एशिया प्रा0 लि0।
3. मै0 गायत्री प्रोजेक्टस् लि0



NHAI/PIU-GZB/12052/Gen/2021/E- 2198

Dated: 11.11.2021

To,

Executive Officer,
Nagar Palika Parishad, Loni
Distt. Ghaziabad.

Sub: लोनी (सम्पूर्ण क्षेत्र) का वर्षा जल निकासी हेतु वृहद ड्रेनेज मास्टर प्लान तैयार करने के सम्बन्ध में

Sir/Madam,

This is in reference of directions issued by DM, Ghaziabad regarding ensuring proper drainage (including storm drainage of highway and sewer drainage of urban area) developed along the highway) disposal plan of NH-709 B.

2. As you aware NHAI is developing Ashardham to EPE (section of NH -709B) as 6 lane highway along with 6 lane road (partly elevated). The stretch from UP/Delhi Border to EPE (khekra) is densely populated and not having proper disposal of sewage as well as storm water. Due to this reason, this road is always flooded with water specially in rainy season and damaged badly. To short out this matter and to develop a proper Master Drainage Plan, DM Ghaziabad in his meeting directed all civic agencies viz. (i) Nagar Palika, Loni (ii) CD-2, PWD Ghaziabad (iii) NHAI along with their EPC Contractor & Supervision Consultant.

3. A meeting was held on 20.10.2021 at the office of Executive Officer (Loni) followed by a joint site inspection with all the representatives after joint site visit following have been observed:

- (i) Through-out the project length, there is no Master Storm Water Drain throughout the project length, which could drain out storm water/ sewage of nearby habitation to reach out the ultimate disposal points.
- (ii) Yamuna river is flowing in the West direction and Hindon river is flowing in East direction of said stretch. But, no Master drain was found connecting to this stretch.
- (iii) At present, at most of the locations, the storm water of road, sewer & adjacent habitation area is being ponding along the local depressions near the road side/vacate plots/ vacate land parcels etc. and water is stagnated, which is not being drained to the ultimate disposal.
- (iv) EO Loni, has apprised that a proposal for the master plan has been initiated by the State Government for the drainage of entire Loni area by the Yamuna Pollution Unit, UP Jal Nigam, Ghaziabad, which is still in primary stage and as on date no such maser drainage plan of Loni Area have been prepared by them. It is also updated that, the DPR for master drainage plan of entire Loni area is in pipeline and may take some more time. Also the master storm drain/Halla, which at later stage shall be constructed based on the proposed master plan will take further more time (may be more than 1 or 2 years after acceptance of DPR).

- (v) Since, the work of National Highway is in very advance stage and it would not be possible for NHAI to wait for the preparation of master plan of Loni area in entirety. In such circumstances, NHAI will prepare the surface drainage of National Highway based on the existing/prevaling hydrological conditions of the adjacent area and will dispose them in existing disposal arrangements/ create ponds in local available Govt. land/Devolve Vertical drains (Rainwater Harvesting system) etc.
- (vi) NH surface drains will be developed to cater the surface runoff of National Highway only and no sewage/ habitant drain shall be allowed to connect with NH drains as per the extent NHAI/IRC guidelines.
- (vii) Nagar Palika, Loni will strengthen their existing drainage system and develop their separate drains for disposal of sewage of local habitants. The location of this drains shall be decided in consultation with NHAI. Where ever, there is any restricted RCW issue, NHAI will construct drain combining with storm drains and these drains will be maintained by Nagar Palika after handing over/ completion of NHAI project.
- (viii) NHAI will provide the proposed drainage plan of NH shortly to EO-Loni, which shall incorporate in the Master Plan of Loni as and when it will be prepared by the State Government through their concerned agency.
- (ix) On site, it has also been observed that some industries/factories are disposing their factory sewage directly on road site. A notice is required to be issued by Nagar Palika, Loni ensuring the guidelines of NGT/ CPCB/SPCB.
- (x) Multiple residential units were also observed their storm water runoff is also flowing with road drainage system. Nagar Palika, Loni will ensure that disposal of these residential units strictly as per approved drainage plan of the said unit.

This is for your information & necessary action.

Yours faithfully

(Puneet Khanna
Dy. Manager(T

Copy to:

- (i) RO-Delhi, NHAI HQ, New Delhi.
(ii) DM, Ghaziabad.
(iii), SDM, Loni, Distt. Ghaziabad.

GPL:DO: NHAI: Delhi-Saharanpur 2024:2356
Date: January 15th, 2024

To
**The Project Director,
National Highways Authority
of India, PIU Ghaziabad**

Kind Attn: Mr. Arvind Kumar (Project Director)

Project: Development of six – lane access controlled in Uttar Pradesh portion of Delhi – Saharanpur Highway from Delhi/UP Border to EPE Junction (Ch.14.750 to Ch. 31.600) in the State of Uttar Pradesh.

Subject: **Response in compliance for Hon'ble National Green Tribunal (NGT), principal bench New Delhi order dated 29.09.2023 in OA No. 196/2022 Hariom Gupta & Ors. Versus Nagar Palika Parishad, Loni and Onr.**

Reference: 1. NHAI/PIU-GZB/EPE-AKSH(709B-II)/12021/CON/2024/E-151 dated 15.01.2024.

Dear Sir,

With reference to the above captioned subject and letter, this is to inform you that the problem of accumulation of waste water discussed under the grievance letter is from Km:19+655 to Km 19+800 LHS.

Please note that the said problem is not due to construction of road, but it is much before the work has been commenced by NHAI. (As it can be seen in attached existing road snaps).

It is also to inform you that the drian under construction by us is only for road surface water drainage, it has got nothing to do with this accumulated water.

This is for your kind information and record please.

Thanking you and assuring the best services always.

Regards


**Yours faithfully,
For Gayatri Projects Limited**



(Authorized Signatory)

Copy to: Team Leader- LASA--for kind information

Enc: As stated



CH:19+655 to 19+800 LIIS

प्रेषक,

जिलाधिकारी,
गाजियाबाद

सेवा में,

रजिस्ट्रार,
मा० राष्ट्रीय हरित अधिकरण,
मुख्य ब्रांच, नई दिल्ली।

संख्या 4031 /एस०टी०-डी०एम०/2024

दिनांक 17 जनवरी, 2024

विषय :- मा० राष्ट्रीय हरित अधिकरण में योजित ओ०ए०संख्या- 196/2022 हरिओम गुप्ता एव अन्य बनाम नगर पालिका परिषद लोनी व अन्य के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक अवगत कराना है कि मा० राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ०ए०संख्या-196/2022, हरिओम गुप्ता एव अन्य बनाम नगर पालिका परिषद लोनी व अन्य में पारित आदेश दिनांक 09-01-2024 का अनुपालन सुनिश्चित कराये जाने हेतु दिनांक 15-01-2024 को अधोहस्ताक्षरी की अध्यक्षता में बैठक आहूत की गयी। बैठक के कार्यवृत्त की प्रति संलग्न कर मा० राष्ट्रीय हरित अधिकरण के अपलोकनार्थ प्रस्तुत है।

संलग्न :- यथोपरि।

भवदीय,

(राकेश कुमार सिंह)
जिलाधिकारी, 18/1/24
गाजियाबाद

मा० राष्ट्रीय हरित अधिकरण मे योजित ओ०ए० संख्या 196 / 2022 Hariom Gupta & Ors. Versus Nagar Palika Parishad, Loni & Ors. मे पारित आदेश दिनांक 15.01.2024 के अनुपालन के सम्बन्ध में जिलाधिकारी महोदय, गाजियाबाद की अध्यक्षता मे सम्पन्न बैठक का कार्यवृत्त।

मा० राष्ट्रीय हरित अधिकरण मे योजित ओ०ए० संख्या 196 / 2022 Hariom Gupta & Ors. Versus Nagar Palika Parishad, Loni & Ors. मे पारित आदेश दिनांक 15.01.2024 को निम्न आदेश पारित किये गये है:-

".....In view of the facts and circumstances explained therein we consider presence of the National Highway Authority of India and the contractor engaged by it for the project to be essential for just and proper adjudication of the questions involved in the case and accordingly National Highway Authority of India and the contractor engaged by it for the project are impleaded as respondents in miscellaneous application in addition to the respondents originally impleaded in the original application.

3. In order to synchronise the memo of parties in the miscellaneous application with the memo of parties in the original application, in addition to respondent No. 1 Nagar Palika Parishad, respondent No. 2 Ms. Shalini Gupta, Executive Officer, Nagar Palika Parishad, respondent No. 3 District Forest officer, Ghaziabad impleaded in the O.A No. 196/2022, State of U.P., UPPCB, District Magistrate Ghaziabad, NHAI and the contractor engaged by it for the project stand impleaded as respondents No. 4 to 8 in the miscellaneous application. The registry is directed to amend memo of parties and attach the same with the miscellaneous application.....

4. Notices be issued to newly added respondent No. 7 NHAI and respondent No. 8 the contractor engaged by it.

5. Mr. Balendu Shekhar, Advocate has appeared and accepted notice on behalf of NHAI.

6. Respondent No. 7 NHAI is directed to give particulars of the contractor engaged by it for the project and also to serve the notice on said contractor for the date fixed.

7. Respondents No. 1, 6, 7 and 8 are directed to comply with the directions issued by UPPCB in exercise of powers conferred on it by the environmental legislations and also to specifically mention in their reply/response action taken by them in compliance of such directions issued by UPPCB.

9. It may also be observed here that UPPCB cannot be a silent spectator to the violations of the Solid-Waste Management Rules 2016 and the Water (Prevention and Control of Pollution) Act 1974 and mere issuance of show cause notices without taking of appropriate action on the same or issuance of directions without implementation of the same cannot



achieve the object of protection of environment. The UPPCB is directed to take action for imposition of environmental compensation and also prosecution of the concerned officers and the contractor alleged to have violated the environmental norms.

4. List the matter for further consideration on 19.1.2024

मा० राष्ट्रीय हरति अधिकरण, नई दिल्ली द्वारा दिनांक 09-01-2024 को पारित आदेश का अनुपालन किये जाने हेतु दिनांक 15-01-2024 को अधोहस्ताक्षरी की अध्यक्षता में एक बैठक सम्पन्न करायी गयी। बैठक में निम्न अधिकारी उपस्थित रहे :-

- 1- श्री विकास मिश्र, क्षेत्रीय अधिकारी, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड गाजियाबाद।
- 2- श्री अरविन्द कुमार, प्रोजेक्ट डायरेक्टर, एन०एच०ए०आई० गाजियाबाद।
- 3- श्री आर०के० पाण्डेय, साईट इंजीनियर, एन०एच०ए०आई० गाजियाबाद।
- 4- श्री कृष्ण कान्त मिश्र, अधिशासी अधिकारी, नगर पालिका परिषद लोनी गाजियाबाद।
- 5- श्री कुंवर संतोष कुमार, सहायक पर्यावरण अभियंता, उ०प्र० प्रदूषण नियंत्रण बोर्ड गाजियाबाद।
- 6- श्री एन०के०पाण्डेय, सहायक पर्यावरण अभियंता, उ०प्र० प्रदूषण नियंत्रण बोर्ड गाजियाबाद।

बैठक का कार्यवृत्त निम्नवत है :-

अधिशासी अधिकारी नगर पालिका परिषद लोनी गाजियाबाद द्वारा अवगत कराया गया कि एन०एच०-709, अंसल स्टेट के सामने स्थित क्षेत्र में सीवेज के निस्तारण हेतु सवीवेज ट्रीटमेन्ट सिस्टम एवं सीवेज कैरिंग नेटवर्क (पाईप लाईन) स्थापित नहीं है। घरेलू जनित मल-मूत्र के निस्तारण हेतु घरों में सेप्टिक टैंक-सोक पिट स्थापित हैं तथा अन्य घरेलू प्रक्रियाओं यथा दैनिक दिनचर्या एवं साफ-सफाई इत्यादि से जनित पानी को ड्रेन के माध्यम से प्रवाहित किया जाता है, जोकि समुचित सीवेज एवं जल निकासी न होने के कारण सेक्टर-1 ट्रान्स दिल्ली सिग्नेचर सिटी, लोनी गाजियाबाद पर ग्रीन वेल्ड क्षेत्र, अंसल स्टेट, मन्दिर क्षेत्र में भरा हुआ है। उक्त जल भराव क्षेत्र की समय-समय पर नगर पालिका परिषद लोनी द्वारा अस्थाई तौर पर लगातार साफ-सफाई करायी जाये।

(कार्यवाही-अधिशासी अधिकारी नगर पालिका परिषद लोनी)

एन०एच०ए०आई० प्रतिनिधि द्वारा अवगत कराया गया कि सेक्टर सी-1, ट्रान्स दिल्ली सिग्नेचर सिटी, लोनी गाजियाबाद पर ग्रीन वेल्ड क्षेत्र, अंसल स्टेट मन्दिर क्षेत्र में जल भराव उनके द्वारा किये गये हैं निर्माण कार्य से पहले से भरा हुआ है, जिसमें उनका कोई योगदान नहीं है। उनके द्वारा राष्ट्रीय राजमार्ग के स्ट्राम वाटर हेतु नाले का निर्माण कार्य कराया जा रहा है और उनके द्वारा कोई भी ड्रेन क्षतिग्रस्त नहीं की गयी है।

अधोहस्ताक्षरी द्वारा अधिशासी अधिकारी नगर पालिका परिषद लोनी गाजियाबाद को निर्देशित किया गया कि उक्त क्षेत्र में अमृत-2 योजना के अन्तर्गत जल निकासी निस्तारण हेतु जल निगम को प्रस्ताव प्रस्तुत किये जाने हेतु पत्र प्रेषित किया जाये।

(कार्यवाही अधिशासी अधिकारी नगर पालिका परिषद लोनी/अधीक्षण अभियन्ता जल निगम गाजियाबाद)

अन्त में धन्यवाद व्यक्त करते हुए बैठक का समापन किया गया।


(राकेश कुमार सिंह)
जिलाधिकारी 15/01/24
गाजियाबाद

कार्यालय नगर पालिका परिषद् लोनी, जनपद-गाजियाबाद

पत्र संख्या :-1579 / न०पा०परि०लो०गा० / 2023-24

दिनांक:-16 जनवरी 2024

सेवा में,

प्रमुख राक्षि,
 नगर विकास विभाग, अनुभाग-1,
 उ० प्र० शासन।

विषय:- अमृत 2.0 के अन्तर्गत पूजा कालोनी क्षेत्र की पानी निकासी हेतु सीवरेज ड्रेनेज प्लान तैयार कराये जाने के सम्बन्ध में।

महोदय,

कृपया सादर अवगत कराना है कि नगर पालिका परिषद्, लोनी, गाजियाबाद जनसंख्या की विशालता के आधार पर प्रदेश की सबसे बड़ी नगर पालिका है, जो लगभग 58.82 वर्ग किलोमीटर के क्षेत्र में विस्तृत है। ज्ञातव्य है कि जनगणना-2011 के अनुसार निकाय की कुल आबादी 5.86 लाख है जबकि वर्तमान में लगभग 10 से 12 लाख आबादी निवास कर रही है, इसका मुख्य कारण यह है कि निकाय राष्ट्रीय राजधानी दिल्ली के समीपस्थ है। इस कारण यहाँ अभी भी आधारभूत संरचनाओं का अभाव है। जनपद बागपत से आने वाली बसी ड्रेन का उत्प्रवाह आवास-विकास के क्षेत्र से होकर टीडीएस सिटी, लोनी, गाजियाबाद में आकर भर रहा है। लोनी नगर पालिका के आस-पास के अधिकांश वार्डों में सम्पर्क मार्ग ऊँचे-नीचे एवं कच्चे तथा डूब क्षेत्र होने के कारण निकाय में जलभराव एक गम्भीर समस्या के रूप में विद्यमान है। मानसून में बरसात का घनत्व अधिक होने के कारण एवं नगर पालिका परिषद्, लोनी का भौगोलिक स्वरूप जलबहाव के अनुरूप न होने के कारण जल प्लावन की समस्या अधिक है। चूँकि उक्त क्षेत्र यमुना नदी के किनारे स्थित होने के कारण पालिका का क्षेत्र लैण्ड एरिया के अन्तर्गत आता है एवं जल निकासी का कोई मुख्य स्रोत नहीं है।

उक्त के क्रम में अवगत कराना है कि पूजा कालोनी फ्रीहोल्ड कालोनी, जिसमें छोटे-छोटे मकानों के रूप में निवासी निवास करते हैं, जो घनी आबादी है। यह आबादी लगभग 20 से 25 वर्ष पूर्व में फ्री होल्ड कालोनी दिल्ली सहारनपुर रोड पर स्थित है। इस कालोनी का प्राकृतिक ढाल दिल्ली सहारनपुर रोड से सी-3 रोक्टर सिग्नेचर सिटी (यू.पी.एस.आई.डी.सी.) की ओर है एवं पूजा कालोनी, सी-3 सेक्टर सिग्नेचर सिटी (यू.पी.एस.आई.डी.सी.) से लगभग 01 मीटर से 1.50 मीटर ऊँचाई पर स्थित है तथा पूजा कालोनी की 7 से 8 कालोनियों का पानी, पावी सादकपुर में दिल्ली सहारनपुर रोड के पास स्थित गहरे गड्ढे में भरा रहता है।

उपरोक्त के सम्बन्ध में, मा० राष्ट्रीय हरित अधिकरण में योजित ओ०ए० संख्या 196/2022 Hariom Gupta & Ors. Versus Nagar Palika Parishad, & Ors. में पारित आदेश दिनांक 09.01.2024 के मुख्य अंश निम्नवत् है:-

"It may also be observed here that UPPCB cannot be a silent spectator to the violations of the Solid Waste Management Rules 2016 and the Water (Prevention and Control of Pollution) Act 1974 and mere issuance of show cause notices without taking of appropriate action on the same or issuance of directions without implementation of the same can not achieve the object of protection of environment. The UPPCB is directed to take action for of environmental compensation and also prosecution of the concerned officers and the contractor alleged to have violated the environmental norms...."

अतः महोदय से सादर अनुरोध है कि अमृत 2.0 के अन्तर्गत पालिका क्षेत्र के पूजा कालोनी की जल निकासी हेतु सीवरेज व ड्रेनेज की डी०पी०आर० तैयार कराने की स्वीकृति प्रदान करने का कष्ट करें।

(कृष्ण कान्त मिश्र)
अधिसासी अधिकारी
नगर पालिका परिषद् लोनी
गाजियाबाद

पत्रांक व दिनांक-तदैव
प्रतिलिपि-

- 1-निदेशक महोदय, स्थानीय निकाय निदेशालय, गोमतीनगर विस्तार, सेक्टर-7, लखनऊ।
- 2-जिलाधिकारी महोदय, गाजियाबाद को सूचनार्थ एवं आवश्यक कार्यवाही हेतु सादर प्रेषित।
- 3-मुख्य अभियन्ता, उत्तर प्रदेश जल निगम (नगरीय), गाजियाबाद को इस अनुरोध के साथ प्रेषित कि पूजा कालोनी की जल निकासी हेतु सीवरेज व ड्रेनेज का डी.पी.आर. तैयार करने का कष्ट करें, चूँकि प्रकरण मा० राष्ट्रीय हरित अधिकरण में योजित ओ०ए० संख्या 196/2022 Hariom Gupta & Ors. Versus Nagar Palika Parishad, & Ors. से सम्बन्धित है; शीघ्रता अपेक्षित है।
- 4-क्षेत्रीय अधिकारी, क्षेत्रीय कार्यालय उ०प्र० प्रदूषण नियंत्रण बोर्ड, आई०एन०एस०-2, सेक्टर-16, वसुन्धरा, गाजियाबाद को सूचनार्थ सादर प्रेषित।

16.1.24
अधिसासी अधिकारी
नगर पालिका परिषद् लोनी
गाजियाबाद

प्रेषक,

जिलाधिकारी,
गाजियाबाद

सेवा में,

प्रमुख सचिव,
नगर विकास विभाग,
अनुभाग-1, उत्तर प्रदेश शासन,
लखनऊ

संख्या 4032/एस0टी0-डी0एम0/2024

दिनांक 17 जनवरी, 2024

विषय :- अमृत-2 के अन्तर्गत पूजा कॉलोनी नगर पालिका परिषद लोनी तथा आस पास के क्षेत्र की जल निकासी हेतु सीवरेज एवं ड्रेनेज प्लान तैयार कराये जाने के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 संख्या-196/2022, हरिओम गुप्ता एवं अन्य बनाम नगर पालिका परिषद लोनी एवं अन्य विचाराधीन है। उक्त के अनुक्रम में अवगत कराना है कि नगर पालिका परिषद लोनी गाजियाबाद के नगरीय क्षेत्र से जनित घरेलू पानी के शुद्धिकरण एवं जल निकासी की समुचित व्यवस्था न होने के कारण ट्रान्स हिण्डन सिग्नेचर सिटी, लोनी गाजियाबाद पर ग्रीन वेल्ड क्षेत्र, अंसल स्टेट, मंदिर क्षेत्र में जल भराव की समस्या बनी हुई है। पूजा कॉलोनी, तहसील लोनी गाजियाबाद फ्री-होल्ड कॉलोनी जो कि छोटे-छोटे मकानों के रूप में विकसित है। इस कॉलोनी का प्राकृतिक ढलान दिल्ली सहारनपुर रोड से सी-3, सेक्टर सिग्नेचर सिटी (यू0पी0सी0डा) की ओर एवं पूजा कॉलोनी, सी-3 सेक्टर सिग्नेचर सिटी (यू0पी0सी0एस0डा0) से लगभग 01 से 1.5 मी0 की ऊंचाई पर स्थित है तथा इसका कॉलोनी का रिहायशी जल पावी सादकपुर में दिल्ली सहारनपुर रोड के पास स्थित गहरे गड्ढे में भरा रहता है। मा0 अधिकरण द्वारा सन्दर्भित प्रकरण में समय समय पर आदेश पारित किये गये हैं एवं प्रकरण में अग्रिम सुनवाई की तिथि 19-01-2024 को नियत है।

अतः प्रकरण की महत्ता को दृष्टिगत रखते हुए आपसे अनुरोध है कि अमृत-2 के अन्तर्गत नगर पालिका परिषद लोनी क्षेत्र के पूजा कॉलोनी एवं आस पास के क्षेत्र की जल निकासी हेतु सीवरेज व ड्रेनेज की डी0पी0आर0 तैयार कराने की स्वीकृति प्रदान करने का कष्ट करें जिससे कि समस्या का स्थायी निराकरण सम्भव हो सकें एवं तदनुसार मा0 राष्ट्रीय हरित अधिकरण को अवगत कराया जा सकें।

भवदीय,

(राकेश कुमार सिंह),
जिलाधिकारी,
गाजियाबाद

प्रतिलिपि :-




- 1- निदेशक, स्थानीय निकास निदेशालय, गोमतीनगर विस्तार सेक्टर-07, लखनऊ को सूचनार्थ प्रेषित।
- 2- मुख्य अभियंता, उ0प्र0 जल निगम (नगरीय) गाजियाबाद को इस निर्देश के साथ कि पूजा कॉलोनी तहसील लोनी गाजियाबाद की जल निकासी हेतु सीवरेज व ड्रेनेज का डी0पी0आर0 तैयार कराना सुनिश्चित करें।
- 3- क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड गाजियाबाद को सूचनार्थ प्रेषित।

जिलाधिकारी,
गाजियाबाद

Inspection report in compliance of Hon'ble National Green Tribunal order dated 09-01-2024 passed in the matter of Hariom Gupta Vs Nagar Palika Parisad Loni & Ors. in MA No. 38/2023 in OA No. 196/2022.

On subject mentioned above the latest inspection of the site was carried out by under signed on 17.01.2024 in presence of Sanitary Officer, as representative of Nagar Pallika Parishad, Loni, Ghaziabad. Inspection report is as follows:-

- 1- During visit there 03 numbers of suction machines was found on the site for removal of stagnant water. At the time of inspection stagnant water was being collected in sewer suction machines.
- 2- During visit no Municipal Solid waste was found dumped on the site.
- 3- Photographs taken are given below: -



Above report is submitted for information and necessary action.

Vipul Kumar
(Vipul Kumar)
A.E.E.
UPPCB, Ghaziabad.

Kunwar Santosh Kumar
(Kunwar Santosh Kumar)
A.E.E.
UPPCB, Ghaziabad.

Regional Officer

[Signature]