To,

The Registrar,

Hon'ble National Green Tribunal,

Copernicus Marg, New Delhi.

Subject: Submission of Action Taken Report (ATR) in compliance with Hon'ble National Green Tribunal order dated 21.02.2024 in Execution Application No. 32/2023, titled as T.S. Singh Versus State of U.P & Ors.

Sir,

In compliance with Hon'ble National Green Tribunal order dated 21.02.2024 Execution Application No. 32/2023, titled as T.S. Singh Versus State of U.P & Ors the Action Taken Report on behalf of Principal Secretary, Urban Development Department, State Of Uttar Pradesh is being filed and annexed herewith.

It is requested that the said report may be presented before the Hon'ble tribunal for kind consideration.

Encl. as above:

Yours Sincerely,

Principal Secretary
Urban Development Department,
Government of Uttar Pradesh.

IN THE HON'BLE NATIONAL GREEN TRIBUNAL

PRINCIPAL BENCH, NEW DELHI

EXECUTION APPLICATION NO. 32 of 2023

IN

ORIGINAL APPLICATION NO. 490 OF 2019

IN THE MATTER OF:

T.S. SINGH **.... Appellant**

Versus

STATE OF UTTAR PRADESH & ORS. **.... Respondent(s)**

INDEX

S.No.	PARTICULARS	PAGE NO.
1.	Action Taken Report of the Urban development Department, State Of Uttar Pradesh	
2.	**Annexure 1** - A true copy of the minutes of meeting of Principal Secretary dated 15.04.2024 & true copy of the Minutes of Meeting of 28.02.2024 held by the Chief Secretary State of Uttar Pradesh.	

3.	**Annexure 2** - A true Copy of flow chart of Ramleela wetland along with photo and the test reports of UPPCB, MNNIT Prayagraj of Ram Leela drain.	
4.	**Annexure A3**- A true copy of Flow chart of Buliyapur wetland along with photo and test reports of UPPCB and MNNIT of the Bhuliapur drain. Photo of Wet land is	
5.	**Annexure A4** -A true copy of the UPPCB reports dated 12.01.2024, 15.01.2024, 24.01.2024, 30.01.2024, 07.02.2024, 12.02.2024, 19.02.2024, 26.02.2024. 06.03.2024, 12.03.2024, 18.03.2024 and 23.03.2024 of Belha Pratapgarh STP.	
6.	**Annexure 5** – A true copy of letter dated 20.04.2024 of (Jal Nigam Rural) for Kila Mohammadi drain.	
7.	**Annexure 6** - True Copy Status report submitted by U P Jal Nigam (Rural)	
8.	**Annexure- 7**- Report of the EO, Nagar Palika Raebareli photographs	
9.	**Anexuure-8- A True** copy of Works of Sequencing batch reactors (SBR) technology based 18 MLD STP Raebareli has been completed and handover to Municipal Council	

	on dated 26.12.2023	
10	**Annexure-9-** Test report of sewage samples	
11	**Annexure-10**- NHAI Lucknow division letter dated 02.11.2023.	
12.	**(Annexure- 11) A** true copy of letter dated 24.04.2024 of EO- Nagar Palika Parishad, Pratapgarh along with logbook of MPS and generator set at 8.95 MLD STP and Photographs	
13.	**Annexure-12** A true copy Letter dated 20.04.2024 of CRO Jaunpur And report dated 24.04.2024 of EO Nagar Palika parishad Jaunpur	

Principal Secretary
Urban Development Department,
Government of Uttar Pradesh.

IN THE HON'BLE NATIONAL GREEN TRIBUNAL

PRINCIPAL BENCH, NEW DELHI

EXECUTION APPLICATION NO. 32 of 2023

IN

ORIGINAL APPLICATION NO. 490 OF 2019

IN THE MATTER OF:

T.S. SINGH **.... Appellant**

Versus

STATE OF UTTAR PRADESH & ORS. **.... Respondent(s)**

To,

The Registrar,
National Green Tribunal
Principal Bench, New Delhi.

Subject- Action Taken Report.

ACTION TAKEN REPORT AND COMPLIANCE OF THE ORDER DATED 21.02.2024.

The following Action Taken Report is by the Principal Secretary, Urban Development Department, GoUP in ongoing matter, Execution Application No. 32/2023, titled as T.S. Singh Versus State of U.P. & Ors: -

1. It respectfully submitted that the following Action Taken Report is filed by the Principal Secretary, Urban Development Department, Government of U.P. for an ongoing matter, Execution Application No. 32/2023, titled as T.S. Singh Versus State of U.P & Ors.

2. That it is humbly submitted that on the previous date of hearing principal Secretary, Urban development Department virtually appeared before this Hon'ble Tribunal. In compliance with direction given by the Hon'ble Tribunal, the Principal secretary has taken certain steps in true letter and spirit.

3. It is respectfully submitted that in compliance with the Hon'ble National Green Tribunal order dated 21.02.2024, meetings were held under the chairmanship of Chief Secretary, State of UP and a Meeting was held under the chairmanship of the Principal Secretary, Urban Development Department. In the meeting Principal Secretary directed Pratapgarh, Rae Bareli, and Jaunpur municipalities to take necessary action in true letter and spirit.

   A true copy of the minutes of the meetings dated 15.04.2024 and 28.02.2024 are annexed herewith as Annexure 1.

4. It is humbly submitted that response is been filed in compliance to para 4 of previous order of the Hon'ble National green Tribunal is produced here-

"....it is indicated that from the drains namely Ramleela drain at Pratapgarh 0.2 MLD and Bhuliyapur Drain 1.7 MLD is being treated in two newly constructed wetland having capacity of 2.5 MLD and 0.5 MLD. However, during the discussions the Principal Secretary, Urban Development, clarified that the same is not a wetland but stabilization pond. Further the officers were unable to explain the mode of treatment in stabilization pond in reference to the capacity and retention time of sewage in the stabilization pond, to ensure continuous flow from the drain. Mode of disinfection is also not spelt out. As per consent granted to 8.9 MLD Bela Pratapgarh STP, treated effluents are required to be utilized for irrigation purpose rather than discharging into river but untreated effluents are also entering the river, thus, there is no improvement in water quality."

A) Sub- Surface Vertical Up Flow Constructed Wetland Technology at 0.5 MLD Ram Leela Drain:

A sub surface vertical up flow constructed wetland is constructed at downstream of Ram Leela drain tapping point beyond the railway line to tap the remaining sewage. Constructed Wetland at Ramleela Drain is built at the downstream of the habitation on the Ram Leela drain beyond the

railway line to tap all the incoming sewage for treatment in the constructed wetland and currently no sewer is directly being discharged or bye passed in the Sai River on this drain without treatment. Flow diagram of the wetland is enclosed. The retention period of the sewage in the constructed wetland at Ramleela drain is 18 hours. Trial run of wetland was started in December, and it will approximately take 6 months to fully stabilize and function properly. Design of 0.5 MLD Constructed Wetland at Ramleela drain vetted by MNNIT, Prayagraj is being annexed. The Sewage samples from inlet and outlet of wetland were tested from UPPCB and MNNIT Prayagraj. The test report of the sample of wetland at Ram Leela drain is enclosed **(Annexure- 2)**. The test reports show reduction in the Key Performance Indicators.

A true Copy of the flowchart with photo of wetland and test reports are Enclosed herewith as Annexure- 2

Typical input and output characteristics considered in the design of wetland are:

S No	Parameter	Unit	Inlet	Outlet
1	pH	-	7.5 to 8.5	6.5 to 9.0
2	BOD	mg/l	250	<30

3	COD	mg/l	450	<100
4	TSS	mg/l	350	<50

B) Sub- Surface Vertical Up flow Constructed Wetland Technology at 2.5 MLD Bhuliyapur Drain:

Bhuliyapur drain is situated in the upstream of Police line drain. Outlet of Bhuliyapur drain is approximately 2.7 km from the tapping of police line drain. As the distance from Police line drain tapping is high it was not feasible to divert the flow in this drain to STP through sewer line by gravity. As there was no provision of intermediate pumping station (IPS) in the estimate. Hence it was decided that a Constructed Wetland will be constructed for onsite treatment of sewage before discharging in the Sai River. A sub surface vertical upflow constructed wetland is constructed at downstream of Bhuliyapur drain. Constructed Wetland at Bhuliyapur Drain is built at the downstream of the habitation to tap all the incoming sewage for treatment in the constructed wetland and currently no sewer is directly being discharged or bye passed in the Sai River on this drain without treatment. Flow diagram of wetland is enclosed as **Annexure-3**. The retention period of sewage in the constructed wetland at Bhuliyapur drain is 17 hours. Trial run of the wetland was started from January, and it will approximately take 6 months to fully stabilize and function properly.

Design of 2.5 MLD Constructed Wetland at Bhuliyapur drain vetted by MNNIT, Prayagraj is being annexed. Sewage samples from inlet and outlet of wetland were tested from UPPCB and MNNIT Allahabad. The test report of the wetland at Bhuliapur drain is enclosed **(Annexure 3).** The test reports show reduction in the Key Performance Indicators.

A true Copy of the flowchart with photo of wetland and test reports are Enclosed herewith as Annexure- 3

Typical input and output characteristics considered in the design of wetland are:

S N	Parameter	Unit	Inlet	Outlet
1	pH	-	7.5 to 8.5	6.5 to 9.0
2	BOD	mg/l	250	<30
3	COD	mg/l	450	<100
4	TSS	mg/l	350	<50

C) Utilisation of treated water of 8.95 MLD STP Bela Pratapgarh:

8.95 MLD STP Bela Pratapgarh is located in a low land adjacent to Sai River between Pratapgarh-Sultanpur Highway (NH 330) on upstream side,

Lucknow -Varanasi railway line on the downstream side of Sai River, Sai River on western side and Vinayak hospital on eastern side. Hence the treated water is currently not being reused. Also, no canal situated nearby STP where this treated water can be diverted for irrigation. Although some water is used for watering plants in the STP campus.

Proposal has been prepared in coordination with the Executive Officer, Nagar Palika Parishad, Bela Pratapgarh for utilisation of treated water of STP for watering the plants in parks and other cleaning work within Nagar Palika.

D) Quality of treated water and Sai River water quality:

Test reports of samples of 8.95 MLD STP tested by UPPCB on 12.01.2024, 15.01.2024, 24.01.2024, 30.01.2024, 07.02.2024, 12.02.2024, 19.02.2024, 26.02.2024. 06.03.2024, 12.03.2024, 18.03.2024 and 23.03.2024 are attached **(Annexure- 4)**.

A true Copy of the reports are Enclosed herewith as Annexure- 4

As per the attached reports the faecal coliform level the treatment of 8.95 MLD STP is within the design limit of 1000 MPN/100 ml. Some other drains are falling in the Sai River in other districts in which the treatment structure such as STP etc are not constructed for example Qila Mohammadi drain in Lucknow.

In Lucknow Qila Mohammadi drain discharges around 60 MLD sewage in Sai River. UP Jal Nigam (Rural) has prepared a DPR of Rs 581.41 Cr

(Capex-Rs 236.59 Cr, Opex- 320.54 Cr, Centage- 24.29 Cr) for tapping of this drain. This project includes Interception & Diversion of Qila Mohammadi drain, Construction of 100 MLD STP with MPS, strengthening of Qila Mohammadi Drain, Operation & Maintenance for 15 years. is planning to tap this drain under Namami Gange program. Status report of Kila Mohammadi drain is attached **(Annexure- 5)**. As per the AA&ES issued by National Mission for Clean Ganga, New Delhi by letter no Pr-15011/1/2022-Tech Construction NMCG approved cost of the project is Rs 351.03 Cr (Capex- Rs 200.70 Cr, Opex-129.90 Cr, Centage- Rs 4.92 Cr). NIT for the works was issued by letter no 2078/M-7/ 95 Dt 29.11.2023 and last date of submission for the bid is 22.04.2024 at 03:00 pm and bid is opened at 22.04.2024 at 04:00 pm.

In Raebareli total 7 untapped drains are falling in Sai River. Currently the DPR for Interception and Diversion of these drains along with STP and related works is under preparation by U P Jal Nigam (Rural). **Status report submitted by U P Jal Nigam (Rural) is attached herewith (Annexure- 6).**

Both the above projects are proposed to be completed by UP Jal Nigam (Rural) which will take time as the project of interception and diversion of Qila Mohammadi drain Lucknow is under tendering and interception and diversion of seven untapped drains in Raebareli is under DPR preparation phase. Till these projects are completed and the STP start

to properly function the water quality of River Sai is difficult to fully meet the primary water quality criteria.

5. That the Para4(II) order of hon'ble Tribunal is belo-mentioned-

> *".....Further at para 8, seven drains at Raebareli carrying a load of 32.8 MLD are stated to be treated through bio-remediation method. With regard to bio-remediation method, there are serious doubts about the effectiveness and the same has been indicated by CPCB earlier that the bioremediation method for sewage treatment is not an effective method. The water analysis report after bioremediation provided by the Counsel casts serious doubts as after bio remediation, COD and TSS level have come down considerably. We are unable to understand how the bioremediation can bring down these chemical and physical parameters. Further, against the current generation of sewage estimated to 33 MLD, existing treatment capacity is 18 MLD and presently, only 3 MLD is treated. For STP of 16 MLD which is still under planning stage, no timeline has been given and therefore actual gap in Raebareli is 30 MLD."*

In Response to the Para 4(II):

It is respectfully submitted that bioremediation of all seven drains at Raebareli city is being carried out by NPP Raebareli for the total sewage

of 32.8MLD. **The Report of the EO, Nagar palika Raebareli is annexed herewith as Annexure- 7**

Regarding Sewerage system in Rae Bareli-

A) It is respectfully submitted that in district Rae Bareli, total Sewerage generation for year 2022 and year 2035 is estimated around of 24.79 MLD and 31.43 MLD respectively in terms of population.

B) It is respectfully submitted that the works of Sewerage Project Phase-1 and Phase-2 in Municipal Council, Rae Bareli have been completed and works of Rae Bareli Sewerage Scheme Phase-3 is approximately 51 percent complete, which is proposed to be completed by June 2024. Works of Sequencing batch reactors (SBR) technology based 18 MLD STP Raebareli has been completed and handover to Municipal Council on dated 26.12.2023 (**Anexuure-8**), it is under operation & maintenance and 42 KM of Sewer line is functional. Currently about 4.0 MLD sewerage is being treated at the STP. Test report of sewage samples are annexed (**Anexure-9**).

Project wise detail and its progress are tabulated below:

Raebareli Sewerage Scheme Phase 1 Part 1:

S. No	Proposed Works	Quantity	Progress	Status

1	Sewer Line	17.57 km	17.57 km	Completed
2	House Connections	980 No	980 No	Completed
3	STP (18 MLD Capacity)	0.40 No	0.40 No	Completed

Raebareli Sewerage Scheme Phase 2:

S. No	Proposed Works	Quantity	Progress	Status
1	Sewer Line	11.25 km	11.25 km	Completed
2	House Connections	1220 No	1220 No	Completed
3	STP (18 MLD Capacity)	0.60 No	0.60 No	Completed

Raebareli Sewerage Scheme Phase 3:

S. No	Proposed Works	Quantity	Progress	Status
1	Sewer Line	178.07 km	90.61 km	Under Construction
2	House Connections	15560 No	650 No	Under Construction
3	IPS	2 No	0.01 No	Under Construction

Nagar Palika Parishad Raebareli Faecal Sludge Management / Septage Work:

S. No	Proposed Works	Quantity	Progress	Status
1	Faecal Sludge Treatment Plant	1 No	1 No	100 %
2	Cesspool Vehicle	3 No	3 No	100 %
3	Solar Panel	1 No	1 No	100 %

C) Under sanctioned projects i.e Raebareli Sewerage Schemes (Phase 1, 2 &3) no provision of drain tapping was approved. Also functionality of Sewer line approx 45 km in Raebareli Sewerage Zone 2 is hindered due to pending road cutting permission from NHAI Lucknow Division. As reply on UP Jal Nigam Raebareli letter, NHAI Lucknow division has informed that via its letter dated 02.11.2023 (**Annexure-10**) "*The above proposal has examined by this office and inspected at site. It is inform that VUP is proposed at Ch. 78.820 at Ratapur and the land acquisition is in process. As soon as the physical possession of land is granted by SLAO, Raebareli the construction work will be started. Therefore the NOC cannot be granted at this stage.*" Again on refilling road cutting permission NHAI Lucknow informed via its letter dated 13.03.2024 "As per discussed with Executive Engineer, UP Jal Nigam regarding subject work, it is to inform you that as per MORTH

Guidelines dated 22.11.2016 clause 2.6 "*In exceptional cases, where ROW is restricted the utility services can be allowed beneath the carriageway of service road, subject to the condition that the utility services be laid in concrete ducts, which will be designed to carry traffic on tap. The width of the duct in such case shall not be less than one lane. In such cases, it also needs to be ensured that maintenance of the utility services shall not interfere with the safe and smooth flow of traffic. The cost of operation and maintenance will have to be borne by the License as per the agreement.* In this regard, it is requested to kindly review the proposal in pursuant to extent guideline."

D) It is humbly submitted that A meeting was held under chairmanship of Chief Secretary Govt. of U.P for untapped drains in municipal areas of Raebareli on 28.02.2024. Nanami Gange Department was directed to take necessary action for I&D of 7 drains of Raebareli city. DPR preparation by Construction Division UPJN(Rural) Lucknow is under consideration.

A true copy of the Minutes of Meeting of 28.02.2024 is enclosed herewith as Annexure- 1

Sr. No.	Drain Name	Average Discharge in MLD	Tentative Coverage in Sewerage Zone	Approximate discharge that can be diverted to 18 MLD STP in existing Raebareli Sewerage	NMCG/ UPJN_ Rural Project

				projects			
				Phase 1	**Phase 2**	**Phase 3**	
1	Kanpur Drain	3.2	Zone 1 & Zone 4	0.8			2.4
2	Sarjupur Drain / Rajghat Drain	7.8	Zone 1	0			7.8
3	Indira Nagar Drain/ Kaptan ka Purwa Drain	4.7	Zone 4	4.2			0.5
4	Police Line Drain	5.5	Zone 4	4.8			0.7
5	Mahanand pur Drain	7.4	Zone 1, Zone 3 & Zone 4	6.8			0.6
6	Industrial Area Drain/ Behta Drain	2.3	Zone 2 & Zone 3	0.8			1.5
7	Lohanipur / Rewatiram talab Drain	1.9	Zone 1	0			1.9
			Total	17.4			15.4

It is respectfully submitted that a 32 KLD capacity faecal sludge Management/Septage work in municipality is also completed and transferred to Municipal Council, Rae Bareli on 19.10.2022. This will help in reduction of faecal coliform levels in all drains.

6. It is submitted that the para4 (iii) of the Hon'ble tribunal is below-mentioned-

> *".....At pages 201 to 231 of the report, the electricity consumption by the STPs have been enclosed in the chart form. On examination of these charts, it is observed that there is hardly any consumption of electricity by the STPs and in some places the electricity is available only for few hours in a day. Hence, we are unable to understand how the STPs are functioning and the sewage is being treated. Thus, it appears that untreated sewage is still flowing into the river in spite of STPs being provided at some locations. Hence, the discharge water quality standards provided by the PCB cannot be relied upon."*

It is respectfully submitted that in response to the **Para 4 (III),** The logbook of MPS and generator set at 8.95 MLD STP is attached for the month of February and March **(Annexure- 11).** On average the STP is shut down for 3:15 hours during the entire day in the month of February

and March. As the flow in sump of MPS at the STP is reduced during night and lean period of the day the incoming sewage is collected in the sump of MPS. MPS has a sump diameter of 8.0 m and liquid depth of 3.0 m having collection capacity of 150.79 cum. As the consumption of water during the night is reduced considerably the rate of incoming sewage in the sump of MPS becomes very less and hence the pumps are not operated. No untreated sewage is flowing in the Sai River. Currently the STP is being operated and maintained by the Nagar Palika Parishad, Bela Pratapgarh.

A true copy of Report of EO Pratapgarh with logbook of MPS and generator set at 8.95 MLD STP along with Photographs are attached (Annexure- 11).

7. It is respectfully submitted that in response-

> *".....On examination of the reports, it is also observed that on several locations, fecal coliforms and total coliforms are very high and effluents are being discharged into the river and thereby making river water unfit for bathing and not meeting primary water quality criteria."*

Para 4 (IV):

It is humbly submitted that out of various drains across cities which are falling in the Sai River many projects are under various phases of

implementation. Urban Development Department is currently executing projects in Raebareli and Pratapgarh. Detailed status of the projects is provided in the below-mentioned chart-

S No	District	Total No of drains	Discharge (MLD)	Agency Responsible	Status of project
1	Lucknow	1	60	UP Jal Nigam (Rural)	DPR prepared. Under tendering stage.
2	Raebareli	7	32.8	UP Jal Nigam (Rural)	DPR for tapping of drains under preparation by U P Jal Nigam (Rural). UP Jal Nigam (Urban) executed Raebareli Sewerage Schemes (Phase 1, 2 &3) in which Phase 1 and Phase 2 are completed. Currently Work of 18 MLD STP and 42 km sewer line is completed, STP is currently operational and 4 MLD flow is currently being treated at the STP. Works of Phase 3 are currently under progress and 51 percent of work have been

					completed till date. Balance works are proposed to be completed till June 24.
3	Pratapgarh	4	8.3	UP Jal Nigam (Urban)	3 Drains (City, Police line and Ram Leela) tapped at 8.95 MLD STP currently operated and maintained by Executive Officer, Bela Pratapgarh. Partial Ram Leela Drain tapped at Constructed wetland currently under trial run. Bhuliyapur Drain tapped at Constructed Wetland Bhuliyapur which is currently under trial run.
4	Jaunpur	12	26	UP Jal Nigam (Rural)	STP operated and maintained by UP Jal Nigam (Rural). Currently the treated water is discharged in the Gomti river. CRO Jaunpur has instructed the Project Manager, Ganga Pollution Control Unit,

					UP Jal Nigam (Rural) and Assistant Engineer, Irrigation, Water Resource Department, Jaunpur and Executive Officer, Nagar Palika Parishad, Jaunpur to prepare proposal for reuse of treated water in irrigation and other uses. **(Annexure-12)**

Principal Secretary
Urban Development Department,
Government of Uttar Pradesh.

Annexure-1

मा0 राष्ट्रीय हरित अधिकरण द्वारा ओ0ए0 संख्या–490/2019 टी0एस0 सिंह बनाम उत्तर प्रदेश राज्य व अन्य में मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा पारित आदेश दिनांक 14.09.2022 के समादर में प्रदूषण के नियंत्रण तथा उपचार के संबंध में कार्य–योजना बनाकर कार्यवाही किये जाने तथा मा0 राष्ट्रीय हरित अधिकरण की मंशा के अनुरूप समस्त वांछित कार्यवाही सुनिश्चित कराते हुए प्रभावी अनुश्रवण के संबंध में गठित समिति की प्रमुख सचिव, नगर विकास विभाग, उत्तर प्रदेश शासन की अध्यक्षता में दिनांक 15.04.2024 को सम्पन्न बैठक का कार्यवृत्त।

उपस्थिति भौतिक एवं वर्चुअल संलग्न विवरण के अनुसार

अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा ओ0ए0 सं0–490/2019 टी0एस0 सिंह बनाम उ0प्र0 राज्य व अन्य में मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली द्वारा पारित आदेश दिनांक 14.09.2022 के समादर गठित समिति की दिनांक 15.04.2024 को सर्वसंबंधितों के साथ बैठक सम्पन्न हुई।

2– उक्त सम्पन्न बैठक में निम्नानुसार कार्यवाही किये जाने के निर्देश दिये गये है:–

क्र0सं0	कार्यवाही का बिन्दु	बैठक में दिये गये निर्देश	कार्यवाही किये जाने वाले संबंधित विभाग
1	नगर पालिका परिषद, जौनपुर जनपद–जौनपुर में सीवरेज व्यवस्था के सम्बन्ध में।	• उत्तर प्रदेश जल निगम (नगरीय) द्वारा नगर पालिका परिषद, जौनपुर में अमृत योजना के अन्तर्गत स्थापित किये गये एस0टी0पी0 से निकलने वाले ट्रीटेड वॉटर के पुनः उपयोग में लाये जाने की सम्भावनाओं पर विचार किया जाए तथा रियूज्ड वॉटर को सिंचाई एवं वृक्षारोपण के कार्यों में उपयोग किये जाने हेतु आवश्यक कार्यवाही की जाए। उक्त एस0टी0पी0 के निकट मियावाकी पद्धति से वृक्षारोपण का कार्य भी किया जाए।	• **प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ** • **जिलाधिकारी, जौनपुर** • **अधिशासी अधिकारी, नगर पालिका परिषद, जौनपुर, जनपद–जौनपुर**
2	नगर पालिका परिषद रायबरेली, जनपद–रायबरेली में सीवरेज व्यवस्था के सम्बन्ध में।	• रायबरेली सीवरेज परियोजना फेज–3 के कार्यो की धीमी प्रगति पर असंतोष प्रकट प्रकट करते हुए निर्देश दिये गये है कि परियोजना की नियमित मॉनीटरिंग हेतु जिलाधिकारी की अध्यक्षता में दिन–प्रतिदिन की समीक्षा किया जाना सुनिश्चित किया जाए।	• **जिलाधिकारी, रायबरेली** • **प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ**

		• नगर पालिका परिषद, रायबरेली, जनपद रायबरेली के 7 अनटैप्ड नाले, जिनके माध्यम से अशोधित मल सीधे सई नदी में प्रावाहित हो रहा है, का बायोरिमिडेशन का कार्य नगर पालिका परिषद, रायबरेली द्वारा कराया जाए तथा नाले एवं सई नदी की वाटर क्वालिटी के सम्बन्ध में प्रमाणित लैब के माध्यम उपलब्ध कराते हुए कार्य की जी0ओ0 टैगिंगयुक्त फोटोग्राफ्स प्रत्येक 15 दिन के अन्तराल पर शासन को उपलब्ध कराया जाना सुनिश्चित किया जाए।	• **जिलाधिकारी, रायबरेली** • **अधिशासी अधिकारी, नगर पालिका परिषद, रायबरेली**
		• रायबरेली सीवरेज परियोजना हेतु उ0प्र0 जल निगम (नगरीय) द्वारा जनपद में एस0टी0पी0 /आई0पी0एस0 अधिष्ठापन हेतु चिन्हित भूमि संबंधित हस्तान्तरित करने की कार्यवाही यथाशीघ्र पूर्ण की जाए।	• **जिलाधिकारी, रायबरेली** • **प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ**
		• नगर पालिका परिषद, रायबरेली, जनपद–रायबरेली के 7 अनटैप्ड नाले, जिनके माध्यम से अशोधित मल सीधे सई नदी में प्रावाहित हो रहा है कि टैपिंग का कार्य नमामि गंगे तथा ग्रामीण जलापूर्ति विभाग द्वारा किया जाना है। इस संबंध में अब तक की गयी कार्यवाही की अद्यतन आख्या (स्टेटस रिपोर्ट) प्रस्तुत की जाए तथा जिलाधिकारी, रायबरेली से समन्वय स्थापित कर आवश्यक भूमि की उपलब्धता सुनिश्चित की जाए।	• **प्रमुख सचिव, नमामि गंगे एवं ग्रामीण जलापूर्ति विभाग** • **जिलाधिकारी, रायबरेली** • **अधिशासी अधिकारी, नगर पालिका परिषद, रायबरेली**
		• अमृत योजनान्तर्गत नगर पालिका	• **प्रबन्ध निदेशक, उत्तर प्रदेश जल**

		परिषद, रायबरेली, जनपद–रायबरेली में उत्तर प्रदेश जल निगम (नगरीय) द्वारा कराये जा रहे कार्यो के संबंध में उत्तर प्रदेश जल निगम (नगरीय) के अधीन संबंधित अधिशासी अभियन्ता को प्रश्नगत कार्य को यथाशीघ्र पूर्ण कराये जाने हेतु निर्देशित किया जाए।	**निगम (नगरीय), लखनऊ**
3	नगर पालिका परिषद बेल्हा प्रतापगढ़, जनपद–प्रतापगढ़ में सीवरेज व्यवस्था के सम्बन्ध में।	• नगर पालिका परिषद बेल्हा प्रतापगढ़, जनपद–प्रतापगढ़ में जिन अनटैप्ड नालों के माध्यम से अशोधित मल सीधे सईं नदी में प्रावाहित हो रहा है, का बायोरिमिडेशन का कार्य नगर पालिका परिषद द्वारा कराया जाए तथा नाले एवं सई नदी की वाटर क्वालिटी के सम्बन्ध में प्रमाणित लैब के माध्यम से कराकर उपलब्ध कराया जाना सुनिश्चित किया जाए।	• **जिलाधिकारी, प्रतापगढ़** • **अधिशासी अधिकारी, नगर पालिका परिषद, बेला प्रतापगढ़**
		• मा0 राष्ट्रीय हरित न्यायाधिकरण में योजित Execution Application No.32/2023 in ओ0ए0 संख्या–490/2019 T.S. Singh vs. State of U.P में पारित आदेश दिनांक 21.02.2024 के अनुपालन में नगर पालिका परिषद, बेल्हा प्रतापगढ़ में स्थापित stabilization pond से निकलने वाले शोधित जल को पुनः प्रयोग में लाने हेतु नगर पालिका परिषद, बेल्हा प्रतापगढ़ द्वारा एक कार्ययोजना बनायी जाए तथा उसके निकट मियावाकी पद्धति से वृक्षारोपण एवं शोधित जल को नगर पालिका परिषद क्षेत्रान्तर्गत स्थित पार्कों में सिंचाई हेतु प्रयोग किया जाए।	• **जिलाधिकारी, प्रतापगढ़** • **अधिशासी अधिकारी, नगर पालिका परिषद, बेला प्रतापगढ़**

		• उत्तर प्रदेश जल निगम (नगरीय) द्वारा नगर पालिका परिषद, बेल्हा प्रतापगढ़ में स्थापित की गयी एस0टी0पी0 के आउटलेट में निकलने वाले शोधित जल को संई नदी में छोडे जाने से पूर्व क्लोरीनीफिकेशन की कार्यवाही की जाए।	• **प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ**
		• उत्तर प्रदेश जल निगम (नगरीय) द्वारा नगर पालिका परिषद, बेल्हा प्रतापगढ़ में स्थापित की गयी एस0टी0पी0 के संचालन की नियमित मॉनिटरिंग उच्च स्तर से की जाए तथा ओ0सी0एम0एस0 की रिपोर्ट व एस0टी0पी0 संचालन के रजिस्टर का विधिवत निरीक्षण नियमित रूप से किया जाना सुनिश्चित किया जाए।	• **प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ** • **अधिशासी अधिकारी, नगर पालिका परिषद, बेल्हा प्रतापगढ़**
		• नगर पालिका परिषद, बेल्हा प्रतापगढ़ में सभी घरों में शौचालय निर्माण कार्य पूर्ण कराया जाना सुनिश्चित किया जाए तथा सभी हाउसहोल्ड के सेप्टिक टैंकों की नियमित सफाई करायी जाए, जिससे नालियों में मल का outflow न हो।	• **राज्य मिशन निदेशक, स्वच्छ भारत मिशन (नगरीय)** • **अधिशासी अधिकारी, नगर पालिका परिषद, बेल्हा प्रतापगढ़।**
4	संबंधित अधिकारियों पर कार्यवाही किये जाने के संबंध में।	• प्रश्नगत प्रकरण में मा0 एन0जी0टी0 द्वारा पूर्व में पारित आदेशों एवं शासन द्वारा दिये गये निर्देशों के अनुपालन में अधीक्षण अभियन्ता एवं अधिशासी अभियन्ता, निर्माण खण्ड, उत्तर प्रदेश जल निगम (नगरीय), रायबरेली व प्रतापगढ़ द्वारा कार्यो में शिथिलता, एन0जी0टी0 में प्रस्तुत रिपोर्ट का परिशीलन न करते हुए त्रुटिपूर्ण रिपोर्ट प्रस्तुत किया जाना, कार्य में उदासीनता एवं घोर लापरवाही से मा0 एन0जी0टी0 के समक्ष	• **प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ**

		बार–बार विभाग को असमंजस की स्थिति का सामना करना पड़ा है। अतः उपरोक्त कार्मिको को विभाग से समन्वय स्थापित न किये जाने तथा शासकीय कार्यो में रूचि न लेने के कारण सम्बंधितों के विरूद्ध नियमानुसार आवश्यक कार्यवाही की जाए।	
5	किला मोहम्मदी ड्रेन के माध्यम से सई नदी में सीधे प्रवाहित अशोधित जल के रोकथाम के संबंध में।	• मा0 राष्ट्रीय हरित न्यायाधिकरण में योजित Execution Application No.32/2023 in ओ0ए0 संख्या–490/2019 T.S. Singh vs. State of U.P में पारित आदेश दिनांक 01.12.2023 के पैरा–4 एवं 5 उल्लिखित निर्देशों के अनुसार किला मोहम्मदी ड्रेन के माध्यम से लगभग 60 एम0एल0डी0 अशोधित मल रायबरेली–लखनऊ के सीमा के पास सई नदी में सीधे प्रवाहित हो रहा है, जो नदी के जल की गुणवत्ता को सर्वाधिक प्रभावित करता है। अतएव आशियाना क्षेत्र में बिजनौर एस.टी.पी. स्थल तक ट्रंक सीवर लाइन बिछाये जाने का कार्य त्वरित ढ़ंग से पूर्ण कर लिया जाए।	• **प्रमुख सचिव, आवास एवं शहरी नियोजन विभाग** • **उपाध्यक्ष, लखनऊ विकास प्राधिकरण, लखनऊ**

अन्त में बैठक सधन्यवाद सम्पन्न हुई।

25.04.2024

(कल्याण बनर्जी)
संयुक्त सचिव

उत्तर प्रदेश शासन
नगर विकास अनुभाग–5
संख्या–एन0जी0टी0– 115 / नौ–5–2024–07रिट / 2020
लखनऊः दिनांक 25 अप्रैल, 2024

प्रतिलिपिः–निम्नलिखित को सादर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1.अपर मुख्य सचिव / प्रमुख सचिव, नमामि गंगे एवं ग्रामीण जलापूर्ति विभाग / आवास एवं शहरी नियोजन विभाग, उ0प्र0 शासन।
2.निजी सचिव, प्रमुख सचिव / सचिव / विशेष सचिव, नगर विकास विभाग, उ0प्र0 शासन को प्रमुख सचिव / सचिव / विशेष सचिव महोदय के अवगतार्थ।
3.सदस्य सचिव, उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, लखनऊ।
4.निदेशक, स्वच्छ भारत मिशन (नगरीय), नगरीय निकाय निदेशालय, उ0प्र0 लखनऊ।
5.प्रबन्ध निदेशक, उ0 प्र0 जल निगम (नगरीय), लखनऊ।
6.संयुक्त प्रबन्ध निदेशक, उ0 प्र0 जल निगम (नगरीय), लखनऊ।
7.जिलाधिकारी, जौनपुर / रायबरेली / प्रतापगढ़ / लखनऊ।
8.क्षेत्रीय निदेशक, केन्द्रीय प्रदूषण नियंत्रण बोर्ड, लखनऊ।
9.नगर आयुक्त, नगर निगम, लखनऊ।
10.उपाध्यक्ष, लखनऊ विकास प्राधिकरण, लखनऊ।
11.मुख्य अभियन्ता (प्रया0क्षे0), उ0प्र0 जल निगम (नगरीय), प्रयागराज।
12.अधिशासी अधिकारी, नगर पालिका परिषद, जौनपुर / रायबरेली / बेला प्रतापगढ़।
13.श्री अतुल भारती, एडवोकेट, पी0एम0यू0, नगर विकास विभाग, उ0प्र0 लखनऊ।
14.गार्ड बुक / कम्प्यूटर सेल।

आज्ञा से,
25.04.2024
(कल्याण बनर्जी)
संयुक्त सचिव

वाराणसी में वरूणा नदी में प्रवाहित हो रहे नालों हेतु सिंचाई विभाग द्वारा पूर्व में बिछाये गये इण्टर सेप्टर सीवर के क्रियाशील न होने एवं नालों को नदी में गिरने से रोकने एवं नगर पालिका परिषद, रायबरेली में सई नदी में प्रवाहित होने वाले अनटैप्ड नालों की टैपिंग, आई0एण्डडी0 वर्क एवं एस0टी0पी0 निर्माण कार्य किये जाने पर विचार-विमर्श हेतु मुख्य सचिव महोदय की अध्यक्षता में दिनांक 28.02.2024 को सम्पन्न बैठक का कार्यवृत्त।

उपस्थितिः संलग्न विवरण के अनुसार।

वाराणसी में वरूणा नदी में प्रवाहित हो रहे नालों हेतु सिंचाई विभाग द्वारा पूर्व में बिछाये गये इण्टर सेप्टर सीवर के क्रियाशील न होने एवं नालों को नदी में गिरने से रोकने के संबंध में।

दिनांक 28.02.2024 को मुख्य सचिव महोदय की अध्यक्षता में वाराणसी में वरूणा नदी में नालों के टैपिंग व बाढ़ के कारण हुई समस्या के संबंध में बैठक हुई। बैठक में अवगत कराया गया कि कार्यदायी संस्था यू0पी0 पी0सी0एल0 द्वारा वाराणसी में वरूणा नदी के दोनो छोर पर नदी के चैनेलाइजेशन एवं तटीय विकास परियोजना (लागत रू0 20165.85 लाख) का कार्य कराया गया था। योजना की स्वीकृति वर्ष 2016 में हुई थी तथा कार्य वर्ष 2021 में पूर्ण हुआ। योजना के अन्तर्गत वरूणा नदी के तटीय विकास के साथ-साथ दोनो छोर पर आर.सी.सी. ह्यूम पाइप डालकर 13 नालों को टैप किया गया तथा चौकाघाट मुख्य सीवेज पम्पिंग स्टेशन में मिलाया गया।

यह भी अवगत कराया गया कि प्रति वर्ष बाढ़ के दौरान नालों का टैपिंग स्ट्रक्चर डूब जाता है, जिसके कारण पाइप लाइन में सिल्ट एवं गाद आदि प्रवेश कर गयी है, जिससे लाइन चोक हो गयी है तथा नालों का सीवेज बगल में ओवरफ्लो हो रहा है। जिलाधिकारी वाराणसी द्वारा अवगत कराया गया कि योजना बनने के उपरान्त से कभी क्रियाशील नहीं हुई है। प्रकरण मा0 एन0जी0टी0 के ओ0ए0 संख्या-483/2022 Ashish Kumar Mishra & Ors व अन्य से आच्छादित है।

2. वाराणसी में वरूणा नदी में प्रवाहित हो रहे नालों हेतु सिंचाई विभाग द्वारा पूर्व में बिछाये गये इण्टर सेप्टर सीवर के क्रियाशील न होने एवं नालों को नदी में गिरने से रोकने के संबंध में कार्यदायी संस्था यू0पी0 पी0सी0एल0 द्वारा पूर्व में कराये गये कार्यो की तकनीकी अध्ययन तथा रेट्रोफिटिंग कराये जाने के संबंध में संयुक्त प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ की अध्यक्षता में निम्नानुसार समिति का गठन किया जाना है:

संयुक्त प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ	अध्यक्ष

सिंचाई एवं जलापूर्ति विभाग द्वारा नामित अधिकारी (अधीक्षण अभियन्ता से अनिम्न न हो)	सदस्य
प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (ग्रामीण), लखनऊ द्वारा नामित अधिकारी	सदस्य
प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ द्वारा नामित अधिकारी	सदस्य
प्रबन्ध निदेशक, उत्तर प्रदेश प्रोजेक्ट कारपोरेशन लिमिटेड, लखनऊ द्वारा नामित अधिकारी	सदस्य
नगर आयुक्त, नगर निगम, वाराणसी	सदस्य
आई 0 आई 0 टी0 (बी0 एच 0 यू0) के विशेषज्ञ	सदस्य

उक्त समिति द्वारा वाराणसी में वरूणा नदी में प्रवाहित हो रहे नालों की टैपिंग हेतु यू0 पी0 पी0 सी0 एल 0 द्वारा पूर्व में कराये गये कार्यो की तकनीकी अध्ययन तथा रेट्रोफिटिंग कराये जाने के संबंध में अपनी रिपोर्ट शासन को एक माह के भीतर उपलब्ध कराया जाये।

(कार्यवाही: प्रमुख सचिव, सिंचाई एवं जल संसाधन विभाग/प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (ग्रामीण), लखनऊ/संयुक्त प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ/ प्रबन्ध निदेशक, उत्तर प्रदेश प्रोजेक्ट कारपोरेशन लिमिटेड, लखनऊ/नगर आयुक्त, नगर निगम, वाराणसी/ आई 0 आई 0 टी0 (बी0 एच 0 यू0))

3. उक्त गठित समिति द्वारा पूर्व में कराये गये कार्यो का तकनीकी अध्ययन तथा रेट्रोफिटिंग इस आधार पर की जाए कि वाराणसी में वरूणा नदी में प्रवाहित होने वाले 13 नालों में से पूर्व में बिछाये गये इण्टर सेप्टर सीवर एवं टैपिंग के कार्यो में वर्तमान में कितने क्रियाशील है, कितने अक्रियाशील है, कितने में रेट्रोफिटिंग की आवश्यकता है एवं कितने कार्यो को कम से कम खर्च में जनोपयोगी बनाया जा सकता है, की विस्तृत रिपोर्ट सर्वेक्षण कर प्रस्तुत की जाए।

(कार्यवाही: प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ)

4. उक्त गठित समिति के कार्यो में आयुक्त, वाराणसी मण्डल तथा जिलाधिकारी, वाराणसी द्वारा सभी प्रकार का समन्वय स्थापित किया जायेगा तथा संबंधित विभागों द्वारा पूर्व में करे गये कार्यो की सत्यापित प्रतियां, डी0 पी0 आर 0 तथा अन्य आवश्यक परियोजना से संबंधित डाटा समिति को उपलब्ध कराया जायेगा।

(कार्यवाही: प्रमुख सचिव, सिंचाई एवं जल संसाधन विभाग/प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ/आयुक्त, वाराणसी मण्डल/जिलाधिकारी, वाराणसी/ प्रबन्ध निदेशक, उत्तर प्रदेश प्रोजेक्ट कारपोरेशन लिमिटेड, लखनऊ)

5. यदि वाराणसी में वरूणा नदी में प्रवाहित होने वाले 13 नालों में से पूर्व में बिछाये गये इण्टर सेप्टर सीवर एवं टैपिंग के कार्यो में वर्तमान में क्रियाशीलता व रेट्रोफिटिंग सम्भव न हो पाने की दशा में पूर्व में

सम्पादित की गयी परियोजना से कराये गये कार्यो की जॉच कराकर दोषी अधिकारियों/अभियन्ताओं के विरूद्ध एफ0 आई0 आर0 कर चार्जशीट दाखिल करते हुए परियोजना की लागत की वसूली के संबंध में संबंधित विभाग/कार्यदायी संस्था द्वारा आवश्यक कार्यवाही की जाए।

(कार्यवाही: प्रमुख सचिव, सिंचाई एवं जल संसाधन विभाग/आयुक्त, वाराणसी मण्डल/जिलाधिकारी, वाराणसी/ प्रबन्ध निदेशक, उत्तर प्रदेश प्रोजेक्ट कारपोरेशन लिमिटेड, लखनऊ)

6. यदि वर्तमान में उक्त परियोजना की क्रियाशीलता व रेट्रोफिटिंग सम्भव न हो पाने की दशा में पर्यावरणीय उपचारों एवं जनहित के दृष्टिगत वाराणसी में वरूणा नदी में प्रवाहित होने वाले 13 नालों में इण्टर सेप्टर सीवर एवं टैपिंग के कार्यो को नमामि गंगे एवं ग्रामीण जलापूर्ति विभाग द्वारा कराये जाने के संबंध में आवश्यक कार्यवाही प्रारम्भ की जाए।

(कार्यवाही: प्रमुख सचिव, नमामि गंगे एवं ग्रामीण जलापूर्ति विभाग /प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ)

- **नगर पालिका परिषद, रायबरेली में सई नदी में प्रवाहित होने वाले 07 अनटैप्ड नालों की टैपिंग के संबंध में।**

अवगत कराया गया कि प्रकरण मा0 राष्ट्रीय हरित न्यायाधिकरण में योजित **Execution Application No.32/2023 in** ओ0ए0 संख्या-490/2019 **T.S. Singh vs. State of U.P** में पारित आदेशों से आच्छादित है। नगर पालिका परिषद, रायबरेली के 7 अनटैप्ड नालो के माध्यम से लगभग 32 एम0एल0डी0 अशोधित मल सीधे सई नदी में प्रवाहित हो रहा है।

2. उक्त 07 अनटैप्ड नालों की टैपिंग का कार्य नमामि गंगे एवं जलापूर्ति विभाग द्वारा कराये जाने के संबंध में आवश्यक कार्यवाही प्रारम्भ की जाए।

(कार्यवाही: प्रमुख सचिव, नमामि गंगे एवं ग्रामीण जलापूर्ति विभाग /प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ)

अन्त में बैठक सधन्यवाद सम्पन्न हुई।

Digitally Signed by अमृत अभिजात
Date: 04-03-2024 14:04:23
Reason: Approved

(अमृत अभिजात)
प्रमुख सचिव

उत्तर प्रदेश शासन
नगर विकास अनुभाग-5
संख्याः 1371 /नौ-5-2024-Computer No: 1783470


लखनऊ, दिनांक ०५ मार्च, 2024

प्रतिलिपिः- निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. प्रमुख स्टॉफ ऑफिसर, मुख्य सचिव, उ0प्र0 शासन।
2. प्रमुख सचिव, नमामि गंगे एवं ग्रामीण जलापूर्ति विभाग, उ0प्र0 शासन।
3. निजी सचिव, प्रमुख सचिव/सचिव/विशेष सचिव, नगर विकास विभाग, उत्तर प्रदेश शासन को प्रमुख सचिव/सचिव/विशेष सचिव महोदय के अवगतार्थ।
4. निदेशक, नगरीय निकाय निदेशालय उत्तर प्रदेश, लखनऊ।
5. प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (ग्रामीण), लखनऊ।
6. प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ।
7. आयुक्त, वाराणसी मण्डल।
8. संयुक्त प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम (नगरीय), लखनऊ।
9. जिलाधिकारी, वाराणसी, रायबरेली।
10. प्रबन्ध निदेशक, उत्तर प्रदेश प्रोजेक्ट कारपोरेशन लिमिटेड, लखनऊ।
11. नगर आयुक्त, नगर निगम, वाराणसी।
12. निदेशक, आई0आई0टी0 (बी0एच0यू0)
13. अधिशासी अधिकारी, नगर पालिका परिषद, रायबरेली (रायबरेली)।
14. अधिशासी अभियन्ता, निर्माण खण्ड, उत्तर प्रदेश जल निगम (नगरीय), रायबरेली।
15. गार्ड बुक/कम्प्यूटर सेल।

आज्ञा से,
04.03.2024
(कल्याण बनर्जी)
संयुक्त सचिव

FLOW DIAGRAM OF 0,5 MLD RAMLEELA WETLAND STP PLANT Annexure-2



DESIGN CALCULATION OF 0.5 MLD SEWAGE TREATMENT PLANT BASED ON SUB-SURFACE VERTICAL UPFLOW CONSTRUCTED WETLAND (CW) TECHNOLOGY AT RAMLEELA MAIDAN, PRATAPGARH, UTTAR PRADESH.

DESIGN CALCULATION SHEET

The proposed STP is designed to treat the wastewater with following characteristics:

Mode of Operation	: Manual
Nature of Wastewater	: Drainage
Wastewater Daily Average Flow	: 200 Cum/ day
Peak factor	: 2.5
Designed Peak flow	: 200 * 2.5 = 500 Cum/ day

DESIGN CONSIDERATION

INLET CHARACTERISTICS:

pH	7.5 to 8.5
BOD_5	Up to 250 mg/l
COD	450 mg/l
Suspended solids	350 mg/l
Oil & Grease	30 mg/l

OUTLET CHARACTERISTICS:

pH	6.5 to 9.0
BOD_5	Not more than 30 mg/l
COD	Not more than 100 mg/l
Suspended solids	Not more than 50 mg/l
Oil & Grease	Less than 10 mg/l

SCREEN CHAMBER & APPROACH CHANNEL

The Approach channel is the unit from where the sewage will enter the screen chamber. I]=t is the first unit in the STP, so all the incoming sewage passes through its grill. Therefore, it should be able to handle the sewage (especially the peak flows) without overflowing.

There are two major factors to be considered:

1. Adequacy of the cross-sectional area of the chamber itself
2. Obstruction posed by the bars of the screen.
3. Remove floating particle larger than 10 mm.

The net opening should be adequate to allow proper flow of the sewage (especially during peak inflow).

Parameter	Value/ Calculation	Remarks
Designed daily flow	0.5 MLD	Quantity of sewage to be handled by the STP on daily basis.

Er. [illegible] AHMAD
Environmental Consultant
M.Tech. Environmental Engg.
IET Lucknow

M.N. National Institute of Civil Engg. Department Allahabad

Design vetted by us
24/04/2024 24.4.24

Designed hourly flow	= 500/ 24 = 20.83 m^3/ hr. = 20.83/ 60 m^3/min = 0.00578 m^3/sec	Average flow in respect with hour and second.
Approach Channel Length	3 m	***Reference: Technical Instructions on Sewage Management in MES, Page 35 of 64.***
Design flow velocity	0.6 m/ sec	This is the optimal velocity: • Sewage flowing at a higher velocity will forcibly push the debris through the screen. • Sewage flowing at a lower velocity will leave an excessive amount of sedimentation on the floor of the screen chamber.
Cross-sectional area of screen channel	= 0.00578/ 0.6 = 0.00963 m^2	
Adjust for the flow-area blocked by the bars	= 0.00963 m^2 x 1.8 = 0.01734 m^2	Cross-sectional area is increased by 80% to compensate for the obstruction posed by the bars of the grill. In general, the multiplication factor is (1 + W/ G) Where: G = Gap between two bars of the screen (here, 10 mm) W = Width of a bar (here, 5 mm).

IET
En
M-
IET Lucknow

GRIT SETTLING CUM OIL & GREASE CHAMBER

Grit chambers are long narrow tanks that are designed to slow down the flow so that solids such as sand, coffee grounds and eggshells will settle out of the water. Grit causes excessive wear and tear on pumps and other plant equipment.

Parameter	Value/Calculation	Remarks
Designed daily flow	0.5 MLD or 500 KLD	Quantity of sewage to be handled by the STP on daily basis.
Designed hourly flow	= 500/ 24 = **20.833 m^3/hr.** = 20.833/ 60 m^3/min = 0.3472 m^3/min	
Retention time	1.5 min	Retention time to maintain optimal

M. N. National Institute of Technology Civil Engineering Department Allahabad

Design & related Drawings

time		velocity for removal of Grit Particles Such as Sand, Eggshells etc.: • Minimum 0.5 min. • Maximum 1.5 min. And using this tank also as an oil and grease tank for removing most of the skimming particles.
Volume of Receiving Chamber	= 0.3472 x 1.5 min = 0.5208 m^3	Volume = retention time x Volume/ sec.

Reference: Wastewater Engineering by Metcalf Eddy. Chapter 5, page no. 387.
Reference: Technical Instructions on Sewage Management in MES, Page 37 of 64.

OIL AND GREASE CHAMBER

The fats that are separated in this unit are disposed of along with other biodegradable waste, and can be used as feed for piggeries. The grease is placed at the discharge point of the canteen/ kitchen area itself to arrest solid and fatty matter at source. The wastewater output from this unit is taken to the collection/ Anaerobic Baffle Reactor.

Parameter	Value/ Calculation	Remarks
Designed daily flow	0.5 MLD or 500 KLD	Quantity of sewage to be handled by the STP on daily basis.
Designed hourly flow	= 500/ 24 = **20.833 m^3/hr.** = 20.833/ 60 m^3/min = 0.3472 m^3/min	
Retention time	20 min	Retention time to maintain optimal velocity for removal of oil and grease: • Minimum 3 min. • Maximum 20 min.
Volume of Receiving Chamber	= 0.3472 x 20 = 6.944 m^3	Volume = retention time x volume/sec.
		Due to no manpower present in regular basis hence, taking a conservative approach for oil and grease removal. Providing 2 tank for safety features.

Reference: Technical Instructions on Sewage Management in MES, Page 37 of 64.

M.N. National Institute of Civil Engineering Department Allahabad

Design vetted by us
24/04/2024
24.4.24

Er. VASEEM AHMAD
Environmental Consultant
M-Tech Environmental Engg.

DESIGN CALCULATION OF 0.5 MLD SEWAGE TREATMENT PLANT BASED ON SUB-SURFACE VERTICAL UPFLOW CONSTRUCTED WETLAND (CW) TECHNOLOGY AT RAMLEELA MAIDAN, PRATAPGARH, UTTAR PRADESH.

COLLECTION CUM ANAEROBIC BAFFLE REACTOR

Anaerobic suspended growth reactors, the suspended growth reactor are simply a tank in which nitrified wastewater is mixed with a carbon source, typically septic tank effluent. In some cases, nitrified wastewater is discharged back to the primary treatment stage, such as a septic tank, for denitrification.

Parameter	Value/ Calculation	Remarks
STP Capacity	0.5 MLD = 500 m^3/day	Quantity of sewage to be handled by the STP on daily basis.
Hourly inflow	= 500/ 24 m^3/hr. = 20.83 m^3/hr.	
Anoxic tank volume	= 20.83 m^3/hr. x 6 hr. = 125 m^3	Tank is designed to hold 6 to 24 hours of average flow. *Minimum Retention time is taken due to the variability of influent BOD that may vary from 60 to 250 mg/l in the Drainage System.*
No. of tanks	= 4 No.	

Reference: Wastewater Engineering : Metcalf & Eddy , page no. 1017

DISTRIBUTION TANK

For equal distribution of the outlet of anaerobic tank before entering it into plant bed.

Parameter	Value/Calculation	Remarks
Designed daily flow	0.5 MLD	Quantity of sewage to be handled by the STP on daily basis.
Designed hourly flow	= 500/ 24 = 20.83 m^3/ hr. = 20.83/ 60 m^3/ min = 0.348 m^3/ min	
Retention time	55 min	
Volume of Chamber	= 0.348 x 55 = 19.14 m^3	Volume = retention time x volume/ sec.

ANAEROBIC CUM UP FLOW VERTICAL PLANT BED SYSTEM

Design vetted by us 24.4.2024

M. N. National Institute of Technology Civil Engineering Department Allahabad

ET. WASEEM AHMAD
Environmental Consultant
M-Tech Environmental Engg.

Area of the tank, $A = \frac{Q\,(ln\,(BOD_{in}) - ln\,(BOD_{out})}{K_{BOD}}$

(Reference: Manual on Constructed Wetland as an alternative Technology, CPCB 2019, Page 83)

Where,

A = Area of Constructed Wetland (m^2)

Q = Volume of Wastewater

BOD_{in} = Influent concentration of BOD (mg/l)

BOD_{out} = Effluent concentration of BOD (mg/l)

K_{BOD} = Removal Rate Constant (d^{-1})

$$k_{BOD} = KTdn$$

$K_T = K_{20}\,(1.06)^{(T-20)}$

K_{20} = rate constant @ 20°C (d^{-1}) = 0.12 to 0.46 d^{-1}

(Reference: Wastewater Engineering, Metcalf & Eddy, page no. 85)

d = Depth (m)

n = Porosity of CW (percentage expressed as fraction)

So,

Taking BOD_{in}= 250 mg/l, BOD_{out} = 30mg/l, Q= 500 m^3/d, d= 2.7m, n = 0.75

$K_{BOD} = K_T \times 25°C \times 2.7m \times 0.75$

$K_T = 0.23 \times (1.06)^{(25-20)} = 0.3077\ d^{-1}$

$K_{BOD} = 15.581\ d^{-1}$

Area of CW = $A = \frac{500 \times (ln(250) - ln(30))}{15.581}$

A = 68.0400 m^2.

Hence, providing tank area of 9 m^2 for each tank and providing 8 no. of tanks in 4 phases of 2 tanks each.

PLANT BED – Phase I

Parameter	Value/ Calculation	Remarks
STP Capacity	0.5 MLD = 500 m^3/day	Quantity of sewage to be handled by the STP on daily basis.
Hourly Sewage Inflow	= 500/ 24 m^3/hr. = 20.83 m^3/hr.	

M.N. National Institute of Technology, Civil Engineering Department, Allahabad

Design vetted by us

24/04/2024

24.4.24

Er. WASEEM AHMAD
Environmental Consultant
M-Tech Environmental Engg.

Plant Bed volume	= 18 m^2 x 2.7m = 48.6 m^3	Providing 9 m^2 area for each plant bed and each phase has 2 PB. Therefore, total area = 9 x 2 = 18 m^2
Freeboard	0.3 to 0.5 m	Selected by convention.
Water depth in tank (including freeboard)	= 3m	

PLANT BED – Phase II

Parameter	Value/ Calculation	Remarks
STP Capacity	0.5 MLD = 500 m^3/day	Quantity of sewage to be handled by the STP on daily basis.
Hourly sewage inflow	= 500/ 24 m^3/hr. = 20.83 m^3/hr.	
Plant Bed volume	= 18 m^2 x 2.7m = 48.6 m^3	Providing 9 m^2 area for each plant bed and each phase has 2 PB. Therefore, total area = 9 x 2 = 18 m^2
Freeboard	0.3 to 0.5 m	Selected by convention.
Water depth in tank (including freeboard)	= 3m	

PLANT BED – Phase III

Parameter	Value/ Calculation	Remarks
STP Capacity	0.5 MLD = 500 m^3/day	Quantity of sewage to be handled by the STP on daily basis.
Hourly sewage inflow	= 500/ 24 m^3/hr. = 20.83 m^3/hr.	
Plant Bed volume	= 18 m^2 x 2.7m = 48.6 m^3	Providing 9 m^2 area for each plant bed and each phase has 2 PB. Therefore, total area = 9 x 2 = 18 m^2
Freeboard	0.3 to 0.5 m	Selected by convention.
Water depth in tank (including freeboard)	= 3m	

M.N. National Institute of Technology Civil Engineering Department Allahabad

Designed by us 24/4/2024

PLANT BED – Phase IV

Parameter	Value/ Calculation	Remarks
STP Capacity	0.5 MLD = 500 m^3/day	Quantity of sewage to be handled by the STP on daily basis.

Er. WASEEM AHMAD
Environmental Consultant
M.Tech Environmental Engg.

Hourly sewage inflow	=.500/ 24 m^3/hr. = 20.83 m^3/hr.	
Plant Bed volume	= 18 m^2 x 2.7m = 48.6 m^3	Providing 9 m^2 area for each plant bed and each phase has 2 PB. Therefore, total area = 9 x 2 = 18 m^2
Freeboard	0.3 to 0.5 m	Selected by convention.
Water depth in tank (including freeboard)	= 3m	

CLEAR WATER TANK

Clear water tanks are commonly used to hold treated water prior to distribution or for disinfection purposes before releasing the treated water.

Parameter	Value/ Calculation	Remarks
STP Capacity	0.5 MLD = 500 m^3/day	Quantity of sewage to be handled by the STP on daily basis
Hourly inflow	= 500/ 24 m^3/hr. = 20.83 m^3/hr.	
Tank volume	= 20.83 m^3/hr. x 1 hr. = 20.83 m^3	Tank is designed to hold: - • Minimum 20 minutes. • Maximum 60 minutes. *Note: This is the usable volume, and does not include the freeboard.*
Freeboard	0.3 to 0.5 m	Selected by convention.
Water depth in tank (including freeboard)	= 2.0m to 3m	
Tank area	= 20.83/ 2.2 = 9.46 m^2	Area = Volume/ Depth *Note: Select length and width to suit the site conditions.*

M. N. National Institute of Civil Engineering Department Allahabad

Design vetted by WS 24.4.24

SEEMA AHMAD Environmental Consultant M-Tech Environmental Engg.

24-4-2024

Test Report of Wetland at Ramleela Drain

S No	Parameter	Unit	Inlet	Final Outlet	Standards
Date 14-03-2024(UPPCB)					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	7.76	7.74	6.5-9.0
2	TSS	mg/l	-	-	<100
3	BOD		26	22.50	<30
4	COD		112	88.00	<250
5	Faecal Coliform	MPN/100 ml	49000	46000.00	<1000
Date 28-03-2024 (NABL Lab)					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	7.43	7.72	6.5-9.0
2	TSS	mg/l	52.20	18.40	<100
3	BOD		30	20.00	<30
4	COD		104	76.00	<250
5	Faecal Coliform	MPN/100 ml	50000	32000.00	<1000
Date 01-04-2024 (MNNIT)					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	7.39	7.52	6.5-9.0
2	TSS	mg/l	2900.00	40.00	<100
3	BOD		420	48.00	<30
4	COD		706	74.00	<250
5	Faecal Coliform	MPN/100 ml	2100000	1700.00	<1000
Date 10-04-2024 (MNNIT)					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	8.03	8.15	6.5-9.0
2	TSS	mg/l	2150.00	70.00	<100
3	BOD		291	82.00	<30
4	COD		288	40.00	<250
5	Faecal Coliform	MPN/100 ml	24000	1110.00	<1000

REGIONAL LABORATORY RAEBARELI
UTTAR PRADESH POLLUTION CONTROL BOARD

C-Block, Avas Vikas Colony, Indira Nagar, Raebareli

TEST REPORT: WASTE WATER LABORATORY

Ref No: 25104407/Raebareli/2024/paybasis **Date:22/03/2024**

1- Name of Industry: 500 KLD Wetland STP Ramleela PRATAPGARH, Ramleela Pratapgarh

2- Address of Industry: Ramleela Pratapgarh

3- District: Pratapgarh

4- Description about sampling point: Inlet of Wetland

5- Type of Sample (Grab/Composite/Integrated): Grab

6- Sample Collected By: Mr. Nagmani Kumar JRF & Mrs. Chhaya Verma JRF

7- Colour and Odour: Blackish Fishy

8- Quantity and Packing: 02 LITER PLASTIC JERICAN & 125 ML MPN BOTTLE

9- Date of Sample Collection: 14/03/2024

10- Analyis Indented by: RO Raebareli

11- Date of sample receipt in Lab: 14/03/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.76		02-12
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	49000		<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 (Part 44): 1993 Bio 2023	mg/l	26.0		1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	112.0		5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

*Non-NABL Parameters.

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: *NA*

Analysed by-
[Sneh lata(JRF)]

Authorized by

Digitally signed by MANISH TRIPATHI
Date: 2024.03.22 15:54:45 +05'30'

Manish Tripathi (SA)

Digitally signed by PRADEEP KUMAR VISHWAKARMA
Date: 2024.03.22 15:11:26 +05'30'

Regional Officer

REGIONAL LABORATORY RAEBARELI
UTTAR PRADESH POLLUTION CONTROL BOARD

C-Block, Avas Vikas Colony, Indira Nagar, Raebareli

TEST REPORT: WASTE WATER LABORATORY

Ref No: 25118688/Raebareli/2024/paybasis **Date:22/03/2024**

1- Name of Industry: 500 KLD Wetland STP Ramleela PRATAPGARH, Ramleela Pratapgarh

2- Address of Industry: Ramleela Pratapgarh

3- District: Pratapgarh

4- Description about sampling point: Outlet of Wetland

5- Type of Sample (Grab/Composite/Integrated): Grab

6- Sample Collected By: Mr. Nagmani Kumar JRF & Mrs. Chhaya Verma JRF

7- Colour and Odour: COLORLESS ODORLESS

8- Quantity and Packing: 02 LITER PLASTIC JERICAN & 125 ML MPN BOTTLE

9- Date of Sample Collection: 14/03/2024

10- Analyis Indented by: RO Raebareli

11- Date of sample receipt in Lab: 14/03/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.74		02-12
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	46000		<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 (Part 44): 1993 Bio 2023	mg/l	22.5		1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	88.0		5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

*Non-NABL Parameters.

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: *NA*

Analysed by-
[Sneh lata(JRF)]

Authorized by
MANISH TRIPATHI Digitally signed by MANISH TRIPATHI Date: 2024.03.22 14:59:19 +05'30'
Manish Tripathi (SA)

PRADEEP KUMAR VISHWAKARMA Digitally signed by PRADEEP KUMAR VISHWAKARMA Date: 2024.03.22 15:08:20 +05'30'
Regional Officer

SILKON BIOTECH PRIVATE LIMITED

Environmental Testing (NABL Accredited Lab) & Biomedical Waste Treatment

CIN NO : U74999UP2017PTC091011 | GSTIN : 09AAYCS2616M1ZJ

HO : Silkon House, Lane No 3, Maa Laxmi Nagar, Kanchanpur, BLW, Varanasi - 221005

Tel : +91-5427963773 , 08046057462 | EMail : silkonbiotech@gmail.com, Web : biotech.silkonhouse.in

Revision No.00 Format No. SBPL/QSF/11-01/00

TEST REPORT

Name & Address of Customer
Issued to - 500 KLD Wetland STP Ramleela Pratapgarh
Ramleela, Pratapgarh, U.P.

ULR No. TC859424000001859F
Job Order No. SBPL/WW/1001960
Report Issue Date. 1/4/2024

Waste Water Sample Analysis Report

Type of Sample	: Waste Water
Date of Sampling	: 28/3/2024
Test Start Date	: 29/3/2024
Test End Date	: 1/4/2024
Sampling Done By	: Sample Provided by customer
Sampling Method	: IS:3025 Part-1
Sample Code	: WW- 1126
Sample Quantity	: 3 Lit
Sampling Location	: STP (Inlet)

Test Result

S. No.	Parameter	Unit	Result	Limits as per E.P.R. 1986 (Schedule)- VI	Test Method
1	pH	-	7.43	5.5-9.0	IS:3025 (Part-11)
2	Total Suspended Solid (TSS)	mg/l	52.2	100.0 mg/l	IS:3025 (Part-17)
3	Biological Oxygen Demand (BOD) (at 27 ^{0}C for 3 days)	mg/l	30.0	30.0 mg/l	IS:3025 (Part-44)
4	Chemical Oxygen Demand (COD)	mg/l	104.0	250.0 mg/l	IS:3025 (Part-58)
5	Fecal Coliform	MPN/100 ml	50000.0	-	IS:1622

Checked By

Authorized Signatory
Uttam
(Assistant Q.M.)

END OF REPORT

Note:-

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above TP only.
3. This Report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
4. Sample will be disposed after 15 days from date of Issue of Test Report.

TC-8594

SILKON BIOTECH PRIVATE LIMITED

Environmental Testing (NABL Accredited Lab) & Biomedical Waste Treatment

CIN NO : U74999UP2017PTC091011 | GSTIN : 09AAYCS2616M1ZJ
HO : Silkon House, Lane No 3, Maa Laxmi Nagar, Kanchanpur, BLW, Varanasi - 221005
Tel : +91-5427963773 , 08046057462 | EMail : silkonbiotech@gmail.com, Web : biotech.silkonhouse.in

Revision No.00 Format No. SBPL/QSF/11-01/00

TEST REPORT

Name & Address of Customer
Issued to - 500 KLD Wetland STP Ramleela Pratapgarh
Ramleela, Pratapgarh, U.P.

ULR No. TC859424000001860F
Job Order No. SBPL/WW/1001961
Report Issue Date. 1/4/2024

Waste Water Sample Analysis Report

Type of Sample	: Waste Water
Date of Sampling	: 28/3/2024
Test Start Date	: 29/3/2024
Test End Date	: 1/4/2024
Sampling Done By	: Sample Provided by customer
Sampling Method	: IS:3025 Part-1
Sample Code	: WW- 1127
Sample Quantity	: 3 Lit
Sampling Location	: STP (Outlet)

Test Result

S. No.	Parameter	Unit	Result	Limits as per E.P.R. 1986 (Schedule)- VI	Test Method
1	pH	-	7.72	5.5-9.0	IS:3025 (Part-11)
2	Total Suspended Solid (TSS)	mg/l	18.4	100.0 mg/l	IS:3025 (Part-17)
3	Biological Oxygen Demand (BOD) (at 27 ^{0}C for 3 days)	mg/l	20.0	30.0 mg/l	IS:3025 (Part-44)
4	Chemical Oxygen Demand (COD)	mg/l	76.0	250.0 mg/l	IS:3025 (Part-58)
5	Fecal Coliform	MPN/100 ml	32000.0	-	IS:1622

Checked By

Authorized Signatory
SILKON BIOTECH PVT. LTD. Varanasi
Uttam
(Assistant Q.M.)

END OF REPORT

Note:-

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above TP only.
3. This Report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
4. Sample will be disposed after 15 days from date of Issue of Test Report.

TC-8594

Phone 0532-227 1301 (O)

जानपद अभियांत्रिकी विभाग
मोतीलाल नेहरू राष्ट्रीय प्रौद्योगिकी संस्थान इलाहाबाद
प्रयागराज–211004 (भारत)
Civil Engineering Department
Motilal Nehru National Institute of Technology Allahabad
Prayagraj-211004 (India)

Letter No.: 104 / CED / R&C/2024-25

Dated 12/04/2024

To

Mr. Amit Raj,
Executive Engineer, Second Section,
UP Jal Nigam (Urban)
Civil Line, Prayagraj (UP)

Sub: Testing report of wastewater sample of 0.5 MLD Ramlila Wetland.

Dear Sir,

Please refer to your letter no 279/W-46/07 dated: 13/03/2024 regarding testing of Sewage sample as supplied by your representative and the testing was perform as per IS code. The test results are as follows:

RESULTS OF SEWAGE SAMPLES

S.No.	Parameter	Inlet	Outlet
1.	pH	7.39	7.52
2.	Total suspended solids	2900 (mg/l)	40 (mg/l)
3.	COD	706 (mg/l)	74 (mg/l)
4.	BOD	420 (mg/l)	48 (mg/l)
5.	MPN Test	220 per 100 ml	52 per 100 ml
6.	Fecal Coliform	$21X10^5$ MPN/100 ml	$17X10^2$ MPN/100 ml

12/4/24

(Dr. N. Rawal)
Testing Officer

Phone 0532-227 1301 (O)

जानपद अभियांत्रिकी विभाग
मोतीलाल नेहरू राष्ट्रीय प्रौद्योगिकी संस्थान इलाहाबाद
प्रयागराज–211004 (भारत)
Civil Engineering Department
Motilal Nehru National Institute of Technology Allahabad
Prayagraj-211004 (India)

Letter No.: 160 ..... / CED / R&C/2024-25

Dated 22/04/2024

To

Mr. Amit Raj,
Executive Engineer, Second Section,
UP Jal Nigam (Urban)
Civil Line, Prayagraj (UP)

Sub: Testing report of wastewater sample of 0.5 MLD Ramleela & 2.5 MLD Bhuliyapur Wetland.

Dear Sir,

Please refer to your letter no 340/W-46/14 dated: 01/04/2024 regarding testing of Sewage sample as supplied by your representative and the testing was perform as per IS code. The test results are as follows:

Results of 0.5 MLD Ramleela Sewage Samples

S.No.	Parameter	Inlet	Outlet
1.	pH	8.03	8.15
2.	Total suspended solids	2150 (mg/l)	70 (mg/l)
3.	COD	291 (mg/l)	82 (mg/l)
4.	BOD	288 (mg/l)	40 (mg/l)
5.	MPN Test	425 per 100 ml	32 per 100 ml
6.	Fecal Coliform	24 $X10^3$ MPN/100 ml	1110 MPN/100 ml

Results of 2.5 MLD Bhuliyapur Sewage Samples

S.No.	Parameter	Inlet	Outlet
7.	pH	8.00	8.35
8.	Total suspended solids	1420 (mg/l)	60 (mg/l)
9.	COD	184 (mg/l)	61 (mg/l)
10.	BOD	154 (mg/l)	30 (mg/l)
11.	MPN Test	239 per 100 ml	46 per 100 ml
12.	Fecal Coliform	21$X10^3$ MPN/100 ml	450 MPN/100 ml

(Dr. Radha Rani)
Testing Officer

22/4/24
(Dr. N. Rawal)
Testing Officer

M.N. National Institute of Technology * Allahabad * 1961 * Civil Engineering Department

329


GPS Map Camera
Pathkhauli, Uttar Pradesh, India
320, belhaghat, Pathkhauli, Bela Pratapgarh, Uttar Pradesh 230001, India
Lat 25.931724°
Long 82.009596°
29/04/24 05:21 PM GMT +05:30
Google

330


GPS Map Camera
Pathkhauli, Uttar Pradesh, India
320, belhaghat, Pathkhauli, Bela Pratapgarh, Uttar Pradesh 230001, India
Lat 25.931542°
Long 82.009527°
29/04/24 05:20 PM GMT +05:30
Google



GPS Map Camera
Pathkhauli, Uttar Pradesh, India
320, belhaghat, Pathkhauli, Bela Pratapgarh, Uttar Pradesh 230001, India
Lat 25.931883°
Long 82.009641°
30/04/24 10:33 AM GMT +05:30
Google

331


GPS Map Camera
Pathkhauli, Uttar Pradesh, India
320, belhaghat, Pathkhauli, Bela Pratapgarh, Uttar Pradesh 230001, India
Lat 25.93197°
Long 82.00971°
22/04/24 04:43 PM GMT +05:30
Google

FLOW DIAGRAM OF 2.5 MLD BHULIYAPUR WETLAND STP PLANT

Annexure-3



DESIGN CALCULATION SHEET

The proposed STP is designed to treat the wastewater with following characteristics:

Mode of Operation	:	Manual
Nature of Wastewater	:	Drainage
Wastewater Daily Average Flow	:	1000 cum/day
Peak factor	:	2.5
Designed Peak flow	:	1000 * 2.5 = 2500 cum/day

DESIGN CONSIDERATION

INLET CHARACTERISTICS

pH	7.5 to 8.5
BOD_5	Up to 250 mg/l
COD	450 mg/l
Suspended solids	350 mg/l
Oil & Grease	30 mg/l

OUTLET CHARACTERISTICS

pH	6.5 to 9.0
BOD_5	Not more than 30 mg/l
COD	Not more than 100 mg/l
Suspended solids	Not more than 50 mg/l
Oil & Grease	Less than 10 mg/l

SCREEN CHAMBER & APPROACH CHANNEL

The approach channel is the unit from where the sewage will enter screen chamber. It is the first unit in the STP, so all the incoming sewage passes through its grill. Therefore, it should be able to handle the sewage (especially the peak flows) without overflowing.

There are two major factors to be considered:

1. Adequacy of the cross-sectional area of the chamber itself
2. Obstruction posed by the bars of the screen.

Remove floating particle larger than 10 mm.

The net opening should be adequate to allow proper flow of the sewage (especially during peak inflow).

Parameter	Value/Calculation	Remarks
Designed daily flow	2.5 MLD	Quantity of sewage to be handled by the STP on daily basis.

M.N. National Institute of Technology Civil Engineering Department Allahabad

Design verified by Dr. Anshu 24.4.24

24/04/2024

Dr. WASEEM AHMAD Environmental Consultant Environmental Engg

Designed hourly flow	= 2500/ 24 = 104.17 m^3/hr. = 104.17/ 3600 m^3/sec = 0.0289 m^3/sec	Average flow in respect with hour and second.
Approach Channel Length	3 m	***Reference: Technical Instructions on Sewage Management in MES, Page 35 of 64.***
Design flow velocity	0.6 m/ sec	This is the optimal velocity: • Sewage flowing at a higher velocity will forcibly push the debris through the screen. • Sewage flowing at a lower velocity will leave an excessive amount of sedimentation on the floor of the screen chamber.
Cross-sectional area of screen channel	= 0.0289/ 0.6 = 0.04816 m^2	
Adjust for the flow-area blocked by the bars	= 0.04816 m^2 x 1.8 = 0.0867 m^2	Cross-sectional area is increased by 80% to compensate for the obstruction posed by the bars of the grill. In general, the multiplication factor is (1+ W/ G) Where: G = Gap between two bars of the screen (here, 10 mm) W = Width of a bar (here, 5 mm).

GRIT SETTLING CUM OIL AND GREASE CHAMBER

Grit chambers are long narrow tanks that are designed to slow down the flow so that solids such as sand, coffee grounds and eggshells will settle out of the water. Grit causes excessive wear and tear on pumps and other plant equipment.

Parameter	Value/Calculation	Remarks
Designed daily flow	2.5 MLD	Quantity of sewage to be handled by the STP on daily basis.
Designed hourly flow	= 2500/ 24 = 104.17 m^3/hr. = 104.17/ 3600 m^3/sec = 0.0289 m^3/sec	
Retention time	1.5 min or 90 sec	Retention time to maintain optimal velocity for removal of oil and grease:

M.N. National Institute of Technology Civil Engineering Department

Design verified by

4/4/2024

DR. NASEEM AHMAD
M.Tech., Ph.D., Environmental Engg.

		• Minimum 0.5 min. • Maximum 1.5 min. And using this tank also as an oil and grease tank for removing most of the skimming particles.
Volume of Receiving Chamber	= 0.0289 m^3/sec x 90 sec = 2.601 m^3	Volume = retention time x Volume/sec.

Reference: Wastewater Engineering by Metcalf Eddy. Chapter 5, page no. 387.
Reference: Technical Instructions on Sewage Management in MES, Page 37 of 64.

OIL AND GREASE CHAMBER

The fats that are separated in this unit are disposed of along with other biodegradable waste, and can be used as feed for piggeries. The grease is placed at the discharge point of the canteen/ kitchen area itself to arrest solid and fatty matter at source. The wastewater output from this unit is taken to the collection / Anaerobic Baffle Reactor.

Parameter	Value/Calculation	Remarks
Designed daily flow	2.5 MLD	Quantity of sewage to be handled by the STP on daily basis.
Designed hourly flow	= 2500/ 24 = 104.17 m^3/hr. = 104.17/ 3600 m^3/sec = 0.0289 m^3/sec	
Retention time	15 min or 900 sec	Retention time to maintain optimal velocity for removal of oil and grease: • Minimum 3 min. • Maximum 20 min.
Volume of Receiving Chamber	= 0.0289 x 900 sec = 26.01 m^3	Volume = retention time x volume/sec.

Reference: Technical Instructions on Sewage Management in MES, Page 37 of 64.

M.N. National Institute of Technology Civil Engineering Department

Er. WASEEM AHMAD
Environmental Consultant
M-Tech Environmental Engg

COLLECTION CUM ANAEROBIC BAFFLE REACTOR

Anaerobic Baffle reactors are simply a tank in which nitrified wastewater is mixed with a carbon source, typically septic tank effluent. In some cases, nitrified wastewater is discharged back to the primary treatment stage, such as a septic tank, for denitrification.

Design Verified by us

Parameter	Value/Calculation	Remarks
STP Capacity	2.5 MLD = 2500 m^3/day	Quantity of sewage to be handled by the STP on daily basis.
Hourly inflow	= 2500/ 24 m^3/hr. = 104.17 m^3/hr.	
Anoxic tank volume	= 104.17 m^3/hr. x 8 hr. = 833.33 m^3	Tank is designed to hold 6 to 24 hours of average flow. *Minimum Retention time is taken due to the variability of influent BOD that may vary from 60 to 250 mg/l in the Drainage System.*
No. of Tanks	= 16 No.	

Reference: Wastewater Engineering : Metcalf & Eddy , page no. 1017

DISTRIBUTION TANK

For equal distribution of the outlet of anaerobic tank before entering it into plant bed.

Parameter	Value/Calculation	Remarks
Designed daily flow	2.5 MLD	Quantity of sewage to be handled by the STP on daily basis.
Designed hourly flow	= 2500/ 24 = 104.17 m^3/hr. = 104.17/ 60 m^3/sec = 1.74 m^3/min	
Retention time	45 min	This tank is designed to break the flow of waste water before equally distributing it to the plant Bed.
Volume of Receiving Chamber	= 1.74 x 45 = 78.3 m^3	Volume = retention time x volume/sec.

Design vetted by us
24/04/2024
24.4.24
ER. NASEEM AHMAD
Environmental Consultant
M.Tech Environmental Engg

M. N. National Institute of Technology
Civil Engineering Department
Allahabad

ANAEROBIC CUM UP FLOW VERTICAL PLANT BED SYSTEM

Area of the tank, $A = \frac{Q\,(ln\,(BOD_{in}) - ln\,(BOD_{out})}{K_{BOD}}$

(Reference: Manual on Constructed Wetland as an alternative Technology , CPCB 2019 , Page 83)

Where,

A = Area of Constructed Wetland (m^2)

Q = Volume of Wastewater

BOD_{in} = Influent concentration of BOD (mg/l)

BOD_{out} = Effluent concentration of BOD (mg/l)

K_{BOD} = Removal Rate Constant (d^{-1})

$$k_{BOD} = KTdn$$

$K_T = K_{20}\,(1.06)^{(T-20)}$

K_{20} = rate constant @ 20°C (d^{-1}) = 0.12 to 0.46 d^{-1}

(Reference: Wastewater Engineering, Metcalf & Eddy, page no. 85)

d = Depth (m)

n = Porosity of CW (percentage expressed as fraction)

So,

Taking BOD_{in}= 250 mg/l, BOD_{out} = 30mg/l, Q= 2500 m^3/d, d= 3.0 m, n = 0.75

$K_{BOD} = K_T$ x 25°C x 3.0 m x 0.75

$K_T = K_{20}\,(1.06)^{(T-20)}$

$K_T = 0.363 \times (1.06)^{(25-20)} = 0.4857\ d^{-1}$

(Reference: Guideline for Constructed wetland systems, Namami Gange, National Mission for Clean Ganga, GOI , page no. 26)

$K_{BOD} = 27.32\ d^{-1}$

Area of CW = $A = \frac{2500 \times (\ln(250) - \ln(30))}{27.32}$

A = 194.02 m^2.

Provided Area = 230 m^2

, Providing total 24 no. of tanks in 4 phases of 6 tanks each.

ER WASEEM AHMAD
Environmental Consultant
M-Tech Environmental Engg.

Designed by WS

24.4.24

M.N. National Institute of Technology Civil Engineering Department Allahabad

Consultant- Emerging Enviro-Tech Solution & Services Pvt. Ltd., Lucknow

PLANT BED – Phase I

Parameter	Value/Calculation	Remarks
STP Capacity	2.5 MLD = 2500 m^3/day	Quantity of sewage to be handled by the STP on daily basis.
Hourly sewage inflow	= 2500/ 24 m^3/hr. = 104.17 m^3/hr.	
Water Depth	= 3 m	
Plant Bed volume	= 63 m^2 x 3 m = 189 m^3	Providing 10.5 m^2 area for each plant bed and each phase has 6 PB. Therefore, Total Area = **10.5 x 6 = 63 m^2.** *Note: Select length and width to suit the site conditions.*
Freeboard	0.3 to 0.5 m	Selected by convention.
Depth of tank (including freeboard)	= 3.5 m	

PLANT BED – Phase II

Parameter	Value/Calculation	Remarks
STP Capacity	2.5 MLD = 2500 m^3/day	Quantity of sewage to be handled by the STP on daily basis.
Hourly sewage inflow	= 2500/ 24 m^3/hr. = 104.17 m^3/hr.	
Water Depth	= 3 m	
Plant Bed volume	= 63 m^2 x 3 m = 189 m^3	Providing 10.5 m^2 area for each plant bed and each phase has 6 PB. Therefore, Total Area = **10.5 x 6 = 63 m^2.** *Note: Select length and width to suit the site conditions.*
Freeboard	0.3 to 0.5 m	Selected by convention.
Depth of tank (including freeboard)	= 3.5 m	

M.N. National Institute of Technology Civil Engineering Department

Design verified by us
24.4.24

ER. WASEEM AHMAD
Environmental Consultant
M-Tech Environmental Engg

PLANT BED – Phase III

Parameter	Value/Calculation	Remarks
STP Capacity	2.5 MLD = 2500 m^3/day	Quantity of sewage to be handled by the STP on daily basis.
Hourly sewage inflow	= 2500/ 24 m^3/hr. = 104.17 m^3/hr.	
Water Depth	= 3 m	
Plant Bed volume	= 52.2 m^2 x 3 m = 156.6 m^3	Providing 8.7 m^2 area for each plant bed and each phase has 6 PB. Therefore, Total Area = **8.7 x 6 = 52.2 m^2.** *Note: Select length and width to suit the site conditions.*
Freeboard	0.3 to 0.5 m	Selected by convention.
Depth of tank (including freeboard)	= 3.5 m	

PLANT BED – Phase IV

Parameter	Value/Calculation	Remarks
STP Capacity	2.5 MLD = 2500 m^3/day	Quantity of sewage to be handled by the STP on daily basis.
Hourly sewage inflow	= 2500/ 24 m^3/hr. = 104.17 m^3/hr.	
Water Depth	= 3 m	
Plant Bed volume	= 52.2 m^2 x 3 m = 156.6 m^3	Providing 8.7 m^2 area for each plant bed and each phase has 6 PB. Therefore, Total Area = **8.7 x 6 = 52.2 m^2.** *Note: Select length and width to suit the site conditions.*
Freeboard	0.3 to 0.5 m	Selected by convention.
Depth of tank (including freeboard)	= 3.5 m	

M. N. National Institute of Technology Allahabad Civil Engineering Department

Er. WASEEM AHMAD
Environmental Consultant
M-Tech Environmental Engg.

Design verified by me
24/04/2024

CLEAR WATER TANK


Clear Water tanks are commonly used to hold treated water prior to distribution or for disinfection purposes before releasing the treated water.

Parameter	Value/Calculation	Remarks
STP Capacity	2.5 MLD = 2500 m^3/day	Quantity of sewage to be handled by the STP on daily basis
Hourly inflow	= 2500/ 24 m^3/hr. = 104.17 m^3/hr.	
Tank volume	= 104.17 m^3/hr. x 1 hr. = 104.17 m^3	Tank is designed to hold: - • Minimum 20 minutes. • Maximum 60 minutes. *Note: This is the usable volume, and does not include the freeboard.*
Freeboard	= 0.5 m	Selected by convention.
Water depth in tank	= 3.0m	
Tank area	= 104.17/ 3 = 34.72 m^2	Area = Volume/ Depth *Note: Select length and width to suit the site conditions.*

M.N. National Institute of Technology Civil Engineering Department Allahabad

Design vetted by us
24/04/2024
Er. WASEEM AHMAD
Environmental Consultant
M-Tech Environmental Engg
24/04/2024


GPS Map Camera
Dahilamau, Uttar Pradesh, India
WXJJ+WV9, Ranjeetpur Chilbilla, Dahilamau, Uttar Pradesh 230001, India
Lat 25.933036°
Long 81.984086°
30/04/24 10:12 AM GMT +05:30
Google


GPS Map Camera
Dahilamau, Uttar Pradesh, India
WXJJ+WV9, Ranjeetpur Chilbilla, Dahilamau, Uttar Pradesh 230001, India
Lat 25.933109°
Long 81.983996°
30/04/24 10:14 AM GMT +05:30
Google

Test Report of 2.50 MLD Wetland Bhuliyapur Drain

S No	Parameter	Unit	Inlet STP	Final Outlet	Standards
Date 28-03-2024(NABL Lab)					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	7.48	7.76	6.5-9.0
2	TSS	mg/l	89.50	26.80	<100
3	BOD		40	25.00	<30
4	COD		148	88.00	<250
5	Faecal Coliform	MPN/100 ml	55000	38000.00	<1000
Date 04-04-2024 (UPPCB)					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	7.80	7.84	6.5-9.0
2	TSS	mg/l	71.00	49.00	<100
3	BOD		27	24.00	<30
4	COD		116.8	112.00	<250
5	Faecal Coliform	MPN/100 ml	2600	2100.00	<1000
Date 10-04-2024 (MNNIT)					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	8.00	8.35	6.5-9.0
2	TSS	mg/l	1420.00	60.00	<100
3	BOD		154	30.00	<30
4	COD		184	61.00	<250
5	Faecal Coliform	MPN/100 ml	21000	450.00	<1000

SILKON BIOTECH PRIVATE LIMITED

Environmental Testing (NABL Accredited Lab) & Biomedical Waste Treatment

S.B.P.L

CIN NO : U74999UP2017PTC091011 | GSTIN : 09AAYCS2616M1ZJ

HO : Silkon House, Lane No 3, Maa Laxmi Nagar, Kanchanpur, BLW, Varanasi - 221005

Tel : +91-5427963773 , 08046057462 | EMail : silkonbiotech@gmail.com, Web : biotech.silkonhouse.in

Revision No.00 Format No. SBPL/QSF/11-01/00

TEST REPORT

Name & Address of Customer

Issued to - 2.5 MLD, Wetland STP, Bhuliyapur, Pratapgarh, Bhuliyapur, Pratapgarh, U.P.

ULR No. TC859424000001861F
Job Order No. SBPL/WW/1001962
Report Issue Date. 1/4/2024

Waste Water Sample Analysis Report

Type of Sample	: Waste Water
Date of Sampling	: 28/3/2024
Test Start Date	: 29/3/2024
Test End Date	: 1/4/2024
Sampling Done By	: Sample Provided by customer
Sampling Method	: IS:3025 Part-1
Sample Code	: WW- 1128
Sample Quantity	: 3 Lit
Sampling Location	: STP (Inlet)

Test Result

S. No.	Parameter	Unit	Result	Limits as per E.P.R. 1986 (Schedule)- VI	Test Method
1	pH	-	7.48	5.5-9.0	IS:3025 (Part-11)
2	Total Suspended Solid (TSS)	mg/l	89.5	100.0 mg/l	IS:3025 (Part-17)
3	Biological Oxygen Demand (BOD) (at 27 ^{0}C for 3 days)	mg/l	40.0	30.0 mg/l	IS:3025 (Part-44)
4	Chemical Oxygen Demand (COD)	mg/l	148.0	250.0 mg/l	IS:3025 (Part-58)
5	Fecal Coliform	MPN/100 ml	55000.0	-	IS:1622

Authorized Signatory

Uttam
(Assistant Q.M.)

Checked By

END OF REPORT

Note:-

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above TP only.
3. This Report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
4. Sample will be disposed after 15 days from date of Issue of Test Report.

TC-8594

SILKON BIOTECH PRIVATE LIMITED

Environmental Testing (NABL Accredited Lab) & Biomedical Waste Treatment

S.B.P.L

CIN NO : U74999UP2017PTC091011 | GSTIN : 09AAYCS2616M1ZJ

HO : Silkon House, Lane No 3, Maa Laxmi Nagar, Kanchanpur, BLW, Varanasi - 221005

Tel : +91-5427963773 , 08046057462 | EMail : silkonbiotech@gmail.com, Web : biotech.silkonhouse.in

Revision No.00 Format No. SBPL/QSF/11-01/00

TEST REPORT

Name & Address of Customer

Issued to - 2.5 MLD, Wetland STP, Bhuliyapur, Pratapgarh,
Bhuliyapur, Pratapgarh, U.P.

ULR No. TC859424000001862F
Job Order No. SBPL/WW/1001963
Report Issue Date. 1/4/2024

Waste Water Sample Analysis Report

Type of Sample : Waste Water
Date of Sampling : 28/3/2024
Test Start Date : 29/3/2024
Test End Date : 1/4/2024
Sampling Done By : Sample Provided by customer
Sampling Method : IS:3025 Part-1
Sample Code : WW- 1129
Sample Quantity : 3 Lit
Sampling Location : STP (Outlet)

Test Result

S. No.	Parameter	Unit	Result	Limits as per E.P.R. 1986 (Schedule)- VI	Test Method
1	pH	-	7.76	5.5-9.0	IS:3025 (Part-11)
2	Total Suspended Solid (TSS)	mg/l	26.8	100.0 mg/l	IS:3025 (Part-17)
3	Biological Oxygen Demand (BOD) (at 27 °C for 3 days)	mg/l	25.0	30.0 mg/l	IS:3025 (Part-44)
4	Chemical Oxygen Demand (COD)	mg/l	88.0	250.0 mg/l	IS:3025 (Part-58)
5	Fecal Coliform	MPN/100 ml	38000.0	-	IS:1622

Checked By

Authorized Signatory
Uttam
(Assistant Q.M.)

END OF REPORT

Note:-

1. The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above TP only.
3. This Report cannot be used as evidence in the court of law and cannot be used in part or full in any media without prior permission.
4. Sample will be disposed after 15 days from date of Issue of Test Report.

TC-8594

REGIONAL LABORATORY RAEBARELI
UTTAR PRADESH POLLUTION CONTROL BOARD
C-Block, Avas Vikas Colony, Indira Nagar, Raebareli

TEST REPORT: WASTE WATER LABORATORY

Ref No: 25354977/Raebareli/2024 **Date:12/04/2024**

1- **Name of Industry:** 2.5 MLD Wetland STP Bhuliyapur Pratapgarh
2- **Address of Industry:** Bhuliyapur Pratapgarh
3- **District:** Pratapgarh
4- **Description about sampling point:** Outlet of Wetland
5- **Type of Sample (Grab/Composite/Integrated):** Grab
6- **Sample Collected By:** Mr Vinay Prabhakar Mishra JRF & Mr Bharat Kumar JLA
7- **Colour and Odour:** Colourless Odourless
8- **Quantity and Packing:** 02 LITER PLASTIC JERICAN & 125 ML MPN BOTTLE
9- **Date of Sample Collection:** 04/04/2024
10- **Analyis Indented by:** RO Raebareli
11- **Date of sample receipt in Lab:** 04/04/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.84		02-12
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	49.0		10-20000 mg/l
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	2100		<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 (Part 44): 1993 Bio 2023	mg/l	24.0		1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	112.0		5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

*Non-NABL Parameters.

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: *NA*

Analysed by-
[Dr Chhaya Verma(JRF)]

Authorized by
MANISH TRIPATHI
Digitally signed by MANISH TRIPATHI
Date: 2024.04.12 17:36:54 +05'30'
Manish Tripathi (SA)

Regional Officer

REGIONAL LABORATORY RAEBARELI
UTTAR PRADESH POLLUTION CONTROL BOARD
C-Block, Avas Vikas Colony, Indira Nagar, Raebareli

TEST REPORT: WASTE WATER LABORATORY

Ref No: 25354984/Raebareli/2024 **Date:12/04/2024**

1- **Name of Industry:** 2.5 MLD Wetland STP Bhuliyapur Pratapgarh

2- **Address of Industry:** Bhuliyapur Pratapgarh

3- **District:** Pratapgarh

4- **Description about sampling point:** Inlet of Wetland

5- **Type of Sample (Grab/Composite/Integrated):** Grab

6- **Sample Collected By:** Mr Vinay Prabhakar Mishra JRF & Mr Bharat Kumar JLA

7- **Colour and Odour:** Blackish Fishy

8- **Quantity and Packing:** 02 Liter Plastic Jerrican and 125 ml MPN bottle

9- **Date of Sample Collection:** 04/04/2024

10- **Analyis Indented by:** RO Raebareli

11- **Date of sample receipt in Lab:** 04/04/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.80		02-12
Suspended Solids , APHA 24th Ed. 2540 D Total Suspended Solids dried at 103-105 °C 2023	mg/l	71.0		10-20000 mg/l
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	2600		<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 (Part 44): 1993 Bio 2023	mg/l	27.0		1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	116.8		5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

*Non-NABL Parameters.

Note : 1 The results in the Test Report relate only to the items tested. 2. The report shall not be reproduced except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: *NA*

Analysed by-
[Dr Chhaya Verma(JRF)]

Authorized by
MANISH TRIPATHI
Digitally signed by MANISH TRIPATHI
Date: 2024.04.12 17:29:53 +05'30'
Manish Tripathi (SA)

Regional Officer

Phone 0532-227 1301 (O)

जानपद अभियांत्रिकी विभाग
मोतीलाल नेहरू राष्ट्रीय प्रौद्योगिकी संस्थान इलाहाबाद
प्रयागराज–211004 (भारत)
Civil Engineering Department
Motilal Nehru National Institute of Technology Allahabad
Prayagraj-211004 (India)

Letter No.: 160 ..... / CED / R&C/2024-25

Dated 22/04/2024

To

Mr. Amit Raj,
Executive Engineer, Second Section,
UP Jal Nigam (Urban)
Civil Line, Prayagraj (UP)

Sub: Testing report of wastewater sample of 0.5 MLD Ramleela & 2.5 MLD Bhuliyapur Wetland.

Dear Sir,

Please refer to your letter no 340/W-46/14 dated: 01/04/2024 regarding testing of Sewage sample as supplied by your representative and the testing was perform as per IS code. The test results are as follows:

Results of 0.5 MLD Ramleela Sewage Samples

S.No.	Parameter	Inlet	Outlet
1.	pH	8.03	8.15
2.	Total suspended solids	2150 (mg/l)	70 (mg/l)
3.	COD	291 (mg/l)	82 (mg/l)
4.	BOD	288 (mg/l)	40 (mg/l)
5.	MPN Test	425 per 100 ml	32 per 100 ml
6.	Fecal Coliform	24 $X10^3$ MPN/100 ml	1110 MPN/100 ml

Results of 2.5 MLD Bhuliyapur Sewage Samples

S.No.	Parameter	Inlet	Outlet
7.	pH	8.00	8.35
8.	Total suspended solids	1420 (mg/l)	60 (mg/l)
9.	COD	184 (mg/l)	61 (mg/l)
10.	BOD	154 (mg/l)	30 (mg/l)
11.	MPN Test	239 per 100 ml	46 per 100 ml
12.	Fecal Coliform	21$X10^3$ MPN/100 ml	450 MPN/100 ml

(Dr. Radha Rani)
Testing Officer

22/4/24
(Dr. N. Rawal)
Testing Officer

M.N. National Institute of Technology * Allahabad * 1961 * Civil Engineering Department

Annexure-4

Test Report of 8.95 MLD STP Bela Pratapgarh By UPPCB

S No	Parameter	Unit	Inlet STP	Final Outlet	Standards
Date 12-01-2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	8.25	7.51	6.5-9.0
2	TSS	mg/l	170	74.00	<100
3	BOD		68	29.00	<30
4	COD		312	115.20	
5	Faecal Coliform	MPN/100 ml	5400000	930.00	<1000
Date 15-01-2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	8.31	7.59	6.5-9.0
2	TSS	mg/l	120	70.00	<100
3	BOD		62	28.00	<30
4	COD		307.20	112.00	
5	Faecal Coliform	MPN/100 ml	4900000	940.00	<1000
Date 24-01-2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	8.21	7.65	6.5-9.0
2	TSS	mg/l	124	62.00	<100
3	BOD		64	26.00	<30
4	COD		312.00	112.00	
5	Faecal Coliform	MPN/100 ml	4700000	920.00	<1000
Date 30-01-2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	8.29	7.60	6.5-9.0
2	TSS	mg/l	120	42.00	<100
3	BOD		64	24.00	<30
4	COD		310	108.80	
5	Faecal Coliform	MPN/100 ml	3900000	780.00	<1000
Date 07-02-2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	8.19	7.59	6.5-9.0
2	TSS	mg/l	122	35.00	<100
3	BOD		66	20.00	<30
4	COD		316.8	102.40	
5	Faecal Coliform	MPN/100 ml	3900000	940.00	<1000

S No	Parameter	Unit	Inlet STP	Final Outlet	Standards
Date 12-02-2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	8.16	7.63	6.5-9.0
2	TSS	mg/l	120	30.00	<100
3	BOD		64	20.00	<30
4	COD		313.6	96.00	
5	Faecal Coliform	MPN/100 ml	4000000	920.00	<1000
Date 19-02-2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	8.21	7.50	6.5-9.0
2	TSS	mg/l	114	18.00	<100
3	BOD		66	12.60	<30
4	COD		316.8	61.12	
5	Faecal Coliform	MPN/100 ml	3200000	790.00	<1000
Date 26-02-2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	8.25	7.63	6.5-9.0
2	TSS	mg/l	118	20.00	<100
3	BOD		60	12.40	<30
4	COD		304	64.00	
5	Faecal Coliform	MPN/100 ml	3300000	790.00	<1000
Date 06-03-2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	8.15	7.69	6.5-9.0
2	TSS	mg/l	112	18.00	<100
3	BOD		56	12.00	<30
4	COD		297.6	64.00	
5	Faecal Coliform	MPN/100 ml	2700000	680.00	<1000
Date 12-03-2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	8.07	7.60	6.5-9.0
2	TSS	mg/l	110	22.00	<100
3	BOD		54	11.60	<30
4	COD		294.4	62.72	
5	Faecal Coliform	MPN/100 ml	2600000	920.00	<1000
Date 18-03-2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	7.99	7.69	6.5-9.0
2	TSS	mg/l	108	14.00	<100
3	BOD		50	11.20	<30
4	COD		288	62.08	
5	Faecal Coliform	MPN/100 ml	2400000	780.00	<1000

S No	Parameter	Unit	Inlet STP	Final Outlet	Standards
Date 23-03-2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	7.99	7.69	6.5-9.0
2	TSS	mg/l	108	14.00	<100
3	BOD		50	11.20	<30
4	COD		288	62.08	
5	Faecal Coliform	MPN/100 ml	2400000	780.00	<1000

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- JANUARY 2024

S. No	Date of Sampling	8.95 MLD STP, Pratapgarh						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	12-01-2024	Inlet, STP	8.25	170.0	68.0	312.00	92,00,000	54,00,000
2	12-01-2024	Outlet, STP	7.51	74.0	29.0	115.20	3,200	930
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30.0	-	-	<1000

Compiled By

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- JANUARY 2024

S. No	Date of Sampling	8.95 MLD STP, Pratapgarh						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	15-01-2024	Inlet, STP	8.31	120.0	62.0	307.20	79,00,000	49,00,000
2	15-01-2024	Outlet, STP	7.59	70.0	28.0	112.00	3,300	940
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30.0	-	-	<1000

Compiled By

S.A.

R.O. 19/01/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- JANUARY 2024

S. No	Date of Sampling	8.95 MLD STP, Pratapgarh						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)
1	24-01-2024	Inlet, STP	8.21	124.0	64.0	312.00	92,00,000	47,00,000
2	24-01-2024	Outlet, STP	7.65	62.0	26.0	112.00	2,700	920
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30.0	-	-	<1000

Compiled By

S.A. Talley

R.O.

29/01/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- JANUARY 2024

S. No	Date of Sampling	8.95 MLD STP, Pratapgarh						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	30-01-2024	Inlet, STP	8.29	120.0	60.0	310.40	79,00,000	39,00,000
2	30-01-2024	Outlet, STP	7.60	42.0	24.0	108.80	2,300	780
Effluent Discharge Standards for STP (13 October 2017]			6.5-9.0	<100	30.0	-	-	<1000

05/02/24
Compiled By

S.A. 05/02/24

R.O. 05/02/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- FEBRUARY 2024

S. No	Date of Sampling	8.95 MLD STP, Pratapgarh						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	07-02-2024	Inlet, STP	8.19	122.0	66.0	316.80	79,00,000	39,00,000
2	07-02-2024	Outlet, STP	7.59	35.0	20.0	102.40	2,600	940
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30.0	-	-	<1000

12/2/24
Compiled By/Analysed By

S.A. 12/02/24

R.O. 12/02/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- FEBRUARY 2024

S. No	Date of Sampling	8.95 MLD STP, Pratapgarh						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	12-02-2024	Inlet, STP	8.16	120.0	64.0	313.60	70,00,000	40,00,000
2	12-02-2024	Outlet, STP	7.63	30.0	20.0	96.00	2,400	920
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30.0	-	-	<1000

Compiled By/Analysed By

S.A. 17/02/24

R.O. 17/02/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- FEBRUARY 2024

S. No	Date of Sampling	8.95 MLD STP, Pratapgarh						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	19-02-2024	Inlet, STP	8.21	114.0	66.0	316.80	79,00,000	32,00,000
2	19-02-2024	Outlet, STP	7.50	18.0	12.6	61.12	2,000	790
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30.0	-	-	<1000

24/02/24
Compiled By/Analysed By

S.A. 24/02/24

R.O. 24/02/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- FEBRUARY 2024

S. No	Date of Sampling	8.95 MLD STP, Pratapgarh						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	26-02-2024	Inlet, STP	8.25	118.0	60.0	304.00	70,00,000	33,00,000
2	26-02-2024	Outlet, STP	7.63	20.0	12.4	64.00	1,400	680
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30.0	-	-	<1000

Compiled By/Analysed By

S.A. 04/03/24

R.O. 04/03/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.

Phone: 0535-2973034

TEST REPORT- MARCH 2024

S. No	Date of Sampling	8.95 MLD STP, Pratapgarh						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	06-03-2024	Inlet, STP	8.15	112.0	56.0	297.60	70,00,000	27,00,000
2	06-03-2024	Outlet, STP	7.69	18.0	12.0	64.00	1,400	680
3	12-03-2024	Inlet, STP	8.07	110	54	294.40	7900000	2600000
4	12-03-2024	Outlet, STP	7.60	22.0	11.6	62.72	1,700	920
5	18-03-2024	Inlet, STP	7.99	108.0	50.0	288.00	70,00,000	24,00,000
6	18-03-2024	Outlet, STP	7.69	14.0	11.2	62.08	1,300	780
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	**30.0**	-	-	<1000

Compiled By/Analysed By

S.A.

R.O.

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- MARCH 2024

S. No	Date of Sampling	8.95 MLD STP, Pratapgarh						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	23-03-2024	Inlet, STP	7.95	102.0	52.0	291.20	79,00,000	26,00,000
2	23-03-2024	Outlet, STP	7.60	20.0	12.6	64.00	1,400	930
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30.0	-	-	<1000

28/03/2024
Compiled By/Analysed By

S.A. 28/3/24

R.O. 28/03/24

Annexure-5

कार्यालय निर्माण इकाई,
उ0प्र0 जल निगम(ग्रामीण), लखनऊ
तृतीय जलकल परिसर, कठौताझील, विकल्प खण्ड, गोमती नगर, लखनऊ
Email Id- pm_nir_upjn@yahoo.in

पत्रांक 194 / डब्लू–23 /73 दिनांकः– 20.04.2024

Pollution Abatement of Gomti River, Phase –II Part-II, Bijnor Lucknow

के कार्यों का संक्षिप्त विवरण

- स्वीकृत डी.पी.आर. का वर्षः– 2023
- योजना की डी.पी.आर., जिसकी अनुमानित लागत रू० 581.41 करोड़ (Capex – Rs. 236.59 cr, Opex – Rs.- 320.54 cr. Centage – Rs. 24.29 cr.) थी, राज्य स्वच्छ गंगा मिशन, लखनऊ के पत्रांक 1097/0369-T/SMCG-UP/14 dt. 12.10.2022 द्वारा राष्ट्रीय स्वच्छ गंगा मिशन, नई दिल्ली को प्रेषित की गयी थी।
- जिसके अन्तर्गत प्रस्तावित कार्य निम्न प्रकार हैंः–
  1. I&D of Qila Mohammadi Drain
  2. 100 MLD STP with MPS
  3. Effluent Line- 1200 mm Dia – 250 m
  4. Strengthening of Qila Mohammadi Drain – 900 m
  5. Operation & Maintenance for 15 years
- किला मोहम्मदी ड्रेन को टैप कर सीवेज ट्रीटमेन्ट प्लान्ट के माध्यम से शोधित किया जायेगा। उक्त योजना में निम्न वार्डों की कुल जनसंख्या लगभग 426110 लाभान्वित होगी :–
  1. हिन्द नगर
  2. बिद्यावती–I एवं II
  3. शारदा नगर
  4. राजा बिजली पासी
  5. सरोजनी नगर प्रथम
- योजना राष्ट्रीय स्वच्छ गंगा मिशन, नई दिल्ली द्वारा वित्त पोषित है।
- जिसका AA&ES राष्ट्रीय स्वच्छ गंगा मिशन, नई दिल्ली के पत्रांक Pr-15011/1/2022- Tech Construction NMCG दिनांक 19.09.2023 द्वारा जारी किया गया है। जिसकी स्वीकृत लागत रू० 351.03 करोड़ (Capex – Rs. 200.70 cr. , Opex – Rs. 129.90 cr., Centage- Rs. 15.51 cr., Project Engineer – Rs. 4.92 cr.) है।
- योजना का Tender Document राष्ट्रीय स्वच्छ गंगा मिशन, नई दिल्ली द्वारा तैयार किया गया है, जोकि HAM मोड पर आधारित है।
- योजना की NIT सं० 2078/एम–7/95 दिनांक 29.11.2023 द्वारा जारी की गयी थी। जिसमें Prebid Query- 15.12.2024 तक प्रस्तावित थी।
- सभी फर्मों से प्राप्त Prebid Query की Reply को NMCG से Approval हेतु दिनांक 22.12.2023 को प्रेषित किया गया था।
- दिनांक 29.02.2024 राष्ट्रीय स्वच्छ गंगा मिशन, नई दिल्ली से Prebid Query की Reply के Approval के उपरान्त E-Tender Portal पर दिनांक 01.03.2024 को Upload कर दिया गया था।
- उक्त योजना में लखनऊ विकास प्राधिकरण के पम्पिंग स्टेशन की ओर जाने वाले ट्रंक सीवर पाइप लाइन का कनेक्शन MPS में प्रस्तावित किया था, जिसके कम में राष्ट्रीय स्वच्छ गंगा मिशन, नई दिल्ली ने पत्रांक Pr-12011/2/2023-NMCG दिनांक 10.04.2024 के माध्यम से निर्देशित किया कि MPS में ट्रंक सीवर के कनेक्शन के कार्यों को हटाते हुए निविदा जमा करने की अन्तिम तारीख 22.04.2024 कर दी जाए। तत्क्रम में अनुपालनार्थ Corrigendum दिनांक 12.04.2024 को E-Tender Portal पर Upload कर दिया गया है।
- उक्त योजना की निविदा जमा करने की अन्तिम तिथि 22.04.2024 को 3:00 PM एवं खुलने की तिथि दिनांक 22.04.2024 को 4:00 PM निर्धारित है।

परियोजना प्रबन्धक

Scanned with CamScanner

Annexure-6

नमामि गंगे कार्यक्रम के अन्तर्गत जनपद रायबरेली नगर पालिका परिषद में 07 नग नालों की I&D एवं STP तथा तत्सम्बन्धी कार्यों की अद्यतन स्थिति का विवरण

जनपद रायबरेली में 07 नग अन्टैप्ड नाले है जो सई नदी में मिलते है, जिसके आई० एण्ड डी० को उ०प्र० जल निगम (नगरीय), रायबरेली द्वारा विरचित किये जा रहे डी.पी.आर. जोन–1 (फेज–4) अनुमानित लागत रू० 397.88 करोड में शामिल किया गया है। दिनांक 02.02.2024 को अधिशारी अभियन्ता, निर्माण खण्ड, उ०प्र० जल निगम (नगरीय), रायबरेली द्वारा उक्त डी.पी.आर. की छायाप्रति इस आश्य से प्रेषित की गई कि जनपद रायबरेली में उक्त 07 नग नालों को टैप करने हेतु आई० एण्ड डी० एवं एस०टी०पी० का प्रस्ताव उ०प्र० जल निगम (ग्रामीण), द्वारा बनाया जाना है।

उपरोक्त नालों को टैप करने के दृष्टिगत दिनांक 28.02.2024 को मुख्य सचिव, उ०प्र० शासन द्वारा सम्बन्धित विभागों के साथ आहूत बैठक में दिये गये निर्देश के कम में प्रबन्ध निदेशक, उ०प्र० जल निगम (नगरीय), लखनऊ के पत्रांक 353/नागर–2/033–कोर्ट केस/2024 दिनांक 07.03.2024 एवं मुख्य अभियन्ता (गंगा), उ०प्र० जल निगम (ग्रामीण), लखनऊ के पत्रांक 111/012–272(3)/2024 दिनांक 21.03.2024 के माध्यम से इस कार्यालय को उक्त 07 नालों को टैप करने हेतु आई० एण्ड डी० एवं एस०टी०पी० सम्बन्धी कार्यों हेतु प्राक्कलन नमामि गंगे एवं ग्रामीण जलापूर्ति विभाग से कराये जाने के निर्देश प्राप्त हुए है।

उपरोक्त प्राप्त निर्देशों के अनुपालानार्थ परियोजना प्रबन्धक, निर्माण इकाई, उ०प्र० जल निगम (ग्रामीण), लखनऊ द्वारा जनपद रायबरेली नगर पालिका परिषद में प्रस्तावित STP एवं तत्सम्बन्धी कार्यों हेतु 07 नग नालों एवं प्रस्तावित भूमि का निरीक्षण दिनांक 16.04.2024 को किया गया, निरीक्षण के दौरान निम्न अधिकारी उपस्थित रहेः–

1. श्री संजय कुमार गुप्ता, परियोजना प्रबन्धक, निर्माण इकाई, उ०प्र० जल निगम (ग्रामीण), लखनऊ।
2. श्री देवेन्द्र कुमार, अधिशासी अभियन्ता, निर्माण खण्ड, उ०प्र० जल निगम (नगरीय), रायबरेली।
3. श्री एस.पी. सरोज, परियोजना अभियन्ता, निर्माण इकाई, उ०प्र० जल निगम (ग्रामीण), लखनऊ।
4. श्री सुरेन्द्र यादव, जूनियर इंजीनियर, निर्माण खण्ड, उ०प्र० जल निगम (नगरीय), रायबरेली।
5. श्री ओ०पी० गौड़, जूनियर इंजीनियर, निर्माण खण्ड, उ०प्र० जल निगम (नगरीय), रायबरेली।

परियोजना प्रबन्धक द्वारा 07 नग नालों के निरीक्षण के दौरान पाया गया किः–

1. इण्डस्ट्रियल एरिया/बेहटा नाला के पास ग्राम जैतूपुर में गाटा सं०– 280/1.1890 हेक्टेयर भूमि जो नगर पालिका के प्रबन्धन की भूमि (चारागाह) उपलब्ध है।
2. कप्तान का पुरवा साकेत नगर के पीछे भूमि गाटा सं०–494 नगर पालिका के प्रबन्धन की भूमि (25.00 मी० X 25.00 मी०) उपलब्ध है।
3. सूरजपुर/राजघाट नाला सई नदी बंधा पर जिला प्रशासन की भूमि जल निगम पम्प के पास उपलब्ध है।
4. महानन्दपुर नाला इंदिरा उद्यान से पूरे ग्रीपशाह को जाने वाले इंटरलाकिंग मार्ग गाटा सं०–2377 (नान जेड०ए०) के किनारे जिला प्रशासन की भूमि (नान जेड०ए०) उपलब्ध है।
5. कानपुर रोड नाला पर जिला प्रशासन की भूमि उपलब्ध है एवं STP की भूमि का चिन्हांकन तथा NOC उपलब्ध कराने हेतु अधिशासी अभियन्ता, निर्माण खण्ड, उ०प्र० जल निगम (नगरीय), रायबरेली से अनुरोध किया गया।
6. पुलिस लाईन नाला के पास भूमि उपलब्ध नही है।
7. लोहानीपुर/रेवतीराम तालाब के पास भूमि उपलब्ध नही है।

निरीक्षण के दौरान उपस्थित अधिशासी अभियन्ता, निर्माण खण्ड, उ०प्र० जल निगम (नगरीय), रायबरेली से अनुरोध किया गया कि नालों के टैपिंग हेतु उपलब्ध करायी गयी भूमि का चिन्हांकन कराने तथा उक्त दो नग नालों यथा पुलिस लाईन एवं लोहानीपुर हेतु उपरोक्तानुसार वांछित निःशुल्क भूमि प्राथमिकता से यथाशीघ्र इस कार्यालय को उपलब्ध कराने का कष्ट करें, जिससे कि सई नदी मे गिरने वाले नालों से सई नदी को प्रदूषण मुक्त करने के लिये प्राक्कलन विरचन के कार्य हेतु अग्रिम आवश्यक कार्यवाही प्रारम्भ की जा सके।

P.T.O.

अधिशासी अभियन्ता, निर्माण खण्ड, उ०प्र० जल निगम (नगरीय), रायबरेली को अवगत कराया गया कि उक्त 2 नग नालों हेतु भूमि उपलब्ध होने एवं STP हेतु चिन्हित भूमि की NOC प्राप्त होने के पश्चात् ही उक्त नालों के I&D एवं STP हेतु डी०पी०आर० विरचन की कार्यवाही प्रारम्भ हो सकेगी।

उक्त के अतिरिक्त यह भी अवगत कराना है कि जनपद रायबरेली में 07 नग नालों को टैप करने हेतु आई० एण्ड डी० एवं एस०टी०पी० से सम्बन्धित डी.पी.आर. 02 नग नालों यथा पुलिस लाईन एवं लोहानीपुर हेतु भूमि प्राप्त होने के पश्चात् सर्वे उपरान्त 45 दिवसों में बनाया जा सकेगा।

(संजय कुमार गुप्ता)
परियोजना प्रबन्धक
निर्माण इकाई
उ०प्र० जल निगम (ग्रामीण)
लखनऊ

P.T.O.

Annexure-7

कार्यालय नगर पालिका परिषद रायबरेली

पत्रांक : 42 /न0पा0परि0रा0/सा0प्रशा0(ईओ)/2024 दिनांक : 26.04.24

सेवा में,

निदेशक/राज्य मिशन निदेशक,
स्वच्छ भारत मिशन–नगरीय
राज्य मिशन निदेशालय, उ0प्र0
लखनऊ।

विषय – मा0 राष्ट्रीय हरित न्यायाधिकरण में योजित Execution Application No.32/2023 in ओ0ए0 संख्या–490/2019 T.S Singh vs. State Of U.P में पारित आदेश दिनांक 21.02.2024 के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपर्युक्त विषयक निदेशक नगरीय निकाय निदेशलय के पत्र संख्याः– पी0एम0यू0/10127/429(14)/2023 लखनऊ दिनांक 23 अप्रैल, 2024 व नगर विकास अनुभाग–5 उ0प्र0 शासन के पत्र संख्या–एन0जी0टी0–92/नौ–5–2024–07रिट/2020 लखनऊ दिनांक 27 मार्च, 2024 का अवलोकन करने का कष्ट करें, जिसके माध्यम से मा0 राष्ट्रीय हरित न्यायाधिकरण में योजित Execution Application No.32/2023 ओ0ए0 संख्या–490/2019 T.S Singh vs. State Of U.P में पारित आदेश दिनांक 21.02.2024 को सम्पन्न सुनवाई में दिये गये निर्देशें के क्रम में सादर अवगत कराना है कि नगर पालिका परिषद रायबरेली के सीमान्तर्गत सई नदी में गिरने वाले नालों पर बायोरेमिडिएशन कार्य विषयक ए0टी0आर0 के सम्बन्ध में आख्या निम्नवत हैः–

बिन्दु आख्या	अनुपालन आख्या
1–रायबरेली नगर की वर्ष 2011 की जनसंख्या एवं वर्तमान में अनुमानित जनसंख्या तथा सीवरेज के डिस्चार्ज का अनुमानित आकलन के सम्बन्ध में।	रायबरेली नगर की वर्ष 2011 की जनसंख्या 191316 है व वर्तमान अनुमानित जनसंख्या 235000 है तथा अनुमानित सीवरेज डिस्चार्ज 32.8 एम0एल0डी0 है।
2–रायबरेली नगर में एस0टी0पी0 तथा सीवरेज की अवस्थापना सुविधाओं तथा वर्तमान में प्रचलित परियोजनाओं के सम्बन्ध में।	रायबरेली नगर में 18 एम0एल0डी0 का एस0टी0पी0 निर्मित है जो कि वर्तमान में लगभग 3 एम0एल0डी0 की प्रवाह में संचालित है। सीवरेज की अवस्थापना के क्रम में रायबरेली नगर सीमान्तर्गत फेज 1 व 2 में 30 कि0मी0 सीवर लाइन बिछाई गयी है, जो कि लक्ष्य के सापेक्ष 100% है। फेज 3 के अन्तर्गत 178 कि0मी0 लक्ष्य के सापेक्ष 93.00 कि0मी0 सीवर लाइन बिछाई जा चुकी है, जो कि लक्ष्य के सापेक्ष 52.5% है, जिसे जून, 2024 तक पूर्ण किया जाना प्रस्तावित है।
3– नगर पालिका परिषद रायबरेली में निर्मित एफ0एस0टी0पी0 के संचालन के सम्बन्ध में।	नगर पालिका परिषद रायबरेली में निर्मित 32 के0एल0डी0 एफ0एस0टी0पी0 वर्तमान में सुचारू रूप से संचालित है।
4–नगर पालिका परिषद रायबरेली के सीमान्तर्गत सई नदी में गिरने वाले नालों पर बायोरेमेडियेशन के सम्बन्ध में।	मा0 एन0जी0टी0 के आदेशें के अनुपालन के क्रम में वर्षा ऋतु के उपरान्त नगर क्षेत्र में बहने वाले 7 नाले जो कि सई नदी में गिरते हैं पर अन्तरिम उपचार हेतु बायोरेमेडियेशन का कार्य कार्यदायी संस्था मेसर्स सदभय इंजीनियरिंग कं0 द्वारा दिनांक 06.11.2023 से सुचारू रूप से संचालित है। (संलग्न : कार्यादेश की छायाप्रति व कार्य की जी0पी0एस0 फोटोग्राफ)

5–नगर पालिका परिषद रायबरेली के सीमान्तर्गत सई नदी में गिरने वाले नालों के Water Quality के सम्बन्ध में।	मा0 एन0जी0टी0 के आदेशों के अनुपालन के क्रम में नगर क्षेत्र में 7 नाले जो कि सई नदी में गिरते हैं पर अन्तरिम उपचार हेतु बायोरेमेडियेशन का कार्य 06.11.2023 से सुचारू से संचालित हैं। जलीय गुणवत्ता की जांच हेतु प्रत्येक माह की 27 तारीख को जलीय नमूनों की जांच एन0ए0बी0एल0 मान्यता प्राप्त लैब से कराया जाता है। नोटः–प्रमुख सचिव महोदय के निर्देश के क्रम में माह जनवरी, 2024 से बायोरेमेडियेशन के कार्य की जांच क्षेत्रीय अधिकारी (रायबरेली) उ0प्र0 प्रदूषण नियंत्रण बोर्ड द्वारा पाक्षिक आधार पर (दिनांक 15.01.2024, 31.01.2024, 19.02.2024, 16.03.2024 व 18.04.2024) एवं एन0ए0बी0एल0 मान्यता प्राप्त लैब द्वारा मासिक आधार पर की जा रही है। इस प्रकार प्रत्येक माह बायोरेमेडियेशन कार्य की 02 जांच करायी जा रही है।

1. बायोरेमिडिएशन कार्य में प्रयुक्त बायो कल्चर का संघटन (Composition) का विवरण निम्नवत है :–

1. Yeast
2. Bacillus
3. Actinomycetes
4. Pseudomonas
5. Molasses (Carrier in Powder base)

संलग्नक :

1. कार्यादेश की छायाप्रति।
2. बायो कल्चर की संघटन (**Composition**) सार्टिफिकेट।
3. माह नवम्बर, दिसम्बर, 2023 एवं जनवरी, फरवरी, मार्च व अप्रैल, 2024 की जलीय गुणवत्ता रिपोर्ट।
4. तिथिवार बायोरेमिडिएशन कार्य की जी0पी0एस0 युक्त फोटोग्राफ।

अधिशासी अधिकारी
नगर पालिका परिषद रायरेली।

प्रतिलिपि :

1. जिलाधिकारी महोदया, रायबरेली को सादर सूचनार्थ प्रेषित।
2. प्रभागीय निदेशक, सामाजिक वानिकी प्रभाग रायबरेली को सादर सूचनार्थ प्रेषित।
3. क्षेत्रीय अधिकारी उ0प्र0 प्रदूषण नियंत्रण बोर्ड रायबरेली, को सादर सूचनार्थ प्रेषित।

अधिशासी अधिकारी
नगर पालिका परिषद रायरेली।

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- APRIL 2024

S. No	Date of Sampling	Sampling Point	Drains Discharging to River Sai at Raebareli												Percentage Reduction in BOD (%)	Percentage Reduction in FC (%)	After Bioremediation	
			Before Bio Remediation						After Bio Remediation								Parameters Within the Standard	Parameters Beyond the Standard
			pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN /100 ml)	FC (MPN /100 ml)	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN /100 ml)	FC (MPN /100 ml)				
1	12-04-2024	Kanpur Road Drain, Raebareli	8.10	79.0	51.0	168.0	7,90,000	2,30,000	7.90	53.00	30.0	132.80	1,10,000	54,000	41.18	76.52	pH, TSS, BOD	FC
2	12-04-2024	Surjupur Bandha Drain, Raebareli	8.13	93.0	54.0	172.8	79,00,000	7,00,000	8.09	58.00	26.0	121.60	2,10,000	79,000	51.85	88.71	pH, TSS, BOD	FC
3	12-04-2024	Indira Nagar Drain, Raebareli	8.13	89.0	49.0	153.6	94,00,000	11,00,000	7.91	50.00	27.0	113.60	1,40,000	79,000	44.90	92.82	pH, TSS, BOD	FC
4	12-04-2024	Police Line Drain, Raebareli	7.97	83.0	42.0	147.2	17,00,000	3,90,000	7.88	47.00	27.5	124.80	2,80,000	70,000	34.52	82.05	pH, TSS, BOD	FC
5	12-04-2024	Mahanandpur Drain, Raebareli	8.18	82.0	46.0	156.8	4,90,000	2,10,000	8.10	44.00	25.5	116.80	70,000	34,000	44.57	83.81	pH, TSS, BOD	FC
6	12-04-2024	Industrial Area Drain, Raebareli	8.10	73.0	33.0	134.4	54,000	11,000	8.05	42.00	21.0	99.20	7,900	2,100	36.36	80.91	pH, TSS, BOD	FC
7	12-04-2024	Lohanipur/Rewati Ram Ka Talab Drain, Raebareli	8.09	82.0	46.0	160.0	22,00,000	2,60,000	8.01	43.00	25.0	115.20	1,70,000	54,000	45.65	79.23	pH, TSS, BOD	FC
Effluent Discharge Standards for STP (13 October 2017)									6.5-9.0	<100	30	-	-	<1000	-	-	-	-

18/04/2024
Compiled/Analysed By

S.A. 18/4/24

R.O. 18/04/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.

Phone: 0535-2973034

River Sai at Raebareli

TEST REPORT- APRIL 2024

S. No.	Date of Sampling	Sampling Point	Parameters					
			pH	Color (Hazen)	D.O. (mg/L)	BOD (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)
1	12-04-2024	Sai River, U/S Sirsa Ghat, Raebareli	8.10	10	8.2	3.2	4000	1400
2	12-04-2024	Sai River, D/S Picnic Spot, Raebareli	8.22	10	8.0	3.3	4900	2400
Primary Water Quality Criteria For Bathing Water [G.S.R.742(E) Dated 25 September 2000]			**6.5-8.5**	**-**	**5 mg/l or more**	**3 mg/l or less**	**-**	**500 Desirable 2500 Maximum Permisible**

Compiled/Analysed By 18/04/2024

S.A. 18/4/24

R.O. 18/04/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- MARCH 2024

S. No	Date of Sampling	Sampling Point	Drains Discharging to River Sai at Raebareli												Percentage Reduction in BOD (%)	Percentage Reduction in FC (%)	After Bioremediation	
			Before Bio Remediation						After Bio Remediation								Parameters Within the Standard	Parameters Beyond the Standard
			pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN /100 ml)	FC (MPN /100 ml)	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN /100 ml)	FC (MPN /100 ml)				
1	11-03-2024	Kanpur Road Drain, Raebareli	8.03	76.0	49.0	164.8	7,00,000	2,10,000	7.93	52.00	29.0	131.20	1,70,000	70,000	40.82	66.67	pH, TSS, BOD	FC
2	11-03-2024	Surjupur Bandha Drain, Raebareli	8.06	95.0	53.0	171.2	70,00,000	9,40,000	7.95	56.00	25.5	121.60	9,30,000	1,10,000	51.89	88.30	pH, TSS, BOD	FC
3	11-03-2024	Indira Nagar Drain, Raebareli	8.04	91.0	47.0	150.4	92,00,000	14,00,000	7.99	48.00	24.5	109.12	7,90,000	1,30,000	47.87	90.71	pH, TSS, BOD	FC
4	11-03-2024	Police Line Drain, Raebareli	7.86	81.0	42.0	144.0	21,00,000	3,40,000	7.77	46.00	26.5	121.60	9,30,000	79,000	36.90	76.76	pH, TSS, BOD	FC
5	11-03-2024	Mahanandpur Drain, Raebareli	8.13	80.0	44.0	153.6	4,70,000	1,30,000	7.99	43.00	24.5	118.40	94,000	39,000	44.32	70.00	pH, TSS, BOD	FC
6	11-03-2024	Industrial Area Drain, Raebareli	8.12	72.0	31.0	131.2	49,000	9,400	8.17	40.00	20.5	97.60	70,000	2,000	33.87	78.72	pH, TSS, BOD	FC
7	11-03-2024	Lohanipur/Rewati Ram Ka Talab Drain, Raebareli	8.11	80.0	45.0	158.4	21,00,000	2,70,000	8.04	42.00	24.5	116.80	2,20,000	70,000	45.56	74.07	pH, TSS, BOD	FC
Effluent Discharge Standards for STP (13 October 2017)									6.5-9.0	<100	30	-	-	<1000	-	-	-	-

Compiled/Analysed By 16/03/2024

SA 16/3/24

R.O. 16/03/24

0270

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

River Sai at Raebareli

TEST REPORT- MARCH 2024

S. No.	Date of Sampling	Sampling Point	Parameters					
			pH	Color (Hazen)	D.O. (mg/L)	BOD (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)
1	11-03-2024	Sai River, U/S Sirsa Ghat, Raebareli	8.13	10	8.7	3.1	3900	1400
2	11-03-2024	Sai River, D/S Picnic Spot, Raebareli	8.12	10	8.6	3.2	4600	2300
Primary Water Quality Criteria For Bathing Water [G.S.R.742(E) Dated 25 September 2000]			**6.5-8.5**	**-**	**5 mg/l or more**	**3 mg/l or less**	**-**	**500 Desirable 2500 Maximum Permisible**

371

Compiled/Analysed By 16/03/2024

S.A. 16/3/24

R.O. 16/03/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.

Phone: 0535-2973034

TEST REPORT- FEBRUARY 2024

S. No.	Date of Sampling	Sampling Point	Parameters					
			pH	Color (Hazen)	D.O. (mg/L)	BOD (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)
1	15-02-2024	Sai River, U/S Sirsa Ghat, Raebareli	8.10	10	8.9	2.7	4000	1300
2	15-02-2024	Sai River, D/S Picnic Spot, Raebareli	8.19	10	9.2	2.9	3500	2400
Primary Water Quality Criteria For Bathing Water [G.S.R.742(E) Dated 25 September 2000]			**6.5-8.5**	-	**5 mg/l or more**	**3 mg/l or less**	-	**500 Desirable 2500 Maximum Permisible**

19/02/2024

Compiled/Analysed By

S.A. 19/02/2024

R.O. 19/02/24

372

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- FEBRUARY 2024

S. No	Date of Sampling	Sampling Point	Drains Discharging to River Sai at Raebareli												Percentage Reduction in BOD (%)	Percentage Reduction in FC (%)	After Bioremediation	
			Before Bio Remediation						After Bio Remediation								Parameters Within the Standard	Parameters Beyond the Standard
			pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN /100 ml)	FC (MPN /100 ml)	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN /100 ml)	FC (MPN /100 ml)				
1	15-02-2024	Kanpur Road Drain, Raebareli	8.01	78.0	48.0	163.2	7,00,000	2,70,000	7.90	50.00	28.00	124.80	2,20,000	79,000	41.67	70.74	pH, TSS, BOD	FC
2	15-02-2024	Surjupur Bandha Drain, Raebareli	8.05	94.0	52.0	169.6	79,00,000	17,00,000	7.92	55.00	26.00	121.60	20,00,000	4,90,000	50.00	71.18	pH, TSS, BOD	FC
3	15-02-2024	Indira Nagar Drain, Raebareli	8.07	90.0	46.0	153.6	94,00,000	20,00,000	8.00	46.00	24.00	108.80	17,00,000	7,00,000	47.83	65.00	pH, TSS, BOD	FC
4	15-02-2024	Police Line Drain, Raebareli	7.84	80.0	40.0	147.2	20,00,000	3,90,000	7.75	48.00	26.00	124.80	13,00,000	1,10,000	35.00	71.79	pH, TSS, BOD	FC
5	15-02-2024	Mahanandpur Drain, Raebareli	8.10	82.0	42.0	150.4	4,60,000	1,40,000	7.97	42.00	24.00	115.20	1,10,000	47,000	42.86	66.43	pH, TSS, BOD	FC
6	15-02-2024	Industrial Area Drain, Raebareli	8.10	70.0	30.0	128.0	47,000	11,000	8.19	38.00	20.00	96.00	9,300	2,300	33.33	79.09	pH, TSS, BOD	FC
7	15-02-2024	Lohanipur/Rewati Ram Ka Talab Drain, Raebareli	8.13	88.0	44.0	156.8	20,00,000	3,40,000	8.01	48.00	24.00	115.20	4,90,000	92,000	45.45	72.94	pH, TSS, BOD	FC
Effluent Discharge Standards for STP (13 October 2017)									6.5-9.0	<100	30	-	-	<1000	-	-	-	-

3473

19/02/2024
Compiled/Analysed By

S.A. 19/02/24

R.O. 19/02/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT JANUARY 2024

S. No	Date of Sampling	18 MLD STP, Raebareli						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	11-01-2024	Inlet, STP	7.90	110.0	62.0	256.0	27,00,000	11,00,000
2	11-01-2024	Outlet, STP	8.10	20.0	12.6	64.00	3,400	930
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

Compiled By/Analysed By

S.A.

R.O. 15/01/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- JANUARY 2024

S. No.	Date of Sampling	Sampling Point	Parameters					
			pH	Color (Hazen)	D.O. (mg/L)	BOD (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)
1	11-01-2024	Sai River, U/S Sirsa Ghat, Raebareli	8.07	10	9.0	2.9	3900	1400
2	11-01-2024	Sai River, D/S Picnic Spot, Raebareli	8.15	10	9.3	3.0	3900	2600
Primary Water Quality Criteria For Bathing Water [G.S.R.742(E) Dated 25 September 2000]			6.5-8.5	-	5 mg/l or more	3 mg/l or less	-	500 Desirable 2500 Maximum Permisible

15/01/2024
Compiled/Analysed By

S.A. 15/01/24

R.O. 15/01/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- JANUARY 2024

S. No	Date of Sampling	Sampling Point	Drains Discharging to River Sai at Raebareli											
			Before Bio Remediation						After Bio Remediation					
			pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN /100 ml)	FC (MPN /100 ml)	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN /100 ml)	FC (MPN /100 ml)
1	11-01-2024	Kanpur Road Drain, Raebareli	8.06	61.0	36.0	142.4	7,00,000	3,30,000	8.13	46.00	22.00	113.60	3,20,000	1,10,000
2	11-01-2024	Surjupur Bandha Drain, Raebareli	8.10	81.0	52.0	179.2	79,00,000	33,00,000	7.94	68.00	28.00	126.40	44,00,000	14,00,000
3	11-01-2024	Indira Nagar Drain, Raebareli	7.95	72.0	44.0	171.2	1,40,00,000	54,00,000	8.04	55.00	24.00	123.20	92,00,000	46,00,000
4	11-01-2024	Police Line Drain, Raebareli	7.92	71.0	42.0	164.8	33,00,000	20,00,000	8.04	54.00	26.00	120.00	23,00,000	13,00,000
5	11-01-2024	Mahanandpur Drain, Raebareli	8.10	62.0	32.0	134.4	5,40,000	3,20,000	8.15	41.00	26.00	120.00	3,40,000	1,10,000
6	11-01-2024	Industrial Area Drain, Raebareli	8.41	47.0	20.0	113.6	47,000	11,000	8.21	38.00	18.00	108.00	26,000	92,000
7	11-01-2024	Lohanipur/Rewati Ram Ka Talab Drain, Raebareli	8.10	69.0	38.0	163.2	47,00,000	24,00,000	8.08	60.00	26.00	120.00	32,00,000	13,00,000
Effluent Discharge Standards for STP (13 October 2017)									6.5-9.0	<100	30	-	-	<1000

Compiled/Analysed By

S.A.

R.O.

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT JANUARY 2024

S. No	Date of Sampling	18 MLD STP, Raebareli						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	19-01-2024	Inlet, STP	7.86	96.0	60.0	249.6	24,00,000	11,00,000
2	19-01-2024	Outlet, STP	8.05	22.0	13.0	64.00	3,300	940
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

23/01/2024

Compiled By/Analysed By

Seal

23/01/24

R.O.

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- JANUARY 2024

S. No.	Date of Sampling	Sampling Point	Parameters					
			pH	Color (Hazen)	D.O. (mg/L)	BOD (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)
1	19-01-2024	Sai River, U/S Sirsa Ghat, Raebareli	8.05	10	9.1	2.8	3400	1200
2	19-01-2024	Sai River, D/S Picnic Spot, Raebareli	8.17	10	9.3	3.1	3900	2700
Primary Water Quality Criteria For Bathing Water [G.S.R.742(E) Dated 25 September 2000]			6.5-8.5	-	5 mg/l or more	3 mg/l or less	-	500 Desirable 2500 Maximum Permisible

23/01/24
Compiled/Analysed By

S.A.S.T-1/24

R.O
23/01/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.

Phone: 0535-2973034

TEST REPORT- JANUARY 2024

S. No.	Date of Sampling	Sampling Point	Parameters					
			pH	Color (Hazen)	D.O. (mg/L)	BOD (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)
1	23-01-2024	Sai River, U/S Sirsa Ghat, Raebareli	8.10	10	9.2	2.8	3400	1400
2	23-01-2024	Sai River, D/S Picnic Spot, Raebareli	8.15	10	9.5	3.0	4000	2400
Primary Water Quality Criteria For Bathing Water [G.S.R.742(E) Dated 25 September 2000]			6.5-8.5	-	5 mg/l or more	3 mg/l or less	-	500 Desirable 2500 Maximum Permisible

27/01/2024

Compiled/Analysed By

27/01/24

R.O.

27/01/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT JANUARY 2024

S. No	Date of Sampling	18 MLD STP, Raebareli						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	23-01-2024	Inlet, STP	7.93	88.0	52.0	227.2	32,00,000	13,00,000
2	23-01-2024	Outlet, STP	8.09	28.0	12.6	64.00	3,900	920
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

Compiled By/Analysed By

S.A.

R.O.

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.

Phone: 0535-2973034

TEST REPORT- JANUARY 2024

S. No.	Date of Sampling	Sampling Point	Parameters					
			pH	Color (Hazen)	D.O. (mg/L)	BOD (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)
1	27-01-2024	Sai River, U/S Sirsa Ghat, Raebareli	8.07	10	9.4	2.7	3300	1400
2	27-01-2024	Sai River, D/S Picnic Spot, Raebareli	8.16	10	9.6	2.9	3900	2300
Primary Water Quality Criteria For Bathing Water [G.S.R.742(E) Dated 25 September 2000]			6.5-8.5	-	5 mg/l or more	3 mg/l or less	-	500 Desirable 2500 Maximum Permisible

Compiled/Analysed By

R.O. 31/01/24

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- JANUARY 2024

S. No	Date of Sampling	Sampling Point	Drains Discharging to River Sai at Raebareli												Percentage Reduction in BOD (%)	Percentage Reductio n in FC (%)	After Bioremediation	
			Before Bio Remediation						After Bio Remediation								Parameters Within the Standard	Parameters Beyond the Standard
			pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN /100 ml)	FC (MPN /100 ml)	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN /100 ml)	FC (MPN /100 ml)				
1	27-01-2024	Kanpur Road Drain, Raebareli	8.01	60.0	34.0	137.6	7,00,000	2,70,000	8.11	50.00	26.00	118.40	4,70,000	92,000	23.53	65.93	pH, TSS, BOD	FC
2	27-01-2024	Surjupur Bandha Drain, Raebareli	7.98	78.0	54.0	179.2	70,00,000	24,00,000	8.01	60.00	28.00	124.80	20,00,000	11,00,000	48.15	54.17	pH, TSS, BOD	FC
3	27-01-2024	Indira Nagar Drain, Raebareli	7.95	70.0	44.0	169.6	1,10,00,000	40,00,000	8.01	58.00	28.00	128.00	32,00,000	20,00,000	36.36	50.00	pH, TSS, BOD	FC
4	27-01-2024	Police Line Drain, Raebareli	7.94	78.0	42.0	163.2	12,00,000	7,90,000	8.01	50.00	26.00	115.20	13,00,000	3,20,000	38.10	59.49	pH, TSS, BOD	FC
5	27-01-2024	Mahanandpur Drain, Raebareli	8.14	60.0	34.0	134.4	4,90,000	2,00,000	8.10	40.00	24.00	108.80	1,30,000	70,000	29.41	65.00	pH, TSS, BOD	FC
6	27-01-2024	Industrial Area Drain, Raebareli	8.13	48.0	26.0	115.2	49,000	12,000	8.09	30.00	18.00	96.00	11,000	3,300	30.77	72.50	pH, TSS, BOD	FC
7	27-01-2024	Lohanipur/Rewati Ram Ka Talab Drain, Raebareli	8.12	68.0	40.0	163.2	33,00,000	11,00,000	8.05	52.00	26.00	115.20	9,20,000	3,90,000	35.00	64.55	pH, TSS, BOD	FC
Effluent Discharge Standards for STP (13 October 2017)									6.5-9.0	<100	30	-	-	<1000	-	-	-	-

Compiled/Analysed By

31/01/24

Month November-2023

जनपद का नाम- रायबरेली							निकाय का नाम-नगर पालिका परिषद रायबरेली								निकाय की जनसंख्या जनगणना 2011 – 191930									
S.No	Name of ULB	Name of River	Name Of Drain & Total No of Drain (7)	Status Of Jali Screen		Average Flow Discharge (In MLD) & Total flow discharge (32.8 MLD)	Date Starting Bioremidiation/Fhytoremediation	Date of Sampling	Before Phyto/Bioremdiation (Water Quality)				AfterPhyto/Bioremdiation (Water Quality)				Name of the lab (N.A.B.L.)/ UPPCB Lab	% Reduction				Name of Firm/ Company	Name of Product	Name of Microbes
				Date	Number				PH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	PH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)		PH	TDS (mg/l)	BOD (mg/l)	COD (mg/l)			
1	Nagar Palika Parishad Raebareli	Sai River	Police Line	01-11-2023	1	5.5	06-11-2023	27-11-2023	8.52	104.2	120.3	376	7.41	59.2	29.1	104	Global Envirmantal Consultancy And Reserch Center	13.03	43.19	75.81	72.3404	SADBHAY ENGINEERING	EcoMaster (Bacterial Culture) based carrier (Powder)	Yeast, Bacillus ,Actino mycetes, Pseudomonas , Micro Nutrients based carrier (Powder based) (10^8 CFU/gm)
2			Surjupur Bandha	01-11-2023	1	7.8	06-11-2023	27-11-2023	7.82	102.4	96.7	276.2	7.57	56.4	27.8	84		3.197	44.92	71.25	69.5873			
3			Mahanand pur	01-11-2023	1	7.4	06-11-2023	27-11-2023	8.63	118.4	87.9	265.3	7.67	56.4	28.5	100		11.12	52.36	67.58	62.3068			
4			Kaptan Ka Purwa	01-11-2023	1	4.7	06-11-2023	27-11-2023	8.18	124.6	102.2	292	7.43	62.6	28.3	108		9.169	49.84	72.31	63.0137			
5			Revtiram Ka Talab	01-11-2023	1	1.9	06-11-2023	27-11-2023	7.87	98.6	93.1	281.2	7.52	58.2	27.1	88		4.447	40.97	70.89	68.7055			
6			Kanpur Road	01-11-2023	2	3.2	06-11-2023	27-11-2023	8.37	111.8	113	353.3	7.44	62.2	28.5	96		11.11	44.36	74.78	72.8276			
7			Industrial Area	01-11-2023	1	2.3	06-11-2023	27-11-2023	7.98	126.4	94	264	7.41	64.6	28.4	92		7.143	48.89	69.79	65.1515			

Month December, 2023

जलाशय का नाम– रायबरेली							निकाय का नाम–नगर पालिका परिषद रायबरेली								निकाय की जनसंख्या जनगणना 2011 – 191886									
S.No	Name of ULB	Name of River	Name Of Drain & Total No of Drain (7)	Status Of Jali Screen		Average Flow Discharge (In MLD) & Total flow discharge (32.8 MLD)	Date Starting Bioremidiation/Fhytoremediation	Date of Sampling	Belore Phyto/Bioremdiation (Water Quality)				AlterPhyto/Bioremdiation (Water Quality)				Name of the lab (N.A.B.L.)/ UPPCB Lab	% Reduction				Name of Firm/ Company	Name of Product	Name of Microbes
				Date	Number				PH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	PH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)		PH	TDS (mg/l)	BOD (mg/l)	COD (mg/l)			
1	Nagar Palika Parishad Raebareli	Sai River	Police Line	01-11-23	1	5.5	06-11-23	26-12-23	7.69	112.8	71	232	7.49	64.2	28.4	92	Global Envirmanta l Consultanc y And Reserch Center	2.601	43.09	60	60.3448	SADBHAY ENGINEERI NG CO.	EcoMaster (Bacterial Culture) based carrier (Powder)	Yeast, Bacillus, Actino mycetes, Pseudomo nas, Micro Nutrients based carrier (Powder based) (10^8 CFU/gm
2			Surjapur Bandha	01-11-23	1	7.8	06-11-23	26-12-23	7.73	88.2	67.7	228	7.62	52.2	23.8	80		1.423	40.82	64.84	64.9123			
3			Mahanand pur	01-11-23	1	7.4	06-11-23	26-12-23	7.8	72.2	64.5	224	7.71	42.4	26.1	88		1.154	41.27	60.75	60.7143			
4			Kaptan Ka Purwa	01-11-23	1	4.7	06-11-23	26-12-23	7.79	122.4	86.8	292	7.57	51.2	27.3	104		2.824	58.17	68.55	64.3836			
5			Revtiram Ka Talab	01-11-23	1	1.9	06-11-23	26-12-23	7.61	84.8	90.3	304	7.59	54.2	22.6	76		0.263	36.08	74.97	75			
6			Karpur Road	01-11-23	2	3.2	06-11-23	26-12-23	7.69	102.4	87	280	7.32	48.2	26.3	92		4.811	52.93	69.77	67.1429			
7			Industrial Area	01-11-23	1	2.3	06-11-23	26-12-23	7.79	118.2	92.5	300	7.59	52.6	26.5	96		2.567	55.5	71.35	68			

Month January, 2024

S.No	Name of ULB	Name of River	Name Of Drain & Total No of Drain (7)	Status Of Jali Screen		Average Flow Discharge (In MLD) & Total flow discharge (32.8 MLD)	Date Starting Bioremidiation/Fhytoremediation	Date of Sampling	Before Phyto/Bioremdiation (Water Quality)				AfterPhyto/Bioremdiation (Water Quality)				Name of the lab (N.A.B.L.)/ UPPCB Lab	% Reduction				Name of Firm/ Company	Name of Product	Name of Microbes
				Date	Number				PH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)	PH	TSS (mg/l)	BOD (mg/l)	COD (mg/l)		PH	TDS (mg/l)	BOD (mg/l)	COD (mg/l)			
1	Nagar Palika Parishad Raebareli	Sai River	Police Line	01-11-23	1	5.5	06-11-23	22-01-24	7.8	80	44	158.5	7.9	50	25.4	117	Global Enviromental Consultancy And Reserch Center	-1.282	37.5	42.27	26.183	SADBHAY ENGINEERING CO.	EcoMaster (Bacterial Culture) based carrier (Powder)	Yeast, Bacillus, Actinomycetes, Pseudomonas, Micro Nutrients based carrier (powder based) (10^{08} CFU/gm
2			Surjupur Bandha	01-11-23	1	7.8	06-11-23	22-01-24	7.8	77	58	177	8	58	27	125		2.564	24.68	53.45	29.3785			
3			Mahanand pur	01-11-23	1	7.4	06-11-23	22-01-24	8.1	58	33	130.8	8	42	24.1	108		1.235	27.59	26.97	17.4312			
4			Kaptan Ka Purwa	01-11-23	1	4.7	06-11-23	22-01-24	7.8	78	44.8	170	7.9	57	27.5	130		-1.282	26.92	38.62	23.5294			
5			Revtiram Ka Talab	01-11-23	1	1.9	06-11-23	22-01-24	7.9	70	43	158	7.9	57	24.5	115		0	25.71	43.02	27.2152			
6			Kanpur Road	01-11-23	2	3.2	06-11-23	22-01-24	7.9	58	44	125.5	8	49	25.5	117		-1.266	15.52	42.05	6.77291			
7			Industrial Area	01-11-23	1	2.3	06-11-23	22-01-24	8	44	30	125.5	8.1	32	20	95		-1.25	27.27	33.33	24.3028			

कार्यालय नगर पालिका परिषद, रायबरेली।

पत्रांकः- 467 /न0पा0परि0/ज0क0/2023-24 दिनांकः- 1-11-23

कार्यादेश

मे0 सदभय इंजीनियरिंग कं0
ए-28, ब्रम्हपुरी कलोनी इन्दिरा नगर
लखनऊ।

आप द्वारा सात नालों पर बायोरेमेडियशन कार्य (6माह) हेतु डाली गई ई-निविदा सर्वन्यून होने के कारण मा0 अध्यक्ष महोदय द्वारा स्वीकृति कर ली गई है।

अतः अवशेष जमानत धनराशि रू0: 551032/-मात्र एफ.डी.आर/एन.एफ. सी/टी.डी.आर/के.वी.पी. आदि के रूप में जो अधिशासी अधिकारी नगर पालिका परिषद रायबरेली के नाम बन्धक हो कार्यालय में जमा कर रू0 100/- के स्टाम्प पेपर पर अनुबन्ध की औपचारिकतायें पूर्ण करतें हुए समय सीमा के अन्दर कार्य पूर्ण कराना सुनिश्चित करें। कार्य सन्तोषजनक होने पर कार्यलय द्वारा प्रस्तुत बिल का भुगतान कर दिया जायेगा।

अधिशासी अधिकारी
नगर पालिका परिषद
रायबरेली

ECOLAGRO VENTURE PVT. LTD.

One Stop Solution

1 Nov 2023

CERTIFICATE OF ANALYSIS

To whomsoever it may concern

Name of Product: EcoMaster (Bacterial Culture)

This is to certify that following Microbes are were counted in EcoMaster (Powder Microbial culture) at the time of packing in our laboratory.

Molasses based Carrier (Powder)	Contents in 1 gm
Yeast	10^8 CFU/gm
Bacillus	
Actinomycetes	
Pseudomonas	
Molasses (carrier in Powder base)	

Signed By

Jitendra Singh

OFFICE ADDRESS :- 412 – A, 4TH FLOOR, SAHARA SHOPPING CENTER , NEAR LEKHRAJ METRO STATION, LUCKNOW

CONTACT NO. :- 0522 – 4306318 , WEBSITE :- www.ecolagro.com , EMAIL ID :- info@ecolagro.com

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/23/12/04/002 **Reporting Date:** 04.12.2023

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/11/28/014
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Industrial Area (Paper Mill)	**Party Ref. No**	NA
Sampling Date	27.11.2023	**Receipt Date**	28.11.2023
Sampling & Analysis Period	28.11.2023 to 03.12.2023	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.41	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	64.6	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	92.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	28.4	Max 30

Checked By: A mishra

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
IAF OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/23/12/04/001 **Reporting Date:** 04.12.2023

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/11/28/013
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Industrial Area (Paper Mill)	**Party Ref. No**	NA
Sampling Date	27.11.2023	**Receipt Date**	28.11.2023
Sampling & Analysis Period	28.11.2023 to 03.12.2023	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	7.63
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	122.4
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	292.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	93.4

Checked By: Amishra

Authorized Signatory: Rajkumar
Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:
1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
IAS ACCREDITED IAF OHSAS 18001:2007 IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/23/12/04/006

Reporting Date: 04.12.2023

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/11/28/012
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kaptan Ka Purwa	**Party Ref. No**	NA
Sampling Date	27.11.2023	**Receipt Date**	28.11.2023
Sampling & Analysis Period	28.11.2023 to 03.12.2023	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.43	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	62.6	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	108.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	28.3	Max 30

Checked By: Amishra

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
IAF OHSAS 18001:2007

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/23/12/04/005 **Reporting Date:** 04.12.2023

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/11/28/011
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kaptan Ka Purwa	**Party Ref. No**	NA
Sampling Date	27.11.2023	**Receipt Date**	28.11.2023
Sampling & Analysis Period	28.11.2023 to 03.12.2023	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	7.61
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	126.4
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	272.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	87.0

Checked By: Amishra

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
IAF OHSAS 18001:2007

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/23/12/04/012 **Reporting Date:** 04.12.2023

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/11/28/010
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Rewati Ram (Ahiyaraipur)	**Party Ref. No**	NA
Sampling Date	27.11.2023	**Receipt Date**	28.11.2023
Sampling & Analysis Period	28.11.2023 to 03.12.2023	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.52	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	58.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	88.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	27.1	Max 30

Checked By: A mishra

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/23/12/04/011 **Reporting Date:** 04.12.2023

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/11/28/009
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Rewati Ram (Ahiyaraipur)	**Party Ref. No**	NA
Sampling Date	27.11.2023	**Receipt Date**	28.11.2023
Sampling & Analysis Period	28.11.2023 to 03.12.2023	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	7.70
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	95.2
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	260.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	85.8

Checked By: A mishra

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/23/12/04/008 **Reporting Date:** 04.12.2023

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/11/28/008
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Mahanadpur	**Party Ref. No**	NA
Sampling Date	27.11.2023	**Receipt Date**	28.11.2023
Sampling & Analysis Period	28.11.2023 to 03.12.2023	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.67	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	56.4	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	100.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	28.5	Max 30

Checked By: A mishra

Authorized Signatory: Raj Kumar
Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
IAS ACCREDITED IAF OHSAS 18001:2007 IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/23/12/04/007 **Reporting Date:** 04.12.2023

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/11/28/007
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Mahanadpur	**Party Ref. No**	NA
Sampling Date	27.11.2023	**Receipt Date**	28.11.2023
Sampling & Analysis Period	28.11.2023 to 03.12.2023	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	7.80
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	86.6
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	212.4
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	80.1

Checked By: A. Mishra

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/23/12/04/014

Reporting Date: 04.12.2023

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/11/28/006
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Surjupur Bandha	**Party Ref. No**	NA
Sampling Date	27.11.2023	**Receipt Date**	28.11.2023
Sampling & Analysis Period	28.11.2023 to 03.12.2023	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.57	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	56.4	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	84.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	27.8	Max 30

Checked By: Amishra

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/23/12/04/013 **Reporting Date:** 04.12.2023

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/11/28/005
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Surjupur Bandha	**Party Ref. No**	NA
Sampling Date	27.11.2023	**Receipt Date**	28.11.2023
Sampling & Analysis Period	28.11.2023 to 03.12.2023	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	7.64
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	98.4
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	200.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	64.0

Checked By: A Mishra

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
IAF OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/23/12/04/004 **Reporting Date:** 04.12.2023

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/11/28/004
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kanpur Road	**Party Ref. No**	NA
Sampling Date	27.11.2023	**Receipt Date**	28.11.2023
Sampling & Analysis Period	28.11.2023 to 03.12.2023	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.44	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	62.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	96.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	28.5	Max 30

Checked By: Amishra

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
IAF OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/23/12/04/003 **Reporting Date:** 04.12.2023

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/11/28/003
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kanpur Road	**Party Ref. No**	NA
Sampling Date	27.11.2023	**Receipt Date**	28.11.2023
Sampling & Analysis Period	28.11.2023 to 03.12.2023	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	7.59
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	102.4
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	256.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	84.8

Checked By: Amishra

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/23/12/04/010 **Reporting Date:** 04.12.2023

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/11/28/002
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Police line	**Party Ref. No**	NA
Sampling Date	27.11.2023	**Receipt Date**	28.11.2023
Sampling & Analysis Period	28.11.2023 to 03.12.2023	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.41	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	59.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	104.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	29.1	Max 30

Checked By: A mishra

Authorized Signatory:
Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED IAF OHSAS 18001:2007

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/23/12/04/009 **Reporting Date:** 04.12.2023

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/11/28/001
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Police line	**Party Ref. No**	NA
Sampling Date	27.11.2023	**Receipt Date**	28.11.2023
Sampling & Analysis Period	28.11.2023 to 03.12.2023	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	7.60
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	120.8
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	208.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	66.7

Checked By: Amishra

Authorized Signatory: Raj kumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
IAS ACCREDITED IAF OHSAS 18001:2007

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/24/01/01/001 **Reporting Date:** 01.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/12/27/007
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Industrial Area (Paper Mill)	**Party Ref. No**	NA
Sampling Date	26.12.2023	**Receipt Date**	27.12.2023
Sampling & Analysis Period	27.12.2023 to 01.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	-	IS : 3025(Part-11)	7.79
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	118.2
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	300.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	92.5

Checked By:

Authorized Signatory:
Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/01/01/002 **Reporting Date:** 01.01.2024

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/12/27/008
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Industrial Area (Paper Mill)	**Party Ref. No**	NA
Sampling Date	26.12.2023	**Receipt Date**	27.12.2023
Sampling & Analysis Period	27.12.2023 to 01.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	-	IS : 3025(Part-11)	7.59	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	52.6	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	96.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	26.8	Max 30

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/01/01/003 **Reporting Date:** 01.01.2024

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/12/27/009
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kanpur Road	**Party Ref. No**	NA
Sampling Date	26.12.2023	**Receipt Date**	27.12.2023
Sampling & Analysis Period	27.12.2023 to 01.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	7.69
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	102.4
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	280.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	87.0

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336 .

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/01/01/004 **Reporting Date:** 01.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/12/27/010
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kanpur Road	**Party Ref. No**	NA
Sampling Date	26.12.2023	**Receipt Date**	27.12.2023
Sampling & Analysis Period	27.12.2023 to 01.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.32	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	48.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	92.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	26.3	Max 30

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/01/01/005 **Reporting Date:** 01.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/12/27/011
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kaptan Ka Purwa	**Party Ref. No**	NA
Sampling Date	26.12.2023	**Receipt Date**	27.12.2023
Sampling & Analysis Period	27.12.2023 to 01.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	***Protocol Used***	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	-	IS : 3025(Part-11)	7.79
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	122.4
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	292.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	86.8

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/01/01/006 **Reporting Date:** 01.01.2024

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/12/27/012
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kaptan Ka Purwa	**Party Ref. No**	NA
Sampling Date	26.12.2023	**Receipt Date**	27.12.2023
Sampling & Analysis Period	27.12.2023 to 01.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.57	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	51.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	104.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	27.3	Max 30

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre
2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS
TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/01/01/007 **Reporting Date:** 01.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/12/27/013
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Mahanadpur	**Party Ref. No**	NA
Sampling Date	26.12.2023	**Receipt Date**	27.12.2023
Sampling & Analysis Period	27.12.2023 to 01.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	-	IS : 3025(Part-11)	7.80
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	72.2
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	224.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	66.5

Checked By:

Authorized Signatory:
Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:
1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No GECRC/WW/24/01/01/008 **Reporting Date:** 01.01.2024

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/12/27/014
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Mahanadpur	**Party Ref. No**	NA
Sampling Date	26.12.2023	**Receipt Date**	27.12.2023
Sampling & Analysis Period	27.12.2023 to 01.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.71	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	42.4	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	88.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	26.1	Max 30

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/01/01/009 **Reporting Date:** 01.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/12/27/015
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Police line	**Party Ref. No**	NA
Sampling Date	26.12.2023	**Receipt Date**	27.12.2023
Sampling & Analysis Period	27.12.2023 to 01.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	-	IS: 3025(Part-11)	7.69
2	Total Suspended Solid	mg/l	IS: 3025(Part-17)	112.8
3	Chemical Oxygen Demand	mg/l	IS: 3025 (Part-58)	232.0
4	Biochemical Oxygen Demand	mg/l	IS: 3025 (Part-44)	71.0

Checked By:

Authorized Signatory:
Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No ;GECRC/WW/24/01/01/010 **Reporting Date:** 01.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/12/27/016
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Police line	**Party Ref. No**	NA
Sampling Date	26.12.2023	**Receipt Date**	27.12.2023
Sampling & Analysis Period	27.12.2023 to 01.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.49	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	64.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	92.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	28.4	Max 30

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/01/01/011 **Reporting Date:** 01.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/12/27/017
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Rewati Ram (Ahiyaraipur)	**Party Ref. No**	NA
Sampling Date	26.12.2023	**Receipt Date**	27.12.2023
Sampling & Analysis Period	27.12.2023 to 01.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	-	IS : 3025(Part-11)	7.61
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	84.8
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	304.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	90.3

Checked By:

Authorized Signatory:
Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/01/01/013 **Reporting Date:** 01.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/12/27/019
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Surjupur Bandha	**Party Ref. No**	NA
Sampling Date	26.12.2023	**Receipt Date**	27.12.2023
Sampling & Analysis Period	27.12.2023 to 01.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	-	IS : 3025(Part-11)	7.73
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	88.2
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	228.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	67.7

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/01/01/014 **Reporting Date:** 01.01.2024

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/23/12/27/020
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Surjupur Bandha	**Party Ref. No**	NA
Sampling Date	26.12.2023	**Receipt Date**	27.12.2023
Sampling & Analysis Period	27.12.2023 to 01.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	-	IS : 3025(Part-11)	7.62	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	52.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	80.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	23.8	Max 30

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water Chlorination)

Report No: GECRC/WW/24/01/15/0.01 **Reporting Date:** 15.01.2024

Name & Address of Party	M/s SADBHAY ENGINEERING CO 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/15/0.01
Sample Collected by (Name & Designation)	SELF	**Format No.**	7.5 F-01
Sampling Location	Kanpur Road	**Party Ref. No**	NA
Sampling Date	15.01.2024	**Receipt Date**	15.01.2024
Sampling & Analysis Period		**Latitude**	
Type of Sampling	Grab	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	-
Parameter Required	**Total Coliform (TC), Faecal Coliform (FC)**	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Input	Output
1	Total Coliform (TC)	MPN/100 ml	7,90,000	1,40,000
2	Faecal Coliform (FC)	MPN/100 ml	3,40,000	94,000

Checked By: Anishna

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results related to the item sampled and tested

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water Chlorination)

Report No: GECRC/WW/24/01/15/002 **Reporting Date:** 15.01.2024

Name & Address of Party	M/s SADBHAY ENGINEERING CO 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/15/002
Sample Collected by (Name & Designation)	SELF	**Format No.**	7.5 F-01
Sampling Location	Surjupur Bandha	**Party Ref. No**	NA
Sampling Date	15.01.2024	**Receipt Date**	15.01.2024
Sampling & Analysis Period		**Latitude**	
Type of Sampling	Grab	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	-
Parameter Required	Total Coliform (TC), Faecal Coliform (FC)	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Input	Output
1	Total Coliform (TC)	MPN/100 ml	94,00,000	11,00,000
2	Faecal Coliform (FC)	MPN/100 ml	34,00,000	4,90,000

Checked By: Anishna

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results related to the item sampled and tested

ISO 9001:2015 Certified
ACCREDITED
IAF OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water Chlorination)

Report No: GECRC/WW/24/01/15/003 **Reporting Date:** 15.01.2024

Name & Address of Party	M/s SADBHAY ENGINEERING CO 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/15/003
Sample Collected by (Name & Designation)	SELF	**Format No.**	7.5 F-01
Sampling Location	**Indira Nagar Drain**	**Party Ref. No**	NA
Sampling Date	15.01.2024	**Receipt Date**	15.01.2024
Sampling & Analysis Period		**Latitude**	-
Type of Sampling	Grab	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	-
Parameter Required	**Total Coliform (TC), Faecal Coliform (FC)**	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Input	Output
1	Total Coliform (TC)	MPN/100 ml	1,40,00,000	32,00,000
2	Faecal Coliform (FC)	MPN/100 ml	70,00,000	13,00,000

Checked By: Anishna

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results related to the item sampled and tested

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water Chlorination)

Report No: GECRC/WW/24/01/15/004 **Reporting Date:** 15.01.2024

Name & Address of Party	M/s SADBHAY ENGINEERING CO 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/15/004
Sample Collected by (Name & Designation)	SELF	**Format No.**	7.5 F-01
Sampling Location	Police Line Drain	**Party Ref. No**	NA
Sampling Date	15.01.2024	**Receipt Date**	15.01.2024
Sampling & Analysis Period		**Latitude**	-
Type of Sampling	Grab	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	-
Parameter Required	Total Coliform (TC), Faecal Coliform (FC)	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Input	Output
1	Total Coliform (TC)	MPN/100 ml	34,00,000	7,90,000
2	Faecal Coliform (FC)	MPN/100 ml	21,00,000	4,70,000

Checked By: Anishna

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results related to the item sampled and tested

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water Chlorination)

Report No: GECRC/WW/24/01/15/005 **Reporting Date:** 15.01.2024

Name & Address of Party	M/s SADBHAY ENGINEERING CO 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/15/005
Sample Collected by (Name & Designation)	SELF	**Format No.**	7.5 F-01
Sampling Location	Mahanandpur Drain	**Party Ref. No**	NA
Sampling Date	15.01.2024	**Receipt Date**	15.01.2024
Sampling & Analysis Period		**Latitude**	-
Type of Sampling	Grab	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	-
Parameter Required	Total Coliform (TC), Faecal Coliform (FC)	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Input	Output
1	Total Coliform (TC)	MPN/100 ml	7,00,000	2,10,000
2	Faecal Coliform (FC)	MPN/100 ml	3,20,000	94,000

Checked By: Anishna

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results related to the item sampled and tested

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water Chlorination)

Report No: GECRC/WW/24/01/15/006 **Reporting Date:** 15.01.2024

Name & Address of Party	M/s SADBHAY ENGINEERING CO 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/15/006
Sample Collected by (Name & Designation)	SELF	**Format No.**	7.5 F-01
Sampling Location	Industrial Area Drain	**Party Ref. No**	NA
Sampling Date	15.01.2024	**Receipt Date**	15.01.2024
Sampling & Analysis Period		**Latitude**	-
Type of Sampling	Grab	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	-
Parameter Required	Total Coliform (TC), Faecal Coliform (FC)	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Input	Output
1	Total Coliform (TC)	MPN/100 ml	47,000	17,000
2	Faecal Coliform (FC)	MPN/100 ml	14,000	4,700

Checked By: Anishna

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results related to the item sampled and tested

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water Chlorination)

Report No: GECRC/WW/24/01/15/007 **Reporting Date:** 15.01.2024

Name & Address of Party	M/s SADBHAY ENGINEERING CO 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/15/007
Sample Collected by (Name & Designation)	SELF	**Format No.**	7.5 F-01
Sampling Location	**Rewatiram Talab Drain**	**Party Ref. No**	NA
Sampling Date	15.01.2024	**Receipt Date**	15.01.2024
Sampling & Analysis Period		**Latitude**	-
Type of Sampling	Grab	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	-
Parameter Required	**Total Coliform (TC), Faecal Coliform (FC)**	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Input	Output
1	Total Coliform (TC)	MPN/100 ml	49,00,000	9,40,000
2	Faecal Coliform (FC)	MPN/100 ml	21,00,000	4,70,000

Checked By: Anishna

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results related to the item sampled and tested

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/01/23/001 **Reporting Date:** 30.01.2024

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/23/007
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Industrial Area (Paper Mill)	**Party Ref. No**	NA
Sampling Date	22.01.2024	**Receipt Date**	23.01.2024
Sampling & Analysis Period	23.01.2024 to 29.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	-	IS : 3025(Part-11)	8.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	44.0
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	125.5
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	30.0

Checked By:

Authorized Signatory:
Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/01/23/002 **Reporting Date:** 30.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/23/009
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Industrial Area (Paper Mill)	**Party Ref. No**	NA
Sampling Date	22.01.2024	**Receipt Date**	23.01.2024
Sampling & Analysis Period	23.01.2024 to 29.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	-	IS : 3025(Part-11)	8.1	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	32.0	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	95.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	20.0	Max 30

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/01/23/003 **Reporting Date:** 30.01.2024

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/23/009
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kanpur Road	**Party Ref. No**	NA
Sampling Date	22.01.2024	**Receipt Date**	23.01.2024
Sampling & Analysis Period	23.01.2024 to 29.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	7.90
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	58.0
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	125.5
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	44.0

Checked By:

Authorized Signatory:
Name: Raj Kumar
Designation: Technical Manager

G.E.C. LUCKNOW

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336 .

TEST REPORT
(Waste Water)

Report No:GECRC/WW/24/01/23/004 **Reporting Date:**30.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/23/010
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kanpur Road	**Party Ref. No**	NA
Sampling Date	22.01.2024	**Receipt Date**	23.01.2024
Sampling & Analysis Period	23.01.2024 to 29.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	8.0	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	49.0	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	117.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	25.5	Max 30

Checked By:

Authorized Signatory:
Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:
1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/24/01/23/005 **Reporting Date:** 30.01.2024

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/23/011
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kaptan Ka Purwa	**Party Ref. No**	NA
Sampling Date	22.01.2024	**Receipt Date**	23.01.2024
Sampling & Analysis Period	23.01.2024 to 29.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	-	IS : 3025(Part-11)	7.8
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	78.0
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	170.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	44.8

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
IAS ACCREDITED IAF OHSAS 18001:2007 IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/01/23/006 **Reporting Date:** 30.01.2024

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/23/012
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kaptan Ka Purwa	**Party Ref. No**	NA
Sampling Date	22.01.2024	**Receipt Date**	23.01.2024
Sampling & Analysis Period	23.01.2024 to 29.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	***Preservation***	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.90	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	57.0	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	130.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	27.5	Max 30

Checked By:

Authorized Signatory:
Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/24/01/23/007 **Reporting Date:** 30.01.2024

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/23/013
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Mahanadpur	**Party Ref. No**	NA
Sampling Date	22.01.2024	**Receipt Date**	23.01.2024
Sampling & Analysis Period	23.01.2024 to 29.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	-	IS : 3025(Part-11)	8.1
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	58.0
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	130.8
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	33.0

Checked By:

Authorized Signatory:
Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/24/01/23/008 **Reporting Date:** 30.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/23/014
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Mahanadpur	**Party Ref. No**	NA
Sampling Date	22.01.2024	**Receipt Date**	23.01.2024
Sampling & Analysis Period	23.01.2024 to 29.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	8.0	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	42.0	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	108.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	24.1	Max 30

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-9336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/24/01/23/009 **Reporting Date:** 30.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/23/015
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Police line	**Party Ref. No**	NA
Sampling Date	22.01.2024	**Receipt Date**	23.01.2024
Sampling & Analysis Period	23.01.2024 to 29.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	-	IS : 3025(Part-11)	7.80
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	80.0
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	158.5
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	44.0

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/24/01/23/010 **Reporting Date:** 30.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/23/016
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Police line	**Party Ref. No**	NA
Sampling Date	22.01.2024	**Receipt Date**	23.01.2024
Sampling & Analysis Period	23.01.2024 to 29.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.90	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	50.0	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	117.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	25.4	Max 30

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/24/01/23/011 **Reporting Date:** 30.01.2024

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/23/017
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Rewati Ram (Ahiyaraipur)	**Party Ref. No**	NA
Sampling Date	22.01.2024	**Receipt Date**	23.01.2024
Sampling & Analysis Period	23.01.2024 to 29.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	-	IS : 3025(Part-11)	7.90
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	70.0
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	158.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	43.0

Checked By:

Authorized Signatory:
Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:
1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/24/01/23/012 **Reporting Date:** 30.01.2024

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/23/018
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Rewati Ram (Ahiyaraipur)	**Party Ref. No**	NA
Sampling Date	22.01.2024	**Receipt Date**	23.01.2024
Sampling & Analysis Period	23.01.2024 to 29.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	-	IS : 3025(Part-11)	7.90	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	52.0	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	115.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	24.5	Max 30

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/24/01/23/013 **Reporting Date:** 30.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/23/019
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Surjupur Bandha	**Party Ref. No**	NA
Sampling Date	22.01.2024	**Receipt Date**	23.01.2024
Sampling & Analysis Period	23.01.2024 to 29.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	-	IS : 3025(Part-11)	7.80
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	77.0
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	177.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	58.0

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
IAS ACCREDITED IAF OHSAS 18001:2007 IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/24/01/23/014 **Reporting Date:** 30.01.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/01/23/020
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Surjupur Bandha	**Party Ref. No**	NA
Sampling Date	22.01.2024	**Receipt Date**	23.01.2024
Sampling & Analysis Period	23.01.2024 to 29.01.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	-	IS: 3025(Part-11)	8.00	5.5-9.0
2	Total Suspended Solid	mg/l	IS: 3025(Part-17)	58.0	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	125.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	27.0	Max 30

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/24/02/29/001 **Reporting Date:** 29.02.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/02/24/001
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Industrial Area (Paper Mill)	**Party Ref. No**	NA
Sampling Date	23.02.2024	**Receipt Date**	24.02.2024
Sampling & Analysis Period	24..02.2024 to 29.02.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	8.23
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	74.2
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	129.4
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	38.4

Checked By:

Authorized Signatory:
Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/02/29/002 **Reporting Date;** 29.02.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/02/24/002
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Industrial Area (Paper Mill)	**Party Ref. No**	NA
Sampling Date	23.02.2024	**Receipt Date**	24.02.2024
Sampling & Analysis Period	24..02.2024 to 29.02.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.98	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	36.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	98.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	25.8	Max 30

Checked By: Amishra

Authorized Signatory: Raj Kumar
Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/02/29/003 **Reporting Date:** 29.02.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/02/24/003
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kanpur Road	**Party Ref. No**	NA
Sampling Date	23.02.2024	**Receipt Date**	24.02.2024
Sampling & Analysis Period	24..02.2024 to 29.02.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	8.06
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	70.4
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	164.6
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	48.9

Checked By: A mishra

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/02/29/004 **Reporting Date:** 29.02.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/02/24/004
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kanpur Road	**Party Ref. No**	NA
Sampling Date	23.02.2024	**Receipt Date**	24.02.2024
Sampling & Analysis Period	24..02.2024 to 29.02.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.81	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	46.4	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	121.5	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	27.8	Max 30

Checked By:

Authorized Signatory:
Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/02/29/005 **Reporting Date** :29.02.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/02/24/005
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kaptan Ka Purwa	**Party Ref. No**	NA
Sampling Date	23.02.2024	**Receipt Date**	24.02.2024
Sampling & Analysis Period	24..02.2024 to 29.02.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	8.13
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	82.8
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	152.9
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	45.4

Checked By: Anishka

Authorized Signatory:
Raj Kumar
Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/02/29/006 **Reporting Date:** 29.02.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/02/24/006
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kaptan Ka Purwa	**Party Ref. No**	NA
Sampling Date	23.02.2024	**Receipt Date**	24.02.2024
Sampling & Analysis Period	24..02.2024 to 29.02.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	8.07	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	42.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	101.9	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	25.6	Max 30

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/02/29/007 **Reporting Date:**29.02.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/02/24/007
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Mahanadpur	**Party Ref. No**	NA
Sampling Date	23.02.2024	**Receipt Date**	24.02.2024
Sampling & Analysis Period	24..02.2024 to 29.02.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	8.14
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	84.2
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	149.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	44.3

Checked By: Amishra

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No; GECRC/WW/24/02/29/008 **Reporting Date:**29.02.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/02/24/008
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Mahanadpur	**Party Ref. No**	NA
Sampling Date	23.02.2024	**Receipt Date**	24.02.2024
Sampling & Analysis Period	24..02.2024 to 29.02.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.89	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	40.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	113.7	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	27.3	Max 30

Checked By: Amishaa

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No :GECRC/WW/24/02/29/009 **Reporting Date:** 29.02.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/02/24/009
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Police line	**Party Ref. No**	NA
Sampling Date	23.02.2024	**Receipt Date**	24.02.2024
Sampling & Analysis Period	24..02.2024 to 29.02.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	7.77
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	88.2
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	145.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	43.1

Checked By: Abishrq

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No ; GECRC/WW/24/02/29/010 **Reporting Date:** 29.02.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/02/24/010
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Police line	**Party Ref. No**	NA
Sampling Date	23.02.2024	**Receipt Date**	24.02.2024
Sampling & Analysis Period	24..02.2024 to 29.02.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.69	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	50.4	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	117.6	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	28.2	Max 30

Checked By: A Mishra

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/02/29/011 **Reporting Date:** 29.02.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/02/24/011
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Rewati Ram (Ahiyaraipur)	**Party Ref. No**	NA
Sampling Date	23.02.2024	**Receipt Date**	24.02.2024
Sampling & Analysis Period	24..02.2024 to 29.02.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	8.24
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	86.4
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	160.7
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	47.8

Checked By: Amishra

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/02/29/012 **Reporting Date:** 29.02.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/02/24/012
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Rewati Ram (Ahiyaraipur)	**Party Ref. No**	NA
Sampling Date	23.02.2024	**Receipt Date**	24.02.2024
Sampling & Analysis Period	24..02.2024 to 29.02.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.97	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	46.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	105.8	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	26.6	Max 30

Checked By: Amishna

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/02/29/013 **Reporting Date:** 29.02.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/02/24/013
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Surjupur Bandha	**Party Ref. No**	NA
Sampling Date	23.02.2024	**Receipt Date**	24.02.2024
Sampling & Analysis Period	24.02.2024 to 29.02.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	8.09
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	88.2
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	168.6
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	50.1

Checked By: Amishra

Authorized Signatory: Raj Kumar
Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/02/29/014 **Reporting Date:** 29.02.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/02/24/014
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Surjupur Bandha	**Party Ref. No**	NA
Sampling Date	23.02.2024	**Receipt Date**	24.02.2024
Sampling & Analysis Period	24.02.2024 to 29.02.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.83	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	51.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	109.8	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	26.3	Max 30

Checked By: Amishra

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No:GECRC/WW/24/03/27/001 **Reporting Date:** 03.04.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/03/27/001
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Industrial Area (Paper Mill)	**Party Ref. No**	NA
Sampling Date	27.03.2024	**Receipt Date**	27.03.2024
Sampling & Analysis Period	27.03.2024 to 02.04.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	8.10
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	72.2
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	130.4
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	32.4

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/03/27/002 **Reporting Date;** 03.04.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/03/27/002
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Industrial Area (Paper Mill)	**Party Ref. No**	NA
Sampling Date	27.03.2024	**Receipt Date**	27.03.2024
Sampling & Analysis Period	27.03.2024 to 02.04.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	8.12	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	39.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	98.0	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	20.8	Max 30

Checked By: Amishra

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/03/27/005 **Reporting Date:** 03.04.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/03/27/005
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kaptan Ka Purwa	**Party Ref. No**	NA
Sampling Date	27.03.2024	**Receipt Date**	27.03.2024
Sampling & Analysis Period	27.03.2024 to 02.04.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	8.13
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	92.8
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	150.9
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	48.0

Checked By: Amishra

Authorized Signatory:
Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/03/27/006 **Reporting Date:** 03.04.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/03/27/006
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kaptan Ka Purwa	**Party Ref. No**	NA
Sampling Date	27.03.2024	**Receipt Date**	27.03.2024
Sampling & Analysis Period	27.03.2024 to 02.04.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	8.00	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	48.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	109.9	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	25.0	Max 30

Checked By:

Authorized Signatory:

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/03/27/003 **Reporting Date:** 03.04.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/03/27/003
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kanpur Road	**Party Ref. No**	NA
Sampling Date	27.03.2024	**Receipt Date**	27.03.2024
Sampling & Analysis Period	27.03.2024 to 02.04.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	8.06
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	76.4
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	164.6
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	48.9

Checked By: A Mishra

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
IAF
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/03/27/004 **Reporting Date:** 03.04.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/03/27/004
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Kanpur Road	**Party Ref. No**	NA
Sampling Date	27.03.2024	**Receipt Date**	27.03.2024
Sampling & Analysis Period	27.03.2024 to 02.04.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.91	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	55.0	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	131.5	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	29.8	Max 30

Checked By: Amishra

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
IAS ACCREDITED IAF OHSAS 18001:2007 IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/03/27/007 **Reporting Date:** 03.04.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/03/27/007
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Mahanadpur	**Party Ref. No**	NA
Sampling Date	27.03.2024	**Receipt Date**	27.03.2024
Sampling & Analysis Period	27.03.2024 to 02.04.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	8.14
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	80.2
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	153.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	44.3

Checked By: Amishra

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/03/27/008 **Reporting Date:** 03.04.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/03/27/008
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Mahanadpur	**Party Ref. No**	NA
Sampling Date	27.03.2024	**Receipt Date**	27.03.2024
Sampling & Analysis Period	27.03.2024 to 02.04.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.89	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	43.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	118.7	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	24.3	Max 30

Checked By: Amishaa

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/03/27/009 **Reporting Date:** 03.04.2024

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/03/27/009
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Police line	**Party Ref. No**	NA
Sampling Date	27.03.2024	**Receipt Date**	27.03.2024
Sampling & Analysis Period	27.03.2024 to 02.04.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	7.87
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	81.2
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	145.0
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	43.1

Checked By: Amishra

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/03/27/010 **Reporting Date:** 03.04.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/03/27/010
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Police line	**Party Ref. No**	NA
Sampling Date	27.03.2024	**Receipt Date**	27.03.2024
Sampling & Analysis Period	27.03.2024 to 02.04.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.79	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	45.4	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	122.6	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	26.2	Max 30

Checked By: A mishra

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/03/27/011 **Reporting Date:** 03.04.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/03/27/011
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Rewati Ram (Ahiyaraipur)	**Party Ref. No**	NA
Sampling Date	27.03.2024	**Receipt Date**	27.03.2024
Sampling & Analysis Period	27.03.2024 to 02.04.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	8.14
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	80.4
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	160.7
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	44.8

Checked By: Anishna

Authorized Signatory: Rajkumar

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/03/27/012 **Reporting Date:** 03.04.2024

Name & Address of Party	**M/s SADBHAV ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/03/27/012
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Rewati Ram (Ahiyaraipur)	**Party Ref. No**	NA
Sampling Date	27.03.2024	**Receipt Date**	27.03.2024
Sampling & Analysis Period	27.03.2024 to 02.04.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	8.05	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	42.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	116.8	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	25.0	Max 30

Checked By: Amishra

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
IAS ACCREDITED IAF OHSAS 18001:2007 IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/03/27/013 **Reporting Date:** 03.04.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Inlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/03/27/013
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Surjupur Bandha	**Party Ref. No**	NA
Sampling Date	27.03.2024	**Receipt Date**	27.03.2024
Sampling & Analysis Period	27.03.2024 to 02.04.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result
1	pH	--	IS : 3025(Part-11)	8.09
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	96.2
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	171.6
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	53.1

Checked By Amishra

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

****End of the Report****

NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

Global Environmental Consultancy And Research Centre

2/390 A,Vibhav Khand,Gomti Nagar, Lucknow-226010
Mob:+91-9454278891, 7607377997,8960040004, 8299682829 E-mail:infogecrc@gmail.com
GSTIN:09AARFG5353K1ZS

TC-8336

TEST REPORT
(Waste Water)

Report No: GECRC/WW/24/03/27/014 **Reporting Date:** 03.04.2024

Name & Address of Party	**M/s SADBHAY ENGINEERING CO** 28-A, Brahmpuri, Indira Nagar, Lucknow	**Sample Description**	Drain Outlet Water
Client Representative (Name & Designation)	Mrs Sadhna Singh	**Sample Number**	GECRC/WW/24/03/27/014
Sample Collected by (Name & Designation)	By Customer	**Format No.**	7.5 F-01
Sampling Location	Surjupur Bandha	**Party Ref. No**	NA
Sampling Date	27.03.2024	**Receipt Date**	27.03.2024
Sampling & Analysis Period	27.03.2024 to 02.04.2024	**Latitude**	-
Type of Sampling	-	**Longitude**	-
Sample Quantity	01 Liter	**Preservation**	Yes
Parameter Required	pH, TSS, COD, BOD	**Protocol Used**	-

RESULTS

S. No.	Parameter	Unit	Method	Result	REQUIREMENTS IS:2490:1981
1	pH	--	IS : 3025(Part-11)	7.93	5.5-9.0
2	Total Suspended Solid	mg/l	IS : 3025(Part-17)	56.2	Max100
3	Chemical Oxygen Demand	mg/l	IS : 3025 (Part-58)	122.8	Max 250
4	Biochemical Oxygen Demand	mg/l	IS : 3025 (Part-44)	26.0	Max 30

Checked By: Amishra

Authorized Signatory: Raj Kumar

Name: Raj Kumar
Designation: Technical Manager

******End of the Report******


NOTE:

1. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and Should not be used in any advertising media without our special permission in writing.
2. The sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified.
3. Any discrepancy in test result should be reported within 15 Days.
4. The results relate to the item sampled and tested.

ISO 9001:2015 Certified
ACCREDITED
OHSAS 18001:2007
IN84699C

दिनांक– 26.12.2023






दिनांक– 27.12.2023





दिनांक– 28.12.2023







दिनांक– 29.12.2023





दिनांक– 30.12.2023






दिनांक– 31.12.2023





दिनांक– 01.01.2024







13/04/2024



GPS Map Camera Plus
Amrishpuri Colony, Raebareli, Uttar Pradesh, India
26.223804°, 81.226017°
Altitude: 69m - Accuracy: 4m
13/04/24 09:40 AM GMT+05:30
Captured by GPS Camera
51.32µT 339.16°N
Google


GPS Map Camera Plus
Chakbhikampur, Raebareli, Uttar Pradesh, India
26.223503°, 81.230017°
Altitude: 71m - Accuracy: 3m
13/04/24 09:40 AM GMT+05:30
Captured by GPS Camera
55.61µT 38.75°NE
Google


GPS Map Camera Plus
PNT Colony, Raebareli, Uttar Pradesh, India
26.230438°, 81.228123°
Altitude: 75m - Accuracy: 3m
13/04/24 09:13 AM GMT+05:30
Captured by GPS Camera
42.47µT 331.22°NW
Google


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.208025°, 81.245534°
Altitude: 71m - Accuracy: 4m
13/04/24 09:14 AM GMT+05:30
Captured by GPS Camera
29.27µT 355.62°N
Google


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.206801°, 81.240682°
Altitude: 71m - Accuracy: 6m
13/04/24 09:21 AM GMT+05:30
Captured by GPS Camera
51.30µT 177.32°S
Google


GPS Map Camera Plus
Amrishpuri Colony, Raebareli, Uttar Pradesh, India
26.223808°, 81.225979°
Altitude: 69m - Accuracy: 3m
13/04/24 09:35 AM GMT+05:30
Captured by GPS Camera
35.88µT 295.34°NW
Google


Raebareli, Uttar Pradesh, India
HN-582, Chakbhikampur, Raebareli, Uttar Pradesh 229001, India
Lat 26.223596°
Long 81.230066°
25/04/24 11:08 AM GMT +05:30
Google

14/04/2024


GPS Map Camera Plus
26.223838°, 81.22608°
Altitude: 38m - Accuracy: 9m
14/04/24 08:06 AM GMT+05:30
Captured by GPS Camera
51.62µT 274.94°W



GPS Map Camera Plus
26.208123°, 81.241182°
Altitude: 72m - Accuracy: 5m
14/04/24 08:22 AM GMT+05:30
Captured by GPS Camera
45.75µT 291.67°W


GPS Map Camera Plus
26.22346°, 81.229965°
Altitude: 56m - Accuracy: 3m
14/04/24 07:58 AM GMT+05:30
Captured by GPS Camera
59.75µT 80.93°E


Raebareli, Uttar Pradesh, India
66JH+354, Khali Sahat Rd, PNT Colony, Raebareli, Uttar Pradesh 229001, India
Lat 26.230412°
Long 81.228092°
14/04/24 08:03 AM GMT +05:30


Raebareli, Uttar Pradesh, India
669M+3P6, Indira Nagar Awas Vikas Colony, Indira Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.217571°
Long 81.233457°
14/04/24 08:51 AM GMT +05:30


GPS Map Camera Plus
26.223799°, 81.225962°
Altitude: 39m - Accuracy: 3m
14/04/24 08:06 AM GMT+05:30
Captured by GPS Camera
50.08µT 76.01°E


GPS Map Camera Plus
26.206863°, 81.240792°
Altitude: 72m - Accuracy: 8m
14/04/24 08:19 AM GMT+05:30
Captured by GPS Camera
51.68µT 177.71°S

15/04/2024


Raebareli, Uttar Pradesh, India
Google


GPS Map Camera Plus
PNT Colony, Raebareli, Uttar Pradesh, India
26.229228°, 81.230492°
Altitude: 72m - Accuracy: 8m
29/11/23 08:01 AM GMT+05:30
Captured by GPS Camera
Google


GPS Map Camera Plus
Amrishpuri Colony, Raebareli, Uttar Pradesh, India
26.2239°, 81.225944°
Altitude: 70m - Accuracy: 3m
15/04/24 02:15 PM GMT+05:30
Captured by GPS Camera
Google


GPS Map Camera Plus
Amrishpuri Colony, Raebareli, Uttar Pradesh, India
26.222962°, 81.228314°
Altitude: 70m - Accuracy: 3m
29/11/23 08:32 AM GMT+05:30
Captured by GPS Camera
Google


GPS Map Camera Plus
Chakbhikampur, Raebareli, Uttar Pradesh, India
26.223325°, 81.23003°
Altitude: 70m - Accuracy: 4m
27/11/23 10:03 AM GMT+05:30
Captured by GPS Camera
Google


GPS Map Camera Plus
PNT Colony, Raebareli, Uttar Pradesh, India
26.230438°, 81.228123°
Altitude: 75m - Accuracy: 3m
27/11/23 09:13 AM GMT+05:30
Captured by GPS Camera
Google


GPS Map Camera Plus
Amrishpuri Colony, Raebareli, Uttar Pradesh, India
26.223807°, 81.225047°
Altitude: 68m - Accuracy: 3m
27/11/23 09:40 AM GMT+05:30
Captured by GPS Camera
Google

16/04/2024


Raebareli, Uttar Pradesh, India
66VH+6RQ, Raipur, Raebareli, Uttar Pradesh 229316, India
Lat 26.242273°
Long 81.229321°
16/04/24 08:19 AM GMT +06:30


Raebareli, Uttar Pradesh, India
66VH+6RQ, Raipur, Raebareli, Uttar Pradesh 229316, India
Lat 26.242516°
Long 81.229504°
16/04/24 08:16 AM GMT +05:30


GPS Map Camera Plus
Amrishpuri Colony, Raebareli, Uttar Pradesh, India
26.223781°, 81.225986°
Altitude: 69m - Accuracy: 4m
16/04/24 10:09 AM GMT+05:30
Captured by GPS Camera
52.11µT
304.15°NW


Raebareli, Uttar Pradesh, India
66VH+5RQ, Raipur, Raebareli, Uttar Pradesh 229316, India
Lat 26.242517°
Long 81.229494°
16/04/24 08:16 AM GMT +05:30


Raebareli, Uttar Pradesh, India
66VH+5RQ, Raipur, Raebareli, Uttar Pradesh 229316, India
Lat 26.242426°
Long 81.229612°
16/04/24 08:19 AM GMT +06:30


Raebareli, Uttar Pradesh, India
66VH+5RQ, Raipur, Raebareli, Uttar Pradesh 229316, India
Lat 26.242275°
Long 81.229318°
16/04/24 08:36 AM GMT +06:30


Raebareli, Uttar Pradesh, India
66JH+354, Khali Sahat Rd, PNT Colony, Raebareli, Uttar Pradesh 229001, India
Lat 26.230416°
Long 81.228105°
16/04/24 08:46 AM GMT +05:30

17/04/2024


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.208011°, 81.244318°
Altitude: 71m - Accuracy: 5m
17/04/24 07:06 AM GMT+05:30
Captured by GPS Camera
65.86µT
336.79°NW


GPS Map Camera Plus
Chakbhikampur, Raebareli, Uttar Pradesh, India
26.223475°, 81.229952°
Altitude: 71m - Accuracy: 7m
17/04/24 07:41 AM GMT+05:30
Captured by GPS Camera
57.71µT
299.15°NW


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.206834°, 81.240651°
Altitude: 31m - Accuracy: 3m
17/04/24 07:13 AM GMT+05:30
Captured by GPS Camera
44.43µT
138.99°SE


GPS Map Camera Plus
Amrishpuri Colony, Raebareli, Uttar Pradesh, India
26.223483°, 81.226541°
Altitude: 70m - Accuracy: 9m
17/04/24 07:36 AM GMT+05:30
Captured by GPS Camera
46.62µT
16.24°N


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.208055°, 81.245577°
Altitude: 71m - Accuracy: 4m
17/04/24 07:03 AM GMT+05:30
Captured by GPS Camera
56.38µT
4.38°N


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.20791°, 81.241325°
Altitude: 71m - Accuracy: 3m
17/04/24 07:19 AM GMT+05:30
Captured by GPS Camera
49.02µT
301.31°NW


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.208119°, 81.245625°
Altitude: 71m - Accuracy: 4m
17/04/24 07:02 AM GMT+05:30
Captured by GPS Camera
61.79µT
339.62°N

18/04/2024


GPS Map Camera Plus
Amrishpuri Colony, Raebareli, Uttar Pradesh, India
26.223785°, 81.225958°
Altitude: 72m - Accuracy: 3m
18/04/24 08:25 AM GMT+05:30
Captured by GPS Camera
50.39µT
283.66°W


Raebareli, Uttar Pradesh, India
669M+3F6, Indira Nagar Awas Vikas Colony, Indira Nagar,
Raebareli, Uttar Pradesh 229001, India
Lat 26.217898°
Long 81.233494°
18/04/24 09:17 AM GMT +05:30


GPS Map Camera Plus
PNT Colony, Raebareli, Uttar Pradesh, India
26.229228°, 81.230492°
Altitude: 72m - Accuracy: 8m
18/04/24 08:01 AM GMT+05:30
Captured by GPS Camera
51.49µT
40.93°NE


Raebareli, Uttar Pradesh, India
643/8, near Government colony, Siddharth Vihar, Sri Nagar,
Raebareli, Uttar Pradesh 229001, India
Lat 26.208222°
Long 81.256598°
18/04/24 08:09 AM GMT +05:30


Raebareli, Uttar Pradesh, India
867H+PR8, Mathia Road, Indira Nagar Awas Vikas Colony, Indira
Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.214279°
Long 81.230026°
18/04/24 09:27 AM GMT +05:30


Raebareli, Uttar Pradesh, India
659M+3F0, Indira Nagar Awas Vikas Colony, Indira Nagar,
Raebareli, Uttar Pradesh 229001, India
Lat 26.217696°
Long 81.233494°
18/04/24 09:16 AM GMT +05:30


Raebareli, Uttar Pradesh, India
667J+R8V, Indira Nagar Awas Vikas Colony, Indira Nagar, Raebareli,
Uttar Pradesh 229001, India
Lat 26.214842°
Long 81.230193°
18/04/24 09:29 AM GMT +05:30

19/04/2024


GPS Map Camera Plus
Chakbhikampur, Raebareli, Uttar Pradesh, India
26.223522°, 81.230052°
Altitude: 71m - Accuracy: 4m
19/04/24 10:24 AM GMT+05:30
Captured by GPS Camera
59.33µT
40.29°NE


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.208022°, 81.245515°
Altitude: 71m - Accuracy: 4m
19/04/24 09:41 AM GMT+05:30
Captured by GPS Camera
45.12µT
340.90°N


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.208132°, 81.244332°
Altitude: 71m - Accuracy: 5m
19/04/24 09:53 AM GMT+05:30
Captured by GPS Camera
31.38µT
350.81°N


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.208062°, 81.24421°
Altitude: 71m - Accuracy: 3m
19/04/24 09:54 AM GMT+05:30
Captured by GPS Camera
24.35µT
313.53°NW


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.206843°, 81.24058°
Altitude: 71m - Accuracy: 3m
19/04/24 10:00 AM GMT+05:30
Captured by GPS Camera
58.07µT
197.50°S


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.206851°, 81.240588°
Altitude: 71m - Accuracy: 3m
19/04/24 09:59 AM GMT+05:30
Captured by GPS Camera
58.42µT
231.02°SW


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.207948°, 81.241295°
Altitude: 71m - Accuracy: 3m
19/04/24 09:57 AM GMT+05:30
Captured by GPS Camera
66.02µT
276.58°W

20/04/2024


Raebareli, Uttar Pradesh, India
669M+3F6, Indira Nagar Awas Vikas Colony, Indira Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.21782°
Long 81.233436°
20/04/24 08:38 AM GMT +05:30


Raebareli, Uttar Pradesh, India
6733+8R7, Krishna Nagar, Sri Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.203343°
Long 81.254809°
20/04/24 07:53 AM GMT +05:30


Raebareli, Uttar Pradesh, India
643/B, near Government colony, Siddharth Vihar, Sri Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.209215°
Long 81.256698°
20/04/24 09:06 AM GMT +05:30


Raebareli, Uttar Pradesh, India
668.1+5RG, Indira Nagar Awas Vikas Colony, Indira Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.215107°
Long 81.230547°
20/04/24 08:49 AM GMT +05:30


Raebareli, Uttar Pradesh, India
66Q9+PPR, Kanpur Rd, Amrishpuri Colony, Raebareli, Uttar Pradesh 229001, India
Lat 26.224762°
Long 81.219522°
20/04/24 10:49 AM GMT +05:30


Raebareli, Uttar Pradesh, India
66MG+5G4, Guziyana Gulla, Raebareli, Uttar Pradesh 229001, India
Lat 26.232741°
Long 81.226695°
20/04/24 10:28 AM GMT +05:30


Raebareli, Uttar Pradesh, India
66HJ+96M, Khali Sahar Rd, PNT Colony, Raebareli, Uttar Pradesh 229001, India
Lat 26.229472°
Long 81.230418°
20/04/24 10:14 AM GMT +05:30

21/04/2024


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.208035°, 81.245551°
Altitude: 71m - Accuracy: 3m
21/04/24 08:59 AM GMT+05:30
Captured by GPS Camera
30.16µT 54.51°NE
Jail Rd
Google


Raebareli, Uttar Pradesh, India
667H+PR8, Mathia Road, Indira Nagar Awas Vikas Colony, Indira Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.214691°
Long 81.230026°
21/04/24 08:50 AM GMT +05:30
Google


GPS Map Camera Plus
Amrishpuri Colony, Raebareli, Uttar Pradesh, India
26.223768°, 81.226052°
Altitude: 71m - Accuracy: 3m
21/04/24 08:25 AM GMT+05:30
Captured by GPS Camera
48.96µT 113.37°SE
Kanpur Rd
Google


Raebareli, Uttar Pradesh, India
643/B, near Government colony, Siddharth Vihar, Sri Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.208256°
Long 81.256077°
21/04/24 08:07 AM GMT +05:30
Google


Raebareli, Uttar Pradesh, India
667H+PR8, Mathia Road, Indira Nagar Awas Vikas Colony, Indira Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.214691°
Long 81.230026°
21/04/24 08:51 AM GMT +05:30
Google


Raebareli, Uttar Pradesh, India
669M+3F8, Indira Nagar Awas Vikas Colony, Indira Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.217562°
Long 81.233448°
21/04/24 08:42 AM GMT +05:30
Google


Raebareli, Uttar Pradesh, India
643/B, near Government colony, Siddharth Vihar, Sri Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.208214°
Long 81.256707°
21/04/24 08:07 AM GMT +05:30
Google

22/04/2024


Raebareli, Uttar Pradesh, India
643/B, near Government colony, Siddharth Vihar, Sri Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.208248°
Long 81.256627°
22/04/24 07:54 AM GMT +05:30


Raebareli, Uttar Pradesh, India
13, Darguwan, Judges Colony, Sri Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.20419°
Long 81.255989°
22/04/24 07:42 AM GMT +05:30


Raebareli, Uttar Pradesh, India
657H+PRD, Mathia Road, Indira Nagar Awas Vikas Colony, Indira Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.214837°
Long 81.230019°
22/04/24 08:54 AM GMT +05:30


Raebareli, Uttar Pradesh, India
67M6+V99, ITI Colony Area, Doorbhash Nagar, Raebareli, Uttar Pradesh 229316, India
Lat 26.234507°
Long 81.26101°
22/04/24 07:20 AM GMT +05:30


Raebareli, Uttar Pradesh, India
669M+3F6, Indira Nagar Awas Vikas Colony, Indira Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.217663°
Long 81.233464°
22/04/24 08:26 AM GMT +05:30


Raebareli, Uttar Pradesh, India
643/B, near Government colony, Siddharth Vihar, Sri Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.208242°
Long 81.256335°
22/04/24 07:54 AM GMT +05:30


Raebareli, Uttar Pradesh, India
67M6+V99, ITI Colony Area, Doorbhash Nagar, Raebareli, Uttar Pradesh 229316, India
Lat 26.234507°
Long 81.26101°
22/04/24 07:20 AM GMT +05:30

23/04/2024


GPS Map Camera Plus
PNT Colony, Raebareli, Uttar Pradesh, India
26.223823°, 81.225942°
Altitude: 70m - Accuracy: 6m
23/04/24 10:10 AM GMT+05:30
Captured by GPS Camera
38.73µT
326.66°NW


Raebareli, Uttar Pradesh, India
643/B, near Government colony, Siddharth Vihar, Sri Nagar,
Raebareli, Uttar Pradesh 229001, India
Lat 26.208225°
Long 81.256541°
23/04/24 08:05 AM GMT +05:30


GPS Map Camera Plus
Chakbhikampur, Raebareli, Uttar Pradesh, India
26.223538°, 81.23003°
Altitude: 71m - Accuracy: 4m
23/04/24 10:20 AM GMT+05:30
Captured by GPS Camera
56.53µT
47.47°NE


Raebareli, Uttar Pradesh, India
643/B, near Government colony, Siddharth Vihar, Sri Nagar,
Raebareli, Uttar Pradesh 229001, India
Lat 26.208225°
Long 81.256541°
23/04/24 08:05 AM GMT +05:30


Raebareli, Uttar Pradesh, India
Near police line vikas nagar matiha road, near, Police Line Rd, Indira Nagar
Awas Vikas Colony, Indira Nagar, Raebareli, Uttar Pradesh 229001, India
Lat 26.217835°
Long 81.231612°
23/04/24 08:39 AM GMT +05:30


Raebareli, Uttar Pradesh, India
669M+3F6, Indira Nagar Awas Vikas Colony, Indira Nagar,
Raebareli, Uttar Pradesh 229001, India
Lat 26.217583°
Long 81.233333°
23/04/24 08:31 AM GMT +05:30


Raebareli, Uttar Pradesh, India
669M+3F6, Indira Nagar Awas Vikas Colony, Indira Nagar,
Raebareli, Uttar Pradesh 229001, India
Lat 26.217583°
Long 81.233333°
23/04/24 08:32 AM GMT +05:30

24/04/2024


Raebareli, Uttar Pradesh, India
643/B, near Government colony, Siddharth Vihar, Sri Nagar,
Raebareli, Uttar Pradesh 229001, India
Lat 26.208241°
Long 81.256838°
24/04/24 08:00 AM GMT +05:30
Google


Raebareli, Uttar Pradesh, India
66G9+MM5, Kanpur Rd, RAJOHAAT, Raebareli, Uttar Pradesh
229001, India
Lat 26.226695°
Long 81.218624°
24/04/24 07:36 AM GMT +05:30
Google


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.206885°, 81.240649°
Altitude: 68m - Accuracy: 3m
24/04/24 10:18 AM GMT+05:30
Captured by GPS Camera
48.44µT 173.20°S
Google


Raebareli, Uttar Pradesh, India
New Bajrang Nagar , Bandha Road Rajghat, PNT Colony, Raebareli,
Uttar Pradesh 229001, India
Lat 26.229092°
Long 81.230706°
24/04/24 07:30 AM GMT +05:30
Google


Raebareli, Uttar Pradesh, India
66HJ+G6M, Khali Sahat Rd, PNT Colony, Raebareli, Uttar Pradesh
229001, India
Lat 26.229294°
Long 81.230453°
24/04/24 07:16 AM GMT +05:30
Google


Raebareli, Uttar Pradesh, India
66HJ+G6M, Khali Sahat Rd, PNT Colony, Raebareli, Uttar Pradesh 229001, India
Lat 26.229294°
Long 81.230453°
24/04/24 07:16 AM GMT +05:30
Google


Raebareli, Uttar Pradesh, India
643/B, near Government colony, Siddharth Vihar, Sri Nagar,
Raebareli, Uttar Pradesh 229001, India
Lat 26.208298°
Long 81.256584°
24/04/24 08:01 AM GMT +05:30
Google


25/04/2024


GPS Map Camera
Raebareli, Uttar Pradesh, India
208004, Kanpur Rd, Amrishpuri Colony, Raebareli, Uttar Pradesh
229001, India
Lat 26.223790°
Long 81.22604°
25/04/24 11:02 AM GMT +05:30



GPS Map Camera
Raebareli, Uttar Pradesh, India
208004, Kanpur Rd, Amrishpuri Colony, Raebareli, Uttar Pradesh
229001, India
Lat 26.223787°
Long 81.225967°
25/04/24 11:08 AM GMT +05:30


GPS Map Camera
Raebareli, Uttar Pradesh, India
HN-582, Chakbhikampur, Raebareli, Uttar Pradesh 229001, India
Lat 26.223596°
Long 81.230066°
25/04/24 11:08 AM GMT +05:30


Raebareli, Uttar Pradesh, India
Raebareli, Uttar Pradesh 229001, India
25/04/24 07:49 AM GMT +05:30


GPS Map Camera
Raebareli, Uttar Pradesh, India
843/B, near Government colony, Siddharth Vihar, Sri Nagar,
Raebareli, Uttar Pradesh 229001, India
Lat 26.208213°
Long 81.256854°
25/04/24 07:11 AM GMT +05:30


GPS Map Camera
Raebareli, Uttar Pradesh, India
6609+MM5, Kanpur Rd, RAJOHAAT, Raebareli, Uttar Pradesh
229001, India
Lat 26.226696°
Long 81.218524°
24/04/24 07:36 AM GMT +05:30


Raebareli, Uttar Pradesh, India
843/B, near Government colony, Siddharth Vihar, Sri Nagar,
Raebareli, Uttar Pradesh 229001, India
Lat 26.208213°
Long 81.256854°
25/04/24 07:11 AM GMT +05:30

26/04/2024


GPS Map Camera Plus
Amrishpuri Colony, Raebareli, Uttar Pradesh, India
26.222969°, 81.228334°
Altitude: 69m - Accuracy: 3m
26/04/24 09:52 AM GMT+05:30
Captured by GPS Camera
53.22µT
23.64°NE



GPS Map Camera
Raebareli, Uttar Pradesh, India
66VH+5RQ, Raipur, Raebareli, Uttar Pradesh 229316, India
Lat 26.242558°
Long 81.229482°
26/04/24 08:53 AM GMT +05:30
Google


GPS Map Camera Plus
Amrishpuri Colony, Raebareli, Uttar Pradesh, India
26.223807°, 81.225947°
Altitude: 68m - Accuracy: 3m
26/04/24 09:40 AM GMT+05:30
Captured by GPS Camera
42.14µT
250.60°W
Google


GPS Map Camera
Raebareli, Uttar Pradesh, India
66VH+5RQ, Raipur, Raebareli, Uttar Pradesh 229316, India
Lat 26.242558°
Long 81.229482°
26/04/24 08:53 AM GMT +05:30
Google


GPS Map Camera Plus
Amrishpuri Colony, Raebareli, Uttar Pradesh, India
26.223807°, 81.225947°
Altitude: 68m - Accuracy: 3m
26/04/24 09:40 AM GMT+05:30
Captured by GPS Camera
42.14µT
250.60°W
Google


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.207975°, 81.241601°
Altitude: 71m - Accuracy: 3m
26/04/24 09:53 AM GMT+05:30
Captured by GPS Camera
53.72µT
298.98°NW
Google


GPS Map Camera Plus
Indira Nagar, Raebareli, Uttar Pradesh, India
26.207009°, 81.240591°
Altitude: 71m - Accuracy: 3m
26/04/24 09:55 AM GMT+05:30
Captured by GPS Camera
57.83µT
187.57°S
Google

Annexure-8

कार्यालय नगर पालिका परिषद, रायबरेली

पत्रॉक : 771 / न0पा0परि0 / ज0क0 / 2023–24 / दिनॉक 26/12/2023

सेवा में,

अधिशासी अभियन्ता
निर्माण खण्ड,
उ0प्र0 जल निगम (नगरीय)
रायबरेली।

विषयः **अमृत योजनान्तर्गत रायबरेली सीवरेज योजना फेज–1 व रायबरेली सीवरेज योजना फेज–2 के हस्तगन के सम्बन्ध में।**

महोदय,

उपरोक्त विषयक अपने पत्र संख्या 972 / रा0सी0यो0फेज–1 व फेज–2 / 219 दिनॉक 27.08.2022, पत्रॉक 916 / निर्माण–4 / 130 दिनॉक 30.06.2023 तथा पत्रॉक 1613 / निर्माण–4 / 204 दिनॉक 02.12.2023 एंव इस कार्यालय के पत्रॉक 538 / न0पा0परि0 / ज0क0 / 2023–24 दिनॉक 21.12.2023 (संयुक्त निरीक्षण) का सन्दर्भ ग्रहण करने का कष्ट करें, जिसके माध्यम से दिनॉक 25.12.2023 तक योजनाओं को हैण्डओवर लिये जाने हेतु अपर निदेशक महोदया, स्थानीय निकाय निदेशालय, लखनऊ द्वारा आदेशित किया गया था। उक्त के कम में अध्यक्ष महोदय, नगर पालिका परिषद, रायबरेली की स्वीकृति दिनॉक 22.12.2023 के आलेख में अवगत कराना है कि आपके कार्यालय द्वारा नगर पालिका परिषद रायबरेली क्षेत्रान्तर्गत निर्मित 18 एम0एल0डी0 क्षमता का एस0टी0पी0 एंव 30.00 किमी0 सीवर नेटवर्क तथा 2255 नग सीवर गृह संयोजन एंव तत्सम्बन्धित के हस्तगन की स्वीकृति निम्न शर्तो के साथ दिनॉक 26.12.2023 को किया गया है, शर्ते निम्नानुसार है :–

1. एस0टी0पी0 का संचालन व रखरखाव 31 मार्च 2024 तक जल निगम (नगरीय) रायबरेली द्वारा किया जायेगा, तत्पश्चात नगर पालिका परिषद, रायबरेली द्वारा उक्त का संचालन व रखरखाव मान्य होगा। इस अवधि की देयताओं का वहन नगर पालिका परिषद, रायबरेली का नही होगा।
2. हस्तान्तरण फाइल में मौजूद अभिलेख के अतिरिक्त एस0टी0पी0 पर स्थापित समस्त मशीनों (वि0 / यॉ0) कम्प्यूटर, लैब, ड्राइंग एंव डिजाइन आदि से सम्बन्धित प्रपत्र उपलब्ध कराना आवश्यक होगा।
3. एस0टी0पी0 संचालन हेतु आपरेशन मैनुवल उपलबध कराना आवश्यक होगा।
4. 18 एम0एल0डी0 सीवर शोधन संयत्र के संचालन एंव रखरखाव हेतु टेन्डरिंग प्रकिया में यदि आवश्यक हो तो, तकनीकी सहयोग जल निगम (नगरीय) द्वारा किया जायेगा।
5. Major fault होने की दशा में सम्बन्धित फर्म उत्तरदायी होगी।
6. नगर पालिका परिषद, रायबरेली द्वारा सीवर शोधन संयत्र पर तैनात किये गये कर्मचारियों को संचालन हेतु प्रशिक्षित किया जाये।
7. प्रदूषण नियन्त्रण बोर्ड से Consent to operate का प्रमाण पत्र प्रस्तुत करना होगा।
8. पूर्व की देयता का दायित्व नगर पालिका परिषद, रायबरेली का नही होगा।

संलग्नकः हस्तान्तरण प्रपत्र की मूलप्रति।

भवदीय

(स्वर्ण सिंह)
अधिशासी अधिकारी

पृ0सं0 एंव दिनॉक उपरोक्तानुसार।

प्रतिलिपि निम्नलिखित को सूचनार्थ एंव आवश्यक कार्यवाही हेतु प्रेषित।

1. निदेशक, स्थानीय निकाय निदेशालय, गोमती नगर, लखनऊ को सादर अवलोकनार्थ प्रेषित।
2. मा0 अध्यक्ष, नगर पालिका परिषद, रायबरेली।
3. जिलाधिकारी महोदया, रायबरेली।
4. अपर जिलाधिकारी (प्रशासन) / प्रभारी स्थानीय निकाय, रायबरेली।

अधिशासी अधिकारी
नगर पालिका परिषद, रायबरेली

कार्यालय अधिशासी अभियन्ता, निर्माण खण्ड, उ0प्र0 जल निगम (नगरीय) रायबरेली
अमृत योजना के अर्न्तगत रायबरेली सीवरेज योजना फेज–1 एंव फेज–2 का हस्तान्तरण प्रमाण पत्र

कम सं0	नगर पालिका का नाम	योजना का नाम	कार्यस्थल	प्लान्ट क्षमता और अवयव		टिप्पणी
1	रायबरेली	अमृत योजना के अर्न्तगत रायबरेली सीवरेज योजना फेज–1 एंव फेज–2	गोड़वा गदियानी	एस0टी0पी0 – 18 MLD	1 नग	विवरण संलग्न
				एम0पी0एस0 – 40.50 MLD	1 नग	विवरण संलग्न
				सीवर लाइन	30.00 किमी0	विवरण संलग्न
				सीवर गृह संयोजन	2255 नग	सूची संलग्न

हस्तान्तरण कर्ता :–

(राम आशीष यादव)
जूनियर इंजीनियर

(जगदीश प्रसाद)
सहायक अभियन्ता

(देवेन्द्र कुमार)
अधिशासी अभियन्ता
निर्माण खण्ड,
उ0प्र0 जल निगम (नगरीय)
रायबरेली

हस्तगतकर्ता :–

(नीरज कुमार)
अवर अभियन्ता (जल)

(सुरेन्द्र प्रसाद यादव)
सहायक अभियन्ता (जल)

(स्वर्ण सिंह)
अधिशासी अधिकारी
नगर पालिका परिषद, रायबरेली

483

Annexure-9

Test Report of 18.0 MLD STP GADWA GODWANI, RAEBARELI

S No	Parameter	Unit	Inlet STP	Final Outlet	Standards
Date 25.01.2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	7.49	7.60	6.5-9.0
2	TSS	mg/l	174	8.00	<100
3	BOD		84	8.50	<30
4	COD		236	40.00	
5	Faecal Coliform	MPN/100 ml	880	65.00	<1000
Date 15.02.2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	7.39	7.66	6.5-9.0
2	TSS	mg/l	175	7.50	<100
3	BOD		90	8.00	<30
4	COD		228.00	36.00	
5	Faecal Coliform	MPN/100 ml	940	70.00	<1000
Date 12.03.2024					
1	**2**	**3**	**4**	**5**	**6**
1	pH	-	7.42	7.68	6.5-9.0
2	TSS	mg/l	173	7.80	<100
3	BOD		79.5	7.94	<30
4	COD		204.00	39.46	
5	Faecal Coliform	MPN/100 ml	840	148.00	<1000

ecoMen

ECOMEN MINING PVT. LTD
(Formerly known as Ecomen Laboratories Pvt. Ltd.)
Second Floor Hall, House No. B-1/8, Sector-H, Aliganj, Lucknow - 226 024
Phone No. : 0522 - 4079201/2746282
E-mail: contactus@ecomen.in, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

TC-12751

TEST REPORT

FORMAT NO. ECO/QS/FORMAT/07

NAME & ADDRESS OF CUSTOMER:	M/s 18 MLD STP AT RAEBARILI (U.P) C/o M/s Gharpure Engineering and Construction (P) Ltd. MIDC Chinchwad, Pune	ULR No.	TC127512400004356F
		Test Report No.	ECO/LAB/WW/0409/4356/01/2024
		Issue Date of Test Report	30.01.2024

Type of Sample	Waste Water		
Sample Registration No.	0409	Name of Location	STP Inlet
Sampling Method	APHA 24th Ed. 2017,1060 A+B	Sample Collected By	ELPL Representative
Date of Sample Collection	25.01.2024	Time of Sample Collection	-
Date of Sample Received	25.01.2024	Time of Sample Received	5:30 PM
Start Date of Analysis	25.01.2024	End Date of Analysis	30.01.2024
Laboratory Environmental Condition	Temperature: 27 ± 2 °C	Sample Quantity	As per requirement
	Humidity: 51 %	Sample ID Code	ECO/LAB/4356/01/2024

Sl. No.	Tests	Unit	Protocol	Limits of Detection	Result
1.	pH	-	APHA, 24th Ed. 2023,4500 H^+ A+B	2-12	7.49
2.	Total Suspended Solid as TSS	mg/l	APHA, 24th Ed. 2023, 2540D	5-5000	174.0
3.	Biochemical Oxygen Demand as BOD 5 days at 20 °C	mg/l	APHA, 24th Ed. 2023, 5210 A+B	5-10000	84.0
4.	Chemical Oxygen Demand as COD	mg/l	APHA, 24th Ed. 2023, 5220 A+C	10-50000	236.0
5.	Total Phosphorous as P	mg/l	APHA, 24th Ed. 2023, 4500-PD	0.2-20	5.78
6.	Total Kjeldahl Nitogen as TKN	mg/l	APHA, 24th Ed. 2023,4500-Norg A+C	2.5-100	18.0

Statement of Conformity: The above tested parameters results are related to the sample tested.

Note:-

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after one Month from the date of issue of test report

----End of Report----

Verified By

Technical Manager
(Vikas kumar)

Authorized By

Quality Manager
(Dr.Abhishek Kumar Singh)

ecoMen

ECOMEN MINING PVT. LTD
(Formerly Known as Ecomen Laboratories Pvt. Ltd.)
Second Floor Hall, House No. B-1/8, Sector-H, Aliganj, Lucknow - 226 024
Phone No. : 0522 - 4079201/2746282
E-mail: contactus@ecomen.in, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

TEST REPORT

FORMAT NO. ECO/QS/FORMAT/07

NAME & ADDRESS OF CUSTOMER:	M/s 18 MLD STP AT RAEBARILI (U.P) C/o M/s Gharpure Engineering and Construction (P) Ltd. MIDC Chinchwad, Pune	Test Report No.	ECO/LAB/WW/0409/4356/01/2024
		Issue Date of Test Report	30.01.2024

Type of Sample	Waste Water		
Sample Registration No.	0409	Name of Location	STP Inlet
Sampling Method	APHA 24th Ed. 2017,1060 A+B	Sample Collected By	ELPL Representative
Date of Sample Collection	25.01.2024	Time of Sample Collection	-
Date of Sample Received	25.01.2024	Time of Sample Received	5:30 PM
Start Date of Analysis	25.01.2024	End Date of Analysis	30.01.2024
Laboratory Environmental Condition	Temperature: 27 ± 2 °C	Sample Quantity	As per requirement
	Humidity: 51 %	Sample ID Code	ECO/LAB/4356/01/2024

Sl. No.	Tests	Unit	Protocol	Limits of Detection	Result
1.	T.Coliform	MPN/100 ml	IS 1622:1981 RA:2019	1.8	1684.0
2.	Faecal Coliform	MPN/100 ml	IS 1622:1981 RA:2019	1.8	880.0

Statement of Conformity: The above tested parameters results are related to the sample tested.

Note:

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after one Month from the date of issue of test report

----End of Report----

Verified By

Technical Manager
(Vikas kumar)

Authorized By

Quality Manager
(Dr.Abhishek Kumar Singh)

ECOMEN MINING PVT. LTD
(Formerly known as Ecomen Laboratories Pvt. Ltd.)
Second Floor Hall, House No. B-1/8, Sector-H, Aliganj, Lucknow - 226 024
Phone No. : 0522 - 4079201/2746282
E-mail: contactus@ecomen.in, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI
TC-12751

TEST REPORT

FORMAT NO. ECO/QS/FORMAT/07

NAME & ADDRESS OF CUSTOMER:	M/s 18 MLD STP AT RAEBARILI (U.P) C/o M/s Gharpure Engineering and Construction (P) Ltd. MIDC Chinchwad, Pune	ULR No.	TC127512400004357F
		Test Report No.	ECO/LAB/WW/0409/4357/01/2024
		Issue Date of Test Report	30.01.2024

Type of Sample	Waste Water		
Sample Registration No.	0409	Name of Location	STP Outlet
Sampling Method	APHA 24th Ed. 2017,1060 A+B	Sample Collected By	ELPL Representative
Date of Sample Collection	25.01.2024	Time of Sample Collection	-
Date of Sample Received	25.01.2024	Time of Sample Received	5:30 PM
Start Date of Analysis	25.01.2024	End Date of Analysis	30.01.2024
Laboratory Environmental Condition	Temperature: 27 ± 2 °C	Sample Quantity	As per requirement
	Humidity: 51 %	Sample ID Code	ECO/LAB/4357/01/2024

Sl. No.	Tests	Unit	Protocol	Limits of Detection	Result	G.S.R 422(E) Desirable Limit
1.	pH	-	APHA, 24th Ed. 2023,4500 H^+ A+B	2-12	7.60	5.5-9.0
2.	Total Suspended Solid as TSS	mg/l	APHA, 24th Ed. 2023, 2540D	5-5000	8.0	100.0
3.	Biochemical Oxygen Demand as BOD 5 days at 20 °C	mg/l	APHA, 24th Ed. 2023, 5210 A+B	5-10000	8.50	30.0
4.	Chemical Oxygen Demand as COD	mg/l	APHA, 24th Ed. 2023, 5220 A+C	10-50000	40.0	250.0
5.	Total Phosphorous as P	mg/l	APHA, 24th Ed. 2023, 4500-PD	0.2-20	1.18	5.0
6.	Total Kjeldahl Nitogen as TKN	mg/l	APHA, 24th Ed. 2023, 4500-Norg A+C	2.5-100	6.10	100.0
7.	Ammonical Nitrogen as NH_3-N	mg/l	APHA, 24th Ed. 2023, 4500-NH_3 A+F	2.5-100	2.30	50.0

Statement of Conformity: The above tested parameters confirm as per GSR-422 (E) Limits for above parameters.

Note:-

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after one Month from the date of issue of test report

----End of Report----

Verified By

Technical Manager
(Vikas kumar)

Authorized By

Quality Manager
(Dr.Abhishek Kumar Singh)

ecoMen

ECOMEN MINING PVT. LTD
(Formerly Known as Ecomen Laboratories Pvt. Ltd.)
Second Floor Hall, House No. B-1/8, Sector-H, Aliganj, Lucknow - 226 024
Phone No. : 0522 - 4079201/2746282
E-mail: contactus@ecomen.in, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

TEST REPORT

FORMAT NO. ECO/QS/FORMAT/07

NAME & ADDRESS OF CUSTOMER:	M/s 18 MLD STP AT RAEBARILI (U.P) C/o M/s Gharpure Engineering and Construction (P) Ltd. MIDC Chinchwad, Pune	Test Report No.	ECO/LAB/WW/0409/4357/01/2024
		Issue Date of Test Report	30.01.2024

Type of Sample	Waste Water		
Sample Registration No.	0409	Name of Location	STP Outlet
Sampling Method	APHA 24th Ed. 2017,1060 A+B	Sample Collected By	ELPL Representative
Date of Sample Collection	25.01.2024	Time of Sample Collection	-
Date of Sample Received	25.01.2024	Time of Sample Received	5:30 PM
Start Date of Analysis	25.01.2024	End Date of Analysis	30.01.2024
Laboratory Environmental Condition	Temperature: 27 ± 2 °C	Sample Quantity	As per requirement
	Humidity: 51 %	Sample ID Code	ECO/LAB/4357/01/2024

Sl. No.	Tests	Unit	Protocol	Limits of Detection	Result
1.	Faecal Coliform	MPN/100 ml	IS 1622:1981 RA:2019	1.8	65.0

Statement of Conformity: The above tested parameters confirm as per GSR-422 (E) Limits for above parameters.

Note:-

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after one Month from the date of issue of test report

----End of Report----

Verified By

Technical Manager
(Vikas kumar)

Authorized By

Quality Manager
(Dr.Abhishek Kumar Singh)

ECOMEN MINING PVT. LTD
(Formerly known as Ecomen Laboratories Pvt. Ltd.)
Second Floor Hall, House No. B-1/8, Sector-H, Aliganj, Lucknow - 226 024
Phone No. : 0522 - 4079201/2746282
E-mail: contactus@ecomen.in, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI
TC-12751

TEST REPORT

FORMAT NO. ECO/QS/FORMAT/07

NAME & ADDRESS OF CUSTOMER:	M/s 18 MLD STP AT RAEBARILI (U.P) C/o M/s Gharpure Engineering and Construction (P) Ltd. MIDC Chinchwad, Pune	ULR No.	TC127512400004744F
		Test Report No.	ECO/LAB/WW/0441/4744/02/2024
		Issue Date of Test Report	22.02.2024

Type of Sample	Waste Water		
Sample Registration No.	0441	Name of Location	STP Inlet
Sampling Method	APHA 24th Ed. 2023,1060 A+B	Sample Collected By	By Party
Date of Sample Collection	14.02.2024	Time of Sample Collection	-
Date of Sample Received	15.02.2024	Time of Sample Received	10:30 AM
Start Date of Analysis	15.02.2024	End Date of Analysis	22.02.2024
Laboratory Environmental Condition	Temperature: 27 ± 2 °C	Sample Quantity	As per requirement
	Humidity: 53 %	Sample ID Code	ECO/LAB/4744/02/2024

Sl. No.	Tests	Unit	Protocol	Limits of Detection	Result
1.	pH	-	APHA, 24th Ed. 2023,4500 H^+ A+B	2-12	7.39
2.	Total Suspended Solid as TSS	mg/l	APHA, 24th Ed. 2023, 2540D	5-5000	175.0
3.	Biochemical Oxygen Demand as BOD 5 days at 20 °C	mg/l	APHA, 24th Ed. 2023, 5210 A+B	5-10000	90.0
4.	Chemical Oxygen Demand as COD	mg/l	APHA, 24th Ed. 2023, 5220 A+C	10-50000	228.0
5.	Total Phosphorous as P	mg/l	APHA, 24th Ed. 2023, 4500-PD	0.2-20	6.10
6.	Total Kjeldahl Nitrogen as TKN	mg/l	APHA, 24th Ed. 2023,4500-Norg A+C	2.5-100	14.6

Statement of Conformity: The above tested parameters results are related to the sample tested.

Note:-

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after one Month from the date of issue of test report

----End of Report----

Verified By
Technical Manager
(Vikas kumar)

Authorized By
Quality Manager
(Dr. Abhishek Kumar Singh)

ECOMEN MINING PVT. LTD. 2nd Floor Hall H No. B-1/8 Sector-H,Aliganj, Lko.-226 024

ECOMEN MINING PVT. LTD
(Formerly known as Ecomen Laboratories Pvt. Ltd.)
Second Floor Hall, House No. B-1/8, Sector-H, Aliganj, Lucknow - 226 024
Phone No. : 0522 - 4079201/2746282
E-mail: contactus@ecomen.in, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

TEST REPORT

FORMAT NO. ECO/QS/FORMAT/07

NAME & ADDRESS OF CUSTOMER:	M/s 18 MLD STP AT RAEBARILI (U.P) C/o M/s Gharpure Engineering and Construction (P) Ltd. MIDC Chinchwad, Pune	Test Report No.	ECO/LAB/WW/0441/4744/02/2024
		Issue Date of Test Report	22.02.2024

Type of Sample	Waste Water		
Sample Registration No.	0441	Name of Location	STP Inlet
Sampling Method	APHA 24th Ed. 2023,1060 A+B	Sample Collected By	By Party
Date of Sample Collection	14.02.2024	Time of Sample Collection	-
Date of Sample Received	15.02.2024	Time of Sample Received	10:30 AM
Start Date of Analysis	15.02.2024	End Date of Analysis	22.02.2024
Laboratory Environmental Condition	Temperature: 27 ± 2 °C	Sample Quantity	As per requirement
	Humidity: 53 %	Sample ID Code	ECO/LAB/4744/02/2024

Sl. No.	Tests	Unit	Protocol	Limits of Detection	Result
1.	T.Coliform	MPN/100 ml	IS 1622:1981 RA:2019	1.8	2.21×10^6
2.	Faecal Coliform	MPN/100 ml	IS 1622:1981 RA:2019	1.8	9.4×10^5

Statement of Conformity: The above tested parameters results are related to the sample tested.

Note:

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after one Month from the date of issue of test report

----End of Report----

Verified By
Technical Manager
(Vikas kumar)

Authorized By
Quality Manager
(Dr. Abhishek Kumar Singh)

ECOMEN MINING PVT. LTD. 2nd Floor Hall H.No. B-1/8 Sector-H,Aliganj, Lko.-226 024

ecoMen

ECOMEN MINING PVT. LTD

(Formerly known as Ecomen Laboratories Pvt. Ltd.)

Second Floor Hall, House No. B-1/8, Sector-H, Aliganj, Lucknow - 226 024

Phone No. : 0522 - 4079201/2746282

E-mail: contactus@ecomen.in, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

TC-12751

TEST REPORT

FORMAT NO. ECO/QS/FORMAT/07

NAME & ADDRESS OF CUSTOMER:	M/s 18 MLD STP AT RAEBARILI (U.P) C/o M/s Gharpure Engineering and Construction (P) Ltd. MIDC Chinchwad, Pune	ULR No.	TC127512400004745F
		Test Report No.	ECO/LAB/WW/0441/4745/02/2024
		Issue Date of Test Report	22.02.2024

Type of Sample	Waste Water		
Sample Registration No.	0441	Name of Location	STP Outlet
Sampling Method	APHA 24th Ed. 2023,1060 A+B	Sample Collected By	By Party
Date of Sample Collection	14.02.2024	Time of Sample Collection	-
Date of Sample Received	15.02.2024	Time of Sample Received	10:30 AM
Start Date of Analysis	15.02.2024	End Date of Analysis	22.02.2024
Laboratory Environmental Condition	Temperature: 27 ± 2 °C	Sample Quantity	As per requirement
	Humidity: 53 %	Sample ID Code	ECO/LAB/4745/02/2024

Sl. No.	Tests	Unit	Protocol	Limits of Detection	Result	G.S.R 422(E) Desirable Limit
1.	pH	-	APHA, 24th Ed. 2023,4500 H^+ A+B	2-12	7.66	5.5-9.0
2.	Total Suspended Solid as TSS	mg/l	APHA, 24th Ed. 2023, 2540D	5-5000	7.50	100.0
3.	Biochemical Oxygen Demand as BOD 5 days at 20 °C	mg/l	APHA, 24th Ed. 2023, 5210 A+B	5-10000	8.0	30.0
4.	Chemical Oxygen Demand as COD	mg/l	APHA, 24th Ed. 2023, 5220 A+C	10-50000	36.0	250.0
5.	Total Phosphorous as P	mg/l	APHA, 24th Ed. 2023, 4500-PD	0.2-20	1.35	5.0
6.	Total Kjeldahl Nitrogen as TKN	mg/l	APHA, 24th Ed. 2023, 4500-Norg A+C	2.5-100	5.75	100.0
7.	Ammonical Nitrogen as NH_3-N	mg/l	APHA, 24th Ed. 2023, 4500-NH_3 A+F	2.5-100	2.05	50.0

Statement of Conformity: The above tested parameters confirm as per GSR-422 (E) Limits for above parameters.

Note:-

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after one Month from the date of issue of test report

----End of Report----

Verified By

Technical Manager

(Vikas kumar)

Authorized By

Quality Manager

(Dr. Abhishek Kumar Singh)

ECOMEN MINING PVT. LTD. 2nd Floor Hall H.No. B-1/8 Sector-H,Aliganj, Lko.-226 024

ECOMEN MINING PVT. LTD
(Formerly known as Ecomen Laboratories Pvt. Ltd.)
Second Floor Hall, House No. B-1/8, Sector-H, Aliganj, Lucknow - 226 024
Phone No. : 0522 - 4079201/2746282
E-mail: contactus@ecomen.in, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

TEST REPORT

FORMAT NO. ECO/QS/FORMAT/07

NAME & ADDRESS OF CUSTOMER:	M/s 18 MLD STP AT RAEBARILI (U.P) C/o M/s Gharpure Engineering and Construction (P) Ltd. MIDC Chinchwad, Pune	Test Report No.	ECO/LAB/WW/0441/4745/02/2024
		Issue Date of Test Report	22.02.2024

Type of Sample	Waste Water		
Sample Registration No.	0441	Name of Location	STP Outlet
Sampling Method	APHA 24th Ed. 2023,1060 A+B	Sample Collected By	ELPL Representative
Date of Sample Collection	14.02.2024	Time of Sample Collection	-
Date of Sample Received	15.02.2024	Time of Sample Received	10:30 AM
Start Date of Analysis	15.02.2024	End Date of Analysis	22.02.2024
Laboratory Environmental Condition	Temperature: 27 ± 2 °C	Sample Quantity	As per requirement
	Humidity: 53 %	Sample ID Code	ECO/LAB/4745/02/2024

Sl. No.	Tests	Unit	Protocol	Limits of Detection	Result
1.	Faecal Coliform	MPN/100 ml	IS 1622:1981 RA:2019	1.8	141.0

Statement of Conformity: The above tested parameters confirm as per GSR-422 (E) Limits for above parameters.

Note:-

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after one Month from the date of issue of test report

----End of Report----

Verified By
Technical Manager
(Vikas kumar)

Authorized By
Quality Manager
(Dr. Abhishek Kumar Singh)

ECOMEN MINING PVT. LTD. 2nd Floor Hall H.No. B-1/8 Sector-H,Aliganj, Lko.-226 024

ECOMEN MINING PVT. LTD
(Formerly known as Ecomen Laboratories Pvt. Ltd.)
Second Floor Hall, House No. B-1/8, Sector-H, Aliganj, Lucknow - 226 024
Phone No. : 0522 - 4079201/2746282
E-mail: contactus@ecomen.in, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI
TC-12751

TEST REPORT

FORMAT NO. ECO/QS/FORMAT/07

NAME & ADDRESS OF CUSTOMER:	**M/s 18 MLD STP AT RAEBARILI (U.P) C/o M/s Gharpure Engineering and Construction (P) Ltd. MIDC Chinchwad, Pune**	**ULR No.**	**TC127512400005058F**
		Test Report No.	**ECO/LAB/WW/0486/5058/03/2024**
		Issue Date of Test Report	**18.03.2024**
Type of Sample	Waste Water		
Sample Registration No.	0486	**Name of Location**	STP Inlet
Sampling Method	APHA 24th Ed. 2023,1060 A+B	**Sample Collected By**	By Party
Date of Sample Collection	11.03.2024	**Time of Sample Collection**	-
Date of Sample Received	12.03.2024	**Time of Sample Received**	10:00 AM
Start Date of Analysis	12.03.2024	**End Date of Analysis**	18.03.2024
Laboratory Environmental Condition	Temperature: 27 ± 2 °C	**Sample Quantity**	As per requirement
	Humidity: 56 %	**Sample ID Code**	ECO/LAB/5058/03/2024

Sl. No.	Tests	Unit	Protocol	Limits of Detection	Result
1.	pH	-	APHA, 24th Ed. 2023,4500 H^+ A+B	2-12	7.42
2.	Total Suspended Solid as TSS	mg/l	APHA, 24th Ed. 2023, 2540D	5-5000	173.0
3.	Biochemical Oxygen Demand as BOD 5 days at 20 °C	mg/l	APHA, 24th Ed. 2023, 5210 A+B	5-10000	79.5
4.	Chemical Oxygen Demand as COD	mg/l	APHA, 24th Ed. 2023, 5220 A+C	10-50000	204.0
5.	Total Phosphorous as P	mg/l	APHA, 24th Ed. 2023, 4500-PD	0.2-20	5.98
6.	Total Kjeldahl Nitrogen as TKN	mg/l	APHA, 24th Ed. 2023,4500-Norg A+C	2.5-100	13.9

Statement of Conformity: The above tested parameters results are related to the sample tested.

Note:-

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after one Month from the date of issue of test report

----End of Report----

Verified By
Technical Manager
(Vikas kumar)

Authorized By
Quality Manager
(Dr. Abhishek Kumar Singh)

ECOMEN MINING PVT. LTD. 2nd Floor Hall H.No. B-1/8 Sector-H,Aliganj Lko.-226 024

ECOMEN MINING PVT. LTD
(Formerly known as Ecomen Laboratories Pvt. Ltd.)
Second Floor Hall, House No. B-1/8, Sector-H, Aliganj, Lucknow - 226 024
Phone No. : 0522 - 4079201/2746282
E-mail: contactus@ecomen.in, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

TEST REPORT

FORMAT NO. ECO/QS/FORMAT/07

NAME & ADDRESS OF CUSTOMER:	M/s 18 MLD STP AT RAEBARILI (U.P) C/o M/s Gharpure Engineering and Construction (P) Ltd. MIDC Chinchwad, Pune	Test Report No.	ECO/LAB/WW/0486/5058/03/2024
		Issue Date of Test Report	18.03.2024
Type of Sample	Waste Water		
Sample Registration No.	0486	Name of Location	STP Inlet
Sampling Method	APHA 24th Ed. 2023,1060 A+B	Sample Collected By	By Party
Date of Sample Collection	11.03.2024	Time of Sample Collection	-
Date of Sample Received	12.03.2024	Time of Sample Received	10:00 AM
Start Date of Analysis	12.03.2024	End Date of Analysis	18.03.2024
Laboratory Environmental Condition	Temperature: 27 ± 2 °C	Sample Quantity	As per requirement
	Humidity: 56 %	Sample ID Code	ECO/LAB/5058/03/2024

Sl. No.	Tests	Unit	Protocol	Limits of Detection	Result
1.	T.Coliform	MPN/100 ml	IS 1622:1981 RA:2019	1.8	2.12×10^6
2.	Faecal Coliform	MPN/100 ml	IS 1622:1981 RA:2019	1.8	8.4×10^5

Statement of Conformity: The above tested parameters results are related to the sample tested.

Note:

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after one Month from the date of issue of test report

----End of Report----

Verified By
Technical Manager
(Vikas kumar)

Authorized By
Quaiity Manager
(Dr. Abhishek Kumar Singh)

ECOMEN MINING PVT. LTD. 2nd Floor Hall H.No. B-1/8 Sector-H,Aliganj Lko.-226 024

ECOMEN MINING PVT. LTD
(Formerly known as Ecomen Laboratories Pvt. Ltd.)
Second Floor Hall, House No. B-1/8, Sector-H, Aliganj, Lucknow - 226 024
Phone No. : 0522 - 4079201/2746282
E-mail: contactus@ecomen.in, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI
TC-12751

TEST REPORT

FORMAT NO. ECO/QS/FORMAT/07

NAME & ADDRESS OF CUSTOMER:	M/s 18 MLD STP AT RAEBARILI (U.P) C/o M/s Gharpure Engineering and Construction (P) Ltd. MIDC Chinchwad, Pune	ULR No.	TC127512400005059F
		Test Report No.	ECO/LAB/WW/0486/5059/03/2024
		Issue Date of Test Report	18.03.2024

Type of Sample	Waste Water		
Sample Registration No.	0486	Name of Location	STP Outlet
Sampling Method	APHA 24th Ed. 2023,1060 A+B	Sample Collected By	By Party
Date of Sample Collection	11.03.2024	Time of Sample Collection	-
Date of Sample Received	12.03.2024	Time of Sample Received	10:00 AM
Start Date of Analysis	12.03.2024	End Date of Analysis	18.03.2024
Laboratory Environmental Condition	Temperature: 27 ± 2 °C	Sample Quantity	As per requirement
	Humidity: 56 %	Sample ID Code	ECO/LAB/5059/03/2024

Sl. No.	Tests	Unit	Protocol	Limits of Detection	Result	G.S.R 422(E) Desirable Limit
1.	pH	-	APHA, 24th Ed. 2023,4500 H^+ A+B	2-12	7.68	5.5-9.0
2.	Total Suspended Solid as TSS	mg/l	APHA, 24th Ed. 2023, 2540D	5-5000	7.80	100.0
3.	Biochemical Oxygen Demand as BOD 5 days at 20 °C	mg/l	APHA, 24th Ed. 2023, 5210 A+B	5-10000	7.94	30.0
4.	Chemical Oxygen Demand as COD	mg/l	APHA, 24th Ed. 2023, 5220 A+C	10-50000	39.46	250.0
5.	Total Phosphorous as P	mg/l	APHA, 24th Ed. 2023, 4500-PD	0.2-20	1.34	5.0
6.	Total Kjeldahl Nitrogen as TKN	mg/l	APHA, 24th Ed. 2023, 4500-Norg A+C	2.5-100	5.41	100.0
7.	Ammonical Nitrogen as NH_3-N	mg/l	APHA, 24th Ed. 2023, 4500-NH_3 A+F	2.5-100	2.13	50.0

Statement of Conformity: The above tested parameters confirm as per GSR-422 (E) Limits for above parameters.

Note:-

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after one Month from the date of issue of test report

----End of Report----

Verified By
Technical Manager
(Vikas kumar)

Authorized By
Quality Manager
(Dr. Abhishek Kumar Singh)

ECOMEN MINING PVT. LTD. 2nd Floor Hall H.No. B-1/8 Sector-H,Aliganj Lko.-226 024

ECOMEN MINING PVT. LTD
(Formerly known as Ecomen Laboratories Pvt. Ltd.)
Second Floor Hall, House No. B-1/8, Sector-H, Aliganj, Lucknow - 226 024
Phone No. : 0522 - 4079201/2746282
E-mail: contactus@ecomen.in, Website: www.ecomen.in, CIN - U74210UP1989PTC010601, GSTIN : 09AAACE6076H1ZI

TEST REPORT

FORMAT NO. ECO/QS/FORMAT/07

NAME & ADDRESS OF CUSTOMER:	M/s 18 MLD STP AT RAEBARILI (U.P) C/o M/s Gharpure Engineering and Construction (P) Ltd. MIDC Chinchwad, Pune	Test Report No.	ECO/LAB/WW/0486/5059/03/2024
		Issue Date of Test Report	18.03.2024
Type of Sample	Waste Water		
Sample Registration No.	0486	Name of Location	STP Outlet
Sampling Method	APHA 24th Ed. 2023,1060 A+B	Sample Collected By	By Party
Date of Sample Collection	11.03.2024	Time of Sample Collection	-
Date of Sample Received	12.03.2024	Time of Sample Received	10:00 AM
Start Date of Analysis	12.03.2024	End Date of Analysis	18.03.2024
Laboratory Environmental Condition	Temperature: 27 ± 2 °C	Sample Quantity	As per requirement
	Humidity: 56 %	Sample ID Code	ECO/LAB/5059/03/2024

Sl. No.	Tests	Unit	Protocol	Limits of Detection	Result
1.	Faecal Coliform	MPN/100 ml	IS 1622:1981 RA:2019	1.8	148.0

Statement of Conformity: The above tested parameters confirm as per GSR-422 (E) Limits for above parameters.

Note:-

1. Test results relate to the items sampled & tested.
2. Test report shall not be reproduced except in full without approval of the laboratory.
3. The test samples will be disposed of after one Month from the date of issue of test report

----End of Report----

Verified By
Technical Manager
(Vikas kumar)

Authorized By
Quality Manager
(Dr. Abhishek Kumar Singh)

ECOMEN MINING PVT. LTD. 2nd Floor Hall H.No. B-1/8 Sector-H,Aliganj Lko.-226 024

Annexure-10

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण
National Highways Authority of India
(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)
(Ministry of Road Transport & Highways, Govt. of India)
परियोजना कार्यान्वयन इकाई, लखनऊ / Project Implementation Unit, Lucknow
2/5, विक्रान्त खण्ड, गोमती नगर, लखनऊ-226010 (उ0प्र0)
2/5, Vikrant Khand, Gomti Nagar, Lucknow-226010 (U.P.)
दूरभाष / Phone : 91-522-4571399, ई-मेल / E-mail : luc@nhai.org, वेबसाइट / Website : www.nhai.gov.in

NHAI/PIU-LKO/NH-24B/NOC/MK/2024/ 3063

Dated: 13.03.2024

To,

The Executive Engineer
Construction Division,
UP Jal Nigam (Urban)
District-Raebareli-229001.

Sub: Proposal for the permission for laying underground Sewar pipe line from km.79+010 to km.81+176 (2166m), km.80+284 to km.81-184 (900m), km.81+277 to km.81+467 (190m) RHS & Crossing at km. 79+132, km.79+366, km. 79+595, km. 79+912, km. 80+014, km. 80+236, km. 80+284, km. 80+651, km. 81+176 & km. 81+393 on NH-30 (Lucknow-Raebareli Section) at District - Raebareli in the state of Uttar Pradesh:

Ref.: (i) Executive Engineer, UP Jal Nigam (Rural), Raebareli letter 184/निर्माण–5/41 dated 01.02.2024.

(ii) IE Letter no. 746 dated 06.03.2024.

Sir,

Please refer to above referred letter under ref. (i), vide which the Proposal for the permission for laying underground Sewar pipe line from km.79+010 to km.81+176 (2166m), km.80+284 to km.81-184 (900m), km.81+277 to km.81+467 (190m) RHS & Crossing at km. 79+132, km.79+366, km. 79+595, km. 79+912, km. 80+014, km. 80+236, km. 80+284, km. 80+651, km. 81+176 & km. 81+393 on NH-30 (Lucknow-Raebareli Section) at District - Raebareli in the state of Uttar Pradesh has been submitted.

2. The Independent Engineer S.A. Infrastructure Consultant Pvt. Ltd. has examined the proposal and submitted report vide letter no. 746 dated 06.03.2024 which is self-explanatory.

3. As per discussed with Executive Engineer, UP Jal Nigam regarding subject work, it is to inform you that as per MORTH Guidelines dated 22.11.2016 clause 2.6 *"In exceptional cases, where ROW is restricted the utility services can be allowed beneath the carriageway of service road, subject to the condition that the utility services be laid in concrete ducts, which will be designed to carry traffic on top. The width of the duct in such case shall not be less than one lane. In such cases, it also needs to be ensured that maintenance of the utility services shall not interfere with the safe and smooth flow of traffic. The cost of operation and maintenance will have to be borne by the Licensee as per the agreement".*

3. In this regard, it is requested to kindly review the proposal in pursuant to extent guideline.

Yours truly,

13/03

(Saurabh Chaurasiya)
Project Director

Encl.: Original Files. (02 Files)

Annexure-11

कार्यालय नगरपालिका परिषद बेल्हा–प्रतापगढ़।

संख्याः 101 /न0पा0परि0–2024/एन0जी0टी0/अनुपालन आख्या दिनांकः 24 अप्रैल, 2024

सेवा में,

निदेशक/राज्य मिशन निदेशक,
स्वच्छ भारत मिशन–नगरीय,
राज्य मिशन निदेशालय, उ0प्र0,
लखनऊ।

विषय :– **मा0 राष्ट्रीय हरित न्यायाधिकरण में योजित Execution Application No. 32/2023 ओ0ए0 संख्या–490/2019 T.S Singh Vs State of U.P में पारित आदेश दिनांक 21–2–2024 के अनुपालन के सम्बन्ध में।**

महोदय,

कृपया उपरोक्त विषयक अपने पत्र संख्या–पी0एम0यू0/10127/429(14)/2023 दिनांक 23 अप्रैल, 2024 का सन्दर्भ ग्रहण करनें का कष्ट करे, तद् पत्र के अन्तर्गत मा0 राष्ट्रीय हरित न्यायाधिकरण में योजित Execution Application No. 32/2023 ओ0ए0 संख्या–490/2019 T.S Singh Vs State of U.P में पारित आदेश दिनांक 21–2–2024 के अनुपालन में समस्त वांछित कार्यवाही की अद्यतन आख्या उपलब्ध कराये जानें के निर्देश दिये गये है।

अतएव उपरोक्तानुसार आदेशानुपालन में वांछित एक्शन टेकन रिपोर्ट पत्र के साथ संलग्न कर अग्रिम आवश्यक कार्यवाही हेतु सेवा में सादर प्रेषित है।

संलग्नकः–उपरोक्तानुसार।

भवदीय
24/4/2024
अधिशासी अधिकारी
नगरपालिका परिषद बेल्हा–प्रतापगढ़।

प्रतिलिपि :–

1:– जिलाधिकारी महोदय, प्रतापगढ़ की सेवा में उपरोक्तानुसार सादर सूचनार्थ।
2:– प्रभागीय निदेशक, सामाजिक वानिकी प्रभाग प्रतापगढ़ की सेवा में सादर सूचनार्थ।
3:– क्षेत्रीय अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड रायबरेली को सादर सूचनार्थ।

अधिशासी अधिकारी
नगरपालिका परिषद बेल्हा–प्रतापगढ़।

Scanned with CamScanner

मा0 राष्ट्रीय हरित अधिकरण में योजित Execution Application No 32/2023 टी0एस0 सिंह बनाम उ0प्र0 राज्य व अन्य में पारित आदेश के अनुपालन में विचार विमर्श हेतु संयुक्त प्रबन्धक निदेशक, उ0प्र0 जल निगम (नगरीय)/विशेष सचिव, नगर विकास विभाग, उ0प्र0 शासन की अध्यक्षता में दिनांक 23–2–2024 को सम्पन्न बैठक में उल्लिखित बिन्दुओं की अनुपालन आख्या का प्रेषण :–

1. बेल्हा–प्रतापगढ़ नगरपालिका परिषद, जनपद–प्रतापगढ़ में वॉन्ड सीवरेज व्यवस्था के सम्बन्ध में।

उल्लिखित बिन्दु	अनुपालन आख्या
नगरपालिका परिषद बेल्हा–प्रतापगढ़ में रामलीला ड्रेन (0.5एम0एल0डी0) पर कन्सट्रक्टेड वेटलैण्ड का कार्य पूर्ण कर लिया गया है, परन्तु प्लान्ट पूर्णतया ग्रो न होने की स्थिति में effiuent parameter की रिपोर्ट मानक के अनुरूप नही है। अधिशासी अभियन्ता द्वारा कन्सट्रक्टेड वेटलैण्ड की तकनीकी को किसी प्रतिष्ठित इन्जीनियरिंग कॉलेज से वेटिंग करा ली जाय एवं रामलीला ड्रेन के सीवरेज की effiuent एवं effiuent parameter के नमूनें की जॉच कर ली जाय।	उक्त के सम्बन्ध में अवगत कराना है कि नगरपालिका परिषद बेल्हा–प्रतापगढ़ क्षेत्रान्तर्गत अवस्थित रामलीला ड्रेन effiuent parameter की टेस्टिंग उ0प्र0 प्रदूषण नियंत्रण बोर्ड, रायबरेली से करायी गयी। परीक्षणोपरान्त यूपी पी0सी0बी0 रायबरेली द्वारा उपलब्ध करायी गयी रिपोर्ट में रामलीला ड्रेन के सीवरेज की effiuent एवं effiuent parameter निर्धारित मानक के अनुरूप पायी गयी है, सुलभ सन्दर्भ हेतु वांछित रिपोर्ट अवलोकनार्थ संलग्न–1 पर प्रदर्शित है। उक्त रिपोर्ट अधिशासी अभियन्ता उ0प्र0 जल निगम (नगरीय) प्रयागराज से प्राप्त की गयी है।
नगरपालिका परिषद बेल्हा–प्रतापगढ़ में 8.95 एम0एल0डी0, एस0टी0पी0 पर लगे मोटर, स्लज थिकनर एवं ग्रिट सेपरेटर के मरम्मत की आवश्यकता है। अतः कार्यदायी फर्म द्वारा सभी मरम्मत कार्य एक सप्ताह के अन्दर पूर्ण कर लिये जाए एवं डिफेक्ट लायबिलीटी अवधि में जो कार्य कार्यदायी फर्म द्वारा देरी से किये गये है, किये जाने शेष है एवं उक्त अवधि का आंकलन करते हुए उसकी अवधि डिफेक्ट लायबिलीटी अवधि में बढ़ा दिए जाय।	उक्त के सम्बन्ध में अवगत कराना है कि नगरपालिका परिषद बेल्हा–प्रतापगढ़ में 8.95 एम0एल0डी0, एस0टी0पी0 पर लगे मोटर, स्लज थिकनर एवं ग्रिट सेपरेटर के मरम्मत एवं यन्त्रों के लायबिलीटी अवधि मरम्मत तिथि से अग्रिम 24 माह हेतु बढ़ायी गयी है, जिसकी पुष्टि के सम्बन्ध में अधिशासी अभियन्ता उ0प्र0 जल निगम (नगरीय) प्रयागराज द्वारा अपने कार्यालय पत्र संख्या–212/प्रतापगढ़/08 दिनांक 19–3–2024 व पत्र संख्या–204/प्रतापगढ़/04 दिनांक 19–3–2024 प्रेषित किया गया है, सुलभ सन्दर्भ हेतु सन्दर्भित पत्र की छायाप्रति अवलोकनार्थ संलग्नक–2 एवं 3 पर प्रदर्शित है।
8.95 एम0एल0डी0, एस0टी0पी0 परिसर में जो भी टी0 एण्ड पी0 एस0टी0पी0 से सम्बन्धित हो एवं टी0एण्ड पी0 कार्यदायी फर्म की हो, उनका सत्यापन कराते हुए परिसर को एक सप्ताह के अन्दर खाली कराना सुनिश्चित कराए।	उक्त आदेश के अनुपालन में अधिशासी अभियन्ता उ0प्र0 जल निगम यांत्रिक शाखा के सहायक अभियन्ता एवं अधिशासी अधिकारी नगरपालिका की संयुक्त बैठक में आदान–प्रदान की गयी वस्तुओं का सत्यापन कराकर परिसर को खाली करा दिया गया है। साक्ष्य रूप में सूची अवलोकनार्थ संलग्न–4 पर प्रदर्शित है।
जिलाधिकारी, अधिशासी अधिकारी एवं यू0पी0पी0सी0बी0 द्वारा नगरपालिका परिषद बेल्हा प्रतापगढ़ में ऑवला उद्योग एवं अन्य उद्योगों का संयुक्त रूप से निरीक्षण कर लिया जाए एवं निरीक्षण के दौरान यदि उनके वेस्ट अगर सीधे रूप से सई नदी में प्रवाहित किये जा रहे हो, तो पर्यावरण क्षतिपूर्ति हेतु सुसंगत धाराओं में सम्बन्धित उद्योगों पर कार्यवाही कराना सुनिश्चित कराए।	उक्त के सम्बन्ध में अवगत कराना है कि कार्यालय जिलाधिकारी, प्रतापगढ़ के कार्यालय आदेश पत्र संख्या–2213/ एल0बी0सी0–2024 दिनांक 15 मार्च, 2024 द्वारा उपजिलाधिकारी सदर, क्षेत्रीय पर्यावरण अधिकारी रायबरेली, सहायक अभियन्ता यू0पी0एस0आई0डी0सी0 कानपुर एवं अधिशासी अधिकारी नगरपालिका की संयुक्त टीम का गठन किया गया है। गठित टीम द्वारा सुखपाल नगर औद्योगिग आस्थान में स्थापित/संचालित ऑवला उद्योग एवं अन्य उद्योगों का संयुक्त रूप से निरीक्षण करते हुए दिनांक 04–4–2024 को संयुक्त आख्या प्रस्तुंत की गयी है, सुलभ सन्दर्भ हेतु गठित टीम द्वारा प्रस्तुत संयुक्त आख्या अवलोकनार्थ संलग्नक–5 है।

क्रमशः–2

24/4/2024

यदि कोई ड्रेन सीधे रूप से नदी में प्रवाहित हो रही हो, तो उसका बॉयोरेमिडिएशन विधी से शोधन नगरपालिका परिषद द्वारा सुनिश्चित कराते हुए रिपोर्ट से अवगत कराया जाए।	उक्त के सम्बन्ध में अवगत कराना है कि नगरपालिका परिषद बेल्हा–प्रतापगढ़ क्षेत्रान्तर्गत सई नदी में 8.95 एम0एल0डी0 एस0टी0पी0 में सम्बद्ध ड्रेन का सम्पूर्ण भाग न जाकर कुछ आंशिक भाग सीधे सई नदी में प्रवाहित हो रहा है। उस आंशिक भाग के ड्रेनों पर पालिका द्वारा बायोरमिडिएशन का कार्य कराया जा रहा है। वर्तमान समय में भुलियापुर ड्रेंन का वेटलैण्ड इकाई का निर्माण कार्य पूर्ण हो चुका है, जिसका ट्रॉयल रन में है। ड्रेनों पर किये जा रहे बायोरमिडिएशन कार्य से सम्बन्धित यू0पी0पी0सी0बी0 द्वारा लिये गये जल नमूनों के (पूर्व और पश्चात) की जल परीक्षण आख्या संलग्न है।
शोधित जल को सिचाई कार्य में प्रयुक्त किये जानें के सम्बन्ध में अनुपालन।	मा0 एन0जी0टी0 द्वारा निर्देशित किया गया है कि एस0टी0पी0 द्वारा उपचारित जल को नदियों में न छोड़कर सिचाई कार्यो में उपयोग किया जाय, के अनुपालन में अवगत कराना है कि नगरपालिका परिषद बेल्हा–प्रतापगढ़ द्वारा उपचारित जल के उपयोग हेतु उ0प्र0 जल निगम नगरीय प्रयागराज के सहायक अभियन्ता श्री अजीत कुमार से समन्यवय कर स्थल का निरीक्षण किया गया, जिसमें उपचारित जल को एस0टी0पी0 के निकट एक टैंक बनाकर जल को स्टोर करके लगभग 200 मीटर पाइप लाइन के माध्यम से मुख्य मार्ग पर लाकर वाटर हाईड्रेन्ट प्वान्ट बनाया जायेगा, जिससे कि टैंकर आदि से पानी भरकर नगर क्षेत्रान्तर्गत निर्माणधीन इमारतों, सड़कों की धुलाई तथा नगर में स्थित पार्को और उद्यान में लगे पौधों की सिचाई तथा अग्निशमन गाड़ियों में प्रयोग किये जानें की कार्ययोजना बनाई जा रही है। वर्तमान में एस0टी0पी0 कैम्पस में लगे पौधों की सिचाई में उपचारित जल का नियमित उपयोग किया जा रहा है।

1:– नगरपालिका परिषद बेल्हा–प्रतापगढ़ में 8.95 एम0एल0डी0 का एस0टी0पी0 उ0प्र0 जल निगम द्वारा स्थापित किया गया है, जो वर्तमान में क्रियाशील है। 8.95 एम0एल0डी0 एस0टी0पी0 में 1000एम0पी0एन/100 मिलीग्राम फिक्ल कोलीफार्म के लेवल को उपचारित करनें के लिए डिजाइन किया गया है, परन्तु अन्य स्थानों पर बिना शोधित कई नालों का उत्सर्जित जल सीधे सईनदी में प्रवाहित होने के कारण जल की गुणवत्ता प्रभावित होने की सम्भावना है।

2:– वर्तमान में स्थापित एस0टी0पी0 का संचालन नगरपालिका परिषद बेल्हा–प्रतापगढ़ द्वारा किया जा रहा है, जो सुचारू रूप से संचालित है। उपचारित जल का समय–समय पर उ0प्र0 पर्यावरण प्रदूषण नियंत्रण बोर्ड रायबरेली द्वारा जल की गुणवत्ता का परीक्षण किया जाता है, जिसकी रिपोर्ट पत्र के साथ संलग्न है। इसके अतिरिक्त केन्द्रीय प्रदूषण नियंत्रण बोर्ड द्वारा भी शोधित जल का परीक्षण किया जाता है। संचालित किये जा रहे एस0टी0पी0 की लागबुक दिनांक 01 अप्रैल, 2024 से 23 अप्रैल, 2024 तक तथा जनरेटर लागबुक दिनांक 01–4–2024 से 23–4–2024 तक रिपोर्ट एवं फिक्ल क्वालीफार्म को कन्ट्रोल हेतु प्रयोग लायी जा रही क्लोरिएशन लागबुक पत्र के साथ संलग्न है।

उक्त के अतिरिक्त यह भी उल्लेखनीय है कि वर्तमान में सीवरेज ट्रीटमेन्ट प्लान्ट का अनुरक्षण एवं संचालन नगरपालिका के माध्यम से केमको इन्जीनियरिंग कानपुर के द्वारा संचालित किया जा रहा है। प्रदूषण नियंत्रण बोर्ड के अधिकारियों/अधोहस्ताक्षरी द्वारा समय–समय पर संचालित एस0टी0पी0 का अवलोकन एवं पर्यवेक्षण किया जाता है। स्थापित संयत्र के स्थलीय निरीक्षण फोटोग्राफ आख्या के साथ संलग्न कर अवलोकनार्थ प्रेषित है।

अधिशासी अधिकारी
नगरपालिका परिषद बेल्हा–प्रतापगढ़।

(1)

REGIONAL LABORATORY RAEBARELI
UTTAR PRADESH POLLUTION CONTROL BOARD

C-Block, Avas Vikas Colony, Indira Nagar, Raebareli

TEST REPORT: WASTE WATER LABORATORY

Ref No: 25104407/Raebareli/2024/paybasis **Date:22/03/2024**

1- Name of Industry: 500 KLD Wetland STP Ramleela PRATAPGARH, Ramleela Pratapgarh

2- Address of Industry: Ramleela Pratapgarh

3- District: Pratapgarh

4- Description about sampling point: Inlet of Wetland

5- Type of Sample (Grab/Composite/Integrated): Grab

6- Sample Collected By: Mr. Nagmani Kumar JRF & Mrs. Chhaya Verma JRF

7- Colour and Odour: Blackish Fishy

8- Quantity and Packing: 02 LITER PLASTIC JERICAN & 125 ML MPN BOTTLE

9- Date of Sample Collection: 14/03/2024

10- Analyis Indented by: RO Raebareli

11- Date of sample receipt in Lab: 14/03/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.76		02-12
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	49000		<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 (Part 44): 1993 Bio 2023	mg/l	26.0		1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	112.0		5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

*Non-NABL Parameters.

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Snch lata(JRF)]

Authorized by
MANISH TRIPATHI Digitally signed by MANISH TRIPATHI Date: 2024.03.22 15:12:05 +05'30'
Manish Tripathi (SAE)

PRADEEP KUMAR VISHWAKARMA Digitally signed by PRADEEP KUMAR VISHWAKARMA Date: 2024.03.22 15:11:26 +05'30'
Regional Officer

General Standards for Discharge of Environmental Pollutants Part -A:Effluents (Schedule - VI) The Environment(Protection) Rules, 1986

1	Parameter	Standards			
		Inland Surface water	Public Sewers	Land for Irrigation	Marine coastal areas
		a	b	c	d
1	Color and Odor	All efforts should be made to remove colour and unpleasant odour as far as practicable			
2	Suspended Solids mg/l, Max	100	600	200	(a) for process waste water- 100(b) For cooling water effluent 10 percent above total suspended matter of influent.
3	Particulate size of suspended solids	Shall pass 850 micron IS Sieve	-	-	(a) Floatableaa solids, max. 3 mm
4	2(***)	*	*	*	*
5	pH Value	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0
6	Temperature	Shall not exceed 5'C above receiving water temperature	-	-	Shall not exceed 5'C above receiving water temperature
7	Oil and Grease Mg/l Max.	10	20	10	20
8	Total residual chorine mg/l Max	1	-	-	1
9	Ammonical Nitrogen(as N), mg/l Max	50	50	-	50
10	Total Kjeldahl Nitrogen(as NH3) mg/l,Max	100	-	-	100
11	Free ammonia (as NH3)mg/l, Max	5	-	-	5
12	3Biochemical Oxygen Demand 1[3 days at 270C] mg/l, Max	30	350	100	100
13	chemical Oxygen Demand, mg/l, Max	250	-	-	250
13	chemical Oxygen Demand, mg/l, Max	250	-	-	250
14	Arsenic(as As), mg/l, max	0.2	0.2	0.2	0.2
15	Mercury(as Hg), mg/l, max	0.01	0.01	-	0.01
16	Lead (as Pb), mg/l, max	0.1	1	-	2
17	Cadmium (as Cd), mg/l, max	2	1	-	2
18	Hexavalentchromium (as Cr+6), mg/l, max	0.1	2	-	1
19	Total chromium (as Cr)mg/l, max	0.1	2	-	1
20	Copper(as Cu), mg/l, max	3	3	-	3
21	Zinc(as Zn), mg/l, max	5	15	-	5
22	Selenium (as Se) mg/l, max	0.05	0.05	-	0.05
23	Nickel (as Ni) mg/l, max	3	3	-	5
24	2(***)	*	*	*	*
25	2(***)	*	*	*	*
26	2(***)	*	*	*	*
27	Cyanide (as CN), mg/l, max	0.2	2	0.2	0.2
28	2(***)				
29	Fluoride (as F) mg/l, max	2	15	-	15
30	Dissolved Phosphates (as P), mg/l, max	5	-	0	-
31	2 (***)	*	*	*	*
32	Sulphide (as S), mg/l, max	2	-	-	5
33	Phenolic Compounds (as C6H5OH) mg/l, max	1	5	-	5
34	Radioactive materials: (a)Alpha emitter micro curie/ml (b)Beta emitter micro curie/ml	10^-7 10^-6	10^-7 10^-6	10^-8 10^-7	10^-7 10^-6
35	Radioactive materials: (a)Alpha emitter micro curie/ml (b)Beta emitter micro curie/ml	10^-7 10^-6	10^-7 10^-6	10^-8 10^-7	10^-7 10^-6
35	Bio-assay test	90% survival of fish after 96 hours in 10% effluent	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent

36	Manganese (as Mn)	2 mg/l	2 mg/l	-	2 mg/l
37	Iron (as Fe)	3 mg/l	3 mg/l	-	3 mg/l
38	Vanadium (as V)	0.2 mg/l	0.2 mg/l	-	0.2 mg/l
39	Nitrate Nitrogen	10 mg/l	-	-	20 mg/l
40	2 (***)	*	*	*	*

1. Schedule VI inserted by Rule 2 (d) of the Environment(Protection) Second Amendment Rules, 1993 notified vide G.S.R. 422 (E) dated 19.05.1993 published in the Gazette no. 174 dated 19.05.1993.

2. Omitted by Rule 2 (d)(i) of the Environment(Protection) Third Amendment Rules, 1993 vide Notification No. G.S.R. 801 (E), dated 31.12.1993.

3. Substituted by Rule 2 of the Environment(Protection) Amendment Rules, 1996 notified by G.S.R 176, dated 02.04.1996 may be read as BOD (3days at 270C) whenever BOD 05 days 200C occurred.

4. Besides these standards, refer EPA standards for specific industry Source (1):
https://cpcb.nic.in/displaypdf.php?id=R2VuZXJhbFN0YW5kYXJkcy5wZGY=
(2) cpcb.nic.in/Industry_Specific_Standards.php

REGIONAL LABORATORY RAEBARELI
UTTAR PRADESH POLLUTION CONTROL BOARD
C-Block, Avas Vikas Colony, Indira Nagar, Raebareli

TEST REPORT: WASTE WATER LABORATORY

Ref No: 25118688/Raebareli/2024/paybasis **Date:22/03/2024**

1- **Name of Industry:** 500 KLD Wetland STP Ramleela PRATAPGARH, Ramleela Pratapgarh
2- **Address of Industry:** Ramleela Pratapgarh
3- **District:** Pratapgarh
4- **Description about sampling point:** Outlet of Wetland
5- **Type of Sample (Grab/Composite/Integrated):** Grab
6- **Sample Collected By:** Mr. Nagmani Kumar JRF & Mrs. Chhaya Verma JRF
7- **Colour and Odour:** COLORLESS ODORLESS
8- **Quantity and Packing:** 02 LITER PLASTIC JERICAN & 125 ML MPN BOTTLE
9- **Date of Sample Collection:** 14/03/2024
10- **Analyis Indented by:** RO Raebareli
11- **Date of sample receipt in Lab:** 14/03/2024

Parameter/Method Name	Unit	Results	Standard	Detection Range
pH, APHA 24th Ed. 4500B: 2023	-	7.74		02-12
Fecal Coliform, 9221 E Fecal Coliform Procedure	MPN/100 ml	46000		<1.8 MPN/100 ml & above
BOD, APHA 24th Ed. 3 day 27 °C IS 3025 (Part 44): 1993 Bio 2023	mg/l	22.5		1.0 -50000 mg/l
COD, APHA 24th Ed. 5220 B Open Reflux Method 2023	mg/l	88.0		5.0 -100000 mg/l

Reference- (1) General Standards for discharge of environmental pollutants are as part-A Effluent (Schedule-VI). The Environment (Protection) Rules,1986 source: www.cpcb.nic.in/GeneralStandards.pdf. Besides these standards, refer EPA standards for specific purpose

*Non-NABL Parameters.

Note : 1 The results in the Test Report relate only to the items tested: 2. The report shall not be reproduced-except in full, without the written permission of laboratory. 3. The test report pertains to the sample as received in Lab.

Remark: NA

Analysed by-
[Sneh lata(JRF)]

Authorized by
MANISH TRIPATHI Digitally signed by MANISH TRIPATHI Date: 2024.03.22 14:59:19 +05'30'
Manish Tripathi (SA)

PRADEEP KUMAR VISHWAKARMA Digitally signed by PRADEEP KUMAR VISHWAKARMA Date: 2024.03.22 15:08:20 +05'30'
Regional Officer

General Standards for Discharge of Environmental Pollutants Part -A:Effluents (Schedule - VI) The Environment(Protection) Rules, 1986

1	Parameter	Standards			
		Inland Surface water	Public Sewers	Land for Irrigation	Marine coastal areas
		a	b	c	d
1	Color and Odor	All efforts should be made to remove colour and unpleasant odour as far as practicable			
2	Suspended Solids mg/l, Max	100	600	200	(a) for process waste water- 100(b) For cooling water effluent 10 percent above total suspended matter of influent.
3	Particulate size of suspended solids	Shall pass 850 micron IS Sieve	-	-	(a) Floatableaa solids, max. 3 mm
4	2(***)	*	*	*	*
5	pH Value	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0	5.5 to 9.0
6	Temperature	Shall not exceed 5'C above receiving water temperature	-	-	Shall not exceed 5'C above receiving water temperature
7	Oil and Grease Mg/l Max.	10	20	10	20
8	Total residual chorine mg/l Max	1	-	-	1
9	Ammonical Nitrogen(as N), mg/l Max	50	50	-	50
10	Total Kjeldahl Nitrogen(as NH3) mg/l,Max	100	-	-	100
11	Free ammonia (as NI13)mg/l, Max	5	-	-	5
12	3Biochemical Oxygen Demand 1[3 days at 270C] mg/l, Max	30	350	100	100
13	chemical Oxygen Demand, mg/l, Max	250	-	-	250
13	chemical Oxygen Demand, mg/l, Max	250	-	-	250
14	Arsenic(as As), mg/l, max	0.2	0.2	0.2	0.2
15	Mercury(as Hg), mg/l, max	0.01	0.01	-	0.01
16	Lead (as Pb), mg/l, max	0.1	1	-	2
17	Cadmium (as Cd), mg/l, max	2	1	-	2
18	Hexavalentchromium (as Cr+6), mg/l, max	0.1	2	-	1
19	Total chromium (as Cr)mg/l, max	0.1	2	-	1
20	Copper(as Cu), mg/l, max	3	3	-	3
21	Zinc(as Zn), mg/l, max	5	15	-	5
22	Selenium (as Se) mg/l, max	0.05	0.05	-	0.05
23	Nickel (as Ni) mg/l, max	3	3	-	5
24	2(***)	*	*	*	*
25	2(***)	*	*	*	*
26	2(***)	*	*	*	*
27	Cyanide (as CN), mg/l, max	0.2	2	0.2	0.2
28	2(***)				
29	Fluoride (as F) mg/l, max	2	15	-	15
30	Dissolved Phosphates (as P), mg/l, max	5	-	0	-
31	2 (***)	*	*	*	*
32	Sulphide (as S), mg/l, max	2	-	-	5
33	Phenolic Compounds (as C6H5OH) mg/l, max	1	5	-	5
34	Radioactive materials: (a)Alpha emitter micro curie/ml (b)Beta emitter micro curie/ml	10^-7 10^-6	10^-7 10^-6	10^-8 10^-7	10^-7 10^-6
35	Radioactive materials: (a)Alpha emitter micro curie/ml (b)Beta emitter micro curie/ml	10^-7 10^-6	10^-7 10^-6	10^-8 10^-7	10^-7 10^-6
35	Bio-assay test	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent	90% survival of fish after 96 hours in 100 % effluent

36	Manganese (as Mn)	2 mg/l	2 mg/l	-	2 mg/l
37	Iron (as Fe)	3 mg/l	3 mg/l	-	3 mg/l
38	Vanadium (as V)	0.2 mg/l	0.2 mg/l	-	0.2 mg/l
39	Nitrate Nitrogen	10 mg/l	-	-	20 mg/l
40	2 (***)	*	*	*	*

1. Schedule VI inserted by Rule 2 (d) of the Environment(Protection) Second Amendment Rules, 1993 notified vide G.S.R. 422 (E) dated 19.05.1993 published in the Gazette no. 174 dated 19.05.1993.
2. Omitted by Rule 2 (d)(i) of the Environment(Protection) Third Amendment Rules, 1993 vide Notification No. G.S.R. 801 (E), dated 31.12.1993.
3. Substituted by Rule 2 of the Environment(Protection) Amendment Rules, 1996 notified by G.S.R 176, dated 02.04.1996 may be read as BOD (3days at 270C) whenever BOD 05 days 200C occurred.
4. Besides these standards, refer EPA standards for specific industry Source (1):
https://cpcb.nic.in/displaypdf.php?id=R2VuZXJhbFN0YW5kYXJkcy5wZGY=
(2) cpcb.nic.in/Industry_Specific_Standards.php

(2)

उत्तर प्रदेश जल निगम (नगरीय)

कार्यालय अधिशासी अभियंता, निर्माण खण्ड (वि0/यॉ0),
नैनी (निकट पुराना यमुना ब्रिज), प्रयागराज 211007
E-Mail - oecdomprayagraj@gmail.com

पत्रांक २०५ / प्रयागराज / ०५- दिनांक 19 / 03 / 2024

सेवा में,
अधिशासी अधिकारी,
नगर पालिका परिषद बेलहा,
प्रतापगढ़।

विषय–राज्य सेक्टर कार्यक्रम के अन्तर्गत नगर पालिका परिषद बेलहा प्रतापगढ़ में निर्मित 0.05 एम0एल0डी0 एस0टी0पी0 के परिचालन एवं अनुरक्षण के सम्बन्ध में ।

महोदय,

उपरोक्त विषयक आपके पत्र सं0 1734/न0पा0परि0-2024/एस0टी0पी0 हस्तान्तरण/ दिनांक 15.03.2024 एवं अधिशासी अभियंता, निर्माण खण्ड (द्वितीय), उ0प्र0 जल निगम (नगरीय) प्रयागराज के पत्रांक 281/W-46/09 दिनांक 16.03.2024 के सन्दर्भ में अवगत कराना है कि एस0टी0पी0 के संचालन में लगे उपकरण/मशीन यथा Sludge Thickener, Grit Separator No. 2, Centrifuge system of sludge disposal & rack classifier no.1 में से Sludge Thickner, centrifuse system for sludge disposal & grit sperator no. 1 को दिनॉक 25.02.2024 को मरम्मत करा दिया गया है। जिसका संयुक्त निरीक्षण आप द्वारा मेसर्स राजकुमार कान्ट्रेक्टर J.V. मेसर्स टेक्नोकापट एण्ड सॉल्यूशन, शक्तिनगर भटिंडा के प्रतिनिधि श्री ज्ञानेन्द्र राय एवं मेसर्स कंम–इको इजीनियर कल्याणपुर, कानपुर के प्रतिनिधि श्री राजेश मिश्रा के साथ दिनॉक 26.02.2024 को किया गया था (छायाप्रति संलग्न)। उक्त के साथ आपको यह भी अवगत कराना है कि rack classifier no.1 को दिनॉक 05.03.2024 एवं Grit Separator No. 2 को दिनॉक 18.03.2024 को मरम्मत कराकर चालू कर दिया गया है ।

संलग्न– निरीक्षण रिपोर्ट।

भवदीय

(संतोष कुमार)
अधिशासी अभियंता

पृ0सं0 एवं दि0 उपरोक्तानुसार।
प्रतिलिपि– निम्न को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।
1– मुख्य अभियंता (प्रया0क्षेत्र), उ0प्र0 जल निगम (नगरीय), प्रयागराज ।
2– अधीक्षण अभियंता, निर्माण मण्डल (वि0/यॉ0), उ0प्र0 जल निगम (नगरीय) प्रयागराज ।
3– अधीक्षण अभियंता, निर्माण मण्डल, उ0प्र0 जल निगम (नगरीय) प्रयागराज ।
4– अधिशासी अभियंता, निर्माण खण्ड (द्वितीय), उ0प्र0 जल निगम (नगरीय), प्रयागराज।
5– मेसर्स राजकुमार कान्ट्रेक्टर J.V. मेसर्स टेक्नोकापट एण्ड साल्यूशन, शक्तिनगर भटिंडा ।
6– सम्बन्धित सहायक अभियंता/जूनियर इंजीरियर।

अधिशासी अभियंता

Joint Inspection Note

On dated 26.02.2024 a joint inspection has been conducted in the presence of

1 Mr. Ramachal Kuril (EO Pratapgarh)

2 Mr. Gyanendra Rai (CEO RKC-TC&S)

3- Mr. Rajesh Mishra (Chem Eco Engineers)

All the machineries mentioned below has been found in well in working condition.

SN.	Description	Unit	Quantity
1	Sludge Thickener	Nos	1
2	Grit Separator no.	Nos	1
3	Centrifuge System for Sludge Disposal	Nos	1

RKC - TCGS - JOINTVENTURE

Date: 26.02.2024 Ref No: RKC-TCS/23-24/PBH/Handing-Over/219

To,
The Executive Engineer,
M/s. Pure Environment Works
Pune

Sub: Handing over of machinery and equipment.

Ref: Letter by Chemtech Engineers dated 02.02.2024 regarding the workability of machinery and equipment.

Dear Sir,

With reference to the above-mentioned reference, I am pleased to inform you that the machineries mentioned in the aforementioned letter has been inspected, tested, and operational.

All the machineries were duly inspected by the concerned authorities of the department as well as the firm responsible for the installation. The detailed inspection report of the aforementioned machinery is attached for your kind perusal.

S.N.	Description	Unit	Quantity
1	Screw Conveyor	Nos.	1
2	Belt Press Machine	Nos.	1
3	Centrifuge System for Sludge Disposal	Nos.	1

Thanking You,

Yours Faithfully,
For RKC-TCGS JOINTVENTURE

Enclosure: Inspection Note

Copy to:
Executive Engineer, Second Circle, Pune (PMC)
Executive Engineer, Construction Division, Pune (PMC)

(3)

उत्तर प्रदेश जल निगम (नगरीय)

कार्यालय अधिशासी अभियंता, निर्माण खण्ड (वि0/यॉ0),
नैनी (निकट पुराना यमुना ब्रिज), प्रयागराज–211007
E-Mail:- eecdemprayagraj@gmail.com

पत्रांक 212 / प्रतापगढ़ / 08 दिनॉक 19 / 03 /2024

सेवा में,
मेसर्स राजकुमार कान्ट्रेक्टर
J.V. मेसर्स टैक्नोकाफ्ट एण्ड साल्यूशन,
शक्तिनगर भटिंडा।

विषयः–जनपद प्रतापगढ़ में राज्य सेक्टर कार्यक्रम के अन्तर्गत 8.95 एम0एल0डी0 वेल्हा एस0टी0पी0 प्रतापगढ़ मे अधिष्ठापित यंत्र संयत्रों के Defect Liability के सम्बन्ध में ।
अनुबन्ध सं0– 1/GM(Urban)/2021-22

महोदय,

उपरोक्त विषयक आपको अवगत कराना है कि जनपद प्रतापगढ़ मे निर्मित राज्य सेक्टर कार्यक्रम के अन्तर्गत निर्मित 8.95 एम0एल0डी0 क्षमता के एस0टी0पी0 पर अधिष्ठापित सबमर्सिबल पम्प मोटर (22 kw – 2 नग एवं 55 kw –1 नग) क्षमता की मोटरें, स्लज थिकनर, ग्रिट सेपरेटर, रैक क्लारीफायर में से स्लज थिकनर, ग्रिट सेपरेटर, रैक क्लारीफायर की मरम्मत आप द्वारा क्रमशः दिनॉक 26.02.2024, 05.03.2024 एवं 18.03.2024 को कराया गया है।

अतः संयुक्त प्रबन्ध निदेशक, उ0प्र0 जल निगम (नगरीय), लखनऊ / विशेष सचिव नगर विकास विभाग उ0प्र0 शासन की अध्यक्षता में दिनॉक 23.02.2024 (संलग्नक) को आहूत बैठक में संयुक्त प्रबन्ध दिनेशक महोदय द्वारा दिये गये निर्देशो के अनुपालन में उपरोक्त यंत्र संयंत्रों की Defect Liability period उनकी मरम्मत के दिनॉक से अग्रिम 24 माह के लिए होगी। Defect Liability period मे यन्त्रों संयंत्रो मे आने वाली कमियो की मरम्मत हेतु आपकी फर्म की पूर्ण जिम्मेदारी होगी।

संलग्नक उपरोक्तानुसार

भवदीय

(संतोष कुमार)
अधिशासी अभियंता

पृ0सं0 एवं दि0 उपरोक्तानुसार।
प्रतिलिपि– निम्न को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।
1= संयुक्त प्रबन्ध निदेशक, महोदय उ0प्र0 जल निगम (नगरीय), लखनऊ।
2– मुख्य अभियंता (वि0/यॉ0), उ0प्र0 जल निगम (नगरीय), लखनऊ ।
3– मुख्य अभियंता (प्रया0क्षेत्र), उ0प्र0 जल निगम (नगरीय), प्रयागराज ।
4– अधीक्षण अभियंता, निर्माण मण्डल (वि0/यॉ0), उ0प्र0 जल निगम (नगरीय) प्रयागराज ।
5– अधीक्षण अभियंता, निर्माण मण्डल, उ0प्र0 जल निगम (नगरीय) प्रयागराज ।
6– अधिशासी अभियंता, निर्माण खण्ड (द्वितीय), उ0प्र0 जल निगम (नगरीय), प्रयागराज।
7– सम्बन्धित सहायक अभियंता।

अधिशासी अभियंता

04

Inventory list of 0.95MLD STP Belha. Pratapgarh

1. Megar - 2 Pcs
2. Clamp meter - 3Pcs
3. Nut Bolt
4. Hilty - 1
5. Light - 2Pcs
6. Lug - 15 pcs
7. Clamp hook
8. Coolers
9. Camera - 6Pcs
10. LCD 1Pcs
11. Gas Chulha & setup
12. Godrej Almira -
13. Tool box
14. Meter Tape
15. Net screen
16. Plywood window - 2Pcs
17. Aautolevell machine.
18. Tawada - 4Pcs
19. Tagadi - 3Pcs
20. Albow - 1Pcs
21. drill Machine - 1
22. Packing
23. Jack (shuttering material)
24. Hammer - 1
25. Punch machine.
26. Gas Cylinder (welding)
27. Subbal - 1
28. Printer set-up
29. folding bed
30. Shuttering Ply - 1
31. labour Puts.
32. Gas cylinder & stove.
33. 6mm wire cable
34. 3 core cable
35. MS T-joint (100mm dia)
36. S.S. Pipe 4"
37. Mobile oil (10Ltr)
38. MS packing plate
39. Bleaching Powder
40. Water curing Pipe.
41. Tiles
42. Chair & Table
43. Chain Pully setup - 1
44. Suction Pipe 4"
45. 22HP motor - 1Pcs

Note: These items are handling over to STP

5/3/2024

5/4/24

5/4/24

SHEMECO ENGINEERS RAIBOLI REHA

05/04/24 (EM)
AD

05

औद्योगिक आस्थान, सुखपाल नगर, थाना कुण्डा-प्रतापगढ़ में स्थापित औद्योगिक इकाईयों का निरीक्षण आख्या।

माo राष्ट्रीय हरित अधिकरण में योजित एप्लिकेशन ओरीजिनल अप्लीo नo-32/2023 टी0एस0 सिंह बनाम उ0प्र0 राज्य व अन्य में पारित आदेश के अनुपालन में संयुक्त प्रबन्ध निदेशक उ0प्र0 पावर निगम (नगरीय)/विशेष सचिव, नगर विकास विभाग, उ0प्र0 शासन की अध्यक्षता में सम्पन्न बैठक दिनांक-23.02.2024 की कार्यवृत्त के बिन्दु-1(ई) के अनुक्रम में कार्यालय जिलाधिकारी, प्रतापगढ़ के पत्रांक-2213/एल0यी0सी0-2024 दिनांक-15.03.2024 द्वारा गठित संयुक्त जांच टीम के क्रम में अधोहस्ताक्षरकर्ताओं द्वारा दिनांक-20.03.2024 को जनपद-प्रतापगढ़ स्थित औद्योगिक आस्थान, सुखपाल नगर में स्थापित/संचालित आंवला उद्योग एवं अन्य इकाईयों का संयुक्त रूप से निरीक्षण किया गया। निरीक्षण आख्या निम्नवत है-

1. मैसर्स पुष्पांजलि एग्रोइण्ड प्रोडा. प्राइवे., प्लॉट-13, औद्योगिक आस्थान, सुखपाल नगर, जनपद-प्रतापगढ़-सन्दर्भित उद्योग का निरीक्षण दिनांक-20.03.2024 को किया गया।निरीक्षण के समय श्री चन्द्र प्रकाश शुक्ल, सचिव, उद्योग प्रतिनिधि के रूप में उपस्थित थे। निरीक्षण के समय उद्योग संचालित पाया गया। उद्योग द्वारा कच्चे माल के रूप में मुख्यतया आम, आंवला, अमरूद, चीनी, नमक एवं अन्य सामाग्रियों का प्रयोग कर जैली, अचार, मुरब्बा इत्यादि का उत्पादन किया जाता है। उद्योग प्रतिनिधि द्वारा उद्योग की वर्तमान उत्पादन क्षमता लगभग 6000 किग्रा/माह अवगत कराया गया। उद्योग में फलों की सफाई, धुलाई, स्लाइसिंग एवं बर्तनों इत्यादि की धुलाई से प्रदूषित उत्प्रवाह जनित होता है। जिसके शुद्धिकरण हेतु उत्प्रवाह शुद्धिकरण संयंत्र (E.T.P.) स्थापित है। वर्तमान में E.T.P. की प्रमुख इकाईयों के रूप में ग्रामक कलेक्शन टैंक, केमिकल डोजिंग/रियेक्शन टैंक एवं एक्टिवेटेड कार्बन/सैण्ड फिल्टर 02 नग स्थापित है। परन्तु निरीक्षण के समय E.T.P. क्षतिग्रस्त एवं बन्द पाया गया। इकाई में स्टीम जनरेशन हेतु 600 किग्रा/घण्टा की क्षमता के 02 नग बेबी ब्वायलर स्थापित है। जिसमें ईंधन के रूप में लगभग 100 किग्रा/दिन लकड़ी का उपयोग किया जाता है। गैसीय उत्सर्जकों के निस्तारण हेतु बेबी ब्वायलर से सम्बद्ध चिमनी लगभग 30 फुट ऊँची चिमनी स्थापित है। उद्योग के विरूद्ध पूर्व में बोर्ड मुख्यालय के पत्र संख्या-एफ94707/सी-5/सा0-737/16 दिनांक-20.01.2017 द्वारा बन्दी आदेश निर्गत है। जो कि अद्यतन प्रभावी है। अतः उद्योग के विरूद्ध नियमानुसार कार्यवाही किया जाना उचित होगा।

2. मैसर्स नेशनल फूड प्रोडक्ट, ए-4, औद्योगिक आस्थान, सुखपाल नगर, प्रतापगढ़-सन्दर्भित इकाई के निरीक्षण के दौरान उद्योग प्रतिनिधि के रूप में श्री मो0 अहसान उद्योग प्रतिनिधि के रूप में उपस्थित थे। उद्योग प्रतिनिधि द्वारा अवगत कराया गया है कि उक्त इकाई वर्ष 2013 से स्थापित/संचालित है किन्तु उनके द्वारा इस सम्बन्ध में कोई अभिलेखीय साक्ष्य नहीं प्रस्तुत किए गए। निरीक्षण के दौरान इकाई में उत्पादन कार्य बन्द पाया गया। उद्योग प्रतिनिधि द्वारा अवगत कराया गया कि इकाई द्वारा कच्चे माल के रूप में मुख्यतया आम, आंवला, अमरूद, चीनी, नमक एवं अन्य सामाग्रियों का प्रयोग कर बरफी, जूस, कैण्डी, लड्डू, जैल, जैली, अचार, मुरब्बा इत्यादि का उत्पादन लगभग 4000 किग्रा/माह किया जाता है। उद्योग में फलों की सफाई, धुलाई, स्लाइसिंग एवं बर्तनों इत्यादि की धुलाई से प्रदूषित उत्प्रवाह जनित होता है। इकाई में स्टीम जनरेशन हेतु 200 किग्रा/घण्टा की क्षमता के 01 नग बेबी ब्वायलर स्थापित है। जिसमें ईंधन के रूप में लगभग 50 किग्रा/दिन लकड़ी का उपयोग किया जाता है। गैसीय उत्सर्जकों के निस्तारण हेतु बेबी ब्वायलर से सम्बद्ध चिमनी लगभग 40 फुट ऊँची चिमनी स्थापित है। इकाई द्वारा औद्योगिक उत्प्रवाह बिना किसी शुद्धिकरण के ड्रेन के माध्यम से निस्तारित किया जाता है। उद्योग द्वारा बोर्ड से संचालन हेतु सहमति (जल/वायु) प्राप्त नहीं की गयी है। तत्क्रम में उद्योग को औद्योगिक उत्प्रवाह के शुद्धिकरण हेतु उत्प्रवाह शुद्धिकरण (E.T.P.) संयंत्र की स्थापना करने एवं उद्योग के संचालन से पूर्व बोर्ड से नियमानुसार सहमति (जल/वायु) प्राप्त किए जाने हेतु निर्देशित किया उचित होगा।

3. मैसर्स नेशनल फ्रण्टरप्राईजेज शुगर मिल, ए-3, औद्योगिक आस्थान, सुखपाल नगर, जनपद-प्रतापगढ़-सन्दर्भित इकाई के निरीक्षण के दौरान उद्योग प्रतिनिधि के रूप में श्री मो0 अहसान उद्योग प्रतिनिधि के रूप में उपस्थित थे। उपस्थित प्रतिनिधि द्वारा अवगत कराया गया है कि उक्त इकाई 2013 से स्थापित/संचालित है किन्तु उपस्थित प्रतिनिधि द्वारा इकाई की स्थापना/संचालन सम्बन्धी कोई अभिलेखीय साक्ष्य प्रस्तुत नहीं किए गए। निरीक्षण के दौरान इकाई बन्द पायी गयी। उद्योग प्रतिनिधि द्वारा अवगत कराया गया कि इकाई द्वारा कच्चे माल के रूप में पैडी का प्रयोग कर विद्युत चालित बी-हस्कर एवं राईस पॉलिशर के द्वारा 02 टन/घण्टा अरवा चावल का उत्पादन किए जाने की क्षमता है। उद्योग में जल के घरेलू प्रयोजन से जनित घरेलू उत्प्रवाह के निस्तारण हेतु सेप्टिक टैंक/सोकपिट टैंक की व्यवस्था है। उद्योग को संचालन से पूर्व राज्य प्रदूषण नियन्त्रण बोर्ड से नियमानुसार सहमति (जल/वायु) प्राप्त किए जाने हेतु निर्देशित किया उचित होगा।

1383
GMDIC
कृपया उपयुक्त कार्यवाही करें।
5/4/24

4. मैसर्स रगा गुप्त उद्योग, बी–9, औद्योगिक आस्थान, सुखपाल नगर, जनपद–प्रतापगढ़–सन्दर्भित इकाई के निरीक्षण के दौरान उद्योग प्रतिनिधि के रूप में श्री दिनेश कुमार बरनवाल एम0जी0 उपस्थित थे। उद्योग प्रतिनिधि द्वारा अवगत कराया गया कि उक्त इकाई वर्ष 2009 से स्थापित/संचालित है किन्तु उनके द्वारा इस सम्बन्ध में कोई अभिलेखीय साक्ष्य नहीं प्रस्तुत किये गए। निरीक्षण के दौरान इकाई संचालित नहीं पायी गयी। उपस्थित प्रतिनिधि द्वारा अवगत कराया गया कि इकाई द्वारा कच्चे माल के रूप में साबुत हल्दी, धनिया, मिर्च, गरम मसाला इत्यादि का प्रयोग कर विद्युत चालित ग्राइण्डिंग मशीन द्वारा सब्जी मसाला, मीट मसाला, कचौड़ी मसाला, गरम मसाला इत्यादि लगभग 02 टन/माह का उत्पादन किये जाने की क्षमता है। उद्योग में जल के घरेलू प्रयोजन से जनित घरेलू उत्प्रवाह के निस्तारण हेतु सेप्टिक टैंक/सोकपिट टैंक की व्यवस्था है। उद्योग को संचालन से पूर्व राज्य प्रदूषण नियन्त्रण बोर्ड से नियमानुसार सहमति (जल/वायु) प्राप्त किए जाने हेतु निर्देशित किया उचित होगा।

5. मैसर्स अर्चना आईस प्लाण्ट, ए–5, औद्योगिक आस्थान, सुखपाल नगर, जनपद–प्रतापगढ़–सन्दर्भित इकाई के निरीक्षण के समय उद्योग प्रतिनिधि के रूप में श्री राम बहादुर सरोज उपस्थित थे। उपस्थित प्रतिनिधि द्वारा इकाई की स्थापना/संचालन वर्ष 2011 अवगत कराया गया। परन्तु स्थापना/संचालन के सम्बन्ध में कोई अभिलेखी साक्ष्य नहीं प्रस्तुत किए गए। निरीक्षण के दौरान इकाई बन्द पायी गयी। उद्योग प्रतिनिधि द्वारा अवगत कराया गया कि इकाई में बर्फ की सिल्ली, आईसक्रीम ब्रिक्स इत्यादि का उत्पादन किया जाता है। कूलिंग वाटर को रिसाईक्लिंग किया जाता है। जल के घरेलू प्रयोजन से जनित घरेलू उत्प्रवाह के निस्तारण हेतु सेप्टिक टैंक/सोकपिट टैंक की व्यवस्था है। उद्योग को संचालन से पूर्व राज्य प्रदूषण नियन्त्रण बोर्ड से नियमानुसार सहमति (जल/वायु) प्राप्त किए जाने हेतु निर्देशित किया उचित होगा।

6. मैसर्स पर्किन्स फार्मास्युटिकल, ए–10 व ए–11, औद्योगिक आस्थान, सुखपाल नगर, जनपद–प्रतापगढ़–सन्दर्भित इकाई के निरीक्षण के दौरा उद्योग प्रतिनिधि के रूप में श्री अरूण सिंह प्रोपराईटर उपस्थित थे। उद्योग प्रतिनिधि द्वारा अवगत कराया गया कि उक्त इकाई वर्ष 2001 से स्थापित/संचालित है किन्तु उनके द्वारा इस सम्बन्ध में कोई अभिलेखीय साक्ष्य नहीं प्रस्तुत किए गए। निरीक्षण के दौरा इकाई संचालित पायी गयी। उद्योग प्रतिनिधि द्वार अवगत कराया गया कि इकाई में कच्चे माल के रूप में पिसी हुई जड़ी बूटियाँ (हरड़ बहेड़ा), चीनी इत्यादि का प्रयोग कर ब्यायलिंग, फिल्टरेशन, कूलिंग इत्यादि का प्रयोग कर खांसी, गैस, लीवर इत्यादि की सीरप आयुर्वेदिक दवाओं का उत्पादन किया जाता है। उद्योग प्रतिनिधि द्वारा अवगत कराया गया कि प्लाट नं0–ए–11 में मैटेरियल स्टोरेज एवं दवा पैकिंग का काम किया जाता है। उत्पादन के दौरान औद्योगिक प्रक्रिया में जल का प्रयोग नहीं किया जाता है तथा औद्योगिक उत्प्रवाह जनित नहीं होता है। इकाई में जल का प्रयोग केवल घरेलू प्रयोजनार्थ किया जाता है। इकाई से जनित घरेलू उत्प्रवाह के निस्तारण हेतु सेप्टिक टैंक/सोकपिट टैंक की व्यवस्था है। उद्योग को संचालन से पूर्व राज्य प्रदूषण नियन्त्रण बोर्ड से नियमानुसार सहमति (जल/वायु) प्राप्त किए जाने हेतु निर्देशित किया उचित होगा।

7. मैसर्स सद्गुरू नीर, बी–2, औद्योगिक आस्थान, सुखपाल नगर, जनपद–प्रतापगढ़–सन्दर्भित इकाई के निरीक्षण के दौरा उद्योग प्रतिनिधि के रूप में श्री सन्तोष कुमार प्रोपराईटर उपस्थित थे। उद्योग प्रतिनिधि द्वारा अवगत कराया गया कि उक्त इकाई वर्ष 2015 से स्थापित/संचालित है किन्तु उनके द्वारा इस सम्बन्ध में कोई अभिलेखीय साक्ष्य प्रस्तुत नहीं किए गए। निरीक्षण के दौरान इकाई संचालित पायी गयी। उपस्थित प्रतिनिधि द्वारा इकाई में कच्चे माल के रूप में भूगर्भ जल का प्रयोग कर आर0ओ0 प्लाण्ट द्वारा 20 लीटर की बोतल पैकिंग में लगभग 50 बोतल/दिन मिनरल वाटर का उत्पादन किया जाता है। इकाई विद्युत चालित है तथा उद्योग संचालन के दौरान वाटर रिजेक्ट के रूप में बहिश्राव जनित होता है जिसके शोधन हेतु कोई व्यवस्था स्थापित नहीं पायी गयी है। जल के घरेलू प्रयोजन से जनित घरेलू उत्प्रवाह के निस्तारण हेतु सेप्टिक टैंक/सोकपिट टैंक की व्यवस्था है। उद्योग से जनित आर0ओ0 रिजेक्ट के शोधन हेतु शुद्धिकरण संयंत्र की स्थापना किए जाने एवं उद्योग के संचालन से पूर्व राज्य प्रदूषण नियन्त्रण बोर्ड से नियमानुसार सहमति (जल/वायु) प्राप्त किए जाने हेतु निर्देशित किया उचित होगा।

8. मैसर्स साई फूट एण्ड डेवलपमेन्ट इण्डस्ट्रीज, ए–9, औद्योगिक आस्थान, सुखपाल नगर, जनपद–प्रतापगढ़–सन्दर्भित इकाई के निरीक्षण के दौरान उद्योग प्रतिनिधि के रूप में श्री अनुराग खण्डेलवाल उपस्थित थे। उपस्थित प्रतिनिधि द्वारा इकाई की स्थापना/संचालन वर्ष 2021 अवगत कराया गया। परन्तु स्थापना/संचालन के सम्बन्ध में कोई अभिलेखीय साक्ष्य प्रस्तुत नहीं किए गए। निरीक्षण के दौरान इकाई में उत्पादन कार्य होता पाया गया। इकाई में कच्चे माल के रूप में आम, आंवला, अमरूद, चीनी, नमक एवं अन्य सामाग्रियों का प्रयोग कर फलों की धुलाई, ब्यायलिंग इत्यादि

Scanned with OKEN Scanner

प्रक्रिया द्वारा आंवला मुरब्बा, लड्डू, बरफी, जूस, कैण्डी एवं सभी प्रकार के अचार का उत्पादन लगभग 20000 किग्रा/माह किया जाता है। उद्योग में फलों की सफाई, धुलाई, ब्यायलिंग एवं बर्तनों इत्यादि की धुलाई से धुलाई से प्रदूषित उत्प्रवाह जनित होता है। इकाई में स्टीम जनरेशन हेतु 600 किग्रा/घण्टा की क्षमता के 01 नग बेवी ब्यायलर स्थापित है। जिसमें ईंधन के रूप में लगभग 200 किग्रा/दिन लकड़ी का उपयोग किया जाता है। गैसीय उत्सर्जकों के निस्तारण हेतु बेवी ब्यायलर से सम्बद्ध चिमनी लगभग 30 फुट ऊँची चिमनी स्थापित है। इकाई द्वारा औद्योगिक उत्प्रवाह बिना किसी शुद्धिकरण के ड्रेन के माध्यम से निस्तारित किया जाता है। उद्योग द्वारा राज्य बोर्ड से सहमति (जल/वायु) प्राप्त नहीं की गयी है। तत्क्रम में उद्योग को उत्प्रवाह शुद्धिकरण संयंत्र की स्थापना किए जाने एवं उद्योग के संचालन से पूर्व राज्य प्रदूषण नियन्त्रण बोर्ड से नियमानुसार सहमति (जल/वायु) प्राप्त किए जाने हेतु निर्देशित किया उचित होगा।

9. मैसर्स साईं फूट एण्ड डेवलपमेन्ट इण्डस्ट्रीज, बी–11, औद्योगिक आस्थान, सुखपाल नगर, जनपद–प्रतापगढ़–सन्दर्भित इकाई के निरीक्षण के दौरान उद्योग प्रतिनिधि के रूप में श्री अनुराग खण्डेलवाल उपस्थित थे। उपस्थित प्रतिनिधि द्वारा इकाई की स्थापना/संचालन वर्ष 2024 अवगत कराया गया। परन्तु स्थापना/संचालन के सम्बन्ध में कोई अभिलेखीय साक्ष्य प्रस्तुत नहीं किए गए। निरीक्षण के दौरान इकाई में उत्पादन कार्य होता पाया गया। इकाई में कच्चे माल के रूप में आम, आंवला, अमरूद, चीनी, नमक एवं अन्य सामाग्रियों का प्रयोग कर फलों की धुलाई, ब्यायलिंग इत्यादि प्रक्रिया द्वारा आंवला मुरब्बा, लड्डू, बरफी, जूस, कैण्डी एवं सभी प्रकार के अचार का उत्पादन लगभग 20000 किग्रा/माह किया जाता है। उद्योग में फलों की सफाई, धुलाई, ब्यायलिंग एवं बर्तनों इत्यादि की धुलाई से धुलाई से प्रदूषित उत्प्रवाह जनित होता है। इकाई में स्टीम जनरेशन हेतु 600 किग्रा/घण्टा की क्षमता के 01 नग बेवी ब्यायलर स्थापित है। जिसमें ईंधन के रूप में लगभग 200 किग्रा/दिन लकड़ी का उपयोग किया जाता है। गैसीय उत्सर्जकों के निस्तारण हेतु बेवी ब्यायलर से सम्बद्ध चिमनी लगभग 30 फुट ऊँची चिमनी स्थापित है। इकाई द्वारा औद्योगिक उत्प्रवाह बिना किसी शुद्धिकरण के ड्रेन के माध्यम से निस्तारित किया जाता है। उद्योग द्वारा राज्य बोर्ड से सहमति (जल/वायु) प्राप्त नहीं की गयी है। तत्क्रम में उद्योग को उत्प्रवाह शुद्धिकरण संयंत्र की स्थापना किए जाने एवं उद्योग के संचालन से पूर्व राज्य प्रदूषण नियन्त्रण बोर्ड से नियमानुसार सहमति (जल/वायु) प्राप्त किए जाने हेतु निर्देशित किया उचित होगा।

10. मैसर्स बरनवाल गृह उद्योग, बी–10, औद्योगिक आस्थान, सुखपाल नगर, जनपद–प्रतापगढ़–सन्दर्भित इकाई के निरीक्षण के दौरान उद्योग प्रतिनिधि के रूप में श्री दिनेश कुमार बरनवाल एम0डी0 उपस्थित थे। उद्योग प्रतिनिधि द्वारा अवगत कराया गया कि उक्त इकाई वर्ष 2022 से स्थापित/संचालित है किन्तु उनके द्वारा इस सम्बन्ध में कोई अभिलेखीय साक्ष्य नहीं प्रस्तुत किये गए। निरीक्षण के दौरान इकाई में उत्पादन कार्य होता पाया गया। इकाई में कच्चे माल के रूप में आम, आंवला, अमरूद, चीनी, नमक एवं अन्य सामाग्रियों का प्रयोग कर फलों की धुलाई, ब्यायलिंग इत्यादि प्रक्रिया द्वारा आंवला मुरब्बा, लड्डू, बरफी, जूस, कैण्डी एवं सभी प्रकार के अचार का उत्पादन लगभग 5000 किग्रा/माह किया जाता है। उद्योग में फलों की सफाई, धुलाई, ब्यायलिंग एवं बर्तनों इत्यादि की धुलाई से धुलाई से प्रदूषित उत्प्रवाह जनित होता है। इकाई में स्टीम जनरेशन हेतु 200 किग्रा/घण्टा की क्षमता के 01 नग बेवी ब्यायलर स्थापित है। जिसमें ईंधन के रूप में लगभग 50 किग्रा/दिन लकड़ी का उपयोग किया जाता है। गैसीय उत्सर्जकों के निस्तारण हेतु बेवी ब्यायलर से सम्बद्ध चिमनी लगभग 30 फुट ऊँची चिमनी स्थापित है। इकाई द्वारा औद्योगिक उत्प्रवाह बिना किसी शुद्धिकरण के ड्रेन के माध्यम से निस्तारित किया जाता है। उद्योग द्वारा राज्य बोर्ड से सहमति (जल/वायु) प्राप्त नहीं की गयी है। तत्क्रम में उद्योग को उत्प्रवाह शुद्धिकरण संयंत्र की स्थापना किए जाने एवं उद्योग के संचालन से पूर्व राज्य प्रदूषण नियन्त्रण बोर्ड से नियमानुसार सहमति (जल/वायु) प्राप्त किए जाने हेतु निर्देशित किया उचित होगा।

11. मैसर्स बेल्हा देवी प्रेरणा लघु उद्योग, सुखपाल नगर, जनपद–प्रतापगढ़–सन्दर्भित इकाई के निरीक्षण के दौरान उद्योग प्रतिनिधि के रूप में श्रीमती विजय लक्ष्मी उपस्थित रही। उपस्थित प्रतिनिधि द्वारा इकाई की स्थापना/संचालन वर्ष 2023 में अवगत कराया गया। परन्तु स्थापना/संचालन के सम्बन्ध में कोई अभिलेखीय साक्ष्य प्रस्तुत नहीं किए गए। उपस्थित प्रतिनिधि द्वारा अवगत कराया गया कि इकाई में पुष्टाहार से सम्बन्धित आटा, बेसन, मूंगदाल, दलिया आदि का उत्पादन किया जाता है। इकाई में विद्युत आपूर्ति की वैकल्पिक व्यवस्था के रूप में 100 के0वी0ए0 क्षमता का 01 नग डी0जी0 सेट स्थापित पाया गया। उद्योग में किसी प्रकार का औद्योगिक उत्प्रवाह जनित नहीं होता है। उद्योग में जल का प्रयोग घरेलू प्रयोजन हेतु किया जाता है तथा जनित घरेलू उत्प्रवाह के निस्तारण हेतु सेप्टिक टैंक/सोकपिट

टैंक की व्यवस्था स्थापित है। उद्योग को संचालन से पूर्व राज्य प्रदूषण नियन्त्रण बोर्ड से नियमानुसार सहमति (जल/वायु) प्राप्त किए जाने हेतु निर्देशित किया उचित होगा।


12. मैसर्स मां अम्बे इण्टरप्राईजेज इण्डस्ट्रियल एरिया, सुखपाल नगर, जनपद–प्रतापगढ़–सन्दर्भित इकाई के निरीक्षण के दौरान लेबर उपस्थित पाये गए। उपस्थित लेबरों द्वारा इकाई की स्थापना वर्ष 2023 में किया जाना अवगत कराया गया। इकाई में कच्चे माल के रूप में सीमेण्ट, पलाई ऐश, भीरंग, पानी का प्रयोग कर लगभग 2000 /दिन इण्टरलॉकिंग ईंट का उत्पादन किया जाता है। उद्योग को संचालन से पूर्व राज्य प्रदूषण नियन्त्रण बोर्ड से नियमानुसार सहमति (जल/वायु) प्राप्त किए जाने हेतु निर्देशित किया उचित होगा।


13. मैसर्स खण्डेलवाल एग्रो प्रोडक्टस, ए–12, औद्योगिक आस्थान, सुखपाल नगर, जनपद–प्रतापगढ़–सन्दर्भित इकाई के निरीक्षण के दौरान उद्योग प्रतिनिधि के रूप में श्री आलोक खण्डेलवाल उपस्थित थे। उपस्थित प्रतिनिधि द्वारा इकाई की स्थापना/संचालन वर्ष 2023 अवगत कराया गया। परन्तु स्थापना/संचालन के सम्बन्ध में कोई अभिलेखीय साक्ष्य प्रस्तुत नहीं किए गए। निरीक्षण के दौरान इकाई में उत्पादन कार्य होता पाया गया। इकाई में आंवला प्रोडक्ट लगभग 200 किग्रा/दिन विद्युत संचालित 02 ड्रायर इकाईयों में केवल सुखाने का कार्य किया जाता है। उद्योग में जल के घरेलू प्रयोजन से जनित घरेलू उत्प्रवाह के निस्तारण हेतु सेप्टिक टैंक/सोकपिट टैंक की व्यवस्था है। उद्योग को संचालन से पूर्व राज्य प्रदूषण नियन्त्रण बोर्ड से नियमानुसार सहमति (जल/वायु) प्राप्त किए जाने हेतु निर्देशित किया उचित होगा।

निरीक्षण के दौरान यह पाया गया। कि इकाईयों द्वारा जनित जल उत्प्रवाह सीधे रूप से सई नदी में प्रवाहित नहीं किया जा रहा है। परन्तु अवगत हों कि औद्योगिक आस्थान सुखपाल नगर में स्थापित/संचालित इकाईयों हेतु वर्तमान में अन्तिम निस्तारण बिन्दु तक जल निकासी की व्यवस्था न होने से आंवला उद्योग इकाईयों का बिना शुद्धिकृत किए जल उत्प्रवाह औद्योगिक आस्थान स्थित खाली भूमि पर जल भराव की अवस्था में पाया गया (फोटोग्राफ संलग्न)। अग्रेतर अवगत हों कि चूंकि आंवला उद्योग इकाईयों में नियमानुसार जल उत्प्रवाह शुद्धिकृत संयंत्र (ई0टी0पी0) स्थापित/संचालित नहीं होने से जल भराव में अत्यधिक दुर्गन्ध पायी गयी। खाली भूमि पर स्थायी रूप से प्रदूषित जल भराव रहने से आस–पास के क्षेत्र में भूमिगत जल प्रदूषित होने की सम्भावना है। अतएव उक्त क्षेत्र में स्थापित/संचालित आंवला उद्योग इकाईयों में ई0टी0पी0 की स्थापना किए जाने तथा अन्य सक्षम विभागों से अनापत्ति/सहमति (जल/वायु) प्राप्त कर नियमानुसार औद्योगिक इकाईयों को संचालित किए जाने हेतु निर्देशित किए जाने तथा अन्तिम निस्तारण बिन्दु तक शुद्धिकृत जल निकासी की व्यवस्था किए जाने अथवा वैकल्पिक व्यवस्था किए जाने हेतु शासन स्तर पर प्रस्ताव प्रेषित किए जाने की संस्तुति सहित आख्या आपके अवलोकनार्थ एवं अग्रिम आवश्यक कार्यवाही हेतु सादर प्रस्तुत है।


(एम0ए0 सिद्दीकी)	(अभि0 मिश्रा)	(राजकुमार मिश्रा)	(उदय भान सिंह)
वैज्ञानिक सहायक	सहा0 अभियन्ता	अधिशासी अधिकारी	उप जिलाधिकारी, तह0–सदर
उ0प्र0 प्रदूषण नियन्त्रण बोर्ड रायबरेली	यू0पी0एस0आई0डी0सी0 रामपुर	नगर पालिका परिषद, बेल्हा प्रतापगढ़	प्रतापगढ़


जिलाधिकारी महोदय, प्रतापगढ़




Latitude:25.890525
Longitude:81.92821
Elevation:313±23 m
Accuracy:8.9 m
Time:20-03-2024 15:23
Area:pratapgarh
Latitude:25.890645
Longitude:81.926211
Elevation:332.12±22 m
Accuracy:10.5 m
Time:20-03-2024 15:23
Area:pratapgarh

05


Latitude: 25.890525
Longitude: 81.928212
Elevation: 32.12±2.4 m
Accuracy: 9.8 m
Time: 20-03-2024 15:25
Note: pratapgarh


Latitude: 25.890531
Longitude: 81.928214
Elevation: 32.12±2.6 m
Accuracy: 6.9 m
Time: 20-03-2024 15:28
Note: pratapgarh

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

Drains Discharging to River Sai at Pratapgarh

TEST REPORT - MARCH 2024

S. No	Date of Sampling	Sampling Point	Before Bio Remediation						After Bio Remediation						Percentage Reduction in BOD (%)	Percentage Reduction in FC (%)	After Bioremediation	
			pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)			Parameters Within the Standard	Parameters Beyond the Standard
1	23-03-2024	Ramlila Maidan Drain	7.70	82.0	42.0	137.6	20,00,000	3,20,000	7.79	62.0	24.5	112.0	1,40,000	49,000	41.67	84.69	pH, TSS, BOD	FC
2	23-03-2024	Bhuliyapur Drain	7.78	90.0	40.0	136	4,00,000	70,000	7.70	60.0	22.0	110.4	33,000	3,900	45.00	94.43	pH, TSS, BOD	FC
3	23-03-2024	City Drain	7.75	80.0	48.0	147.2	70,00,000	9,40,000	7.68	65.0	23.0	104.0	92,000	40,000	52.08	95.74	pH, TSS, BOD	FC
4	23-03-2024	Police Line Drain	7.89	92.0	41.0	148.8	1,30,000	33,000	7.62	72.0	22.0	102.4	20,000	7,900	46.34	76.06	pH, TSS, BOD	FC
Effluent Discharge Standards for STP (13 October 2017)									6.5-9.0	<100	30	-	-	<1000	-		-	-

28/03/2024
Compiled/Analysed By

S.A. 28/03/24

R.O. 28/03/24

519

520

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

River Sai at Pratapgarh

TEST REPORT- MARCH 2024

S. No.	Date of Sampling	Sampling Point	Parameters					
			pH	Color (Hazen)	D.O. (mg/L)	BOD (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)
1	23-03-2024	Sai River U/S Gau Ghat	8.22	10	8.7	4.1	3900	1700
2	23-03-2024	Sai River D/S Railway Bridge	8.13	10	8.1	4.5	4700	2100
Primary Water Quality Criteria For Bathing Water [G.S.R.742(E) Dated 25 September 2000]			6.5-8.5	-	5 mg/l or more	3 mg/l or less	-	500 Desirable 2500 Maximum Permisible

28/03/2024
Compiled/Analysed By

S/A. 28/03/24

R.O. 28/03/24

06

521

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034


TEST REPORT- MARCH 2024

S. No	Date of Sampling	8.95 MLD STP, Pratapgarh						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	23-03-2024	Inlet, STP	7.95	102.0	52.0	291.20	79,00,000	26,00,000
2	23-03-2024	Outlet, STP	7.60	20.0	12.6	64.00	1,400	930
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30.0	-	-	<1000

28/03/2024
Compiled By/Analysed By

S.A. 28/3/24


R.O. 28/03/24



MPS Log Book for Month of 01/April/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 37 KW				Pump No. RSP-02 37 KW				Pump No. RSP-03 22 KW				Pump No. RSP-04 22 KW				Pump No. RSP-05 55KW				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	-	0.98	422	00:21	-	-	21																					221
	01AM-02AM		-	-	0.99	423	-	-	-	21																					220
	02AM-03AM		-	-	0.98	420	-	2:51	2:30	21																					216
	03AM-04AM		-	-	0.98	422					3:16	-	-	22																	198
	04AM-05AM		-	-	0.99	424					-	-	-	22																	196
	05AM-06AM		-	-	0.98	426					-	5:55	2:99	22																	198
A-SHIFT	06AM-07AM		-	-	0.99	427									6:10	-	-	40													424
	07AM-08AM		-	-	0.98	425									-	-	-	40													422
	08AM-09AM		-	-	0.99	423									-	8:50	2:40	40													421
	09AM-10AM		-	-	0.98	421					9:05	-	-	22																	222
	10AM-11AM		-	-	0.99	420					-	-	-	21																	220
	11AM-12AM		-	-	0.98	421					-	11:58	2:45	22																	219
	12PM-01PM		-	-	0.99	420									12:45	-	-	40													422
	01PM-02PM		1:47	1:52	0.98	421									-	-	-	40													420
B-SHIFT	02PM-03PM		-	-	0.99	422									-	2:58	2:58	40													421
	03PM-04PM		3:00	3:16	0.98	422	3:00	-	-	22																					221
	04PM-05PM		4:00	4:10	0.99	423	-	-	-	22																					218
	05PM-06PM		-	-	0.98	421	-	5:35	2:35	21																					219
	06PM-07PM		-	-	0.99	426					6:15	-	-	22																	196
	07PM-08PM		-	-	0.98	427					-	-	-	22																	192
	08PM-09PM		-	-	0.99	428					-	8:95	2:30	22																	190
	09PM-10PM		-	-	0.98	429													9:05	-	-	41									388
C-SHIFT	10PM-11PM		-	-	0.98	421													-	-	-	41									386
	11PM-12AM		-	-	0.99	416													11:25	2:20	2:20	41									384
PUMPS RUNNING HOURS									5:05				8:04				5:30				2:20										


SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06AM-02:00PM)	Nagendra Singh	Jamil Khan	Anikram	6:83MLD			CHEMECO ENGINEERS KANPUR	
B(02PM-10:00PM)	Chanwan Kumar	Shivam Singh	Ravi Kumar					
C(10PM-06:00AM)	Om Prakash Singh	Omveer Kumar	Ajay Singh					



MPS Log Book for Month of 2-APRIL-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 — KW				Pump No. RSP-02 — 11 — KW				Pump No. RSP-03 — 22 — KW				Pump No. RSP-04 — 22 — KW				Pump No. RSP-05 — 55 — KW				Pump No. RSP-06				M3/hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		—	-	0.99	425									00:5	-	-	41													399
	01AM-02AM		—	—	0.98	422										-	-	41													397
	02AM-03AM		—	-	0.99	424									-	2:45	2:40	41													399
	03AM-04AM		—	—	0.98	421					3:00	—	-	21																	199
	04AM-05AM		-	.	0.99	420					—	-	-	21																	198
	05AM-06AM		05:10	05:36	0.98	422					-	5:50	2:50	21																	196
A-SHIFT	06AM-07AM		—	-	0.99	419	6:10	—	—	22																					185
	07AM-08AM		—	—	0.98	421	—	—	-	22																					213
	08AM-09AM		—	-	0.99	422	—	8:40	2:30	22																					227
	09AM-10AM		—	.	0.98	420									9:00	-	-	41													425
	10AM-11AM		—	.	0.99	421									-	-	-	41													422
	11AM-12AM		-	.	0.98	422									-	11:50	2:50	41													420
	12PM-01PM		-	-	0.99	421					12:00	—	—	21																	220
	01PM-02PM		—	.	0.98	420					—	—	—	22																	219
B-SHIFT	02PM-03PM		—	-	0.99	421					—	2:50	2:50	21																	222
	03PM-04PM		—	.	0.98	422	3:00	—	—	22																					221
	04PM-05PM		.	.	0.99	421		—	-	22																					222
	05PM-06PM		—	-	0.98	422	—	—		21																					220
	06PM-07PM		—	.	0.99	419	—	6:48	3:48	21																					219
	07PM-08PM		—	.	0.98	417													7:10	-	-	40									415
	08PM-09PM		.	.	0.99	418													-	-	-	40									411
	09PM-10PM		—	.	0.98	420													-	9:50	2:40	40									414
C-SHIFT	10PM-11PM		.	-	0.99	423					10:00	-		21																	199
	11PM-12AM		.	.	0.98	424					—	11:59	1:59	21																	197
PUMPS RUNNING HOURS									6:18				7:39				5:30				2:40										


SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Bhanwar Kumar	Sunil Kumar	Jaykaran	6.90 MLD				
B(02:00PM-10:00PM)	Nagendra Singh	Shivam Singh	Ravi Kumar					
C(10:00PM-06:00AM)	Om Prakash	Sangeev Kumar	Ajay Singh					



MPS Log Book for Month of 3-APRIL-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 — Kw				Pump No. RSP-02 — 11 — Kw				Pump No. RSP-03 — 22 — Kw				Pump No. RSP-04 — 22 — Kw				Pump No. RSP-05 — 45 — Kw				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		–	–	0·99	426					00:30	–	–	21																220
	01AM-02AM		–	–	0·98	429					–	–	–	21																219
	02AM-03AM		–	–	0·99	420					–	2:50	2:20	21																217
	03AM-04AM		–	–	0·98	421	3:20	–	–	22																				233
	04AM-05AM		–	–	0·99	422	–	–	–	22																				231
	05AM-06AM		–	–	0·98	419	–	5:40	2:20	22																				230
A-SHIFT	06AM-07AM		–	–	0·99	421					6:00	–	–	21																199
	07AM-08AM		–	–	0·98	420					–	–	–	21																198
	08AM-09AM		–	–	0·99	419					–	8:42	2:42	21																196
	09AM-10AM		–	–	0·98	420									9:05	–	–	40												425
	10AM-11AM		–	–	0·99	421									–	–	–	40												424
	11AM-12AM		–	–	0·98	422									–	11:56	2:45	40												423
	12PM-01PM		–	–	0·98	421	12:00	–	–	22																				222
	01PM-02PM		–	–	0·99	422	–	–		21																				219
B-SHIFT	02PM-03PM		–	–	0·98	421	–	2:56	2:56	22																				220
	03PM-04PM		–	–	0·99	423													3:10	–	–	41								399
	04PM-05PM		–	–	0·98	421													–	–	–	41								397
	05PM-06PM		–	–	0·99	422													–	5:30	2:20	41								396
	06PM-07PM		–	–	0·96	425									6:00	–	–	40												415
	07PM-08PM		–	–	0·99	422									–	–	–	40												417
	08PM-09PM		–	–	0·98	420									–	8:51	2:51	40												416
	09PM-10PM	9:28	9:36		0·99	419	9:15	–	–	22																				213
C-SHIFT	10PM-11PM		–	–	0·98	417	–	–		22																				211
	11PM-12AM		–	–	0·99	419	–	11:54	2:54	22																				206
									8:10				5:90				5:36				2:20									


PUMPS RUNNING HOURS																													
SHIFT	SHIFT INCHARGE	Name OPERATORS				Name HELPER/SWEEPERS				Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT															
A(8:00AM-02:00PM)	Shravan Kumar	Tamil Khan				Jai Kanth																							
B(2:00PM-10:00PM)	Nagendra Singh	Bhagjeer Kumar				Ravi Kumar																							
C(10:00PM-08:00AM)	Om Prakash Singh	Ajay Yadav				Ajay Singh																							



MPS Log Book for Month of APRIL-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 15 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 — 11 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 — 22 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 — 7.5 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 — 15 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	MMS
C-SHIFT	00AM-01AM		-	-	0.98	426																								
	01AM-02AM		-	-	0.99	424									1:05	-	-	41												427
	02AM-03AM		-	-	0.98	423									-	-	-	41												425
	03AM-04AM		-	-	0.99	420									-	3:55	2:50	41												423
	04AM-05AM		-	-	0.98	422					4:20	-	-	21																199
	05AM-06AM		-	-	0.99	419					-	-	-	21																191
A-SHIFT	06AM-07AM		-	-	0.98	420					-	6:40	2:20	21																195
	07AM-08AM		-	-	0.99	418													7:00	-	-	40								339
	08AM-09AM		-	-	0.98	422													-	-	-	40								397
	09AM-10AM		-	-	0.99	419													-	9:38	2:38	40								397
	10AM-11AM		-	-	0.98	422	10:5	-	-	22																				220
	11AM-12AM		-	-	0.99	424	-	-	-	22																				218
	12PM-01PM		-	-	0.98	422	-	12:50	2:45	21																				219
B-SHIFT	01PM-02PM		-	-	0.99	425					7:00	-	-	21																221
	02PM-03PM		-	-	0.98	423					-	-	-	22																223
	03PM-04PM		-	-	0.99	421					-	3:48	2:48	22																221
	04PM-05PM		-	-	0.98	420	425	-	-	22																				198
	05PM-06PM		-	-	0.99	424	-	-	-	22																				196
	06PM-07PM		-	-	0.98	421	-	-	-	22																				189
	07PM-08PM		-	-	0.99	422	-	7:55	3:50	22																				199
	08PM-09PM		-	-	0.98	425													8:00	-	-	40								433
	09PM-10PM		-	-	0.99	422													-	-	-	40								431
C-SHIFT	10PM-11PM		-	-	0.98	421													-	-	-	40								433
	11PM-12AM		-	-	0.99	419													-	11:57	3:57	40								430
PUMPS RUNNING HOURS									6:35				5:38				2:50				6:35									

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Nagendra Singh	Sunil Mistry	Jai kaurm	6.89 MLD				
B(02:00PM-10:00PM)	Shivaram Kumar	Sagar Kumar	Ajay Kumar					
C(10:00PM-06:00AM)	Om Prakash	Sunil Yadav	Ravi Kumar					




MPS Log Book for Month of 5-APRIL-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 — 11 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 — 22 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 — 22 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 — 55 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/Hr
C SHIFT	00AM-01AM		-	-	0.99	426	00.5	-	-	21																					222
	01AM-02AM		-	-	0.99	424	-	-		21																					220
	02AM-03AM		-	-	0.99	425	-	2:45	2:40	21																					219
	03AM-04AM		-	-	0.98	423					3:00	-	-	22																	199
	04AM-05AM		-	-	0.99	422					-	-	-	22																	198
	05AM-06AM		-	-	0.98	421					-			22																	196
A SHIFT	06AM-07AM		-	-	0.99	424					-	6:58	3:58	22																	199
	07AM-08AM		-	-	0.98	419									7:10	-	-	40													417
	08AM-09AM		-	-	0.99	422									-	-		40													415
	09AM-10AM		-	-	0.98	421										9:30	2:20	40													414
	10AM-11AM		-	-	0.99	419					10:00	-	-	22																	219
	11AM-12AM		-	-	0.98	420					-	-	-	21																	220
	12PM-01PM		-	-	0.99	423					-	12:35	2:35	22																	218
	01PM-02PM		-	-	0.98	425									1:05	-	-	40													435
B SHIFT	02PM-03PM		-	-	0.99	423									-	-	-	40													433
	03PM-04PM		-	-	0.98	421									-	-	-	40													431
	04PM-05PM		-	-	0.99	422									-	4:45	3:40	40													432
	05PM-06PM		-	-	0.98	420													5:10	-	-	41									399
	06PM-07PM		-	-	0.99	418													-	-	-	41									397
	07PM-08PM		-	-	0.98	419													-	7:50	2:40	41									396
	08PM-09PM		-	-	0.99	421	8:00	-	-	21																					213
	09PM-10PM		-	-	0.98	423	-	-	-	21																					215
	10PM-11PM		-	-	0.99	420	10:48	2:48	21																						214
C SHIFT	11PM-12AM		-	-	0.98	424																									
								5:12					6:33				6:00				2:40										

PUMPS RUNNING HOURS	Name	Name	Flow Totalizer, MLD	REMARKS	SIGNATURE		SIGN/REMARKS
SHIFT	SHIFT INCHARGE	OPERATORS / HELPER/SWEEPERS			SHIFT INCHARGE	PLANT MANAGER	BY CLIENT
A(06:00AM-02:00PM)	Nagamuthu Singh	Junaid Khan / Jai Kumar	6.31 MLD				
B(02:00PM-10:00PM)	Sharavan Kumar	Bagger Kumar / Ravi Kumar					
C(10:00PM-06:00AM)	Ramprakash	Amit / Ajay Singh					

5/4/2024


CHIEF ENGINEER



MPS Log Book for Month of 6-APRIL-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 — KW				Pump No. RSP-02 — 11 — KW				Pump No. RSP-03 — 22 — KW				Pump No. RSP-04 — 22 — KW				Pump No. RSP-05 — 55 — KW				Pump No. RSP-06				M3/hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	-	0.99	425	00:00	-	-	21																				199
	01AM-02AM		-	-	0.98	424	-	-	-	21																				197
	02AM-03AM		-	-	0.99	423	-	2:51	2:51	21																				195
	03AM-04AM		-	-	0.98	424					3:05	-	-	22																213
	04AM-05AM		-	-	0.99	423					-	-	-	22																215
	05AM-06AM		-	-	0.98	420					-	5:55	2:50	22																212
A-SHIFT	06AM-07AM		-	-	0.99	420	6:15	-	-	21																				198
	07AM-08AM		-	-	0.98	421	-	-	-	21																				196
	08AM-09AM		-	-	0.99	424	-	8:45	2:30	21																				193
	09AM-10AM		-	-	0.98	422									9:05	-	-	41												435
	10AM-11AM		-	-	0.99	419									-	-	-	41												434
	11AM-12AM		-	-	0.98	418									-	11:35	2:35	41												431
	12PM-01PM		-	-	0.99	419												1	12:00	-	-	41								397
	01PM-02PM		-	-	0.98	420													-	-	-	41								336
B-SHIFT	02PM-03PM		-	-	0.99	421													-	2:58	2:58	41								392
	03PM-04PM		-	-	0.98	418	3:10	-	-	21																				221
	04PM-05PM		-	-	0.99	421	-	-	-	21																				220
	05PM-06PM		-	-	0.98	422	-	5:55	2:45	22																				218
	06PM-07PM		-	-	0.99	419									6:20	-	-	40												420
	07PM-08PM		-	-	0.98	418									-	-	-	40												414
	08PM-09PM		-	-	0.99	416										8:50	2:30	40						3						412
	09PM-10PM		-	-	0.98	418					9:00	-	-	22																411
C-SHIFT	10PM-11PM		-	-	0.99	420					-	-	-	22																219
	11PM-12AM		-	-	0.98	424					-	11:52	2:52	22																217
PUMPS RUNNING HOURS								8:46					5:42				5:05				2:58									218


SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Shivaram Kumar	Sunil Khan	Jai Kishan	12777.0				
B(02:00PM-10:00PM)	Nagendra Singh	Sivan Singh	Ravi Kumar					
C(10:00PM-06:00AM)	Ram Prakash	Sonsoor Kumar	Ajay Kumar Singh					



MPS Log Book for Month of APRIL -2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 — 11 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 — 22 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 — 22 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 — 55 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/Hr
C-SHIFT	00AM-01AM		—	—	0·99	425									00:30	—	—	40													399
	01AM-02AM		—	—	0·98	423									—	—	—	40													397
	02AM-03AM		—	—	0·99	424									—	2:40	2:10	40													396
	03AM-04AM		—	—	0·98	422					3:00	—	—	21																	220
	04AM-05AM		—	—	0·99	421					—	—	—	22																	218
	05AM-06AM		—	—	0·98	419					—	5:48	2:48	22																	216
A-SHIFT	06AM-07AM		—	—	0·99	424									6:15	—	—	40													398
	07AM-08AM		—	—	0·98	422									—	—	—	40													396
	08AM-09AM		—	—	0·98	424									—	8:05	2:30	40													392
	09AM-10AM		—	—	0·99	426	9:05	—	—	21																					192
	10AM-11AM		—	—	0·98	421	—			21																					190
	11AM-12AM		—	—	0·99	424		11:45	2:40	21																					189
	12PM-01PM		—	—	0·98	422					12:00	—	—	22																	226
	01PM-02PM		—	—	0·99	421					—	—	—	21																	220
B-SHIFT	02PM-03PM		—	—	0·98	420					—	2:48	2:48	22																	218
	03PM-04PM		—	—	0·99	422													3:05	—	—	41									427
	04PM-05PM		—	—	0·98	423													—	—	—	41									426
	05PM-06PM		—	—	0·99	424													—	5:50	2:45	41									424
	06PM-07PM		—	—	0·98	425	6:10	—	—	22																					188
	07PM-08PM		—	—	0·99	426	—	—	—	22																					186
	08PM-09PM		—	—	0·98	427	—	8:40	2:30	22																					182
	09PM-10PM		—	—	0·99	424					3:00	—	—	21																	218
C-SHIFT	10PM-11PM		—	—	0·98	423					—	—	—	21																	216
	11PM-12AM		—	—	0·99	420					—	11:52	2:52	21																	214
PUMPS RUNNING HOURS									5:10				8:26				4:40				2:45										


SHIFT	Name SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Sivaram Singh	Jamil Khan	Raj Kumar	6.7 MLD				
B(02:00PM-10:00PM)	Sanuram Kumar	Shivam Singla	Jaykaran Kumar					
C(10:00PM-06:00AM)	Nagendra Singh	Sanjay Kumar	Ajay Kumar					



MPS Log Book for Month of 8/08/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 7.5kw Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 7.5kw Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 9.2kw Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 9.2kw Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 5.5kw Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	MWH
C-SHIFT	00AM-01AM		—	.	0.98	426	00:45	—	—	22																					227
	01AM-02AM		—	.	0.99	424	—	—	—	22																					224
	02AM-03AM		—	—	0.98	425	—	2:50	2:05	22																					224
	03AM-04AM		—	.	0.99	419					3:20	—	—	21																	193
	04AM-05AM		—	—	0.98	420					—	—	—	21																	191
	05AM-06AM		—	—	0.98	417					—	5:30	2:10	21																	194
A-SHIFT	06AM-07AM		—	—	0.99	416									8:15	—	—	40													398
	07AM-08AM		—	—	0.98	418									—	—	—	40													396
	08AM-09AM		—	.	0.99	420									—	8:55	2:40	40													398
	09AM-10AM		<	.	0.98	424					9:00	—	—	21																	198
	10AM-11AM		—	—	0.99	419					—	—		21																	199
	11AM-12AM		—	.	0.98	421					—	11:50	2:50	21																	199
	12PM-01PM		—	—	0.99	422	12:00	—	—	21																					197
	01PM-02PM		—	—	0.98	421	—	—	—	21																					198
B-SHIFT	02PM-03PM		—	—	0.99	422	—	2:50	2:50	21																					198
	03PM-04PM		—	—	0.98	421									3:00	—	—	41													396
	04PM-05PM		—	—	0.99	420									—	—	—	41													398
	05PM-06PM		—	—	0.98	422									—	8:06	2:26	41													398
	06PM-07PM		—	—	0.98	421					6:10	—	—	21																	197
	07PM-08PM		—	—	0.99	424					—	—	—	22																	199
	08PM-09PM		—	—	0.98	422					—	8:30	2:20	21																	192
	09PM-10PM		—	—	0.99	421													9:05	—	—	41									428
C-SHIFT	10PM-11PM		—	—	0.98	424													—	—	—	41									426
	11PM-12AM		—	—	0.99	426													—	11:25	2:80	41									427
PUMPS RUNNING HOURS									4:55				7:20				5:06				2:20										


SHIFT	SHIFT INCHARGE	Name OPERATORS	# Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Chinnaswamy Kumar	Tamil Kumar	Ravi Kumar	670MLD				
B(02:00PM-10:00PM)	Nagendrababu	Sriyeer Kumar	Taj Karm					
C(10:00PM-06:00AM)	Sriram Singh	Sriram T	Srinageer					



MPS Log Book for Month of 4/April/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 11 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 22 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 22 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 55 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/Hr
C-SHIFT	00AM-01AM		—	—	0·99	420	00:10	—	—	21																					193
	01AM-02AM		—	—	0·98	422	—	—	—	21																					192
	02AM-03AM		—	—	0·99	426	—	2:55	2:45	21																					196
	03AM-04AM		—	—	0·98	424					3:35	—	—	22																	224
	04AM-05AM		—	—	0·99	425					—	—	—	22																	228
	05AM-06AM		—	—	0·98	421					—	5:20	2:15	22																	226
A-SHIFT	06AM-07AM		—	—	0·99	422									6:00	—	—	41													435
	07AM-08AM		—	—	0·98	424									—	—	—	41													436
	08AM-09AM		—	—	0·99	426									—	8:20	2:20	41													434
	09AM-10AM		—	—	0·99	426													09:00	—	—	41									418
	10AM-11AM		—	—	0·98	426													—	—	—	41									416
	11AM-12AM		—	—	0·98	424													—	11:55	2:55	41									416
	12PM-01PM		—	—	0·98	426	12:05	—	—	21																					188
	01PM-02PM		—	—	0·98	425	—	—	—	21																					188
B-SHIFT	02PM-03PM		—	—	0·98	425	—	2:50	2:45	21																					186
	03PM-04PM		—	—	0·98	424					3:05	—	—	21																	221
	04PM-05PM		—	—	0·99	425					—	—	—	21																	220
	05PM-06PM		—	—	0·99	425					—	8:35	2:30	21																	220
	06PM-07PM		—	—	0·98	422									6:35	—	—	40													396
	07PM-08PM		—	—	0·99	421									—	—	—	40													392
	08PM-09PM		—	—	0·98	424									—	8:30	2:25	41	—												398
	09PM-10PM		—	—	0·99	426	09:00	—	—	21																					182
C-SHIFT	10PM-11PM		—	—	0·98	425	—	—	—	21																					184
	11PM-12AM		—	—	0·99	424	—	11:26	2:26	21																					186
									7:56				4:45				4:45				8:55										


PUMPS RUNNING HOURS		Name	Name	Flow Totalizer, MLD	REMARKS	SIGNATURE		SIGN/REMARKS
SHIFT	SHIFT INCHARGE	OPERATORS	HELPER/SWEEPERS			SHIFT INCHARGE	PLANT MANAGER	BY CLIENT
A(06:00AM-02:00PM)	Nagendra Singh	Samsen Kumar	Jai Karan	6.77 MLD				
B(02:00PM-10:00PM)	Sriram Singh	Amal Kumar	Rani Kumar					
C(10:00PM-06:00AM)	Shyamaram Kumar	Sriram Singh	Ajay Kumar					



MPS Log Book for Month of 10/APRIL/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 11 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 22 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 22 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 55 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	MWH
C-SHIFT	00AM-01AM		-	-	0.99	420	00:20	-	-	22																					188
	01AM-02AM		-		0.98	421	-	-	-	22																					192
	02AM-03AM		-	-	0.99	422	-	2:45	2:25	22																					194
	03AM-04AM		-		0.98	424					5:15	-	-	21																	225
	04AM-05AM		-	-	0.99	419					-	-	-	21																	225
	05AM-06AM		-		0.99	425					-	5:50	2:35	21																	218
	06AM-07AM		-	-	0.98	422									6:25	-	-	40													424
	07AM-08AM		-		0.99	423									-	-	-	40													420
	08AM-09AM		-	-	0.98	418									-	8:55	2:30	40													428
A-SHIFT	09AM-10AM		-	-	0.98	422													9:05	-	-	41									401
	10AM-11AM		-	-	0.98	423													-	-	-	41									400
	11AM-12AM		11:30	-	0.99	423													-	11:50	02:95	41									398
	12PM-01PM		-	12:10	0.98	423	12:10	-	-	22																					198
	01PM-02PM		-	-	0.98	421	-	-	-	22																					197
	02PM-03PM		-		0.98	423	-	-	-	22																					198
B-SHIFT	03PM-04PM		-	-	0.99	423	-	3:50	3:40	22																					197
	04PM-05PM		-	-	0.99	425					4:55	-	-	21																	225
	05PM-06PM		-		0.98	425					-	-	-	21																	224
	06PM-07PM		-	-	0.99	420					-	6:55	2:00	21																	221
	07PM-08PM		7:05	-	0.98	430									7:20	-	-	40													420
	08PM-09PM		-	8:30	0.99	421									-	-	-	40													416
	09PM-10PM		-	-	0.98	418										9:40	2:20	40													412
C-SHIFT	10PM-11PM		-	-	0.99	419	10:00	-	-	21																					211
	11PM-12AM		-		0.98	420	-	11:59	11:59	21																					210
PUMPS RUNNING HOURS									8:04				4:35				4:50				2:45										


SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Nagendra	Sanjay Kumar	Jai Karam	6.84 MLD				
B(02:00PM-10:00PM)	Sriram Singh II	Sriram Singh	Ravi Kumar					
C(10:00PM-06:00AM)	Sriram	Anil Yadav	Ajay Kumar					



MPS Log Book for Month of 11/APRIL/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 11 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 22 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 22 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 55 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/Hr
C-SHIFT	00AM-01AM		-	-	0.99	426	00:40	-	-	21																					221
	01AM-02AM		-	-	0.98	427	-	-	-	21																					220
	02AM-03AM		-	-	0.99	428	-	2:55	2:15	21																					218
	03AM-04AM		-	-	0.98	430					3:20	-	-	22																	192
	04AM-05AM		-	-	0.99	428					-	-	-	22																	190
	05AM-06AM		-	-	0.98	425					-	-	-	22																	188
A-SHIFT	06AM-07AM		-	-	0.99	424					-	6:40	3:20	22																	186
	07AM-08AM		-	-	0.98	421									7:05	-	-	40													414
	08AM-09AM		-	-	0.99	420									-	-	-	40													411
	09AM-10AM		-	-	0.98	422									-	5:35	2:30	40													408
	10AM-11AM		-	-	0.99	421	10:00	-	-	21																					216
	11AM-12AM		-	-	0.98	420	-	-	-	21																					210
	12PM-01PM		-	-	0.99	422	-	12:45	2:45	21																					209
	01PM-02PM		-	-	0.98	424					1:10	-	-	22																	130
B-SHIFT	02PM-03PM		-	-	0.99	425					-	-	-	22																	188
	03PM-04PM		-	-	0.98	426					-	-	-	22																	186
	04PM-05PM		-	-	0.99	427					-	4:35	3:25	22																	180
	05PM-06PM		-	-	0.98	421									5:10	-	-	40													419
	06PM-07PM		-	-	0.99	420									-	-	-	41													418
	07PM-08PM		-	-	0.98	418									-	7:50	2:20	41													412
	08PM-09PM		-	-	0.99	422													8:05	-	-	41									398
	09PM-10PM		-	-	0.98	421													-	-	-	41									392
	10PM-11PM		-	-	0.99	420													-	10:15	2:10	41									391
C-SHIFT	11PM-12AM		-	-	0.98	422	11:00	11:45	00:45	21																					201
PUMPS RUNNING HOURS			-	-				5:45					6:50				4:50				2:10										


SHIFT	Name SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(08:00AM-02:00PM)	Nagendra Singh	Sharwan Singh	Ravi Kumar	665 MLD				
B(02:00PM-10:00PM)	Sharwan	Anil yadav	Jai Karan Kumar					
C(10:00PM-06:00AM)	Biram Singh	Sanjeev Kumar	Ajay Kumar Singh			Sahyogi		



MPS Log Book for Month of 12/APRIL/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11KW				Pump No. RSP-02 11KW				Pump No. RSP-03 22KW				Pump No. RSP-04 22KW				Pump No. RSP-05 5.5Kw				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		—	-	0·98	421	00:25	-	-	21																				221
	01AM-02AM		—	-	0·99	418	-	-	-	21																				220
	02AM-03AM		—	-	0·98	420	-	2:25	2:00	21																				218
	03AM-04AM		—	-	0·99	422					3:00	-	-	22																196
	04AM-05AM		-	-	0·98	416					-	-	-	22																192
	05AM-06AM			-	0·99	418					-	5:10	2:10	22																188
A-SHIFT	06AM-07AM		—	-	0·98	420									6:15	-	-	40												201
	07AM-08AM		—	-	0·99	421									-	-	-	40												200
	08AM-09AM		—	-	0·98	422									-	8:45	2:30	41												208
	09AM-10AM		—	-	0·99	420	9:05	-	-	22																				226
	10AM-11AM		—	-	0·98	421	-	-	-	21																				228
	11AM-12AM		—	-	0·99	423	-	11:55	2:50	21																				221
	12PM-01PM		—	-	0·98	421					12:10	—	-	22																196
	01PM-02PM		—	-	0·99	422					-	-	-	22																192
B-SHIFT	02PM-03PM		—	-	0·99	421					-	2:50	2:40	22																130
	03PM-04PM		—	-	0·98	421									03:05	-	-	41												425
	04PM-05PM		—	-	0·99	422									-	-	2.5	41												420
	05PM-06PM		—	-	0·98	420									-	5:25	2:20	41												421
	06PM-07PM	6:00			0·99	424	6:05	-	-	22																				226
	07PM-08PM		—	7:12	0·98	416	-	-	-	22																				224
	08PM-09PM		-	-	0·99	418	-	8:55	2:50	22																				234
	09PM-10PM		-	-	0·98	420																	9:15	-	-	40					992
C-SHIFT	10PM-11PM		-	-	0·99	422																	-	-	-	40					338
	11PM-12AM		-	-	0·97	412																	-	11.45	2:30	40					836
PUMPS RUNNING HOURS									7:40				5:20				4:50				2:30									


SHIFT	SHIFT INCHARGE	OPERATORS	HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE: SHIFT INCHARGE	SIGNATURE: PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(05:00AM-02:00PM)	Shravan Kumar	Shivam Singh	Ravi kumar	6.83 MLD				
B(02:00PM-10:00PM)	Hajendra Singh	Amit Yadav	Jaikaran kumar					
C(10:00PM-06:00AM)	Om Prakash	Sanjeev kumar	Sanjeev kumar					



MPS Log Book for Month of 13/APRIL/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 11 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 22 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 22 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 55 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/Hr
C-SHIFT	00AM-01AM		-	-	0.99	412	6:05	-	-	22																					218
	01AM-02AM		-	-	0.98	424	-	-	-	22																					212
	02AM-03AM		-	-	0.99	418	-	2:45	2:40	22																					224
	03AM-04AM		-	-	0.99	420								3:15	3:15	-	-	40													420
	04AM-05AM		-	-	0.98	421									-	-	-	40													416
	05AM-06AM		-	-	0.99	421									-	5:50	2:35	40													424
A-SHIFT	06AM-07AM		-	-	0.98	418					6:25	-	-	21																	192
	07AM-08AM		-	-	0.99	421					-	-	-	21																	191
	08AM-09AM		-	-	0.98	422					-	8:40	2:15	21																	192
	09AM-10AM		-	-	0.99	423	9:10	-	-	22																					232
	10AM-11AM		-	-	0.98	416	-	-	-	22																					198
	11AM-12AM		11:50		0.99	418	-	11:50	2:40	22																					196
	12PM-01PM			12:25	0.98	421					12:00	-	-	21																	192
	01PM-02PM		-	-	0.99	420					-	-	-	21																	195
B-SHIFT	02PM-03PM		-	-	0.98	421					-	2:50	2:50	21																	196
	03PM-04PM		-	-	0.99	422	3:00	-	-	21																					195
	04PM-05PM		-	-	0.99	423	-	-	-	21																					208
	05PM-06PM		-	-	0.98	420	-	5:30	2:30	21																					205
	06PM-07PM		-	-	0.99	424									6:05	-	-	41													407
	07PM-08PM		-	-	0.98	421									-	-	-	41													432
	08PM-09PM		-	-	0.99	422									-	8:50	2:45	41													424
	09PM-10PM		-	-	0.98	418					9:15	-	-	22																	214
C-SHIFT	10PM-11PM		-	-	0.99	416					-	-	-	22																	192
	11PM-12AM		-	-	0.98	421					-	11:55	2:40	22																	197
PUMPS RUNNING HOURS									7:50				745				5:50														


SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Bhaskar Kumar	Anil Yadav	Jayllaman	6:17 MLD				
B(02:00PM-10:00PM)	Nagendra Singh	Sagar Kumar	Ravi Kumar					
C(10:00PM-06:00AM)	Om Prakash	Shivam Singh	Ajay Singh					



MPS Log Book for Month of 1A/APRIL/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 11 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 22 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 22 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 55 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/hr
C-SHIFT	00AM-01AM		—	—	0.98	421	00:25	—	—	21																					218
	01AM-02AM		—	—	0.99	422	—	—	—	21																					220
	02AM-03AM		—	—	0.98	426	—	2:50	2:25	21																					219
	03AM-04AM		—	—	0.99	424					3:15	—	—	21																	219
	04AM-05AM		—	—	0.98	420					—	—	—	21																	210
	05AM-06AM		—	—	0.99	421					—	5:55	2:40	21																	221
A-SHIFT	06AM-07AM		—	—	0.98	420									6:00	—	—	41													420
	07AM-08AM		—	—	0.99	421									—	—		41													410
	08AM-09AM		—	—	0.98	422									—	8:55	2:55	41													425
	09AM-10AM		—	—	0.99	421	9:00	—	—	21																					221
	10AM-11AM		—	—	0.98	422				21																					220
	11AM-12AM		—	—	0.99	421	—	11:55	2:55	21																					221
	12PM-01PM		—	—	0.98	425					12:00	—	—	21																	218
	01PM-02PM		—	—	0.99	420					—	—	—	21																	217
B-SHIFT	02PM-03PM		—	—	0.98	421					—	2:45	2:45	21																	215
	03PM-04PM		—	—	0.98	422													3:10	—	—	40									399
	04PM-05PM		—	—	0.99	419													—	—	—	40									398
	05PM-06PM		—	—	0.98	420													—	5:45	2:30	40									396
	06PM-07PM		—	—	0.99	418									6:00	—	—	41													417
	07PM-08PM		—	—	0.98	415									—	—	—	41													425
	08PM-09PM		—	—	0.99	421									—	8:55	2:55	41													423
	09PM-10PM		—	—	0.98	423					9:15	—	—	21																	214
C-SHIFT	10PM-11PM		—	—	0.99	421					—			21																	212
	11PM-12AM		—	—	0.98	422					—	11:55	2:40	21																	210
PUMPS RUNNING HOURS								5:15					8:08				5:46				2:30										


SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Sharavanakumar	Sohail Khan	Ravi Kumar	6.99 MLD				
B(02:00PM-10:00PM)	Nagendrasingh	Anilkolar	Jaykaran					
C(10:00PM-06:00AM)	Arun Prakash	Sagar Kumar	Ajaykumarsingh					



MPS Log Book for Month of 15/APRIL/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 11-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 22-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 22-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 55-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/Hr
A SHIFT	00AM-01AM		-	-	0.99	421									00:10	-	-	40													399
	01AM-02AM		-	-	0.98	422									-	-	-	40													396
	02AM-03AM		-	-	0.99	424									-	2:50	2:40	40													394
	03AM-04AM		-	-	0.98	420	3:20	-	-	21																					199
	04AM-05AM		-	-	0.99	423	-	-	-	21																					196
	05AM-06AM		-	-	0.98	424	-	5:40	2:20	21																					194
B SHIFT	06AM-07AM		-	-	0.99	425					6:00	-	-	22																	233
	07AM-08AM		-	-	0.98	423					-	-	-	22																	230
	08AM-09AM		-	-	0.99	420					-	8:56	2:56	22																	229
	09AM-10AM		-	-	0.98	422	9:00	-	-	21																					206
	10AM-11AM		-	-	0.99	421	-			21																					205
	11AM-12AM		-	-	0.98	422	-	11:56	2:56	21																					207
	12PM-01PM		-	-	0.99	421					12:44	-	-	21																	208
	01PM-02PM		-	-	0.99	421					-	-	-	21																	206
C SHIFT	02PM-03PM		-	-	0.98	421					-	2:56	2:56	21																	208
	03PM-04PM		-	-	0.98	423									3:00	-	-	40													399
	04PM-05PM		-	-	0.99	422									-	-	-	40													398
	05PM-06PM		-	-	0.99	422									-	5:45	2:45	40													397
	06PM-07PM		-	-	0.98	424	6:15	-	-	22																					221
	07PM-08PM		-	-	0.99	421	-	-	-	22																					223
	08PM-09PM		-	-	0.98	422	-	8:45	2:30	22																					232
	09PM-10PM		-	-	0.99	420													9:00	-	-	41									432
	10PM-11PM		-	-	0.99	421													-	-	-	41									426
	11PM-12AM		-	-	0.99	414			7:40				5:46				5:25		-	11:50	2:50	41									427
PUMPS RUNNING HOURS																															


SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(02:00AM-02:00PM)	Nagendra	Sunil Khot	Jaikaran	6:66 MLD				
B(01:00PM-10:00PM)	Shivakumar	Amit Kumar	Ravi Kumar					
C(09:00PM-06:00AM)	Dhanasekar	Sanjeev Kumar	Ajay Kumar					



MPS Log Book for Month of 16-APRIL-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 11-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 22-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 22-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 55-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/Hr
C-SHIFT	00AM-01AM		—	-	0.98	416	00:15	—	-	21																					199
	01AM-02AM		—	-	0.99	415	-	-	-	21																					197
	02AM-03AM		—	-	0.98	420	-	2:50	2:35	21																					196
	03AM-04AM		—	-	0.98	421									3:05	-	-	41													417
	04AM-05AM		—	-	0.99	422									-	-	-	41													415
	05AM-06AM		-	-	0.98	424									-	5:55	2:50	41													413
A-SHIFT	06AM-07AM		—	-	0.99	423					6:40	-	-	22																	230
	07AM-08AM		—	-	0.98	420					-	-	-	22																	232
	08AM-09AM		8:27	8:37	0.99	423					-	8:40	2:10	22																	233
	09AM-10AM		-	-	0.98	421									9:00	-	-	41													427
	10AM-11AM		10:7	—	0.99	422									-	-	-	41													425
	11AM-12AM		-	-	0.98	421									-	11:50	2:50	41													424
	12PM-01PM		-	-	0.99	422	12:00	-	-	21																					219
	01PM-02PM		-	-	0.98	421	-	-	-	21																					218
B-SHIFT	02PM-03PM		-	-	0.98	421	-	-	-	21																					216
	03PM-04PM		-	3:32	0.98	422		3:55	3:55	21																					218
	04PM-05PM		—	-	0.99	425													4:05	-	-	40									398
	05PM-06PM		-	-	0.98	422													-	-	-	40									399
	06PM-07PM		-	-	0.99	424													-	6:45	2:40	40									396
	07PM-08PM		-	-	0.98	423					7:00	-	-	22																	228
	08PM-09PM		-	-	0.99	424					-	-	-	22																	224
	09PM-10PM		—	-	0.98	420					-	9:59	2:59	22																	227
C-SHIFT	10PM-11PM		-	-	0.99	422	10:20	-	-	21																					200
	11PM-12AM		-	-	0.98	425	-	11:50	1:30	21																					201
PUMPS RUNNING HOURS									8:40				5:29				5:40				2:40									


SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(05:00AM-02:00PM)	Shivaram Kumar	Jaipal Rao	Jay Karan	6.94 MLD				
B(02:00PM-10:00PM)	Nagendra	Sanjay Kumar	Ajay Singh					
C(10:00PM-06:00AM)	Ramalingam	Krishnan	Ravi Kumar					



MPS Log Book for Month of 17-APRIL-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 — 11 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 — 22 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 — 22 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/Hr
	00AM-01AM		-	-	0.99	425									00:00	-	-	41													430
	01AM-02AM		-	-	0.96	424									-	-	-	41													431
	02AM-03AM		-	-	0.99	426									-	2:50	2:30	41													429
	03AM-04AM		-	-	0.98	423					3:04	-	-	22																	226
	04AM-05AM		-	-	0.99	422					-	-	-	22																	226
	05AM-06AM		-	-	0.98	423					-	5:43	2:39	22																	229
	06AM-07AM		-	-	0.99	421	6:01	-	-	21																					201
	07AM-08AM		-	-	0.98	419	-	-		21																					200
	08AM-09AM		-	-	0.99	421	-	8:53	2:52	21																					199
	09AM-10AM		-	-	0.98	419													9:10	-	-	40									399
	10AM-11AM		-	-	0.99	420													-	-		40									395
	11AM-12AM		11:38	11:52	0.98	421													-	11:50	2:40	40									396
	12PM-01PM		-	-	0.99	422	12:00	-	-	21																					220
	01PM-02PM		-	-	0.98	421	-	-		21																					218
	02PM-03PM		-	-	0.99	422	-	2:46	2:46	21																					219
	03PM-04PM		-	-	0.98	420									3:05	-	-	41													427
	04PM-05PM		4:52		0.99	421									-	-	-	41													425
	05PM-06PM		-	5:02	0.98	422									-	5:30	2:25	41													423
	06PM-07PM		6:13	6:22	0.99	425					6:00	-	-	22																	214
	07PM-08PM		-	-	0.98	423					-	-	-	22																	215
	08PM-09PM		-	-	0.99	419					-	8:47	2:47	22																	213
	09PM-10PM		-	-	0.98	421	9:04	-	-	22																					199
	10PM-11PM		-	-	0.99	423	-	-	-	21																					198
	11PM-12AM		-	-	0.98	424	-	11:56	2:54	21			5:27																		195
									8:32				5:30				4:55				2:40										


PUMPS RUNNING HOURS	Name	Name	Flow Totalizer, MLD	REMARKS	SIGNATURE		SIGN/REMARKS
SHIFT	OPERATORS	HELPER/SWEEPERS			SHIFT INCHARGE	PLANT MANAGER	BY CLIENT
A(6AM-02:00PM)	Shivakant Kumar / Tanvir Khan	Jay Karan	9735 MLD				
B(2PM-10:00PM)	Nagendra Singh / Sagar Kumar	Ravi Kumar					
C(10PM-06:00AM)	Om prakash / Anil Yadav	Ajay Singh					



MPS Log Book for Month of 18-APRIL-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 — KW				Pump No. RSP-02 — 11 — KW —				Pump No. RSP-03 — 22 — KW —				Pump No. RSP-04 — 22 — KW —				Pump No. RSP-05 — 55 — KW				Pump No. RSP-06				M3/hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	-																										
	01AM-02AM		1:25	-	0.98	426					1:02	-	-	22																239
	02AM-03AM		-	3:07	0.99	423					-	-	-	22																227
	03AM-04AM		-	-	0.98	425					-	3:54	2:53	22																225
	04AM-05AM		4:47	4:52	0.99	422	4:00	-	-	21																				199
	05AM-06AM		-	-	0.98	420	-	-	-	21																				198
A-SHIFT	06AM-07AM		-	-	0.99	419	-	6:47	2:47	21																				194
	07AM-08AM		-	-	0.98	421									7:05	-	-	40												403
	08AM-09AM		-	-	0.99	423									-	-	-	40												401
	09AM-10AM		-	-	0.98	421									-	9:57	2:52	40												398
	10AM-11AM		10:7	10:19	0.99	423	10:15	-	-	21																				219
	11AM-12AM		-	-	0.98	422	-	-	-	21																				218
	12PM-01PM		-	-	0.99	421	-	12:58	2:38	21																				216
	01PM-02PM		-	-	0.98	422					1:00	-	-	21																199
B-SHIFT	02PM-03PM		02:42	-	0.99	421					-	-	-	21																118
	03PM-04PM		03:12	03:01	0.98	422					-	3:50	2:50	21																216
	04PM-05PM		-	-	0.99	421	4:00	-	-	21																				218
	05PM-06PM		-	-	0.98	422	-	-	-	21																				217
	06PM-07PM		-	6:03	0.99	419	-	6:49	2:49	21																				216
	07PM-08PM		7:23	7:50	0.98	418					7:05	-	-	22																200
	08PM-09PM		-	-	0.99	421					-			22																198
	09PM-10PM		-	-	0.98	423					-	9:57	2:52	22																199
C-SHIFT	10PM-11PM		-	-	0.99	420									10:10	-	-	40												399
	11PM-12AM		-	-	0.98	424										11:54	1:44	40												396
PUMPS RUNNING HOURS									8:11				8:35				4:36													


SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Amarnath Kumar	Sunil Yadav	Ajay Singh.	5.60 MLD.	Dirt filter is not working			
B(02:00PM-10:00PM)	Nagendra Singh	Sunil Yadav	Sanjeev Kumar		A:00			
C(10:00PM-06:00AM)	Dipak Kotak	Sanjeev Kumar	Jaykumar.					



MPS Log Book for Month of 19-APRIL-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 — KW				Pump No. RSP-02 — 11 — KW				Pump No. RSP-03 — 22 — KW				Pump No. RSP-04 — 22 — KW				Pump No. RSP-05 — 55 — KW				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C SHIFT	00AM-01AM		-	-	0.99	428									06:30	-	-	40													
	01AM-02AM		-	-	0.98	421									-			40													399
	02AM-03AM		-	-	0.99	422									-	2:50	2:20	40													396
	03AM-04AM		-	-	0.98	420	3:00	-	-	21																					398
	04AM-05AM		-	-	0.99	419	-	-		21																					198
	05AM-06AM		-	-	0.98	421	-	5:43	2:43	21																					196
A SHIFT	06AM-07AM		-	-	0.99	424					6:10	-	-	22																	194
	07AM-08AM		-	-	0.98	425				-	-			22																	228
	08AM-09AM		-	-	0.99	423					-	8:56	2:46	22																	226
	09AM-10AM		-	-	0.98	422	9:00	-	-	21																					229
	10AM-11AM		-	-	0.99	420	-	-	-	21																					197
	11AM-12AM		-	-	0.98	419	-	11:37	2:37	21																					195
B SHIFT	12PM-01PM		-	-	0.99	422					12:00	-	-	21																	190
	01PM-02PM		1:07	1:38	0.98	421					-	-	-	21																	218
	02PM-03PM		-	-	0.98	422					-	2:50	2:50	21																	217
	03PM-04PM		3:15	3:23	0.99	421									5:00	-	-	40													216
	04PM-05PM		-	-	0.98	422									-	-	-	40													402
	05PM-06PM		-	-	0.99	420									-	5:50	2:50	40													~~318~~
	06PM-07PM		-	-	0.98	421													6:00	-	-	41									317
	07PM-08PM		-	-	0.99	420													-			41									418
	08PM-09PM		-	-	0.98	419													-	8:53	2:53	41									416
	09PM-10PM		-	-	0.99	418	9:10	-		21																					414
C SHIFT	10PM-11PM		-	-	0.98	417	-	-		21																					196
	11PM-12AM		-	-	0.99	422	-	11:50	2:40	21																					191
PUMPS RUNNING HOURS									8:00				5:36				5:10				2:53										187


SHIFT	Name	Name	Flow Totalizer, MLD	REMARKS	SIGNATURE		SIGN/REMARKS
	SHIFT INCHARGE	OPERATORS	HELPER/SWEEPERS			SHIFT INCHARGE	PLANT MANAGER	BY CLIENT
A(6:00AM-02:00PM)	Shankar Kumar Sinha	Sunil Khan	Amit Kumar	6.55 MLD	Bo 19/4/2024			
B(02:00PM-10:00PM)	Hagendra Singh	Jagdeep Yadav	Ajay Singh					
C(10:00PM-06:00AM)	Bhim Singh		Dayanand			Shivam Singh		



MPS Log Book for Month of 20-APRIL-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 — KW				Pump No. RSP-02 — 11 KW				Pump No. RSP-03 — 22 — KW				Pump No. RSP-04 — 22 KW				Pump No. RSP-05 — 55 — KW				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM				0.99	426	00:00	–	–	22																				206
	01AM-02AM				0.98	427	–	–	–	22																				208
	02AM-03AM				0.99	425	–	2:45	2:45	22																				200
	03AM-04AM				0.98	423					0:05	–	–	21																198
	04AM-05AM				0.99	420					–	–	–	21																194
	05AM-06AM				0.96	419					–	5:55	2:50	21																188
	06AM-07AM				0.99	422									6:10	–	–	41												399
	07AM-08AM				0.98	421									–	7:40	11:40	41												397
A-SHIFT	08AM-09AM				0.99	423	8:00	–	–	22																				208
	09AM-10AM				0.98	420	–	–		22																				218
	10AM-11AM				0.99	424	–	10:30	2:30	22																				231
	11AM-12AM		1		0.98	422													11:00	–	–	40								413
	12PM-01PM		12:45	12:49	0.99	421													–	–	–	40								452
	01PM-02PM		01:35	01:45	0.96	422													–	01:35	01:45	40								389
B-SHIFT	02PM-03PM				0.99	423	2:00	–	–	22																				215
	03PM-04PM				0.98	421	–	–	–	22																				207
	04PM-05PM				0.99	424	–	5:30	2:30	22																				207
	05PM-06PM				0.98	420					05:06	–	–	21																207
	06PM-07PM				0.97	422					–	–	–	21																172
	07PM-08PM				0.98	420					–	–	–	21																229
	08PM-09PM				0.99	423					–	8:35	3:29	21																226
	09PM-10PM				0.98	419									9:00	–	–	41												414
C-SHIFT	10PM-11PM				0.93	422									–	–		41												395
	11PM-12AM				0.98	425									–	11:52	2:52	41												390
PUMPS RUNNING HOURS									7:46				6:19				4:32				2:35									386


SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Bhagwandhumar	Sonu Khan	Ravi Kumar	6.34MLD				
B(02:00PM-10:00PM)	Nagendra Singh	Sanjeev Kumar	Vijay Singh					
C(10:00PM-06:00AM)	Sitram Singh	Amid Sheikh	Jaik Khan					



MPS Log Book for Month of 21APRIL-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 — 11 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 — 22 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 — 22 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 — 55 — KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/Hr
C-SHIFT	00AM-01AM				0.99	426					00:10	-	-	22																	217
	01AM-02AM				0.98	424					-	-	-	22																	214
	02AM-03AM				0.99	425					-	2:50	2:40	22																	208
	03AM-04AM				0.98	422	3:00	-	-	21																					203
	04AM-05AM				0.99	423	-	-	-	21																					200
	05AM-06AM				0.98	421	-	5:50	2:50	21																					198
A-SHIFT	06AM-07AM				0.99	420					6:03	-	-	22																	207
	07AM-08AM				0.98	422					-	-	-	22																	199
	08AM-09AM				0.99	424					-	8:30	2:28	22																	188
	09AM-10AM				0.98	419	9:02	-	-	21																					217
	10AM-11AM				0.99	420		10:40	1:38	21																					234
	11AM-12AM				0.98	421									11:02	-	-	41													436
	12PM-01PM				0.99	422									-	-	-	41													408
	01PM-02PM				0.98	424									-	1:42	2:40	41													408
B-SHIFT	02PM-03PM				0.99	421					2:00	-	-	22																	209
	03PM-04PM				0.98	423					-	-	-	22																	209
	04PM-05PM				0.99	425					-	4:30	2:30	22																	213
	05PM-06PM				0.98	421	5:00	-	-	21																					205
	06PM-07PM				0.99	419	-	-	-	21																					184
	07PM-08PM				0.98	421	-	7:30	2:30	21																					190
	08PM-09PM				0.99	424													8:00	-	-	40									406
	09PM-10PM				0.98	425													-	-	-	40									400
C-SHIFT	10PM-11PM				0.99	423													-	-	-	40									396
	11PM-12AM				0.98	422													-	11:53	3:53	40									389


PUMPS RUNNING HOURS																														
SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Shaleem Khan	Jamil Khan	Ravi Kumar	633 MLD	ST 20 21/4/24			
B(02:00PM-10:00PM)	Nagendra Singh	Sanjeev Kumar	Jaikaran					
C(10:00PM-06:00AM)	Sriram Singh		Ajay Singh					



MPS Log Book for Month of 22-APRIL-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 — KW				Pump No. RSP-02 — 11 — KW				Pump No. RSP-03 — 9.3 — KW				Pump No. RSP-04 — 9.3 — KW				Pump No. RSP-05 — 55 — KW				Pump No. RSP-06				MW
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM				0.98	421					00:5	-	-	22																233
	01AM-02AM				0.98	425					-	-		22																224
	02AM-03AM				0.99	426					-	2:55	2:50	22																218
	03AM-04AM				0.98	424									3:00	-	-	40												427
	04AM-05AM				0.99	422									-	-	-	40												421
	05AM-06AM				0.98	421									-	5:58	2:58	40												417
A-SHIFT	06AM-07AM				099	419	6:20	-	-	21																				219
	07AM-08AM				0.98	423	-	-	-	21																				205
	08AM-09AM				0.99	421	-	8:40	2:20	21																				197
	09AM-10AM				0.98	424					9:01	-	-	22																227
	10AM-11AM				0.99	222					-	-	-	22																238
	11AM-12AM				0.98	223					-	11:52	2:51	22																230
	12PM-01PM				0.99	222									12:15	-	-	40												425
	01PM-02PM				0.98	220									-	-	-	40												420
B-SHIFT	02PM-03PM				0.99	221									-	2:55	2:45	40												406
	03PM-04PM				0.98	220	3:05	-	-	21																				214
	04PM-05PM				0.99	419	-	-	-	21																				209
	05PM-06PM				098	418	-	5:55	2:45	21																				205
	06PM-07PM				0.99	420					6:04	-	-	22																225
	07PM-08PM				0.98	423					-	-	-	22																221
	08PM-09PM				099	420					-	8:55	2:51	22																218
	09PM-10PM				0.98	422	9:10	-	-	21																				199
C-SHIFT	10PM-11PM				0.99	424	-	-	-	21																				190
	11PM-12AM				0.98	423	-	11:45	2:35	21																				186
PUMPS RUNNING HOURS									7:40			8:39					5:43													

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Nagendra Singh	Sunil Kumar	Ravi Kumar	238 MLD				
B(02:00PM-10:00PM)	Shrawan Kumar	Sunil Yadav	Jai Karan					
C(10:00PM-06:00AM)	Shivam Singh	Sanjay Kumar	Ajay				Shivam Singh	



MPS Log Book for Month of 23-APRIL-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 — KW				Pump No. RSP-02 — 11 — KW				Pump No. RSP-03 — 22 — KW				Pump No. RSP-04 — 22 — KW				Pump No. RSP-05 — 55 — KW				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM				0.99	426									00:0	—	—	40													418
	01AM-02AM				0.98	424									—	—	—	40													414
	02AM-03AM				0.99	422									—	2:46	2:16	40													407
	03AM-04AM				0.98	425					3:00	—	—	22																	215
	04AM-05AM				0.99	421					—	—	—	22																	208
	05AM-06AM				0.98	423					—	5:53	2:53	22																	201
A-SHIFT	06AM-07AM				0.99	419	6:05	—	—	21																					199
	07AM-08AM				0.98	421	—	—		21																					195
	08AM-09AM				0.99	423	—	8:57	2:52	21																					187
	09AM-10AM				0.98	424					9:10	—	—	22																	225
	10AM-11AM				0.99	422					—	—	—	22																	220
	11AM-12AM				0.98	420					—	11:58	2:48	22																	198
	12PM-01PM				0.98	421	12:00	—	—	21																					220
	01PM-02PM				0.99	422	—	—	—	21																					218
B-SHIFT	02PM-03PM				0.98	421	—	2:52	2:52	21																					214
	03PM-04PM				0.99	422									3:10	—	—	40													427
	04PM-05PM				0.98	421									—	—	—	40													421
	05PM-06PM				0.99	423									—	5:45	2:35	40													417
	06PM-07PM				0.98	421	6:00	—	—	21																					227
	07PM-08PM				0.99	419	—	—	—	21																					220
	08PM-09PM				0.98	418	—	8:49	2:49	21																					217
	09PM-10PM				0.99	420					9:20	—	—	22																	209
C-SHIFT	10PM-11PM				0.98	424					—	—	—	22																	199
	11PM-12AM				0.99	425					—	11:59	2:49	22																	186
PUMPS RUNNING HOURS									8:33				8:22				4:51														

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Dhananjai Kumar	Jamil Khan	Ravi Kumar	5247	6.25 MLD			
B(02:00PM-10:00PM)	Nagendra Singh	Alok	Jaikaran	23/11/24				
C(10:00PM-06:00AM)	Shivam Singh	Sangram Kumar	Aggy Singh					

CHEMECO ENGINEERS KANPUR

8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 01/APRIL/2024

समय	क्लोरीन पंप नं.-1						क्लोरीन पंप नं.-2				हस्ताक्षर
	बिद्युत आने का समय	बिद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	
01:00			00:21	-	-	0.8					
02:00			-	-	-	0.8					
03:00			-	2:51	2:30	0.8					Shivam Singh
04:00							3:10	-	-	0.8	
05:00							-	-	-	0.8	
06:00							-	5:59	2:49	0.8	
07:00			6:10	-	-	0.8					
08:00			-	-		0.8					
09:00			-	8:50	2:40	0.8					
10:00							9:25	-	-	0.8	Jamil Khan
11:00							-	-	-	0.8	
12:00							-	11:50	2:45	0.8	
13:00			12:00	-	-	0.8					
14:00			-	-	-	0.8					
15:00			-	14:50	2:50	0.8					
16:00							15:00	-	-	0.8	
17:00							-	-	-	0.8	
18:00							-	17:35	2:35	0.8	
19:00			18:15	-	-	0.8					
20:00			-	-	-	0.8					Sanjeev Kumar
21:00			-	20:45	2:30	0.8					
22:00							21:05	-	-	0.8	
23:00							-	-	-	0.8	
24:00							-	23:25	2:20	0.8	

CHEMECO ENGINEERS KANPUR DELHI

8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 2-APRIL-2024

समय	क्लोरीन पंप नं.- 1						क्लोरीन पंप नं.-2				
	विद्युत जाने का समय	विद्युत आने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
01:00			00:25	-	-	0.8					
			-	-	-	0.8					
02:00			-	2:45	2:45	0.8					
03:00							3:00	-	-	0.8	
04:00							-	-	-	0.8	
05:00	05:10	05:36					-	5:50	2:50	0.8	
06:00			6:10	-	-	0.8					
07:00			-	-	-	0.8					
08:00			-	8:40	2:30	0.8					
09:00							9:00	-	-	0.8	Jamil Khan
10:00							-	-	-	0.8	
11:00							-	11:50	2:50	0.8	
12:00			12:00	-	-	0.8					
13:00			-	-	-	0.8					
14:00			-	14:50	2:50	0.8					
15:00							15:00	-	-	0.8	
16:00							-	-	-	0.8	
17:00							-	-	-	0.8	
18:00							-	18:48	3:48	0.8	
19:00			19:10	-	-	0.8					
20:00			-	-	-	0.8					
21:00			-	21:50	2:40	0.8					
22:00							22:00	-		0.8	
23:00							-	23:59	1:59	0.8	
24:00											

Sam
2/4/2024

CHEM ECO EN

8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 3-APRIL-2024

समय	क्लोरीन पंप नं. 1						क्लोरीन पंप नं.-2				
	विद्युत जाने का समय	विद्युत आने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
01:00			00:30	–	–	0·8					
02:00			–	–	–	0·8					
03:00			–	2:50	2:20	0·8					
04:00							3:20	–	–	0·8	
05:00							–	–	–	0·8	
06:00							–	5:40	2:20	0·8	
07:00			6:00	–	–	0·8					
08:00			–	–	–	0·8					
09:00			–	8:42	2:42	0·8					
10:00							9:05	–	–	0·8	Jamil Khan
11:00							–	–	–	0·8	
12:00							–	11:56	2:45	0·8	
13:00			12:00	–	–	0·8					
14:00			–	–	–	0·8					
15:00			–	14:56	2:56	0·8					
16:00							15:10	–	–	0·8	
17:00							–	–	–	0·8	
18:00								17:30	2:20	0·8	
19:00			18:00	–	–	0·8					
20:00			–	–	–	0·8					
21:00			–	20:51	2:51	0·8					
22:00	21:28	21:36					21:15	–	–	0·8	
23:00							–	–		0·8	
24:00							–	23:54	2:54	0·8	
01:00											

CHEM ECO ENGINEERS

8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 11-APRIL-2024

समय	क्लोरीन पंप नं.-1						क्लोरीन पंप नं.-2				
	विद्युत आने का समय	विद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
01:00			1:05	—		0·8					
02:00			—	—		0·8					
03:00			—	3:55	2:50	0·8					
04:00							4:20	—	—	0·8	
05:00							—	—	—	0·8	
06:00							—	6:40	2:20	0·8	
07:00			7:38	—	—	0·8					
08:00			—	—	—	0·8					
09:00			—	9:38	2:38	0·8					Jamil Khan
10:00							10:5	—	·	0·8	
11:00							—	—	—	0·8	
12:00							—	12:50	2:45	0·8	
13:00			13:00	—	—	0·8					
14:00			—	—	—	0·8					
15:00				15:48	2:48	0·8					
16:00							16:05	—	—	0·8	
17:00							—	—	—	0·8	
18:00							—			0·8	
19:00							—	19:55	3:50	0·8	
20:00			20:00	—	—	0·8					
21:00			—	—	—	0·8					
22:00			—	—	—	0·8					
23:00				23:57	3:57	0·8					
24:00											

CHEMECO ENGINEERS KANPUR DEHAT

8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 5-APRIL-2024

समय	क्लोरीन पंप नं.- 1						क्लोरीन पंप नं.-2				हस्ताक्षर
	विद्युत आने का समय	विद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	
01:00			00:5	–	–	0·8					
02:00			–	2:45	2:40	0·8					
03:00							3:00	–	–	0·8	
04:00							–	–	–	0·8	
05:00							–			0·8	
06:00							–	6:58	3:58	0·8	
07:00			7:10	–	–	0·8					
08:00			–	–	–	0·8					
09:00			–	9:30	2:20	0·8					Jamil Khan
10:00							10:00	–	–	0·8	
11:00							–	–	–	0·8	
12:00							–	12:35	2:35	0·8	
13:00			13:05	–	–	0·8				0·8	
14:00			–	–	–	0·8					
15:00			–	–	–	0·8					
16:00			–	16:45	3:40	0·8					
17:00							17:10	–	–	0·8	
18:00							–	–	–	0·8	
19:00							–	19:50	2:40	0·8	
20:00			20:00	–	–	0·8					
21:00			–	–	–	0·8					
22:00			–	24:48	2:48	0·8					
23:00											
1:00											

CHEMECO ENGINEERS KANPUR

8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 6-APRIL-2024

समय	क्लोरीन पंप नं.-1						क्लोरीन पंप नं.-2				
	विद्युत आने का समय	विद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
00:00			00:00	–	–	0.8					
01:00			–	–	–	0.8					
02:00			–	2:51	2:51	0.8					
03:00							3:05	–	–	0.8	
04:00							–	–	–	0.8	
05:00								5:55	2:50	0.8	
06:00			6:15	–	–	0.8					
07:00			–	–	–	0.8					
08:00			–	8:45	2:30	0.8					Jamil Khan
09:00							9:05	–	–	0.8	
10:00							–	–	–	0.8	
11:00							–	11:35	2:30	0.8	
12:00			12:00	–	–	0.8					
13:00			–	–	–	0.8					
14:00			–	14:50	2:50	0.8					
15:00							15:10	–	–	0.8	
16:00							–	–	–	0.8	Shivam Singh
17:00							–	17:55	2:45	0.8	
18:00			18:20	–	–	0.8					
19:00			–	–	–	0.8					
20:00			–	20:50	2:30	0.8					
21:00							21:00	–	–	0.8	
22:00							–	–	–	0.8	
23:00							–	23:52	2:52	0.8	
24:00											

HEMECO ENGINEERS KANPUR

8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 7-APRIL-2024

समय	क्लोरीन पंप न.- 1						क्लोरीन पंप न.-2				हस्ताक्षर
	विद्युत आने का समय	विद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	
01:00	-		00:30	—		0.8					
02:00			—	2:40	2:10	0.8					Gurvan Singh
03:00							3:00	—	—	0.8	
04:00							—	—	—	0.8	
05:00							—	5:48	2:48	0.8	
06:00			6:15	—	—	0.8					
07:00			—	—		0.8					
08:00			—	8:45	2:30	0.8					
09:00							9:05	—	—	0.8	Javid Khan
10:00							—	—	—	0.8	
11:00							—	11:45	2:40	0.8	
12:00			12:00	—	—	0.8					
13:00			—	—	-	0.8					
14:00			-	14:48	2:48	0.8					
15:00							15:05	—	—	0.8	
16:00							—	—	—	0.8	
17:00							-	17:50	2:45	0.8	
18:00			18:10	—	-	0.8					Sanjeev Kumar
19:00			-		-	0.8					
20:00			-	20:40	2:30	0.8					
21:00							21:00	-	-	0.8	
22:00							—	—	—	0.8	
23:00							-	23:52	2:52	0.8	
24:00											


CHEM ECO ENGINEERS KANPUR

8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक: 8/APRIL/2024

समय	क्लोरीन पंप नं.-1						क्लोरीन पंप नं.-2				
	विद्युत आने का समय	विद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
01:00			00:45	-	-	0.8					
02:00			-	2:50	2:05	0.8					
03:00							3:20	-	-	0.8	
04:00							-	-	-	0.8	
05:00							-	5:30	2:10	0.8	
06:00			6:15	-	-	0.8					
07:00			-	-	-	0.8					
08:00			-	8:55	2:40	0.8					
09:00							9:00	-	-	0.8	Jamil Khan
10:00							-	-	-	0.8	
11:00							-	11:50	2:50	0.8	
12:00			12:00	-	-	0.8					
13:00			-	-	-	0.8					
14:00			-	14:50	2:50	0.8					
15:00							16:00	-	-	0.8	
16:00							-	-	-	0.8	
17:00							-	17:20	2:20	0.8	
18:00			18:10	-	-	0.8					
19:00			-	-	-	0.8					Sonjeev-Kumar
20:00			-	20:30	2:20	0.8					
21:00							21:05	-	-	0.8	
22:00								-	-	0.8	
23:00								23:25	2:20	0.8	
24:00											

CHEMECO ENGINEERS KANPUR




8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 09 (APRIL) 2024

समय	क्लोरीन पंप नं.-1 विद्युत आने का समय	विद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	क्लोरीन पंप नं.-2 चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
01:00							00:10	–	–	0·8	
02:00								–	–	0·8	
03:00			03:05			0·8		02:55	2:45	0·8	
04:00						0·8					
05:00				05:20	2:15	0·8					
06:00							06:00	–	–	0·8	
07:00								–	–	0·8	
08:00								8:20	2:20	0·8	Nagendra
09:00			09:00	–		0·8					
10:00			–	–		0·8					
11:00			–	11:55	2:57	0·8					
12:00							12:05	–	–	0·8	
13:00							–	–	–	0·8	
14:00							–	14:30	2:45	0·8	
15:00			15:05	–	–	0·8					
16:00			–	–	–	0·8					
17:00			–	17:35	2:30	0·8					
18:00							18:05	–	–	0·8	Sanjeev Kumar
19:00							–	–	–	0·8	
20:00							–	20:30	2:25	0·8	
21:00			21:00	–	–	0·8					
22:00			–	–	–	0·8					
23:00			–	23:26	2:26	0·8					
24:00											

CHEMECO ENGG.




8.95 एम.एल.डी. एस.टी.पी. वेल्हा प्रतापगढ़

दिनांक 10/APRIL/2024

समय	क्लोरीन पंप नं.-1 विद्युत आने का समय	विद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	क्लोरीन पंप नं.-2 चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
01:00			00:20	–	–	0·8					
02:00			–	2:45	2:25	0·8					Amit Yadav
03:00							8:25	–	–	0·8	
04:00							–	–	–	0·8	
05:00							–	5:50	2:25	0·8	
06:00			6:25	–	–	0·8					
07:00			–	–	–	0·8					
08:00			–	8:55	2:30	0·8					
09:00							9:05	–	–	0·8	
10:00							–	–	–	0·8	Nagendra
11:00							–	11:50	2:45	0·8	
12:00			12:10	–	–	0·8					
13:00			–	–	–	0·8					
14:00						0·8					
15:00				3:50	3:40	0·8					
16:00							16:55	–	–	0·8	
17:00						1	–	–	–	0·8	
18:00							–	18:55	2:00	0·8	
19:00	19:00	–	19:20	–	–	0·8					
20:00		20:30	–	–	–	0·8					Shivan Singh
21:00			–	21:40	2:20	0·8					
22:00							22:00	–	–	0·8	
23:00							–	23:55	1:55	0·8	
24:00											

CHEM ECO ENGG. KANPUR





8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 11/APRIL/2024

समय	क्लोरीन पंप नं. 1						क्लोरीन पंप नं.-2				
	विद्युत आने का समय	विद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
01:00			00:00	-	-	0.8					
02:00			-	-	-	0.8					
03:00			-	2:55	2:15	0.8					
04:00							3:20	-	-	0.8	Shivram Singh
05:00							-	-	-	0.8	
06:00							-	-	-	0.8	
07:00							-	6:40	3:20	0.8	
08:00			7:05	-	-	0.8					
09:00			-	-	-	0.8					
10:00			-	9:35	2:30	0.8					
11:00							10:00	-	-	0.8	
12:00							-	-	-	0.8	Sunil yadav
13:00							-	12:45	2:45	0.8	
14:00			13:40	-	-	0.8					
15:00			-	-	-	0.8					
16:00			-	-	-	0.8					
17:00			-	16:35	3:25	0.8					
18:00							17:10	-	-	0.8	
19:00							-	-	-	0.8	
20:00							-	19:30	2:20	0.8	
21:00			20:05	-	-	0.8					
22:00			-	-	-	0.8					Sanjeev Kumar
23:00			-	22:15	2:10	0.8					
24:00							23:00	23:45	00:45	0.8	

CHEM ENGINEERS






8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 19/APRIL/2024

समय	क्लोरीन पंप नं.-1 विद्युत आने का समय	विद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	क्लोरीन पंप नं.-2 चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
01:00			0:05	–	–	0.8					
02:00			–	2:45	2:40	0.8					Jeet Yadav
03:00							3:15	–	–	0.8	
04:00							–	–	–	0.8	
05:00							–	5:50	2:35	0.8	
06:00			6:25	–	–	0.8					
07:00			–	–	–	0.8					
08:00			–	8:45	2:15	0.8					
09:00							9:10	–	–	0.8	
10:00							–	–	–	0.8	
11:00							–	11:50	2:40	0.8	Sanjeev Kumar
12:00			12:00	–	–	0.8					
13:00			–	–	–	0.8					
14:00			–	14:50	2:50	0.8					
15:00							15:00	–	–	0.8	
16:00							–	–	–	0.8	
17:00							–	17:30	2:30	0.8	
18:00			18:05	–	–	0.8					
19:00			–	–	–	0.8					
20:00			–	20:50	2:45	0.8					
21:00							21:15	–	–	0.8	
22:00							–	–	–	0.8	
23:00							–	23:55	2:40	0.8	
24:00											

CHEMECO ENGINEERS KANPUR




8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक: 14/ APRIL/2024

समय	क्लोरीन पंप नं.-1						क्लोरीन पंप नं.-2				हस्ताक्षर
	विद्युत आने का समय	विद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	
01:00			०८:२५	—	—	०·8					
02:00			—	2:50	2:25	०·8					
03:00							3:15	—	—	०·8	
04:00							—	—	—	०·8	
05:00							—	5:55	2:40	०·8	
06:00			6:00	—	—	0·8					
07:00						0·8					
08:00			—	8:50	2:50	0·8					
09:00							9:00	—	—	0·8	Jamil Khan
10:00										0·8	
11:00							—	11:50	2:50	0·8	
12:00			12:00	—	—	0·8					
13:00			—			0·8					
14:00			—	14:48	2:48	०·8					
15:00							15:10	—	—	०·8	
16:00							—	—	—	०·8	
17:00							—	17:40	2:30	०·8	
18:00			18:00	—		0·8					
19:00			—	—		0·8					
20:00			—	20:58	2:58	०·8					
21:00							21:15	—	—	०·8	
22:00							—	—		०·8	Sanjeev Kumar
23:00							—	23:55	2:40	०·8	
24:00											

M/S ECO ENGINEERS KANPUR



8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 15/APR/2024

समय	क्लोरीन पंप नं.-1 विद्युत आने का समय	विद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	क्लोरीन पंप नं.-2 चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
01:00							00:10	–		0.8	
02:00							–			0.8	
03:00			3:20	–	–	0.8	–	2:50	2:40	0.8	
04:00			–	–	–	0.8					
05:00			–	5:40	2:20	0.8					
06:00							6:00	–	–	0.8	
07:00							–	–		0.8	
08:00							–	8:56	2:56	0.8	
09:00			9:00	–		0.8					Jamil Khan
10:00			–	–		0.8					
11:00			–	11:50	2:50	0.8					
12:00							12:00	–	–	0.8	
13:00							–	–	–	0.8	
14:00							–	14:50	2:50	0.8	
15:00			15:00	–	–	0.8					
16:00			–	–	–	0.8					
17:00			–	17:45	2:45	0.8					
18:00							6:15	–	–	0.8	
19:00							–	–	–	0.8	
20:00							–	8:45	2:30	0.8	
21:00			20:00	–	–	0.8					
22:00					–	0.8					Sangeet Kumar
23:00			–	23:50	2:50	0.8					
24:00											

CHEM ECO ENGG.

8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक: 16/APRIL/2024

समय	क्लोरीन पंप नं.-1						क्लोरीन पंप नं.-2				
	विद्युत जाने का समय	विद्युत आने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
01:00			00:15	–	–	0·8					Sunil Yadav
02:00			–	2:50	2:35	0·8					
03:00							3:05	–	–	0·8	
04:00							–	–	–	0·8	
05:00							–	5:55	2:50	0·8	
06:00			6:10	–	–	0·8					
07:00			–	–	–	0·8					
08:00	8:27	8:37	–	8:40	2:30	0·8					
09:00							9:00	–	–	0·8	Jamil Khan
10:00	10:07						–	–	–	0·8	
11:00							–	11:50	2:50	0·8	
12:00			12:00	–	–	0·8					
13:00			–	–	–	0·8					
14:00			–	–	–	0·8					
15:00		15:32	–	15:55	3:55	0·8					
16:00							16:05	–	–	0·8	
17:00							–	–	–	0·8	
18:00							–	18:45	2:40	0·8	
19:00			19:00	–	–	0·8					
20:00			–	–	–	0·8					
21:00			–	21:59	2:59	0·8					
22:00							22:20	–	–	0·8	Sanjeev Kumar
23:00							–	23:50	1:30	0·8	
24:00											

CHEMECO ENGINEERS KANPUR DELHI

8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 17-APRIL-2024

समय	क्लोरीन पंप नं.-1						क्लोरीन पंप नं.-2				
	बिद्युत आने का समय	बिद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
01:00							00:20	—		0.8	
02:00							—	—		0.8	
03:00			3:04	—	—	0.8	—	2:50	2:30	0.8	
04:00			—	—	—	0.8					
05:00			—	5:43	2:39	0.8					
06:00							6:01	—	—	0.8	
07:00							—	—	—	0.8	
08:00							—	8:53	2:52	0.8	
09:00			9:10	—	—	0.8					Yamin Khan
10:00	11:28	11:52	—	—		0.8					
11:00			—	11:50	2:40	0.8					
12:00							12:00	—	—	0.8	
13:00							—	—	—	0.8	
14:00							—	14:46	2:46	0.8	
15:00			15:05	—	—	0.8					
16:00	16:52		—	—	—	0.8					
17:00		17:2	—	17:30	2:25	0.8					
18:00	18:13	18:22					18:00	—	—	0.8	
19:00							—	—	—	0.8	
20:00							—	20:47	2:47	0.8	
21:00			21:04	—	—	0.8					
22:00			—	—	—	0.8					
23:00			—	23:58	2:54	0.8					
24:00											


CHEM ECO ENGINEERS KANPUR

8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 18 APRIL-2024

समय	क्लोरीन पंप नं.-1						क्लोरीन पंप नं.-2				
	विद्युत आने का समय	विद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
01:00	1:25						1:02	–	–	0.8	
02:00							–	–	–	0.8	
03:00		3:7					–	3:54	2:53	0.8	Amit Yadav
04:00	4:47	4:52	4:00	–	–	0.8					
05:00			–	–	–	0.8					
06:00			–	6:47	2:47	0.8					
07:00							7:05	–	–	0.8	
08:00							–	–	–	0.8	
09:00							–	9:57	2:52	0.8	Jamil Khan
10:00	10:7	10:19	10:15	–	–	0.8					
11:00	–		–	–	–	0.8					
12:00			–	12:50	2:35	0.8					
13:00							13:00	–	–	0.8	
14:00	14:42						–	–	–	0.8	
15:00	15:12	15:01	00:19				–	15:58	2:50	0.8	
16:00			16:00		–	0.8					
17:00			–	–	–	0.8					
18:00		18:2		8:49	2:49	0.8					
19:00	19:23	19:50					19:05	–	–	0.8	
20:00							–	–	–	0.8	
21:00							–	21:57	2:52	0.8	
22:00			22:10	–	–	0.8					
23:00			–	11:54	2:44	0.8					
24:00											

CHEM ECO ENG




8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 19-APRIL-2024

समय	क्लोरीन पंप नं.-1 बिजली आने का समय	बिजली जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	क्लोरीन पंप नं.-2 चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
01:00							00:30	–	–	0·8	
02:00							–	–	–	0·8	
03:00			3:00	–	–	0·8		2:50	2:20	0·8	Anil Yadav
04:00			–	–	–	0·8					
05:00			–	5:43	2:43	0·8					
06:00							6:00	–	–	0·8	
07:00							–	–		0·8	
08:00							–	8:56	2:46	0·8	
09:00			9:00	–	–	0·8					Jamil Khan
10:00			–	–	–	0·8					
11:00			–	11:37	2:37	0·8					
12:00							12:00	–	–	0·8	
13:00	13:45	13:38								0·8	
14:00							–	14:56	2:56	0·8	
15:00	15:15	15:23	15:00	–	–	0·8					
16:00			–	–	–	0·8					
17:00			–	17:56	2:56	0·8					
18:00							18:00	–	–	0·8	
19:00							–	–	–	0·8	
20:00							–	20:53	2:53	0·8	
21:00			21:10	–	–	0·8					
22:00			–	–	–	0·8					
23:00			–	2350	2:40	0·8					
24:00											

CHEMICO ENGINEERS KANPUR




8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 20/APRIL/2024

समय	क्लोरीन पंप नं.-1 विद्युत चले का समय	विद्युत आने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	क्लोरीन पंप नं.-2 चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	हस्ताक्षर
01:00			0:00	—		0.8					
02:00			—	—		0.8					
03:00			—	2:46	2:46	0.8					
04:00							3:05	—	—	0.8	Anil
05:00							—	—		0.8	
06:00							—	5:55	2:50	0.8	
07:00			6:10	—	—	0.8					
08:00			—	7:40	1:40	0.8					
09:00							8:00	—	—	0.8	
10:00							—	—		0.8	Vaqil khan
11:00							—	10:30	2:30	0.8	
12:00			11:00	—	—	0.8					
13:00	12:45	12:45	—	—	—	0.8					
14:00				13:35	2:35	0.8					
15:00							14:00	—	—	0.8	
16:00							—	—		0.8	
17:00							—	16:30	2:30	0.8	
18:00			17:06	—	—	0.8					
19:00			—	—	—	0.8					
20:00			—	—	—	0.8					Sanjeev
21:00			—	20:25	3:29	0.8					
22:00							21:00	—	—	0.8	
23:00							—	—	—	0.8	
24:00							—	11:52	—	0.8	

CHEM ECO ENGINEERS



8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 21 APRIL-2025

समय	क्लोरीन पंप नं.1 विद्युत आने का समय	विद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	क्लोरीन गेज रीडिंग	क्लोरीन पंप नं.2 चलने का समय	बंद होने का समय	कुल घण्टा	क्लोरीन गेज रीडिंग	हस्ताक्षर
00:00							2:10	–	–	0.8	
01:00							–	–	–	0.8	
02:00							–	2:50	2:40	0.8	Arnab.
03:00			3:00	–	–	0.8					
04:00			–	–	–	0.8					
05:00			–	5:50	2:50	0.8					
06:00							6:03	–	–	0.8	
07:00							–	–	–	0.8	
08:00							–	8:30	2:27	0.8	
09:00			9:02	–	–	0.8					Javid Khan
10:00			–	10:40	1:38	0.8					
11:00							11:02	–	–	0.8	
12:00							–	–	–	0.8	
13:00							–	3:42	2:40	0.8	
14:00			14:00	–	–	0.8	–				
15:00			–	–	–	0.8					
16:00			–	16:30	2:30	0.8					
17:00							17:00	–	–	0.8	Sunil Yadav
18:00							–	–	–	0.8	
19:00							–	7:30	2:30	0.8	
20:00			20:00	–	–	0.8					
21:00			–	–	–	0.8					
22:00			–	–	–	0.8					
23:00			–	23:53	3:53	0.8					

CHEM ECO ENGINEERS KANPUR

8.95 एम.एल.डी. एस.टी.पी. बेल्हा प्रतापगढ़

दिनांक 22-APRIL-2024

समय	क्लोरीन पंप नं.- 1						क्लोरीन पंप नं.-2				हस्ताक्षर
	विद्युत आने का समय	विद्युत जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	प्रेशर गेज रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	प्रेशर गेज रीडिंग	
11:00							00:15	–	–	0.8	
							–	–	–	0.8	
02:00							–	2:55	2:50	0.8	Sam
03:00			3:00	–	–	0.8					
04:00			–	–	–	0.8					
05:00			–	5:58	2:58	0.8					
06:00							6:20	–	–	0.8	
07:00							–	–	–	0.8	
08:00							–	8:40	2:20	0.8	
09:00			9:01	–	–	0.8					Hamid Khan
10:00			–	–	–	0.8					
11:00			–	11:52	2:51	0.8					
12:00							12:55	–	–	0.8	
13:00							–	–	–	0.8	
14:00							–	2:55	2:45	0.8	
15:00			15:05	–	–	0.8					
16:00			–	–		0.8					Sam
17:00			–	17:50	2:45	0.8					
18:00							18:4	–	–	0.8	
19:00							–	–	–	0.8	
20:00							–	20:55	2:51	0.8	
21:00			9:10	–	–	0.8					Sram Singh
22:00			–	–	–	0.8					
23:00			–	23:45	2:35	0.8					
24:00											

CHEM ECO ENGINEERS KANPUR DELHI

8.05 एम.एल.डी. एस.टी.पी. बेलवा प्रयागराज

दिनांक 23-MARCH-2024

मशीन संख्या 1

मशीन संख्या 2

समय	बिजली आने का समय	बिजली जाने का समय	चलने का समय	बंद होने का समय	कुल घंटा	रीडर नोट रीडिंग	चलने का समय	बंद होने का समय	कुल घण्टा	रीडर नोट रीडिंग	हस्ताक्षर
01:00							09:30	—	—	0.8	
02:00							—	2:46	2:16	0.8	Sangam
03:00			3:00	—	—	0.8					
04:00			—	—		0.8					
05:00			—	5:53	2:53	0.8					
06:00							6:05	—	—	0.8	
07:00							—	—	—	0.8	
08:00							—	8:59	2:54	0.8	Rahul Khan
09:00			9:10	—	—	0.8					
10:00			—	—	—	0.8					
11:00			—	11:50	2:40	0.8					
12:00							0:30	1:00	—	0.8	
13:00							—	—	—	0.8	
14:00							—	1:52	2:52	0.8	
15:00			15:10	—	—	0.8					
16:00			—	—	—	0.8					
17:00			—	17:19	2:35	0.8					
18:00							18:00	—	—	0.8	
19:00							—	—	—	0.8	
20:00								0:49	2:49	0.8	
21:00			21:00	—	—	0.8					Shivam Singh
22:00			—	—	—	0.8					
23:00			—	23:59	2:49	0.8					
24:00											

CHIEF ENGINEERS

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 01/04/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—	—	
13 PM - 14 PM	13:47	13:52	00:05	Suvam	
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	15:00	15:10	00:10	Suvam	
16 PM - 17 PM	16:00	16:10	00:10	Amit	
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

00:25 Total Hours

Subject _____

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 02/04/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	05:10	05:36	00:26	Jamil	
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—	Jamil	
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR (U.P.)

00:26 Total Hours

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 03/09-/2024-

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Anil	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	21:28	21:36	00:08	Sivram	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

Sign 1/ R: 3/9/2024

CHEMECO ENGINEERS KANPUR DELHI

00:08 Total Hours

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 09/04/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sangeeta	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—	Anil	
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		Sanjay Gupta
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Jamil	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Bella Pratapgarh

Date 05/04/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Anil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—	Jamil	
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sangeet	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

SHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 06/09/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Anil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Sangeet	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—	Tamil	
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 07/09/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Anil	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Jaimal	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sangeet	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMTECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 08/09/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—	Sangeet	
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Anil	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Jamil	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 09/09/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Anil	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sangeet	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 10/09/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Anil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	11:30	—	—		
12 PM - 13 PM	—	12:10	00:40	Sriram	
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	19:05	—	—		
20 PM - 21 PM	—	20:30	01:25	Jamid	
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR DELHI

02:05 Total Hours

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 11/09/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Anil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Sangeet	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—	Jamil	
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR

Subject

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 12/09/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Anil	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Jamil	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	18:00	—	—		
19 PM - 20 PM	—	19:12	01:12	Amil	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

ECHEM ECO ENGINEERS KANPUR DELHI

01:12 Total Hours

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 13/04/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamy	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	11:50	—	—		
12 PM - 13 PM	—	12:25	00:35	Sanjeev	Seen 1 20 13/4/2024
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Anil	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

00:35 Total Hours

CHEM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 14/09/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		A
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—	Amil	
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—	Sriram	
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—	Sanjeev	
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR (U.P.)

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 15 - 01 - 2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Jamil	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—	Anil	
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sanjeev	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 16/04/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Songeer	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	08:27	08:37	00:10		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	10:07	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—	Amit	
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	15:32	05:25		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS

05:35 Total Hours

Genrator Log Book

Site Name :- 8.95 MLD STP Bellm Pratapgarh

Date 17/04/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Jamid	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—	Sanjeev	
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	11:38	11:52	00:14		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	16:52	—	—		
17 PM - 18 PM	—	17:02	00:10		
18 PM - 19 PM	18:13	18:22	00:09		
19 PM - 20 PM	—	—	—	Sriram	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS Kalkaji New Delhi

Sam
17/4/2024 00:33 Total Hours

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 18/04/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	01:25	—	—	Jamil	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	03:07	02:42		
04 AM - 05 AM	04:47	04:52	00:05		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	10:07	10:19	00:12		
11 AM - 12 AM	—	—	—	Sanjeev	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	14:42	15:01	00:19		
15 PM - 16 PM	15:12	~~—~~	~~00:51~~		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	2:51	Jamil Khan	
18 PM - 19 PM	—	18:03	~~00:51~~		
19 PM - 20 PM	19:23	19:50	00:27		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANCHAN

Sum 1/E0 18/4/2024

06:36 Total Hours

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 19/04-/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM					Anil Yadav
01 AM - 02 AM					
02 AM - 03 AM					
03 AM - 04 AM					
04 AM - 05 AM					
05 AM - 06 AM					
06 AM - 07 AM					
07 AM - 08 AM					
08 AM - 09 AM					
09 AM - 10 AM					Jamil Khan
10 AM - 11 AM					
11 AM - 12 AM					
12 PM - 13 PM					
13 PM - 14 PM	13:07	13:38	00:31		
14 PM - 15 PM					
15 PM - 16 PM	15:15	15:23	00:08		
16 PM - 17 PM					
17 PM - 18 PM					Sangeeta
18 PM - 19 PM					
19 PM - 20 PM					
20 PM - 21 PM					
21 PM - 22 PM					
22 PM - 23 PM					
23 PM - 24 PM					

00:39 Total Hours

THEM ECO ENGINEERS

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 20/09/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	"	"	"		
01 AM - 02 AM					Anil Yadav
02 AM - 03 AM	"	"	"		
03 AM - 04 AM	"	"	"		
04 AM - 05 AM	"	"	"		
05 AM - 06 AM	"	"	"		
06 AM - 07 AM	"	"	"		
07 AM - 08 AM	"	"	"		
08 AM - 09 AM	"	"	"		
09 AM - 10 AM	"	"	"		
10 AM - 11 AM	"	"	"		
11 AM - 12 AM	"	"	"		
12 PM - 13 PM	12:45	12:49	00:04		Jamil Ichha
13 PM - 14 PM	13:35	13:45	00:10		
14 PM - 15 PM	"	"	"		
15 PM - 16 PM	"	"	"		
16 PM - 17 PM	"	"	"		
17 PM - 18 PM	"	"	"		
18 PM - 19 PM	"	"	"		
19 PM - 20 PM	"	"	"		
20 PM - 21 PM	"	"	"		
21 PM - 22 PM	"	"	"		
22 PM - 23 PM	"	"	"		Sriram Singh
23 PM - 24 PM	"	"	"		

CHEM ECO ENGINEERS KANPUR DELHI

Sign 12-10-2024

00:14 Total Hours

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 21/09/02

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM					
01 AM - 02 AM					
02 AM - 03 AM					
03 AM - 04 AM					Jamil Khan
04 AM - 05 AM					
05 AM - 06 AM					
06 AM - 07 AM					
07 AM - 08 AM					
08 AM - 09 AM					
09 AM - 10 AM					
10 AM - 11 AM					
11 AM - 12 AM					
12 PM - 13 PM					
13 PM - 14 PM					Shrijanik.
14 PM - 15 PM					
15 PM - 16 PM					
16 PM - 17 PM					
17 PM - 18 PM					
18 PM - 19 PM					
19 PM - 20 PM					
20 PM - 21 PM					Amit Gupta
21 PM - 22 PM					
22 PM - 23 PM					
23 PM - 24 PM					

CHEMECO ENGINEERS PVT. LTD.

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 22/09/2019

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM					Jamidar
01 AM - 02 AM					
02 AM - 03 AM					
03 AM - 04 AM					
04 AM - 05 AM					
05 AM - 06 AM					
06 AM - 07 AM					
07 AM - 08 AM					
08 AM - 09 AM					
09 AM - 10 AM					
10 AM - 11 AM					Sanjeev
11 AM - 12 AM					
12 PM - 13 PM					
13 PM - 14 PM					
14 PM - 15 PM					
15 PM - 16 PM					
16 PM - 17 PM					
17 PM - 18 PM					
18 PM - 19 PM					
19 PM - 20 PM					
20 PM - 21 PM					
21 PM - 22 PM					
22 PM - 23 PM					Sriram Singh.
23 PM - 24 PM					

CHEM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 23/09/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM					
01 AM - 02 AM					Tamil Khan
02 AM - 03 AM					
03 AM - 04 AM					
04 AM - 05 AM					
05 AM - 06 AM					
06 AM - 07 AM					
07 AM - 08 AM					
08 AM - 09 AM					
09 AM - 10 AM					
10 AM - 11 AM					
11 AM - 12 AM					Sriram Singh.
12 PM - 13 PM					
13 PM - 14 PM					
14 PM - 15 PM					
15 PM - 16 PM					Sanjeev Kumar
16 PM - 17 PM					
17 PM - 18 PM					
18 PM - 19 PM					
19 PM - 20 PM					
20 PM - 21 PM					
21 PM - 22 PM					Sanjeev
22 PM - 23 PM					
23 PM - 24 PM					

Sanjeev 23/09/2024

ECO ENGINEERS KANPUR

591

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

TEST REPORT- APRIL 2024

S. No	Date of Sampling	8.95 MLD STP, Pratapgarh						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	04-04-2024	Inlet, STP	7.89	116.0	56.0	297.60	92,00,000	27,00,000
2	04-04-2024	Outlet, STP	7.62	62.0	28.0	92.80	1,300	920
3	08-04-2024	Inlet, STP	7.94	110.0	54.0	291.20	79,00,000	27,00,000
4	08-04-2024	Outlet, STP	7.69	58.0	26.0	91.20	1,400	780
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30.0	-	-	<1000

10/04/2024
Compiled By/Analysed By

S.A. 10/4/24

R.O.

592

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

Drains Discharging to River Sai at Pratapgarh

TEST REPORT - APRIL 2024

S. No	Date of Sampling	Sampling Point	Before Bio Remediation						After Bio Remediation						Percentage Reduction in BOD (%)	Percentage Reduction in FC (%)	After Bioremediation	
			pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)			Parameters Within the Standard	Parameters Beyond the Standard
1	04-04-2024	Ramlila Maidan Drain	7.79	89.0	41.0	139.2	14,00,000	1,30,000	7.78	67.0	28.0	115.0	94,000	49,000	31.71	62.31	pH, TSS, BOD	FC
2	04-04-2024	Bhuliyapur Drain	7.74	89.0	43.0	139.2	3,40,000	47,000	7.76	68.0	28.0	115.2	24,000	2,700	34.88	94.26	pH, TSS, BOD	FC
3	04-04-2024	City Drain	7.85	93.0	44.0	142.4	70,00,000	11,00,000	7.83	71.0	27.5	104.0	79,000	27,000	37.50	97.55	pH, TSS, BOD	FC
4	04-04-2024	Police Line Drain	7.75	91.0	46.0	140.8	1,30,000	39,000	7.39	68.0	27.0	112.0	20,000	7,900	41.30	79.74	pH, TSS, BOD	FC
Effluent Discharge Standards for STP (13 October 2017)									6.5-9.0	<100	30	-	-	<1000	-		-	-

15/04/24
Compiled/Analysed By

S.A. 16/4/24

R.O.

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
Phone: 0535-2973034

River Sai at Pratapgarh

TEST REPORT- APRIL 2024

S. No.	Date of Sampling	Sampling Point	Parameters					
			pH	Color (Hazen)	D.O. (mg/L)	BOD (mg/L)	TC (MPN/100 ml)	FC (MPN/100 ml)
1	04-04-2024	Sai River U/S Gai Ghat	8.21	10	8.4	3.2	4000	1700
2	04-04-2024	Sai River D/S Railway Bridge	8.22	10	7.9	3.5	4900	2100
3	08-04-2024	Sai River U/S Gai Ghat	8.18	10	8.2	3.4	4600	1400
4	08-04-2024	Sai River D/S Railway Bridge	8.10	10	7.8	3.7	4900	2000
Primary Water Quality Criteria For Bathing Water [G.S.R.742(E) Dated 25 September 2000]			6.5-8.5	-	5 mg/l or more	3 mg/l or less	-	500 Desirable 2500 Maximum Permisible

11/04/2024
Compiled/Analysed By


S/A. 12/4/24


R.O.

593




नाले के गन्दे पानी का
रिमेडियल
कार्य एजेन्सी का नाम-ग्रीनवे
www.gwtindia.i
बेल्हा प्रतापगढ़ से होकर
बहने वाले नाले पर
आज्ञा से-
नगर पालिका
Apr 24, 2024 12:20:58 PM
00 Belha Devi, Bela Pratapgarh,
Uttar Pradesh 230001, India
25°93'N 82°00'E
44.5m Altitude
Google


Apr 24, 2024 12:20:45 PM
00 Belha Devi, Bela Pratapgarh,
Uttar Pradesh 230001, India
25°93'N 82°00'E
44.5m Altitude
Google


GPS Map Camera
Kisundaspur, Uttar Pradesh, India
W2J4+6GG, Kisundaspur, Bela Pratapgarh, Uttar Pradesh 230001, India
Lat 25.930837°
Long 82.006924°
24/04/24 09:32 AM GMT +05:30
Google

598

MPS Log Book for Month of 01/Feb/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 - 11 KW				Pump No. RSP-02 - 11 KW				Pump No. RSP-03 - 22 KW				Pump No. RSP-04 - 22 KW				Pump No. RSP-05 - 22 KW				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		—	—	0.98	419	00:25	—	—	21																				220
	01AM-02AM		—	—	0.99	418	—	—		22																				223
	02AM-03AM		—	—	0.98	420	—	2:55	2:30	22																				219
	03AM-04AM		—	—	0.99	424					3:30	—	—	21																218
	04AM-05AM		—	—	0.98	423					—	—		22																217
	05AM-06AM		—	—	0.98	422					—	5:40	2:10	22																215
A-SHIFT	06AM-07AM		—	—	0.99	426									6:00	—	—	40												399
	07AM-08AM		—	—	0.98	419									—	7:30	1:30	40												398
	08AM-09AM		—	—	0.98	418	8:00	—	—	22																				216
	09AM-10AM		—	—	0.99	426	—	—		22																				217
	10AM-11AM		—	—	0.98	425	—	10:45	2:45	22																				218
	11AM-12AM		11:20	—	0.98	423																								
	12PM-01PM		—	—	0.99	422													12:00	—	—	41								430
	01PM-02PM		—	—	0.98	420													—	—		41								435
B-SHIFT	02PM-03PM		—	—	0.99	421													—	2:20	2:20	41								436
	03PM-04PM		—	03:00	0.99	427									8:00	—	—	21												401
	04PM-05PM		—	—	0.98	426									—	—		22												392
	05PM-06PM		—	—	0.98	426									—	5:50	2:50	22												390
	06PM-07PM		—	—	0.99	425													6:00	—	—	41								380
	07PM-08PM		—	—	0.98	430													—	—	—	41								392
	08PM-09PM		—	—	0.99	432													—	8:45	2:45	40								399
	09PM-10PM		—	—	0.98	430	9:00	—	—	22																				139
C-SHIFT	10PM-11PM		—	—	0.99	425	—	—		21																				85
	11PM-12AM		—	—	0.98	420	—	11:35	2:35	22																				206
PUMPS RUNNING HOURS			—	—					7:50				2:10				4:20				5:05									

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(06:00AM-02:00PM)	Dharamvir Singh	Shyam Singh	Sandeep Kumar	2.02 MLD				
(02:00PM-10:00PM)	Nageswara	Jamil Khan	Shankaran Kumar					
(10:00PM-06:00AM)	Om Prakash & Anil Yadav		Rahul Kumar					

CHEMTECO ENGINEERS KANPUR

599

MPS Log Book for Month of 02/Feb/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 -11Kw				Pump No. RSP-02 -11Kw				Pump No. RSP-03 -22Kw				Pump No. RSP-04 -22Kw				Pump No. RSP-05 -55Kw				Pump No. RSP-06				MJ/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		~	~	0.98	418	00:20	-	-	22																					190
	01AM-02AM		~	-	0.99	420	-	-	-	21																					199
	02AM-03AM		~	-	0.98	423	-	2:50	2:30	22																					192
	03AM-04AM		~	-	0.99	424					3:30	-	-	22																	195
	04AM-05AM		~	-	0.98	420					-	-	-	22																	196
	05AM-06AM		~	-	0.99	420					-	5:40	2:10	21																	210
A-SHIFT	06AM-07AM		~	-	0.98	426													6:10	-	-	41									420
	07AM-08AM		~	-	0.99	425													-	7:40	1:35	41									425
	08AM-09AM		~	-	0.98	420	8:00	-	-	21																					215
	09AM-10AM		~	-	0.99	418	-	-		21																					216
	10AM-11AM		~	-	0.98	424	-	10:55	2:55	22																					217
	11AM-12AM		~	-	0.99	423									11:00	-	-	40													399
	12PM-01PM		~	-	0.98	430									-	-		40													395
	01PM-02PM		~	-	0.98	430									-	-		40													396
B-SHIFT	02PM-03PM		~	-	0.99	420									-	2:30	3:30	40													390
	03PM-04PM		~	-	0.98	423					3:00	-	-	21																	216
	04PM-05PM		~	-	0.99	424					-	-		22																	220
	05PM-06PM		~	-	0.98	425					-	5:45	2:45	22																	206
	06PM-07PM		~	-	0.99	426													6:00	-	-	40									420
	07PM-08PM		~	-	0.98	427													-	-		41									428
	08PM-09PM		~	-	0.99	430													-	8:40	2:40	40									426
	09PM-10PM		~	-	0.98	426	9:10	-	-	22																					190
C-SHIFT	10PM-11PM		~	-	0.99	423	-	-		22																					192
	11PM-12AM		~	-	0.98	420	-	11:30	2:20	22																					193
PUMPS RUNNING HOURS									7:45				4:55				3:30				4:15										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Shrawan Kumar	Shivam Singh	Sanjeev kumar	6774 MLD			ECO ENGINEERS KANPUR DELHI	
B(02:00PM-10:00PM)	Nageswara	Jamil Khan	Sanjeev					
C(10:00PM-06:00AM)	Prabhakar Shastri	Anil Kumar	Ravi Kumar					

MPS Log Book for Month of 03/Feb/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 – 44 KW				Pump No. RSP-02 – 44 KW				Pump No. RSP-03 – 75 KW				Pump No. RSP-04 – 22 KW				Pump No. RSP-05 – 55 KW				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
	00AM-01AM		–	–	0.98	422					00:40	–	–	22																218
	01AM-02AM		–	–	0.99	420					–	–	–	22																220
SHIFT	02AM-03AM		–	–	0.98	414					–	2:50	2:10	22																210
	03AM-04AM		–	–	0.99	418	3:15	–	–	21																				212
	04AM-05AM		–	–	0.98	420	–	–		22																				209
	05AM-06AM		–	–	0.99	426	–	5:30	2:15	21																				203
	06AM-07AM		–	–	0.98	424									5:10	–	–	40												390
	07AM-08AM		–	–	0.99	426									–	–		40												395
	08AM-09AM		–	–	0.98	420									–	8:40	2:30	40												396
SHIFT	09AM-10AM		–	–	0.99	424					9:00	–	–	21																190
	10AM-11AM		–	–	0.98	423					–	–		22																192
	11AM-12AM		–	–	0.99	420					–	11:40	2:40	22																193
	12PM-01PM		–	–	0.98	426													12:00	–	–	41								420
	01PM-02PM		–	–	0.99	430													–	–	–	41								425
	02PM-03PM		–	–	0.98	425													–	2:35	2:35	41								426
SHIFT	03PM-04PM		–	–	0.99	420	3:00	–	–	22																				190
	04PM-05PM		–	–	0.98	420	–	–		22																				193
	05PM-06PM		–	–	0.99	428	–	5:45	2:45	22																				195
	06PM-07PM		–	–	0.99	426									6:10	–	–	40												380
	07PM-08PM		–	–	0.98	420									–	–		41												385
	08PM-09PM		–	–	0.99	425									–	8:35	2:25	40												390
	09PM-10PM		–	–	0.98	424					9:00	–	–	22																210
SHIFT	10PM-11PM		–	–	0.99	423					–			21																212
	11PM-12AM		–	–	0.98	420					–	11:30	2:30	22																213
PUMPS RUNNING HOURS									5:00				7:20				4:55				2:35									

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizar, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(06:00AM-02:00PM)	Dharmendra Kumar	Jamil Khan	Jag Kanah	6.66 MLD	Sat 3/2/2024			
(02:00PM-10:00PM)	Nagendra	Shivam	Sangeeta					
(10:00PM-06:00AM)	Om Prakash Singh	Anil Yadav	Ravi Kumar					

CHIEF ECO ENGINEER KANPUR ZONE

600

601

MPS Log Book for Month of 04/Feb/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 - 11 KW				Pump No. RSP-02 - 11 KW				Pump No. RSP-03 - 22 KW				Pump No. RSP-04 - 22 KW				Pump No. RSP-05 - 5 CHW				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		—	—	0.99	425	00:40	—	—	22																				195
	01AM-02AM		—	—	0.98	430	—	—		22																				192
	02AM-03AM		—	—	0.99	427	—	2:45	2:05	22																				193
	03AM-04AM		—	—	0.98	420					3:20	—	—	21																192
	04AM-05AM		—	—	0.99	426					—	—	—	22																190
	05AM-06AM		—	—	0.98	426					—	5:30	2:10	22																189
A-SHIFT	06AM-07AM		—	—	0.99	420													6:15	—	—	41								915
	07AM-08AM		—	—	0.98	418													—	—		40								916
	08AM-09AM		—	—	0.99	419													—	8:45	2:30	40								918
	09AM-10AM		—	—	0.98	418	9:30	—	—	22																				210
	10AM-11AM		—	—	0.98	427	—	—		21																				212
	11AM-12AM		—	—	0.98	420	—	11:30	2:00	22																				213
	12PM-01PM		—	—	0.99	422									12:20	—	—	40												330
	01PM-02PM		—	—	0.99	426									—	1:40	1:20	40												332
B-SHIFT	02PM-03PM		—	—	0.98	424					2:15	—	—	22																1308
	03PM-04PM		—	—	0.98	423					—	—		21																195
	04PM-05PM		—	—	0.99	422					—	4:45	2:30	22																196
	05PM-06PM		—	—	0.98	420									5:00	—	—	41												390
	06PM-07PM		—	—	0.99	420									—	—	—	40												385
	07PM-08PM		—	—	0.98	423									—	7:30	2:30	40												380
	08PM-09PM		—	—	0.99	430	8:00	—	—	22																				210
	09PM-10PM		—	—	0.98	430	—	9:40	1:40	22																				213
C-SHIFT	10PM-11PM		—	—	0.99	424													10:15	—	—	41								905
	11PM-12AM		—	—	0.99	420													—	11:35	1:20	41								906
PUMPS RUNNING HOURS									5:45				4:40				3:50				8:50									

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Dhanasekaran	Shivam Singh	Ajay Kumar	6.79 MLD				
B(02:00PM-10:00PM)	Nagendra	Jamil Khan	Ajay K					
C(10:00PM-06:00AM)	Bimprasad Sah	Anil Kadam	Ravikumar					

602

MPS Log Book for Month of 05/Feb/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 -11KW				Pump No. RSP-02 -11KW				Pump No. RSP-03 -22KW				Pump No. RSP-04 -22KW				Pump No. RSP-05 -55KW				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
	00AM-01AM		—	-	0.99	423	00:10	—	—	22																				210
	01AM-02AM		—	-	0.98	420	-	-		22																				213
SHIFT	02AM-03AM		—	-	0.99	425	-	2:40	2:30	22																				219
	03AM-04AM		—	-	0.98	430									3:20	-	-	40												380
	04AM-05AM		—	-	0.99	430									-	-		40												390
	05AM-06AM		—	-	0.98	420									-	5:30	2:10	40												395
	06AM-07AM		—	-	0.98	418					6:15	-	-	21																190
	07AM-08AM		—	-	0.99	416					-	-		22																192
SHIFT	08AM-09AM		—	-	0.98	418					—	8:45	2:30	22																193
	09AM-10AM		—	-	0.98	418													9:20	-	-	40								420
	10AM-11AM		—	-	0.99	430													-	-		40								425
	11AM-12AM		—	-	0.98	424													-	11:50	2:30	41								426
	12PM-01PM		—	-	0.99	423	12:15	—	-	22																				230
	01PM-02PM		—	-	0.98	422	-	-		22																				220
	02PM-03PM		—	-	0.98	420	—	2:45	2:30	22																				219
SHIFT	03PM-04PM		—	-	0.99	419									3:00	-	-	41												399
	04PM-05PM		—	-	0.98	418									-	4:55	1:55	41												410
	05PM-06PM		—	-	0.99	420					5:10	—	-	22																130
	06PM-07PM		—	-	0.98	422					-	-		22																135
	07PM-08PM		—	-	0.98	423					-	7:50	2:40	22																139
	08PM-09PM		—	-	0.99	424													8:25	-	-	41								420
	09PM-10PM		—	-	0.98	430													-	9:59	1:34	41								425
SHIFT	10PM-11PM		—	-	0.98	420									10:00	-	-	40												390
	11PM-12AM		—	-	0.99	426									-	11:40	1:40	40												392
	MPS RUNNING HOURS								5:00				5:10				5:45				4:04									

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(8:00AM-2:00PM)	Bhagavan.k	Shivam Singh	Ajay.K	733MLD				
(2:00PM-10:00PM)	Nagendra	Kamil Khan	Sanjeev.K					
(10:00PM-8:00AM)	Ramanaiah	Anil Yadav	Ravi Kumar					

603

MPS Log Book for Month of 06/Feb/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 (11 KW)				Pump No. RSP-02 (11 KW)				Pump No. RSP-03 (22 KW)				Pump No. RSP-04 (22 KW)				Pump No. RSP-05 (55 KW)				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		—	—	0.98	420					00:30	—	—	21																215
	01AM-02AM		—	—	0.99	422					—			22																216
	02AM-03AM		—	—	0.98	423					—	2:10	2:10	22																217
	03AM-04AM		—	—	0.99	424									3:40	—	—	41												380
	04AM-05AM		—	—	0.98	430									—	—	—	40												385
	05AM-06AM		—	—	0.98	430									—	5:55	2:15	40												390
A-SHIFT	06AM-07AM		—	—	0.99	420	6:20	—	—	22																				130
	07AM-08AM		—	—	0.98	426	—	—		22																				135
	08AM-09AM		—	—	0.98	426	—	8:30	2:10	22																				136
	09AM-10AM		—	—	0.99	427													9:15	—	—	41								410
	10AM-11AM		—	—	0.98	426													—	10:05	1:30	40								412
	11AM-12AM		—	—	0.99	430					11:20	—	—	22																216
	12PM-01PM		—	—	0.98	425					—	—		22																217
	01PM-02PM		—	—	0.99	419					—	1:40	2:20	22																215
B-SHIFT	02PM-03PM		—	—	0.98	418													2:15	—	—	40								400
	03PM-04PM		—	—	0.98	418													—	3:30	1:15	41								408
	04PM-05PM		—	—	0.99	420	4:25	—	—	22																				135
	05PM-06PM		—	—	0.98	422	—	—		22																				136
	06PM-07PM		—	—	0.98	423	—	6:40	2:15	22																				132
	07PM-08PM		—	—	0.98	420									7:30	—	—	40												380
	08PM-09PM		—	—	0.99	426									—	—	—	40												382
	09PM-10PM		—	—	0.99	427									—	9:30	2:00	40												390
C-SHIFT	10PM-11PM		—	—	0.98	420					10:15	—	—	22																189
	11PM-12AM		—	—	0.99	424					—	11:35	1:20	22																180
PUMPS RUNNING HOURS									4:25				5:50				4:15				2:45									

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Shyamveer Kumar	Shivam Singh	Ajay.e	6.774 MLD			CHIEF EXECUTIVE ENGINEER KANPUR DELHI	
B(02:00PM-10:00PM)	Nagendra	Kamlesh	Ravi k.					
C(10:00PM-06:00AM)	Om Prakash	Ajit Yadav	Ajay. k					

604

MPS Log Book for Month of 07/Feb/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 – 11 KW				Pump No. RSP-02 – 11 KW				Pump No. RSP-03 – 22 KW				Pump No. RSP-04 – 22 KW				Pump No. RSP-05 – 55 KW				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
	00AM-01AM		–	–	0.98	420	00:35	–	–	21																				199
	01AM-02AM		–	–	0.99	418	–	1:45	1:10	22																				198
SHIFT	02AM-03AM		–	–	0.98	420					2:30	–	–	22																199
	03AM-04AM		–	–	0.99	419					–	–		22																198
	04AM-05AM		–	–	0.98	420					–	4:30	2:20	22																195
	05AM-06AM		–	–	0.99	425									5:20	–	–	40												390
	06AM-07AM		–	–	0.98	424									–	6:40	1:20	40												395
	07AM-08AM		–	–	0.99	420	7:00	–	–	22																				210
SHIFT	08AM-09AM		–	–	0.98	420	–	–		22																				213
	09AM-10AM		–	–	0.98	428	–	9:30	2:30	22																				214
	10AM-11AM		–	–	0.98	430													10:00	–	–	41								413
	11AM-12AM		–	–	0.99	430													–	–	–	41								412
	12PM-01PM		–	–	0.98	424													–	12:40	2:40	41								410
	01PM-02PM		–	–	0.99	423					1:00	–	–	22																201
	02PM-03PM		–	–	0.98	422					–	–		22																206
SHIFT	03PM-04PM		–	–	0.99	420					–	3:50	2:50	22																205
	04PM-05PM		–	–	0.98	423									4:20	–	–	40												392
	05PM-06PM		–	–	0.99	424									–	–	–	40												390
	06PM-07PM		–	–	0.98	420									–	6:35	2:15	40												390
	07PM-08PM		–	–	0.99	421	7:10	–	–	21																				199
	08PM-09PM		–	–	0.98	420	–	–		22																				192
	09PM-10PM		–	–	0.99	426	–	9:40	2:30	22																				190
SHIFT	10PM-11PM		–	–	0.98	427													10:15	–	–	41								400
	11PM-12AM		–	–	0.99	430													–	11:45	1:30	41								405
	IMPS RUNNING HOJRS								6:10				5:10				3:35				4:10									

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(06:00AM-02:00PM)	Shivaconcrete	Shivam Singh	Jay Karan	6.81 MLD				
(02:00PM-10:00PM)	Nagendra	Pankaj Kumar	Pankaj Kumar					
(10:00PM-06:00AM)	Ambrakesh	Anil Kumar	Ajay Kumar Singh					

HEMECO ENGINEERS KANPUR DELHI

605

MPS Log Book for Month of 28/Feb/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 - 11 KW				Pump No. RSP-02 - 11 KW				Pump No. RSP-03 - 22 KW				Pump No. RSP-04 - 22 KW				Pump No. RSP-05 - 55 KW				Pump No. RSP-06				M3
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	-	0.99	430	00:20	-	-	22																					198
	01AM-02AM		-	-	0.98	426	-	-		22																					19
	02AM-03AM		-	-	0.99	426	-	2:40	2:20	21																					19
	03AM-04AM		-	-	0.98	423					3:40	-	-	21																	19
	04AM-05AM		-	-	0.99	420					-	-		22																	19
	05AM-06AM		-	-	0.98	426					-	5:10	1:30	21																	19
A-SHIFT	06AM-07AM		-	-	0.99	428									6:20	-	-	40													38
	07AM-08AM		-	-	0.98	420									-	-	-	41													38
	08AM-09AM		-	-	0.99	426									-	8:30	2:10	40													38
	09AM-10AM		-	-	0.98	428	9:30	-	-	22																					21
	10AM-11AM		-	-	0.98	427	-	-		22																					21
	11AM-12AM		-	-	0.99	426	-	11:40	2:10	22																					21
	12PM-01PM		-	-	0.98	424													12:10	-	-	41									412
	01PM-02PM		-	-	0.98	423													-	-	-	41									413
B-SHIFT	02PM-03PM		-	-	0.99	422													-	2:30	2:20	40									416
	03PM-04PM		-	-	0.99	420					3:20	-	-	22																	136
	04PM-05PM		-	-	0.98	418					-	-		22																	139
	05PM-06PM		-	-	0.98	419					-	5:45	2:25	22																	136
	06PM-07PM		-	-	0.98	416									6:10	-	-	40													390
	07PM-08PM		-	-	0.99	419									-	-		40													393
	08PM-09PM		-	-	0.98	420									-	8:30	2:20	40													395
	09PM-10PM		-	-	0.99	426	9:10	-	-	22																					199
C-SHIFT	10PM-11PM		-	-	0.98	420	-	-		22																					206
	11PM-12AM		-	-	0.99	423	-	11:25	2:15	22																					210
PUMPS RUNNING HOURS									6:45				3:55				4:30				2:20										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(08:00AM-02:00PM)	Shivananda	Shivam Singh	Jaykaran	68MLD				
B(02:00PM-10:00PM)	Nagendra	Jamil Khan	Ravi Kumar	6				
C(10:00PM-08:00AM)	Prabhakar	Ashwani	Sanjeev Kumar					

606

MPS Log Book for Month of 09/Feb/2024

FT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 - 11 KW				Pump No. RSP-02 - 11 KW				Pump No. RSP-03 - 22 KW				Pump No. RSP-04 - 22 KW				Pump No. RSP-05 - 55 KW				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
	00AM-01AM		-	-	0.98	420	00:50	-	-	21																					
	01AM-02AM		-	.	0.99	419	-	-	-	22																					220
	02AM-03AM		-	.	0.98	418	-	2:50	2:00	21																					219
6IFT	03AM-04AM		-	.	0.99	420					3:35	-	-	22																	218
	04AM-05AM		.	.	0.98	426					-	-		22																	199
	05AM-06AM		-	.	0.99	430					-	5:45	2:10	22																	190
	06AM-07AM		-	-	0.98	430									6:20	-	-	41													198
	07AM-08AM		-	.	0.99	420									-	-		41													420
	08AM-09AM		-	.	0.98	427									-	8:30	2:10	40													422
1IFT	09AM-10AM		.	.	0.99	426	9:30	-	-	22																					425
	10AM-11AM		-	.	0.98	426	-	-		22																					210
	11AM-12AM		-	.	0.99	418	-	11:35	2:05	22																					212
	12PM-01PM		-	.	0.98	416																									201
	01PM-02PM		-	.	0.99	420									12:00	-	-	40													380
	02PM-03PM		-	.	0.98	419									-	-		40													385
-IFT	03PM-04PM		-	.	0.99	418									-	2:30	2:30	40													390
	04PM-05PM		.	.	0.98	420					3:20	-	-	22																	180
	05PM-06PM		.	.	0.98	428					-	-	-	22																	186
	06PM-07PM		-	.	0.99	430					-	5:20	2:00	22																	190
	07PM-08PM		-	.	0.98	420													6:10	-	-	41									420
	08PM-09PM		-	-	0.98	426													-	-	-	41									424
	09PM-10PM		.	.	0.99	429	9:10	-	-	22									-	8:30	2:20	40									426
HIFT	10PM-11PM		-	.	0.98	422	-	-		22																					196
	11PM-12AM		-	.	0.99	420	-	11:35	2:25	22																					197
	MPS RUNNING HOURS								6:30				4:10				4:40				2:20										199

IFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
6:00AM-02:00PM)	Nageshwar	Shivam Singh	Jay Karan	6.70 MLD				
2:00PM-10:00PM)	Om Prakash Singh	Tamil Khan	Sanjeev Kumar					
0:00PM-06:00AM)	Dhanwan Kumar	Amit Yadav	Rahul Kumar					

CHEMCO ENGINEERS KANPUR

MPS Log Book for Month of 10/Feb/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 – 11 KW				Pump No. RSP-02 – 11 KW				Pump No. RSP-03 – 22 KW				Pump No. RSP-04 – 22 KW				Pump No. RSP-05 – 55 KW				Pump No. RSP-06				MGH
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		–	.	0·99	420																									
	01AM-02AM		–	.	0·98	426	1:40	–	.	22																					219
	02AM-03AM		–	.	0·99	420	.	–		22																					219
	03AM-04AM		–	.	0·98	418	–	3:50	2:10	22																					210
	04AM-05AM		–	.	0·99	416					4:30	–	–	22																	139
	05AM-06AM		–	.	0·98	420					–	–		22																	130
A-SHIFT	06AM-07AM		–	.	0·99	424					–	6:45	2:15	22																	190
	07AM-08AM		–	.	0·98	427									7:10	–	–	40													395
	08AM-09AM		–	.	0·99	426									–	–	–	40													399
	09AM-10AM		.	.	0·98	430									–	9:30	2:20	40													410
	10AM-11AM		.	.	0·98	430	6:00	–	–	22																					213
	11AM-12AM		.	.	0·99	419	–	–		22																					214
	12PM-01PM		–	.	0·99	418	–	12:35	2:35	22																					220
	01PM-02PM		–	.	0·98	420													1:20	–	–	41									419
B-SHIFT	02PM-03PM		–	.	0·99	422													–	2:30	1:10	41									390
	03PM-04PM		–	.	0·98	420					3:00	–	–	22																	196
	04PM-05PM		–	.	0·98	430					–	–		22																	197
	05PM-06PM		–	.	0·99	426					–	5:20	2:20	21																	219
	06PM-07PM		–	.	0·99	427													6:10	–	–	41									416
	07PM-08PM		–	.	0·98	428													–	–		40									418
	08PM-09PM		–	.	0·99	425													–	8:20	2:10	41									390
	09PM-10PM		–	.	0·98	426	3:00	–	–	21																					93
C-SHIFT	10PM-11PM		.	.	0·99	424	–	–		22																					194
	11PM-12AM		.	.	0·98	425	–	11:30	2:30	22																					195
PUMPS RUNNING HOURS									7:15				4:35				2:20				3:20										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A (8:00AM-2:00PM)	Dhananjay Kumar	Sriram Singh	Jaylaxman	6.30MLD				
B (2:00PM-12:00PM)	Nagarjuna	Anil Yadav	Amit Kumar					
C (12:00PM-8:00AM)	Ramprakash Gupta	Tamil Khan	Sanjeev Kumar					

MPS Log Book for Month of 11/Feb/2024

608

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 - 11 KW				Pump No. RSP-02 - 11 KW				Pump No. RSP-03 - 22 KW				Pump No. RSP-04 - 22 KW				Pump No. RSP-05 - 55 KW				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
	00AM-01AM		-	-	0.98	918					00:30	-	-	22																	210
	01AM-02AM		-	-	0.99	920					-	-		21																	212
	02AM-03AM		-	-	0.98	918					-	2:30	2:00	22																	213
SHIFT	03AM-04AM		-	-	0.99	919	3:40	-	-	22																					214
	04AM-05AM		-	-	0.98	928	-	-		22																					210
	05AM-06AM		-	-	0.99	930	-	5:10	1:30	22																					190
	06AM-07AM		-	-	0.98	921					6:00	-	-	22																	192
	07AM-08AM		-	-	0.98	922				-	-	7:20	1:20	22																	196
	08AM-09AM		-	-	0.99	924									8:00	-	-	40													390
SHIFT	09AM-10AM		-	-	0.98	926									-	-	-	40													396
	10AM-11AM		-	-	0.99	926									-	10:30	2:30	40													397
	11AM-12AM		-	-	0.98	918	11:20	-	-	21																					190
	12PM-01PM		-	-	0.99	930	-	-	-	22																					192
	01PM-02PM		-	-	0.98	923	-	1:40	2:20	22																					195
	02PM-03PM		-	-	0.99	920													2:10	-	-	41									420
SHIFT	03PM-04PM		-	-	0.98	919													-	3:45	1:35	42									426
	04PM-05PM		-	-	0.99	918					4:10	-	-	22																	196
	05PM-06PM		-	-	0.98	916					-	-		21																	197
	06PM-07PM		-	-	0.98	918					-	6:30	2:20	22																	199
	07PM-08PM		-	-	0.99	920									7:00	-	-	40													380
	08PM-09PM		-	-	0.98	926									-	-		40													390
	09PM-10PM		-	-	0.99	922									-	9:35	2:35	41													395
SHIFT	10PM-11PM		-	-	0.98	923	10:00	-	-	22																					210
	11PM-12AM		-	-	0.99	920	-	11:20	1:20	22																					212
MPS RUNNING HOURS									5:10				5:40				5:05				1:35										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(08AM-02:00PM)	Dhananjay	Shivsingh	Jaykaran	6.42 MLD				
(02PM-10:00PM)	Nagendra	Jamil Khan	Sangeet Kumar		11/2/2024			
(10PM-06:00AM)	Om Prakash	Anil Yadav	Ram Kumar					

609

MPS Log Book for Month of 12/Feb/2024

SHIFT	TIME	Water Level	Time of power out	Time of power come	Power Factor	Voltage	Pump No. RSP-01 - 11 KW				Pump No. RSP-02 - 11 KW				Pump No. RSP-03 - 30 KW				Pump No. RSP-04 - 22 KW				Pump No. RSP-05 - 55 KW				Pump No. RSP-06				Unit
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	-	0.98	426	00:40	-	-	22																					216
	01AM-02AM		-	-	0.98	420	-	-		22																					217
	02AM-03AM		-	-	0.99	418	-	2:50	2:10	21																					216
	03AM-04AM		-	-	0.99	419					3:30	-	-	22																	139
	04AM-05AM		-	-	0.99	426					-	-		22																	136
	05AM-06AM		-	-	0.99	428					-	5:40	2:10	22																	135
A-SHIFT	06AM-07AM		-	-	0.98	429									6:10	-	-	41													93
	07AM-08AM		-	-	0.98	426									-	7:30	1:20	40													95
	08AM-09AM		-	-	0.99	420	8:30	-	-	22																					130
	09AM-10AM		-	-	0.98	418	-	-		22																					132
	10AM-11AM		-	-	0.98	420	-	10:40	2:10	22																					139
	11AM-12AM		-	-	0.99	419													11:05	-	-	40									90
	12PM-01PM		-	-	0.98	420													-	-	-	40									90
	01PM-02PM		-	-	0.98	415													-	-	-	40									39
B-SHIFT	02PM-03PM		-	-	0.99	419													-	2:20	3:15	40									35
	03PM-04PM		-	-	0.98	420					3:00	-	-	21																	192
	04PM-05PM		-	-	0.99	425					-	-		22																	190
	05PM-06PM		-	-	0.98	420					-	5:48	2:18	22																	193
	06PM-07PM		-	-	0.99	426									6:08	-	-	41													419
	07PM-08PM		-	-	0.98	420									-	-		40													429
	08PM-09PM		-	-	0.99	427									-	8:36	2:28	41													426
	09PM-10PM		-	-	0.98	430	9:00	-	-	21																					215
C-SHIFT	10PM-11PM		-	-	0.99	430	-	-		22																					216
	11PM-12AM		-	-	0.98	428	-	11:40	2:40	21																					217
PUMPS RUNNING HOURS									7:00				4:58				3:48				3:15										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Nagendra	Shivam Singh	Jay Karan	6.78 MLD				
B(02:00PM-10:00PM)	Bhupendra Singh	Jamil Khan	Rahul Kumar					
C(10:00PM-06:00AM)	Bhuvanikumar	Anil Yadav	Ajay Singh					

610

MPS Log Book for Month of 13/Feb/2024

TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11 KW				Pump No. RSP-02				Pump No. RSP-03 22 KW				Pump No. RSP-04				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
						Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
00AM-01AM		—	—	0.93	421	00:00	—	—	21																					185
01AM-02AM		—	—	0.98	420	—	—	—	22																					193
02AM-03AM		—	—	0.99	425	—	—	—	21																					192
03AM-04AM		—	—	0.98	425	—	3:46	3:46	22																					192
04AM-05AM		—	—	0.99	420					4:00	—	—	41																	420
05AM-06AM		—	—	0.98	419					—	—	—	40																	418
06AM-07AM		—	—	0.99	418					—	6:20	2:20	41																	419
07AM-08AM		—	—	0.98	417	7:05	—	—	22																					192
08AM-09AM		—	—	0.99	418	—	—	—	21																					196
09AM-10AM		—	—	0.98	419	—	9:30	2:25	21																					198
10AM-11AM		—	—	0.99	421					10:00	—	—	41																	420
11AM-12AM		—	—	0.98	420					—	—	—	40																	418
12PM-01PM		—	—	0.93	421					—	12:55	2:55	41																	420
01PM-02PM		—	—	0.98	422	1:00	—	—	22																					192
02PM-03PM		—	—	0.99	418	—	—	—	21																					193
03PM-04PM		—	—	0.98	419	—	3:00	2:00	22																					190
04PM-05PM		—	—	0.99	422									4:00	—	—	40													398
05PM-06PM		—	—	0.98	419									—	—		41													395
06PM-07PM		—	—	0.99	421									—	6:50	2:50	41													396
07PM-08PM		—	—	0.98	422	7:00	—	—	21																					192
08PM-09PM		—	—	0.99	419	—	—		21																					190
09PM-10PM		—	—	0.98	417	—	9:40	2:40	22																					193
10PM-11PM		—	—	0.99	421					10:00	—	—	40																	390
11PM-12AM		—	—	0.98	424					—	11:59	1:59	41																	392
PS RUNNING HOURS								10:51				7:17				2:50														

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
08AM-02 00PM)	Nagendra	Sivan Singh	Jay karan					
02PM-10 00PM)	Shankarnik	Jamil Khan	Ravi Kumar	6.97 MLD				
10PM-06 03AM)	Om Prakash Suthar	Anil Yadav	Sanjeev Kumar					

CHEMECO ENGINEERS (P) LTD. KANPUR (U.P.)

611

MPS Log Book for Month of 19/Feb/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11KW				Pump No. RSP-02 11 KW				Pump No. RSP-03 22 KW				Pump No. RSP-04 22 KW				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	.	0.93	425	00:01	-	-	22																					220
	01AM-02AM		-	.	0.98	424	-	-	-	22																					219
	02AM-03AM		-	-	0.93	419	-	-	-	21																					219
	03AM-04AM		.	.	0.98	416	-	3:40	3:40	21																					221
	04AM-05AM		-	-	099	419					4:00	-	-	21																	194
	05AM-06AM		-	.	0.98	420					-	-	-	21																	197
A-SHIFT	06AM-07AM		-	-	0.99	422					-	6:45	2:45	21																	132
	07AM-08AM		-	.	0.98	421									7:00	-	-	40													420
	08AM-09AM		-	.	0.99	422									-	-		40													421
	09AM-10AM		-	-	0.98	419									-	9:50	2:50	41													425
	10AM-11AM		-	.	0.99	419	10:00	-	-	22																					220
	11AM-12AM		-	.	0.98	420	-	-		21																					221
	12PM-01PM		-	-	0.99	421	-	12:55	2:55	22																					219
	01PM-02PM		-	-	0.98	417					1:00	-	-	21																	221
B-SHIFT	02PM-03PM		-	.	0.99	418					-	-		22																	220
	03PM-04PM		-	.	0.98	420					-	3:55	2:55	21																	221
	04PM-05PM		-	.	0.99	424													4:00	-	-	40									399
	05PM-06PM		-	-	0.98	421													-	-	-	40									395
	06PM-07PM		-	.	0.99	422													-	6:40	2:40	41									393
	07PM-08PM		-	.	0.98	421	7:00	-	-	21																					195
	08PM-09PM		-	.	0.99	422	-	-		22																					193
	09PM-10PM		-	.	0.98	419	-	9:45	2:45	22																					191
C-SHIFT	10PM-11PM		-	.	0.95	424					10:00	-	-	22																	210
	11PM-12AM		-	.	0.99	425					-	11:50	1:50	22																	212
PUMPS RUNNING HOURS									9:20				7:30				2:50				2:40										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(08:00AM-02:00PM)	Nagendra,	Shivam Singh	Jaykaran					
B(02:00PM-10:00PM)	Dharmendra	Jamil Khan	Anil Kumar	6.83 MLD				
C(10:00PM-06:00AM)	Pradeep	Anil Yadav	Ajay Singh					

CHEM ECO ENGINEERS KANPUR

612

MPS Log Book for Month of 15/Feb/2026

SHIFT	TIME	Water Level	Time of power cut	Time of power corre	Power Factor	Voltage	Pump No. RSP-01 11 KW				Pump No. RSP-02 22 KW				Pump No. RSP-03 22 KW				Pump No. RSP-04				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
	00AM-01AM		-	-	0.98	424	00:00	-	-	21																				222
	01AM-02AM		-	-	0.99	425	-	-		21																				220
SHIFT	02AM-03AM		-	-	0.98	420	-	2:48	2:48	22																				221
	03AM-04AM			-	0.99	422					3:00	-	-	40																399
	04AM-05AM		-	-	0.98	419					-	-	-	40																395
	05AM-06AM		-	-	0.99	418					-	-	-	40																392
	06AM-07AM		-	-	0.98	420					-	6:59	3:59	40																394
	07AM-08AM		-	-	0.99	421	7:00	-	-	22																				198
SHIFT	08AM-09AM		-	-	0.98	420	-	-		22																				196
	09AM-10AM		-	-	0.99	424	-	9:46	2:40	21																				199
	10AM-11AM		-	-	0.98	420					10:00	-	-	41																394
	11AM-12AM		-	-	0.99	422					-	-		40																399
	12PM-01PM		-	-	0.98	424					-	-	-	41																395
	01PM-02PM		-	-	0.99	425					-	1:55	3:55	40																393
	02PM-03PM		-	-	0.98	419	2:10	-	-	21																				220
SHIFT	03PM-04PM		-	-	0.98	418	-	-	-	22																				219
	04PM-05PM		-	-	0.99	421	-	4:40	2:30	21																				220
	05PM-06PM		-	-	0.98	422									5:00	-		41												424
	06PM-07PM		-	-	0.99	424									-	-		41												422
	07PM-08PM		-	-	0.98	421									-	-		40												425
	08PM-09PM		-	-	0.99	424									-	8:50	3:50	41												424
	09PM-10PM		-	-	0.98	425					9:00	-	-	40																399
SHIFT	10PM-11PM		-	-	0.99	422					-	-		40																395
	11PM-12AM		-	-	0.98	420					-	11:40	2:40	40																397
	JMPS RUNNING HOURS								7:58				16:34				3:50													

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(06:00AM-02:00PM)	Bhagwan Dass	Shivam Singh	Ravi Kumar					
(02:00PM-10:00PM)	Bhawan Kumar	Jamil Khan	Sanjeev Kumar	2.96 MLD				
(10:00PM-06:00AM)	Om Prakash	Anil Gaur	Jaykaran					

THEMECO ENGINEERS KANPUR DELHI

613

MPS Log Book for Month of 16/Feb/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 11 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 22 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 22 KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/H
C-SHIFT	00AM-01AM		-	-	0.98	424	00:00	-	-	21																					220
	01AM-02AM		-	-	0.99	425	-	-	-	22																					218
	02AM-03AM		-	-	0.98	422	-	2:45	2:45	21																					221
	03AM-04AM		-	-	0.99	419					3:00	-	-	22																	19
	04AM-05AM		-	-	0.98	418					-	-		21																	19
	05AM-06AM		-	-	0.99	420					-	5:40	2:40	22																	195
A-SHIFT	06AM-07AM		-	-	0.98	421									6:00	-	-	41													420
	07AM-08AM		-	-	0.99	424									-	-	-	40													413
	08AM-09AM		-	-	0.98	421									-	-	-	41													419
	09AM-10AM		-	-	0.99	418									-	9:40	3:40	40													419
	10AM-11AM		-	-	0.99	417													10:00	-	-	41									225
	11AM-12AM		-	-	0.98	420													-	-	-	40									374
	12PM-01PM		-	-	0.99	421													-	12:50	2:50	41									335
	01PM-02PM		-	-	0.98	422									1:00	-	-	41													419
B-SHIFT	02PM-03PM		-	-	0.99	421									-	-		41													422
	03PM-04PM		-	-	0.98	420									-	3:48	2:48	41													423
	04PM-05PM		-	-	0.99	421	4:00	-	-	22																					421
	05PM-06PM		-	-	0.98	422	-	-		22																					219
	06PM-07PM		-	-	0.98	419	-	6:45	2:45	21																					218
	07PM-08PM		-	-	0.99	418					7:00	-	-	21																	198
	08PM-09PM		-	-	0.98	417					-			21																	199
	09PM-10PM		-	-	0.99	420					-	5:50	2:50	22																	195
C-SHIFT	10PM-11PM		-	-	0.98	419													10:00	-	-	41									401
	11PM-12AM		-	-	0.99	422													-	11:58	1:58	40									400
PUMPS RUNNING HOURS								5:30				5:30					6:28				4:48									

SHIFT*	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Nagendra	Shivram Singh	Jaykaran	7.59 MLD	Open 20 16/2/24			
B(02:00PM-10:00PM)	Shaswan Kumar	Jamil Khan	Sanjeev Kumar					
C(10:00PM-06:00AM)	Om Prakash Rajak	Anil Sardar	Sanjeev Kumar					

ECOTHEMECO ENGINEERS KANPUR DELHI

614

MPS Log Book for Month of 17/Feb/2024

TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11KW				Pump No. RSP-02 11 KW				Pump No. RSP-03 22 KW				Pump No. RSP-04 22 KW				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
						Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
00AM-01AM		-	-	0·98	425	0:00	-	-	21																					218
01AM-02AM		-	-	0·98	422	-	-		22																					219
02AM-03AM		-	-	0·99	419	-	2:40	2:40	21																					220
03AM-04AM		-	-	0·98	421					3:00	-	-	22																	193
04AM-05AM		-	-	0·99	420					-	-		21																	194
05AM-06AM		-	-	0·98	422					-	5:48	2:48	22																	197
06AM-07AM		-	-	0·99	424									6:00	-		40													398
07AM-08AM		-	-	0·98	423									-	-		40													396
08AM-09AM		-	-	0·99	424									-	8:55	2:55	40													397
09AM-10AM		-	-	0·98	425													9:00	-		41									422
10AM-11AN		-	-	0·99	421													-	-		41									423
11AM-12AN		-	-	0·98	424													-			41									425
12PM-01PM		-	-	0·99	422													-	12:58	3:58	41									427
01PM-02PM		-	-	0·98	423	1:00	-	-	21																					218
02PM-03PN		-	-	0·99	421	-	-		21																					216
03PM-04PN		-	-	0·98	419	-	3:40	2:40	22																					139
04PM-05PN		-	-	0·99	421					4:00	-	-	21																	219
05PM-06PN		-	-	0·98	422					-	-		21																	221
06PM-07PN		-	-	0·99	421					-	6:55	2:55	22																	222
07PM-08PN		-	-	0·98	419									7:45	-	-	40													398
08PM-09PN		-	-	0·99	419									-	-		40													399
09PM-10PN		-	-	0·98	418									-	9:14	01:59	40													399
10PM-11PM		-	-	0·98	424	10:00	-	-	22																					199
11PM-12AM		-	-	0·99	421	-	11:35	1:35	22																					197
RUNNING OURS							6:55					5:43				4:54				3:58										

SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
Nagendra (AM-02:00PM)	Shivan Singh	Jaykaran	701/MLD				
Shrawan Kumar (PM-10:00PM)	Jamal Khan	Sanjeev Kumar					
Om Prakash (PM-06:00AM)	Anil Yadav	Rahul Kumar					

MPS Log Book for Month of 18-Feb-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 — KW				Pump No. RSP-02 — 22 — KW				Pump No. RSP-03 — 22 — KW				Pump No. RSP-04 — 11 — KW				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		–	.	0·99	424	00:10	–		21																					199
	01AM-02AM		.	–	0·98	425	–	–		21																					197
	02AM-03AM		.	.	0·98	422	–	2:54	2:44	21																					196
	03AM-04AM		–	.	0·99	419					3:00	–		40																	398
	04AM-05AM		–	.	0·98	418					–	–		40																	394
	05AM-06AM		.	.	0·99	421					–	5:46	2:46	40																	395
A-SHIFT	06AM-07AM		–	.	0·98	422									6:00	–		40													425
	07AM-08AM		–	.	0·99	421									–	–		40													420
	08AM-09AM		–	.	0·98	419									–	–		40													419
	09AM-10AM		–	.	0·99	417									–	9:49	3:49	40													422
	10AM-11AM		–	.	0·98	419	10:00	–		21																					192
	11AM-12AM		.	.	0·99	422	–	–		21																					190
	12PM-01PM		.	.	0·98	421	–	12:30	2:30	21																					197
	01PM-02PM		.	.	0·99	419					1:00	–		40																	420
B-SHIFT	02PM-03PM		.	.	0·98	425					–	–		40																	425
	03PM-04PM			.	0·99	424					–	3:50	2:50	40																	422
	04PM-05PM		.	.	0·98	422													4:00	–		22									193
	05PM-06PM		.	.	0·99	421													–	–		22									199
	06PM-07PM		.	.	0·98	422													–	6:39	2:39	22									196
	07PM-08PM		.	.	0·99	418					7:15	–		40																	395
	08PM-09PM		–	.	0·99	417					–	–		40																	392
	09PM-10PM		.	.	0·98	421					–	9:55	2:40	40																	396
C-SHIFT	10PM-11PM		.	.	0·98	425													10:09	–		22									193
	11PM-12AM		.	.	0·99	424													–	11:59	1:59	22									195
PUMPS RUNNING HOURS									5:14				8:16				3:49				9:38										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A (06:00AM-02:00PM)	Dharamveer Kumar	Tanil Khan	Sanjeev Kumar	7.47 MLD			CHEMTECH INDUSTRIAL ENGINEERS KANPUR DELHI	
B (02:00PM-10:00PM)	Ram Prakash Gupta	Shivam Singh	Ravi Kumar					
C (10:00PM-06:00AM)	Maqsood	Anil Kumar	Jaykaran					

615

MPS Log Book for Month of 19-Feb-2024

IFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 - KW				Pump No. RSP-02 — 11 - KW				Pump No. RSP-03 — 22 - KW				Pump No. RSP-04 — 22 - KW				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
	00AM-01AM		-	-	0.99	424	00:5	-		21																				220
	01AM-02AM		-	-	0.98	425	-	-		21																				219
SHIFT	02AM-03AM		-	-	0.99	422	-	2:55	2:50	21																				218
	03AM-04AM		-	-	0.98	419					3:00	-		22																199
	04AM-05AM		-	-	0.99	421					-	-		22																198
	05AM-06AM		-	-	0.98	422					-	-		22																196
	06AM-07AM		-	-	0.99	421					-	6:40	3.40	22																197
	07AM-08AM		-	-	0.98	419									7:10	-		40												399
SHIFT	08AM-09AM		-	-	0.99	417									-	-		40												397
	09AM-10AM		-	-	0.98	419									-	9:50	2:40	40												398
	10AM-11AM		-	-	0.99	422					10:00	-		21																199
	11AM-12AM		-	-	0.98	417					-	-		21																190
	12PM-01PM		-	-	0.99	419					-	12:20	2:20	21																195
	01PM-02PM		-	-	0.98	422													1:10	-		40								390
	02PM-03PM		-	-	0.99	417													-	-		40								391
SHIFT	03PM-04PM		-	-	0.98	425													-	-		40								392
	04PM-05PM		-	-	0.99	424													-	4:39	3:29	40								395
	05PM-06PM		-	-	0.98	422	5:00	-		21																				222
	06PM-07PM		-	-	0.98	421	-	-		21																				220
	07PM-08PM		-	-	0.99	422	-	-		21																				221
	08PM-09PM		-	-	0.98	418	-	8:45	3:45	21																				224
	09PM-10PM		-	-	0.98	417									9:05	-		40												397
SHIFT	10PM-11PM		-	-	0.99	421									-			40												395
	11PM-12AM		-	-	0.98	425									-	11.58	2:53	40												394
MPS RUNNING HOURS									6:35				6:00				5:33				3:29									

IFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
06:00AM-02:00PM)	Shravankumar	Javid Khan	Sanjeev Kumar	4.01 MLD				
02:00PM-10:00PM)	Nagendra	Shivmohan	Ravi Kumar					
10:00PM-06:00AM)	Om Prakash	Anil Yadav	Tejkaran					

MPS Log Book for Month of 20-Feb-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 – KW				Pump No. RSP-02 — 35 – KW				Pump No. RSP-03 — 11 – KW				Pump No. RSP-04				Pump No. RSP-05				Pump No. RSP-06				M3/h
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	-	0.98	420	00:10	–		21																				221
	01AM-02AM		-	-	0.99	422	–	–		21																				222
	02AM-03AM		–	-	0.98	423	–	–		21																				220
	03AM-04AM		-	-	0.99	421	–	3:40	3:30	21																				219
	04AM-05AM		–	-	0.98	419					4:00	–		49																420
	05AM-06AM		-	-	0.98	417					–	–		49																422
A-SHIFT	06AM-07AM		-	-	0.98	418					–	6:40	2:40	49																425
	07AM-08AM		–	-	0.99	420	7:05	–		22																				219
	08AM-09AM		-	-	0.98	422	–	–		22																				222
	09AM-10AM		–	-	0.99	425	–	9:55	2:50	21																				219
	10AM-11AM		–	-	0.98	424					10:00	–		49																425
	11AM-12AM		-	-	0.99	422					–	–		49																422
	12PM-01PM		-	-	0.98	421					–	12:50	2:50	49																420
	01PM-02PM		–	-	0.99	419									1:00	–		21												199
B-SHIFT	02PM-03PM		–	-	0.98	417									–	–		21												198
	03PM-04PM		–	-	0.99	418									–	5:40	2:40	21												193
	04PM-05PM		–	-	0.98	421					4:10	–		49																420
	05PM-06PM		–	-	0.99	425					–	–		49																418
	06PM-07PM		–	-	0.98	421					–	–		49																421
	07PM-08PM		–	-	0.98	421					–	7:50	5:40	49																422
	08PM-09PM		–	-	0.99	422	8:00	–		21																				219
	09PM-10PM		–	-	0.98	421	–	9:55	1:55	21																				222
C-SHIFT	10PM-11PM		–	-	0.99	423									10:00	–		22												198
	11PM-12AM		–	–	0.98	418									–	11:48	1:48	21												191
PUMPS RUNNING HOURS									8:15				9:10				4:28													

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Shrawan Kumar	Jamil Khan	Sanjeer Kumar	4.14 MLD				
B(02:00PM-10:00PM)	Nagendra	Shivam Singh	Ravi Kumar					
C(10:00PM-06:00AM)	Dr. Prakash Singh / Anil Yadav		Jaykaran					

CHEMCO ENGINEERS KANPUR DELHI

617

MPS Log Book for Month of 21-Feb-2024

T	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 11-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 22-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 22-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 55-KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/Hr
	00AM-01AM		-	-	0·99	423	00:5	-		22																					200
	01AM-02AM		-	-	0·99	422	-	-		21																					210
	02AM-03AM		-	-	0·99	423	-	2:45	2:40	22																					210
FT	03AM-04AM		-	-	0·98	422					3:20	-		21																	211
	04AM-05AM		-	-	0·98	421					-	-		21																	211
	05AM-06AM		-	-	0·99	421					-	5:50	2:30	21																	210
	06AM-07AM		-	-	0·99	421									6:00	-		40													398
	07AM-08AM		-	-	0·98	422									-	-		40													399
FT	08AM-09AM		-	-	0·98	422									-	-		40													399
	09AM-10AM		-	-	0·99	423									-	9:55	3:55	40													398
	10AM-11AM		-	-	0·99	423					10:00	-		21																	210
	11AM-12AM		-	-	0·98	421					-	-		21																	211
	12PM-01PM		-	-	0·98	421					-	-		21																	210
	01PM-02PM		-	-	0·99	421					-	1:50	3:50	21																	209
	02PM-03PM		-	-	0·98	422									2:00	-	-	40													399
FT	03PM-04PM		-	-	0·98	422									-	-		40													398
	04PM-05PM		-	-	0·98	423									-	4:40	2:40	40													398
	05PM-06PM		-	-	0·99	422													5:00	-		40									395
	06PM-07PM		-	-	0·99	421													-	-		40									395
	07PM-08PM		-	-	0·99	421													-	7:40	2:40	40									390
	08PM-09PM		-	-	098	422	8:00	-		21																					190
	09PM-10PM		-	-	0·99	422	-	-		21																					192
T	10PM-11PM		-	-	0·98	423	-	-		21																					197
	11PM-12AM		-	-	0·99	421	-	11:50	3:50	21																					195
'S RUNNING HOURS									6:30			6:20					6:35				2:40										

T	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
2AM-02:00PM)	Shivaram Kumar	Anil	Sabeer Kumar	6.83 MLD				
2PM-10:00PM)	Nagendra Singh	Shivam Singh	RN Khan					
0PM-06:00AM)	Omprakash Singh	Jamil	Jagkaran					

MPS Log Book for Month of 22/feb-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 – 11 KW				Pump No. RSP-02 11 – 15 KW				Pump No. RSP-03 – 22 KW				Pump No. RSP-04 – 22 KW				Pump No. RSP-05 – 55 KW				Pump No. RSP-06				M31
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	.	0·99	420	00:10	-	-	22																				22
	01AM-02AM		-	.	0·98	418	-	-		21																				216
	02AM-03AM		-	.	0·99	420	-	-		22																				219
	03AM-04AM		-	.	0·98	418	-	3:50	3:90	22																				220
	04AM-05AM		-	.	0·99	420					9:00	-	-	21																220
	05AM-06AM		-	.	0·98	418					-	-		22																218
A-SHIFT	06AM-07AM		-	.	0·99	419					-	6:45	2:45	21																216
	07AM-08AM		-	.	0·98	418									7:00	-	-	90												395
	08AM-09AM		-	.	0·99	420									-	-		90												395
	09AM-10AM		-	.	0·98	420									-	-		90												393
	10AM-11AM		-	.	0·99	418									-	10:55	3:55	90												395
	11AM-12AM		-	.	0·98	421	11:00	-	-	21																				220
	12PM-01PM		-	.	0·99	420	-	-		22																				222
	01PM-02PM		-	.	0·98	420	-	1:47	2:47	21																				218
B-SHIFT	02PM-03PM		-	.	0·98	421					2:00	-	-	21																216
	03PM-04PM		-	.	0·99	422					-	-		22																218
	04PM-05PM		-	.	0·98	421					-	4:40	2:40	21																220
	05PM-06PM		-	.	0·99	422													5:00	-	-	90								395
	06PM-07PM		-	.	0·99	420													-	-		90								393
	07PM-08PM		-	.	0·98	421													-	-		90								395
	08PM-09PM		-	.	0·99	420													-	8:90	3:50	90								393
	09PM-10PM		-	.	0·98	421	9:10	-	-	21																				220
C-SHIFT	10PM-11PM		-	.	0·98	422	-	-		22																				218
	11PM-12AM		-	.	0·99	421	-	11:48	2:30	21																				216
PUMPS RUNNING HOURS								9:05				5:25					3:55				3:50									

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Dharmaraj Kumar	Jamil	Sunder	6.66 MLD				
B(02:00PM-10:00PM)	Nagendra Singh	Shivam Singh	Jaykaran					
C(10:00PM-06:00AM)	Ramprakash Singh	Anil Yadav	Ravi Kant					

CHEMECO ENGINEERS KAL...

MPS Log Book for Month of 23/feb-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 – 11-KW				Pump No. RSP-02 – 11-KW				Pump No. RSP-03 – 22 KW				Pump No. RSP-04 – 22KW				Pump No. RSP-05 – 55KW				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
	00AM-01AM		–	–	0·99	420	00:10			22																				
	01AM-02AM		–	–	0·98	423	–	-		21																				220
	02AM-03AM		–	–	0·99	424	–	2:55	2:95	22																				210
SHIFT	03AM-04AM		–	–	0·98	421					3:00	–	–	21																211
	04AM-05AM		–	–	0·99	420					–	-		22																220
	05AM-06AM		–	–	0·98	421					–	5:48	2:98	21																219
	06AM-07AM		–	–	0·99	420									6:10	–	–	40												218
	07AM-08AM		–	–	0·98	424									–	–		40												395
	08AM-09AM		–	–	0·98	420									–	-		40												399
SHIFT	09AM-10AM		–	–	0·99	421									–	3:35	3:35	40												395
	10AM-11AM		–	–	0·98	422	10:00	-	-	22																				393
	11AM-12AM		–	–	0·98	422	–	-		21																				220
	12PM-01PM		–	–	0·99	421	–	-		22																				218
	01PM-02PM		–	–	0·98	420	–	–		21																				219
	02PM-03PM		–	–	0·98	422	–	–		22																				210
SHIFT	03PM-04PM		–	–	0·99	423	–	3:00	5:00	21	3:20	–	–	21																219
	04PM-05PM		–	–	0·98	423					–	–		22																219
	05PM-06PM		–	–	0·98	421					–	5:30	2:10	22																218
	06PM-07PM		–	–	0·99	422									6:30	–	–	40												210
	07PM-08PM		–	–	0·98	423									–	-		40												395
	08PM-09PM		–	–	0·98	423									–	8:10	1:40	40												399
	09PM-10PM		–	–	0·98	424	9:15	–	–	21																				395
SHIFT	10PM-11PM		–	–	0·98	421	–	-		22																				210
	11PM-12AM		–	–	0·98	422	–	11:40	2:35	21																				220
	MPS RUNNING HOURS								10:20				4:58				5:15													221

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(06:00AM-02:00PM)	Shivam Kumar	Anil Yadav	Sanjeev	6.49MLD				
(02:00PM-10:00PM)	Nagendra Singh	Jamil Khan	RAVI Kumar					
(10:00PM-06:00AM)	Om Prakash & Shivam Singh		Jay Karan					

620

MPS Log Book for Month of 24-Feb-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11-KLD				Pump No. RSP-02 -1-1CLD				Pump No. RSP-03 -2-1CLD				Pump No. RSP-04 -2-1CLD				Pump No. RSP-05 -5-1CLD				Pump No. RSP-06				M3/H
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	-	0.99	423	00:40	-	-	22																					218
	01AM-02AM		-	.	0.98	422	-	-		21																					219
	02AM-03AM		-	.	0.99	423	-	2:20	1:40	22																					220
	03AM-04AM		-	.	0.98	422																									
	04AM-05AM		-	.	0.99	421					4:10	-	-	21																	220
	05AM-06AM		-	.	0.98	423					-			21																	218
A-SHIFT	06AM-07AM		-	.	0.99	423					-	6:20	2:10	21																	219
	07AM-08AM		-	.	0.98	422									7:10	-	-	90													396
	08AM-09AM		-	-	0.99	423										8:50	1:40	90													330
	09AM-10AM		.	-	0.98	421	9:20	-	-	21								90													220
	10AM-11AM		-	.	0.99	422	-	-		22																					221
	11AM-12AM		.	-	0.98	424	-	11:35	2:15	21										-	-										222
	12PM-01PM		-	-	0.98	423													-												
	01PM-02PM		01:00	.	0.99	423					1:30	-	-	22																	220
B-SHIFT	02PM-03PM		-	.	0.98	424					-	-		21																	221
	03PM-04PM		-	.	0.99	423					-	3:10	1:40	22																	222
	04PM-05PM		-	04:00	0.98	422									4:10	-	-	90													396
	05PM-06PM		-	.	0.99	421										5:20	1:10	90													333
	06PM-07PM		-	.	0.98	422	6:15	-	-	22																					220
	07PM-08PM		-	.	0.99	423	-	-		21																					218
	08PM-09PM		-	-	0.98	422	-	8:30	2:15	22																					219
	09PM-10PM		-	.	0.99	422					9:30	-	-	22																	219
C-SHIFT	10PM-11PM		-	.	0.98	423								21																	218
	11PM-12AM		-	.	0.99	423						11:40	2:10	22																	221
PUMPS RUNNING HOURS									6:10				6:00				2:50														

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Sivaraman Kumar	Jamil	Jaykaran	5.53 MLD				
B(02:00PM-10:00PM)	Nagendra Singh	Anil	Sanjeev Kumar					
C(10:00PM-06:00AM)	Om Prakash Sutkaiya	Ram Sewak Singh	Ravi Kumar					

621

MPS Log Book for Month of 25-Feb-2024

FT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11KW				Pump No. RSP-02 — 11 KW				Pump No. RSP-03 — 22KW				Pump No. RSP-04 — 22KW				Pump No. RSP-05 — 55 KW				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
	00AM-01AM	—	—	—	0·99	420	00:10	—	—	22																					218
	01AM-02AM	—	—	—	0·98	419	—	—	—	21																					220
	02AM-03AM	—	—	—	0·99	420	—	2:20	2:10	22																					221
SHIFT	03AM-04AM	—	—	—	0·98	421					3:30	—	—	21																	222
	04AM-05AM	—	—	—	0·99	422					—			21																	219
	05AM-06AM	—	—	—	0·98	422					—	5:40	2:10	22																	220
	06AM-07AM	—	—	—	0·99	420									6:20	—	—	40													390
	07AM-08AM	—	—	—	0·98	423									—	—	—	40													398
	08AM-09AM	—	—	—	0·99	421									—	8:40	2:20	40													395
SHIFT	09AM-10AM	—	—	—	0·98	422	9:30	—	—	21																					219
	10AM-11AM	—	—	—	0·99	423	—	—		21																					218
	11AM-12AM	—	—	—	0·98	423	—	11:30	2:00	22																					220
	12PM-01PM	—	—	—	0·99	421													12:10	—	—	40									395
	01PM-02PM	—	—	—	0·98	420													—	—		40									393
	02PM-03PM	—	—	—	0·98	422													—	2:50	2:40	40									399
SHIFT	03PM-04PM	—	—	—	0·99	422					3:25	—	—	21																	218
	04PM-05PM	—	—	—	0·98	421					—			22																	220
	05PM-06PM	—	—	—	0·99	421					—	5:10	1:45	21																	218
	06PM-07PM	—	—	—	0·98	421	6:30	—	—	21																					220
	07PM-08PM	—	—	—	0·99	421	—	7:50	1:20	22																					218
	08PM-09PM	—	—	—	0·98	422													8:30	—	—	40									220
	09PM-10PM	—	—	—	0·99	422														9:40	1:10	40									228
SHIFT	10PM-11PM	—	—	—	0·98	421					10:20	—	—	22																	219
	11PM-12AM	—	—	—	0·99	423						11:50	1:30	22																	218
	MPS RUNNING HOURS								5:30				5:25				2:20				3:50										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(06:00AM-02:00PM)	Shravankumar	Jamal	Ravikumar	6.31 MLD	E.O 25/2/2024			
(02:00PM-10:00PM)	Nagendra Singh	Bhuvan Singh	Jayakaran					
(10:00PM-06:00AM)	Om Prakash Singh	Amit	Sanjeev Kumar					

622

MPS Log Book for Month of 26/Feb/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 KW				Pump No. RSP-02 — 11 KW				Pump No. RSP-03 — 22 KW				Pump No. RSP-04 — 22 KW				Pump No. RSP-05 — 55 KW				Pump No. RSP-06				MGM
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM				0.99	421	00:10	–	–	22																					220
	01AM-02AM		–		0.90	422				21																					210
	02AM-03AM		–		0.99	422	–	2:30	1:50	21																					216
	03AM-04AM				0.98	423					3:20	–	–	21																	219
	04AM-05AM				0.98	421					–			22																	210
	05AM-06AM		–		0.99	422					–	5:40	2:20	21																	199
A-SHIFT	06AM-07AM				0.98	423									6:30	–	–	40													396
	07AM-08AM				0.99	422												40													395
	08AM-09AM				0.98	423										8:50	2:20	40													398
	09AM-10AM				0.99	422	9:20	–	–	22																					198
	10AM-11AM				0.98	421	–	–		23																					198
	11AM-12AM				0.98	422	–	–		21																					198
	12PM-01PM				0.98	422	–	12:20	3:00	22																					199
	01PM-02PM		–		0.98	421					1:20	–	–	21																	198
B-SHIFT	02PM-03PM				0.99	424					–			21																	199
	03PM-04PM				0.98	422					–	3:45	2:25	22																19	190
	04PM-05PM				0.99	421									4:00	–	–	40													395
	05PM-06PM		–		0.98	422									–			40													316
	06PM-07PM		–		0.99	423									–	–		40													399
	07PM-08PM		–		0.98	424									–	4:50	3:50	40													395
	08PM-09PM		–		0.98	423	8:00	–	–	21																					220
	09PM-10PM				0.98	421	–	–		22																					218
C-SHIFT	10PM-11PM				0.99	421	–	–		21																					222
	11PM-12AM		–		0.98	422	–	11:45	3:45	22																					221
PUMPS RUNNING HOURS								8:35					4:45				6:10														

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Shaurabh Kumar	Amit	Gangeer	632 MLD			CHEMTECH ENGINEERS KANPUR DELHI	
B(02:00PM-10:00PM)	Nagendra Singh	Shriram Singh	Jagkaran					
C(10:00PM-06:00AM)	Mr. Prakash	Amit	Ravi Kumar					

623

MPS Log Book for Month of 27/feb/2024

FT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 – 11 KW				Pump No. RSP-02 – 11 KW				Pump No. RSP-03 – 22 KW				Pump No. RSP-04 – 22 KW				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
	00AM-01AM		–	–	0·99	423	00:30	–	–	21																				220
	01AM-02AM		–	–	0·98	422				21																				222
IIFT	02AM-03AM		–	–	0·99	424		2:40	2:10	22																				219
	03AM-04AM		–	–	0·98	422					3:00	–	–	21																216
	04AM-05AM		–	–	0·98	423						–	–	21																219
	05AM-06AM		–	–	0·99	422					–	5:30	2:30	22																218
	06AM-07AM		–	–	0·98	421									6:00	–	–	40												395
	07AM-08AM		–	–	0·99	423										–	–	40												399
	08AM-09AM		–	–	0·98	421									–	8:40	2:40	40												396
IIFT	09AM-10AM		–	–	0·98	422	9:50	–	–	21																				221
	10AM-11AM		–	–	0·99	421		–	–	22																				220
	11AM-12AM		–	–	0·98	423	–	11:50	02:00	21																				221
	12PM-01PM		–	–	0·98	423					12:10	–		21																222
	01PM-02PM		–	–	0·98	422					–	–		21																220
	02PM-03PM		–	–	0·99	421					–	2:30	2:20	21																221
IIFT	03PM-04PM		–	–	0·98	421													3:40	–	.	41								399
	04PM-05PM		–	–	0·99	422													–	9:50	1:40	41								398
	05PM-06PM		–	–	0·98	423					5:00	–		21																198
	06PM-07PM		–	–	0·98	420					–	–		21																196
	07PM-08PM		–	–	0·99	422					–	7:40	2:40	21																192
	08PM-09PM		–	–	0·98	420									8:00	–		40												398
	09PM-10PM		–	–	0·99	424									–	–		40												396
IIFT	10PM-11PM		–	–	0·88	420									–	–		40												397
	11PM-12AM		–	–	099	419									–	11:58	3:58	40												399
	MPS RUNNING HOURS								9:10				7:30				6:38				1:40									

FT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
00AM-02:00PM)	Shivakumar	Jamil	Sonu	6.80 MLD				
00PM-10:00PM)	Nagendra Singh	Anil	Jaykaran					
00PM-06:00AM)	Om Prakash Rajput	Shivanthan	Ravi Kant					

THEMECO ENGINEERS KANPUR

MPS Log Book for Month of 28-Feb-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11-KW				Pump No. RSP-02 11-KW				Pump No. RSP-03 22-KW				Pump No. RSP-04 22-KW				Pump No. RSP-05				Pump No. RSP-06				M3H
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM				0.99	425	00:01	–		22																					225
	01AM-02AM				0.98	422	–	–		22																					222
	02AM-03AM				0.99	421	–	2:48	2:48	22																					221
	03AM-04AM				0.98	420					3:00	–		22																	133
	04AM-05AM				0.99	422					–	–		21																	130
	05AM-06AM				0.98	419					–	–		21																	136
A-SHIFT	06AM-07AM				0.99	419					–	6:40	3:40	22																	134
	07AM-08AM				0.98	420									7:00	–		40													396
	08AM-09AM				0.99	423									–			40													399
	09AM-10AM				0.98	422									–	9:55	2:55	40													395
	10AM-11AM				0.99	420	10:50	–		22																					228
	11AM-12AM				0.98	422	–	–		22																					218
	12PM-01PM				0.99	421	–	12:50	2:50	22																					219
	01PM-02PM				0.98	422					1:00	–	–	21																	216
B-SHIFT	02PM-03PM				0.99	423					–	–		22																	220
	03PM-04PM				0.98	422					–	3:55	3:55	21																	218
	04PM-05PM				0.99	423	4:40	–	–	21																					219
	05PM-06PM				0.98	422	–			22																					220
	06PM-07PM				0.99	421		6:40	2:40	21																					221
	07PM-08PM				0.98	423									7:00	–		40													397
	08PM-09PM				0.99	420									–	–		40													392
	09PM-10PM				0.98	425									–	9:55	2:55	40													391
C-SHIFT	10PM-11PM				0.99	421					10:00	–		21																	224
	11PM-12AM				0.98	423					–	11:58	1:58	22																	222
PUMPS RUNNING HOURS									8:18				9:33				5:59														

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(08:00AM-02:00PM)	Ramprakash Singh	Amit Kumar	Jaykaran	6.29 MLD	Seen 29/2/2024		CHEMECO ENGINEERS KANPUR DELHI	
B(02:00PM-10:00PM)	Abhyanand Singh	Amit	Sandeep					
C(10:00PM-08:00AM)	Ramkumar	Shivam Singh	Ravi Kant					

MPS Log Book for Month of 29-Feb-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11-KW				Pump No. RSP-02 11-KW				Pump No. RSP-03 22-KW				Pump No. RSP-04 22-KW				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
	00AM-01AM		–	–	0.99	425	00:10	–		22																					225
	01AM-02AM		–	–	0.98	422	–	–		21																					224
	02AM-03AM		–	–	0.99	421	–	2:40	2:30	22																					222
SHIFT	03AM-04AM		–	–	0.98	420					3:00	–		21																	199
	04AM-05AM		–	–	0.99	419					–	–		22																	197
	05AM-06AM		–	–	0.98	422					–	–		21																	196
	06AM-07AM		–	–	0.99	421					–	6:45	3:45	22																	194
	07AM-08AM		–	–	0.98	420									7:00	–		40													399
	08AM-09AM		–	–	0.99	425									–	–		40													397
SHIFT	09AM-10AM		–	–	0.98	420									–	9:40	2:40	40													398
	10AM-11AM		–	–	0.98	421													10:10	–	–	40									396
	11AM-12AM		–	–	0.99	422													–	–	–	40									399
	12PM-01PM		–	–	0.99	423													–	12:50	2:40	40									395
	01PM-02PM		–	–	0.98	422	3:40	–	–	22																					220
	02PM-03PM		–	–	0.99	420	–	–		21																					221
SHIFT	03PM-04PM		–	–	0.98	423	–	3:55	2:55	22																					222
	04PM-05PM		–	–	0.99	422					4:10	–	–	21																	199
	05PM-06PM		–	–	0.98	420					–	–	–	22																	198
	06PM-07PM		–	–	0.99	421					–	6:40	2:30	21																	196
	07PM-08PM		–	–	0.98	425													7:00	–		40									399
	08PM-09PM		–	–	0.99	420													–	–		40									394
	09PM-10PM		–	–	0.98	419													–	9:48	2:48	40									396
SHIFT	10PM-11PM		–	–	0.99	420					10:40			21																	198
	11PM-12AM		–	–	0.98	423					–	11:50	1:50	21																	195
	MPS RUNNING HOURS							6:35					8:05				2:40				5128										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(06:00AM-02:00PM)	Bhuwan Kumar	Anil Thory	RAVI Kant	6.67 MLD				
(02:00PM-10:00PM)	Om Prakash Singh	- Anil	- Jaykaran					
(10:00PM-06:00AM)	Nagendra	Bhuwan Singh	Sangeeta					

626

MPS Log Book for Month of 01/03/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 – 11 - KW				Pump No. RSP-02 – 11 - KW				Pump No. RSP-03 – 22 - KW				Pump No. RSP-04 – 22 - KW				Pump No. RSP-05				Pump No. RSP-06				M3/H
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	-	0.99	425	00:00	-		22																					224
	01AM-02AM		-	-	0.98	420	-	-		22																					219
	02AM-03AM		-	-	0.99	423	-	2:40	2:40	22																					220
	03AM-04AM		-	-	0.98	420	-				3:00	-		22																	199
	04AM-05AM		-	-	0.99	423					-	-		21																	199
	05AM-06AM		-	-	0.98	420					-	-		22																	197
A-SHIFT	06AM-07AM		-	-	0.99	419	-				-	6:55	3:55	21																	193
	07AM-08AM		-	-	0.98	418									7:00	-		40													397
	08AM-09AM		-	-	0.99	420									-	-		40													397
	09AM-10AM		-	-	0.98	422									-	9:10	2:10	40													396
	10AM-11AM		-	-	0.98	422													10:00	-	-	40									399
	11AM-12AM		-	-	0.98	420													-	-		40									396
	12PM-01PM		-	-	0.99	423													-	12:50	2:50	40									396
	01PM-02PM		-	-	0.98	421	1:00	-	-	22																					199
B-SHIFT	02PM-03PM		-	-	0.99	422	-	-		21																					198
	03PM-04PM		-	-	0.98	423	-	3:50	2:50	22																					197
	04PM-05PM		-	-	0.98	423	-				4:00	-		21																	201
	05PM-06PM		-	-	0.99	422	-				-	-		21																	201
	06PM-07PM		-	-	0.98	423	-				-	6:48	2:48	21																	203
	07PM-08PM		-	-	.99	420	-												7:00	-		40									398
	08PM-09PM		-	-	0.98	419	-												-	-		40									399
	09PM-10PM		-	-	0.99	424	-												-	9:55	2:55	40									395
C-SHIFT	10PM-11PM		-	-	0.98	422	10:00	-		22																					224
	11PM-12AM		-	-	0.99	425	-	11:40	1:40	22																					220
PUMPS RUNNING HOURS								7:10					6:43				2:10				5:45										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Sonu Kumar	Amit Khan	Sonu	6.66 MLD			CHEMECO ENGINEERS KANPUR DELHI	
B(02:00PM-10:00PM)	Nagendra Singh	Anil Yadav	Ravi Kumar					
C(10:00PM-06:00AM)	Om Prakash Ji	Shivam Singh	Jaykumar					

627

MPS Log Book for Month of 01-03-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 - KW				Pump No. RSP-02 — 11 - KW				Pump No. RSP-03 — 22 - KW				Pump No. RSP-04 — 22 - KW				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
	00AM-01AM		-	-	0.99	424	00:00	-		22																				
	01AM-02AM		-	-	0.98	422	-	-		22																				225
	02AM-03AM		-	-	0.99	420	-	-		22																				222
SHIFT	03AM-04AM		-	-	0.98	421	-	3:48	3:48	22																				220
	04AM-05AM		-	-	0.99	421					4:00	-		21																219
	05AM-06AM		-	-	0.98	419					-	-		21																199
	06AM-07AM		-	-	0.99	420					-	6:40	2:40	21																197
	07AM-08AM		-	-	0.98	419									7:00	-		40												194
	08AM-09AM		-	-	099	418									-	-		40												392
SHIFT	09AM-10AM		-	-	0.98	419									-			40												399
	10AM-11AM		-	-	0.99	420									-	10:40	3:40	40												396
	11AM-12AM		-	-	0.98	422	11:10	-	-	22																				397
	12PM-01PM		-	-	0.98	421		-	-	21																				199
	01PM-02PM		-	-	0.98	421		-	-	21																				190
	02PM-03PM		-	-	0.98	421		2:20	3:10	21																				187
	03PM-04PM		-	-	0.98	421					3:30	-	-	21																188
HIFT	04PM-05PM		-	-	0.99	421					-	-		21																198
	05PM-06PM		5:30	5:45	0.98	422					-	5:40	2:10	21																200
	06PM-07PM		-	-	0.99	420									6:00	-		40												203
	07PM-08PM		-	-	0.98	425									-	-		40												399
	08PM-09PM		-	-	0.99	420									-	-		40												396
	09PM-10PM		-	-	0.98	421									-	9:50	3:50	40												398
	10PM-11PM		-	-	0.99	422	10:00	-																						397
HIFT	11PM-12AM		-	-	0.98	420	-	11:55	1:55																					199
	MPS RUNNING HOLRS								8:53				4:50				7:30													198

FT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLB	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
00AM-02:00PM)	Nagendra Singh	Jamil Khan	Sanjeev Kumar	6.24 MLD				
00PM-10:00PM)	Shrawan Kumar	Rahul Yadav	Jaykumar					
00PM-06:00AM)	Om Prakash	Shivam Singh	Ravi Kumar					

THEMECO ENGINEERS KANPUR DELHI

MPS Log Book for Month of 3-3-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 – 11 – KW				Pump No. RSP-02 – 11 – KW				Pump No. RSP-03 – 22 – KW				Pump No. RSP-04 – 22 – KW				Pump No. RSP-05				Pump No. RSP-06				M3
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM				0.99	414	06:10	-		22																				225
	01AM-02AM				0.98	410		-		22																				220
	02AM-03AM				0.99	422		2:40	2:30	22																				224
	03AM-04AM				0.98	421					3:00	-		21																201
	04AM-05AM				0.99	422					-	-		21																203
	05AM-06AM				0.98	425					-	-		21																202
A-SHIFT	06AM-07AM				0.99	421					-	6:50	3:50	21																201
	07AM-08AM				0.98	424									7:10	-		40												399
	08AM-09AM				0.99	419									-	-		40												396
	09AM-10AM				0.98	423									-	9:40	2:30	40												397
	10AM-11AM				0.99	420					10:15	-		21																205
	11AM-12AM				0.98	421					-	-		21																201
	12PM-01PM				0.99	420					-	12:50	2:35	21																200
	01PM-02PM				0.98	419									1:00	-		40												397
B-SHIFT	02PM-03PM				0.99	421									-	-		40												399
	03PM-04PM				0.98	423									-	3:45	2:45	40												396
	04PM-05PM				0.99	420	04:10	-		22																				225
	05PM-06PM				0.98	419				22																				220
	06PM-07PM				0.99	422				22																				224
	07PM-08PM				0.98	420		7:50	3:40	22																				218
	08PM-09PM				0.98	425					8:00	-		21																214
	09PM-10PM				0.99	419					-	-		21																209
C-SHIFT	10PM-11PM				0.98	425					-	-		21																218
	11PM-12AM				0.99	424					-	11:40	5:40	21																200
PUMPS RUNNING HOURS									6:10				10:05				5:15													

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Shivakumar	Jamil Khan	Ravi Kumar	6.18 MLD				
B(02:00PM-10:00PM)	Nagendra Reddy	Lal Yadav	Sanjeev Kumar					
C(10:00PM-06:00AM)	Prabhakar	Shivan Singh	Jaykumar					

MPS Log Book for Month of 4-3-2024

TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 – 11 KW				Pump No. RSP-02 – 11 – KW				Pump No. RSP-03 – 22 – KW				Pump No. RSP-04				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
						Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
00AM-01AM		–	-	0.99	420	00:30	–		22																					
01AM-02AM		–	-	0.98	425	–	–		22																					125
02AM-03AM		–	-	0.99	424	–	2:50	2:30	22																					121
03AM-04AM		–	-	0.98	420					3:10	–		21																	120
04AM-05AM		-	-	0.99	419					–	–		21																	199
05AM-06AM		-	-	0.98	426					–	5:40	2:30	21																	196
06AM-07AM		–	-	0.99	423									6:00	–		40													198
07AM-08AM		-	-	0.98	420									–	–		40													399
08AM-09AM		–	-	0.99	422									–	–		40													396
09AM-10AM		-	-	0.98	421									–	9:40	3:40	40													398
10AM-11AM		-	–	0.99	421	10:00	–	–	21																					399
11AM-12AM		–	-	0.99	421	–	–	–	22																					212
12PM-01PM		–	-	0.98	422	–	–		22																					212
01PM-02PM		–	-	0.99	421	–	1:50	3:50	21																					214
02PM-03PM		–	-	0.98	421					2:10	–	–	21																	213
03PM-04PM		–	-	0.98	421					–	–	–	21																	208
04PM-05PM		–	-	0.99	422					–	4:50	2:40	21																	198
05PM-06PM		–	-	0.99	422									5:00	–		40													198
06PM-07PM		–	-	0.98	420									–	–		40													399
07PM-08PM		–	-	0.99	423									–	–		40													397
08PM-09PM		-	-	0.98	420									–	8:40	3:40	40													395
09PM-10PM		–	-	0.99	424	9:10	–		22																					330
10PM-11PM		–	-	0.98	422	–			22																					222
11PM-12AM		-	-	0.99	425	–	11:40	2:30	22																					219
PS RUNNING HOURS								8:50				5:10				7:20														220

T	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
00AM-02:00PM)	Nagendra Singh	Sanjay Kumar	Jaykaran	6.54 MLD				
00PM-10:00PM)	Bhagwan Kumar	Shivam Singh	Sanjeevkumar					
00PM-06:00AM)	Chandrakanth Singh	Amit Yadav	Devikumar					

630

MPS Log Book for Month of - 5-3-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 – 11 – Kw				Pump No. RSP-02 – 11 – Kw				Pump No. RSP-03 – 22 – Kw				Pump No. RSP-04				Pump No. RSP-05				Pump No. RSP-06				M
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	.	0.99	424	08:10	-		21																				19
	01AM-02AM		-	.	0.98	421	-	-		21																				191
	02AM-03AM		-	-	0.99	423	-	2:40	2:30	21																				194
	03AM-04AM		-	.	0.98	420					3:00	-		22																224
	04AM-05AM		-	.	0.99	419					-	-		22																225
	05AM-06AM		-	.	0.98	422					-	-		22																224
A-SHIFT	06AM-07AM		-	.	0.99	420	-	-			-	6:50	3:50	22																22
	07AM-08AM		-	.	0.98	425	-	-		22																				196
	08AM-09AM		-	.	0.99	423	-	-		21																				194
	09AM-10AM		-	.	0.98	424	-	9:30	2:20	21																				191
	10AM-11AM		-	-	0.99	422													10:00	-		40								199
	11AM-12AM		-	.	0.98	424													-	-		40								197
	12PM-01PM		-	-	0.99	420													-	12:40	2:40	40								394
	01PM-02PM		-	.	0.99	421					1:00	-		22																225
B-SHIFT	02PM-03PM		-	-	0.98	421					-	-		22																226
	03PM-04PM		-	.	0.99	420					-	-		21																216
	04PM-05PM		-	-	0.99	420					-	4:55	3:55	22																217
	05PM-06PM		-	.	0.98	428													5:20	-		40								198
	06PM-07PM		-	.	0.99	421													-	-		40								196
	07PM-08PM		-	.	0.98	425													-	-		40								199
	08PM-09PM		-	-	0.99	420													-	8:50	3:30	40								197
	09PM-10PM		-	.	0.98	422	9:00	-		21																				199
C-SHIFT	10PM-11PM		-	-	0.99	419	-	-		21																				197
	11PM-12AM		-	-	0.98	424	-	11:45	2:45	21																				194
PUMPS RUNNING HOURS									7:35				7:45								6:10									

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Shivakumar	Danish Khan	Sanjeev Kumar	6:31 MLD			CHEMECO ENGINEERS KANPUR	
B(02:00PM-10:00PM)	Nagendra	Shivam Singh	Sangeev Kumar					
C(10:00PM-06:00AM)	Prakash Singh	Rahul Yadav	Ramji Kumar					

631

MPS Log Book for Month of 6-3-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 — KW				Pump No. RSP-02 — 11 — KW				Pump No. RSP-03 — 22 — KW				Pump No. RSP-04				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
	00AM-01AM		-	-	0.99	424	00:20	-		22																				233
	01AM-02AM		-	-	0.98	423	-	-		22																				231
	02AM-03AM		-	-	0.99	420	-	2:50	2:30	22																				230
SHIFT	03AM-04AM		-	-	0.98	421					3:00	-		21																201
	04AM-05AM		-	-	0.99	419					-	-		21																209
	05AM-06AM		-	-	0.98	418					-	-		21																207
	06AM-07AM		-	-	0.99	422					-	6:35	3:35	21																209
	07AM-08AM		-	-	0.98	424									5:00	-		40												399
	08AM-09AM		-	-	0.99	425									-			40												398
SHIFT	09AM-10AM		-	-	0.98	421									-	9:50	2:50	40												396
	10AM-11AM		-	-	0.98	421	10:10	-		22																				212
	11AM-12AM		-	-	0.99	422	-	-		22																				214
	12PM-01PM		-	-	0.98	422	-	12:40	2:30	22																				214
	01PM-02PM		-	-	0.99	421									0:00	-		40												398
	02PM-03PM		-	-	0.99	422									-	0:50	0:50	40												398
SHIFT	03PM-04PM		-	-	0.98	422					3:00	-		21																216
	04PM-05PM		-	-	0.98	421					-			21																218
	05PM-06PM		-	-	0.99	421					—	5:45	2:45	21																217
	06PM-07PM		-	-	0.98	421									6:10	-		40												398
	07PM-08PM		-	-	0.99	425									-	-		40												397
	08PM-09PM		-	-	0.98	420									-	-		40												396
	09PM-10PM		-	-	0.99	421									-	9:50	3:40	40												394
SHIFT	10PM-11PM		-	-	0.98	423	10:00	-		22																				185
	11PM-12AM		-	-	0.98	424	-	11:35	1:35	22																				221
MPS RUNNING HOURS									6:35				6:20				8:20													

SC 12.0 2/3/24

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(08AM-02:00PM)	Nagendra	Sunil Kumar	Ravikumar	6.83 MLD				
(02PM-10:00PM)	Dhananjay Kumar	Shivam Singh	Sanjeev Kumar					
(10PM-06:00AM)	Om Prakash Kushwaha	Amit Yadav	Jaykaran					

CHEM ECO ENGINEERS KANPUR

632

MPS Log Book for Month of 7-3-2024

SHIFT	TIME	Water Level	Time of power out	Time of power come	Power Factor	Voltage	Pump No. RSP-01 – 11 – Kw				Pump No. RSP-02 – 11 – Kw				Pump No. RSP-03 – 22 – Kw				Pump No. RSP-04				Pump No. RSP-05				Pump No. RSP-06				MWH
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	-	0.98	424	08:00	-		21																				139
	01AM-02AM		-		0.99	421	-	-		21																				196
	02AM-03AM		-	-	0.98	488	-	2:45	2:45	21																				197
	03AM-04AM		-	-	0.99	420					3:00	-	-	22																214
	04AM-05AM		-	-	0.98	425					-	-	-	22																215
	05AM-06AM		-	-	0.99	423					-	5:55	2:55	22																220
A-SHIFT	06AM-07AM		-	-	0.98	425									6:10	-		40												338
	07AM-08AM		-	-	0.99	424									-	-		40												337
	08AM-09AM		-	-	0.98	419									-	-		40												335
	09AM-10AM		-	-	0.99	480									-	9:40	3:30	40												336
	10AM-11AM		-	-	0.98	420	10:00	-		21																				211
	11AM-12AM		-	-	0.99	419	-	-		21																				198
	12PM-01PM		-	-	0.99	419	-	12:30	2:30	21																				197
	01PM-02PM		-	-	0.99	421					1:05	-		21																210
B-SHIFT	02PM-03PM		-	-	0.98	420					-	2:55	1:50	21																212
	03PM-04PM		-	-	0.98	421									3:10	-		40												411
	04PM-05PM		-	-	0.98	421									-	-		40												412
	05PM-06PM		-		0.98	420									-	5:45	2:35	40												405
	06PM-07PM		-	-	0.98	420	6:05	-		21																				208
	07PM-08PM		-	-	0.98	421	-	-		21																				222
	08PM-09PM		-	-	0.98	421		8:50	2:45	21																				218
	09PM-10PM		-	-	0.98	420									9:10	-		40												422
C-SHIFT	10PM-11PM		-	-	0.98	418									-	-		40												425
	11PM-12AM		-	-	0.98	421									-	11:40	2:30	40												421
PUMPS RUNNING HOURS									8:20				4:45				8:35													

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Bhaskar kumar	Jaikaran	Jaykaran	4.61 MLD			CHEM ECO ENGINEERS KANPUR	
B(02:00PM-10:00PM)	Hagendra Singh	Ram Kumar	Ramkumar					
C(10:00PM-06:00AM)	Ram Prakash Singh	Ramkumar	Ramkumar					

633

MPS Log Book for Month of 8-07-2024

TIME	Water Level	Time of power out	Time of power come	Power Factor	Voltage	Pump No. RSP-01 – 75 KW				Pump No. RSP-02 – 41 KW				Pump No. RSP-03 – 22 KW				Pump No. RSP-04				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
						Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
00AM-01AM		-	-	0.98	421	00:10	-		21																					201
01AM-02AM		-	-	0.98	421	-	-		21																					205
02AM-03AM		-	-	0.98	420	-	-		21																					204
03AM-04AM		-	-	0.98	419	-	3:45	3:35	21																					198
04AM-05AM		-	-	0.98	421									4:05	-		40													421
05AM-06AM		-	-	0.98	420									-	-		40													418
06AM-07AM		-	-	0.98	421									-	6:55	2:30	40													412
07AM-08AM		-	-	0.98	420					7:05	-		22																	222
08AM-09AM		-	-	0.98	420					-	-		22																	232
09AM-10AM		-	-	0.98	421					-	9:55	2:50	22																	218
10AM-11AM		-	-	0.98	421									10:00	-		40													421
11AM-12AM		-	-	0.99	420									-	-		40													412
12PM-01PM		-	-	0.98	421									-	12:50	2:50	40													422
01PM-02PM		-	-	0.99	422	1:00	-	-	21																					205
02PM-03PM		-	-	0.98	423	-	-		22																					204
03PM-04PM		-	-	0.99	423	-	3:50	2:50	21																					204
04PM-05PM		-	-	0.98	420									4:00	-	-	40													420
05PM-06PM		-	-	0.99	421									-	-		40													421
06PM-07PM		-	-	0.98	422									-	6:55	2:55	40													418
07PM-08PM		-	-	0.99	421					7:05	-		22																	201
08PM-09PM		-	-	0.98	420					-	8:45	1:40	22																	198
09PM-10PM		-	-	0.98	421	9:00	-		21																					211
10PM-11PM		-	-	0.98	420	-	-		21																					212
11PM-12AM		-	-	0.99	421	-	11:55	2:55	21																					218
S RUNNING HOURS								9:20				4:30				8:35														

SHIFT INCHARGE	Name CPERATORS	Name HELPER/SWEEPERS	Flow Tctallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
Shivcankum (AM-02 00PM)	Shiram Singh	Sanjeev Kumar	6.89MLD				
Nagendra Singh (PM-10 00PM)	Anil Yadav	Ravi Kumar					
Rakesh Singh (PM-06 00AM)		Jay Karan					

MPS Log Book for Month of .9/March 2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01				Pump No. RSP-02				Pump No. RSP-03				Pump No. RSP-04				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	-	.99	421	00:15	-		21																					211
	01AM-02AM		-	-	0.98	420	-	-		21																					212
	02AM-03AM		-	-	0.98	420	-	2:55	2:40	21																					209
	03AM-04AM		-	-	0.99	421									3:05	-		40													421
	04AM-05AM		-	-	0.99	421									-	-		40													418
	05AM-06AM		-	-	0.98	422									-	5:50	2:45	40													411
A-SHIFT	06AM-07AM		-	-	0.98	421					6:00	-		22																	201
	07AM-08AM		-	-	0.99	420					-	-		22																	198
	08AM-09AM		-	-	0.98	421					-	8:45	2:45	22																	136
	09AM-10AM		-	-	0.99	421	9:05	-		22																					211
	10AM-11AM		-	-	0.99	420	-			22																					258
	11AM-12AM		-	-	0.98	421	-	11:50	2:45	21																					220
	12PM-01PM		-	-	0.99	421									12:00	-	-	40													711
	01PM-02PM		-	-	0.98	423									-	-		40													408
B-SHIFT	02PM-03PM		-	-	0.98	421									-	2:55	2:55	40													401
	03PM-04PM		-	-	0.98	421					3:05	-		21																	201
	04PM-05PM		-	-	0.98	420					-	4:55	1:50	21																	198
	05PM-06PM		-	-	0.99	421	5:05	-	-	21																					211
	06PM-07PM		-	-	0.99	420	-	-		21																					212
	07PM-08PM		-	-	0.98	421	-	7:45	2:40	21																					201
	08PM-09PM		-	-	0.99	422									8:00	-	-	40													411
	09PM-10PM		-	-	0.98	421									-	-	-	40													418
C-SHIFT	10PM-11PM		-	-	0.98	418									-	-	-	40													412
	11PM-12AM		-	-	0.99	421									-	11:50	3:50	40													400
PUMPS RUNNING HOURS									8:05				9:35				9:30														

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Shyam Kumar	Shivam Singh	Sanjeev Kumar	1.02 MLD				
B(02:00PM-10:00PM)	Nagendra Singh	Anil Yadav	Jaykaran Kumar					
C(10:00PM-06:00AM)	Om Prakash Singh	Ravi Kumar	Ravi Kumar					

CHEMFCO ENGINEERS KANPUR

635

MPS Log Book for Month of 10/MARCH/2024

TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11 KW				Pump No. RSP-02 11 KW				Pump No. RSP-03 22 KW				Pump No. RSP-04				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
						Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
00AM-01AM		-	-	0·98	421	00:20	-	-	21																					221
01AM-02AM		-	-	0·98	420	-	-	-	21																					218
02AM-03AM		-	-	0·99	421	-	2:40	2:20	21																					211
03AM-04AM		-	-	0·99	422					3:00	-		22																	208
04AM-05AM		-	-	0·98	420					-	-		22																	212
05AM-06AM		-	-	0·99	420					-	5:55	2:55	22																	201
06AM-07AM		-	-	0·98	421									6:05	-	-	40													421
07AM-08AM		-	-	0·98	420									-	-	-	40													418
08AM-09AM		-	-	0·98	421									-	8:55	2:50	40													411
09AM-10AM		-	-	0·99	420	9:00	-	-	21																					221
10AM-11AM		-	-	0·99	421	-	-		22																					220
11AM-12AM		-	-	0·98	421	-	11:50	2:50	21																					212
12PM-01PM		-	-	0·99	421					12:00	-	-	21																	220
01PM-02PM		-	-	0·98	421					-	-		22																	221
02PM-03PM		-	-	0·98	421					-	2:50	2:50	22																	211
03PM-04PM		-	-	0·99	423									3:00	-	-	40													421
04PM-05PM		-	-	0·98	421									-	-	-	40													418
05PM-06PM		-	-	0·99	422									-	5:55	2:55	40													420
06PM-07PM		-	-	0·98	421					6:00	-	-	21																	198
07PM-08PM		-	-	0·98	420					-	-	-	21																	199
08PM-09PM		-	-	0·98	421					-	8:55	2:55	22																	196
09PM-10PM		-	-	0·98	420									9:05	-	-	40													421
10PM-11PM		-	-	0·98	421									-	-	-	40													420
11PM-12AM		-	-	0·98	422									-	11:55	2:50	40					Sen 2 10/3/2024								421
RUNNING HOURS								5:10				8:40				8:35														

SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(M-02:00PM) Bhrawan Ram	Shiram Singh	Sanjeev kumar	69 MLD				
(M-10:00PM) Om Prakash Singh	Anil Yadav	Jaykaran kumar					
(M-06:00AM) Nagendra	sanjeev	Ravi kumar					

MPS Log Book for Month of 11/MARCH/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 (11 KW)				Pump No. RSP-02 (11 KW)				Pump No. RSP-03 (22 KW)				Pump No. RSP-04				Pump No. RSP-05				Pump No. RSP-06				M3H
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	-	0·98	421	00:05	-	-	21																					221
	01AM-02AM				0·99	422				22																					222
	02AM-03AM				0·98	420		2:45	2:40	22																					218
	03AM-04AM				0·98	421					3:00	-	-	22																	211
	04AM-05AM				0·98	421					-	-	-	22																	208
	05AM-06AM				0·98	421					-	5:50	2:50	22																	204
A-SHIFT	06AM-07AM				0·98	420									6:00	-	-	40													421
	07AM-08AM				0·98	421									-	-	-	40													418
	08AM-09AM				0·99	421									-	8:55	2:55	40													411
	09AM-10AM				0·98	420					9:00	-	-	21																	211
	10AM-11AM				0·99	420					-			21																	208
	11AM-12AM				0·98	421					-	11:45	2:45	22																	209
	12PM-01PM				0·98	420									2:00	-	-	40													411
	01PM-02PM				0·99	421									-	-	-	40													410
B-SHIFT	02PM-03PM				0·99	420									-	2:50	2:50	40													402
	03PM-04PM				0·99	421	3:00	-	-	21																					221
	04PM-05PM				0·98	420	-	-	-	21																					220
	05PM-06PM				0·99	420		5:55	2:55	22																					218
	06PM-07PM				0·98	421									6:05	-	-	40													421
	07PM-08PM				0·99	420									-	-	-	40													420
	08PM-09PM				0·99	421									-	8:45	2:40	40													411
	09PM-10PM				0·98	422					9:00	-	-	21																	218
C-SHIFT	10PM-11PM				0·99	423					-	-	-	21																	211
	11PM-12AM				0·98	421					-	11:55	2:55	21																	201
PUMPS RUNNING HOURS									5:35				8:30				8:25														

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Shrawan Kumar	Shivam Singh	Sanjeev Kumar	5:92 MLD			CHEMCO ENGINEERS (MANESAR)	
B(02:00PM-10:00PM)	Nagendra Singh	Anil Yadav	Jai Karan Kumar					
C(10:00PM-06:00AM)	Ram Prakash Ushlya	Jamil Ahmad	Ravi Kumar					

637

MPS Log Book for Month of 12/MARCH/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 (11 KW)				Pump No. RSP-02 (11 KW)				Pump No. RSP-03 (22 KW)				Pump No. RSP-04				Pump No. RSP-05				Pump No. RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	-	0.99	421	00:10	-	-	21																				221
	01AM-02AM		-	-	0.98	420	-	-	-	21																				220
	02AM-03AM		-	-	0.99	418	-	2:50	2:40	21																				211
	03AM-04AM		-	-	0.98	422									3:00	-	-	41												411
	04AM-05AM		-	-	0.99	423									-	-	-	41												408
	05AM-06AM		-	-	0.98	424									-	5:55	2:55	41												401
A-SHIFT	06AM-07AM		-	-	0.98	422					6:05	-	-	22																211
	07AM-08AM		-	-	0.99	418					-	-	-	22																210
	08AM-09AM		-	-	0.98	420					-	8:55	2:50	22																208
	09AM-10AM		-	-	0.98	421									9:05	-	-	41												411
	10AM-11AM		-	-	0.99	420									-	10:55	1:50	41												410
	11AM-12AM		-	-	0.98	421	11:00	-	-	21																				198
	12PM-01PM		-	-	0.98	421	-	-	-	21																				206
	01PM-02PM		-	-	0.98	420	-	-	-	21																				206
B-SHIFT	02PM-03PM		-	-	0.99	418	-	2:55	3:55	21																				210
	03PM-04PM		-	-	0.98	418					3:05	-	-	22																201
	04PM-05PM		-	-	0.99	420					-	-	-	22																198
	05PM-06PM		-	-	0.98	421					-	5:45	2:40	22																199
	06PM-07PM		-	-	0.98	422									6:10	-	-	41												410
	07PM-08PM		-	-	0.99	421									-	-	-	41												408
	08PM-09PM		-	-	0.98	420									-	8:45	2:35	41												409
	09PM-10PM		-	-	0.99	418	9:05	-	-	21																				211
C-SHIFT	10PM-11PM		-	-	0.98	421	-	-	-	21																				222
	11PM-12AM		-	-	0.98	420	-	11:50	2:45	21																				201
PUMPS RUNNING HOURS									9:20				5:30				7:20													

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Nagendra Singh	Shivam Singh	Sanjeer Kumar	660/MLD				
B(02:00PM-10:00PM)	Shrawan Kumar	Anil Yadav	Jay Haroon Kumar					
C(10:00PM-06:00AM)	Omprakash	Jamil Khan	Ravi Kumar					

MPS Log Book for Month of 12/March/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 77 KW				Pump No. RSP-02 77 KW				Pump No. RSP-03 22 KW				Pump No. RSP-04 22 - KW				Pump No. RSP-05				Pump No. RSP-06				MS
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	-	0·98	421	6:25	-	-	21																					21
	01AM-02AM				0·99	422	-	-	-	21																					21
	02AM-03AM		-		0·98	422	-	2:45	2:20	21																					208
	03AM-04AM		-	-	0·98	420					3:05	-	-	22																	88
	04AM-05AM		-	-	0·99	418					-	-	-	22																	201
	05AM-06AM		-	-	0·98	420					-	5:35	2:30	22																	201
A-SHIFT	06AM-07AM		-	-	0·98	421									6:15	-	-	41													201
	07AM-08AM		-		0·99	420									-	-	-	41													201
	08AM-09AM		-	-	0·99	421									-	8:55	2:40	41													201
	09AM-10AM		-	-	0·99	418	9:10	-	-	21																					221
	10AM-11AM		-	-	0·98	421	-	-	-	21																					220
	11AM-12AM		-	-	0·98	420	-	11:50	2:40	21																					218
	12PM-01PM		-	-	0·98	421									12:05	-	-	40													412
	01PM-02PM				0·99	420									-	-	-	40													418
B-SHIFT	02PM-03PM		2:30	-	0·98	421										2:30	2:25	40													420
	03PM-04PM		-	-	0·98	422	3:50	-	-	21																					102
	04PM-05PM		-	4:45	0·99	420	-	-		22																					171
	05PM-06PM		-	-	0·98	421	-	5:50	2:50	21																					220
	06PM-07PM		-	-	0·98	421					6:05	-	-	21																	217
	07PM-08PM		-	-	0·98	421					-	-	-	21																	217
	08PM-09PM		-	-	0·99	420					-	8:55	2:50	21																	215
	09PM-10PM		9:15	9:55	0·99	421													9:00	-	-	41									908
C-SHIFT	10PM-11PM		-	-	0·98	421													-	-	-	41									908
	11PM-12AM		-	-	0·98	421													-	11:50	2:50	41									906
PUMPS RUNNING HOURS									7:50				5:20				5:05				2:50										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A/06:00AM-02:00PM	Sk Nizamuddin	Shivam Singh	Sanjeet Kumar	678 MLD				
B/02:00PM-10:00PM	Nagendra Singh	Jamil Ikram	Jaykaran					
C/10:00PM-06:00AM	Ramprawesh Singh	Sanjeev Kumar	Ajay					

639

MPS Log Book for Month of 14 MARCH 2024

TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11- KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 11- KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 22- KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 22- KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	MLHr
00AM-01AM		-	-	0·99	422	00:00	-	-	21																					218
01AM-02AM		-	-	0·99	422	-	-	-	21																					217
02AM-03AM		-	-	0·98	421	✓	2:50	2:50	22																					215
03AM-04AM		-	-	0·99	421					3:10	-	-	21																	201
04AM-05AM		-	-	0·98	421					-	-	-	21																	203
05AM-06AM		-	-	0·99	422					-	5:50	2:40	21																	200
06AM-07AM		-	-	0·98	421													06:00	-	-	40									408
07AM-08AM		-	-	0·98	421													-	-	-	41									413
08AM-09AM		-	-	0·98	421													-	8:55	2:55	41									416
09AM-10AM		09:30	-	0·98	421							-		9:10	-		41													410
10AM-11AM		-	-	0·99	422									-	-		41													418
11AM-12AM		-	11:00	0·98	422									-	11:50	2:40	41													418
12PM-01PM		-	-	0·99	421													12:00	-	-	40									419
01PM-02PM		-	-	0·98	422													-			40									418
02PM-03PM		-	-	0·99	421													-	2:50	2:50	40									417
03PM-04PM		-	-	0·99	422	3:10	-	-	21																					216
04PM-05PM		-	-	0·99	421	-	-	-	21																					215
05PM-06PM		-	-	0·98	424	-	5:50	2:40	21																					217
06PM-07PM		-	-	0·99	425					6:05	-		21																	201
07PM-08PM		-	-	0·98	421					-	-		21																	205
08PM-09PM		-	-	0·99	422					-	8:45	2:40	21																	203
09PM-10PM		-	-	0·98	420									9:00	-		41													413
10PM-11PM		-	-	0·99	422									-	-		41													410
11PM-12AM		-	-	0·98	420									-	11:48	2:48	41													414
RUNNING HOURS								5:30				5:20				5:28				5:45										

	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(02:00PM)	Nagendra	Jamil	Jaykaran	7·23 MLD				
(10:00PM)	Shravan Kumar	Anil Yadav	Ravi					
(06:00AM)	Om Prakash Singh	Shivam Singh	Sanjeev					

CHEMTECH ENGINEERS KANPUR

640

MPS Log Book for Month of 15 MARCH 2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 Start Time	Pump No. RSP-01 Stop Time	Pump No. RSP-01 Total Hours	Pump No. RSP-01 Current (Amp.)	Pump No. RSP-02 Start Time	Pump No. RSP-02 Stop Time	Pump No. RSP-02 Total Hours	Pump No. RSP-02 Current (Amp.)	Pump No. RSP-03 Start Time	Pump No. RSP-03 Stop Time	Pump No. RSP-03 Total Hours	Pump No. RSP-03 Current (Amp.)	Pump No. RSP-04 Start Time	Pump No. RSP-04 Stop Time	Pump No. RSP-04 Total Hours	Pump No. RSP-04 Current (Amp.)	Pump No. RSP-05 Start Time	Pump No. RSP-05 Stop Time	Pump No. RSP-05 Total Hours	Pump No. RSP-05 Current (Amp.)	Pump No. RSP-06 Start Time	Pump No. RSP-06 Stop Time	Pump No. RSP-06 Total Hours	Pump No. RSP-06 Current (Amp.)	KWH
C SHIFT	08AM-09AM		-		0.97	425	08:45	-		21																					230
	09AM-10AM		-		0.99	415	-	-		21																					233
	10AM-11AM		-		0.99	414	-	12:40	2:30	21																					231
	11AM-12AM		-		0.98	415				21	3:05	-		22																	213
	12AM-1PM		-		0.99	422					-	-		25																	211
	1PM-2PM		-		0.98	420					-	-		22																	209
A SHIFT	2PM-3PM		-		0.97	421					-	2:50	8:45	22																	624
	3PM-4PM		-		0.98	424									7:20	-		41													421
	4PM-5PM		-		0.99	429									-	-		41													419
	5PM-6PM		-		0.97	422									-	5:50	1:30	41													424
	6PM-7PM		-		0.98	422	10:05	-		21																					218
	7PM-8PM		-		0.99	421	-	-		22																					219
	8PM-9PM		-		0.98	421	-	-	-	21																					216
	9PM-10PM		-		0.98	421	-	1:50	3:45	21																					219
B SHIFT	10PM-11PM		-		0.99	421									2:00	-	-	41													418
	11PM-12PM		-		0.98	421									-	-	-	41													419
	12PM-1AM		-		0.98	422									-	4:50	2:50	40													418
	1AM-2AM		-		0.98	421	5:10	-	-	22																					213
	2AM-3AM		-		0.99	420	-	-	-	21																					219
	3AM-4AM		-		0.99	421	-	7:45	2:45	21																					220
	4AM-5AM		-		0.98	421					8:10	-		22																	233
	5AM-6AM		-		0.99	422					-	-		22																	231
C SHIFT	6AM-7AM		-		0.99	423					-	-		22																	230
	7AM-8AM		-		0.98	425						11:40	3:50	22																	232
PUMPS RUNNING HOURS								9:00				7:15					5:20														

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPERS/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(8:00AM-2:00PM)				5172 MLD				
B(2:00PM-8:00PM)								
C(8:00PM-8:00AM)								

641

MPS Log Book for Month of 16-MARCH-2024

TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 – 11 – KW				Pump No. RSP-02 – 11 – KW				Pump No. RSP-03 – 22 – KW				Pump No. RSP-04 22 – KW				Pump No. RSP-05				Pump No. RSP-06				MJHr
						Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
00AM-01AM		-	-	0.99	425	00:15	-		21																					225
01AM-02AM		-	-	0.98	423	-	-		21																					223
02AM-03AM		-	-	0.99	421	-	2:55	2:40	21																					221
03AM-04AM		-	-	0.98	420					3:10	-		22																	199
04AM-05AM		-	-	0.99	424					-	-		22																	197
05AM-06AM		-	-	0.99	422					-	5:40	2:30	22																	195
06AM-07AM		-	-	0.98	419									6:00	-		41													415
07AM-08AM		-	-	0.99	420									-	-		41													413
08AM-09AM		-	-	0.98	422									-	-		41													412
09AM-10AM		-	-	0.99	421									-	9:45	3:45	41													410
10AM-11AM		-	-	0.98	423					10:10	-		22																	224
11AM-12AM		-	-	0.98	421					-	-		22																	222
12PM-01PM		-	-	0.98	421					-	12:50	2:40	21																	220
01PM-02PM		-	-	0.98	422									1:05	-	-	41													901
02PM-03PM		-	-	0.99	420									-	-		41													424
03PM-04PM		-	-	0.98	421									-	3:45	3:40	41													407
04PM-05PM		-	-	0.99	424													4:00	-		40									425
05PM-06PM		-	-	0.98	421													-	-		40									423
06PM-07PM		-	-	0.99	420													-	-		40									420
07PM-08PM		-	-	0.98	421													-	7:50	3:50	40									421
08PM-09PM		-	-	0.99	424	8:20	-		21																					207
09PM-10PM		-	-	0.98	422	-	-		21																					206
10PM-11PM		-	-	0.99	424	-	-		21																					204
11PM-12AM		-	-	0.98	421	-	11:50	3:30	21																					201
PS RUNNING HOURS								6:10				5:10				7:35				3:50										

SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
Shrawan Kumar (06AM-02:00PM)	Javid Khan, Jairam	Jaikaran	9.223 MLD				
Nagendra Singh (02PM-10:00PM)		Sanjeev					
Om Prakash & Shivram Singh (10PM-06:00AM)		Ravi					

THERMAX ENGINEERS KANPUR DELHI

642

MPS Log Book for Month of 17-MARCH 2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 — 11 - Kw				Pump No. RSP-02 — 22 - Kw				Pump No. RSP-03 — 22 - Kw				Pump No. RSP-04 — 11 — Kw				Pump No. RSP-05				Pump No. RSP-06				M3/H
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-		0.99	425	00:30	-		22																				230
	01AM-02AM		-		0.98	422	-	-		22																				232
	02AM-03AM		-		0.99	421	-	2:35	2:5	22																				231
	03AM-04AM		-		0.98	424					3:00	-		41																413
	04AM-05AM				0.99	425					-	-		41																411
	05AM-06AM		-		0.98	420					-	-		41																409
A-SHIFT	06AM-07AM		-		0.99	422					-	6:45	3:45	41																410
	07AM-08AM		-		0.98	421									7:10	-		40												425
	08AM-09AM		-		0.99	423									-	-		40												423
	09AM-10AM		-		0.98	424									-	9:40	8:30	40												421
	10AM-11AM		-		0.99	420	10:00	-	-	21																				421
	11AM-12AM		-		0.98	421	-	-		21																				220
	12PM-01PM		-		0.98	420	-	2:48	2:48	21																				218
	01PM-02PM		-		0.99	424													1:10	-	-	21								179
B-SHIFT	02PM-03PM		2:38		0.98	422													-	-		21								197
	03PM-04PM				0.99	421													-	3:50	2:40	21								195
	04PM-05PM			4:58	0.98	421									4:05	-	-	40												421
	05PM-06PM		-		0.99	423									-	-		40												420
	06PM-07PM		-		0.98	421									-	6:55	2:50	40												411
	07PM-08PM		-		0.98	420	7:25	-	-	21																				232
	08PM-09PM		-		0.99	421	-	-	-	21																				228
	09PM-10PM		-		0.99	422	-	3:45	2:20	22																				221
C-SHIFT	10PM-11PM		-		0.98	421													10:10	-	-	22								198
	11PM-12AM		-		0.99	420													-	11:50	1:40	22								192
PUMPS RUNNING HOURS									7:13				3:45				5:20				4:20									

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A (06:00AM-02:00PM)	Shivaswamy	David Kittur	Lakkappa	7117 MLD				
B (02:00PM-10:00PM)	Nagendra	Shivam Singh	Ramesh Kumar					
C (10:00PM-06:00AM)	Ramakrishna	Vinod Yadav	Ajay Kumar					

643

MPS Log Book for Month of 18/MARCH/2024

TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 (75 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 (75 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 (22 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 (22 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 (55 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/Hr
00AM-01AM		-	-	0.98	425									00:15	-	-	41													421
01AM-02AM		-	-	0.98	421									-	-	-	41													918
02AM-03AM		-	-	0.99	420									-	2:35	2:20	41													912
03AM-04AM		-	-	0.99	424	3:05	-	-	22																					201
04AM-05AM		-	-	0.99	423	-	-	-	22																					200
05AM-06AM		-	-	0.98	421	-	5:58	2:53	22																					138
06AM-07AM		-	-	0.98	422									6:10	-	-	41													432
07AM-08AM		-	-	0.98	424									-	-		41													430
08AM-09AM		-	-	0.99	421									-	-		41													431
09AM-10AM		-	-	0.98	423									-	9:40	3:30	41													429
10AM-11AM		-	-	0.98	420					10:00	-	-	21																	211
11AM-12AM		-	-	0.98	422					-	-	-	21																	209
12PM-01PM		-	-	0.99	425					-	12:55	2:55	21																	201
01PM-02PM		-	-	0.98	421	1:05	-	-	22																					222
02PM-03PM		-	-	0.98	421	-	-	-	22																					220
03PM-04PM		-	-	0.99	420	-	3:45	2:40	21																					218
04PM-05PM		-	-	0.98	421													4:15	-	-	40									401
05PM-06PM		-	-	0.99	425													-	-	-	40									406
06PM-07PM		-	-	0.98	426													-	6:45	2:30	40									405
07PM-08PM		-	-	0.98	421					7:25	-	-	22																	221
08PM-09PM		-	-	0.99	421					-	-	-	22																	220
09PM-10PM		9:42	9:50	0.99	422					-	9:55	2:30	22																	212
10PM-11PM		-	-	0.99	423	10:15	-	-	21																					201
11PM-12AM		-	-	0.98	425	-	11:98	1:33	21																					198
MPS RUNNING HOURS								7:06				5:25				5:50				2:30										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(12AM-02 00PM)	Shravan Kumar	Sunil Ram	Vijaram	7.11 MLD				
(02PM-10 00PM)	Nagendra	Sunil Yadav	Sanjeev Kumar					
(10PM-06 00AM)	Ram Prakash Ext	Shivam Singh	Ravi Kumar					

644

MPS Log Book for Month of 19/MARCH/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 (11 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 (11 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 (22 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 (22 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 (55 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3
C-SHIFT	00AM-01AM		-	-	0.99	421	00:21	-	-	21																					221
	01AM-02AM		-	-	0.99	420	-	-	-	22																					22
	02AM-03AM		-	-	0.98	418	-	2:58	2:37	21																					218
	03AM-04AM		-		0.99	416					3:25	-	-	21																	201
	04AM-05AM		-		0.98	422					-	-	-	22																	198
	05AM-06AM		5:24	5:41	0.98	425					-	5:45	2:20	22																	184
A-SHIFT	06AM-07AM		-	-	0.99	421									6:12	-	-	40													401
	07AM-08AM		-		0.98	420									-	-	-	41													400
	08AM-09AM		-	-	0.99	421									-	8:52	2:40	41													391
	09AM-10AM		-	-	0.98	420	9:05	-	-	22																					221
	10AM-11AM		-	-	0.98	421	-	-	-	22																					222
	11AM-12AM		-	-	0.99	418	-	11:55	2:50	22																					218
	12PM-01PM		-	-	0.98	421					12:00	-	-	22																	230
	01PM-02PM		1:19	-	0.99	423					-	-	-	22																	232
B-SHIFT	02PM-03PM		-		0.98	421					-	2:58	2:58	22																	218
	03PM-04PM		3:42	3:23	0.99	421													3:06	-	-	41									241
	04PM-05PM		-	4:27	0.98	420													-	-	-	41									432
	05PM-06PM		-	-	0.99	421													-	[illegible]	2:45	41									421
	06PM-07PM		-	-	0.99	425	6:08	-	-	21																					218
	07PM-08PM		-	-	0.98	423				21																					212
	08PM-09PM		-	-	0.99	422		8:58	2:50	21																					201
	09PM-10PM		-		0.99	425									3:24	-	-	41													418
C-SHIFT	10PM-11PM			-	0.99	423									-	-	-	40													416
	11PM-12AM			-	0.98	418									-	11:52	2:28	40													401
PUMPS RUNNING HOURS									8:17				5:18				5:08				2:45										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A (05:00AM-02:00PM)	Nagendra	Jamil Khan	Shivram	6.94 MLD				
B (02:00PM-10:00PM)	Shrawan kumar	Shivam	Shivram Singh					
C (10:00PM-05:00AM)	Om Prakash	Anil Kumar	Ajay Singh					

645

MPS Log Book for Month of 20/MARCH/2024

TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11KW				Pump No. RSP-02 22KW				Pump No. RSP-03 22KW				Pump No. RSP-04 11KW				Pump No. RSP-05 55KW				Pump No. RSP-06				MJ/Hr
						Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
00AM-01AM		-	-	0.98	421	0:32	-	-	21																					221
01AM-02AM		-	-	0.99	426	-	-	-	21																					220
02AM-03AM		-	-	0.99	421	-	-	-	21																					218
03AM-04AM		-	-	0.98	425	-	3:48	3:16	21																					212
04AM-05AM		-	-	0.99	421													4:15	-	-	22									201
05AM-06AM		-	-	099	420													-	-	-	22									198
06AM-07AM		-	-	0.98	424													-			22									182
07AM-08AM		-	-	0.99	422													-	7:55	3:00	22									184
08AM-09AM		-	-	098	421					8:10	-	-	41																	421
09AM-10AM		9:30	9:45	0.98	420					-	-	-	41																	418
10AM-11AM		-	-	0.99	425					-	10:90	2:30	41																	411
11AM-12AM		-	-	0.98	424	11:05	-	-	22																					201
12PM-01PM		-	-	0.93	421	-			22																					204
01PM-02PM		-	-	098	420	-	1:55	2:50	21																					201
02PM-03PM		-	-	0.99	421					2:08	-	-	41																	400
03PM-04PM		-	-	0.98	422					-	-	-	40																	398
04PM-05PM		-	-	0.99	425					-	4:28	2:20	40																	392
05PM-06PM		-	-	0.98	421													5:02	-	-	21									201
06PM-07PM		-	-	0.99	422													-	-	-	22									198
07PM-08PM		-	-	0.98	421													-	7:37	2:35	22									192
08PM-09PM		-	-	0.99	420									8:06	-	-	40													421
09PM-10PM		-	-	0.98	426									-	-	-	40													418
10PM-11PM		-	-	0.99	427									-	-	-	40													411
11PM-12AM		-	-	0.98	421									-	11:25	3:19	40													401
RUNNING HOURS								6:06				4:50				3:19				6:15										

SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(M-02.00PM) Shivaram Kumar	Anil Yadav	Sanjeev Kumar	692 MLD			CHEMCO ENGINEERS KANPUR	
(M-10.00PM) Nagendra	Shivam Singh	Ravi Kumar					
(M-06.00AM) Om Prakash Singh	Anil Yadav	Jay Karan Kumar					

MPS Log Book for Month of 21/MARCH/2024

SHIFT	TIME	Water Level	Time of power out	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11 kw Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 11 kw Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 22 kw Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 22 kw Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 55 kw Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/H
C-SHIFT	00AM-01AM				0.98	421	00:35	-	-	21																					221
	01AM-02AM				0.99	422	-	-	-	21																					220
	02AM-03AM				0.98	424	-	2:48	2:13	21																					218
	03AM-04AM				0.99	426					3:16	-	-	22																	201
	04AM-05AM				0.98	425					-	-	-	22																	198
	05AM-06AM				0.99	422					-	5:56	2:40	22																	192
A-SHIFT	06AM-07AM				0.98	418									6:02	-	-	40													42
	07AM-08AM				0.99	421									-	-		40													42
	08AM-09AM				0.98	419									-	8:57	2:55	40													418
	09AM-10AM				0.98	425	9:25	-	-	22																					232
	10AM-11AM				0.99	428	-	-		22																					220
	11AM-12AM				0.98	422	-	11:26	2:21	22																					212
	12PM-01PM				0.99	421													R:02	-	-	41									400
	01PM-02PM				0.99	418													-	-		40									392
B-SHIFT	02PM-03PM				0.98	420													-	2:47	2:45	41									392
	03PM-04PM				0.99	425					3:05	-	-	21																	211
	04PM-05PM				0.98	418					-			21																	209
	05PM-06PM				0.99	423					-	5:30	2:34	22																	201
	06PM-07PM				0.98	416									6:10	-	-	41													421
	07PM-08PM				0.99	417									-	-	-	40													418
	08PM-09PM				0.98	418									-	8:35	2:25	41													401
	09PM-10PM				0.99	420	9:45	-	-	21																					198
C-SHIFT	10PM-11PM				0.98	422	-	-		21																					182
	11PM-12AM				0.99	428	-	11:52	2:37	21																					180
PUMPS RUNNING HOURS									7:11				5:14				5:20				2:45										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(05:00AM-02:00PM)	Dharvendra kumar	Jamil khan	Sanjeev Kumar	6.78MLD				
B(02:00PM-10:00PM)	Nagendra	Shivam Singh	Jaiparkash Kumar					
C(10:00PM-05:00AM)	Om Prakash Singh	Gopal	Ravi Kumar					

647

MPS Log Book for Month of 22/MARCH/2024

TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11 KW				Pump No. RSP-02 22 KW				Pump No. RSP-03 11 KW				Pump No. RSP-04 22 KW				Pump No. RSP-05 55 KW				Pump No. RSP-06				M3/Hr
						Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
00AM-01AM		-	-	0.99	421									00:05	-	-	21													228
01AM-02AM		-	-	0.98	426									-	-	-	21													224
02AM-03AM		-	-	0.99	430									-	2:58	2:13	22													216
03AM-04AM		-	-	0.98	418	3:21	-	-	22																					198
04AM-05AM		-	-	0.99	416	-	-	-	21																					190
05AM-06AM		-	-	0.98	420	-	5:35	2:14	22																					188
06AM-07AM		-	-	0.99	422					6:05	-	-	40																	431
07AM-08AM		-	-	0.98	421					-	-		40																	439
08AM-09AM		-	-	0.99	420					-			40																	431
09AM-10AM		-	-	0.98	423					-	9:45	3:40	40																	432
10AM-11AM		-	-	0.99	421									10:00	-	-	21													218
11AM-12AM		-	-	0.98	418									-	-		22													219
12PM-01PM		-	-	0.99	420									-	12:58	2:58	21													218
01PM-02PM		-	-	0.98	421					1:10	-	-	41																	401
02PM-03PM		-	-	0.99	423					-	-	-	41																	398
03PM-04PM		-	-	0.98	422					-	3:48	2:36	41																	399
04PM-05PM		-	-	0.99	420	4:25	-	-	21																					198
05PM-06PM		-	-	0.98	421	-	-	-	22																					199
06PM-07PM		-	-	0.99	422	-	6:45	2:20	21																					132
07PM-08PM		-	-	0.98	421													7:20	-	-	41									421
08PM-09PM		-	-	0.98	420													-	8:59	1:39	41									420
09PM-10PM		-	-	0.99	426									9:10	-	-	22													221
10PM-11PM		-	-	0.98	428									-	-	-	21													218
11PM-12AM		-	-	0.98	421									-	11:50	2:40	22													201
RUNNING HRS								4:39				6:10				7:51				1:39										

SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(02:00PM) Bhagwan Kumar	Jarnail Khan	Jitkaran					
(10:00PM) Nagendra	Shivam Singh	Ravi Kumar	6.89 MLD				
(06:00AM) Om Prakash	Gopal yadav	Sanjeev Kumar					

MPS Log Book for Month of MARCH/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11 KW				Pump No. RSP-02 11 KW				Pump No. RSP-03 22 KW				Pump No. RSP-04 30 KW				Pump No. RSP-05 55 KW				Pump No. RSP-06				MSP
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	-	0.99	425	00:20	-	-	21																					221
	01AM-02AM		-	-	0.99	426	-	-	-	22																					220
	02AM-03AM		-	-	0.98	428	-	2:59	2:39	22																					216
	03AM-04AM		-	-	0.99	430					3:40	-	-	22																	195
	04AM-05AM		-	-	0.99	418					-	-	-	21																	192
	05AM-06AM		-	-	0.98	421					-	5:55	2:15	22																	188
A-SHIFT	06AM-07AM		-	-	0.98	422									6:25	-	-	41													225
	07AM-08AM		-	-	0.99	422									-	-	-	40													218
	08AM-09AM		-	-	0.98	421									-	8:45	2:20	41													210
	09AM-10AM		-	-	0.99	421					9:05	-	-	21																	201
	10AM-11AM		-	-	0.98	420					-	-	-	21																	192
	11AM-12AM		-	-	0.99	424					-	11:50	2:45	21																	195
	12PM-01PM		-	-	0.98	423	12:00	-	-	21																					197
	01PM-02PM		-	-	0.99	422	-	-	-	22																					199
B-SHIFT	02PM-03PM		-	-	0.98	420	-	2:52	2:52	22																					138
	03PM-04PM		-	-	0.98	421													3:10	-	-	40									401
	04PM-05PM		-	-	0.98	420													-			40									398
	05PM-06PM		-	-	0.99	425													-			40									391
	06PM-07PM		-	-	0.98	426					6:15	-	-	22																	221
	07PM-08PM		-	-	0.99	425					-	-	-	22																	220
	08PM-09PM		-	-	0.98	430					-	6:55	2:40	21																	218
	09PM-10PM		-	-	0.99	429									9:20	-	-	96													47
C-SHIFT	10PM-11PM		-	-	0.98	421									-	-	-	91													208
	11PM-12AM		-	-	0.98	420									-	11:30	2:10	40													202
PUMPS RUNNING HOURS									5:31				7:40				4:30				2:10										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(06:00AM-02:00PM)	Shivaramkumar	Sunil Khan	Vijaykumar	6.73MLD				
B(02:00PM-10:00PM)	Nagendra Singh	Shivam Singh	Arjunkumar Singh					
C(10:00PM-06:00AM)	Ramparash Singh	Arvind	Ravikumar					

649

MPS Log Book for Month of 24/MARCH/2024

TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11 KW				Pump No. RSP-02 22 KW				Pump No. RSP-03 11 KW				Pump No. RSP-04 22 KW				Pump No. RSP-05 55 KW				Pump No. RSP-06				MLH
						Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
AM-01AM		—	-	0.98	421	00:00	-	-	22																					
AM-02AM		-	-	0.99	420	-	-	-	21																					221
AM-03AM		-	-	0.98	424	-	2:55	2:15	22																					220
AM-04AM		-	-	0.99	426					3:25	-	-	40																	218
AM-05AM		-	-	0.98	427					-	-	-	40																	432
AM-06AM		-	-	0.99	422					-	5:35	2:10	40																	430
AM-07AM		-	-	0.98	420									6:20	-	-	21													418
AM-08AM		-	-	0.98	421									-	-	-	21													198
AM-09AM		-	-	0.99	425									-	8:55	2:35	21													192
AM-10AM		-	-	0.98	428													9:05	-	-	40									190
AM-11AM		-	-	0.98	426													-			40									401
AM-12AM		-	-	0.99	425													-	11:45	2:40	41									398
PM-01PM		-	-	0.98	426									12:10	-	-	21													337
PM-02PM		-	-	0.99	421									-	-	-	21													198
PM-03PM		-	-	0.98	420									-	2:50	2:40	22													197
PM-04PM		-	-	0.99	421					3:00	-	-	40																	199
PM-05PM		-	-	0.98	422					-	-	-	40																	430
PM-06PM		-	-	0.99	421					-	5:40	2:40	40																	432
PM-07PM		-	-	0.98	423	6:00	-	-	22																					429
PM-08PM		-	-	0.99	425	-	-	-	21																					219
PM-09PM		-	-	0.98	423	-	-	-	22																					220
PM-10PM		-	-	0.99	420	-	9:50	3:50	21																					218
PM-11PM		-	-	0.98	421									10:10	-		21													219
PM-12AM		-	-	0.99	419									-	11:51	1:41	21													199
UNNING RS								6:55				4:50				6:56				2:40										196

	SHIFT INCHARGE	Name OFERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
02:00PM)	Bhramaiah	Sivam Singh	Ravi Kumar	6.87 MLD				
10:00PM)	Nagendra Singh	Javid Khan	Sanjeev Kumar					
06:00AM)	Om Prakash	Amjid	Jayakaran					

650

MPS Log Book for Month of 25 MARCH 2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 – 11 – KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 – 99 – KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 – 89 – KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 – 79 – KW Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		–	–	0.99	425	00:30	–	–	22																				
	01AM-02AM		–	–	0.98	423	–	–	–	22																				
	02AM-03AM		–	–	0.99	422	–	2:50	2:20	22																				
	03AM-04AM		–	–	0.98	421									3:15	–	–	41												
	04AM-05AM		–	–	0.99	422									–	–	–	41												
	05AM-06AM		–	–	0.98	419									–	5:45	2:30	41												
A-SHIFT	06AM-07AM		–	–	0.99	419					6:00	–	–	40																
	07AM-08AM		–	–	0.98	420					–	–	–	40																
	08AM-09AM		–	–	0.99	421					–	–	–	40																
	09AM-10AM		–	–	0.98	423					–	9:40	3:40	40																
	10AM-11AM		–	–	0.99	423													10:5	–	–	21								
	11AM-12AM		–	–	0.98	425													–	–	–	21								
	12PM-01PM		–	–	0.99	423													–	12:55	2:50	21								
	01PM-02PM		–	–	0.98	420	1:00	–	–	22																				
B-SHIFT	02PM-03PM		–	–	0.99	422	–	–	–	22																				
	03PM-04PM		–	–	0.98	423	–	–	–	22																				
	04PM-05PM		–	–	0.99	425	–	4:45	3:45	22																				
	05PM-06PM		–	–	0.98	421									5:05	–	–	41												
	06PM-07PM		–	–	0.99	422									–	–	–	41												
	07PM-08PM		–	–	0.98	421									–	7:55	2:50	41												
	08PM-09PM		–	–	0.99	419													8:20	–	–	21								
	09PM-10PM		–	–	0.98	420													–	–	–	21								
C-SHIFT	10PM-11PM		–	–	0.99	418													–	–	–	21								
	11PM-12AM		–	–	0.98	423													–	11:40	3:40	21								
PUMPS RUNNING HOURS								6:05				3:40				5:20				6:10										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(6:00AM-02:00PM)	Nagendra	Jaibir	Ajay Singh	7.18MLD				
B(02:00PM-10:00PM)	Ex Pradeep Singh	Anil	Sanjeev Kumar					
C(10:00PM-06:00AM)	Shreeom Kumar	Jamil Khan	Sanjeev Kumar					

651

MPS Log Book for Month of 26-MARCH-2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No RSP-01 – 11 – KW				Pump No RSP-02 – 18 – KW				Pump No RSP-03 – 11 – KW				Pump No RSP-04 – 22 KW				Pump No RSP-05 – 55 KW				Pump No RSP-06				M3/Hr
							Start Time	Stop Time	Total Hours	Current (Amp)	Start Time	Stop Time	Total Hours	Current (Amp)	Start Time	Stop Time	Total Hours	Current (Amp)	Start Time	Stop Time	Total Hours	Current (Amp)	Start Time	Stop Time	Total Hours	Current (Amp)	Start Time	Stop Time	Total Hours	Current (Amp)	
	00AM-01AM		–	–	0.99	424	00:40	–	–	22																				233
	01AM-02AM		–	–	0.98	423	–	–	–	22																				231
SHIFT	02AM-03AM		–	–	0.99	420	–	2:50	2:10	22																				232
	03AM-04AM		–	–	0.98	423									3:20	–	–	21												212
	04AM-05AM		–	–	0.99	421									–	–	–	21												214
	05AM-06AM		–	–	0.98	422									–	5:50	2:30	21												241
	06AM-07AM		–	–	0.99	424					6:10	–	–	41																1140
	07AM-08AM		–	–	0.98	419					–	–	–	41																430
	08AM-09AM		–	–	0.99	421					–	8:40	2:30	41																435
SHIFT	09AM-10AM		–	–	0.98	422	9:00	–	–	22																				226
	10AM-11AM		–	–	0.99	420	–	.	–	21																				224
	11AM-12AM		–	–	0.98	425	–	11:50	2:50	22																				219
	12PM-01PM		–	–	0.99	423					12:00	–	–	40																191
	01PM-02PM		–	–	0.98	421					–	–	–	40																135
	02PM-03PM		–	–	0.98	423					–	.	–	40																433
HIFT	03PM-04PM		–	–	0.99	424					–	3:45	3:45	40																430
	04PM-05PM		–	–	0.98	422													4:10	–	–	41								422
	05PM-06PM		–	–	0.98	424													–	–	–	41								420
	06PM-07PM		–	–	0.99	420													–	6:50	2:40	41								419
	07PM-08PM		–	–	0.98	419					7:00	–	–	40																418
	08PM-09PM		–	–	0.99	421					–	.		40																398
	09PM-10PM		–	–	0.98	423					–	9:59	2:59	40																357
IFT	10PM-11PM		–	–	0.99	425									10:15	–	–	21												196
	11PM-12AM		–	–	0.98	422									–	11:45	11:30	21												135
PS RUNNING HOURS								5:00					9:18				4:00				2:40									

T	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
AM-02.00PM)	Shivakumar	Sunil Kum	Ravikumar	7300KLD				
PM-10.00PM)	Nagendrappa	Sunil	Jayakaran					
PM-06.00AM)	Om Prakash	Shivam Singh	Sanjeevkumar					

652

MPS Log Book for Month of 27/MARCH/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 (11 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 (22 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 (11 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 (22 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 (15 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/H
C-SHIFT	00AM-01AM		-	.	0.98	421	00:35	-	-	21																					221
	01AM-02AM		-	.	0.98	420	-	-	-	22																					220
	02AM-03AM		-	.	0.98	424	-	2:45	2:10	21																					218
	03AM-04AM		-	-	0.99	426					3:05	-	-	40				1													418
	04AM-05AM		-	.	0.99	428					-	.	-	40																	416
	05AM-06AM		-	-	0.98	426					-	5:25	2:20	41																	411
A-SHIFT	06AM-07AM		-	.	0.99	425									6:12	-	-	21													201
	07AM-08AM		-	-	0.98	423										-	-	21													200
	08AM-09AM		-	.	0.99	422										8:59	2:38	21													203
	09AM-10AM		-	.	0.98	420	9:5	-	-	21																					225
	10AM-11AM		-	.	0.99	419	-	-	-	21																					224
	11AM-12AM		-	-	0.98	416	-	-	-	22																					222
	12PM-01PM		-	.	0.99	418		12:59	3:50	22																					224
	01PM-02PM		-	-	0.98	419													1:10	-	-	41									230
B-SHIFT	02PM-03PM		-	.	0.99	420													-	-	-	41									232
	03PM-04PM		-	.	0.98	421													-	3:40	2:30	41									230
	04PM-05PM		-	.	0.99	418									4:10	-	-	22													220
	05PM-06PM		-	-	0.98	416									-	-	-	22													218
	06PM-07PM		-	.	0.99	422									-	6:50	2:40	22													212
	07PM-08PM		-	-	0.98	428					7:15	-	-	40																	401
	08PM-09PM		-	.	0.99	427					-	-	-	90																	398
	09PM-10PM		-	-	0.98	429					-	9:35	2:20	41																	396
C-SHIFT	10PM-11PM		-	.	0.99	425	10:00	-	-	22																					192
	11PM-12AM		-	-	0.98	421	-	11:59	1:59	22																					190
PUMPS RUNNING HOURS									7:59				4:40				5:18				2:30										

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(6.00AM-02.00PM)	Dharmaveer Kumar Sunil Khan		Ravi Kumar	6.92				
B(02.00PM-10.00PM)	Nagendra	Sanjeev Kumar	Jay Kaushal Kumar					
C(10.00PM-06.00AM)	Om Prakash Sah	Shivram Singh	Ajay Singh					

653

MPS Log Book for Month of 28/MARCH/2021

TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 14 KW				Pump No. RSP-02 11 KW				Pump No. RSP-03 22 KW				Pump No. RSP-04 22 KW				Pump No. RSP-05 55 KW				Pump No. RSP-06				M3/Hr
						Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
00AM-01AM		-	-	0.98	426	00:45	-	-	21																					221
01AM-02AM		-	-	0.99	428	-	-	-	22																					220
02AM-03AM		-	-	0.99	430	-	2:45	2:00	21																					218
03AM-04AM		-	-	0.98	426					3:30	-	-	21																	201
04AM-05AM		-	-	0.98	424					-	-	-	22																	200
05AM-06AM		-	-	0.99	422					-	5:40	2:10	22																	198
06AM-07AM		-	-	0.98	421									6:05	-	-	40													430
07AM-08AM		-	-	0.99	425									-	-	-	41													428
08AM-09AM		-	-	0.98	423									-	8:55	2:50	41													426
09AM-10AM		-	-	0.99	421	9:00	-	-	21																					285
10AM-11AM		-	-	0.98	420	-	-	-	22																					223
11AM-12AM		-	-	0.99	421	-	11:50	2:50	21																					220
12PM-01PM		-	-	0.98	420					12:00	-	-	21																	219
01PM-02PM		-	-	0.99	421					-	-	-	22																	218
02PM-03PM		-	-	0.98	420					-	2:40	2:40	22																	216
03PM-04PM		-	-	0.99	423													3:10	-	-	40									433
04PM-05PM		-	-	0.98	425													-	-		40									432
05PM-06PM		-	-	0.99	422														5:55	2:05	40									429
06PM-07PM		-	-	0.98	421	6:05	-	-	22																					201
07PM-08PM		-	-	0.98	420	-	-	-	21																					198
08PM-09PM		-	-	0.99	418	-	8:55	2:50	22																					196
09PM-10PM		-	-	0.98	419									9:00	-	-	40													400
10PM-11PM		-	-	0.98	416									-	-	-	40													398
11PM-12AM		-	-	0.99	421									-	11:35	2:35	41													395
RUNNING HOURS				-				7:40				4:50				5:25				2:45										

SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
Nagendra (02.00PM)	Jamil Khan	Ravi Kumar					
Shrawan Kumar (10.00PM)	Anil Kumar	Jay Karan Kumar	6.94 MLD				
Omprakash (06.00AM)	Shivam Singh	Sanjeev Kumar					

655

MPS Log Book for Month of 29/MARCH/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11KW				Pump No. RSP-02 11 KW				Pump No. RSP-03 23 KW				Pump No. RSP-04 22 KW				Pump No. RSP-05 55 KW				Pump No. RSP-06				MJ/Hr
							Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
C-SHIFT	00AM-01AM		-	.	0.99	421	00:30	-	-	22																					221
	01AM-02AM		-	-	0.98	420	-	-	-	22																					220
	02AM-03AM		.	.	0.99	418	-	2:40	2:10	22																					218
	03AM-04AM		.	-	0.98	416					3:15	-	-	21																	201
	04AM-05AM		-	.	0.99	417					-	-	-	21																	198
	05AM-06AM		-	-	0.98	416					-	5:55	2:40	21																	196
A-SHIFT	06AM-07AM		6:00	-	0.99	412									6:20	-	-	41													420
	07AM-08AM		-	-	0.98	416										-	-	41													416
	08AM-09AM		-	-	0.99	420									-	8:40	2:20	41													410
	09AM-10AM		-	-	0.98	423	9:00	-	-	22																					225
	10AM-11AM		-		0.99	422	-	-	-	22																					223
	11AM-12AM		-	.	0.98	424	-	11:45	2:45	22																					220
	12PM-01PM		-	-	0.98	425					12:00	-	-	21																	221
	01PM-02PM		-	-	0.99	426					-	-	-	22																	222
B-SHIFT	02PM-03PM		-	-	0.98	428					-	2:52	2:52	21																	216
	03PM-04PM		-	-	0.99	426													3:20	-	-	40									398
	04PM-05PM		-	4:50	0.98	427													-	-	-	40									396
	05PM-06PM		-	.	0.99	425													-	-	-	40									399
	06PM-07PM		-	-	0.98	422	6:10	-	-	21																					211
	07PM-08PM		.	.	0.99	421		-	-	21																					209
	08PM-09PM		8:20	8:45	0.98	420		8:10	2:00	22																					206
	09PM-10PM		.	.	0.99	419					9:05	-	-	22																	191
C-SHIFT	10PM-11PM		-	.	0.98	418					-	-	-	21																	198
	11PM-12AM		-	-	0.98	416					-	11:35	2:30	22																	194
PUMPS RUNNING HOURS			-						6:55				8:02				2:20				2:15				5:00					

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(8:00AM-02:00PM)	Nagendra	Sunil Khan	Jaikam	6.23 MLD				
B(02:00PM-10:00PM)	Dhaneswar Kumar Shivam Singh		Ravi Kumar					
C(10:00PM-08:00AM)	Om Prakash Singh Sanjeev		Ajay Singh					

656

MPS Log Book for Month of 30/MARCH/2021

TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 11 KW				Pump No. RSP-02 11 KW				Pump No. RSP-03 22 KW				Pump No. RSP-04 22 KW				Pump No. RSP-05 55 KW				Pump No. RSP-06				M3/Hr
						Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	Start Time	Stop Time	Total Hours	Current (Amp.)	
00AM-01AM		-	-	0.98	426					00:45	-	-	21																	221
01AM-02AM		-	-	0.99	427					-	-	-	22																	220
02AM-03AM		-	-	0.99	428					-	2:55	2:10	21																	218
03AM-04AM		-	-	0.98	425	3:25	-	-	22																					132
04AM-05AM		-	-	0.98	424	-	-	-	22																					100
05AM-06AM		-	-	0.98	422	-	5:40	2:15	22																					188
06AM-07AM		-	-	0.99	421									6:05	-	-	40													418
07AM-08AM		-	-	0.98	423									-	-	-	40													420
08AM-09AM		-	-	0.99	421									-	8:45	2:40	40													419
09AM-10AM		-	-	0.98	422	9:10	-	-	22																					230
10AM-11AM		-	-	0.99	421	-	-	-	22																					228
11AM-12AM		-	-	0.98	420	-	11:40	2:30	22																					221
12PM-01PM		-	-	0.99	424					12:15	-	-	21																	138
01PM-02PM		-	-	0.98	423					-	-	-	21																	135
02PM-03PM		-	-	0.99	424					-	2:50	2:35	21																	192
03PM-04PM		-	-	0.98	421	3:00	-	-	22																					192
04PM-05PM		-	-	0.99	418	-	-	-	22																					136
05PM-06PM		-	-	0.98	416	-	5:35	2:35	21																					192
06PM-07PM		-	-	0.99	412									6:10	-	-	40													421
07PM-08PM		-	-	0.98	410									-	-	-	40													410
08PM-09PM		-	-	0.99	416									-	8:30	2:20	40													412
09PM-10PM		-	-	0.98	417					9:05	-	-	31																	194
10PM-11PM		-	-	0.99	419					-	-	-	21																	196
11PM-12AM		-	-	0.98	420					-	11:55	2:50	21																	192
MPS RUNNING HOURS								7:20				7:35				5:00														

SHIFT	SHIFT INCHARGE	Name OPERATORS	Name HELPER/SWEEPERS	Flow Totallizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
(06AM-02:00PM)	Shreekant kumar	Jamil khan	Jaikaran					
(02PM-10:00PM)	Hayendra Singh	Shivam Singh	Ravi Kumar	6.16 MLD				
(10PM-06:00AM)	Hayendra	Bhageerath kumar	Ajay Singh					

CHEMECO ENGINEERS KANPUR

657

MPS Log Book for Month of 31/MARCH/2024

SHIFT	TIME	Water Level	Time of power cut	Time of power come	Power Factor	Voltage	Pump No. RSP-01 (71 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-02 (11KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-03 (22 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-04 (30 KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-05 (5.5KW) Start Time	Stop Time	Total Hours	Current (Amp.)	Pump No. RSP-06 Start Time	Stop Time	Total Hours	Current (Amp.)	M3/H
C-SHIFT	00AM-01AM		00:22	00:53	0.99	425	00:45	-	-	21																					221
	01AM-02AM		-	-	0.98	426	-	-	-	21																					220
	02AM-03AM		-	-	0.98	426	-	2:50	2:05	21																					218
	03AM-04AM		-	-	0.98	421					3:20	-	-	22																	198
	04AM-05AM		-	-	0.99	420					-	-	-	22																	196
	05AM-06AM		-	-	0.99	417					-	5:30	2:10	22																	192
A-SHIFT	06AM-07AM		-	-	0.98	416									6:15	-	-	40													418
	07AM-08AM		-	-	0.99	417										-	-	40													416
	08AM-09AM		-	-	0.98	420										8:45	2:30	40													412
	09AM-10AM		-	-	0.99	423	8:10	-	-	21																					216
	10AM-11AM		-	-	0.98	424	-	-	-	21																					212
	11AM-12AM		-	-	0.99	426	-	11:30	2:20	21																					210
	12PM-01PM		-	-	0.98	428													12:00	-	-	41									398
	01PM-02PM		-	-	0.99	430													-	-	-	41									392
B-SHIFT	02PM-03PM		2:38	-	0.98	422													-	2:50	2:50	41									388
	03PM-04PM		-	3:03	0.99	421					3:05	-	-	21																	192
	04PM-05PM		-	-	0.98	418					-	-	-	21																	190
	05PM-06PM		-	-	0.99	419					-	5:45	2:00	21																	188
	06PM-07PM		-	-	0.96	421									6:10	-	-	40													401
	07PM-08PM		-	-	0.99	422										-	-	40													398
	08PM-09PM		-	-	0.98	423										8:30	2:20	40													396
	09PM-10PM		-	-	0.99	424	9:15	-	-	21																					216
C-SHIFT	10PM-11PM		-	-	0.98	426	-	-	-	21																					212
	11PM-12AM		-	-	0.99	425	-	11:55	2:40	21																					210
PUMPS RUNNING HOURS									7:05				4:50				4:50				2:50										

SHIFT	SHIFT INCHARGE	Name · OPERATORS	Name HELPER/SWEEPERS	Flow Totalizer, MLD	REMARKS	SIGNATURE SHIFT INCHARGE	SIGNATURE PLANT MANAGER	SIGN/REMARKS BY CLIENT
A(6:00AM-02:00PM)	Shravan Kumar	Jaadi Bhanu	Yashwan Kumar	6.70 MLD			CHEMTECH ENGINEERS KANPUR (U.P.)	
B(02:00PM-10:00PM)	Nagendra	Shivam Singh	Ravi Kumar					
C(10:00PM-06:00AM)	Ramprakash Rajbhar	Sanjeev Kumar	Ajay Singh					

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 01/Feb/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—	Amil	
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	11:20	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	15:00	03:40	Sangeet	
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Shram	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR (U.P.)

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 02/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—	Sangeev.	
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—	Amit	
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Jamal	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 03/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM					
01 AM - 02 AM				Jammed	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Amul	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—	Sonjoy	
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 04/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Jameel	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Sonjeu	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—	Amid	
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM					

CHEM ECO ENGINEERS KANPUR (U.P.)

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 05/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sangeet	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Sawan	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Anil	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 06/02/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Jamil	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Amit	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sangeet	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 07/02/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—	Amit	
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Sanjeev	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—	Jamaal	
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Betha Pratapgarh

Date 07/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sivam	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Jamud	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sanjeev	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGG. KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 9/02/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—	Sonjeet	
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Shivam	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	jamil	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 10/02/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sulram	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Jamid	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sangeet	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 11/02/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sivam	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Sonjeet	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—	Jami Ikha	
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 12/02/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sangeet	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—	Anil	
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Jamil Khan	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—				
23 PM - 24 PM	—				

CHEM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 13/02/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—	Anil	
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Jamil Khan	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Sanjeet	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

MECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 14/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sanjeev	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Jamil Khan	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—	Amil	
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 15/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—	Jamlyshan	
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Sangeet	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Anil	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CREM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 16/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil Khan	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—	Anil	
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sanjeev	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 17/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sangeet	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Jamil Khan	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—	Anil	
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 18/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil Khan	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Sanjeev	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Anil	
22 PM - 23 PM	—	—			
23 PM - 24 PM	—	—			

CHEMECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 19/02/2029

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Tamil Khan	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—	Anil	
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sangeet	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 20/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Anil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Sanjeev	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Jamil Khan	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM					

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 21/02/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sanjeet	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Anil	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—	Jamil Khan	
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 22/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil Khan	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—	Anil	
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sanjeev	
22 PM - 23 PM	—	—			
23 PM - 24 PM					

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 23/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamilkhan	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—	Sonjeev	
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Anil	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 24/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Anil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—	Sanjeev.K	
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	13:00	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	16:00	03:00	Jamil Kha	
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR

CHEM ECO E... KA...

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 25/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sangeet	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—	Jamil Khan	
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—	Anil	
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 26/02/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil Khan	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Anil	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—	Sangeet	
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 27/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sanjeev	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Jamil Khan	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Amit	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMCO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 28/02/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil Khan	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—	Anil	
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—	Sangeer	
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 29/02/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil Khan	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—	Sanjeev	
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Anil	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 01/03/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Anil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Jamil Khan	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sangeet	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 02/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Amil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—	Jamil Khan	
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	17:30	17:45	00:15	Sanjeev	
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Relha Pratapgarh

Date 03/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	–	–	–		
01 AM - 02 AM	–	–	–	Sanjeev	
02 AM - 03 AM	–	–	–		
03 AM - 04 AM	–	–	–		
04 AM - 05 AM	–	–	–		
05 AM - 06 AM	–	–	–		
06 AM - 07 AM	–	–	–		
07 AM - 08 AM	–	–	–		
08 AM - 09 AM	–	–	–		
09 AM - 10 AM	–	–	–		
10 AM - 11 AM	–	–	–		
11 AM - 12 AM	–	–	–	Jamil Khan	
12 PM - 13 PM	–	–	–		
13 PM - 14 PM	–	–	–		
14 PM - 15 PM	–	–	–		
15 PM - 16 PM	–	–	–		
16 PM - 17 PM	–	–	–		
17 PM - 18 PM	–	–	–		
18 PM - 19 PM	–	–	–		
19 PM - 20 PM	–	–	–		
20 PM - 21 PM	–	–	–	Anil	
21 PM - 22 PM	–	–	–		
22 PM - 23 PM	–	–	–		
23 PM - 24 PM	–	–	–		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 04/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil Khan	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Sanjeev	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Anil	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 05/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Anil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Tamil	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—	Sanjeev	
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPURA DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 06/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sanjeev	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Anil	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Jamil	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 07/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil Khan	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Sanjeev	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Amol	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 08/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Anil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Jamshkhan	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sanjeev	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 09/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Rémarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sanjeev	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—	Jamil Khan	
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Anil	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 10/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil Khan	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—	Anil	
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sanjeev	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 11/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Amil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Sanjeev	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—	Tamil Kha	
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 12/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil Khan	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Amj	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sangeeta	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 13/03/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Amil	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	14:30	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	16:45	02:15	Jamil	
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	21:15	21:55	00:40	Sanjeev	
22 PM - 23 PM	—	—	—	—	
23 PM - 24 PM	—	—	—	—	

CHEM ECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 14/03/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Sanjeev.	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	09:30	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	11:00	01:30	Sriram	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Anil	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 15/03/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sanjeev	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Anil	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Jamil Khan	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 16/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Sanjeev	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Jamlachar	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Anil	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 17/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM				Sanjeev	
01 AM - 02 AM					
02 AM - 03 AM					
03 AM - 04 AM					
04 AM - 05 AM					
05 AM - 06 AM					
06 AM - 07 AM					
07 AM - 08 AM					
08 AM - 09 AM				Anil	
09 AM - 10 AM					
10 AM - 11 AM					
11 AM - 12 AM					
12 PM - 13 PM					
13 PM - 14 PM					
14 PM - 15 PM	14:38				
15 PM - 16 PM					
16 PM - 17 PM		16:58	02:20	Sriram	
17 PM - 18 PM					
18 PM - 19 PM					
19 PM - 20 PM					
20 PM - 21 PM					
21 PM - 22 PM					
22 PM - 23 PM					
23 PM - 24 PM					

CHEMECO ENGINEERS P. LTD. KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 18/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil Khan	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—	Sanjeev.	
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	21:42	21:50	00:08	Amit	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 19/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil Khan	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	05:24	05:41	00:17	Anil	
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	13:19	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	15:42	15:23	02:04		
16 PM - 17 PM	—	16:27	00:45	Sivam	
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 20/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	"	"	"		
01 AM - 02 AM	"	"	"	Jamil Kha	
02 AM - 03 AM	"	"	"		
03 AM - 04 AM	"	"	"		
04 AM - 05 AM	"	"	"		
05 AM - 06 AM	"	"	"		
06 AM - 07 AM	"	"	"		
07 AM - 08 AM	"	"	"		
08 AM - 09 AM	"	"	"		
09 AM - 10 AM	09:30	09:45	00:15	Amil	
10 AM - 11 AM	"	"	"		
11 AM - 12 AM	"	"	"		
12 PM - 13 PM	"	"	"		
13 PM - 14 PM	"	"	"		
14 PM - 15 PM	"	"	"		
15 PM - 16 PM	"	"	"		
16 PM - 17 PM	"	"	"		
17 PM - 18 PM	"	"	"		
18 PM - 19 PM	"	"	"		
19 PM - 20 PM	"	"	"		
20 PM - 21 PM	"	"	"	Sanjeev	
21 PM - 22 PM	"	"	"		
22 PM - 23 PM	"	"	"		
23 PM - 24 PM	"	"	"		

CHEM ECO ENGINEERS KANPUR

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 21/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Amit	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sangeet	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 22/03/024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sonjeev	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Jamil	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—	Amil	
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 23/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Sanjeev	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Anil	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 24/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Shivam	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Amit	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—	Sangeet	
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 25/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	–	–	–	Amil	
01 AM - 02 AM	–	–	–		
02 AM - 03 AM	–	–	–		
03 AM - 04 AM	–	–	–		
04 AM - 05 AM	–	–	–		
05 AM - 06 AM	–	–	–		
06 AM - 07 AM	–	–	–		
07 AM - 08 AM	–	–	–		
08 AM - 09 AM	–	–	–		
09 AM - 10 AM	–	–	–		
10 AM - 11 AM	–	–	–	Sanjeev	
11 AM - 12 AM	–	–	–		
12 PM - 13 PM	–	–	–		
13 PM - 14 PM	–	–	–		
14 PM - 15 PM	–	–	–		
15 PM - 16 PM	–	–	–		
16 PM - 17 PM	–	–	–		
17 PM - 18 PM	–	–	–		
18 PM - 19 PM	–	–	–		
19 PM - 20 PM	–	–	–	Jamil	
20 PM - 21 PM	–	–	–		
21 PM - 22 PM	–	–	–		
22 PM - 23 PM	–	–	–		
23 PM - 24 PM	–	–	–		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 26/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Sanjeev	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Jamil	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—	Anil	
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 27/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—		
01 AM - 02 AM	—	—	—	Jamil	
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Sonjeet	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Amit	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEMECO ENGINEERS KANPUR (U.P.)

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 28/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—	Anil	
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—	Sangeet	
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CREMECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 29/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jamil	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	06:00	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—		
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	16:50	10:50	Amil	
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—		
20 PM - 21 PM	20:20	20:45	00:25	Sukram	
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CHEM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 30/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	—	—	—	Jami	
01 AM - 02 AM	—	—	—		
02 AM - 03 AM	—	—	—		
03 AM - 04 AM	—	—	—		
04 AM - 05 AM	—	—	—		
05 AM - 06 AM	—	—	—		
06 AM - 07 AM	—	—	—		
07 AM - 08 AM	—	—	—		
08 AM - 09 AM	—	—	—		
09 AM - 10 AM	—	—	—		
10 AM - 11 AM	—	—	—		
11 AM - 12 AM	—	—	—	Sangeer	
12 PM - 13 PM	—	—	—		
13 PM - 14 PM	—	—	—		
14 PM - 15 PM	—	—	—		
15 PM - 16 PM	—	—	—		
16 PM - 17 PM	—	—	—		
17 PM - 18 PM	—	—	—		
18 PM - 19 PM	—	—	—		
19 PM - 20 PM	—	—	—	Amj	
20 PM - 21 PM	—	—	—		
21 PM - 22 PM	—	—	—		
22 PM - 23 PM	—	—	—		
23 PM - 24 PM	—	—	—		

CREM ECO ENGINEERS KANPUR DELHI

Genrator Log Book

Site Name :- 8.95 MLD STP Belha Pratapgarh

Date 31/03/2024

Time	Start Time	Stop Time	Total Time	Signature of Operator	Remarks
1	2	3	4	5	6
00 AM - 01 AM	-	-	-	Jamil	
01 AM - 02 AM	-	-	-		
02 AM - 03 AM	-	-	-		
03 AM - 04 AM	-	-	-		
04 AM - 05 AM	-	-	-		
05 AM - 06 AM	-	-	-		
06 AM - 07 AM	-	-	-		
07 AM - 08 AM	-	-	-		
08 AM - 09 AM	-	-	-		
09 AM - 10 AM	-	-	-		
10 AM - 11 AM	-	-	-		
11 AM - 12 AM	-	-	-		
12 PM - 13 PM	12:22	12:53	00:31	Amil	
13 PM - 14 PM	-	-	-		
14 PM - 15 PM	14:38	-	-		
15 PM - 16 PM	-	15:03	00:25	Amil	
16 PM - 17 PM	-	-	-		
17 PM - 18 PM	-	-	-		
18 PM - 19 PM	-	-	-		
19 PM - 20 PM	-	-	-		
20 PM - 21 PM	-	-	-		
21 PM - 22 PM	-	-	-		
22 PM - 23 PM	-	-	-		
23 PM - 24 PM	-	-	-		

CHEM ECO ENGINEERS KANPUR DATE

Annexure-12

बैठक का कार्यवृत्त

दिनांक 15.04.2024 को प्रमुख सचिव महोदय, नगर विकास विभाग, उ0प्र0 की अध्यक्षता में सम्पन्न बैठक में दिये गये निर्देशो के अनुपालन में नगर पालिका परिषद जौनपुर में नवनिर्मित 30 एम0एल0डी0 एस0टी0पी0 पचहटिया में शोधित अवजल के ट्रीटेड एफ्लूएन्ट की कृषि कार्य हेतु पुर्नउपयोग की सम्भावना तलाशने हेतु दिनांक 18.04.2024 को अपरान्ह 4:00 बजे अधोहस्ताक्षरी की अध्यक्षता में बैठक सम्पन्न हुयी, जिसमें निम्न अधिकारी उपस्थित थे–

1. इं0 सचिन सिंह, अधिशासी अभियन्ता, निर्माण खण्ड, उ0प्र0 जल निगम (नगरीय), जौनपुर।
2. इं0 आशीष कुमार सिंह, परियोजना प्रबन्धक, गंगा प्रदूषण नियंत्रण इकाई, उ0प्र0 जल निगम (ग्रामीण), वाराणसी।
3. इं0 प्रदीप कुमार, सहायक अभियन्ता, सिंचाई एवं जल संसाधन विभाग, जौनपुर।
4. इं0 पुरूषोत्तमराम, परियोजना अभियन्ता, गंगा प्रदूषण नियंत्रण इकाई, उ0प्र0 जल निगम (ग्रामीण), वाराणसी।
5. इं0 योगेश कुमार त्रिपाठी, सहायक परियोजना अभियन्ता, गंगा प्रदूषण नियंत्रण इकाई, उ0प्र0 जल निगम (ग्रामीण), वाराणसी।
6. इं0 रागिनी मौर्या, अवर अभियन्ता, जलकल, नगर पालिका परिषद, जौनपुर।

बैठक का कार्यवृत्त निम्नानुसार है–

- परियोजना प्रबन्धक, गंगा प्रदूषण नियंत्रण इकाई, उ0प्र0 जल निगम (ग्रामीण), वाराणसी द्वारा अवगत कराया गया कि नमामि गंगे कार्यक्रम के अन्तर्गत पचहटिया में 30 एम0एल0डी0 क्षमता के एस0टी0पी0 का निर्माण कराया गया है, जिस पर वर्तमान में लगभग 26 एम0एल0डी0 स्राव प्राप्त हो रहा है। उक्त एस0टी0पी0 से शोधित अवजल ग्रेविटी पाइपलाइन के माध्यम से गोमती नदी में प्रवाहित किया जाता है। उक्त शोधित अवजल के मानक निम्नानुसार है:–

  बी0ओ0डी0– 10 मिग्रा/ली0
  टी0एस0एस– 20 मिग्रा/ली0
  फीकल काली फार्म–230 एम0पी0एन0/100 एम0एल0

- अधोहस्ताक्षरी द्वारा गंगा प्रदूषण नियंत्रण इकाई, उ0प्र0 जल निगम (ग्रामीण), वाराणसी एवं सिंचाई एवं जल संसाधन विभाग, जौनपुर को निर्देशित किया गया कि 30 एम0एल0डी0 एस0टी0पी0 पचहटिया में शोधित अवजल को नजदीक ही किसी नहर इत्यादि में प्रयोग किया जा सकता है जिससे कृषि सिंचाई हेतु जल की आपूर्ति किया जा सकेगा। उक्त के अतिरिक्त नगर पालिका परिषद द्वारा भी पार्को एवं सड़क धुलाई इत्यादि में उक्त अवजल का प्रयोग किया जा सकता है। उपरोक्त सम्भावना के दृष्टिगत निम्नानुसार निर्देश दिये गये–

  1. उ0प्र0 जल निगम (ग्रामीण) एवं सिंचाई विभाग द्वारा शोधित अवजल को नजदीक ही किसी नहर में प्रवाहित किये जाने हेतु संयुक्त सर्वे किया जायेगा एवं अपने विभागो से संबंधित कार्य योजना पृथक–पृथक तैयार किया जाय।
  2. इसके अतिरिक्त नगर पालिका परिषद, जौनपुर कोभी शोधित अवजल के समुचित उपयोग के लिए नगर में सम्भावना तलाश कर कार्य योजना प्रस्तुत करने हेतु निर्देशित किया गया।

अन्त में बैठक सधन्यवाद समाप्त हुई।

20/4/24

मुख्य राजस्वअधिकारी
जौनपुर।

पत्रांकः /गंगा प्रदूषण नियंत्रण ईकाई/2024 दिनांकः अप्रैल, 2024

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. जिलाधिकारी महोदय, जौनपुर।
2. अधिशासी अभियन्ता, निर्माण खण्ड, उ0प्र0 जल निगम (नगरीय), जौनपुर।
3. परियोजना प्रबन्धक, गंगा प्रदूषण नियंत्रण इकाई, उ0प्र0 जल निगम (ग्रामीण), वाराणसी।
4. अधिशासी अभियन्ता, सिंचाई एवं जल संसाधन विभाग, जौनपुर।
5. अधिशासी अधिकारी, नगरपालिका परिषद, जौनपुर।

मुख्य राजस्वअधिकारी
जौनपुर।

प्रेषक,

अधिशासी अधिकारी
नगर पालिका परिषद, जौनपुर।

सेवा में,

निदेशक/राज्य मिशन निदेशक,
स्वच्छ भारत मिशन–नगरीय
राज्य मिशन निदेशालय, उ0प्र0
लखनऊ।

पत्रांकः– 77 /छः–स्वा0/2024–25 दिनांकः– 24 अप्रैल, 2024

विषय– **मा0 राष्ट्रीय हरित अधिकरण में योजित Execution Application No.32/2023 in ओ0ए0 संख्या 490/ 2019 टी0एस0 सिंह बनाम उ0प्र0 राज्य में पारित आदेश दिनांक 21.02.2024 के अनुपालन के संबंध में।**

महोदय,

कृपया उपर्युक्त विषयक नगर विकास अनुभाग–5, उ0प्र0 शासन के पत्र संख्या–एन0जी0टी0–92/नौ–5–2024–07रिट/2024 दिनांक 28 फरवरी, 2024 एवं पत्र संख्या–एन0जी0टी0–92(1)/नौ–5–2024–07रिट/2024 दिनांक 27 मार्च, 2024 तत्क्रम में निर्गत अपने कार्यालय पत्र संख्या–पी0एम0यू0/10127/429(14)/2023 दिनांक 23 अप्रैल, 2024 का सन्दर्भ ग्रहण करने का कष्ट करें। जिसके अन्तर्गत मा0 राष्ट्रीय हरित अधिकरण में योजित Execution Application No.32/2023 in ओ0ए0 संख्या 490/2019 टी0एस0 सिंह बनाम उ0प्र0 राज्य में पारित आदेश दिनांक 21.02.2024 के अनुपालन में समस्त वांछित कार्यवाही कराते हुए कृत कार्यवाही की आख्या उपलब्ध कराये जाने के निर्देश दिये गये है।

उक्त के सन्दर्भ में सादर अवगत कराना है कि प्रकरण नगर पालिका परिषद जौनपुर से सम्बन्धित नहीं है। क्यों कि सई नदी पालिका क्षेत्र से लगभग 05 किलो मीटर दूर से प्रवाहित होती है जिसमें नगर पालिका परिषद, जौनपुर का कोई भी नाला प्रवाहित नही होता है। क्षेत्रिय राज्य प्रदूषण नियत्रंण बोर्ड, वाराणसी द्वारा भी नगर पालिका के समक्ष कोई प्रकरण सम्बद्ध का उल्लेख नही है। **नगर पालिका परिषद जौनपुर में उ0प्र0 जल निगम (ग्रामीण) द्वारा नमामि गंगे द्वारा 30 एम0एल0डी0 एस0टी0पी0 का निर्माण कराया गया है, जिसमें नगर के कुल 14 नालों को टैप कर एस0टी0पी0 द्वारा शोधन कार्य के उपरान्त गोमती नदी में प्रवाहित किया जा रहा है।**

24/04/2024

अधिशासी अधिकारी
नगर पालिका परिषद, जौनपुर

प्रतिलिपि–

1–संयुक्त सचिव, उत्तर प्रदेश शासन, नगर विकास अनुभाग–5 लखनऊ को सादर सूचनार्थ प्रेषित।
2–जिलाधिकारी महोदय, जौनपुर को सादर सूचनार्थ प्रेषित।
3–प्रभारी अधिकारी स्थानीय निकाय जौनपुर महोदय को उनके कार्यालय पत्र संख्या–636/एल0बी0सी0 दिनांक 24.04.2024 के अनुपालन में सादर सूचनार्थ प्रेषित।

अधिशासी अधिकारी
नगर पालिका परिषद, जौनपुर

D:\helth\lettar1.dok