

BEFORE THE NATIONAL GREEN TRIBUNAL
SOUTHERN ZONE, CHENNAI

Original Application No. 109 of 2021 (SZ)

IN THE MATTER OF

Tribunal on its own motion-SUO MOTU based on the
News items published in Dinamalar Tamil Newspaper, Chennai
Edition dated 08.04.2021 "Ranganathar Temple pond is
Becoming a hub for drinking alcohol."

: PETITIONER

Vs.

1. Additional Chief Secretary to Govt. of Tamil Nadu
Tourism Culture and Religious Endowments Department
Government Secretariat, Fort, St. George
Chennai, Tamil Nadu 600 009
2. The Secretary to Government of Tamil Nadu
Department of Environment & Frests
Government Secretariat, Fort, St. George
Chennai, Tamil Nadu 600 009
3. Additional Chief Secretary to Govt. of Tamil Nadu
Municipal Administration and Water Supply Department
Government Secretariat, Fort, St. George
Chennai, Tamil Nadu 600 009
4. Hindu Religious and Charitable Endowments Department
Rep. by its Commissioner
No. 119, Uthamar Gandhi Salai
Nungambakkam
Chennai 600 034
5. The Chairman
Tamil Nadu Pollution Control Board
No. 76, Anna Salai, Guindy
Chennai, Tamil Nadu 600 032


Assistant Commissioner (Legal Cell),
Office of the Commissioner,
HR & CE Admin. Department,
Chennai - 34.


Joint Commissioner (Legal),
HR & CE Admn., Department,
Chennai-600 034.

Page No:
No of corns:

6. The District Collector
Chengalpet District
Collector Office, GST Road
Chengalpattu 603 001
7. Arulmighu Ranganatha Perumal Temple
Rep. by its Joint Commissioner
Thiruneermalai Main Road
Thiruneermalai, Chennai 600 044
8. Thiruneermalai Town Panchayat
Rep. by its Executive Officer
No. 6-A, Main Road, Thiruneermalai
Chennai 600 004

: RESPONDENTS

REPORT FILED FOR THE COMMISSIONER H.R.&C.E.

DEPARTMENT

I, S.Sivakumar, S/o.Sambantham, Hindu, aged about 53 years, working as the Joint Commissioner (Legal) in the office of the Commissioner, Hindu Religious and Charitable Endowments Department, having office at No.119, Uthamar Gandhi Salai, Chennai- 34 do hereby solemnly affirm and sincerely state as follows:

1. I am the Joint Commissioner (Legal) working in the office of the 4th Respondent herein and as such I am well acquainted with the facts and circumstances of the case as per the records available. I am duly authorized by the 4th Respondent herein to file this report for himself.


Assistant Commissioner (Legal Cell),
Office of the Commissioner,
HR & CE Admn. Department,
Chennai - 34.


Joint Commissioner (Legal),
HR & CE Admn., Department,
Chennai-600 034.

Page No:
No of corns:

2. It is submitted that this report is filed in obedience to the order dated 21.05.2021 of the Tribunal.

3. It is submitted that after receipt of the copy of order passed by this Hon'ble Tribunal regarding the temple tank belonging to Arulmighu Renganathaperumal temple, Thiruneermalai, the Executive Officer and Fit Person of Arulmighu Renganathaperumal temple, Thiruneermalai temple had made necessary arrangements for calling of tender regarding "to rectify the gap work of the wall of the tank belonging to this temple." A detailed report is filed by the Executive Officer in this Original Application.

4. It is submitted that a copy of the said report filed by the Executive Officer is submitted herewith in the typed set of papers. It is prayed that the said report may please be read as part and parcel of this report.

5. It is submitted that regarding the temple tank belonging to Arulmighu Kothandaramar Temple, West Mambalam, Chennai it is submitted that already necessary steps were taken by the then Executive Officer of this temple to reconstruct the tank by constructing new compound wall.

6. It is also submitted that follow up action is also taken by the Executive Officer in co-ordination with the officials of Chennai Corporation so as to maintain the temple tank by cleaning the same, by removing the waste from the temple tank and to maintain the tank properly. For this purpose, the Executive Officer of this temple had already approached the officials of Chennai Corporation.

Assistant Commissioner (Legal Cell)
Office of the Commissioner,
HR & CE Admin. Department,
Chennai - 34.

Joint Commissioner (Legal),
HR & CE Admn., Department,
Chennai-600 034.

Page No:
No of corns:

7. It is also submitted that in obedience to the order issued by this Tribunal in O.A.No.109 of 2021 dated.21.05.2021.

8. The Executive Officer of this temple also contacted by the Commissioner, H.R.&C.E., Department. The present Executive Officer of this temple had sent a detailed report to the Joint Commissioner, Chennai by narrating the various actions already taken to safeguard the temple tank and also requested to take action for appointing one of the officer of the H.R.&C.E. Department in the Joint Committee (கூட்டுக்குழு) as per the direction of this Tribunal in O.A.No.81/2021, dated. 04.03.2021 and 19.05.2021. The said report of the Executive Officer was received by the Commissioner H.R.&C.E. Department from the Joint Commissioner, Chennai-2.

9. After perusing the report in detail, necessary order was issued by the Commissioner in Rc.No.46730/2021/Y1, dated.24.06.2021 by appointing the Joint Commissioner, Chennai-2 as representative and nodal officer of H.R.&C.E. Department.


10. A copy of the report sent by the Executive Officer of Arulmighu Kothandaramar Temple, West Mambalam, Chennai and the order issued by the Commissioner, dated.24.06.2021 are submitted herewith in the typed set of papers.

11. Regarding the maintenance of tank belonging to the temples in all over Tamil Nadu, which are coming under the control of H.R.&C.E. Department, the following details are submitted:

a) in obedience to the order of the Hon'ble High Court, Madras delivered in W.P.No.3001 of 2018, detailed instructions


Assistant Commissioner (Legal Cell),
Office of the Commissioner,
HR & CE Admn. Department,
Chennai - 34.

Page No:
No of corns:


Joint Commissioner (Legal),
HR&CE Admn., Department,
Chennai-600 034.

were already sent to the subordinate officers of this Department by the Commissioner H.R.&C.E. Department in R.C.No.74319/2019/U2, dated.30.12.2019.


b) In the above said circular, the regional Joint Commissioners of this Department were already appointed as Nodal Officers for the up-keep and maintenance of the tank belonging to the temples. A copy of the said circular is also submitted with the **typed set of papers**.

c) Even in the year 2016, necessary circular was also issued regarding maintenance of tank belonging to the temples. A copy of the said circular issued in Rc.No.7184-2016/U2, dated.14.02.2016 is also submitted herewith in the **typed set of papers**.

12. It is submitted that as per orders of the Hon'ble High Court Madras in Writ Petition No.19988 of 2020 dated 22.03.2021 public works department of the Government of Tamilnadu has constituted a committee for framing guidelines for harvesting rain water and recharge of ground water as well as to drive and store excess flood water.

13. It is also submitted that out of 2379 temple tanks located in 2170 temples across the state under the control of this department nearly, 1068 tanks are identified for repair and renovation during the year from 2011-2012 to 2019-2020, about 867 Tanks belonging to temples were reconstructed/alignment (புனரமைப்பு மற்றும் சீரமைப்பு) at a cost of Rs.5.30 Crores. Action is also being taken to renovate 27 temple tanks at a cost of Rs.3.58 crores.


Assistant Commissioner (Legal Cell),
Office of the Commissioner,
HR & CE Admin. Department,
Chennai - 34.


Joint Commissioner (Legal),
HR&CE Admn., Department,
Chennai-600 034.

Page No:
No of corns:

14. It is submitted that follow up action is being taken step-by-step in every year to reconstruct the Tank belonging to the temples.


15. It is also submitted that as and when it is brought to the knowledge of the Commissioner HR&CE Department, necessary immediate follow up action is taken by the Commissioner, H.R.&C.E. Department so as to protect the tanks belonging to the temple by issuing necessary orders.

16. It is also submitted that a special drive was conducted in the year 2014 for revamping 5400 rainwater harvesting structures and 1004 temples tanks were revamped for rain water harvesting scheme.

17. The following additional measures are also taken by the H.R.& C.E. Department to safeguard the Tanks belonging to temples:

- (a) Clearing the encroachment in and around Temple Tanks.
- (b) Putting up compound wall around the tank.
- (c) Deepening and desilting the temple tanks.
- (d) Relaying the steps of the temple tanks.
- (e) Providing facility for the inflow of rainwater into the temple tanks and overflow channel for surplus water.
- (f) Educating the public to maintain the sanctity of the tanks and avoid littering with garbage and plastics.
- (g) Putting up Caution board near the temple tank.
- (h) To keep the gate under lock and key.
- (i) To provide watchman wherever necessary.


Assistant Commissioner (Legal Cell),
Office of the Commissioner,
HR & CE Admin. Department,
Chennai - 34.


Joint Commissioner (Legal),
HR&CE Admn., Department,
Chennai-600 034.


Page No:
No of corns:

18. From the above details it is well found that this Department is always taking much and more care for the well maintenance of tanks belonging to the temples.

19. For the foregoing submissions, it is prayed that this tribunal may kindly be accept this report.

20. This respondent reserves his right to file additional report as and when necessary.

For the foregoing submissions it is prayed that this Hon'ble Tribunal may kindly be accept this report filed for the Commissioner, H.R.&C.E. Department and the report of the Executive Officer of Arulmighu Renganatha Perumal Temple Thiruneermalai and to dispose the O.A.No.109 of 2021 by issuing suitable order as this tribunal deem fit and proper in the circumstances of the case and thus render Justice.


Joint Commissioner (Legal),
HR & CE Admn., Department,
Chennai-600 034.

Before me

Solemnly affirmed at Chennai
on this 27th day of June 2021
and signed his name in my
presence.


Assistant Commissioner (Legal Cell),
Office of the Commissioner,
HR & CE Admin. Department,
Chennai - 34.

Page No:
No of corns:

**BEFORE THE NATIONAL GREEN
TRIBUNAL SOUTHERN ZONE,
CHENNAI**

Original Application No.109 of 2021

In the matter of
Tribunal on its own motion-Suo
Motu based on News items
published in Dinamalar Tamil
Newspaper, Chennai Edition dated
08.04.2021

/ vs. /

(1) Additional Chief Secretary
to Govt. of Tamil Nadu,
Tourism Culture and
Religious Endowments
Department, Government
Secretariat, Fort.St.George,
Chennai,
Tamil Nadu 600 009
AND Seven Others

**REPORT FILED FOR THE
COMMISSIONER,
HR & CE DEPARTMENT**

**C.Harsharaj
Counse for Government
Cell.98410 67733**

BEFORE THE NATIONAL GREEN TRIBUNAL
SOUTHERN ZONE, CHENNAI

Original Application No. 109 of 2021 (SZ)

IN THE MATTER OF

Tribunal on its own motion-SUO MOTU based on the
News items published in Dinamalar Tamil Newspaper, Chennai
Edition dated 08.04.2021 "Ranganathar Temple pond is
Becoming a hub for drinking alcohol."

: PETITIONER

Vs.

1. Additional Chief Secretary to Govt. of Tamil Nadu
Tourism Culture and Religious Endowments Department
Government Secretariat, Fort, St. George
Chennai, Tamil Nadu 600 009.
2. The Secretary to Government of Tamil Nadu
Department of Environment & Frests
Government Secretariat, Fort, St. George
Chennai, Tamil Nadu 600 009.
3. Additional Chief Secretary to Govt. of Tamil Nadu
Municipal Administration and Water Supply Department
Government Secretariat, Fort, St. George
Chennai, Tamil Nadu 600 009.
4. Hindu Religious and Charitable Endowments Department
Rep. by its Commissioner
No. 119, Uthamar Gandhi Salai
Nungambakkam
Chennai 600 034.
5. The Chairman
Tamil Nadu Pollution Control Board
No. 76, Anna Salai, Guindy,
Chennai, Tamil Nadu 600 032.

6. The District Collector
Chengalpet District
Collector Office, GST Road
Chengalpattu 603 001.
7. Arulmighu Ranganatha Perumal Temple
Rep. by its Joint Commissioner
Thiruneermalai Main Road
Thiruneermalai, Chennai 600 044.
8. Thiruneermalai Town Panchayat
Rep. by its Executive Officer
No. 6-A, Main Road, Thiruneermalai
Chennai 600 004.

: RESPONDENTS

INDEX TO TYPED SET OF PAPERS

| S.No | DOCUMENTS | Page No. |
|------|---|----------|
| 1. | Commissioner's R.C.No.7184/2016/U2, dated.14.02.2016 | 1 |
| 2. | Commissioner's Circular R.C.No.74319/2019/U2, dated.30.12.2019 | 2-4 |
| 3. | Commissioner's Circular R.C.No.46730/2021/Y1, dated.24.06.2021 | 5-6 |

Certified that the copies of documents are true copy of the respective originals.

Dated at Chennai on this the 29th day of June, 2021.

[Signature]
Government Advocate



இந்து சமய அறநிலையத்துறை

அனுப்புநர் முனைவர்.மா. வீரசண்முக மணி.இ.ஆ.ப., ஆணையர், சென்னை-34. பெறநர் அனைத்து சார்நிலை அலுவலர்கள்,

தற்புறிக் கை ந.க. எண். 7184/2016 / டி2, நாள்.14.02.2016

அய்யா, பொருள்:- திருக்கோயில் திருக்குளங்களை சுத்தமாக பராமரித்தல் - திருக்குளங்களைச் சுற்றி தடுப்பு வேலி அமைத்தல் - பக்தர்களுக்கு பாதுகாப்பு வழங்கிட நடவடிக்கை எடுத்தல் - அறிவுரை வழங்குதல் - தொடர்பாக.

33
பண்
அய்யா
சைவத்தொடர்

இத்துறை கட்டுப்பாட்டினர் கீழ் உள்ள பெரும்பாலான திருக்கோயில்களின் திருக்குளங்களில் அண்மையில் பெய்துள்ள பருவமழையின் காரணமாக நீர்வரத்து அதிகமாகி திருக்குளங்கள் அனைத்தும் நீர் நிரம்பி காணப்படுகின்றன. திருக்குளங்கள் அனைத்தும் நீர் நிரம்பி ஆழமாக உள்ள நிலையில் திருக்கோயிலுக்கு வரும் பக்தர்களுக்கு தேவையான பாதுகாப்பு வசதிகள் செய்து கொடுக்க வேண்டியது அவசியமாகும். திருக்கோயில்களின் திருக்குளங்களில் அசம்பாவிதம் எதுவும் நடைபெறாமல் திருக்க கீழ்க்கண்ட அறிவுரைகளை தவறாமல் பின்பற்றி செயல்பட அனைத்து சார்நிலை அலுவலர்களும் கேட்டுக்கொள்ளப்படுகிறார்கள்.

- 1) திருக்கோயில்களின் திருக்குளங்களை சுற்றி தடுப்பு வேலிகள் அமைக்க வேண்டும்.
- 2) நுழைவு வாய்க்கால்கள் அனைத்தும் யூட்டி வைக்க வேண்டும்
- 3) பக்தர்கள் திருக்குளத்தின் அருகில் செல்வாதவாறு திருக்கோயில் பணியாளர்/காவலர்களைக் கொண்டு 24 மணிநேரமும் கண்காணிப்பு பணி மேற்கொள்ளவேண்டும்.
- 4) திருக்கோயிலின் உபயோகத்திற்கு மட்டுமே திருக்குளத்தை பயன்படுத்த வேண்டும்.
- 5) திருக்குளங்களின் படிக்கட்டுகள் பாதுகாப்பானதாகவும், பாரிகள் தேய்காமல் தூய்மையாகவும் பராமரித்து குளத்தின் படிக்கட்டுகளைத் தாண்டி பக்தர்கள் குளத்தில் இறங்காதவாறு தடுப்புகள் ஏற்படுத்த வேண்டும்.
- 6) திருக்குளத்தைச் சுற்றி ஆங்காங்கே எச்சரிக்கை வாசகங்கள் அடங்கிய அறிவிப்பு பலகைகள் வைக்கப்பட வேண்டும்.

சினி
14/2/16

மேற்கண்ட அறிவுரைகளின்படி செயல்படாமல் திருக்குளங்களில் ஏதேனும் அசம்பாவித நிகழ்வு ஏற்பட்டால் அதற்கு சம்பந்தப்பட்ட திருக்கோயில் நிர்வாகிகளையே பொறுப்பாக்கப்பட்டு மேல்நடவடிக்கை தொடரப்படும் எனவும் தெரிவிக்கப்படுகிறது.

மும்/மா. வீர சண்முக மணி
ஆணையர்

உண்மைநகல்/உத்தரவுப்படி

16/2/16
சு.தெய் ஆணையர் (விசாரணை)

நகல். மிகை

- இந்து சமய அறநிலையத்துறை

பெறநர்

அனைத்து சார்நிலை அலுவலர்கள்

சென்னை
புனத்தி ரெட்டி-ஆய்,
சென்னை செயலாளர்/ஆணையர்,
சென்னை-34.

சுற்றறிக்கை ந.க.எண்.74319/2019/யு2 நாள்.30.12.2019

தயா/அம்மையர்,

பொருள்: நீதிப் பேராணை மனு எண்.3001/2018 - உயர்நீதிமன்றம்
சென்னை. - பி.கோட்டஸ்வரி என்பவரால் தாக்கல்
செய்யப்பட்டது - திருக்கோயில் திருக்குளங்களை
பாதுகாப்பாக பராமரித்தல் - குறித்து.

- பார்வை 1. இவ்வலுவலக சுற்றறிக்கை
ந.க.எண்.7184/2016/யு2 நாள்.14.02.2016.
2. உயர்நீதிமன்ற உத்தரவு நாள்.03.12.2019.

இத்துறை கட்டுப்பாட்டில் உள்ள திருக்கோயில்களுக்குச் சொந்தமான
திருக்குளங்களை தூய்மையாக பராமரித்தல் குறித்தும், பக்தர்களுக்கு எவ்வித
பாதுகாப்பின்மையும் ஏற்படாத வகையில் நடவடிக்கை எடுத்திடவும் திருக்கோயில் நிர்வாகங்கள்
மேற்கொள்ளப்பட வேண்டிய பாதுகாப்பு நடவடிக்கைகள் குறித்து பார்வைக் குறிப்பு 1-ல் காணும்
சுற்றறிக்கையில் ஏற்கனவே அனைத்து சார்நிலை அலுவலர்களுக்கும் அறிவுரைகள்
வழங்கப்பட்டுள்ளன.

தற்போது சென்னை உயர்நீதிமன்றத்தில் பி.கோட்டஸ்வரி என்பவரால் தாக்கல்
செய்யப்பட்ட நீதிப்பேராணை மனு எண்.3001/2018-ல் திருக்கோயில்களுக்குச் சொந்தமான
திருக்குளங்களில் பக்தர்கள் எதிர்பாராத விதமாக தவறி விழுந்து உயிரிழக்க நேரிடுவதை
தடுத்திட தேவையான நடவடிக்கைகளை எடுத்திட உத்தரவினை பிறப்பிக்குமாறு
வேண்டியுள்ளதையடுத்து, சென்னை உயர்நீதிமன்றம் தனது 03.12.2019 நாள்ிட்ட உத்தரவில்
இந்து சமய அறநிலையத்துறை கட்டுப்பாட்டில் உள்ள திருக்கோயில்களில் 5000 பக்தர்களுக்கு
மேல் பங்கேற்கும் திருக்கோயில் திருவிழாக்களில் திருக்குளங்களில் பக்தர்கள் எதிர்பாராத
விதமாக தவறி விழுந்து உயிரிழப்பதை தடுத்திட என்னென்ன பாதுகாப்பு நடவடிக்கைகள்
எடுக்கப்பட்டுள்ளன என்ற விவரத்தினை திருக்கோயில் வாரியாக தற்போதைய
நிலைப்பாட்டினை அறிக்கையாக உயர்நீதிமன்றத்தில் உடனடியாக தாக்கல் செய்திட வேண்டும்
என உத்தரவிட்டுள்ளது.

உயர்நீதிமன்ற உத்தரவினை உடன் செயல்படுத்தும் முகமாக பார்வைக் குறிப்பு 1-ல்
வழங்கப்பட்டுள்ள அறிவுரைகளை பின்பற்றுவதுடன் கீழ்க்காணும் வழிகாட்டி
நெறிமுறைகளையும் பின்பற்றி தவறாது செயல்பட வேண்டும் என அனைத்து சார்நிலை
அலுவலர்களுக்கும் அறிவுறுத்தப்படுகிறது.

- திருக்குளங்களில் பாதுகாப்பற்ற பகுதி குறித்த எச்சரிக்கையினை
பக்தர்களுக்கு தெரிவிக்கும் அறிவிப்பு பலகைகள் ஆங்காங்கே நிறுவதல்
வேண்டும்.

- தெப்பத் திருவிழாவின் போது பக்தர்கள் திருக்குளத்தில் தவறி விழுவதை தவிர்த்திட தன்னார்வத் தொண்டு நிறுவனங்களை அணுகி அவர்கள் வாயிலாக பாதுகாப்பு வளையம் அமைத்திடல் வேண்டும்.
- தெப்பத் திருவிழாவின் போது தெப்பத்தில் அதிக எண்ணிக்கையிலான பக்தர்களை ஏத்தி செல்வதை கண்டிப்பாக தவிர்த்திடல் வேண்டும்.
- தெப்பத் திருவிழா நடைபெறும் சமயம் பக்தர்கள் பாதுகாப்பு கருதி திருக்குளத்தின் அருகே தயணைப்பு மற்றும் மீட்புப்பணி குழுவினை பணியமர்த்திட செய்தல் வேண்டும்.
- நீச்சல் நன்கு தெரிந்த நபர்களையும் கண்டறிந்து அவர்களையும் திருக்குளத்திற்கு அருகில் தெப்பத்திருவிழா நாளன்று உதவிக்கு வைத்திருத்தல் வேண்டும்.

உயர்நீதிமன்ற உத்தரவில் அறிவுறுத்தியவாறு 5000-க்கும் மேற்பட்ட பக்தர்கள் கூடும் திருக்கோயில் திருவிழாக்களில் திருக்குளத்தில் பக்தர்கள் தவறி விழுந்து உயிரிழப்பு ஏற்படுவதை தவிர்க்க தற்போது எடுக்கப்பட்டுள்ள நடவடிக்கை விவரங்களையும், எடுக்கப்பட வேண்டிய நடவடிக்கை விவரங்களையும் பின்வரும் படிவத்தில் கண்டுள்ளவாறு திருக்கோயில்களின் விவரங்களை சென்னை உயர்நீதிமன்றத்திற்கு அறிக்கையாக தாக்கல் செய்ய வேண்டியுள்ளதால் 31.12.2019-க்குள் தவறாது அளித்திட மண்டல இணை ஆணையர்களை அறிவுறுத்தப்படுகிறது.

Format 1
Temple Tank Renovation and Restoration

| Sl.No | Name of the Temple and Address | District | Name of the Temple Tank | Safety measures under taken | Safety measures to be under taken | Remarks |
|-------|--------------------------------|----------|-------------------------|-----------------------------|-----------------------------------|---------|
| | | | | | | |

பட்டியலைச் சார்ந்த (முதுநிலைத் திருக்கோயில்கள் உட்பட) திருக்கோயில்கள் மற்றும் பட்டியலை சாராத திருக்கோயில்களுக்கு திருக்குளங்களின் பாதுகாப்பு மற்றும் பராமரிப்பிற்கு மண்டல இணை ஆணையரையே பொறுப்பாக்கி சென்னை உயர்நீதிமன்றம் உத்தரவு பிறப்பித்துள்ளதால் மண்டல இணை ஆணையர்களை தங்களது மண்டலத்தில் உள்ள அனைத்து திருக்கோயில் திருக்குளங்களின் பாதுகாப்பு மற்றும் பராமரிப்பிற்கு பொறுப்பு அலுவலராக (Nodal Officer) நியமிக்கப்படுகிறார்கள்.

மேலும் கடந்த 01.01.2018 முதல் 30.11.2019 முடிய உள்ள காலத்தில் திருக்கோயில்களுக்கு சொந்தமான குளங்களில் ஏற்பட்ட மரணங்கள் தொடர்பான விவரத்தினை கீழ்க்காணும் படிவத்தில் வழங்கிடல் வேண்டும் எனவும் தெரிவிக்கப்படுகிறது.

Format 2
Accidental Deaths in Temple Tanks

4

| Sl.No | Name of the Temple and Address | Date of occurrence of incident | No of persons deceased | Details of deceased persons | Reasons for the incident | Action taken to avoid such incident in future |
|-------|--------------------------------|--------------------------------|------------------------|-----------------------------|--------------------------|---|
| | | | | | | |

மேற்காணும் படிவம் 1 மற்றும் 2-ல் கேட்கப்பட்டுள்ள விவரங்களை உயர்நீதிமன்றத்தில் சமர்ப்பிக்கும் பொருட்டு ஆங்கிலத்தில் தட்டச்சு செய்து உரிய சுருக்கப்பட்டியலுடன் கூடிய விரிவான அறிக்கை அனுப்புமாறு தெரிவிக்கப்படுகிறது.

உயர்நீதிமன்ற உத்தரவு என்பதனை கருத்தில் கொண்டு விரைந்து செயல்பட வேண்டும் என்பதனையும் இப்பொருண்மையில் காலதாமதம் செய்வது எவ்வித வகையிலும் ஏற்படையதாகாது என்பதனையும் கண்டிப்புடன் அனைத்து சான்றிலை அலுவலர்களுக்கும் கட்டிக்காட்டப்படுகிறது.

இணைப்பு : பார்வை குறிப்புகளின் நகல்கள்

ஓம்/-க.பணிந்திர ரெட்டி,
முதன்மைச் செயலாளர்/ஆணையர்

/உண்மை நகல் உத்தரவுப்படி/

30/12/12
கூடுதல் ஆணையர்(பொது) 1/3

30/12/12

நகல்:

1. இவ்வலுவலக இசட், எச் மற்றும் ஜி பிரிவுகள் (சான்றிலை அலுவலர்களிடம் அறிக்கை பெற்று தொகுத்து இப்பிரிவிற்கு வழங்கிட கேட்டுக் கொள்ளப்படுகிறது)
2. இவ்வலுவலக என் 2 பிரிவு (தகவலுக்காக)
3. உபரி

எண்ணிடல் மூலம்

அனுப்புநர்
ஆணையர்,
சென்னை -34.

பெறுநர்
இணை ஆணையர்,
இந்து சமய அறநிலையத்துறை,
சென்னை மண்டலம்-II
மயிலாப்பூர்,
சென்னை -4.

ந.க.எண். 46730 / 2021/ ஓய்.1 நாள் 24.06.2021

அய்யா,

பொருள்: திருக்கோயில் குளம் - அருள்மிகு கோதண்டராமர் திருக்கோயில், மேற்கு மாம்பலம், சென்னை -33 - பராமரிப்பு இன்றி உள்ளதாக செய்தி தேசிய பசுமை தீர்ப்பாயம் - தாமாசு வழக்கு தொடர்ந்து உத்தரவு பிறப்பிக்கப்பட்டது - சலட்டுக்குழு அமைத்தல் - தகுந்த உத்தரவு வழங்குதல் - தொடர்பாக.

பார்வை: இணை ஆணையர், சென்னை மண்டலம்-II
ந.க.எண்.894/2021/ஆ1, நாள் 21.06.2021

சென்னை, மேற்கு மாம்பலம், அருள்மிகு கோதண்டராமர் திருக்கோயிலின் வெளிப்புறத்தில் சுமார் 84 ஏர்ஸ் 97.5 சதுரமீட்டர் பரப்பில் திருக்குளம் அமைந்துள்ளது. இத்திருக்குளம் வருவாய் துறை மூலம் 1994-ஆம் ஆண்டு திருக்கோயில் வசம் ஒப்படைக்கப்பட்டது. திருக்கோயில் திருக்குளம் மிகவும் பழுதடைந்த நிலையில் இருந்ததால் ரூ.24,96,064/- மதிப்பீட்டில் துறை நிதியினை கொண்டு 1998-ஆம் ஆண்டு சீரமைக்கப்பட்டது. 2003 மற்றும் 2008 ஆகிய ஆண்டுகளில் பெய்த கனமழை காரணமாக குளத்தின் தென்மேற்கு மற்றும் தெற்கு வடக்காக இருந்த மதிநகவர்கள் இடிந்து விழுந்ததை ரூ.13,00,000/- செலவில் புதுப்பிக்கப்பட்டது.

சென்னை மாநகராட்சி மூலம் திருக்குளத்தைச் சுத்தம் செய்து மழைநீர் கால்வாய் அமைத்தும், உட்புறம் மற்றும் வெளிப்புறம் சுத்தம் செய்தும் நடைபாதையை சீர்செய்தும், குளத்தைச் செப்பணிட்டு புதுப்பிக்க அனுமதி வழங்கப்பட்டது. அதன்படி சென்னை மாநகராட்சி மூலம் ரூ.92,42,000/- மதிப்பீட்டில் திருக்குளம் புதுப்பிக்கும் பணி 28.08.2020 அன்று துவங்கப்பட்டது.

இந்நிலையில் வடகிழக்குப் பருவக்காற்று பெருமழையால் திருக்குளம் நீர் நிரம்பியிருந்ததால் பணிகள் தொடர முடியவில்லை. தற்போது புனரமைப்பு பணியை விரைந்து முடிக்க மாநகராட்சியிடம் கேட்டுக்கொள்ளப்பட்டுள்ளது.

இந்நிலையில் 15.02.2021 தினமலர் நாளிதழில் கோதண்டராமர் திருக்கோயில் திருக்குளம் பராமரிப்பு இன்றி உள்ளது என வெளியிட்ட செய்தியின் அடிப்படையில் மாண்புமிகு தேசிய பசுமை தீர்ப்பாயம் (தெற்கு மண்டலம்) தாமாசு முன்வந்து எடுத்து கொள்ளப்பட்ட அசல் மனு எண்.81/2021 வழக்கில்.

6

1. அரசு முதன்மை செயலாளர், சுகாதாரம் மற்றும் குடும்ப நலத்துறை.
2. அரசு செயலாளர் சுற்றுச்சூழல் மற்றும் வனத்துறை.
3. தலைவர் தமிழ்நாடு மாசு கட்டுப்பாட்டு வாரியம்,
4. ஆணையர், இந்து சமய அறநிலையத்துறை,
5. சென்னை மாவட்ட ஆட்சியர்,
6. ஆணையர் பெருநகர சென்னை மாநகராட்சி ஆகியோர் எதிர் மனுதாரர்களாக சேர்க்கப்பட்டுள்ளனர்.

மேற்படி வழக்கில் 04.03.2021 அன்று கீழ்க்கண்ட அலுவலர்களை கொண்டு கூட்டுக்குழு அமைத்து மேற்படி குளத்தினை ஆய்வு செய்து அறிக்கை சமர்ப்பிக்க உத்தரவிடப்பட்டது

1. தமிழ்நாடு மாசு கட்டுப்பாட்டு வாரிய தலைவர் மூலம் மூத்த அலுவலர் / அறிவியலாளர்,
2. இந்து சமய அறநிலையத்துறை ஆணையர் மூலம் மூத்த அலுவலர் மற்றும்
3. பெருநகர சென்னை மாநகராட்சி ஆணையர் மூலம் மூத்த அலுவலர்

மேற்படி வழக்கு 19.05.2021 அன்று காரணாலி வாயிலாக விசாரணை நடைபெற்ற போது 30.06.2021 அன்று மேற்படி வழக்கின் எதிர் மனுதாரர்கள் தனித்தனியாக அறிக்கை சமர்ப்பிக்கவும், கூட்டுக்குழு 30.06.2021-ன் தேதிக்குள் அறிக்கை சமர்ப்பிக்கப்படும் உத்தரவிடப்பட்டுள்ளது.

மேற்படி 19.05.2021 உத்தரவில் இத்துறையை Nodal Agency-ஆக நியமித்தும் உத்தரவிடப்பட்டுள்ளது. சென்னை பெருநகர மாநகராட்சியால் திரு.வி.சின்னதுரை, செயற்பொறியாளர் (மண்டலம் 10) கூட்டுக்குழு உறுப்பினராக நியமிக்கப்பட்டுள்ளது. இத்துறை சார்பாக கூட்டுக்குழுவின் உறுப்பினர் நியமனம் செய்ய சென்னை, இணை ஆணையர் மண்டலம்-II வேண்டியுள்ளார்.

எனவே, தேசிய பசுமை தீர்ப்பாயம், நாள்:19.05.2021 அன்று உத்தரவில் குறிப்பிட்டுள்ளவாறு கூட்டுக்குழு உறுப்பினராக இத்துறை Nodal Agency சென்னை மண்டலம்- II, இணை ஆணையர் அவர்களை நியமனம் செய்து உத்தரவிடப்படுகிறது.

ஒப்பம்/ இரா.வான்மதி
கூட்டுதல் ஆணையர் (திருப்பணி) (கூ.பொ)
ஆணையருக்காக

//உண்மை நகல்//உத்தரவுப்படி//

சி. வி.
25.6.2021

25/6/2021
கண்காணிப்பாளர்

Scanned by CamScanner

BEFORE THE NATIONAL GREEN
TRIBUNAL SOUTHERN ZONE,
CHENNAI

Original Application No.109 of 2021

In the matter of
Tribunal on its own motion-Suo
Motu based on News Items
published in Dinamalar Tamil
Newspaper, Chennai Edition dated
08.04.2021

/ Vs. /

(2) Additional Chief Secretary
to Govt. of Tamil Nadu,
Tourism Culture and
Religious Endowments
Department, Government
Secretariat, Fort.St.George,
Chennai,
Tamil Nadu 600 009
AND Seven Others

TYPED SET

C.Harsharaj
Counse for Government
Cell.98410 67733