

**Factual and Action taken report in the matter of Beeru Kumar V/s  
State of Rajasthan &Ors. In Original Application No. 168/2023  
(CZ) Hon’ble NGT, Central Zone Bench, Bhopal**

**Background**

In the case filed by Sh. Beeru Kumar Vs State of Rajasthan & Ors. before the Hon’ble National Green Tribunal, Central Zone, Bhopal, the applicant raises the issues regarding violation of environmental norms by the industrial units established and in operation in the Alwar Industrial Area of Rajasthan. It is alleged that Dwarkadhesh Company is polluting the environment with poisonous black smoke causing serious diseases to human life. Several peoples in this area are suffering from diseases of joint pain, fever, typhoid, platelets down etc. There is a risk of serious disease like shortness of breath poisonous smoke in the nearby villages of the industrial area.

**Order**

Hon’ble NGT, Principal Bench in its order dated 20/11/2023 has directed:

*“...7. We further constitute a committee consisting of:*

- i. One representative from the Central Pollution Control Board, Rajasthan*
- ii. One representative from the State Pollution Control Board, Rajasthan*

*8. The Committee is directed to visit the place, examine the facts and submit the factual and action taken report within four weeks. The State PCB will be the nodal agency for coordination and logistic support....”*

Accordingly, Regional Director, Regional Directorate (Central), CPCB, Bhopal, vide letter dated 24/11/2023 has nominated Sh. Praveen Kumar Jain, Scientist “B” as representative. Copy of letter has been enclosed as **Annexure-1**.

And whereas, Sh. Ravi Tiwari, Assistant Environment Engineer, RSPCB, Alwar was deputed as the representative from Regional Officer, Rajasthan Pollution Control Board, Alwar vide letter dated 12/12/2023. Copy of letter has been enclosed as **Anneuxre-2**.

**Joint Committee Visit**

In accordance with the aforementioned order and letters, the following officials visited the site on 14/12/2023 and 15/12/2023:

- i. Sh. Praveen Kumar Jain, Scientist “B”, Regional Directorate (Central), CPCB, Bhopal.
- ii. Sh. Ravi Tiwari, Assistant Environment Engineer, RO, RSPCB, Alwar.

### **Observations**

During site visit of industry i.e. M/s Sri Dwarika Dheesh Polymers Pvt. Ltd. and on perusal of the records of the industry, the following observations were made: -

- i. The industry is an organic chemical manufacturing unit in the name of M/s Sri Dwarika Dheesh Polymers Pvt. Ltd. (Unit ID – 1297) located at Plot No. F-448-449, Matsya Industrial Area, Tehsil and District-Alwar, Rajasthan. The industry has obtained Consent to Operate under the provisions of Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 from Rajasthan State Pollution Control Board vide letter dated 15/11/2022 (**copy of consent to operate enclosed as Annexure-3**) for the manufacturing of products as per the following details:-

<b>S. No.</b>	<b>Products</b>	<b>Consented production capacity</b>
1.	Azo Di-Carbonamide (ADC)	2.40 MT/Day
2.	Di NitrosoPenta MethyleneTetramine (DNPT)	1.60 MT/Day
3.	EVA (Formulation)	0.80 MT/Day
4.	PT (Formulation)	1.60 MT/Day

- ii. During visit the plant was in operational and manufacturing only Azo Di-Carbonamide (ADC). As informed that from the industry establishment manufacturing only Azo Di-Carbonamide (ADC) product.
- iii. Industry has installed the machineries for manufacturing of all products i.e. Reactor Vessels (13 Nos.), Centrifuges, Dryers, Jet mills, pulverizers, mixers etc. in the premises on RCC floor under covered shed to prevent the underground contamination. The total plot area of the plant is 4000 m<sup>2</sup>.
- iv. Besides above machineries, industry is having a Bio-mass (briquette) fired boiler of capacity 02 TPH and has installed cyclone, pulse jet bag filter, wet scrubber, ID fan and 30 m height stack. All the emission control devices (APCDs) existing in the premises are on RCC floor and under covered shed. 03 TPD bio-mass (briquette)

used in boiler and generates 300 kg ash per day. The ash has been sold locally to brick manufacturing units.

- v. The process of manufacturing includes chlorination of caustic soda to form Hypo, aeration of Hypo with caustic to form Hydrazine Hydrate, boiling of Hydrazine Hydrate with sulfuric acid to form HDC and finally chlorination of HDC to form ADC (Final product). Following chemical reactions are being carried out in the reactor vessels: -

- a)  $\text{NaOH (Caustic)} + \text{Cl}_2 \text{ (Chlorination)} = \text{NaOCl (Hypo)} + \text{H}_2\text{O}$
- b)  $\text{NaOCl} + \text{NaOH} + \text{Aeration} = \text{N}_2\text{H}_4 \cdot x\text{H}_2\text{O (Hydrazine Hydrate)} + \text{NaCl} + \text{NaOH}$
- c)  $\text{N}_2\text{H}_4 \cdot x\text{H}_2\text{O} + \text{H}_2\text{SO}_4 + \text{Boiling} = \text{C}_2\text{H}_6\text{N}_4\text{O}_2 \text{ (Hydrazo Di-Carbonamide (HDC))}$
- d)  $\text{C}_2\text{H}_6\text{N}_4\text{O}_2 + \text{Cl}_2 \text{ (Chlorination)} = \text{C}_2\text{H}_4\text{N}_4\text{O}_2 \text{ (Azo Di-Carbonamide (ADC)) i.e. Final Product, yellowish in appearance.}$
- e) 1.5 KLD capacity alkaline scrubber installed to trap the acidic fumes connected to the reactor vessels. Industry has provided Effluent Treatment Plant (ETP) of capacity 40 KLD for the treatment of trade effluent generated from the process. The treatment of wastewater consists of following steps/processes:

Trade effluent → Collection tank → Neutralization tank (Lime dosing) → Clarifier → Settling tanks → Forced Evaporation tanks (04 Nos.) (Evaporated through fog canons–03 nos steam grids) in order to comply with and to maintain Zero-Liquid Discharge (ZLD) status. During visit ETP was in operation with inlet flow of 8.3 KLD and maintaining ZLD and no effluent was found discharging outside the premises.

- vi. One bore well installed in the premises for raw water source and flow meter installed at intake point of bore well. Industry has obtained No Objection Certificate (NOC) for 39 m<sup>3</sup>/day ground water abstraction from Central Ground Water Authority (CGWA) and the NOC is valid up to 08/01/2025 (**copy of NOC enclosed as Annexure-4**).
- vii. During visit the daily ground water extraction data collected from 01.09.2023 to 15.12.2023 and found that the industry has not violated the quantity which is prescribed in the NOC. The logbooks/records of raw water consumption, effluent

generation, ETP inlet, outlet of ETP and quantity of treated effluent are being maintained **(Copies of log-books enclosed as Annexure-5)**.

- viii. Industry has obtained authorization from State Board under Hazardous & Other Wastes (Management and Transboundary Movement) Rules, 2016, vide letter dated 05/02/2020, which is valid up to 31/10/2024. The industry has provided a hazardous waste storage room for the storage of hazardous waste in the premises. **(Copy of authorization is enclosed as Annexure-6)**.
- ix. The industry has provided HW display board at main gate as per the norm and taken the membership from Udaipur Chamber of Commerce & Industry for disposal of hazardous waste at Rajasthan Waste Management Project Pvt. Limited, Udaipur, Rajasthan.
- x. Due to insufficient space in the industry premises i.e. Plot No. F-448-449, the industry has acquired 02 nos. of RIICO plots i.e. Plot No 447 having 2000 m<sup>2</sup> area and plot no. F-105 having 3000 m<sup>2</sup> for development & maintenance of green belt and industry is developing the green belt in the above two places. **(Copies of RIICO land allotment letters for development and maintenance of green belt is enclosed as Annexure-7)**.

### **Action Taken**

- i. During visit the team from Regional Office, RSPCB, Alwar on dated 14/12/2023 conducted stack emission monitoring of the 02 TPH capacity boiler for particulate matter (PM) parameter and also carried out fugitive emission monitoring at 02 different locations for suspended particulate matter (SPM) parameter within the premises. The PM found in the boiler stack i.e. 61 mg/Nm<sup>3</sup> against the standard of 80 mg/Nm<sup>3</sup> which is complying with the stack emission standards. The SPM were found at pulverizer no 1 i.e. 375µg/m<sup>3</sup> and at RMH area 473 µg/m<sup>3</sup>. There is no standard prescribed in the CTO by the RSPCB for fugitive emission. **(Copies of monitoring reports of source emission and fugitive emission are enclosed as Annexure-8)**.
- ii. During visit the joint committee visited the ESIC (Employees' State Insurance Corporation) Medical College & Hospital, Matsya Industrial Area (MIA), Alwar for collecting the information/data regarding no. of patients affected due to the

referred industry's black smoke emitted by the bio mass fire boiler and discussed with doctors about the diseases mentioned in the Hon'ble NGT order i.e. joint pain, fever, typhoid, platelets down etc. As intimated by the doctor of the ESIC hospital that there are no such specific relations of the boiler's smoke emission with disease mentioned in the order. RO, RSPCB, Alwar also wrote a letter dated 21/12/2023, requested ESIC Medical College & Hospital to provide the data regarding no. of patients affected due to the referred industry. In reply, ESIC Medical College & Hospital, vide its email dated 27/12/2023, has submitted general data regarding no. of patients suffering from various diseases for the past 06 months. However, specific relation, regarding the diseases being caused by the industry cannot be established. **(Copy of the RSPCB. Alwar, letter dated 21/12/2023, ESIC Hospital email dated 27/12/2023 (with the data submitted therein) are enclosed as Annexure-9).**

- iii. During the visit RO RSPCB has informed that the applicant has given in writing with notified affidavit on 09.12.2023 saying that he don't have any problem with the industry and withdrawing the complaint. **(Copy of the letter collected from RSPCB RO Alwar is enclosed at Annexure-10).**
- iv. However, industry has informed that they conducts periodic health check-up of their workers periodically and thus submitted the record of health check-up of workers (19 Nos.) for the March, 2023 and again in December, 2023 (21 Nos.). **As per the records, no worker was found of being affected from occupational hazardous/contagious diseases. Copies of health check-up reports are enclosed as Annexure-11.**

### **Conclusion**

1. The unit has provided adequate emission control measures at the 02 TPH capacity boiler and complying with the stack emission standards imposed by the RSPCB on the industry (i.e.  $61 \text{ mg/Nm}^3$  against the consent limit of  $80 \text{ mg/Nm}^3$ ).
2. It is pertinent to mention that in accordance with the minutes of meeting dated 15/06/2018 **(Copy of minutes of meeting enclosed as Annexure 12)**, of the committee constituted in reference to the CPCB letter dated 03/04/2018, Online Continuous Emission Monitoring System (OCEMS) installation is mandatory for

the boilers having capacity more than 05 TPH, therefore, not applicable to this industry.

3. The unit is maintaining the zero liquid discharge condition and disposing the treated effluent with the help of fog cannons (03 Nos.) and steam grid evaporators and therefore not discharging any effluent outside the premises.
4. Industry shall strictly ensure the use of Personal Protective Equipment (PPEs) by the labors engaged in the direct contact with the manufacturing process e.g. reactors, mixing etc.
5. RSPCB may be directed to keep constant vigil on the industry for complying the norms given in the consent and authorization.



(Praveen Kumar Jain)  
Scientist "B",  
Regional Directorate, CPCB, Bhopal



(Ravi Tiwari)  
Assistant Environment Engineer,  
Regional Office, RSPCB, Alwar

## Photographs taken during joint visit



Fig 01: Officials of Joint committee inspected the industry.



Fig 02: Reactor vessels installed in the industry.



14/12/23, 12:50 PM  
27° 30' 41" N, 76° 41' 2" E  
Alwar 301001  
RJ  
India  
Matsya Industrial Area  
Altitude:253.8meter  
Speed:4.5km/h

Fig 03: Scrubber attached with the reactor vessels.



14/12/23, 12:39 PM  
27° 30' 42" N, 76° 41' 0" E  
Alwar 301001  
RJ  
India  
Matsya Industrial Area  
Altitude:254.5meter  
Speed:0.0km/h

Fig 04: The wet product from the reactor vessels.



Fig 05: Centrifuge to dewater the wet product.



Fig 06: Pulverizer to disintegrate/pulverize the product lumps.



Fig 07: Bio-mass (briquettes fired) boiler of capacity 02TPH.



Fig 08: Cyclone, pulse-jet bag-filter, wet scrubber and stack provided with the boiler as air emission control measures.



Fig 09: Stack of height approx. 30 meters having monitoring facility and platform.



Fig 10: Officials conducting stack monitoring of the boiler installed in the unit.



Fig 11: Effluent Treatment Plant (ETP) to treat the trade effluent.



Fig12: Fog cannons with steam grid to achieve ZLD condition.




Fig 13: Digital flow-meter provided with the bore-well.



Fig 14: Flow-meter provided at the outlet line (leading to the fog cannons and steam grid).



Fig 15: Flow-meter provided at the inlet of the ETP.




Fig 16: Display board provided with information's the main entrance fate of the industry.



Fig 17: Plantation provided in the plot no. F-447 (Photo 01).



Fig 18: Plantation provided in the plot no. F-447 (Photo 02).



Fig 19: Plantation provided in the plot no. F-447 (Photo 03).



Fig 20: Plantation provided in the plot no. F-447 (Photo 04).



Fig 21: Plantation provided in the plot no. F-447 (Photo 05).



Fig 22: Discussions of Joint committee with doctor at ESIC Medical College & Hospital, Alwar.

क्षे.नि.भो./एन.जी.टी. ओ.ए. - 168/2023(CZ)/1592

दिनांक: 24 नवंबर, 2023

प्रति,

**Most urgent**  
NGT Case

सदस्य सचिव  
राजस्थान राज्य प्रदूषण नियंत्रण बोर्ड  
ए-4, इंस्टीट्यूशनल एरिया  
झालाना डूंगरी  
जयपुर - 302004

विषय: NGT OA No. 168/2023(CZ) "Beeru Kumar Vs. State of Rajasthan & Ors." में अधिकारी के नामांकन बाबत।

संदर्भ: माननीय एन.जी.टी. द्वारा पारित आदेश दिनांक: 20/11/2023


महोदय,

कृपया माननीय एन.जी.टी. द्वारा दिनांक: 20/11/2023 को विषयांकित प्रकरण में पारित आदेश का अवलोकन करने का कष्ट करें। विषयांकित प्रकरण में माननीय एन.जी.टी. द्वारा संयुक्त समिति का गठन किया गया है जिसमें केंद्रीय प्रदूषण नियंत्रण बोर्ड-राजस्थान तथा राज्य प्रदूषण नियंत्रण बोर्ड-राजस्थान के प्रतिनिधि शामिल हैं।

आदेश के अनुसार उक्त समिति द्वारा Factual & Action Taken Report तैयार कर 04 सप्ताह के भीतर माननीय एन.जी.टी. के समक्ष प्रस्तुत करना होगा। उक्त प्रकरण में राज्य प्रदूषण नियंत्रण बोर्ड नोडल एजेंसी होगी। प्रकरण में सुनवाई की अगली तिथि दिनांक 19/01/2024 को नियत की गई है।

उक्त कार्य हेतु इस कार्यालय से श्री प्रवीण जैन, वैज्ञानिक 'ख' (मोबाइल नं.- 7746826294, ईमेल- praveen.cpcb@nic.in) को नामित किया गया है। अनुरोध है कि उपरोक्त हेतु निरीक्षण की तिथि निर्धारित कर इस कार्यालय को सूचित करने का कष्ट करें ताकि निर्धारित तिथि के पूर्व Factual & Action Taken Report माननीय एन.जी.टी. के समक्ष प्रस्तुत किया जा सके।

भवदीय,

  
(पी. जगन)  
क्षेत्रीय निदेशक

संलग्नक: उपरोक्तानुसार।

प्रतिलिपि:

- डिवीजनल हेड, विधि अनुभाग, के.प्र.नि.बो., दिल्ली - की ओर कृपया सूचनार्थ।
- क्षेत्रीय अधिकारी, रा.रा.प्र.नि.बो., जयपुर - की ओर कृपया सूचनार्थ एवं आवश्यक कार्यवाही हेतु।
- श्री प्रवीण जैन, वैज्ञानिक 'ख' के प्र.नि.बो., भोपाल - की ओर आवश्यक कार्यवाही हेतु।

क्षेत्रीय निदेशक

"राजभाषा हिन्दी में पत्र व्यवहार का स्वागत है"

पता: "परिवेश भवन"

पर्यावरण परिसर, ई-5, अरेरा कालोनी, भोपाल-462016

ईपीएबीएक्स : 0755-2775385, 2775386

क्षेत्रीय निदेशक डायरेक्ट : 0755-2775384

ई-मेल: cpcb.bhopal@gov.in, वेबसाइट: www.cpcb.nic.in

FB

मुख्यालय:

परिवेश भवन

पूर्वी अर्जुन नगर, दिल्ली-110032

दूरभाष क्र : 011-43102030

"सिंगल यूज प्लास्टिक" का करें बहिष्कार



**Regional Office**  
**RAJASTHAN STATE POLLUTION CONTROL BOARD**  
**D-Block, Ambedkar Nagar, Alwar-301001**  
E mail- [ro.alwar@gmail.com](mailto:ro.alwar@gmail.com) Website [www.environment.rajasthan.gov.in](http://www.environment.rajasthan.gov.in)

F.No. RPCB/RO/Alwar/G-378/ 3605 - 3607

Date:- 12/12/2023

Regional Director  
Regional Directorate (Central),  
Central Pollution Control Board,  
Bhopal.

**NGT Matter**  
**Most Urgent**

**Subject:** Regarding Hon'ble NGT, Central Zone Bench, Bhopal order dated 20/11/2023 in the matter of **Beeru Kumar V/s State of Rajasthan & Ors. Original Application No. 168/2023 (CZ).**

**Reference:** 1. Hon'ble NGT order dated 20/11/2023 (copy enclosed).  
2. Letter no. 1592-1595 dated 24/11/2023 from your office.

Sir,


This is in reference to Hon'ble NGT, Central Zone Bench, Bhopal order dated 20/11/2023 in the matter of **Beeru Kumar V/s State of Rajasthan & Ors. Original Application No. 168/2023 (CZ).** The Hon'ble NGT vide aforementioned order dated 20/11/2023 has constituted a joint Committee of following with the direction to visit the site as mentioned in the grievance, verify the factual status and submission of the report within four weeks to Hon'ble NGT:

1. One representative from the Central Pollution Control Board, Rajasthan.
2. One representative from the State Pollution Control Board, Rajasthan.

Therefore, in view of above, Sh. Ravi Tiwari, AEE, RSPCB, Alwar (Mob. No. 9718537173) is hereby deputed as representative from RSPCB, with the direction to co-ordinate with the representative(s) from CPCB for joint committee visit and compliance of Hon'ble NGT order dated 20/11/2023.


Yours faithfully,

Encl: As above.

  
(Deependra Jharwal)  
SEE and Regional Officer  
*o/c*

Copy to:

1. Group In-charge (Legal), RSPCB, Jaipur for information and in continuation with this office letter no. 3583 dated 08/12/2023 for necessary action please.
2. Shri Praveen Jain, Scientist "B", Regional Directorate (Central), CPCB, Bhopal (Mob. No. 7746826294) for information and necessary action/coordination in reference to the CPCB, Bhopal letter dated 24/11/2023.

  
SEE and Regional Officer  
*o/c*



Head Office (CD)  
Rajasthan State Pollution Control Board  
4, Institutional Area, Jhalana Doongari, Jaipur-302 004  
Phone: 141-2716906



Registered

File No : F(Tech)/Alwar(Alwar)/7221(1)/2022-2023/4049-4051

Order No: 2022-2023/CD/6730

Date: Nov 15 2022 3:13PM

Unit Id : 1297

M/s Sri Dwarika Dheesh Polymers Pvt. Ltd.

F-448-449, MIA Alwar , Tehsil:Alwar

District:Alwar

**Sub: Consent to Operate** under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 21(4) of Air (Prevention & Control of Pollution) Act, 1981.

**Ref:** Your application for Consent to Operate dated 26/03/2022 and subsequent correspondence.

Sir,

**Consent to Operate** under the provisions of Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 (hereinafter to be referred as the Water Act) and under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, (hereinafter to be referred as the Air Act) as amended to date and rules & the orders issued thereunder **is hereby granted** for your **Industry** situated at **F-448-449, MIA Alwar Alwar Tehsil:Alwar District:Alwar**, Rajasthan, subject to the following conditions:-

- 1 That this Consent to Operate is valid for a period from **01/08/2022** to **31/07/2027**.
- 2 That this Consent is granted for manufacturing / producing following products / by products or carrying out the following activities or operation/processes or providing following services with capacities given below:

Particular	Type	Quantity with Unit
AZO-DI-CARBONAMIDE (ADC)	Product	2.40 MT/DAY
DI NITROSO PENTA METHYLENE TETRAMINE (DNPT)	Product	1.60 MT/DAY
EVA (FORMULATION)	Product	0.80 MT/DAY
PT (FORMULATION)	Product	1.60 MT/DAY

- 3 That this Consent to Operate is for existing plant, process & capacity and separate Consent to Establish/Operate is required to be taken for any addition / modification / alteration in process or change in capacity or change in fuel.
- 4 That the quantity of effluent generation along with mode of disposal for the treated effluent shall be as under:

Signature valid

Digitally signed by Om Prakash  
Gupta  
Date: 2022.11.15 16:13:29 IST  
Reason: Self Attested  
Location:





**Head Office (CD)**  
**Rajasthan State Pollution Control Board**  
**4, Institutional Area, Jhalana Doongari, Jaipur-302 004**  
**Phone: 141-2716906**

**Registered**

**File No : F(Tech)/Alwar(Alwar)/7221(1)/2022-2023/4049-4051**

**Order No: 2022-2023/CD/6730**

**Date: Nov 15 2022 3:13PM**

**Unit Id : 1297**

Type of effluent	Max. effluent generation (KLD)	Recycled Qty of Effluent (KLD)	Disposed Qty of effluent (KLD) and mode of disposal
Domestic Sewage	1.800	NIL	1.800 Septic Tank and Soakpit
Trade Effluent	28.000	NIL	28.000 ETP and Forced Evaporation

- 5 That the sources of air emissions along with pollution control measures and the emission standards for the prescribed parameters shall be as under:

Sources of Air Emissions	Pollution Control Measures	Prescribed	
		Parameter	Standard
One Biomass Fired Boiler( 2TPH)	Multi Cyclone , Stack	Particulate Matter	80 mg/Nm3
Two DG Sets (320 KVA EACH)	ACOUSTIC ENCLOSURE , ADEQUATE STACK HEIGHT	--	--

- 6 That the **Industry** will comply with the standards as prescribed vide MoEF notification No. GSR 826(E) dated 16th November, 2009 with respect to National Ambient Air Quality Standards.
- 7 That this **Consent to Operate** is valid for the production of products mentioned at condition no. 02 only. The industry has to seek fresh consent to establish/operate for any change in product/ by-product/ process/ service/activity and any modification/alteration.
- 8 That the total capital investment of the unit under this consent shall not exceed Rs. 461.46 Lacs. In case of any increase in total capital investment additional fee as per the fee notification dated 26.05.2016 shall be required to be deposited.

**Signature valid**

Digitally signed by Om Prakash  
Gupta  
Date: 2022.11.15 16:13:29 IST  
Reason: Self Attested  
Location:





**Head Office (CD)**  
**Rajasthan State Pollution Control Board**  
**4, Institutional Area, Jhalana Doongari, Jaipur-302 004**  
**Phone: 141-2716906**

**Registered**

**File No : F(Tech)/Alwar(Alwar)/7221(1)/2022-2023/4049-4051**

**Order No: 2022-2023/CD/6730**

**Date: Nov 15 2022 3:13PM**

**Unit Id : 1297**

- 9 That industry shall not carryout any modification/change in process or manufacture/produce any other products/byproducts, which require environment clearance as per the provisions of Environment Impact Assessment Notification dated 14/09/2006, notified by Ministry of Environment & Forests, Government of India.
- 10 That total fresh water requirement of the industry shall not exceed 40 KLD (Domestic use - 2 KLD, Boiler/Cooling use - 10 KLD, Industrial use - 28 KLD) and same shall be sourced from ground water (39 KLD) and RIICO supply (1 KLD).
- 11 That the industry shall comply with the conditions of NOC of CGWA i.e., CGWA/NOC/IND/ORIG/2021/11101 dated 09.01.2021 for the abstraction of ground water up to 39 KLD.
- 12 That neither any ground water will be abstracted nor any ground water abstraction structure shall be constructed without obtaining prior permission from the Central Ground Water Authority (CGWA).
- 13 That trade effluent shall be treated in Effluent Treatment Plant of adequate capacity followed by forced evaporation through fog canon mist evaporator to maintain zero liquid discharge (ZLD) condition.
- 14 That domestic waste water shall be disposed off through scientifically designed septic tank followed by soak pit.
- 15 That no treated /untreated effluent shall be discharged inside or outside the premises.
- 16 That the industry shall provide & maintain metering arrangement for fresh water intake, water used for different purposes and for measuring of effluent generated, treated, used & disposed, ETP inlet & outlet. The daily log book shall be maintained.
- 17 That the sludge generated from the Effluent Treatment Plant shall be disposed off scientifically through authorized waste disposing facility in accordance with the provisions of the Hazardous & Other Wastes (Management & Trans-boundary Movement) Rules, 2016.
- 18 That a log book for operation of Effluent Treatment Plant shall be maintained and record of daily consumption of chemicals and running hours of ETP shall be maintained. Also record of periodic cleaning/change of filter media of pressure sand filter should be mentioned in log book.
- 19 That all the pipe lines carrying effluent/water/liquid shall be kept above ground level and with proper color coding. No flexible piping or drains shall be provided for carrying of liquids.
- 20 That the industry shall make arrangements for proper channelizing of storm water and process waste shall not be allowed to mix with storm water

**Signature valid**

Digitally signed by Om Prakash  
Gupta  
Date: 2022.11.15 16:13:29 IST  
Reason: Self Attested  
Location:





**Head Office (CD)**  
**Rajasthan State Pollution Control Board**  
**4, Institutional Area, Jhalana Doongari, Jaipur-302 004**  
**Phone: 141-2716906**

**Registered**

**File No : F(Tech)/Alwar(Alwar)/7221(1)/2022-2023/4049-4051**

**Order No: 2022-2023/CD/6730**

**Date: Nov 15 2022 3:13PM**

**Unit Id : 1297**

- 21 That the industry shall not use pet coke/furnace oil in any process/service/utility in compliance to the order dated 17/11/2017 of Hon'ble Supreme Court, wherein ban has been imposed on the use of pet coke and furnace oil in the State of Rajasthan.
- 22 That the industry shall maintain stack of adequate height and requisite acoustic enclosures with the 02 D.G. Sets of 320 KVA capacities each, as per norms prescribed under the Environment (Protection) Act, 1986 and the Air Act, 1981.
- 23 That the industry shall use D.G. set for emergency purpose only and in accordance with the directions of Commission for Air Quality Management in NCR and Adjoining Areas.
- 24 That the industry shall maintain stack of adequate height and adequate air pollution control measures at wood fired boiler of 2.0 TPH capacity and 04 nos. of reaction vessels.
- 25 That safe and adequate infrastructure facility for stack emission monitoring shall be maintained with stack of one wood fired boiler and 04 nos of reaction vessels.
- 26 That the industry shall comply with the standards for chlorine in ambient air from it process as given below.  
**S.No. Pollutant Standards**
  1. Chlorine TLV 1 PPM (3mg/Nm<sup>3</sup>)
  2. Chlorine STEL 3 PPM (9mg/Nm<sup>3</sup>).
- 27 That the industry shall maintain continuous online (24x7) emission/effluent monitoring system as per guidelines issued by Central Pollution Control Board and Rajasthan State Pollution Control Board and shall ensure connectivity with CPCB & RSPCB server.
- 28 That effective control measures shall be provided & maintained to control fugitive emissions during processing, transportation, packing etc.
- 29 That industry shall provide & maintain wall to wall carpeting in vehicle movement areas within the premises to avoids re-entrainment of road dust.
- 30 That industry shall undertake regular cleaning and wetting of roads for control of fugitive dust emission.
- 31 That the industry shall maintain good house-keeping all the time within the premises.
- 32 That industry shall provide and maintain the centralized air cleaning system i.e fume collection hoods, etc., so as to remove the Volatile Organic Compounds emitted from the reactor vents etc.
- 33 That industry shall not install any other sources of Air pollution/Water pollution without obtaining prior Consent to Establish from the State Board.

**Signature valid**

Digitally signed by Om Prakash  
Gupta  
Date: 2022.11.15 16:13:29 IST  
Reason: Self Attested  
Location:





**Head Office (CD)**  
**Rajasthan State Pollution Control Board**  
**4, Institutional Area, Jhalana Doongari, Jaipur-302 004**  
**Phone: 141-2716906**

**Registered**

**File No : F(Tech)/Alwar(Alwar)/7221(1)/2022-2023/4049-4051**

**Order No: 2022-2023/CD/6730**

**Date: Nov 15 2022 3:13PM**

**Unit Id : 1297**

- 34 That the industry shall maintain separate energy meters at pollution control measures & effluent treatment plant. The daily record of the energy consumption (Units) shall be maintained in separate log-book.
- 35 That the power supply of the production shall be so interlocked with the Air & Water pollution control equipment's, that in case of non functioning of the pollution control equipment the production process stops automatically.
- 36 That the industry shall comply with the provisions of the Manufacture, Storage & Import of Hazardous Chemical Rules, 1989 and Hazardous Waste (Management, Handling & Transboundary Movement) Rules, 2016 and Public Liability Insurance Act,1991.
- 37 That the industry shall carryout effluent sampling and ambient air quality/stack emission/process emission monitoring as the case may be and submit quarterly analysis report from Laboratory recognized by Ministry of Environment & Forests (MoEF), Government of India/Rajasthan State Pollution Control Board laboratory.
- 38 That the industry shall obtain license for storage of hazardous chemicals/gases from Petroleum & Explosives Safety Organisation (PESO) or any such competent authority (if applicable).
- 39 That the storage of chlorine tonner at no point of time shall exceed the quantity permitted by the Explosive Department/competent authority. Daily records of chlorine tonner storage shall be maintained in separate log book & consolidated record shall be submitted to the competent authority & Regional Office, Alwar every three months.
- 40 That the Industry shall develop plantation in 40% of total plot area to maintain air quality around the Industry and maintain good housekeeping in the premises.
- 41 That industry shall undertake suitable measures for rain water harvesting for artificial recharge of ground water.
- 42 That this consent is valid subject to fulfillment of all the other statutory requirements in other laws/Acts/Rules as applicable.
- 43 That any incorrect information submitted in the consent application form or declaration shall make the industry liable for legal action under section 42 of the Water Act and under section 38 of the Air Act.
- 44 That industry shall submit quarterly compliance report of consent conditions to this office as well as R.O., RSPCB, Alwar.

**Signature valid**

Digitally signed by Om Prakash  
Gupta  
Date: 2022.11.15 16:13:29 IST  
Reason: Self Attested  
Location:





**Head Office (CD)**  
**Rajasthan State Pollution Control Board**  
**4, Institutional Area, Jhalana Doongari, Jaipur-302 004**  
**Phone: 141-2716906**

**Registered**

**File No : F(Tech)/Alwar(Alwar)/7221(1)/2022-2023/4049-4051**

**Order No: 2022-2023/CD/6730**

**Date: Nov 15 2022 3:13PM**

**Unit Id : 1297**

- 45 That the max permissible Emission standards for Particulate Matter (PM) emissions for the biomass fueled boilers shall be 80 mg/Nm<sup>3</sup>. However, in compliance of the Direction no. 62 of the Commission for Air Quality Management in National Capital Region and Adjoining Areas, the industry shall aim for an emission level of 50 mg/ Nm<sup>3</sup>, through suitable technology upgrades and installation of requisite air pollution control devices such as bag filters, cyclonic filters, wet scrubbers, ESPs etc.
- 46 That, notwithstanding anything provided hereinabove, the State Board shall have the power and reserves its right, as contained **under Section 27(2) of the Water Act and under Section 21(6) of the Air Act** to review anyone or all of the conditions imposed here in above and to make such variation as it deems fit for the purpose of **Air Act & Water Act**.
- 47 That the grant of this **Consent to Operate** is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry/ unit/ project proponent.
- 48 That the grant of this **Consent to Operate** shall not, in any way, adversely affect or jeopardize the legal proceeding, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Water Act and Air Act or the Rules made thereunder.
- 49 That the Project Proponent shall comply with provisions of the E-waste (Management) Rules, 2016 and ensure that e-waste generated by them is channelized through collection centre or dealer of authorized producer or dismantler or recycler or through designated take back service provider of the producer to authorized dismantler or recycler.
- 50 That the Project Proponent shall maintain record of e-waste generated by them in Form-2 and make such records available for scrutiny by the Board.
- 51 That the Project Proponent shall file annual returns in Form-3, to the Board on or before the 30th day of June following the financial year to which that return relates.
- 52 That the transportation of e-waste shall be carried out as per the manifest system whereby the transporter shall be required to carry a document (three copies) prepared by the sender, giving the details as per Form-6.

**Signature valid**

Digitally signed by Om Prakash  
Gupta  
Date: 2022.11.15 16:13:29 IST  
Reason: Self Attested  
Location:





**Head Office (CD)**  
**Rajasthan State Pollution Control Board**  
**4, Institutional Area, Jhalana Doongari, Jaipur-302 004**  
**Phone: 141-2716906**

**Registered**

**File No : F(Tech)/Alwar(Alwar)/7221(1)/2022-2023/4049-4051**

**Order No: 2022-2023/CD/6730**

**Date: Nov 15 2022 3:13PM**

**Unit Id : 1297**

- 53 That the Project Proponent shall comply with provisions of the Batteries (Management and Handling) Rules, 2001 (as amended) and submit half yearly returns (as bulk consumer, importer, auctioneer, recycler as the case may be) to the State Board as provided under Rule 10 (2) (ii) of the Battery (Management and Handling) Rules, 2001 (as amended). In case the Project Proponent is not a bulk consumer even then the used batteries shall be returned to the authorized dealers or recyclers only.
- 54 That the record of batteries purchased and sold/ returned to registered dealers and/ or authorized recyclers shall be maintained and made available to the officers of the Board during inspections.

This **Consent to Operate** shall also be subject, besides the aforesaid specific conditions, to the general conditions given in the enclosed Annexure. The Project Proponent will comply with the provisions of the **Water Act and Air Act** and to such other conditions as may, from time to time , be specified, by the State Board under the provisions of the aforesaid Act(s). Please note that, non compliance of any of the above stated conditions would tantamount to revocation of **Consent to Operate** and Project Proponent / occupier shall be liable for legal action under the relevant provisions of the said Act(s).

This bears approval of the competent authority.

**Yours sincerely,**

**Group Incharge[ CD ]**

**(A): Copy to:-**

- 1 Regional Officer, Regional Office, Rajasthan State Pollution Control Board, Alwar to ensure compliance of consent conditions.
- 2 Master File.

**Group Incharge[ CD ]**

**Signature valid**

Digitally signed by Om Prakash  
Gupta  
Date: 2022.11.15 16:13:29 IST  
Reason: Self Attested  
Location:





भारत सरकार  
जल शक्ति मंत्रालय  
जल संसाधन, नदी विकास  
और गंगा संरक्षण विभाग  
केन्द्रीय भूमि जल प्राधिकरण  
Government of India  
Ministry of Jal Shakti  
Department of Water Resources,  
River Development & Ganga Rejuvenation  
Central Ground Water Authority

(भूजल निकासी हेतु अनापत्ति प्रमाण पत्र)

**NO OBJECTION CERTIFICATE (NOC) FOR GROUND WATER ABSTRACTION**

Project Name:	Sri Dwarikadheesh Polymers Pvt. Ltd.		
Project Address:	F-448-449, Matsya Industrial Area, Alwar		
Village:	Naharpur	Block:	Ramgarh
District:	Alwar	State:	Rajasthan
Pin Code:			
Communication Address:	F-448-449, Matsya Industrial Area, Alwar, Ramgarh, Alwar, Rajasthan - 301030		
Address of CGWB Regional Office :	Central Ground Water Board Western Region, 6-a, Jhalana Doongri, Jaipur, Rajasthan - 302004		

1. <b>NOC No.:</b>	CGWA/NOC/IND/REN/1/2023/7462	2. <b>Date of Issuance</b>	17/02/2023
3. Application No.:	21-4/11476/RJ/IND/2018	4. Category:	Over Exploited (GWRE 2020)
5. Project Status:	Existing Ground Water	6. NOC Type:	Renewal
7. <b>Valid from:</b>	09/01/2023	8. <b>Valid up to:</b>	08/01/2025
9. Ground Water Abstraction Permitted:			
	Fresh Water	Saline Water	Dewatering
	m <sup>3</sup> /day	m <sup>3</sup> /year	m <sup>3</sup> /day
	39.00	11700.00	

10. Details of ground water abstraction /Dewatering structures

Abstraction Structure*	Total Existing No.:1						Total Proposed No.:0					
	DW	DCB	BW	TW	MP	MPu	DW	DCB	BW	TW	MP	MPu
	0	0	1	0	0	0	0	0	0	0	0	0

\*DW- Dug Well; DCB-Dug-cum-Bore Well; BW-Bore Well; TW-Tube Well; MP-Mine Pit; MPu-Mine Pumps

11. Ground Water Abstraction/Restoration Charges paid (Rs.):	160992.00		
12. Number of Piezometers(Observation wells) to be constructed/ monitored & Monitoring mechanism.	No. of Piezometers	Monitoring Mechanism	
	Manual	DWLR**	DWLR With Telemetry
	1	1	0

\*\*DWLR - Digital Water Level Recorder

(Compliance Conditions given overleaf)

This is an auto generated document & need not to be signed.

18/11, जामनगर हाउस, मानसिंह रोड, नई दिल्ली - 110011 / 18/11, Jamnagar House, Mansingh Road, New Delhi-110011

Phone: (011) 23383561 Fax: 23382051, 23386743  
Website: cgwa-noc.gov.in

पानी बचाये - जीवन बचाये  
SAVE WATER - SAVE LIFE

Validity of this NOC shall be subject to compliance of the following conditions:

**Mandatory conditions:**

- 1) Installation of tamper proof digital water flow meter with telemetry on all the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate.
- 2) Proponents shall mandatorily get water flow meter calibrated from an authorized agency once in a year.
- 3) Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 14 of Guidelines. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in Annexure-II of the guidelines.
- 4) Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- 5) In case of mining projects, additional key wells shall be established in consultation with the Regional Director, CGWB for ground water level monitoring four (4) times a year (January, May, August and November) in core as well as buffer zones of the mine.
- 6) In case of mining project the firm shall submit water quality report of mine discharge/ seepage from Govt. approved/ NABL accredited lab.
- 7) The firm shall report compliance of the NOC conditions online in the website ([www.cgwa-noc.gov.in](http://www.cgwa-noc.gov.in)) within one year from the date of issue of this NOC.
- 8) Industries abstracting ground water in excess of 100 m<sup>3</sup>/d shall undertake annual water audit through certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- 9) Application for renewal can be submitted online from 90 days before the expiry of NOC. Ground water withdrawal, if any, after expiry of NOC shall be illegal & liable for legal action as per provisions of Environment (Protection) Act, 1986.
- 10) This NOC is subject to prevailing Central/State Government rules/laws/norms or Court orders related to construction of tube well/ground water abstraction structure / recharge or conservation structure/discharge of effluents or any such matter as applicable.

**General conditions:**

- 11) No additional ground water abstraction and/or de-watering structures shall be constructed for this purpose without prior approval of the Central Ground Water Authority (CGWA).
- 12) The proponent shall seek prior permission from CGWA for any increase in quantum of groundwater abstraction (more than that permitted in NOC for specific period).
- 13) Proponents shall install roof top rain water harvesting in the premise as per the existing building bye laws in the premise.
- 14) The project proponent shall take all necessary measures to prevent contamination of ground water in the premises failing which the firm shall be responsible for any consequences arising thereupon.
- 15) In case of industries that are likely to contaminate the ground water, no recharge measures shall be taken up by the firm inside the plant premises. The runoff generated from the rooftop shall be stored and put to beneficial use by the firm.
- 16) Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- 17) Wherever the NOC is for abstraction of saline water and the existing wells (s) is /are yielding fresh water, the same shall be sealed and new tubewell(s) tapping saline water zone shall be constructed within 3 months of the issuance of NOC. The firm shall also ensure safe disposal of saline residue, if any.
- 18) Unexpected variations in inflow of ground water into the mine pit, if any, shall be reported to the concerned Regional Director, Central Ground Water Board.
- 19) In case of violation of any NOC conditions, the applicant shall be liable to pay the penalties as per Section 16 of Guidelines.
- 20) This NOC does not absolve the proponents of their obligation / requirement to obtain other statutory and administrative clearances from appropriate authorities.
- 21) The issue of this NOC does not imply that other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would consider the project on merits and take decisions independently of the NOC.
- 22) In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.
- 23) This NOC is being issued without any prejudice to the directions of the Hon'ble NGT/court orders in cases related to ground water or any other related matters.
- 24) Proponents, who have installed/constructed artificial recharge structures in compliance of the NOC granted to them previously and have availed rebate of upto 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, shall continue to regularly maintain artificial recharge structures.
- 25) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, pharmaceutical, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution as per Annexure III of the guidelines.
- 26) In case of new infrastructure projects having ground water abstraction of more than 20 m<sup>3</sup>/day, the firm/entity shall ensure implementation of dual water supply system in the projects.
- 27) In case of infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.
- 28) In case of coal and other base metal mining projects, the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- 29) The NOC issued is conditional subject to the conditions mentioned in the Public notice dated 27.01.2021 failing which penalty/EC/cancellation of NOC shall be imposed as the case may be.
- 30) This NOC is issued subject to the clearance of Expert Appraisal Committee (EAC) (if applicable).

**(Non-compliance of the conditions mentioned above is likely to result in the cancellation of NOC and legal action against the proponent.)**

SRI DWARIKADHEESH POLYMERS PVT LTD  
F-447,448,449

BORE WELL WATER METER

PROCESS,BOILER,JECKIT COOLING,COOLEING TOWER

DATE	KL	KL
2023.12.01	3081	11
2023.12.02	3094	13
2023.12.03	3116	22
2023.12.04	3135	19
2023.12.05	3150	15
2023.12.06	3170	20
2023.12.07	3190	20
2023.12.08	3203	13
2023.12.09	3214	11
2023.12.10	3224	10
2023.12.11	3237	13
2023.12.12	3245	8
2023.12.13	3250	5
2023.12.14	3258	8
2023.12.15	3267	9
2023.12.16		
2023.12.17		
2023.12.18		
2023.12.19		
2023.12.20		
2023.12.21		
2023.12.22		
2023.12.23		
2023.12.24		
2023.12.25		
2023.12.26		
2023.12.27		
2023.12.28		
2023.12.29		
2023.12.30		
2023.12.31		

SRI DWARIKADHEESH POLYMERS PVT LTD  
F-447,448,449

BORE WELL WATER METER

PROCESS,BOILER,JECKIT COOLING,COOLEING TOWER		
DATE	KL	KL
2023.10.01		
2023.10.02	2082	9
2023.10.03	2093	11
2023.10.04	2110	17
2023.10.05	2124	14
2023.10.06	2136	12
2023.10.07	2153	17
2023.10.08	2164	11
2023.10.09	2173	9
2023.10.10	2191	18
2023.10.11	2207	16
2023.10.12	2218	11
2023.10.13	2235	17
2023.10.14	2251	16
2023.10.15	2264	13
2023.10.16	2276	12
2023.10.17	2291	15
2023.10.18	2304	13
2023.10.19	2318	14
2023.10.20	2332	14
2023.10.21	2345	13
2023.10.22	2361	16
2023.10.23	2375	14
2023.10.24	2390	15
2023.10.25	2405	15
2023.10.26	2415	10
2023.10.27	2431	16
2023.10.28	2441	10
2023.10.29	2456	15
2023.10.30	2468	12
2023.10.31	2481	13
	2495	14



SRI DWARIKADHEESH POLYMERS PVT LTD  
F-447,448,449

BORE WELL WATER METER.

PROCESS,BOILER,JECKIT COOLING,COOLEING TOWER		
DATE	KL	KL
2023.11.01		
2023.11.02	2513	18
2023.11.03	2539	26
2023.11.04	2562	23
2023.11.05	2578	16
2023.11.06	2595	17
2023.11.07	2608	13
2023.11.08	2626	18
2023.11.09	2643	17
2023.11.10	2657	14
2023.11.11	2675	18
2023.11.12	2700	25
2023.11.13	2720	20
2023.11.14	2735	15
2023.11.15	2753	18
2023.11.16	2773	20
2023.11.17	2794	21
2023.11.18	2807	13
2023.11.19	2827	20
2023.11.20	2850	23
2023.11.21	2873	23
2023.11.22	2899	26
2023.11.23	2921	22
2023.11.24	2949	28
2023.11.25	2964	15
2023.11.26	2985	21
2023.11.27	3005	20
2023.11.28	3025	20
2023.11.29	3038	13
2023.11.30	3058	20
	3070	12



SRI DWARIKADHEESH POLYMERS PVT LTD  
F-447,448,449

BORE WELL WATER METER

PROCESS,BOILER,JECKIT COOLING,COOLEING TOWER

DATE	KL	KL
2023.09.01		
2023.09.02	1691	15
2023.09.03	1706	15
2023.09.04	1719	13
2023.09.05	1731	12
2023.09.06	1747	16
2023.09.07	1760	13
2023.09.08	1775	15
2023.09.09	1790	15
2023.09.10	1803	13
2023.09.11	1811	8
2023.09.12	1828	17
2023.09.13	1842	14
2023.09.14	1855	13
2023.09.15	1868	13
2023.09.16	1882	14
2023.09.17	1893	11
2023.09.18	1903	10
2023.09.19	1917	14
2023.09.20	1925	8
2023.09.21	1942	17
2023.09.22	1955	13
2023.09.23	1971	16
2023.09.24	1986	15
2023.09.25	2003	17
2023.09.26	2014	11
2023.09.27	2028	14
2023.09.28	2040	12
2023.09.29	2052	12
2023.09.30	2060	8
	2073	13




SRI DWARIKADHEESH POLYMERS PVT LTD

F-448, 449 MIA, ALWAR

ETP Running Monitoring Sheet

Date	Energy Meter Reading ETP	Energy Consumed ETP	Energy Meter Reading FOG	Energy Consumed FOG	Water meter reading INLET LTR	Water Qty. Inlet	Water meter reading outlet	Treated Water Qty. Outlet	Lime Kgs	Alum Kgs	Poly Kgs	Checked by	Approved by
2023.12.01	1761.48	1.98			Dip	5864	Dip	5864	100	0.95	0.22		
2023.12.02	1763.83	2.35			Dip	5250	Dip	5250	98	0.96	0.25		
2023.12.03	1766.7	2.87			Dip	6754	Dip	6754	96	0.98	0.29		
2023.12.04	1769.02	2.32			Dip	6570	Dip	6570	95	0.91	0.21		
2023.12.05	1771.89	2.87			Dip	5540	Dip	5540	94	0.98	0.23		
2023.12.06	1774.36	2.47			Dip	5320	Dip	5320	92	0.96	0.22		
2023.12.07	1776.87	2.51			Dip	2240	Dip	2240	93	0.97	0.29		
2023.12.08	1779.38	2.07			Dip	8980	Dip	8980	91	0.92	0.25		
2023.12.09	1781.45	1.73			Dip	8870	Dip	8870	93	0.93	0.24		
2023.12.10	1783.18	1.9			Dip	8990	Dip	8990	95	0.98	0.23		
2023.12.11	1785.08	1.34			Dip	8790	Dip	8790	97	0.94	0.25		
2023.12.12	1786.42	0.15			Dip	8520	Dip	8520	98	0.91	0.28		
2023.12.13	1786.57	1.57			Dip	8617	Dip	8617	93	0.93	0.24		
2023.12.14	1788.14	1.73			Dip	52767	Dip	55007	7008	0.92	0.25		
2023.12.15	1789.87					61065		62015	91				
2023.12.16													
2023.12.17													
2023.12.18													
2023.12.19													
2023.12.20													
2023.12.21													
2023.12.22													
2023.12.23													
2023.12.24													
2023.12.25													
2023.12.26													
2023.12.27													
2023.12.28													
2023.12.29													
2023.12.30													
2023.12.31													



Signature

Signature

**SRI DWARIKADHEESH POLYMERS PVT LTD**  
F-448,449 M/A, ALWAR

**ETP Running Monitoring Sheet**

Date	Energy Meter Reading ETP	Energy Consumed ETP	Energy Meter Reading FOG	Energy Consumed FOG	Water meter reading INLET LTR	Water Qty Inlet	water meter reading out let Kl	Treated Water Qty Outlet	Lime Kgs	Alum Kgs	Poly Kgs	Checked by	Approved by
2023.11.01	1686.84	2.21			Dip	6850	Dip	6850	100	0.95	0.22	09/11/23	K.P.
2023.11.02	1689.49	2.65			Dip	7958	Dip	7958	98	0.96	0.25	09/11/23	K.P.
2023.11.03	1691.61	2.12			Dip	8974	Dip	8974	96	0.98	0.29	09/11/23	K.P.
2023.11.04	1693.96	2.35			Dip	8540	Dip	8540	95	0.91	0.21	09/11/23	K.P.
2023.11.05	1696.61	2.65			Dip	7950	Dip	7950	94	0.98	0.23	09/11/23	K.P.
2023.11.06	1699.43	2.82			Dip	8952	Dip	8952	92	0.96	0.23	09/11/23	K.P.
2023.11.07	1701.78	2.35			Dip	7580	Dip	7580	93	0.97	0.29	09/11/23	K.P.
2023.11.08	1704.29	2.51			Dip	6580	Dip	6580	93	0.97	0.25	09/11/23	K.P.
2023.11.09	1707.07	2.78			Dip	7254	Dip	7254	93	0.92	0.25	09/11/23	K.P.
2023.11.10	1709.05	1.98			Dip	8570	Dip	8570	95	0.98	0.23	09/11/23	K.P.
2023.11.11	1711.65	2.6			Dip	6100	Dip	6100	97	0.94	0.25	09/11/23	K.P.
2023.11.12	1714.52	2.87			Dip	6850	Dip	6850	98	0.91	0.28	09/11/23	K.P.
2023.11.13	1716.88	2.36			Dip	6870	Dip	6870	99	0.92	0.27	09/11/23	K.P.
2023.11.14	1719.42	2.54			Dip	6540	Dip	6540	93	0.98	0.26	09/11/23	K.P.
2023.11.15	1721.54	2.12			Dip	8957	Dip	8957	92	0.97	0.29	09/11/23	K.P.
2023.11.16	1724.41	2.87			Dip	5570	Dip	5570	91	0.96	0.21	09/11/23	K.P.
2023.11.17	1726.88	2.47			Dip	7685	Dip	7685	91	0.94	0.22	09/11/23	K.P.
2023.11.18	1729.66	2.78			Dip	5540	Dip	5540	99	0.97	0.26	09/11/23	K.P.
2023.11.19	1732.11	2.45			Dip	4950	Dip	4950	97	0.91	0.24	09/11/23	K.P.
2023.11.20	1734.65	2.54			Dip	4532	Dip	4532	96	0.97	0.28	09/11/23	K.P.
2023.11.21	1736.77	2.12			Dip	5680	Dip	5680	95	0.98	0.24	09/11/23	K.P.
2023.11.22	1738.92	2.15			Dip	6258	Dip	6258	93	0.94	0.22	09/11/23	K.P.
2023.11.23	1741.7	2.78			Dip	5842	Dip	5842	94	0.93	0.21	09/11/23	K.P.
2023.11.24	1744.38	2.68			Dip	5864	Dip	5864	98	0.96	0.25	09/11/23	K.P.
2023.11.25	1747.33	2.95			Dip	5250	Dip	5250	97	0.92	0.27	09/11/23	K.P.
2023.11.26	1749.69	2.36			Dip	6754	Dip	6754	99	0.99	0.26	09/11/23	K.P.
2023.11.27	1752.23	2.54			Dip	6570	Dip	6570	92	0.94	0.28	09/11/23	K.P.
2023.11.28	1754.81	2.58			Dip	5540	Dip	5540	91	0.85	0.26	09/11/23	K.P.
2023.11.29	1756.91	2.1			Dip	5320	Dip	5320	90	0.97	0.27	09/11/23	K.P.
2023.11.30	1759.5	2.59			Dip	4350	Dip	4350	99	0.84	0.28	09/11/23	K.P.



SRI DWARIKADHEESH POLYMERS PVT LTD

F-448, 449 MIA, ALWAR

ETP Running Monitoring Sheet

Date	Energy Meter Reading ETP	Energy Consumed ETP	Energy Meter Reading FOG	Energy Consumed FOG	Water meter reading INLET LTR	Water Qty Inlet	water meter reading out let	Treated Water Qty Outlet	Lime Kgs	Alum Kgs	Poly Kgs	Checked by	Approved by
2023.10.01	1610.42	2.57			216275	5287	216275	5287	100	0.95	0.22	RB	RB
2023.10.02	1612.55	2.13			221562	7950	221562	7950	98	0.96	0.25	RB	RB
2023.10.03	1615.53	2.98			229512	6525	229512	6525	96	0.98	0.29	RB	RB
2023.10.04	1617.69	2.16			236037	7580	236037	7580	95	0.91	0.21	RB	RB
2023.10.05	1620.18	2.49			243617	6950	243617	6950	94	0.98	0.23	RB	RB
2023.10.06	1622.32	2.14			250567	8952	250567	8952	92	0.96	0.22	RB	RB
2023.10.07	1624.79	2.47			259519	6880	259519	6880	93	0.97	0.29	RB	RB
2023.10.08	1627.77	2.98			266399	6580	266399	6580	91	0.92	0.25	RB	RB
2023.10.09	1629.95	2.18			272979	5245	272979	5245	93	0.93	0.24	RB	RB
2023.10.10	1632.16	2.21			278224	5580	278224	5580	95	0.98	0.23	RB	RB
2023.10.11	1634.7	2.54			283804	7950	283804	7950	97	0.94	0.25	RB	RB
2023.10.12	1637.68	2.98			291754	6280	291754	6280	98	0.91	0.28	RB	RB
2023.10.13	1640.05	2.37			298034	6870	298034	6870	99	0.92	0.27	RB	RB
2023.10.14	1642.59	2.54			304904	6545	304904	6545	93	0.98	0.26	RB	RB
2023.10.15	1644.94	2.35			311449	8957	311449	8957	92	0.97	0.29	RB	RB
2023.10.16	1647.45	2.51			320406	8620	320406	8620	91	0.96	0.21	RB	RB
2023.10.17	1649.92	2.47			329026	7685	329026	7685	91	0.94	0.22	RB	RB
2023.10.18	1652.46	2.54			336711	6150	336711	6150	99	0.97	0.26	RB	RB
2023.10.19	1654.78	2.32			342861	4950	342861	4950	97	0.91	0.24	RB	RB
2023.10.20	1657.62	2.84			347811	4532	347811	4532	96	0.97	0.28	RB	RB
2023.10.21	1659.79	2.17			352343	5980	352343	5980	95	0.98	0.24	RB	RB
2023.10.22	1662.13	2.34			358323	5485	358323	5485	93	0.94	0.22	RB	RB
2023.10.23	1664.26	2.13			363808	6850	363808	6850	94	0.93	0.21	RB	RB
2023.10.24	1666.62	2.36			370658	5864	370658	5864	98	0.96	0.25	RB	RB
2023.10.25	1669.53	2.91			376522	5103	376522	5103	97	0.92	0.27	RB	RB
2023.10.26	1672.27	2.74			381625	6530	381625	6530	99	0.99	0.26	RB	RB
2023.10.27	1675.11	2.84			Dip	6540	Dip	6540	92	0.94	0.28	RB	RB
2023.10.28	1677.53	2.42			Dip	5545	Dip	5545	91	0.85	0.26	RB	RB
2023.10.29	1679.74	2.21			Dip	5310	Dip	5310	90	0.97	0.27	RB	RB
2023.10.30	1682.28	2.54			Dip	4340	Dip	4340	99	0.84	0.28	RB	RB
2023.10.31	1684.63	2.35			Dip	4580	Dip	4580	98	0.98	0.29	RB	RB



SRI DWARIKADHEESH POLYMERS PVT LTD

F-448,449 MILA, ALWAR

ETP Running Monitoring Sheet

Date	Energy Meter Reading ETP	Energy Consumed ETP	Energy Meter Reading FOG	Energy Consumed FOG	Water meter reading INLET LTR	Water Qty Inlet	water meter reading out let	Treated Water Qty Outlet	Lime kgs	Alum kgs	Poly Kgs	Checked by	Approved by
2023.09.01	1532.66	2.83			7250	6950	7250	6950	100	0.95	0.22		
2023.09.02	1535.53	2.87			14200	7958	14200	7958	98	0.96	0.25		
2023.09.03	1537.85	2.32			22158	8974	22158	8974	96	0.98	0.29		
2023.09.04	1540.32	2.47			31132	8950	31132	8950	95	0.91	0.21		
2023.09.05	1542.67	2.35			40082	7950	40082	7950	94	0.98	0.23		
2023.09.06	1545.14	2.47			48032	8952	48032	8952	92	0.96	0.22		
2023.09.07	1547.72	2.58			56984	7980	56984	7980	93	0.97	0.29		
2023.09.08	1550.35	2.63			64964	6580	64964	6580	91	0.92	0.25		
2023.09.09	1552.77	2.42			71544	7860	71544	7860	93	0.93	0.24		
2023.09.10	1555.42	2.65			79404	8570	79404	8570	95	0.98	0.23		
2023.09.11	1558.29	2.87			87974	7950	87974	7950	97	0.94	0.25		
2023.09.12	1560.94	2.65			95924	6850	95924	6850	98	0.91	0.28		
2023.09.13	1563.92	2.98			102774	6870	102774	6870	99	0.92	0.27		
2023.09.14	1566.44	2.52			109644	6790	109644	6790	93	0.98	0.26		
2023.09.15	1569.01	2.57			116434	8957	116434	8957	92	0.97	0.29		
2023.09.16	1571.55	2.54			125391	8628	125391	8628	91	0.96	0.21		
2023.09.17	1574.52	2.97			134019	7685	134019	7685	99	0.94	0.22		
2023.09.18	1576.95	2.43			141704	6530	141704	6530	99	0.97	0.26		
2023.09.19	1579.52	2.57			148234	4950	148234	4950	97	0.91	0.24		
2023.09.20	1582.17	2.65			153184	4532	153184	4532	96	0.97	0.28		
2023.09.21	1584.34	2.17			157716	5980	157716	5980	95	0.98	0.24		
2023.09.22	1586.48	2.14			163696	6258	163696	6258	93	0.94	0.22		
2023.09.23	1589.26	2.78			169954	6850	169954	6850	94	0.93	0.21		
2023.09.24	1592.24	2.98			176804	5864	176804	5864	98	0.96	0.25		
2023.09.25	1595.11	2.87			182668	5103	182668	5103	97	0.92	0.27		
2023.09.26	1597.65	2.54			187771	6754	187771	6754	99	0.99	0.26		
2023.09.27	1600.27	2.62			194525	6540	194525	6540	92	0.94	0.28		
2023.09.28	1602.72	2.45			201065	5540	201065	5540	91	0.85	0.26		
2023.09.29	1605.67	2.95			206605	5320	206605	5320	90	0.97	0.27		
2023.09.30	1607.85	2.18			211925	4350	211925	4350	99	0.84	0.28		





Registered

File No: F(HSW)/Alwar(Alwar)/223(1)/2016-2017/4519-4521

Date:- 05/02/2020

Unit Id : 1297

M/s Sri Dwarika Dheesh Polymers Pvt. Ltd.

F-448-449, MIA Alwar , Tehsil:Alwar

District:Alwar

**Sub:-** Authorization for operating a facility for Disposal, Generation, Storage, Transport of Hazardous Wastes Under Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016.

**Ref:-** Your application dated : 06/06/2019 received on 11/06/2019 and subsequent corresponde

**Sir**

- 1 Number of authorization RPCB/HWM/2019-2020/HSW/HSW/212.
- 2 Application Number : 243976 dated : 06/06/2019 .
- 3 **Director of M/s Sri Dwarika Dheesh Polymers Pvt. Ltd. is hereby granted an authorization based on the enclosed signed inspection report for Disposal, Generation, Storage, Transport of Hazardous waste on the premises situated at F-448-449, MIA Alwar Tehsil: Alwar District: Alwar.**

Details of Authorization

SNo	Type of Hazardous waste	Category		Quantity/ Unit	Hazardous Waste Disposal Practice
		Sch	Code		
1	Chemical sludge from waste water treatment	I	35.3	4.00 TPA	CTDF Udaipur
2	Used or spent oil	I	5.1	300.00 LITER/ANNUM	Sales to Registered Recycler

- 4 The authorization shall be in force for period from **01/11/2019** to **31/10/2024** .

Signature valid

Digitally signed by Niraj Mathur  
Date: 2020.02.05 15:20:10 IST  
Reason: Self Attested  
Location:





**Registered**

**File No:** F(HSW)/Alwar(Alwar)/223(1)/2016-2017/4519-4521

**Date:-** 05/02/2020

**Unit Id :** 1297

The authorization is subject to the following general and specific conditions :

**A. General conditions of Authorization**

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty"
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed

**Signature valid**

Digitally signed by Niraj Mathur  
Date: 2020.02.05 15:20:10 IST  
Reason: Self Attested  
Location:





**Registered**

**File No: F(HSW)/Alwar(Alwar)/223(1)/2016-2017/4519-4521**

**Date:- 05/02/2020**

**Unit Id : 1297**

of as per specific conditions of authorisation.

11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.

12. An application for the renewal of an authorisation shall be made as laid down under these Rules.

13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.

14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.

**B. Specific Conditions**

- 5 **That this authorization shall ceased to be valid & shall be liable to be revoked without any further notice in case of refusal/expiry of consent to operate under the provisions of Water(Prevention and Control of Pollution) Act,1974 and Air(Prevention and Control of Pollution)Act,1981 by the State Board.**
- 6 **That no recycling/re-processing of the hazardous waste covered under schedule IV shall be carried out without prior authorisation from Rajasthan State Pollution Control Board as recycler/ re-processor of hazardous waste under the rule 6 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.**
- 7 **That no hazardous waste shall be utilized for co-processing as a supplementary resource or for energy recovery, or after processing without prior & valid approval of Central Pollution Control Board under the rule 9 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.**
- 8 **That in case of any expansion or change in process or product or change in mode / practice of disposal of hazardous waste or its quantity, industry shall obtain fresh authorization.**
- 9 **That the arrangements for transportation of the hazardous waste for disposal shall be done by the authorized/dedicated vehicles only and any environmental damages during Transportation shall be borne by sender/receiver whoever arrange the transportation.**
- 10 **That unit will submit Emergency Response Plan within one month.**
- 11 **That unit will label the hazardous waste containers in prescribed Form-8 of H&OW (M&TM) Rules, 2016 within one month.**

**Signature valid**

Digitally signed by Niraj Mathur  
Date: 2020.02.05 15:20:10 IST  
Reason: Self Attested  
Location:





**Registered**

**File No: F(HSW)/Alwar(Alwar)/223(1)/2016-2017/4519-4521**

**Date:- 05/02/2020**

**Unit Id : 1297**

- 12 **That unit will conduct environmental monitoring of stack emission, ground water sampling, soil sampling by SPCB or EPA Notified lab in presence of SPCB officials and submit results within three months.**
- 13 The authorization is subject to the conditions stated at Annexure "A" enclosed with the authorization letter and the such conditions as may be specified in the Rules for the time being forced under the Environmental (Protection) Act, 1986.
- 14 The unit has to display and maintain the data online outside the factory main gate in Hindi & English both on a 6'X 4' display board in the manner & format prescribed at Annexure "B" and the report of the Compliance along with photograph shall be submitted to this office & Regional Office, time to time.
- 15 That the annual reports/returns in the form prescribed under the Rules shall be submitted to the Board by 30th June of every year and records of hazardous waste Generation, handling & management shall be maintained according to the provisions of the Hazardous Waste (Management and Transboundary Movement) Rules, 2016 and shown & submitted to the Board as and when asked for.
- 16 The hazardous waste should not be stored for a period beyond 90 days, failing which the authorization shall deemed to be revoked.
- 17 It shall be ensured that the Hazardous waste is handled, managed & disposed of strictly in accordance with the Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016. Non compliance of the Rules or any of the conditions contained in the authorization shall be tantamount to automatic cancellation/revocation of the authorization.
- 18 The operator of the facility shall liable to comply any other conditions as per the guidelines issued by the MoEF or CPCB or State Board related to collection, disposal, reception, storage & treatment of hazardous waste.
- 19 **That Authorization is issued under the provisions of Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016 from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility, to comply with conditions laid down in all other for the time-being in force, rests with the industry/unit/project proponent.**

**Signature valid**

Digitally signed by Niraj Mathur  
Date: 2020.02.05 15:20:10 IST  
Reason: Self Attested  
Location:





**RAJASTHAN STATE POLLUTION CONTROL BOARD**  
**4, Institutional Area, Jhalana Doongari, Jaipur-302 004**  
Phone: 0141-5159600,5159695 Fax: 0141-5159697

**Registered**

**File No: F(HSW)/Alwar(Alwar)/223(1)/2016-2017/4519-4521**

**Date:- 05/02/2020**

**Unit Id : 1297**

20 That this Authorization shall not, in any way, adversely affect or jeopardize the legal proceeding, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Act or the Rules made thereunder.

This bears the approval of the competent authority.

**Yours Sincerely**

**Group Incharge**

**Copy To:-**

- 1 Regional Officer, Regional Office, Rajasthan State Pollution Control Board, Bhiwadi you are requested to ensure the compliance of authorisation conditions under the Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016
- 2 Master File

**Group Incharge**

**Signature valid**

Digitally signed by Niraj Mathur  
Date: 2020.02.05 15:20:10 IST  
Reason: Self Attested  
Location:



क्रमांक:- 313  
दिनांक:- 17.5.

मैसर्स श्री द्वारिकाधीश पोलीमर्स प्रा. लि.,  
भूखण्ड संख्या एफ-448-449,  
मत्स्य औद्योगिक क्षेत्र, अलवर

एवं  
मैसर्स ऐसॅशल ड्रग्स प्रा. लि.,  
भूखण्ड संख्या ए-322,  
मत्स्य औद्योगिक क्षेत्र, अलवर  
(संयुक्त रूप से)

E-Mail:- [ddpolymers@airtelmail.in](mailto:ddpolymers@airtelmail.in),  
[info@essentialdrugs.in](mailto:info@essentialdrugs.in)

विषय:- रीको औद्योगिक क्षेत्र में वृक्षारोपण कार्यक्रम के तहत चिन्हित पार्क को विकास व रखरखाव हेतु गोद देने के क्रम में।

संदर्भ :- आपका पत्र दिनांक 24.02.2023  
महोदय,

उपरोक्त विषयान्तर्गत रीको मुख्यालय द्वारा जारी परिपत्र दिनांक 23.03.2018 व विज्ञप्ति दिनांक 24.02.2023 एवं इकाई कार्यालय द्वारा जारी अभिरूची प्रदर्शन हेतु सूचना दिनांक 24.02.2023 के तहत आपके संदर्भित आवेदन के क्रम में निम्न लिखित शर्तों के अनुसार मत्स्य औद्योगिक क्षेत्र, अलवर में भूखण्ड संख्या एफ-105 के सामने रिक्त पार्क को रख रखाव व विकसित करने हेतु आपको संयुक्त रूप से गोद देने की स्वीकृति प्रदान की जाती है:-

The designated space in the industrial area will be handed over to the agency concerned for maintenance on following broad terms and condition.

- The title of the space i.e. Parks plantation etc. in industrial areas/ housing colony will remain with RIICO.
- The space will be handed over on "as is where is basis" and no pucca construction in the provided space will be allowed. However, construction of RWHS will be allowed in consultation with the unit head concerned.
- In case space earmarked for Garden/Park is handed over without any development to the agency, then the agency will be allowed to develop the said space with prior approval of the development plan from the concerned unit office.
- All expenditure towards maintenance including water & power and for any new plantation/ greenery in the provided space shall be borne by the agency concerned and RIICO shall not bear any cost on this account.
- The agency shall be allowed to fix 4 nos of boards of maximum size 0.60 Mtr x 1.2 Mtr) in Circle/ Rotary and 2 nos of boards in Parks plantation for displaying the name of the agency/ its logo and with the statement that the maintenance is being carried out by it. The height of the board will not be more than 3 ft from the ground level.

- f) In case of maintenance of roadside plantation, it will be responsibility of the agency to safeguard the plants by providing tree guards and Corporation will not provide any tree guards to the agency. The agency will be allowed to put a plate of maximum size 1 ft x 1 ft on each tree guards for displaying the name of agency.
- g) The maintenance of the provided space/ roadside plantation will be carried out by the agency in consultation with concerned unit head, RIICO.
- h) The provided space shall not be used for commercial purpose or for any other purpose and shall be used for the public interest only.
- i) The agency shall not have any right or ownership over trees/ plants or any of its produce.
- j) The agency will be responsible for regular maintenance of electrical appliances i.e. fountain, lights etc. fixed in the space.
- k) The agency will not be allowed to hand over any part premises to any other agency without permission Corporation.
- l) The space will be handed over to the agency initially for a period of 3 years and may be extended with mutual consent of both the parties (i.e. RIICO and the concerned agency) keeping in view the progress of maintenance and observance of terms and conditions by the agency.
- m) The Corporation will have right to withdraw the permission at any point of time without assigning any reason with one month's notice period.

सधन्यवाद ।

भवदीय

(परेश सक्सेना)

इकाई प्रभारी

रीको, अलवर ।

गोद लेने वाले के हस्ताक्षर

नाम सोमवट दिवारी

पता A-322 रम. 3/15. र.

अलवर

ई-मेल info@essentialchrysa.in

दूरभाष/मोबाईल 9694229696

प्रतिलिपि:-

1. श्रीमान जिला कलक्टर, अलवर को सूचनार्थ ।
2. जिला उप वन संरक्षक, वन मण्डल कार्यालय नयाबास अलवर को सूचनार्थ ।
3. महाप्रबंधक(सिविल), रीको लि0, उद्योग भवन, तिलक मार्ग, जयपुर को उनके द्वारा जारी पत्र IPI/Tech/262 दिनांक 24.06.2021 के क्रम में सूचनार्थ ।
4. महाप्रबंधक, जिला उद्योग केन्द्र, अलवर को सूचनार्थ ।

इकाई प्रभारी

of the agency to  
provide any tree  
in size / A

AABCR  
32663

RIICO

**Rajasthan State Industrial Development  
& Investment Corporation Limited.**  
(A Rajasthan Government Undertaking )  
DIC, MOTI DOONGRI ROAD ALWAR - 301001  
Phone No : 0144 - 2700513 Fax 0144-2332663

No:- 3932  
Date:- 8-11-07

M/S Sri Dwarikadheesh Polymers Pvt. Ltd.  
F-448-449 MIA, Alwar

Sub:- Development & Maintenance of Park at open land add joining plot no F-447 at  
MIA, Alwar.

Ref:- Your letter no nil dated 13.07.07


D/Sir,

With reference to above cited subject and your letter dated 13.07.07 the  
Management of corporation is pleased to convey approval for Development &  
Maintenance of the park at the open land add joining plot no- F-447 (A) at MIA,  
Alwar with following terms & conditions:-

1. The period for maintenance of park will be three years which may be extended Keeping in view the progress of maintenance and observance of terms & conditions.
2. The title of the provided space will remain with RIICO.
3. No pucca construction in the provided space will be allowed.
4. Maintenance along with plantation of trees / plants in the provided space will be carried out by you with consultation with RIICO unit head Alwar.
5. All cost of maintenance and any new plantation shall be borne by you & RIICO shall not bear any cost.
6. The park shall not be used for commercial purposes and it shall be used by the public or in the interest of public.
7. You shall not have any right or ownership over tree/ plant or any its produce.
8. The Corporation will have right to withdraw the permission without assigning any reason and without prior intimation.
9. The construction of Boundary wall with gate, electric connection, water Supply connection for park will be provided the RIICO Ltd. The Maintenance charges of boundary wall & running expenses of electric & water consumed will be born by you.

Thanking You,

Yours Faithfully,

  
Regional Manager  
RIICO Ltd, Alwar

— INDOOR PLANTS —

## LIST OF PLANTS

01 INDIA PALM	15
02 MAYUR PANKH	15
03 CROTAN MIX	11
04 GUDHAL	15
05 SIVETA	06
06 FISH LEAF	04
07 RED FRONG	08
08 BLUE KEKTUS	08
09 CROTEN GREEN	15
10 MOGRA WHITE	10
11 RAT KI RANI	10
12 KANER YELLOW	10
13 KANER RED	10



*[Handwritten signature]*

shall be erected.

Table 39. Existing tree Species at the RIICO Park Adopted by Company.

No	Common Name	Botanical name	Family	No. of trees
1	Banyan tree	<i>Ficus benghalensis</i>	Moraceae	13
2	Pongamia tree	<i>Millettia pinnata</i>	Fabaceae	56
3	Neem tree	<i>Azadirachta indica</i>	Meliaceae	26
4	Siris tree	<i>Albizia lebbek</i>	Fabaceae	16
5	Sacred fig (Peepal tree)	<i>Ficus religiosa</i>	Moraceae	34
6	Indian rosewood (Shisham tree)	<i>Dalbergia sissoo</i>	Fabaceae	5
7	Hibiscus	<i>Hibiscus rosa-sinensis</i>	Malvaceae	4
8	White mulberry	<i>Morus alba</i>	Moraceae	4
9	Cluster fig tree	<i>Ficus racemosa</i>	Moraceae	2
10	Pomegranate tree	<i>Punica granatum</i>	Lythraceae	3
11	Jamun tree	<i>Syzygium cumini</i>	Myrtaceae	3
12	Indian cork tree	<i>Millingtonia hortensis</i>	Bignoniaceae	1
13	Babul tree	<i>Acacia nilotica</i>	Fabaceae	2
Total				169

PE2020064

Environment Consultant- M/s Perfect Enviro Solutions Pvt. Ltd.



A handwritten signature in blue ink, appearing to be "M. M. M." or similar, written below the stamp.

**FORM - X**  
**RAJASTHAN STATE POLLUTION CONTROL BOARD**  
**REPORT OF THE STATE BOARD ANALYST**  
**(See Rule - 10)**  
**Final Report**

Report No. : **2951**

Report On : **15/12/2023**


I hereby certify that I Mr Rohit Meena, State Board Analyst duly appointed under sub Section(2) of Section 29 of the Air (Prevention & Control of Pollution) Act, 1981 received on the 14/12/2023 from Mr Anil Bairwa, JSO, Alwar ,RSPCB Alwar a sample of Source Emission (Stack) of M/S Sri Dwarika Dheesh Polymers Pvt. Ltd. , Plant - No Plant [1297] ,F-448-449, MIA Alwar , Tehsil- Alwar , District- Alwar Collected from Stack monitoring of stack attached to briquette fired boiler of capacity 02 TPH attached with cyclone water scrubber and bag filter as a PCM Collected on 14/12/2023. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 15/12/2023 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	Particulate Matter mg/Nm <sup>3</sup>	61

The condition of the seals, fastening and container on receipt was as follows : **Intact**

Signed This On **15/12/2023**

  
**BOARD ANALYST**

Rajasthan State Pollution Control Board  
Regional Office Alwar  
D-Block, Ambedkar Nagar, Alwar-301001  
Phone: 0144-2372996  
Fax: 0144-2372996

**FORM - X**  
**RAJASTHAN STATE POLLUTION CONTROL BOARD**  
**REPORT OF THE STATE BOARD ANALYST**  
**(See Rule - 10)**  
**Final Report**

Report No. : 2949

Report On : 15/12/2023

I hereby certify that I Mr Rohit Meena, State Board Analyst duly appointed under sub Section(2) of Section 29 of the Air (Prevention & Control of Pollution) Act, 1981 received on the 14/12/2023 from Mr Anil Bairwa, JSO, Alwar ,RSPCB Alwar a sample of Ambient Air Quality of M/S Sri Dwarika Dheesh Polymers Pvt. Ltd. , Plant - No Plant [1297] ,F-448-449, MIA Alwar , Tehsil- Alwar , District- Alwar Collected from Fugitive emission monitoring 08 meter away from the source (Pulverizer No-01) Collected on 14/12/2023. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 15/12/2023 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	Suspended Particulate Matter $\mu\text{g}/\text{m}^3$	375

The condition of the seals, fastening and container on receipt was as follows : **Intact**

Signed This On 15/12/2023

  
**BOARD ANALYST**

Rajasthan State Pollution Control Board

Regional Office Alwar

D-Block, Ambedkar Nagar, Alwar-301001

Phone: 0144-2372996

Fax: 0144-2372996

**FORM - X**  
**RAJASTHAN STATE POLLUTION CONTROL BOARD**  
**REPORT OF THE STATE BOARD ANALYST**  
**(See Rule - 10)**  
**Final Report**

Report No. : 2950

Report On : 15/12/2023

I hereby certify that I Mr Rohit Meena, State Board Analyst duly appointed under sub Section(2) of Section 29 of the Air (Prevention & Control of Pollution) Act, 1981 received on the 14/12/2023 from Mr Anil Bairwa, JSO, Alwar ,RSPCB Alwar a sample of Ambient Air Quality of M/S Sri Dwarika Dheesh Polymers Pvt. Ltd. , Plant - No Plant [1297] ,F-448-449, MIA Alwar , Tehsil- Alwar , District- Alwar Collected from Fugitive emission monitoring 08 meter away from the source (Near raw material storage area) Pulverizer No-02 Collected on 14/12/2023. The Sample was in a condition fit for analysis as reported below :-

I further certify that I have analyzed the aforementioned sample on 15/12/2023 and declare the result of the analysis to be as below :-

S. No.	Parameters	Result
1	Suspended Particulate Matter $\mu\text{g}/\text{m}^3$	473

The condition of the seals, fastening and container on receipt was as follows : **Intact**

Signed This On 15/12/2023

  
**BOARD ANALYST**

Rajasthan State Pollution Control Board  
Regional Office Alwar  
D-Block, Ambedkar Nagar, Alwar-301001  
Phone: 0144-2372996  
Fax: 0144-2372996

श्रीमान,  
क्षेत्रीय कार्यालय,  
राजस्थान प्रदूषण नियंत्रण मंडल  
'डी' ब्लॉक अम्बेडकर नगर  
अलवर।

दिनांक 09.12.2023

विषय : शिकायत को वापिस लेने के क्रम में । 168/2023 (C2)

महोदय,


आपसे निवेदन है कि दिनांक 16.10.2023 को मेरे द्वारा प्रदूषण फैलाने सम्बन्धी एक शिकायत द्वारिकाधीश कम्पनी एम आई ए अलवर के विरुद्ध की गई थी जिसे मैंने रद्द कर दिया है और उक्त कम्पनी पर किसी भी तरह की कार्यवाही नहीं करने के लिये शिकायत को वापिस लेते हुये नोटरिफाईड शपथ-पत्र प्रस्तुत कर रहा हूँ।

अतः मेरे निवेदन को स्वीकार कर मेरे शपथ पत्र को पत्रावली में दर्ज कर मेरी शिकायत को रद्द करने की कृपा करें।

धन्यवाद,

  
हस्ताक्षरकर्ता  
वीरू कुमार पुत्र शिवपूजन  
ग्राम देसूला  
अलवर.

AEE  
urgent  
09  
12/12/23



शपथ-पत्र

मैं बीरू कुमार पुत्र श्री शिव पूजन निवासी गांव देसूला अलवर शपथपूर्वक बयान करता हूँ दिनांक 16.10.2023 को मेरे द्वारा राष्ट्रिय हरित प्राधिकरण सेंटल जोन बेंच भोपाल को एक उत्पादन ईकाई जिसका नाम द्वारिकाधीश कम्पनी है उसकी काली धुआँ छोडकर प्रदूषण फैलाने और जिसके कारण लोगो में कई तरह की बीमारी फैलने सम्बंधित एक लिखित शिकायत की थी। लेकिन बाद में मैने ये पाया कि मेरे द्वारा जो शिकायत की गई है वो गलत है क्योंकि मै आज ही एम आई ए स्थित उक्त कम्पनी में गया था तथा मैने अपना परिचय मृदुल पत्रिका के पत्रकार के रूप में दिया, फिर मुझे कम्पनी के तकनीकी निदेशक श्री बी.एस. तेवतिया जी से मिलवाया गया तो उन्होने मुझे सम्पूर्ण फैक्ट्री का अवलोकन करवाया और वहाँ मैने पाया कि बायलर की की चिमनी से कोई काला धुआँ आदि नही निकल रहा है और मुझे सब कुछ ठीक ठाक नजर आया।

अतः मैं उस शिकायत को वापिस ले रहा हूँ क्योंकि ये शिकायत मैने किसी के कहने से अनभिज्ञता के कारण की थी लिहाजा मेरी अपनी शिकायत को रद्द किया जावे अर्थात मैं अपनी बिना किसी दबाव के अपने होशो हवास में शिकायत को वापिस लेता हूँ। इस शिकायत के कारण एन.जी.टी. और अन्य विभाग को जो भी परेशानी हुई है उसके लिये मैं क्षमा प्रार्थी हूँ।

*[Signature]*  
शपथग्रहिता

मैं, उपरोक्त शपथग्रहिता सशपथ सत्यापित करता हूँ कि शपथ पत्र में अंकित सभी बातें मेरे निजी ज्ञान व विश्वास के अनुसार सत्य व सही है इसमे किसी भी तथ्य को नही छिपाया गया है। ईश्वर मेरा साक्षी है।

*[Signature]*  
सत्यापितकर्ता

IDENTIFIED BY  
*[Handwritten signatures and dates]*

ATTESTED  
*[Signature]*  
NOTARY, ALWAR (RAJ.)


09 DEC 2023



भारत सरकार  
Government of India



बीरु कुमार  
Beenu Kumar  
जन्म तिथि/DOB: 03/07/1987  
पुलक/MALE



8573 3144 7730

VID : 9159 5010 9416 5972

मेरा आधार मेरी पहचान




भारतीय विशिष्ट पहचान प्राधिकरण  
Unique Identification Authority of India



पता:  
S/O: शिव पूजन, देसूला, अलवर,  
राजस्थान - 301030

Address:  
S/O: Shiv Pujan, Desoola, Alwar,  
Rajasthan - 301030



8573 3144 7730

VID : 9159 5010 9416 5972

1847



help@uidai.gov.in



www.uidai.gov.in

श्रीमान,  
क्षेत्रीय कार्यालय,  
राजस्थान प्रदूषण नियंत्रण मंडल  
'डी' ब्लॉक अम्बेडकर नगर  
अलवर।

दिनांक 09.12.2023

विषय : शिकायत को वापिस लेने के क्रम में । 168/2023 (C2)

महोदय,


आपसे निवेदन है कि दिनांक 16.10.2023 को मेरे द्वारा प्रदूषण फैलाने सम्बन्धी एक शिकायत द्वारिकाधीश कम्पनी एम आई ए अलवर के विरुद्ध की गई थी जिसे मैंने रद्द कर दिया है और उक्त कम्पनी पर किसी भी तरह की कार्यवाही नहीं करने के लिये शिकायत को वापिस लेते हुये नोटरिफाईड शपथ-पत्र प्रस्तुत कर रहा हूँ।

अतः मेरे निवेदन को स्वीकार कर मेरे शपथ पत्र को पत्रावली में दर्ज कर मेरी शिकायत को रद्द करने की कृपा करें।

धन्यवाद,

  
हस्ताक्षरकर्ता  
वीरू कुमार पुत्र शिवपूजन  
ग्राम देसूला  
अलवर.

AEE  
urgent  
09  
12/12/23



शपथ-पत्र

मैं बीरू कुमार पुत्र श्री शिव पूजन निवासी गांव देसूला अलवर शपथपूर्वक बयान करता हूँ दिनांक 16.10.2023 को मेरे द्वारा राष्ट्रिय हरित प्राधिकरण सेंटल जोन बेंच भोपाल को एक उत्पादन ईकाई जिसका नाम द्वारिकाधीश कम्पनी है उसकी काली धुओं छोडकर प्रदूषण फैलाने और जिसके कारण लोगो में कई तरह की बीमारी फैलने सम्बंधित एक लिखित शिकायत की थी। लेकिन बाद में मैने ये पाया कि मेरे द्वारा जो शिकायत की गई है वो गलत है क्योंकि मै आज ही एम आई ए स्थित उक्त कम्पनी में गया था तथा मैने अपना परिचय मृदुल पत्रिका के पत्रकार के रूप में दिया, फिर मुझे कम्पनी के तकनीकी निदेशक श्री बी.एस. तेवतिया जी से मिलवाया गया तो उन्होने मुझे सम्पूर्ण फैक्ट्री का अवलोकन करवाया और वहाँ मैने पाया कि बायलर की की चिमनी से कोई काला धुआं आदि नही निकल रहा है और मुझे सब कुछ ठीक ठाक नजर आया।

अतः मैं उस शिकायत को वापिस ले रहा हूँ क्योंकि ये शिकायत मैने किसी के कहने से अनभिज्ञता के कारण की थी लिहाजा मेरी अपनी शिकायत को रद्द किया जावे अर्थात मैं अपनी बिना किसी दबाव के अपने होशो हवास में शिकायत को वापिस लेता हूँ। इस शिकायत के कारण एन.जी.टी. और अन्य विभाग को जो भी परेशानी हुई है उसके लिये मैं क्षमा प्रार्थी हूँ।

*Reg*  
शपथग्रहिता

मैं, उपरोक्त शपथग्रहिता सशपथ सत्यापित करता हूँ कि शपथ पत्र में अंकित सभी बातें मेरे निजी ज्ञान व विश्वास के अनुसार सत्य व सही है इसमे किसी भी तथ्य को नही छिपाया गया है। ईश्वर मेरा साक्षी है।

*Reg*  
सत्यापितकर्ता

IDENTIFIED BY  
*Handwritten signatures and dates*

ATTESTED  
NOTARY, ALWAR (RAJ.)


09 DEC 2023



भारत सरकार  
Government of India



बीरु कुमार  
Beenu Kumar  
जन्म तिथि/DOB: 03/07/1987  
पुलक/MALE



8573 3144 7730

VID : 9159 5010 9416 5972

मेरा आधार मेरी पहचान




भारतीय विशिष्ट पहचान प्राधिकरण  
Unique Identification Authority of India




पता:  
S/O: शिव पूजन, देसूला, अलवर,  
राजस्थान - 301030

Address:  
S/O: Shiv Pujan, Desoola, Alwar,  
Rajasthan - 301030



8573 3144 7730

VID : 9159 5010 9416 5972



1247



help@uidai.gov.in



www.uidai.gov.in

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date- -----

### 1. General Information

Name Of The Employee	Radhy shyam S/o	Date Of Joining	
Age	45	Working Place	ALCON
Designation		Blood Group	
Temperature	SpO2		

### 2. General Examination

Height	5'6"	Weight	63 kgs	Built	Good	Appearance	NOS
Skin Allergy	NO						

### Cardiovascular System Examination

B.P 130/90 m.m. of Hg Heart Sounds NOS

### Ophthalmic examination

Vision - R eye 6/6D L eye 6/6D Color vision H

### Audiometr examination

Hearing is normal/ Hearing loss is present NOS.

\*I hereby certify that I have examined Mr. Radhy shyam

Today and have not found any evidence of being affected from occupational hazardous/no contanegius diease.

\*Strike the non applicable

20  
Medical Officer  
Dr. P. S  
B. Sc., M.E.D.S.  
RMC Reg. No.-8866  
Date 30-3-23

# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 11  
 Name: MR. RADHY HYAM  
 Patient Type:  
 Test Time: 2023-03-13  
 Sender Anjali Medical

Age: 45Year  
 Sex: Male  
 Department:  
 Print Time: 2023-03-13

Item	Result	Unit	Range	Hit
WBC (WBC)	7.60	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	44.60	%	20.00~40.00	H
MID% (MID%)	16.10	%	3.00~10.00	H
GRAN% (GRAN%)	39.30	%	40.00~70.00	L
LYM# (LYM#)	3.300	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	1.200	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	3.100	10 <sup>9</sup> /L	2.000~7.000	
RBC (RBC)	4.64	10 <sup>12</sup> /L	3.50~5.50	
HGB (HGB)	13.6	g/dL	12.0~16.0	
HCT (HCT)	38.9	%	37.0~54.0	
MCV (MCV)	84.0	fL	80.0~100.0	
MCH (MCH)	29.3	pg	27.0~32.0	
MCHC (MCHC)	35	g/dL	32~35	
RDW_SD (RDW_SD)	34.2	fL	37.0~54.0	L
RDW_CV (RDW_CV)	18.0	%	11.5~14.5	H
PLT (PLT)	264	10 <sup>9</sup> /L	150~450	
MPV (MPV)	4.6	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.12	%	0.10~0.28	
P_LCR (P_LCR)	3.90	%	13.00~43.00	L



Operator administrator

Auditor

This result is valid only for current sample

**Note: This report not Valid for Medical Legal Purpose**

# MEDICAL HEALTH CERTIFICATE

Replacement/Periodical Examination

Date: \_\_\_\_\_

## 1. General Information

Name Of The Employee	Braj Pal	S/o
Age	54	Date Of Joining
Designation		Working Place ALAOR
Temperature	SpO2	Blood Group

## 2. General Examination

Height	5'4"	Weight	51 kg	Built	GOOD	Appearance	NBS
Skin Allergy	NO						

## Cardiovascular System Examination

B.P 120/80 m.m. of Hg

Heart Sounds NBS

## Ophthalmic examination

Vision - R eye

6/6 D

L eye

6/6 D

Color vision

NE

## Audiometr examination

Hearing is normal/ Hearing loss is present

NBS

\*I hereby certify that I have examined Mr. Braj pal.

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

Dr. P. S. <sup>Sh</sup>  
Medical Officer  
B. Sc., M.E.B.S.  
RMC Reg. No. 8866

\*Strike the non applicable

Date 30.12.23

# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 02  
 Name: MR.BRIJLAL  
 Patient Type  
 Test Time: 2023-03-13  
 Sender Anjali Medical

Age: 54Year  
 Sex: Male  
 Department  
 Print Time: 2023-03-13

Item	Result	Unit	Range	Hit
WBC (WBC)	6.20	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	47.60	%	20.00~40.00	H
MID% (MID%)	25.60	%	3.00~10.00	H
GRAN% (GRAN%)	26.80	%	40.00~70.00	L
LYM# (LYM#)	2.900	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	1.500	10 <sup>9</sup> /L	0.120~1.200	H
GRAN# (GRAN#)	1.800	10 <sup>9</sup> /L	2.000~7.000	L
RBC (RBC)	4.62	10 <sup>12</sup> /L	3.50~5.50	
HGB (HGB)	15.6	g/dL	12.0~16.0	
HCT (HCT)	44.0	%	37.0~54.0	
MCV (MCV)	95.4	fL	80.0~100.0	
MCH (MCH)	33.7	pg	27.0~32.0	H
MCHC (MCHC)	35	g/dL	32~35	H
RDW_SD (RDW_SD)	37.6	fL	37.0~54.0	
RDW_CV (RDW_CV)	16.6	%	11.5~14.5	H
PLT (PLT)	100	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	6.1	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.06	%	0.10~0.28	L
P_LCR (P_LCR)	14.00	%	13.00~43.00	



Operator administrator

Auditor

\* This result is valid only for current sample  
 Note: This report not Valid for Medical legal Purpose

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date: -----

### 1. General Information

Name Of The Employee	RAMSAHAY	S/o
Age	56	Date Of Joining
Designation		Working Place
Temperature	SpO2	Blood Group

### 2. General Examination

Height	5' 2"	Weight	60 kg	Built	good	Appearance
Skin Allergy	NO					

### Cardiovascular System Examination

B.P. 122/84 m.m. of Hg Heart Sounds *clear*

### Ophthalmic examination

Vision - Reye 6/6 D Leye 6/6 D Color vision *NR*

### Audiometr examination

Hearing is normal/ Hearing loss is present *NR*

\*I hereby certify that I have examined Mr. Ram Sahay

Today and have not found any evidence of being affected from occupational hazardous/no contagious disease.

\*Strike the non applicable

*Dr. P. S. Azad*  
Medical Officer  
Dr. P. S. Azad  
B. Sc., M.B.B.S.  
RMC Reg. No. - 8866  
Date

# ANJALI DIAGNOSTICS CENTRE


Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000002  
 Name: MR. RAMSAHAY  
 Patient Type:  
 Test Time: 2023-03-29  
 Sender: Anjali Medical

Age: 56Year  
 Sex: Male  
 Department: ANJALI MEDICAL  
 Print Time: 2023-03-29

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	5.00	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	32.90	%	20.00~40.00	
MID% (MID%)	6.80	%	3.00~10.00	
GRAN% (GRAN%)	60.30	%	40.00~70.00	
LYM# (LYM#)	1.600	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.300	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	3.100	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.48	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	13.8	g/dL	12.0~16.0	
HCT (HCT)	41.9	%	37.0~54.0	
MCV (MCV)	93.7	fL	80.0~100.0	
MCH (MCH)	30.8	pg	27.0~32.0	
MCHC (MCHC)	33	g/dL	32~35	
RDW_SD (RDW_SD)	49.2	fL	37.0~54.0	
RDW_CV (RDW_CV)	13.9	%	11.5~14.5	
<b>PLT (PLT)</b>	120	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	9.5	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.11	%	0.10~0.28	
P_LCR (P_LCR)	39.30	%	13.00~43.00	



Operator: administrator

Auditor:

\*This result is valid only for current sample\*

Note: This report not Valid for Medico Legal Purpose

# MEDICAL HEALTH CERTIFICATE

Replacement/Periodical Examination

Date- -----

## 1. General Information

Name Of The Employee	LOVE KUSH	S/o
Age	42	Date Of Joining
Designation		Working Place
Temperature	SpO2	Blood Group

## 2. General Examination

Height	5'5"	Weight	61 kg	Built	Appearance
Skin Allergy					

## Cardiovascular System Examination

B.P 120/80 m.m. of Hg Heart Sounds

## Ophthalmic examination

Vision - R eye 6/6 D L eye 6/6 D Color vision No

## Audiometr examination

Hearing is normal/ Hearing loss is present No

\*I hereby certify that I have examined Mr. LOVE KUSH

Today and have not found any evidence of being affected from occupational hazardous/no contagious disease.

\*Strike the non applicable

Medical Officer  
*Dr. P. S. Azad*  
Dr. P. S. Azad  
B. Sc., M.B.B.S.  
RMC Reg. No.-8866  
Date \_\_\_\_\_

# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 01  
 Name: MR. LOVE KUSH  
 Patient Type:  
 Test Time: 2023-03-29  
 Sender: Anjali Medical

Age: 42Year  
 Sex: Male  
 Department: ANJALI MEDICAL  
 Print Time: 2023-03-29

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	4.80	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	32.30	%	20.00~40.00	
MID% (MID%)	12.00	%	3.00~10.00	H
GRAN% (GRAN%)	55.70	%	40.00~70.00	
LYM# (LYM#)	1.500	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.500	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	2.800	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	5.49	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	15.1	g/dL	12.0~16.0	
HCT (HCT)	46.8	%	37.0~54.0	
MCV (MCV)	85.3	fL	80.0~100.0	
MCH (MCH)	27.5	pg	27.0~32.0	
MCHC (MCHC)	32	g/dL	32~35	
RDW_SD (RDW_SD)	43.6	fL	37.0~54.0	
RDW_CV (RDW_CV)	13.3	%	11.5~14.5	
<b>PLT (PLT)</b>	132	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	9.8	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.12	%	0.10~0.28	
P_LCR (P_LCR)	42.50	%	13.00~43.00	



Operator: administrator

Auditor:

\*This result is valid only for current sample\*

Note: This report not Valid for Medical Legal Purpose

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date: .....

### 1. General Information

Name Of The Employee	Bal Chand	S/o
Age	52	Date Of Joining
Designation		Working Place Alwar
Temperature	SpO2	Blood Group

### 2. General Examination

Height	5'6"	Weight	70 kgs	Built	Good	Appearance	NOS
Skin Allergy	NO.						

### Cardiovascular System Examination

B.P 130/90 m.m. of Hg Heart Sounds NOS

### Ophthalmic examination

Vision - R eye 6/60 L eye 6/60 Color vision Normal

### Audiometr examination

Hearing is normal/ ~~Hearing loss is present~~ NOS

\*I hereby certify that I have examined Mr. Bal Chand

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

  
Medical Officer

\*Strike the non applicable

Dr. P. S. Azad  
B. Sc. B.S.  
RMC Reg. No.-8866

# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 05  
 Name: MR. BAL CHAND PRASAD  
 Patient Type:  
 Test Time: 2023-03-13  
 Sender Anjali Medical

Age: 52Year  
 Sex: Male  
 Department:  
 Print Time: 2023-03-13

Item	Result	Unit	Range	Hit
WBC (WBC)	5.40	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	53.10	%	20.00~40.00	H
MID% (MID%)	13.10	%	3.00~10.00	H
GRAN% (GRAN%)	33.80	%	40.00~70.00	L
LYM# (LYM#)	2.800	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.700	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	1.900	10 <sup>9</sup> /L	2.000~7.000	L
RBC (RBC)	4.58	10 <sup>12</sup> /L	3.50~5.50	
HGB (HGB)	14.0	g/dL	12.0~16.0	
HCT (HCT)	38.9	%	37.0~54.0	
MCV (MCV)	85.0	fL	80.0~100.0	
MCH (MCH)	30.5	pg	27.0~32.0	
MCHC (MCHC)	36	g/dL	32~35	H
RDW_SD (RDW_SD)	32.5	fL	37.0~54.0	L
RDW_CV (RDW_CV)	16.3	%	11.5~14.5	H
PLT (PLT)	127	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	7.0	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.08	%	0.10~0.28	L
P_LCR (P_LCR)	18.80	%	13.00~43.00	



Operator administrator

Auditor:

This result is valid only for current sample

**Note: This report not Valid for Medico Legal Purpose**

# MEDICAL HEALTH CERTIFICATE

Replacement/Periodical Examination

Date- .....

## 1. General Information

Name Of The Employee	Deepak Madam/s/o	
Age	41	Date Of Joining
Designation		Working Place Alwar
Temperature	SpO2	Blood Group

## 2. General Examination

Height	5'10"	Weight	67 kgr	Built	Good	Appearance	NOS
Skin Allergy	NO						

## Cardiovascular System Examination

B.P 120/80 m.m. of Hg

Heart Sounds NOS

## Ophthalmic examination

Vision - R eye 6/60 L eye 6/60 Color vision No

## Audiometr examination

Hearing is normal/ ~~Hearing loss is present~~ NOS

\*I hereby certify that I have examined Mr. Deepak Madam

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

  
Medical Officer

\*Strike the non applicable

Dr. P. S. Azad  
B.Sc., M.B.B.S.  
RMC Reg. No.-8866

# ANJALI DIAGNOSTICS CENTRE


Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 01  
 Name: MR DEEPAK MADDAN  
 Patient Type:  
 Test Time: 2023-03-13  
 Sender Anjali Medical

Age 41Year  
 Sex: Male  
 Department: ANJALI MEDICAL  
 Print Time: 2023-03-13

Item	Result	Unit	Range	Hit
WBC (WBC)	10.30	10 <sup>9</sup> /L	4.00~11.00	H
LYM% (LYM%)	43.40	%	20.00~40.00	H
MID% (MID%)	18.80	%	3.00~10.00	L
GRAN% (GRAN%)	37.80	%	40.00~70.00	H
LYM# (LYM#)	4.400	10 <sup>9</sup> /L	0.800~4.000	H
MID# (MID#)	1.900	10 <sup>9</sup> /L	0.120~1.200	H
GRAN# (GRAN#)	4.000	10 <sup>9</sup> /L	2.000~7.000	H
RBC (RBC)	4.85	10 <sup>12</sup> /L	3.50~5.50	H
HGB (HGB)	16.1	g/dL	12.0~16.0	H
HCT (HCT)	43.9	%	37.0~54.0	H
MCV (MCV)	90.7	fL	80.0~100.0	H
MCH (MCH)	33.1	pg	27.0~32.0	H
MCHC (MCHC)	37	g/dL	32~35	H
RDW_SD (RDW_SD)	34.8	fL	37.0~54.0	L
RDW_CV (RDW_CV)	15.2	%	11.5~14.5	H
PLT (PLT)	241	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	5.0	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.12	%	0.10~0.28	L
P_LCR (P_LCR)	5.60	%	13.00~43.00	L



Operator administrator

Auditor

\* This result is valid only for current sample  
 Note: This report not Valid for Medical Legal Purpose

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date -----

### 1. General Information

Name Of The Employee	SUNIL KUMAR S/o	Date Of Joining	
Age	44	Working Place	
Designation		Blood Group	
Temperature	SpO2		

### 2. General Examination

Height	5' 3"	Weight	64 kg	Built		Appearance	
Skin Allergy							

### Cardiovascular System Examination

B.P 122/82 m.m. of Hg Heart Sounds *HL*

### Ophthalmic examination

Vision - R eye *6/6 D* L eye *6/6 D* Color vision *HL*

### Audiometr examination

Hearing is normal/ Hearing loss is present *HL*

\*I hereby certify that I have examined Mr. Sunil Kumar.

Today and have not found any evidence of being affected from occupational hazardous/no contagious disease.

\*Strike the non applicable

*Dr. P. S. Azad*  
Medical Officer  
Dr. P. S. Azad  
B. Sc., M.B.B.S.  
RMC Reg. No. 8866

# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000003  
 Name: MR. SUNIL KUMAR  
 Patient Type:  
 Test Time: 2023-03-29  
 Sender: Anjali Medical

Age: 44Year  
 Sex: Male  
 Department: ANJALI MEDICAL  
 Print Time: 2023-03-29

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	10.10	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	18.70	%	20.00~40.00	L
MID% (MID%)	6.60	%	3.00~10.00	
GRAN% (GRAN%)	74.70	%	40.00~70.00	H
LYM# (LYM#)	1.800	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.600	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	7.700	10 <sup>9</sup> /L	2.000~7.000	H
<b>RBC (RBC)</b>	4.13	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	12.5	g/dL	12.0~16.0	
HCT (HCT)	39.5	%	37.0~54.0	
MCV (MCV)	95.8	fL	80.0~100.0	
MCH (MCH)	30.2	pg	27.0~32.0	
MCHC (MCHC)	32	g/dL	32~35	L
RDW_SD (RDW_SD)	47.5	fL	37.0~54.0	
RDW_CV (RDW_CV)	14.5	%	11.5~14.5	
<b>PLT (PLT)</b>	234	10 <sup>9</sup> /L	150~450	
MPV (MPV)	9.0	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.21	%	0.10~0.28	
P_LCR (P_LCR)	34.40	%	13.00~43.00	



Operator: administrator

Auditor:

\*This result is valid only for current sample\*

Note: This report is not valid for Medical/Legal Purpose

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date- -----

### 1. General Information

Name Of The Employee	Ram Narayan S/o	Date Of Joining	
Age	54	Working Place	ALWAR
Designation		Temperature	SpO2
Temperature		Blood Group	

### 2. General Examination

Height	5'6"	Weight	62 kg	Built	Good	Appearance	NOS
Skin Allergy	NO						

### Cardiovascular System Examination

B.P 130/90 m.m. of Hg

Heart Sounds NOS

### Ophthalmic examination

Vision - R eye 6/60 L eye 6/60 Color vision OK

### Audiometr examination

Hearing is normal/ ~~Hearing loss is present~~ NOS

\*I hereby certify that I have examined Mr. Ram Narayan

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

\*Strike the non applicable

  
Medical Officer  
**Dr. P. S. Azad**  
B. Sc., M.B.B.S.  
RMC Reg. No.-8866  
Date \_\_\_\_\_

# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 02  
 Name: MR RAM NARYAN  
 Patient Type:  
 Test Time: 2023-03-15  
 Sender: Anjali Medical

Age: 54Year  
 Sex: Male  
 Department: ANJALI MEDICAL  
 Print Time: 2023-03-15

Item	Result	Unit	Range	Hit
WBC (WBC)	6.90	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	25.60	%	20.00~40.00	
MID% (MID%)	16.20	%	3.00~10.00	H
GRAN% (GRAN%)	58.20	%	40.00~70.00	
LYM# (LYM#)	1.700	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	1.100	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	4.100	10 <sup>9</sup> /L	2.000~7.000	
RBC (RBC)	4.89	10 <sup>12</sup> /L	3.50~5.50	
HGB (HGB)	14.3	g/dL	12.0~16.0	
HCT (HCT)	39.4	%	37.0~54.0	
MCV (MCV)	80.7	fL	80.0~100.0	
MCH (MCH)	29.2	pg	27.0~32.0	
MCHC (MCHC)	36	g/dL	32~35	H
RDW_SD (RDW_SD)	30.4	fL	37.0~54.0	L
RDW_CV (RDW_CV)	15.5	%	11.5~14.5	H
PLT (PLT)	136	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	6.0	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.08	%	0.10~0.28	L
P_LCR (P_LCR)	10.00	%	13.00~43.00	L



Operator administrator

Auditor

This result is valid only for current sample.  
**Note: This report not Valid for Medical Legal Purpose**

# MEDICAL HEALTH CERTIFICATE

Replacement/Periodical Examination

Date: -----

## 1. General Information

Name Of The Employee	Dinesh Kumar/s/o	
Age	40	Date Of Joining
Designation		Working Place ALAODR
Temperature	SpO2	Blood Group

## 2. General Examination

Height	5'6"	Weight	55kgs	Built	Good	Appearance	NOS
Skin Allergy	NO						

## Cardiovascular System Examination

B.P 120/80 m.m. of Hg

Heart Sounds NOS

## Ophthalmic examination

Vision - R eye 6/6D

L eye 6/6D

Color vision NR

## Audiometr examination

Hearing is normal/ Hearing loss is present NOS,

\*I hereby certify that I have examined Mr. Dinesh Kumar

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

  
Medical Officer

Dr. P. S. Azad  
B. Sc., M.B.B.S.  
RMC Reg. No.-8866

\*Strike the non applicable

# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 03  
 Name: MR. DINESH KUMAR  
 Patient Type:  
 Test Time: 2023-03-13  
 Sender: Anjali Medical

Age: 40Year  
 Sex: Male  
 Department:  
 Print Time: 2023-03-13

Item	Result	Unit	Range	Hit
WBC (WBC)	6.20	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	51.60	%	20.00~40.00	H
MID% (MID%)	19.80	%	3.00~10.00	H
GRAN% (GRAN%)	28.60	%	40.00~70.00	L
LYM# (LYM#)	3.100	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	1.200	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	1.900	10 <sup>9</sup> /L	2.000~7.000	L
RBC (RBC)	4.57	10 <sup>12</sup> /L	3.50~5.50	
HGB (HGB)	16.5	g/dL	12.0~16.0	H
HCT (HCT)	44.8	%	37.0~54.0	
MCV (MCV)	98.2	fL	80.0~100.0	
MCH (MCH)	36.1	pg	27.0~32.0	H
MCHC (MCHC)	37	g/dL	32~35	H
RDW_SD (RDW_SD)	37.6	fL	37.0~54.0	
RDW_CV (RDW_CV)	15.4	%	11.5~14.5	H
PLT (PLT)	156	10 <sup>9</sup> /L	150~450	
MPV (MPV)	5.6	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.08	%	0.10~0.28	L
P_LCR (P_LCR)	11.20	%	13.00~43.00	L



Operator: administrator

Auditor

\* This result is valid only for current sample \*

**Note: This report not Valid for Medical/Legal Purpose**

# MEDICAL HEALTH CERTIFICATE

Replacement/Periodical Examination

Date- -----

## 1. General Information

Name Of The Employee	Sudama Ram S/o	
Age	52	Date Of Joining
Designation		Working Place ALW 900
Temperature	SpO2	Blood Group

## 2. General Examination

Height	5' 8"	Weight	60 kg	Built	Good	Appearance	NAD
Skin Allergy	NU						

## Cardiovascular System Examination

B.P 130/90 m.m. of Hg

Heart Sounds + NOS

## Ophthalmic examination

Vision - Rteye

6/6 D

Lteye

6/6 D

Color vision

NER

## Audiometr examination

Hearing is normal/ Hearing loss is present

NOR

\*I hereby certify that I have examined Mr. Sudama Ram.

Today and have not found any evidence of being affected from occupational hazardous/no contaneous disease.

  
Medical Officer

Dr. P. S. Azad  
B. Sc., M.B.B.S.  
Reg. No. 5006

\*Strike the non applicable

# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 06  
 Name: MR.SUDAMA RAM  
 Patient Type:  
 Test Time: 2023-03-13  
 Sender: Anjali Medical

Age: 52Year  
 Sex: Male  
 Department:  
 Print Time: 2023-03-13

Item	Result	Unit	Range	Hit
WBC (WBC)	5.10	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	29.60	%	20.00~40.00	
MID% (MID%)	21.00	%	3.00~10.00	H
GRAN% (GRAN%)	49.40	%	40.00~70.00	
LYM# (LYM#)	1.500	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	1.000	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	2.600	10 <sup>9</sup> /L	2.000~7.000	
RBC (RBC)	3.62	10 <sup>12</sup> /L	3.50~5.50	
HGB (HGB)	13.2	g/dL	12.0~16.0	
HCT (HCT)	35.2	%	37.0~54.0	L
MCV (MCV)	97.3	fL	80.0~100.0	
MCH (MCH)	36.4	pg	27.0~32.0	H
MCHC (MCHC)	38	g/dL	32~35	H
RDW_SD (RDW_SD)	36.4	fL	37.0~54.0	L
RDW_CV (RDW_CV)	14.9	%	11.5~14.5	H
PLT (PLT)	96	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	6.3	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.06	%	0.10~0.28	L
P_LCR (P_LCR)	15.10	%	13.00~43.00	



Operator: administrator

Auditor

This result is valid only for current sample  
**Note: This report not Valid for Medico Legal Purpose**

# MEDICAL HEALTH CERTIFICATE

Replacement/Periodical Examination

Date: -----

## 1. General Information

Name Of The Employee	Vinod Kumar/s/o		
Age	45	Date Of Joining	
Designation		Working Place	ALWAR
Temperature	SpO2	Blood Group	

## 2. General Examination

Height	5'11"	Weight	67 kg	Built	Good	Appearance	NOS
Skin Allergy	NO						

## Cardiovascular System Examination

B.P 130/90 m.m. of Hg

Heart Sounds NOS

## Ophthalmic examination

Vision - R eye 6/6 D L eye 6/6 D Color vision HR

## Audiometr examination

Hearing is normal/ Hearing loss is present NOS

\*I hereby certify that I have examined Mr. Vinod Kumar

Today and have not found any evidence of being affected from occupational hazardous/no contagious disease.

  
Medical Officer

**Dr. P. S. Azad**  
B. Sc., M.B.B.S.  
RMC Reg. No.-8866

\*Strike the non applicable

# ANJALI DIAGNOSTICS CENTRE

Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 09

Name: MR. VINOD KUMAR

Age: 45Year

Patient Type:

Sex: Male




Test Time: 2023-03-13

Department:

Sender: Anjali Medical

Print Time: 2023-03-13

Item	Result	Unit	Range	Hit
WBC (WBC)	5.60	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	53.80	%	20.00~40.00	H
MID% (MID%)	11.80	%	3.00~10.00	H
GRAN% (GRAN%)	34.40	%	40.00~70.00	L
LYM# (LYM#)	3.000	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.600	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	2.000	10 <sup>9</sup> /L	2.000~7.000	
RBC (RBC)	4.51	10 <sup>12</sup> /L	3.50~5.50	
HGB (HGB)	14.4	g/dL	12.0~16.0	
HCT (HCT)	37.5	%	37.0~54.0	
MCV (MCV)	83.3	fL	80.0~100.0	
MCH (MCH)	31.9	pg	27.0~32.0	
MCHC (MCHC)	38	g/dL	32~35	H
RDW_SD (RDW_SD)	31.5	fL	37.0~54.0	L
RDW_CV (RDW_CV)	15.8	%	11.5~14.5	H
PLT (PLT)	129	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	5.9	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.07	%	0.10~0.28	L
P_LCR (P_LCR)	10.70	%	13.00~43.00	L



Operator: administrator

Auditor

This result is valid only for current sample.  
**Note: This report not Valid for Medico-Legal Purpose**

# MEDICAL HEALTH CERTIFICATE

Replacement/Periodical Examination

Date- \_\_\_\_\_

## 1. General Information

Name Of The Employee	Krishan Kumar		
Age	40	Date Of Joining	
Designation		Working Place	ALWON
Temperature	SpO2	Blood Group	

## 2. General Examination

Height	5'5"	Weight	69 kg	Built	Good	Appearance	NOR
Skin Allergy	NO-						

## Cardiovascular System Examination

B.P 120/80 m.m. of Hg

Heart Sounds NOR

## Ophthalmic examination

Vision - R eye

6/6 D

L eye

6/6 D

Color vision

NOR

## Audiometr examination

Hearing is normal/ Hearing loss is present

NOR

\*I hereby certify that I have examined Mr. Krishan Kumar

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

\*Strike the non applicable

Medical Officer  
*Dr. P. S. Azad*  
Dr. P. S. Azad  
B. Sc., M.B.B.S.  
RMC Reg. No.-8866  
Date \_\_\_\_\_

# ANJALI DIAGNOSTICS CENTRE

Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 07

Name: MR.KRISHAN KUMAR

Age: 40Year

Sex: Male

Patient Type:




Department:

Test Time: 2023-03-13

Print Time: 2023-03-13

Sender: Anjali Medical

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	5.80	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	38.50	%	20.00~40.00	
MID% (MID%)	9.80	%	3.00~10.00	
GRAN% (GRAN%)	51.70	%	40.00~70.00	
LYM# (LYM#)	2.200	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.500	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	3.100	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.10	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	12.5	g/dL	12.0~16.0	
HCT (HCT)	34.3	%	37.0~54.0	L
MCV (MCV)	83.9	fL	80.0~100.0	
MCH (MCH)	30.4	pg	27.0~32.0	
MCHC (MCHC)	36	g/dL	32~35	H
RDW_SD (RDW_SD)	33.6	fL	37.0~54.0	L
RDW_CV (RDW_CV)	20.4	%	11.5~14.5	H
<b>PLT (PLT)</b>	123	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	5.8	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.07	%	0.10~0.28	L
P_LCR (P_LCR)	9.60	%	13.00~43.00	L



Operator: administrator

Auditor:

This result is valid only for current sample.  
**Note: This report not Valid for Medico-Legal Purpose**

# MEDICAL HEALTH CERTIFICATE

Replacement/Periodical Examination

Date- .....

## 1. General Information

Name Of The Employee	Kuvorpai	S/o	
Age	65	Date Of Joining	
Designation		Working Place	Always
Temperature	SpO2	Blood Group	

## 2. General Examination

Height	5'5"	Weight	54 kgs	Built	Good	Appearance	NOT.
Skin Allergy	NO						

## Cardiovascular System Examination

B.P	120/80 m.m. of Hg	Heart Sounds	NOT
-----	-------------------	--------------	-----

## Ophthalmic examination

Vision - Reye	6/6 D	Leye	6/6 D	Color vision	NR
---------------	-------	------	-------	--------------	----

## Audiometr examination

Hearing is normal/ <u>Hearing loss is present</u>	NO.
---	-----

\*I hereby certify that I have examined Mr. Kuvorpai

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

*Dr. P. S. Azad*  
Medical Officer

Dr. P. S. Azad  
B. Sc., M.B.B.S.  
RMC Reg. No.-8866

\*Strike the non applicable

# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 08  
 Name: MR. KUVARPAL  
 Patient Type:  
 Test Time: 2023-03-13  
 Sender: Anjali Medical

Age: 65Year  
 Sex: Male  
 Department:  
 Print Time: 2023-03-13

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	7.30	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	45.30	%	20.00~40.00	H
MID% (MID%)	15.70	%	3.00~10.00	H
GRAN% (GRAN%)	39.00	%	40.00~70.00	L
LYM# (LYM#)	3.300	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	1.100	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	2.900	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	5.03	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	15.1	g/dL	12.0~16.0	
HCT (HCT)	41.6	%	37.0~54.0	
MCV (MCV)	82.9	fL	80.0~100.0	
MCH (MCH)	30.0	pg	27.0~32.0	
MCHC (MCHC)	36	g/dL	32~35	H
RDW_SD (RDW_SD)	32.5	fL	37.0~54.0	L
RDW_CV (RDW_CV)	15.9	%	11.5~14.5	H
<b>PLT (PLT)</b>	183	10 <sup>9</sup> /L	150~450	
MPV (MPV)	5.0	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.09	%	0.10~0.28	L
P_LCR (P_LCR)	6.70	%	13.00~43.00	L



Operator: administrator

Auditor

This result is valid only for current sample  
**Note: This report not Valid for Medico Legal Purpose**

# MEDICAL HEALTH CERTIFICATE

Replacement/Periodical Examination

Date- -----

## 1. General Information

Name Of The Employee	Om Prakash Yadav		
Age	42	Date Of Joining	
Designation		Working Place	PLW 900.
Temperature	SpO2	Blood Group	

## 2. General Examination

Height	5' 6"	Weight	67 Kgs	Built	Good	Appearance	NOS
Skin Allergy	NO						

## Cardiovascular System Examination

B.P	130/90 m.m. of Hg	Heart Sounds	NOS
-----	-------------------	--------------	-----

## Ophthalmic examination

Vision - Rteye	6/6D	Lteye	6/6D	Color vision	4/4
----------------	------	-------	------	--------------	-----

## Audiometr examination

Hearing is normal/ <del>Hearing loss is present</del>	NOS,
---	------

\*I hereby certify that I have examined Mr. Omprakash Yadav

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

  
Medical Officer

Dr. P. S. Azad  
B. Sc. M.B.B.S.  
RMC Reg. No.-8866

\*Strike the non applicable

# ANJALI DIAGNOSTICS CENTRE


Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 10  
 Name: MR.OMPRAKASH YADAV  
 Patient Type:  
 Test Time: 2023-03-13  
 Sender: Anjali Medical

Age: 42Year  
 Sex: Male  
 Department:  
 Print Time: 2023-03-13

Item	Result	Unit	Range	Hit
WBC (WBC) ✓	9.10	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	62.30	%	20.00~40.00	H
MID% (MID%)	12.30	%	3.00~10.00	H
GRAN% (GRAN%)	25.40	%	40.00~70.00	L
LYM# (LYM#)	5.600	10 <sup>9</sup> /L	0.800~4.000	H
MID# (MID#)	1.100	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	2.400	10 <sup>9</sup> /L	2.000~7.000	
RBC (RBC) ✓	3.55	10 <sup>12</sup> /L	3.50~5.50	
HGB (HGB) ✓	14.1	g/dL	12.0~16.0	
HCT (HCT)	36.9	%	37.0~54.0	L
MCV (MCV)	104.2	fL	80.0~100.0	H
MCH (MCH)	39.7	pg	27.0~32.0	H
MCHC (MCHC)	38	g/dL	32~35	H
RDW_SD (RDW_SD)	40.8	fL	37.0~54.0	
RDW_CV (RDW_CV)	15.2	%	11.5~14.5	H
PLT (PLT) ✓	141	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	6.3	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.08	%	0.10~0.28	L
P_LCR (P_LCR)	15.40	%	13.00~43.00	



Operator: administrator

Auditor:

This result is valid only for current sample.  
**Note: This report not Valid for Medico Legal Purpose**

# MEDICAL HEALTH CERTIFICATE

Replacement/Periodical Examination

Date- -----

## 1. General Information

Name Of The Employee	Rajesh Kumar/s/o	
Age	41	Date Of Joining
Designation		Working Place ALWDM
Temperature	SpO2	Blood Group

## 2. General Examination

Height	5'8"	Weight	68kgs	Built	Good	Appearance	NOS
Skin Allergy	NO						

## Cardiovascular System Examination

B.P 120/80 m.m. of Hg

Heart Sounds NOS

## Ophthalmic examination

Vision - R eye 6/6 D L eye 6/6 D Color vision N

## Audiometr examination

Hearing is normal/ Hearing loss is present NOS

\*I hereby certify that I have examined Mr. Rajesh Kumar

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

  
Medical Officer

\*Strike the non applicable

**Dr. P. S. Azad**  
**B. Sc M.B.B.S.**  
**RMC Reg. No.-8866**

# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 03  
 Name: MR. RAJESH KUMAR  
 Patient Type:  
 Test Time: 2023-03-15  
 Sender: Anjali Medical

Age: 41Year  
 Sex: Male  
 Department: ANJALI MEDICAL  
 Print Time: 2023-03-15

Item	Result	Unit	Range	Hit
WBC (WBC)	7.10	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	34.00	%	20.00~40.00	
MID% (MID%)	18.30	%	3.00~10.00	H
GRAN% (GRAN%)	47.70	%	40.00~70.00	
LYM# (LYM#)	2.400	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	1.200	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	3.500	10 <sup>9</sup> /L	2.000~7.000	
RBC (RBC)	3.94	10 <sup>12</sup> /L	3.50~5.50	
HGB (HGB)	14.1	g/dL	12.0~16.0	
HCT (HCT)	35.4	%	37.0~54.0	L
MCV (MCV)	90.1	fL	80.0~100.0	
MCH (MCH)	35.7	pg	27.0~32.0	H
MCHC (MCHC)	40	g/dL	32~35	H
RDW_SD (RDW_SD)	33.6	fL	37.0~54.0	L
RDW_CV (RDW_CV)	15.3	%	11.5~14.5	H
PLT (PLT)	154	10 <sup>9</sup> /L	150~450	
MPV (MPV)	7.3	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.11	%	0.10~0.28	
P_LCR (P_LCR)	23.10	%	13.00~43.00	



Operator: administrator

Auditor:

This result is valid only for current sample  
**Note: This report not Valid for Medico Legal Purpose**

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date: -----

### 1. General Information

Name Of The Employee	Neeraj Kumar/s/o		
Age	41	Date Of Joining	
Designation		Working Place	ALWADA
Temperature	SpO2	Blood Group	

### 2. General Examination

Height	5'5"	Weight	57 kgs	Built	Good	Appearance	NOB
Skin Allergy	NO.						

### Cardiovascular System Examination

B.P 120/80 m.m. of Hg

Heart Sounds NOB

### Ophthalmic examination

Vision - R eye 6/6 D L eye 6/6 D Color vision OK

### Audiometr examination

Hearing is normal/ ~~Hearing loss is present~~ NOB.

\*I hereby certify that I have examined Mr. Neeraj Kumar

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

  
Medical Officer

\*Strike the non applicable

Dr. P. S. Azad  
B. Sc at M.B.B.S.  
RMC Reg. No.-8866

# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 04  
 Name: MR.NEERAJ KUMAR  
 Patient Type:  
 Test Time: 2023-03-13  
 Sender: Anjali Medical

Age: 41Year  
 Sex: Male  
 Department:  
 Print Time: 2023-03-13

Item	Result	Unit	Range	Hit
WBC (WBC)	6.00	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	41.90	%	20.00~40.00	H
MID% (MID%)	17.40	%	3.00~10.00	H
GRAN% (GRAN%)	40.70	%	40.00~70.00	
LYM# (LYM#)	2.500	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	1.000	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	2.500	10 <sup>9</sup> /L	2.000~7.000	
RBC (RBC)	4.15	10 <sup>12</sup> /L	3.50~5.50	
HGB (HGB)	14.4	g/dL	12.0~16.0	
HCT (HCT)	38.5	%	37.0~54.0	
MCV (MCV)	92.8	fL	80.0~100.0	
MCH (MCH)	34.6	pg	27.0~32.0	H
MCHC (MCHC)	37	g/dL	32~35	H
RDW_SD (RDW_SD)	34.8	fL	37.0~54.0	L
RDW_CV (RDW_CV)	15.6	%	11.5~14.5	H
PLT (PLT)	130	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	6.2	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.08	%	0.10~0.28	L
P_LCR (P_LCR)	13.90	%	13.00~43.00	



Operator: administrator

Auditor:

This result is valid only for current sample.  
**Note: This report not Valid for Medico Legal Purpose**

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date- -----

### 1. General Information

Name Of The Employee	RAM JI	S/o
Age	50	Date Of Joining
Designation		Working Place
Temperature	SpO2	Blood Group

### 2. General Examination

Height	5'1"	Weight	60 Kgs	Built	Appearance
Skin Allergy					

### Cardiovascular System Examination

B.P	124/84	m.m. of Hg	Heart Sounds	Clear
-----	--------	------------	--------------	-------

### Ophthalmic examination

Vision - Rteye	6/6 D	Lteye	6/6 D	Color vision	20
----------------	-------	-------	-------	--------------	----

### Audiometr examination

Hearing is normal/ Hearing loss is present	etc
--	-----

\*I hereby certify that I have examined Mr. RAM JI

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

\*Strike the non applicable

*Dr. P. S. Azad*  
Medical Officer  
Dr. P. S. Azad  
B. Sc., M.F.  
RMC Reg. No. 0000

# ANJALI DIAGNOSTICS CENTRE


Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000005  
 Name: MR. RAMJI  
 Patient Type:  
 Test Time: 2023-03-29  
 Sender: Anjali Medical

Age: 50Year  
 Sex: Male  
 Department: ANJALI MEDICAL  
 Print Time: 2023-03-29

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	12.10	10 <sup>9</sup> /L	4.00~11.00	H
LYM% (LYM%)	27.00	%	20.00~40.00	
MID% (MID%)	6.50	%	3.00~10.00	
GRAN% (GRAN%)	66.50	%	40.00~70.00	
LYM# (LYM#)	3.200	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.700	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	8.200	10 <sup>9</sup> /L	2.000~7.000	H
<b>RBC (RBC)</b>	4.51	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	15.3	g/dL	12.0~16.0	
HCT (HCT)	45.5	%	37.0~54.0	
MCV (MCV)	101.0	fL	80.0~100.0	H
MCH (MCH)	33.9	pg	27.0~32.0	H
MCHC (MCHC)	34	g/dL	32~35	
RDW_SD (RDW_SD)	54.1	fL	37.0~54.0	H
RDW_CV (RDW_CV)	16.4	%	11.5~14.5	H
<b>PLT (PLT)</b>	363	10 <sup>9</sup> /L	150~450	
MPV (MPV)	5.8	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.21	%	0.10~0.28	
P_LCR (P_LCR)	8.50	%	13.00~43.00	L



Operator: administrator

Auditor:

\*This result is valid only for current sample\*

Note: This report not Valid for Medico Legal Purpose

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date: -----

### 1. General Information

Name Of The Employee	Darbari Lal	S/o
Age	45	Date Of Joining
Designation		Working Place ALWD
Temperature	SpO2	Blood Group

### 2. General Examination

Height	5'3"	Weight	49 kg	Built	Good	Appearance	N/A
Skin Allergy	NO						

### Cardiovascular System Examination

B.P	120/80	m.m. of Hg	Heart Sounds	NO
-----	--------	------------	--------------	----

### Ophthalmic examination

Vision - R eye	6/6D	L eye	6/6D	Color vision	N/A
----------------	------	-------	------	--------------	-----

### Audiometr examination

Hearing is normal/ <del>Hearing loss is present</del>	NO
---	----

\*I hereby certify that I have examined Mr. Darbari Lal

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

  
Medical Officer

\*Strike the non applicable

Dr. P. S. Arora  
B. Sc, M.E.  
RMC Reg. No.-8866

# ANJALI DIAGNOSTICS CENTRE


Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 01  
 Name: MR. DARBARI LAL  
 Patient Type:  
 Test Time: 2023-03-15  
 Sender: Anjali Medical

Age: 45Year  
 Sex: Male  
 Department: ANJALI MEDICAL  
 Print Time: 2023-03-15

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	8.90	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	22.30	%	20.00~40.00	
MID% (MID%)	18.30	%	3.00~10.00	H
GRAN% (GRAN%)	59.40	%	40.00~70.00	
LYM# (LYM#)	1.900	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	1.600	10 <sup>9</sup> /L	0.120~1.200	H
GRAN# (GRAN#)	5.400	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	3.84	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	11.6	g/dL	12.0~16.0	L
HCT (HCT)	31.8	%	37.0~54.0	L
MCV (MCV)	83.0	fL	80.0~100.0	
MCH (MCH)	30.2	pg	27.0~32.0	
MCHC (MCHC)	36	g/dL	32~35	H
RDW_SD (RDW_SD)	32.0	fL	37.0~54.0	L
RDW_CV (RDW_CV)	15.1	%	11.5~14.5	H
<b>PLT (PLT)</b>	246	10 <sup>9</sup> /L	150~450	
MPV (MPV)	6.4	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.15	%	0.10~0.28	
P_LCR (P_LCR)	14.80	%	13.00~43.00	



Operator administrator

Auditor.

This result is valid only for current sample.  
**Note: This report not Valid for Medico Legal Purpose**

# MEDICAL HEALTH CERTIFICATE

Replacement/Periodical Examination

Date- -----

## 1. General Information

Name Of The Employee	MANOJ KUMAR	S/o
Age	47	Date Of Joining
Designation		Working Place
Temperature	SpO2	Blood Group

## 2. General Examination

Height	5'7"	Weight	52	Built		Appearance	
Skin Allergy							

## Cardiovascular System Examination

B.P 120/82 m.m. of Hg Heart Sounds *Normal*

## Ophthalmic examination

Vision - R eye 6/6 D L eye 6/6 D Color vision *Normal*

## Audiometr examination

Hearing is normal/ Hearing loss is present *Normal*

\*I hereby certify that I have examined Mr. Manoj Kumar

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

\*Strike the non applicable

*[Signature]*  
Medical Officer

RMC Reg. No. 8866  
Dr. P. S. B. Sc., M. B. B. Sc., M. S. D.  
B. Sc., M. S. D.  
RMC Reg. No. 8866

Dr. P. S. B. Sc., M. B. B. Sc., M. S. D.  
B. Sc., M. S. D.  
RMC Reg. No. 8866

# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000004  
 Name: MR. MANOJ KUMAR  
 Patient Type:  
 Test Time: 2023-03-29  
 Sender: Anjali Medical

Age: 47Year  
 Sex: Male  
 Department: ANJALI MEDICAL  
 Print Time: 2023-03-29

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	5.80	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	29.00	%	20.00~40.00	
MID% (MID%)	7.80	%	3.00~10.00	
GRAN% (GRAN%)	63.20	%	40.00~70.00	
LYM# (LYM#)	1.600	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.400	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	3.800	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	3.75	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	14.1	g/dL	12.0~16.0	
HCT (HCT)	40.8	%	37.0~54.0	
MCV (MCV)	109.0	fL	80.0~100.0	H
MCH (MCH)	37.6	pg	27.0~32.0	H
MCHC (MCHC)	35	g/dL	32~35	
RDW_SD (RDW_SD)	61.3	fL	37.0~54.0	H
RDW_CV (RDW_CV)	16.8	%	11.5~14.5	H
<b>PLT (PLT)</b>	191	10 <sup>9</sup> /L	150~450	
MPV (MPV)	9.4	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.17	%	0.10~0.28	
P_LCR (P_LCR)	35.70	%	13.00~43.00	



Operator: administrator

Auditor:

\*This result is valid only for current sample\*

**Note: This report not Valid for Medico-Legal Purpose**

# HEALTH REGISTER

(In respect of person employed in occupation declared

Name of certifying (a) Mr. ... (b) Mr. ...

Surgeon From: ... To: ... From: ... To: ...

1	2	3	4	5	6	7	8	9	10
Serial No. क्रमांक	Work No. कार्य सं.	Name of Worker कार्यकर्ता का नाम	Sex लिंग	Age (last birthday) आयु (गत जन्मतिथि पर)	Date of employment on present Work नियुक्ति की तिथि	Date of leaving/transfer to other work तिथि कार्य छोड़ने की/स्थानान्तरण अन्य कार्य हेतु	Reason for leaving transfer or discharge कार्य छोड़ने/स्थानान्तरण या सेवा मुक्त का कारण	Nature of Job or Occupation कार्य की प्रगति या पेशा	Raw Material of by Product handled कच्चा माल या गोपण त्पाद जो काम आया
1		Rajpal	M	54					
2		Deepak Mehta	M	42					
3		Babbari Lal	M	45					
4		Ram Bahai	M	57					
5		Sudama Ram	M	88					
6		Kamri Kishor	M	55					
7		Lal Kaur	M	43					
8		Demid Ram	M	44					
9		Singh Ram	M	46					
10		Ram Ni	M	50					
11		Narayan Kumar	M	40					
12		Ram Narayan	M	54					
13		Bal Khand	M						

Note - (1) Col. 8 Detailed summary of reasons for transfer or discharge should be stated.

# राख्य रजिस्ट्रार

to be dangerous operation U/S 87)

(C) Mr. ...

From: ... To: ...

Dates of Medical Examination by Certifying Surgeon (11)		12	13	14	15
हफ्ते	परीक्षा की तिथि परीक्षण तिथि	If suspended from work, state period of suspension with detailed reasons	Re-certified for to resume duty on (with signature of certifying Surgeon)	If certificate of unfitness of suspension issued to worker	signature with date of Certifying Surgeon
WBC	RBC	HAB	Urea	PLT	PT
5.40	4.25	128	61	516	516
7.24	4.68	167	67	584	510
7.00	4.59	139	49	200	513
4.92	4.6	147	60	115	512
4.60	4.01	148	60	108	56
5.60	4.35	138	75	84	512
5.00	4.71	133	61	148	515
5.80	4.55	138	59	204	513
4.90	4.70	162	55	137	513
2.00	4.42	158	80	215	511
5.10	4.05	148	57	140	515
7.40	5.12	154	82	139	516
4.10	3.98	135	70	153	516

Note - (2) Col. 11 Should be exercised as fit/unfit/suspended

DR. P. S. Azad  
B.Sc., M.F.B.S.  
RMC, J.No.-083

निर्माता: 2338007  
राख्य रजिस्ट्रार

# HEALTH REGISTER

(In respect of person employed in occupation declared

Name of certifying (a) Mr. .... (b) Mr. ....

Surgeon From ..... To ..... From ..... To .....

# प्राथम्य पंजिका

to be dangerous operation U/S 87)

(C) Mr. ....

From ..... To .....

1	2	3	4	5	6	7	8	9	10
Serial No. क्रमांक	Work No. कार्य सं.	Name of Worker कार्यकर्ता का नाम	Sex लिंग	Age (last birthday) आयु (गत जन्मतिथि पर)	Date of employment on present Work नियुक्ति की तिथि	Date of leaving/transfer to other work तिथि कार्य छोड़ने को/ स्थानान्तरण अन्य कार्य हेतु	Reason for leaving transfer or discharge कार्य छोड़ने/स्थानान्तरण या सेवा मुक्त का कारण	Nature of Job or Occupation	Raw Material of by Product handled कच्चा माल या गोणे त्पाद जो काम आया
14		Rajesh	M	39					
15		D.P. Yadav	M	44					
16		Kishan Kumar	M	42					
17		Nimod Kumar	M	45					
18		Rashid Shyqur	M	49					
19		Muniraj Kumar	M	47					
20		Kuldeep Prasad	M	65					
21		R.P. Singh	M	58					

11	12	13	14	15
Dates of Medical Examination by Certifying Surgeon (11) डॉक्टर की परीक्षा की तिथि प्रमाण सहित	If suspended from work, state period of suspension with detailed reasons	Re-certified for to resume duty on (with signature of certifying Surgeon)	If certificate of unfitness of suspension issued to worker	signature with date of Certifying Surgeon
7.10.10/14.19 67				
5.02.12/06 69				
5.02.15/06 67				
4.10.14/14.10 63				
6.06.15/06 52				
5.10.14/08 14.7				
5.10.14/08 14.7				

Dr. P. S. Azad  
B.Sc., M.B.B.S.  
RMC Reg. No. 9866

फाइल नं. 2338007  
नवाकर उपमहानगर  
सिद्धिचरण, अजमेर

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date- -----

### 1. General Information

Name Of The Employee	Brajpal	S/o	
Age	54 years	Date Of Joining	
Designation		Working Place	ALCOR
Temperature	SpO2	Blood Group	

### 2. General Examination

Height	5'6"	Weight	61 kg	Built	Good	Appearance	OK
Skin Allergy							

### Cardiovascular System Examination

B.P	m.m. of Hg	Heart Sounds	Normal
-----	------------	--------------	--------

### Ophthalmic examination

Vision - R eye	L eye	Color vision
----------------	-------	--------------

### Audiometr examination

Hearing is normal/ Hearing loss is present	Normal
--	--------

\*I hereby certify that I have examined Mr. Brajpal

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

Medical Officer

Dr. P. S. Azad

B. Sc. M. D.  
Date 29/12/23

\*Strike the non applicable



# ANJALI DIAGNOSTICS CENTRE

Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 00000000011

Name: Virhaj pal

Patient Type:

Test Time: 2023-12-18


Age: 56Year

Sex: Male

Department:

Print Time: 2023-12-23

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	5.40	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	31.10	%	20.00~40.00	
MID% (MID%)	4.80	%	3.00~10.00	
GRAN% (GRAN%)	64.10	%	40.00~70.00	
LYM# (LYM#)	1.600	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.200	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	3.600	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	5.02	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	15.9	g/dL	12.0~16.0	
HCT (HCT)	45.7	%	37.0~54.0	
MCV (MCV)	91.2	fL	80.0~100.0	
MCH (MCH)	31.6	pg	27.0~32.0	
MCHC (MCHC)	35	g/dL	32~35	
RDW_SD (RDW_SD)	48.6	fL	37.0~54.0	
RDW_CV (RDW_CV)	13.8	%	11.5~14.5	
<b>PLT (PLT)</b>	170	10 <sup>9</sup> /L	150~450	
MPV (MPV)	7.2	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.12	%	0.10~0.28	
P_LCR (P_LCR)	21.40	%	13.00~43.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date: -----

### 1. General Information

Name Of The Employee	<u>Mari Kishan</u>	S/o
Age	<u>56 years</u>	Date Of Joining
Designation		Working Place
Temperature	SpO2	Blood Group

### 2. General Examination

Height	<u>5'8"</u>	Weight	<u>75 kg</u>	Built	<u>Good</u>	Appearance	<u>Normal</u>
Skin Allergy							

### Cardiovascular System Examination

B.P	m.m. of Hg	Heart Sounds	<u>Clear</u>
-----	------------	--------------	--------------

### Ophthalmic examination

Vision - R eye	L eye	Color vision	<u>Normal</u>
----------------	-------	--------------	---------------

### Audiometr examination

Hearing is normal/ <del>Hearing loss is present</del>	<u>Normal</u>
---	---------------

\*I hereby certify that I have examined Mr. Mari Kishan

Today and have not found any evidence of being affected from occupational hazardous/no contagious disease.

\*Strike the non applicable

Dr. P. S. Arad  
Medical Officer  
B. Sc., M.E.C.S.  
RMC Reg. No.-3863  
Date 24-12-23



# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 00000000012  
 Name: Hari kishan  
 Patient Type: Unknow  
 Test Time: 2023-12-18

Age: 54Year  
 Sex: Male  
 Department:  
 Print Time: 2023-12-23

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	5.60	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	33.80	%	20.00~40.00	
MID% (MID%)	4.60	%	3.00~10.00	
GRAN% (GRAN%)	61.60	%	40.00~70.00	
LYM# (LYM#)	1.800	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.200	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	3.600	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.35	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	13.8	g/dL	12.0~16.0	
HCT (HCT)	39.7	%	37.0~54.0	
MCV (MCV)	91.3	fL	80.0~100.0	
MCH (MCH)	31.7	pg	27.0~32.0	
MCHC (MCHC)	35	g/dL	32~35	
RDW_SD (RDW_SD)	46.4	fL	37.0~54.0	
RDW_CV (RDW_CV)	12.8	%	11.5~14.5	
<b>PLT (PLT)</b>	224	10 <sup>9</sup> /L	150~450	
MPV (MPV)	8.1	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	
PCT (PCT)	0.18	%	0.10~0.28	
P_LCR (P_LCR)	27.10	%	13.00~43.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date- -----

### 1. General Information

Name Of The Employee	Love Rishi	S/o
Age	43 years	Date Of Joining
Designation	Supervisor	Working Place
Temperature	SpO2	Blood Group

### 2. General Examination

Height	5' 3"	Weight	61 kg	Built	Appearance
Skin Allergy					

### Cardiovascular System Examination

B.P / 20/80 m.m. of Hg Heart Sounds

### Ophthalmic examination

Vision - R eye L eye Color vision NO

### Audiometr examination

Hearing is normal/ Hearing loss is present NOS

\*I hereby certify that I have examined Mr. Love Rishi

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

\*Strike the non applicable

Medical Officer  
Dr. P. S. [Signature]  
B. Sc. [Signature]  
Date Reg. No. [Signature]



# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000007  
 Name: love kush  
 Patient Type:  
 Test Time: 2023-12-19

Age: 43Year  
 Sex: Male  
 Department:  
 Print Time: 2023-12-19

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	5.20	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	23.40	%	20.00~40.00	
MID% (MID%)	4.30	%	3.00~10.00	
GRAN% (GRAN%)	72.30	%	40.00~70.00	H
LYM# (LYM#)	1.200	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.200	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	3.800	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.71	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	13.3	g/dL	12.0~16.0	
HCT (HCT)	39.8	%	37.0~54.0	
MCV (MCV)	84.7	fL	80.0~100.0	
MCH (MCH)	28.2	pg	27.0~32.0	
MCHC (MCHC)	33	g/dL	32~35	
RDW_SD (RDW_SD)	44.2	fL	37.0~54.0	
RDW_CV (RDW_CV)	14.4	%	11.5~14.5	
<b>PLT (PLT)</b>	148	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	7.8	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.11	%	0.10~0.28	
P_LCR (P_LCR)	24.80	%	13.00~43.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:

\*This result is valid only for current sample\*

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date- -----

### 1. General Information

Name Of The Employee	Niraj Kumar	S/o	
Age	40 year	Date Of Joining	
Designation		Working Place	Alwar
Temperature	SpO2	Blood Group	

### 2. General Examination

Height	5'5"	Weight	57 kg	Built	Good	Appearance	NOG
Skin Allergy	NO						

### Cardiovascular System Examination

B.P 124/85 m.m. of Hg

Heart Sounds NOG

### Ophthalmic examination

Vision - R eye

L eye

Color vision

### Audiometr examination

Hearing is normal/,Hearing loss is present

NOG

\*I hereby certify that I have examined Mr. Niraj Kumar

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

Dr. P. S. Azad  
Medical Officer

Dr. P. S. Azad  
B. Sc. M. B. S.  
R.D. Reg. No. 3000

\*Strike the non applicable



# ANJALI DIAGNOSTICS CENTRE

Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000005

Name: niraj kumar

Age: 40Year

Sex: Male




Patient Type:

Department:

Test Time: 2023-12-18

Print Time: 2023-12-18

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	5.10	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	30.60	%	20.00~40.00	
MID% (MID%)	4.10	%	3.00~10.00	
GRAN% (GRAN%)	65.30	%	40.00~70.00	
LYM# (LYM#)	1.500	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.200	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	3.400	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.05	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	14.8	g/dL	12.0~16.0	
HCT (HCT)	41.1	%	37.0~54.0	
MCV (MCV)	101.6	fL	80.0~100.0	H
MCH (MCH)	36.5	pg	27.0~32.0	H
MCHC (MCHC)	36	g/dL	32~35	H
RDW_SD (RDW_SD)	51.4	fL	37.0~54.0	
RDW_CV (RDW_CV)	13.3	%	11.5~14.5	
<b>PLT (PLT)</b>	140	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	7.8	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.10	%	0.10~0.28	
P_LCR (P_LCR)	24.50	%	13.00~43.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:

\*This result is valid only for current sample\*

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date- -----

### 1. General Information

Name Of The Employee	Ram Ji	S/o	
Age	50 Year	Date Of Joining	
Designation	operator	Working Place	ALWOT
Temperature	SpO2	Blood Group	

### 2. General Examination

Height	5' 10"	Weight	60 kg	Built	Appearance
Skin Allergy					

### Cardiovascular System Examination

B.P	124/84	m.m. of Hg	Heart Sounds	nc
-----	--------	------------	--------------	----

### Ophthalmic examination

Vision - R eye	L eye	Color vision	nc
----------------	-------	--------------	----

### Audiometr examination

Hearing is normal/ <del>Hearing loss is present</del>	nc
---	----

\*I hereby certify that I have examined Mr. Ram Ji

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

LM  
Medical Officer

\*Strike the non applicable

24-2-23  
Date \_\_\_\_\_



# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000006  
 Name: ram jeet  
 Patient Type:  
 Test Time: 2023-12-19

Age: 50Year  
 Sex: Male  
 Department:  
 Print Time: 2023-12-19

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	9.00	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	36.90	%	20.00~40.00	
MID% (MID%)	4.20	%	3.00~10.00	
GRAN% (GRAN%)	58.90	%	40.00~70.00	
LYM# (LYM#)	3.300	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.300	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	5.400	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.42	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	15.8	g/dL	12.0~16.0	
HCT (HCT)	44.0	%	37.0~54.0	
MCV (MCV)	99.7	fL	80.0~100.0	
MCH (MCH)	35.7	pg	27.0~32.0	H
MCHC (MCHC)	36	g/dL	32~35	H
RDW_SD (RDW_SD)	50.3	fL	37.0~54.0	
RDW_CV (RDW_CV)	13.5	%	11.5~14.5	
<b>PLT (PLT)</b>	215	10 <sup>9</sup> /L	150~450	
MPV (MPV)	8.6	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.18	%	0.10~0.28	
P_LCR (P_LCR)	29.40	%	13.00~43.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date- -----

### 1. General Information

Name Of The Employee	<i>Simeon</i>	S/o
Age	<i>40 Year</i>	Date Of Joining
Designation		Working Place <i>Plant</i>
Temperature	SpO2	Blood Group

### 2. General Examination

Height	<i>5'3"</i>	Weight	<i>55kg</i>	Built	<i>Good</i>	Appearance	<i>Normal</i>
Skin Allergy							

### Cardiovascular System Examination

B.P	m.m. of Hg	Heart Sounds	<i>Normal</i>
-----	------------	--------------	---------------

### Ophthalmic examination

Vision - R eye	L eye	Color vision	<i>Normal</i>
----------------	-------	--------------	---------------

### Audiometr examination

Hearing is normal/ <del>Hearing loss is present</del>	<i>Normal</i>
---	---------------

\*I hereby certify that I have examined Mr. *Simeon*

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

*[Signature]*  
Medical Officer

\*Strike the non applicable

*Dr. P. S. M. S. 27*  
B. Sc. M.B.S.S.  
Date             
RMC Reg. No. 950



# ANJALI DIAGNOSTICS CENTRE

Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000006

Name: dinesh kumar

Patient Type:

Test Time: 2023-12-18


Age: 40Year

Sex: Male

Department:

Print Time: 2023-12-18

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	4.90	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	32.50	%	20.00~40.00	
MID% (MID%)	4.00	%	3.00~10.00	
GRAN% (GRAN%)	63.50	%	40.00~70.00	
LYM# (LYM#)	1.500	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.100	10 <sup>9</sup> /L	0.120~1.200	L
GRAN# (GRAN#)	3.300	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.07	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	16.2	g/dL	12.0~16.0	H
<b>HCT (HCT)</b>	44.2	%	37.0~54.0	
MCV (MCV)	108.8	fL	80.0~100.0	H
MCH (MCH)	39.8	pg	27.0~32.0	H
MCHC (MCHC)	37	g/dL	32~35	H
RDW_SD (RDW_SD)	55.8	fL	37.0~54.0	H
RDW_CV (RDW_CV)	12.8	%	11.5~14.5	
<b>PLT (PLT)</b>	157	10 <sup>9</sup> /L	150~450	
MPV (MPV)	7.6	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.11	%	0.10~0.28	
P_LCR (P_LCR)	22.90	%	13.00~43.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date- -----

### 1. General Information

Name Of The Employee	Ram Narayan	S/o	
Age	57 years	Date Of Joining	
Designation	Operator	Working Place	Alwar
Temperature	SpO2	Blood Group	

### 2. General Examination

Height	5'6"	Weight	62 kg	Built	Good	Appearance	NOT
Skin Allergy	NO						

### Cardiovascular System Examination

B.P	120/84	m.m. of Hg	Heart Sounds	NO
-----	--------	------------	--------------	----

### Ophthalmic examination

Vision - R eye	L eye	Color vision
----------------	-------	--------------

### Audiometr examination

Hearing is normal/ Hearing loss is present	NO
--	----

\*I hereby certify that I have examined Mr. Ram Narayan

Today and have not found any evidence of being affected from occupational hazardous/no contagious disease.

\*Strike the non applicable

Dr. P. S. Azad  
Medical Officer  
B. 20/11/23  
Date 20/11/23  
DAG Reg. No. 1383



# ANJALI DIAGNOSTICS CENTRE


Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000004  
 Name: ram narayan  
 Patient Type:  
 Test Time: 2023-12-19

Age: 54Year  
 Sex: Male  
 Department:  
 Print Time: 2023-12-19

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	7.40	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	30.70	%	20.00~40.00	
MID% (MID%)	4.60	%	3.00~10.00	
GRAN% (GRAN%)	64.70	%	40.00~70.00	
LYM# (LYM#)	2.200	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.300	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	4.900	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	5.12	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	15.4	g/dL	12.0~16.0	
HCT (HCT)	43.9	%	37.0~54.0	
MCV (MCV)	85.9	fL	80.0~100.0	
MCH (MCH)	30.0	pg	27.0~32.0	
MCHC (MCHC)	35	g/dL	32~35	
RDW_SD (RDW_SD)	42.0	fL	37.0~54.0	
RDW_CV (RDW_CV)	12.6	%	11.5~14.5	
<b>PLT (PLT)</b>	159	10 <sup>9</sup> /L	150~450	
MPV (MPV)	8.6	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	
PCT (PCT)	0.13	%	0.10~0.28	
P_LCR (P_LCR)	30.50	%	13.00~43.00	



ender:SELF

**Note : This report not Valid for Medico Legal Purpose**

Operator: administrator

Auditor:

\*This result is valid only for current sample\*

# MEDICAL HEALTH CERTIFICATE

Replacement/Periodical Examination

Date: -----

## 1. General Information

Name Of The Employee	BAL CHAND	S/o	
Age	52 Year	Date Of Joining	
Designation		Working Place	Away
Temperature	SpO2	Blood Group	

## 2. General Examination

Height	5'6"	Weight	70 kgs	Built	Good	Appearance	Normal
Skin Allergy							

## Cardiovascular System Examination

B.P	120/80	m.m. of Hg	Heart Sounds	Normal
-----	--------	------------	--------------	--------

## Ophthalmic examination

Vision - R eye	L eye	Color vision	Normal
----------------	-------	--------------	--------

## Audiometr examination

Hearing is normal/ Hearing loss is present	Normal
--	--------

\*I hereby certify that I have examined Mr. Bal Chand

Today and have not found any evidence of being affected from occupational hazardous/no contagious disease.

*[Signature]*  
Medical Officer

29.12.23

Date \_\_\_\_\_

\*Strike the non applicable



# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000004  
 Name: pal chand  
 Patient Type:  
 Test Time: 2023-12-18

Age: 52Year  
 Sex: Male  
 Department:  
 Print Time: 2023-12-18

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	4.40	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	29.50	%	20.00~40.00	
MID% (MID%)	4.40	%	3.00~10.00	
GRAN% (GRAN%)	66.10	%	40.00~70.00	
LYM# (LYM#)	1.200	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.100	10 <sup>9</sup> /L	0.120~1.200	L
GRAN# (GRAN#)	3.100	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	3.98	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	13.5	g/dL	12.0~16.0	
HCT (HCT)	38.0	%	37.0~54.0	
MCV (MCV)	95.7	fL	80.0~100.0	
MCH (MCH)	33.9	pg	27.0~32.0	H
MCHC (MCHC)	36	g/dL	32~35	H
RDW_SD (RDW_SD)	46.9	fL	37.0~54.0	
RDW_CV (RDW_CV)	12.3	%	11.5~14.5	
<b>PLT (PLT)</b>	163	10 <sup>9</sup> /L	150~450	
MPV (MPV)	9.9	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.16	%	0.10~0.28	
P_LCR (P_LCR)	42.50	%	13.00~43.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:





# ANJALI DIAGNOSTICS CENTRE

Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000003

Name: k.p singh

Patient Type:

Test Time: 2023-12-18




Age: 58Year

Sex: Male

Department:

Print Time: 2023-12-18

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	5.10	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	42.70	%	20.00~40.00	H
MID% (MID%)	4.40	%	3.00~10.00	
GRAN% (GRAN%)	52.90	%	40.00~70.00	
LYM# (LYM#)	2.100	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.200	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	2.800	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.68	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	14.7	g/dL	12.0~16.0	
HCT (HCT)	42.2	%	37.0~54.0	
MCV (MCV)	90.2	fL	80.0~100.0	
MCH (MCH)	31.4	pg	27.0~32.0	
MCHC (MCHC)	35	g/dL	32~35	
RDW_SD (RDW_SD)	44.8	fL	37.0~54.0	
RDW_CV (RDW_CV)	12.0	%	11.5~14.5	
<b>PLT (PLT)</b>	145	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	10.2	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.14	%	0.10~0.28	
P_LCR (P_LCR)	42.40	%	13.00~43.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date- -----

### 1. General Information

Name Of The Employee	Kunwar Pal	S/o	
Age	65 year	Date Of Joining	
Designation		Working Place	ALCOA
Temperature	SpO2	Blood Group	

### 2. General Examination

Height	5'50	Weight	54 Kg	Built	Good	Appearance	NOS
Skin Allergy	NO						

### Cardiovascular System Examination

B.P	120/80	m.m. of Hg	Heart Sounds	NO
-----	--------	------------	--------------	----

### Ophthalmic examination

Vision - R eye	L eye	Color vision
----------------	-------	--------------

### Audiometr examination

Hearing is normal/ Hearing loss is present	NO
--	----

\*I hereby certify that I have examined Mr. \_\_\_\_\_

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

22  
Medical Officer

\*Strike the non applicable

Dr. P. G. Prasad  
B. Sc., M.F. '05  
Date  
Reg. No. 1000



# ANJALI DIAGNOSTICS CENTRE

Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 00000000011

Name: kunwar pal

Patient Type:

Test Time: 2023-12-18




Age: 65Year

Sex: Male

Department:

Print Time: 2023-12-18

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	5.40	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	31.10	%	20.00~40.00	
MID% (MID%)	4.80	%	3.00~10.00	
GRAN% (GRAN%)	64.10	%	40.00~70.00	
LYM# (LYM#)	1.600	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.200	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	3.600	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	5.02	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	15.9	g/dL	12.0~16.0	
HCT (HCT)	45.7	%	37.0~54.0	
MCV (MCV)	91.2	fL	80.0~100.0	
MCH (MCH)	31.6	pg	27.0~32.0	
MCHC (MCHC)	35	g/dL	32~35	
RDW_SD (RDW_SD)	48.6	fL	37.0~54.0	
RDW_CV (RDW_CV)	13.8	%	11.5~14.5	
<b>PLT (PLT)</b>	170	10 <sup>9</sup> /L	150~450	
MPV (MPV)	7.2	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.12	%	0.10~0.28	
P_LCR (P_LCR)	21.40	%	13.00~43.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:

# MEDICAL HEALTH CERTIFICATE

Replacement/Periodical Examination

Date: -----

## 1. General Information

Name Of The Employee	Mamof Karmar S/o	Date Of Joining	
Age	47 years	Working Place	ACME
Designation	office boy	Blood Group	
Temperature	SpO2		

## 2. General Examination

Height	5	Weight	52 kg	Built		Appearance	
Skin Allergy							

## Cardiovascular System Examination

B.P	120/82	m.m. of Hg	Heart Sounds	lll
-----	--------	------------	--------------	-----

## Ophthalmic examination

Vision - Rteye	Lteye	Color vision
----------------	-------	--------------

## Audiometr examination

Hearing is normal/ Hearing loss is present	NOI
--	-----

I hereby certify that I have examined Mr. Mamof Karmar

Today and have not found any evidence of being affected from occupational hazardous/no contagious disease.

  
Medical Officer

\*Strike the non applicable

24/12/27  
Dr. B. S. Azad  
B. Sc., M.F.S.  
MC Reg. No. 1000



# ANJALI DIAGNOSTICS CENTRE


Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000008  
 Name: manoj kumar  
 Patient Type:  
 Test Time: 2023-12-18

Age: 47Year  
 Sex: Male  
 Department:  
 Print Time: 2023-12-18

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	6.90	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	40.60	%	20.00~40.00	H
MID% (MID%)	5.00	%	3.00~10.00	
GRAN% (GRAN%)	54.40	%	40.00~70.00	
LYM# (LYM#)	2.800	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.300	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	3.800	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.76	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	15.8	g/dL	12.0~16.0	
HCT (HCT)	44.7	%	37.0~54.0	
MCV (MCV)	94.1	fL	80.0~100.0	
MCH (MCH)	33.1	pg	27.0~32.0	H
MCHC (MCHC)	35	g/dL	32~35	H
RDW_SD (RDW_SD)	49.2	fL	37.0~54.0	
RDW_CV (RDW_CV)	12.9	%	11.5~14.5	
<b>PLT (PLT)</b>	173	10 <sup>9</sup> /L	150~450	
MPV (MPV)	9.3	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.16	%	0.10~0.28	
P_LCR (P_LCR)	37.60	%	13.00~43.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:

# MEDICAL HEALTH CERTIFICATE

Replacement/Periodical Examination

Date- -----

## 1. General Information

Name Of The Employee	Radhy shyam S/o	
Age	29 yrs	Date Of Joining
Designation	Supervisor	Working Place
Temperature	SpO2	Blood Group

## 2. General Examination

Height	5'6"	Weight	63 kg	Built	Good	Appearance	NO
Skin Allergy	NO						

## Cardiovascular System Examination

B.P	m.m. of Hg	Heart Sounds	NO
-----	------------	--------------	----

## Ophthalmic examination

Vision - R eye	L eye	Color vision
----------------	-------	--------------

## Audiometr examination

Hearing is normal/ Hearing loss is present	NO
--	----

\*I hereby certify that I have examined Mr. \_\_\_\_\_

Today and have not found any evidence of being affected from occupational hazardous/no contagious disease.

\*Strike the non applicable

Medical Officer  
**Dr. P. S. Azad**  
B. Sc. 24/12/2022  
Date \_\_\_\_\_



# ANJALI DIAGNOSTICS CENTRE


Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000005  
 Name: radhe shyam  
 Patient Type:  
 Test Time: 2023-12-19

Age: 49Year  
 Sex: Male  
 Department:  
 Print Time: 2023-12-19

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	4.70	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	42.80	%	20.00~40.00	H
MID% (MID%)	4.30	%	3.00~10.00	
GRAN% (GRAN%)	52.90	%	40.00~70.00	
LYM# (LYM#)	2.000	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.200	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	2.500	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.49	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	14.1	g/dL	12.0~16.0	
HCT (HCT)	41.4	%	37.0~54.0	
MCV (MCV)	92.3	fL	80.0~100.0	
MCH (MCH)	31.4	pg	27.0~32.0	
MCHC (MCHC)	34	g/dL	32~35	
RDW_SD (RDW_SD)	49.2	fL	37.0~54.0	
RDW_CV (RDW_CV)	13.2	%	11.5~14.5	
<b>PLT (PLT)</b>	279	10 <sup>9</sup> /L	150~450	
MPV (MPV)	6.2	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.17	%	0.10~0.28	
P_LCR (P_LCR)	11.30	%	13.00~43.00	L



Sender:SELF

**Note : This report not Valid for Medico Legal Purpose**

Operator: administrator

Auditor:

\*This result is valid only for current sample\*

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date- .....

### 1. General Information

Name Of The Employee	Vinod Kumar S/o	Date Of Joining	
Age	45 years	Working Place	ACB
Designation		Temperature	SpO2
			Blood Group

### 2. General Examination

Height	5'4"	Weight	67 kg	Built	Good	Appearance	NOF
Skin Allergy	NO						

### Cardiovascular System Examination

B.P	120/80	m.m. of Hg	Heart Sounds	NOF
-----	--------	------------	--------------	-----

### Ophthalmic examination

Vision - R eye	L eye	Color vision
----------------	-------	--------------

### Audiometr examination

Hearing is normal/ <del>Hearing loss is present</del>	NOF
---	-----

\*I hereby certify that I have examined Mr. Vinod Kumar

Today and have not found any evidence of being affected from occupational hazardous/no contagious disease.

23  
Medical Officer

24.12.23

\*Strike the non applicable

Date  
Dr. P. S. Azad  
B. Sc.  
P. C. R.



# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000007  
 Name: vinod kumar  
 Patient Type:  
 Test Time: 2023-12-18

Age: 45Year  
 Sex: Male  
 Department:  
 Print Time: 2023-12-18

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	5.80	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	31.40	%	20.00~40.00	
MID% (MID%)	5.30	%	3.00~10.00	
GRAN% (GRAN%)	63.30	%	40.00~70.00	
LYM# (LYM#)	1.800	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.300	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	3.700	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.54	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	15.6	g/dL	12.0~16.0	
HCT (HCT)	42.4	%	37.0~54.0	
MCV (MCV)	93.6	fL	80.0~100.0	
MCH (MCH)	34.3	pg	27.0~32.0	H
MCHC (MCHC)	37	g/dL	32~35	H
RDW_SD (RDW_SD)	45.3	fL	37.0~54.0	
RDW_CV (RDW_CV)	12.1	%	11.5~14.5	
<b>PLT (PLT)</b>	153	10 <sup>9</sup> /L	150~450	
MPV (MPV)	8.4	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.12	%	0.10~0.28	
P_LCR (P_LCR)	29.90	%	13.00~43.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:



# ANJALI DIAGNOSTICS CENTRE

Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

Report no.: 655 Lab no.:07  
Patient name: Mr. Vinod  
Ref. by Dr. SELF SELF  
Date: 18/12/2023  
Age: 45Yrs. Mth Day  
Sex: Male



<u>Test name</u>	<u>Result</u>	<u>Unit</u>	<u>Reference Range</u>
<b><u>BIO CHEMISTRY</u></b>			
S. CHLOSETEROL	173.9	mg/dl	0 -- 200
BLOOD SUGER (R)	98.3	mg/dl	80-160
BLOOD UREA	31	mg/dl	10 -- 45
S. CREATININE	0.89	mg/dl	0.5 -- 1.2
S.G.O.T	<b>37 H</b>	IU/L	0 -- 35
S.G.P.T	40	IU/L	0 -- 45
S. TRIGLYCERIDES	221.3	mg/dl	25 -- 160

Technologist

Note : This report not Valid for Medico Legal Purpose

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date: -----

### 1. General Information

Name Of The Employee	Kishan Kumar S/o	Date Of Joining	12/05/20
Age	42 Year	Working Place	
Designation		Blood Group	
Temperature	SpO2		

### 2. General Examination

Height	5'5"	Weight	69 kg	Built	Good	Appearance	Normal
Skin Allergy	No						

### Cardiovascular System Examination

B.P	120/80	m.m. of Hg	Heart Sounds	Normal
-----	--------	------------	--------------	--------

### Ophthalmic examination

Vision - R eye	L eye	Color vision
----------------	-------	--------------

### Audiometr examination

Hearing is normal/ Hearing loss is present	None
--	------

\*I hereby certify that I have examined Mr. Kishan Kumar

Today and have not found any evidence of being affected from occupational hazardous/no contagious disease.

2/3  
Medical Officer

Dr. P. S. Azad  
B. Sc., M. P. S.  
RMC  
Date

\*Strike the non applicable



# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 00000000010  
 Name: kishan kumar  
 Patient Type:  
 Test Time: 2023-12-18

Age: 42Year  
 Sex: Male  
 Department:  
 Print Time: 2023-12-18

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	5.60	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	14.80	%	20.00~40.00	L
MID% (MID%)	2.60	%	3.00~10.00	L
GRAN% (GRAN%)	82.60	%	40.00~70.00	H
LYM# (LYM#)	0.800	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.100	10 <sup>9</sup> /L	0.120~1.200	L
GRAN# (GRAN#)	4.700	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	3.78	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	12.6	g/dL	12.0~16.0	
HCT (HCT)	35.8	%	37.0~54.0	L
MCV (MCV)	94.8	fL	80.0~100.0	
MCH (MCH)	33.3	pg	27.0~32.0	H
MCHC (MCHC)	35	g/dL	32~35	H
RDW_SD (RDW_SD)	50.8	fL	37.0~54.0	
RDW_CV (RDW_CV)	14.2	%	11.5~14.5	
<b>PLT (PLT)</b>	114	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	8.8	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.10	%	0.10~0.28	
P_LCR (P_LCR)	31.90	%	13.00~43.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date: -----

### 1. General Information

Name Of The Employee	O.P. Yadav.	S/o	
Age	44 Year	Date Of Joining	
Designation	Operator	Working Place	ACWOS
Temperature	SpO2	Blood Group	

### 2. General Examination

Height	5'6"	Weight	67 kg	Built	Good	Appearance	NOP
Skin Allergy	N/A						

### Cardiovascular System Examination

B.P	120/80	m.m. of Hg	Heart Sounds	NOR
-----	--------	------------	--------------	-----

### Ophthalmic examination

Vision - R eye	L eye	Color vision
----------------	-------	--------------

### Audiometr examination

Hearing is normal/ <del>Hearing loss is present</del>	NOR
---	-----

\*I hereby certify that I have examined Mr. O.P. Yadav, Comptroller

Today and have not found any evidence of being affected from occupational hazardous/no contagious disease.

*[Signature]*  
Medical Officer  
Dr. P. S. Azad  
B. G. No. 23  
Date \_\_\_\_\_

\*Strike the non applicable



# ANJALI DIAGNOSTICS CENTRE

Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000003

Name: o.p yadav

Patient Type:

Test Time: 2023-12-19




Age: 44Year

Sex: Male

Department:

Print Time: 2023-12-19

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	7.60	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	27.80	%	20.00~40.00	
MID% (MID%)	5.30	%	3.00~10.00	
GRAN% (GRAN%)	66.90	%	40.00~70.00	
LYM# (LYM#)	2.100	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.400	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	5.100	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.10	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	14.9	g/dL	12.0~16.0	
HCT (HCT)	41.0	%	37.0~54.0	
MCV (MCV)	100.1	fL	80.0~100.0	H
MCH (MCH)	36.3	pg	27.0~32.0	H
MCHC (MCHC)	36	g/dL	32~35	H
RDW_SD (RDW_SD)	48.0	fL	37.0~54.0	
RDW_CV (RDW_CV)	13.0	%	11.5~14.5	
<b>PLT (PLT)</b>	208	10 <sup>9</sup> /L	150~450	
MPV (MPV)	8.8	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	
PCT (PCT)	0.18	%	0.10~0.28	L
P_LCR (P_LCR)	30.70	%	13.00~43.00	



Sender:SELF

Note : This report not valid for Medico Legal Purpose

Operator: administrator

Auditor:

\*This result is valid only for current sample\*

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date- -----

### 1. General Information

Name Of The Employee	Rajesh Kumar S/o	Date Of Joining	
Age	39 year	Working Place	Acuse
Designation		Blood Group	
Temperature	SpO2		

### 2. General Examination

Height	5'8"	Weight	68 kg	Built	Good	Appearance	NOT
Skin Allergy	NO						

### Cardiovascular System Examination

B.P	132/90	m.m. of Hg	Heart Sounds	NOT
-----	--------	------------	--------------	-----

### Ophthalmic examination

Vision - Rteye	Lteye	Color vision
----------------	-------	--------------

### Audiometr examination

Hearing is normal/ Hearing loss is present	NOT
--	-----

\*I hereby certify that I have examined Mr. Rajesh Kumar

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

\*Strike the non applicable

23  
Medical Officer  
**Dr. P. S. Azad**  
R. Sc. 24/12/23  
PC Re  
Date \_\_\_\_\_



# ANJALI DIAGNOSTICS CENTRE


Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000009  
 Name: rajesh kumar  
 Patient Type:  
 Test Time: 2023-12-18

Age: 39Year  
 Sex: Male  
 Department:  
 Print Time: 2023-12-18

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	7.10	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	27.70	%	20.00~40.00	
MID% (MID%)	4.80	%	3.00~10.00	
GRAN% (GRAN%)	67.50	%	40.00~70.00	
LYM# (LYM#)	1.900	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.300	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	4.900	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.22	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	14.5	g/dL	12.0~16.0	
HCT (HCT)	41.5	%	37.0~54.0	
MCV (MCV)	98.4	fL	80.0~100.0	
MCH (MCH)	34.3	pg	27.0~32.0	H
MCHC (MCHC)	35	g/dL	32~35	
RDW_SD (RDW_SD)	50.8	fL	37.0~54.0	
RDW_CV (RDW_CV)	12.4	%	11.5~14.5	
<b>PLT (PLT)</b>	170	10 <sup>9</sup> /L	150~450	
MPV (MPV)	10.9	fL	7.4~10.4	H
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.18	%	0.10~0.28	
P_LCR (P_LCR)	45.40	%	13.00~43.00	H



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date- -----

### 1. General Information

Name Of The Employee	Dunil Kumar S/o	
Age	44 years	Date Of Joining
Designation		Working Place
Temperature	SpO2	Blood Group

### 2. General Examination

Height	5'3"	Weight	64 kg	Built	Appearance
Skin Allergy					

### Cardiovascular System Examination

B.P.	122/82	m.m. of Hg	Heart Sounds	As
------	--------	------------	--------------	----

### Ophthalmic examination

Vision - R eye	L eye	Color vision
----------------	-------	--------------

### Audiometr examination

Hearing is normal/ <del>Hearing loss is present</del>	As
---	----

\*I hereby certify that I have examined Mr. Dunil Kumar

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

\*Strike the non applicable

Medical Officer  
**Dr. P. S. Azad**  
B. Sc., M.B.B.S.  
RMD Reg. No. - 8863



# ANJALI DIAGNOSTICS CENTRE


Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000012  
 Name: sunil kumar  
 Patient Type:  
 Test Time: 2023-12-18

Age:  
 Sex: Male  
 Department:  
 Print Time: 2023-12-18

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	5.60	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	33.80	%	20.00~40.00	
MID% (MID%)	4.60	%	3.00~10.00	
GRAN% (GRAN%)	61.60	%	50.00~70.00	
LYM# (LYM#)	1.800	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.200	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	3.600	10 <sup>9</sup> /L	2.000~8.000	
<b>RBC (RBC)</b>	4.35	10 <sup>12</sup> /L	3.50~6.00	
<b>HGB (HGB)</b>	13.8	g/dL	12.0~16.0	
HCT (HCT)	39.7	%	37.0~54.0	
MCV (MCV)	91.3	fL	80.0~100.0	
MCH (MCH)	31.7	pg	27.0~32.0	
MCHC (MCHC)	35	g/dL	32~36	
RDW_SD (RDW_SD)	46.4	fL	35.0~56.0	
RDW_CV (RDW_CV)	12.8	%	11.0~16.0	
<b>PLT (PLT)</b>	224	10 <sup>9</sup> /L	150~450	
MPV (MPV)	8.1	fL	6.5~12.0	
PDW (PDW)	0.0	fL	9.0~17.0	
PCT (PCT)	0.18	%	0.10~0.28	
P_LCR (P_LCR)	27.10	%	11.00~45.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Auditor

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date -----

### 1. General Information

Name Of The Employee	<u>Sudama Ramu</u>	S/o
Age	<u>68 Years</u>	Date Of Joining
Designation		Working Place <u>ALWAYS</u>
Temperature	SpO2	Blood Group

### 2. General Examination

Height	<u>5'6"</u>	Weight	<u>60 kg</u>	Built	<u>Good</u>	Appearance	<u>NOT</u>
Skin Allergy	<u>NO</u>						

### Cardiovascular System Examination

B.P.	<u>130/90</u>	m.m. of Hg	Heart Sounds	<u>NOT</u>
------	---------------	------------	--------------	------------

### Ophthalmic examination

Vision - R eye	L eye	Color vision
----------------	-------	--------------

### Audiometr examination

Hearing is normal/ <del>Hearing loss is present</del>	<u>NOT</u>
---	------------

\*I hereby certify that I have examined Mr. Sudama Ramu

Today and have not found any evidence of being affected from occupational hazardous/no contagious disease.

SR  
Medical Officer

\*Strike the non applicable

Date 23-12-23



# ANJALI DIAGNOSTICS CENTRE


Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000001  
 Name: sudhama  
 Patient Type:  
 Test Time: 2023-12-18

Age: 68Year  
 Sex: Male  
 Department:  
 Print Time: 2023-12-18

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	4.60	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	25.00	%	20.00~40.00	
MID% (MID%)	4.60	%	3.00~10.00	
GRAN% (GRAN%)	70.40	%	40.00~70.00	H
LYM# (LYM#)	1.100	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.200	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	3.300	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.01	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	14.8	g/dL	12.0~16.0	
HCT (HCT)	40.3	%	37.0~54.0	
MCV (MCV)	100.5	fL	80.0~100.0	H
MCH (MCH)	36.9	pg	27.0~32.0	H
MCHC (MCHC)	37	g/dL	32~35	H
RDW_SD (RDW_SD)	54.7	fL	37.0~54.0	H
RDW_CV (RDW_CV)	14.3	%	11.5~14.5	
<b>PLT (PLT)</b>	108	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	9.0	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.09	%	0.10~0.28	L
P_LCR (P_LCR)	32.70	%	13.00~43.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date- -----

### 1. General Information

Name Of The Employee	Ram Sahar	S/o
Age	57 Year	Date Of Joining
Designation	Boiler Attendant	Working Place
Temperature	SpO2	Blood Group

### 2. General Examination

Height	5'2"	Weight	60 kg	Built	good	Appearance
Skin Allergy	NO					

### Cardiovascular System Examination

B.P	120/84	m.m. of Hg	Heart Sounds
-----	--------	------------	--------------

### Ophthalmic examination

Vision - R eye	L eye	Color vision
----------------	-------	--------------

### Audiometr examination

Hearing is normal/ Hearing loss is present

\*I hereby certify that I have examined Mr. Ram Sahar

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

\*Strike the non applicable

PS  
Medical Officer  
Dr. P. S. Azad  
B. Sc., M.B.B.S. 27  
RMC Reg. No. 300  
Date 12/12/2027



# ANJALI DIAGNOSTICS CENTRE

Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000002

Name: ram sahay

Patient Type:

Test Time: 2023-12-19




Age: 57Year

Sex: Male

Department:

Print Time: 2023-12-19

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	4.90	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	46.20	%	20.00~40.00	H
MID% (MID%)	4.30	%	3.00~10.00	
GRAN% (GRAN%)	49.50	%	40.00~70.00	
LYM# (LYM#)	2.200	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.200	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	2.500	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.60	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	14.7	g/dL	12.0~16.0	
HCT (HCT)	41.4	%	37.0~54.0	
MCV (MCV)	90.2	fL	80.0~100.0	
MCH (MCH)	31.9	pg	27.0~32.0	
MCHC (MCHC)	36	g/dL	32~35	
RDW_SD (RDW_SD)	43.6	fL	37.0~54.0	H
RDW_CV (RDW_CV)	12.0	%	11.5~14.5	
<b>PLT (PLT)</b>	115	10 <sup>9</sup> /L	150~450	L
MPV (MPV)	9.6	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.11	%	0.10~0.28	
P_LCR (P_LCR)	39.10	%	13.00~43.00	



Sender:SELF

Note : This report not valid for Medico Legal Purpose

Operator: administrator

Auditor:

\*This result is valid only for current sample\*



# ANJALI DIAGNOSTICS CENTRE

Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

Report no.: 659 Lab no.:02

Patient name: Mr. Ram Sahay

Ref. by Dr. SELF SELF



Date: 19/12/2023

Age: Yrs. Mth Day

Sex: Male

<u>Test name</u>	<u>Result</u>	<u>Unit</u>	<u>Reference Range</u>
------------------	---------------	-------------	------------------------

## BIO CHEMISTRY

S. CHLOSETEROL

93.4

mg/dl

0 -- 200

Technologist

Note : This report not Valid for Medico Legal Purpose

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date: -----

### 1. General Information

Name Of The Employee	Barbari Lal	S/o	
Age	45 year	Date Of Joining	
Designation		Working Place	Always
Temperature	SpO2	Blood Group	

### 2. General Examination

Height	5'3"	Weight	59 kg	Built	Good	Appearance	Normal
Skin Allergy							

### Cardiovascular System Examination

B.P	m.m. of Hg	Heart Sounds	Normal
-----	------------	--------------	--------

### Ophthalmic examination

Vision - R eye	L eye	Color vision	Normal
----------------	-------	--------------	--------

### Audiometr examination

Hearing is normal/ <del>Hearing loss is present</del>	NO
---	----

\*I hereby certify that I have examined Mr. Barbari Lal

Today and have not found any evidence of being affected from occupational hazardous/no contagious disease.

Dr. P. S. Azad  
Medical Officer

**Dr. P. S. Azad**  
B. Sc., M.P.P.S.  
RMP Reg. No. 12345

\*Strike the non applicable



# ANJALI DIAGNOSTICS CENTRE




Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000002  
 Name: darbari  
 Patient Type:  
 Test Time: 2023-12-18

Age: 50Year  
 Sex: Male  
 Department:  
 Print Time: 2023-12-18

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	7.00	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	23.00	%	20.00~40.00	
MID% (MID%)	5.90	%	3.00~10.00	
GRAN% (GRAN%)	71.10	%	40.00~70.00	H
LYM# (LYM#)	1.600	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.400	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	5.000	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.59	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	13.9	g/dL	12.0~16.0	
HCT (HCT)	39.9	%	37.0~54.0	
MCV (MCV)	87.0	fL	80.0~100.0	
MCH (MCH)	30.2	pg	27.0~32.0	
MCHC (MCHC)	35	g/dL	32~35	
RDW_SD (RDW_SD)	45.3	fL	37.0~54.0	
RDW_CV (RDW_CV)	14.0	%	11.5~14.5	
<b>PLT (PLT)</b>	220	10 <sup>9</sup> /L	150~450	
MPV (MPV)	8.5	fL	7.4~10.4	
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.18	%	0.10~0.28	
P_LCR (P_LCR)	28.40	%	13.00~43.00	



Note : This report not Valid for Medico Legal Purpose

Sender:SELF

Operator:administrator

Auditor:

\*This result is valid only for current sample\*

# MEDICAL HEALTH CERTIFICATE

## Replacement/Periodical Examination

Date: -----

### 1. General Information

Name Of The Employee	Deepak Madan S/o		
Age	42 Years	Date Of Joining	
Designation	Electrician	Working Place	ALCOA
Temperature	SpO2	Blood Group	

### 2. General Examination

Height	5'10"	Weight	67 kg	Built	Good	Appearance	NOR
Skin Allergy	NO						

### Cardiovascular System Examination

B.P	120/80	m.m. of Hg	Heart Sounds	NOR
-----	--------	------------	--------------	-----

### Ophthalmic examination

Vision - R eye	L eye	Color vision
----------------	-------	--------------

### Audiometr examination

Hearing is normal/ Hearing loss is present	NOR.
--	------

\*I hereby certify that I have examined Mr. Deepak Madan

Today and have not found any evidence of being affected from occupational hazardous/no contanegius disease.

  
Medical Officer

\*Strike the non applicable

Date 24.12.23



# ANJALI DIAGNOSTICS CENTRE


Anand Vihar Colony, Divider Road, Surya Nagar, Alwar (Raj.) M.: 9772824378, 8079090493

## URIT Auto Hematology Analyzer

ID: 000000000001  
 Name: deepak madaan  
 Patient Type:  
 Test Time: 2023-12-19

Age: 42Year  
 Sex: Male  
 Department:  
 Print Time: 2023-12-19

Item	Result	Unit	Range	Hit
<b>WBC (WBC)</b>	7.20	10 <sup>9</sup> /L	4.00~11.00	
LYM% (LYM%)	30.10	%	20.00~40.00	
MID% (MID%)	4.20	%	3.00~10.00	
GRAN% (GRAN%)	65.70	%	40.00~70.00	
LYM# (LYM#)	2.100	10 <sup>9</sup> /L	0.800~4.000	
MID# (MID#)	0.300	10 <sup>9</sup> /L	0.120~1.200	
GRAN# (GRAN#)	4.800	10 <sup>9</sup> /L	2.000~7.000	
<b>RBC (RBC)</b>	4.68	10 <sup>12</sup> /L	3.50~5.50	
<b>HGB (HGB)</b>	16.7	g/dL	12.0~16.0	H
HCT (HCT)	46.2	%	37.0~54.0	
MCV (MCV)	98.8	fL	80.0~100.0	
MCH (MCH)	35.6	pg	27.0~32.0	H
MCHC (MCHC)	36	g/dL	32~35	H
RDW_SD (RDW_SD)	49.2	fL	37.0~54.0	
RDW_CV (RDW_CV)	12.3	%	11.5~14.5	
<b>PLT (PLT)</b>	284	10 <sup>9</sup> /L	150~450	
MPV (MPV)	6.3	fL	7.4~10.4	L
PDW (PDW)	0.0	fL	10.0~14.0	L
PCT (PCT)	0.17	%	0.10~0.28	
P_LCR (P_LCR)	12.50	%	13.00~43.00	L



Sender:SELF

**Note : This report not valid for Medico Legal Purpose**

Operator:administrator

Auditor:

\*This result is valid only for current sample\*

Minutes of meeting held on 15.06.2018 regarding Categorisation of red category – Air Polluting Industries with reference to installation of OCEMS in NCR

CPCB had issued direction dated 29.12.2017 to all NCR (23 Districts) States to install OCEMS in red category industries not later than 30<sup>th</sup> March, 2018. CPCB has further extended the deadline for installation of OCEMS in red category industries in NCR from 30.03.2018 to 30.06.2018.

In compliance to the direction, RSPCB sought clarification vide letter dated 05.02.2018 from CPCB regarding installation of OCEMS in red category industries and requested to exempt small scale industries and the industries with batch process. In reply to State Board's letter, CPCB vide letter 03.04.2018 informed the State Board that a committee may be constituted headed by the Member Secretary to evaluate air pollution potential of the units through calculating pollution index score and air pollution score. The State Board vide its office order F.11(557)/RSPCB/Lab/554-561 dated 16.05.2018, constituted seven-member committee for above purpose.


First meeting of the committee was 15.06.2018 under the chairmanship of Member Secretary, RSPCB to discuss the matter regarding installation of OCEMS in NCR. Following members were present in the meeting:


1. Dr. V.K.Singhal, CEE, RSPCB, Jaipur
2. Sh. B.R.Chauhan, Chief Scientific Officer, RSPCB, Jaipur
3. Sh. O. P. Gupta, Regional Officer, RSPCB, Alwar

During meeting air pollution score of individual units was examined and it was found that air pollution score ranged between 15 to 25 in NCR, Rajasthan. After detailed discussion it was decided that following red category units be directed to install OCEMS in the NCR sub-region of Rajasthan:

1. All large and medium scale red category industries as per the CPCB categorization.
2. All other red category industries having boiler capacity more than 5 TPH and thermic fluid heater having capacity more than 10 lac kcal/hr using solid fuels.
3. All Lead Battery recycling industries having both Mandir Furnace and Rotary Furnace. Units having only Mandir Furnace may be excluded.
4. Any other large and medium scale red category industries identified by the Regional Office, Alwar, Bhiwadi and Bharatpur which are significantly air polluting and are not covered in above points.

The meeting ended with the vote of thanks to the chair.

  
Sh. O. P. Gupta,  
Regional Officer, RSPCB.

  
Sh. B.R.Chauhan,  
CSO, RSPCB.

  
Dr. Vijai Singh,  
CEE, RSPCB.

  
Sh. Ajay Kumar Gupta,  
Member Secretary, RSPCB.