

Joint Committee Inspection Report

Submitted in reference to

Hon'ble National Green Tribunal (CZ), Bhopal
Order dated 25/04/2024.

In the matter of

Original Application No. 96/2024 (CZ)

Milind Thakre

VS

State of Madhya Pradesh & Ors

Date of inspection: - 07/06/2024

Members of the Committee: -

- 1. One representative from the collector, Balaghat (M.P.)**
- 2. One representative from the State Pollution Control Board (M.P.)**

Joint Inspection Report
O.A. 96/2024 (CZ)

INDEX

S.No.	Particular	Page No.
1.	<i>Joint Committee Inspection report</i>	3-18
2.	<i>Nomination letter from Collector Balaghat</i>	<i>Annexure-1</i> 19
3.	<i>Panchnama</i>	<i>Annexure-2</i> 20-21
4.	<i>Air Quality Monitoring Report</i>	<i>Annexure-3</i> 22-24
5.	<i>Closure Direction to the stone crusher of Respondents No. 7</i>	<i>Annexure-4</i> 25-26
6.	<i>Closure Direction to the stone crusher of Respondents No. 9</i>	<i>Annexure-5</i> 27-28
7.	<i>Withdrawal of consent order of Respondents No. 7</i>	<i>Annexure-6</i> 29-30
8.	<i>Withdrawal of consent order of Respondents No. 9</i>	<i>Annexure-7</i> 31-32

Joint Committee Inspection Report

Hon'ble National Green Tribunal, Central Bench, Bhopal had issued the following directions vide order dated 25/04/2024 in the O.A No. 96/2024 (CZ) Milind Thakre Vs State of Madhya Pradesh & Ors.

- 1. Issue raised in this application is against illegal operation of Stone Crusher Units at villages Akola and Seoti, Tehsil- Kirnapur, Distt- Balaghat (MP). Respondent No. 7, 8 and 9 PPs leaseholders of the stone crushers /quarries operating illegally and in violation of EC conditions, as per MPPCB norms in the above-mentioned villages of Kirnapur Tehsil, Balaghat. Respondent PPs have not installed foundational safety norms of erecting boundary walls and fencing their units, as well as have not taken any measures for plantation in nearby area of the mining plants.*
- 2. A substantial issue of the environment has been raised. Issue notice to the respondents. Returnable within four weeks.*
- 3. Applicant is directed to take necessary steps for service to the respondents by both ways and also on available email.*
- 4. Respondents are directed to submit their reply within six weeks through e-filing portal, preferably in the form of searchable PDF/ OCR Support PDF and not in the form of Image PDF.*
- 5. We deem it just and proper to call a report on the matter in issue, in present application, from a Joint Committee consisting of:-
(i) One representative from the Collector, Balaghat (M.P.)
(ii) One Representative from the State Pollution Control Board, (M.P.)*
- 6. The Committee is directed to visit the place and submit the factual and action taken report within six weeks. The State PCB will be the nodal agency for coordination and logistic support.*
- 7. Applicant is directed to supply the required documents and copy of the application to the committee and respondents within a week and after compliance of service, the applicant has to submit an affidavit that the notice and copy of the application have been served on the committee and respondents.*

8. *The report in the matter be filed by the Committee through email at ngtczbbhomp@gov.in preferably in the form of searchable PDF/OCR Support PDF and not in the form of Image PDF.*

In compliance with the above directions given by the Hon'ble NGT (CZ) in O.A. 96/2024 dated 25/04/2024, the committee comprising of the following nominated members was constituted.

S.No.	Name of Department	Name of Committee Member
1.	Representative from the Collector, Balaghat, (M.P.)	Shri R.K. Khatarkar Mining officer Dist. Balaghat
2.	Representative from State Pollution Control Board, (M.P.)	Shri Alok Kumar Jain Regional Officer, MPPCB Jabalpur

Copy of nomination received from collectorate Balaghat is enclosed in **Annexure-1**. MPPCB, being the Nodal Agency in this matter, coordinated with all the concerned stakeholders and schedule the site visit for 07/06/2024. Accordingly, a site visit was conducted on 07/06/2024. On the day of the visit, all committee members and other stakeholders were present, except the complainant who was absent despite a prior telephonic conversation. Therefore, the details of officials and other stakeholders present during the site visit at the Place of complaint on 07/06/2024 are as follows: -

- i. Shri Alok Kumar Jain, Regional Officer, MPPCB Regional Office Jabalpur (M.P.)
- ii. Shri R.K. Khatarkar, Mining officer, District Balaghat (M.P.)
- iii. Shri Mukesh Vadive, Mining Inspector, Balaghat (M.P.)
- iv. Shri Jaikishan Sharma, Sub Engineer, MPPCB Regional Office Jabalpur (M.P.)
- v. Shri Ayeed Parvez, Contract Engineer, MPPCB Regional Office Jabalpur (M.P.)
- vi. Shri Aadil Khan, (Respondent No. 7)
- vii. Shri Mansoor Khan, Representative of Shri Samrat Saraswar (Respondent No. 8)
- viii. Shri Bhupendra Rahangdale, Representative of (Respondent No. 9)

Site inspection Panchnama was made during site inspection is enclosed in **Annexure-2**.

This report is being filed by the joint committee after conducting the field visit on 07/06/2024, looking into the issues raised by the complainant and after due discussions with local stakeholders.

Basic Details of Mine & Stone Crusher of Shri Adil Khan “Respondent No. 7”

Basic details of mine and stone crusher, as mentioned in the petition are as follows: -

Mine		
S. No-	Particulars	Details
1.	Details of Mining Lease Area	Occupier-Adil Khan Lease Area: - 1.62 Hectare Location: -Kh.No. 516, P.H.No.22, Village – Akola, Tehsil-Kirnapur, Balaghat
2.	Environmental Clearance details	from DEIAA, Balaghat by letter No. 1069 dated 28/07/2016 for capacity of 8550 Cubic Mtrs.
3.	Consent from MPPCB	CCA-Renewal for capacity of 8550 Cubic Mtrs. With validity up to 31/01/2028
Stone crusher		
1.	Consent from MPPCB	CCA-Renewal for capacity of 10800 M.T. With validity up to 31/12/2027
2.	Details of crusher	Khasra no- 504/1,504/6,504/8,514/1 P.H. No22, Village – Akola, Tehsil-Kirnapur, Balaghat

Basic Details of Mine & Stone Crusher of Shri Samrat Sarswar “Respondent No. 8”

Mine		
S. No-	Particulars	Details
1.	Details of Mining Lease Area	Occupier- Samrat Sarswar Lease Area: - 2.428 Hectare Location: -Kh.No. 516, area 2.428hect., Village – Akola, Tehsil-Kirnapur, Balaghat
2.	Environmental Clearance details	from SEIAA by letter No.11849 dated 16/03/2016 for capacity of 41093 Cu.Mt.
3.	Consent from MPPCB	CCA-Renewal for capacity of 41093 Cu.Mt. With validity up to 26/10/2024

Stone crusher

1.	Consent from MPPCB	CCA-Renewal for capacity of 24000 M.T. With validity up to 26/10/2024
2.	Details of crusher	Kh.No- 395,424/1,P.H.No.22,Village Akola, Tehsil Kirnapur, Dist. Balaghat


Basic Details of Mine & Stone Crusher of Shri Ummedial Rahangdale “Respondent No. 9”**Mine**

S. No-	Particulars	Details
1.	Details of Mining Lease Area	Occupier- Ummedlal Rahangdale Lease Area: - 1.0 Hectare Location: -Kh.No. 269, Village – Seoti, Tehsil-Kirnapur, Balaghat
2.	Environmental Clearance details	from SEIAA by letter No.6551 dated 20/10/2015 for capacity of 41093 Cubic Mtrs.
3.	Consent from MPPCB	CCA-Renewal for capacity of 5700 Cubic Mtrs. With validity up to 07/03/2026

Stone crusher

1.	Consent from MPPCB	CCA-Renewal for capacity of 5700 Cubic Mtrs. With validity up to 07/03/2026
2.	Details of crusher	Kh.No- 36/4,Area 0.299 hect.,Village Seoti, Tehsil Kirnapur, Dist. Balaghat


Site view description: - The Google Earth photograph shows the locations of the mining lease area and stone crushing units. It is clear from the image that the residential area is situated more than 500 meters away from the boundaries of the mines and stone crushing units. This distance complies with the Siting criteria set by the Central Pollution Control Board (CPCB). Additionally, there is no water body within 1,000 meters of the site. There is no state highway or national highways within this distance either. Furthermore, there are no eco-sensitive areas near the mines or stone crusher units. It is submitted that all 03 stone crushers are established outside the Mining Lease Area.



Field Observation: -

Specific issues raised in the petition and factual observations: -

Specific issues raised	Site Observation
Respondent No. 7 (Shri Aadil Khan)	
<p>There is no fencing done at the mines in operation and the owner has not implemented any measures for erecting boundary wall in the crusher plants.</p>	<p>During the inspection, it was noted that the mine had fencing on the one side while on other side it is connected with the other mining lease areas. Munnare was also located at the boundaries of the mine. The project proponent (PP) had previously constructed a wind-breaking wall using GI sheets at the crusher site, which was present during the renewal of consent. However, this wall was demolished earlier this year due to heavy winds and storms. As a result, no wind-breaking wall was observed during the site inspection. Nonetheless, the PP has commenced construction work on a permanent wind-breaking wall.</p>
 <p>GPS Map Unnamed Road, Newara, Madhya Pradesh 481115, India Latitude 21.59680166666667* Longitude 80.39966* Local 04:49:11 PM Altitude 304 m GMT 11:19:11 AM Friday, 07.06.2024</p>	 <p>GPS Map Unnamed Road, Newara, Madhya Pradesh 481115, India Latitude 21.59699666666667* Longitude 80.39971166666666* Local 04:49:47 PM Altitude 304 m GMT 11:19:47 AM Friday, 07.06.2024</p>



Mining Activities are being carried out in excess of the approved mining plan.

As verified by the district Mining officer Balaghat, mining activities are within the limits as provided under approved mining plan.

No plantation is done around the unit.

During inspection it was found that PP has carried out some plantation work on the premises of the stone crusher. Also, there was some plantation at the periphery of the mining lease area.

Petitioner has alleged that respondent no. 7 is illegally operating stone crusher despite of the fact that the EC granted by DEIAA has become null & Void in light of the judgement of Hon'ble tribunal in the matter of **Brijendra Kumar mala Vs State of M.P. & Others. O.A. 36/2023.**


MoEF&CC has further extended the timeline by 6 months till 27.10.2024 for all SEIAAs to re-appraise the ECs issued by DEIAAs from 15.01.2016 to 13.09.2018 in compliance of the Order dated 07.12.2022 passed by Hon'ble NGT (Principal Bench) in O.A. 142/2022 (Jayant Kumar Vs MoEF&CC) and other matters connected therewith. Subsequently, Respondent No. 7 having EC from DEIAA Balaghat vide letter 1069/DEIAA/2016/14 dated 28.07.2016 has also applied for the re-appraisal of EC from SEIAA, which is

pending before SEIAA. Thus, considering above fact and OM of MoEF&CC it cannot be said that the respondent has operating mine illegally. However, Board has issued closure directions to stone crusher under section '31 A' of the Air (Prevention & control of pollution act) 1981 due to non-compliances found during inspection.

Respondent No. 8 (Shri Samrat Singh Saraswar)

Petitioner has alleged that respondent No. 8 have violated Specific condition No.3 of the EC clearly and categorically by not fencing the entire area of mine and not developing a green belt of three rows all around the lease area.

During inspection it was found that PP has fenced mining area on one side of mine facing roadside and other sides of mine are sharing boundaries with other mining lease areas. PP has planted some trees around mining lease area.



PP has not constructed boundary wall around the crusher plant

PP has constructed a permanent wind breaking wall on the roadside of the crusher while on other three sides using GI sheets. Also, PP has carried out intense plantation on the periphery of stone crusher.



Unnamed Road, Newara, Madhya Pradesh 481115, India

Latitude 21.596918333333333° Longitude 80.401180000000001°
 Local 03:58:12 PM Altitude 11.29 m
 GMT 10:28:12 AM Friday, 07.06.2024



Unnamed Road, Newara, Madhya Pradesh 481115, India

Latitude 21.5977199999999995° Longitude 80.401603333333333°
 Local 03:52:53 PM Altitude 305 m
 GMT 10:22:53 AM Friday, 07.06.2024



Unnamed Road, Newara, Madhya Pradesh 481115, India

Latitude 21.5973450000000004° Longitude 80.401286666666666°
 Local 03:51:50 PM Altitude 306 m
 GMT 10:21:50 AM Friday, 07.06.2024



Unnamed Road, Akola, Madhya Pradesh 481115, India

Latitude 21.597115° Longitude 80.401081666666667°
 Local 03:50:42 PM Altitude 306 m
 GMT 10:20:42 AM Friday, 07.06.2024


Mining Activities are being carried out in excess of the approved mining plan.

As per the mining data provided by district collectorate (Mining) Balaghat, mining activities are within the limits as provided under approved mining plan.

Petitioner has alleged that No water is sprinkled on the approach road.



During inspection the water sprinkler system was installed and operational.



Respondent No. 9 (Shri Ummedilal Rahangdale)

Petitioner has alleged that respondent has furnished wrong and confounding facts/information for CTE/CTO approvals from the authorities.

During the inspection, representative of respondent no. 9 was present and produced the documents that were submitted during the issuance of the Consent to Establish (CTE) or Consent to Operate (CTO). It reveals that document submitted by the PP which is found correct.

Petitioner has alleged that respondent No. 9 has violated Specific condition No. 3 & 9 of the EC which states that appropriate dense tree plantation and barricading shall be carried out.

During inspection it was found that PP has fenced mining area only on one side of mine and PP has not developed a green belt as per the condition of EC, However PP has planted some trees around mining lease area.



Petitioner has alleged that respondent No. 9 have violated standard condition no.2 which states that *“Mining will be carried out as per the mining plan. In case of any violation of the Mining Plan the environmental clearance given by SEIAA will stand cancelled.”*

As verified by the district Mining officer Balaghat, mining activities are within the limits as provided under approved mining plan.

Petitioner has alleged that respondent No. 9 has violated standard condition No.3 which states that *“regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and all transfer points.”*

During inspection it was found that PP has not installed water sprinkler system.

Status of Compliance of EC Conditions:-

- **EC Granted by DEIAA Balaghat by letter No. 1069 dated 28/07/2016 (Shri Adil Khan Bolder Mine-1.620 ha) Respondent No. 07**

The following important site observations were made w.r.t. the compliance of EC conditions: -

1. Crusher was present outside the mining lease area and wind breaking wall using GI sheets was present but same needs to be strengthened all around the crusher area and also enhance its height up to highest point of conveyor belts.
2. The mine workings are in accordance with approved mining plan; however, no mining is in progress at the time of site visit.
3. Stone Production from the mine is well within the stipulated limits of EC and mining plan.
4. Peripheral fencing was seen around the one side of mining lease area which needs to be improved.
5. plantation was seen on the periphery of the lease area in the barrier zone but the same needs to be further strengthened by doing dense plantation.
6. PP had obtained valid consent from MPPCB.
7. It is submitted that the mining area is above the ground level and no OB is generated as a result no garland drains and siltation ponds were seen inside the mining lease area.
8. No material transportation was seen at the time of site visit.
9. No garland drains and siltation ponds were seen inside the mining lease area.
10. Average depth of the working pit was found approximately 5 meters.

- **EC Granted by SEIAA Bhopal by Letter No. 11849 dated 16/03/2016 (Shri Samrat Singh Saraswar Stone Mine-2.428 Hect) Respondent No. 08**

The following important site observations were made w.r.t. the compliance of EC conditions: -

1. Mining operations follow approved mining plans. However, no mining activities were seen at the time of the site visit.
2. The mine leasing area included perimeter fence with appropriate ward and watch setups.
3. Crusher was present outside the mining lease area and wind braking wall using GI sheets was present on three sides of the crusher while on one side a permanent wind

- breaking was has been made. water sprinkling system has been installed and found operational. screen & Conveyer belts are properly covered using GI sheets. plantation was also seen in the premises.
4. Peripheral fencing was seen around the one side of mining lease area which needs to be improved.
 5. PP had obtained valid consent from MPPCB.
 6. Stone Production from the mine is well within the stipulated limits of EC and mining plan.
 7. No material transportation was seen at the time of site visit.
 8. It is submitted that the mining area is above the ground level and no OB is generated as a result no garland drains and siltation ponds were seen inside the mining lease area.
- **EC Granted by SEIAA Bhopal by Letter No. 6551 dated 20/10/2015 (Shri Ummedlal Rahangdale Stone Mine-1.0 Hect) Respondent No. 09**

The following important site observations were made w.r.t. the compliance of EC conditions:

-

- 1- Crusher was present outside the mining lease area and wind breaking wall using GI sheets was present but same needs to be strengthened all around the crusher area and also enhance its height up to highest point of conveyer belts.
- 2- Mining operations follow approved mining plans. However, no mining activities were seen at the time of the site visit.
- 3- Stone Production from the mine is well within the stipulated limits of EC and mining plan.
- 4- Peripheral fencing was seen around the one side of mining lease area which needs to be improved.
- 5- plantation was seen on the periphery of the lease area in the barrier zone but the same needs to be further strengthened by doing dense plantation.
- 6- PP had obtained valid consent from MPPCB.
- 7- It is submitted that the mining area is above the ground level and no OB is generated as a result no garland drains and siltation ponds were seen inside the mining lease area.
- 8- No material transportation was seen at the time of site visit.

9- Average depth of the working pit was found approximately 2 meters.

Status of Compliance of Consent Conditions:-

- A. Siting of all the crushers is as per the norms of siting criteria of MPPCB i.e. these are about 500 meters away from the NH/SH, residential areas or any other sensitive receptors.
- B. Wind-breaking walls have been constructed in the crusher by respondent No. 8. During site visit. respondent No. 06 & 07 has not constructed wind braking walls of proper heights as per consent condition.
- C. Boulder and murrum roads have been developed for movement of vehicles.
- D. Water spraying arrangement through tankers and movable sprinklers has been made for dust suppression on haul roads.
- E. plantation was seen on the periphery of the lease area in the barrier zone but the same needs to be further strengthened by doing dense plantation.
- F. Appropriate fencing is not done all around the mining lease area which needs to be strengthened.
- G. All mining lease areas have been provided with sign boards mentioning the crucial details of the mines.
- H. No Over Burden could be seen in the mines.
- I. No mining has been carried out beyond the mining lease area as per the information provided by the mining department.

Ambient Air Quality Monitoring of Stone Crushers: -

The Regional Laboratory MPPCB Jabalpur has conducted ambient air quality monitoring on dated 15/06/2024 of all three stone crushers. The results were found to be within the limits prescribed under the E(P) Rules 1986 for stone crushing units. Analysis results are as follows: -

S.No.	Monitoring Point	SPM (in $\mu\text{g}/\text{m}^3$)	
		Analysis Result	Limits Prescribed under EP Rules, 1986
1.	Stone crusher Premises (Respondent No. 7)	287	600
2.	Stone crusher Premises (Respondent No. 8)	462	600
3.	Stone crusher Premises (Respondent No. 9)	230	600

The results of monitoring are enclosed as **Annexure 3**.

Action taken by Regional Office MPPCB Jabalpur: -

In compliance with the Honourable National Green Tribunal (NGT) order dated 25.04.2024, the Regional Office Madhya Pradesh Pollution Control Board Jabalpur has taken the following actions against the respondents: -

- 1- The Board has issued closure direction to the stone crusher of Respondents No. 7 (Shri Aadil Khan) due to partially compliance found during inspection after given opportunity of hearing vide letter No. 729 dated 14/06/2024. Copy of Letter is Enclosed as **Annexure 4**.
- 2- The Board has issued closure direction to the stone crusher of Respondents No. 9 (Shri Ummedlal Rahangdale Stone Crusher) due to partially compliance found during inspection after given opportunity of hearing vide letter No. 727 dated 14/06/2024. Copy of Letter is Enclosed as **Annexure 5**.
- 3- The Regional office MPPCB Jabalpur has withdrawn of consent for Stone Crusher and Mine of Respondent No. 07 & 09. MPPCB has also directed to Madhya Pradesh Purv kshetra Vidyut Vitran Company Limited Kirnapur Dist-Balaghat for disconnect the electricity. Board has also given the letter to Mining officer Balaghat not to issue pit pass/E-Royalties for above Mine.

4- Proposal for Imposition of Environmental compensation on respondent No. 7 (Shri Aadil Khan) & respondent No. 09 (Shri Ummedlal Rahangdale) has been submitted to Head Office of MPPCB.

Recommendations: -

- All the shortfalls as observed by the Joint Committee during the site visit must be rectified by the project proponents.
- The conveyer belts must be covered by Respondent No. 07 and Respondent No 09 in all three sides including top of the belts.
- The Screen must be covered by Respondent No. 07 and Respondent No 09 in the stone crusher.
- telescopic chute arrangements must be installed around the crushed stone stock piles of various sizes.
- Revalidation of Environmental Clearance from SEIAA shall be obtained by Respondent No. 07.
- Peripheral plantation was seen but the same needs to be further strengthened along the barrier zone for better dust mitigation.
- Proper wind breaking wall of 15-20 feets height must be constructed for better management of dust pollution and the same needs to be strengthened all around the crusher area.
- Proper water sprinkling system shall be installed by Respondent No. 07 and Respondent No 09 in the stone crusher area.
- Thick plantation shall be made in the barrier zone of mining lease area and stone crusher boundary area.


(R.K. Khatarkar)
Mining officer
District Balaghat


(Alok Kumar Jain)
Regional Officer
M.P. Pollution Control Board
Jabalpur

कार्यालय कलेक्टर (खनिज विभाग) जिला बालाघाट (म.प्र.)

Office e-mail - modgmbal@mp.gov.in

Annexure-1

क्रमांक/557 /खनिज/2024

// आदेश //

बालाघाट दिनांक 31/5 /2024

माननीय राष्ट्रीय हरित अधिकरण भोपाल (CZ) के ओ.ऐ. क्रमांक 96/2024 (मिलिन्द ठाकरे विरुद्ध म.प्र. शासन एवं अन्य) में जारी आदेशानुसार प्रकरण में संयुक्त समिति का गठन किया गया है। जिसमें अद्योहरस्ताक्षरकर्ता की ओर से खनि अधिकारी जिला बालाघाट को प्रतिनिधि के रूप में स्थल निरीक्षण उपरांत प्रतिवेदन तैयार कर प्रस्तुत किये जाने हेतु नियुक्त किया जाता है।

संलग्न :- उपरोक्तानुसार।

कलेक्टर

जिला-बालाघाट (म.प्र.)

बालाघाट, दिनांक 31/5 /2024

पृ० क्रमांक/557^A /खनिज/2024

प्रतिलिपी :-

- 1- क्षेत्रीय अधिकारी, म.प्र. प्रदूषण नियंत्रण बोर्ड क्षेत्रीय कार्यालय जबलपुर म.प्र. की ओर सूचनार्थ।
- 2- तहसीलदार, तहसील किरनापुर को निर्देशित किया जाता है कि उक्त क्षेत्र के निरीक्षण दौरान राजस्व निरीक्षक एवं हल्का पटवारी के साथ उपस्थित होना सुनिश्चित करें।
- 3- श्री सम्राट सिंह सरसवार निवासी वार्ड न. 27 सर्किट हाउस रोड बालाघाट जिला बालाघाट म.प्र. की ओर सूचनार्थ।
- 4- श्री उम्मेदलाल राहंगडाले निवासी ग्राम डोंगरगाँव, पोस्ट सेवती तह. किरनापुर जिला बालाघाट म.प्र. की ओर सूचनार्थ।
- 5- श्री आदिल खान, पता-वार्ड न. 03 कोसमी तह. व जिला बालाघाट म.प्र. की ओर सूचनार्थ।

कलेक्टर

जिला-बालाघाट (म.प्र.)

भाज दिनांक 07/06/2024 को माननीय N.G.T. सेन्ट्रल जौनल बेंच मौफाल के प्रकरण क्रमांक Original Application No. 36/2024 (GZ) Jitendra vs Milind Thakre vs state of M.P. & ors. में माननीय N.G.T. के वारिद भाषेश दिनांक 25/04/2024 अनुसार याचिका में उल्लेखित ग्राम अकोला एवं सेवती तह. किरनापुर में स्थापित शूलन केशर के ब्यवह निरीक्षण एवं स्वदान क्षेत्र का ब्यवह निरीक्षण जांच दल में सम्मिलित अधिकारी श्री मालिक जैन, क्षेत्रीय अधिकारी, म.प्र. प्र. नि. बौडि क्षेत्र, जलबपुर के प्रतिनिधि, श्री आर. के. शतवर्ष स्वर्णि अधिकारी जिन्ना बालाघाट, कम्पेटर बालाघाट के प्रतिनिधि, अहिद परपेज, सह. यंत्रि, प्र. नि. बौ., जयकिशान शर्मा, उपयंत्रि प्र. नि. बौ., श्री सुकेश वाडिवे (ख. नि.), अस्तनिपट्टाधारी श्री आदिल खान, उ. पट्टाधारी सम्राट सिंह खरखवार के प्रतिनिधि श्री मंसूर खान (मैनजर) उ. पट्टाधारी श्री अमरेश शहांगडाले के प्रतिनिधि मूवेद शहांगडाले एवं मौफे पर उपस्थित व्यक्तियों की उपस्थिति में किया गया। निरीक्षण के दौरान याचिकाकर्ता श्री मिलिन्द हाकर से दूरभाष पर संपर्क किया गया तथा मौफे पर उपस्थित होने हेतु निर्देशित किया गया, किन्तु याचिकाकर्ता मौफे पर उपस्थित नहीं हुए, याचिकाकर्ता द्वारा दूरभाष पर बताया गया कि वह बाहर ही ग्राम अकोला में सम्राट सिंह खरखवार के घर में बस्यीकृत सडारण अनुसन्धान स्थल में स्थित शूलन केशर का शिफ्ट तथा कन्वेल बिल्ट कवर घाट गा. रोड किनारे पक्की बिड बेडिंग वाल का निर्माण किया जा रहा है। उद्योगपति द्वारा बताया गया कि पूर्व में निर्मित लीन की दीवार टूट जाने के कारण पक्की वाल का निर्माण किया जा रहा है। शूलन केशर क्षेत्र में बूख से बचाव हेतु सि. कवर एवं पानी का धाडकाव किया जाना चाया गया है। अस्तनि- पट्टाधारी श्री खरखवार को बस्यीकृत अस्तनिपट्टा क्षेत्र में फेरिंग की व्यवस्था तथा बूझारोपण पर्याप्त मात्रा में नहीं पाया गया।

Handwritten signature/initials

कम्पेटर 21/5/24
Syed Farooq
20 | Page
16/29

Handwritten signature: Nataran
MO BGT
07/06/2024

अगले पृष्ठ पर निरंतर... 2

11/211

श्री उम्मेदवाल रांगडाले के पक्ष में ग्राम डोंगरगाँव सह चिरनापुर में स्वीकृत भण्डारण अनुडालि स्थल में स्थित क्लीन केशर में रिक्ज कवर, नही पाया गया। विण्ड ब्रेकिंग वॉल भी घसीत मात्रा में लगा होना नही घाया गया। तथा स्वीकृत उत्खनिपट्टा क्षेत्र ग्राम सैलती/ चिरनापुर में केंसिंग किया जाना घाया गया। किण्टु वृक्षारोपण घसीत मात्रा में नही होना घाया गया।

श्री भादिल रतान जो ग्राम अकोला। चिरनापुर में स्वीकृत भण्डारण अनुडालि स्थल में स्थित क्लीन केशर में विण्ड ब्रेकिंग वॉल तीन शैड की एंव तीन मीटर की कनी हुई वाई गई। स्थाई विण्ड ब्रेकिंग वॉल का निर्माण निर्माणाधीन होना घाया गया। क्लीन केशर में रिक्ज केशर कवर होना घाया गया। स्वीकृत उत्खनिपट्टा क्षेत्र के ग्राम अकोला। चिरनापुर में एक और केंसिंग होना घाया गया। तथा वृक्षारोपण घसीत मात्रा में किया जाना नही घाया गया।

मौके पर मौक पंचनामा तैयार किया गया। पंचनामा पढ़कर सुनाया गया एवं जो स्वी होमे पर अपने हस्ताक्षर किए गये।

Sachin Singh

[Signature]
7/6/24
R.O. MPCC

[Signature]
Patakar
07/06/2024
M.O. Balaghat

[Signature]
आदिल रतान

[Signature]
7/6/24
008899/PCB

[Signature]
07/06/24
Mining Insp.

[Signature]
अक्षय खन्ना

[Signature]
Agreed name
MPCCB, 08/6/24
7/6/24

07/06/24

FORM - IV
Report by the State Board Analyst
(See Rule - 18)

Report No:- 13/624
Dated :- 17/06/2024

I hereby certify that I Mr. Brijendra Singh, State Board Analyst duly appointed under sub-section 3 of section 26 of the Air (Prevention and Control of Pollution) Act, 1981, received on the 17th June 2024 from Regional office Jabalpur Two (02) samples of ambient air monitoring of M/S Shri Adil Khan Stone Crusher, Akola, Kirnapur, Balaghat. (M.P.) The sample was in a condition fit for analysis reported below:-

I further certify that I have analysed the aforementioned sample on 17/06/2024 And declare the result of analysis to be as follows: -

A-AMBIENT AIR MONITORING

Sr. No	Monitoring Point	Date of Monitoring	SPM (in $\mu\text{g} / \text{m}^3$)	
			Analysis Result	Standard as per EP Rules, 1986
1.	Stone Crusher Premises	15/06/2024	287	600

Note: - During monitoring Stone crusher was closed.

The sample was properly sealed.

Signed this 17th day of June 2024.

Address:- Brijendra Singh (Jr. Scientist)
Regional Office
M.P. Pollution Control Board,
Vijay Nagar, Jabalpur (M.P.)



(Brijendra Singh)
State Board Analyst

To,
The Lab In-charge
M.P. Pollution Control Board,
Jabalpur. (M. P.)

FORM – IV
Report by the State Board Analyst
(See Rule - 18)

Report No:- 14/624
Dated :- 17/06/2024

I hereby certify that I Mr. Brijendra Singh, State Board Analyst duly appointed under sub– section 3 of section 26 of the Air (Prevention and Control of Pollution) Act,1981, received on the 17th June 2024 from Regional office Jabalpur Two (02) samples of ambient air monitoring of M/S Samrat Singh Saraswar Sam Stone Crusher, Akola, Kirnapur, Balaghat. (M.P.) The sample was in a condition fit for analysis reported below:-

I further certify that I have analysed the aforementioned sample on 17/06/2024
And declare the result of analysis to be as follows: -

A-AMBIENT AIR MONITORING


Sr. No	Monitoring Point	Date of Monitoring	SPM (in $\mu\text{g} / \text{m}^3$)	
			Analysis Result	Standard as per EP Rules, 1986
1.	Stone Crusher Premises	15/06/2024	462	600

Note: - During monitoring Stone crusher was operational and water sprinkler system was running.

The sample was properly sealed.

Signed this 17th day of June 2024.

Address:- Brijendra Singh (Jr. Scientist)
Regional Office
M.P. Pollution Control Board,
Vijay Nagar, Jabalpur (M.P.)


17.06.24

(Brijendra Singh)
State Board Analyst

To,
The Lab In-charge
M.P. Pollution Control Board,
Jabalpur. (M. P.)

FORM -- IV
Report by the State Board Analyst
(See Rule - 18)

Report No:- 15/624
Dated :- 17/06/2024

I hereby certify that I Mr. Brijendra Singh, State Board Analyst duly appointed under sub-section 3 of section 26 of the Air (Prevention and Control of Pollution) Act, 1981, received on the 17th June 2024 from Regional office Jabalpur Two (02) samples of ambient air monitoring of M/S Umendlal Rahangdale Stone Crusher, Akola, Kirnapur, Balaghat. (M.P.) The sample was in a condition fit for analysis reported below:-

I further certify that I have analysed the aforementioned sample on 17/06/2024
And declare the result of analysis to be as follows: -

A-AMBIENT AIR MONITORING

Sr. No	Monitoring Point	Date of Monitoring	SPM (in $\mu\text{g} / \text{m}^3$)	
			Analysis Result	Standard as per EP Rules, 1986
1.	Stone Crusher Premises	15/06/2024	230	600

Note: - During monitoring Stone crusher was closed.

The sample was properly sealed.

Signed this 17th day of June 2024.

Address:- Brijendra Singh (Jr. Scientist)
Regional Office
M.P. Pollution Control Board,
Vijay Nagar, Jabalpur (M.P.)



17.06.24

(Brijendra Singh)
State Board Analyst

To,
The Lab In-charge
M.P. Pollution Control Board,
Jabalpur. (M. P.)



क्षेत्रीय कार्यालय,
म.प्र. प्रदूषण नियंत्रण बोर्ड,

स्कीम नं० 5, प्लॉट नं. 455/456, विजयनगर, जबलपुर-482002

Phone & Fax-0761-4042780 E-Mail romppcbjbp@rediffmail.com

क्रमांक / 729 / क्षेत्रा / प्रनिबो / 2024

जबलपुर, दिनांक 14/6/2024

प्रति,

श्री आदिल खान, प्रोपराईटर
मेसर्स अदिल स्टोन कशर
निवासी वार्ड नं 09 कोसमी
जिला-बालाघाट

विषय- बोर्ड के निर्देशों का उल्लंघन करने के कारण, वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1981 की धारा 31 'क' के तहत स्टोन कशर बन्द करने के निर्देश।

संदर्भ- 1- इस कार्यालय का पत्र क्रमांक 02/05/2023

2- इस कार्यालय का आपके स्टोन कशर का निरीक्षण दिनांक 10/05/2024

3- इस कार्यालय का पत्र क्रमांक 383 दिनांक 16/05/2024

4- इस कार्यालय का निरीक्षण दिनांक 07/06/2024

उपरोक्त विषयान्तर्गत क्षेत्रीय कार्यालय म0प्र0प्रदूषण नियंत्रण बोर्ड 455-456 स्कीम नं 05 विजय नगर जबलपुर द्वारा आपको निम्नलिखित सूचना दी जाती है :-

1. यह कि मध्यप्रदेश प्रदूषण नियंत्रण बोर्ड का गठन जल (प्रदूषण निवारण तथा नियंत्रण) 1974 की धारा 4 के अन्तर्गत किया गया है एवं बोर्ड को वायु (प्रदूषण निवारण तथा नियंत्रण) 1981 अधिनियमों के प्रावधानों को लागू करने का दायित्व है।
2. यह कि बोर्ड को वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम, 1981 की धारा 17 (एफ) के प्रावधानों अन्तर्गत वायु प्रदूषण नियंत्रण, क्षेत्र का निरीक्षण करने एवं क्षेत्र के वायु प्रदूषण को नियंत्रण में करने अथवा रोकने हेतु आवश्यक कार्यवाही करने की शक्तियां प्राप्त हैं।
3. यह कि आपके द्वारा खसरा क्रमांक 516 ग्राम अकोला तहसील-किरनापुर जिला-बालाघाट में स्टोन कशर एवं खदान का संचालन किया जा रहा है।
4. यह कि आपको बोर्ड द्वारा स्टोन कशर स्थापित कर संचालित करने की सम्मति वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम 1981 के प्रावधान के अन्तर्गत इस कार्यालय द्वारा सम्मति प्रदान की गई है।
5. यह कि आपके स्टोन कशर का निरीक्षण दिनांक 07/06/2024 को किया गया। निरीक्षण में वायु प्रदूषण नियंत्रण व्यवस्था पर्याप्त नहीं पाई गई है।
6. यह कि आपके द्वारा समस्त उत्सर्जन बिन्दुओं जैसे- प्रायमरी कशर स्क्रीन, कन्वेयर वेल्ड के ट्रांसफर पाइंट आदि को डस्ट कन्टेनमेंट कवर से नहीं ढका पाया गया। आपके स्टोन कशर के चारों तरफ बाउंड्री वाल अथवा बिन्द ब्रेकिंग वाल स्थापित नहीं की गई है। स्टोन कशर परिसर में जल छिडकाव किये जाने की व्यवस्था बताई गई है परन्तु स्थाई व्यवस्था अन्तर्गत जल छिडकाव स्पिंकलर स्थापित नहीं किये गये हैं।
7. यह कि आपके द्वारा गाईडलाईन के अनुसार टेलीस्कोपिक च्यूट (CHUTE) स्थापित नहीं किया गया है जिससे कन्वेयर वेल्ड से गिट्टी के ढेर पर गिरने के दौरान धूल उड़ती है जो हवा की दिशा में काफी दूर तक प्रदूषण की स्थिति निर्मित करती है।
8. यह कि आपके द्वारा स्टोन कशर के चारों ओर हरित पट्टी का विकास भी नहीं किया गया है।
9. यह कि आपके द्वारा उपरोक्त बिन्दुओं के अनुसार बोर्ड द्वारा निर्धारित गाईडलाईन के अनुसार वायु प्रदूषण नियंत्रण व्यवस्था नहीं की गई है जो वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1981 की धारा 21 का उल्लंघन है।

10. यह कि आपके इस कार्यालय के संदर्भित पत्र क्रमांक 385 दिनांक 16/05/2024 द्वारा आपको वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1981 की धारा 31 'क' के तहत नोटिस जारी किया गया है जिसका उत्तर आपके द्वारा इस कार्यालय को दिया गया जो संतोषजनक नहीं पाया गया।

11. यह कि आपके द्वारा आज दिनांक तक सिया से पर्यावरण स्वीकृति भी प्राप्त नहीं की गई है। अतएव उपरोक्त बिन्दुओं के अनुसार आपके द्वारा किये गये उल्लंघन के कारण वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1981 की धारा 31 'क' के तहत प्रदत्त शक्तियों का उपयोग करते हुये आपको निम्नलिखित निर्देश दिये जाते हैं :-

1. यह कि स्टोन कशर को तत्काल प्रभाव से बन्द करे।
2. यह कि संबंधित विभाग/संस्थान स्टोन कशर का विद्युत प्रदाय तत्काल प्रभाव से विच्छेद किया जावेगा।
3. यह कि स्टोन कशर को तब तक प्रारंभ न किया जावे जब तक कि सीपीसीबी की गाईडलाईन अनुसार स्टोन कशर में वायु प्रदूषण नियंत्रण हेतु व्यवस्था स्थापित नहीं कर ली जाती।

कृपया उपरोक्त निर्देशों का पालन सुनिश्चित करावे अन्यथा उद्योग संचालक एवं समस्त कर्ताघर्ताओं के विरुद्ध वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1981 की धारा 37 एवं 39 के प्रावधान अन्तर्गत न्यायालयीन वाद दायर किया जावेगा।

(आलोक कुमार जैन)
क्षेत्रीय अधिकारी

8/6
जबलपुर, दिनांक 14/6/24

पृ0क0 730 /क्षे.का/प्रनिबो/2023
प्रतिलिपि-

1. कलेक्टर बालाघाट जिला-बालाघाट की ओर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है।
2. अनुविभागीय दण्डाधिकारी किरनापुर ओर सूचनार्थ एवं आवश्यक कार्यवाही हेतु।
3. कार्यपालन यंत्री (संचालन एवं संधारण) म.प्र. पूर्व क्षेत्र विद्युत वितरण कम्पनी लिमिटेड, किरनापुर, अकोला की ओर सूचनार्थ एवं वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम, 1981 की धारा 31 "क" के द्वारा प्रदत्त शक्तियों का उपयोग करते हुये निर्देशित है कि मेसर्स आदिल खान ग्राम अकोला तहसील-किरनापुर जिला-बालाघाट का विद्युत प्रदाय तत्काल प्रभाव से बन्द करने का कष्ट करे एवं इस कार्यालय को सूचित करने का कष्ट करे।
4. जिला खनिज अधिकारी कलेक्टर कार्यालय बालाघाट की ओर सूचनार्थ एवं लेख है कि मेसर्स आदिल खान ग्राम अकोला तहसील-किरनापुर जिला-बालाघाट को पिटपास/रायल्टी तत्काल प्रभाव से बंद करे।

(आलोक कुमार जैन)
क्षेत्रीय अधिकारी

0/c



क्षेत्रीय कार्यालय,
म.प्र. प्रदूषण नियंत्रण बोर्ड,

स्कीम नं० 5, प्लॉट नं. 455/456, विजयनगर, जबलपुर-482002
Phone & Fex-0761-4042780 E-Mail romppcbjbp@rediffmail.com

क्रमांक / ...722.../क्षेका / प्रनिबो / 2024
प्रति,

जबलपुर, दिनांक 14/06/24

श्री उम्मेदलाल रहंगडाले, प्रोपराईटर
मेसर्स उम्मेदलाल रहंगडाले स्टोन कशर
ग्राम-डोगरगांव पोस्ट सेवनी
तहसील-किरनापुर जिला-बालाघाट

विषय- बोर्ड के निर्देशो का उल्लंघन करने के कारण, वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1981 की धारा 31 'क' के तहत स्टोन कशर बन्द करने के निर्देश।

- संदर्भ- 1-इस कार्यालय का पत्र क्रमांक 05/07/2023
2-इस कार्यालय का आपके स्टोन कशर का निरीक्षण दिनांक 10/05/2024
3-इस कार्यालय का पत्र क्रमांक 385 दिनांक 16/05/2024
4-इस कार्यालय का निरीक्षण दिनांक 07/06/2024

उपरोक्त विषयान्तर्गत क्षेत्रीय कार्यालय म०प्र० प्रदूषण नियंत्रण बोर्ड 455-456 स्कीम नं 05 विजय नगर जबलपुर द्वारा आपको निम्नलिखित सूचना दी जाती है :-

1. यह कि मध्यप्रदेश प्रदूषण नियंत्रण बोर्ड का गठन जल (प्रदूषण निवारण तथा नियंत्रण) 1974 की धारा 4 के अन्तर्गत किया गया है एवं बोर्ड को वायु (प्रदूषण निवारण तथा नियंत्रण) 1981 अधिनियमों के प्रावधानों को लागू करने का दायित्व है।
2. यह कि बोर्ड को वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम, 1981 की धारा 17 (एफ) के प्रावधानो अन्तर्गत वायु प्रदूषण नियंत्रण, क्षेत्र का निरीक्षण करने एवं क्षेत्र के वायु प्रदूषण को नियंत्रण में करने अथवा रोकने हेतु आवश्यक कार्यवाही करने की शक्तियां प्राप्त है।
3. यह कि आपके द्वारा खसरा क्रमांक 269 ग्राम सेवती तहसील-किरनापुर जिला-बालाघाट में स्टोन कशर एवं खदान का संचालन किया जा रहा है।
4. यह कि आपको बोर्ड द्वारा स्टोन कशर स्थापित कर संचालित करने की सम्मति वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम 1981 के प्रावधान के अन्तर्गत इस कार्यालय द्वारा सम्मति प्रदान की गई है।
5. यह कि आपके स्टोन कशर का निरीक्षण दिनांक 07/06/2024 को किया गया। निरीक्षण में वायु प्रदूषण नियंत्रण व्यवस्था पर्याप्त नहीं पाई गई है।
6. यह कि आपके द्वारा समस्त उत्सर्जन बिन्दुओ जैसे- प्रायमरी कशर स्क्रीन, कन्वेयर वेल्ड के ट्रांसफर पाइंट आदि को डस्ट कन्टेनमेंट कवर से नहीं ढका पाया गया। आपके स्टोन कशर के चारो तरफ बाउड्री वाल अथवा बिन्ड ब्रेकिंग वाल स्थापित नहीं की गई है। स्टोन कशर परिसर में जल छिडकाव किये जाने की व्यवस्था बताई गई है परन्तु स्थाई व्यवस्था अन्तर्गत जल छिडकाव स्प्रीकलर स्थापित नहीं किये गये है।
7. यह कि आपके द्वारा गाईडलाईन के अनुसार टेलीस्कोपिक च्यूट (CHUTE) स्थापित नहीं किया गया है जिससे कन्वेयर वेल्ड से गिट्टी के ढेर पर गिरने के दौरान धूल उडती है जो हवा की दिशा में काफी दूर तक प्रदूषण की स्थिति निर्मित करती है।
8. यह कि आपके द्वारा स्टोन कशर के चारो ओर हरित पट्टी का विकास भी नहीं किया गया है।
9. यह कि आपके द्वारा उपरोक्त बिन्दुओ के अनुसार बोर्ड द्वारा निर्धारित गाईडलाईन के अनुसार वायु प्रदूषण नियंत्रण व्यवस्था नहीं की गई है जो वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1981 की धारा 21 का उल्लंघन है।

10. यह कि आपके इस कार्यालय के संदर्भित पत्र क्रमांक 385 दिनांक 16/05/2024 द्वारा आपको वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1981 की धारा 31 'क' के तहत नोटिस जारी किया गया है जिसका उत्तर आज दिनांक तक इस कार्यालय को अप्राप्त है। जिससे स्पष्ट होता है कि आपके द्वारा जानबूझकर पर्यावरणीय नियमों/अधिनियमों का उल्लंघन किया जा रहा है।

अतएव उपरोक्त बिन्दुओं के अनुसार आपके द्वारा किये गये उल्लंघन के कारण वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1981 की धारा 31 'क' के तहत प्रदत्त शक्तियों का उपयोग करते हुये आपको निम्नलिखित निर्देश दिये जाते हैं :-

1. यह कि स्टोन कशर को तत्काल प्रभाव से बन्द करे।
2. यह कि संबंधित विभाग/संस्थान स्टोन कशर का विद्युत प्रदाय तत्काल प्रभाव से विच्छेद किया जावेगा।
3. यह कि स्टोन कशर को तब तक प्रारंभ न किया जावे जब तक कि सीपीसीबी की गाईडलाइन अनुसार स्टोन कशर में वायु प्रदूषण नियंत्रण हेतु व्यवस्था स्थापित नहीं कर ली जाती।

कृपया उपरोक्त निर्देशों का पालन सुनिश्चित करावे अन्यथा उद्योग संचालक एवं समस्त कर्ताघर्ताओं के विरुद्ध वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1981 की धारा 37 एवं 39 के प्रावधान अन्तर्गत न्यायालयीन वाद दायर किया जावेगा।

(आलोक कुमार जैन)
क्षेत्रीय अधिकारी

जबलपुर, दिनांक 14/6/24

पृ०क०-728/क्षे.का/प्रनिबो/2023
प्रतिलिपि-

1. कलेक्टर बालाघाट जिला-बालाघाट की ओर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है।
2. अनुविभागीय दण्डाधिकारी किरनापुर ओर सूचनार्थ एवं आवश्यक कार्यवाही हेतु।
3. कार्यपालन यंत्री (संचालन एवं संधारण) म.प्र. पूर्व क्षेत्र विद्युत वितरण कम्पनी लिमिटेड, किरनापुर, अकोला की ओर सूचनार्थ एवं वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम, 1981 की धारा 31 "क" के द्वारा प्रदत्त शक्तियों का उपयोग करते हुये निर्देशित है कि मेसर्स उम्मेदलाल रहंगडाले स्टोन कशर ग्राम पोस्ट सेवती तहसील-किरनापुर जिला-बालाघाट का विद्युत प्रदाय तत्काल प्रभाव से बन्द करने का कष्ट करे एवं इस कार्यालय को सूचित करने का कष्ट करे।
4. जिला खनिज अधिकारी कलेक्टर कार्यालय बालाघाट की ओर सूचनार्थ एवं लेख है कि मेसर्स उम्मेदलाल रहंगडाले स्टोन कशर ग्राम पोस्ट सेवती तहसील-किरनापुर जिला-बालाघाट को पिटपास/रायल्टी तत्काल प्रभाव से बंद करे।

(आलोक कुमार जैन)
क्षेत्रीय अधिकारी



क्षेत्रीय कार्यालय,
मध्यप्रदेश प्रदूषण नियंत्रण बोर्ड,
स्कीम नं० 5, प्लाट नं.455/456, विजयनगर, जबलपुर-482002

Phone & Fex-0761-4042780 E-Mail romppcbjbp@rediffmail.com

कमांक / 965 / क्षेत्रा / प्रनिबो / 2024
प्रति,

जबलपुर,

दिनांक 10/07/24

श्री अदिल खान, प्रोपराईटर
मेसर्स आदिल स्टोन कशर
निवासी वार्ड नं० 09 कोसमी बालाघाट
जिला-बालाघाट

विषय:- वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम, 1981 की धारा 21 के अन्तर्गत प्रदत्त सम्मति निरस्त (Revoke) करने बावत।

संदर्भ:-


1. इस कार्यालय द्वारा जारी आनलाईन सम्मति पत्र कमांक 22813 दिनांक 04/05/2023
2. इस कार्यालय द्वारा जारी आनलाईन सम्मति पत्र कमांक 22809 दिनांक 02/05/2023
3. इस कार्यालय का पत्र कमांक 383 दिनांक 16/05/2024
4. इस कार्यालय का पत्र कमांक 729 दिनांक 14/06/2024

—00—

उपरोक्त विषयान्तर्गत क्षेत्रीय कार्यालय म०प्र० प्रदूषण नियंत्रण बोर्ड, प्लाट नं 455/456 विजयनगर, जबलपुर द्वारा निम्नलिखित सूचना दी जाती है :-

1. यह कि मध्यप्रदेश प्रदूषण नियंत्रण बोर्ड का गठन जल (प्रदूषण निवारण तथा नियंत्रण) 1974 की धारा 4 के अन्तर्गत किया गया है एवं बोर्ड को वायु (प्रदूषण निवारण तथा नियंत्रण) 1981 अधिनियमों के प्रावधानों को लागू करने का दायित्व है।
2. यह कि आपके द्वारा खसरा कमांक 516 ग्राम अकोला तहसील-किरनापुर जिला-बालाघाट में स्टोन कशर एवं खदान का संचालन किया जा रहा है जिसके लिये बोर्ड द्वारा सशर्त सम्मति प्रदान की गई है।
3. यह कि आपके स्टोन कशर को इस कार्यालय के संदर्भित पत्र कमांक 383 दिनांक 10/05/2024 द्वारा बोर्ड द्वारा जारी सशर्त सम्मति शर्तों का उल्लंघन करने के कारण, कारण बताओ सूचना पत्र जारी किया गया था। जिसमें आपके द्वारा बोर्ड को प्रस्तुत उत्तर संतोषजनक नहीं पाया गया।
4. यह कि कार्यालय कलेक्टर (खनिज विभाग) जिला बालाघाट के आदेश कमांक 557 दिनांक 31/05/2024 को गठित कमेटी द्वारा आपके स्टोन कशर का दिनांक 07/06/2024 को निरीक्षण किया गया। निरीक्षण के दौरान आपके स्टोन कशर में वायु प्रदूषण नियंत्रण की सक्षम व्यवस्थायें स्थापित नहीं पाई गई।
5. यह कि निरीक्षण में पाई गई कमियों के आधार पर आपके स्टोन कशर को बोर्ड के पत्र कमांक 729 दिनांक 14/06/2024 द्वारा वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम, 1981 की धारा 31 क के अंतर्गत स्टोन कशर को बंद करने के निर्देश जारी किये गये हैं।

उपरोक्त के परिप्रेक्ष्य में आपको निर्देशित किया जाता है कि बोर्ड द्वारा कशर एवं खदान को जारी आनलाईन सम्मति पत्र कमांक 22813 दिनांक 04/05/2023 एवं सम्मति पत्र कमांक 22809 दिनांक 02/05/2023 प्रदत्त सम्मति तत्काल प्रभाव से निरस्त की जाती है एवं आपको सूचित किया जाता है कि स्टोन कशर एवं खदान का संचालन तत्काल प्रभाव से बंद करे। बोर्ड के निर्देशों का पालन नहीं किये जाने की स्थिति में आपके उद्योग के विरुद्ध नियमानुसार कार्यवाही की जावेगी जिसके तहत पर्यावरण क्षतिपूर्ति एवं न्यायालयीन प्रकरण जिसमें सजा एवं जुर्माना दोनों के प्रावधान हैं। इस पत्र की पावती स्टोन कशर को बंद करने की सूचना इस कार्यालय को अभिलम्ब उपलब्ध करावे।


(आलोक कुमार जैन)
क्षेत्रीय अधिकारी

1. कलेक्टर बालाघाट जिला- बालाघाट की ओर कृपया सूचनार्थ एवं आवश्यक कार्यवाही हेतु।
2. सदस्य सचिव म०प्र० प्रदूषण नियंत्रण बोर्ड भोपाल की ओर सूचनार्थ प्रेषित।
3. जिला खनिज अधिकारी कलेक्टर कार्यालय बालाघाट की ओर सूचनार्थ एवं लेख है कि मेसर्स आदिल खान स्टोन कशर एवं खदान ग्राम अकोला तहसील-किरनापुर जिला-बालाघाट को प्रदत्त पिटपास एवं रायल्टी तत्काल प्रभाव से बंद करे।
4. श्री संजय वर्मा, सहायक यंत्री, क्षेत्रीय कार्यालय म०प्र० प्रदूषण नियंत्रण बोर्ड जबलपुर की ओर सूचनार्थ एवं निर्देशित है कि स्टोन कशर का 15 दिवस के भीतर निरीक्षण कर प्रतिवेदन अधोहस्ताक्षकर्ता को उपलब्ध करावे।

१८


(आलोक कुमार जैन)
क्षेत्रीय अधिकारी
म०प्र० प्रदूषण नियंत्रण बोर्ड
जबलपुर



क्षेत्रीय कार्यालय,
मध्यप्रदेश प्रदूषण नियंत्रण बोर्ड,

स्कीम नं० 5, प्लॉट नं. 455/456, विजयनगर, जबलपुर-482002

Phone & Fex-0761-4042780 E-Mail romppcbjbp@rediffmail.com

कमांक / 967 / क्षेत्रा / प्रनिबो / 2024
प्रति,

जबलपुर,

दिनांक 10/7/24

श्री उम्मेदलाल रहंगडाले, प्रोपराईटर
मेसर्स उम्मेदलाल रहंगडाले स्टोन कशर
ग्राम डोगरगांव पोस्ट सेवती
तहसील-किरनापुर जिला-बालाघाट

विषय:-

वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम, 1981 की धारा 21 के अन्तर्गत प्रदत्त सम्मति निरस्त (Revoke) करने बावत।

संदर्भ:-

1. इस कार्यालय द्वारा जारी ऑनलाईन सम्मति पत्र कमांक 23005 दिनांक 05/07/2023
2. इस कार्यालय द्वारा जारी आनलाईन सम्मति पत्र कमांक 23006 दिनांक 05/07/2023
3. इस कार्यालय का पत्र कमांक 385 दिनांक 16/05/2024
4. इस कार्यालय का पत्र कमांक 727 दिनांक 14/06/2024

—00—

उपरोक्त विषयान्तर्गत क्षेत्रीय कार्यालय म0प्र0 प्रदूषण नियंत्रण बोर्ड, प्लॉट नं 455/456 विजयनगर, जबलपुर द्वारा निम्नलिखित सूचना दी जाती है :-

1. यह कि मध्यप्रदेश प्रदूषण नियंत्रण बोर्ड का गठन जल (प्रदूषण निवारण तथा नियंत्रण) 1974 की धारा 4 के अन्तर्गत किया गया है एवं बोर्ड को वायु (प्रदूषण निवारण तथा नियंत्रण) 1981 अधिनियमों के प्रावधानों को लागू करने का दायित्व है।
2. यह की आपके द्वारा खसरा कमांक 269 ग्राम सेवती तहसील-किरनापुर जिला-बालाघाट में स्टोन कशर एवं खदान का संचालन किया जा रहा है जिसके लिये बोर्ड द्वारा सशर्त सम्मति प्रदान की गई है।
3. यह कि आपके स्टोन कशर को इस कार्यालय के संदर्भित पत्र कमांक 385 दिनांक 10/05/2024 द्वारा बोर्ड द्वारा जारी सशर्त सम्मति शर्तों का उल्लंघन करने के कारण, कारण बताओ सूचना पत्र जारी किया गया था।
4. यह कि कार्यालय कलेक्टर (खनिज विभाग) जिला बालाघाट के आदेश कमांक 557 दिनांक 31/05/2024 को गठित कमेटी द्वारा आपके स्टोन कशर का दिनांक 07/06/2024 को निरीक्षण किया गया। निरीक्षण के दौरान आपके स्टोन कशर में वायु प्रदूषण नियंत्रण की सक्षम व्यवस्थायें स्थापित नहीं पाई गईं।
5. यह कि निरीक्षण में पाई गई कमियों के आधार पर आपके स्टोन कशर को बोर्ड के पत्र कमांक 727 दिनांक 14/06/2024 द्वारा वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम, 1981 की धारा 31 के अंतर्गत स्टोन कशर को बंद करने के निर्देश जारी किये गये हैं।


उपरोक्त के परिप्रेक्ष्य में आपको निर्देशित किया जाता है कि बोर्ड द्वारा स्टोन कशर एवं खदान को जारी आनलाईन सम्मति पत्र कमांक 23005 दिनांक 05/07/2023 एवं 23006 दिनांक 05/07/2023 सम्मति तत्काल प्रभाव से निरस्त की जाती है एवं आपको सूचित किया जाता है कि स्टोन कशर एवं खदान का संचालन तत्काल प्रभाव से बंद करे। बोर्ड के निर्देशों का पालन नहीं किये जाने की स्थिति में आपके उद्योग के विरुद्ध नियमानुसार कार्यवाही की जावेगी जिसके तहत पर्यावरण क्षतिपूर्ति एवं न्यायालयीन प्रकरण जिसमें सजा एवं जुर्माना दोनों के प्रावधान हैं। इस पत्र की पावती स्टोन कशर को बंद करने की सूचना इस कार्यालय को अभिलम्ब उपलब्ध करावे।

(आलोक कुमार जैन)
क्षेत्रीय अधिकारी

9c

1. कलेक्टर बालाघाट जिला- बालाघाट की ओर कृपया सूचनार्थ एवं आवश्यक कार्यवाही हेतु।
2. सदस्य सचिव म०प्र० प्रदूषण नियंत्रण बोर्ड भोपाल की ओर सूचनार्थ प्रेषित।
3. जिला खनिज अधिकारी कलेक्टर कार्यालय बालाघाट की ओर सूचनार्थ एवं लेख है कि मेसर्स उम्मेदलाल रहगंडाले स्टोन कशर एवं खदान ग्राम सेवती तहसील-किरनापुर जिला-बालाघाट को प्रदत्त पिटपास एवं रायल्टी तत्काल प्रभाव से बंद करे।
4. श्री संजय वर्मा, सहायक यंत्री, क्षेत्रीय कार्यालय म०प्र० प्रदूषण नियंत्रण बोर्ड जबलपुर की ओर सूचनार्थ एवं निर्देशित है कि स्टोन कशर का 15 दिवस के भीतर निरीक्षण कर प्रतिवेदन अधोहस्ताक्षकर्ता को उपलब्ध करावे।

o/c


(आलोक कुमार जैन)
क्षेत्रीय अधिकारी
म०प्र० प्रदूषण नियंत्रण बोर्ड
जबलपुर