

REPORT OF THE OVERSIGHT COMMITTEE, NGT, U.P, LUCKNOW

IN THE MATTER OF:-
ORIGINAL APPLICATION NO. 65/2019

GOPESHWAR NATH CHATURVEDI
VERSUS
U.P. POLLUTION CONTROL BOARD AND OTHERS

INDEX

| Sl. No. | Particulars | Page No. |
|----------------|--------------------------------------|-----------------|
| 1. | REPORT OF OVERSIGHT COMMITTEE | 1-7 |
| 2. | Annexure-I | 8 |
| 3. | Annexure-II | 9-15 |

REPORT OF OVERSIGHT COMMITTEE IN COMPLIANCE OF ORDER OF HON'BLE NATIONAL GREEN TRIBUNAL PASSED IN O.A.NO. 65/2019 IN RE: GOPESHWAR NATH CHATURVEDI VS. U.P. POLLUTION CONTROL BOARD AND OTHERS

The Oversight Committee reviewed the progress of implementation of orders of Hon NGT dated 30.10.2019 in **OA No. 65 of 2019** in re: *Gopeshwar Nath Chaturvedi vs UP Pollution Control Board and others*, regarding shifting of industrial activities from residential areas in the State of Uttar Pradesh.

The matter was last reviewed on 17.05.2019 in the light of earlier proceedings and Joint Inspection Report dated 11.01.2019. Hon NGT had directed the statutory authorities to comply with the orders of Hon'ble Supreme Court regarding shifting of industrial activities in residential areas of Uttar Pradesh in **SLP (Civil) No. 4295/2011-M/s. Manoj Mini Rice Mill & Anr. Vs. State of U.P. & others** and also **M.C Mehta v. Union of India**, (2004) 6 SCC 588. In its order dated 17.05.2019, Hon NGT mentioned that the statutory authorities need to devise appropriate strategies and not just plead failure to implement enforcement. The Chief Secretary, UP shall look into the pleaded failure of the mechanism in the State and ensure remedial measures. The polluting industrial activity in the residential areas shall be dealt with sternly. A further detailed report with regard to alleged illegal operation of polluting units at Mathura city as well as Jai Singh Pura/Guar Kendra would be filed before the Hon NGT.

An affidavit of compliance was filed before the Hon NGT on 10.10.2019 by the State of UP with regard to 70 identified metal finishing units. It also mentioned assessment of environmental compensation of 12 non-complying units. However, the report did not refer to the status of units operating in non-conforming areas at places other than Mathura. There were a number of deficiencies noted in the affidavit, which are as follows:

- i. *“ETP installed in units are mainly equalization- cum settling tank and need to improve with proper maintenance regularly for better effluent treatment of waste water and compliance of norms.*
- ii. *Unit must sent ETP sludge to TSDF for treatment as per norm.*
- iii. *A Common Effluent Treatment Plant (CETP) in the Gaur Udyog Kendra is required to be set up keeping in view of the existing small/tiny units and future prospective.*
- iv. *Till the CETP is constructed, Individual units in Gaur Udyog Kendra need to treat their effluent and the U.P Pollution Control Board should ensure that the effluents discharged by the industries meet the prescribed standards.*
- v. *Logbooks were not maintained for water consumption, effluent discharge, sludge dispose off and chemicals utilization in units. Log Book should be maintained and need to be verified by local office of UPPCB.*
- vi. *Good housekeeping needs to be maintained by the units to avoid the leakages/spillages during operations.*
- vii. *Units should install ACF (Activated Charcoal Filters) and MGF (Multi Grade Filters) to improve the quality of discharge effluent to comply the norms*
- viii. *Faucets and other Bathroom fittings manufacturing units need to install proper APCS (Air Pollution Control System) with wet scrubber to ensure emission of particulate matter within the standards limits through stack. Stack monitoring facility as per norms should be provided on stack for monitoring by UPPCB/CPCB.*
- ix. *Road maintenance of the Gaur Industrial area is not maintained properly; need to maintain it to reduce dust emissions etc.*
- x. *Solid waste in whole Gaur Industrial Area was not collected as per MSW Rules, 2016, need to collect and dispose off as per the MSW Rules, 2016.*
- xi. *Drainage maintenance in Gaur Industrial area was not proper, need maintenance urgently to remove the water logging in the area. It should properly treat before final disposal of sewerage and industrial effluent as per the norms.”*

Hon NGT directed another action report to be filed before it. It also mentioned that no report was filed before it regarding shifting of industrial activities from residential areas in the entire State of Uttar Pradesh. In the Hon'ble Supreme Court case [MC Mehta (2004) 6 SCC 588] a Monitoring Committee under the Chairmanship of Chief Secretary was constituted to ensure implementation. Hon'ble Supreme Court disapproved the scheme to regularise industrial activities in residential areas and municipal corporation was directed to seal the premises used in violation of the permitted user.

Hon NGT in **OA No. 681 of 2018** (News Item published in "*The Times of India*" authored by Shri Vishwa Mohan Titled "NCAP with multiple time-lines to clean air in 102 cities) had directed that the master plans need to be reviewed and wherever such activities are against existing or new norms, the same need to be closed/shifted. The concerned State may evolve enforcement mechanism for closing/shifting of industrial units other than household industries from residential/non-conforming areas in the light of law laid down in **MC Mehta vs Union of India**(2004) 6 SCC 588. The State of Uttar Pradesh was directed to file appropriate compliance affidavit before the next date. The Oversight Committee was directed to monitor the remedial measures in the matter.

The whole issue has two components viz:

- (1) Pollution abatement in Mathura Industrial Area; and
- (2) Shifting of industries from residential areas in UP.

(1) Pollution abatement in Mathura Industrial Area:

As far as compliance of the order in Mathura is concerned, it has been reported that all the industries in Mathura have shifted from residential areas to industrial areas. Regional Officer, UPPCB Mathura has filed written compliance

reports, copies of which are annexed with this report as **Annexures 01 and 02**. The pointwise compliance given by him is as follows:

| S.No | Issues | Current Status and Decision taken by the Committee |
|-------------|--|---|
| 1 | Status of installation of ETP & CETP | The Industries are maintaining existing ETP as per discharge norms and also submitting report from NABL accredited laboratories. Industrial Area Association of Gaur Kendra has proposed CETP on PPP model. |
| 2 | Status of treatment and disposal of ETP sludge | 36 industries which have shifted their plants to designated industrial areas are collecting the sludge of ETP properly and sending the sludge to TSDFs of M/s Ramkey and M/s Bharat Oil. |
| 3 | Maintenance of logbooks | The industries have maintained logbooks to keep the records of consumption, effluent discharge, sludge disposed of and chemicals utilisations. |
| 4 | Status of installation of Activated Charcoal Filter (ACF) and Multi Grade Filter (MGF) | 26 units have installed ACFs and MGFs and 16 units are under process of installation. |
| 5 | Status of installation of Air Pollution Control System (APCS) | Taps, cocks and other bathroom fittings manufacturing units need to install proper APCS with wet scrubber to control emission of particulate matter within the standard limits through stack. The industries have started improvement to maintain air quality by installing APCS. RO UPPCB Mathura has issued notices to non-complying units. |
| 6. | Road maintenance of Gaur Industrial Area. | So far no work has taken place in this regard. RO UPPCB Mathura has issued notice to PWD on 22.01.2020. |

| | | |
|---|---|--|
| 7 | Disposal of solid waste and municipal waste of whole of Gaur Industrial Area. | A notice has been given to Nagar Nigam by RO UPPCB Mathura on 22.01.2020. |
| 8 | Drainage maintenance in Gaur Industrial Area. | No work has taken place though RO UPPCB Mathura has given notice to Jal Nigam and Mathura Vrindavan Development Authority for necessary action. |
| 9 | Environmental compensation | RO UPPCB Mathura has not mentioned about environmental compensation that he has levied on non-complying units, nor has he mentioned about the enforcement work including closure/seizure of the non-complying units. |

(2) Shifting of industries from residential areas in UP.

Hon NGT had directed that the compliance affidavit should mention not only about Mathura but also about shifting of industries from residential areas throughout the State of Uttar Pradesh. Compliance affidavit does not appear to have been filed by the State so far in this regard by the Chief Secretary, UP. The Committee is also not aware of any institutional enforcement mechanism set up by the State in this regard. Incidentally, the subject of town planning, and preparation and enforcement of Master Plan in the State of Uttar Pradesh, unlike other States, is looked after by the Housing Department, which is separate from Urban Development Department. The Committee is not aware of any steps taken by the Housing Department to review the existing master plans in the light of NGT orders. The Principal Secretary, Housing may review the Master Plans of all the major cities and make adequate provisions in the Master Plans for ensuring that such activities do not take place within the

residential areas. The Chief Secretary may file his compliance affidavit as directed by the Hon NGT.

RECOMMENDATIONS:

Regarding Mathura:

- (1) In Gaur Industrial Area, the proposal of CETO on PPP basis may be pursued actively.
- (2) The pending work of drainage maintenance in Gaur Industrial Area should be completed within a month by MVDA.
- (3) There needs to be improvement in MSW Management of Gaur Industrial Area by Nagar Nigam.
- (4) PWD should repair the potholes in the Gaur Industrial Area Road within a month.
- (5) UPPCB may ensure cent percent compliance of pollution abatement measures and realise EC from non-compliant units.

Regarding State:

The Principal Secretary, Housing may review the Master Plans of all the major cities and make adequate provisions in the Master Plans for ensuring that such activities do not take place within the residential areas.

Instead of leaving it to every Development Authority to make separate provisions in their master plans, Model Bylaws could be prepared by the State Government and directions could be issued by the State Government to all the Development Authorities to adopt them.

The provisions could include a ban on opening new industries in the master plan area of the Authority, provision of relocation of existing industries in that area and provision of a standing enforcement mechanism which may have representation from other departments like Power Department, Pollution Control Board, Industries Department and Urban Development Department to increase the efficacy of this regulatory mechanism.

In fact provisions could be made for a no-residence buffer zone in future industrial area to obviate such situations of residential areas developing in the vicinity of industries.

The Member Secretary, UPPCB is directed to send this report to the Registrar General, National Green Tribunal, Principal Bench, New Delhi for placing the same before the Hon'ble Tribunal with a copy to the Chief Secretary, Government of UP for necessary action. The report also be uploaded on the website of the committee.

28-08-2020

28-08-2020

X Anup Chandra Pandey

Dr. Anup Chandra Pandey
Member, Oversight Committee
Signed by: ANUP CHANDRA PANDEY

X SVS Rathore

Justice SVS Rathore
Chairman, Oversight Committee
Signed by: SURENDRA VIKRAM SINGH RATHORE

August 28, 2020

Please visit our website: oscnegt.upsdc.gov.in for more information.



क्षेत्रीय कार्यालय
उ० प्र० प्रदूषण नियंत्रण बोर्ड
65 ए, बल्देवपुरी, महोली रोड
मथुरा

8

पत्रांक: 442/0-51/2020

दिनांक: 27/08/2020

सेवा में,

अध्यक्ष,
ओवर साइट कमेटी,
माननीय राष्ट्रीय हरित अधिकरण, उ०प्र०,
लखनऊ।

विषय: मा० एन०जी०टी० के ओ०ए० सं०-65/2019 गोपेश्वर नाथ चतुर्वेदी बनाम उ०प्र० प्रदूषण नियंत्रण बोर्ड एवं अन्य के सम्बन्ध में वांछित सूचना प्रेषित किये जाने के सम्बन्ध में।

महोदय,

कृपया उपरोक्त संदर्भित विषय के सम्बन्ध में आज दिनांक 27.08.2020 को आपसे दूरभाष पर प्राप्त निर्देश के अनुक्रम में अवगत कराना है कि निम्नलिखित सूचनाएं आपके अवलोकनार्थ एवं अग्रिम कार्यवाही हेतु सादर प्रेषित की जा रही हैं-

1. नगर निगम मथुरा-वृन्दावन सीमान्तर्गत गौर केन्द्र औद्योगिक क्षेत्र में स्थापित प्रमुख जल प्रदूषणकारी उद्योग से जनित होने वाले औद्योगिक उत्प्रवाह के शुद्धिकरण हेतु संयुक्त उत्प्रवाह शुद्धिकरण संयंत्र का प्रस्ताव संलग्न है। संलग्नक-1
2. केन्द्रीय प्रदूषण नियंत्रण बोर्ड एवं उ०प्र० प्रदूषण नियंत्रण बोर्ड की संयुक्त टीम द्वारा किये गये निरीक्षण के दौरान जिन इकाईयों द्वारा मानकों के विपरीत उत्प्रवाह का निस्तारण किया जा रहा था उनके ऊपर पर्यावरणीय क्षतिपूर्ति अधिरोपित किये जाने की संस्तुति प्रेषित की गयी (प्रति संलग्न) संलग्नक-2
3. गौर केन्द्र औद्योगिक क्षेत्र में सामान्यतया अति सूक्ष्म श्रेणी के उद्योग स्थापित एवं संचालित हैं जिनके द्वारा वर्तमान में पृथक-पृथक ई०टी०पी० की व्यवस्था स्थापित की गयी है। स्थापित ई०टी०पी० में उच्चकृत किये जाने की दृष्टि से सैण्ड फिल्टर, एकटीवेटेड कार्बन फिल्टर, एवं ओटोमेटिक केमिकल डोजिंग इत्यादि की व्यवस्था की गयी है तथा वर्तमान में सुचारु रूप से कार्यरत है। उद्योगों से जनित ई०टी०पी० स्लज (परिसंकटमय अपशिष्ट) का निस्तारण बोर्ड द्वारा अधिकृत संस्था (मै० रेमकी इनवायरो एवं मै० भारत आयल कम्पनी) के माध्यम से किया जा रहा है। उद्योगों द्वारा एन०ए०बी०एल० से मान्यता प्राप्त प्रयोगशाला से शुद्धिकृत उत्प्रवाह को विश्लेषित करवाकरके विश्लेषण आख्या प्रेषित की गयी। उद्योग द्वारा लाग बुक की व्यवस्था की गयी है (विवरण संलग्न) संलग्नक-3
4. गौर केन्द्र औद्योगिक क्षेत्र में नालियों के निर्माण/मरम्मत तथा सड़कों की मरम्मत हेतु इस कार्यालय द्वारा मथुरा-वृन्दावन विकास प्राधिकरण एवं लोक निर्माण विभाग को नोटिस प्रेषित किया गया है। नालियों एवं सड़क के अनुरक्षण का कार्य प्रगति पर है।
5. गौर केन्द्र औद्योगिक क्षेत्र से जनित होने वाले ठोस अपशिष्ट के निस्तारण एवं साफ-सफाई हेतु नगर निगम मथुरा-वृन्दावन को नोटिस प्रेषित किया गया है। वर्तमान समय में सफाई का कार्य सन्तोषजनक है।
6. वर्तमान समय में कोई भी प्रदूषणकारी उद्योग आवासीय क्षेत्र में संचालित नहीं है।
सादर सूचनार्थ प्रेषित।

संलग्नक: उपरोक्तानुसार।

प्रतिलिपि: निम्नलिखित को सादर सूचनार्थ प्रेषित।

1. सदस्य सचिव महोदय, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. मुख्य पर्यावरण अधिकारी (वृत्त-4), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

भवदीय
अरविन्द कुमार
क्षेत्रीय अधिकारी

क्षेत्रीय अधिकारी

(9)



क्षेत्रीय कार्यालय
उ० प्र० प्रदूषण नियंत्रण बोर्ड

65 ए, बल्देव पुरी, महोली रोड
मथुरा।

पत्रांक: 433)ओ-5।/2020
सेवा में,

दिनांक 25/08/2020

मुख्य पर्यावरण अधिकारी (वृत्त-4),
उ० प्र० प्रदूषण नियंत्रण बोर्ड,
लखनऊ।

विषय: मा० एन०जी०टी० के ओ०ए० सं०-65/2019 गोपेश्वर नाथ चतुर्वेदी बनाम उ० प्र० प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेशों के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषय का सन्दर्भ ग्रहण करने का कष्ट करें। अवगत कराना है कि मा० एन०जी०टी० के ओ०ए० सं०-65/2019 गोपेश्वर नाथ चतुर्वेदी बनाम उ० प्र० प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेशों के अनुपालन में आख्या निम्नवत् है:-

| S.N. | Hon'ble NGT Order O.A. -65/2019 | Action Taken Report |
|------|---|--|
| 1. | Status of instalation of ETP & CETP | Now the industries are taking precautions and necessary steps to operate existing ETP properly and the industries are also going to add additional treatment units such as Activated Carbon Filter and Sand Filter etc. The Industries are maintaining existing ETPs as per discharge norms and also submitting reports from NABL accreted laboratories As per the NGT Orders & C.P.C.B. directions, Gaur Kendra Industrial Area Association of Mathura Metallurgical Industries, Gaur Kendra has proposed C.E.T.P. on P.P.P. Model. |
| 2 | Status of treatment and disposal of ETP Sludge | Now the 36 industries, which have shifted their plants to designated industrial areas are collecting the sludge of ETP properly and sending the sludge to TSDF M/s . Ramkey & M/s. Bharat Oil. |
| 3 | Status of maintenance of Logbooks water consumption, effluent discharge, sludge dispose off and chemicals utilization in units. | The industries have maintained logbooks to keep the records of consumption, effluent discharge, sludge dispose off and chemicals utilization in units. |
| 4 | Status of istallation of ACF (Activated Charcoal Filter) and MGF (Multi Grade Filters) to improve the quality of discharge effluent. | As per the directions of Hon'ble NGT based on the recommendation of CPCB, the 26 units have installed ACF and MGF and 16 units are under process of installation. |
| 5 | Status of installation of APCS(Air pollution Control System) eith wet scrubber to ensure emission of particulate matter within the standrd limits through stack. Status of Stack monitoring facility. | Taps, Cocks and other Bathroom fittings manufacturing units need to install proper APCS (Air Pollution Control System) with wet scrubber to ensure emission of particulate matter within the standards limits through stack. The industries have started improvement to maintain Air Quality by installing APCS. The Regional Officer, UPPCB, Mathura have issued notices to such units. |

| | | |
|----|---|---|
| 6 | Road maintenance of the Gaur Industrial area | As per the NGT Order & C.P.C.B. Direction Gaur Industrial area Road maintenance work by P.W.D. regional officer, UPPCB, Mathura issued notice vide letter Ref. No. -1133 / H-89 / 2020 dated 22.01.2020 to P.W.D. for necessary action. |
| 7 | Status of Colluction, treatment and disposal of Solid waste and Municipal waste of whole Gaur Industrial area. | As per the NGT Order & C.P.C.B. Direction Regional Officer, UPPCB, Mathura has issued notice vide letter Ref. No. - 1135 / H-89 /2020 dated 22.01.2020 to Nagar Nigam for necessary action. Nagar nigam mathura has whole Gaur Industrial area Solid waste and Municipal waste collucting and send to Municipal Solid waste dumping ground. |
| 8 | Status of Drainage maintenance in Gaur Industrial area | As per the NGT Order & C.P.C.B. Direction Gaur Industrial area Drainage maintenance work in progress by MVDA. Regional Officer, UPPCB, Mathura issued notice vide letter Ref. No. - 1134 / H-89 /2020 dated 22.01.2020 to Jal Nigam & Ref. No. -1136 / H-89 / 2020 dated 22.01.2020 to MVDA for necessary action. |
| 9 | What is the current work progress in regarding shifting the industrial activities from residential area in the entire State of U.P. What is the status of survey for shifting of industrial activies from residential area. | - |
| 10 | Status of imposition and recovery of EC from defalting/non-compliant industries. | - |

उक्त के सम्बन्ध में मा0 एन0जी0टी0 के ओ0ए0 सं0-65/2019 गोपेश्वर नाथ चतुर्वेदी बनाम उ0प्र0 प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेशों के अनुपालन में सम्बन्धित विभागों को उक्त आदेश के अनुपालनार्थ दिनांक 25.08.2020 को नोटिस प्रेषित किये गये हैं।(नोटिस प्रति संलग्न)

संलग्नक:-उपरोक्तानुसार।

प्रतिलिपि:- निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. सदस्य सचिव महोदय, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. अपर जिलाधिकारी(वि0/रा0), नोडल अधिकारी, यमुना कार्य योजना, मथुरा।
3. मुख्य विधि अधिकारी, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, लखनऊ।

भवदीय,

(अरविन्द कुमार)
क्षेत्रीय अधिकारी

क्षेत्रीय अधिकारी



क्षेत्रीय कार्यालय
उ० प्र० प्रदूषण नियन्त्रण बोर्ड

65 ए, बल्देव पुरी, महोली रोड
मथुरा।

11

पत्रांक:
सेवा में,

428/ओ-51/2020

दिनांक 25/08/2020

अध्यक्ष/प्रबन्धक,
मै० एसोसिएशन आफ मथुरा मेटलर्जिकल इण्डस्ट्रीज,
गौर उद्योग केन्द्र, एन०एच०-2,
मथुरा।

विषय: मा० एन०जी०टी० के ओ०ए० सं०-65/2019 गोपेश्वर नाथ चतुर्वेदी बनाम उ०प्र० प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेशों के अनुपालन के सम्बन्ध में।
महोदय,

कृपया उपरोक्त विषयक इस कार्यालय के पूर्व पत्रांक-1164/ओ-51/2020 दिनांक 28.01.2020 का सन्दर्भ ग्रहण करने का कष्ट करें। आप अवगत ही है कि औद्योगिक क्षेत्र, गौर केन्द्र में मा० एन०जी०टी० के ओ०ए० सं०-65/2019 गोपेश्वर नाथ चतुर्वेदी बनाम उ०प्र० प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेशों के अनुपालन में औद्योगिक क्षेत्र में पी०पी०पी० मॉडल पर सी०ई०टी०पी० की स्थापना, मैन्टीनेन्स, ड्रेनेज सिस्टम, साफ-सफाई, रोड के उचित प्रबन्धन हेतु निर्देश दिए गये हैं।

तत्क्रम में आपको पुनः निर्देशित किया जाता है कि मा० एन०जी०टी० के आदेशानुसार गौर केन्द्र में स्थापित समस्त उद्योगों से निकलनेवाले अशुद्धिकृत उत्प्रवाह के शोधन हेतु सी०ई०टी०पी० स्थापित एवं संचालित करने हेतु प्रस्ताव पत्र प्राप्ति के 03 दिन के अन्दर इस कार्यालय में प्रस्तुत करना सुनिश्चित करें, जिससे मा० एन०जी०टी० एवं बोर्ड मुख्यालय को अवगत कराया जा सके।

भवदीय,

(शरविन्द कुमार)
क्षेत्रीय अधिकारी

प्रतिलिपि:- निम्नलिखित को सूचनार्थ सांकर प्रेषित।

1. सदस्य सचिव महोदय, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. जिलाधिकारी, महोदय, मथुरा।
3. अपर जिलाधिकारी(वि०/रा०), नोडल अधिकारी, यमुना कार्य योजना, मथुरा।
4. मुख्य पर्यावरण अधिकारी(वृत्त-4), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
5. मुख्य विधि अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

क्षेत्रीय अधिकारी



क्षेत्रीय कार्यालय
उ० प्र० प्रदूषण नियन्त्रण बोर्ड
65 ए, बल्देव पुरी, महोली रोड
मथुरा।

पत्रांक: 429/ओ-51/2020
सेवा में,
अधिशारी अभियन्ता,
लोक निर्माण विभाग,
मथुरा।

दिनांक 25/08/2020

विषय: मा० एन०जी०टी० के ओ०ए० सं०-65/2019 गोपेश्वर नाथ चतुर्वेदी बनाम उ०प्र० प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेशों के अनुपालन के सम्बन्ध में।
महोदय,

कृपया उपरोक्त विषयक इस कार्यालय के पूर्व पत्रांक-1196/ओ-51/2020 दिनांक 05.02.2020 का सन्दर्भ ग्रहण करने का कष्ट करें। आप अवगत ही है कि औद्योगिक क्षेत्र, गौर केन्द्र में मा० एन०जी०टी० के ओ०ए० सं०-65/2019 गोपेश्वर नाथ चतुर्वेदी बनाम उ०प्र० प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेशों के अनुपालन में औद्योगिक क्षेत्र गौर केन्द्र में रोड निर्माण/मरम्मत के कार्य हेतु निर्देश दिए गये हैं।

तत्क्रम में आपको इस आशय के साथ पुनः पत्र प्रेषित किया जा रहा है कि मा० एन०जी०टी० के आदेशानुसार औद्योगिक क्षेत्र गौर केन्द्र में रोड निर्माण/मरम्मत के कार्य की रूपरेखा का विवरण पत्र प्राप्ति के 03 दिन के अन्दर इस कार्यालय में प्रस्तुत करने का कष्ट करें, जिससे मा० एन०जी०टी० एवं बोर्ड मुख्यालय को अवगत कराया जा सके।

भावदीय,

(अ.प. वि. कुमार)
क्षेत्रीय अधिकारी

प्रतिलिपि:- निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. सदस्य सचिव महोदय, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. जिलाधिकारी, महोदय, मथुरा।
3. अपर जिलाधिकारी(वि०/रा०), नोडल अधिकारी, यमुना कार्य योजना, मथुरा।
4. मुख्य पर्यावरण अधिकारी(वृत्त-4), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
5. मुख्य विधि अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

क्षेत्रीय अधिकारी



क्षेत्रीय कार्यालय
उ० प्र० प्रदूषण नियन्त्रण बोर्ड
65 ए, बल्देव पुरी, महोली रोड
मथुरा।

पत्रांक: 430 / ओ-51 / 2020
सेवा में,

सचिव,
मथुरा-वृन्दावन विकास प्राधिकरण,
मथुरा।


दिनांक 25/08/2020

विषय: मा० एन०जी०टी० के ओ०ए० सं०-65/2019 गोपेश्वर नाथ चतुर्वेदी बनाम उ०प्र० प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेशों के अनुपालन के सम्बन्ध में।
महोदय,

कृपया उपरोक्त विषयक इस कार्यालय के पूर्व पत्रांक-1195/ओ-51/2020 दिनांक 05.02.2020 का सन्दर्भ ग्रहण करने का कष्ट करें। आप अवगत ही है कि औद्योगिक क्षेत्र, गौर केन्द्र में मा० एन०जी०टी० के ओ०ए० सं०-65/2019 गोपेश्वर नाथ चतुर्वेदी बनाम उ०प्र० प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेशों के अनुपालन में औद्योगिक क्षेत्र गौर केन्द्र में औद्योगिक उत्प्रवाह की निकासी हेतु ड्रेन निर्माण/मरम्मत के कार्य हेतु निर्देश दिए गये हैं।

तत्क्रम में आपको इस आशय के साथ पुनः पत्र प्रेषित किया जा रहा है कि मा० एन०जी०टी० के आदेशानुसार औद्योगिक क्षेत्र गौर केन्द्र में औद्योगिक उत्प्रवाह की निकासी हेतु ड्रेन निर्माण/मरम्मत के कार्य की रूपरेखा का विवरण पत्र प्राप्ति के 03 दिन के अन्दर इस कार्यालय में प्रस्तुत करने का कष्ट करें, जिससे मा० एन०जी०टी० एवं बोर्ड मुख्यालय को अवगत कराया जा सके।

भवदीय,


(अनिल कुमार)
क्षेत्रीय अधिकारी

प्रतिलिपि:- निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. सदस्य सचिव महोदय, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. जिलाधिकारी, महोदय, मथुरा।
3. अपर जिलाधिकारी (वि० / रा०), नोडल अधिकारी, यमुना कार्य योजना, मथुरा।
4. मुख्य पर्यावरण अधिकारी (वृत्त-4), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
5. मुख्य विधि अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

क्षेत्रीय अधिकारी

14



क्षेत्रीय कार्यालय
उ० प्र० प्रदूषण नियंत्रण बोर्ड
65 ए, बल्देव पुरी, महोली रोड
मथुरा।

पत्रांक: 431/ओ-51/2020
सेवा में,
अपर नगर आयुक्त,
मथुरा-वृन्दावन नगर निगम,
मथुरा।


दिनांक 25/08/2020

विषय: मा० एन०जी०टी० के ओ०ए० सं०-65/2019 गोपेश्वर नाथ चतुर्वेदी बनाम उ०प्र० प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेशों के अनुपालन के सम्बन्ध में।
महोदय,

कृपया उपरोक्त विषय का सन्दर्भ ग्रहण करने का कष्ट करें। आप अवगत ही है कि औद्योगिक क्षेत्र, गौर केन्द्र में मा० एन०जी०टी० के ओ०ए० सं०-65/2019 गोपेश्वर नाथ चतुर्वेदी बनाम उ०प्र० प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेशों के अनुपालन में औद्योगिक क्षेत्र गौर केन्द्र में नगरीय ठोस अपशिष्ट के उचित निस्तारण कराये जाने हेतु निर्देश दिए गये हैं।

तत्कम में मा० एन०जी०टी० के ओ०ए० सं०-65/2019 गोपेश्वर नाथ चतुर्वेदी बनाम उ०प्र० प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेशों के अनुपालन में औद्योगिक क्षेत्र गौर केन्द्र में नगरीय ठोस अपशिष्ट के उचित निस्तारण कराये जाने की रूपरेखा का विवरण पत्र प्राप्ति के 03 दिन के अन्दर इस कार्यालय में प्रस्तुत करने का कष्ट करें, जिससे मा० एन०जी०टी० एवं बोर्ड मुख्यालय को अवगत कराया जा सके।

भवदीय,


(अनिल कुमार)
क्षेत्रीय अधिकारी

प्रतिलिपि:- निम्नलिखित को सूचनार्थ सादर प्रेषित।

1. सदस्य सचिव महोदय, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
2. जिलाधिकारी, महोदय, मथुरा।
3. अपर जिलाधिकारी (वि०/रा०), नोडल अधिकारी, यमुना कार्य योजना, मथुरा।
4. मुख्य पर्यावरण अधिकारी (वृत्त-4), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।
5. मुख्य विधि अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

क्षेत्रीय अधिकारी



क्षेत्रीय कार्यालय
उ० प्र० प्रदूषण नियन्त्रण बोर्ड
65 ए, बल्देव पुरी, महोली रोड
मथुरा

पत्रांक: 432/H-89/16
सेवा में,

दिनांक: 25/02/16

सूची संलग्न,
मथुरा।

विषय: माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित वाद सं०-200/2014 (एम०सी० मेहता बनाम यूनियन आफ इण्डिया व अन्य) में पारित आदेश के अनुपालन के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक माननीय राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित वाद सं०-200/2014 (एम०सी० मेहता बनाम यूनियन आफ इण्डिया व अन्य) में पारित आदेश के द्वारा नान सायनाइड प्लेटिंग प्रक्रिया अपनाये जाने हेतु आदेश पारित किये गये हैं। उक्त के सम्बन्ध में आपको इस कार्यालय के पत्र सं०-347/एच-89/2019 दिनांक 11.08.2019 व पत्रांक-1139/एन-103/2020 दिनांक 22.01.2020 द्वारा पूर्व में भी निर्देशित किया जा चुका है। इकाई में नान सायनाइड प्रक्रिया के अन्तर्गत ही कार्य किया जाये तथ मा० न्यायालयों द्वारा समय-समय पर पारित आदेशों का अनुपालन किया जाये। उपरोक्त के सम्बन्ध में पुनः निम्नलिखित बिन्दुओं का अक्षरशः पालन किया जाये।

1. इकाई परिसर में स्थापित ई०टी०पी० का रखरखाव व संचालन इस प्रकार से किया जाये कि शुद्धिकृत उत्प्रवाह की गुणता प्रत्येक दशा में बोर्ड मानकों के अनुरूप रहे तथा संचालन में खपत होने वाली कैमिकल्स की मात्रा व विद्युत की खपत को दर्शाते हुए लाग बुक भी मैन्टेन किया जाये जिसे निरीक्षण के समय प्रस्तुत किया जाये।
2. शुद्धिकृत/अशुद्धिकृत उत्प्रवाह की जांच एन०ए०बी०एल० से मान्यता प्राप्त प्रयोगशाला से कराकर विश्लेषण आख्या एव सप्ताह के अन्दर इस कार्यालय को प्रस्तुत किया जाये।
3. बोर्ड द्वारा जारी सहमति जल/वायु की बिन्दुवार अनुपालन आख्या।
4. उद्योग से जनित होने वाले परिसंकटमय अपशिष्ट की मात्रा, भण्डारण विवरण एवं परिसंकटमय अपशिष्ट (प्रबन्धन व हथालन) नियम 2016 के प्राविधानों की अनुपालन आख्या के साथ-साथ परिसंकटमय सम्बन्धी प्राधिकार प्राप्त किये जाने हेतु बोर्ड द्वारा अधिकृत संस्था से सदस्यता सम्बन्धी प्रमाण व अन्य आवश्यक अभिलेखों के साथ अविलम्ब आवेदन किया जाना सुनिश्चित करें।
5. उद्योग परिसर में स्थापित ई०टी०पी० फिलबिलिटी रिपोर्ट की प्रति इस कार्यालय को उपलब्ध करायें।

अतः आपको पुनः निर्देशित किया जाता है कि उपरोक्त बिन्दुओं का अनुपालन न पाये जाने की दशा में आपकी इकाई के विरुद्ध जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1974 यथा संशोधित प्राविधानों एवं वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1981 यथा संशोधित तथा ठोस अपशिष्ट प्रबन्धन नियम 2016 के अनुपालन में पर्यावरण अधिनियमों के अन्तर्गत कार्यवाही की जायेगी जिसका सम्पूर्ण उत्तरदायित्व आपका स्वयं का होगा।

भवदीय

(अरविन्द कुमार)
क्षेत्रीय अधिकारी

प्रतिलिपि: निम्नलिखित को निरीक्षण आख्या संलग्न कर सादर सूचनार्थ एवं इस अनुरोध के साथ कि अपने स्तर से भी सम्बन्धित को निर्देशित करने का कष्ट करें।

1. जिलाधिकारी महोदय, मथुरा।
2. अपर जिलाधिकारी (वि०/रा०), मथुरा।
3. मुख्य पर्यावरण अधिकारी (वृत्त-4), उ० प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ।

क्षेत्रीय अधिकारी