

BEFORE THE HON'BLE NATIONAL GREEN
TRIBUNAL, NEW DELHI

INDEX

IN

**RESPONSE AFFIDAVIT ON BEHALF OF
UTTARAKHAND POLLUTION CONTROL BOARD**

IN

Original Application No. 353/2022

Kartik Sharma


Applicant

Versus

State of Uttarakhand & Ors.

Respondents

Sl. No	Particulars	Pg. No.
1.	Index	1
2.	Response Affidavit	2-6
	<u>Annexure No. 1</u> -(copy of letter dated 29.03.2025)	7-61



Dated- April 2025

K. P. Gautam
Advocate
Supreme Court of India
Reg. No. D/119/98

Kaushal Gautam

Counsel for the Respondent UKPCB

A-25 Second Floor, Defence Colony, New Delhi-24

Mob: 9811101934

Kaushal Gautam

BEFORE THE HON'BLE NATIONAL GREEN
TRIBUNAL, NEW DELHI

**RESPONSE AFFIDAVIT ON BEHALF OF
UTTARAKHAND POLLUTION CONTROL BOARD**

IN

Original Application No. 353/2022

Kartik Sharma

Applicant

Versus

State of Uttarakhand & Ors

Respondents



Affidavit of Dr. Parag Madhukar Dhakate, aged about 47 years, S/o Shri M. B. Dhakate presently posted as Member Secretary, Uttarakhand Pollution Control Board, Dehradun.

Deponent

I, the above-named deponent do hereby solemnly affirm and state on oath as under: -




- 1) That the deponent is presently posted as Member Secretary, Uttarakhand Pollution Control Board and is competent to sign and swear the instant response affidavit.
- 2) That the Hon'ble Tribunal vide order dated 12.02.2025 was *inter alia* pleased to direct Uttarakhand Pollution Control Board as under: -

“.....

7. Hence, we require UK PCB to file fresh report by way of affidavit covering the above aspects.


.....”

- 3) In compliance with the afore-mentioned direction of the Hon'ble Tribunal, instant affidavit is being filed.
- 4) It is humbly submitted that earlier, UKPCB had issued show cause direction under section 33(A) of Water (Prevention and Control of Pollution) Act, 1974 to 106 Hotels vide its letter dated 09.05.2023.
- 5) That it is humbly submitted that 17 hotels out of 106 hotels were found closed on inspection due to their own reasons. The rest of the 89 hotels were found operating. Out of which, 40 hotels have complied with the show cause notices within the stipulated period prescribed in the Show Cause Notice and therefore, no action was required to be taken against the said 40 hotels.



[Handwritten Signature]

- 6) That the rest 49 hotels were found violating environmental norms or operating without requisite consent. The above stated information has already been filed before this Hon'ble Tribunal vide letter dated 10.02.2025 (paginated file no. 521-523).
- 7) In this connection, it is further stated that compliance was sought from the 49 hotels by imposing environmental compensation on them, which they have duly deposited. Since compliance of 89 hotels have been secured under the provisions of the aforesaid Act, therefore, UKPCB revoked the show cause notices which were issued against 89 Hotels.
- 8) That further in compliance with the order dated 29.07.2024, passed by this Hon'ble Tribunal in Original Application No. 353/2022, Kartik Sharma vs. State of Uttarakhand, a meeting was conducted on 09.10.2024 to reassess the environmental compensation previously imposed on hotels in Mussoorie. In the said meeting, it came to the light that a decision of imposing environment compensation w.e.f. 21.12.2019 has already been taken by the Uttarakhand Pollution Control Board, in its 23rd meeting and therefore, it would be appropriate to impose compensation from first day i.e. 21.12.2019 against such hotels which are operating without any consent. Therefore, in the said meeting it was decided that the environmental compensation shall be imposed on such hotels from 21.12.2019 or from the date of their operation, whichever is higher.
- 9) It is also pertinent to mention that the Demand Notice dated 08.11.2024 has been issued against 49 hotels in strict compliance



[Handwritten signature]

with the order dated 29.07.2024 passed by this Hon'ble Tribunal. As per the order of this Hon'ble Tribunal, the UKPCB reassessed and imposed environmental compensation from the date of actual violation. Furthermore, earlier Show Cause Notices dated 09.05.2023 were issued to the hotels under Section 33A of the Water (Prevention & Control of Pollution) Act which covered the underlying violations-operation without valid consent and non-compliance with the environmental norm. The reassessment merely involves recalculating the quantum of compensation for the same violations based on revised parameters as directed by this Hon'ble Tribunal. The essential nature of violations remained unchanged. Section 33A of the Water Act empowers the Board to issue directions which requires that reasonable opportunity be given before issuing directions, which was fulfilled through the original show cause notice.

- 10) In continuance, it is humbly submitted that Regional Officer, UKPCB vide Letter No. 2247 dated 29.03.2025 submitted the inspection report to Member Secretary, UKPCB. The said inspection report mentions number of rooms, water consumption, waste water generation, mode of treatment (In house STP, Septic tank and sewer line), design feature and adequate capacity of septic tank, mode of disposal of treated effluents during non-use period for horticulture, treatment designed capacity of combined/common STP, performance and mode of disposal of effluents and sources of water supply. In this connection, copy of letter dated 29.03.2025 along with the reports, is being marked and filed as **Annexure No. 01** to this affidavit.



[Handwritten Signature]


11) That the deponent is a responsible Government servant having the highest regards for the Hon'ble Tribunal and orders passed by them. The deponent has always made his sincerest efforts to carry out the orders passed by this Hon'ble Tribunal in its letter and spirit and shall continue to do so in the future.

[Signature]
Deponent

Verification: -

Verified at Dehradun on the 13 day of April 2025, that the contents of the response affidavit are true and correct to the best of my knowledge and belief based on the official record and nothing is false, and no material has been concealed therein.

[Signature]
Deponent



Dated: April 2025

[Signature]

S. No = 1779

This affidavit is sworn before me by
Shri..... *Dharmendra Madhulal Dhakata*
who is identified by Shri.....
at Dehradun on.....

[Signature]
(Rajender Singh Negi)
Advocate & Notary, Dehradun



Regional Office
Uttarakhand Pollution Control Board
E-115, Nehru Colony, Dehra Dun
E-mail : roueppcb@gmail.com,
Phone No.-0135-3593200

पत्रांक सं०-यूकेपीसीबी/आरओडी/NGT-49 /2024-25/4152-2247
(V01-3)

दिनांक: 29/03/25

सेवा में

सदस्य सचिव महोदय

उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड,
गौरा देवी पर्यावरण भवन, आई0टी0 पार्क,
सहस्त्रधारा रोड़, देहरादून।

Uttarakhand Pollution Control Board
D: 20044
Date: 29/3/25


विषय- मा0 राष्ट्रीय हरित अधिकरण में योजित मूल आवेदन संख्या 353/2022 Kartik Sharma Vs. State of Uttarakhand & Ors. के संबंध में।

महोदय,

कृपया उपरोक्त विषयक बोर्ड मुख्यालय के पत्रांक संख्या यू0के0पी0सी0बी0/एच0ओ0/सा0-183-568(III)/2025/1710 दिनांक 19.02.2025 का संदर्भ ग्रहण करना चाहें, मा0 राष्ट्रीय हरित अधिकरण में योजित मूल आवेदन संख्या 353/2022 Kartik Sharma Vs. State of Uttarakhand & Ors. के संबंध में पारित आदेश दिनांक 12.02.2025 के क्रम में अनुपालन आख्या संलग्न कर अग्रिम आवश्यक कार्यवाही हेतु सादर प्रस्तुत है।

संलग्नक-यथोपरि।

भवदीय


(अमित पोखरियाल)
क्षेत्रीय अधिकारी

Dr. Chaudhary

12

22/01/25
4

File

1. Compliance status of Septic tank

S.no	Name Of the Hotel & Address	No. of rooms	Water consumption	waste water generati	Mode of treatment			Compliance status
					In house STP	Septic tank	Sewer line	
1	2	3	4	5	6	7	8	9
1	Ms Hotel Garhwal Terreis GMVN Plot No, 85 Mall Road , Mussoorie Distt. Dehradun	22	7.7	6.1	-	Septic tank		No leakage found, Septic tank with adequate capacity
2	Hotel The tranquility (Hotel Shining hills) Shantikunj Barloganj Mussoorie Dehradun	12	4.2	3.3	-	Septic tank		No leakage found, Septic tank with adequate capacity
3	REGENCY HOLIDAYZ PRIVATE LIMITED Near Company Garden Hathipaon Road Mussoorie Dehradun	75	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
4	Hotel Dream palace Sylverton Estate, Kulri, The Mall, Mussoorie	12	4.2	3.4	-	Septic tank		No leakage found, Septic tank with adequate capacity
5	Hotel Gulmarg, Seth House, Spring Road, Mussoorie, Dehradun,	16	5.6	4.5	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
6	Hotel Karma Villas, Clairevilla Estate, Picture Place Road Balahisar.,Mussoorie Dehradun	13	5	2	-	Septic tank		No leakage found, Septic tank with adequate capacity
7	HOTEL PRAKRIT, Village Tundhar Kyarkuli-Mussoorie, Dehradun, Uttarakhand	17	4.7	4.7	-	Septic tank		No leakage found, Septic tank with adequate capacity
8	Larisa Resort, Dhanolti Road, kaplani Mussoorie, Dehradun	11	3.8	3	-	Septic tank		No leakage found, Septic tank with adequate capacity
9	Sunset View Resort, Village Kyarkuli, Power House, Mussoorie, Dehradun	14	4.9	3.92		Septic tank		No leakage found, Septic tank with adequate capacity
10	Hotel I india (Hotel Hard Rock) Big bend, picture palace, Mussoorie	44	15.4	12	-	Septic tank		No leakage found, Septic tank with adequate capacity
11	Hotel Hard Rock	44	15.4	12	-			No leakage found, Septic tank with adequate capacity

850

12	CRYSTAL GUEST HOUSE PRIVATE LIMITED, Spring Road, Mussoorie, Dehradun, Uttarakhand	19	3.42	1.6		Septic tank		No leakage found, Septic tank with adequate capacity
13	Hotel usha Palace, New Circular Road, Mussoorie, Dehradun	15	5.2	4.16		Septic tank		No leakage found, Septic tank with adequate capacity
14	Yog Holistic Wellness Centre Unit of Aron Resort, Brookvilla Estate, Barlow Ganj, Mussoorie	20	7	5.6	-	Septic tank		No leakage found, Septic tank with adequate capacity
15	Hotel Aashna, Glen Ronak Estate near Waverly Convent School, Mussoorie,	12	4.2	3.3	-	Septic tank		No leakage found, Septic tank with adequate capacity
16	Hotel Ramanand Regency, Charliville Road, Mussoorie, Dehradun	14	4.9	4	-	Septic tank		No leakage found, Septic tank with adequate capacity
17	Hotel Paramanand Residency	14	4.9	4	-			No leakage found, Septic tank with adequate capacity
18	Hotel Carlton Plaisance, LBS Academy Road, Mussoorie, Dehradun.	11	3.85	3.85	-	Septic tank		No leakage found, Septic tank with adequate capacity
19	Hotel Welcome, Radha Bhawan Estate, Mussoorie, Dehradun,	14	4.9	5	-	Septic tank		No leakage found, Septic tank with adequate capacity
20	Hotel Spring, Spring Road, Library, Mussoorie, Dehradun,	10	3.5	2	-	Septic tank		No leakage found, Septic tank with adequate capacity
21	Hotel Radha (Queen of Hills), Chaman Estate Near Radha Bhawan, Mussoorie, Dist. Dehradun	38	13.3	13.3	-	Septic tank		No leakage found, Septic tank with adequate capacity
22	Highness Heights,	38	13.3	13.3	-			No leakage found, Septic tank with adequate capacity
23	Hotel Bright Star, Kulri Bazaar, Mussoorie	20	7	5	-	Septic tank	-	No leakage found, Septic tank with adequate capacity

24	Hotel london House, PICTURE PALACE LANDOUR ROAD MUSSOORIE Dehradun	10	3.5	2.5	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
25	Hotel Mussoorie Mid view, mall road Mussoorie	14	4.9	4	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
26	Hotel Akansha anand plaza, 1 LONDON HOUSE PICTURE PALACE LANDOUR ROAD MUSSOORIE Dehradun	19	6.6	5.3	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
27	Hotel JS Inn, kempty fall road, charleville mussoorie	12	4.2	3.3	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
28	Hotel Emal,(Ilbert Manor) Duglavilla Road, Gandhi Chowk, Mussoorie	14	4.9	3.9	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
29	Hotel Sky touch, the mall road chaman estate Mussoorie	10	3.5	2.8	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
30	Hotel Green View, Mall Road gandhi chowk Mussoorie	10	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
31	Hotel Urvashi Palace Mussoorie	18	-	6.3	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
32	Hotel Palazo,kulri chowk picture palace Mussoorie	10	3.5	2.8	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
33	Hotel Wild Flower House, kempty road mussoorie	16	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
34	Heavens view resort, hathi paon road near naag mandir Mussoorie	12	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
35	Hotel elegant hill, New mussoorie lake HP petrol pump Mussoorie	8	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity

36	Hotel Saiva Hill Resort, Hathi paon road, kyarkuli bhatta Mussoorie	5	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
37	Hotel the tattva, Char Dukan Cant board mussoorie	5	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
38	Hotel Seclude, Picture palace road mussoorie	6	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
39	Jharipani castle, Mussoorie	5	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
40	hotel blossom, Library, Mussoorie	7	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
41	Hotel The sky drift, Tundhar village dhobi ghat mussoorie	4	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
42	Hotel Darpan, Landor Bazaar, Mussoorie	-	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
43	Snow View Hotel, Library bazaar, the mall road Mussoorie	-	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
44	Hotel kavlok (Hotel Sarvashree), the mall rod mussoorie	-	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
45	Hotel Purnima, Landour Ox road Mussoorie	23	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
46	Hotel Glen villa, kulri, the mall road Mussoorie	12	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
47	Hotel city centre, the mall rod mussoorie	-	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity

48	Hotel Pathik Bangali, Mussoorie	-	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
49	Hotel Pharmacy, Mall road Mussoorie	-	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
50	Hotel Nature Lap, spring road near library Mussoorie	-	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
51	Hotel Tourist Complex, Mussoorie Dehradun	-	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
52	hotel sun side, Library road Mussoorie	-	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
53	Hotel Palki (Hotel Pavilion), Kulri Bazaar, Mussoorie	18	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
54	MAA RESIDENCY GUEST HOUSE, bagral gaon mussoorie road dehradun	-	-	-	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
55	Classic Fall Resort, Gram Bhatta, Mussoorie, Dehradun,	35	12.2	9.8	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
56	DP HOTELS AND RESORTS, Laurel Bank Estate, Part of Hakman Estate, Mall Road, Mussoorie	19	6.6	5.3	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
57	HOTEL 7 OAKS, CAMEL BACK ROAD MUSSOORIE DISTT- DEHRADUN	20	7	5.6	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
58	Hotel Ajay, Camels Back Road, Library, Mussoorie, Dehradun,	18	6.3	5.04	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
59	Hotel grand the mall, Kulri, Mussoorie, Dehradun Dehradun	14	4.9	3.9	-	Septic tank	-	No leakage found, Septic tank with adequate capacity

60	Hotel Antara, Motilal Nehru Road, Mussoorie , U.K Dehradun	10	3.5	2.8	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
61	HOTEL APNA ASHIYANA,MANOR HOUSE DENIS CASTLE GANDHI CHOWK ,MUSSOORIE	12	4.2	3.3	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
62	HOTEL ATITHI, Kanak Building, The Mall, Mussoorie, Dehradun	11	3.8	3.08	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
63	HOTEL BARMA PALACE, OLD KEMPTY ROAD MUSSOORIE Dehradun	18	6.3	5.04	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
64	Hotel Bulaakh Resort, Village Kyar , Kuli, Mussoorie, Uttarakhand	35	12	9.8	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
65	Hotel Classic Heights, Library Chowk, Mussoorie, Dehradun,	20	7	5.6	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
66	Hotel Cloud End Forest Resort, Post Box No.1 ,Hathipaon Park Area, Mussoorie -248179. U.K Dehradun	15	5.2	4.2	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
67	Hotel Crystal Palace, SPRING ROAD NEAR LIBRARY CHOWK MUSSOORIE 248179 Dehradun	19	6.6	5.3	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
68	HOTEL DEV PALACE, Mall Road, Mussoorie, Uttarakhand, 248179	12	4.2	3.3	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
69	Hotel Devlok Primal, Mall Road, Mussoorie, Uttarakhand, 248179	20	7	5.6	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
70	HOTEL DIAMOND, SPRING ROAD LIBRARY MUSSOORIE DISTT DEHRADUN	15	5.2	4.2	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
71	Hotel Dwaper, Opposite Kempty Taxi Stand, Charliville Road, Library, Mussoorie, Dehradun,	21	7.3	5.8	-	Septic tank	-	No leakage found, Septic tank with adequate capacity

72	HOTEL EVEREST HIGHLAND, 9 CHAMAN ESTATE MUSSOORIE DISTT.DEHRADUN	10	3.5	2.8	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
73	Hotel Filigree, Camels Back Road, Kulri Mussoorie Dehradun	18	6.3	5.04	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
74	Hotel Hill View unit of Three Rings Ventures LLP, South House Cottage Mussoorie - 248179 , UK Dehradun	19	6.6	5.3	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
75	Hotel Horizon, Near Picture Palace,Kulri,Mussoorie Distt. Dehradun	14	4.9	3.9	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
76	Hotel Howard International, The Mall Road Mussoorie Dehraun Uttarakhand	40	14	11.2	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
77	HOTEL INDER PALACE, SUNFORD ESTATE SPRING ROAD MUSSOORIE Dehradun	12	4.2	3.3	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
78	Hotel Ivy, Complex of Ivy Cottage, Library, Mussoorie Dehradun	10	3.5	2.8	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
79	HOTEL JAIN REGENCY, LANDOUR VIEW ESTATE NEAR CLOCK TOWER MUSSOORIE DEHRADUN	11	3.8	3.08	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
80	Hotel Jhali Palace, Hussainganj, Mussoorie, Distt- Dehradun -	11	3.8	3	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
81	Hotel Jiva, Amrit Sadan, Westonel Estate, R.K Verma Road, Mussoorie, Dehradun	19	6.6	5.3	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
82	HOTEL KISHNA PALACE UNIT OF MAWANA DEVELOPERS PVT LTD, CAMELS BACK ROAD MUSSOORIE Dehradun	16	5.6	4.4	-	Septic tank	-	No leakage found, Septic tank with adequate capacity

(Handwritten marks)

83	Hotel La Eden Mussoorie, Old Rajpur Road, Landoura, Mussoorie, Dehradun-	14	4.9	3.92	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
84	Hotel Laxmi Palace, Gandhi Chowk, Mussoorie, Dehradun.	16	5.6	4.4	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
85	Hotel Library Presidency, Kempty Estate, Library, Mussoorie	20	7	5.6	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
86	Hotel Mayfield, the mall kulri, mussoorie	10	3.5	2.8	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
87	Hotel Moon Light Resort, Spring Road, Library, Mussoorie, Dehradun	14	4.9	3.9	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
88	Hotel Mountain Quail, Gandhi Chowk, Mussoorie -	26	9.1	7.2	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
89	Hotel Mussoorie Club, the mall road Mussoorie	29	10	8.1	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
90	HOTEL MUSSOORIE INN,	18	6.3	5.04	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
91	Hotel Paradise Mansion unit of Abhimaya Projects Pvt Ltd, Calissa Church View Estate, The Mall, Mussoorie, Uttarakhand Dehradun	30	10	8.4	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
92	HOTEL PARK ROYALE INN SHYAM NIKETAN NEAR GURUDWARE BARLOGANJ MUSSOORIE DEHRADUN	24	8	6.7	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
93	Hotel Peak View Pvt. Ltd. Camels Back Road, Mussoorie	20	7	5.6	-	Septic tank	-	No leakage found, Septic tank with adequate capacity

94	Hotel Perfect Hideout, Mackinon Road, Mussoorie, Dehradun, Uttarakhand,	10	3.5	2.8	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
95	Hotel Phoenix, Hakmans Compund, The Mall Road, Mussoorie, U.K Dehradun	18	6.3	5.04	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
96	Hotel Pine Tree, Hazel Mayor Estate, Near Church Library, Mussoorie, Dehradun, Uttarakhand	10	3.5	2.8	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
97	Hotel Pleasent View, Oak Road, Landour , Mussoorie, UK Dehradun	17	5.9	4.7	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
98	Hotel Raghushree, Masonic Lodge, Picture Palace, Bus Stand, Mussoorie, Dehradun	15	5.2	4.2	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
99	Hotel Royal Classic, Unit of Roshie Hotel Pvt. Ltd.Tilak Road Kulri Mussoorie Dehradun, Uttarakhand	34	11.9	9.5	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
100	HOTEL SAI BALI, OAK DANE,SHYAM KUTIR ,SUNNY VIEW ,BARLOWGANJ ROAD - MUSSORIE ,DEHRADUN	34	11.9	9.5	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
101	Hotel Shalimar, MALL VIEW HOUSE, GANDHICHOWK MUSSOORIE, Dehradun,	11	3.8	3	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
102	Hotel Silver Line, Sumitra Bhawan Road, Library, Mussoorie,	17	5.9	4.7	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
103	Hotel SN Residency, Charli Villa Road, Mussoorie, Dehradun	32	11	8.9	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
104	Hotel Surya Kiran, THE MALL,LIBRARY, MUSSOORIE	19	6.6	5.3	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
105	Hotel Swagat, Picture Palace, Mussoorie, Distt- Dehradun	10	2.5	2.8	-	Septic tank	-	No leakage found, Septic tank with adequate capacity

106	Hotel the 9 Oaks, Santura Devi Mandir Bend Srinagar Estate Kempty Road Mussoorie Dehradun	14	4.9	3.9		Septic tank		No leakage found, Septic tank with adequate capacity
107	Hotel Thirty Degree North, Long Sight, Kulri-Mussoorie, Dehradun.	11	3.8	3		Septic tank	—	No leakage found, Septic tank with adequate capacity
108	Hotel Tourist Delight, Library Chowk, Mussoorie, Dehradun, Uttarakhand	10	3.5	2.8		Septic tank	—	No leakage found, Septic tank with adequate capacity
109	HOTEL TULLAHMORE, HARNAM SINGH ROAD MUSSOORIE Dehradun	11	3.8	3		Septic tank	—	No leakage found, Septic tank with adequate capacity
110	Hotel Uday, Camel's Back road (Near Rink) Kulri , Mussoorie	10	3.5	2.8		Septic tank	—	No leakage found, Septic tank with adequate capacity
111	Hotel Westend, Camel Back Road, Mussoorie Uttarakhand Dehradun	10	3.5	2.8		Septic tank	—	No leakage found, Septic tank with adequate capacity
112	Hotel Woodsvie, Pratap Cottage, Koshak Estate Camel's Back Road, Mussoorie, Dehradun, Uttarakhand,	20	7	5.6		Septic tank	—	No leakage found, Septic tank with adequate capacity
113	M/s Punarnava Yog Foundation, NALIYANA VILLAGE, BHITARLI, KIMADI, LAMBIDHAR ROAD, MUSSOORIE, DEHRADUN, UTTARAKHAND	20	7	5.6	—	Septic tank		No leakage found, Septic tank with adequate capacity
114	Pritams Hotel Kahkashan, 1, Spring Road, Library, Mussoorie, Uttarakhand	18	6.3	5	—	Septic tank		No leakage found, Septic tank with adequate capacity
115	Rokeby Manor unit of Mars Enterprises, Landour Cantt, Mussoorie, Uttarakhand Dehradun	15	5	4.2	—	Septic tank		No leakage found, Septic tank with adequate capacity
116	The Amber Vermont Estate unit of Wear Well Apparels Pvt Ltd, NEAR COMPANY BAGH, HATHI PAON ROAD, MUSSOORIE, Uttarakhand	14	4.9	3.9	—	Septic tank	—	No leakage found, Septic tank with adequate capacity

117	Sectary Shri Laxmi Narayan Mandir	20	7	5.6	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
118	STELLA COTTAGE, MALL ROAD MUSSOORIE DEHRADUN Dehradun	17	5.95	4.76	-	Septic tank	-	No leakage found, Septic tank with adequate capacity
119	HOTEL AARIA, LANDOUR BAZAR NEAR CLOCK TOWER MUSSOORIE DEHRADUN Dehradun	11	3.8	3	-	Septic tank	-	No leakage found, Septic tank with adequate capacity

2. Hotels having own STP's, mode of disposal of treated effluents during the non-use period for horticulture has not been disclosed.

S.no	Name Of the Hotel & Address	No. of rooms	Water consumption	waste water generation (KLD)	Mode of treatment	Mode of disposal of treated effluents during non-use period for horticulture
					In house STP	
1	2	3	4	5	6	7
1	The Claridges Hotel Pvt Ltd Barlowganj Road ,Mussoorie ,Distt. Dehradun	22	17	13	Yes	Treated water used in Tennis court and in toilets flushing
2	Hotel Basera (Hotel Savera) Spring Road, Library , Mussoorie	64	22.4	17.92	Yes	Connected to Bhatta Fall CSTP and finally disposed to Sukha khala river nun nadi
3	The Golden Palms Hotel & Spa(Unit Of Mrg Hotels Pvt Ltd) (sylverton) Kulri, Mall Road, Opposite Picture Palace, Mussoorie, Dehradun	45	15.7	25	Yes	Connected to Bhatta Fall CSTP and finally disposed to Sukha khala river nun nadi
4	Fort Resorts Unit of Sharda Properties Private Limited, Tara Hall Estate, Picture Palace Road, Mussoorie	98	34.3	27.4	Yes	Connected to Bhatta Fall CSTP and finally disposed to Sukha khala river nun nadi
5	FORTUNE RESORT GRACE UNIT OF GOPAL HOLIDAYS PVT LTD, Library Bazar Gandhi Chowk Mussoorie Dehradun	75	26.2	21	Yes	Reused in cleaning and washing
6	Hotel Highland, AMAR VILLA, HOTEL HIGHLAND, , BARLOWGANJ,MUSSOORIE, Dehradun,	50	17.5	14	Yes	Connected to Bhatta Fall CSTP and finally disposed to Sukha khala river nun nadi
7	Hotel Pacific Mussoorie,Fernhill Estate, Camel back Road, Mussoorie Dehradun.	48	16	13	Yes	Reused in cleaning and washing

8	Jaypee Residency Manor- A unit of Jai Prakash Associates Ltd, Khasra No. 198, 353-376, Village Barlowganj , Mussoories, Distt-	141	49	39	Yes	Reused in cleaning and washing
9	Sterling Holiday Resorts Limited, Radha Bhawan Estate, Circular Road, Mussoorie, Dehradun,	111	38	31	Yes	Reused in cleaning and washing
10	The Solitaire Resort, 01, Picture Palace Bend, RK Verma Road, Mussoorie,	45	15	12	Yes	Reused in cleaning and washing
11	Welcomhotel The Savoy Uo Hotels Control Pvt Ltd, Library Bazar Gandhi Chowk Mussoorie Dehradun.	110	38	30	Yes	Connected to Bhatta Fall CSTP and finally disposed to Sukha khala river nun nadi




3. Designed capacity of Common STP, its performance & mode of disposal of effluents

S.no	Name Of the location of Sewage treatment plant	Designed capacity of STP (MLD)	Capacity at which STP is working (MLD)	Technology	Mode of disposal after treatment
1	2	3	4	5	6
1	Happy Valley STP, Happy valley mussoorie	1.2	0.4	MBBR Technology	Yamuna River
2	Bhatta fall STP, Bhatta fall Mussoorie	3.12	1.5	SBR Technology	Sukha khala river nun nadi
3	Landour North STP, Mussoorie	0.8	0.1	SBR Technology	Sukha khala river nun nadi
4	Sarai kulri STP, Mussoorie	0.9	0.3	SBR Technology	Yamuna River
5	Bhilaru STP, Mussoorie (under construction)	1.1	0.4	MBBR Technology	Yamuna River
6	Landour south STP, Mussoorie	1.3	0.1	SBR Technology	Rispana river




4. Sources of water supply

S.No.	Name Of the Hotel & Address	No.of rooms	Source of water supply	Total Water requirement in KLD	Source of water (KLD)			Mode of treatment			If discharge through sewer line, is it connected to operational STP (Name & capacity of STP)
					Jal Sansthan supply	Rain Water	Other waste water generation (KLD)	In house STP	Septic tank	Sewer line	
1	Hotel Emerald Heights Camels Back Road, Mussoorie, Dehradun, Uttarakhand,	14	Jal Sansthan	5	6.5	-	4	-	-	Yes	(Sarai Kulri 0.9 MLD S.T.P)
2	Hotel Same Next (Emerald Height)										
3	Hotel Mussoorie Residency Savoy Estate, Convent Road, Mussoorie, Dehradun, Uttarakhand	29	Jal Sansthan	10	6.66	3.4	8	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
4	HOTEL SHIVAM PICTURE PLACE, NEAR RADHA KRISHAN MANDIR KALSIA ESTATE MUSSOORIE	20	Jal Sansthan	7	5	2	5.6	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
5	Hotel Riversun (Hotel Shivam)										
6	HOTEL SUN EN SNOW NEAR KAPOORTHALA, MUSSOORIE, Dehradun, Uttarakhand,	36	Jal Sansthan	8.5	8.7	-	6.5	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
7	Hotel Villa Barlow barlow Ganj, Mussoorie, Dehradun,	15		5.4	3	2.2	4.1	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
8	Ms Hotel Winter line Inn Near Gurudwara, Barlowganj , Mussoorie, U.K Dehradun	11	Jal Sansthan	3.85	5	-	0.8	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
9	The Claridges Hotel Pvt Ltd Barlowganj Road ,Mussoorie ,Distt. Dehradun	22		17	28	-	13	Yes	-	-	-
10	Ms Hotel Garhwal Terreis GMVN Plot No, 85 Mall Road , Mussoorie Distt. Dehradun	22	Jal Sansthan	7.7	3.87	3.83	6.1	-	Yes	-	---
11	Hotel Naveen Value (value theme hotel) Camel Back Road, Kulri , Mussoorie	31		10.8	2.5	4	8.6	-	-	Yes	(Sarai Kulri 0.9 MLD S.T.P)

12	Hotel whispering windows (hotel upstairs) Library Road, Mussoorie	18	Jal Sansthan	0.24	5	-	2.5	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
13	Hotel Basera (Hotel Savera) Spring Road, Library, Mussoorie	64		22.4	16.8	5.6	17.92	Yes	-		Bhatta Fall 3.12 MLD S.T.P
14	Hotel shipra (Hotel mosaic) KulriBazaar, Mussoorie	46	Jal Sansthan	16.1	22.5	-	3.2	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
15	The Golden Palms Hotel & Spa(Unit Of Mrg Hotels Pvt Ltd) (sylverton) Kulri, Mall Road, Opposite Picture Palace, Mussoorie, Dehradun	45		15.7	30	14.3	25	Yes	-	Yes	Bhatta Fall 3.12 MLD S.T.P
16	Hotel Shiva palace Zaffar Lodge, Kulri, Mussoorie	14	Jal Sansthan	5	5	-	1.6	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
17	Hotel The tranquility (Hotel Shining hills) Shantikunj Barloganj Mussoorie Dehradun	12		4.2	4.2	-	3.3	-	Yes		---
18	REGENCY HOLIDAYZ PRIVATE LIMITED Near Company Garden Hathipaon Road Mussoorie Dehradun	75	Jal Sansthan	-	-	-	-	-	Yes	-	---
19	Hotel Minerva, KULRI THE MALL MUSSOORIE DEHRADUN	17		5.95	3.1	2.5	4.7	-		Yes	(Sarai Kulri 0.9 MLD S.T.P)
20	Hotel Dream palace Sylverton Estate, Kulri, The Mall, Mussoorie	12	Jal Sansthan	4.2	8.8	4.6	3.4	-	Yes		---
21	HOTEL HIMSHRI NEAR MIDTOWN, TILAK ROAD, KULRI, MUSSOORIE, Dehradun,	16		5.6	4.3	1.2	4.5	-		Yes	Bhatta Fall 3.12 MLD S.T.P
22	Hotel Castle View Landour Bazar, Clock Tower, Mussoorie	10	Jal Sansthan	3.5	4	-	2.8	-		Yes	Bhatta Fall 3.12 MLD S.T.P
23	Hotel Vikas, MALL road MUSSOORIE DISTT DEHRADUN	10		3.5	4.7	-	2.5	-		Yes	Bhatta Fall 3.12 MLD S.T.P
24	Raj Tourist Hotel (Raj Deluxe Hotel) Near Masonic Lodge, Opposite Picture Palace Bus Stand. Mussoorie.	34	Jal Sansthan	11.9	12.6	-	9.5	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
25	Raj deluxe hotel										
26	Hotel Rock Stone Kulri, Mussoorie Dehradun	19	Jal Sansthan	6.65	5	1.6	5	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
27	Hotel Gulmarg, Seth House, Spring Road, Mussoorie, Dehradun,	16		5.6	6.5	-	4.5	-	Yes	-	---

28	Hotel Karma Villas, Clairevilla Estate, Picture Place Road Balahisar., Mussoorie Dehradun	13	Jal Sansthan	5	3.6	1.4	2	-	Yes		---
29	HOTEL PRAKRIT, Village Tundhar Kyarkuli-Mussoorie, Dehradun, Uttarakhand	4.7		4.7	8.9	-	4.7	-	Yes		---
30	Larisa Resort, Dhanolti Road, kaplani Mussoorie, Dehradun	11	Jal Sansthan	3.8	3.8	-	3	-	Yes		---
31	Sunset View Resort, Village Kyarkuli, Power House, Mussoorie, Dehradun	14		4.9	6 (Gram Panchayat)	-	3.92		Yes		---
32	Hotel I india (Hotel Hard Rock) Big bend, picture palace, Mussoorie	44	Jal Sansthan	15.4	10.3	5	12	-	Yes		-
33	Hotel Hard Rock										
34	Hotel Himalayan Breeze, Mall View House, Library, Mussoorie, Dehradun.	10	Jal Sansthan	3.5	2.5	1	2.8	-		Yes	Bhatta Fall 3.12 MLD S.T.P
35	Hotel Nokin House (Kulri presidency) Near ropeway, mussoorie	10		1.8	3.67	-	0.8			Yes	Bhatta Fall 3.12 MLD S.T.P
36	Hotel Tarangi (The High Walls), Mall Road, Mussoorie, Distt. Dehradun,	30	Jal Sansthan	10.5	12	-	7.2	-		Yes	Bhatta Fall 3.12 MLD S.T.P
37	CRYSTAL GUEST HOUSE PRIVATE LIMITED, Spring Road, Mussoorie, Dehradun, Uttarakhand	19		3.42	4.2	-	1.6			Yes	
38	The Kenilworth Hotel, Mall Road, Kulri Sylverstone Estate, Mussoorie	13	Jal Sansthan	4.5	4.5	-	3.6	-		Yes	Bhatta Fall 3.12 MLD S.T.P
39	Hotel usha Palace, New Circular Road, Mussoorie, Dehradun	15		5.2	2.5	2.7	4.16			Yes	
40	Hotel Hill Queen, Summer Villa Estate, Kulri, The Mall, Mussoorie, Dehradun,	75	Jal Sansthan	26.2	34.2	-	21	-		Yes	Bhatta Fall 3.12 MLD S.T.P
41	Hotel Jass Resorts, Barlowganj, Mussoorie Dehradun	14		4.9	4	-	3.4			Yes	Bhatta Fall 3.12 MLD S.T.P
42	Hotel Shingar, KULRI, MUSSOORIE, DEHRADUN	15		7.61	7.61	-	4.2		Yes	Bhatta Fall 3.12 MLD S.T.P	

43	Hotel Sapphire, CAMEL BACK ROAD KULRI MUSSOORIE DEHRADUN	10	Jal Sansthan	3.5	2	1.5	2.8	-	Yes	(Sarai Kulri 0.9 MLD S.T.P)
44	Yog Holistic Wellness Centre Unit of Aron Resort, Brookvilla Estate ,BarlowGanj , Mussoorie	20	Jal Sansthan	7	7.6	-	5.6	-	Yes	---
45	Hotel View Bharat (Grand Valley), Kulri Mussoorie Dehradun	32		11.2	9	2	9	-	Yes	Bhatta Fall 3.12 MLD S.T.P
46	Hotel Aashna, Glen Ronak Estate near Waverly Convent School, Mussoorie,	12	Jal Sansthan	4.2	2.5	1.7	3.3	-	Yes	---
47	HOTEL NATRAJ PALACE U/O KIRAN DIVYA, KULRI MUSSOORIE	18		6.3	1.9	4.4	4.3	-	Yes	(Sarai Kulri 0.9 MLD S.T.P)
48	Hotel Ramanand Regency, Charlville Road, Mussoorie, Dehradun	14	Jal Sansthan	4.9	3	1.9	4	-	Yes	---
49	Hotel Paramanand Residency									
50	Hotel Tourist Home, Mount View State, Kulri, Mussoorie	10	Jal Sansthan	3.5	2.5	1	2.8	-	Yes	(Sarai Kulri 0.9 MLD S.T.P)
51	Hotel Charlene, Grant Lane, Kulri, Mussoorie, Dehradun	18		3.5	3.5	-	5.04	-	Yes	Bhatta Fall 3.12 MLD S.T.P
52	Hotel Carlton Plaisance, LBS Academy Road , Mussoorie , Dehradun.	11	Jal Sansthan	3.85	2.5	1.3	3.85	-	Yes	---
53	Hotel Beach wood, The Mall Road, Mussoorie, Dehradun, Uttarakhand	39		13.65	8.6	4.9	10	-	Yes	Bhatta Fall 3.12 MLD S.T.P
54	Hotel Landour residency, Near Clock Tower , Landour Market , Mussoorie, Distt Dehradun	10	Jal Sansthan	3.5	2.5	1	2.8	-	Yes	Bhatta Fall 3.12 MLD S.T.P
55	Hotel Royal Mansion, Opp Wynberg School Balahisar , Mussoorie , Distt. Dehradun	17		5.96	5.6	0.3	4.7	-	Yes	Bhatta Fall 3.12 MLD S.T.P
56	Hotel Sunrise (hotel forest view), Hussainganj, Library Road, Mussoorie Dehradun	17	Jal Sansthan	10.5	16	-	8.4	-	Yes	Bhatta Fall 3.12 MLD S.T.P
57	Hotel Welcome, Radha Bhawan Esate , Mussoorie, Dehradun,	14		4.9	5	-	5	-	Yes	---

58	HOTEL PIKNIK, PICTURE PALACE KULRI MUSSOORIE DEHRADUN	19	Jal Sansthan	6.35	2.5	3.8	5	-		Yes	Bhatta Fall 3.12 MLD S.T.P
59	Hotel Spring, Spring Road , Library , Mussoorie , Dehradun,	10	Jal Sansthan	3.5	2.5	1	2	-	Yes		---
60	Hotel Radha (Queen of Hills), Chaman Estate Near Radha Bhawan , Mussoorie, Distt. Dehradun	38	Jal Sansthan	13.3	15		13.3	-	Yes		---
61	Highness Heights,										
62	Hotel Valentine, mall road picture palace Mussoorie	15	Jal Sansthan	5.25	6.8	—	4.2	-		Yes	Bhatta Fall 3.12 MLD S.T.P
63	Hotel Bright Star, Kulri Bazaar, Mussoorie	20	Jal Sansthan	7	3.2	3.7	5	-	Yes	-	No
64	Hotel london House, PICTURE PALACE LANDOUR ROAD MUSSOORIE Dehradun	10	Jal Sansthan	3.5	7.3	-	2.5	-	Yes	-	---
65	Hotel dunsvirk court,unit of Nandan Hotel Ltd,Baroda Estate Library Mussoorie Uttrakhand Dehradun	41	Jal Sansthan	14	12	2	9.6	-		Yes	Bhatta Fall 3.12 MLD S.T.P
66	Hotel Mussoorie Mid view, mall road Mussoorie	14	Jal Sansthan	4.9	2.4	2.5	4	-	Yes	-	---
67	Hotel Akansha anand plaza, 1 LONDON HOUSE PICTURE PALACE LANDOUR ROAD MUSSOORIE Dehradun	19	Jal Sansthan	6.6	1.2	5.4	5.3	-	Yes		---
68	Hotel valley vista, Oak bush estate picture palace, Mussoorie	16	Jal Sansthan	5.6	4	1.6	4.4	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
69	Hotel JS Inn, kempty fall road, charleville mussoorie	12	Jal Sansthan	4.2	2.5	1.7	3.3	-	yes	-	---
70	Hotel Emal,(Ilbert Manor) Duglavilla Road, Gandhi Chowk, Mussoorie	14	Jal Sansthan	4.9	2.6	2.2	3.9	-	yes	-	---
71	Hotel Sky touch, the mall road chaman estate Mussoorie	10	Jal Sansthan	3.5	2.5	1.3	2.8	-	yes	-	---
72	Hotel Nottin hill, kempty road mussoorie	19	Jal Sansthan	6.6	-	-	5.3	-	-	Yes	kempty fall STP
73	Hotel Prestige, Gandhi Chowk, Mussoorie	18	Jal Sansthan	6.3	6.5	-	5	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
74	Hotel Green View, Mall Road gandhi chowk Mussoorie	10	Jal Sansthan	3.5	2.5	-	2.8	-	Yes	-	---

75	Hotel Ashoka Plaza, mall road, opposite bata showroom Mussoorie	14	Jal Sansthan	-	-	-	-	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
76	Hotel Urvashi Palace Mussoorie	18	Jal Sansthan	-	-	-	6.3	-	Yes	-	---
77	Hotel Palazo, kulri chowk picture palace Mussoorie	10		3.5	2.5	1	2.8	-	Yes	-	---
78	Hotel sun n snow (kamakshi Grand), Picture palace Mussoorie	30	Jal Sansthan	-	-	-	4	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
79	Hotel Radison Tara,(Romeo Lane The Courtyard House) Sylverton Estate, picture palace Mussoorie	23		-	-	-	-	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
80	Hotel Wild Flower House, kempty road mussoorie	16	Jal Sansthan	5.6	4.5	-	4.5	-	Yes	-	---
81	Heavens view resort, hathi paon road near naag mandir Mussoorie	12		4.2	4.5	-	3.3	-	Yes	-	---
82	Hotel elegant hill, New mussoorie lake HP petrol pump Mussoorie	8	Jal Sansthan	2.8	3	-	2.2	-	Yes	-	---
83	Hotel Saiva Hill Resort, Hathi paon road, kyarkuli bhatta Mussoorie	5		-	-	-	-	-	Yes	-	---
84	Hotel the tattva, Char Dukan Cant board mussoorie	5	Jal Sansthan	-	-	-	-	-	Yes	-	---
85	Hotel Seclude, Picture palace road mussoorie	6		-	-	-	-	-	Yes	-	---
86	Jharipani castle, Mussoorie	5	Jal Sansthan	-	-	-	-	-	Yes	-	---
87	hotel blossom, Library, Mussoorie	7		-	-	-	-	-	Yes	-	---
88	Hotel The sky drift, Tundhar village dhobi ghat mussoorie	4	Jal Sansthan	-	-	-	-	-	Yes	-	---
89	Hotel Macquary Inn, Near hamption court school mussoorie	-		-	-	-	-	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
90	Hotel Nishima, Landour Bazar, Mussoorie	-	Jal Sansthan	-	-	-	-	-	-	Yes	Landour North 0.80 MLD S.T.P
91	Hotel Darpan, Landor Bazaar, Mussoorie	-		-	-	-	-	-	-	Yes	-
92	Snow View Hotel, Library bazaar, the mall road Mussoorie	-	Jal Sansthan	-	-	-	-	-	Yes	-	---
93	Star Hotel, KULRI MUSSOORIE Dehradun	-		-	-	-	-	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
94	Hotel kavlok (Hotel Sarvashree), the mall rod mussoorie	-	Jal Sansthan	-	-	-	-	-	Yes	-	---

95	Hotel Roselyn, LIBRARY, MUSSOORIE, Uttarakhand	-	Jal Sansthan	-	-	-	-	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
96	Hotel Purnima, Landour Ox road Mussoorie	23	Jal Sansthan	-	-	-	-	-	-	Yes	---
97	Hotel Rama, the mall road Mussoorie	-	Jal Sansthan	-	-	-	-	-	-	Yes	(Sarai Kulri 0.9 MLD S.T.P)
98	Hotel Glen villa, kulri, the mall road Mussoorie	12	Jal Sansthan	-	-	-	-	-	-	Yes	---
99	Hotel city centre, the mall rod mussoorie	-	Jal Sansthan	-	-	-	-	-	-	Yes	---
100	Hotel Pathik Bangali, Mussoorie	-	Jal Sansthan	-	-	-	-	-	-	Yes	---
101	Hotel Pharmacy, Mall road Mussoorie	-	Jal Sansthan	-	-	-	-	-	-	Yes	---
102	Hotel Nature Lap, spring road near library Mussoorie	-	Jal Sansthan	-	-	-	-	-	-	Yes	---
103	Hotel Tourist Complex, Mussoorie Dehradun	-	Jal Sansthan	-	-	-	-	-	-	Yes	---
104	hotel sun side, Library road Mussoorie	-	Jal Sansthan	-	-	-	-	-	-	Yes	---
105	Hotel Palki (Hotel Pavilion), Kulri Bazaar, Mussoorie	18	Jal Sansthan	-	-	-	-	-	-	Yes	---
106	MAA RESIDENCY GUEST HOUSE, bagral gaon mussoorie road dehradun	-	Jal Sansthan	-	-	-	-	-	-	Yes	---
107	acme hotels and tours, Picture Palace, Mussoorie, Dehradun,	78	Jal Sansthan	27.3	25	2.3	21.8	-	-	-	Bhatta Fall 3.12 MLD S.T.P
108	Ashiana Continental Hotel, Camelâs Back Road, Gandhi chowk, Mussoorie,	47	Jal Sansthan	16.4	8	8.4	13.1	-	-	Yes	(Sarai Kulri 0.9 MLD S.T.P)
109	Avalon Resorts Private Limited, Rockcliff Estate Hill Top Mussoorie Dehradun	68	Jal Sansthan	23.8	32	-	19	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
110	BHAGWAN DASS KHANNA ENTERPRISES PVT LTD, MALL ROAD MUSSOORIE DEHRADUN	30	Jal Sansthan	10	10.5	-	8.4	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
111	Camel View Hotel, Near Jain Dharmshala, Landour , Mussoorie,	10	Jal Sansthan	3.5	4	-	2.8	-	-	Yes	(Sarai Kulri 0.9 MLD S.T.P)

112	Classic Fall Resort, Gram Bhatta, Mussoorie, Dehradun,	35	Jal Sansthan	12.2	8	4.2	9.8	-	Yes	-	-
113	DP HOTELS AND RESORTS, Laurel Bank Estate, Part of Hakman Estate, Mall Road, Mussoorie	19		6.6	2.6	4	5.3	-	Yes	-	-
114	Fort Resorts Unit of Sharda Properties Private Limited, Tara Hall Estate, Picture Palace Road, Mussoorie	98	Jal Sansthan	34.3	40	-	27.4	Yes	-	Yes	Bhatta Fall 3.12 MLD S.T.P
115	M/s Girish Associates Pvt Ltd (Madhuban Hotel) Charliville road Mussoorie	40		14	17.7	-	12	-	-	Yes	Bhilaru STP
116	FORTUNE RESORT GRACE UNIT OF GOPAL HOLIDAYS PVT LTD, Library Bazar Gandhi Chowk Mussoorie Dehradun	75	Jal Sansthan	26.2	70	35.7	21	Yes	-	-	-
117	Green N Breeze Resorts, BARLOWGANJ, MUSSOORIE, Dehradun,	42		14.7	11	3.7	11.7	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
118	Happy Valley, Near LBSNNA, Opp. Tibetan School, Mussoorie	15	Jal Sansthan	5.2	2.5	2.7	4.2	-	-	Yes	Happy valley 1.2MLD STP
119	HOLIDAY INN, KITCHER, THE MALL, MUSSOORIE, Uttarakhand	28		9.8	7	2.8	7.8	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
120	HOTEL 7 OAKS, CAMEL BACK ROAD MUSSOORIE DISTT-DEHRADUN	20	Jal Sansthan	7	3.9	3.1	5.6	-	Yes	-	-
121	Hotel Abhinandan, Picture Palace, Mussoorie, Dehradun, Uttarakhand	22		7.7	5	2.7	6.1	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
122	HOTEL ADARSH, Library The Mall, Mussoorie, District Dehradun	19	Jal Sansthan	6.6	3	3.6	5.3	-	-	Yes	Bhilaru STP
123	Hotel Ajay, Camels Back Road, Library, Mussoorie, Dehradun,	18		6.3	2.5	3.8	5.04	-	Yes	-	-
124	Hotel grand the mall, Kulri, Mussoorie, Dehradun Dehradun	14	Jal Sansthan	4.9	4.4	0.5	3.9	-	Yes	-	-
125	Hotel Amar, New Market, Kulri, Mussoorie, Dehradun	17		5.9	2.5	3.4	4.7	-	-	Yes	(Sarai Kulri 0.9 MLD S.T.P)

126	Hotel Ambica Palace, Convent Gate, Waverly Chowk, Mussoorie, Dehradun,	24	Jal Sansthan	8.4	3.4	5	6.7	-	-	Yes	Bhilaru STP
127	Hotel Antara, Motilal Nehru Road, Mussoorie , U.K Dehradun	10		3.5	6.5	-	2.8	-	Yes	-	-
128	HOTEL APNA ASHIYANA,MANOR HOUSE DENIS CASTLE GANDHI CHOWK ,MUSSOORIE	12	Jal Sansthan	4.2	2.5	1.7	3.3	-	Yes	-	-
129	Hotel Apsara Unit of Ganpati Hotels Pvt Ltd, Kulri, Mussoorie, Uttarakhand Dehradun	30		10.5	4	6.5	8.4	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
130	HOTEL ASHIRWAD, Landour Bazar, Mussoorie, Dehradun,	26	Jal Sansthan	9.1	9.5	-	7.2	-	-	Yes	Bhilaru STP
131	HOTEL ASHOKA CONTINENTAL, Library, The Mall , Mussoorie District Dehradun	24		8.4	4	4.4	6.7	-	-	Yes	Bhilaru STP
132	HOTEL ATITHI, Kanak Building, The Mall, Mussoorie, Dehradun	11	Jal Sansthan	3.8	2.6	1.2	3.08	-	Yes	-	-
133	Hotel Avenel Palace, Near Bata Company, Kulri, Mussoorie, Uttarakhand -	13		4.5	2.5	2	3.6	-	-	Yes	(Sarai Kulri 0.9 MLD S.T.P)
134	HOTEL BARMA PALACE, OLD KEMPTON ROAD MUSSOORIE Dehradun	18	Jal Sansthan	6.3	5.9	0.4	5.04	-	Yes	-	-
135	HOTEL BROADWAY, Kurli, Mussoorie, Dehradun, Uttarakhand	12		4.2	6	-	3.3	-	-	Yes	(Sarai Kulri 0.9 MLD S.T.P)
136	Hotel Bulaakh Resort, Village Kyar , Kuli, Mussoorie, Uttarakhand	35	Jal Sansthan	12	12	-	9.8	-	Yes	-	-
137	Hotel City Castle, Oaks Road, Near Clock Tower, Mussoorie Distt.Dehradun	22		6.6	4	2.6	5.2	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
138	Hotel Clark, The Exchange Building, Mall Road, Kulri, Mussoorie, Dehradun	13	Jal Sansthan	4.5	6	-	3.6	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
139	Hotel Classic Heights, Library Chowk, Mussoorie, Dehradun,	20		7	10	-	5.6	-	Yes	-	-

140	Hotel Cloud End Forest Resort, Post Box No.1 ,Hathipaon Park Area, Mussoorie -248179. U.K Dehradun	15	Jal Sansthan	5.2	2.5	2.7	4.2	-	Yes	-	-
141	Hotel Connaught Castle, the mall road kulri Mussoorie 248179 Dehradun	29	Jal Sansthan	10	10	-	8.1	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
142	Hotel Crystal Palace, SPRING ROAD NEAR LIBRARY CHOWK MUSSOORIE 248179 Dehradun	19	Jal Sansthan	6.6	4.2	2.4	5.3	-	Yes	-	-
143	HOTEL DEV PALACE, Mall Road, Mussoorie, Uttarakhand, 248179	12	Jal Sansthan	4.2	5.2	-	3.3	-	Yes	-	-
144	Hotel Devlok Primal, Mall Road, Mussoorie, Uttarakhand, 248179	20	Jal Sansthan	7	3	4	5.6	-	Yes	-	-
145	HOTEL DIAMOND, SPRING ROAD LIBRARY MUSSOORIE DISTT DEHRADUN	15	Jal Sansthan	5.2	2.5	2.7	4.2	-	Yes	-	-
146	Hotel Doon Palace, Mall Road, Kulri, Mussoorie, Dehradun Dehradun	19	Jal Sansthan	6.6	2.5	4.1	5.3	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
147	HOTEL DRIVE INN, PICTURE PALACE KULRI MUSSOORIE Dehradun	34	Jal Sansthan	11.9	30	-	9.5	-	-	Yes	(Sarai Kulri 0.9 MLD S.T.P)
148	Hotel Dwaper, Opposite Kempty Taxi Stand, Charliville Road, Library, Mussoorie, Dehradun,	21	Jal Sansthan	7.3	5	2.3	5.8	-	Yes	-	-
149	HOTEL EVEREST, KULRI MUSSOORIE Dehradun	16	Jal Sansthan	5.6	2.5	3.1	4.4	-	-	Yes	(Sarai Kulri 0.9 MLD S.T.P)
150	HOTEL EVEREST HIGHLAND, 9 CHAMAN ESTATE MUSSOORIE DISTT.DEHRADUN	10	Jal Sansthan	3.5	2.5	1.5	2.8	-	Yes	-	-
151	Hotel Evergreen, Near Big Bend, Picture Palace, Mussoorie, Uttarakhand	16	Jal Sansthan	5.6	2.5	3.1	4.4	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
152	Hotel Filigree, Camels Back Road, Kulri Mussoorie Dehradun	18	Jal Sansthan	6.3	5	1.3	5.04	-	Yes	-	-

153	Hotel Glenroy, Kincaig Briddle Road, Mussoorie, Dehradun,	16	Jal Sansthan	5.6	4.5	1.2	4.4	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
154	Hotel Green castle, Mall road, Mussoorie	32	Jal Sansthan	11.2	5.76	5	8.9	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
155	Hotel Hamers International, The Mall , Mussoorie	25		8.7	7	1.7	7	-	-	Yes	(sarai Kulri 0.9 MLD S.T.P)
156	Hotel Highland, AMAR VILLA, HOTEL HIGHLAND, , BARLOWGANJ,MUSSOORIE, Dehradun,	50	Jal Sansthan	17.5	11	6.5	14	Yes	-	Yes	Bhatta Fall 3.12 MLD S.T.P
157	Hotel Hill View unit of Three Rings Ventures LLP, South House Cottage Mussoorie -248179 , UK Dehradun	19		6.6	2.5	4.1	5.3	-	Yes	-	-
158	Hotel Himalaya Castle, ,City Board Office, Landour, Mussoorie -	39	Jal Sansthan	13.6	4	9.6	10.9	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
159	Hotel Himalayan Club, Opp. Nagar Palika Parishad, Mussoorie, Dehradun,	47		16.4	7	9.4	13.1	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
160	Hotel Horizon, Near Picture Palace,Kulri,Mussoorie Distt. Dehradun	14	Jal Sansthan	4.9	3.5	1.4	3.9	-	Yes	-	-
161	Hotel Howard International, The Mall Road Mussoorie Dehraun Uttarakhand	40		14	4	10	11.2	-	Yes	-	-
162	Hotel Imperial Square, Kulri, The Mall, Mussoorie, Dehradun,	16	Jal Sansthan	5.6	33.3	-	4.4	-	-	Yes	Bhilaru STP
163	HOTEL INDER PALACE, SUNFORD ESTATE SPRING ROAD MUSSOORIE Dehradun	12		4.2	2.5	1.7	3.3	-	Yes	-	-
164	Hotel Ivy, Complex of Ivy Cottage, Library, Mussoorie Dehradun	10	Jal Sansthan	3.5	2.5	1	2.8	-	Yes	-	-
165	HOTEL JAIN REGENCY, LANDOUR VIEW ESTATE NEAR CLOCK TOWER MUSSOORIE DEHRADUN	11		3.8	3	0.8	3.08	-	Yes	-	-
166	HOTEL JEET, GANDHI CHOWK MUSSOORIE Dehradun	10	Jal Sansthan	3.5	2.4	1.1	2.8	-	-	Yes	Bhilaru STP

167	Hotel Jhali Palace, Hussainganj, Mussoorie, Distt- Dehradun -	11	Jal Sansthan	3.8	2.5	1.3	3	-	Yes	-	-
168	Hotel Jiva, Amrit Sadan, Westonel Estate, R.K Verma Road, Mussoorie, Dehradun	19	Jal Sansthan	6.6	2.5	4.1	5.3	-	Yes	-	-
169	HOTEL KISHNA PALACE UNIT OF MAWANA DEVELOPERS PVT LTD, CAMELS BACK ROAD MUSSOORIE Dehradun	16		5.6	2.5	3.1	4.4	-	Yes	-	-
170	HOTEL KRISHIV RESIDENCY, NEAR CONVENT SCHOOL MUSSOORIE Dehradun	14	Jal Sansthan	4.9	2.5	2.4	3.9	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
171	Hotel Krishna Palace, Oak Road, Near Clock Tower, Landour Bazar, Mussoorie, Dehradun,	12		4.2	2.5	1.7	3.3	-	Yes	Bhatta Fall 3.12 MLD S.T.P	
172	Hotel La Eden Mussoorie, Old Rajpur Road, Landoura, Mussoorie, Dehradun-	14	Jal Sansthan	4.9	2.66	1.35	3.92	-	Yes	-	-
173	Hotel Laxmi Palace, Gandhi Chowk, Mussoorie, Dehradun.	16		5.6	4.7	0.9	4.4	-	Yes	-	-
174	Hotel Shilton, unit of Library Club Pvt. Ltd., Library Bazar Mussoorie	51	Jal Sansthan	17.8	3	14	14.2	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
175	Hotel Library Presidency, Kempty Estate, Library, Mussoorie	20		7	3.67	3.33	5.6	-	Yes	-	-
176	HOTEL LODGE HILL, HERENDALE ESTATE HAPPY VALLEY MUSSOORIE Dehradun	18	Jal Sansthan	6.3	7	3.3	5	-	Yes	Yes	Happy valley 1.2 MLD STP
177	Hotel Luxmount, Mall road, Mussoorie-	19		6.6	3	3.6	5.3	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
178	Hotel Luxury Inn, Kalsia Estate Kulri Mussoorie	18	Jal Sansthan	6.3	2.25	4.05	5	-	-	Yes	Bhatta Fall 3.12 MLD S.T.P
179	HOTEL MALL PALACE, THE MALL MUSSOORIE DISTT DEHRADUN	45		15	10	5	12.6	-	-	Yes	Bhatta Fall 3.12MLD STP
180	Hotel Mallview, Library, The Mall, Mussoorie, Dehradun, Uttarakhand,	12	Jal Sansthan	4.2	2.5	1.7	3.3	-	-	Yes	Bhatta Fall 3.12MLD STP
181	Hotel Mansarover, Kulri, The Mall, Mussoorie-	24		8.4	6.5	1.9	6.7	-	-	Yes	Sarai Kulri 0.9MLD STP

182	Hotel Maya, Oak Bush Estate, Civil Hospital Road, Landour, Mussoorie Dehradun	19	Jal Sansthan	6.6	2.5	4.1	5.3	-	-	Yes	Bhatta Fall 3.12MLD STP
183	Hotel Mayfield, the mall kulri, mussoorie	10		3.5	3	0.5	2.8	-	Yes		-
184	Hotel Midtown, Grant Lane, Kulri Road ,Mussoorie	34	Jal Sansthan	11.9	8	3.9	9.5	-		Yes	Sarai Kulri 0.9MLD STP
185	Hotel Milestone Inn, Barlowganj, Mussoorie, Dehradun,	18		6.3	6.8	-	5.04	-		Yes	Bhatta Fall 3.12MLD STP
186	Hotel Moon Light Resort, Spring Road, Library, Mussoorie, Dehradun	14	Jal Sansthan	4.9	2.5	2.4	3.9	-	Yes	-	-
187	HOTEL MOUNT ROSE RESIDENCY, Spring Road, Library, Mussoorie, Dehradun	15		5.2	2.5	2.7	4.2	-		Yes	Bhatta Fall 3.12MLD STP
188	Hotel Mountain Quail, Gandhi Chowk , Mussoorie -	26	Jal Sansthan	9.1	2.5	6.6	7.2	-	Yes	-	-
189	Hotel Mountain View, Kempty fall road Kempty Mussoorie	48		16.8	15	-	13.4	-	-	Yes	Bhilaru STP
190	Hotel Mussoorie Club, the mall road Mussoorie	29	Jal Sansthan	10	3.1	6.9	8.1	-	Yes	-	-
191	Hotel Mussoorie Heights, the mall road mussoorie	12		4.2	2.5	1.7	3.3	-		Yes	Bhatta Fall 3.12MLD STP
192	HOTEL MUSSOORIE INN,	18		6.3	2.5	3.8	5.04	-	Yes	-	-
193	HOTEL MUSSOORIE INTERNATIONAL UNIT OF UTTARANCHAL TOURIST MOTELS PRIVATE LIMITED	22	Jal Sansthan	7.7	12	-	6.1	-	-	Yes	Sarai Kulri 0.9MLD STP
194	Hotel Naaz, The Mall, Kulri, Mussoorie, Dehradun, Uttarakhand,	15	Jal Sansthan	5.2	3.5	1.7	4.2	-	-	Yes	Bhatta Fall 3.12MLD STP
195	Hotel Nand Palace, Hill Cot. , Mussoorie	15		5.2	4.5	0.7	4.2	-	-	Yes	Bhatta Fall 3.12MLD STP
196	Hotel Nand Residency, Opp. SBI. Off The Mall, Kulri, Mussoorie -	46	Jal Sansthan	16	10.73	5.2	12	-	-	Yes	Sarai Kulri 0.9MLD STP
197	Hotel Neelam International, New Market Mussoorie -	14		4.9	4	0.9	3.9	-	-	Yes	Sarai Kulri 0.9MLD STP

198	HOTEL NORTHWOOD, KULRI RASTOGI CHOWK, MUSSOORIE ,DISTT DEHRADUN	12	Jal Sansthan	4.2	4	0.2	3.2	-	-	Yes	Sarai Kulri 0.9MLD STP
199	Hotel Oak Bush, Oak road , Near Clock Tower, Mussoorie Distt .Dehradun	27	Jal Sansthan	9.4	12.8	-	7.5			Yes	Bhatta Fall 3.12MLD STP
200	Hotel Oasis a unit of Diamond Resort, Convent Road, Library Mussoorie Dehradun	50	Jal Sansthan	17	14.34	2.6	14			Yes	Bhatta Fall 3.12MLD STP
201	Hotel Omkar, Spring Road, Library, Mussoorie, Dehradun, Uttarakhand,	18	Jal Sansthan	6.3	2.5	3.8	5			Yes	Bhatta Fall 3.12MLD STP
202	Hotel Pacific Mussoorie, Fernhill Estate, Camel back Road, Mussoorie Dehradun.	48	Jal Sansthan	16	7.33	8.6	13	Yes	-	-	-
203	Hotel Padmini Nivas, The Mall, Kulri, Mussoorie, Dehradun, Uttarakhand	28	Jal Sansthan	9	17.5	-	7.8	-	-	Yes	Bhatta Fall 3.12MLD STP
204	Hotel Paradise Mansion unit of Abhimaya Projects Pvt Ltd, Calissa Church View Estate ,The Mall ,Mussoorie, Uttarakhand Dehradun	30	Jal Sansthan	10	8.1	1.9	8.4	-	Yes	-	-
205	HOTEL PARAMOUNT, THE MALL GANDHI CHOWK MUSSOORIE Dehradun	14	Jal Sansthan	4.9	5.03	-	3.9	-		Yes	Bhatta Fall 3.12MLD STP
206	Hotel Park, Nagar Palika Road, Picture Palace , Mussoorie	18	Jal Sansthan	6.3	4.83	1.47	5.04	-		Yes	Sarai Kulri 0.9MLD STP
207	HOTEL PARK ROYALE INN SHYAM NIKETAN NEAR GURUDWARE BARLOGANJ MUSSOORIE DEHRADUN	24	Jal Sansthan	8	3	5	6.7	-	Yes	-	-
208	Hotel Parkwood, GREEN CHOWK, THE MALL, KULRI, MUSSOORIE, DEHRADUN, UTTARAKH	10	Jal Sansthan	3.5	3	0.5	2.8	-	-	Yes	Sarai Kulri 0.9MLD STP
209	Hotel Peak View Pvt. Ltd. Camels Back Road, Mussoorie	20	Jal Sansthan	7	3.67	3.3	5.6	-	Yes	-	-

210	Hotel Perfect Hideout, Mackinon Road, Mussoorie, Dehradun, Uttarakhand,	10	Jal Sansthan	3.5	2.5	1	2.8	-	Yes	-	-
211	Hotel Phoenix, Hakmans Compund, The Mall Road, Mussoorie, U.K Dehradun	18		6.3	2.6	3.7	5.04	-	Yes	-	-
212	Hotel Pine Tree, Hazel Mayor Estate, Near Church Library, Mussoorie, Dehradun, Uttarakhand	10	Jal Sansthan	3.5	2.5	1	2.8	-	Yes	-	-
213	HOTEL PLAM RETREAT, GREEN CHOWK ,ISLA HOUSE KULRI BAZAAR, THE MALL ROAD ,MUSSOORIE,DEHRADUN	18		6.3	5	1.3	5.04	-		Yes	Sarai Kulri 0.9MLD STP
214	Hotel Pleasent View, Oak Road, Landour , Mussoorie, UK Dehradun	17	Jal Sansthan	5.9	2.33	3.5	4.7	-	Yes	-	-
215	Hotel Raghushree, Masonic Lodge, Picture Palace, Bus Stand, Mussoorie, Dehradun	15		5.2	7	-	4.2	-	Yes	-	-
216	Hotel Ratan, Gandhi Chowk, Mussoorie, Uttarakhand	20	Jal Sansthan	7	5	2	5.6	-	-	Yes	Bhatta Fall 3.12MLD STP
217	Hotel Royal Classic, Unit of Roshie Hotel Pvt. Ltd.Tilak Road Kulri Mussoorie Dehradun, Uttarakhand	34		11.9	4	7.9	9.5	-	Yes	-	-
218	Hotel S Square, Near Wavelry School, Convent Mussoorie -	18	Jal Sansthan	6.3	2.5	3.8	5	-		Yes	Bhatta Fall 3.12MLD STP
219	HOTEL SAI BALI, OAK DANE,SHYAM KUTIR ,SUNNY VIEW ,BARLOWGANJ ROAD - MUSSORIE ,DEHRADUN	34		11.9	2.5	9.4	9.5	-	Yes	-	-
220	Hotel Samrat, The Mall, Kulri, Mussoorie -	22	Jal Sansthan	7	3	4	6.1	-	-	Yes	Bhatta Fall 3.12MLD STP
221	HOTEL SARASWATI, KULRI MUSSOORIE Dehradun	12		4.2	2.5	1.7	3.3	-	-	Yes	Sarai Kulri 0.9MLD STP
222	Hotel Sartaj, GANDHI CHOWK ,MUSSOORIE	11	Jal Sansthan	3.8	2.5	1.3	3	-	-	Yes	Bhatta Fall 3.12MLD STP
223	Hotel Savoy Residency, Savoy Out House Estate, Below Charliville Road, Mussoorie, Dehradun, U.K.	18		6.3	80	-	5	-	-	Yes	Bhatta Fall 3.12MLD STP

224	Hotel Shalimar, MALL VIEW HOUSE, GANDHICHOWK MUSSOORIE, Dehradun,	11	Jal Sansthan	3.8	2.5	1.3	3	-	Yes	-	-
225	Hotel Sheela, Taar Gali, Kulri, Mussoorie, U.K Dehradun	10		3.5	2.5	1	2.8	-	-	Yes	Sarai Kulri 0.9MLD STP
226	Hotel Silver Line, Sumitra Bhawan Road, Library, Mussoorie,	17	Jal Sansthan	5.9	3.06	2.84	4.7	-	Yes	-	-
227	HOTEL SILVER ROCK, Library, The Mall, Mussoorie	30		10	4.1	6	8	-	-	Yes	Bhatta Fall 3.12MLD STP
228	HOTEL SKY LARK, Harnam Singh Marg Near Waverly Convent School, Mussoorie	13	Jal Sansthan	4.5	13.3	-	3.6	-	-	Yes	Bhatta Fall 3.12MLD STP
229	Hotel SN Residency, Charli Villa Road, Mussoorie, Dehradun	32		11	4.17	6.9	8.9	-	Yes	-	-
230	Hotel Sparsh, Mahilal Mansion Mussoorie,	12	Jal Sansthan	4.2	2.5	1.7	3.3	-	-	Yes	Sarai Kulri 0.9MLD STP
231	Hotel Star View, R.K Verma Raod Kiskinda Estate Mussoorie	18		6.3	2.5	3.8	5	-	-	Yes	Bhatta Fall 3.12MLD STP
232	HOTEL STARZ REGENCY UO HOTEL MITSONS PVT LTD, PICTURE PALACE, THE MALL, MUSSOORIE, Dehradun	33	Jal Sansthan	11	6.3	4.7	9	-	-	Yes	Bhatta Fall 3.12MLD STP
233	HOTEL SUN N STAR, GANDHI CHOWK MUSSOORIE DISTT DEHRADUN	34		11	8	3	9.5	-	-	Yes	Bhatta Fall 3.12MLD STP
234	Hotel Sunny Cot, The Mall, Kulri, Mussoorie, Dehradun, Uttarakhand	20	Jal Sansthan	7	10	-	5.6	-	-	Yes	Sarai Kulri 0.9MLD STP
235	Hotel Super, Opp. Nagar Palika Office, Mussoorie	17		5.9	2.2	3.7	4.7	-	-	Yes	Sarai Kulri 0.9MLD STP
236	Hotel Surya Kiran, THE MALL, LIBRARY, MUSSOORIE	19	Jal Sansthan	6.6	2.5	4.1	5.3	-	Yes	-	-
237	Hotel Swagat, Picture Palace, Mussoorie, Distt- Dehradun	10		2.5	2.5	-	2.8	-	Yes	-	-
238	Hotel the 9 Oaks, Santura Devi Mandir Bend Srinagar Estate Kempty Road Mussoorie Dehradun	14	Jal Sansthan	4.9	2.5	2.4	3.9	-	Yes	-	-
239	Hotel The Portrait, Picture Palace stand, Mussoorie, Dehradun	18		6.3	2.5	3.8	5	-	-	Yes	Bhatta Fall 3.12MLD STP

240	Hotel Thirty Degree North, Long Sight, Kulri-Mussoorie, Dehradun.	11	Jal Sansthan	3.8	3	0.8	3		Yes	-	-
241	Hotel Tourist Delight, Library Chowk, Mussoorie, Dehradun, Uttarakhand	10		3.5	2.5	1	2.8		Yes	-	-
242	HOTEL TULLAHMORE, HARNAM SINGH ROAD MUSSOORIE Dehradun	11	Jal Sansthan	3.8	2.5	1.3	3		Yes	-	-
243	Hotel Uday, Camel's Back road (Near Rink) Kulri , Mussoorie	10		3.5	2.5	1	2.8				
244	HOTEL VASANT PALACE, PICTURE PALACE ROAD BIG BEND MUSSOORIE	28	Jal Sansthan	9.8	11.5	-	7.8		Yes		Bhatta Fall 3.12MLD STP
245	Hotel Vishnu Grand, gandhi chowk ,mussoorie.	28		9.8	4.2	5.6	7.8		Yes		Bhilaru STP
246	Hotel Vishnu Palace, Gandhi Chowk Mussoorie UK Dehradun	37	Jal Sansthan	12	4.5	7.5	10		Yes		Bhilaru STP
247	Hotel Walnut Grove, The Mall Road, Opp. GPO, Mussoorie	20		7	5.33		5.6		Yes		Bhatta Fall 3.12MLD STP
248	Hotel Westend, Camel Back Road, Mussoorie Uttarakhand Dehradun	10	Jal Sansthan	3.5	2.5	1	2.8		Yes	-	-
249	Hotel Woodsvew, Pratap Cottage, Koshak Estate Camelás Back Road, Mussoorie, Dehradun, Uttarakhand,	20		7	2.96	4.04	5.6		Yes	-	-
250	HotelThe Pride, Near Big Bend Picture Palace Road, Mussoorie, Dehradun, U.K.	22	Jal Sansthan	7.7	2.7	5	6.1		Yes		Bhatta Fall 3.12MLD STP
251	Jaypee Residency Manor- A unit of Jai Prakash Associates Ltd, Khasra No. 198, 353-376, Village Barlowganj , Mussoories, Distt- Dehradun.	141		49	60	-	39	Yes	-	-	-
252	KASMANDA PALACE HOTEL, THE MALL, MUSSOORIE,Dehradun, Uttarakhand	24		8.4	8	0.4	6.7	-	-	Yes	Bhatta Fall 3.12MLD STP

253	M/s Punarnava Yog Foundation, NALIYANA VILLAGE, BHITARLI, KIMADI, LAMBIDHAR ROAD, MUSSOORIE, DEHRADUN, UTTARAKHAND	20	Jal Sansthan	7	7	-	5.6	-	Yes		
254	MUSSOORIE GATEWAY, Kenilworth Estate, Library, Kinraig Road, Mussoorie, Uttarakhand.	18	Jal Sansthan	6.3	8.67	-	5	-	-	Yes	Bhatta Fall 3.12MLD STP
255	Mussoorie Monarch Hotels Private Limited, Gandhi Chowk Moti Lal Nehru Marg, Mussoorie, Uttarakhand,	34		11	6.5	4.5	9.5	-	-	Yes	Bhatta Fall 3.12MLD STP
256	PINE RETREAT BEZEL HOSPITALITY PVT LTD, NEAR HAMPTON COURT SCHOOL MUSSOORIE DISTT DEHRADUN	18	Jal Sansthan	6.3	13.8	-	5	-	-	Yes	Bhatta Fall 3.12MLD STP
257	PIONEER HOTEL Kulri Mussoorie Uttrakhand	34		11	9	2	9	-	-	Yes	Bhatta Fall 3.12MLD STP
258	Prince Hotel, Library, Mussoorie, Uttarakhand	27	Jal Sansthan	9	2.5	6.5	7.5	-	-	Yes	Bhatta Fall 3.12MLD STP
259	Pritams Hotel Kahkashan, 1, Spring Road, Library, Mussoorie, Uttarakhand	18		6.3	4	2.3	5	-	Yes		
260	Rokeby Manor unit of Mars Enterprises, Landour Cantt, Mussoorie, Uttarakhand Dehradun	15	Jal Sansthan	5	5	-	4.2	-	Yes		
261	Roxy Hotel, Kulri, Mussoorie	15		5	2.5	2.5	4.2	-	-	Yes	Sarai Kulri 0.9MLD STP
262	SHIVA CONTINENTAL PRIVATE LIMITED, LONDONHOUSE, KULRI, MUSSORIE	27	Jal Sansthan	9	6	3	7.5	-	-	Yes	Bhatta Fall 3.12MLD STP
263	Silver Arch Hotel, SYLVERTON ESTATE, KULRI, MUSSOORIE, UTTARAKHAND Dehradun	20		7	2.4	4.6	5.6	-	-	Yes	Bhatta Fall 3.12MLD STP

264	Sterling Holiday Resorts Limited, Radha Bhawan Estate, Circular Road, Mussoorie, Dehradun,	111	Jal Sansthan	38	21	17	31	Yes	-	-	-
265	SUNGRACE HOTELS PRIVATE LIMITED, 3KM Mile Stone Opp. Sanjha Darbar Temple, Kempty Fall Road , Mussoorie	26		9.1	3	6.1	7.2	-	-	Yes	Bhilaru STP
266	The Alkonost Mussoorie, Phoenix Lodge Estate, Hakmans Compound, The Mall Road, Mussoorie, Dehradun	14	Jal Sansthan	3	3	-	3.9	-	Yes	Yes	Bhatta Fall 3.12MLD STP
267	The Amber Vermont Estate unit of Wear Well Apparels Pvt Ltd, NEAR COMPANY BAGH, HATHI PAON ROAD, MUSSOORIE, Uttarakhand	14		4.9	6	-	3.9	-	Yes	-	-
268	The Pearl unit of Histyle Enterprises LLP, Opp. Picture Palace, Kulri, Mussoorie	34	Jal Sansthan	11.9	8	3.9	9	-	-	Yes	Bhatta Fall 3.12MLD STP
269	The Rink Pavilion. KULRI, CAMEL'S BACK ROAD MUSSOORIE UTTRAKHAND	18		6.3	2.25	4	5	-	-	Yes	Sarai Kulri 0.9MLD STP
270	The Solitaire Resort, 01, Picture Palace Bend, RK Verma Road, Mussoorie,	45	Jal Sansthan	15	17	-	12	Yes	-	-	-
271	Valley View Hotel U/O Valallah Hotels Pvt. Ltd, Kulri , The Mall , Mussoorie	19		6.6	2.5	4.1	5.3	-	-	Yes	Bhatta Fall 3.12MLD STP
272	Welcomhotel The Savoy Uo Hotels Control Pvt Ltd, Library Bazar Gandhi Chowk Mussoorie Dehradun.	110	Jal Sansthan	38	80	-	30	Yes	-	Yes	Bhatta Fall 3.12MLD STP
273	Wild Wood Resort Unit of Vandana Hospitalities, Camel Back Road Mussoorie Dist. Dehradun, U.K	20		7	10	-	5.6	-	-	Yes	Sarai Kulri 0.9MLD STP
274	Sectary Shri Laxmi Narayan Mandir	20		7	3	4	5.6	-	Yes	-	-

Handwritten signature and initials in blue ink.

275	STELLA COTTAGE, MALL ROAD MUSSOORIE DEHRADUN Dehradun	17	Jal Sansthan	5.95	5	1	4.76	-	Yes	-	-
276	HOTEL AARIA, LANDOUR BAZAR NEAR CLOCK TOWER MUSSOORIE DEHRADUN Dehradun	11	Jal Sansthan	3.8	3.6	0.2	3	-	Yes	-	-
277	Hotel Paradise Continental, Picture Palace Kulri, The Mall Mussorie, District-Dehradun	20		7	-		5.6	-		-	-
278	HOTEL WHITE HOUSE, ST GEROGES COLLEGE BARLOW GANJ MUSSOORIE DEHRADUN	15	Jal Sansthan	5.25	6.8	-	3.3	-		-	-
279	HOTEL ROCKLAND RESIDENCY, CLIFF COTTAGE ESTATE MUSSOORIE DEHRADUN	19		6.6	-	-	5.3	-		-	-
280	VIJIT SIKAND, 6-7 AGMAN CHAMAN ESTATE MUSSOORIE DEHRADUN	9	Jal Sansthan	3.1	3	-	2.5	-	yes	-	Bhilaru STP
281	HOTEL GARDEN REACH, INDRA KUTIR ESTATE TILAK ROAD NEAR PICTURE PALACE MUSSOORIE DEHRADUN	17		5.9	-	-	4.7	-		-	-
282	Vansh Hotel, Chaman Estate Radha Bhawan Mussoorie	15	Jal Sansthan	5.2	5	0.2	4	-	-	Yes	Bhilaru STP



Sewage Treatment Plant (STP) Test Report

Test report no:	HO/02/25/WW-01-I
Code allotted:	HO/02/25/WW-01-I
Sample Source (S.T.P./ any other specify):	S.T.P. (Inlet)
Sampling point:	3.12 MLD STP at Bhatta fall, Mussoorie
Type of sample: Grab/Composite/Integrated:	Grab
Sample collected by:	Ashish Rana (JRF) Makan Lal (Attendant)
Quantity & Packing: (HDPE/LDPE/P/G/Any Other):	2L-HDPE
Date of sample collection:	01/02/2025
Date of sample receipt in the laboratory:	01/02/2025
Start Date of analysis:	01/02/2025
End Date of analysis:	05/02/2025

S.No.	Parameters	Results	Standards	Test Method	Unit
1.	pH (@25°C)	7.08	-	APHA 4500 H ⁺ B: Electrometric Method	-
2.	Biochemical Oxygen Demand	150	-	IS 3025 (Part44) Azide Modification	mg/l
3.	Total Suspended Solids	158	-	APHA 2540 D Total Suspended Solids Dried at 103-105°C	mg/l

Analysed by:


(Ashish Rana)

Junior Research Fellow

Checked by:


(Naresh Goswami)

Asst. Environment Engineer

Counter Sign:


(Chandan Singh)

Chief Environment Officer

*****End of Test Report*****

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



Sewage Treatment Plant (STP) Test Report

Test report no:	HO/02/25/WW-01-O
Code allotted:	HO/02/25/WW-01-O
Sample Source (S.T.P./ any other specify):	S.T.P. (Outlet).
Sampling point:	3.12 MLD STP at Bhatta fall, Mussoorie
Type of sample: Grab/Composite/Integrated:	Grab
Sample collected by:	Ashish Rana (JRF) Makan Lal (Attendant)
Quantity & Packing: (HDPE/LDPE/P/G/Any Other):	2L- HDPE 125mL -GLASS
Date of sample collection:	01/02/2025
Date of sample receipt in the laboratory:	01/02/2025
Start Date of analysis:	01/02/2025
End Date of analysis:	05/02/2025


S.No.	Parameters	Results	Standards	Test Method	Unit
1.	pH (@25°C)	7.84	6.5-9.0	APHA 4500 H ⁺ B: Electrometric Method.	-
2.	Biochemical Oxygen Demand	9.6	30	IS 3025 (Part44) Azide Modification.	mg/l
3.	Total Suspended Solids	11	<100	APHA 2540 D Total Suspended Solids Dried at 103-105°C	mg/l
4.	Chemical Oxygen Demand	40	-	IS 3025 (Part 58): 2023, Open Reflux Method.	mg/l
5.	Faecal Coliform	130	<1000	APHA 9221 E, Multiple-Tube- Fermentation Technique.	MPN/100ml

Analysed by:

(Ashish Rana)
Junior Research Fellow

Checked by:

(Naresh Goswami)
Asst. Environment Engineer

Counter Sign:

(Chandan Singh)
Chief Environment Officer

*****End of Test Report*****

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



Sewage Treatment Plant (STP) Test Report

Test report no:	HO/02/25/WW-02-1
Code allotted:	HO/02/25/WW-02-1
Sample Source (S.T.P./ any other specify):	S.T.P. (Inlet)
Sampling point:	1.2 MLD STP at Happy Valley, Mussoorie
Type of sample: Grab/Composite/Integrated:	Grab
Sample collected by:	Ashish Rana (JRF) Makan Lal (Attendant)
Quantity & Packing: (HDPE/LDPE/P/G/Any Other):	2L-HDPE
Date of sample collection:	01/02/2025
Date of sample receipt in the laboratory:	01/02/2025
Start Date of analysis:	01/02/2025
End Date of analysis:	05/02/2025

S.No.	Parameters	Results	Standards	Test Method	Unit
1.	pH (@25°C)	7.29	-	APHA 4500 H ⁺ B: Electrometric Method	-
2.	Biochemical Oxygen Demand	160	-	IS 3025 (Part44) Azide Modification	mg/l
3.	Total Suspended Solids	167	-	APHA 2540 D Total Suspended Solids Dried at 103-105°C	mg/l

Analysed by:


(Ashish Rana)
Junior Research Fellow

Checked by:


(Naresh Goswami)
Asst. Environment Engineer

Counter Sign:


(Chandan Singh)
Chief Environment Officer

*****End of Test Report*****

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



CENTRAL LABORATORY
654
UTTARAKHAND POLLUTION CONTROL BOARD
46 – B IT Park, Sahastradhara Road, Dehradun
Email id – clukpcb@gmail.com

Sewage Treatment Plant (STP) Test Report

Test report no:	HO/02/25/WW-02-O
Code allotted:	HO/02/25/WW-02-O
Sample Source (S.T.P./ any other specify):	S.T.P. (Outlet).
Sampling point:	1.2 MLD STP at Happy Valley, Mussoorie
Type of sample: Grab/Composite/Integrated:	Grab
Sample collected by:	Ashish Rana (JRF) Makan Lal (Attendant)
Quantity & Packing: (HDPE/LDPE/P/G/Any Other):	2L- HDPE 125mL -GLASS
Date of sample collection:	01/02/2025
Date of sample receipt in the laboratory:	01/02/2025
Start Date of analysis:	01/02/2025
End Date of analysis:	05/02/2025

S.No.	Parameters	Results	Standards	Test Method	Unit
1.	pH (@25°C)	7.97	6.5-9.0	APHA 4500 H ⁺ B: Electrometric Method.	-
2.	Biochemical Oxygen Demand	10	30	IS 3025 (Part44) Azide Modification.	mg/l
3.	Total Suspended Solids	11	<100	APHA 2540 D Total Suspended Solids Dried at 103-105°C	mg/l
4.	Chemical Oxygen Demand	50	-	IS 3025 (Part 58): 2023, Open Reflux Method.	mg/l
5.	Faecal Coliform	140	<1000	APHA 9221 E, Multiple-Tube- Fermentation Technique.	MPN/100ml

Analysed by:


(Ashish Rana)
Junior Research Fellow

Checked by:


(Naresh Goswami)
Asst Environment Engineer

Counter Sign:


(Chandan Singh)
Chief Environment Officer

*****End of Test Report*****

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



Sewage Treatment Plant (STP) Test Report

Test report no:	HO/02/25/WW-03-I
Code allotted:	HO/02/25/WW-03-I
Sample Source (S.T.P./ any other specify):	S.T.P. (Inlet)
Sampling point:	0.8 MLD STP at Landour (N), Mussoorie
Type of sample: Grab/Composite/Integrated:	Grab
Sample collected by:	Ashish Rana (JRF) Makan Lal (Attendant)
Quantity & Packing: (HDPE/LDPE/P/G/Any Other):	2L-HDPE
Date of sample collection:	01/02/2025
Date of sample receipt in the laboratory:	01/02/2025
Start Date of analysis:	01/02/2025
End Date of analysis:	05/02/2025

S.No.	Parameters	Results	Standards	Test Method	Unit
1.	pH (@25°C)	7.14	-	APHA 4500 H ⁺ B: Electrometric Method	-
2.	Biochemical Oxygen Demand	155	-	IS 3025 (Part44) Azide Modification	mg/l
3.	Total Suspended Solids	160	-	APHA 2540 D Total Suspended Solids Dried at 103-105°C	mg/l

Analysed by:

(Ashish Rana)
Junior Research Fellow

Checked by:

(Naresh Goswami)
Asst. Environment Engineer

Counter Sign:

(Chandan Singh)
Chief Environment Officer

*****End of Test Report*****

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



CENTRAL LABORATORY
UTTARAKHAND POLLUTION CONTROL BOARD
46 - B IT Park, Sahastradhara Road, Dehradun
Email id - clukpcb@gmail.com

Sewage Treatment Plant (STP) Test Report

Test report no:	HO/02/25/WW-03-O
Code allotted:	HO/02/25/WW-03-O
Sample Source (S.T.P./ any other specify):	S.T.P. (Outlet).
Sampling point:	0.8 MLD STP at Landour (N), Mussoorie
Type of sample: Grab/Composite/Integrated:	Grab
Sample collected by:	Ashish Rana (JRF) Makan Lal (Attendant)
Quantity & Packing: (HDPE/LDPE/P/G/Any Other):	2L- HDPE 125mL -GLASS
Date of sample collection:	01/02/2025
Date of sample receipt in the laboratory:	01/02/2025
Start Date of analysis:	01/02/2025
End Date of analysis:	05/02/2025

S.No.	Parameters	Results	Standards	Test Method	Unit
1.	pH (@25°C)	7.79	6.5-9.0	APHA 4500 H ⁺ B: Electrometric Method.	-
2.	Biochemical Oxygen Demand	10	30	IS 3025 (Part44) Azide Modification.	mg/l
3.	Total Suspended Solids	13	<100	APHA 2540 D Total Suspended Solids Dried at 103-105°C	mg/l
4.	Chemical Oxygen Demand	50	-	IS 3025 (Part 58): 2023, Open Reflux Method.	mg/l
5.	Faecal Coliform	220	<1000	APHA 9221 E, Multiple-Tube- Fermentation Technique.	MPN/100ml

Analysed by:


(Ashish Rana)
Junior Research Fellow

Checked by:


(Naresh Goswami)
Asst. Environment Engineer

Counter Sign:


(Chandan Singh)
Chief Environment Officer

*****End of Test Report*****

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



Sewage Treatment Plant (STP) Test Report

Test report no:	HO/02/25/WW-04-I
Code allotted:	HO/02/25/WW-04-I
Sample Source (S.T.P./ any other specify):	S.T.P. (Inlet)
Sampling point:	0.9 MLD STP at Kurli Bazaar, Mussoorie
Type of sample: Grab/Composite/Integrated:	Grab
Sample collected by:	Ashish Rana (JRF) Makan Lal (Attendant)
Quantity & Packing: (HDPE/LDPE/P/G/Any Other):	2L-HDPE
Date of sample collection:	01/02/2025
Date of sample receipt in the laboratory:	01/02/2025
Start Date of analysis:	01/02/2025
End Date of analysis:	05/02/2025


S.No.	Parameters	Results	Standards	Test Method	Unit
1.	pH (@25°C)	7.18	-	APHA 4500 H ⁺ B: Electrometric Method	-
2.	Biochemical Oxygen Demand	180	-	IS 3025 (Part44) Azide Modification	mg/l
3.	Total Suspended Solids	189	-	APHA 2540 D Total Suspended Solids Dried at 103-105°C	mg/l

Analysed by:

(Ashish Rana)
Junior Research Fellow

Checked by:

(Naresh Goswami)
Asst. Environment Engineer

Counter Sign:

(Chandan Singh)
Chief Environment Officer

*****End of Test Report*****

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



CENTRAL LABORATORY
UTTARAKHAND POLLUTION CONTROL BOARD
46 – B IT Park, Sahastradhara Road, Dehradun
Email id – clukpcb@gmail.com

Sewage Treatment Plant (STP) Test Report

Test report no:	HO/02/25/WW-04-O
Code allotted:	HO/02/25/WW-04-O
Sample Source (S.T.P./ any other specify):	S.T.P. (Outlet).
Sampling point:	0.9 MLD STP at Kurli Bazaar, Mussoorie
Type of sample: Grab/Composite/Integrated:	Grab
Sample collected by:	Ashish Rana (JRF) Makan Lal (Attendant)
Quantity & Packing: (HDPE/LDPE/P/G/Any Other):	2L- HDPE 125mL -GLASS
Date of sample collection:	01/02/2025
Date of sample receipt in the laboratory:	01/02/2025
Start Date of analysis:	01/02/2025
End Date of analysis:	05/02/2025

S.No.	Parameters	Results	Standards	Test Method	Unit
1.	pH (@25°C)	7.73	6.5-9.0	APHA 4500 H ⁻ B: Electrometric Method.	-
2.	Biochemical Oxygen Demand	9.2	30	IS 3025 (Part44) Azide Modification.	mg/l
3.	Total Suspended Solids	10	<100	APHA 2540 D Total Suspended Solids Dried at 103-105°C	mg/l
4.	Chemical Oxygen Demand	40	-	IS 3025 (Part 58): 2023, Open Reflux Method.	mg/l
5.	Faecal Coliform	170	<1000	APHA 9221 E. Multiple-Tube-Fermentation Technique.	MPN/100ml


Analysed by:


(Ashish Rana)
Junior Research Fellow

Checked by:


(Naresh Goswami)
Asst. Environment Engineer

Counter Sign:


(Chandan Singh)
Chief Environment Officer

.....*End of Test Report*.....

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



Sewage Treatment Plant (STP) Test Report

Test report no:	HO/02/25/WW-05-I
Code allotted:	HO/02/25/WW-05-I
Sample Source (S.T.P./ any other specify):	S.T.P. (Inlet)
Sampling point:	1.3 MLD STP at Landour (S), Mussoorie
Type of sample: Grab/Composite/Integrated:	Grab
Sample collected by:	Ashish Rana (JRF) Makan Lal (Attendant)
Quantity & Packing: (HDPE/LDPE/P/G/Any Other):	2L-HDPE
Date of sample collection:	01/02/2025
Date of sample receipt in the laboratory:	01/02/2025
Start Date of analysis:	01/02/2025
End Date of analysis:	05/02/2025

S.No.	Parameters	Results	Standards	Test Method	Unit
1.	pH (@25°C)	7.21	-	APHA 4500 H ⁺ B: Electrometric Method	-
2.	Biochemical Oxygen Demand	155	-	IS 3025 (Part44) Azide Modification	mg/l
3.	Total Suspended Solids	161	-	APHA 2540 D Total Suspended Solids Dried at 103-105°C	mg/l

Analysed by:

(Ashish Rana)
Junior Research Fellow

Checked by:

(Naresh Goswami)
Asst. Environment Engineer

Counter Sign:

(Chandan Singh)
Chief Environment Officer

*****End of Test Report*****

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



Sewage Treatment Plant (STP) Test Report

Test report no:	HO/02/25/WW-05-O
Code allotted:	HO/02/25/WW-05-O
Sample Source (S.T.P./ any other specify):	S.T.P. (Outlet).
Sampling point:	1.3 MLD STP at Landour (S), Mussoorie
Type of sample: Grab/Composite/Integrated:	Grab
Sample collected by:	Ashish Rana (JRF) Makan Lal (Attendant)
Quantity & Packing: (HDPE/LDPE/P/G/Any Other):	2L- HDPE 125mL -GLASS
Date of sample collection:	01/02/2025
Date of sample receipt in the laboratory:	01/02/2025
Start Date of analysis:	01/02/2025
End Date of analysis:	05/02/2025

S.No.	Parameters	Results	Standards	Test Method	Unit
1.	pH (@25°C)	7.90	6.5-9.0	APHA 4500 H ⁺ B: Electrometric Method.	-
2.	Biochemical Oxygen Demand	10	30	IS 3025 (Part44) Azide Modification.	mg/l
3.	Total Suspended Solids	12	<100	APHA 2540 D Total Suspended Solids Dried at 103-105°C	mg/l
4.	Chemical Oxygen Demand	50	-	IS 3025 (Part 58): 2023, Open Reflux Method.	mg/l
5.	Faecal Coliform	170	<1000	APHA 9221 E, Multiple-Tube- Fermentation Technique.	MPN/100ml

Analysed by:


(Ashish Rana)

Junior Research Fellow

Checked by:


(Naresh Goswami)

Asst. Environment Engineer

Counter Sign:


(Chandan Singh)

Chief Environment Officer

*****End of Test Report*****

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



CENTRAL LABORATORY
UTTARAKHAND POLLUTION CONTROL BOARD

NABL Accredited

46 – B IT Park, Sahastradhara Road, Dehradun


Email id – clukpcb@gmail.com

Test Report

Test report no: : CL/02/25/IW/011
Code allotted: : UKPCB/CL/02/25/ROD/IW – 06
Name & address of industry: : M/s Fortune Resort Grace, Library Bazar, Gandhi
Chowk, Dehradun.
Sampling point: : STP Outlet
Type of sample: : Grab
Sample collected by: : Ms. Srishti (Scientific Assistant)
Mr. Mahendra Semwal (Monitoring Assistant)
Quantity & Packing: : 2 ltr
(HDPE/LDPE/P/G/Any Other) HDPE Jerrican
Date of sample collection: : 21.02.2025
Date of sample receipt in the laboratory : 22.02.2025
Start date of analysis: : 22.02.2025
End date of analysis : 01.03.2025

S.No.	Parameters	Unit	Results	Test Method
1.	pH (@25°C)	-	8.10	APHA 24 th Edition 4500 H ⁺ B:
2.	Total Suspended Solids	mg/l	43.0	APHA 24 th Edition 2540 C:
3.	Total Dissolved Solids	mg/l	316.0	APHA 24 th Edition 2540 D:
4.	Biochemical Oxygen Demand	mg/l	28.0	IS 3025 (Part 44): 2023,
5.	Chemical Oxygen Demand	mg/l	220.0	IS 3025 (Part 58): 2023,

*****End of Test Report*****

Analysed by:

(Pradeep Chauhan)
Lab. Assistant

Checked by:

(Naresh Goswami)
Asst. Environment Engineer

Counter sign:

(Chandan Singh)
Chief Environment Officer

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab. 52
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



662
CENTRAL LABORATORY
UTTARAKHAND POLLUTION CONTROL BOARD

NABL Accredited
46 – B IT Park, Sahastradhara Road, Dehradun
Email id – clukpcb@gmail.com

Test Report

Test report no: : CL/02/25/IW/012
Code allotted: : UKPCB/CL/02/25/ROD/IW – 07
Name & address of industry: : M/s Hotel Sterling, Circular Road, Radha Bhawan
Estate, Mussoorie
Sampling point: : STP Outlet
Type of sample: : Grab
Sample collected by: : Ms. Srishti (Scientific Assistant)
Mr. Mahendra Semwal (Monitoring Assistant)
Quantity & Packing: : 2 ltr
(HDPE/LDPE/P/G/Any Other) HDPE Jerrican
Date of sample collection: : 21.02.2025
Date of sample receipt in the laboratory : 22.02.2025
Start date of analysis: : 22.02.2025
End date of analysis : 01.03.2025

S.No.	Parameters	Unit	Results	Test Method
1.	pH (@25°C)	-	7.75	APHA 24 th Edition 4500 H ⁺ B:
2.	Total Suspended Solids	mg/l	63.0	APHA 24 th Edition 2540 C:
3.	Total Dissolved Solids	mg/l	413.0	APHA 24 th Edition 2540 D:
4.	Biochemical Oxygen Demand	mg/l	24.0	IS 3025 (Part 44): 2023,
5.	Chemical Oxygen Demand	mg/l	230.0	IS 3025 (Part 58): 2023,

*****End of Test Report*****

Analysed by:

(Pradeep Chauhan)
Lab. Assistant

Checked by:

(Naresh Goswami)
Asst. Environment Engineer

Counter sign:

(Chandan Singh)
Chief Environment Officer

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab. 53
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



663
CENTRAL LABORATORY
UTTARAKHAND POLLUTION CONTROL BOARD

NABL Accredited

46 – B IT Park, Sahastradhara Road, Dehradun


Email id – clukpcb@gmail.com

Test Report

Test report no: : CL/02/25/IW/013
Code allotted: : UKPCB/CL/02/25/ROD/IW – 08
Name & address of industry: : M/s Basera Hotel Pvt. Ltd., Spring Road, Library Bazar,
Mussoorie
Sampling point: : STP Outlet
Type of sample: : Grab
Sample collected by: : Ms. Srishti (Scientific Assistant)
Mr. Mahendra Semwal (Monitoring Assistant)
Quantity & Packing: : 2 ltr
(HDPE/LDPE/P/G/Any Other) HDPE Jerrican
Date of sample collection: : 21.02.2025
Date of sample receipt in the laboratory : 22.02.2025
Start date of analysis: : 22.02.2025
End date of analysis : 01.03.2025

S.No.	Parameters	Unit	Results	Test Method
1.	pH (@25°C)	-	8.26	APHA 24 th Edition 4500 H ⁺ B:
2.	Total Suspended Solids	mg/l	15.0	APHA 24 th Edition 2540 C:
3.	Total Dissolved Solids	mg/l	294.0	APHA 24 th Edition 2540 D:
4.	Biochemical Oxygen Demand	mg/l	12.0	IS 3025 (Part 44): 2023,
5.	Chemical Oxygen Demand	mg/l	90.0	IS 3025 (Part 58): 2023,

*****End of Test Report*****

Analysed by:

(Pradeep Chauhan)
Lab. Assistant

Checked by:

(Naresh Goswami)
Asst. Environment Engineer

Counter sign:

(Chandan Singh)
Chief Environment Officer

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.54
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



664
CENTRAL LABORATORY
UTTARAKHAND POLLUTION CONTROL BOARD

NABL Accredited

46 – B IT Park, Sahastradhara Road, Dehradun

Email id – clukpcb@gmail.com

Test Report

Test report no: : CL/02/25/IW/014
Code allotted: : UKPCB/CL/02/25/ROD/IW – 09
Name & address of industry: : M/s Welcome Hotel, The Savoy, Library Bazar, Gandhi
Chowk, Mussoorie
Sampling point: : ETP cum STP Outlet
Type of sample: : Grab
Sample collected by: : Ms. Srishti (Scientific Assistant)
Mr. Mahendra Semwal (Monitoring Assistant)
Quantity & Packing: : 2 ltr
(HDPE/LDPE/P/G/Any Other) HDPE Jerrican
Date of sample collection: : 21.02.2025
Date of sample receipt in the laboratory : 22.02.2025
Start date of analysis: : 22.02.2025
End date of analysis : 01.03.2025

S.No.	Parameters	Unit	Results	Test Method
1.	pH (@25°C)	-	7.80	APHA 24 th Edition 4500 H ⁺ B:
2.	Total Suspended Solids	mg/l	34.0	APHA 24 th Edition 2540 C:
3.	Total Dissolved Solids	mg/l	271.0	APHA 24 th Edition 2540 D:
4.	Biochemical Oxygen Demand	mg/l	24.0	IS 3025 (Part 44): 2023,
5.	Chemical Oxygen Demand	mg/l	160.0	IS 3025 (Part 58): 2023,

*****End of Test Report*****

Analysed by:

(Pradeep Chauhan)
Lab. Assistant

Checked by:

(Naresh Goswami)
Asst. Environment Engineer

Counter sign:

(Chandan Singh)
Chief Environment Officer

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



665
CENTRAL LABORATORY
UTTARAKHAND POLLUTION CONTROL BOARD

NABL Accredited

46 – B IT Park, Sahastradhara Road, Dehradun

Email id – clukpcb@gmail.com

Test Report

Test report no: : CL/02/25/IW/015
Code allotted: : UKPCB/CL/02/25/ROD/IW – 10
Name & address of industry: : M/s Hotel Pacific, Camel Back Road, Mussoorie
Sampling point: : STP Outlet
Type of sample: : Grab
Sample collected by: : Ms. Srishti (Scientific Assistant)
Mr. Mahendra Semwal (Monitoring Assistant)
Quantity & Packing: : 2 ltr
(HDPE/LDPE/P/G/Any Other) HDPE Jerrican
Date of sample collection: : 21.02.2025
Date of sample receipt in the laboratory : 22.02.2025
Start date of analysis: : 22.02.2025
End date of analysis : 04.03.2025

S.No.	Parameters	Unit	Results	Test Method
1.	pH (@25°C)	-	7.84	APHA 24 th Edition 4500 H ⁺ B:
2.	Total Suspended Solids	mg/l	26.0	APHA 24 th Edition 2540 C:
3.	Total Dissolved Solids	mg/l	297.0	APHA 24 th Edition 2540 D:
4.	Biochemical Oxygen Demand	mg/l	20.0	IS 3025 (Part 44): 2023,
5.	Chemical Oxygen Demand	mg/l	110.0	IS 3025 (Part 58): 2023,

*****End of Test Report*****

Analysed by:

(Pradeep Chauhan)
Lab. Assistant

Checked by:

(Naresh Goswami)
Asst. Environment Engineer

Counter sign:

(Chandan Singh)
Chief Environment Officer

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



666
CENTRAL LABORATORY
UTTARAKHAND POLLUTION CONTROL BOARD

NABL Accredited
46 – B IT Park, Sahastradhara Road, Dehradun
Email id – clukpcb@gmail.com

Test Report

Test report no: : CL/02/25/IW/016
Code allotted: : UKPCB/CL/02/25/ROD/IW – 11
Name & address of industry: : M/s Fort Resort, Unit of Sharda properties Pvt. Ltd.,
Picture Palace, Mussoorie
Sampling point: : STP Outlet
Type of sample: : Grab
Sample collected by: : Ms. Srishti (Scientific Assistant)
Mr. Mahendra Semwal (Monitoring Assistant)
Quantity & Packing: : 2 ltr
(HDPE/LDPE/P/G/Any Other) HDPE Jerrican
Date of sample collection: : 22.02.2025
Date of sample receipt in the laboratory : 22.02.2025
Start date of analysis: : 22.02.2025
End date of analysis : 04.03.2025

S.No.	Parameters	Unit	Results	Test Method
1.	pH (@25°C)	-	8.02	APHA 24 th Edition 4500 H ⁺ B:
2.	Total Suspended Solids	mg/l	21.0	APHA 24 th Edition 2540 C:
3.	Total Dissolved Solids	mg/l	710.0	APHA 24 th Edition 2540 D:
4.	Biochemical Oxygen Demand	mg/l	20.0	IS 3025 (Part 44): 2023,
5.	Chemical Oxygen Demand	mg/l	220.0	IS 3025 (Part 58): 2023,

*****End of Test Report*****

Analysed by:

(Pradeep Chauhan)
Lab. Assistant

Checked by:

(Naresh Goswami)
Asst. Environment Engineer

Counter sign:

(Chandan Singh)
Chief Environment Officer

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab. 57
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



CENTRAL LABORATORY
UTTARAKHAND POLLUTION CONTROL BOARD

NABL Accredited

46 – B IT Park, Sahastradhara Road, Dehradun

Email id – clukpcb@gmail.com

Test Report

Test report no: : CL/02/25/IW/017
Code allotted: : UKPCB/CL/02/25/ROD/IW – 12
Name & address of industry: : M/s Hotel Highland, Mussoorie
Sampling point: : STP Outlet
Type of sample: : Grab
Sample collected by: : Ms. Srishti (Scientific Assistant)
Mr. G.P. Bhatt (Monitoring Assistant)
Quantity & Packing: : 2 ltr
(HDPE/LDPE/P/G/Any Other) : HDPE Jerrican
Date of sample collection: : 22.02.2025
Date of sample receipt in the laboratory : 22.02.2025
Start date of analysis: : 22.02.2025
End date of analysis : 04.03.2025

S.No.	Parameters	Unit	Results	Test Method
1.	pH (@25°C)	-	7.94	APHA 24 th Edition 4500 H ⁺ B:
2.	Total Suspended Solids	mg/l	27.0	APHA 24 th Edition 2540 C:
3.	Total Dissolved Solids	mg/l	391.0	APHA 24 th Edition 2540 D:
4.	Biochemical Oxygen Demand	mg/l	18.0	IS 3025 (Part 44): 2023,
5.	Chemical Oxygen Demand	mg/l	160.0	IS 3025 (Part 58): 2023,

*****End of Test Report*****

Analysed by:

(Pradeep Chauhan)
Lab. Assistant

Checked by:

(Naresh Goswami)
Asst. Environment Engineer

Counter sign:

(Chandan Singh)
Chief Environment Officer

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



668
CENTRAL LABORATORY
UTTARAKHAND POLLUTION CONTROL BOARD

NABL Accredited
46 – B IT Park, Sahastradhara Road, Dehradun
Email id – clukpcb@gmail.com

Test Report

Test report no: : CL/02/25/IW/018
Code allotted: : UKPCB/CL/02/25/ROD/IW – 13
Name & address of industry: : M/s Jaypee Residency Manor, Vill – Barlowganj,
Mussoorie.
Sampling point: : ETP cum STP Outlet
Type of sample: : Grab
Sample collected by: : Ms. Srishti (Scientific Assistant)
Mr. G.P. Bhatt (Monitoring Assistant)
Quantity & Packing: : 2 ltr
(HDPE/LDPE/P/G/Any Other) HDPE Jerrican
Date of sample collection: : 22.02.2025
Date of sample receipt in the laboratory : 22.02.2025
Start date of analysis: : 22.02.2025
End date of analysis : 04.03.2025

S.No.	Parameters	Unit	Results	Test Method
1.	pH (@25°C)	-	7.49	APHA 24 th Edition 4500 H ⁺ B:
2.	Total Suspended Solids	mg/l	89.0	APHA 24 th Edition 2540 C:
3.	Total Dissolved Solids	mg/l	885.0	APHA 24 th Edition 2540 D:
4.	Biochemical Oxygen Demand	mg/l	28.0	IS 3025 (Part 44): 2023,
5.	Chemical Oxygen Demand	mg/l	240.0	IS 3025 (Part 58): 2023,

*****End of Test Report*****

Analysed by:

(Pradeep Chauhan)
Lab. Assistant

Checked by:

(Naresh Goswami)
Asst. Environment Engineer

Counter sign:

(Chandan Singh)
Chief Environment Officer

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.




669
CENTRAL LABORATORY
UTTARAKHAND POLLUTION CONTROL BOARD
NABL Accredited
46 – B IT Park, Sahastradhara Road, Dehradun
Email id – clukpcb@gmail.com

Test Report

Test report no: : CL/02/25/IW/019
Code allotted: : UKPCB/CL/02/25/ROD/IW – 14
Name & address of industry: : M/s Hotel Claridge, Barlowganj, Mussoorie.
Sampling point: : STP Outlet
Type of sample: : Grab
Sample collected by: : Ms. Srishti (Scientific Assistant)
: Mr. G.P. Bhatt (Monitoring Assistant)
Quantity & Packing: : 2 ltr
(HDPE/LDPE/P/G/Any Other) : HDPE Jerrican
Date of sample collection: : 22.02.2025
Date of sample receipt in the laboratory : 22.02.2025
Start date of analysis: : 22.02.2025
End date of analysis : 04.03.2025

S.No.	Parameters	Unit	Results	Test Method
1.	pH (@25°C)	-	7.37	APHA 24 th Edition 4500 H ⁺ B:
2.	Total Suspended Solids	mg/l	46.0	APHA 24 th Edition 2540 C:
3.	Total Dissolved Solids	mg/l	797.0	APHA 24 th Edition 2540 D:
4.	Biochemical Oxygen Demand	mg/l	26.0	IS 3025 (Part 44): 2023,
5.	Chemical Oxygen Demand	mg/l	160.0	IS 3025 (Part 58): 2023,

*****End of Test Report*****

Analysed by:

(Pradeep Chauhan)
Lab. Assistant

Checked by:

(Naresh Goswami)
Asst. Environment Engineer

Counter sign:

(Chandan Singh)
Chief Environment Officer

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.



670
CENTRAL LABORATORY
UTTARAKHAND POLLUTION CONTROL BOARD

NABL Accredited

46 – B IT Park, Sahasradhara Road, Dehradun

Email id – clukpcb@gmail.com

Test Report

Test report no: : CL/02/25/IW/020
Code allotted: : UKPCB/CL/02/25/ROD/IW – 15
Name & address of industry: : M/s The Sylverton, The Golden Palms Hotel and Spa,
Picture Palace, Mussoorie.
Sampling point: : STP Outlet
Type of sample: : Grab
Sample collected by: : Ms. Srishti (Scientific Assistant)
Mr. G.P. Bhatt (Monitoring Assistant)
Quantity & Packing: : 2 ltr
(HDPE/LDPE/P/G/Any Other) HDPE Jerrican
Date of sample collection: : 22.02.2025
Date of sample receipt in the laboratory : 22.02.2025
Start date of analysis: : 22.02.2025
End date of analysis : 04.03.2025

S.No.	Parameters	Unit	Results	Test Method
1.	pH (@25°C)	-	8.33	APHA 24 th Edition 4500 H ⁺ B:
2.	Total Suspended Solids	mg/l	84.0	APHA 24 th Edition 2540 C:
3.	Total Dissolved Solids	mg/l	980.0	APHA 24 th Edition 2540 D:
4.	Biochemical Oxygen Demand	mg/l	26.0	IS 3025 (Part 44): 2023,
5.	Chemical Oxygen Demand	mg/l	240.0	IS 3025 (Part 58): 2023,

*****End of Test Report*****

Analysed by:

(Pradeep Chauhan)
Lab. Assistant

Checked by:

(Naresh Goswami)
Asst. Environment Engineer

Counter sign:

(Chandan Singh)
Chief Environment Officer

Note:

1. The results in the Test Report relate only to the items tested.
2. The Test Report pertains to the sample as received in lab.
3. Report shall not be reproduced without approval of laboratory.
4. Sample will be retained for only 10 days after issuing the report.