

**BFFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI**

ORIGINAL APPLICATION NO. 604 OF 2025

IN THE MATTER OF:

Naval Kishore Singh

.... Applicant

Versus

State of U.P. & Ors.

.... Respondents

INDEX

S. NO.	PARTICULARS	PAGE NO.
1.	Response Affidavit on behalf of Respondent No.-1, Uttar Pradesh Jal Nigam (Rural)	1-4
2.	ANNEXURE-1 A true copy of the photographs of the 5 MLD STP in Sultanpur	5-12
3.	ANNEXURE-2 A true copy of the analysis reports from the third party laboratory	13-110
4.	ANNEXURE-3 A true copy of the analysis reports from the Regional Laboratory of UPPCB, Raebareilly	111-134
5.	ANNEXURE-4 A true copy of the letter dated 18.12.2025	135
6.	ANNEXURE-5 A true copy of the letter dated 22.12.2025	136
7.	ANNEXURE-6 A true copy of the letter dated 02.02.2026	137
8.	ANNEXURE-7 A true copy of the application for renewal of consent	138-152
9.	ANNEXURE-8 A true copy of the letter dated 07.02.2026	153

10.	ANNEXURE-9 A true copy of the letter dated 17.02.2026	154
-----	---	-----

THROUGH

DATE: 23.02.2026

PLACE: NEW DELHI



STHAVI ASTHANA
ADVOCATE FOR RESPONDENT NO.1
C-9, SECTOR 50, NOIDA,
UTTAR PRADESH-201303
(M): 9711116034
(E): STHAVIASTHANA@GMAIL.COM

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
ORIGINAL APPLICATION NO. 604 OF 2025

IN THE MATTER OF:

Naval Kishore Singh

.... Applicant

Versus

State of U.P. & Ors.

.... Respondents

**RESPONSE AFFIDAVIT ON BEHALF OF RESPONDENT
NO.-1, UTTAR PRADESH JAL NIGAM (RURAL)**

I, Vaqar Husain aged about 37 years, S/o Vilayat Husain presently posted as Executive Engineer in the Division Office, U.P. Jal Nigam (Gramin), Sultanpur do hereby solemnly affirm and state on oath as under:

1. That in the official capacity mentioned above, I am acquainted with the facts and circumstances of the case and as such I am competent and authorized to swear this affidavit.
2. That the allegations in the present case relate to discharge of untreated sewage in river Gomti due to mal-functioning/non-functioning of the 5 MLD STP located in Palahipur, Sultarpur, UP.
3. That the U.P. Jal Nigam (Rural) has been formed by the U.P. Water Supply and Sewerage Amendment Act, 2021 read with U.P. Water Supply and Sewerage Act 1975 to provide safe drinking water supply and sewerage facilities in rural areas of state of Uttar Pradesh.
4. That there are three Sewage Treatment Plants (10 MLD, 5 MLD and 2 MLD) in Sultanpur under the Namami Gange scheme which were constructed by the M/s EIEPL-ABI JV. The said firm is to undertake the operation and maintenance for 15 years.

5. That there are 5 drains in Sultanpur city being:

अधिसासी अभियन्ता
खण्ड कार्यालय
उ० प्र० जल निगम (ग्रामीण)
सुल्तानपुर

- a. Badhaiyaveer drain (connected to 10 MLD STP)
- b. Ganda drain (connected to 10 MLD STP)
- c. Hathiya drain (connected to 10 MLD STP)
- d. Gabhriya drain (connected to 5 MLD STP)
- e. Karodiya drain no. 2 (connected to 2 MLD STP)

6. That all three STPs in Sultanpur are operational and are being maintained as required by the executing firm.
7. That samples from the inlet and outlet points of the 5 MLD STP were sent for testing by the Regional Office of UPPCB, Raebareilly in 2024 as well as in 2025, and were also tested by a third party testing lab, Pravayu Testing Laboratory LLP in Lucknow. The samples were found to be conforming to acceptable limits.


A true copy of the photographs of the 5 MLD STP in Sultanpur is annexed hereto and marked as **Annexure No. 1.**

A true copy of the analysis reports from the third party laboratory is annexed hereto and marked as **Annexure No. 2.**

A true copy of the analysis reports from the Regional Laboratory of UPPCB, Raebareilly is annexed hereto and marked as **Annexure No. 3.**

8. That vide letter dated 18.12.2025, the Regional Officer of UPPCB, Raebareilly had written to the answering Respondent regarding construction of a pakka bandh (weir wall) in the 5 MLD STP, as well as renewal of consent to operate. A true copy of the letter dated 18.12.2025 is annexed hereto and marked as **Annexure No. 4.**

9. That it is submitted that the answering respondent had written to the executing firm, M/s EIEPL-ABI JV vide letters dated 22.12.2025 and 02.02.2026 regarding renewal of consent for the STP in question. The firm has applied for renewal of consent through the



अधिकासी अभियन्ता
खण्ड कार्यालय
उ० प्र० जल निगम (ग्रामीण)
सुल्तानपुर

ASHOK CHANDRA SINHA
ADVOCATE & NOTARY
530, Chandra, Sector Hagar
Lucknow, India
23/12/2025

Online Nivesh Mitra Portal and the same is pending approval with UPPCB.

A true copy of the letter dated 22.12.2025 is annexed hereto and marked as **Annexure No. 5.**

A true copy of the letter dated 02.02.2026 is annexed hereto and marked as **Annexure No. 6.**

A true copy of the application for renewal of consent is annexed hereto and marked as **Annexure No. 7.**


10. That an estimate of Rs. 39.21 lakhs has been prepared for construction of a pakka bandh (weir wall) in the 5 MLD STP and has been sent to the Chief Engineer (Ganga), U.P. Jal Nigam (Gramin) for approval by the NMCG vide letter dated 07.02.2026.

The same has been intimated to UPPCB vide letter dated 17.02.2026.

A true copy of the letter dated 07.02.2026 is annexed hereto and marked as **Annexure No. 8.**

A true copy of the letter dated 17.02.2026 is annexed hereto and marked as **Annexure No. 9.**

11. That the present affidavit is submitted before this Hon'ble Tribunal for its kind perusal and consideration.



अधिसासी अभियन्ता
खण्ड कार्यालय
उ० प्र० जल निगम (ग्रामीण)
सुल्तानपुर
DEPONENT



VERIFICATION:

Verified at Lko on this the 23rd day of February, 2026 that the contents of above affidavit are true and correct to my knowledge based on records and information received and believed to be true, no part of it is false and nothing material has been concealed there from.

Sworn and verified
before me

ASHOK CHANDRA SINHA
ADVOCATE & NOTARY
569/84, 23/02/26
Muzaffarnagar, U.P.


अधिसासी अभियन्ता
DEPONENT
उ० प्र० जल निगम (ग्रामीण)
सुल्तानपुर

 	 
<p>भारत सरकार Government of India</p>	<p>सूचना / INFORMATION</p>
<p>भारतीय विशिष्ट पहचान प्राधिकरण Unique Identification Authority of India</p>	<p>■ आधार पहचान का प्रमाण है, नागरिकता या जन्मतिथि का नहीं। जन्मतिथि आधार नंबर धारक द्वारा प्रस्तुत सूचना और विनियमों में विनिर्दिष्ट जन्मतिथि के प्रमाण के दस्तावेज पर आधारित है।</p>
<p>नामांकन क्रम/ Enrolment No.: 0000/00200/47757</p>	<p>■ इस आधार पत्र को यूआईडीएआई द्वारा नियुक्त प्रमाणीकरण एजेंसी के जरिए ऑनलाइन प्रमाणीकरण के द्वारा सत्यापित किया जाना चाहिए या ऐप स्टोर में उपलब्ध एमआधार या आधार क्यूआर कोड स्कैनर ऐप से क्यूआर कोड को स्कैन करके या www.uidai.gov.in पर उपलब्ध सुरक्षित क्यूआर कोड रीडर का उपयोग करके सत्यापित किया जाना चाहिए।</p>
<p>To वकार हुसेन Vaqar Husain VILLA NO 02 SECTOR A, IIM ROAD, ELDECO CITY MUTTAKIPUR, VTC: Lucknow, PO: IIM Mubarakpur, District: Lucknow, State: Uttar Pradesh, PIN Code: 226013, Mobile: 7500245054</p>	<p>■ आधार विशिष्ट और सुरक्षित है। ■ पहचान और पते के समर्थन में दस्तावेजों को आधार के लिए नामांकन की तारीख से प्रत्येक 10 वर्ष में कम से कम एक बार आधार में अपडेट कराना चाहिए। ■ आधार विभिन्न सरकारी और गैर-सरकारी फायदों/सेवाओं का लाभ लेने में सहायता करता है। ■ आधार में अपना मोबाइल नंबर और ईमेल आईडी अपडेट रखें। ■ आधार सेवाओं का लाभ लेने के लिए एमआधार ऐप डाउनलोड करें। ■ आधार/बायोमेट्रिक्स का उपयोग न करने के समय सुरक्षा सुनिश्चित करने के लिए आधार/बायोमेट्रिक्स लॉक/अनलॉक सुविधा का उपयोग करें। ■ आधार की मांग करने वाले सहमति लेने के लिए बाध्य हैं। ■ Aadhaar is proof of identity, not of citizenship or date of birth (DOB). DOB is based on information supported by proof of DOB document specified in regulations, submitted by Aadhaar number holder. ■ This Aadhaar letter should be verified through either online authentication by UIDAI-appointed authentication agency or QR code scanning using mAadhaar or Aadhaar QR Scanner app available in app stores or using secure QR code reader app available on www.uidai.gov.in. ■ Aadhaar is unique and secure. ■ Documents to support identity and address should be updated in Aadhaar after every 10 years from date of enrolment for Aadhaar. ■ Aadhaar helps you avail of various Government and Non-Government benefits/services. ■ Keep your mobile number and email id updated in Aadhaar. ■ Download mAadhaar app to avail of Aadhaar services. ■ Use the feature of Lock/Unlock Aadhaar/biometrics to ensure security when not using Aadhaar/biometrics. ■ Entities seeking Aadhaar are obligated to seek consent.</p>
<p>Signature Invalid Digitally signed by Vaqar Husain, DN: cn=Vaqar Husain, o=Unique Identification Authority of India, email=Vaqar.Husain@uidai.gov.in, c=IN, Date: 2016.09.26 17:25:10Z</p> 	<p>■ आधार की मांग करने वाले सहमति लेने के लिए बाध्य हैं।</p>
<p>आपका आधार क्रमांक / Your Aadhaar No. :</p>	<p>■ Aadhaar is proof of identity, not of citizenship or date of birth (DOB). DOB is based on information supported by proof of DOB document specified in regulations, submitted by Aadhaar number holder.</p>
<p>मेरा आधार, मेरी पहचान</p>	<p>■ This Aadhaar letter should be verified through either online authentication by UIDAI-appointed authentication agency or QR code scanning using mAadhaar or Aadhaar QR Scanner app available in app stores or using secure QR code reader app available on www.uidai.gov.in.</p>
<p>भारत सरकार Government of India</p>  <p>Aadhaar no. issued: 0411/2011</p>  <p>वकार हुसेन Vaqar Husain जन्म तिथि/DOB: 13/09/1989 पुरुष/ MALE</p> <p>आधार पहचान का प्रमाण है, नागरिकता या जन्मतिथि का नहीं। इसका उपयोग सत्यापन (ऑनलाइन प्रमाणीकरण, या क्यूआर कोड/ऑफलाइन एक्सएमएल की स्कैनिंग) के साथ किया जाना चाहिए। Aadhaar is proof of identity, not of citizenship or date of birth. It should be used with verification (online authentication, or scanning of QR code / offline XML).</p> <p>मेरा आधार, मेरी पहचान</p>	<p>भारतीय विशिष्ट पहचान प्राधिकरण Unique Identification Authority of India</p>  <p>पता: विला न 02 सेक्टर ए, आईआईएम रोड, एल्डेको सिटी मुत्ताकीपुर, लखनऊ, आई आई एम मुबारकपुर, लखनऊ, उत्तर प्रदेश - 226013</p> <p>Address: VILLA NO 02 SECTOR A, IIM ROAD, ELDECO CITY MUTTAKIPUR, Lucknow, PO: IIM Mubarakpur, DIST: Lucknow, Uttar Pradesh - 226013</p>  <p>1947 help@uidai.gov.in www.uidai.gov.in</p>



अधिशासी अभियन्ता
खण्ड कार्यालय
उ० प्र० जल निगम (प्रांतीय)
सुल्तानपुर

NOTARY
4A
23/09/2016

जनपद सुलतानपुर में स्थिति 05 एम0एल0डी0 एस0टी0पी0 के संचालन का फोटोग्राफ



जनपद सुलतानपुर में स्थिति 05 एम0एल0डी0 एस0टी0पी0 के संचालन का फोटोग्राफ



जनपद सुलतानपुर में स्थिति 05 एम0एल0डी0 एस0टी0पी0 के संचालन का फोटोग्राफ




जनपद सुलतानपुर में स्थिति 05 एम0एल0डी0 एस0टी0पी0 के संचालन का फोटोग्राफ





68/D:/D:\Sure\2. STP letter\STP letter hindi 2023

जनपद सुलतानपुर में स्थिति 05 एम0एल0डी0 एस0टी0पी0 के संचालन का फोटोग्राफ



जनपद सुलतानपुर में स्थिति 05 एम0एल0डी0 एस0टी0पी0 के संचालन का फोटोग्राफ



70/02/ / D:\Sure\2. STP letter\STP letter final 2023

जनपद सुलतानपुर में स्थिति 05 एम0एल0डी0 एस0टी0पी0 के संचालन का फोटोग्राफ



जनपद सुलतानपुर में स्थिति 05 एम0एल0डी0 एस0टी0पी0 के संचालन का फोटोग्राफ





PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chhatra, Matiyau Chhatra, Lucknow 226026 (U.P.)
 Mobile No. - 9452319806, 7905923302, E-mail : pti_onv@gmail.com
 GSTIN : 09ABCF7334F126

AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY

Cert.No. TC-12468

		TEST REPORT	
Sample Code No.	PTL/WS/40	Report No.	WS:25012024-40
Sample Code Given By Client	None	Issue Date	25/01/2024
Sample Drawn by	PTL Team	Condition of the Sample	OK
Sample Drawn on	18/01/2024	Nature of Sample	STP Inlet
Sample Received on	18/01/2024	Test Duration	19-01/2024 - 24/01/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EHEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR, UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	7.76	APHA 23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	88	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	176.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	84.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.86	APHA- 23rd Edition 4500 NH3- F : 2017

Handwritten signature/initials



	Total Nitrogen	(mg/l)	25.21	IS 3025 (PART 34)
	Total Phosphorus	(mg/l)	1.4	IS 3025 (PART 31)
S.	Faecal Coliform	MPN/ 100 ml	412	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

Pravay
Singh

For Pravayu Testing Laboratory LLP

Pravay
Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)



PRAYU TESTING LABORATORY LLP



PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chhat, Matiyar, Ghazipur, Lucknow-226026 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail: pti_env@gmail.com
 GSTIN : 09ABCF7334F1Z6



AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY

Cert.No. TC-12468

TEST REPORT

Sample Code No.	PTL/WS/39	Report No.	WS25012024-39
Sample Code Given By Client	None	Issue Date	25/01/2024
Sample Drawn by	PTL Team	Condition of the Sample	OK
Sample Drawn on	18/01/2024	Nature of Sample	STP Outlet
Sample Received on	18/01/2024	Test Duration	19/01/2024 - 24/01/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S FIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	7.69	6.5-9.0	APHA 23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	36.0	100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	56.0	250	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	24.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	4.05	50	APHA- 23rd Edition 4500 NH3- F : 2017

Handwritten signature/initials




6.	Total Phosphorus	mg/l	0.9	5.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.75	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/100 ml	196	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP



Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)

**PRAVAYU TESTING LABORATORY LLP**

5 MLD

22

Outlet

FEB 24



PRAVAYU TESTING LABORATORY LLP

Plot No. 65 Kanchanpur, Chhatrai, Mithyari, Chhatrai, Lucknow-226028 (U.P.)
 Mobile No - 9452319886, 7905023302, E-mail - pvl@prv@gmail.com
 GSTIN - 09ABCFF7334F1Z6



AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY

Cert.No. TC-12468

Outlet

TEST REPORT

Sample Code No.	PTL/WS/56	Report No.	WS27022024-56
Sample Code Given By Client	None	Issue Date	27/02/2024
Sample Drawn by	PTL Team	Condition of the Sample	OK
Sample Drawn on	21/02/2024	Nature of Sample	STP Outlet
Sample Received on	21/02/2024	Test Duration	22/02/2024 - 26/02/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	7.35	6.5-9.0	APHA 23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	34.0	100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	58.0	250	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	19.0	30	IS 3025 (Part 44) : 1993; 2009
5	AMMONICAL NITROGEN	(mg/l)	5.9	50	APHA- 23rd Edition 4500 NH3- F : 2017

Handwritten signature



	Total Phosphorus	mg/l	1.6	5.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.52	10.0	IS 3025 (PART 34)
8.	Fecal Coliform	MPN/ 100 ml	225.0	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

Shavin
Singh

For Pravayu Testing Laboratory LLP



Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)



PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchampur, Chihat, Malliyari, Chintjat, Lucknow-226028 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
 GSTIN : 09ABGFP7334F126

AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY



Cert.No. TC-12468

Inlet

TEST REPORT

Sample Code No.	PTL/WS/57	Report No.	WS27022024-57
Sample Code Given By Client	None	Issue Date	27/02/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	21/02/2024	Nature of Sample	STP inlet
Sample Received on	21/02/2024	Test Duration	22/02/2024 - 26/02/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	7.58	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	82	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	178.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	80.0	IS 3025 (Part 44) : 1993; 2009
5.	Ammonical Nitrogen	(mg/l)	6.82	APHA- 23rd Edition 4500 NH3- F : 2017

Mouin Singh



	Total Nitrogen	(mg/l)	28.43	IS 3025 (PART 34)
	Total Phosphorus	(mg/l)	1.6	IS 3025 (PART 31)
8.	Fecal Coliform	MPN/ 100 ml	518.0	IS:1622-1981


NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

Juvin
singh

For Pravayu Testing Laboratory LLP



Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)





PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhat, Matiyari, Chinhat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
GSTIN : 09ABCF7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-71	Report No.	WS20032024-S-71
Sample Code Given By Client	None	Issue Date	20/03/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	15/03/2024	Nature of Sample	STP inlet
Sample Received on	15/03/2024	Test Duration	16/03/2024-20/03/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	7.88	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	74.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	234.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	56.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.76	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayu




6.	Total Nitrogen	(mg/l)	22.62	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.5	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	39000	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinchat, Matiyari, Chinchat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-72	Report No.	WS20032024-S-72
Sample Code Given By Client	None	Issue Date	20/03/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	15/03/2024	Nature of Sample	STP Outlet
Sample Received on	15/03/2024	Test Duration	16/03/2024-20/03/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001	
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	7.66	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	34.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	92.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	20.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.86	5	APHA- 23rd Edition 4500 NH3- F : 2017

Devi Singh



6.	Total Phosphorus	mg/l	0.4	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.56	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	772	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

T. Ravishankar

For Pravayu Testing Laboratory LLP

P.K.T.
 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)





PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhat, Matiyari, Chinhat, Lucknow-226028 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail : ptl.env@gmail.com
 GSTIN : 09ABCFP7334F1Z6



AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY

Cert.No. TC-12468

TEST REPORT

Sample Code No.	PTL/WS/97	Report No.	WS07042024-97
Sample Code Given By Client	None	Issue Date	07/04/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	02/04/2024	Nature of Sample	STP Outlet
Sample Received on	02/04/2024	Test Duration	03/04/2024 - 06/04/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	7.40	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	18.0	100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	44.0	250	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	16.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	5.3	50	APHA- 23rd Edition 4500 NH3- F : 2017

Handwritten signature: Navin Singh




6.	Total Phosphorus	mg/l	1.4	5.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	8.71	10.0	IS 3025 (PART 34)
8.	Fecal Coliform	MPN/ 100 ml	205.0	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP



Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)

TEST REPORT

Sample Code No.	PTL/WS/96	Report No.	WS07042024-96
Sample Code Given By Client	None	Issue Date	07/04/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	02/04/2024	Nature of Sample	STP inlet
Sample Received on	02/04/2024	Test Duration	03/04/2024 – 06/04/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI , 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	7.51	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	70	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	162.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	85.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	6.71	APHA- 23rd Edition 4500 NH3- F : 2017


Handwritten signature

6.	Total Nitrogen	(mg/l)	27.71	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.5	IS 3025 (PART 31)
8.	Fecal Coliform	MPN/ 100 ml	510.0	IS:1622-1981


NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP



— Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)



PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhhat, Maliyari, Chinhhat, Lucknow-226028 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail : ptl.env@gmail.com
 GSTIN : 09ABCFP7334F1Z6



AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY

Cert.No. TC-12468

TEST REPORT

Sample Code No.	PTL/WS/154	Report No.	WS27052024-154
Sample Code Given By Client	None	Issue Date	27/05/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	21/05/2024	Nature of Sample	STP inlet
Sample Received on	21/05/2024	Test Duration	22/05/2024 - 25/05/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EJEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	7.75	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	78	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	165.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	74.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.42	APHA- 23rd Edition 4500 NH3- F : 2017

Handwritten signature



6.	Total Nitrogen	(mg/l)	21.76	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.2	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	401	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

Heorin Singh

For Pravayu Testing Laboratory LLP



Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)





PRAVAYU
TESTING LABORATORY LLP.

PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhat, Matiyari, Chinhat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : plf.env@gmail.com
GSTIN : 09ABCF7334F1Z6



AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY

Cert.No. TC-12468

TEST REPORT

Sample Code No.	PTL/WS/155	Report No.	WS27052024-155
Sample Code Given By Client	None	Issue Date	27/05/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	21/05/2024	Nature of Sample	STP Outlet
Sample Received on	21/05/2024	Test Duration	22/05/2024 – 25/05/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR, UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	7.51	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
	T.S.S.	(mg/l)	12.0	100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	44.0	250	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	16.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.96	50	APHA- 23rd Edition 4500 NH3- F : 2017

1
Havin
singh



6.	Total Nitrogen	(mg/l)	21.76	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.2	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	401	IS:1622-1981


NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

Heavinsingh

For Pravayu Testing Laboratory LLP


Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)





PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhai, Matiyari, Chinhai, Lucknow-226028 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
 GSTIN : 09ABCFP7334F1Z6



AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY

Cert.No. TC-12468

TEST REPORT

Sample Code No.	PTL/WS/177A	Report No.	WS29062024-177A
Sample Code Given By Client	None	Issue Date	29/06/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	24/06/2024	Nature of Sample	STP inlet
Sample Received on	24/06/2024	Test Duration	25/06/2024 – 28/06/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	7.73	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	76	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	163.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	72.0	IS 3025 (Part 44) : 1993; 2009
5.	Ammonical Nitrogen	(mg/l)	5.40	APHA- 23rd Edition 4500 NH3- F : 2017

Movin
Singh



6.	Total Nitrogen	(mg/l)	21.45	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.2	IS 3025 (PART 31)
8.	Faecal Coliform	NPN/ 100 ml	399	IS: 1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

Pranod Kumar Tiwari

For Pravayu Testing Laboratory LLP

Pranod Kumar Tiwari
 Pranod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)



PRAYAYU TESTING LABORATORY LLP

TEST REPORT

Sample Code No.	PTL/WS/177B	Report No.	WS29062024-177B
Sample Code Given By Client	None	Issue Date	29/06/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	24/06/2024	Nature of Sample	STP Outlet
Sample Received on	24/06/2024	Test Duration	25/06/2024 – 28/06/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	7.49	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	11.0	100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	42.0	250	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	15.0	30	IS 3025 (Part 44) : 1993; 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.91	50	APHA- 23rd Edition 4500 NH3- F : 2017

Manish Singh



TEST REPORT

Sample Code No.	PTL/WS/177B	Report No.	WS29062024-177B
Sample Code Given By Client	None	Issue Date	29/06/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	24/06/2024	Nature of Sample	STP Outlet
Sample Received on	24/06/2024	Test Duration	25/06/2024 – 28/06/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	7.49	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	11.0	100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	42.0	250	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	15.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.91	50	APHA- 23rd Edition 4500 NH3- F : 2017

Pravin Singh



6.	Total Phosphorus	mg/l	1.1	5.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.61	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	193	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

Pravin
Singh

For Pravayu Testing Laboratory LLP



Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)



PRAVAYU TESTING LABORATORY LLP

SMLO July - 2024



PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhai, Matiyari, Chinhai, Lucknow-226028 (U.P.)
 Mobile No.: 9452310898, 7905923302, E-mail: ptt.onv@gmail.com
 GSTIN: 09ABCFF7334F1Z6

AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY



Cert.No. TC-12468

TEST REPORT

Sample Code No.	PTL/WS/201A	Report No.	WS27072024-201A
Sample Code Given By Client	None	Issue Date	27/07/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	22/07/2024	Nature of Sample	STP inlet
Sample Received on	22/07/2024	Test Duration	23/07/2024 - 26/07/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	7.66	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	70	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	161.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	73.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.35	APHA- 23rd Edition 4500 NH3- F : 2017

Pravin
Sinh



6.	Total Nitrogen	(mg/l)	21.24	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.2	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	396	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

Juvin Singh

For Pravayu Testing Laboratory LLP



Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)



PRAVAYU TESTING LABORATORY LLP



PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chirhat, Matiyari, Chirhat, Lucknow-226028 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail : pti_env@gmail.com
 GSTIN : 09A8CF7334F128



AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY

Cert.No. TC-12468

TEST REPORT

Sample Code No.	PTL/WS/201B	Report No.	WS27072024-201B
Sample Code Given By Client	None	Issue Date	27/07/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	22/07/2024	Nature of Sample	STP Outlet
Sample Received on	22/07/2024	Test Duration	23/07/2024 - 26/07/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR, UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	7.54	6.5-9.0	APHA 23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	10.0	100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	43.0	250	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	8.0	30	IS 3025 (Part 44) : 1993: 2009
5	AMMONICAL NITROGEN	(mg/l)	3.90	50	APHA- 23rd Edition 4500 NH3- F : 2017

Mohin Singh



6.	Total Phosphorus	mg/l	1.1	5.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.60	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	190	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

Pravin
singh

For Pravayu Testing Laboratory I.LP



Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)



PRAVAYU TESTING LABORATORY LLP



PRAVAYU TESTING LABORATORY LLP
Plot No. 60, Kanchanpur, Chinhat, Matiyari, Chinhat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : ptl.env@gmail.com
GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY

**TEST REPORT**

Sample Code No.	PTL/WS/S-231	Report No.	WS17082024-S-231
Sample Code Given By Client	None	Issue Date	17/08/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	12/08/2024	Nature of Sample	STP inlet
Sample Received on	12/08/2024	Test Duration	13/08/2024-17/08/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI , 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH. 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	8.08	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	84.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	238.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	50.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.68	APHA- 23rd Edition 4500 NH3- F : 2017

T. Ravishanker




6.	Total Phosphorus	mg/l	0.9	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	6.86	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	928	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)


TEST REPORT

Sample Code No.	PTL/WS/S-232	Report No.	WS17082024-S-232
Sample Code Given By Client	None	Issue Date	17/08/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	12/08/2024	Nature of Sample	STP Outlet
Sample Received on	12/08/2024	Test Duration	13/08/2024-17/08/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI , 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	8.22	6.5-9.0	APIHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	32.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	82.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	28.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	4.84	5	APIHA- 23rd Edition 4500 NH3- F : 2017

T. Pravin Singh



6.	Total Nitrogen	(mg/l)	22.67	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.4	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	26000	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

T. Ravishankar

For Pravayu Testing Laboratory LLP

P.K.T.
 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)





PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chhat, Malyan, Chhat, Lucknow-221029 (U.P.)
 Mobile No. : 9452319886, 7005923302, E-mail: ptilab@pravyu.com
 GSTIN : 09ABCFP7334F1Z6

AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY

Cert.No. TC-12468

TEST REPORT

Sample Code No.	PTL/WS/287B	Report No.	WS/1669/064/287B
Sample Code Given By Client	None	Issue Date	30/09/2024
Sample Drawn by	PTL Team	Condition of the Sample	OK
Sample Drawn on	24/09/2024	Nature of Sample	STP Outlet
Sample Received on	24/09/2024	Test Duration	25/09/2024 - 29/09/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S ETEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR, UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	7.59	6.5-9.0	APHA 23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	11.0	100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	44.0	250	APHA-23rd Edition 5220 B: 2017
4	BOD	(mg/l)	10.0	30	IS 3025 (Part 44) : 1993: 2009
5	AMMONICAL NITROGEN	(mg/l)	3.95	50	APHA-23rd Edition 4500 NH3-F : 2017

Aravin Singh



6.	Total Phosphorus	mg/l	1.1	5.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.62	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/100 ml	191	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity, legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

Havin
Singh

For Pravayu Testing Laboratory LLP



Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)





PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chintoi, Matiyari, Chak. 1, Lucknow-226024 (U.P.)
 Mobile No. : 9452319880, 7905923302, E-mail, pr.tovd@gmail.com
 GSTIN : 09ABCF7334F1Z6

AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY

Cert.No. TC-12468

TEST REPORT

Sample Code No.	PTL/WS/287A	Report No.	WS3009/2024-287A
Sample Code Given By Client	None	Issue Date	30/09/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	24/09/2024	Nature of Sample	STP inlet
Sample Received on	24/09/2024	Test Duration	25/09/2024 - 29/09/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	8.20	APHA 23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	86.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	169.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	68.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.28	APHA- 23rd Edition 4500 NH3- F : 2017

Pravay Singh




6.	Total Nitrogen	(mg/l)	21.8"	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.2	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/100 ml	399	IS:1622-1981


NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP



Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)



PRAYAYU TESTING LABORATORY LLP



PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhaal, Matlyari, Chinhaal, Lucknow-226028 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail : pll.env@gmail.com
 GSTIN : 09ABCF7334F1Z6



AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY

Cert.No. TC-12468

TEST REPORT

Sample Code No.	PTL/WS/298A	Report No.	WS22102024-298A
Sample Code Given By Client	None	Issue Date	22/10/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	17/10/2024	Nature of Sample	STP inlet
Sample Received on	17/10/2024	Test Duration	18/10/2024 - 22/10/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	7.73	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	81.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	178.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	75.0	IS 3025 (Part 44) : 1993: 2009
5.	Aminonical Nitrogen	(mg/l)	5.29	APHA- 23rd Edition 4500 NH3- F : 2017

6.	Total Nitrogen	(mg/l)	22.35	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.2	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	398	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample. for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

For Pravayu Testing Laboratory LLP

Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)



PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhat, Matiyari, Chinhat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : ptl.env@gmail.com
GSTIN : 09ABCFP7334F1Z6

AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY



Cert.No. TC-12468

TEST REPORT

Sample Code No.	PTL/WS/298B	Report No.	WS22102024-298B
Sample Code Given By Client	None	Issue Date	22/10/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	17/10/2024	Nature of Sample	STP Outlet
Sample Received on	17/10/2024	Test Duration	18/10/2024 - 22/10/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS


S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	7.63	5.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	11.0	20	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	40.0	50	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	9.0	10	IS 3025 (Part 44) : 1993; 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.90	5	APHA- 23rd Edition 4500 NH3- F : 2017

6.	Total Phosphorus	mg/l	0.7	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.20	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	190	<230.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP



Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)



PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhai, Matiyari, Chinhai, Lucknow-226028 (U.P.)
 Mobile No. : 9452319880, 7905923302, E-mail : ptl.env@gmail.com
 GSTIN : 09ABCF7334F1Z6



AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY

Cert.No. TC-12468

TEST REPORT

Sample Code No.	PTL/WS/342S	Report No.	WS29112024-342S
Sample Code Given By Client	None	Issue Date	29/11/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	24/11/2024	Nature of Sample	STP inlet
Sample Received on	24/11/2024	Test Duration	25/11/2024 - 29/11/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS


S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	7.77	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	83.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	180.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	77.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.70	APHA- 23rd Edition 4500 NH3- F : 2017

6.	Total Nitrogen	(mg/l)	22.60	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.2	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/100 ml	395	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP



Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)



PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinihat, Mallyari, Chinihat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7805923302, E-mail : pjl env@gmail.com
GSTIN : 09ABCFP7334F1Z6



AN ISO 9001:2015 CERTIFIED & NABL ACCREDITED LABORATORY

Cert.No. TC-12468

TEST REPORT

Sample Code No.	PTL/WS/343S	Report No.	WS29112024-343S
Sample Code Given By Client	None	Issue Date	29/11/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	24/11/2024	Nature of Sample	STP Outlet
Sample Received on	24/11/2024	Test Duration	25/11/2024 - 29/11/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR, UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	7.55	5.5-9.0	APHA 23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	12.0	20	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	43.0	50	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	9.0	10	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.92	5	APHA- 23rd Edltion 4500 NH3- F : 2017

Manish
31-11




FB

6.	Total Phosphorus	mg/l	0.8	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.60	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	191	<230.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP



Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)



PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chihat, Matiyari, Chihat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-359	Report No.	WS21122024-S-359
Sample Code Given By Client	None	Issue Date	21/12/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	16/12/2024	Nature of Sample	STP inlet
Sample Received on	16/12/2024	Test Duration	17/12/2024-21/12/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	8.10	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	84.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	200.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	54.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.74	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayu




6.	Total Nitrogen	(mg/l)	22.60	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.4	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	25000	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)


TEST REPORT

Sample Code No.	PTL/WS/S-360	Report No.	WS21122024-S-360
Sample Code Given By Client	None	Issue Date	21/12/2024
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	16/12/2024	Nature of Sample	STP Outlet
Sample Received on	16/12/2024	Test Duration	17/12/2024-21/12/2024
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI , 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	8.16	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	42.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	126.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	22.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.89	5	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayush




6.	Total Phosphorus	mg/l	0.6	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.58	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	778	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinchhat, Matiyari, Chinchhat, Lucknow-226028 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
 GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-393	Report No.	WS11012025-S-393
Sample Code Given By Client	None	Issue Date	11/01/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	06/01/2025	Nature of Sample	STP inlet
Sample Received on	06/01/2025	Test Duration	07/01/2025-11/01/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	8.08	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	84.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	162.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	38.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.70	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayush





PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinchhat, Mallyari, Chinchhat, Lucknow-226028 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
 GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-393	Report No.	WS11012025-S-393
Sample Code Given By Client	None	Issue Date	11/01/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	06/01/2025	Nature of Sample	STP inlet
Sample Received on	06/01/2025	Test Duration	07/01/2025-11/01/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	8.08	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	84.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	162.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	38.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.70	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayush



6.	Total Nitrogen	(mg/l)	22.56	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.2	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	21000	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

Taravinsingh

For Pravayu Testing Laboratory LLP

P.K.T.
 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)





PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinchhat, Matiyari, Chinchhat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-394	Report No.	WS11012025-S-394
Sample Code Given By Client	None	Issue Date	11/01/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	06/01/2025	Nature of Sample	STP Outlet
Sample Received on	06/01/2025	Test Duration	07/01/2025-11/01/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	8.12	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	38.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	100.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	20.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.89	5	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayuh




6.	Total Phosphorus	mg/l	0.6	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.56	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	778	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU TESTING LABORATORY LLP

Plot No. 00, Kanchanpur, Chinhai, Matiyari, Chinhai, Lucknow-220020 (U.P.)
 Mobile No. : 0452310000, 7005023302, E-mail : pti.onv@gmail.com
 GSTIN : 09ABCF7334F1Z0, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-439	Report No.	WS25022025-S-439
Sample Code Given By Client	None	Issue Date	25/02/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	20/02/2025	Nature of Sample	STP Inlet
Sample Received on	20/02/2025	Test Duration	21/02/2025-25/02/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	8.12	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	72.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	174.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	42.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.74	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayush




6.	Total Nitrogen	(mg/l)	22.60	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.4	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	34000	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhat, Matiyari, Chinhat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TC-12468

TEST REPORT

Sample Code No.	PTL/WS/S-440	Report No.	WS25022025-S-440
Sample Code Given By Client	None	Issue Date	25/02/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	20/02/2025	Nature of Sample	STP Outlet
Sample Received on	20/02/2025	Test Duration	21/02/2025-25/02/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	8.20	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	32.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	94.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	22.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.92	5	APHA- 23rd Edition 4500 NH3- F : 2017

Beavindia




6.	Total Phosphorus	mg/l	0.8	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.62	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	782	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhath, Malliyari, Chinhath, Lucknow-226028 (U.P.)
Mobile No. : 9452310880, 7905023302, E-mail : pti.env@gmail.com
GSTIN : 09ABCFF7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-459	Report No.	WS15032025-S-459
Sample Code Given By Client	None	Issue Date	15/03/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	10/03/2025	Nature of Sample	STP inlet
Sample Received on	10/03/2025	Test Duration	11/03/2025-15/03/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	8.06	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	78.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	164.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	44.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.70	APHA- 23rd Edition 4500 NH3- F : 2017

T. Ravivardhan




6.	Total Nitrogen	(mg/l)	22.56	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.2	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	26000	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhat, Matiyari, Chinhat, Lucknow-228028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
GSTIN : 09ABCFF7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-460	Report No.	WS15032025-S-460
Sample Code Given By Client	None	Issue Date	15/03/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	10/03/2025	Nature of Sample	STP Outlet
Sample Received on	10/03/2025	Test Duration	11/03/2025-15/03/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	8.10	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	36.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	86.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	24.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.88	5	APHA- 23rd Edition 4500 NH3- F : 2017

Taravivestly




6.	Total Phosphorus	mg/l	0.6	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.57	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	678	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhhat, Mallyad, Chinhhat, Lucknow-226028 (U.P.)
 Mobile No. : 9462319886, 7906923302, E-mail : pti.env@gmail.com
 GSTIN : 09ABGF7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-490	Report No.	WS19042025-S-490
Sample Code Given By Client	None	Issue Date	19/04/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	14/04/2025	Nature of Sample	STP inlet
Sample Received on	14/04/2025	Test Duration	15/04/2025-19/04/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	8.12	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	98.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	162.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	50.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.74	APHA- 23rd Edition 4500 NH3- F : 2017

Tecavil Singh




6.	Total Nitrogen	(mg/l)	22.60	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.4	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	25000	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinchat, Matiyari, Chinchat, Lucknow-226028 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
 GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-491	Report No.	WS19042025-S-491
Sample Code Given By Client	None	Issue Date	19/04/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	14/04/2025	Nature of Sample	STP Outlet
Sample Received on	14/04/2025	Test Duration	15/04/2025-19/04/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	8.18	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	32.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	64.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	22.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.92	5	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayush




6.	Total Phosphorus	mg/l	0.8	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.61	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	612	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chlnhat, Matlyari, Chlnhat, Lucknow-226028 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail : pl.env@gmail.com
 GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-525	Report No.	WS17052025-S-525
Sample Code Given By Client	None	Issue Date	17/05/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	12/05/2025	Nature of Sample	STP inlet
Sample Received on	12/05/2025	Test Duration	13/05/2025-17/05/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	8.06	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	88.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	162.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	54.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.74	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayu




6.	Total Nitrogen	(mg/l)	22.61	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.4	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	28000	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhaat, Matlyari, Chinhaat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-526	Report No.	WS17052025-S-526
Sample Code Given By Client	None	Issue Date	17/05/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	12/05/2025	Nature of Sample	STP Outlet
Sample Received on	12/05/2025	Test Duration	13/05/2025-17/05/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001	
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	8.14	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	40.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	58.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	18.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.92	5	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayush




6.	Total Phosphorus	mg/l	0.8	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.61	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	682	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chlnhat, Matiyari, Chlnhat, Lucknow-226028 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail : ptl.env@gmail.com
 GSTIN : 09ABCF7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-564	Report No.	WS14062025-S-564
Sample Code Given By Client	None	Issue Date	14/06/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	09/06/2025	Nature of Sample	STP inlet
Sample Received on	09/06/2025	Test Duration	10/06/2025-14/06/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	8.10	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	82.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	166.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	48.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.70	APHA- 23rd Edition 4500 NH3- F : 2017

Heavysign




6.	Total Nitrogen	(mg/l)	22.56	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.2	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	78000	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhat, Matiyari, Chinhat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : ptl.env@gmail.com
GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-565	Report No.	WS14062025-S-565
Sample Code Given By Client	None	Issue Date	14/06/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	09/06/2025	Nature of Sample	STP Outlet
Sample Received on	09/06/2025	Test Duration	10/06/2025-14/06/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI , 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	8.16	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	38.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	72.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	24.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.88	5	APHA- 23rd Edition 4500 NH3- F : 2017

Pravistha



6.	Total Phosphorus	mg/l	0.6	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.56	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	918	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU
TESTING LABORATORY LLP.

PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhath, Matiyari, Chinhath, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
GSTIN : 09ABCF7334F1Z6, NABL ACCREDITED LABORATORY



TC-12468

TEST REPORT

Sample Code No.	PTL/WS/S-608	Report No.	WS19072025-S-608
Sample Code Given By Client	None	Issue Date	19/07/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	14/07/2025	Nature of Sample	STP inlet
Sample Received on	14/07/2025	Test Duration	15/07/2025-19/07/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	7.92	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	80.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	160.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	48.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.72	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayu




6.	Total Nitrogen	(mg/l)	22.58	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.3	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	92000	IS:1622-1981


NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)





PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhat, Matiyari, Chinhat, Lucknow-226028 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail : ptl.env@gmail.com
 GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TC-12468

TEST REPORT

Sample Code No.	PTL/WS/S-609	Report No.	WS19072025-S-609
Sample Code Given By Client	None	Issue Date	19/07/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	14/07/2025	Nature of Sample	STP Outlet
Sample Received on	14/07/2025	Test Duration	15/07/2025-19/07/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001	
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	7.94	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	42.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	64.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	22.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.90	5	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayu




6.	Total Phosphorus	mg/l	0.7	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.59	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	882	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




96

PRAVAYU TESTING LABORATORY LLP
Plot No. 60, Kanchanpur, Chihat, Matiyari, Chihat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : ptl.env@gmail.com
GSTIN : 09ABCF7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-677	Report No.	WS23082025-S-677
Sample Code Given By Client	None	Issue Date	23/08/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	18/08/2025	Nature of Sample	STP inlet
Sample Received on	18/08/2025	Test Duration	19/08/2025-23/08/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	8.06	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	82.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	160.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	48.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.66	APHA- 23rd Edition 4500 NH3- F : 2017


T. Sawishish



6.	Total Nitrogen	(mg/l)	22.66	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.3	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	78000	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by 

For Pravayu Testing Laboratory LLP


Pramod Kumar Tiwari
Quality Manager
(Authorized Signatory)





PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhat, Matiyari, Chinhat, Lucknow-226028 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
 GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-678	Report No.	WS23082025-S-678
Sample Code Given By Client	None	Issue Date	23/08/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	18/08/2025	Nature of Sample	STP Outlet
Sample Received on	18/08/2025	Test Duration	19/08/2025-23/08/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	8.08	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	42.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	58.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	20.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	4.82	5	APHA- 23rd Edition 4500 NH3- F : 2017

Toravi Singh




6.	Total Phosphorus	mg/l	0.9	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.6	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	902	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU
TESTING LABORATORY LLP.

PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhat, Matiyari, Chinhat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : ptl.env@gmail.com
GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TC-12468

TEST REPORT

Sample Code No.	PTL/WS/S-697	Report No.	WS27092025-S-697
Sample Code Given By Client	None	Issue Date	27/09/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	22/09/2025	Nature of Sample	STP inlet
Sample Received on	22/09/2025	Test Duration	23/09/2025-27/09/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	7.84	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	76.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	172.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	54.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.76	APHA- 23rd Edition 4500 NH3- F : 2017

T. Beavins




6.	Total Nitrogen	(mg/l)	22.64	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.3	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	70200	IS:1622-1981


NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhhat, Matiyari, Chinhhat, Lucknow-226102 (U.P.)
 Mobile No. : 9452319886, 7905423302, E-mail : ptl.enr@gmail.com
 GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/W/33-02	Report No.	W/27/09/2025-3-02
Sample Code Given By Client	None	Issue Date	27/09/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	22/09/2025	Nature of Sample	STP Outlet
Sample Received on	22/09/2025	Test Duration	23/09/2025-27/09/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR, UTTAR PRADESH, 222001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	7.91	6.5-9.0	APHA 23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	32.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	54.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	18.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.94	5	APHA- 23rd Edition 4500 NH3- F : 2017

Tarun Singh




6.	Total Phosphorus	mg/l	0.8	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.63	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	896	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




104 PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhaat, Matiyari, Chinhaat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : ptl.env@gmail.com
GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TC-12468

TEST REPORT

Sample Code No.	PTL/WS/S-726	Report No.	WS18102025-S-726
Sample Code Given By Client	None	Issue Date	18/10/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	13/10/2025	Nature of Sample	STP inlet
Sample Received on	13/10/2025	Test Duration	14/10/2025-18/10/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	7.90	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	78.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	160.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	50.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.62	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayush




6.	Total Nitrogen	(mg/l)	22.56	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.1	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	93000	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU
TESTING LABORATORY LLP.

106

PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhath, Matiyari, Chinhath, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : pti.env@gmail.com
GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TC-12468

TEST REPORT

Sample Code No.	PTL/WS/S-727	Report No.	WS18102025-S-727
Sample Code Given By Client	None	Issue Date	18/10/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	13/10/2025	Nature of Sample	STP Outlet
Sample Received on	13/10/2025	Test Duration	14/10/2025-18/10/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	8.0	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	28.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	58.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	22.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	4.16	5	APHA- 23rd Edition 4500 NH3- F : 2017

T. Pravin Singh




6.	Total Phosphorus	mg/l	0.8	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.62	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	928	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




108 PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chlnhat, Matiyari, Chlnhat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : pl.env@gmail.com
GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TC-12468

TEST REPORT

Sample Code No.	PTL/WS/S-766	Report No.	WS22112025-S-766
Sample Code Given By Client	None	Issue Date	22/11/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	17/11/2025	Nature of Sample	STP inlet
Sample Received on	17/11/2025	Test Duration	18/11/2025-22/11/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	8.04	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	96.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	158.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	48.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.64	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayush



6.	Total Nitrogen	(mg/l)	22.56	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.2	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	69000	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by

Tejvir Singh

For Pravayu Testing Laboratory LLP

[Signature]
 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)





110 PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhat, Matiyari, Chinhat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : pll.env@gmail.com
GSTIN : 09ABCF7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-767	Report No.	WS22112025-S-767
Sample Code Given By Client	None	Issue Date	22/11/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	17/11/2025	Nature of Sample	STP Outlet
Sample Received on	17/11/2025	Test Duration	18/11/2025-22/11/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	8.08	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	37.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	60.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	22.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.96	5	APHA- 23rd Edition 4500 NH3- F : 2017

Travish




6.	Total Phosphorus	mg/l	0.8	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.63	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	912	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chinhat, Matiyari, Chinhat, Lucknow-226028 (U.P.)
 Mobile No. : 9452319886, 7905923302, E-mail : ptl.env@gmail.com
 GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TC-12468

TEST REPORT

Sample Code No.	PTL/WS/S-799	Report No.	WS29122025-S-799
Sample Code Given By Client	None	Issue Date	29/12/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	24/12/2025	Nature of Sample	STP inlet
Sample Received on	24/12/2025	Test Duration	25/12/2025-29/12/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

RESULTS

S. No.	Parameter Tested	Units	Result	Test Method Used
1	pH	-	8.02	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	98.0	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	154.0	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	46.0	IS 3025 (Part 44) : 1993: 2009
5.	Ammonical Nitrogen	(mg/l)	5.76	APHA- 23rd Edition 4500 NH3- F : 2017

Pravayugingh




6.	Total Nitrogen	(mg/l)	22.62	IS 3025 (PART 34)
7.	Total Phosphorus	(mg/l)	1.3	IS 3025 (PART 31)
8.	Faecal Coliform	MPN/ 100 ml	69000	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




114 PRAVAYU TESTING LABORATORY LLP

Plot No. 60, Kanchanpur, Chihat, Matiyari, Chihat, Lucknow-226028 (U.P.)
Mobile No. : 9452319886, 7905923302, E-mail : ptl.env@gmail.com
GSTIN : 09ABCFP7334F1Z6, NABL ACCREDITED LABORATORY



TEST REPORT

Sample Code No.	PTL/WS/S-800	Report No.	WS29122025-S-800
Sample Code Given By Client	None	Issue Date	29/12/2025
Sample Drawn by	PTL Team	Condition of the Sample	Ok
Sample Drawn on	24/12/2025	Nature of Sample	STP Outlet
Sample Received on	24/12/2025	Test Duration	25/12/2025-29/12/2025
Sampling Location	STP PLANT (5 MLD PALHIPUR)	Client's Name & Address	M/S EIEL-ABI, 5 MLD PALHIPUR STP, SULTANPUR,UTTAR PRADESH, 228001
Sample Quantity	1 liter		
Sampling Procedure No.	PTL/P/33		

TEST RESULTS

S. No.	Parameter Tested	Units	Result	Acceptable Limits	Test Method Used
1	pH	-	8.08	6.5-9.0	APHA23rd Edition 4500H+ B: 2017
2	T.S.S.	(mg/l)	36.0	<100	APHA-23rd Edition 2540 D: 2017
3	COD	(mg/l)	60.0	150	APHA- 23rd Edition 5220 B: 2017
4	BOD	(mg/l)	24.0	30	IS 3025 (Part 44) : 1993: 2009
5.	AMMONICAL NITROGEN	(mg/l)	3.96	5	APHA- 23rd Edition 4500 NH3- F : 2017

Signature




6.	Total Phosphorus	mg/l	0.8	1.0	IS 3025 (PART 31)
7.	Total Nitrogen	mg/l	9.64	10.0	IS 3025 (PART 34)
8.	Faecal Coliform	MPN/ 100 ml	914	<1000.0	IS:1622-1981

NOTE:

1. The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/ legal purpose.
3. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.

Checked by



For Pravayu Testing Laboratory LLP


 Pramod Kumar Tiwari
 Quality Manager
 (Authorized Signatory)




Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD
 Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
 Phone: 0535-2973034

TEST REPORT- JANUARY 2024

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	18-01-2024	Outlet, STP	8.29	62.0	36.0	131.20	1,10,000	47,000
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

My max
 23/01/24
 Compiled By

Ayush
 S.A.
 23/01/24

R.O. *Awad*
 23/01/24



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.

Phone: 0535-2973034

TEST REPORT- JANUARY 2024

05 MLD STP, Sultanpur

S. No	Date of Sampling	Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	24-01-2024	Outlet, STP	8.31	58.0	38.0	137.60	92,000	46,000
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

Ms. Manish
 29/01/24
 Compiled By

Ms. Manish
 S.A.
 29/01/24

Ms. Manish
 R.O.
 29/01/24



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.

Phone: 0535-2973034

TEST REPORT- FEBRUARY 2024

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	19-02-2024	Inlet, STP	8.25	80.0	40.0	131.20	1,30,000	47,000
2	19-02-2024	Outlet, STP	7.79	30.0	28.0	108.00	26,000	930
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

Adnan
 Compiled By/Analysed By
 24/02/24

Ayush
 S.A.
 24/02/24

R.O. *Kaish*
 24/02/24



119

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.

Phone: 0535-2973034

TEST REPORT- FEBRUARY 2024

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	12-02-2024	Outlet, STP	8.30	45.0	36.0	137.60	47,000	20,000
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

Hymank
17/2/24
Compiled By/Analysed By

Ayush
S.A. 17/02/24

R.O. *[Signature]*
17/02/24



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awasth Vikash Colony, Raebareilly-229001, U.P.

Phone: 0535-2973034

TEST REPORT- FEBRUARY 2024

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	07-02-2024	Outlet, STP	8.34	59.0	34.0	128.00	70,000	33,000
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

12/02/24
 Compiled By/Analysed By

S.A.
 12/02/24

R.O. *[Signature]*
 12/02/24



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD
 Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
 Phone: 0535-2973034

TEST REPORT- FEBRUARY 2024

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	26-02-2024	Inlet, STP	8.20	85.0	42.0	134.40	1,30,000	47,000
2	26-02-2024	Outlet, STP	7.70	28.0	22.0	96.00	2,400	920
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

W. Malik
 Compiled By/Analysed By

SA. 04/03/24

R.O. *[Signature]*
 04/03/24

[Signature]
 01/04/24



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.

Phone: 0535-2973034

TEST REPORT- MARCH 2024

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	07-03-2024	Inlet, STP	7.97	72.0	60.0	240.00	2,20,000	39,000
2	07-03-2024	Outlet, STP	7.61	42.0	26.0	100.80	2,600	930
3	12-03-2024	Inlet, STP	7.90	76.0	58.0	236.80	2,10,000	40,000
4	12-03-2024	Outlet, STP	7.68	36.0	22.0	94.40	2,400	920
5	18-03-2024	Inlet, STP	7.93	85.0	50.0	224.00	2,40,000	40,000
6	18-03-2024	Outlet, STP	7.60	40.0	24.0	99.20	2,300	680
7	28-03-2024	Inlet, STP	7.95	81.0	52.0	227.20	2,20,000	34,000
8	28-03-2024	Outlet, STP	7.69	38.0	22.0	97.60	2,700	920
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

Adman
01/04/2024
 Compiled By/Analysed By

S.A.
01/04/24

R.O. Das
01/04/24



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD
 Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
 Phone: 0535-2973034

TEST REPORT- APRIL 2025

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	04-04-2025	Inlet, STP	8.02	80.0	50.0	163.20	1,40,000	26,000
2	04-04-2025	Outlet, STP	8.13	32.0	16.0	59.20	930	680
3	11-04-2025	Inlet, STP	8.10	96.0	48.0	160.00	1,30,000	24,000
4	11-04-2025	Outlet, STP	8.17	30.0	20.0	62.40	1,100	610
5	18-04-2025	Inlet, STP	8.13	85.0	52.0	156.80	1,70,000	26,000
6	18-04-2025	Outlet, STP	8.23	34.0	22.0	65.60	920	680
7	21-04-2025	Inlet, STP	8.17	90.0	47.0	164.80	1,40,000	23,000
8	21-04-2025	Outlet, STP	8.21	39.0	20.0	70.40	930	610
9	30-04-2025	Inlet, STP	8.12	86.0	49.0	160.00	1,30,000	24,000
10	30-04-2025	Outlet, STP	8.19	35.0	19.0	64.00	1,100	680

Compiled By/Analysed By
[Signature]
 08/05/25

[Signature]
 SA. 07/05/25

R.O. *[Signature]*
 07/05/25



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.

Phone: 0535-2973034

TEST REPORT- APRIL 2024

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	04-04-2024	Inlet, STP	7.89	78.0	58.0	240.00	2,10,000	33,000
2	04-04-2024	Outlet, STP	7.99	40.0	26.0	81.60	2,400	780
3	08-04-2024	Inlet, STP	7.78	76.0	56.0	236.80	1,70,000	27,000
4	08-04-2024	Outlet, STP	8.03	32.0	24.0	78.40	2,100	920
5	18-04-2024	Inlet, STP	7.72	89.0	60.0	224.00	2,20,000	34,000
6	18-04-2024	Outlet, STP	8.05	42.0	22.0	80.00	2,300	930
7	22-04-2024	Inlet, STP	7.79	82.0	54.0	227.20	2,40,000	39,000
8	22-04-2024	Outlet, STP	8.13	39.0	28.0	84.80	1,700	680
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

Rgman
 20/04/2024
 Compiled By/Analysed By

Ajay
 S.A. 20/4/24

R.O.



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awasthi Vikash Colony, Raebareilly-229001, U.P.

Phone: 0535-2973034

TEST REPORT- MAY 2024

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	06-05-2024	Inlet, STP	7.75	83.0	60.0	241.60	2,20,000	35,000
2	06-05-2024	Outlet, STP	7.84	39.0	24.0	83.20	2,200	920
3	15-05-2024	Inlet, STP	7.73	78.0	58.0	233.60	2,10,000	34,000
4	15-05-2024	Outlet, STP	7.85	37.0	26.0	80.00	2,400	940
5	21-05-2024	Inlet, STP	7.79	86.0	62.0	230.40	2,00,000	33,000
6	21-05-2024	Outlet, STP	7.88	41.0	28.0	86.40	2,400	790
7	28-05-2024	Inlet, STP	7.72	79.0	56.0	224.00	2,10,000	32,000
8	28-05-2024	Outlet, STP	7.89	36.0	24.0	83.20	2,300	920
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

K. Manoj
04/06/24
Compiled By/Analysed By

M. K. Singh
04/06/24
S.A.

R.O.
04/06/24



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD
 Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
 Phone: 0535-2973034

TEST REPORT- SEPTEMBER 2024

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	06-09-2024	Inlet, STP	8.04	84.0	58.0	243.20	79,000	26,000
2	06-09-2024	Outlet, STP	8.18	42.0	25.0	83.20	1,700	930
3	11-09-2024	Inlet, STP	8.14	80.0	56.0	236.80	70,000	22,000
4	11-09-2024	Outlet, STP	8.24	36.0	24.0	80.00	1,100	780
5	17-09-2024	Inlet, STP	8.11	86.0	52.0	240.00	92,000	27,000
6	17-09-2024	Outlet, STP	8.20	30.0	26.0	81.60	1,400	920
7	27-09-2024	Inlet, STP	8.02	82.0	54.0	236.60	1,10,000	33,000
8	27-09-2024	Outlet, STP	8.24	39.0	28.0	84.80	17,000	930
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

Adg. M. K. Singh
 04/10/24
 Compiled By/Analysed By

S.A.
 04/10/24

R.O. *[Signature]*
 04/10/24



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD
 Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
 Phone: 0535-2973034

TEST REPORT- OCTOBER 2024

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	03-10-2024	Inlet, STP	7.98	80.0	60.0	204.80	70,000	24,000
2	03-10-2024	Outlet, STP	8.11	46.0	27.0	131.20	1,400	930
3	09-10-2024	Inlet, STP	7.90	78.0	58.0	195.20	79,000	21,000
4	09-10-2024	Outlet, STP	8.07	44.0	24.0	121.60	1,300	920
5	15-10-2024	Inlet, STP	7.93	82.0	54.0	172.80	94,000	22,000
6	15-10-2024	Outlet, STP	8.10	40.0	22.0	108.80	1,700	780
7	29-10-2024	Inlet, STP	8.05	86.0	56.0	176.00	1,10,000	21,000
8	29-10-2024	Outlet, STP	8.17	42.0	20.0	115.20	1,400	940
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

Adyanshu
 07/11/24
 Compiled By/Analysed By

S.A.
 07/11/24

R.O.
 07/11/24



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awasth Vikash Colony, Raebareilly-229001, U.P.

Phone: 0535-2973034

TEST REPORT- NOVEMBER 2024

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	04-11-2024	Inlet, STP	8.07	84.0	58.0	188.20	79,000	21,000
2	04-11-2024	Outlet, STP	8.18	48.0	26.0	129.60	1,200	780
3	11-11-2024	Inlet, STP	8.13	80.0	54.0	182.40	92,000	23,000
4	11-11-2024	Outlet, STP	8.19	50.0	27.0	131.20	1,400	920
5	22-11-2024	Inlet, STP	Not Operational					
6	22-11-2024	Outlet, STP						
7	29-11-2024	Inlet, STP	Not Operational					
8	29-11-2024	Outlet, STP						
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

Chitraja Verma
 JOS/12/2024
 Compiled By/Analysed By

S.A. 05/12/24

R.O. 05/12/24



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD
 Address: C-Block, Indira Nagar, Awasthi Vikash Colony, Raebareilly-229001, U.P.
 Phone: 0535-2973034

TEST REPORT- DECEMBER 2024

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	06-12-2024	Inlet, STP	Not Operational					
2	06-12-2024	Outlet, STP						
3	12-12-2024	Inlet, STP	8.09	82.0	52.0	198.40	1,10,000	24,000
4	12-12-2024	Outlet, STP	8.19	44.0	25.0	128.00	1,300	780
5	20-12-2024	Inlet, STP	8.05	86.0	55.0	188.80	1,30,000	23,000
6	20-12-2024	Outlet, STP	8.12	40.0	26.5	118.40	1,100	930
7	27-12-2024	Inlet, STP	8.08	81.0	53.0	179.20	1,10,000	22,000
8	27-12-2024	Outlet, STP	8.15	43.0	23.0	108.80	1,100	700
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

Regmond
 03/01/25
 Compiled By/Analysed By

Agul
 S.A. 03/01/25

R.O. *Abdullah*
 03/01/25



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awasth Vikash Colony, Raebareli-229001, U.P.

Phone: 0535-2973034

TEST REPORT- JANUARY 2025

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	04-01-2025	Inlet, STP	8.10	86.0	40.0	163.20	1,20,000	22,000
2	04-01-2025	Outlet, STP	8.15	40.0	22.0	102.40	1,200	780
3	09-01-2025	Inlet, STP	8.06	88.0	41.0	169.60	1,40,000	21,000
4	09-01-2025	Outlet, STP	8.12	37.0	23.5	104.00	1,100	710
5	18-01-2025	Inlet, STP	8.09	92.0	43.0	166.40	1,30,000	20,000
6	18-01-2025	Outlet, STP	8.18	39.0	24.5	100.80	1,400	920
7	24-01-2025	Inlet, STP	8.07	96.0	42.0	163.20	1,40,000	21,000
8	24-01-2025	Outlet, STP	8.20	43.0	22.0	99.20	1,300	930
9	31-01-2025	Inlet, STP	8.12	91.0	41.0	160.00	1,30,000	17,000
10	31-01-2025	Outlet, STP	8.24	36.0	23.5	94.40	1,200	790
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

Compiled By/Analysed By
N. Manik

S.A. 05/2/25
Cy

R.O.
15/2/25



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD
 Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
 Phone: 0535-2973034

TEST REPORT- FEBRUARY 2025

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	03-02-2025	Inlet, STP	NOT-OPERATIONAL					
2	03-02-2025	Outlet, STP						
3	10-02-2025	Inlet, STP	NOT-OPERATIONAL					
4	10-02-2025	Outlet, STP						
5	20-02-2025	Inlet, STP	8.10	70.0	40.0	172.80	1,10,000	33,000
6	20-02-2025	Outlet, STP	8.18	30.0	20.0	92.80	1,300	780
7	27-02-2025	Inlet, STP	8.02	66.0	42.0	176.00	1,30,000	39,000
8	27-02-2025	Outlet, STP	8.11	32.0	18.0	88.00	1,100	610
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

Agmanik
 07/02/2025
 Compiled By/Analysed By

Agmanik
 S.A. 03/03/25

R.O. *[Signature]*
 03/03/25



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD
 Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.
 Phone: 0535-2973034

TEST REPORT- MARCH 2025

S. No	Date of Sampling	05 MLD STP, Sultanpur						TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)			
1	06-03-2025	Inlet, STP	8.07	80.0	46.0	166.40	1,30,000	27,000	
2	06-03-2025	Outlet, STP	8.13	38.0	26.0	89.40	1,200	680	
3	13-03-2025	Inlet, STP	8.10	76.0	43.0	177.60	1,10,000	24,000	
4	13-03-2025	Outlet, STP	8.18	34.0	24.0	92.80	1,400	780	
5	24-03-2025	Inlet, STP	8.05	72.0	42.0	169.60	94,000	22,000	
6	24-03-2025	Outlet, STP	8.14	32.0	22.0	88.00	1,100	680	
7	30-03-2025	Inlet, STP	8.11	68.0	44.0	172.80	1,10,000	27,000	
8	30-03-2025	Outlet, STP	8.17	30.0	20.0	86.40	930	610	

Chhaya Verma
 04/04/2025
 Compiled By/Analysed By

S.A. 04/4/25

R.O. 04/04/25

BDL- Below Detection Limit

127 15/21 -
 SA

13/11/25

20



133

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.

Phone: 0535-2973034

TEST REPORT- MAY 2025

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	08-05-2025	Inlet, STP	8.05	86.0	51.0	160.00	1,70,000	27,000
2	08-05-2025	Outlet, STP	8.17	41.0	20.0	59.20	930	680
3	15-05-2025	Inlet, STP	8.02	88.0	50.0	163.20	1,40,000	26,000
4	15-05-2025	Outlet, STP	8.13	40.0	21.0	70.40	1,100	780
5	22-05-2025	Inlet, STP	8.10	80.0	54.0	166.40	1,70,000	26,000
6	22-05-2025	Outlet, STP	8.17	42.0	24.0	73.60	1,400	920
7	29-05-2025	Inlet, STP	8.04	86.0	52.0	164.80	2,20,000	32,000
8	29-05-2025	Outlet, STP	8.11	46.0	24.0	75.20	1,100	780

Neelam
04/06/25
Compiled By/Analysed By

Cyul
S.A. 04/6/25

R.O. *[Signature]*
04/06/25



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD
 Address: C-Block, Indira Nagar, Awasth Vikash Colony, Raebareilly-229001, U.P.
 Phone: 0535-2973034

TEST REPORT- JUNE 2025

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	06-06-2025	Inlet, STP	8.11	84.0	50.0	168.00	2,20,000	79,000
2	06-06-2025	Outlet, STP	8.18	40.0	26.0	73.60	1,400	920
3	10-06-2025	Inlet, STP	NOT OPERATIONAL					
4	10-06-2025	Outlet, STP						
5	20-06-2025	Inlet, STP	8.17	92.0	52.0	166.40	2,40,000	92,000
6	20-06-2025	Outlet, STP	8.22	44.0	27.0	75.20	1,700	930
7	27-06-2025	Inlet, STP	8.12	82.0	48.0	163.20	2,80,000	94,000
8	27-06-2025	Outlet, STP	8.19	40.0	22.0	72.00	1,700	920

10/9/2025
 03/07/25
 Compiled By/Analysed By

SA. 03/07/25

R.O. 03/07/25



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awasth Colony, Raebareilly-229001, U.P.
 Phone: 0535-2973034

TEST REPORT- JULY 2025

S. No	Date of Sampling	Sampling Point	05 MLD STP, Sultanpur					
			pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	03-07-2025	Inlet, STP	8.07	87.0	54.0	166.40	2,60,000	93,000
2	03-07-2025	Outlet, STP	8.16	43.0	24.0	70.40	2,000	920
3	10-07-2025	Inlet, STP	7.86	92.0	48.0	160.00	2,40,000	92,000
4	10-07-2025	Outlet, STP	7.98	47.0	22.0	67.20	2,200	940
5	17-07-2025	Inlet, STP	7.90	82.0	50.0	163.20	2,80,000	94,000
6	17-07-2025	Outlet, STP	7.96	44.0	24.0	70.40	1,300	920
7	24-07-2025	Inlet, STP	7.81	80.0	52.0	161.00	2,40,000	79,000
8	24-07-2025	Outlet, STP	7.93	38.0	26.0	73.60	1,700	930
9	31-07-2025	Inlet, STP	7.79	76.0	50.0	160.00	2,20,000	79,000
10	31-07-2025	Outlet, STP	7.90	40.0	24.0	68.80	1,400	780

Compiled By/Analysed By
H. G. Malik 06/08/25

Cyful
 S.A. 06/08/25

R.O. *Handwritten Signature*
 06/08/25



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD
 Address: C-Block, Indira Nagar, Awasth Vikash Colony, Raebareilly-229001, U.P.
 Phone: 0535-2973034

TEST REPORT- AUGUST 2025

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	07-08-2025	Inlet, STP	8.03	85.0	46.0	163.20	2,60,000	92,000
2	07-08-2025	Outlet, STP	8.11	45.0	23.0	67.20	2,200	940
3	14-08-2025	Inlet, STP	8.01	80.0	48.0	160.00	2,30,000	93,000
4	14-08-2025	Outlet, STP	8.07	41.0	25.0	64.00	2,000	930
5	21-08-2025	Inlet, STP	8.04	81.0	45.0	156.00	2,20,000	78,000
6	21-08-2025	Outlet, STP	8.14	43.0	21.0	60.80	2,300	920
7	26-08-2025	Inlet, STP	8.01	77.0	42.0	150.40	2,40,000	92,000
8	26-08-2025	Outlet, STP	8.10	39.0	19.0	62.40	2,100	780

Ramanil
 28/09/2025
 Compiled By/Analysed By

S.A.
 28/09/2025

R.O.



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD
 Address: C-Block, Indira Nagar, Awasthi Vikash Colony, Raebareilly-229001, U.P.
 Phone: 0535-2973034

TEST REPORT- SEPTEMBER 2025

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	04-09-2025	Inlet, STP	7.98	80.0	48.0	166.40	2,80,000	79,000
2	04-09-2025	Outlet, STP	8.10	40.0	21.0	60.80	2,000	920
3	11-09-2025	Inlet, STP	7.84	86.0	54.0	172.80	3,50,000	94,000
4	11-09-2025	Outlet, STP	7.95	42.0	26.0	67.20	1,700	780
5	18-09-2025	Inlet, STP	7.96	84.0	50.0	164.80	2,80,000	79,000
6	18-09-2025	Outlet, STP	8.10	40.0	24.0	64.00	2,000	930
7	25-09-2025	Inlet, STP	7.82	78.0	52.0	169.60	2,40,000	70,000
8	25-09-2025	Outlet, STP	7.93	34.0	21.0	59.20	1,700	920

Compiled By/Analysed By
Neeraj K. Singh
 25/9/25

S.A.
 25/9/25

R.O.



Test Report Format No- UPPCB/RL/RBL/TR-2021
REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD
 Address: C-Block, Indira Nagar, Awasthi Vikash Colony, Raebareilly-229001, U.P.
 Phone: 0535-2973034

TEST REPORT- OCTOBER 2025

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	04-10-2025	Inlet, STP	7.94	80.0	50.0	163.20	2,30,000	78,000
2	04-10-2025	Outlet, STP	8.01	32.0	20.0	57.60	2,100	930
3	09-10-2025	Inlet, STP	7.98	84.0	52.0	160.00	2,10,000	78,000
4	09-10-2025	Outlet, STP	8.05	36.0	22.0	59.20	2,000	780
5	16-10-2025	Inlet, STP	7.91	76.0	48.0	156.80	2,40,000	94,000
6	16-10-2025	Outlet, STP	8.02	30.0	23.0	60.48	2,300	930
7	23-10-2025	Inlet, STP	7.96	80.0	46.0	150.40	2,00,000	70,000
8	23-10-2025	Outlet, STP	8.07	34.0	20.0	57.60	2,100	920
9	30-10-2025	Inlet, STP	7.91	75.0	40.0	147.20	2,10,000	68,000
10	30-10-2025	Outlet, STP	8.11	2.0	19.0	55.68	2,000	930
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

Chhaya Verma
 03/11/2025
 Compiled By/Analysed By

[Signature]
 03/11/2025
 S.A.

[Signature]
 R.O.



139

Test Report Format No- UPPCB/RL/RBL/TR-2021

REGIONAL LABORATORY, U.P. POLLUTION CONTROL BOARD

Address: C-Block, Indira Nagar, Awas Vikash Colony, Raebareli-229001, U.P.

Phone: 0535-2973034

TEST REPORT- NOVEMBER 2025

S. No	Date of Sampling	05 MLD STP, Sultanpur						
		Sampling Point	pH	TSS (mg/L)	BOD (mg/L)	COD (mg/L)	TC (MPN/ 100 ml)	FC (MPN/ 100 ml)
1	03-11-2025	Inlet, STP	7.98	87.0	46.0	156.80	2,30,000	78,000
2	03-11-2025	Outlet, STP	8.07	34.0	22.0	59.20	2,400	930
3	13-11-2025	Inlet, STP	8.04	93.0	45.0	153.60	2,40,000	78,000
4	13-11-2025	Outlet, STP	8.10	37.0	21.0	56.00	2,700	930
5	20-11-2025	Inlet, STP	8.01	98.0	47.0	156.80	2,20,000	70,000
6	20-11-2025	Outlet, STP	8.13	39.0	24.0	59.20	2,600	920
7	27-11-2025	Inlet, STP	8.04	95.0	43.0	150.40	2,10,000	70,000
8	27-11-2025	Outlet, STP	8.10	34.0	22.0	56.00	2,400	930
Effluent Discharge Standards for STP (13 October 2017)			6.5-9.0	<100	30	-	-	<1000

By ment C.
14/11/2025
Compiled By/Analysed By

S.A.
S.A.

R.O.
R.O.



140

क्षेत्रीय कार्यालय,
उ०प्र० प्रदूषण नियंत्रण बोर्ड,
सी-ब्लाक, इन्दिरा नगर, आवास विकास कालोनी,
रायबरेली-229001 (उ०प्र०)

ANNEXURE-4

दिनांक- 18/12/25

पत्रांक- 526/NOC-1573/S/2025-26

सेवा में,

अधिशायी अभियन्ता,
उ०प्र० जल निगम, (ग्रामीण),
विनोवापुरी, निकट वर्मा उपवन,
सुल्तानपुर।

विषय-ग्राम-पल्हीपुर, जनपद-सुल्तानपुर स्थित 5.0 एमएलडी एसटीपी में उत्प्रवाह हेतु गभडिया नाला पर पक्का बांध (बियर वॉल) निर्माण के संबंध में।

महोदय,

कृपया उपरोक्त विषयक के क्रम में अवगत कराना है कि ग्राम-पल्हीपुर, जनपद-सुल्तानपुर में स्थापित 5.0एम०एल०डी० क्षमता के सीवेज ट्रीटमेंट प्लांट का निरीक्षण इस कार्यालय के प्राधिकृत अधिकारियों/कर्मचारियों द्वारा दिनांक 17/12/2025 को किया गया। निरीक्षण के समय यद्यपि सीवेज ट्रीटमेंट प्लांट संचालित पाया गया, परन्तु गभडिया नाला पर बोरियों का अस्थायी बांध बनाकर उत्प्रवाह को पम्पिंग स्टेशन में लिया जा रहा है, जो कि स्थायी व्यवस्था नहीं है। निरीक्षण के समय उक्त बांध से उत्प्रवाह का रिसाव गभडिया नाले में होता पाया गया। उक्त अस्थायी बांध से अशोधित उत्प्रवाह गभडिया नाले के माध्यम से गोमती नदी निस्तारित होने से गोमती नदी की जल गुणता प्रभावित होना स्वाभाविक है।

अग्रेतर अवगत कराना है उक्त एस०टी०पी० के संचालन हेतु राज्य प्रदूषण नियंत्रण बोर्ड से सशर्त सहमति (जल/वायु) निर्गत है, जिसकी वैधता अवधि 31/12/2025 तक की ही है। एस०टी०पी० के संचालन हेतु राज्य प्रदूषण नियंत्रण बोर्ड से जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1974 एवं वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1981 के आज्ञापक प्राविधानों के अन्तर्गत नियमानुसार सहमति (जल/वायु) प्राप्त/नवीनीकरण किया जाना अनिवार्य है।

अतः उपरोक्त के दृष्टिगत आपको निर्देशित किया जाता है कि पम्पिंग स्टेशन में लिए जा रहे उत्प्रवाह हेतु नाले में पर्याप्त ऊँचाई का पक्का बांध (बियर वाल) अविलम्ब निर्माण कराकर कार्यालय को अवगत कराया जाए, साथ ही 5.0 एम०एल०डी० एस०टी०पी० पल्हीपुर, सुल्तानपुर की सहमति (जल/वायु) नवीनीकरण हेतु आनलाईन निवेश मित्र पोर्टल के माध्यम से निर्धारित शुल्क सहित आवेदन यथाशीघ्र प्रेषित करना सुनिश्चित करें, अन्यथा की दशा में इकाई के विरुद्ध पर्यावरणीय अधिनियमों के अन्तर्गत नियमानुसार आवश्यक कार्यवाही की जा सकती है, जिसका सम्पूर्ण उत्तरदायित्व संस्था का होगा।

भवदीय,

(जे०पी०-मौर्य)
क्षेत्रीय अधिकारी

प्रतिलिपि-निम्नलिखित को सूचनार्थ एवं अग्रिम आवश्यक कार्यवाही हेतु सादर प्रेषित।

1. संयुक्त प्रबन्ध निदेशक (गंगा), उ०प्र० जल निगम (ग्रामीण), 06, राणा प्रताप मार्ग, लखनऊ।
2. मुख्य अभियन्ता(गंगा), उ०प्र० जल निगम (ग्रामीण), 06, राणा प्रताप मार्ग, लखनऊ।
3. मुख्य पर्यावरण अधिकारी (वृत्त-5), उ०प्र० प्रदूषण नियंत्रण बोर्ड, लखनऊ को सूचनार्थ प्रेषित।

क्षेत्रीय अधिकारी

मुख्यालय: "पर्यावरण भवन", टी०सी०-12वी, विभूति खण्ड, गोमती नगर, लखनऊ-226010
www.uppcb.com, E-mail- roraebareli@uppcb.com



कार्यालय अधिशासी अभियन्ता

खण्ड कार्यालय, उ०प्र० जल निगम (ग्रामीण)
विनोवापुरी (लोलेपुर) निकट वर्मा, उपवन, जनपद-सुल्तानपुर
Email ID- exenjn_rsultanpur@yahoo.com

ANNEXURE-5

पत्रांक : 3832 /

W-17 / 44

दिनांक : 22/12/2025

मेसर्स, ई०आई०ई०पी०एल०-ए०वी०आई० जे०वी०
वर्धमान प्रीमियम, प्रीतमपुरा,
नई दिल्ली।
ई-मेल- aggarwalbuiltec87@gmail.com

विषय:- 10, 05 एवं 02 एम०एल०डी० एस०टी०पी० की सहमति (जल/वायु) नवीनीकरण के सम्बन्ध में।
महोदय,

उपरोक्त विषयक क्षेत्रीय अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, रायबरेली के पत्रांक 526/Noc-1573/S/ 2025-26 दिनांक 18.12.2025 (संलग्न) द्वारा अवगत कराया गया है कि 05 एम०एल०डी० एस०टी०पी० पलहीपुर के संचालन हेतु राज्य प्रदूषण नियंत्रण बोर्ड से दिनांक 31.12.2025 तक की अवधि हेतु सशर्त सहमति (जल/वायु) निर्गत किया गया था। उक्त सहमति की अवधि समाप्त हो रही है। एस०टी०पी० के संचालन हेतु राज्य प्रदूषण नियंत्रण बोर्ड से जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1974 एवं वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1981 के आज्ञापक प्राविधानों के अन्तर्गत नियमानुसार सहमति (जल/वायु) प्राप्त/नवीनीकरण किया जाना अनिवार्य है।

अतः उक्त के संदर्भ में आपको निर्देशित किया जाता है कि आज ही 05 एम०एल०डी० एस०टी०पी० की सहमति (जल/वायु) का नवीनीकरण Online Nivesh Mitra के माध्यम से कराकर नवीनीकरण कराना तथा 10 एवं 02 एम०एल०डी० एस०टी०पी० की सहमति (जल/वायु) की अद्यतन स्थिति से अवगत कराना सुनिश्चित करें, अन्यथा कि स्थिति में कोई पर्यावरणीय क्षति पहुंचाने हेतु क्षतिपूर्ति आध्यारोपित की जाती है तो आध्यारोपित धनराशि की दो गुना धनराशि आपके अग्रिम वि०/यां० कार्यों एवं संचालन एवं अनुरक्षण (O&M) के बीजको में भारित कर वसूल किया जायेगा, जिसका सम्पूर्ण उत्तरदायित्व आपका स्वयं का होगा।

संलग्नक:-उपरोक्तानुसार।


(वकार हुसैन)
अधिशासी अभियन्ता

पृ०स० एवं दिनांक-उपरोक्तानुसार।

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित-

1. मुख्य अभियन्ता (गंगा), उ०प्र० जल निगम (ग्रामीण), लखनऊ।
2. मुख्य अभियन्ता (ल०क्षेत्र), उ०प्र० जल निगम (ग्रामीण), लखनऊ।
3. अधीक्षण अभियन्ता, मण्डल कार्यालय, उ०प्र० जल निगम(ग्रामीण), अयोध्या-कैम्प-सुलतानपुर।
4. अधीक्षण अभियन्ता, मण्डल कार्यालय (वि०/यां०), उ०प्र० जल निगम (ग्रामीण), अयोध्या।
5. अधिशासी अभियन्ता, खण्ड कार्यालय (वि०/यां०), उ०प्र० जल निगम (ग्रामीण), अयोध्या।
6. श्री प्रमोद कुमार, सहा०अभि०/श्री पी०के० छाबड़ा, जू०इ०।

अधिशासी अभियन्ता



कार्यालय अधिशासी अभियन्ता

खण्ड कार्यालय, उ०प्र० जल निगम (ग्रामीण)
विनोवापुरी (लोलेपुर) निकट वर्मा, उपवन, जनपद-सुल्तानपुर
Email ID- exenjn_rsultanpur@yahoo.com

ANNEXURE-6

पत्रांक : 374 / W-17 / 05 दिनांक 02/02/2026

चेतावनी-1

मेसर्स, ई०आई०ई०पी०एल०-ए०वी०आई० जे०वी०
वर्धमान प्रीमियम, प्रीतमपुरा,
नई दिल्ली।
ई-मेल- aggarwalbultec87@gmail.com

विषय- 10, 05 एवं 02 एम०एल०डी० एस०टी०पी० की सहमति (जल/वायु) नवीनीकरण के सम्बन्ध में।
महोदय,

उपरोक्त विषयक क्षेत्रीय अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, रायबरेली के पत्रांक 526/Noc-1573/S/ 2025-26 दिनांक 18.12.2025 एवं इस कार्यालय के पत्रांक 3832/डब्ल्यू-17/44 दिनांक 22.12.2025 का संदर्भ ग्रहण करने का कष्ट करें। उक्त पत्र द्वारा आपको निर्देश दिये गये थे कि 05 एम०एल०डी० एस०टी०पी० पलहीपुर के संचालन हेतु राज्य प्रदूषण नियंत्रण बोर्ड से दिनांक 31.12.2025 तक की अवधि हेतु सशर्त सहमति (जल/वायु) निर्गत किया गया था। उक्त सहमति की अवधि समाप्त हो रही है। एस०टी०पी० के संचालन हेतु राज्य प्रदूषण नियंत्रण बोर्ड से जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1974 एवं वायु (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1981 के आज्ञापक प्राविधानों के अन्तर्गत नियमानुसार सहमति (जल/वायु) प्राप्त/नवीनीकरण किया जाना अनिवार्य है। उपरोक्त निर्देश देने के बावजूद भी वर्तमान तक खण्ड कार्यालय में प्रस्तुत नहीं किया गया है और न ही पक्का नाला(बियर वाल) निर्माण हेतु कोई आंगणन प्रस्तुत किया गया है।

अतः आपको चेतावनी दी जाती है कि आज ही 05 एम०एल०डी० एस०टी०पी० की सहमति (जल/वायु) का नवीनीकरण Online Nivesh Mitra के माध्यम से करारकर नवीनीकरण कराना तथा 10 एवं 02 एम०एल०डी० एस०टी०पी० की सहमति (जल/वायु) की अद्यतन स्थिति से अवगत कराना सुनिश्चित करें, अन्यथा कि स्थिति में कोई पर्यावरणीय क्षति पहुंचाने हेतु क्षतिपूर्ति आध्यारोपित की जाती है तो आध्यारोपित धनराशि की दो गुना धनराशि आपके अग्रिम वि०/यां० कार्यों एवं संचालन एवं अनुरक्षण (O&M) के बीजको में भारित कर वसूल किया जायेगा, जिसका सम्पूर्ण उत्तरदायित्व आपका स्वयं का होगा।


संलग्नक:-उपरोक्तानुसार।


(वकार हुसैन)
अधिशासी अभियन्ता

पू०स० एवं दिनांक-उपरोक्तानुसार।

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित-

1. मुख्य अभियन्ता (गंगा), उ०प्र० जल निगम (ग्रामीण), लखनऊ।
2. मुख्य अभियन्ता (ल०क्षेत्र), उ०प्र० जल निगम (ग्रामीण), लखनऊ।
3. अधीक्षण अभियन्ता, मण्डल कार्यालय, उ०प्र० जल निगम(ग्रामीण), अयोध्या-कैम्प-सुलतानपुर।
4. अधीक्षण अभियन्ता, मण्डल कार्यालय (वि०/यां०), उ०प्र० जल निगम (ग्रामीण), अयोध्या।
5. अधिशासी अभियन्ता, खण्ड कार्यालय (वि०/यां०), उ०प्र० जल निगम (ग्रामीण), अयोध्या।
6. श्री प्रमोद कुमार, सहा०अभि०/श्री पी०के० छाबड़ा, जू०ई०।


अधिशासी अभियन्ता

Application No : 35219791

FORM II

[See paragraphs 11 (2) and 12 (1)]

APPLICATION FOR CONSENT TO OPERATE AN INDUSTRIAL PLANT, UNDER SECTION 25 OF THE WATER (PREVENTION & CONTROL OF POLLUTION) ACT, 1974 AND UNDER SECTION 21 OF THE AIR (PREVENTION & CONTROL OF POLLUTION) ACT, 1981

From

AGGARWAL BUILTEC INDIA, 5 MLD STP Village Palhipur , Dist. Sultanpur , U.P. Pin Cod - 227808,SULTANPUR,227808

PALHIPUR TEHSIL SULTANPUR,

JaiSinghPur,

SULTANPUR

To

The Member Secretary

Uttar Pradesh State Pollution Control Board/Committee

T.C.12V, Vibhuti Khand, Gomti Nagar,

Lucknow(226010).

Sir,

I/ We hereby apply for Consent to operate an industrial plant or renewal of consent under section 25 of the Water (prevention & control of pollution) act, 1974 (6 of 1974) or for amended product, operation or process, or treatment and discharge of sewage / trade effluent and under section 21 of the Air (prevention & control of pollution) act, 1981 (14 of 1981) or for amended product, operation or process, or treatment and emission or continuation of emission of air pollutants.

from a land / premises owned by M/s. _____

at location _____

as per the details given below:

"This is computer generated document from OCMS by UPPCB"

AGGARWAL BUILTEC INDIA,5 MLD STP Village Palhipur , Dist. Sultanpur , U.P. Pin Cod - 227808,SULTANPUR,227808,35219791

Page 1

TO BE FILLED BY APPLICANT
PART A: GENERAL

S. No.	Required Details	:	
1.0	Project Details		
1.1	Name of the Project / Industry / TSDF	:	AGGARWAL BUILTEC INDIA
1.2	Project Proposal	:	reNew
1.3	Details of Environment Clearance	:	0
1.4	Address of the Site / Unit	:	Plot / Survey No : 5 MLD STP
		:	Village : PALHIPUR TEHSIL SULTANPUR
		:	Tehsil : JaiSinghPur
		:	District : SULTANPUR
		:	State / UT : Uttar Pradesh
		:	Pin code : 227808
2.0	Details of Applicant / Occupier		
2.1	Name of the Applicant / Occupier	:	PARVEEN KUMAR
2.2	Designation	:	MD
2.3	Nationality of the Occupier	:	INDIAN
2.4	Correspondence Address	:	Plot / Survey No / Street Name : 108
		:	Village / Town / City : VARDHMAN PREMIUM MALL PITAMPURA
		:	Tehsil / Taluk : DELHI
		:	District : NORTH WEST DELHI
		:	State / UT : DELHI
		:	Pin code : 110034
2.5	Contact Details of Plant Head with: Alternate details	:	Name & Designation : 1. PARVEEN KUMAR, MD
		:	e-mail address : 1. aggarwalbultec@yahoo.com
		:	Landline Number : 1. 011-9871249624
		:	Mobile Number : 1. 9871249624

"This is computer generated document from OCMS by UPPCB"

AGGARWAL BUILTEC INDIA, 5 MLD STP Village Palhipur, Dist. Sultanpur, U.P. Pin Cod - 227808, SULTANPUR, 227808, 35219791

Page2

3.0	Legal Status of the Company		
3.1	Individual / Proprietary concern / Partnership firm / Joint family concern / Private Limited Company / Public Limited Company / Foreign Company / Limited Liability Partnership. Note: Registration Number and Authority shall be mentioned.	:	Private Limited Company
3.2	Central Govt. / State Govt. / Central PSU / State PSU / Joint Venture (Pvt. + Govt.), (Govt. + Govt.), (Pvt. + Pvt.)	:	PVT



"This is computer generated document from OCMMS by UPPCB"

AGGARWAL BUILTEC INDIA, 5 MLD STP Village Palhipur, Dist. Sultanpur, U.P. Pin Cod - 227808, SULTANPUR, 227808, 35219791

Page 3

4.0	Location of the Project /Industry/Activity:				
4.1	Location	:			
4.2	Bounded Latitudes (North)(8 digit after decimal)	:	26.282637		
4.3	Bounded Longitudes (East)(8digit after decimal)	:	82.051482		
4.4	Located in Eco-Sensitive Zone of Protected Area, Coastal Regulation Zone, Biosphere, Reservoir, Forests, Mangroves, Rivers, Archeological monuments, Critically Polluted Area, Non-attainment Cities, Polluted River Stretch, Hill stations (altitude > 600M), Major towns and Cities	:	Major towns and Cities		
4.5	Survey of India Topo Sheet Number	:	63QK/12		
4.6	Land details (as per Panchayat, Tehsil, District)	:	Owned/Leased	:	Owned
			Total Area in Ha	:	0.611
			a) Non-Forest in Ha	:	0.611
			b) Forest in Ha	:	0
			Annual Lease Value, in case of Leased in Rs.	:	0
			Buildup Area in Sq. M.	:	2700.00
			Green Belt cover in % of total area	:	0
4.7	Extent of Land in Sq. m	:	Own-Agricultural	:	0
			Industrial	:	0
			Converted	:	0
			Industrial Area	:	0
			a) Applied and not allotted	:	0
			b) Applied and allotted	:	0
			c). Leased	:	0

"This is computer generated document from OCMS by UPPCB"

AGGARWAL BUILTEC INDIA, 5 MLD STP Village Palhipur, Dist. Sultanpur, U.P. Pin Cod - 227808, SULTANPUR, 227808, 35219791

Page 4

5.0	Category & Classification of the Project/Industry/Activity :						
5.1	Category of Industry (Red, Orange, and Green)	:	Category	:	RED		
			Pollution Index	:	0		
5.2	Industrial Sector/Type	:	STP				
5.3	Grossly Polluting/17 Category/ Others	:	No				
5.4	Scale of Industry based on Capital Investment (Micro/ Small /Medium /Large))	:	Total Capital Investment (Rs.)	:	46.0		
			Scale/Classification	:	large		
5.5	Products / By-Products: Manufacturing capacity (TPD/TPA)	:	Products/ By-products	:	Capacity		
			TREATED SEWAGE (MLD)	:	5.0		
			DRY SLUDGE	:	16.0		
5.6	Raw Materials / Chemicals Consumption for manufacturing capacity (TPD & TPA)	:	Raw Materials	:	Consumption		
			DOMESTIC SEWAGE (MLD)	:	DOMESTIC SEWAGE (MLD)		
5.7	Brief manufacturing Process with process flow chart and Material Balance, Advantage of Technology etc.	:	Attached				
5.8	Date / Expected date of commencement of production	:	01/01/2025				
5.9	Number of people to be employed	:	8				
5.10	Industry Shifts/ Weekly off	:	Shifts(I/II/III) & in Hours	:	(I/II/III) 8		
			Weekly off in days	:	1		
5.11	Use of Hazardous Chemicals as per MSHIC Rules	:	S. No	Chemicals	HS Code	Storage capacity	Daily consumption
			1	NA	NA	0	0
5.12	Insurance under PLI Act,1991	:	a. Policy No. & Year for which taken:	:	NA		
			b. Insurance Company:	:	NA		
			c. Validity:	:	NA		
			d. Indemnity Limit (Rs):	:	NA		
			e. Contribution to ERF (Rs):	:	NA		

"This is computer generated document from OCMS by UPPCB"

AGGARWAL BUILTEC INDIA, 5 MLD STP Village Palhipur, Dist. Sultanpur, U.P. Pin Cod - 227808, SULTANPUR, 227808, 35219791

Page 5

PART B: WASTE WATER ASPECTS

6.0	Water Consumption and Wastewater Generation			
6.1	Source of Water	:	[Ground Water (within premises)]	
6.2	Authority Granting permission & Quantity permitted	:	Authority:	[NA]
			Quantity:	[0]
6.3	Water Consumption (KLD) for manufacturing capacity	:	[0.0]	
6.4	Water Usage for manufacturing capacity	:	Purpose	KLD
			Domestic	1.0
			Process	0.0
6.5	Wastewater Generation (KLD) for manufacturing process	:	[0.0]	
	Wastewater from various sources	:	Purpose	KLD
			Domestic	0.5
			Process	0.0
6.6	Wastewater Treatment Systems	:	Type of Effluent	KLD
			Bio-degradable	0.5
6.7	Details Sewage Treatment Plant(s)	:	S. No.	Capacity of STPs
			1	NA
	Mode of disposal of treated effluent	:	NA	
6.8	Details Effluent Treatment Plant(s)	:	S. No.	Capacity of ETPs
			1	NA
	Mode of disposal of treated effluent	:	NA	
6.9	Capacity of treated effluent sump / guard pond, if any	:	NA	
6.10	Schematic diagram of the treatment scheme with inlet/outlet characteristics of each Unit operation/process	:	Attached	
6.11	Quality of Effluent before & after treatment (at the final outlets) in respect of pH, SS, TDS and constituting major ions, BOD/COD, Oil & Grease, and relevant metals and nutrients as per the process/standards. (Attach analysis report of untreated and treated effluent from the EPA recognized Lab) Note: For proposed unit furnish expected characteristics of the effluent	:	Attached	

"This is computer generated document from OCMS by UPPCB"

AGGARWAL BUILTEC INDIA, 5 MLD STP Village Palhipur, Dist. Sultanpur, U.P. Pin Cod - 227808, SULTANPUR, 227808, 35219791

Page 6

6.12	Name of River/Creek/Estuary/Drain (owner of sewer)/Sea/Land connected to ETP	:	NA
6.13	Details of Solid Wastes separately for 'Hazardous' and 'Other' wastes covered under H&OW Rules, 2016 and other solid wastes not covered under H&OW Rules, 2016,including their management system	:	NA
6.14	Details of treatment-performance and environmental-compliance monitoring and reporting system	:	NA
6.15	Any relevant information not covered in the above items	:	NA



"This is computer generated document from OCMS by UPPCB"

AGGARWAL BUILTEC INDIA,5 MLD STP Village Palhipur , Dist. Sultanpur , U.P. Pin Cod - 227808,SULTANPUR,227808,35219791

Page7

PART C: AIR EMISSION ASPECTS

(Information required in case of industrial establishments having chimneys)

7.0 AIR EMISSION ASPECTS

7.1	Fuel Consumption per Hour and TPD for manufacturing capacity	:	S. No	Fuel	Quantity	Ash%	S%
			1	Diesel	0.185	0	0
7.2	Details of Stack (Process, fuel, D.G): a. Number of stacks and vents with height and diameter(m) b. Quality and quantity of stack emissions from each stack and vent c. Major industrial processes / sources of fugitive emission d. Brief account of air pollution control units to deal with the emission						
Stack	Attached to	Fuel	Height (m)	Diameter (m)	Pollutants	Control system	Port Hole & Platform
1	DG Set	DIESEL	5.0	0.025	PM,NO ₂ ,CO	Others	NO
7.3	D.G. Sets	:	S. No	KVA	Acoustic status	Height (m)	
			1	250 KVA DG SET	YES	5.0	
7.4	Quality of source emission (before treatment/ control) and after treatment/ controlled emission (at stacks/vents) in respect of PM, SO₂, NO_x, and other relevant air pollutants as per the process/standards. (Attach analysis reports of stack emissions from the EPA recognized Lab) Note: For proposed unit furnish expected characteristics of the emissions		:	Attached			
7.5	Odorous compounds, if any and control measures provided		:	NA			
7.6	Details of treatment/control performance and environmental compliance monitoring and reporting system		:	NA			
7.7	Any relevant information not covered in the above items		:	NA			

"This is computer generated document from OCMS by UPPCB"

AGGARWAL BUILTEC INDIA, 5 MLD STP Village Palhipur, Dist. Sultanpur, U.P. Pin Cod - 227808, SULTANPUR, 227808, 35219791

Page 8

PART D:HAZARDOUS WASTE ASPECTS

(Information required in case of industrial establishments generating Hazardous Waste)

8.0 Hazardous Waste Management

8.1	Process generating Hazardous waste	:	S. No	Process	Clause of Schedule I	Quantity/ Annum
			1	NA	NA	0.0
8.2	Consent / Authorization Required for	:	S. No	Activity	Please tick	
			1	Generation		
			2	Collection		
			3	Storage		
			4	Transportation		
			5	Reception		
			6	Reuse	<input checked="" type="checkbox"/>	
			7	Recycling		
			8	Recovery		
			9	Pre-processing		
			10	Co-processing		
			11	Utilization		
			12	Treatment		
			13	Disposal		
			14	Incineration		
8.3	Technical Capabilities / Facilities	:	S. No	Capabilities	:	
			1	Storage Area	0	
8.4	Nature (Characteristics of wastes) and quantity of waste	:	a) Handled per annum:	NA		
			b) Stored at any time:	NA		
8.5	Mode of Management / Disposal of above Wastes	:	S. No	Disposal	Please tick	
			1.	Secured storage within industrial unit		
			2.	Utilization with in the plants (if not, please provide details of utilization)		
			3.	Common TSDF		
				Within the State		
				Outside the State		
			4.	Others	<input checked="" type="checkbox"/>	
8.6	Arrangement for transportation of H.W. to actual users / TSDF	:	NA			
8.7	Details of the environmental safeguards and environmental facilities provided for safe handling of all the wastes;	:	NA			

"This is computer generated document from OCMS by UPPCB"

AGGARWAL BUILTEC INDIA,5 MLD STP Village Palhipur , Dist. Sultanpur , U.P. Pin Cod - 227808,SULTANPUR,227808,35219791

Page9

8.8	Hazardous and other wastes Generated as per these rules from storage of hazardous Chemicals as defined under the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989.	:	NA
8.9	For Treatment, storage and disposal facility (TSDF) operators	:	<p>1. Please provide details of the facility including:</p> <p>a) Location of site with layout map :NA Not Attached</p> <p>b) Safe storage of the waste and storage capacity :NA</p> <p>c) Treatment processes and their capacities:NA</p> <p>d) Secured landfills:NA</p> <p>e) Incineration, if any:NA</p> <p>f) Leachate collection and treatment system:NA</p> <p>g) Firefighting systems:NA</p> <p>h) Environmental management plan including monitoring:NA</p> <p>i) Arrangement for transportation of waste from generators:NA</p> <p>2. Please provide details of any other activities undertaken at the TSDF site:</p> <p>NA</p>

Note:

1. In case of renewal of authorization, previous authorization numbers and dates and provide copies of annual returns of last three years including the compliance reports with respect to the conditions of Prior Environmental Clearance, wherever applicable.
2. Provide copy of the Emergency Response Plan (ERP) which should address procedures for dealing with emergency situations (viz. Spillage or release or fire) as specified in the guidelines of CPCB. Such ERP shall comprise the following, but not limited to:
 - Containing and controlling incidents so as to minimise the effects and to limit danger to the persons, environment and property;
 - Implementing the measures necessary to protect persons and the environment;
 - Description of the actions which should be taken to control the conditions at events and to limit their consequences, including a description of the safety equipment and resources available;
 - Arrangements for training staff in the duties which they are expected to perform;
 - Arrangements for informing concerned authorities and emergency services; and
 - Arrangements for providing assistance with off-site mitigatory action.
3. Provide undertaking or declaration to comply with all provisions including the scope of submitting bank guarantee in the event of spillage, leakage or fire while handling the hazardous and other waste.

"This is computer generated document from OCMS by UPPCB"

AGGARWAL BUILTEC INDIA, 5 MLD STP Village Palhipur, Dist. Sultanpur, U.P. Pin Cod - 227808, SULTANPUR, 227808, 35219791

Page 10

8.10	For Recyclers or pre-processors or co-processors or users of hazardous or other wastes)	:	a) Nature and quantity of different wastes received per annum from domestic sources or imported or both	:	NA
		:	b) Installed capacity as per registration issued by the District Industries Centre or any other authorized Government agency.	:	Not Attached
		:	c) Provide details of secured storage of wastes including the storage capacity.	:	NA
		:	d) Process description including process flow sheet indicating equipment details, inputs and outputs (input wastes, chemicals, products, by-products, waste generated, emissions, waste water, etc.).	:	Not Attached
		:	e) Provide details of end users of products or by-products.	:	NA
		:	f) Provide details of pollution control systems such as Effluent Treatment Plant, scrubbers, etc. including mode of disposal of waste	:	NA
		:	g) Provide details of occupational health and safety measures:	:	NA
		:	h) Has the facility been set up as per Central Pollution Control Board guidelines? If yes, provide a report on the compliance with the guidelines.	:	NA
		:	i) Arrangements for transportation of waste to the facility:	:	NA
8.11	Any relevant information not Covered in the above items	:	NA		

PART E: PAYMENT DETAILS

9.0 Payment Details

9.1	Payment Mode	:	Online
9.2	Transaction Details in case of online	:	Payment will be done On Single Window Portal
9.3	Draft details in case of offline	:	Amount(Rs):
		:	Draft No:
		:	In favour of:
		:	Bank Name:
		:	Date:
9.4	Amount of Fee paid	:	Rs.20000.0

DECLARATION

"This is computer generated document from OCMS by UPPCB"

AGGARWAL BUILTEC INDIA, 5 MLD STP Village Palhipur, Dist. Sultanpur, U.P. Pin Cod - 227808, SULTANPUR, 227808, 35219791

Page 11

a. I/We declare that the above furnished information is true and correct to the best of my/our knowledge. I/We am/ are aware that furnishing any wrong information is punishable under Section 38(f) of the Air (Prevention & Control of Pollution) Act, 1981, Section 42(f) of the Water (Prevention & Control of Pollution) Act, 1974

b. I / We hereby submit that in case of any change from what is stated in this application in respect of raw materials, products, process of manufacture and treatment and/or disposal of effluent, emission, hazardous wastes etc. in quality and quantity; a fresh application for Consent shall be made and until the grant of fresh Consent is granted, no change shall be made. I/ We am/are aware that the violations of Section 21 attract penal provisions under the relevant provisions of the Air (Prevention & Control of Pollution) Act, 1981, the violations of Section 25 attract penal provisions under the relevant provisions of the Water (Prevention & Control of Pollution) Act, 1974

c. I / We herewith submit an affidavit on the basis of which consent to Operate will be issued to me/us and I/ We will be held responsible under Section 39 of the Air (Prevention & Control of Pollution) Act, 1981/under Section 45(A) of the Water (Prevention & Control of Pollution) Act, 1974 for any misleading / wrong representation.

d. I / We undertake to furnish any other information within one month of its being called by the State Board.

Date: 2026-01-02

Place: SULTANPUR

Name & Signature of the Occupier/

Authorized Signatory

PARVEEN KUMAR

Mandatory Documents to be enclosed for grant of Consent to Operate:

1. Licenses / Certificates:

(a) Legal Status of Company:

- i. Partnership / Proprietary / Company etc.; or
- ii. SSI / MSME Certificate (Udyog Aadhar) / Memorandum of Entrepreneurship, if applicable;

(b) Location of the Project:

- i. Industrial Area: Allotment letter from the respective Industrial Area Development Board /Corporation / Land Possession Certificate; or
- ii. Other than Industrial Area: Registered Land Deed / Land Conversion Certificate from concerned Authority / Rent (or) Lease Agreement in case of the property is on rent / lease;

(c) Mining Project: Mineral Mining Lease permission granted by the Department of Mines SS & Geology, if applicable;

(d) Environmental Clearance issued by the competent authority

(e) Investment: Chartered Accountant Certificate about proposed Capital Investment.

2. Technical Details:

- i. Environmental Impact Assessment Report, submitted to SEIAA of State Govt or Govt of India
- ii. Project report comprising manufacturing process ,raw materials, wastewater generation from various activity, effluent treatment plant, Fuel used, Sources of emission and air pollution control devices proposed

"This is computer generated document from OCMMS by UPPCB"

AGGARWAL BUILTEC INDIA,5 MLD STP Village Palhipur , Dist. Sultanpur , U.P. Pin Cod - 227808,SULTANPUR,227808,35219791

Page12

3. Compliance report of the consent to establish / consent to operate for expansion and renewal, as applicable.**Document List-**

SchematicDiagramOfTreatmentScheme

BriefManufacturingProcessWithProcessFlow

AnalysisReportOfUntreatedAndTreated

AnalysisReportsofStackEmissions

Balance sheet Or CA Certificate



"This is computer generated document from OCMMS by UPPCB"

AGGARWAL BUILTEC INDIA, 5 MLD STP Village Palhipur , Dist. Sultanpur , U.P. Pin Cod - 227808, SULTANPUR, 227808, 35219791

Page 13

All Fee Payment Details for Unit Id - Unit Name : **UPSWP24014845705 - AGGARWAL****BUILTEC INDIA**

Sr.No.	Department Name	Service Name	Required Fee Amount In (INR)	Payment ID	Bank Transaction Transaction ID Transaction Date
1.	Pollution Control Board	Consolidated Form for Consent under Water Act 1974 Air Act 1981 and authorization under the Hazardous and Other Wastes	20000	UP01526021916364246	ID : 260219261500965 📅 2026-02-19 16:38:04

All Fee Payment Details for Unit Id - Unit Name : **UPSWP24014845703 - AGGARWAL****BUILTEC INDIA**

Sr.No.	Department Name	Service Name	Required Fee Amount In (INR)	Payment ID	Bank Transaction ID Transaction Date
1	Pollution Control Board	Consolidated Form for Consent under Water Act 1974 Air Act 1981 and authorization under the Hazardous and Other Wastes	10000	UP01526021916341950	ID : 260219261500753 📅 2026-02-19 16:35:39



कार्यालय अधिशासी अभियन्ता

खण्ड कार्यालय, उ०प्र० जल निगम (ग्रामीण)
विनोवापुरी (लोलेपुर) निकट वर्मा, उपवन, सुल्तानपुर
Email ID- exenjn_rsultanpur@yahoo.com

पत्रांक : 492 / ७-17 / 10 दिनांक : 07/02/2026

सेवा में,

मुख्य अभियन्ता (रिंग),
उ०प्र० जल निगम (ग्रामीण),
लखनऊ।

विषय:- 05एम०एल०डी० एस०टी०पी० पर नाला टैपिंग/पक्का बांध (दियर वाल) के प्राक्कलन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक जनपद सुल्तानपुर में 05 एम०एल०डी० एस०टी०पी० का अनुसूचण एवं संचालन मेसर्स, ई०आई०ई०पी०एल०-ए०वी०आई० जे०वी०, वर्धमान प्रीमियम, प्रीतमपुरा, नई दिल्ली द्वारा कराया जा रहा है। उक्त एस०टी०पी० पर एक नग नाले को टैप किया जा रहा है। नाला वर्तमान में कच्चा है जिसे पक्का करने हेतु प्राक्कलन अनुमानित लागत ₹० 39.21 लाख विरचित किया गया है।

अतः आपको प्राक्कलन इस अनुरोध के साथ प्रेषित है कि प्राक्कलन एन०एम०सी०जी० से स्वीकृत कराने की कृपा करें जिससे नाले का समुचित टैप किया जा सके।

महदीय
✓
(वकार हुसैन)
अधिशासी अभियन्ता

पृ०स० एवं दिनांक-उपरोक्तानुसार।

प्रतिलिपि:-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित-

1. मुख्य अभियन्ता (ल०क्षेत्र), उ०प्र० जल निगम (ग्रामीण), लखनऊ।
2. अधीक्षण अभियन्ता, मण्डल कार्यालय, उ०प्र० जल निगम(ग्रामीण), अयोध्या कैम्प-सुल्तानपुर।
3. अधिशासी अभियन्ता, खण्ड कार्यालय (वि०/या०), उ०प्र० जल निगम (ग्रामीण), अयोध्या।
4. श्री प्रमोद कुमार, सहा०अभि०/श्री पी०के० छाबड़ा, जू०ई०।
5. मेसर्स, ई०आई०ई०पी०एल०-ए०वी०आई० जे०वी०, वर्धमान प्रीमियम, प्रीतमपुरा, नई दिल्ली।

✓
अधिशासी अभियन्ता

159

ANNEXURE-9

By Email Received



कार्यालय अधिशासी अभियन्ता

खण्ड कार्यालय, उ०प्र० जल निगम (ग्रामीण)
विनोवापुरी (लोलेपुर) निकट वर्मा, उपवन, सुल्तानपुर
Email ID- exenjn_sultanpur@yahoo.com

12/2/26
PA
संलग्नक-4

पत्रांक : 626 / W-17 / 19 दिनांक : 17/02/2026

सेवा में,

क्षेत्रीय अधिकारी,
उ०प्र० जल प्रदूषण,
नियंत्रण बोर्ड, रायबरेली।

विषय- 05 एम०एल०डी० एस०टी०पी० पर नाला टैपिंग/पक्का बांध (बियर वाल) के प्राक्कलन के सम्बन्ध में।

महोदय,

उपरोक्त विषयक आपके पत्रांक 526 /Noc-1573/S/2025-26 दिनांक 18.12.2025 के संदर्भ में अवगत कराना है कि गभड़िया नाला पर पक्का बांध हेतु प्राक्कलन खण्ड कार्यालय के पत्रांक 482/डब्ल्यू-17/10 दिनांक 07.02.2026 द्वारा मुख्य अभियन्ता (गंगा), उ०प्र० जल निगम (ग्रामीण), लखनऊ को प्रेषित किया गया है। सूचनार्थ प्रेषित।

भवदीय

for Premod
अधिशासी अभियन्ता

पृ०स० एवं दिनांक-उपरोक्तानुसार।

प्रतिलिपि-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित-

1. मुख्य अभियन्ता (गंगा), उ०प्र० जल निगम (ग्रामीण), लखनऊ।
2. मुख्य अभियन्ता (ल०क्षेत्र), उ०प्र० जल निगम (ग्रामीण), लखनऊ।
3. अधीक्षण अभियन्ता, मण्डल कार्यालय, उ०प्र० जल निगम(ग्रामीण), अयोध्या कैम्प-सुलतानपुर।
4. अधिशासी अभियन्ता, खण्ड कार्यालय (वि०/या०), उ०प्र० जल निगम (ग्रामीण), अयोध्या।
5. श्री प्रमाद कुमार, सहा०अभि०/श्री पी०के० छाबड़ा, जू०इ०।
6. मेसर्स, ई०आई०ई०पी०एल०-ए०वी०आई० जे०वी०, वर्धमान प्रीमियम, प्रीतमपुरा, नई दिल्ली।

for Premod
अधिशासी अभियन्ता

AEE/SA-II
12/02/2026