

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI**

Original Application No. 1308 of 2024

Bijender Kumar

Applicant(s)

Versus

Uttarakhand Pollution Control Board & Ors.

Respondent(s)

INDEX

S. No.	Particulars	Pg. No.
1.	Response Affidavit on behalf of Respondent No. 5	1 - 6
2.	Annexure R1 Copy of the inspection report of the Committee	7 - 34

THROUGH COUNSEL



ADARSH CHAMOLI
Counsel For Respondent No. 3 and 5
5, Lawyers' Chamber Block – I,
Delhi High Court, New Delhi
Mob: 8375955697
Email Id: adarshchamoli93@gmail.com

PLACE: NEW DELHI

DATE: 05.05.2025

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI

Original Application No. 1308 of 2024

Bijender Kumar

...Applicant

Versus

Uttarakhand Pollution Control Board & Ors.

...Respondents

359
05/04/25

RESPONSE AFFIDAVIT ON BEHALF OF RESPONDENT NO. 5


Affidavit of Omjee Gupta, S/o Shri Shiv Pujan Prasad, aged about 52 years, presently posted as Executive Engineer, Uttarakhand Irrigation Department, Haridwar, Uttarakhand.

Singh
(Deponent)

I, the above-named deponent, do hereby solemnly affirm and State:

1. That the deponent is presently posted as Executive Engineer, Uttarakhand Irrigation Department, Haridwar, Uttarakhand i.e.

Singh



Respondent No. 5 to depose in the present matter and as such he is fully conversant with the facts of the case and competent to swear the present Affidavit.

2. That the above-mentioned matter was last listed for hearing on 02.01.2025, wherein the Hon'ble National Green Tribunal was pleased to issue the following directions:

".....

5. *Issue notice to the respondents for filing their response/reply by way of affidavit before the Tribunal at least one week before the next date of hearing through e-filing. If any respondent directly files the reply without routing it through his advocate, then the said respondent will remain virtually present to assist the Tribunal. The Applicant is directed to serve the respondents and file the affidavit of service at least one week before the next date of hearing.*


....."

3. That in compliance of the above direction, instant response affidavit is being filed.
4. That the deponent has gone through the contents of the above-noted Application (hereinafter referred to as 'the said application') along with the annexures and affidavit filed by the applicant and has fully understood the contents thereof and is in a position to reply to the same.

Singh




5. That the contents of paragraph number 1 of the said application are admitted only to the extent that they are a matter of record. Rest of the contents are vehemently denied. It is wrong to state that the answering respondent is liable for loss of environmental standards.
6. That the contents of paragraph number 2, 3 and 4 of the said application are matter of record and are admitted only to the extent that they accurately reflect such records. Any assertions or implications contrary to the record are expressly denied. It is respectfully submit that in compliance of order passed by the Hon'ble NGT in the matter, an Inquiry Committee for field inspection was constituted vide letter dated 13.01.2024 which was further modified vide letter dated 20.03.2025. The Committee visited the area in question on 21.03.2025. Copy of inspection report of the Committee along with annexures is being marked and filed as **Annexure - R1**.
7. That it is respectfully submit that the land of *Bairagi Camp*, Kankhal, Haridwar is under the administrative control of the Uttarakhand Irrigation Department and is being used for the purposes of *Kanwad Mela / Snan* and other associated activities by the District Administration from time to time. The part of said land, comprising 50000 sq. meter, has been allotted temporary to the Respondent No. 2 for up-gradation and four-lining of Haridwar bypass Package-1



Soti

related works i.e. establishment of casting yard and establishment of Ready Mix Concrete Plant. Respondent No. 2 has obtained necessary permission under the Uttarakhand Stone Crusher, Screening Plant, Mobile Stone Crusher, Mobile Screening Plant, Pulveriser Plant, Hotmix Plant, Ready Mix Plant Anugya, 2021. Copies of *Anugya* issued to Respondent No. 2 are already annexed with inspection report of the Committee.

8. That in reply of paragraph number 5 of the said application, it is humbly submitted that Respondent No. 2 has obtained necessary permission from concerned department including Consent to Establish (CTE) and Consolidated Consent & Authorization (CCA) from Uttarakhand Pollution Control Board i.e. Respondent No. 1 under the relevant provisions of the Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981 and the Hazardous & Other Waste (Management & Transboundary Movement) Rules, 2016 as applicable. Copies of CTE and CCA issued by UKPCB are already annexed with inspection report of the Committee.




9. That the contents of paragraph number 6, 7, 8, 9, 10, 11 and 12 of the said application are matters of record and are admitted only to the extent that they accurately reflect such records. Any assertions or

Soti

implications contrary to the record are expressly denied. Further, it is respectfully admitted that land allotted to the Respondent No. 2 falls within 1:100 year flood frequency, however, it is beyond the limit of flood frequency of 1:25 years. Moreover, permission is accorded temporary for the specific purposes only which shall be vacated after completion of work.

10. That the contents of paragraph number 13, 14 and 15 of the said application are matter of record and are admitted only to the extent that they accurately reflect such records. Any assertions or implications contrary to the record are expressly denied. It is reiterated that the land area allotted to Respondent No. 2 is beyond the limit of flood frequency of 1:25 years as per Flood Plain Zoning of river Ganga and permission accorded is temporary for the specific purposes only which shall be vacated after completion of work.

11. That the grounds taken by the applicant in the above noted Original Application no. 1308 of 2024 are not tenable. In view of the afore-said facts the original application along with the prayer deserves to be dismissed.



Singh
DEPONENT
Singh

VERIFICATION

Verified at Haridwar, Uttarakhand on 05th day of ^{May} April 2025 that the contents of the above affidavit are true and correct to the best of my knowledge and belief, no part of it is false and nothing material has been concealed therefrom.



IDENTIFIED BY
(Signature)
on behalf of *(Signature)*

ASHUTOSH PRASAD SOTI
NOTARY
Regd No 222/72 Haridwar

05.05.25

(Signature)
DEPONENT

Execution of the Affidavit admitted and signed before me by Smt S.P. Prakash, Smt Gurbt So S.P. Power, which identified by Shri *(Signature)* at the court premises of my office at Haridwar

11.20 AM

(Signature)
ASHUTOSH SOTI
NOTARY, Haridwar
Address: Central Govt of India

6/5 1343/21

कार्यालय हरिद्वार-रूड़की विकास प्राधिकरण, हरिद्वार।

पत्रांक: 286 / एन0जी0टी0 / ओ0एप्लिकेशन नं0-1308 / 2024

दिनांक: 16/04/25

सेवा में,

जिलाधिकारी,
हरिद्वार।

विषय- मा0 एन0जी0टी0 में योजित मूल आवेदन संख्या 1308 / 2024 बिजेन्द्र कुमार बनाम उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 02.01.2025 के क्रम में गठित समिति की आख्या।

महोदय,

कृपया कार्यालय जिलाधिकारी, हरिद्वार के आदेश संख्या 69/एल0बी0ए0-2025 दिनांक 13 जनवरी, 2025 जिसके द्वारा मा0 एन0जी0टी0 में योजित मूल आवेदन संख्या 1308 / 2024 बिजेन्द्र कुमार बनाम उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 02.01.2025 के क्रम में अधोहस्ताक्षरी की अध्यक्षता में एक समिति गठित की गयी थी, का संदर्भ ग्रहण करने का कष्ट करें।

उक्त के क्रम में अधिशासी अभियन्ता, उत्तरी खण्ड, गंग नहर, रूड़की द्वारा सूचित किया गया है कि चूंकि उक्त प्रकरण में वे भी पक्षकार है, अतः उनके द्वारा उच्चाधिकारी स्तर से अनुमोदन उपरान्त पृथक से शपथ-पत्र दाखिल किया जायेगा।

तत्क्रम में अधोहस्ताक्षरी एवं अन्य शेष समिति सदस्यों की संयुक्त आख्या अग्रेत्तर कार्यवाही हेतु संलग्न कर प्रेषित है।

संलग्नक:- यथोपरि।

भवदीय,



(मनीष कुमार सिंह)
सचिव

मा0 एन0जी0टी0 द्वारा मूल आवेदन सं0-1308/2024 बिजेन्द्र कुमार बनाम उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 02.01.2025 के अनुपालन में संयुक्त कमेटी की निरीक्षण आख्या।

मा0 एन0जी0टी0 द्वारा मूल आवेदन सं0-1308/2024 बिजेन्द्र कुमार बनाम उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड एवं अन्य में पारित आदेश दिनांक 02.01.2025 में निम्नलिखित निर्देश निर्गत कये गये हैं:-

“.....

5. Issue notice to the respondents for filling their response/reply by way of affidavit before the Tribunal at least one week before the next date of hearing through e-filing. If any respondents directly file the reply without routing it through his advocate, then the said respondent will remain virtually present to assist the Tribunal. The Applicant is directed to serve the respondents and file the affidavit of service at least one week before the next date of hearing”

.....”

मा0 एन0जी0टी0 द्वारा पारित आदेशों के अनुपालन में जिलाधिकारी, हरिद्वार द्वारा विषयगत प्रकरण में आख्या हेतु दिनांक 13.01.2025 द्वारा निम्नानुसार जांच समिति का गठन किया गया:-

- | | | |
|---|---|----------|
| 1. सचिव, हरिद्वार रुड़की विकास प्राधिकरण, हरिद्वार | - | अध्यक्ष। |
| 2. अधिशासी अभियंता, सिंचाई खण्ड, हरिद्वार | - | सदस्य। |
| 3. अधिशासी अभियंता उत्तरी खण्ड, गंगनहर, रुड़की (उत्तरप्रदेश सिंचाई) | - | सदस्य। |
| 4. क्षेत्रीय अधिकारी, उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड, रुड़की | - | सदस्य। |

समिति द्वारा दिनांक 21.03.2025 को विषयगत क्षेत्र का निरीक्षण किया गया। कार्यालय ज्ञाप एवं निरीक्षण में उपस्थित अधिकारियों की उपस्थिति संलग्न है। (संलग्नक-1)।

निरीक्षण आख्या निम्नवत् है:-

1. प्रकरण मै0 इरकॉन इन्टरनेशनल लि0, को बैरागी कैम्प, हरिद्वार के नदी बाढ़ परिक्षेत्र के अन्तर्गत कौन्क्रीट मिक्सिंग प्लांट की स्थापना हेतु अनुमति निर्गत किये जाने के सम्बन्ध में है। निरीक्षण के समय विषयगत स्थल पर कान्क्रीट मिक्सिंग प्लांट संचालन में पाया गया।
2. मै0 इरकॉन इन्टरनेशनल लि0, द्वारा हरिद्वार बाईपास पैकेज-1 के उच्चीकरण एवं फोरलेन के निर्माण हेतु कास्टिंग यार्ड एवं कौन्क्रीट मिक्सिंग प्लांट की स्थापना हेतु बैरागी कैम्प, हरिद्वार में उपलब्ध भूमि को लीज पर उपलब्ध कराने का अनुरोध किया गया। भारतीय राष्ट्रीय राजमार्ग प्राधिकरण, परियोजना कार्यावन्धन इकाई, देहरादून द्वारा अधिशासी अभियंता, सिंचाई विभाग, हरिद्वार से बैरागी कैम्प, हरिद्वार में उपलब्ध भूमि को मै0 इरकॉन इन्टरनेशनल लि0 को उपलब्ध कराने का अनुरोध किया गया। (संलग्नक-2)।





3. अधिशासी अभियंता, सिंचाई खण्ड, मायापुर, हरिद्वार द्वारा जिलाधिकारी, हरिद्वार को सम्बोधित पत्र दिनांक 04.04.2022 के अनुसार बैरागी कैम्प क्षेत्र मेला भूमि के अन्तर्गत है एवं वर्तमान में खाली है एवं जिला प्रशासन की कांवड़ मेलों के आयोजन के दृष्टिगत राष्ट्रीय राजमार्ग प्राधिकरण की उक्त फर्म मै0 इरकॉन इन्टरनेशनल लि0 को अनुमति की दशा में विभागीय नियम/शर्तों के साथ अस्थाई रूप से बैरागी कैम्प स्थित खाली भूमि में अनुमति प्रदान की जा सकती है। अग्रेतर अधिशासी अभियंता के पत्र दिनांक 19.05.2022 के अनुसार बैरागी कैम्प स्थित भूमि का प्रबन्धन एवं नियंत्रण सिंचाई विभाग, उत्तराखण्ड का है। (संलग्नक-3)।
4. जिलाधिकारी, हरिद्वार द्वारा कार्यालय ज्ञाप सं0-516/जि0भू0व्य0सहा0-2022 दिनांक 21.05.2022 द्वारा भारतीय राष्ट्रीय राजमार्ग प्राधिकरण की अनुबन्धित फर्म मै0 इरकॉन इन्टरनेशनल लि0 को हरिद्वार बाईपास पैकेज-1 के उच्चीकरण एवं फोरलेन के निर्माण हेतु बैरागी कैम्प, हरिद्वार की 50,000 वर्ग मीटर भूमि को तीन वर्ष के लिए कैम्प/कास्टिंग यार्ड एवं कौन्कीट मिक्सिंग प्लांट की स्थापना हेतु अस्थाई रूप से अनुमति प्रदान की गयी। (संलग्नक-4)।
5. जिलाधिकारी, हरिद्वार के कार्यालय ज्ञाप दिनांक 21.05.2022 के अनुपालन में अधिशासी अभियंता, सिंचाई खण्ड मायापुर, हरिद्वार द्वारा अपने पत्र दिनांक 24.05.2022 द्वारा उक्त भूमि का मासिक किराया रू0-10,7600/- एवं रू0- 4,00,000/- की धरोहर राशि सहित अन्य शर्तों के साथ मै0 इरकॉन इन्टरनेशनल लि0 को अनुमति निर्गत की गयी। (संलग्नक-5)।
6. मै0 इरकॉन इन्टरनेशनल लि0 को जिलाधिकारी, हरिद्वार द्वारा दिनांक 13.09.2022 को उत्तराखण्ड स्टोन क्रेशर, स्क्रीनिंग प्लांट, मोबाईल स्टोन क्रेशर, मोबाईल स्क्रीनिंग प्लांट, पल्वलाईजर प्लांट, हॉटमिक्स प्लांट, रेडिमिक्स प्लांट अनुज्ञा निति के अन्तर्गत बैरागी कैम्प, कनखल, हरिद्वार में 95 टन प्रतिघंटा क्षमता का रेडिमिक्स प्लांट एवं प्लांट परिसर में 2,20,000 टन उप खनिज के भण्डारण की 02 वर्ष हेतु (दिनांक 12.09.2024 तक) सशर्त अनुमति स्वीकृत की गयी। उक्त अवधि के समाप्त होने के उपरान्त अवैध संचालन की सम्भावना के दृष्टिगत दिनांक 28.10.2024 को राजस्व विभाग एवं भूतत्व एवं खनिकर्म विभाग की संयुक्त टीम द्वारा आर0एम0सी0 प्लांट को सील किया गया। (संलग्नक-6)।
7. उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड द्वारा मै0 इरकॉन इन्टरनेशनल लि0 को क्षेत्रीय कार्यालय, रुड़की के पत्रांक:- यूकेपीसीबी/आर0ओ0आर0/एनओसी-1542/2022/1134 दिनांक 18.11.2022 द्वारा 30,000 टन प्रति माह क्षमता के रेडिमिक्स कान्कीट प्लांट की स्थापना हेतु स्थापनार्थ सहमति (Consent to Establish) एवं पत्रांक:-यूकेपीसीबी/आर0ओ0आर0/सहमति/आई-84/2022/1277 दिनांक 27.12.2022 द्वारा दिनांक 31.03.2023 तक संचालनार्थ सहमति (Consent to Operate) निर्गत की गयी। मै0 इरकॉन इन्टरनेशनल लि0 के आवेदन के क्रम में संचालनार्थ सहमति (Consent to Operate) दिनांक 31.03.2027 तक Renew की गयी। (संलग्नक-7)।
8. भूतत्व एवं खनिकर्म विभाग के कार्यालय ज्ञाप सं0-05/सं0नि0ग0म0/खनन/भू0खनि0नि0/2024-25, दिनांक 29.10.2024 द्वारा उत्तराखण्ड स्टोन क्रेशर, स्क्रीनिंग प्लांट, मोबाईल स्टोन क्रेशर, मोबाईल स्क्रीनिंग प्लांट, पल्वलाईजर प्लांट, हॉटमिक्स प्लांट, रेडिमिक्स प्लांट अनुज्ञा निति

के अन्तर्गत मै0 इरकॉन इन्टरनेशनल लि0 को पूर्व में स्वीकृत 95 टन/घंटा क्षमता का रेडिमिक्स प्लांट तथा प्लांट परिसर में एस समय में कुल 2,20,000 टन उक्त खनिज भण्डारण की अनुज्ञा की अनुमति 02 वर्ष अथवा परियोजना निर्माण अवधि, जो भी न्यून हो, तक की अवधि हेतु सशर्त प्रदान की गयी। (संलग्नक-8)।


9. उत्तराखण्ड बाढ़ मैदान परिक्षेत्रण अधिनियम, 2012 के अन्तर्गत जनपद हरिद्वार में गंगा नदी के बाढ़ मैदान परिक्षेत्रण सम्बन्धी कार्य किया गया है। मै0 इरकॉन इन्टरनेशनल लि0 को बैरागी कैम्प में कैम्प/कास्टिंग यार्ड एवं कान्क्रीट मिक्सिंग प्लांट की स्थापना एवं संचालन हेतु निर्गत भू-भाग 1:25 वर्षीय बाढ़ आवृति क्षेत्र से बाहर है तथा 1:100 वर्षीय बाढ़ आवृति क्षेत्र के अन्तर्गत है।
10. मै0 इरकॉन इन्टरनेशनल लि0 को बैरागी कैम्प, कनखल, हरिद्वार में कैम्प/कास्टिंग यार्ड एवं कान्क्रीट मिक्सिंग प्लांट की स्थापना एवं संचालन हेतु अनुमति मात्र परियोजना सम्बन्धी निर्माण कार्य हेतु अस्थाई रूप से निर्गत है। विषयगत स्थल पर निर्मित निर्माण एवं स्थापना सम्बन्धी कार्य नितान्त अस्थाई प्रकार का है, जिन्हें परियोजना सम्बन्धी निर्माण कार्य के उपरान्त विषयगत स्थल से पूर्णतया हटाया जाना है।

उपरोक्तानुसार निरीक्षण आख्या प्रेषित है।



अधिशाली अभियंता
सिंचाई खण्ड, हरिद्वार

अधिशाली अभियंता
उत्तरी खण्ड, गंग नहर,
रूड़की


प्रभारी खान अधिकारी/खान
निरीक्षक, भूतत्व एवं खनिकर्म
विभाग, जिला हरिद्वार।


क्षेत्रीय अधिकारी,
उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड,
रूड़की


सचिव
हरिद्वार-रूड़की विकास प्राधिकरण, हरिद्वार



आदेश

मा० एन०जी०टी० में योजित Original Application No. 1308/2024 Bijender Kumar Applicant Versus Uttarakhand Pollution Control Board & Ors. Respondent(s). में पारित आदेश दिनांक 02.01.2025 के अनुपालन के संबंध में हैं। प्रश्नगत प्रकरण में मा० एन०जी०टी० द्वारा दिनांक 02.01.2025 को निम्नवत् आदेश पारित किया गया है:-

1. In this original application, the Applicant has raised an objection to the hot mix plant set up by Respondent No. 2, M/s Ircon International Limited.
2. The submission of Counsel for the Applicant is that the plant has been set up in the Ganga Doob area, Haridwar, the land comes under the Kumbh Mela land, and it is within 200 meters of the River Ganga at Kankhal, Haridwar, Uttarakhand.
3. During the course of the argument, learned Counsel for the Applicant has referred to the Notice dated 13.03.2024 sent to Respondent No. 2 stating that the plant has been set up in the flood zone. He has also referred to the newspaper report along with the photographs on page 89, Annexure P-8 to show that the plant at Bairagi camp was flooded. He has also referred to the order dated 30.07.2024 (page 75), which states that the construction was not permissible within 200 metres of river Ganga and was falling under the flood area. Referring to the Special Condition no. 15 of the Consolidated Consent and Authorization (CCA) dated 02.05.2023 (page 63), he has submitted that the unit was not allowed to operate during the night hours as defined under the Noise Rules of 2000, but the same is running during the night hours also and in support of his submissions, he has placed reliance upon the photographs on page 67.
4. In compliance with the previous order, Applicant has placed on record additional documents starting from page 82 onwards.
5. Issue notice to the respondents for filing their response/reply by way of affidavit before the Tribunal at least one week before the next date of hearing through e-filing. If any respondent directly files the reply without routing it through his advocate, then the said respondent will remain virtually present to assist the Tribunal. The Applicant is directed to serve the respondents and file the affidavit of service at least one week before the next date of hearing.
6. List on 22.04.2025.

मा० एन०जी०टी० द्वारा पारित आदेश दिनांक 02.01.2025 में दिये गये निर्देशों का समयबद्ध अनुपालन एवं वांछित रिपोर्ट समयान्तर्गत प्रेषित करने के निर्देश दिये गये हैं, जिस हेतु अद्योहस्ताक्षरी की ओर से सचिव, हरिद्वार-रूडकी विकास प्राधिकरण, हरिद्वार की अध्यक्षता में निम्नवत् जांच समिति का गठन किया जाता है:-

- | | | | |
|----|---|---|---------|
| 1- | सचिव, हरिद्वार-रूडकी विकास प्राधिकरण, हरिद्वार। | - | अध्यक्ष |
| 2- | अधिसासी अभियन्ता, सिंचाई खण्ड, हरिद्वार। | - | सदस्य |
| 3- | अधिसासी अभियन्ता, उत्तरी खण्ड गंग नहर रूडकी (उत्तर प्रदेश सिंचाई) | - | सदस्य |
| 4- | क्षेत्रीय अधिकारी, उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड, रूडकी। | - | सदस्य |

प्रश्नगत प्रकरण में अगली सुनवाई-हेतु दिनांक 22.04.2025 नियत है। अतः उक्त को निर्देशित किया जाता है कि मा0 एन0जी0टी0 द्वारा पारित आदेश दिनांक 02.01.2025 के अनुपालन में वांछित आख्या / Action Taken Report एक पक्ष के भीतर मा0 एन0जी0टी0 में दाखिल कराना सुनिश्चित करें तथा कृत कार्यवाही से अद्योहस्ताक्षरी को भी अवगत कराये।

(कर्मन्द् सिंह)
जिलाधिकारी,
हरिद्वार।


कार्यालय जिलाधिकारी हरिद्वार।

पत्रांक: 69 / एल0बी0ए0-2025

दिनांक: 13 जनवरी, 2025

प्रतिलिपि-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

- 1- रजिस्ट्रार जनरल, मा0 एन0जी0टी0 फरीदकोट हाउस, कॉपरनिकस मार्ग, नई दिल्ली-110001
- 2- सदस्य सचिव मुख्यालय उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड गौरा देवी पर्यावरण भवन 46 बी, आई0टी0 पार्क सहस्त्रधारा रोड देहरादून।
- 3- सचिव, हरिद्वार-रूडकी विकास प्राधिकरण, हरिद्वार।
- 4- अधिशासी अभियन्ता, सिंचाई खण्ड, हरिद्वार।
- 5- अधिशासी अभियन्ता, उत्तरी खण्ड गंग नहर रूडकी (उत्तर प्रदेश सिंचाई)।
- 6- क्षेत्रीय अधिकारी, उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड, रूडकी को इस निर्देश के साथ प्रेषित है कि समिति के अध्यक्ष से समन्वय स्थापित कर वांछित आख्या / Action Taken Report एक पक्ष के भीतर मा0 एन0जी0टी0 में दाखिल कराना सुनिश्चित करें।
- 7- जिला खान अधिकारी, हरिद्वार।


13.01.25
जिलाधिकारी,
हरिद्वार।

संशोधित आदेश

Regional Office, Roorkee

Diary No.: 4154

Date: 22/03/2025

इस कार्यालय के आदेश संख्या-69/एल0बी0ए0-2025 दिनांक 13.01.2025 का संदर्भ ग्रहण करने का कष्ट करें, जो कि मा0 एन0जी0टी0 में योजित Original Application No. 1308/2024 Bijender Kumar Applicant Versus Uttarakhand Pollution Control Board & Ors. Respondent(s). में पारित आदेश दिनांक 02.01.2025 के अनुपालन के संबंध में है। प्रश्नगत प्रकरण में आंशिक संशोधन करते हुए प्रभारी खान अधिकारी/खान निरीक्षक, भूतत्व एवं खनिकर्म विभाग, हरिद्वार को सदस्य सचिव नामित किया जाता है।

मा0 एन0जी0टी0 द्वारा पारित आदेश दिनांक 02.01.2025 में दिये गये निर्देशों का समयबद्ध अनुपालन एवं वांछित रिपोर्ट समयान्तर्गत प्रेषित करने के निर्देश दिये गये हैं, जिस हेतु सचिव, हरिद्वार-रूडकी विकास प्राधिकरण, हरिद्वार की अध्यक्षता में निम्नवत् जांच समिति का गठन किया जाता है:-

- | | | | |
|----|---|---|------------|
| 1- | सचिव, हरिद्वार-रूडकी विकास प्राधिकरण, हरिद्वार। | - | अध्यक्ष |
| 2- | प्रभारी खान अधिकारी/खान निरीक्षक, भूतत्व एवं खनिकर्म विभाग, हरिद्वार। | - | सदस्य सचिव |
| 3- | अधिशाली अभियन्ता, सिंचाई खण्ड, हरिद्वार। | - | सदस्य |
| 4- | अधिशाली अभियन्ता, उत्तरी खण्ड गंग नहर रूडकी (उत्तर प्रदेश सिंचाई) | - | सदस्य |
| 5- | क्षेत्रीय अधिकारी, उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड, रूडकी। | - | सदस्य |

प्रश्नगत प्रकरण में अगली सुनवाई हेतु दिनांक 22.04.2025 नियत है। अतः उक्त समिति को निर्देशित किया जाता है कि मा0 एन0जी0टी0 द्वारा पारित आदेश दिनांक 02.01.2025 के अनुपालन में वांछित आख्या/Action Taken Report एक पक्ष के भीतर मा0 एन0जी0टी0 में दाखिल कराना सुनिश्चित करें तथा कृत कार्यवाही से अद्योहस्ताक्षरी को भी अवगत कराये।

(कर्मन्द् सिंह)

जिलाधिकारी,

हरिद्वार।

कार्यालय जिलाधिकारी हरिद्वार।

पत्रांक: 371/एल0बी0ए0-2025

दिनांक: 20मार्च, 2025

प्रतिलिपि-निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

- 1- रजिस्ट्रार जनरल, मा0 एन0जी0टी0 फरीदकोट हाउस, कॉपरनिकस मार्ग, नई दिल्ली-110001
- 2- सदस्य सचिव मुख्यालय उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड गौरा देवी पर्यावरण भवन 46 बी, आई0टी0 पार्क सहस्त्रधारा रोड देहरादून।
- 3- सचिव, हरिद्वार-रूडकी विकास प्राधिकरण, हरिद्वार।
- 4- अधिशाली अभियन्ता, सिंचाई खण्ड, हरिद्वार।
- 5- अधिशाली अभियन्ता, उत्तरी खण्ड गंग नहर रूडकी (उत्तर प्रदेश सिंचाई)।
- 6- क्षेत्रीय अधिकारी, उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड, रूडकी को इस निर्देश के साथ प्रेषित है कि समिति के अध्यक्ष से समन्वय स्थापित कर वांछित आख्या/Action Taken Report एक पक्ष के भीतर मा0 एन0जी0टी0 में दाखिल कराना सुनिश्चित करें।
- 7- प्रभारी खान अधिकारी/खान निरीक्षक, भूतत्व एवं खनिकर्म विभाग, हरिद्वार।



जिलाधिकारी,

हरिद्वार।

50
22/03/25

उपस्थित पत्र

- कार्यालय जिलाधिकारी हरिद्वार के आदेश दिनांक 13/01/25 के क्रम में मा० HGA द्वारा पारित आदेश दिनांक 02-01-25 के अनुपालन में बाधित आख्या / Action taken record दारिद्र्य सिद्ध होने हेतु उपस्थित अधिकारियों की उपस्थिति निम्नवत् है।

क्र.सं.	नाम	पदनाम	सं.क्र.	हस्ताक्षर
①	Manish Krsj	Sec HRDA	6399002099	JK
②	Mohit Bishnoi	DMO	9761575305	JK
③	Manish Kumar	Mine Insp	9927215722	JK
④	Dr. Rajendra Singh, AO, UKPCB		9412383118	20/Jan
⑤	Ashwini Kumar	Senior	9887083510	JK
⑥	Sanjay Kumar	AE I.D. Haridwar	941100727	JK
⑦	Rishi Ram Singh	Jedhar	9058161758	JK
⑧	Rajat Kumar	searchpal	8394891821	JK
⑨	Vivek Kumar	insp	6397954352	JK
⑩	Munesh Kumar	DROND	9927607007	JK
⑪	Harriom Singh	SDD I		

National Highways Authority of India

(Ministry of Road Transport & Highways, Govt. of India)

परियोजना कार्यान्वयन ईकाई-वसन्त विहार, (देहरादून)

Project Implementation Unit-Vasant Vihar (Dehradun)

मकान सं० 171, फेज- I, वसन्त विहार, देहरादून- 248006

House no.171, Phase-I, Vasant Vihar-Dehradun - 248006



भारतमाला
प्रगति के पथ पर अग्रणी

NHAI/PIU-VSNT-VHR/44011/LA(HDR Ring Road/2021/ 1897

Dt.09.03.2022

To,

Executive Engineer,
Irrigation Department,
Haridwar, Uttarakhand

Sub: Upgradation and Four Laning of Haridwar Bypass from Km. 0+000 to Km. 24+800 in the state of Uttarakhand. Reg- Requirement of Land for setting up Casting Yard.

Ref: - M/s IRCON International Ltd. office letter no. IRCON/NHAI/Corr-01/03 dated 08.03.2022.

Sir,

It is to informed that NHAI, HQ has been issued LOA dated 06.01.2022 vide which the work for construction of subject project has been assigned to M/s IRCON International Ltd.

In continuation of same concessionaire vide letter cited above has intimated that suitable land parcel is available at Bairagi Camp under your jurisdiction for setting up of Camp/Casting yard for the subjected project. Concessionaire has also undertook to procure necessary approvals/clearances and to pay necessary fee/charges for setting up of said camp.

In view of execution of project of national interest the concessionaire's request is being forwarded for taking necessary suitable action at your end.

Thanking You

Encl: As above.

Yours faithfully,

(P.K. Mourya)

GM (Tech) cum Project Director
PIU-Vasant Vihar (Dehradun)

Copy to: For kind information please.

(i) R.O. Uttarakhand, NHAI, Dehradun.

(ii) District Magistrate, Haridwar.

(iii) M/s IRCON International Ltd. for kind information & necessary action please.

मुख्य राजस्व सहायक

10/3/22

पत्र सं० 754

दिनांक 11-3-22

880

श्री. वि. वि. उपराजस्व अधिकारी

श्री. वि. वि. उपराजस्व अधिकारी

सिद्धि

अधीनस्थ अधिकारी



IRCON HARIDWAR BYPASS LIMITED
 (A Wholly Owned Subsidiary of Ircon International Limited)
 CIN:U45209DL2022GOI392406

No.: IRCON/NHAI/Corr-01/03

Dated: 08.03.2022

The GM (T) & Project Director,
 NHAI, PIU – Dehradun,
 # 171, Phase-1, Vasant Vihar,
 Dehradun – 248006 (Uttarakhand)
 Email id: piuvasantvihar@nhai.org

Dear Sir,

Sub: Upgradation and Four Laning of Haridwar Bypass Package-1 from KM 0+000 (KM 188+100 of NH-58) to KM 15+100 (KM 5+100 of NH-74) in the state of Uttarakhand on Hybrid Annuity mode"- Requirement of Land for setting up of Casting Yard

Ref: LOA no.NHAI/PIU-VV/HRR/Estimates dated 06.01.2022

Dear Sir,

This is in reference to NHAI LOA dated 06.01.2022 referred above, vide which construction of the subject project has been entrusted to M/s, Ircon International Limited.

In this regard, it is submitted that we require adequate land for setting up of Camp/ Casting yard at a nearby location of the project alignment.

After extensive survey, our executing agency has identified a land of approx. 50,000 Sqm of Bairagi Camp owned by State Irrigation Department of Uttarakhand. *for 3 years. Satish Singh*
 The proposed camp site will allow us to set up a workable temporary casting yard located at *nearby site* an optimum distance from the execution site, thereby ensuring speedy and timely execution *work* of the project.

It is understood that this land parcel is vacant and the department is willing to lease out the same on mutually agreed terms and conditions.

It is submitted that necessary approvals/ environmental clearances for setting up of Casting Yard and Concrete Mixing Plant at Bairagi Camp shall be obtained by us and all the related expenditures i.e. Lease Rent, Fees, Taxes etc. shall also be borne by us.

Your good office is requested to recommend and forward this request to the Executive Engineer, Irrigation Department, Uttarakhand, Haridwar, so that further modalities of hiring/leasing between the Irrigation Department & the executing agency may take place at the earliest.

Thanking you & assuring you of our best services always,

For & on behalf of
 IRCON Haridwar Bypass Limited,

(Masood Ahmad)
 Director

for
by
 08/3

MU



कार्यालय अधिशासी अभियन्ता
सिंचाई खण्ड गागापुर, हरिद्वार-249401
(फोन नं०-01334-221510 ई मेल idharidwar@gmail.com)

पत्रांक - 1579 / सि०ख०ह० / तदिनांक

दिनांक 17.5.22

20/5/22

सेवा में,

जिलाधिकारी,
हरिद्वार।

विषय - राष्ट्रीय राजमार्ग प्राधिकरण की अनुबन्धित फर्म Line Departments को विभागीय नियम/शर्तों के अन्तर्गत 03 (तीन) वर्ष हेतु कैम्प/कार्टिंग यार्ड कंक्रीट मिक्सिंग प्लान्ट की स्थापना हेतु वैरागी कैम्प में स्थित खाली 50000 वर्ग मीटर भूमि अस्थायी रूप से दिये जाने की अनुमति के सम्बन्ध में।

नहोदय,

उपरोक्त विषयक अपने कार्यालय पत्र सं०-511/जि०भू०व्य०सहा०-2022(399) दिनांक 17 मई 2022 का सन्दर्भ ग्रहण करने की कृपा करें। अवगतनीय है कि उत्तर प्रदेश शासन के पत्र सं०-3402/02-27-सी-3/लखनऊ दिनांक 31.10.2002 द्वारा उत्तराखण्ड सिंचाई विभाग को 697.576 हेक्टे० भूमि हस्तान्तरित की गयी है, जिसमें कनखल बगीचा नाम से वैरागी कैम्प स्थित भूमि 19.375 हेक्टे० भूमि सम्मिलित है (शासनादेश की छाया प्रति संलग्न) तथा उपजिलाधिकारी, हरिद्वार ने अपने पत्र सं०-758/एस०टी०-उ०जि०ह०, दिनांक 09.03.2007 द्वारा वैरागी कैम्प स्थित 134.50 हेक्टे० भूमि सिंचाई विभाग के प्रवन्धन की वतायी गयी है (संलग्नक-02)। वैरागी कैम्प स्थित भूमि गंगा नदी द्वारा छोड़ा गया भाग है, जो बिना बन्दोवस्ती भूमि है, राजस्व अभिलेखों (खसरा खतौनी) में संचित नहीं है। जिसका प्रवन्धन एवं नियन्त्रण सिंचाई विभाग उत्तराखण्ड का है। यह भी सूचनाय है कि उक्त सम्बन्ध में जिला शासकीय अधिवक्ता (सिविल) हरिद्वार की विधिक राय भी संलग्न है (संलग्नक-03)।

अतः उपरोक्तानुसार आख्या प्रेषित है।

संलग्नक - उपरोक्तानुसार,

भवदीय

अधिशासी अभियन्ता
सिंचाई खण्ड, हरिद्वार।

पत्रांक - / सि०ख०ह० / तदिनांक

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-

1. मुख्य अभियन्ता स्तर-2, सिंचाई विभाग हरिद्वार।
2. अधीक्षण अभियन्ता, सिंचाई कार्य मण्डल हरिद्वार।
3. उपराजस्व अधिकारी, सिंचाई खण्ड, हरिद्वार।

अधिशासी अभियन्ता,
सिंचाई खण्ड, हरिद्वार।



कार्यालय अधिशासी अभियन्ता
सिंचाई खण्ड गायापुर, हरिद्वार-249401

(फोन नं०-01334-221518 ई-मेल-ldharidwar@gmail.com)

पत्रांक - 997 / सि०ख०ह० / 2191518 दिनांक 04-04-2022

ADM/SC/D/LAC

सेवा में,

जिलाधिकारी,
हरिद्वार।

विषय - Upgradation and four Laning of Haridwar Bypass Package-1 from Km. 0+000 (Km 188+100 to NH-58) to Km. 15.100 (Km. 5.100 of NH-74) in the state of Uttarakhand on Hybrid Annuity mode"- Requirement of land for setting up of Casting Yard.

महोदय,

उपरोक्त विषयक भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (सड़क परिवहन एवं राजमार्ग मंत्रालय भारत सरकार) परियोजना कार्यान्वयन इकाई बसन्त विहार देहरादून के पत्र सं०-NHAI/PIU -VSNT-VHR/44011/2A(HDR Ring road/2021/897 दिनांक 09.03.2022 (छाया प्रति संलग्न) जो कि अधोहस्ताक्षरी को सम्बोधित एवं उक्त की प्रतिलिपि आपको भी पृष्ठांकित है, का सन्दर्भ ग्रहण करने की कृपा करें।

बैरागी कैम्प में भारतीय राष्ट्रीय राजमार्ग प्राधिकरण की अनुबन्धित फर्म M/s IRCON International Ltd द्वारा विषयक कार्य किया जाना है, जिस हेतु 03 (तीन) वर्ष हेतु कैम्प /कास्टिंग यार्ड कंक्रीट मिक्सिंग प्लान्ट की स्थापना हेतु रू० 50000 वर्ग मीटर भूमि की मांग की गयी है।

उक्त क्रम में यह भी अवगतनीय है कि बैरागी कैम्प क्षेत्र मेला भूमि के अन्तर्गत है, जो वर्तमान में खाली है। जिला प्रशासन द्वारा वर्ष 2022, 2023, 2024 में पड़ने वाले कांवड मेलों के दृष्टिगत राष्ट्रीय राजमार्ग प्राधिकरण की उक्त अनुबन्धित फर्म Line Department को आवश्यक अनुमति दी जाती है तो विभागीय नियम/शर्तों के अन्तर्गत अस्थायी रूप से उक्त फर्म को बैरागी कैम्प स्थित खाली भूमि की अनुमति प्रदान की जा सकती है।

रिपोर्ट अग्रिम आवश्यक कार्यवाही हेतु प्रेषित।

संलग्नक- उपरोक्तानुसार।

भवदीय,


अधिशासी अभियन्ता
सिंचाई खण्ड, हरिद्वार।

पत्रांक - /सि०ख०ह० / तदिनांक

प्रतिलिपि निम्नलिखित को सूचनार्थ प्रेषित :-

1. अधीक्षण अभियन्ता, सिंचाई कार्य मण्डल हरिद्वार।
2. उपराजस्व अधिकारी, सिंचाई खण्ड, हरिद्वार।

अधिशासी अभियन्ता,
सिंचाई खण्ड, हरिद्वार।

कार्यालय ज्ञाप

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण(सड़क परिवहन एवं राजमार्ग मंत्रालय भारत सरकार) परियोजना कार्यान्वयन इकाई बसन्त विहार देहरादून ने अपने पत्र दिनांक 09-03-2022 के द्वारा बैरागी कैम्प में भारतीय राष्ट्रीय राजमार्ग प्राधिकरण की अनुबन्धित फर्म M/S IRCON INTERNATIONAL LTD द्वारा Upgradation and four Lining of Haridwar Bypass Package-1 from Km. 0+000(Km 188+100 of NH-58) to Km. 15+100(Km. 5.100 of NH-74)in the State of uttarakhand on Hybrid Annuity mode विषयक कार्य किये जाने हेतु 03(तीन) वर्ष हेतु कैम्प/कारस्टिंग यार्ड कंक्रीट मिक्सिंग प्लांट की स्थापना हेतु 50000 वर्ग मीटर भूमि की मांग की गयी है।

उक्त काम में अधिशासी अभियन्ता,सिंचाई खण्ड,हरिद्वार के द्वारा अपने पत्रांक 997/सि०ख०ह०/अनापत्ति दिनांक 04-04-2022 एवं सं०- 1579 दिनांक 19-05-2022 के द्वारा अयगत कराया गया है कि उत्तर प्रदेश शासन के पत्र सं०-3402/02-27-सी-3/लखनऊ दिनांक 31-10-2002 द्वारा उत्तराखण्ड सिंचाई विभाग को 697.576 हेक्टे० भूमि हस्तान्तरित की गयी है,जिसमें कनखल बगीचा नाम से बैरागी कैम्प स्थित भूमि 19.375 हेक्टे० सम्मिलित है। बैरागी कैम्प स्थित भूमि गंगा नदी द्वारा छोड़ा गया भाग है,जो बिना बन्दोबस्ती भूमि है,राजस्व अभिलेखों (खसरा-खतौनी) में संचित नहीं है, जिसका प्रबन्धन एवं नियंत्रण सिंचाई विभाग उत्तराखण्ड का है।

बैरागी कैम्प क्षेत्र मेला भूमि के अन्तर्गत है,जो वर्तमान में खाली है जिला प्रशासन द्वारा वर्ष 2022,2023 एवं 2024 में पड़ने वाले कावड़ मेलों के दृष्टिगत राष्ट्रीय राजमार्ग प्राधिकरण की उक्त अनुबन्धित फर्म Line Department को आवश्यक अनुमति विभागीय नियम/शर्तों के अन्तर्गत अस्थायी रूप से उक्त फर्म को बैरागी कैम्प स्थित खाली भूमि की अनुमति प्रदान की जा सकती है।

भारतीय राष्ट्रीय राजमार्ग प्राधिकरण(सड़क परिवहन एवं राजमार्ग मंत्रालय भारत सरकार) परियोजना कार्यान्वयन इकाई बसन्त विहार देहरादून के पत्र दिनांक 09-03-2022 के काम में अधिशासी अभियन्ता,सिंचाई खण्ड,हरिद्वार की उपरोक्त जॉब आख्या सं०-997/सि०ख०ह०/अनापत्ति दिनांक 04-04-2022 एवं सं०-1579 दिनांक 19-05-2022 के आधार पर बैरागी कैम्प में 50000 वर्ग मीटर भूमि भारतीय राष्ट्रीय राजमार्ग प्राधिकरण की अनुबन्धित फर्म M/S IRCON INTERNATIONAL LTD को विषयक कार्य किये जाने के लिए 03(तीन) वर्ष हेतु कैम्प/कारस्टिंग यार्ड कंक्रीट मिक्सिंग प्लांट की स्थापना हेतु विभागीय नियम/शर्तों के अन्तर्गत अस्थायी रूप से अनुमति प्रदान की जाती है।

दिनांक:-20-05-2022

ह०
(विनय शंकर पाण्डेय)
जिलाधिकारी
हरिद्वार।

कार्यालय जिलाधिकारी,हरिद्वार।

संख्या: 516 / जि०भू०व्य०सहा०-2022

दिनांक: 21 मई 2022

प्रतिलिपि:- निम्नलिखित को आवश्यक कार्यवाही हेतु प्रेषित।

1. भारतीय राष्ट्रीय राजमार्ग प्राधिकरण(सड़क परिवहन एवं राजमार्ग मंत्रालय भारत सरकार) परियोजना कार्यान्वयन इकाई बसन्त विहार देहरादून।
2. अधिशासी अभियन्ता,सिंचाई खण्ड,मायापुर हरिद्वार।
3. उप जिलाधिकारी/तहसीलदार,हरिद्वार।
4. अनुबन्धित फर्म M/S IRCON INTERNATIONAL LTD.

शह
(पी०एल० शाह)
अपर जिलाधिकारी(प्रशासन)
हरिद्वार।

21/05/22



कार्यालय अधिशासी अभियन्ता
सिंचाई खण्ड मायापुर, हरिद्वार-249401
(फोन नं०-01334-221510 ई-मेल-itharidwar@gmail.com)

पत्रांक - 1678 / सि०ख०ह० /

दिनांक 24-5-2022

सेवा में,

M/s IRCON International Ltd.
Haridwar

विषय - राष्ट्रीय राजमार्ग प्राधिकरण की अनुबन्धित फर्म Line Departments को विभागीय नियम/शर्तों के अन्त 03 (तीन) वर्ष हेतु कैम्प/कार्टिंग यार्ड कंक्रीट मिक्सिंग प्लांट की स्थापना हेतु बैरागी कैम्प में स्थित खा 50000 वर्ग मीटर भूमि अस्थायी रूप से दिये जाने की अनुमति के सम्बन्ध में।

महोदय,

आपके द्वारा प्रस्तुत प्रार्थना पत्र दिनांक 09.03.2022 पर जिलाधिकारी, हरिद्वार के कार्यालय पत्र सं०-516/जि०भू०व्य०सहा०/2022 दिनांक 21.05.2022 द्वारा प्रदत्त अनुमति के अनुपालन में बैरागी कैम्प में बन्दे के पूरब की ओर 50000 वर्ग मी० भूमि पर कार्टिंग यार्ड एवं कंक्रीट मिक्सिंग प्लांट स्थापित करने की अनुमति अस्थायी रूप से कब्जे के दिनांक से तीन वर्ष तक (दिनांक 01.06.2022 से 30.06.2025 तक) निम्नलिखित प्रतिबन्धों/शर्तों के अधीन प्रदान की जाती है :-

1. यह अनुमति पूर्ण रूप से अस्थाई है। उच्चाधिकारियों अथवा जिला प्रशासन / पुलिस प्रशासन विपरीत आदेश प्राप्त होने पर स्वतः ही निरस्त मानी जायेगी।
2. भूमि पर स्वामित्व यथावत सिंचाई विभाग का बना रहेगा।
3. भूमि वर्तमान स्थिति के अनुसार उपलब्ध करायी जायेगी तथा उसी दशा में विभाग को वापस कर होगी।
4. भूमि पर कार्टिंग यार्ड एवं कंक्रीट मिक्सिंग प्लांट के अस्थायी सैटअप स्थापित करने के अतिरिक्त कोई स्थायी निर्माण नहीं किया जायेगा।
5. अस्थायी सैटअप स्थापित करने में जो व्यय होगा, वह फर्म को स्वयं वहन करना होगा।
6. राजकीय सम्पत्ति/वृक्ष आदि को कोई नुकसान नहीं पहुंचाया जायेगा।
7. एन०जी०टी० के आदेशों का अनुपालन करना अनिवार्य होगा।
8. किसी घटना/दुर्घटना के लिए विभाग जिम्मेदार नहीं होगा।
9. अर्द्ध कुम्भ 2016 की दर अनुसूची के अनुसार 50000 वर्ग मीटर भूमि का शुल्क रू० 107600.0 प्रतिमाह होगा। उक्त धनराशि पर आयकर 2 प्रतिशत एवं 18 प्रतिशत जी०एस०टी० अलग से जमा करना होगा। यदि उच्च स्तर से किराया निर्धारण में कोई संशोधन किया जाता है तो उसी के अनुरूप किराया जमा करना होगा।
10. धरोहर धनराशि के रूप में रू० 400000.00 (चार लाख) की एफ०डी०आर० जो अधिशासी अभियन्ता सिंचाई खण्ड, हरिद्वार के नाम बन्धक हो, जमा करनी अनिवार्य होगी।
11. अनुमति पत्र प्राप्ति होने पर सम्बन्धित फर्म को रू० 100.00 के स्टाम्प पेपर पर उक्त सभी शर्तों व नोटरी से प्रमाणित कराकर विभाग में जमा करना होगा।
12. सम्पूर्ण धनराशि पर 2 प्रतिशत स्टाम्प शुल्क भी जमा करना होगा।
13. शर्तों का पालन न करने पर विभाग द्वारा किसी भी समय बिना कोई कारण बताये अनुमति निरस्त किये जाने हेतु जिलाधिकारी, हरिद्वार को प्रकरण प्रेषित कर दिया जायेगा।

भवदीय,

अधिशासी अभियन्ता
सिंचाई खण्ड, हरिद्वार।

पत्रांक - / सि०ख०ह० / तदिनांक 24-5-2022

प्रतिलिपि निम्नलिखित को सूचनार्थ प्रेषित :-

1. जिलाधिकारी, हरिद्वार को उनके पत्र सं०-516/जि०भू०व्य०सहा०/2022 दिनांक 21.05.2022 के अनुपालन में।
2. उपराजस्व अधिकारी, सिंचाई खण्ड हरिद्वार।

अधिशासी अभियन्ता
सिंचाई खण्ड, हरिद्वार।

संख्या: 1235 / खनन सहायक-2022

दिनांक: 13 सितम्बर, 2022

कार्यालय-झापा

आवेदक श्री इस्कॉन इन्टरनेशनल लिमिटेड हरिद्वार बाईपास परियोजना 14 प्रथम तल विवेकानन्द एनक्लेव जगजीतपुर हरिद्वार द्वारा उत्तराखण्ड स्टोर केशर, स्कीनिंग प्लान्ट, मोबाईल स्टीम केशर, मोबाईल स्कीनिंग प्लान्ट, प्लवराईजर प्लान्ट हाट मिक्स प्लान्ट, रेडीमिक्स प्लान्ट अनुज्ञा नीति के अन्तर्गत तहसील हरिद्वार क्षेत्रान्तर्गत बैरागी कैम्प कनखल हरिद्वार में 95 टन प्रतिघण्टा क्षमता रेडीमिक्स प्लान्ट एवं प्लान्ट परिसर में 2,20,000 टन उपखनिज के भण्डारण हेतु आवेदन पत्र के साथ आवेदन शुल्क ₹0-25000/- ई चालान के माध्यम से जमा करते हुए आवेदन पत्र प्रस्तुत कर उपखनिज के भण्डारण की अनुमति हेतु प्रार्थनापत्र दिया गया। जिसके सम्बन्ध में उप जिलाधिकारी, हरिद्वार एवं सहायक भू-वैज्ञानिक मूल्य एवं खनिकर्ष इकाई की आख्या द्वारा गठित समिति द्वारा प्रस्तुत संयुक्त निरीक्षण आख्या दिनांक 31.08.2022 द्वारा श्री इस्कॉन इन्टरनेशनल लिमिटेड हरिद्वार बाईपास परियोजना 14 प्रथम तल विवेकानन्द एनक्लेव जगजीतपुर हरिद्वार द्वारा उत्तराखण्ड स्टोर केशर, स्कीनिंग प्लान्ट, मोबाईल स्टीम केशर, मोबाईल स्कीनिंग प्लान्ट, प्लवराईजर प्लान्ट हाट मिक्स प्लान्ट, रेडीमिक्स प्लान्ट अनुज्ञा नीति के अन्तर्गत तहसील हरिद्वार क्षेत्रान्तर्गत बैरागी कैम्प कनखल हरिद्वार में 95 टन प्रतिघण्टा क्षमता रेडीमिक्स प्लान्ट एवं प्लान्ट परिसर में 2,20,000 टन उपखनिज के भण्डारण को निर्धारित मानकों के पूर्व करने के उपखनिज भण्डारण हेतु प्लान्ट एवं प्लान्ट परिसर में पक्के माल के भण्डारण की स्वीकृति याचित परियोजना अवधि अथवा 02 वर्ष जो भी कम हो हेतु संयुक्त निरीक्षण आख्या संस्तुति सहित उपलब्ध कराई गई।

इस संबंध में जिलाधिकारी महोदय के आदेश दिनांक 12.08.2022 के अन्तर्गत उप जिलाधिकारी, हरिद्वार एवं सहायक भू-वैज्ञानिक मूल्य एवं खनिकर्ष इकाई की आख्या द्वारा गठित समिति द्वारा प्रस्तुत संयुक्त निरीक्षण आख्या दिनांक 31.08.2022 की आख्या के अन्तर्गत पर श्री इस्कॉन इन्टरनेशनल लिमिटेड हरिद्वार बाईपास परियोजना 14 प्रथम तल विवेकानन्द एनक्लेव जगजीतपुर हरिद्वार द्वारा उत्तराखण्ड स्टोर केशर, स्कीनिंग प्लान्ट, मोबाईल स्टीम केशर, मोबाईल स्कीनिंग प्लान्ट, प्लवराईजर प्लान्ट हाट मिक्स प्लान्ट, रेडीमिक्स प्लान्ट अनुज्ञा नीति के अन्तर्गत जनपद व तहसील हरिद्वार क्षेत्रान्तर्गत बैरागी कैम्प कनखल हरिद्वार में 95 टन प्रतिघण्टा क्षमता रेडीमिक्स प्लान्ट एवं प्लान्ट परिसर में 2,20,000 टन उपखनिज के भण्डारण को निर्धारित मानकों को पूर्ण करने के पश्चात उपखनिज भण्डारण हेतु प्लान्ट एवं प्लान्ट परिसर में पक्के माल के भण्डारण की स्वीकृति याचित परियोजना अवधि अथवा 02 वर्ष जो भी कम हो हेतु निम्नलिखित शर्तों के अन्तर्गत प्रदान किये जाने की स्वीकृति प्रदान की गई है

- 1- अनुज्ञाधारक को प्लान्ट की स्थापना एवं संचालन हेतु उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण नियंत्रण बोर्ड से स्थापनार्थ सहमति (Consent to establish) एवं संचालनार्थ सहमति (Consent to operate) की अनुमति प्राप्त की जानी आवश्यक होगी।
- 2- अनुज्ञाधारक द्वारा प्लान्ट को ई-खन्ना पोर्टल पर पंजीकरण कराया जाना अनिवार्य होगा।
- 3- प्लान्ट स्थापित करने हेतु पर्यावरण संरक्षण अधिनियम 1986, वायु अधिनियम 1981, जल अधिनियम 1974 एवं उसके अन्तर्गत नियमित नियमों के साथ ही केन्द्र सरकार एवं राज्य सरकार द्वारा समय-समय पर जारी आदेशों/अधिनियम में इंगित दिशा-निर्देशानुसार सभी मानक अनिवार्य रूप से पूर्ण करने होंगे।
- 4- उत्तराखण्ड खनिज (अवैध खनन, परिवहन एवं भण्डारण का निवारण) नियमावली 2021 के अन्तर्गत अध्याय-तीन के बिन्दु संख्या 12 (7)(ii) के प्रावधानानुसार हॉट मिक्स प्लान्ट एवं रेडीमिक्स प्लान्ट संचालको द्वारा बालू या बजरी या बोल्टर या उसके उत्पाद अर्थात् कच्चा माल/पक्का के प्लान्ट में उपयोग की गई मात्रा पर ₹0 1.00 प्रति कुन्तल के समतुल्य घनराशि निर्धारित लेखाशीर्षक में अग्रिम जमा किया जाना अनिवार्य होगा।
- 5- अनुज्ञाधारक द्वारा सुसंगत नियमों एवं भारत सरकार द्वारा निर्गत कोविड-19 की गाईडलाइन का पूर्णतः पालन किया जायेगा।
- 6- उक्त शर्तों का उल्लंघन करने पर अनुज्ञापति का पर्यवेक्षण जिलाधिकारी हरिद्वार के द्वारा बिना किसी पूर्व सूचना के कर दिया जायेगा।

अपर जिलाधिकारी(वित्त एवं राजस्व)
हरिद्वार।

प्रतिलिपि- निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित-

- 1- निदेशक, मूल्य एवं खनिकर्ष इकाई उद्योग निदेशालय उत्तराखण्ड देहरादून।
- 2- उप जिलाधिकारी हरिद्वार को उक्त शर्तों के अनुपालन सुनिश्चित कराये जाने हेतु अप्रेत्तर कार्यवाही हेतु प्रेषित।
- 3- जिला खान अधिकारी/सहायक भू-वैज्ञानिक मूल्य एवं खनिकर्ष इकाई हरिद्वार को उक्त शर्तों के अनुपालन सुनिश्चित कराये जाने एवं वाचित औपचारिकताएं अनिवार्य रूप से पूर्ण कराते हुए अप्रेत्तर कार्यवाही सुनिश्चित किये जाने हेतु प्रेषित।
- 4- क्षेत्राधिकारी, पुलिस हरिद्वार।
- 5- आवेदक श्री इस्कॉन इन्टरनेशनल लिमिटेड हरिद्वार बाईपास परियोजना 14 प्रथम तल विवेकानन्द एनक्लेव जगजीतपुर हरिद्वार।



अपर जिलाधिकारी(वित्त एवं राजस्व)
हरिद्वार।

कार्यालय जिलाधिकारी हरिद्वार।

संख्या: 1236 /खनन सहायक-2022

दिनांक: 13सितम्बर, 2022

कार्यालय-ज्ञाप

इस कार्यालय द्वारा कार्यालय ज्ञाप संख्या 1236/खनन सहायक-2022 दिनांक 13.09.2022 में इस्कॉन इन्टरनेशनल लिमिटेड हरिद्वार बाईपास परियोजना 14 प्रथम तल विवेकानन्द एनक्लेव जगजीतपुर हरिद्वार में टंकण त्रुटियरा एस्कॉन अंकित हो गया जबकि वास्तव में इस्कॉन है। अतः इस कार्यालय द्वारा जारी कार्यालय ज्ञाप संख्या-1236/खनन सहायक-2022 दिनांक 13.09.2022 में एस्कॉन के स्थान पर इस्कॉन पढा जाय। शेष कार्यालय ज्ञाप बचावत रहेगा।

अपर जिलाधिकारी(वित्त एवं राजस्व)
हरिद्वार।

प्रतिलिपि- निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:-

- 1- निदेशक,मृतत्व एवं खनिकर्म इकाई उद्योग निदेशालय उत्तराखण्ड देहरादून।
- 2- उप जिलाधिकारी लक्सर।
- 3- जिला खान अधिकारी/सहायक भू-वैज्ञानिक मृतत्व एवं खनिकर्म इकाई हरिद्वार।
- 4- सम्बन्धित क्षेत्राधिकारी, पुलिस।

आवेदक श्री इस्कॉन इन्टरनेशनल लिमिटेड हरिद्वार बाईपास परियोजना 14 प्रथम तल विवेकानन्द एनक्लेव जगजीतपुर हरिद्वार।

अपर जिलाधिकारी(वित्त एवं राजस्व)
हरिद्वार।





उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड

सिंचाई परिकल्प संगठन भवन परिसर, रुड़की -247667 (जिला-हरिद्वार)

Phone No. 01332-260422 E-mail: rorueppcb2013@gmail.com

पत्रांक-यूकेपीसीबी/आर0ओ0आर0/एनओसी-1542/2022/1134

दिनांक 18.11.2022

पंजीकृत डाक द्वारा

सेवा में,

M/s Ircon International Limited
Bairagi Camp Parking Kankhal
Distt Haridwar

Application No:3103120
CAFF ID:53534
CTE: Fresh

विषय:- पर्यावरणीय प्रदूषण की दृष्टि से नई इकाई की स्थापना हेतु स्थापनार्थ सहमति पत्र (Consent to Establish) निर्गमन।

महोदय,

कृपया उपरोक्त विषयक आपके आवेदन पत्र दिनांक- 10.10.2022 के क्रम में उद्योग के प्रस्तावित स्थल का निरीक्षण किया गया। निरीक्षण के पश्चात् उद्योग को पर्यावरणीय प्रदूषण के दृष्टिकोण से निम्नलिखित विशिष्ट शर्तों एवं सामान्य शर्तों के समुचित अनुपालन की शर्त के साथ सहमति स्थापना हेतु सहमति पत्र (Consent to Establish) निर्गत किया जाता है।

1. स्थापना हेतु सहमति पत्र निम्नलिखित विशिष्ट विवरणों के लिए ही निर्गत किया जा रहा है:-

(क) स्थल :	Bairagi Camp Parking Kankhal Distt Haridwar
(ख) उत्पादन :	Ready Mix Concrete -300000 MT/Month
(ग) मुख्य कच्चे माल	Cement water Sand aggregate-2200000 MT/Month
(घ) औद्योगिक उत्प्रवाह:	Nil.
(ङ.) प्रयुक्त ईंधन :	Nil.
(च) श्रेणी :	Category-Green; Scale-Small, Investment-Rs 67 Lacs.

उपर्युक्त विषय वस्तु में किसी भी प्रकार से परिवर्तन करने पर पुनः स्थापना हेतु सहमति पत्र प्राप्त करना आवश्यक होगा।


- उद्योग में सभी आवश्यक यन्त्र, संयंत्र, हरित पट्टिका, उत्प्रवाह शुद्धिकरण संयंत्र तथा वायु प्रदूषण नियन्त्रण की व्यवस्था की स्थापना में की गई प्रगति रिपोर्ट इस कार्यालय में प्रत्येक माह की दसवीं तारीख तक निरन्तर प्रेषित करें।
- उद्योग इकाई में परीक्षण उत्पादन तब तक प्रारम्भ नहीं करें, जब तक कि वह बोर्ड से जल अधिनियम एवं वायु अधिनियम के अन्तर्गत सहमति (CCA) प्राप्त न कर ले। जल एवं वायु सहमति (CCA) प्राप्त करने हेतु इकाई में उत्पादन प्रारम्भ करने की तिथि से कम से कम 2 माह पूर्व निर्धारित सहमति आवेदन पत्रों को उत्पादन पूर्व प्रथम आवेदन का उल्लेख करते हुए इस कार्यालय में अवश्यक जमा कर दिया जाये। यदि उद्योग उपरोक्त का अनुपालन नहीं करता है तो उक्त अधिनियमों के वैधानिक प्राविधानों के अन्तर्गत उद्योग के विरुद्ध बिना किसी पूर्व सूचना के विधिक कार्यवाही की जा सकती है।
- उद्योग में परीक्षण उत्पादन से पूर्व क्षेत्रीय कार्यालय द्वारा इकाई का निरीक्षण सुनिश्चित कराया जाये।
- घरेलू उत्प्रवाह, मात्रा 1.0 कि०ली०/दिन से अधिक नहीं होगी। जनित उत्प्रवाह को उचित क्षमता के सेप्टिक टैंक के माध्यम से सोकपिट में निस्तारित किया जाये।
- यह स्थापनार्थ सहमति पत्र घरेलू उत्प्रवाह हेतु मान्य है। औद्योगिक प्रक्रिया में प्रयुक्त जल का उद्योग परिसर से बाहर कदापि निस्तारित नहीं किया जाये।
- यह स्थापना हेतु सहमति पत्र पांच वर्ष की अवधि के लिए वैध होगा।



8. उद्योग का संचालन इस प्रकार से किया जाये, कि परिवेशीय वायु गुणवत्ता सदैव बोर्ड मानकों के अनुरूप रहे।
9. उद्योग से जनित ठोस अपशिष्ट पदार्थों को इस प्रकार निस्तारित किया जाये, कि जल, वायु तथा मृदा प्रदूषण की सम्भावना न रहे।
10. उद्योग का संचालन इस प्रकार किया जाये, कि प्रदूषण सम्बन्धी शिकायतें प्राप्त न हों। प्रदूषण सम्बन्धी जन-शिकायतें प्राप्त होने एवं पुष्टि होने पर स्थापना हेतु सहमति पत्र रिवोक (निरस्त) कर दी जायेगी। जिसका सम्पूर्ण उत्तरदायित्व उद्योगी का होगा।
11. उद्योग परिसर में चारों तरफ कम से कम 3 कतारों वाली हरित पट्टिका विकसित की जाये। हरित पट्टिका हेतु सघन तथा छायादार वृक्षों का चयन किया जाये। हरित पट्टिका हेतु निर्धारित भूमि पर किसी प्रकार का निर्माण कार्य नहीं किया जाये।
12. उद्योग में खतरनाक/परिसंकटमय रसायन विनिर्माण, भण्डारण एवं आयात नियम 1989 का पालन किया जाये।
13. उद्योग में सुरक्षा सम्बन्धी समस्त उपाय किये जायें तथा उत्पादन प्रारम्भ करने से पूर्व सक्षम विभागों से अनापत्ति प्रमाण पत्र प्राप्त किया जाये।
14. उद्योग में बोर्ड की पूर्वानुमति के बिना ब्यालर/ओवन एवं अतिरिक्त जनरेटर सेट आदि की स्थापना कदापि नहीं की जाये।
15. उद्योग बिना पूर्वानुमति के उत्पाद, उत्पादन क्षमता तथा प्रक्रिया परिवर्तन नहीं करेगा।
16. यह स्थापनार्थ सहमति पत्र मात्र **Ready Mix Concrete by Mixing** प्रक्रिया से क्रमांक सं0-1 (ख) में उल्लेखित उत्पाद एवं उत्पादन क्षमता हेतु मान्य है।
17. उद्योग को यह स्थापनार्थ सहमति कार्यालय जिलाधिकारी हरिद्वार के कार्यालय ज्ञाप सं0-1235 & 1236/खनन सहायक-2022 दिनांक 13.09.2022 के अधीन निर्गत की जा रही है।
18. उद्योग में बोर्ड की पूर्वानुमति के बिना क्षमता विस्तारीकरण/प्रक्रिया परिवर्तन कदापि नहीं किया जाये।
19. यह स्थापनार्थ सहमति जल अधिनियम एवं वायु अधिनियम के अन्तर्गत निर्गत की जा रही है। उद्योग सक्षम विभागों से आवश्यक अनुमति प्राप्त करना सुनिश्चित करें।
20. उद्योग से वाटर हार्वैस्टिंग सिस्टम की स्थापना सुनिश्चित करें।
21. भू-जल प्रयोग हेतु केन्द्रीय भू-जल प्राधिकरण से आवश्यक अनुमति प्राप्त करना सुनिश्चित करें।
22. उद्योग प्लास्टिक अपशिष्ट (प्रबन्धन) नियम 2016 में निहित प्रावधानों का अनुपालन सुनिश्चित किया जाये।

कृपया ध्यान दें कि उपर्युक्त लिखित विशिष्ट शर्तों एवं सामान्य शर्तों का प्रभावी एवं सन्तोषजनक अनुपालन करने पर बोर्ड द्वारा निर्गत स्थापना हेतु सहमति (COE) पत्र निरस्त कर दिया जायेगा। बोर्ड का अधिकार सुरक्षित है, कि स्थापना हेतु सहमति पत्र (Consent to Establish) की शर्तों में संशोधन किया जाये अथवा निरस्त कर दिया जाये।

उपर्युक्त विशिष्ट एवं सामान्य शर्तों के सम्बन्ध में उद्योग द्वारा इस कार्यालय में दिनांक 18.12.2022 तक प्रथम अनुपालन आख्या अवश्य प्रेषित की जाये। अनुपालन आख्या नियमित प्रेषित की जाये, अन्यथा स्थापना हेतु सहमति पत्र निरस्त कर दिया जाएगा।


क्षेत्रीय अधिकारी (प्र0)।।

प्रतिलिपि:- सदस्य सचिव, उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड, देहरादून को सूचनार्थ प्रेषित।

क्षेत्रीय अधिकारी (प्र0)



UKPCB/ROR/Con/I-84/2022/1277

Date: 27/12/22

REGD. POST

To,

M/s Ircon International Limited
Bairagi Camp Parking Kankhal
Distt- Haridwar

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

CAF ID- 53534

Application No - 3206213

CCA (Fresh)

Consent No. AWH- I-13

CCA is hereby granted to M/s Ircon International Limited located at Bairagi Camp Parking Kankhal, Distt- Haridwar subject to the provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the orders that may be made further and subject to following terms and conditions :-

1. This CCA is granted for a period upto 31.03.2023 and valid for manufacturing of following products with Capital Investment / Net Assets Values Rs 67 Lacs.

S. No.	CTE Quantity		CCA Fresh	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Ready Mix Concrete	3,00,000 MT	Ready Mix Concrete	3,00,000 MT

2. Specific Conditions under Water Act:-

- (i) The daily quantity of effluent discharge (KLD):-

	Last CCA or CTE	CCA Fresh
Trade Effluent	Nil	Nil
Sewage	-	1.0

- (ii) Trade Effluent Treatment and Disposal: - Nil

- (iii) Sewage Treatment and Disposal: The applicant shall provide comprehensive Septic Tanks/Soak pits as is required with reference to influent quantity and quality.

3. Conditions under Air Act:-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1.	-	-	-	-	-	-
Ambient air quality						
1.	Suspended Particulate matter (SPM)		Not to exceed		600µg/M ³	



In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. **Conditions under Hazardous and Other Wastes (Management and Tran boundary Movement) Rules, 2016:-**

- (i) The **Factory Manager of M/s Ircon International Limited** is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
(ii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	-	-	-

- (iii) The authorization shall be in force for a period **upto 31.03.2023**
(iv) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under **Environment (Protection) Act, 1986.**

Terms and conditions of authorization:-

- (i) The authorization shall comply with the provisions of the **Environment (Protection) Act, 1986**, and the rules made there under.
(ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
(iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
(iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
(v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
(vi) An application for the renewal of an authorization shall be made as laid down under these rules.
(vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
5. This CCA is valid for **Mixing** process only & Validity of the CCA is subjected to the License issued by the District Magistrate, Haridwar office order No.1235/Assistant Mining-2022 Dated 13.09.2022
6. **Compulsory documents to be submitted by the Industry/Unit:-**
(i) Annual return in **Form-4** and **Waste Disposal Manifest in Form-10** under **Hazardous and Other Wastes (Management and Tran boundary Movement) Rules, 2016** and **Third Party Audit Report.**
(ii) Environment Statement in **Form-V** of **Environment (Protection) Rules, 1986.**
(iii) **Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.**
7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the **Water Act, Air Act and Hazardous and Other Wastes (Management and Tran boundary Movement) Rules, 2016** will results in legal action under the aforesaid **Acts and Rules**.
10. Unit has to submitted Ambient Air Quality report from MoEF accredited laboratory/ Regional office Roorkee lab within three Months.
11. Unit has to submitted compliance report in every year along with Balance sheet & Ambient Air Quality Report.

Regional Officer (I/c)

Copy to: - Member Secretary, Uttarakhand Pollution Control Board, Dehradun for Kind information.

Regional Officer (I/c)


Specific Conditions:

1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under **Section-3 of Cess Act**.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. A Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the **Central Pollution Control Board**.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of **Water Act, Air Act and Environment (Protection) Act and Rules** made there under.
9. The industry shall ensure **all safety measures** and shall undertake **periodical assessment** by the competent authority.
10. Unit shall ensure manifest system in **Form-10 of Hazardous and Other Wastes (Management and Tran boundary Movement) Rules, 2016** while disposing hazardous waste.
11. Hazardous waste should not be stored beyond a period of **90 days**.
12. The Stone Crushing units/Screening Plants/Pulverisers shall strictly follow the Provisions of the **Uttarakhand Stone Crusher, Screening Plant, Mobile Stone Crusher, Mobile Screening Plant, Pulviser Plants Hot Mix Plant, Ready mix Plant Anugya Policy, 2020** promulgated by the State Government and shall obtained necessary permission from the competent authority with in stipulated time specified in **Anugya policy-2020**.
13. **The Unit shall submit copy of Anugya Renewal to this office. In case of Non-renewal of Anugya from the Competent Authority under existing Stone Crusher Policy, this CCA shall stand withdrawn.**
14. This CCA valid for crushing of raw material (River Bed Materials) obtained from legitimate sources only.
15. The unit shall not operate during night hours as defined under Noise Rules-2000.
16. The unit shall ensure proper installation and operation of pollution control measures as required in under the Environment (Protection) Rules, 1986 so that ambient air quality not exceed prescribed limit at any time.
17. The unit shall not increase the production capacity as given in this CCA without prior permission of the Board.
18. The Unit shall strictly comply with the provisions of the Water Act, Air Act & Environment (Protection) Act and Rules made there under.

General Conditions:-

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.

2. The applicant shall however, not without the prior consent of the **Board** bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the **Board**, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The **Board** reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the **Board**.
14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the **Board** to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on **Display Board of size 6x4 feet** out side the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in **Form-3** and shall submit annual return in **Form-4** on or before the 30th day of June following to the financial year to which that return relates.
20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
21. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed **physical and chemical analysis of hazardous waste sample** and report to the **Board**.
22. Dried hazardous sludge from the process in the plant shall be **stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.**
23. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be **sold only to Registered Recyclers/Re-processors.**
25. In case of any transportation of hazardous waste, the details in **Form-10** of the **Hazardous and Other Wastes (Management and Tran boundary Movement) Rules, 2016** shall be submitted to the **Board**.



Regional Officer (I/c)



UKPCB/ROR/Con/I-84/2023/139

Date: 02.05.2023

REGD. POST

To,

**M/s Ircan International Limited
Bairagi Camp Parking Kankhal
Distt- Haridwar**

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Renewal) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6(2)" of the "Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

CAF ID- 53534	Application No - 3318979
CCA (Renewal)	
Consent No. AWH- <u>I-13(1)</u>	

CCA is hereby granted to M/s Ircan International Limited located at Bairagi Camp Parking Kankhal, Distt- Haridwar subject to the provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the orders that may be made further and subject to following terms and conditions :-

- This CCA is granted for a period upto 30.09.2027 and valid for manufacturing of following products with Capital Investment / Net Assets Values Rs 70 Lacs.

S. No.	Last CTE/CCA Quantity		CCA Renewal	
	Product	Quantity (Per Month)	Product	Quantity (Per Month)
1	Ready Mix Concrete	3,00,000 MT	Ready Mix Concrete	3,00,000 MT

2. Specific Conditions under Water Act:-

- The daily quantity of effluent discharge (KLD):-

	Last CCA or CTE	CCA Renewal
Trade Effluent	Nil	Nil
Sewage	1.0	1.0

- Trade Effluent Treatment and Disposal: - Nil

- Sewage Treatment and Disposal: The applicant shall provide comprehensive Septic Tanks/Soak pits as is required with reference to influent quantity and quality.

3. Conditions under Air Act:-

- The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :-

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity	Emission Control Equipment	Emission standards not to exceed
1.	-	-	-	-	-	-
Ambient air quality						
1.	Suspended Particulate matter (SPM)		Not to exceed		600µg/M ³	



In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time: from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

4. Conditions under Hazardous and Other Wastes (Management and Tran boundary Movement) Rules, 2016:-

- (i) The **Factory Manager** of **M/s Ircon International Limited** is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (ii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes :-

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal
1	-	-	-

(iii) The authorization shall be in force for a period upto **30.09.2027**

(iv) The authorization is subject to the conditions stated below and such conditions as may be specified in the rules for the time being in force under **Environment (Protection) Act, 1986**.

Terms and conditions of authorization:-

- (i) The authorization shall comply with the provisions of the **Environment (Protection) Act, 1986**, and the rules made there under.
- (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
- (iii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
- (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
- (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
- (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
- (vii) The unit shall comply with any other conditions specified in the guidelines issued by the MoEF or CPCB/SPCB from time to time.
5. This CCA is valid for **Mixing** process only & Validity of the CCA is subjected to the License issued by the District Magistrate, Haridwar office order No.1235 & 1236/Assistant Mining-2022 Dated 13.09.2022
6. **Compulsory documents to be submitted by the Industry/Unit:-**
- (i) Annual return in **Form-4** and **Waste Disposal Manifest in Form-10** under **Hazardous and Other Wastes (Management and Tran boundary Movement) Rules, 2016** and **Third Party Audit Report**.
- (ii) Environment Statement in **Form-V** of **Environment (Protection) Rules, 1986**.
- (iii) Quarterly **compliance report of the CCA**, photograph of **ETP/APCs/Waste Storage Area**.
7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.
8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.



9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the **Water Act, Air Act and Hazardous and Other Wastes (Management and Tran boundary Movement) Rules, 2016** will results in legal action under the aforesaid **Acts and Rules**.
10. Unit has to submitted Ambient Air Quality report from MoEF accredited laboratory/ Regional office Roorkee lab within three Months.
11. Unit has to submitted compliance report in every year along with Balance sheet & Ambient Air Quality Report.


Regional Officer (I/c)

Copy to: - **Member Secretary, Uttarakhand Pollution Control Board, Dehradun** for Kind information.


Regional Officer (I/c)

Specific Conditions:

1. The applicant shall provide ISI mark water meter to each water supply source and shall regularly submit returns of water consumption in the prescribed form and pay the cess as specified under **Section-3 of Cess Act**.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year so that fee submitted by the applicant could be assessed.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.
4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. A Solid wastes generated from the industry has to be disposed in manner so that contamination of surface water bodies/ground water/soil etc. does not take place.
6. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
7. The applicant shall develop three rows of green belt on the premises with plant species as suggested by the **Central Pollution Control Board**.
8. The industry shall strictly adhere with the specific and general conditions issued with CCA order. Any violation of stipulated conditions may attract legal action under the provisions of **Water Act, Air Act and Environment (Protection) Act and Rules** made there under.
9. The industry shall ensure **all safety measures** and shall undertake **periodical assessment** by the competent authority.
10. Unit shall ensure manifest system in **Form-10 of Hazardous and Other Wastes (Management and Tran boundary Movement) Rules, 2016** while disposing hazardous waste.
11. Hazardous waste should not be stored beyond a period of **90 days**.
12. The Stone Crushing units/Screening Plants/Pulverisers shall strictly follow the Provisions of the **Uttarakhand Stone Crusher, Screening Plant, Mobile Stone Crusher, Mobile Screening Plant, Pulviser Plants Hot Mix Plant, Ready mix Plant Anugya Policy, 2020** promulgated by the State Government and shall obtained necessary permission from the competent authority with in stipulated time specified in **Anugya policy-2020**.
13. **The Unit shall submit copy of Anugya Renewal to this office. In case of Non-renewal of Anugya from the Competent Authority under existing Stone Crusher Policy, this CCA shall stand withdrawn.**
14. This CCA valid for crushing of raw material (River Bed Materials) obtained from legitimate sources only.
15. The unit shall not operate during night hours as defined under Noise Rules-2000.
16. The unit shall ensure proper installation and operation of pollution control measures as required in under the Environment (Protection) Rules, 1986 so that ambient air quality not exceed prescribed limit at any time.
17. The unit shall not increase the production capacity as given in this CCA without prior permission of the Board.
18. The Unit shall strictly comply with the provisions of the Water Act, Air Act & Environment (Protection) Act and Rules made there under.

General Conditions:-

1. The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.



2. The applicant shall however, not without the prior consent of the **Board** bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the **Board**, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point.
12. The **Board** reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
13. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the **Board**.
14. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
15. It is the duty of the authorized person to take prior permission of the **Board** to close down the facility.
16. The authorization is valid for temporary storage of Hazardous Waste within premises only.
17. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on **Display Board of size 6x4 feet** out side the main factory gate within premises.
18. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
19. The applicant shall maintain record of hazardous waste in **Form-3** and shall submit annual return in **Form-4** on or before the 30th day of June following to the financial year to which that return relates.
20. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.
21. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed **physical and chemical analysis of hazardous waste sample** and report to the **Board**.
22. Dried hazardous sludge from the process in the plant shall be stored in **double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.**
23. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and '**Hazardous**' shall be displayed at appropriate position both in Hindi and English.
24. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to **Registered Recyclers/Re-processors.**
25. In case of any transportation of hazardous waste, the details in **Form-10** of the **Hazardous and Other Wastes (Management and Tran boundary Movement) Rules, 2016** shall be submitted to the **Board**.



[Handwritten Signature]
Regional Officer (I/C)

संयुक्त निदेशक, गढ़वाल मण्डल,
भूतत्व एवं खनिकर्म,
कार्यालय जनपद गढ़वाल।

संख्या : /सं0नि0ग0म0/खनन/भू0खनि0नि0/2024-25,

दिनांक 29 अक्टूबर 2024

कार्यालय ज्ञाप

मैसर्स इरकॉन इंटरनेशनल लि0 हरिद्वार बाईपास परियोजना 14, प्रथम तल विवेकानन्द, एलक्लेव, जगजीतपुर, हरिद्वार के द्वारा जनपद हरिद्वार क्षेत्रान्तर्गत बैरागी कैम्प कनखल हरिद्वार में 95 टन प्रति घंटा क्षमता के रेडिमिक्स प्लांट तथा प्लांट परिसर में कुल 2,20,000 टन उपखनिज भण्डारण की अनुज्ञापि के नवीनीकरण हेतु प्रस्तुत आवेदन पत्र पर खान निरीक्षक/प्रभारी जिला खान अधिकारी, भूतत्व एवं खनिकर्म विभाग, जनपद हरिद्वार के पत्र संख्या 1077/भू0खनि0वि0-हरि0/रेडि0प्लां0-अनु0/2024-25, दिनांक 22 अक्टूबर 2024 के साथ संलग्न संयुक्त निरीक्षण आख्या तथा शिकायतकर्ता के शिकायती पत्र दिनांक 09 अक्टूबर 2024 की जाँच के क्रम में प्रभारी जिला खान अधिकारी/खान निरीक्षक, भूतत्व एवं खनिकर्म विभाग, जनपद हरिद्वार के पत्र संख्या 1122/भू0खनि0वि0-हरि0/रेडि0प्लां0-अनु0/2024-25, दिनांक 28 अक्टूबर 2024 के साथ संलग्न संयुक्त निरीक्षण आख्या दिनांक 28 अक्टूबर 2024 के आधार पर उत्तराखण्ड स्टोन क्रेशर, स्क्रीनिंग प्लांट, पल्वराईजर, मोबाईल स्टोन क्रेशर, मोबाईल स्क्रीनिंग प्लांट, हॉट मिक्स प्लांट, रेडी मिक्स प्लांट अनुज्ञा (तृतीय संशोधन) नीति 2024 के बिन्दु संख्या 28 में दिये गये प्रावधानानुसार राष्ट्रीय महत्व की परियोजना के दृष्टिगत प्लांट स्वामी को जनपद हरिद्वार क्षेत्रान्तर्गत बैरागी कैम्प कनखल हरिद्वार में पूर्व से स्वीकृत 95 टन प्रति घंटा क्षमता के रेडिमिक्स प्लांट तथा प्लांट परिसर में एक समय में कुल 2,20,000 टन उपखनिज भण्डारण न नवीनीकरण की अनुज्ञा की अनुमति 02 वर्ष अथवा परियोजना निर्माण अवधि, जो भी न्यून हो, तक की अवधि हेतु सुसंगत नियमों का पालन करने की शर्त के साथ-साथ निम्न शर्तों के अधीन प्रदान की जाती है:-

शर्त:-

1. प्लांट स्वामी को प्लांट में उत्पादित/विक्रय किये गये उपखनिज की मात्रा पर पर्यावरण एवं खनिज सम्पदा शुल्क रू0 1.00 प्रति कुन्तल की समतुल्य धनराशि निर्धारित लेखा शीर्षक में अग्रिम रूप से जमा किया जाना अनिवार्य होगा।
2. रेडिमिक्स प्लांट की स्थापना हेतु प्लांट स्वामी द्वारा उपलब्ध कराये गये अभिलेख यदि भ्रमक/त्रुटिपूर्ण पाये जाते हैं तो इसकी सम्पूर्ण जिम्मेदारी आवेदक की होगी तथा भ्रमक/त्रुटिपूर्ण अभिलेख पाये जाने की पुष्टि होने की दशा में प्लांट की अनुज्ञा निरस्त किये जाने की कार्यवाही सम्पादित की जायेगी, जिसकी सम्पूर्ण जिम्मेदारी आवेदक की होगी।
3. प्लांट स्वामी द्वारा उत्तराखण्ड स्टोन क्रेशर, स्क्रीनिंग प्लांट, पल्वराईजर, मोबाईल स्टोन क्रेशर, मोबाईल स्क्रीनिंग प्लांट, हॉट मिक्स प्लांट, रेडी मिक्स प्लांट अनुज्ञा नीति 2021 व उत्तराखण्ड स्टोन क्रेशर, स्क्रीनिंग प्लांट, पल्वराईजर, मोबाईल स्टोन क्रेशर, मोबाईल स्क्रीनिंग प्लांट, हॉट मिक्स प्लांट, रेडी मिक्स प्लांट अनुज्ञा (तृतीय संशोधन) नीति 2024 में उल्लिखित निर्धारित शर्तों/प्रतिबन्धों का अनुपालन किया जाना होगा।
4. प्लांट स्वामी द्वारा प्लांट के संचालन से पूर्व उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण बोर्ड से संचालनार्थ सहमति की अनुमति प्राप्त किया जाना अपरिहार्य होगा।
5. प्लांट स्वामी को अनुज्ञा नवीनीकरण के उपरान्त विभागीय ई-रवन्ना पोर्टल पर अपडेशन कराया जाना अनिवार्य होगा, यदि प्लांट स्वामी द्वारा ई-रवन्ना पोर्टल पर अपडेशन किये बिना रेडिमिक्स प्लांट संचालित किया जाता है तो उक्त दशा में संयंत्र स्वामी के विरुद्ध नियमानुसार कार्यवाही की जायेगी, जिसके लिये संयंत्र स्वामी स्वयं जिम्मेदार होगा।



6. प्लान्ट स्वामी द्वारा प्लांट स्थापित करने हेतु पर्यावरण संरक्षण अधिनियम 1986, वायु अधिनियम 1981, जल अधिनियम 1974, एवं उसके अन्तर्गत नियमित नियमों के साथ ही केन्द्र सरकार एवं राज्य सरकार द्वारा समय-समय पर जारी आदेशों/अधिनियमों में इंगित दिशा निर्देशानुसार सभी मानक अनिवार्य रूप से पूर्ण करने होंगे।
7. प्लान्ट स्वामी को रेडिमिक्स प्लान्ट से धूल के कणों का उत्सर्जन को रोकने की विधि (Dust Extractor) या धूल के कणों एवं धुएं को हवा में उड़ने की विधि का प्रभावी उपयोग उत्पादन क्षमता के अनुरूप उपयोग करना होगा।
8. प्लान्ट स्वामी द्वारा भण्डारण स्थल के परिसर में सी0सी0टी0वी0 कैमरा, इलेक्ट्रॉनिक्स तोल मशीन स्वयं के व्यय से अनिवार्य रूप से स्थापित करेगा।
9. प्लान्ट स्वामी द्वारा अवैध ई-रवन्ना पर क्रय-विक्रय व परिवहन किये जाने पर सूचना प्रौद्योगिकी अधिनियम-2000 के अन्तर्गत कार्यवाही की जायेगी।
10. प्लांट स्वामी के द्वारा मा0 उच्चतम न्यायालय, मा0 राष्ट्रीय हरित प्राधिकरण, मा0 उच्च न्यायालय, नैनीताल, केन्द्र सरकार व राज्य सरकार द्वारा समय-समय पर निर्गत आदेशों का अनुपालन सुनिश्चित किया जाएगा।
11. उक्त रेडिमिक्स प्लांट के नवीनीकरण की अनुमति इस उपबन्ध के साथ प्रदान की जा रही है कि यदि भविष्य में उक्त भूमि की आवश्यकता किसी सरकारी विभाग को पड़ती है तो उक्त दशा में रेडिमिक्स प्लांट को अन्यत्र स्थानान्तरित किया जाना होगा एवं उक्त भूमि पर प्रदान की गयी रेडिमिक्स प्लांट की नवीनीकरण अनुज्ञा स्वतः निरस्त समझी जायेगी।
12. प्लांट स्वामी के द्वारा शासन की नीति के विपरीत कार्य करने पर सुनवाई का युक्तियुक्त अवसर प्रदान करने के उपरान्त गुण-दोष के आधार पर अनुज्ञा रद्द करने का निर्णय लिया जायेगा।

(जी0डी0 प्रसाद)
संयुक्त निदेशक,
गढ़वाल मण्डल।

संख्या : 05 / सं0नि0ग0म0 / खनन / भू0खनि0नि0 / 2024-25, तददिनांकित।

प्रतिलिपि:- निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. सचिव, खनन, उत्तराखण्ड शासन।
2. जिलाधिकारी, हरिद्वार।
3. निदेशक, भूतत्व एवं खनिकर्म निदेशालय, उत्तराखण्ड, देहरादून।
4. सदस्य सचिव, उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण नियंत्रण बोर्ड, देहरादून।
5. क्षेत्रीय अधिकारी, उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड, रुड़की।
6. प्रभारी जिला खान अधिकारी, भूतत्व एवं खनिकर्म विभाग, जनपद हरिद्वार।
7. मैसर्स इरकॉन इन्टरनेशनल लि0 हरिद्वार बाईपास परियोजना 14, प्रथम तल विवेकानन्द, एलक्लेव, जगजीतपुर, हरिद्वार।

(जी0डी0 प्रसाद)
संयुक्त निदेशक,
गढ़वाल मण्डल।