

**Uttar Pradesh Pollution Control Board**

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.com, Website: www.uppcb.com

153666/UPPCB/Ghaziabad(UPPCBRO)/CTO/both/GHAZIABAD/2022 Date: 01/04/2022**To,****M/s****HOLLYWOOD DREAMS (A UNIT OF GOLDEN LEAF COUNTY PVT. LTD)****Vaishali Metro Station, Side-A, Sector-4, Vaishali, Ghaziabad.,GHAZIABAD,201010**

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the “Water (Prevention & Control of Pollution) Act, 1974” and under Section-21 of the “Air (Prevention & Control of Pollution) Act, 1981”

Consent No-15676410 Date-01/04/2022

CCA is hereby granted to **HOLLYWOOD DREAMS (A UNIT OF GOLDEN LEAF COUNTY PVT. LTD)** located at **Vaishali Metro Station, Side-A, Sector-4, Vaishali, Ghaziabad.,GHAZIABAD,201010.** subject to the provisions of the **Water Act, Air Act** and the orders that may be made further and subject to following terms and conditions :-

1. This CCA **HOLLYWOOD DREAMS (A UNIT OF GOLDEN LEAF COUNTY PVT. LTD)** **granted for the period from 01/04/2022 to 31/03/2025** and valid for manufacturing of following products with **Capital Investment/Net Assets Values 125.00 Lakhs**

S No	Product	Quantity	Unit
1	BANQUET HALL (700-750 PERSONS) & ROOMS- 06	0	Metric Tonnes/Day

2. Specific Conditions under Water Act :-

(i) The daily quantity of effluent discharge (KLD) :-

Kind of Effluent	Quantity(KLD)	Treatment facility and discharge point
Domestic	88.0 KLD through Nagar Nigam STP	STP
Industrial	1.8 KLD	ETP

(ii) **Trade Effluent Treatment and Disposal** :-The applicant shall operate **Effluent Treatment Plant** consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as

prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

Industrial Effluent Quality Standard

S.No.	Parameter	Standard
1	BOD	<30 mg/l
2	COD	<250 mg/l
3	TSS	<100 mg/l
4	Oil and Grease	<10 mg/l
5	pH	5.5 to 9

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(v) The treated sewage shall be reused in gardening and the same shall be maintained continuously so as to achieve the quality of the treated effluent to the following standards.

S No.	Parameters	Standards
-------	------------	-----------

3. Conditions under Air Act :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards

Air Pollution Source Details

S No.	Air Pollution Source	Type of fuel	Stack no	Control Device	Height of Stack
1	DG SET 320 KVA	HSD	1	Particulate Matter	AS PER CPCB NORMS
2	DG SET 320 KVA	HSD	2	Particulate Matter	AS PER CPCB NORMS

Emission Quality Standards

S No.	Stack no	Parameters	Standards
1	1	Particulate Matter	AS PER CPCB NORMS
2	2	Particulate Matter	AS PER CPCB NORMS

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

(iii) The unit will not use any type of restricted fuel.

Standards for Noise level in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time	Day Time	Night Time
	75	70	65	55	55	45	50	40

6. Compulsory documents to be submitted by the Industry/Unit :-

(i) Annual return in Form-4 and Waste Disposal Manifest in Form-10 under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and Third Party Audit Report.

(ii) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(iii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

7. Unit has to apply for renewal of CCA well in advance of 60 days of expiry of this CCA.

8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

REGIONAL OFFICER, GHAZIABAD

Copy to:

CEO-1, UPPCB, LCUKNOW

REGIONAL OFFICER, GHAZIABAD

Annexure

Specific Conditions

1. The industry can only manufacture products, at the rate of production as mentioned in consent order. In case of any change in production capacity, process, raw materials use etc. the industry will have to intimate the Board. For any enhancement of the above, fresh Consent to Establish has to be obtained from U.P. State Pollution Control Board.

2. Under the Noise Pollution (Regulation and Control) Rule 2000, the industry shall take adequate measures for control of noise from its own sources within the premises so as to maintain ambient air quality standards in respect of noise to less than 75 dB(A) during day time and 70 dB(A)

3. The industry shall adhere to general standards terms and conditions of Water/Air Acts and compliance of Environment standards as per Environment (protection) Act 1986.

4. Industry shall submit first compliance report with respect to conditions imposed within 30 days of issue of this permission.

5. Separate power connection with energy meter shall be provided for the Pollution Control Equipment's and record of power consumption and chemicals consumption for the operation of pollution control equipment shall be maintained separately.

6. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution control Acts.

7. Copy of NOC from Uttar Pradesh Ground Water Department (UPGWD) should be submitted to this office within 03 months, failing which this certificate shall be automatic revoked.

8. Unit shall ensure to development of green belt based on Miyawaki method.

General Conditions:-

The applicant shall get analyse the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UEPPCB.

1. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

2. Treated waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

3. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

4. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof

5. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.

6. The industry shall provide "Inspection Book" at the time of inspection to the Board's officials.

7. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

8. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

9. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.

10. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point

11. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

12. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous waste without obtaining prior permission of the Board.

13. Any unauthorized change in personnel, equipment as working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.

14. It is the duty of the authorized person to take prior permission of the Board to close down the facility.

15. The authorization is valid for temporary storage of Hazardous Waste within premises only.

16. The authorized agency shall ensure that on-line data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on Display Board of size 6x4 feet outside the main factory gate within premises

17. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.

18. The applicant shall maintain record of hazardous waste in Form-3 and shall submit annual return in Form-4 on or before the 30th day of June following to the financial year to which that return relates.

19. In no case any hazardous waste shall be disposed off on land, in any drain, or into any water stream. All spillage must also be safely collected and stored.

20. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
21. Dried hazardous sludge from the process in the plant shall be stored in double lined HDPE pit constructed with R.C.C. or such material which does not react with the waste contained in it.
22. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
23. The industry shall store non-ferrous metal waste, used oil/spent oil waste in sealed drums placed on impervious floor under covered shed. Hazardous waste if required shall be sold only to Registered Recyclers/Re-processors.
24. In case of any transportation of hazardous waste, the details in Form-10 of the Hazardous and Other Wastes Rules, 2016 shall be submitted to the Board.

REGIONAL OFFICER, GHAZIABAD