

IN THE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
ORIGINAL APPLICATION NO. 433 OF 2023

IN THE MATTER OF :

HARPAL SINGH

.....Applicant

Versus

State of Uttar Pradesh

..... Respondent

INDEX

S.No.	PARTICULARS	Page No.
1.	RESPONSE ON BEHALF OF DISTRICT PANCHAYAT RAJ OFFICER, MUZAFFARNAGAR IN COMPLIANCE WITH THE ORDER DATED 22.11.2024 (UPLOADED ON 02.12.2024) IN O.A. NO. 433/2023 – HARPAL SINGH Vs STATE OF UTTAR PRADESH & ORS.	

THROUGH

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
PRINCIPAL BENCH, NEW DELHI
ORIGINAL APPLICATION NO. 433/2023

IN THE MATTER OF :

NOTARY ✓

HARPAL SINGH Vs STATE OF UTTAR PRADESH & ORS.

NDOH – 09.12.2024


NOTARY ✓

RESPONSE ON BEHALF OF THE DISTRICT PANCHAYAT
RAJ OFFICER, MUZAFFARNAGAR, 251001 UTTAR
PRADESH, INDIA (RESPONDENT NO. 9) IN COMPLIANCE
TO THE ORDER DATED 22.11.2024 (UPLOADED ON
02.12.2024) PASSED BY THE HON'BLE NATIONAL GREEN
TRIBUNAL, PRINCIPAL BENCH, NEW DELHI IN ORIGINAL
APPLICATION NO. 433 OF 2023 IN THE MATTER OF
HARPAL SINGH Vs STATE OF UTTAR PRADESH & ORS.

NOTARY ✓

I, Dharmendra Kumar, aged about 36 years S/o Shri
Gopichand, presently posted as District Panchayat Raj Officer,

NOTARY ✓



RAKAM PAL SINGH
NOTARY
MUZAFFARNAGAR


✓

07 DEC 2024

Muzaffarnagar do hereby solemnly affirm and state on oath as under :

1. That the deponent is working on the above mentioned post since July 2024 and being authorized officer in the captioned matter and well conversant with the facts and circumstances of the 67 and as such I am well conversant to swear this affidavit.
2. That this Hon'ble National Green Tribunal, Principal Bench, New Delhi (hereinafter referred as Hon'ble Tribunal) vide its order dated 22.11.2024 (Uploaded on 02.12.2024) in Original Application No. 433 of 2023 in the matter of Harpal Singh Vs State of Uttar Pradesh & Ors. was pleased to pass the following orders :-

"17. Respondent 4 thus has said that there is a balancing culvert constructed by Railways in accordance with requirement for protection of railway track and it was constructed prior to 1940. Purpose was for balancing water but subsequently it appeared that there is an unauthorized connection of drainage system by Panchayatraj Authorities without taking any statutory consent from Railway Authorities under Section 16 of Railways Act, 1989 read with Clause 1033 of Indian Railway Engineering Code. There was mushrooming growth of residential settlements in and around culvert, egress of where drainage



RAKAM PAL SINGH
NOTARY
MUZAFFARNAGAR

2

07 DEC 2024

was unauthorisedly made by State Authorities to pass through Railway culvert, and subsequently one RCC hume pipe was connected for taking exit of drainage water coming through culvert in PWD land and that PWD land abuts agricultural field of farmers including applicant Harpal Singh. Balancing culvert was constructed by Railway prior to 1940 to balance runoff rainwater for avoiding any damage to track and its embankment and never meant for passing through sewage or drain but concerned Panchayat Raj Authorities have illegally allowed drainage to pass from abadi developed in nearby area and in subsequent period.

18. From above stand taken by Railways, it is clear that entire responsibility for management of sewerage is that of District Panchayat Raj Authorities and they have intentionally tried to avoid their responsibility by not placing correct facts before Tribunal.

19. In these facts and circumstances, we find no option but to direct District Panchayat Raj Officer to explain as to why appropriate action may not be taken against it for causing water pollution in violation of Section 24 of Water (Prevention and Control of Pollution) Act, 1974 and also by not imposing Environmental Compensation by applying 'Polluters Pays'



RAKAM PAL SINGH
NOTARY
MUZAFFARNAGAR

07 DEC 2024

principal. Reply shall be filed by District Panchayat Raj Officer, Muzaffarnagar within two weeks.

20. On next date, Chief Development Officer Muzaffarnagar as well as district Panchayat Raj Officer, Muzaffarnagar both shall remain present before Tribunal."

Response-

1. For complying of direction passed by Hon'ble NGT in this matter, the respondent along with Deputy Commissioner Labour and Employment Muzaffarnagar (On behalf of Chief Development Officer), Apar Mukhya Adhikari Zila Panchayat Muzaffarnagar and Regional Officer, U.P. Pollution Control Board Muzaffarnagar surveyed the area in question on dated 04.12.2024. During survey, all feasible possibilities for proper disposal of sewage, generated from nearby colony were discussed and the survey report has been prepared and annexed as **Annexure R-1**.

2. The operative part of the report (translated in English) is mentioned below :

During the survey, it has been observed that the sewage generated from the nearby colonies which was previously going in the land of Railway, passing the balancing culvert and being collected on the agriculture land of the applicant has been

RAKAM PAI SINGH
NOTARY
MUZAFFARNAGAR

07 DEC 2024

completely stopped. Railway Department itself has constructed approx. 6 Feet high boundary wall on their land. Hence, the sewage is being collected on vacant land adjacent to the wall which comes under District Administration.

It is respectfully submitted that on getting down from the Bamanhadi bridge, on the right side road, there is a colony named Sundarnagar, which has been settled since about 1990. As a result of urbanization of Sundarnagar Basti, it is not possible to manage the liquid waste coming out of houses at domestic level due to lack of sufficient land. As railway department have constructed a 6 feet high wall, blocking the natural flow of the sewage flowing through the colonies, causing drain water logging on vacant land. The following steps can be taken for effective disposal of sewage :

To solve this problem, the water coming out of the houses of Sundarnagar Basti can be filtered through a filter chamber and then sent through the old culvert built under the bridge crossing the road of the Public Works Department and drained into the Kali River. The flow of water from Sundarnagar Basti is also in this direction.




RAKAM PAL SINGH
NOTARY
NUZVID, SUNDARNAGAR

The area where work needs to be done comes under the jurisdiction of PWD, NHA and Irrigation Department (Drainage Section). Necessary steps are being taken by obtain NOC's.

The length of the drain to be constructed to solve the above problem is about 1900 meters, for the construction of which an amount of about Rs. 2.00 crore will be required. Gram Panchayat-Rampur receives an amount of Rs. 15.00 lakh per year for liquid waste management, which is much less than the project cost. Therefore, it is difficult to get the above work done by the Gram Panchayat. The Gram Panchayat is ready to extend its full cooperation in getting the above work done. Necessary action shall be taken for releasing funds by concerned departments. The proposal of the Gram Panchayat is enclosed. Apart from this, there is no water body near Sundarnagar Basti, in which the said water can be properly managed.

The concerned department needs to release funds and involve technical expert for the work proposed. After obtaining NOCs from concerned department and required funds, the work shall be completed within 06 months.



RAKAM PAL SINGH
NOTARY
MUZAFFARNAGAR

07 DEC 2024

3. Therefore, the above additional reply from District Panchayat Raj Officer, Muzaffarnagar is submitted before this Hon'ble Tribunal for perusal and kind consideration.

[Signature]
Deponent

NOTARY

NOTARY

VERIFICATION

I, the deponent named above, do hereby verify that the content of all paras of this affidavit is true to my knowledge and true on the basis of records and as per legal advice. No part of it is false and nothing material has been concealed. So help me GOD.

NOTARY

NOTARY

Verified at Muzaffarnagar on 07th day of December, 2024.

[Signature]
Deponent



I hereby verify the today above
[Signature]
deponent is identified by Shri
[Signature]
I have examined by examining the
copy of the contents of
affidavit which has been read out &
signed by me. The deponent fee
is Rs.
NOTARY, DISTT MUZAFFARNAGAR

RAKAM PAL SINGH
NOTARY
MUZAFFARNAGAR

07 DEC 2024

Identified by
[Signature]

राष्ट्रीय हरित अधिकरण, प्रधान पीठ, नई दिल्ली के मूल आवेदन संख्या
433/2023 (IA NO 539/2024)

श्री हरपाल सिंह बनाम उत्तर प्रदेश राज्य एवं अन्य में दिनांक 22 नवम्बर 2024 को निर्देशित किया गया है कि जल (प्रदूषण निवारण और नियंत्रण) अधिनियम 1974 की धारा 24 का उल्लंघन करके जल प्रदूषण फैलाने और प्रदूषक सिद्धान्त को लागू करके पर्यावरण क्षतिपूर्ति न लगाने के लिए जिला पंचायत राज अधिकारी, मुजफ्फरनगर दो सप्ताह में जवाब दाखिल करें कि उनके खिलाफ उचित कार्यवाही क्यों न की जायें।

उक्त के क्रम में सादर अवगत कराना है कि बामनहेडी पुल से उतरते ही दांयी ओर जाने वाले रास्ते पर सुन्दरनगर नाम की बस्ती स्थित है, जो लगभग सन् 1990 से बसी हुई है। सुन्दरनगर बस्ती, ग्राम पंचायत-रामपुर, विकास खण्ड-सदर के अन्तर्गत ही आती है, जिसमें वर्तमान में लगभग 200 परिवार निवास कर रहे हैं। वर्तमान में यह बस्ती/कालोनी षहरी एरिया (Urban) के रूप में विकसित है।

ग्रामीण क्षेत्रों में मकान निर्मित करने से पूर्व नक्शा इत्यादि की स्वीकृति जिला पंचायत से प्राप्त करने के उपरान्त ही मकान निर्मित कराने का प्राविधान है। अतः सुन्दरनगर बस्ती ग्राम पंचायत-रामपुर, विकास खण्ड-सदर में मकान के नक्शों इत्यादि स्वीकृत करने की अर्थारिटी जिला पंचायत, मुजफ्फरनगर की है।

सुन्दरनगर बस्ती के शहरीकरण हो जाने के फलस्वरूप इसके घरों से निकलने वाले पानी का तरल अपशिष्ट प्रबन्धन घरेलू स्तर पर पर्याप्त भूमि नहीं होने के कारण किया जाना सम्भव नहीं है। समस्त पानी नालियों के माध्यम से एफ0सी0आई0 गोदाम की ओर जाने वाले नाले के माध्यम से जाता है, जिसका बहाव रेलवे लाईन की ओर है। चूंकि इस नाले के अन्तिम छोर पर रेलवे विभाग द्वारा दीवार कर दी गयी है, जिस कारण नाले के पानी के कारण जल भराव की स्थिति उत्पन्न हो गयी है, जिसके निस्तारण हेतु निम्न व्यवस्था की जा सकती है।

इस समस्या के समाधान के हेतु सुन्दरनगर बस्ती के घरों से निकलने वाले पानी को फिल्टर चैम्बर द्वारा फिल्टर कर लोक निर्माण विभाग की सड़क पार करके पुल के नीचे बनी पुरानी पुलिया से भेजते हुए काली नदी में निकासी की जा सकती है, सुन्दरनगर बस्ती के पानी का बहाव भी इसी दिशा में है। चूंकि जहाँ पुलिया निर्माण होना है वहाँ काफी हैवी ट्रैफिक चलता है एवं यह कार्य अत्याधिक जटिल है इसलिए इस कार्य हेतु तकनीकी विशेषज्ञ की भी आवश्यकता होगी। उक्त समस्या के समाधान हेतु जिस नाले का निर्माण कराया जाना है उसकी लम्बाई लगभग 1900 मीटर है, जिसके निर्माण हेतु लगभग 02.00 करोड रू0 की धनराशि की आवश्यकता होगी।

ग्राम पंचायत-रामपुर को 15.00 लाख रू0 की धनराशि प्रतिवर्ष तरल अपशिष्ट प्रबन्धन हेतु प्राप्त होती है, जो प्रोजेक्ट लागत से बहुत कम है। अतः उक्त कार्य ग्राम पंचायत से कराया जाना कठिन है। ग्राम पंचायत उक्त कार्य कराये जाने हेतु अपना पूर्ण सहयोग करने को तैयार है। उपरोक्त कार्य लोक निर्माण विभाग एवं भारतीय राष्ट्रीय राजमार्ग प्राधिकरण (NHAI) तथा सिचाई विभाग, झेनेज खण्ड के अधिकार क्षेत्र में किया जायेगा, जिसके लिए अनापत्ति प्रमाण पत्र (एन0ओ0सी0) प्राप्त करने के लिए आवश्यक कार्यवाही की

जा रही है। प्रस्तावित कार्य के लिए तकनीकी विशेषज्ञों को सम्मिलित करेगा, यदि उपरोक्तानुसार सम्बन्धित विभागों से अनापत्ति प्रमाण पत्र (एन0ओ0सी0) प्राप्त करा दी जायें तथा तकनीकी विशेषज्ञों के साथ उपरोक्तानुसार किसी भी स्तर से धनराशि प्राप्त हो जाती है तो उक्त समस्या का समाधान शीघ्रता से हो सकता है। लेकिन अनापत्ति प्रमाण पत्र एवं किसी भी स्तर से धनराशि उपलब्ध होने के उपरान्त उपरोक्त कार्य को करने और उसे चालू करने के उपरान्त पूर्ण होने में कम से कम 06 माह लगेंगे।

इस सम्बन्ध में ग्राम पंचायत का प्रस्ताव संलग्न है एवं ग्रामवासियों द्वारा भी यही सलाह दी गयी है, जिसके सम्बन्ध में उपायुक्त, श्रम एवं रोजगार, जिला पंचायत राज अधिकारी, अपर मुख्य अधिकारी जिला पंचायत, अवर अभियन्ता जिला पंचायत, क्षेत्रीय प्रदूषण अधिकारी, एफ0सी0आई गोदाम प्रभारी, ग्राम प्रधान एवं सचिव, ग्राम पंचायत-रामपुर तथा अन्य ग्रामवासी मौके पर उपस्थित रहे। मौके पर स्थलीय निरीक्षण में पाया गया कि सुन्दरनगर बस्ती के घरों से निकलने वाले पानी की निकासी हेतु ग्राम प्रधान एवं ग्रामवासियों द्वारा जो समाधान बताया गया है वही उचित है। इसके अतिरिक्त सुन्दरनगर बस्ती के पास कोई भी वाटर बॉडी नहीं है, जिसमें उक्त पानी का उचित प्रबन्धन किया जा सकें।


जिला पंचायत राज अधिकारी
मुजफ्फरनगर

कार्यवाही रजिस्टर

ग्राम सभा ... रामपुर

दिनांक	उपस्थित सदस्य	प्रस्ताव सं.	कार्यवाही का विवरण	हं/नि० अंगूठा
			आज दिनांक 04-12-2024 को	
	मुनेश प्रधान		ग्राम पंचायत रामपुर के सचिवालय पर दोपहर 2.00 बजे 2000 बैंक का ड्राफ्ट न किया गया बैंक की	हरि
	ग्राम सचिव रामपुर वि० ख० सदर मुजफ्फरनगर		अवस्थाता ग्राम प्रधान श्रीमती मुनेश जी द्वारा की गयी। बैंक में ग्राम सचिव, लेखापाल, पंचायत सहायक व ग्राम के अन्य सम्प्रदाय	Signature
	ग्राम पंचायत रामपुर (वि० ख० सदर मुजफ्फरनगर)		अवस्था उपस्थित रहे। बैंक का कोरम पूर्ण है आठ की कार्यवाही प्रारम्भ की जाती है।	2024
	Mamli पंचायत सहायक		* गत कार्यवाही को पढकर सुनाया गया सर्व सम्प्रदाय से पुष्टि हुई।	राजू
			* आय-व्यय का हचौरा पढकर सुनाया गया सर्व सम्प्रदाय से पुष्टि हुई।	
			* ग्राम पंचायत रामपुर की सुन्दर नगर कालोनी में हो रही जल मराव की समस्या पर विचार -> आठ की बैंक सुन्दर नगर कालोनी में जल मराव की समस्या के समाधान पर विचार विमर्श हेतु बुलायी गयी है। ग्रामवासियों द्वारा बलाघात किया सुन्दर नगर बस्ती	सतीश
			लागभग सन् 1996 से बसी हुई है जिसमें वर्तमान में लगभग 200 परिवार निवास कर रहे हैं। इनके घरों का पानी	बाली
			DCI गोवाभ के पास से होते हुए पूरव में रेलवे द्वारा निर्मित बाक्स कवर्ट से होता हुआ आगे की ओर प्राकृतिक रूप से बने कच्चे नाले में गिर रहा था	हिरकमत
			वर्तमान में रेलवे लाइन द्वारा दीवार निर्माण	सतीश
				हरि

नोट:- कार्यवाही के अन्त में प्रधान और सेक्रेटरी अपने हस्ताक्षर करेंगे।

कार्यवाही रजिस्टर

ग्राम सभा रामपुर

दिनांक	उपस्थित सदस्य	प्रस्ताव सं.	कार्यवाही का विवरण	ह०/नि० अंगूठा
			करके पानी को रोक दिया गया है जिससे	श्रीमती
			वर्तमान में सुन्दर नगर के घरों से	
			निकलने वाला पानी रुक जाय रुकी जा	
			हो रहा है चूँकि पानी की निकासी का	विनायक
			कोई उपाय स्थान नहीं है इस कारण	
			सुन्दर नगर के निवासियों को जल	
			पराव की समस्या का समाधान करना	शिव
			पड़ रहा है	
			उक्त के क्रम में इस समस्या के	विष्णु
			समाधान हेतु कुछ व्यवस्था बनायी	
			गयी जो इस प्रकार है सुन्दर नगर	
			के घरों से निकलने वाले पानी को	जयकुमार
			फिल्टर चैम्बर बनाकर पानी को फिल्टर	
			करके लोक निर्माण विभाग की सड़क पार	
			करके पुल के नीचे बनी पुरानी पुलिया	कमल
			से मेढते हुए काली नदी में निकासी	
			की जा सकती है सुन्दर नगर के पानी	कृष्णकुमार
			का बहाव भी इसी दिशा में है	
			इस कार्य के लिए लोक निर्माण विभाग	
			सिंचाई विभाग, डेनल शाखा एवं शहरी	श्री
			शाखाओं प्राधिकरण (NMAI) के अनुमति	
			प्राप्त पत्र (MOC) की आवश्यकता होगी	शान्तिपाल
			चूँकि जहाँ पुलिया निर्माण होगा वहाँ	
			काफी हैवी ट्रैफिक चलता है व यह	
			कार्य अत्यधिक जटिल है इसीलिए इस	श्री
			कार्य हेतु तकनीक विशेषज्ञ की भी	
			आवश्यकता होगी।	
			उक्त समस्या के समाधान हेतु	
			जिस नाले का निर्माण होगा उसकी	श्री
			लम्बाई लगभग 1900 मी. है जिसके	

नोट:- कार्यवाही के अन्त में प्रधान और सेक्रेटरी अपने हस्ताक्षर करेंगे।

174 कार्यवाही रजिस्टर

ग्राम सभा रामपुर

दिनांक	उपस्थित सदस्य	प्रस्ताव सं.	कार्यवाही का विवरण	हं/निं अंगूठा
			निर्माण हेतु लागत 02.00 करोड़	
			की धनराशि की आवश्यकता होगी	
			ग्राम पंचायत रामपुर को 1500000.00/वर्ष	
			शुल्क की धनराशि प्राप्त होती है	
			जो तरल अपशिष्ट प्रवन्ध हेतु है	जवगीर
			जो प्रोजेक्ट लागत से बहुत कम	
			है अतः उक्त कार्य ग्राम पंचायत	शमिष्ठो
			से कराया जाना चाहिए ग्राम	
			पंचायत उक्त कार्य कराये जाने हेतु	
			अपना पूर्ण सहयोग करने को तैयार	सजो
			है यदि उपरोक्तानुसार NoC प्राप्त	
			करा दी जाये तथा तकनीक विशेषज्ञों की	नीरू
			के साथ उपरोक्तानुसार किसी भी	
			स्तर से धनराशि प्राप्त हो जाती	सजो
			है तो उक्त समस्या का समाधान	
			शीघ्रता से हो सकता है	सजो
			आज की कार्यवाही सजो के	
			धनपत्र 5 सीमा बन्द की जाती है	शालू
			<u>B.S.S.</u> सचिव	
			रामपुर	
			मुनेश	
			प्रधान	
			ग्राम पंचायत-रामपुर	
			वि० ख० सदर, मुजफ्फरनगर	
			वि० ख० सदर, मुजफ्फरनगर	

सुन्दरनगर बस्ती, ग्राम पंचायत-रामपुर, विकास खण्ड-सदर में स्थलीय सत्यापन करते हुए
अधिकारीगण



Ms

ग्राम पंचायत-रामपुर, विकास खण्ड-सदर में ग्राम पंचायत की बैठक में सुन्दरनगर बस्ती की जल निकासी सम्बन्धी समस्या पर विचार



Di