

**BEFORE THE NATIONAL GREEN TRIBUNAL,  
PRINCIPAL BENCH, NEW DELHI**

**ORIGINAL APPLICATION NO. 832 OF 2024**

**(I.A. NO. 317/2024)**

**IN THE MATTER OF:**

AKASH VASHISHTHA

...APPLICANT

VERSUS

STATE OF UTTAR PRADESH & ORS.

...RESPONDENT

INDEX

S.NO.	PARTICULARS	PAGE NO.
1.	COPIES OF LETTERS DATED 26.06.2024 AND 03.07.2024 AND GOVERNMENT ORDERS ARE ANNEXED HEREWITH AS ANNEXURE-1.	
2.	COPIES OF THE LETTER DATED 20.02.2024 FROM THE RAJNAGAR RESIDENTS WELFARE ASSOCIATION AND THE THREE REPRESENTATIONS RECEIVED FROM THE RESIDENTS OF SECTORS-10 AND 11 ARE ANNEXED HEREWITH AND COLLECTIVELY MARKED AS ANNEXURE-2.	

3.	A COPY OF LETTER DATED 20.09.2025 HAS BEEN ANNEXED HEREWITH AS ANNEXURE-3.	
----	--	--

**THROUGH COUNSEL**



BHANWAR PAL SINGH JADON  
STANDING COUNSEL FOR THE STATE OF U.P.  
[EMAIL-bhanwar09jadon@gmail.com](mailto:EMAIL-bhanwar09jadon@gmail.com)  
PHONE NO.-6375115224

Date: 22.09.2025

Place: Noida, Uttar Pradesh

BEFORE THE NATIONAL GREEN TRIBUNAL,  
PRINCIPAL BENCH, NEW DELHI

ORIGINAL APPLICATION NO. 832 OF 2024  
(I.A. NO. 317/2024)



IN THE MATTER OF:

AKASH VASHISHTHA

...APPLICANT

VERSUS

STATE OF UTTAR PRADESH & ORS.

...RESPONDENT

**SHORT REPLY BY THE WAY OF AFFIDAVIT BY DISTRICT  
MAGISTRATE, GHAZIABAD, R-5, IN COMPLIANCE OF THE ORDER  
DATED 21.10.2024 PASSED BY THE HON'BLE NATIONAL GREEN  
TRIBUNAL.**

I, Ravindra K. Mondal, aged about 36 years, S/o Shri Chandan Lal Meena, posted as District Magistrate presently at Ghaziabad, do hereby solemnly affirm and state as under:

1. That I, the Deponent in the above captioned matter, am fully conversant with the facts of the case and am competent and authorized to swear the present report.
2. That I state that the contents of this report have been drafted by my counsel on my instructions, and the contents of the same are true to my knowledge and nothing material has been concealed therefrom.

22 SEP 2025



3. That in the present matter, the applicant has alleged large scale, excessive and indiscriminate concretization of roadsides/road berms and constructions in parks particularly, in respect of Chandra Shekhar Azard Park (Shukla Park) Sector-10, Raj Nagar, Ghaziabad (*hereinafter referred to as the 'site in question'*) such as covered yoga sheds in excess of the limits prescribed (5%) in Ghaziabad, which is causing obstruction and prevention of ground water recharge. The plea of the applicant is that such concretization is being carried out in violation of the orders of the Tribunal in *OA No. 165/2013* in the case of *Akash Vashishtha Vs. Union of India & Ors.*, the Government Orders (*refer to Annexure-3 attached hereinbelow*) *No. 1703A/9-A-1-29-Miscellaneous/98(AB)* dated April, 2001 and *No.- 1022/NI-5-2018-92C/18* dated 23.03.2018 issued by the State of Uttar Pradesh; and the **Office Memorandum** dated 21.07.2000 issued by the Ministry of Urban Development and Poverty Alleviation.
4. That it is submitted that the Rajnagar Housing Scheme was originally an Improvement Trust scheme, which was transferred to the Ghaziabad Nagar Nigam (*hereinafter referred to as GNN*) (R-6) nearly 40–45 years ago. Thus, responsibility of maintenance of the site in question presently lies with the Ghaziabad Nagar Nigam.
5. That, with regards to the allegation of applicant regarding illegal construction of covered yoga shed at the site in question, UPPCB vide letter dated 26.06.2024 directed the Secretary, Ghaziabad Development Authority



22 SEP 2025

(hereinafter referred to as GDA) to take necessary action with respect to the same. Since, the site in question falls within the purview of the Nagar Nigam, GDA vide letter dated 03.07.2024 had requested the E.O., GNN to carry out the work in compliance with the relevant orders of the Hon'ble Tribunal and the *Government Order No.- 1022/NI-5-2018-92C/18* dated 23.03.2018.

Copies of letters dated 26.06.2024 and 03.07.2024 and Government Orders are annexed herewith as **Annexure-1**.

6. That it is humbly submitted that the temporary yoga shed at the site in question has been constructed upon the formal requests and representations received by GNN from the Rajnagar Residents Welfare Association and the residents of Sectors-10 and 11, Rajnagar, Ghaziabad, highlighting the need for such facility, particularly for senior citizens to undertake yoga and recreational activities during extreme weather conditions.

Copies of the letter dated 20.02.2024 from the Rajnagar Residents Welfare Association and the three representations received from the residents of Sectors-10 and 11 are annexed herewith and collectively marked as **Annexure-2**.

7. That furthermore, it is relevant to submit here that the Deponent has written a letter dt. 20.09.2025 to the Municipal Commissioner, Municipal Corporation, Ghaziabad. That vide the said letter it has been directed to the Nagar Nigam to not to carry out any unauthorized construction at the said site beyond the limit in consonance of the order of the Hon'ble Tribunal.


A Copy of the letter dt. 20.09.2025 has been annexed herewith as Annexure-3.




22 SEP 2025

  
DEPONENT**VERIFICATION**

Verified at Ghaziabad on this 22 day of September 2025, that the contents of the above affidavit from paragraphs 1 to 7 are true and correct to the best of my knowledge and belief. No part of it is false and nothing material has been concealed therefrom.

  
DEPONENT

ATTESTED

  
(Sandeep Sharma)  
Reg. No. 1130/98  
NOTARY PUBLIC  
Ghaziabad (U.P.)

22 SEP 2025



Annexure-1  
 क्षेत्रीय कार्यालय-300 प्रदूषण नियंत्रण बोर्ड, गाजियाबाद  
 Regional Office, U.P. Pollution Control Board, Ghaziabad  
 Website- [www.uppcb.com](http://www.uppcb.com), e-mail: roghaziabad@uppcb.in

संदर्भ संख्या : 627/1747/2024

दिनांक 22/8/2024

सेवा में,

सचिव,  
 गाजियाबाद विकास प्राधिकरण,  
 गाजियाबाद।

विषय: शुक्ला पार्क सेक्टर-10, राजनगर, गाजियाबाद में अवैध निर्माण सम्यची शिकायत के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक श्री आकाश वशिष्ठ, आर-7/17, राजनगर, गाजियाबाद द्वारा प्रेषित शिकायती पत्र का संदर्भ ग्रहण करने का कष्ट करें (छायाप्रति संलग्न)। उक्त पत्र के माध्यम से शिकायतकर्ता द्वारा शुक्ला पार्क सेक्टर-10, राजनगर, गाजियाबाद में श्री प्रवीण चौधरी, वार्ड संख्या 84, गाजियाबाद द्वारा उक्त पार्क में अवैध निर्माण करते हुये कवर्ड योगा शेड बनाये जाने का उल्लेख किया गया है।

उक्त शिकायती पत्र संलग्न कर इस अनुरोध के साथ प्रेषित किया जा रहा है कि प्रश्नगत पार्क में गाजियाबाद विकास प्राधिकरण, गाजियाबाद द्वारा स्वीकृत मानचित्र के अनुरूप आवश्यक कार्यवाही सुनिश्चित किये जाने हेतु सम्बन्धित को निर्देशित करने का कष्ट करें।

संलग्नक: उपरोक्तानुसार।

भवदीय

(विकास मिश्र)  
 क्षेत्रीय अधिकारी

प्रतिलिपि:-

नगर आयुक्त महोदय, नगर निगम, गाजियाबाद को सादर सूचनार्थ प्रेषित

ATTESTED

(Sandeep Sharma)  
 Reg. No. 1136/98  
 NOTARY PUBLIC  
 Chaziabad (U.P.)

क्षेत्रीय अधिकारी  
 6/10



04 FEB 2025

क्षेत्रीय कार्यालय : आई0एन0एस0-2, सेक्टर-18, वसुन्धरा, गाजियाबाद-201012 फोन-0120-4160108  
 मुख्यालय : TC-12V, विभूति खण्ड, गोमती नगर, लखनऊ 226010



# गाजियाबाद विकास प्राधिकरण

विकास पथ, गाजियाबाद।

पत्रांक 735/4/EE-सं. 3/2024-25  
प्रेषक,

दिनांक 3.7.2024

अधिशाली अभियन्ता,  
गाजियाबाद विकास प्राधिकरण,  
गाजियाबाद।

सेवा में,

अपर नगर आयुक्त,  
नगर निगम,  
गाजियाबाद

विषय: प्राधिकरण आवासीय योजना राजनगर, सैक्टर-10 स्थित शुक्ला पार्क में अवैध रूप से टीनशैड डाले जाने के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक प्राधिकरण आवासीय योजना राजनगर, सैक्टर-10 में अवैध रूप से टीनशैड डाले जाने के सम्बन्ध में राजनगर के निवासियों द्वारा शिकायत की गयी है। जिसमें वार्ड 84 के पार्षद श्री प्रवीण चौधरी द्वारा राजनगर सैक्टर-10 स्थित शुक्ला पार्क में योगा क्रिया हेतु टीनशैड डाले जाने का कार्य किया जा रहा है। जिसमें प्राधिकरण से कोई अनुमति प्राप्त नहीं की गयी है। जिसके सम्बन्ध में क्षेत्रीय कार्यालय उ०प्र० प्रदूषण नियंत्रण बोर्ड, गाजियाबाद द्वारा भी पत्र संख्या 627/सीपी/74/2024 दिनांक 26.06.2024 के द्वारा भी आपत्ति प्रकट की गयी है। उक्त आवासीय योजना नगर निगम, गाजियाबाद को हस्तान्तरित एवं योजना का समस्त रख-रखाव नगर निगम, गाजियाबाद द्वारा संचालित किया जा रहा है।

अतः उपरोक्त किये जा रहे कार्य को मा० नेशनल ग्रीन ट्र्यूवनल द्वारा यादिका आई.ए. नं०-621/2023 में पारित आदेश दिनांक 07.07.2023 एवं शासनादेश संख्या-1022/नौ-5-2018 दिनांक 23.03.18 का अनुपालन सुनिश्चित किये जाने हेतु सम्बन्धित को निर्देशित करने का कष्ट करें।

भवदीय

अधिशाली अभियन्ता

गाजियाबाद विकास प्राधिकरण

दिनांक: 3.7.2024

पृ० सं० 728110 IV /  
प्रतिलिपि:-

1. नगर आयुक्त महोदय को सादर अवलोकनार्थ।
2. सचिव महोदय को सादर अवलोकनार्थ।
3. क्षेत्रीय अधिकारी, उ०प्र० प्रदूषण नियंत्रण बोर्ड, गाजियाबाद को सूचनार्थ।
4. श्री आकाश वशिष्ठ, निवासी-आर-7/17, राजनगर, गाजियाबाद को सूचनार्थ।

अधिशाली अभियन्ता

%

संख्या-1022/नौ-5-2018-92सा/18

प्रेषक,

राधे कृष्ण,  
संयुक्त सचिव,  
उत्तर प्रदेश शासन।

सेवा में,

- 1- निदेशक, नगरीय निकाय निदेशालय, उ०प्र० लखनऊ।
- 2- समस्त नगर आयुक्त, नगर निगम, उत्तर प्रदेश।
- 3- समस्त अधिशासी अधिकारी, नगर पालिका परिषद्/नगर पंचायत, उत्तर प्रदेश।

नगर विकास अनुभाग-5

लखनऊ: दिनांक : 23 मार्च, 2018

विषय: मा० राष्ट्रीय हरित न्यायाधिकरण, नई दिल्ली में विचाराधीन ओ०ए०न०-165/2013 एवं ई०ए०न०-34/2017 आकाश वशिष्ठ बनाम भारत संघ व अन्य में पारित आदेश दिनांक 06.07.2016 के अनुपालन के संबंध में।

महोदय,

कृपया उपर्युक्त विषयक नगर आयुक्त, नगर निगम, गाजियाबाद के पत्र संख्या-1213/एन.ए.एल./विधि/एन.जी.टी./2017-18, दिनांक 17.03.2018 का संदर्भ ग्रहण करने का कष्ट करें, जिसके द्वारा मा० राष्ट्रीय हरित न्यायाधिकरण, नई दिल्ली में विचाराधीन ओ०ए०न०-165/2013 एवं ई०ए०न०-34/2017 आकाश वशिष्ठ बनाम भारत संघ व अन्य में पारित आदेश दिनांक 06.07.2016 के अनुपालन के संबंध में में कार्यवाही किये जाने की अपेक्षा की गयी है।

2- मा० राष्ट्रीय हरित न्यायाधिकरण, नई दिल्ली में विचाराधीन ओ०ए०न०-165/2013 एवं ई०ए०न०-34/2017 आकाश वशिष्ठ बनाम भारत संघ व अन्य में पारित आदेश दिनांक 06.07.2016 निम्नवत् है:-

Learned counsel appearing for the Applicant has drawn our attention to the letter issued by the Ministry of urban Development on 3rd September, 2013 where in interalia it has been stated that there is increased run off due to inappropriate concretization/paving in urban area and increased intensity of precipitation due to climate change. Not only this, even the letter issued by the same Ministry on 21 st July, 2008 mentions about that there should not be tilling and in appropriate concretization everywhere. This specifically further provides that where is a heavy pedestrain traffic, it will be appropriate to tile the same after taking due care by the Committee.

Having heard the Learned counsel appearing for the parties, we see no reason to defer the recommendation made by the committee, while accepting the recommendation the competent Authority and the State Department to issue policy guidelines in consonance with these Minutes Within four weels from today.

In the event there in no proper compliance of the recommendation in the area for which the Applicant had approached the Tribunal, the hc would be at liberty to file fresh Application, if he so desires.

In the meanwhile, we also direct MoEF to consider this roport and issue appropriate directions in that behalf, if required.

3- उल्लेखनीय है कि ओ०ए०न०-165/2013 आकाश वशिष्ठ बनाम भारत संघ व अन्य में पारित आदेश दिनांक 02.09.2015 के अनुपालन में जिलाधिकारी, गाजियाबाद की अध्यक्षता में दिनांक 15.01.2016 को बैठक आहूत की गयी जिसमें निम्न संस्तुतियां की गयी है:-

- (1) प्राकृतिक अवशेष-नगरीय क्षेत्रों में प्राकृतिक जलाशयों, तालाबों व झीलों के विकास कार्य:-
- (अ) जलाशयों, तालाबों व झीलों के चारों ओर मिट्टी का पुस्ता बनाकर अधिकतम 2.10 मीटर चौड़ाई में फलाई ऐश (Fly Ash) ब्रिक/स्ट्रेट ओवर ब्रिक/परमिएबुल या सेमी-परमिएबल फस्फोरेटेड ब्लॉक ही लगाया जा सकता है। सीमेन्ट कंक्रीट इन्टरलाकिंग टाइल्स अथवा ब्लैक टॉप रोड पूर्ण रूप से निषिद्ध रहेगी।
- (ब) जलाशयों, तालाबों को प्रभावी रूप से रेन वाटर हार्वेस्टिंग के उपयोग में लाने हेतु चारों ओर के क्षेत्र का ड्रेनेज यथासंभव इन्हीं जलाशयों में निस्तारित करने हेतु प्राविधान किये जायेंगे, परन्तु औद्योगिक क्षेत्रों का प्रवाह उचित/ट्रीटमेन्ट के उपरान्त ही इनमें मिलाया जाय।
- (2) पार्कों में पक्का निर्माण:-
- (अ) फुटपाथ में स्टेबिलाइज्ड सॉयल (Stabilized Soil)/कोर्स सैण्ड/ग्रेनुलर सबवेस (G.S.B.) का ही उपयोग इसी प्राथमिकता में किया जायेगा।
- (ब) पार्कों में चाहर दीवारी, फुटपाथ-फव्वारा, अवस्थापना द्वारा क्रियान्वित कार्य जैसे-जनसुविधा आदि में कुल आवधिक क्षेत्रफल सम्बन्धित पार्क के कुल क्षेत्रफल का 5प्रतिशत से अधिक न किया जाय।
- (3) सड़कों के किनारे:-
- (अ) सड़कों के किनारे कैरिज-वे को छोड़कर किनारों पर दोनों ओर अधिकतम 0.50 मीटर चौड़ाई में ही परफोरेटेड ब्लॉक्स/फलाई ऐश ब्रिक/स्ट्रेट ओवर ब्रिक ही लगाये जा सकते हैं।
- (ब) जिन सड़कों पर फुटपाथ का प्राविधान किया गया है, वहाँ फुटपाथ पर परमिएबल परफोरेटेड ब्लॉक्स/फलाई ऐश ब्रिक/स्ट्रेट ओवर ब्रिक का ही प्रयोग किया जायेगा।

जिन सड़कों पर फुटपाथ का प्राविधान है। फुटपाथ के ग्रेनुलर के ऊपर सबवेस/डब्ल्यूएम0एम0 के ऊपर इन्टरलाकिंग टाइल्स/ब्रिक-ऑन-एज (खड़जा) लगाया जा सकता है। फुटपाथ की अधिकतम चौड़ाई 1.50 मीटर ही हो सकती है। सड़कों का शेष भाग नाला, नाली एवं अन्य अवस्थापना सुविधाओं हेतु खाली रहेगा।

प्रोफेसर बी0 भट्टाचार्य, आई0आई0टी0 दिल्ली सहित सभी संबंधित सदस्यों द्वारा उक्त प्रस्ताव पर सहमति व्यक्त की गयी।

- 4- उक्त के संबंध में शासन द्वारा निम्नानुसार कार्यवाही कराये जाने का निर्णय लिया गया है:-
- (1) प्राकृतिक अवशेष-नगरीय क्षेत्रों में प्राकृतिक जलाशयों, तालाबों व झीलों के विकास कार्य:-
- (अ) जलाशयों, तालाबों व झीलों के चारों ओर मिट्टी का पुस्ता बनाकर अधिकतम 2.10 मीटर चौड़ाई में फलाई ऐश (Fly Ash) ब्रिक/स्ट्रेट ओवर ब्रिक/परमिएबुल या सेमी-परमिएबल फस्फोरेटेड ब्लॉक ही लगाया जाय। सीमेन्ट कंक्रीट इन्टरलाकिंग टाइल्स अथवा ब्लैक टॉप रोड पूर्ण रूप से निषिद्ध होंगे।
- (ब) जलाशयों, तालाबों को प्रभावी रूप से रेन वाटर हार्वेस्टिंग के उपयोग में लाने हेतु चारों ओर के क्षेत्र का ड्रेनेज यथासंभव इन्हीं जलाशयों में निस्तारित करने हेतु प्राविधानित किये जाय, परन्तु औद्योगिक क्षेत्रों का प्रवाह उचित/ट्रीटमेन्ट के उपरान्त ही इन जलाशयों में मिलाया जाय।
- (2) पार्कों में पक्का निर्माण:-
- (अ) फुटपाथ में स्टेबिलाइज्ड सॉयल (Stabilized Soil)/कोर्स सैण्ड/ग्रेनुलर सबवेस (G.S.B.) का ही उपयोग प्राथमिकता पर किया जाय।

- (ब) पार्कों में चाहर दीवारी, फुटपाथ-फव्वारा, अवस्थापना मद से क्रियान्वित कार्य जैसे-जनसुविधा आदि में कुल आच्छादित क्षेत्रफल सम्बन्धित पार्क के कुल क्षेत्रफल का 5 प्रतिशत से अधिक न किया जाय।
- (3) सड़कों के किनारे:-
- (अ) सड़कों के किनारे कैरिज-वे को छोड़कर किनारों पर दोनों ओर अधिकतम 0.50 मीटर चौड़ाई में ही परफोरेटेड ब्लॉक्स/फलाई ऐश ब्रिक/स्ट्रेट ओवर ब्रन्ट ब्रिक का प्रयोग किया जाय।
- (ब) जिन सड़कों पर फुटपाथ का प्राविधान किया गया है, वहाँ फुटपाथ पर परमिम्बल परफोरेटेड ब्लॉक्स/फलाई ऐश ब्रिक/स्ट्रेट ओवर ब्रन्ट ब्रिक प्रयोग किया जायेगा।
- (स) जिन सड़कों पर फुटपाथ का प्राविधान किया गया है, वहाँ फुटपाथ के ग्रेनुलर के ऊपर सबबेस/डब्ल्यूएम0एम0 के ऊपर इन्टरलाकिंग टाइल्स/ब्रिक-ऑन-एज (खड्जा) लगाया जाय। फुटपाथ की अधिकतम चौड़ाई 1.50 मीटर ही हो सकती है। सड़कों का शेष भाग नाला, नाली एवं अन्य अवस्थापना सुविधाओं हेतु खाली रखा जाय।

5- इस संबंध में मुझे यह कहने का निर्देश हुआ है कि शासन द्वारा लिये गये निर्णयानुसार कार्यवाही कराने का कष्ट करें। इस संबंध में नागर निकायों द्वारा कोई नियम/बायलाज बनाये गये हैं, तो उनमें तदनुसार संशोधन करने पर विचार करने का कष्ट करें।

भवदीय,



( राधे कृष्ण )  
संयुक्त सचिव।

संख्या-1022(1)/नौ-5-2018, तददिनांक

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

- 1- समस्त मण्डलायुक्त, उत्तर प्रदेश।
- 2- समस्त जिलाधिकारी, उत्तर प्रदेश।
- 3- निदेशक, नगरीय निकाय निदेशालय, उ0प्र0 लखनऊ।
- 4- अपर परियोजना निदेशक, उ0प्र0 राज्य गंगा नदी संरक्षण अभिकरण, लखनऊ।
- 5- प्रबन्ध निदेशक, उ0प्र0 जल निगम, लखनऊ।
- 6- निदेशक, सीएण्डडीएस, उ0प्र0 जल निगम, लखनऊ।
- 7- स्थाई अधिवक्ता, मा0 राष्ट्रीय हरित न्यायाधिकरण, नई दिल्ली।

आज्ञा से,



( राधे कृष्ण )  
संयुक्त सचिव।

502

No.1022/Nine-5-2018-92sa-/18

From :

Radhey Krishan,  
Joint Secretary,  
Government of Uttar Pradesh.

To :

1. Director, Municipal Body Directorate, U.P. Lucknow.
2. All Municipal Commissioners, Municipal Corporation, Uttar Pradesh.
3. All Executive Officers, Nagar Palika Parisad/Nagar Panchayat, Uttar Pradesh.

Urban Dev Section-5 Lucknow : Dated :23 March, .2018

Subject: Regarding in compliance of order dated 06.07.2016 passed in Execution-34/2017 in O.A. No.165/ 2013 Akash Vashishtha Versus Union of India and Others pending before Hon'ble National Green Tribunal, New Delhi.

Sir,

In connection with aforementioned subject, please refer Municipal Commissioner, Municipal Corporation Ghaziabad letter No.1213/N.A.L./Legal/N.G.T./2017-18 dated 17.03.2018 whereby action is required in connection with compliance of order dated 06.07.2016 passed in Execution-34/2017 in O.A. No.165/ 2013 Akash

Vashishtha Versus Union of India and Others pending before Hon'ble National Green Tribunal, New Delhi.

2. Order dated 06.07.2016 passed in Execution-34/2017 in O.A. No.165/ 2013 Akash Vashishtha Versus Union of India and Others pending before Hon'ble National Green Tribunal, New Delhi is as under :-

Learned counsel appearing for the Applicant drawn our attention to the letter issued by the Ministry of Urban Development on 3<sup>rd</sup> September, 2013 wherein inter-alia, it has been stated that there is increased run off due to inappropriate concretization/paving in urban area and increased intensity of participation due to climate change. Not only this, even the letter issued by the same Ministry of 21<sup>st</sup> July, 2008 mentions about that there should not be tilling and in appropriate concretization everywhere. This specifically further provides that where is a heavy pedestrian traffic. It will be appropriate to tile the same after taking due care by the Committee.

Having heard the Learned counsel appearing for the parties, we see no reason to defer the recommendation made by the committee, while accepting the recommendation the Competent Authority and the State Department to issue policy guidelines in consonance with these Minutes within four weeks from today.

In the event there is no proper compliance of the recommendation in the area for which the Applicant had approached at Tribunal, then he would be at liberty to file fresh Application, if he so desires.

In the meanwhile, we also direct MoEF to consider this report and issue appropriate directions in that behalf, if required.

3. It is pertinent to mention that in compliance order dated 02.09.2015 passed in -34/2017 in O.A. No.165/2013 Akash Vashishtha Versus Union of India and Others, a meeting was convened on 15.01.2016 under Chairmanship of District Magistrate, Ghaziabad, wherein following recommendations have been made :-

1. NATURAL RESIDUE - DEVELOPMENT WORK OF  
NATURAL RESERVOIRS, PONDS AND LAKES IN  
URBAN AREAS

(a) By raising clay revetment around reservoirs, ponds and lakes and then fly ash, brick/straight over burnt bricks/permeable or semi-permeable perforated blocks can be raised/put in maximum width of 2.10 meters only. Cement, concrete, interlocking tiles and black top road will be absolutely prohibited.

(b) For the purpose of using reservoirs, ponds effectively for rain water harvesting, provisions will be made for disposal of drainage of around the area as far as possible in these reservoirs, but flow/discharge from the industrial areas be connected into it after proper treatment only.

2. MASONRY (PUCCA) CONSTRUCTION IN PARKS

(a) For footpaths, only Stabilized Soil/Coarse Sand/Granular Sub Base (G.S.B.) should be used in the given preference.

(b) The total area used for boundary wall, footpath-fountain, works being done by infrastructure like public utility etc should not exceed more than 5 percent of total area of the concerned park.

3. CORNERS OF ROAD (ROADSIDE)

(a) Except the carriage way, on both sides of roads, perforated blocks/fly ash brick/straight over burnt bricks can be used only in maximum width of 0.50 meter.

(b) Roads for which footpaths have been provisioned, on those roads perforated blocks/fly ash/straight over burnt bricks should only be used on footpaths.

Roads for which footpaths have been provisioned, on footpaths, on granular sub base/, W.M.M. (Wet Mix Macadam) interlocking tiles/brick-on-edge (Kharanja) may be used. Maximum width of footpath can be 1.50 meter only. Remaining portion of roads would be left vacant for

the purpose of drain, sewage and other infrastructure facilities.

Professor B. Bhattacharya, I.I.T. Delhi with all concerned members expressed their consent on aforementioned proposal.

4. In connection with above, government has taken decision for taking action as under :-

1. NATURAL RESIDUE - DEVELOPMENT WORK OF NATURAL RESERVOIRS, PONDS AND LAKES IN URBAN AREAS

(a) By raising clay revetment around reservoirs, ponds and lakes and then fly ash, brick/straight over burnt bricks/permeable or semi-permeable perforated blocks can be raised/put in maximum width of 2.10 meters only. Cement, concrete, interlocking tiles and black top road will be absolutely prohibited.

(b) For the purpose of using reservoirs, ponds effectively, for rain water harvesting, provisions will be made for disposal of drainage of around the area as far as possible in these reservoirs, but flow/discharge from the industrial areas be connected into it after proper treatment only.

## 2. MASONRY (PUCCA) CONSTRUCTION IN PARKS

(a) For footpaths, only Stabilized Soil/Coarse Sand/Granular Sub Base (G.S.B.) should be used in the given preference.

(b) The total area used for boundary wall, footpath-fountain, works being done by infrastructure like public utility etc should not exceed more than 5 percent of total area of the concerned park.

## 3. CORNERS OF ROAD (ROADSIDE)

(a) Except the carriage way, on both sides of roads, perforated blocks/fly ash brick/straight over

burnt bricks can be used only in maximum width of 0.50 meter.

(b) Roads for which footpaths have been provisioned, on those roads perforated blocks/fly ash/straight over burnt bricks should only be used on footpaths.

(c) Roads for which footpaths have been provisioned, on footpaths, on granular sub base/, W.M.M. (Wet Mix Macadam) interlocking tiles/brick-on-edge (Kharanja) may be used. Maximum width of footpath can be 1.50 meter only. Remaining portion of roads would be left vacant for the purpose of drain, sewage and other infrastructure facilities.

5. In this connection, I am directed to state that action may please be taken according to decision taken by the Government. If municipal bodies have framed any rule/bylaws in this regard, carrying out amendment may please be taken into consideration accordingly.

Yours truly,

Sd/-

(Radhey Krishan)

Joint Secretary

No.1022(1)/Nine-5-2018 of dated.

Copies forwarded to the following for information and necessary action.

1. All Divisional Commissioners, Uttar Pradesh.
2. All District Magistrates, Uttar Pradesh.
3. Director, Municipal Bodies Directorate, U.P. Lucknow.
4. Additional Project Manager, U.P. State Ganga River Protection Tribunal, Lucknow.
5. Managing Director, U.P. Water Corporation, Lucknow.
6. Director, C & DS, U.P. Water Corporation, Lucknow.
7. Standing Counsel, Hon'ble National Green Tribunal, New Delhi.

By order

Sd/-

(Radhey Krishan)

Joint Secretary

From,

**Sh. Bhola Nath Tiwari,**

Chief Secretary,

Government of UP

To,

1. **All Principal Secretaries/Secretaries, Government of UP**
2. **All Divisional Commissioners, UP**
3. **All District Magistrates, UP**
4. **All Heads of Departments, UP**

**Housing Division-I**

**LUCKNOW: Dated April, 2001**

Sub: Adopting rainwater harvesting techniques for conservation of ground water conservation and recharge

Sir,

You are aware that water is an essential natural resource for the existence of life and environment. But due to unplanned, unwise and heavy extraction of ground water sources, ground water has been rapidly falling down and it has become impossible to provide adequate drinking water to the rising population of towns. In such a situation, if balance is not kept through efficient, integrated water – management for the use of drinking water as well as conservation and stewardship of ground water sources, use of water and its recharge, then a big crisis of drinking water may arise in the near future.

Hence, for the conservation and protection of water resources, it has become dire necessary to adopt easy, efficient, and cost-effective techniques for the rain water harvesting.

2. In this regard, I am directed to tell you that during formulation of schemes for rain water harvesting and integrated management of ground water, and during development and construction, the government, after thorough consideration, has decided to ensure the following facilities:

## **2.1 Action at the level of Master Plans/Zonal Plans**

After identifying the natural water bodies, ponds and lakes in urban areas, provisions should be made for their mandatory conservation in the Master Plans/Zonal Development Plans and also land falling in these water bodies should not be proposed for any other use. At the same time, provisions should also be made to enable the drains of the surrounding areas to fall in these water bodies for their effective use in rain water harvesting. However, in industrial areas, flow should be let into the water bodies only after proper treatment.

## **2.2 Action at the level of Scheme/Lay-out plan**

- i. In the lay-out plans of all schemes of 20 acres or more, water bodies/ponds will be built under the open and green areas in at least 5 percent of the total scheme area, which would recharge the ground water. The minimum area of such water bodies/ponds will be 1 acre and depth will be 6 metres.
- ii. In schemes of less than 20 acres, water bodies/ponds will be built as above and recharge well/recharge tank will be built, as per the laid standards, in the park/green belt areas.
- iii. Geological/Hydrological/Hydro-geological surveys to be conducted before devising any new scheme so that local, appropriate techniques could be adopted, as per the needs, for ground water recharging.
- iv. Permanent constructions (including concrete pavements) in parks should not be more than 5 percent and the footpaths and tracks should be constructed only with permeable and semi-permeable, perforated blocks.

## **2.3 Action at the level of building constructions**

- i. Installation of percolation pits in all plots of all uses of 1000 square metres size or more, as well as group housing schemes, should be made mandatory to recharge the ground water with the rain water collected on the roofs and open areas. For this, provisions have also been made in the Building bylaws and it is only according to it that the lay-out plans should be approved.

- 1.1
- ii. Necessary facilities should be ensured in all administrative buildings to be built in future for the ground water recharge with the rain water collected from their roofs and open areas, and for that, the necessary amount should be incorporated within the cost of the building.
  - iii. Rooftop rain water harvesting and recharge mechanisms should also be adopted in all buildings that had been constructed in the past and for that the facility of the necessary amount should be ensured by all the departments through their respective programmes.

#### **2.4 Other actions**

- i. For plantation on roadsides, parks and open areas, such species should be selected that require minimum water and can remain green even after consuming less water in the summer season.
- ii. The roadsides should be kept soiled and muddy, if possible, in which provisions should be made for “brick-on-edge” / “loose-stone pavement” so that recharge of ground water becomes possible.
- iii. Other technical information pertaining to rain water harvesting and recharge mechanism could be obtained from Regional Director, Central Ground Water Board, Lucknow Zone, Director, UP Ground Water Department, as well as Chief Engineer, Minor Irrigation Works, Lucknow.
- iv. Please issue directions at your level to the institutions working under you for the strict compliance of the above directions. Besides, necessary action should be also be ensured for the wide publicity and awareness about the different techniques of rain water harvesting.

Thankfully,

Sd/-

**Bhola Nath Tiwari,**  
Chief Secretary

No. 1703A/9-A-1-29-Miscellaneous/98(AB) above dated:

Copy to the following for information and necessary action:

1. Private Secretary, Hon'ble Housing Minister/State Housing Minister, UP Government.
2. Housing Commissioner, UP Housing & Development Board, Lucknow
3. Vice Chairmans, All development authorities
4. Managing Directors, UP Cooperative Housing Federation Ltd.
5. Regional Director, Central Ground Water Board, Lucknow Zone
6. Managing Director, UP Jal Nigam
7. Director, Ground Water Department, UP
8. Member/Secretary, UP Pollution Control Board, UP
9. Chairman, UP REDCO
10. President, Architects Association, UP

With orders of,  
Sd/-  
**Atul Kumar Gupta**  
Secretary

प्रेषक,

श्री भोला नाथ तिवारी,  
मुख्य सचिव,  
उत्तर प्रदेश शासन

सेवा में,

1. समस्त प्रमुख सचिव/सचिव,  
उत्तर प्रदेश शासन।
2. समस्त मण्डलायुक्त,  
उत्तर प्रदेश।
3. समस्त जिलाधिकारी,  
उत्तर प्रदेश।
4. समस्त विभागाध्यक्ष,  
उत्तर प्रदेश।

आवास अनुभाग-1

लखनऊ : दिनांक अप्रैल, 2001

विषय: ग्राउण्ड वाटर के संरक्षण तथा रिचार्जिंग हेतु रेन वाटर हार्वेस्टिंग पद्धतियों को अपनाए जाने के सम्बन्ध में।

महोदय,

आप अवगत हैं कि जीवन एवं पर्यावरण के अस्तित्व के लिए जल एक अनिवार्य प्राकृतिक संसाधन है। परन्तु ग्राउण्ड वाटर स्रोत के अनियोजित ढंग से मनमानी मात्रा में अति दोहन के कारण ग्राउण्ड वाटर स्तर तेजी से नीचे गिर रहा है तथा शहरों की बढ़ती हुई आबादी को समुचित पेयजल की व्यवस्था प्रदान करना सम्भव नहीं हो पा रहा है। ऐसी स्थिति में यदि पेयजल के उपयोग एवं ग्राउण्ड वाटर स्रोतों के संरक्षण, मित्ययता, जल प्रयोग तथा रिचार्जिंग में समुचित जल-प्रबन्धन द्वारा संतुलन स्थापित नहीं किया गया तो निकट भविष्य में पेयजल का भारी संकट उत्पन्न होने की आशंका है। इसलिए जल संसाधन की संरक्षा एवं सुरक्षा हेतु रेन वाटर हार्वेस्टिंग की सरल, कुशल और कम लागत वाली पद्धतियों को अपनाए जाने की आवश्यकता है।

2. इस सम्बन्ध में मुझे यह कहने का निदेश हुआ है कि रेन वाटर हार्वेस्टिंग एवं ग्राउण्ड वाटर के समुचित प्रबन्धन हेतु योजनाओं की संरचना तथा विकास एवं निर्माण के समय शासन द्वारा विचारोपरान्त निम्न व्यवस्थाएं सुनिश्चित किए जाने का निर्णय लिया गया है:-

#### 2.1 महायोजना/जोनल प्लान स्तर पर कार्यवाही

नगरीय क्षेत्रों में प्राकृतिक जलाशयों, तालाबों झीलों को चिन्हित कर महायोजना/जोनल डेवलपमेंट प्लान में उनके अनिवार्य संरक्षण हेतु प्राविधान किए जाएं एवं इनके अन्तर्गत आने वाली भूमि को किसी अन्य उपयोग में प्रस्तावित न किया जाए। साथ ही जलाशयों, तालाबों को प्रभावी रूप से रेन वाटर हार्वेस्टिंग के उपयोग में लाने हेतु चारों ओर के क्षेत्र का ड्रेनेज यथासम्भव इन्हीं जलाशयों में निस्तारित करने हेतु प्राविधान किए जाएं, परन्तु औद्योगिक क्षेत्रों का प्रवाह उचित उपचार के उपरान्त ही इनमें मिलाया जाए।

## 2.2 योजना/ले-आउट प्लान स्तर पर कार्यवाही

- (i) 20 एकड़ एवं अधिक क्षेत्रफल की विभिन्न योजनाओं के ले-आउट प्लान्स में पार्क एवं खुले क्षेत्रों के अन्तर्गत कुल योजना क्षेत्र के लगभग 5 प्रतिशत भूमि पर तालाब/जलाशय जमात ठक्कपमेद्ध बनाई जाएं जिनसे ग्राउण्ड वाटर चार्ज हो सके। ऐसे जलाशय/तालाब का न्यूनतम क्षेत्रफल एक एकड़ होगा और उसकी गहराई 6 मीटर होगी।
- (ii) 20 एकड़ से कम क्षेत्रफल की योजनाओं में उपरोक्तानुसार तालाब/जलाशय बनाए जाएं अथवा पार्क/ग्रीन बेल्ट के अन्तर्गत निर्धारित मानक के अनुसार एक कोने में रिचार्ज-वैल/रिचार्ज टैन्क बनाए जाएं।
- (iii) नई योजना बनाने से पूर्व क्षेत्र का ज्योलॉजिकल / हाइड्रोलॉजिकल / हाइड्रोज्योलॉजिकल सर्वेक्षण कराया जाए ताकि ग्राउण्ड वाटर रिचार्जिंग हेतु स्थानीय आवश्यकतानुसार उपयुक्त पद्धति को अपनाया जा सके,
- (iv) पार्को में पक्का निर्माण (पक्के पेवमेंट सहित) 5 प्रतिशत से अधिक न किया जाए तथा फुटपाथ व ट्रैक्स यथासम्भव परमिएबल या सेमी-परमिएबल परफोरेटेड ब्लॉक्स के प्रयोग से ही बनाए जाएं।

## 2.3 भवन निर्माण स्तर पर कार्यवाही

- (i) 1000 वर्ग मीटर एवं इससे अधिक क्षेत्रफल के समस्त उपयोगों के भूखण्डों तथा सभी ग्रुप हाउसिंग योजनाओं में छतों एवं खुले स्थानों से प्राप्त होने वाले बरसाती जल को परकोलेशन पिट्स, चमतबवसंजपवद च्यजेद्ध के माध्यम से ग्राउण्ड वाटर चार्जिंग के लिए अनिवार्य किया जाए। इस हेतु भवन उपविधियों में भी व्यवस्था की गई है तथा उसी के अनुसार भवन मानचित्र स्वीकृत किए जाएंगे।
- (ii) भविष्य में निर्मित होने वाले समस्त शासकीय भवनों में छतों एवं खुले स्थानों से प्राप्त होने वाले बरसाती जल को ग्राउण्ड वाटर चार्जिंग के लिए आवश्यक व्यवस्था सुनिश्चित की जाए तथा इसके लिए आवश्यक धनराशि भवन की लागत में ही प्राविधानित की जाए।
- (iii) पूर्व में निर्मित शासकीय भवनों में भी रूफ टाप रेन वाटर हार्वेस्टिंग एवं रिचार्ज प्रणाली को अपनाया जाए तथा इसके लिए आवश्यक धनराशि की व्यवस्था सभी विभागों द्वारा अपने-अपने कार्यक्रमों के अन्तर्गत सुनिश्चित की जाए।

## 2.4 अन्य कार्यवाही

- (i) सड़कों, पार्को तथा खुले स्थान में वृक्षारोपण हेतु ऐसे पेड़-पौधों की प्रजातियों का चयन किया जाए जिनको जल की न्यूनतम आवश्यकता हो तथा जो कम जल ग्रहण करके ग्रीष्म ऋतु में भी हरे-भरे रह सकें।
- (ii) यदि सम्भव हो तो सड़कों के किनारे कच्चे रखे जाएं जिनमें "ब्रिक-ऑन-एज" / "लूज-स्टोन पेवमेन्ट" का प्राविधान किया जाए ताकि ग्राउण्ड वाटर की चार्जिंग सम्भव हो सके।

3. रेन वाटर हार्वेस्टिंग एवं रिचार्ज प्रणाली के सम्बन्ध में अन्य तकनीकी जानकारी क्षेत्रीय निदेशक, केन्द्रीय भूजल परिषद लखनऊ क्षेत्र, निदेशक, भूगर्भ जल विभाग, उत्तर प्रदेश तथा मुख्य अभियंता, लघु सिंचाई वृत्त, लखनऊ से प्राप्त की जा सकती है।
4. कृपया उपरोक्त निर्देशों का कड़ाई से अनुपालन करने हेतु अपने अधीनस्थ कार्यरत संस्थाओं को अपने स्तर से आवश्यक निर्देश जारी करने का कष्ट करें। इसके अतिरिक्त रेन वाटर हार्वेस्टिंग की विभिन्न पद्धतियों के व्यापक प्रचार-प्रसार हेतु भी आवश्यक कार्यवाही सुनिश्चित करने का कष्ट करें।

भवदीय,

ह0/—

**भोला नाथ तिवारी**

मुख्य सचिव

संख्या 1703A (1)/9-आ-1-29-विविध/98 (आ.ब.) तद्दिनांक

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. निजी सचिव, मा0 आवास मंत्री/राज्य आवास मंत्री, उत्तर प्रदेश शासन।
2. आवास आयुक्त, उत्तर प्रदेश आवास एवं विकास परिषद, लखनऊ।
3. उपाध्यक्ष, समस्त विकास प्राधिकरण, उत्तर प्रदेश।
4. प्रबन्ध निदेशक, उत्तर प्रदेश सहकारी आवास संघ लि0।
5. क्षेत्रीय निदेशक, केन्द्रीय भूजल परिषद, लखनऊ क्षेत्र,
6. प्रबन्ध निदेशक, उत्तर प्रदेश जल निगम।
7. निदेशक, भूगर्भ जल विभाग, उत्तर प्रदेश।
8. सदस्य/सचिव, उत्तर प्रदेश प्रदूषण नियन्त्रण बोर्ड, उत्तर प्रदेश।
9. अध्यक्ष, यू.पी. रेडको।
10. अध्यक्ष, आर्कीटेक्स एसोसिएशन, उत्तर प्रदेश।

आज्ञा से,

ह0/—

**अतुल कुमार गुप्ता**

सचिव



# RAJNAGAR RESIDENTS WELFARE ASSOCIATION (Regd.)

Regd. No. 104/38

Off.: Community Center, Sector-4, Raj Nagar, Ghaziabad (U.P.)  
Email : rrwaghazlabad@gmail.com

**PRESIDENT**  
**DEEPAK KANT GUPTA**  
9999997399

**TREASURER**  
**C.A. D.K. GOEL**  
9810050702

**SECRETARY**  
**PRABHAKAR TYAGI**  
9891811722

दि: 20.02.2024

Ex-Officio Member  
Ex-President  
(Officiating)  
G.P. Agarwal  
9310085615


सेवा में  
नगर आयुक्त  
नगर निगम, गाजियाबाद।


महोदय,

विषय: राजनगर के पार्कों में नियमानुसार अस्थायी योगा शेड के संबंध में।

सविनय निवेदन है कि आप राजनगर के लोकप्रिय पार्षद हैं। राजनगर में बड़ी बड़ी कोठियाँ हैं और वरिष्ठ नागरिकों की संख्या अधिक है। ये नागरिक अपने स्वास्थ्य लाभ के लिए पार्कों में जाते हैं और अपना समय व्यतीत करते हैं। भरी घूप में और वर्षा में इन्हें कठिनाई का सामना करना पड़ता है। ऐसे में आपसे विनम्र निवेदन है कि इन पार्कों, विशेष रूप से सेक्टर-10 में स्थित पार्क में नियमानुसार अस्थायी शेड बनवाने की कृपा करें। ताकि आवश्यकता पड़ने पर यहाँ के निवासी इस शेड में विश्राम कर सकें और योग आदि कर सकें।

हार्दिक आभार।

  
(दीपक कान्त गुप्ता)  
अध्यक्ष

  
(प्रभाकर त्यागी)  
सचिव

पुतिलीप - पार्क, जी प्रवीण चौधरी जी को  
आवश्यक कार्यवर्ती हेतु।

Vice-President  
R.N. Pandey  
9811714048

Vice-President  
Om Prakash Bholu  
9643738380

Joint Secretary  
Dinesh Kumar Sharma  
9650348606

Joint Secretary  
Rakesh Chawla  
9810166891

Auditor  
Sandeep Bhardwaj  
9560566704

Chief Convenor  
R. K. Jain  
9313994442

Legal Advisor  
Rajbir Tyagi  
9810458960

शेना में,

नगर आयुक्त महोदय,  
जनपद-गाजियाबाद।

दिनांक :

विषय : राजनगर सैक्टर-10 स्थित पार्क में योगा शोड को बनाने के संबंध में।

महोदय,

निवेदन है कि हम प्रार्थीगण राजनगर सैक्टर-10 के बुजुर्ग पुरुष व महिला है। आपके द्वारा राजनगर, सैक्टर-10 स्थित पार्क में कराये गये सौन्दर्यकरण के लिये आपको हार्दिक धन्यवाद ज्ञापित करते हुए निवेदन करना चाहते है कि पार्क के छोटे हिस्से में अस्थायी तौर पर बने रहे योगा शोड के कार्य को शीघ्र सम्पन्न कराकर घास आदि लगवाने का कार्य करे ताकि हम बुजुर्ग निवासीगण वारिश से अपना बचाव करते हुए नियमित योग कर सके।

यह भी ज्ञात हुआ है कि कुछ लोग जोकि यहां के निवासी भी नहीं है, राजनीतिवश योगा शोड के कार्य को रूकवाना चाहते है। यह उनकी नकारात्मक सोच का परिचायक है जबकि अस्थायी रूप से बन रहा यह योगा शोड किसी भी तरह से पर्यावरण को नुकसान नहीं पहुंचाता।

अतः आपसे विनम्र निवेदन है कि हम बुजुर्गों के स्वास्थ्य को देखते हुए इस योगा शोड के कार्य को अतिशीघ्र सम्पन्न कराने की कृपा करे।

सधन्यवाद।

भवदीय

निवासीगण  
राजनगर, सैक्टर-10,  
गाजियाबाद।

- |    |                          |                             |                       |                  |
|----|--------------------------|-----------------------------|-----------------------|------------------|
| ①  | नाम<br>K. K. Tyagi       | पता<br>R-10/71<br>Raj Nagar | सं. नं.<br>9350573960 | सि. नं.<br>KUP   |
| ②  | Mr. Yashvir Singh Phogat | R-10/69<br>Raj Nagar.       | 9990469469            | Handly<br>Z. mar |
| 3. | SARABER —                | R-10/89 —                   | 9810478282            | ROBUSHAN<br>KUP  |
| 4. | GOPAL KISHAN —           | R-10/6-11                   | 9210711907            |                  |
| 5. | Viksum KAPOOR            | R-10/94A                    | 9515505605            |                  |
| 6  | Balraj Modi —            | R-10/99                     | 9871116118            |                  |

शुभा पीठ कर

7	Kamal Kumar P 10 EPT Ray Nagar Charhabad	9837775330
8	KARISHA RAJWA R/10/32/Raj Nagar 92-B	9999315709
9	शिवकुमार R/10/35/राज. नगर/राज. नगर	9350378358
10	शिवकुमार R/10/60/राज. नगर/राज. नगर	8750998553
11	शिवकुमार R/10/102/राज. नगर/राज. नगर	9210787187
12	शिवकुमार R-10/1/राज. नगर/राज. नगर	995844543
13	Anil K. Gupta R-10/Markat राज. नगर राज. नगर	9868492493
14	जोग प्रकाश शर्मा R-10 D-32 राज. नगर	9213978380
15	राज शर्मा राज. नगर राज. नगर	9213385151
16	Amal Kapoor D-29, Sec 10	908193460
17	Roopa Kapoor "	981019345
18	Saurabh Roy R-10/70 Raj Nagar	9811073823
19	S.K. Garg R-10/71 Raj Nagar	9873315998
20	वीरेंद्र सारस्वत F. 82/10 राज. नगर	9810227272
21	Aman Setwi D-32/10 राज. नगर राज. नगर	8745958545
22	SACHIN KANWAR D 32 काला राज. नगर	9211223239
23	Vikram Kumar D 32 RAS 10 NAGAR	9810737018
24	Satnam Singh SHF-8 राज. नगर/राज. नगर Sec-70	9312969570
25	Tarunvir Singh Phogat R-10/69 Raj Nagar GZB	9990469469
26	SATYAPAL SINGH R-10/81 Raj Nagar GZB	9456682233
27	S.P. Mishra 10/4 Raj Nagar GZB	9711673172
28	KUSUMKLA SIKHL 10/144 Raj Nagar GZB	9971344009
29	DEEPAK AGARWAL R-10/143 Raj Nagar GZB	9540023702
30	Manoj Bhardwaj R-10/145 Raj Nagar GZB	9350258670
31	K.L. Gupta R-10/146 Raj Nagar GZB	9582678216
32	शिवकुमार राज. नगर R-10/103 Raj Nagar	8745087115
33	LALIT KUMAR R-10/34 Raj Nagar	98116568
34	विकास राज. नगर R-10/34 Raj Nagar	9818036646
	विकास राज. नगर R-70 Sec 10	9818036646

21E 2018 20 10th 2018 CLASS PAGE 5-113 1

1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12	Sm. Vima Charan	R-14/105	9812541660	Full
13	Dr. Anil C. Sankar	R-14/202	9816541661	Full
14	Anil C. Sankar	R-14/109	9909225901	Full
15	Shashi Tamet	R-9/312D	999099174	Stamp
16	Kalpna	RDE-63	9210459294	Full
17	Pragya	R.D.C 27	4374127	
18	Rupa Dutt	885116713		Full
19	Ansu Bansal	14/183	9818415955	Full
20	Ragini	R-10/98	9958055940	Full
21	Ritu Sharma	R-10/E-48	9911567299	Full
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				
41				
42				
43				
44				
45				
46				
47				
48				
49				
50				

सेवा में,

नगर आयुक्त महोदय,  
जनपद—गाजियाबाद।

दिनांक :

विषय : राजनगर, सैक्टर-11 के निवाशियों की योगा शेड बनवाने की अपील के संबंध में।

महोदय,

हम सैक्टर-11, राजनगर के निवासीगण जोकि सैक्टर-10 से लगा हुआ है। हमारा आपसे निवेदन है कि जो योगा शेड सैक्टर-10 के पार्क में लग रहा है, उसे अवश्य लगाने दें क्योंकि हमारे सैक्टर-11 के निवासीगण भी इसी पार्क में योगा करने जाते हैं जोकि बारिश व सर्दी के मौसम में भारी परेशानी उठानी पड़ती है।

अतः आपसे विनम्र निवेदन है कि हम बुजुर्गों के स्वास्थ्य को देखते हुए इस योगा शेड के कार्य को अतिशीघ्र सम्पन्न कराने की कृपा करें।

सधन्यवाद।

निवासीगण  
राजनगर, सैक्टर-11,  
गाजियाबाद।

भवदीय

श्री  
Aparna  
R-11/92A  
9843641828

11) Anil Kumar R-11/202  
9810166351

1) Umesh (M)  
R-11/80, Raj Nagar  
(M) 9810180958

2) (श्री) राजकुमार (श्रीम)  
R-11/111 2151771  
9891739333

12) R-11/108  
Mandeep Singh  
9818596785

13) आर 24/107 987376  
श्रीमती कविता शर्मा

3) Deep Navabon Bhardwaj  
R-11/93 Raj Nagar  
9899247979

7) Taru Sec 7 Singh  
R-11/107 Raj Nagar  
Raj Nagar, Dist  
9873741223

14) Manjeet Singh  
R-11/104 Raj Nagar  
M-9810777352

3) Sharad Raghuvanshi  
R-11/81 Raj Nagar  
7011478721

4) LVS Kalany  
R-11/105 Raj Nagar  
T.N. 7599424865

8) Harsh Vardan Bhardwaj  
R-11/82 Raj Nagar  
10) 9811267295

15) Deepak Kaur  
R-11/105, Raj Nagar

Garvraet Singh  
R-11/43 Raj Nagar.  
9899581674

18) 215015715  
R-11/77 Raj Nagar  
9910233901

19) Manu Gupta  
R-11/92, Raj Nagar  
9871025575

23) Parbhoy Chandan  
R-11/18 Raj Nagar  
9690721841

26) SHOBHAM GUPTA  
R-11/83 RAJ NAGAR  
9910164566

27) KARANJOT SINGH  
R-11/90 Raj Nagar  
9560312221

Hemanshu Gupta  
R-11/79 Raj Nagar  
Mob: 6392821727

28) Parul  
(Rajni K. Sharma)  
R-11/88 Raj Nagar  
9871917474 Mob:

Ananya Gupta  
R-11/92 Raj Nagar  
8447281167

29) Jitesh Ahuja  
Zed

Aayush Sharma  
R-11/93A, Raj Nagar  
7011952464

R-11/97 (7827566672)

Kunal Ahuja  
R-11/78

30)

Adar Subhash Chaudhary  
11/75 Raj Nagar  
9250626059

9212628582

31)

Veer Kunder  
R-11/93B  
7701847611

PRATEEK  
11/91, 8010114137

32)

Vivek Aggarwal  
R-11/76 Raj Nagar Q2B.  
M) 9810457821



कार्यालय जिला मजिस्ट्रेट गाजियाबाद।  
OFFICE OF THE DISTRICT MAGISTRATE GHAZIABAD

पत्रांक:— 4884/एस0टी0/2025

दिनांक:— 20.09.2025

नगर आयुक्त,  
नगर निगम,  
गाजियाबाद।

विषय:—मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 नं0 165/2013 एवं ई0ए0नं0 34/2017 आकाश वशिष्ठ बनाम भारत संघ व अन्य के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली में योजित ओ0ए0 नं0 165/2013 एवं ई0ए0नं0 34/2017 आकाश वशिष्ठ बनाम भारत संघ व अन्य, का संदर्भ ग्रहण करने का कष्ट करें, जिसके अन्तर्गत मा0 राष्ट्रीय हरित अधिकरण नई दिल्ली के द्वारा उक्त प्रकरण में नियमानुसार आवश्यक कार्यवाही किये जाने हेतु निर्देशित किया गया है।

उक्त के सम्बन्ध में अवगत कराना है कि मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली के द्वारा प्रश्नगत प्रकरण में जिलाधिकारी गाजियाबाद को नियमानुसार आवश्यक कार्यवाही किये जाने हेतु निर्देशित किया गया था जिसके अनुपालन में तत्कालीन जिलाधिकारी गाजियाबाद के द्वारा दिनांक 15.01.2016 को बैठक आहूत करते हुये प्रकरण में नगर निगम गाजियाबाद को नियमानुसार आवश्यक कार्यवाही किये जाने हेतु निर्देशित किया गया था। साथ ही प्रश्नगत प्रकरण में संयुक्त सचिव, उ0प्र0 शासन, नगर विकास, अनुभाग-5, लखनऊ के कार्यालय पत्र संख्या:—1022/नौ-5-2018-92सी/18 दिनांक 23.03.2018 के द्वारा प्रकरण में नियमानुसार आवश्यक कार्यवाही करते हुये निर्देशित किया गया है जिसकी छायाप्रति साथ संलग्न है। प्रश्नगत प्रकरण नगर निगम गाजियाबाद कार्यालय से सम्बन्धित है एवं नगर निगम गाजियाबाद कार्यालय से कार्यवाही अपेक्षित है। उक्त के अतिरिक्त प्रश्नगत प्रकरण में मा0 राष्ट्रीय हरित अधिकरण, नई दिल्ली के द्वारा नगर निगम गाजियाबाद को कोई भी अनाधिकृत निर्माण न किये जाने हेतु निर्देशित किया गया है।

अतएव अनुरोध है कि कृपया उपरोक्तानुसार प्रकरण में नियमानुसार आवश्यक कार्यवाही कराते हुये कृत कार्यवाही से अवगत कराये जाने हेतु सम्बन्धित को निर्देशित करने का कष्ट करें।

संलग्नक:—यथोपरि।

20.09.25  
कृते जिला मजिस्ट्रेट,  
गाजियाबाद।