

BEFORE THE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI
O.A. NO. 200/2014

IN THE MATTER OF:

M.C. Mehta

.....APPLICANT

VERSUS

Union of India & Ors.

...RESPONDENTS

INDEX

S.NO	PARTICULARS	PAGE NO.
1.	Status Report by way of Affidavit on behalf of District Ganga Protection Committee Dehradun, Uttarakhand through District Magistrate Dehrdaun, Uttarakhand in compliance of order dated 24.11.2023 passed by this Hon'ble Tribunal in the present matter.	2-17
2.	Annexures-	Annexure – letter 2526/NGT/40 Dated 22/12/23 Annexure- Report dated 06/02/2024 Annexure- No 04107-1574 dated 14/12/23 Annexure- 557/General/23-34 dated 24.01.24 Annexure--3307/2023-24 dated 26/12/23 Annexure- Letter 1965 (H)/NGT/2023-24 dated 25 January 2024) Annexure- 3572/2023-24 dated 16/12/23 Annexure- 3097/EO dated 06/02/24 Annexure- 1315 Dated 07 /02.2024 Annexure- 1266/2023-24 dated 04 .01.2024 Annexure- 858/NGT/2023-24 dated 24.01.2024 (Annexure- C-205 dated 03.01.2024 Notifications no. 41/11(2)-2024-06(18)/2020 Dated 08/01/2024. -UKPCB -4665-1886 dated 31/01/2024 Annexure-Letter No. 928 dated 15/12/2023 Annexure- No. CWC/UGBO/EF/SR19

31597

Place : New Delhi

Dated : 08.02.2024

Filed by:


[KAUSHAL GAUTAM]
R. P. Gautam
Advocate
Supreme Court of India
No. D/119/98

Additional Advocate General for the State of Uttarakhand /
Respondent
Office: C-203, LGF,
Defence Colony, New Delhi-110024
Mobile No. 9811101934
Email- officeofkaushalgautam@gmail.com

31598

BEFORE THE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI
O.A. NO. 200/2014



IN THE MATTER OF:

M.C. Mehta

.....APPLICANT

VERSUS

Union of India & Ors.

...RESPONDENTS

**STATUS REPORT BY WAY OF AFFIDAVIT ON BEHALF
OF DISTRICT GANGA PROTECTION COMMITTEE,
DEHRADUN, THROUGH DISTRICT MAGISTRATE,
DEHRADUN, UTTARAKHAND IN COMPLIANCE OF
THE ORDER DATED 24.11.2023 PASSED BY THIS
HON'BLE TRIBUNAL.**

I, Sonika W/o Sh. Dhananjay Upadhyay aged about 43 years presently posted as District Magistrate, Dehradun, District Dehradun, Uttarakhand, do hereby solemnly affirm on oath and state as under:

1. That I am the deponent in the present matter and by virtue of my official capacity, I am acquainted with the facts and circumstances of the present matter and as such I am competent to file the present affidavit.
2. That the present matter was listed before this Hon'ble Tribunal on 24.11.2023 and this Hon'ble Tribunal directed the District Magistrates of all the thirteen districts to file the fresh reports with respect to each city/town of the district, disclosing the following information, quoted verbatim herein:

.....I. Sewage

- a) Per day generation of sewage in each city/town within the District
- b) Quantity of sewage treated per day, city/town wise.

- c) *The number of sewage treatment plants existing and their capacity and capacity utilization and mode of disposal in each city/town.*
- d) *Quantity of discharged treated waste from each STP, particularly from fecal coliform.*
- e) *Time bound plan to meet the gap, if any, in generation and treatment of sewage.*
- f) *Details of Hotels, Dharamshala, and Ashram operating without proper consent and discharging untreated effluent and the action taken against them.*
- g) *Water quality in river and its tributaries in abutting districts/towns in terms of fecal coliform (MPN/100ml)*

II. Municipal Solid Waste Disposal:

- a) *Per day generation of Solid waste in each city/town within the District.*
- b) *Quantity of solid waste treated per day, in each city/town of the District.*
- c) *The gap in treatment of solid waste.*
- d) *Legacy waste and the time bound plan to treat legacy waste.*
- e) *The manner of utilization of the treated waste as well as rejects arising out of remediation of legacy waste.*
- f) *Current status of dumping of solid waste with reference to location.*

III. Construction and Demolition Waste



- a) *Total per day generation of C & D waste in the District.*
- b) *The detail of plant established for the treatment of C & D waste including the existing capacity and capacity utilization.*

IV. Industrial Effluent Discharge

- a) *Number of Industrial Unit discharging their effluent treated/untreated in River Ganga and its tributaries and details of defaulting industrial units.*
- b) *Total daily generation of such industrial waste within the District.*
- c) *The manner of treatment of the Industrial waste so generated.*
- d) *The discharge effluent analysis from the CETP and ETP treating the industrial waste from each outlet.*
- e) *The per day generation of industrial solid waste and manner of its treatment and disposal in the District.*

V. Regulation of Flood Plain Zone

- a) *If the flood plain zone has been demarcated and the extent of encroachment on the flood plain zone in the District.*
- b) *The details of direct discharge of pollutants by the encroachers by the side of the River Ganga and its tributaries in the District.*

VI. Bio medical Waste:

- a) *The per day total generation of bio medical waste in the District.*
- b) *The manner of its treatment and disposal.*



VII. Mining

a) Number of cases registered within a year against illegal mining in the bed or flood plains of river Ganga and its tributaries and details of enforcement of mining policy of State and “Enforcement & Monitoring Guidelines for Sand Mining” (EMGSM-2020) and sustainable Sand Mining Management Guidelines 2016.

2.The concerned hydro project set up on river Ganga and its tributaries will ensure maintaining and complying with the prescribed minimum 15% of flow of water in the river Ganga and its tributaries.....”

3. That the District Dehrdaun in the State of Uttarakhand has Rishikesh city/town namely, Rishikesh, Dehradun, Doiwala, Mussoorie, Selaqui, Herbartpur, Vikasnagar . The city of Rishikesh is located at the confluence of river Ganga.

4. That para – wise report on the information sought by the Hon’ble Green Tribunal is as follows –

COMPLIANCE REPORT

Issues	Information Sought	Implementation and Compliance		
		S.No.	Name Of town	Per day sewage generation
1.Sewage	(a) Per day generation of sewage in each city/town within the district.	1	Rishikesh	16.65 MLD calculated on the basis of projection of population based on census 2011. (Annexure – letter 2526/NGT/40 Dated 22/12/23) In Nagar Nigam Rishikesh Sewer Line exist in 50% area and rest 50% household there are Septic Tank. (Letter No. 3307 dated 26/12/2023)
		2	Dehradun	117,64 MLD Calculated on the basis population covered under all Jal



		Sansthan Division. (Annexure- Report dated 06/02/2024)	
3	Doiwala	0 MLD -Septic Tank and Soak pit for sewage disposal (Annexure-letter No-3572/2023-24 dated 16/12/23)	
4	Mussoorie	7.32 MLD (Annexure- UKPCB No04107-1574 dated 14/12/23)	
5	Selaqui	0 MLD -Septic Tank and Soak pit for sewage disposal (Annexure- 1315 Dated 07 /02.2024)	
6	Herbartpur	0 MLD -Septic Tank and Soak pit for sewage disposal. (Annexure- Letter 1266/2023-24dated 04 January 2024)	
7	Vikasnagar	1.44 MLD (Annexure-Letter No. 557/General/23-34 dated 24/01/24)	
Annexure-A			
(b) Quantity of sewage treated per day, city/town wise.	S.No.	Name Of town	
		Per day treated sewage	
	1	Rishikesh	18.63 MLD including I&D discharge (Nala discharge) (Annexure – letter 2526/NGT/40 Dated 22/12/23)
	2	Dehradun	64.05 MLD Average (Dehradun Town all Division) (Annexure- Report dated 06/02/2024)
	3	Doiwala	There is no Sewage waste in Doiwala NPP (Annexure-letter No-3572/2023-24 dated 16/12/23)
	4	Mussoorie	7.32MLD (Annexure- UKPCB No04107-1574 dated 14/12/23)
	5	Selaqui	There is no Sewage waste in Selaqui NPP (Annexure- 1315 Dated 07 /02.2024)
	6	Herbartpur	There is no Sewage waste in Harbartpur NPP. (Annexure- Letter 1266/2023-24dated 04 January 2024)
7	Vikasnagar	0 MLD(Septic Tank and Soak pit for sewage disposal.) There is no STP Plant in Vikasnagar. STP's plant proposed by UUSDA (Annexure-Letter No.	




557/General/23-34 dated 24/01/24)

(c) The number of sewage treatment plant existing and their capacity and capacity utilization	S.No.	Name of town & location	STP capacity in MLD	Capacity utilization in MLD
	1	Rishikesh	<p>No of existing STPs - 01 No.</p> <p>Capacity-26.00 MLD Utilised- 18.63 MLD</p> <p>Mode of Disposal – Treated effluent being disposed of into River through treated effluent channel.</p> <p>*Design capacity of STP is 26 MLD for the year 2035, which will be achieved in design year and intermittently as of now the STP is receiving 18.63 MLD of sewage against threshold indicative sewage flow 19.00 MLD.</p> <p>(Annexure – letter 2526/NGT/40 Dated 22/12/23)</p>	
2	Dehradun	<p>No. of existing STP's-07 No.</p> <p>1) Kargi STP- 68 MLD</p> <p>2) Vijay Colony STP- 0.42 MLD</p> <p>3) Salawala STP-0.71 MLD</p> <p>4) Mothorowal a 1 STP- 20 MLD</p> <p>5) Mothorowal a 2STP- 20 MLD</p> <p>6) Vasant Vihar STP-5MLD</p> <p>7) Doon Vihar Jakhn STP- 1 MLD</p> <p>Total Capacity 115.13 MLD</p>	<p>Utilized- 64.05 MLD</p> <p>Mode of Disposal- Treated sewer water being disposed of into Rispana, Bindal and branches of Bindal and Rispana river from CCT.</p> <ul style="list-style-type: none"> • Design capacity of 07 STP's are 115.13 MLD for design period of 2027, 2030, 2035 and 2049 which will be achieved in design year. • Water supply by the department to all the areas which is covered by sewer network or not covered by sewer network. Therefore, remaining domestic waste disposed at private septic tank/Soakpit <p>(Annexure- Report dated 06/02/2024)</p>	
3	Doiwala	0 MLD -Septic Tank and Soak pit for sewage disposal.		



		(Annexure-letter No-3572/2023-24 dated 16/12/23)	
4	Mussoorie	05 No.7.32 MLD (Annexure- UKPCB No04107-1574 dated 14/12/23)	
5	Selaqui	0 MLD -Septic Tank and Soak pit for sewage disposal. (Annexure- 1315 Dated 07 /02.2024)	
6	Herbartpur	0 MLD -Septic Tank and Soak pit for sewage disposal. (Annexure- Letter 1266/2023-24dated 04 January 2024)	
7	Vikasnagar	0 MLD -Septic Tank and Soak pit for sewage disposal. (Annexure-Letter No. 557/General/23-34 dated 24/01/24)	
(d) Quantity of discharged treated sewage from eachSTP, particularly for fecal coliform.	S.No.	Name of town & location	Quantity of discharged treated sewage (particularly for Fecal coliform)
	1	Rishikesh	Faecal coliform in the treated sewage effluent generally remains within the limit, but sometimes with a nominal deviation. The faecal coliform value in last six month is in between 70-130 MPN/100 ML. (Annexure – letter 2526/NGT/40 Dated 22/12/23) Test Report for faecal Coliform attached.
	2	Dehradun	Faecal coliform in the treated sewage effluent generally remains within the limit, but sometimes with a nominal deviation. The faecal coliform value in the last six month is in between 50-100 MPN/100 ML.. (Annexure- Test Report of Faecal Coliform attached)
	3	Doiwala	0 MLD -Septic Tank and Soak pit for sewage disposal. (Annexure-letter No-3572/2023-24 dated 16/12/23
	4	Mussoorie	(Test Report of Faecal Coliform attached)
	5	Selaqui	0 MLD -Septic Tank and Soak pit for sewage disposal. (Annexure- 1315 Dated 07 /02.2024)
	6	Herbartpur	0 MLD -Septic Tank and Soak pit for sewage disposal. (Annexure- Letter 1266/2023-24dated 04 January 2024)
	7	Vikasnaga r	0 MLD -Septic Tank and Soak pit for sewage disposal. (Annexure-Letter No. 557/General/23-34 dated 24/01/24)
(e) Time bound plan to meet the gap, if any, in generation and treatment of	Name of town& location		
	Rishikesh	Treated facility available in the town i.e. 26 MLD is adequate to accommodate the total sewage generation up to the year 2035. (Annexure – letter 2526/NGT/40 Dated	




	sewage.		22/12/23)		
		Dehradun	Treated facility available in the town i.e. 115.13 MLD is adequate to accommodate the total sewage generation up to the year 2035 (Annexure- Report dated 06/02/2024)		
	(f) Details of Hotels, Dharamshala and Ashram operating without proper consent and discharging untreated effluent and the action taken against them. If there is any violation, what is the action taken	Total no of registered hotels in Dehradun District having valid CCA-528 Hotel & Dharamshala without valid (CCA Expired) CCA-81 Hotel Having own STP.s or sewer line There is no Violation reported (Annexure- report Attached-UKPCB Letter No-4665-1886 dated 31/01/2024)			
(g) Water quality in river and its tributaries in abutting districts/towns in terms of fecal coliform (MPN/100ml).	River Quality analysis report attached in term of fecal coliform. (Annexure- report Attached-UKPCB Letter No-4665-1886 dated 31/01/2024)				
2. Municipal Solid Waste disposal	(a) Per day generation of Solid Waste in each city/town within the district.	S.No.	Name of City /Town	Per day generation of solid waste	
		1	Rishikesh	80MT (Annexure-letter No-3307/2023-24 dated 26/12/23	
		2	Dehradun	450 MT (Annexure- Letter 1965 (H)/NGT/2023-24 dated 25 January 2024)	
		3	Doiwala	30 Ton (Annexure-letter No-3572/2023-24 dated 16/12/23	
		4	Mussoorie	15 Ton (Annexure-letter No-3097/EO dated 06/02/24	
		5	Selaqui	13MT (Annexure- 1315 Dated 07 /02.2024)	
		6	Herbartpur	5MT (Annexure- Letter 1266/2023-24 dated 04 January 2024)	
		7	Vikasnagar	14MT (Annexure- Letter 858/NGT/2023-24 dated 24 January 2024)	
		(b) Quantity of Solid Waste treatment per day, in each city/town of the district	S.No.	Name of City /Town	Quantity of solid waste treatment per day
		1	Rishikesh	40 MT (Annexure-letter No-3307/2023-24 dated 26/12/23	
2	Dehradun	450 MT (Annexure- Letter 1965			




		(H)/NGT/2023-24 dated 25 January 2024)
3	Doiwala	20 Ton/day (Annexure-letter No-3572/2023-24 dated 16/12/23
4	Mussoorie	Construction of 20TPD MRF Plant and capacity of 08 TPD Bio-Methanation Plant completed & established. (Annexure-letter No-3097/EO dated 06/02/24
5	Selaqui	13MT (Annexure- 1315 Dated 07 /02.2024)
6	Herbartpur	5MT (Annexure- Letter 1266/2023-24dated 04 January 2024)
7	Vikasnagar	14MT (Annexure- 858/NGT/2023-24 Dated 024/01/2024)
(c) The gap in treatment of Solid Waste.	S.No.	Name of City /Town
	1	Rishikesh
	2	Dehradun
	3	Doiwala
	4	Mussoorie
	5	Selaqui
	6	Herbartpur
	7	Vikasnagar
(d) Legacy waste and the time bound plan to treat legacy waste.	S.No.	Name of City /Town
	1	Rishikesh





			<p>India company. The disposal of legacy waste is completed by the said firm within a year. At presently more than 70% of waste is remediated.</p> <ol style="list-style-type: none"> 1. 2.17 Lac Metric Ton Legacy Waste 2. 2.10 Lac Metric Ton Legacy Waste disposed 3. 7 Lac Metric Ton Legacy Left for Processing 4. Approx. 02 months will be required for disposed of the remaining qty. <p>With adequate machinery and manpower we shall process the remaining qty. of legacy. (Annexure-letter No-3307/2023-24 dated 26/12/23)</p>
	2	Dehradun	<p>31 December 2025 (Annexure- Letter 1965 (H)/NGT/2023-24 dated 25 January 2024)</p>
	3	Doiwala	<p>22800 MT Legacy waste and 12800 MT Disposed. 10000MT under process. (Annexure-letter No-3572/2023-24 dated 16/12/23)</p>
	4	Mussoorie	<p>There is no legacy waste of any kind in Nagar Palika parishad Mussoorie. (Annexure- Letter 3097/EO dated 06 February 2024)</p>
	5	Selaqui	<p>There is no legacy waste of any kind in Nagar Palika parishad (Annexure-1315 Dated 07 /02.2024)</p>
	6	Harbartpur	<p>There is no legacy waste of any kind in Nagar Palika parishad Harbartpur. (Annexure- Letter 1266/2023-24dated 04 January 2024)</p>
	7	Vikasnagar	<p>There is no legacy waste of any kind in Nagar Palika parishad (Annexure- Letter 858/NGT/2023-24 dated 24 January 2024)</p>
(e) The manner of utilization of the treated waste as well as rejects arising out of remediation of	S.No.	Name of City /Town	Manner of utilization of the treated waste
		Rishikesh	The agency shall disposed of the RDF (Refuse Derived Fuel) at their own


legacy waste.			Waste to energy plant (WTE) Plant at Ghaziabad and remaining bio -earth are used in filling low laying areas. (Annexure-letter No-3307/2023-24 dated 26/12/23)
		Dehradun	Bio-mining process of RDF Disposals and zero dumping in site since 2018. Tendering process is underway for disposal of Legacy waste. (Annexure- Letter 1965 (H)/NGT/2023-24 dated 25 January 2024)
		Doiwala	The legacy waste disposal agency uses bio-mining method to convert the waste into Refuse Derived Fuel (RDF) to be used as fuel in the cement factory and the resulting bio-soil is used for filling. (Annexure-letter No-3572/2023-24 dated 16/12/23)
		Mussoorie	There is no legacy waste of any kind in Nagar Palika parishad Mussoorie. (Annexure- Letter 3097/EO dated 06 February 2024)
		Selaqui	There is no legacy waste of any kind in Nagar Palika parishad (Annexure- letter No 1315 dated 07/02/24)
		Herbartpur	There is no legacy waste of any kind in Nagar Palika parishad Harbartpur. (Annexure- Letter 1266/2023-24dated 04 January 2024)
		Vikasnagar	There is no legacy waste of any kind in Nagar Palika parishad (Annexure- letter No 858/NGT/23-24 dated 24/01/24)
	(f) Current status of dumping of solid waste with reference to location.	S.No.	Name of City /Town
	1	Rishikesh	Solid Waste is Collected by Door to Door Garbage collection company "Rishikesh Waste Management" and transferred to Govind Nagar Material Recovery Facility Centre for remediate. (Annexure-letter No-3307/2023-24 dated 26/12/23)
	2	Dehradun	Currently Solid Waste is being treated at Sheeshambada Solid Waste Management Plant Selaqui, Dehradun (Annexure- Letter 1965 (H)/NGT/2023-24 dated 25 January 2024)
	3	Doiwala	Currently Solid Waste is being treated




			in Keshavpuri. Nagar Palika Parishad Doiwala is a part of Rishikesh Cluster. Rishikesh Cluster Develop a 10 Hectare Scientific landfill site in Lalpani (Annexure-letter No-3572/2023-24 dated 16/12/23)	
		4	Mussoorie I.D.H. Plant in NPP Mussoorie (Annexure- Letter 3097/EO dated 06 February 2024)	
		5	Selaqui Nagar nigam Dehradun Shishambara Waste Management plant (Annexure- Letter 1315dated 07/2/2024)	
		6	Herbartpur Currently Solid Waste is being treated at Village- Dhakrani Solid waste treatment plant (Annexure- Letter 1266/2023-24dated 04 January 2024)	
		7	Vikasnagar Solid waste is treated in Dakpathar (Khadar) Trenching Ground. (Annexure- Letter 858/NGT/2023-24 dated 24 January 2024)	
3. Construction and Demolition on waste	(a) Total per day generation of C&D Waste within the district.	No Local Body has applied for permission for C&D waste facility (Annexure- UKPCB Letter No-4665-1886 dated 31/01/2024)		
		Rishikesh- 20-50 MT C&D waste in Nagar Nigam Rishikesh Were established C&D Collection Center in Dhobighat. Mostly the C&D waste is collected by Private operator and used it in Land filling work. (Annexure- Letter 3307/2023-24 dated 26/12/2023)		
		Mussoorie- 01 Ton C&D waste in Nagar Palika Patishad Mussoorie. NPP established C&D Collection Center in Tehari By-Pass Road. (Annexure- Letter 3097/EO dated 06 February 2024)		
		Doiwala- 0.05 Ton C&D waste (Annexure-letter No-3572/2023-24 dated 16/12/23)		
		Herbartpur- 0.05 MT C&D waste generate in 3 to 4 Month. C&D waste is lifted by private operators and used in land filling. (Annexure- Letter 1266/2023-24dated 04 January 2024)		
		Selaqui- 1.00 MT C&D waste (Annexure- Letter 1315 dated 07/02/ 2024)		
		Vikasnagar:- 0.04 Ton C&D waste (Annexure- Letter 858/NGT/2023-24 dated 24 January 2024)		
		(b) The details of plant established for the treatment of C&D waste including the existing capacity and capacity utilization.	No information available, No plant Established by Municipal Body (Annexure- UKPCB Letter No-4665-1886 dated 31/01/2024)	
			Rishikesh- Nagar Nigam Rishikesh prepare a plan for C& D waste Plant. (Annexure- Letter 3307/2023-24 dated 26/12/2023)	
			Dehradun- Currently ULB doesn't have any plant for treatment of C&D waste.	



		<p>Annexure- Letter No-1965/NGT//2023-24 dated 24/01/2024)</p> <p>Mussoorie- - Currently ULB doesn't have any plant for treatment of C&D waste. (Annexure- Letter 3097/EO dated 06 February 2024</p> <p>Doiwala- Currently ULB doesn't have any plant for treatment of C&D waste. (Annexure-letter No-3572/2023-24 dated 16/12/23</p> <p>Herbartpur- Currently ULB doesn't have any plant for treatment of C&D waste. (Annexure- Letter 1266/2023-24dated 04 January 2024)</p> <p>Selaqui- Currently ULB doesn't have any plant for treatment of C&D waste. (Annexure- Letter 1315 dated 07/02/ 2024)</p> <p>Vikasnagar- Developed a site near trenching Ground for C&D waste.(Annexure- letter 858/NGT/2023-24 dated 24 January 2024</p>
4.Industrial Effluent	(a) Number of industrial unit discharging their effluent treated/untreated in river Ganga and its tributaries and details of defaulting industrial units.	<p>Total no of Industries- 463 (List Enclosed) Only One Unit of M/S Doiwala Sugar Company Ltd. Doiwala discharge permission given and discharging industrial effluent after treatment in River Song tributaries of river Ganga. (Annexure- UKPCB Letter No-4665-1886 dated 31/01/2024)</p>
	(b) Total daily generation of such industrial waste within the district.	<p>Industrial Effluent generated – 6.6 MLD Total Registered Industries-531 (Annexure- UKPCB Letter No-04107-1574 dated 14/12/2023)</p>
	(c) The manner of treatment of the industrial waste so generated.	<p>Treatment storage and disposal facility (TSDF)- M/s Bharat Oil & waste management, Roorkee (Annexure- UKPCB Letter No-4665-1886 dated 31/01/2024)</p>
	(d) The discharge effluent analysis from the CETP and ETP treating the industrial waste form each outlet.	<p>There is no CETP in Dehradun region, 106 Units generating industrial effluent having own ETP's (List Enclosed) (Annexure- UKPCB Letter No-4665-1886 dated 31/01/2024)</p>
	(e) The per day generation of industrial solid waste and manner of its treatment and disposal in the district.	<p>Hazardus waste – 427.56 MT/Annum disposed through Treatment storage and disposal facility- M.s bharat Oil & Waste Management, Rooraki. (Annexure- UKPCB Letter No-4665-1886 dated 31/01/2024)</p>
5.Regulation of	(a) If the flood plain zone has been	Final notification has been issued on right banks of river



flood Plain Zone	demarcated and the extent of encroachment on the flood plain zone in the district.	Ganga from Dhalwala to Pashulok Bairaj and Pashulok Bairaj to Haripura kalan. (Annexure- letter No. C-205 dated 03 January 2024 Notifications no. 41/11(2)-2024-06(18)/2020 Dated 08/01/2024.)				
	(b) The details of direct discharge of pollutants by the encroachers by the side of the river Ganga and its tributaries in the district.	In district Dehradun Tehsil Rishikesh Flood plain zone of Ganga river from Dhalwala Drain to Pashulok Barrage and Pashulok Barrage to Haripur Kala has been demarcated on Revenue records and demarcation pillars have been installed on site. (Annexure- letter No. C-205 dated 03 January 2024 Notifications no. 41/11(2)-2024-06(18)/2020 Dated 08/01/2024.)				
6. Bio medical waste	(a) The per day total generation of bio medical waste in the district.	Total HCF- 1911 and Total bio medical waste generation in the district is 2288.6 kg/day (Annexure- UKPCB Letter No-04107-1574 dated 14/12/2023)				
		Rishikesh- The bio-medical waste generated by all the hospitals under the body is sent to the Bio-Medical Waste Disposal Agency.				
		Dehradun- Total HCF-210 and Total Bio Medical waste generation in the district 84.06 kg per day Annexure- Letter No-1965/NGT//2023-24 dated 24/01/2024)				
		Doiwala- Bio Medical waste disposed by MPCC Firm appointed by UKPCB (Annexure-letter No-3572/2023-24 dated 16/12/23				
		Harbartpur- The bio-medical waste generated by all the hospitals under the body is sent to the Bio-Medical Waste Disposal Agency. (Annexure- Letter No-1266/2023-24 dated 04/01/2024)				
		VikasNagar- The bio-medical waste generated by all the hospitals under the body is sent to the Bio-Medical Waste Disposal Agency. (Annexure- Letter No-858/NGT//2023-24 dated 24/01/2024)				
7. Mining	Number of cases registered with in a year against illegal mining in the bed or flood plains of river Ganga and its tributaries and details of enforcement of mining policy of state and	Common Bio-medical Waste Treatment Facility- 1- M/s MPCC Mandawar, Rooraki, Uttarakhand. Plant Capacity is 200Kg/Hour 2- M/s Bharat Environmental Solution, Kodarna Village, tehari Garhwal. Plant Capacity is 200 Kg/Hour (Annexure- UKPCB Letter No-4665-1886 dated 31/01/2024)				
		There are 370 cases registered within a year against illegal mining in the bed or flood plains of river Ganga and its tributaries and action taken according to Prevention of illegal Mining Transportation and Storage Rule 2021.				
		S.N o.	Types of Cases	No. of Cases	Penalties (in Rs.)	Deposit against Penalties (in Rs)
		1	Illegal Transportation	266	1,03,88,633.00	1,03,88,633.00




	"Enforcement & Monitoring Guidelines for Sand Mining" (EMGSM) and Sustainable Sand Mining Management Guidelines 2016.	2	Illegal Mining	10	83,65,881.00	report sent to DM, Dehradun for recovery
		3	Illegal Storage	94	83,83,000.00	Deposit- Rs. 37,18,981.00 Remain amount Rs- 4664019.00 report sent to DM, Dehradun for recovery
(Annexure-Letter No. 928 dated 15/12/2023)						
8.Ecological flow of river	The concerned hydro project set up on river Ganga and its tributaries will ensure maintaining and complying with the prescribed minimum 15% of flow of water in the river Ganga and its tributaries.	Monitoring of E-Flow data Hydroelectric Project in the stream of river Ganga at Pashulok Barrage regularly through Center Water Commission (C.W.C.). Pashulok Barrage percentage of E-flow release as per rule. (Annexure- No. CWC/UGBO/EF/SR19)				

5. In view of the facts and circumstances as explained hereinabove sincere efforts are taken by the District Ganga Protection Committee, District Dehradun, in compliance of the directions passed by this Hon'ble Tribunal, the same may kindly be accepted by this Hon'ble Tribunal and the deponent hereby undertakes to comply with every direction passed by this Hon'ble Tribunal.

VERIFICATION

I, the deponent above named do hereby verify and say that the contents of my above Status report by way of affidavit are true and correct to my knowledge based on record, no part of it is false and nothing material has been concealed there from. The legal submissions are further true as per legal advice received and believed to be true and correct.




 DEPONENT
 District Magistrate
 Dehradun


 District Magistrate
 Dehradun

31613

Verified by me at Deharadun, Uttarakhand on this 07th day
of February, 2024.

DEPONENT

District Magistrate
Dehradun

Filed by:

[KAUSHAL GAUTAM]

Additional Advocate General for the State of Uttarakhand /


Respondent

Office: C-203, LGF,

Defence Colony, New Delhi-110024

Mobile No. 9811101934

Email- officeofkaushalgautam@gmail.com



S.N. 109/2024
i his affidavit is sworn before me by
Smt. Sonika
who is identified by Shri.
at Dehradun on 08/2/2024

Smt. V.L. Shukla
Advocate & Notary, D.Dun

31614

कार्यालय परियोजना प्रबन्धक
निर्माण एवं अनुरक्षण इकाई (गंगा)
उत्तराखण्ड पेयजल निगम
निकट- डी0जी0वी0आर0 कैम्प
आशुतोष नगर, ऋषिकेश



Office of Project Manager
Construction & Maintenance Unit (Ganga)
Uttarakhand Peayal Nigam
Near- D.G.B.R. Camp
Ashutosh Nagar, Rishikesh

Email:- gangarishikesh2017@gmail.com

Letter No. 2526 / (N.G.T) / 40 Date: 22-12-2023 Through - Email/Post

सेवा में,


जिलाधिकारी,
देहरादून।

विषय:- मा0 राष्ट्रीय हरित अधिकरण में योजित मूल आवेदन संख्या 200/2014 "MC Mehta vs Union of India & Ors" में पारित आदेश दिनांक 24.11.2023 विषयक।

महोदया,

उपरोक्त विषयक आपके कार्यालय पत्रांक 124/एन0जी0टी0/जि0गं0सु0स0/2022-23, दिनांक 04.09.2023 के अनुपालन में मा0 राष्ट्रीय हरित अधिकरण के आदेश दिनांक 24.11.2023 में बिन्दु सं0- I Sewage के सम्बन्ध में इस इकाई से सम्बन्धित सूचना संलग्न कर सादर प्रेषित है।
संलग्नक:- उपरोक्तानुसार।

भवदीय



(एस0के0 वर्मा)

गं० परियोजना प्रबन्धक
तददिनांक।

पृ0सं0

प्रतिलिपि: निम्नलिखित को सादर सूचनार्थ प्रेषित।

1. महाप्रबन्धक, निर्माण मण्डल (गंगा), उत्तराखण्ड पेयजल निगम, हरिद्वार।
2. परियोजना प्रबन्धक (यात्रिक), निर्माण एवं अनुरक्षण इकाई (गंगा), उत्तराखण्ड पेयजल निगम, हरिद्वार।


गं० परियोजना प्रबन्धक

OFFICE OF PROJECT MANAGER, CONSTRUCTION & MAINTENANCE UNIT
(GANGA), UTTARAKHAND PEYJAL NIGAM, RISHIKESH

Compliance Report

Issues	Information Sought	Name of Town	Impementation and Compliance
Sewage	a) Per day generation of sewage in each city/town within the district.	Rishikesh	16.65 MLD calculated on the basis of projection of population based on census 2011.
	(b) Quantity of sewage treated per day, city/town wise.	Rishikesh	18.63 MLD including I&D discharge (Nala discharge)
	(c) The number of sewage treatment plant existing and their capacity and capacity utilization and mode of disposal in city/town. *Why is capacity underutilized?		No of existing STPs - 01 No. Capacity-26.00 MLD Utilised - 18.63 MLD Mode of Disposal – Treated effluent being disposed of into River through treated effluent channel. *Design capacity of STP is 26 mld for the year 2035, which will be achieved in design year and intermittently as ofnow the STP is receiving 18.63 mld of sewage against threshold indicative sewage flow 19.00 mld. (Annexed)
	(d) Quantity of discharged treated sewage from each STP, particularly for faecal coliform.		Faecal coliform in the treated sewage effluent generally remains within the limit, but sometimes with a nominal deviation.The faecal coliform value in last six month is in between 70-130 MPN/100 ML. Test Report for faecal Coliform attached.
	(e) Time bound plan to meet the gap, if any, in generation and treatment of sewage.		Treated facility available in the town i.e. 26 mld is adequate to accommodate the total sewage generation up to the year 2035.
	(f) Details of Hotels, Dharamshala and Ashram operating without proper consent and discharging untreated effluent and the action taken against them.		Information not related to this office.
	(g) Water quality in river and its tributaries in abutting district/towns in term of faecal coliform (MPN/100 ml)		Information not related to this office.

Project Manager

1/47719/2023

1/47719/2023

UTTARAKHAND POLLUTION CONTROL BOARD
Gaura devi Paryavaran Bhawan
46-B, SIDCUL, IT Park, Sahasrtradhara Road
DEHRADUN (Uttarakhand)



उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड
गौरा देवी पर्यावरण भवन
46-बी, सिडकुल, आई.टी. पार्क, सहस्रत्रधारा रोड,
देहरादून (उत्तराखण्ड)

CENTRAL LABORATORY

S.No.	Name of the Sewage Treatment Plant (With Capacity)	Sampling Point						
		Inlet of STP			Outlet of STP			
		pH	BOD	TSS	pH	BOD	TSS	Fecal Coliform
30	0.075 MLD STP at Devprayag. (Operated by: Uttarakhand Peyjal Nigam)	6.70	170	168	7.26	9.2	10	140
31	0.150 MLD STP at Devprayag. (Operated by: Uttarakhand Peyjal Nigam)	6.86	180	176	7.01	8.8	09	170
32	1.4 MLD STP at Pauri Road, Devprayag. (Operated by: Uttarakhand Jal Sansthan)	7.30	160	156	7.85	9.2	10	140
33	5.0 MLD STP at Bhagirathi Puram, Tehri. (Operated by: Uttarakhand Jal Sansthan)	6.83	170	173	7.46	8.8	10	170
34	2.0 MLD STP at Gyansu, Uttarkashi. (Operated by: Uttarakhand Jal Sansthan)	6.72	220	224	7.11	10.0	13	920
35	1.0 MLD STP at Gangotri, Distt- Uttarkashi. (Operated by: Uttarakhand Jal Sansthan)	6.78	145	148	7.35	8.8	11	920
36	3.5 MLD STP at Tapovan, Rishikesh. (Operated by: Uttarakhand Jal Sansthan)	6.95	200	205	7.49	9.2	12	220
37	3.0 MLD STP at Swargashram, Rishikesh. (Operated by: Uttarakhand Jal Sansthan)	6.85	210	214	7.47	10.0	13	170
38	26 MLD STP at Lakkarghat, Rishikesh. (Operated by: Uttarakhand Peyjal Nigam)	7.10	170	168	7.42	9.2	10	130
39	5.0 MLD STP at Chorpani, Rishikesh. (Operated by: Uttarakhand Peyjal Nigam)	7.03	180	178	7.44	9.6	10	94
40	7.5 MLD STP at Chandreshwar Nagar, Rishikesh. (Operated by: Uttarakhand Peyjal Nigam)	7.30	155	153	7.61	8.8	09	84
41	20 MLD STP at Motharawala-I, Dehradun. (Operated by: Uttarakhand Jal Sansthan)	7.32	160	164	7.68	9.6	13	94
42	20 MLD STP at Motharawala-II, Dehradun. (Operated by: Uttarakhand Jal Sansthan)	7.12	155	158	7.35	9.2	11	350
43	68 MLD STP at Kargi, Dehradun. (Operated by: Uttarakhand Jal Sansthan)	7.27	170	174	7.88	9.2	12	140
44	0.42 MLD STP at Vijay Colony, Dehradun. (Operated by: Uttarakhand Jal Sansthan)	7.32	165	167	7.75	8.8	09	110
45	0.71 MLD STP Salawala, Dehradun. (Operated by: Uttarakhand Jal Sansthan)	7.40	170	168	7.58	8.4	09	170
46	5.0 MLD STP at Indira Nagar, Dehradun. (Operated by: Uttarakhand Jal Sansthan)	7.33	160.4	164	7.68	8.8	11	170

31617

File No. PCB-24007/1/2022-PCB-DEPT-PCB (Computer No. 8720)

1/47719/2023

1/47719/2023

UTTARAKHAND POLLUTION CONTROL BOARD
Gaura devi Paryavaran Bhawan
46-B, SIDCUL, IT Park, Sahashradhara Road
DEHRADUN (Uttarakhand)



उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड
गौर देवी पर्यावरण भवन
46-बी, सिडकुल, आई.टी. पार्क, सहस्रधारा रोड,
देहरादून (उत्तराखण्ड)

CENTRAL LABORATORY

S.No.	Name of the Sewage Treatment Plant (With Capacity)	Sampling Point							
		Inlet of STP			Outlet of STP				
		pH	BOD	TSS	pH	BOD	TSS	Fecal Coliform	
64	5.0 MLD STP at Aincholi, Distt- Pithoragarh. (Operated by: Uttarakhand Peyjal Nigam)	7.28	228	284	7.37	12.0	15	170	
65	1.5 MLD STP at Puchdi, Ramnagar, Nainital. (Operated by: Uttarakhand Jal Sanathan)	7.30	180	222	7.58	9.0	10	94	
66	7.0 MLD STP Transport Nagar, Ramnagar, Distt-Nainital. (Operated by: Uttarakhand Jal Sanathan)	7.17	240	308	7.72	6.0	08	84	
67	0.45 MLD STP Narayan Nagar, Distt-Nainital. (Operated by: Uttarakhand Jal Sanathan)	6.95	205	254	7.29	26.0	32	210	
68	28 MLD STP, Indra Nagar, Heldwani Distt- Nainital. (Operated by: Uttarakhand Peyjal Nigam)	6.62	360	436	7.68	28.0	36	350	
69	10 MLD STP Rusi Pond, District- Nainital.	New Sewage Treatment Plant (STP) of 17.5 MLD capacity is under construction.							
Sewage Treatment final effluent standards (As Notified by MoEF&CC).					6.5-9.0	30	<100	<1000	
Note: All values are in mg/l except pH, Fecal coliform (MPN Per 100 ml).									

Pramod Bhandari
Pramod Bhandari 05/12/2023
(Jr. Lab Assistant)

Pradeep Chauhan
05/12/2023
(Pradeep Chauhan)
Lab Assistant

Amit Pokhriyal
05/12/2023
(Amit Pokhriyal)
Environment Engineer

**OFFICE OF PROJECT MANAGER, CONSTRUCTION & MAINTENANCE UNIT (GANGA),
UTTARAKHAND PEYJAL NIGAM, RISHIKESH**

Tributary wise action plan adopting biolistic and integrated basin approach for river rejuvenation.

A. Detailed Gap analysis (capacity vs generation) of sewage for each town falling along the river and its tributaries with projections up to 2040 :-

➤ Name of City/Town- Rishikesh

Year	Population	Sewage Generation (MLD)	Capacity of STP Required (MLD)	Capacity of Existing STP (MLD)	Location of Existing STP
2023	154147	16.65	17.0	26.0	Lakkarghaat, Rishikesh
2025	180774	19.52	20.0	26.0	
2040	217243	23.46	24.0	26.0	

B. Action Plan to fill the capacity gap :-

- STPs capacity (26.0 MLD) sufficient up to year 2040.
- An additional STP of 5.0 MLD capacity at Khadri Khadakmaf is proposed under German Bank KfW funded "Environmentally Friendly Urban Development in Ganga Basin States" Programme which expected to be completed by year 2026.

C. Detail of the existing STPs heir compliance status and plan for rehabilitation/upgradation (if required as per CPCB/NGT norms) :-

➤ Name of City/Town- Rishikesh

Location of Existing STP	Capacity (MLD)	Status	Compliance as per CPCB/NGT norms	Rehabilitation / upgradation if required
Lakkarghaat, Rishikesh	26.0	Operational	Complying	Not required

[Signature]
PM

D. Details status of ongoing pollution abatement works in the basin:-

- Nil

E. Status of Industrial Pollution in the basin :-

- Not pertaining to this office.

F. Assistance required from the Govt. of India in general and from NMCG in particular :-

- Assistance from G.O.I.- Interception & Diversion and STPs related construction works are carried out near river banks. Therefore, relaxation by Hon'ble NGT/ Hon'ble Supreme Court should be given for execution of these works near the water bodies.
- Assistance from NMCG- Funding for Operation & Maintenance works should be 15 years for Interception & Diversion works.

G. IEC and public outreach activity in the district :-

- In IEC activities, 03 days Rafting Guides Training/Workshop held on February'2023.


Project Manager

Indicative Sewage Flow Rate for STP & SPSs

Indicative Sewage Flow Rate for SPS(s) for the purpose of evaluation of bids in accordance with ITB 5.6 (c) (iv) during the Operation Period shall be as follows:

For STP

Year of Operations	Indicative Sewage Flow Rate (MLD)
Year One	16.50 MLD
Year Two	17 MLD
Year Three	18 MLD
Year Four	19 MLD
Year Five	21 MLD
Year Six	22 MLD
Year Seven	23 MLD
Year Eight	24 MLD
Year Nine	25 MLD
Year Ten	26 MLD
Year Eleven	26 MLD
Year Twelve	26 MLD
Year Thirteen	26 MLD
Year Fourteen	26 MLD
Year Fifteen	26 MLD

"Indicative Flow Rate for STP" means the rate of sewage flow which is projected by the Owner to be available for treatment in the STP facility for each of the 15 years of the O&M period.

31621

Devansh Testing & Research Laboratory Pvt. Ltd.

Test Report



54, Shiv Ganga Industrial Estate, Lakshwari, Bhagwanpur, Roorkee - 247061 (UK)
 Contact No. : 01332-238418, 7889134468, E-mail : dr@devansh.com Website : www.drtdb.org



TC-6467

DRUG LICENSE No. : 1/U/ACTL/2010

Sample : STP OUTLET WATER
 Customer Name : EMT GROUP INDIA PVT.LTD., Noida
 Customer Address : D-109 First Floor, Sector-63
 Noida-201301 (UP)-INDIA Noida

ULR No. : TC646723800003073F
 Report No. : DTRLES-111023004
 Your Ref. : 10/10/2023

Sampling Location : 26 MLD Lakkher Ghat
 Date of Sampling : 10/10/2023

Sample Qty. : 1 Litre
 Date of Receipt : 11/10/2023
 Sampling Procedure : DTRL SOP QCC 150

Date of Test Performance Initiated : 11/10/2023

RESULTS OF ANALYSIS

Description : One 26 MLD STP OUTLET WATER sample was collected by us on 10-10-2023

Sl. No.	Test Parameters	Results	Test Method
I) Chemical Testing (i) - Pollution and Environment			
1	pH	7.26	APHA 4500 H-B
2	Total Suspended Solids	8.0 mg/L	APHA 2540 D
3	Chemical Oxygen Demand	24.5 mg/L	APHA 5220 B
4	Biological Oxygen Demand (for 5 days at 20°C)	8.0 mg/L	APHA 5210-B
5	Ammonical Nitrogen (as NH ₃ -N)	3.1 mg/L	APHA 4500 NH ₃ C
6	Total Nitrogen (as N)	5.8 mg/L	APHA 4500 NH ₃ B
7	Total Phosphate (as PO ₄)	0.7 mg/L	APHA 4500 P-D
II) Biological Testing (i) Water			
8	Fecal Coliforms	70 MPN/100ml	IS 1622 1981

Date of Completion : 16/10/2023

Note: Party has asked for the above test only.

16-10-2023
 DATE OF ISSUE

REVIEWED BY

Page 1 of 1

AUTHORISED SIGNATORY

NOTE

1. Samples not drawn by us unless otherwise stated
2. Total charges of our analytical division is limited to the invoiced amount
3. Sample can be destroyed after one month from the date of issue of test certificate unless otherwise specified
4. Test certificate in full or parts shall not be used for promotional or publicity purposes
5. Result given in report are related to sample tested only



Arvind Kharkwal
 Authorised Signatory

Devansh Testing & Research Laboratory Pvt. Ltd.

**OFFICE OF PROJECT MANAGER, CONSTRUCTION & MAINTENANCE UNIT
(GANGA) UTTARAKHAND PEYJAL NIGAM, RISHIKESH**

Compliance Report

Issue	Information Sought	Name of Town	Implementation and Compliance
Sewage	a) Per day generation of sewage in each city/town within the district.	Rishikesh	16.65 MLD calculated on the basis of projection of population based on census 2011.
	(b) Quantity of sewage treated per day, city/town wise.	Rishikesh	18.63 MLD including I&D discharge (Nala discharge)
	(c) The number of sewage treatment plant existing and their capacity and capacity utilization and mode of disposal in city/town. *Why is capacity underutilized?		No of existing STPs - 01 No. Capacity-26.00 MLD Utilised - 18.63 MLD Mode of Disposal - Treated effluent being disposed of into River through treated effluent channel. * Design capacity of STP is 26 mld for the year 2035, which will be achieved in design year and intermittently as of now the STP is receiving 18.63 mld of sewage against threshold indicative sewage flow 19.00 mld. (Annexed)
	(d) Quantity of discharged treated sewage from each STP, particularly for faecal coliform.		Faecal coliform in the treated sewage effluent generally remains within the limit, but sometimes with a nominal deviation, the faecal coliform value in last six month is in between 70-130 MPN/100 ML. Test Report for faecal Coliform attached.
	(e) Time bound plan to meet the gap, if any, in generation and treatment of sewage.		Treated facility available in the town i.e. 26 mld is adequate to accommodate the total sewage generation up to the year 2035.
	(f) Details of Hotels, Dharamshala and Ashram operating without proper consent and discharging untreated effluent and the action taken against them.		Information not related to this office.
	(g) Water quality in river and its tributaries in abutting district/towns in term of faecal coliform (MPN/100 ml)		Information not related to this office.


Project Manager


UTTARAKHAND JAL SANSTHAN DEHRADUN

COMPLIANCE REPORT MLD

Issues	Information Sought	Implementation and Compliance				
		S.No.	Name of town	Per day sewage generation		
I. Sewage	(a) Per day generation of sewage in each city/town within the District. Jal Sansthan Dehradun Division	1	Dehradun	117.64 MLD calculated on the basis population covered under all Jal sansthan division.		
		S.No.	Name of town	Per day treated sewage		
	(b) Quantity of sewage treated per day, city/town wise.	1	Dehradun	64.05 MLD Average (Dehradun Town all division)		
		S.No.	Name of town & location	STP capacity in MLD	Capacity utilization in MLD	
	(c) The number of sewage treatment plant existing and their capacity and capacity utilization	1	Dehradun	No. of existing STPs - 07 No. (1) Kargi STP = 68 MLD (2) Vijay Colony STP = 0.42 MLD (3) Salawala STP = 0.71 MLD (4) Mothorowala 1 STP = 20 MLD (5) Mothorowala 2 STP = 20 MLD (6) Vasant Vihar STP = 5 MLD (7) Doon Vihar Jakhan STP = 1 MLD Total Capacity of all 7 STP - 115.13 MLD	Utilized= 64.05 MLD Mode of Disposal - Treated sewer water being disposed of into Rispana, Bindal and Branches of Bindal and rispana river from CCT. • Design capacity of all 7 STPs are 115.13 MLD for Design period of 2027, 2030, 2035, 2049 which will be achieved in design year. • Water supply by the department to all the areas which is covered by sewer network or not covered by sewer network. Therefore, remaining domestic waste disposed at private septic tank/soakpit.	
		(d) Quantity of discharged treated sewage from each STP, Particularly for fecal coli form.	S.No.	Name of town & location	Quantity of discharged treated sewage (particularly for Fecal coli form)	
	(e) Time bound plan to meet the gap, if any, in generation and Treatment of sewage.	1	Dehradun	Fecal coliform in the treated sewage effluent generally remains within the limit, but sometimes with a nominal deviation. The fecal coliform value in the last six month is in between 50-100 MPN/100 ML. Test report for fecal coliform attached.		
		Name of town & location		Dehradun		
			Dehradun		Treated facility available in the town i.e 115.13 MLD is adequate to accommodate the total sewage generation up to the year 2035.	

Signature
AG

(f) Details of Hotels, Dharamshala and Ashram operating without proper consent and discharging untreated effluent and the action taken against them.	Information not related to this office.
(g) Water quality in river and its tributaries in abutting districts/towns in terms of fecal coliform (MPN/100ml).	Information not related to this office.


6/2/2024
Assistant Engineer (South)
सहायक अभियन्ता (दक्षिण)
उत्तराखण्ड जल संस्थान,
देहरादून


6/2/2024
Executive Engineer (South)

अधिरासी अभियन्ता (दक्षिण)
उत्तराखण्ड जल संस्थान
32-राजपुर रोड, देहरादून



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000005616F
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K)		Reporting Date:	06/09/2023
		Date of Sampling	01/09/2023
		Receipt Date:	01/09/2023
		Period of Testing:	01/09/2023-06/09/2023
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.71 MLD)	Preservation	Refrigerated
Sampling Location:	Salawala, Dehradun	Format No:	7.8-F-01
Sampling & Analysis Protocol	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.38	6.5-9.0	-	APHA 23 rd Edi.2017-4500 H ⁺ B, Electrometric Method
2.	COD	32.5	50	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	9.2	10	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	8.0	20	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Ammonia as N	1.4	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	2.6	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.7	1.0	mg/l	APHA 23 rd Edi.2017, 4500 P D Stannous Chloride Method
8.	Fecal Coliform	58	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report

Checked by:
A. K. Singh



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000005617F
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K)		Reporting Date:	06/09/2023
		Date of Sampling	01/09/2023
		Receipt Date:	01/09/2023
		Period of Testing:	01/09/2023-06/09/2023
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.42 MLD)	Preservation	Refrigerated
Sampling Location:	Vijay Colony, Dehradun	Format No:	7.8-F-01
Sampling & Analysis Protocol	IS: 3025 (Part-I)	Party Reference No:	By Mail
Sample Quantity	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	6.90	6.5-9.0	-	APHA 23 rd Edi.2017-4500 H ⁺ B, Electrometric Method
2.	COD	26.8	50	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 ^o C)	7.1	10	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	8.4	20	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Ammonia as N	1.0	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	2.4	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.6	1.0	mg/l	APHA 23 rd Edi.2017, 4500 P D Stannous Chloride Method
8.	Fecal Coliform	64	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report

Shubray
CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31627



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550724000000468F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	24/01/2024
		Date of Sampling	19/01/2024
		Receipt Date:	19/01/2024
		Period of Testing:	20 /01/2024-24/01/2024
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP -Outlet	Preservation:	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity:	2 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.36	6.5-8.5	--	APHA-23 rd Ed-4500 H+B:2022
2.	COD	27.2	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	6.0	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	12.4	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	287	-	MPN/100	IS:1622 1981 RA:2019
6.	Fecal Coliform	68	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Checked by:



- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

31628



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550724000008536F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	08/01/2024
		Date of Sampling	03/01/2024
		Receipt Date:	03/01/2024
		Period of Testing:	04/01/2024-08/01/2024
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP -Outlet	Preservation:	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity:	2 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.58	6.5-8.5	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	28.2	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	8.2	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	11.5	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	346	-	MPN/100	IS:1622 1981 RA:2019
6.	Fecal Coliform	82	1000	MPN/100	IS:1622 1981 RA:2019

End of Report



Checked By:

- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

31629



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001 and NABL Accredited Laboratory)

Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000008439F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	26/12/2023
		Date of Sampling	19/12/2023
		Receipt Date:	19/12/2023
		Period of Testing:	20/12/2023-26/12/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP -Outlet	Preservation:	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format/No:	7.8-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.36	6.5-8.5	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	26.2	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	7.4	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	13.5	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	292	-	MPN/100	IS:1622 1981 RA:2019
6.	Fecal Coliform	102	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Prepared By:
[Signature]



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31630



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC:550723000007891F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	09/12/2023
		Date of Sampling	05/12/2023
		Receipt Date:	05/12/2023
		Period of Testing:	06/12/2023-09/12/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP -Outlet	Preservation:	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.40	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	28.4	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	8.2.0	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	11.2	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	246	-	MPN/100	IS:1622 1981 RA:2019
	Fecal Coliform	82	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Checked by:
[Signature]



- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

31631



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000007002F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	23/11/2023
		Date of Sampling	16/11/2023
		Receipt Date:	16/11/2023
		Period of Testing:	17/11/2023-23/11/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP -Outlet	Preservation:	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7,8-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.31	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	25.9	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	7.0	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	10.8	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	225	-	MPN/100	IS:1622 1981 RA:2019
6.	Fecal Coliform	70	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Anthony
CHECKED BY:



- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

31632



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garbi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000006950F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	08/11/2023
		Date of Sampling	03/11/2023
		Receipt Date:	03/11/2023
		Period of Testing:	04/11/2023-08/11/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.24	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	30.4	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	7.2	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	12.3	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	220	-	MPN/100	IS:1622 1981 RA:2019
6.	Fecal Coliform	64	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Shoukany
CHECKED BY:



- NOTE: 1. The results listed refer only to the tested sample & applicable parameters
2. Total liabilities of our lab will be restricted to the invoice amount only
3. The sample will be destroyed after retention time unless otherwise specified
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31633



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000006408F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun. (U.K.)		Reporting Date:	21/10/2023
		Date of Sampling	16/10/2023
		Receipt Date:	16/10/2023
		Period of Testing:	17/10/2023-21/10/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1	pH	6.81	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	31.6	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 ^o C)	8.9	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	10.0	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5	Total Coliform	248	-	MPN/100	IS:1622 1981 RA:2019
	Fecal Coliform	65	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Signature
CHECKED BY:



- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

31634



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001 and NABL Accredited Laboratory)

Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000005706F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	27/09/2023
		Date of Sampling	20/09/2023
		Receipt Date:	20/09/2023
		Period of Testing:	21/09/2023-27/09/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	6.89	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	33.5	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 ^o C)	9.1	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	10.2	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	240	-	MPN/100	IS:1622 1981 RA:2019
6.	Fecal Coliform	60	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Handwritten signature
CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344



31635

ECON LABORATORY & CONSULTANCY

(ISO: 9001 & 14001 Certified Laboratory)

Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client: M/s. Gbarpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Report No: EC/2309/WW/5356
		Reporting Date: 18/09/2023
		Date of Sampling: 11/09/2023
		Receipt Date: 11/09/2023
		Period of Testing: 12/09/2023-18/09/2023
		Sample Collected By: Lab. Rep.
		Sampling Type: Grab
Sample Description:	STP Outlet	Preservation: Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No: 7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No: By Mail
Sample Quantity:	3 Ltr.	Parameter Required: As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	6.81	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	31.6	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	8.0	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	9.1	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	244	-	MPN/100	IS:1622 1981 RA:2019
	Fecal Coliform	62	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Shoukary
CHECKED BY:



- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31636



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001 and NABL Accredited Laboratory)

VIII.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000006184F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U K.)		Reporting Date:	07/10/2023
		Date of Sampling	03/10/2023
		Receipt Date:	03/10/2023
		Period of Testing:	03/10/2023-07/10/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description	STP Outlet	Preservation	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1	pH	6.95	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2	COD	31.8	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3	BOD (3 Days at 27 °C)	8.6	30	mg/l	IS-3025 (P-44) 1993, RA2019
4	Total Suspended Solid	10.8	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5	Total Coliform	236	-	MPN/100	IS:1622 1981 RA:2019
6	Fecal Coliform	54	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Amrithay
CHECKED BY:



- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yaboo.in

CONTACT NO: +91- 8534957815, 8126534344

31637



ECON LABORATORY & CONSULTANCY

(ISO: 9001 & 14001 Certified Laboratory)

Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT


Name & Address of Client:		ULR No:	TC550723000005356F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	04/09/2023
		Date of Sampling	28/08/2023
		Receipt Date:	28/08/2023
		Period of Testing:	29/08/2023-02/09/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	6.89	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	32.4	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	8.6	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	8.2	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	240	-	MPN/100	IS:1622 1981 RA:2019
	Fecal Coliform	60	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Handwritten Signature
CHECKED BY



- NOTE: 1. The results listed refer only to the tested sample & applicable parameters
2. Total liabilities of our lab will be restricted to the invoice amount only
3. The sample will be destroyed after retention time unless otherwise specified
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

31638



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000004071F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	17/08/2023
		Date of Sampling	11/08/2023
		Receipt Date:	11/08/2023
		Period of Testing:	12/08/2023-17/08/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.67	5.5-9.0	-	APHA 23 rd Edi.2017-4500 H ⁺ B, Electrometric Method
2.	COD	32.4	250	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	9.2	30	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	8.4	100	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Total Coliform	230	-	MPN/100	IS:1622 1981 Reaff 2003
6.	Fecal Coliform	62	1000	MPN/100	IS:1622 1981 Reaff 2003

End of Report

CHEKED BY:



- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

31639



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garbi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000004071F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	17/08/2023
		Date of Sampling	11/08/2023
		Receipt Date:	11/08/2023
		Period of Testing:	12/08/2023-17/08/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.67	5.5-9.0	-	APHA 23 rd Edi.2017-4500 H ⁺ B, Electrometric Method
2.	COD	32.4	250	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MFLF & CC Recognized)
Vill: Khabarwala, P.O: Jaintanwala, Near Garhi Cantt., Dehradun - 248063, Uttarakhand

Name & Address of Client		TEST REPORT	
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K)		ULR No:	TC550723000606268F
		Reporting Date:	10/10/2023
Sample Description: STP Outlet, (0.71 MLD)		Date of Sampling:	04/10/2023
		Receipt Date:	04/10/2023
Sampling Location: Sahawala, Dehradun		Period of Testing:	04/10/2023-10/10/2023
		Sample Collected By:	Supplied by Client
Sampling & Analysis Protocol: IS: 3025 (Part-1)		Sampling Type:	Grab
		Preservation:	Refrigerated
Sample Quantity: 3 LTR		Format No:	7 8-F-01
		Party Reference No:	By Mail
		Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1	pH	7.49	6.5-9.0	-	APHA 23 ¹ Ed: 2017-4500 IFB, Electrometric Method
2	COD	11.6	50	mg/l	APHA 23 ⁶ Ed: 2017-5220B, Open Reflux Method
3	BOD (5 Days at 27°C)	9.0	10	mg/l	IS:3025 (P-34)1993, RA2019
4	Total Suspended Solid	10.8	20	mg/l	APHA 23 ¹ Ed: 2017-2540 D, Gravimetric Method
5	Ammonia as N	1.0	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6	Total Nitrogen	2.3	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7	Phosphorus as P	0.7	1.0	mg/l	APHA 23 ² Ed: 2017, 4500 P D Stannous Chloride Method
8	Fecal Coliform	50	100	MPN/100	IS:1622 1981 Reaff 2003

*** End of Report ***

M. P. Singh
DIRECTOR



- NOTE: 1. The results listed refer only to the tested sample & applicable parameters.
2. Total liabilities of our lab will be restricted to the maximum amount only.
3. The sample will be destroyed after analytical work, unless otherwise specified.
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission.

www.econlaboratory.com, uk@econlaboratory.com, econlabconsultancy@yahoo.in
CONTACT NO: +91-8534957815, 8126533344

31641



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000006269F
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K)		Reporting Date:	10/10/2023
		Date of Sampling	04/10/2023
		Receipt Date:	04/10/2023
		Period of Testing:	04/10/2023-10/10/2023
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.42 MLD)	Preservation	Refrigerated
Sampling Location:	Vijay Colony, Dehradun	Format No:	7.8-F-01
Sampling & Analysis Protocol	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	6.85	6.5-9.0	-	APHA 23 rd Edi.2017-4500 H'B, Electrometric Method
2.	COD	28.2	50	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	7.9	10	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	9.2	20	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Ammonia as N	1.4	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	2.8	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.6	1.0	mg/l	APHA 23 rd Edi.2017, 4500 P D Stannous Chloride Method
8.	Fecal Coliform	68	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report

Abhishek
CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31642



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000006268F
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K)		Reporting Date:	10/10/2023
		Date of Sampling	04/10/2023
		Receipt Date:	04/10/2023
		Period of Testing:	04/10/2023-10/10/2023
		Sample Collected By:	Supplied by Client
Sample Description:	STP Outlet, (0.71 MLD)	Sampling Type:	Grab
Sample Location:	Salawala, Dehradun	Preservation	Refrigerated
Sampling & Analysis Protocol	IS: 3025 (Part-1)	Format No:	7.8-F-01
Sample Quantity	3 Ltr.	Party Reference No:	By Mail
		Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.49	6.5-9.0	-	APHA 23 rd Edi.2017-4500 H'B, Electrometric Method
2.	COD	33.6	50	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	9.0	10	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	10.8	20	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Ammonia as N	1.0	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	2.3	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.7	1.0	mg/l	APHA 23 rd Edi.2017, 4500 P D Stannous Chloride Method
8.	Fecal Coliform	50	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report

Abudhary
CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31643



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000006987F
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K)		Reporting Date:	08/11/2023
		Date of Sampling	03/11/2023
		Receipt Date:	04/11/2023
		Period of Testing:	04/11/2023-08/11/2023
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.71 MLD)	Preservation	Refrigerated
Sampling Location:	Salawala, Dehradun	Format No:	7.8-F-01
Sampling & Analysis Protocol	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.35	6.5-9.0	-	APHA 23 rd Edi.2017-4500 H ^B , Electrometric Method
2.	COD	30.6	50	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	8.2	10	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	14.4	20	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Ammonia as N	1.4	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	2.2	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.18	1.0	mg/l	APHA 23 rd Edi.2017, 4500 P D Stannous Chloride Method
8.	Fecal Coliform	64.5	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report

CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in
CONTACT NO: +91- 8534957815, 8126534344



31644

ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000006988F
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K)		Reporting Date:	08/11/2023
		Date of Sampling	03/11/2023
		Receipt Date:	04/11/2023
		Period of Testing.	04/11/2023-08/11/2023
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.42 MLD)	Preservation	Refrigerated
Sampling Location:	Vijay Colony, Dehradun	Format No:	7.8-F-01
Sampling & Analysis Protocol	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.15	6.5-9.0	-	APHA 23 rd Edi.2017-4500 H ^B , Electrometric Method
2.	COD	32.2	50	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 ^o C)	8.4	10	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	12.2	20	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Ammonia as N	1.6	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	2.4	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.36	1.0	mg/l	APHA 23 rd Edi.2017, 4500 P D Stannous Chloride Method
8.	Fecal Coliform	70	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report

CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000007170F
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K)		Reporting Date:	29/11/2023
		Date of Sampling	23/11/2023
		Receipt Date:	23/11/2023
		Period of Testing:	24/11/2023-29/11/2023
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.42 MLD)	Preservation:	Refrigerated
Sampling Location:	Vijay Colony, Dehradun	Format No:	7.8-F-01
Sampling & Analysis Protocol	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity	3 Ltr.	Parameter Required::	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.23	6.5-9.0	-	APHA 23 rd Edi.2017-4500 H ⁺ B, Electrometric Method
2.	COD	31.5	50	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 ^o C)	8.0	10	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	11.9	20	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Ammonia as N	1.4	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	2.0	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.30	1.0	mg/l	APHA 23 rd Edi.2017, 4500 P D Stannous Chloride Method
8.	Fecal Coliform	64	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report

Sharma
CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000007170F
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K)		Reporting Date:	29/11/2023
		Date of Sampling:	23/11/2023
		Receipt Date:	23/11/2023
		Period of Testing:	24/11/2023-29/11/2023
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.71 MLD)	Preservation:	Refrigerated
Sampling Location:	Salawala, Dehradun	Format No:	7.8-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.28	6.5-9.0	-	APHA 23 rd Edi.2017-4500 H ⁺ B, Electrometric Method
2.	COD	27.9	50	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 ^o C)	7.5	10	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	13.0	20	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Ammonia as N	1.3	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	2.0	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.15	1.0	mg/l	APHA 23 rd Edi.2017, 4500 P D Stannous Chloride Method
8.	Fecal Coliform	70	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report

Shakti
CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in
CONTACT NO: +91- 8534957815, 8126534344

31647



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client: Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K.)		ULR No:	TC550723000008007F
		Reporting Date:	09/12/2023
		Date of Sampling:	05/12/2023
		Receipt Date:	05/12/2023
		Period of Testing:	06/12/2023-09/12/2023
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.71 MLD)	Preservation:	Refrigerated
Sampling Location:	Salawala, Dehradun	Format No:	7.8-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.34	6.5-9.0	-	APHA 23 rd Edi 2017-4500 H ⁺ B, Electrometric Method
2.	COD	29.5	50	mg/l	APHA 23 rd Edi 2017 5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	8.2	10	mg/l	IS-3025 (P-44)1993, RA 2019
4.	Total Suspended Solid	12.6	20	mg/l	APHA 23 rd Edi 2017 -2540 B, Gravimetric Method
5.	Ammonia as N	1.4	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	2.2	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.18	1.0	mg/l	APHA 23 rd Edi 2017, 4500 P D Stannous Chloride Method
8.	Fecal Coliform	81	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report

ECON LABORATORY
TESTED BY:

Arjun

- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in
CONTACT NO: +91- 8534957815, 8126534344



31648

ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		U/LR No:	TC5507230000080081
Office of Executive Engineer,		Reporting Date:	09/12/2023
Uttarakhand Jal Sansthan,		Date of Sampling:	05/12/2023
South, Dehradun, (U.K.)		Receipt Date:	05/12/2023
		Period of Testing:	06/12/2023-09/12/2023
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.42 MLD)	Preservation:	Refrigerated
Sampling Location:	Vijay Colony, Dehradun	Format No:	7 S-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required::	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1	pH	7.46	6.5-9.0		APHA 23 rd Edi. 2017-4500 H-B, Electrometric Method
2	COD	29.4	50	mg/l	APHA 23 rd Edi. 2017-5220B, Open Reflux Method
3	BOD (3 Days at 27 °C)	7.5	10	mg/l	IS-3025 (P-44)1993, RA 2019
4	Total Suspended Solid	11.3	20	mg/l	APHA 23 rd Edi. 2017-2540 B, Gravimetric Method
5	Ammonia as N	1.6	5.0	mg/l	IS-3025 (P-34)1988, RA 2019, Nesslerization Method
6	Total Nitrogen	2.6	10	mg/l	IS-3025 (P-34)1988, RA 2019, Nesslerization Method
7	Phosphorus as P	0.42	1.0	mg/l	APHA 23 rd Edi. 2017, 4500 P.D Stannous Chloride Method
8	Fecal Coliform	72	100	MPN/100	IS-1622 1981 Reaff 2003

*** End of Report***

[Signature]
TESTED BY:

[Signature]

- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in
CONTACT NO: +91- 8534957815, 8126534344



31649

ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000008518F
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K)		Reporting Date:	23/12/2023
		Date of Sampling	18/12/2023
		Receipt Date:	18/12/2023
		Period of Testing:	19/12/2023-23/12/2023
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.42 MLD)	Preservation:	Refrigerated
Sampling Location:	Vijay Colony, Dehradun	Format No:	7.8-F-01
Sampling & Analysis Protocol	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity	2 Ltr.	Parameter Required::	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.58	6.5-9.0	-	APHA 23 rd Edi.2017-4500 H ⁺ B, Electrometric Method
2.	COD	28.6	50	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	8.2	10	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	14.5	20	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Ammonia as N	2.4	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	3.2	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.6	1.0	mg/l	APHA 23 rd Edi.2017, 4500 P D Stannous Chloride Method
8.	Fecal Coliform	78	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report

Prepared by:
[Signature]



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344



31650

ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000008517F
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K)		Reporting Date:	23/12/2023
		Date of Sampling	18/12/2023
		Receipt Date:	18/12/2023
		Period of Testing:	19/12/2023-23/12//2023
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.71 MLD)	Preservation:	Refrigerated
Sampling Location:	Salawala, Dehradun	Format No:	7.8-F-01
Sampling & Analysis Protocol	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.48	6.5-9.0	-	APHA 23 rd Edi.2017-4500 H ¹ B, Electrometric Method
2.	COD	32.4	50	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	7.2	10	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	10.8	20	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Ammonia as N	1.8	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	2.6	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.7	1.0	mg/l	APHA 23 rd Edi.2017, 4500 P D Stannous Chloride Method
8.	Fecal Coliform	84	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report

RECEIVED BY:
[Signature]



- NOTE: 1. The results listed refer only to the tested sample & applicable parameters
2. Total liabilities of our lab will be restricted to the invoice amount only
3. The sample will be destroyed after retention time unless otherwise specified.
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in
CONTACT NO: +91- 8534957815, 8126534344

31651



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550724000000023F
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K.)		Reporting Date:	10/01/2024
		Date of Sampling:	04/01/2024
		Receipt Date:	04/01/2024
		Period of Testing:	05/01/2024-10/01/2024
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.71 MLD)	Preservation:	Refrigerated
Sampling Location:	Salawala, Dehradun	Format No:	7.8-F-01
Sampling & Analysis Protocol	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.59	6.5-9.0	-	APHA 23 rd Edi.2017-4500 H B, Electrometric Method
2.	COD	30.1	50	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	7.4	10	mg/l	IS-3025 (P-44)1993.RA2019
4.	Total Suspended Solid	13.9	20	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Ammonia as N	1.6	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	2.4	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.5	1.0	mg/l	APHA 23 rd Edi.2017, 4500 P D Stannous Chloride Method
8.	Fecal Coliform	78	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report

Abhishek
CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in
CONTACT NO: +91- 8534957815, 8126534344



31652

ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand


TEST REPORT

Name & Address of Client:		ULR No:	TC550724000000024F
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K)		Reporting Date:	10/01/2024
		Date of Sampling:	04/01/2024
		Receipt Date:	04/01/2024
		Period of Testing:	05/01/2024-10/01/2024
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.42 MLD)	Preservation:	Refrigerated
Sampling Location:	Vijay Colony, Dehradun	Format No:	7.8-F-01
Sampling & Analysis Protocol	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity	2 Ltr.	Parameter Required::	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.39	6.5-9.0		APHA 23 rd Edi.2017-4500 H B, Electrometric Method
2.	COD	29.3	50	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	7.9	10	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	12.7	20	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Ammonia as N	2.1	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	3.0	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.7	1.0	mg/l	APHA 23 rd Edi.2017, 4500 P D Stannous Chloride Method
8.	Fecal Coliform	70	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report


CHECKED BY:



- NOTE: 1. The results listed refer only to the tested sample & applicable parameters
2. Total liabilities of our lab will be restricted to the invoice amount only
3. The sample will be destroyed after retention time unless otherwise specified
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31653



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550724000000718F
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K)		Reporting Date:	25/01/2024
		Date of Sampling	21/01/2024
		Receipt Date:	21/01/2024
		Period of Testing:	22/01/2024-25/01/2024
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.42 MLD)	Preservation:	Refrigerated
Sampling Location:	Vijay Colony, Dehradun	Format No:	7.8-F-01
Sampling & Analysis Protocol	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity	2 Ltr.	Parameter Required:::	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.52	6.5-9.0	-	APHA 23 rd Edi.2017-4500 H ¹ B, Electrometric Method
2.	COD	27.4	50	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	7.0	10	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	14.2	20	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Ammonia as N	2.6	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	3.4	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.4	1.0	mg/l	APHA 23 rd Edi.2017, 4500 P D Stannous Chloride Method
8.	Faecal Coliform	86	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report

CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in
CONTACT NO: +91- 8534957815, 8126534344

31654



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550724000000716F
Office of Executive Engineer, Uttarakhand Jal Sansthan, South, Dehradun, (U.K)		Reporting Date:	25/01/2024
		Date of Sampling:	21/01/2024
		Receipt Date:	21/01/2024
		Period of Testing:	22/01/2024-25/01/2024
		Sample Collected By:	Supplied by Client
		Sampling Type:	Grab
Sample Description:	STP Outlet, (0.71 MLD)	Preservation:	Refrigerated
Sampling Location:	Salawala, Dehradun	Format No:	7.8-F-01
Sampling & Analysis Protocol	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.34	6.5-9.0	-	APHA 23 rd Edi.2017-4500 H ⁺ B, Electrometric Method
2.	COD	28.5	50	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	6.8	10	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	11.2	20	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Ammonia as N	1.2	5.0	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
6.	Total Nitrogen	3.1	10	mg/l	IS:3025 (P-34)1988, RA 2019, Nesslerization Method
7.	Phosphorus as P	0.8	1.0	mg/l	APHA 23 rd Edi.2017, 4500 P D Stannous Chloride Method
8.	Faecal Coliform	92	100	MPN/100	IS:1622 1981 Reaff 2003

End of Report

CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31655



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000004071F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	17/08/2023
		Date of Sampling	11/08/2023
		Receipt Date:	11/08/2023
		Period of Testing:	12/08/2023-17/08/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.67	5.5-9.0	-	APHA 23 rd Edi.2017-4500 H ⁺ B, Electrometric Method
2.	COD	32.4	250	mg/l	APHA 23 rd Edi.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	9.2	30	mg/l	IS-3025 (P-44)1993,RA2019
4.	Total Suspended Solid	8.4	100	mg/l	APHA 23 rd Edi.2017 -2540 B, Gravimetric Method
5.	Total Coliform	230	-	MPN/100	IS:1622 1981 Reaff 2003
6.	Fecal Coliform	62	1000	MPN/100	IS:1622 1981 Reaff 2003

End of Report

CHECKED BY:



- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

31656



ECON LABORATORY & CONSULTANCY

(ISO: 9001 & 14001 Certified Laboratory)

Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000005356F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	04/09/2023
		Date of Sampling	28/08/2023
		Receipt Date:	28/08/2023
		Period of Testing:	29/08/2023-02/09/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	6.89	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	32.4	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	8.6	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	8.2	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	240	-	MPN/100	IS:1622 1981 RA:2019
	Fecal Coliform	60	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Handwritten Signature
CHECKED BY



- NOTE: 1. The results listed refer only to the tested sample & applicable parameters
2. Total liabilities of our lab will be restricted to the invoice amount only
3. The sample will be destroyed after retention time unless otherwise specified
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31657



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001 and NABL Accredited Laboratory)

VIII.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000006184F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	07/10/2023
		Date of Sampling	03/10/2023
		Receipt Date:	03/10/2023
		Period of Testing:	03/10/2023-07/10/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description	STP Outlet	Preservation	Refrigerated
Sampling Location	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1	pH	6.95	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2	COD	31.8	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3	BOD (3 Days at 27 °C)	8.6	30	mg/l	IS-3025 (P-44) 1993, RA2019
4	Total Suspended Solid	10.8	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5	Total Coliform	236	-	MPN/100	IS:1622 1981 RA:2019
6	Fecal Coliform	54	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Choudhary
CHECKED BY:



- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission



31658

ECON LABORATORY & CONSULTANCY

(ISO: 9001 & 14001 Certified Laboratory)

Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT


Name & Address of Client: M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Report No: EC/2309/WW/5356
		Reporting Date: 18/09/2023
		Date of Sampling: 11/09/2023
		Receipt Date: 11/09/2023
		Period of Testing: 12/09/2023-18/09/2023
		Sample Collected By: Lab. Rep.
		Sampling Type: Grab
Sample Description:	STP Outlet	Preservation: Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No: 7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No: By Mail
Sample Quantity:	3 Ltr.	Parameter Required: As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	6.81	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	31.6	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	8.0	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	9.1	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	244	-	MPN/100	IS:1622 1981 RA:2019
	Fecal Coliform	62	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Shoukary
CHECKED BY:



- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31659



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001 and NABL Accredited Laboratory)

Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000005706F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	27/09/2023
		Date of Sampling	20/09/2023
		Receipt Date:	20/09/2023
		Period of Testing:	21/09/2023-27/09/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	6.89	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	33.5	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	9.1	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	10.2	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	240	-	MPN/100	IS:1622 1981 RA:2019
6.	Fecal Coliform	60	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Shardhory
CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31660



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garbi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000006408F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun. (U.K.)		Reporting Date:	21/10/2023
		Date of Sampling	16/10/2023
		Receipt Date:	16/10/2023
		Period of Testing:	17/10/2023-21/10/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1	pH	6.81	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2	COD	31.6	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3	BOD (3 Days at 27 °C)	8.9	30	mg/l	IS-3025 (P-44) 1993, RA2019
4	Total Suspended Solid	10.0	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5	Total Coliform	248	-	MPN/100	IS:1622 1981 RA:2019
	Fecal Coliform	65	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Author
CHECKED BY:



- NOTE: 1. The results listed refer only to the tested sample & applicable parameters
2. Total liabilities of our lab will be restricted to the invoice amount only
3. The sample will be destroyed after retention time unless otherwise specified
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

31661



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garbi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000006950F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	08/11/2023
		Date of Sampling	03/11/2023
		Receipt Date:	03/11/2023
		Period of Testing:	04/11/2023-08/11/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	IS: 3025 (Part-1)	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.24	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	30.4	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	7.2	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	12.3	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
	Total Coliform	220	-	MPN/100	IS:1622 1981 RA:2019
6.	Fecal Coliform	64	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Moudhary
CHECKED BY:



- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31662



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000007002F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	23/11/2023
		Date of Sampling	16/11/2023
		Receipt Date:	16/11/2023
		Period of Testing:	17/11/2023-23/11/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP -Outlet	Preservation:	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.31	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	25.9	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	7.0	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	10.8	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	225	-	MPN/100	IS:1622 1981 RA:2019
6.	Fecal Coliform	70	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Shoukory
CHECKED BY:



- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

31663



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000007891F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	09/12/2023
		Date of Sampling	05/12/2023
		Receipt Date:	05/12/2023
		Period of Testing:	06/12/2023-09/12/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP-Outlet	Preservation:	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.40	5.5-9.0	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	28.4	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	8.2.0	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	11.2	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	246	-	MPN/100	IS.1622 1981 RA.2019
	Fecal Coliform	82	1000	MPN/100	IS 1622 1981 RA.2019

End of Report

Checked by:
[Signature]



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31664



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001 and NABL Accredited Laboratory)

Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000008439F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	26/12/2023
		Date of Sampling	19/12/2023
		Receipt Date:	19/12/2023
		Period of Testing:	20/12/2023-26/12/2023
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP -Outlet	Preservation:	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.36	6.5-8.5	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	26.2	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	7.4	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	13.5	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	292	-	MPN/100	IS:1622 1981 RA:2019
6.	Fecal Coliform	102	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Prepared By:
[Signature]



- NOTE:**
- The results listed refer only to the tested sample & applicable parameters
 - Total liabilities of our lab will be restricted to the invoice amount only
 - The sample will be destroyed after retention time unless otherwise specified
 - This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31665



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550724000008536F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	08/01/2024
		Date of Sampling	03/01/2024
		Receipt Date:	03/01/2024
		Period of Testing:	04/01/2024-08/01/2024
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP -Outlet	Preservation:	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity:	2 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.58	6.5-8.5	-	APHA-24 th Ed-4500 H+B:2022
2.	COD	28.2	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	8.2	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	11.5	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	346	-	MPN/100	IS:1622 1981 RA:2019
6.	Fecal Coliform	82	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Checked by:



- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

31666



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550724000000468F
M/s. Gharpure Engineering and Constt. Pvt. Ltd. 68 MLD STP, Near Kargi Chowk, Dehradun, (U.K.)		Reporting Date:	24/01/2024
		Date of Sampling	19/01/2024
		Receipt Date:	19/01/2024
		Period of Testing:	20 /01/2024-24/01/2024
		Sample Collected By:	Lab. Rep.
		Sampling Type:	Grab
Sample Description:	STP -Outlet	Preservation:	Refrigerated
Sampling Location:	STP Area, (68 MLD)	Format No:	7.8-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity:	2 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.36	6.5-8.5	-	APHA-23 rd Ed-4500 H+B:2022
2.	COD	27.2	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	6.0	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	12.4	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Total Coliform	287	-	MPN/100	IS:1622 1981 RA:2019
6.	Fecal Coliform	68	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

Checked by:



- NOTE:**
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 11001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
 VII-1, Khaburwala, P.O.: Jaitanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client: M/s. Ramky Infrastructure Ltd. Ansal Colony, Jakhua, Dehradun, Uttarakhand.		U.R. No.: TC550722006308534E
		Reporting Date: 23/12/2023
		Date of Sampling: 18/12/2023
		Receipt Date: 18/12/2023
		Period of Testing: 15/12/2023-23/12/2023
		Sample Collected By: Lab. Rep.
		Sampling Type: Grab
Sample Description:	STP- Outlet	Preservation: Refrigerated
Sampling Location:	L0 MED STP Jakhua	Format No.: 72-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No.: By Mail
Sample Quantity:	2 Ltr.	Parameter Required: As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.47	5.5-9.0	--	APHA 23 rd Edn. 2017-4300 H ⁺ /B, Electronic Method
2.	COD	29.8	250	mg/l	APHA 23 rd Edn. 2017-5120D-Open Relox Method
3.	BOD (5 Days at 27°C)	7.5	30	mg/l	IS-3023 (P-44) 1993, RA-2019
4.	Total Suspended Solids	14.0	100	mg/l	APHA 23 rd Edn. 2390 Gravimetric Method
5.	Ammonia (as NH ₃)	1.5	5.0	mg/l	IS-3023 (P-24) 1993, RA-2019
6.	Total Nitrogen	2.8	100	mg/l	APHA 24 th Edn. 4500-Norg. E-2022
7.	Phosphorus (as P)	0.6	5.0	mg/l	APHA 24 th Edn. 4500-P D Stannous Chloride Method-2022
8.	Total Coliforms	320	-	MPN/100	IS-1622 1981 RA-2019
9.	Fecal Coliforms	82	-	MPN/100	IS-1622 1981 RA-2019

End of Report

(Signature)
 RECEIVED BY:



- NOTE: 1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, info@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91-8534957815, 8126534344



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
 Vill.: Khabarwala, P.O.: Jaintawala, Near Garhi Cantt., Dehradun - 248063, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC/550723000904072F
M/s. Ramky Infrastructure Ltd. Ansal Colony, Jakhn, Dehradun, Uttarakhand.		Reporting Date:	12/08/2023
		Date of Sampling:	08/08/2023
		Receipt Date:	08/08/2023
		Period of Testing:	09-12/08/2023
		Sample Collected By:	Lab Rep
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation:	Refrigerated
Sampling Location:	1.0 MLD STP Jakhn	Format No:	7.8-P-01
Sampling & Analysis Protocol:	IS: 3025:(Part-1)	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1	pH	7.48	5.5-9.0	--	APHA 23 rd Edn.
2	COD	41.9	250	mg/l	APHA 23 rd Edn.
3	BOD (3 Days at 27 °C)	8.5	30	mg/l	IS-3025 (P-44)
4	Total Suspended Solid	12.0	100	mg/l	APHA 23 rd Edn.
5	Ammonia (as NH ₃)	1.4	5.0	mg/l	IS-3025 (P-34)
6	Total Nitrogen	2.3	100	mg/l	IS-3025 (P-34)
7	Phosphorus (as P)	0.6	5.0	mg/l	APHA 23 rd Edn.
8	Total Coliform	243	-	MPN/100	IS 1622:1981
9	Fecal Coliform	60	-	MPN/100	IS:1622:1981

End of Report

Checked by:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
 Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC55072300005554F
M/s. Ramky Infrastructure Ltd. Ansal Colony, Jakhua, Dehradun, Uttarakhand		Reporting Date:	07/09/2023
		Date of Sampling:	02/09/2023
		Receipt Date:	02/09/2023
		Period of Testing:	02-07/09/2023
		Sample Collected By:	Lab Rep.
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation	Refrigerated
Sampling Location:	1.0 MLD STP Jakhua	Format No:	7.8-P-01
Sampling & Analysis Protocol	IS: 3025:(Part-1)	Party Reference No:	By Mail
Sample Quantity	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.28	5.5-9.0	-	APHA 23 rd Edn 2017-4500 H ⁺ B, Electrometric Method
2.	COD	40.6	350	mg/l	APHA 23 rd Edn. 2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	8.2	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	13.0	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Ammonia (as NH ₃)	1.5	5.0	mg/l	IS:3025 (P-34) :1988: RA:2019
6.	Total Nitrogen	2.4	100	mg/l	APHA 24 th Edn 4500-Norg B:2022
7.	Phosphorus (as P)	0.6	5.0	mg/l	APHA 24 th Edn.4500 P D Stannous Chloride Method:2022
8.	Total Coliform	235	-	MPN/100	IS:1622 1981 RA:2019
9.	Fecal Coliform	61	-	MPN/100	IS:1622 1981 RA:2019

End of Report

Shoukany
 CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters.
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified.
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
 Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client: M/s. Ramky Infrastructure Ltd. Aisal Colony, Jakhan, Dehradun, Uttarakhand.		ULR No: TC550723000006483F
		Reporting Date: 07/11/2023
		Date of Sampling: 01/11/2023
		Receipt Date: 02/11/2023
		Period of Testing: 02-07/11/2023
		Sample Collected By: Lab Rep.
		Sampling Type: Grab
Sample Description: STP Outlet		Preservation: Refrigerated
Sampling Location: 1.0 MLD STP Jakhan		Format No: 7.8-P-01
Sampling & Analysis Protocol: IS: 3025:(Part-1)		Party Reference No: By Mail
Sample Quantity: 3 Ltr.		Parameter Required: As per work order

TEST RESULTS

No. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.26	5.5-9.0	--	APHA 23 rd Edn.2017-4500 H ⁺ B, Electrometric Method
2.	COD	30.5	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	6.9	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	11.7	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Ammonia (as NH ₃)	1.0	5.0	mg/l	IS:3025 (P-34) ;1988: RA:2019
6.	Total Nitrogen	2.4	100	mg/l	APHA 24 th Edn.4500-Norg B:2022
7.	Phosphorus (as P)	0.7	5.0	mg/l	APHA 24 th Edn.4500 P D Stannous Chloride Method:2022
8.	Total Coliform	248	-	MPN/100	IS:1622 1981 RA:2019
9.	Fecal Coliform	62	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

R. K. Chakraborty
 CHECKED BY:



- NOTE: 1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in
 CONTACT NO: +91- 8534957815, 8126534344



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001), NABL Accredited and MoEF & CC (Recognized)
 Vill.: Khadarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723006605704F
M/s. Ranky Infrastructure Ltd.		Reporting Date:	23/09/2023
Ansal Colony, Jakhna,		Date of Sampling:	16/09/2023
Dehradun, Uttarakhand.		Receipt Date:	16/09/2023
		Period of Testing:	18-23/09/2023
		Sample Collected By:	Lab Rep.
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation:	Refrigerated
Sampling Location:	1.0 MLD STP Jakhna	Format No:	7.B-F-01
Sampling & Analysis Protocol	IS: 3025:(Part-1)	Party Reference No:	By Mail
Sample Quantity	3 Ltr.	Parameter Required	As per work order

TEST RESULTS

No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.21	5.5-9.0	--	APHA 23 rd Edn 2017-4500 H ⁺ B, Electrometric Method
2.	COD	38.5	250	mg/l	APHA 23 rd Edn 2017-5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	8.0	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	12.4	100	mg/l	APHA 23 rd Edn 2540 Gravimetric Method
5.	Ammonia (as NH ₃)	1.3	5.0	mg/l	IS:3025 (P-34) :1988; RA:2019
6.	Total Nitrogen	2.8	100	mg/l	APHA 24 th Edn 4500-Norg B:2022
7.	Phosphorus (as P)	0.5	5.0	mg/l	APHA 24 th Edn 4500 P D Stannous Chloride Method:2022
8.	Total Coliform	230	-	MPN/100	IS:1622 1981 RA:2019
9.	Fecal Coliform	58	-	MPN/100	IS:1622 1981 RA:2019

End of Report

Wholetory
 CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@vahoo.in
 CONTACT NO: +91- 8534957815, 8126534344



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
 Vill.: Khabarwala, P.O.: Jaintanwala, Near Garbi Court, Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		U/LR No:	TC-3597239600663308
M/s. Ramky Infrastructure Ltd. Atal Colony, Jakhn, Dehradun, Uttarakhand		Reporting Date:	23/09/2023
		Date of Sampling:	17/09/2023
		Receipt Date:	17/09/2023
		Period of Testing:	17-21/09/2023
		Sample Collected By:	Lab Rep
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation:	Refrigerated
Sampling Location:	1.0 MLD STP Jakhn	Format No:	7.37-01
Sampling & Analysis Protocol:	IS: 3025:(Part-1)	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.34	5.5-9.0	-	APHA 23 rd Edn. 2017-4590 H B. Electrometric Method
2.	COD	128	250	mg/l	APHA 23 rd Edn. 2017-5226B, Open Reflux Method
3.	BOD (5 Days at 20 °C)	7.1	30	mg/l	IS:3025 (P-44) 1993, RA:2019
4.	Total Suspended Solid	10.5	100	mg/l	APHA 23 rd Edn. 2540 Gravimetric Method
5.	Ammonia (as NH ₃)	1.3	5.0	mg/l	IS:3025 (P-34) 1988; RA:2019
6.	Total Nitrogen	2.1	100	mg/l	APHA 24 th Edn. 4500-Nitrog B:2022
7.	Phosphorus (as P)	0.5	5.0	mg/l	APHA 24 th Edn. 4500 P D Stannous Chloride Method:2022
8.	Total Coliform	240	-	MPN/100	IS:1622 1981 RA:2019
9.	Fecal Coliform	56	-	MPN/100	IS:1622 1981 RA:2019

End of Report

[Signature]
 CHECKED BY:



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, ak@econlaboratory.com, econlab.consultancy@yahoo.in
 CONTACT NO: +91- 853-4957815, 8126534344



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
 Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000696483F
M/s. Ramky Infrastructure Ltd. Ansal Colony, Jakhau, Dehradun, Uttarakhand.		Reporting Date:	07/11/2023
		Date of Sampling:	01/11/2023
		Receipt Date:	02/11/2023
		Period of Testing:	02-07/11/2023
		Sample Collected By:	Lab Rep.
		Sampling Type:	Grab
Sample Description:	STP Outlet	Preservation:	Refrigerated
Sampling Location:	1.0 MLD STP Jakhau	Format No:	7.8-F-01
Sampling & Analysis Protocol	IS: 3025:(Part-I)	Party Reference No:	By Mail
Sample Quantity	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.26	5.5-9.0	--	APHA 23 rd Edn.2017-4500 H ¹ B, Electrometric Method
2.	COD	30.5	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	6.9	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	11.7	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Ammonia (as NH ₃)	1.0	5.0	mg/l	IS:3025 (P-34) :1988: RA:2019
6.	Total Nitrogen	2.4	100	mg/l	APHA 24 th Edn 4500-Norg B:2022
7.	Phosphorus (as P)	0.7	5.0	mg/l	APHA 24 th Edn.4500 P D Stannous Chloride Method:2022
8.	Total Coliform	248	-	MPN/100	IS:1622 1981 RA:2019
9.	Fecal Coliform	62	1000	MPN/100	IS:1622 1981 RA:2019

End of Report

ECON Laboratory
 11/11/23



- NOTE: 1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in
 CONTACT NO: +91- 8534957815, 8126534344



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
 Vill.: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client:		ULR No:	TC550723000007001F
M/s. Ramky Infrastructure Ltd. Arsal Colony, Jakhan, Dehradun, Uttarakhand		Reporting Date:	23/11/2023
		Date of Sampling:	16/11/2023
		Receipt Date:	16/11/2023
		Period of Testing:	17-23/11/2023
		Sample Collected By:	Lab Rep.
		Sampling Type:	Grab
Sample Description:	STP- Outlet	Preservation:	Refrigerated
Sampling Location:	1.0 MLD STP Jakhan	Format No:	7.8-F-01
Sampling & Analysis Protocol:	Lab/STP/Water	Party Reference No:	By Mail
Sample Quantity:	3 Ltr.	Parameter Required:	As per work order

TEST RESULTS

No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.33	5.5-9.0	--	APHA 23 rd Edn.2017-4500 H/B, Electrometric Method
2.	COD	28.4	250	mg/l	APHA 23 rd Edn.2017.5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	7.0	30	mg/l	IS-3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	10.8	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Ammonia (as NH ₃)	1.5	5.0	mg/l	IS:3025 (P-34) :1988: RA:2019
6.	Total Nitrogen	2.9	100	mg/l	APHA 24 th Edn 4500-Norg B:2022
7.	Phosphorus (as P)	0.5	5.0	mg/l	APHA 24 th Edn 4500 P.D Stannous Chloride Method:2022
8.	Total Coliform	240	-	MPN/100	IS:1622 1981 RA:2019
9.	Fecal Coliform	69	-	MPN/100	IS:1622 1981 RA:2019

End of Report

Signature
 BY:



- NOTE: 1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in
 CONTACT NO: +91- 8534957815, 8126534344



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoEF & CC Recognized)
 Vill: Khabarwala, P.O.: Jaintanwala, Near Garhi Cantt., Dehradun - 248003, Uttarakhand

TEST REPORT

Name & Address of Client: M/s. Ramky Infrastructure Ltd. Aysal Colony, Jakhn, Dehradun, Uttarakhand.		ULR No: TC550723000007842F	Reporting Date: 05/12/2023
		Date of Sampling: 01/12/2023	Receipt Date: 01/12/2023
		Period of Testing: 02-05/12/2023	Sample Collected By: Lab Rep.
		Sample Type: Grab	Preservation: Refrigerated
Sample Description:	STP- Outlet	Format No:	7.8-F-01
Sampling Location:	1.0 MLD STP Jakhn	Party Reference No:	By Mail
Sampling & Analysis Protocol	Lab/STP/Water	Parameter Required:	As per work order
Sample Quantity	3 Lit.		

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.26	5.5-9.0	--	APHA 23 rd Edn 2017-4500 H ² B, Electrometric Method
2.	COD	31.4	250	mg/l	APHA 23 rd Edn 2017 5220B, Open Reflux Method
3.	BOD (3 Days at 27 °C)	8.1	30	mg/l	IS:3025 (P-44) 1993, RA2019
4.	Total Suspended Solid	11.8	100	mg/l	APHA 23 rd Edn 2540 Gravimetric Method
5.	Ammonia (as NH ₃)	1.0	5.0	mg/l	IS:3025 (P-34) -1988; RA:2019
6.	Total Nitrogen	2.5	100	mg/l	APHA 24 th Edn 4500-Norg B:2022
7.	Phosphorus (as P)	0.8	5.0	mg/l	APHA 24 th Edn 4500 P D Stannous Chloride Method:2022
8.	Total Coliform	246	-	MPN/100	IS:1622:1981 RA:2019
9.	Fecal Coliform	73	-	MPN/100	IS:1622 1981 RA:2019

End of Report

Ramky
 RECEIVED BY



- NOTE: 1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our job will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, uk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344



ECON LABORATORY & CONSULTANCY

(ISO: 9001, ISO: 14001, ISO: 45001, NABL Accredited and MoTF & CC Recognized)
Vill.: Khabarwala, P.O.: Jaintawala, Near Garhi Cantt., Dehradun - 248013, Uttarakhand

TEST REPORT

Name & Address of Client: M/s. Ramky Infrastructure Ltd. Ansal Colony, Jakhua, Dehradun, Uttarakhand.		ULR No: TC550723000005177F
		Reporting Date: 25/08/2023
		Date of Sampling: 19/03/2023
		Receipt Date: 19/04/2023
		Period of Testing: 21-25/08/2023
		Sample Collected By: Lab Rep.
		Sampling Type: Grab
Sample Description:	SIP Outlet	Preservation: Refrigerated
Sampling Location:	L6 MLD SIP Jakhua	Format No: 7.8-01
Sampling & Analysis Protocol	IS: 3025:(Part-1)	Party Reference No: By Mail
Sample Quantity	3 Ltr.	Parameter Required As per work order

TEST RESULTS

S. No.	Parameters	Results	General Std. Limit for Discharge (Inland Surface Water)	Units	Protocol Used
1.	pH	7.31	5.5-9.0	--	APHA 23 rd Edn.2017-4500 H ² B, Electrometric Method
2.	COD	42.6	250	mg/l	APHA 23 rd Edn.2017-5220B, Open Reflux Method
3.	BOD (3 Days, at 27 °C)	9.2	30	mg/l	S-3025 (P-44) 1993, RA2319
4.	Total Suspended Solid	13.2	100	mg/l	APHA 23 rd Edn.2540 Gravimetric Method
5.	Ammonia (as NH ₃)	1.2	5.0	mg/l	IS:3025 (P-34) :1988; RA:2019
6.	Total Nitrogen	2.6	100	mg/l	APHA 24 th Edn.4500-Norg B:2022
7.	Phosphorus (as P)	0.4	5.0	mg/l	APHA 24 th Edn.4500 P D Stannous Chloride Method:2022
8.	Total Coliform	230	-	MPN/100	IS:1622 1981 RA:2019
9.	Fecal Coliform	66	-	MPN/100	IS:1622 1981 RA:2019

End of Report

[Signature]



- NOTE:
1. The results listed refer only to the tested sample & applicable parameters
 2. Total liabilities of our lab will be restricted to the invoice amount only
 3. The sample will be destroyed after retention time unless otherwise specified
 4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law without prior permission

www.econlaboratory.com, tk@econlaboratory.com, econlab.consultancy@yahoo.in

CONTACT NO: +91- 8534957815, 8126534344

31677



कार्यालय, सहायक अभियन्ता सब-डिवीजन(गंगा),
उत्तराखण्ड जल संस्थान, ऋषिकेश
निकट अशोका होटल, हीरालाल रोड ऋषिकेश देहरादून। <mailto:accganga@isg.org>

सेवा में,

अधिसासी अभियन्ता
अनुरक्षण शाखा(गंगा),
उत्तराखण्ड जल संस्थान
जगजीतपुर, हरिद्वार।

पत्रांक 295/ऋषि0जलो0यो0/2023-24 दिनांक 19-12-2023

विषय:- मा0 राष्ट्रीय हरित अभिकरण में योजित मूल आवेदन संख्या-200/214 एम.सी. मेहता
बनाम भारत संघ व अन्य के सम्बन्ध में

महोदय,

उपरोक्त विषयक के सन्दर्भ में अवगत कराना है, कि जिलाधिकारी महोदय, देहरादून के पत्रांक-90/सिलिंग-अनु0/2022 दिनांक 05.10.2023 तथा उप-जिलाधिकारी महोदय, ऋषिकेश के कार्यालय पत्रांक- 1496/ एस0पी0ए0/ 2023-24 दिनांक-12.12.2023 के अनुक्रम में आपके कार्यालय पत्रांक- 1737 / ऋषि0 जलो0 यो0/ 2023-24 दिनांक-14.12.2023 के द्वारा श्री आशीष कुमार (कनिष्ठ अभियन्ता) को गंगा किनारे बने होटलों एवं धर्मशालाओं के संयुक्त निरीक्षण हेतु नामित किया गया था, श्री आशीष कुमार (कनिष्ठ अभियन्ता) के द्वारा दिनांक-16.12.2023 को निरीक्षण कर निम्नानुसार आख्या प्रस्तुत की है। अतः आवश्यक कार्यवाही हेतु प्रेषित है।

क्र0सं0	होटल का नाम	क्षेत्र	विवरण
1	होटल निरम	त्रिवेणी घाट से वीरभद्र मार्ग, वैराज तक।	सीवर लाइन से संयोजित है।
2	होटल आकाश गंगा	तदैव।	सीवर लाइन से संयोजित है।
3	होटल नीरज नेचर क्योर	तदैव।	सीवर लाइन से संयोजित है।
4	होटल मोदी रिजोर्ट	तदैव।	सीवर लाइन से संयोजित है एवं स्वयं का एस0टी0पी भी स्थापित है।
5	गंगा किनारे	तदैव।	सीवर लाइन से संयोजित है एवं स्वयं का एस0टी0पी भी स्थापित है।

भवेदीय

(हरीश कुमार बंसल)
सहायक अभियन्ता

O/c

31678



“जल संचय-जीवन संचय”
कार्यालय जलकल अभियन्ता, उत्तराखण्ड जल संस्थान
विकासनगर (देहरादून)
ई-मेल jalkalvikasnagar@gmail.com



पत्रांक 557 / सामान्य / 2023-24 / दिनांक 24.01.2024
सेवा में
जिला विकास अधिकारी
विकास भवन, सर्वे चौक
देहरादून।

विषय:-मा0 राष्ट्रीय हरित अधिकरण में योजित मूल आवेदन संख्या 200/2014”MC Mehta vs Union of India & Ors” में पारित आदेश दिनांक 24/11/2023 विषयक।

महोदय,

उपर्युक्त विषयक जिलाधिकारी महोदया के कार्यालय पत्रांक संख्या 124/एन0जी0टी0/जि0गं0सु0स0/2022-23 दिनांक 04 दिसम्बर, 2023 के क्रम उत्तराखण्ड जल संस्थान विकासनगर में सम्बन्धित सूचना निम्न विवरणानुसार आपको आवश्यक कार्यवाही हेतु सादर प्रेषित कि जा रही है।

I. Sewage

क्र0सं0	मांगी गयी सूचना	दी जा रही सूचना
a	Per day generation of sewage in each city/town within the District.	Per day Generation of sewage 1.144 MLD of Vikasnagar Sewerage Scheme.
b	Quantity of sewage treated per day, city/town wise.	
c	The number of Sewage Treatment plant existing and their capacity and capacity utilisation and mode of disposal in each city/town.	
d	Quantity of discharged treated sewage from each STP, Particularly for Fecal Coliform.	
e	Time bound plan to meet the gap, if any, in generation and treatment of sewage.	
f	Details of Hotels, Dharamshala and Ashram Operating without proper consent and discharging untreated effluent and the action taken against them.	उत्तराखण्ड जल संस्थान विकासनगर में सीवर ट्रीटमेंट प्लान्ट(एस0टी0पी0) नहीं है, वर्तमान में सीवर ट्रीटमेंट प्लान्ट(एस0टी0पी0) का निर्माण का कार्य Uttarakhand Urban Sector Development Agency (UUSDA) द्वारा प्रस्तावित है। अतः सूचना शून्य है।
g	Water quality in river and its tributaries in abutting districts/towns in terms of fecal coliform (MPN/100ml).	

भवदीय

for जलकल अभियन्ता



कार्यालय नगर निगम, ऋषिकेश।

● हरिद्वार रोड ऋषिकेश, जिला देहरादून पिन कोड-249201

www.nagarainigamrshikesh.com, Email: upprshikesh@gmail.com

☎ 0512-234015, 0512-234022

पत्रांक- /स्वा0अनु0/2023-24
3307

दिनांक 26/12/2023

संघ में

जिलाधिकारी
देहरादून।

विषय- मा0 राष्ट्रीय हरित अधिकरण में योजित मूल आवेदन संख्या 200/2014 "MC Mehta vs Union of India & ors" में पारित आदेश दिनांक 24/11/2023 विषयक।

महादय

उपरोक्त विषयक जिला नगर सुरक्षा समिति, नमामि गंगे के पत्र सं0 124/एन0जी0टी0/जि0ग0सु0सु0/2022-23 दिनांक 04 दिसम्बर 2023 के क्रम में चाही गयी सूचना निम्नानुसार है-


क्र. सं.	विन्दु	अनुपालन आख्या/सूचना
1	Sewage	Sewage ● नगर निगम ऋषिकेश क्षेत्रान्तर्गत 50 प्रतिशत क्षेत्र में सीवर लाईन स्थापित है, एवं शेष 50 प्रतिशत: घरों में सेप्टिक टैंक निर्मित है। सेप्टिक टैंक खाली कराये जाने हेतु नगर निगम ऋषिकेश द्वारा प्रोटोकॉल फॉर सेप्टिक मैनेजमेंट लागू किया गया है, जिसमें नगर निगम ऋषिकेश द्वारा तीन डी-स्लजिंग वाहनों का फंजीकरण किया गया है।
2	Municipal Solid Waste Disposal	
	Per day generation of Solid waste in each city/town within the District.	नगर निगम ऋषिकेश क्षेत्रान्तर्गत में ऋषिकेश वेस्ट मैनेजमेंट प्रा0 लि0 द्वारा अनुसूच के तहत 23 डोर-टू-डोर कूड़ा कलेक्शन वाहनों (दो कम्पार्टमेंट युक्त वाहन) के माध्यम से समस्त 40 वार्डों से प्रतिदिन 80 Metric tone टॉस अपशिष्ट एकत्रित किया जाता है।
	Quantity of Solid waste treated per day, in each city/town of the District.	एकत्रित किये गये टॉस अपशिष्ट में से लगभग 40 से 50 प्रतिशत अपशिष्ट का निस्तारण एम0आर0एफ0 सेन्टर व कम्पोस्ट पिटों के माध्यम से किया जाता है।
	the gap in treatment of solid waste.	वर्तमान में नगर निगम ऋषिकेश द्वारा लालपानी स्थित 10 हेक्टेयर भूमि पर वैज्ञानिक पद्धति से टॉस अपशिष्ट प्लांट निर्माण कार्य में नेकोफ संस्था के माध्यम से किया जा रहा है। इस हेतु उक्त संस्था द्वारा 06 से 09 माह के भीतर प्लांट का संचालन प्रारम्भ कर दिया जायेगा, जिससे नगर निगम ऋषिकेश के तहत: प्रतिशत टॉस अपशिष्ट का निस्तारण किया जा सकेगा।
	the gap in treatment of solid waste and the measures taken to reduce the gap.	वर्तमान में नगर निगम ऋषिकेश क्षेत्रान्तर्गत लीगेसी वेस्ट का निस्तारण में रोलज इन्डिया कम्पनी के माध्यम से किया जा रहा है। उक्त फर्म द्वारा एक वर्ष के भीतर लीगेसी वेस्ट के निस्तारण का कार्य पूर्ण कर लिया जायेगा।
	the status of the work as per the DPR Attached	DPR Attached
	the status of the work as per the DPR Attached	वर्तमान में नगर निगम ऋषिकेश द्वारा गोविन्द नगर स्थित ट्रेडिंग ब्राउन्ड में कूड़ा का एम0आर0एफ0 के माध्यम से निस्तारण का कार्य किया जा रहा है।

Handwritten signature

with reference to location	
3 Construction and Demolition Waste	
Construction and Demolition Waste	वर्तमान में नगर निगम अधिकृत क्षेत्रान्तर्गत सी0 एवं डी0 वेस्ट का उद्योग प्राइवेट ट्रेक्टर ट्रॉली ऑपरेटर्स द्वारा किया जाता है, जिसका प्रयोग भूमि भरण के कार्य में किया जाता है। नगर निगम अधिकृत द्वारा घोड़ी घाट स्थित भूमि पर सी एवं डी वेस्ट कलेक्शन सेंटर बनाया गया है, जिसमें सी एवं डी वेस्ट एकत्रित कर रखा जाता है।
Total per day generation of C&D Waste within the District	वर्तमान में नगर निगम अधिकृत क्षेत्रान्तर्गत लगभग 20 से 50 मे0 टन सी0 एवं डी0 वेस्ट निकलता है, उक्त वेस्ट का उद्योग प्राइवेट ट्रेक्टर ट्रॉली ऑपरेटर्स द्वारा ही उद्योग लिया जाता है, जिसमें भूमि भरण के कार्य में उपयोग किया जाता है।
The Detail of plant established for the treatment of C&D Waste including the existing capacity and capacity utilization	वर्तमान में नगर निगम अधिकृत क्षेत्रान्तर्गत कोई सी एवं डी प्लांट नहीं है। सी0 एवं डी0 का निस्तारण प्राइवेट ऑपरेटर्स द्वारा भूमि भरण कार्य में उपयोग कर किया जाता है। वर्तमान में अधिकृत क्षेत्रान्तर्गत सी एवं डी वेस्ट की अधिक मात्रा रहती है। भविष्य में सी एवं डी प्लांट स्थापित किये जाने हेतु योजना बनाई जा रही है।
4 Industrial Effluent Discharge	वर्तमान में नगर निगम अधिकृत क्षेत्रान्तर्गत कोई औद्योगिक क्षेत्र/कैम्प्टी शेरिफ नहीं है।
5 Regulation of Flood Plain Zone	
6 Bio Medical Waste	वर्तमान में नगर निगम अधिकृत द्वारा कोई बायोमैडिकल वेस्ट नहीं लिया जाता है। इस हेतु निगम क्षेत्रान्तर्गत समस्त अस्पतालों, क्लीनिक, हेल्थ सेंटरों आदि द्वारा अपना बायोमैडिकल वेस्ट बायोमैडिकल वेस्ट निस्तारण एजेंसीयों को दिया जाता है।

का सूचना महोदय की सेवा में सादर प्रेषित है।

भवदीय




सहायक नगर आयुक्त,
नगर निगम, अधिकृत।

2- नगर आयुक्त महोदय, नगर निगम अधिकृत को सादर सूचनाएं प्रेषित।

सहायक नगर आयुक्त,
नगर निगम, अधिकृत।

दिनांक 20 नवम्बर 2023 को जिला गंगा सुरक्षा समिति देहरादून की बैठक में दिये गये निर्देशों की अनुपालन आख्या

क्रम सं०	बिन्दु	अनुपालन आख्या
1	<p>वर्तमान में अतिक्रमण मुक्त अभियान गतिमान है। अतिक्रमण हटाये जाने के साथ साथ कम्पोस्ट पिट, विद्युत कम्पोस्ट पिट एवं मैटीरियल रिक्वैरी फेसिलिटी सेन्टर जरूरत के सापेक्ष स्थापित किये जाने हेतु आदेशित किया गया।</p>	<ul style="list-style-type: none"> ● नगर निगम ऋषिकेश द्वारा समय-समय पर अभियान चलाकर विभिन्न स्थानों से अतिक्रमण हटाये जाने की कार्यवाही नियमित रूप से की जाती है तथा अतिक्रमण पाये जाने पर सामान जब्तीकरण एवं चालानी कार्यवाही अमल में लायी जाती है। ● वर्तमान में नगर निगम ऋषिकेश क्षेत्रान्तर्गत स्मृति वन, हटवाल पार्क में कम्पोस्ट पिटों का निर्माण कर खाद बनाने का कार्य किया जा रहा है साथ ही नगर निगम ऋषिकेश द्वारा एम०आर०एफ० सेन्टर पर इलेक्ट्रिक पिट स्थापित की जा रही है। ● एम०आर०एफ० सेन्टर के सम्बन्ध में अवगत कराना नगर निगम ऋषिकेश क्षेत्रान्तर्गत गोविन्द नगर में मै० स्वाम्भू इनोवेटिव व राजेश प्लास्टिक द्वारा एम०आर०एफ० सेन्टर का संचालन किया जा रहा है। साथ ही नीरज भवन, रेलवे मार्ग ऋषिकेश पर भी एम०आर०एफ० सेन्टर का निर्माण किया जायेगा। <p><u>नोट-</u> लालपानी स्थित 10 हेक्टेयर भूमि पर ठोस अपशिष्ट प्लान्ट बनाये जाने की कार्यवाही गतिमान है। 06 से 09 माह के भीतर उक्त प्लान्ट का संचालन मै० नेकोफ संस्था द्वारा किया जायेगा, जिससे नगर निगम ऋषिकेश के साथ अन्य 04 निकायों (स्वर्ग आश्रम, मुनि की रेती, डोईवाला, नरेन्द्रनगर) क्षेत्र का भी शत प्रतिशत ठोस अपशिष्ट का निस्तारण किया जा सकेगा।</p>



		7	Vikasnagar		
	(e) Time bound plan to meet the gap, if any, in generation and treatment of sewage.	Name of town & location			
		Rishikesh	Gap Analysis report attached		
		Dehradun			
	(f) Details of Hotels, Dharamshala and Ashram operating without proper consent and discharging untreated effluent and the action taken against them.	Total no of registered hotels having valid CCA-126 (Annexure-B)			
	(g) Water quality in river and its tributaries in abutting districts/towns in terms of fecal coliform (MPN/100ml).	River Quality analysis report attached (Annexure-B)			
2.Municipal Solid Waste disposal	(a) Per day generation of Solid Waste in each city/town within the district.		Name of City /Town	Per day generation of solid waste	
		1	Rishikesh	80 MT	
		2			
		3			
		4			
		5			
		6			
		7			
	(Annexure-C)				
	(b) Quantity of Solid Waste treatment per day, in each city/town of the district		Name of City /Town	Quantity of solid waste treatment per day	
1		Rishikesh	50		
2					
3					
4					
5					
6					
7					
(Annexure-C)					
(c) The gap in treatment of Solid Waste.	S.No.	Name of City /Town	Gap in treatment of solid waste		

(e) The gap in treatment of Solid Waste.	S.No.	Name of City /Town	Gap in treatment of solid waste
	1	Rishikesh	30 MT. Presently, The construction work of solid waste plant on 10 hectare land situated at Lalpani by Rishikesh is being done by NACOF organization of scientific method. The said organization will start the operation of the plant in 6 to 9 months and 100 percent solid waste will be disposed of as per SWM Rules 2016. This plant is prepared as a cluster plant Nagar Nigam Rishikesh, Nagar Palika Parishad Doiwala, Nagar Palika Parishad Muni-ki-Reti, Narendra Nagar and Swargasharam.
(d) Legacy waste and the time bound plan to treat legacy waste.	7	Rishikesh	Time bound plan to treat legacy waste
	1	<p>1- How much legacy waste ?</p> <p>2- How much is disposed off ?</p> <p>3- Left ?</p> <p>4- Time to dispose of ?</p> <p>5- How is it disposed of ?</p>	<p>Presently the disposal of legacy waste by Municipal Corporation Rishikesh is being done by Rolls India company. The disposal of legacy waste is completed by the said firm with in a year. At presently more than 70% of waste is remediated.</p> <p>1. 2.17 Lac Metric Ton Legacy Waste</p> <p>2. 1.51 Lac Metric Ton Legacy Waste disposed</p> <p>3. 0.66 Lac Metric Ton Legacy Left for Processing</p> <p>4. Approx. 02 months will be required for disposed of the remaining qty.</p> <p>5. With adequate machinery and manpower we shall process the remaining qty. of legacy waste.</p>

Wh

STATIONER P. K. SINGH
STATIONER P. K. SINGH

		Rishikesh	30 MT. Presently, The construction work of solid waste plant on 10 hectare land situated at Lalpani by Rishikesh is being done by NACOF organization of scientific method. The said organization will operation of the plant in 6 to 9 months and 100 percent solid waste will be disposed of. it is a cluster for Nagar Nigam Rishikesh, Nagar Palika Parishad Doiwala, Nagar Palika Parishad Muni-ki-Reti, Narendra Nagar and Swargasharam.
		1	
		2	
		3	
		4	
		5	
		6	
		7	
(d) Legacy waste and the time bound plan to treat legacy waste.	S.No.	Name of City /Town.	Time bound plan to treat legacy waste
		Rishikesh	Presently the disposal of legacy waste by Municipal Corporation Rishikesh is being done by Rolls India company. The disposal of legacy waste is completed by the said firm within a year. At present more than 70% of waste is remediated.
		1- How much legacy waste ?	1. 2.17 Lac Metric Ton Legacy Waste
		2- How much is disposed off ?	2. 2.10 Lac Metric Ton Legacy Waste disposed
		3- Left ?	3. 7 Lac Metric Ton Legacy Left for Processing
	4- Time to dispose of ?	4. Approx. 02 months will be required for disposal of the remaining qty.	
	5- How is it disposed of ?	5. With adequate machinery and manpower we shall process the remaining qty. of legacy.	
	1		
	2		
	3		
	4		
	(Annexure – C)		
(e) The manner of utilization of the treated waste as well as rejects	S.No.	Name of City /Town	Manner of utilization of the treated waste
		Rishikesh	(e) The agency shall dispose of the RDF

	(e) The manner of utilization of the treated waste as well as rejects arising out of remediation of legacy waste.	S.No.	Name of City /Town	Manner of utilization of the treated waste
			Rishikesh	(e) The agency shall disposed of the RDF (Refuse Derived Fuel) at their own Waste to energy plant (WTE) Plant at Ghaziabad and remaining bio-earth are used in filling low laying areas. (report on behalf of RollZ India Ltd Company)
	(f) Current status of dumping of solid waste with reference to location.	S.No.	Name of City /Town	Current status of dumping of solid waste
		1	Rishikesh	Solid waste is collected by Door to Door Garbage collection company "Rishikesh waste Management" and transferred to Govind Nagar Material Recovery Facility Centre for remediate.
		Total		
3. Construct ion and Demolition waste	(a) Total per day generation of C&D Waste within the district.	S.No.	Name of city/town	Per day generation of C&D waste
		1	Rishikesh	20 – 50 MT C&D waste in Nagar Nigam Rishikesh were established C&D collection Center in Dhobighat, 100% of the C&D waste is collected by Private operator and used it in Land filling work. There is highly Demand of C&D Waste for land filling work.
	(b) The details of plant established for the treatment of C&D waste including the existing capacity and capacity utilization.	S.No.	Name of city/town	Details of plant established
		1	Rishikesh	If there will be excess quantity of the C&D waste in city and its reselling cost will decrease naturally then we have a plan to recycle of C&D waste with the help of Mini concrete crusher machine and to make road side C C payment tiles, curve stone for footpath etc with the help of tile making machine to reduce the C & D Waste.
		2		

महाराज नगर आयुक्त
नगर निगम ऋषिकेश

31686



कार्यालय नगर निगम, देहरादून।



(का0-0135-271407:फैक्स-0135-2651060:ई-मेल-nagarnigam.ddun@gmail.com)

पत्र संख्या 1965 / NGT / 2023-24
(CH)

दिनांक:-जनवरी 25/2024



जिलाधिकारी / अध्यक्ष
जिला गंगा समिति,
देहरादून

विषय:-

मा० राष्ट्रीय हरित अधिकरण में योजित मूल आवेदन सं० 200/2014 "MC Mehta vs Union of India & Ors" में पारित आदेश दिनांक 24.11.2023 का अनुपालन विषयक।

महोदय,

उपरोक्त विषयक आपके कार्यालय के पत्र सं० 136/NGT/जि०गं०सु०स०/2022/23 दिनांक 11 जनवरी, 2023 को कार्यालय को प्राप्त हुआ है, जिसमें मा० राष्ट्रीय हरित अधिकरण में योजित मूल आवेदन सं० 200/2014 "MC Mehta vs Union of India & Ors" में पारित आदेश दिनांक 24.11.2023 के अनुपालन में चाही गई सूचना निर्धारित प्रारूप में भरकर सादर प्रेषित है।

संलग्न:- यथोपरि।

2868



भवदीय

मुख्य नगर स्वास्थ्य अधिकारी
नगर निगम, देहरादून

पत्र सं० व दिनांक -तदैव-

प्रतिलिपि:- सूचनार्थ प्रेषित।

1. नगर आयुक्त, नगर निगम, देहरादून।

मुख्य नगर स्वास्थ्य अधिकारी
नगर निगम, देहरादून

DPD-D46
27/11
30-1-2024
DPD

DPD
400
29/11



Issues	Information Sought	Implementation and Compliance				
		S.No.	Name Of town	Per day sewage generation		
1.Sewage	(a) Per day generation of sewage in each city/town within the district.	1	Rishikesh			
		2	Dehradun			
		3	Doiwala			
		4	Massuree			
		5	Selaqui			
		6	Harbartpur			
		7	Vikasnagar			
			Total			
	Annexure-A					
	(b) Quantity of sewage treated per day, city/town wise.	S.No.	Name Of town	Per day treated sewage		
		1	Rishikesh			
		2	Dehradun			
		3	Doiwala			
		4	Massuree			
		5	Selaqui			
		6	Harbartpur			
		7	Vikasnagar			
		Total				
	Annexure-A					
	(c) The number of sewage treatment plant existing and their capacity and capacity utilization	S.No.	Name of town& location	STP capacity in MLD	Capacity utilization in MLD	
		1	Rishikesh			
		2	Dehradun			
		3	Doiwala			
		4	Massuree			
		5	Selaqui			
		6	Harbartpur			
		7	Vikasnagar			
	(d) Quantity of discharged treated sewage from eachSTP, particularly for fecal coliform.	S.No.	Name of town& location	Quantity of discharged treated sewage (particularly for Fecal coliform)		
1		Rishikesh				
2		Dehradun				
3		Doiwala				
4		Massuree				
5		Selaqui				

मुख्य नगर स्वास्थ्य अधिकारी
नगर निगम, देहरादून

		6	Harbartpur	
		7	Vikasnagar	
	(e) Time bound plan to meet the gap, if any, in generation and treatment of sewage.	Name of town & location		
		Rishikesh	Gap Analysis report attached	
		Dehradun	An additional 10 KLD STP proposed at Gangotri in compliance of instruction issued in 13 th State Ganga Committee & Minutes of Meeting issued by Programme Director, SPMG Dehradun vide letter no. 493/SPMG/NamamiGange/SGC, dated 30.06.2022, An estimate costing Ganga Programme to provide sewerage facility for left out 10 households in Gangotri town and sent to NMCG vide letter no. 884/SPMG/NamamiGange/I&D and STP, dated 16.11.2022 of Programme Director, SPMG.	
	(f) Details of Hotels, Dharamshala and Ashram operating without proper consent and discharging untreated effluent and the action taken against them.	Total no of registered hotels having valid CCA-126 (Annexure-B)		
	(g) Water quality in river and its tributaries in abutting districts/towns in terms of fecal coliform (MPN/100ml).	River Quality analysis report attached (Annexure-B)		
2.Municipal Solid Waste disposal	(a) Per day generation of Solid Waste in each city/town within the district.	S.No.	Name of City /Town	Per day generation of solid waste
		1	Nagar Nigam Dehradun	450 MT
		2		
		3		
		4		
		5		
		6		
		7		
			(Annexure-C)	
	(b) Quantity of Solid Waste treatment per day, in each city/town of the	S.No.	Name of City /Town	Quantity of solid waste treatment per day


 मुख्य नगर स्वास्थ्य अधिकारी
 नगर निगम, देहरादून

district		Nagar Nigam Dehradun	450 MT
	1		
	2		
	3		
	4		
	5		
	6		
	7		
(Annexure-C)			
(c) The gap in treatment of Solid Waste.	S.No.	Name of City /Town	Gap in treatment of solid waste
	1	Nagar Nigam Dehradun	per day treatment is done
	2		
	3		
	4		
	5		
	6		
	7		
(d) Legacy waste and the time bound plan to treat legacy waste.	S.No.	Name of City /Town	Time bound plan to treat legacy waste
	1	Nagar Nigam Dehradun	31 December, 2025
	2		
	3		
	4		
	5		
	6		
	7		
(Annexure - C)			
(e) The manner of utilization of the treated waste as well as rejects arising out of remediation of legacy waste.	S.No.	Name of City /Town	Manner of utilization of the treated waste
	1	Nagar Nigam Dehradun	Bio-Mining process & RDF निस्तारण 2018 से site पर किसी प्रकार का कूड़ा dump नहीं किया जा रहा है। (Legacy waste निस्तारण निविदा की प्रक्रिया गतिमान है।) (संलग्नक E)


 मुख्य नगर स्वास्थ्य अधिकारी
 नगर निगम, देहरादून

	(f) Current status of dumping of solid waste with reference to location.	S.No.	Name of City /Town	Current status of dumping of solid waste
		1	Nagar Nigam Dehradun	Currently Solid Waste is being treated at Sheeshambada Solid Waste Management Plant, Selaqui, Dehradun.
		2		
		3		
		4		
		5		
		6		
		7		
		Total		
3. Construct ion and Demolition waste	(a) Total per day generation of C&D Waste within the district.	S.No.	Name of city/town	Per day generation of C&D waste
		1		
		2		
		3		
		4		
		5		
		6		
		7		
	(b) The details of plant established for the treatment of C&D waste including the existing capacity and capacity utilization.	S.No.	Name of city/town	Details of plant established
		1		
		2		
		3		
		4		
		5		
		6		
7				
4. Industrial Effluent	(a) Number of industrial unit discharging their effluent treated/untreated in river Ganga and its tributaries and details of defaulting industrial units.	Total no of Industries- 52 (Annexure-B)		
	(b) Total daily generation of such industrial waste with in the district.	Industrial Effluent generated – Nil (Annexure-B)		


 मुख्य नगर स्वास्थ्य अधिकारी
 नगर निगम, देहरादून


	(c) The manner of treatment of the industrial waste so generated.	Industries having own ETP's (Annexure-B)
	(d) The discharge effluent analysis from the CETP and ETP treating the industrial waste form each outlet.	Zero discharge (Annexure-B)
	(e) The per day generation of industrial solid waste and manner of its treatment and disposal in the district.	Nil (Annexure-B)
5.Regulation of flood Plain Zone	(a) If the flood plain zone has been demarcated and the extent of encroachment on the flood plain zone in the district.	Flood plain zone on the whole stretch of Bhagirathi river flowing through district uttarkashi from Gangotri to Dharasu has been demarcated vide the following notifications of uttarakhand Government. 3- Notifications no. 829/11(2)-2018/06(66)/2016 Dated 11.05.2018. Vide this notification the stretch of Bhagirathi river from Gangori to Badethi Chungi has been notified in flood plain zoning. - Notifications no. 1866/11(2)-2020-06 (66)/2016 Dated 4 05.10.2020. Vide this notification the stretch from Gangotri to Gangnani, Gangani to Gangori and Badethi Chungi to Dharasu Power house has been demarcated and notified in flood plain zoning.The process of demarcation of extent of encroachment in flood plain zone in the notified areas of flood plain zone in the district is in progress, how ever the activities of fresh encroachments are vigilantly being addressed by the irrigation department and district administration regularly. The notice are being served to the associated persons involved in such activities of violation of the flood plain zoning (Annexure-D)
	(b) The details of direct discharge of pollutants by the encroachers by the side of the river Ganga and its tributaries in the district.	
6. Bio medical waste	(a) The per day total generation of bio medical waste in the district.	Total HCF- 210 and Total bio medical waste generation in the district is 84.06 kg/day
	(b) The manner of its treatment and disposal.	CBWTF- 4.42 Deep Burial – 79.64 (Annexure-B)


 मुख्य नगर स्वास्थ्य अधिकारी
 नगर स्वास्थ्य, देहरादून

7.Mining	Number of cases registered with in a year against illegal mining in the bed or flood plains of river Ganga and its tributaries and details of enforcement of mining policy of state and "Enforcement & Monitoring Guidelines for Sand Mining" (EMGSM) and Sustainable Sand Mining Management Guidelines 2016.	There are -----cases registered with in a year against illegal mining in the bed or flood plains of river Ganga and its tributaries and and action taken according to Prevention of illegal Mining Transportation and Storage Rule 2021. (Annexure-E)
8.Ecological flow of river	The concerned hydro project set up on river Ganga and its tributaries will ensure maintaining and complying with the prescribed minimum 15% of flow of water in the river Ganga and its tributaries.	



 मुख्य नगर स्वास्थ्य अधिकारी
 नगर निगम, देहरादून

31693 (E)

eProcurement System Government of Uttarakhand			
Uttarakhand Tenders		Tender Details	
		Date : 24-Jan-2024 01:34 PM	
 Print			
Basic Details			
Organisation Chain	Municipal Commissioner Nagar Nigam Dehradun		
Tender Reference Number	26/Legacywaste/2023-24		
Tender ID	2024_NND_68157_1	Withdrawal Allowed	Yes
Tender Type	Open Tender	Form of contract	Item Wise
Tender Category	Goods	No. of Covers	2
General Technical Evaluation Allowed	No	ItemWise Technical Evaluation Allowed	No
Payment Mode	Offline	Is Multi Currency Allowed For BOQ	No
Is Multi Currency Allowed For Fee	No	Allow Two Stage Bidding	No
Payment Instruments		Cover Details, No. Of Covers - 2	
Offline	S.No	Instrument Type	
	1	DD - Demand Draft	
	2	BG - Bank Guarentee	
	3	FDR - Fixed Deposit Receipt	
Cover No	Cover	Document Type	Description
1	Fee/PreQual/Technical	.pdf	Scan Copy of Tender Documents as per Technical Bid
2	Finance	.xls	Financial Bid (BoQ)
Tender Fee Details, [Total Fee in ₹ * - 23,600]		EMD Fee Details	
Tender Fee in ₹	23,600	EMD Amount in ₹	53,00,000
Fee Payable To	Senior Finance Officer	EMD through BG/ST or EMD Exemption Allowed	No
Fee Payable At	Dehradun	EMD Fee Type	fixed
Tender Fee Exemption Allowed	No	EMD Percentage	NA
		EMD Payable To	Senior Finance Officer
		EMD Payable At	Dehradun
Click to view modification history			
Work / Item(s)			
Title	RFP For Scientific Dumpsite Remediation of Legacy Waste and Land Reclamation through Bio-mining, Resource Recovery and Rejects Disposal at Danda Lakhaund Site, Dehradun		
Work Description	RFP For Scientific Dumpsite Remediation of Legacy Waste and Land Reclamation through Bio-mining, Resource Recovery and Rejects Disposal at Danda Lakhaund Site, Dehradun		
Pre Qualification Details	Please refer Tender documents.		
Independent External Monitor/Remarks	NA		
Show Tender Value in	No		
 मुख्य नगर स्वास्थ्य अधिकारी नगर निगम, देहरादून			

31694

"SAY NO TO SINGLE USE OF PLASTIC"



कार्यालय नगर पालिका परिषद् डोईवाला, देहरादून।

E-mail : doiwalaco@gmail.com Ph. No: 0135-2695682



पत्रांक : 35-12/Hon'ble NGT / 2023-24

दिनांक : 16-12-23

सेवा में,

जिलाधिकारी/अध्यक्ष महोदय,
जिला गंगा सुरक्षा समिति, विकास भवन, सर्व-चौक,
नमामि गंगे, देहरादून, उत्तराखण्ड।

विषय:- मा0 राष्ट्रीय हरित अधिकरण में योजित मूल आवेदन संख्या 200/2014 "MC Mehta vs Union of India & Ors" में पारित आदेश दिनांक 24/11/2023 विषयक के सम्बन्ध में।

महोदय,

उपरोक्त विषयक आपके कार्यालय पत्र सं0 124/एन0जी0टी0/जि0गं0सु0स0/2022-23, दिनांक 04.12.2023 एवं मा0 राष्ट्रीय हरित अधिकरण में योजित मूल आवेदन संख्या 200/2014 "MC Mehta vs Union of India & Ors" में पारित आदेश दिनांक 24/11/2023 के अनुपालन के क्रम में निकाय स्तर से उपरोक्त पत्र पर उल्लेखित मुख्य एवं उप मुख्य बिन्दुओं पर आख्या निम्नवत है:-

1- Sewage- वर्तमान में नगर पालिका परिषद् डोईवाला क्षेत्रान्तर्गत कोई भी Sewage Network स्थापित नहीं है।

2- Municipal Solid Waste Disposal-

- निकाय क्षेत्रान्तर्गत प्रतिदिन 30 टन ठोस अपशिष्ट उत्पन्न होता है।
- निकाय द्वारा स्थापित किये गये एम0आर0एफ0 सेन्टर की प्रसंकरण क्षमता 20 टन प्रतिदिन की है, जिसमें 6 टन सूखा कूड़ा एवं 14 टन गिला कूड़ा प्रतिदिन प्रसंकरण किया जाता है।
- प्रतिदिन लगभग 10 टन कूड़े का प्रसंकरण नहीं हो पाता है।
- नगर पालिका परिषद् डोईवाला द्वारा लीगेसी वेस्ट निस्तारण की कार्यवाही गतिमान है प्रथम चरण में तक 12800 MT लीगेसी वेस्ट निस्तारित किया जा चुका है। शेष लगभग 10000 MT लीगेसी वेस्ट निस्तारण की कार्यवाही गतिमान है।
- लीगेसी वेस्ट निस्तारण निस्तारण के लिए नियुक्त ऐंजेंसी द्वारा Bio Mining Method से अजैविक कूड़े को सीमेंट फैक्ट्री में ईंधन के रूप में बतौर Refuse Derived Fuel(R.D.F) उपयोग के लिए भेजा जाता है तथा निकलने वाले Biosoil को भ्रान के रूप में प्रयोग किया जाता है।
- निकाय द्वारा ठोस अपशिष्ट प्रबन्धन हेतु डोईवाला नगर के वार्ड सं0 11 केशवपुरी में एक एम0आर0एफ0 सेन्टर स्थापित किया गया है उक्त जिसमें वर्तमान में 2 प्लास्टिक कॉम्पेक्टर स्थापित है तथा Biodegradable Waste से जैविक खाद बनाये जाने हेतु 15 नाडेप पिट तैयार किये गये है। केशवपुरी स्थित एम0आर0एफ0 सेन्टर मै0 ग्रीन वर्क वेस्ट सॉल्यूशन द्वारा संचालित किया जा रहा है। साथ ही नगर पालिका परिषद् डोईवाला को ऋषिकेश कल्सटर में समिलित किया गया है। जिसके लिए अमितग्राम लालपानी में 10 हे0 भूमि पर Scientific Landfill के निर्माण का कार्य नगर निगम ऋषिकेश द्वारा गतिमान है। निर्माण की कार्यवाही पूर्ण होने के उपरान्त डोईवाला नगर का Inert Waste उक्त Scientific Landfill Site पर निस्तारित किया जायेगा।

3- Construction and Demolition waste-

- निकाय क्षेत्रान्तर्गत प्रतिदिन 0.05 टन Construction and Demolition waste उत्पन्न होता है।
- Construction and Demolition waste के निस्तारण के लिए कोई संयंत्र स्थापित नहीं है।

ठोस अपशिष्ट/सिंगल यूज प्लास्टिक से सम्बंधित शिकायत दर्ज करने हेतु solidwaste-complaint@uk.gov.in पर ई0-मेल करें।


अधिसूचना
नगर पालिका परिषद्
डोईवाला, देहरादून

Scanned with CamScanner

- 4- **Industrial Effluent discharge**— सूचना नगर पालिका परिषद् डोईवाला स्तर पर उपलब्ध नहीं है।
- 5- **Regulation of Flood Plain zone**— सूचना नगर पालिका परिषद् डोईवाला स्तर पर उपलब्ध नहीं है।
- 6- **Bio Medical Waste**— उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड द्वारा नियुक्त फर्म MPCC द्वारा नगर पालिका परिषद् डोईवाला क्षेत्र के Bio-medical waste का निस्तारण किया जाता है।
- 7- **Mining**— सूचना नगर पालिका परिषद् डोईवाला स्तर पर उपलब्ध नहीं है।

अतः सूचना महोदय की सेवा में सादर प्रेषित है।

भवदीय,


(उत्तम सिंह नेगी)
अधिसासी अधिकारी
नगर पालिका परिषद् डोईवाला
डोईवाला, २४७१२७

ठोस अपशिष्ट/सिंगल यूज प्लास्टिक से सम्बंधित शिकायत दर्ज करने हेतु solidwaste-complaint@uk.gov.in पर ई0-मेल करें।

कार्यालय नगर पालिका परिषद, मसूरी ।

दूरभाष संख्या :- (0135)2632251, फ़ैक्स संख्या:- (0135) 2632039

ई-मेल :- nppmussoorie@gmail.com

पत्रांक- 2097/20

दिनांक- 16/02/2024

सेवा में,

जिलाधिकारी/अध्यक्ष
जिला गंगा सुरक्षा समिति
नमामि गंगे,
देहरादून उत्तराखण्ड।

विषय:- मा0 राष्ट्रीय हरित अधिकरण में आयोजित मूल आवेदन सं0 200/2014 "MC Mehta V/S Union of India and Ors" में पारित आदेश दिनांक 24.11.2023 विषयक बिन्दुओं की विस्तृत सूचना प्रस्तुत है।

महोदया,

उपरोक्त विषयक मा0 राष्ट्रीय हरित अधिकरण में आयोजित मूल आवेदन सं0 200/2014 "MC Mehta V/S Union of India and Ors" में पारित आदेश दिनांक 24.11.2023 के क्रम में आपके पत्र सं0 124/एन0जी0टी0/जि0मा0सु0सा0/2022-23 दिनांक 04.12.2023 का सन्दर्भ ग्रहण करने का कष्ट करें जिसमें नगर पालिका परिषद मसूरी से सम्बन्धित बिन्दुओं 2 व 3 पर विस्तृत सूचना चाही गई है वांछित सूचना निम्नवत् प्रस्तुत है:-

बिन्दु सं0:- 1-II Municiple Solid Waste Management Disposal

a) Per day generation of Solid Waste in ah city/town within the District.	प्रतिदिन 15 टन ठोस अपशिष्ट उत्पादन होता है।
b) Quantity of Solid Waste treated per day, in each city/ town within the District.	नगर पालिका परिषद, मसूरी के आई0डी0एच0 में 20 TPD क्षमता का एम0आर0एफ0 एवं 08 TPD क्षमता का बायो-मैथेनेशन प्लांट का कार्य पूर्ण हो चुका है।
c) The gap in treatment of Solid Waste	ठोस अपशिष्ट के उपचार में अन्तर शून्य रहेगा।
d) Legacy waste and the time bound plan to treat legacy waste.	Legacy Waste शून्य है।
e) The manor of utilization of the treated waste as well as rejects arising out of remediation of legacy waste.	Legacy Waste शून्य है।
f) Current status of dumping of Solid Waste with refrence to location.	नगर पालिका परिषद, मसूरी के आई0डी0एच0 में प्लांट स्थित है।

बिन्दु सं0:- 1-III Construction and Demolition waste:

a) Total per day generation of C & D waste within the district.	C & D वेस्ट के लिए टिहरी बाई पास रोड पर स्थल निर्धारित है। प्रतिदिन 01 टन C & D वेस्ट उत्पादित होता है।
b) The details of plant establish for the treatment of C & D waste including the existing capacity and capacity utilization.	C & D वेस्ट प्लांट नहीं बनाया गया है।

भवदीय

अधिसूत्री अधिकारी

नगर पालिका परिषद, मसूरी।

। कार्यालय नगर पंचायत सेलाकुई ।।

पत्रांक- 1315

दिनांक- 07 फरवरी, 2024

सेवा में

जिलाधिकारी महोदया
देहरादून।

विषय-

मा0 राष्ट्रीय अधिकरण में योजित मूल आवेदन सं0-200/2014 MC Mehta V/S Union of india & ors में पारित आदेश दिनांक- 24.11.2023 विषयक।

महोदया

उपरोक्त आपके कार्यालय मा0 राष्ट्रीय अधिकरण में योजित मूल आवेदन सं0-200/2014 MC Mehta V/S Union of india & ors में पारित आदेश दिनांक- 24.11.2023 के क्रम में चाही गई वांछित सूचना निम्न प्रकार है-

क्र0सं0	बिन्दु	अनुपालन आख्या/सूचना
1	Sewage	Sewage वर्तमान में नगर पंचायत सेलाकुई क्षेत्र में सीवर लाईन स्थापित नहीं है। 100 प्रतिशत घरों में सैप्टिक टैंक निर्मित है।

Municipal solid waste Disposal

Per day generation of solid waste in each city/town with in the District	नगर पंचायत सेलाकुई क्षेत्रान्तर्गत स्वयं के संसाधनों द्वारा 09 वार्डों में 06 डूर डूर कूड़ा कलेक्शन वाहनों के माध्यम से समस्त 09 वार्डों से प्रतिदिन 13 टन ठोस अपशिष्ट एकत्रित किया जाता है।
Quantity of solid waste treated per day in each city/town of the District	नगर पंचायत सेलाकुई द्वारा प्रतिदिन निकलने वाले 13 टन ठोस अपशिष्ट का निस्तारण शीशमबाडा प्लाट ले जाकर वैज्ञानिक विधि द्वारा किया जा रहा है।
The gap in treatment of solid waste	नगर पंचायत सेलाकुई द्वारा प्रतिदिन निकलने वाले 13 टन ठोस अपशिष्ट के उपचार के द्वारा निस्तारण में वर्तमान में कोई भी व्यवधान वर्तमान तक सामने नहीं आया है।
legacy waste and the time bound plan to treat legacy waste	नगर पंचायत सेलाकुई क्षेत्रान्तर्गत कोई भी लिगेसी वेस्ट उपलब्ध नहीं है।
The manner of utilization of the treated waste as well as rejects arising out of remediation of legacy waste	नगर पंचायत सेलाकुई क्षेत्रान्तर्गत कोई भी लिगेसी वेस्ट उपलब्ध नहीं है जिसके कारण वैध कचरे सम्बन्धी सूचना देना सम्भव नहीं है।
Corrent status of dumping of solid waste with reference to location	नगर पंचायत सेलाकुई द्वारा प्रतिदिन निकलने वाले 13 मैट्रिक टन ठोस अपशिष्ट का निस्तारण शीशमबाडा प्लान्ट में किया जा रहा है।
Construction ans Demolition waste	वर्तमान में नगर पंचायत सेलाकुई द्वारा 04 से 05 माह के अन्तराल में लगभग 01 मैट्रिक टन सी0 एवं डी वेस्ट का उठान प्राईवेट ट्रेक्टर ट्रॉली ऑपरेटरों द्वारा किया जाता है, जिसका प्रयोग भूमि भरान में किया जाता है।
Discharge	
Regulation of flood plain zone	नगर पंचायत सेलाकुई क्षेत्रान्तर्गत कोई भी बाढ़ सम्भावित क्षेत्र नहीं है।

31698

	By medical waste	वर्तमान में नगर पंचायत सेलाकुई द्वारा कोई बायोमेडिकल वेस्ट नहीं लिया जाता है, इस हेतु निकाय क्षेत्रान्तर्गत समस्त अस्पतालों, क्लीनिक आदि द्वारा अपना बायोमेडिकल वेस्ट बायोमेडिकल वेस्ट निस्तारण एजेंसीयों को दिया जाता है।
--	------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

अतः सूचना महोदय की सेवा में सादर प्रेषित है।

भवदीय

अधिशासी अधिकारी
नगर पंचायत सेलाकुई



31699



कार्यालय नगर पालिका परिषद हरबर्टपुर(देहरादून)

E-mail: nppherbertpur84@gmail.com

Ph.No: 01360-258355

पत्रांक 1266/शपथ पत्र सू/2023-24

दिनांक जनवरी 04, 2024

सेवा में,

जिलाधिकारी
देहरादून।

विषय:- मा० राष्ट्रीय हरित अधिकरण में योजित मूल आवेदन संख्या 200/2014 "MC Mehta vs Union of India & ors" में पारित आदेश दिनांक 24/11/2023 विषयक।

महोदय,

उपरोक्त विषयक आपके कार्यालय के पत्र सं० 107/जि०ग०सु०स०/2022-23 दिनांक 12 अक्टूबर 2023 के क्रम में चाही गयी सूचना निम्नानुसार है-

क्र सं	बिन्दु	अनुपालन आख्या/सूचना
1	Sewage	Sewage ● वर्तमान में नगर पालिका परिषद हरबर्टपुर क्षेत्र में सीवर लाईन स्थापित नहीं है। 100 प्रतिशत घरों में सेप्टिक टैंक निर्मित हैं। सेप्टिक टैंक खाली कराये जाने हेतु पालिका द्वारा प्रोटोकॉल फॉर सेप्टिक मैनेजमेंट लागू किया गया है।
Municipal Solid Waste Disposal		
	Per day generation of Solid waste in each city/town within the District.	नगर पालिका परिषद हरबर्टपुर क्षेत्रान्तर्गत स्वयं के संसाधनों द्वारा 09 वार्डों में 04 डोर-टू-डोर कूड़ा कलैक्शन वाहनों (दो कम्पार्टमेंट युक्त वाहन) के माध्यम से समस्त 09 वार्डों से प्रतिदिन 05 Metric tone टोस अपशिष्ट एकत्रित किया जाता है।
	Quantity of Solid waste treated per day, in each city/town of the District.	नगर पालिका हरबर्टपुर द्वारा प्रतिदिन निकलने वाले 5 मि० टन टोस अपशिष्ट का निस्तारण वैज्ञानिक विधि द्वारा किया जा रहा है।
	the gap in treatment of solid waste.	नगर पालिका हरबर्टपुर द्वारा प्रतिदिन निकलने वाले 5 मि० टन टोस अपशिष्ट के उपचार के द्वारा निस्तारण में वर्तमान में कोई भी व्यवधान वर्तमान तक सामने नहीं आया है।
	Legacy waste and the time bound plan to treat legacy waste.	नगर पालिका हरबर्टपुर क्षेत्रान्तर्गत कोई भी लिंगेसी वेस्ट उपलब्ध नहीं है।
	The manner of utilization of the treated waste as well as rejects arising out of remediation of legacy waste.	नगर पालिका हरबर्टपुर क्षेत्रान्तर्गत कोई भी लिंगेसी वेस्ट उपलब्ध नहीं है जिसके कारण वैध कचरे सम्बन्धी सूचना देना सम्भव नहीं है।
	Current status of dumping of solid waste with reference to location	नगर पालिका हरबर्टपुर द्वारा प्रतिदिन निकलने वाले 5 मि० टन टोस अपशिष्ट का निस्तारण ग्राम सभा ढकरानी में किया जा रहा है।
	Construction and Demolition Waste	वर्तमान में नगर पालिका हरबर्टपुर द्वारा 03 से 04 माह के अन्तराल में लगभग 0.05 मि० टन सी० एव डी वेस्ट का उठान प्राईवेट ट्रेक्टर ट्रॉली ऑपरेटर्स द्वारा किया जाता है, जिसका प्रयोग भूमि भरण के कार्य में किया जाता है।

Letter! 587



Industrial Effluent Discharge	वर्तमान में नगर पालिका परिषद् हरबर्टपुर क्षेत्रान्तर्गत कोई भी औद्योगिक संस्थान/केन्द्र नहीं है।
Regulation of Flood Plain Zone	नगर पालिका परिषद् हरबर्टपुर क्षेत्रान्तर्गत कोई भी बाढ़ सम्भावित क्षेत्र नहीं है।
Bio Medical Waste	वर्तमान में नगरपालिका परिषद् हरबर्टपुर द्वारा कोई बायोमेडीकल वेस्ट नहीं लिया जाता है। इस हेतु निकाय क्षेत्रान्तर्गत समस्त अस्पतालों, क्लीनिक, हेल्थ सेन्ट्रों आदि द्वारा अपना बायोमेडीकल वेस्ट बायोमेडीकल वेस्ट निस्तारण एजेंसीयों को दिया जाता है।

अतः सूचना महोदय की सेवा में सादर प्रेषित है।

भवदीय


 अधिशासी अधिकारी
 नगर पालिका परिषद् हरबर्टपुर
 देहरादून

Letter1688

		6	Harbartpur	
		7	Vikasnagar	
	(e) Time bound plan to meet the gap, if any, in generation and treatment of sewage.	Name of town & location		
		Rishikesh	Gap Analysis report attached	
		Dehradun	An additional 10 KLD STP proposed at Gangotri in compliance of instruction issued in 13 th State Ganga Committee & Minutes of Meeting issued by Programme Director, SPMG Dehradun vide letter no. 493/SPMG/NamamiGange/SGC, dated 30.06.2022, An estimate costing Ganga Programme to provide sewerage facility for left out 10 households in Gangotri town and sent to NMCG vide letter no. 884/SPMG/NamamiGange/I&D and STP, dated 16.11.2022 of Programme Director, SPMG.	
	(f) Details of Hotels, Dharamshala and Ashram operating without proper consent and discharging untreated effluent and the action taken against them.	Total no of registered hotels having valid CCA-126 (Annexure-B)		
	(g) Water quality in river and its tributaries in abutting districts/towns in terms of fecal coliform (MPN/100ml).	River Quality analysis report attached (Annexure-B)		
2. Municipal Solid Waste disposal	(a) Per day generation of Solid Waste in each city/town within the district.	S.No.	Name of City /Town	Per day generation of solid waste
		1		
		2		
		3		
		4		
		5		
		6		
		7	vikasnagar	14 mt
		(Annexure-C)		
	(b) Quantity of Solid Waste treatment per day, in each city/town of the district	S.No.	Name of City /Town	Quantity of solid waste treatment per day
		1		
		2		


 अधिकारी
 नगर पालिका परिषद, विकसनगर
 देहरादून (उत्तराखण्ड)

		3		
		4		
		5		
		6		
		7	vikasnagar	14 mt
(Annexure-C)				
(c) The gap in treatment of Solid Waste.	S.No.	Name of City /Town	Gap in treatment of solid waste	
	1			
	2			
	3			
	4			
	5			
	6			
	7	Vikasnagar	0	
(d) Legacy waste and the time bound plan to treat legacy waste.	S.No.	Name of City /Town	Time bound plan to treat legacy waste	
	1			
	2			
	3			
	4			
	5			
	6			
	7	Vikasnagar	Not Available	
(Annexure - C)				
(e) The manner of utilization of the treated waste as well as rejects arising out of remediation of legacy waste.	S.No.	Name of City /Town	Manner of utilization of the treated waste	
		vikasnagar	Not Available	
(f) Current status of dumping of solid waste with reference to location.	S.No.	Name of City /Town	Current status of dumping of solid waste	
	1			
	2			
	3			
	4			


 नगर पालिका मण्डल, विकासनगर
 देहातून (जयशंकर)

		5		
		6		
		7	vikasnagar	solid waste is treat in dhakpathar (khadar) Trenching ground
		Total		Annexure
3. Construct ion and Demolition waste	(a) Total per day generation of C&D Waste within the district.	S.No	Name of city/town	Per day generation of C&D waste
		1		
		2		
		3		
		4		
		5		
		6		
		7	vikanagar	0.04 Ton C & D waste
	(b) The details of plant established for the treatment of C&D waste including the existing capacity and capacity utilization.	S.No	Name of city/town	Details of plant established
		1		
		2		
		3		
		4		
		5		
		6		
7	vikanagar	No Plant Available		
4. Industrial Effluent	(a) Number of industrial unit discharging their effluent treated/untreated in river Ganga and its tributaries and details of defaulting industrial units.	Total no of Industries- 52 (Annexure-B)		
	(b) Total daily generation of such industrial waste with in the district.	Industrial Effluent generated – Nil (Annexure-B)		
	(c) The manner of treatment of the industrial waste so generated.	Industries having own ETP's (Annexure-B)		
	(d) The discharge effluent analysis from the CETP and ETP treating the industrial waste form each outlet.	Zero discharge (Annexure-B)		


 अधिकारी
 नगर पालिका परिषद, विकासनगर
 देहचकून (कनाराखण्ड)

31705



LIFE
Lifestyle For
Environment



वसुधैव कुटुम्बकम्
ONE EARTH - ONE FAMILY - ONE FUTURE

Regional Office
Uttarakhand Pollution Control Board
E-115, Nehru Colony, Dehra Dun
E-mail : rouepcb@gmail.com,
Phone No.-0135-3593200

पत्रांक सं०-यूकेपीसीबी/आरओडी/एन०जी०टी०-३/२०२३-२४/५१०७-१५७५

सेवा में

जिलाधिकारी/अध्यक्ष जिला गंगा सुरक्षा समिति
देहरादून।

दिनांक: 14/12/23
1. Received under Registered Seal
2. No. EV 903572112-1N
3. Dated 18-12-23
4. To: Mr. L. B. C. D. O.

विषय- मा० राष्ट्रीय हरित प्राधिकरण, नई दिल्ली में योजित पी०आई०एल Original Application No. 200/2014
M.C. Mehta Vs Union of India & Ors. में पारित आदेश दिनांक 24.11.2023 के अनुपालन के संबंध में।

महोदय,

कृपया उपरोक्त विषयक आपके कार्यालय के पत्रांक संख्या 124/एन०जी०टी०/जि०मं०सु०स०/२०२२-२३
दिनांक 04.12.2023 जोकि इस कार्यालय में ई-मेल के माध्यम से दिनांक 04.12.2023 को प्राप्त हुआ है जिसमें आप द्वारा
जिला गंगा सुरक्षा समिति द्वारा मा० राष्ट्रीय हरित अधिकरण (NGT) के समक्ष Status Report प्रेषित किये जाने हेतु जनपद
देहरादून से इस कार्यालय से संबंधित बिन्दुओं पर सूचना चाही गयी है।

उपरोक्त सूचना तैयार कर आपके अवलोकनार्थ एवं अग्रिम आवश्यक कार्यवाही हेतु सादर प्रस्तुत है।

DPD-DGC
22/12/23

DPD
20/12

भवदीय
FAC
(डा० आर०के० चतुर्वेदी)
क्षेत्रीय अधिकारी (प्र०)



S.No.	Sewage	Proceeding
1	<ul style="list-style-type: none"> ➤ The number of sewage treatment plant existing and their capacity and capacity utilization and mode of disposal in each city/town ➤ Details of Hotels, Dharamshala and ashram operating without proper consent and discharging untreated effluent and action taken against them ➤ Water quality in river and its tributaries in abutting districts/towns in terms of fecal coliform (MPN/100 ml) 	<p>STP's analysis report attached</p> <p>Total no of regsitred Hotels- having valid CCA- 549</p> <p>River Quality analysis report attached</p>

S.No.	Construction and Demolition waste	Proceeding
a.	Total per day generation of C & D waste with in the District	No information available
b.	The detail of plant established for the treatment of C & D waste including the existing capacity and capacity utilization.	No information available, No Plant Established by Local Body

S.No.	Industrial Effluent Discharge	Proceeding
a.	Number of Industrial unit discharging their effluent treated/untreated in river Ganga and its tributaries and details of defaulting industrial units	Total No of Industries -531
b.	Total Daily Generation of such Industrial waste within the District.	Industrial Effluent generated – 6.6 MLD Total registred Industries- 531
c.	The manner of treatment of the industrial waste so generated	Industries having own ETP's
d.	The discharge effluent analysis from the CETP and ETP treating the industrial waste from each outlet.	Zero discharge
e.	The Per day generation of industrial Hazardous waste and manner of its treatment and disposal in the District.	427.56 MT/Annum disposed through TSD/Authorised recyclers

S.No.	Bio Medical Waste	Proceeding
a.	The per day total generation of bio medical waste in the District.	Total HCF – 1911 and Total bio medical waste generation - 2288.6 Kg/day
b.	The manner of its treatment and disposal	CBWTF- 2208.33 Deep Burial- 80.27

h

fir

bio medical waste
one plant proposal

Jhansi - Kadar

3
 UTTARAKHAND POLLUTION CONTROL BOARD
 Gaura devi Paryavaran Bhawan
 6-B, SIDCUL, IT Park, Sahashtradhara Road
 DEHRADUN (Uttarakhand)



उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड
 गौरा देवी पर्यावरण भवन
 46-बी, सिडकुल, आई.टी. पार्क, सहस्रत्रधारा रोड,
 देहरादून (उत्तराखण्ड)

CENTRAL LABORATORY

Analysis Report of Sewage Treatment Plants (STP's) for the Month of October 2023

Sl. No.	Name of the Sewage Treatment Plant (With Capacity)	Sampling Point						
		Inlet of STP			Outlet of STP			
		pH	BOD	TSS	pH	BOD	TSS	Fecal Coliform
1	0.010 MLD STP Near Temple at Badrinath. (Operated by: Uttarakhand Jal Sansthan)	As the area around the STP comes under Master Plan so the demolition of structure work around the STP was in progress and the STP was non-operation due to the same reason. (Date of inspection: -17-10-2023).						
2	0.26 MLD STP Near Bamni Gaon, Badrinath. (Operated by: Uttarakhand Jal Sansthan)	6.73	165	167	7.15	9.2	10	170
3	1.0 MLD STP Near Suspension Bridge, Badrinath. (Operated by: Uttarakhand Jal Sansthan)	6.58	175	179	7.23	10.0	13	210
4	2.70 MLD STP at Marwari, Joshimath. (Operated by: Uttarakhand Peyjal Nigam)	7.35	105	109	7.48	8.0	09	110
5	1.080 MLD STP at Pokhri, Joshimath. (Operated by: Uttarakhand Jal Sansthan)	7.21	110	113	7.44	9.2	12	350
6	0.760 MLD STP Near Alaknanda Ghat, Chamoli. (Operated by: Uttarakhand Jal Sansthan)	6.86	175	180	7.08	10.0	14	920
7	0.050 MLD STP Near old Suspension Bridge, Chamoli. (Operated by: Uttarakhand Jal Sansthan)	6.69	165	161	STP found Non-operational as plant was under maintenance work. (Date of inspection: 18-10-2023).			
8	1.190 MLD STP at Vivekanand Colony, Gopeshwar. (Operated by: Uttarakhand Jal Sansthan)	6.99	170	166	7.15	8.0	09	110
9	1.120 MLD STP at Baitami, Gopeshwar. (Operated by: Uttarakhand Jal Sansthan)	6.80	155	151	STP found Non-operational as plant was under maintenance work. (Date of inspection: 18-10-2023).			
10	1.25 MLD STP at Pokhri Band, Gopeshwar. (Operated by: Uttarakhand Jal Sansthan)	7.15	160	158	7.41	8.4	09	220
11	0.050 MLD STP at Sangam Road, Nandprayag. (Operated by: Uttarakhand Jal Sansthan)	STP found closed and Non-operational at the time of inspection. (Date of inspection: 16-10-2023).						
12	0.100 MLD STP at Forest Office, Nandprayag (Operated by: Uttarakhand Jal Sansthan)	7.22	135	132	7.36	8.8	09	170
		STP was operational but due to overflow untreated effluent was partially discharged into Nandakini River. (. (Date of inspection: 16-10-2023).)						
13	0.050 MLD STP Near Police Chowki, Karanprayag. (Operated by: Uttarakhand Jal Sansthan)	7.16	130	126	7.52	8.4	08	170
14	0.100 MLD STP Near Purana Pull, Karanprayag. (Operated by: Uttarakhand Peyjal Nigam)	6.59	165	168	7.76	8.8	10	130

31708

File No. PCB-24007/1/2022-PCB-DEPT-PCB (Computer No. 8720)

23
 UTTARAKHAND POLLUTION CONTROL BOARD
 Gaura devi Paryavaran Bhawan
 46-B, SIDCUL, IT Park, Sahasrādhara Road
 DEHRADUN (Uttarakhand)



उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड
 गौरा देवी पर्यावरण भवन
 46-बी, सिडकुल, आई.टी. पार्क, सहस्रधारा रोड,
 देहरादून (उत्तराखण्ड)

CENTRAL LABORATORY

Name of the Sewage Treatment Plant (With Capacity)	Sampling Point						
	Inlet of STP			Outlet of STP			
	pH	BOD	TSS	pH	BOD	TSS	Fecal Coliform
0.100 MLD STP at Ward no. 1&3, Karanprayag. (Operated by: Uttarakhand Peyjal Nigam)	7.10	145	141	7.28	8.8	09	220
0.050 MLD STP at Subhash Nagar, Karanprayag. (Operated by: Uttarakhand Jal Sansthan)	6.64	140	137	7.06	8.4	08	170
0.050 MLD STP Near Naya Pull, Karanprayag. (Operated by: Uttarakhand Peyjal Nigam)	7.08	155	152	7.47	8.8	09	110
0.075 MLD STP Near Anoop.Negi School, Rudraprayag. (Operated by: Uttarakhand Jal Sansthan)	STP is not in operation due to Damage of STP.						
0.100 MLD STP, Near Rudra Complex, Rudraprayag. (Operated by: Uttarakhand Peyjal Nigam)	STP found Non-operational at the time of inspection because sewage line was breakage. (Date of inspection: 11-10-2023).						
0.075 MLD STP, Near Bus Stand, Rudraprayag. (Operated by: Uttarakhand Peyjal Nigam)	7.18	120	116	STP found Non-operational due to mechanical issue and also untreated effluent was directly discharged into drain near plant because of overflow. (Date of inspection: 11-10-2023).			
0.100MLD STP, Near SBI & Masjid, Rudraprayag. (Operated by: Uttarakhand Peyjal Nigam)	7.30	135	133	8.03	10.0	12	350
0.125 MLD STP, Near Steel Bridge & Syndicate Bank, Rudraprayag. (Operated by: Uttarakhand Jal Sansthan)	7.63	125	120	7.90	8.4	08	170
0.050 MLD STP at Beleni Road, Near Steel Bridge, Rudraprayag. (Operated by: Uttarakhand Peyjal Nigam)	7.70	150	153	7.89	10.0	12	540
3.5 MLD STP at Nursary Road, Srinagar. (Operated by: Uttarakhand Peyjal Nigam)	7.40	205	207	7.70	8.8	10	220
1.0 MLD STP, Near ITI, Srinagar. (Operated by: Uttarakhand Jal Sansthan)	7.73	185	198	7.96	9.2	11	150
0.075 MLD STP Near Junior High School, Srikot, Srinagar. (Operated by: Uttarakhand Peyjal Nigam)	7.50	110	108	7.65	8.8	10	920
0.050 MLD STP Near Tauliya Nala, Srikot, Srinagar. (Operated by: Uttarakhand Peyjal Nigam)	7.70	115	112	7.85	8.0	08	220
0.050 MLD STP, Near BRO Bridge, Kirinagar. (Operated by: Uttarakhand Jal Sansthan)	STP found Non-operational as plant was under maintenance work. (Date of inspection: 12-10-2023).						
0.010 MLD STP, Near Temple, Srinagar. (Operated by: Uttarakhand Jal Sansthan)	7.30	155	160	7.60	9.6	12	54*10 ³

31709

File No. PCB-24007/1/2022-PCB-DEPT-PCB (Computer No. 8720)

UTTARAKHAND POLLUTION CONTROL BOARD
Gaura devi Paryavaran Bhawan
46-B, SIDCUL, IT Park, Sahasrtradhara Road
DEHRADUN (Uttarakhand)



उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड
गौरा देवी पर्यावरण भवन
46-बी, सिडकुल, आई.टी. पार्क, सहस्त्रधारा रोड,
देहरादून (उत्तराखण्ड)

CENTRAL LABORATORY

i.No.	Name of the Sewage Treatment Plant (With Capacity)	Sampling Point						
		Inlet of STP			Outlet of STP			
		pH	BOD	TSS	pH	BOD	TSS	Fecal Colliform
30	0.075 MLD STP at Devprayag. (Operated by: Uttarakhand Peyjal Nigam)	6.85	175	173	7.11	8.8	09	130
31	0.150 MLD MLD STP at Devprayag. (Operated by: Uttarakhand Peyjal Nigam)	6.75	185	182	7.18	9.2	10	220
32	1.4 MLD STP at Pauri Road, Devprayag. (Operated by: Uttarakhand Jal Sansthan)	7.70	165	162	8.30	9.6	11	540
33	5.0 MLD STP at Bhagirathi Puram, Tehri. (Operated by: Uttarakhand Jal Sansthan)	6.96	165	170	7.65	9.2	12	220
34	2.0 MLD STP at Gyansu, Uttarkashi. (Operated by: Uttarakhand Jal Sansthan)	6.63	215	220	6.97	10.0	14	540
35	1.0 MLD STP at Gangotri, Distt- Uttarkashi. (Operated by: Uttarakhand Jal Sansthan)	6.95	150	154	7.16	9.6	13	35*10 ²
36	3.5 MLD STP at Tapovan, Rishikesh. (Operated by: Uttarakhand Jal Sansthan)	7.31	195	199	7.62	8.8	10	170
37	3.0 MLD STP at Swargashram, Rishikesh. (Operated by: Uttarakhand Jal Sansthan)	7.19	205	208	7.51	9.2	11	84
38	26 MLD STP at Lakkarghat, Rishikesh. (Operated by: Uttarakhand Peyjal Nigam)	7.11	175	172	7.35	8.8	09	94
39	5.0 MLD STP at Chorpani, Rishikesh. (Operated by: Uttarakhand Peyjal Nigam)	7.26	185	181	7.68	8.8	08	79
40	7.5 MLD STP at Chandreshwar Nagar, Rishikesh. (Operated by: Uttarakhand Peyjal Nigam)	7.40	160	157	7.57	9.2	10	94
41	20 MLD STP at Motharawala-I, Dehradun. (Operated by: Uttarakhand Jal Sansthan)	7.18	155	157	7.89	8.8	10	79
42	20 MLD STP at Motharawala-II, Dehradun. (Operated by: Uttarakhand Jal Sansthan)	7.34	150	154	7.68	8.4	09	110
43	68 MLD STP at Kargi, Dehradun. (Operated by: Uttarakhand Jal Sansthan)	7.14	165	170	7.59	8.8	10	70
44	0.42 MLD STP at Vijay Colony, Dehradun. (Operated by: Uttarakhand Jal Sansthan)	7.48	170	174	7.61	9.6	10	220
45	0.71 MLD STP Salawala, Dehradun. (Operated by: Uttarakhand Jal Sansthan)	7.43	175	172	7.69	8.0	08	130
46	5.0 MLD STP at Indira Nagar, Dehradun. (Operated by: Uttarakhand Jal Sansthan)	7.24	155.4	157	7.81	8.4	09	94

31710

File No. PCB-24007/1/2022-PCB-DEPT-PCB (Computer No. 8720)

J23

2023

UTTARAKHAND POLLUTION CONTROL BOARD
Gaura devi Paryavaran Bhawan
46-B, SIDCUL, IT Park, Sahashtradhara Road
DEHRADUN (Uttarakhand)



उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड
गौरा देवी पर्यावरण भवन
46-बी, सिडकुल, आई.टी. पार्क, सहस्रधारा रोड़,
देहरादून (उत्तराखण्ड)

CENTRAL LABORATORY

S.No.	Name of the Sewage Treatment Plant (With Capacity)	Sampling Point						
		Inlet of STP			Outlet of STP			
		pH	BOD	TSS	pH	BOD	TSS	Fecal Coliform
47	1.0 MLD STP at Jakhan, Dehradun. (Operated by: Uttarakhand Jal Sansthan)	7.36	150	155	7.51	9.2	12	170
48	27 MLD STP at Jagjeetpur, Haridwar. (Operated by: Uttarakhand Jal Sansthan)	7.11	195	175	7.62	12.0	16	140
49	18 MLD STP at Jagjeetpur, Haridwar. (Operated by: Uttarakhand Jal Sansthan)	7.38	180	160	7.82	10.0	10	94
50	68 MLD STP at Jagjeetpur, Haridwar. (Operated by: Uttarakhand Peyjal Nigam)	7.21	165	165	7.46	9.6	10	170
51	18 MLD STP at Sarai, Haridwar. (Operated by: Uttarakhand Jal Sansthan)	7.42	195	200	7.66	9.2	08	130
52	14 MLD STP at Sarai, Haridwar. (Operated by: Uttarakhand Peyjal Nigam)	7.66	200	140	7.96	10.0	10	220
53	33 MLD STP at Saliyar, Roorkee, Haridwar. (Operated by: Uttarakhand Jal Sansthan)	7.23	255	260	7.68	28.0	30	1600
54	1.3 MLD STP at Landour (S), Mussoorie. (Operated by: Uttarakhand Jal Sansthan)	7.30	170	167	8.11	10.0	11	920
55	3.12 MLD STP at Bhatta fall, Mussoorie. (Operated by: Uttarakhand Jal Sansthan)	8.14	150	147	8.35	8.8	08	130
56	0.8 MLD STP at Landour (N), Mussoorie. (Operated by: Uttarakhand Jal Sansthan)	7.47	170	168	8.30	10.0	12	350
57	1.2 MLD STP at Happy Valley, Mussoorie. (Operated by: Uttarakhand Jal Sansthan)	7.09	180	182	7.78	9.2	10	170
58	0.9 MLD STP at Kurli Bazaar, Mussoorie. (Operated by: Uttarakhand Jal Sansthan)	6.84	185	188	8.79	8.8	10	94
59	2.0 MLD STP Bakh, Almora, Distt- Almora. (Operated by: Uttarakhand Jal Sansthan)	6.88	280	340	7.60	28.0	36	94
60	0.45 MLD STP at Hari Nagar, Distt- Nainital. (Operated by: Uttarakhand Jal Sansthan)	6.86	240	296	7.55	16.0	20	170
61	0.80 MLD STP at Krishnapur, Distt- Nainital. (Operated by: Uttarakhand Jal Sansthan)	6.25	320	404	7.38	28.0	34	350
62	1.25 MLD STP at Bheemtal, Distt- Nainital. (Operated by: Uttarakhand Jal Sansthan)	6.41	360	442	7.19	30.0	38	140
63	1.25 MLD STP at Nirada, Distt- Pithoragarh. Operated by:	7.10	320	398	7.45	14.0	18	110



क्षेत्रीय कार्यालय
उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड
ई-115, नेहरू कॉलोनी, देहरादून-248001
टेलीफोननं.-0135-3593200

पत्रांक सं०-यूकेपीसीबी/आरओडी/होटल/2023-24/4665-1886

दिनांक: 31/01/24
पंजीकृत डाक द्वारा

सेवा में,
(सूची संलग्नक,
पार्श्व में।

विषय- जल (प्रदूषण निवारण एवं नियंत्रण) अधिनियम 1974 की धारा 25/26 एवं वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम-1981 की धारा-21 के अन्तर्गत सहमति प्राप्त करने के सम्बन्ध में।

महोदय,

उपरोक्त विषयक आपके द्वारा जल/वायु सहमति प्राप्त किये बिना होटल का संचालन किया जा रहा है, जो कि जल/वायु सहमति अधिनियमों का उल्लंघन है।

अतः आपको निर्देशित किया जाता है यथाशीघ्र जल एवं वायु सहमति प्राप्त करने हेतु उत्तराखण्ड सरकार के **Single Window Portal- www.investuttarakhand.com** के माध्यम से आवेदन करना सुनिश्चित करें तथा अपना स्पष्टीकरण 07 दिनों के अन्तर्गत इस कार्यालय में प्रस्तुत करें, किन् परिस्थितियों में आपके द्वारा बिना सहमति प्राप्त किये होटल का संचालन किया गया।

अग्रोत्तर अवगत होवे कि बोर्ड से बिना जल व वायु सहमति प्राप्त किये बिना होटल का संचालन करना जल (प्रदूषण निवारण एवं नियंत्रण) अधिनियम 1974 की धारा 25/26 एवं वायु (प्रदूषण निवारण एवं नियंत्रण) अधिनियम-1981 की धारा-21 में वर्णित प्राविधानों का उल्लंघन है तथा अनुपालन न करने पर आपके होटल के विरुद्ध जल/वायु अधिनियमों के अन्तर्गत कार्यवाही प्रारम्भ कर दी जायेगी, जिसकी सम्पूर्ण जिम्मेदारी स्वयं आपकी होगी।

भवदीय

Rin

(डा० आर०के० चतुर्वेदी)
क्षेत्रीय अधिकारी (प्र०)

प्रतिलिपि-

1. सदस्य सचिव महोदय, उत्तराखण्ड प्रदूषण नियंत्रण बोर्ड, गौरा देवी पर्यावरण भवन, 46बी, आई०टी० पार्क, सहस्त्रधारा रोड, देहरादून को सूचनार्थ सादर प्रेषित।
2. जिला पर्यटन विकास अधिकारी, होटल द्रोण, गौंधी रोड, देहरादून, को सादर सूचनार्थ प्रेषित।

Rin
क्षेत्रीय अधिकारी (प्र०)

01/12

S.No.	Sewage	Remark
1	(d) Quantity of discharge treated sewage from each STP, particularly for fecal coliform	STP's analysis report attached in term of fecal coliform
	(f) How many total Hotels nad Dharamshala are present in the district How many are oprating without CCA Where is thre sevage discharge point (j) If there is any violation, what is the action taken	(f) Total no of regsitred Hotels in dehradun distric - 528 Hotel & Dharamshala without valid (CCA Expired) CCA- 81 Hotel having own STP's or Sewer line (j) There is no violation reported
	(g) Water quality in river and its tributaries in abutting districts/towns in terms of fecal coliform (MPN/100 ml)	River Quality analysis report attached in term of fecal coliform (Analysis report enclosed)

S.No.	Industrial Effluent Discharge	Remark
a.	Number of Industrial unit discharging their effluent treated/untreated in river Ganga and its tributaries and details of defaulting industrial units	Total Number of Industries- 463 (List Enclosed) Only one unit of M/s Doiwala Sugar Company Ltd. Doiwala discharge permission given and discharging industrial effluent after treatment in river song tributaries of river ganga
b.	The manner of treatment of the industrial waste so generated	Treatment storage and disposal facility(TSDF) - M/s Bharat Oil & Waste Management, Roorkee
c.	The discharge effluent analysis from the CETP and ETP treating the industrial waste from each outlet.	There is no CETP in Dehradun region, 106 Unit's generating industrial effluent having own ETP (List Enclosed)
d.	The Per day generation of industrial Hazardous waste and manner of its treatment and disposal in the District.	Hazardous Waste - 427.56 MT/Annum disposed through Treatment storage and disposal facility- M/s Bharat Oil & Waste Management, Roorkee

S.No.	Construction and Demolition waste	Remark
a.	Total per day generation of C & D waste with in the District	No Local body has applied for permesion for C & D waste facility
b.	The detail of plant established for the treatment of C & D waste including the existing capacity and capacity utilization.	No information available, No Plant Established by Municipal Body

S.No.	Bio Medical Waste	Remark
a.	The per day total generation of bio medical waste in the District.	Total HCF - 1911 Disposal Bio Medical Waste- CBWTF- 2208.33 Deep Burial- 80.27
b.	The manner of its treatment and disposal	Common Bio-medical Waste Treatment Facility- 1. M/s MPCC Mandawar Roorkee, Uttarakhand. Plant capacity is -200 Kg/Hr 2. M/s Bharat Environmental Solution, Kodarna village, Tehri garhwal Plant capacity is -200 Kg/Hr

22 PIL

S.No.	Name Of the Unit	Category	District	Address	Validity
1	INDERLOK HOTEL PRIVATE LIMITED	ORANGE	Dehradun	29, Rajpur Road, Dehradun, District Dehradun Dehradun	01/04/2020-31/03/2021
2	HOTEL AMBER PALACE	ORANGE	Dehradun	60, Tyagi Road, Dehradun Dehradun	01/04/2020-31/03/2021
3	Hotel Relax	ORANGE	Dehradun	7, Caunt Road, Dehradun Dehradun	01/04/2020-31/03/2023
4	HOTEL PARAS GRAND	ORANGE	Dehradun	Khasra No 272 D, 284 KA, Village Majra Pargama Pachhwadon, Haridwar Bypass Road Dehradun	21/12/2022-31/03/2023
5	Golden Tulip - Unit of Surgico and Medico Centre	ORANGE	Dehradun	Khasra No- 155min, 165min, Haripur kalan, Haridwar Rishikesh Road, Motichur, Dehradun, Uttarakhand.	31/12/2022-31/03/2023
6	Madhuban Ashram	ORANGE	Dehradun	Madhuban Ashram, Lakshman Jhuja Road, Muni Ki Reti, H Rishikesh, Dehradun, U.K Dehradun	01/04/2020-31/03/2023
7	EPICURE HOTEL	ORANGE	Dehradun	345 GRA , Nanda Ki Chowki, Prem Nagar Opposite Alpine College, Dehradun, U.K	27/09/2021-31/03/2022
8	HOTEL SHIVLOK	ORANGE	Dehradun	LAXMAN JHULA ROAD RISHIKESH Dehradun	01/04/2020-31/03/2021
9	HOTEL SUNDER PALACE	GREEN	Dehradun	HOTEL SUNDER PALACE , NEAR III, MAJRA, DEHRADUN Dehradun	01/04/2020-31/03/2021
10	Hotel Abhinandan	GREEN	Dehradun	12/2, Tyagi Road, Dehradun	01/04/2020-31/03/2023
11	HOTEL ROSEWOOD INN	GREEN	Dehradun	3, DOON VIHAR JAKHAN RAJPUR ROAD Dehradun	01/04/2020-31/03/2021
12	PINE RETREAT BEZEL HOSPITALITY PVT LTD	GREEN	Dehradun	NEAR HAMPTON COURT SCHOOL MUSSOORIE DISTT. DEHRADUN	17/08/2022-31/03/2023
13	SUNLIT WINDOW	GREEN	Dehradun	VILLAGE SINGHOUR VIRAT KHAI TEHSIL KALSI Dehradun	05/02/2022-31/03/2022
14	Hotel Milan Palace	GREEN	Dehradun	Hotel Milan Palace, Shri Luxmi Plaza, 64 Gandhi Road, Dehradun, Uttarakhand Dehradun	01/04/2020-31/03/2021
15	HOTEL OAKWOOD INN	GREEN	Dehradun	OPP JAKHAN FILLING STATION RAJPUR ROAD Dehradun	31/12/2021-31/03/2022
16	STELLAR	GREEN	Dehradun	Khasra No.-1758 Virat Khai, Vill. Singhour Pargana Jaunsar Bawar Tehsil Kalsi Dehradun UK 248158	15/03/2022-31/03/2022
17	HOTEL PARAMOUNT	GREEN	Dehradun	Hotel Paramount, Library Bazar, The Mall, Mussoorie, Uttarakhand -248179	27/12/2019-31/03/2020
18	Hotel SJ Residency	GREEN	Dehradun	68, Majra, Saharanpur Road, Dehradun, Uttarakhand, 248001	28/03/2023-31/03/2023
19	Hotel Samrat	GREEN	Dehradun	Hotel Samrat, 32 Tyagi Road, Dehradun, Uttarakhand Dehradun	24/03/2020-31/03/2020
20	HOTEL PINNACLE	GREEN	Dehradun	KHASRA NO 13971 MAUJA ADHOIWALA DEHRADUN Dehradun	30/01/2023-31/03/2023
21	HOTEL GANGA ASHOKA	GREEN	Dehradun	157 VEERBHADRA ROAD OPP. LIC Dehradun	19/07/2022-31/03/2023
22	EPICURE HOTEL	ORANGE	Dehradun	345 GRA , Nanda Ki Chowki, Prem Nagar Opposite Alpine College, Dehradun, U.K	27/09/2021-31/03/2022

23	HOTEL EMBASSY	GREEN	Dehradun	18 dhawawala mohalla a dehradun Dehradun	CTO	01/04/2020-31/03/2021
24	HOTEL ANMOL	GREEN	Dehradun	10 TYAGI ROAD DEHRADUN Dehradun	CTO	01/04/2020-31/03/2021
25	Shreehari Infracity Private Limited	GREEN	Dehradun	Shreehari Infracity Pvt Ltd, 63 Gandhi Road, Dehradun, Uttarakhand Dehradun	CTO	01/04/2020-31/03/2021
26	HOTEL SHIV GANGA RETREAT	GREEN	Dehradun	Plot No. R-1, R-2, Virpur Khurd, Pashulok, Rishikesh, Dehradun Dehradun	CTO	30/06/2022-31/03/2023
27	M/s The Eleganza	GREEN	Dehradun	Khasra No. 344 & 345, Village-Jhejra, Tehsil-Vikasnagar, Distt-Dehradun, Uttarakhand.	CTO	08/12/2022-31/03/2023
28	HOTEL HIM PALACE	GREEN	Dehradun	DHARAMPUR HARIDWAR ROAD Dehradun	CTO	01/04/2021-31/03/2022
29	BOULEVARD HOTEL A UNIT OF M	GREEN	Dehradun	59D RAJPUK ROAD, DEHRADUN Dehradun	CTO	01/04/2020-31/03/2021
30	Bajaj Inn	WHITE	Dehradun	M/s Hotel Bajaj Inn, 88 Neshwilla Road Dehradun-248001	CTO	24/01/2020-31/03/2020
31	DRONA GUEST HOUSE	GREEN	Dehradun	MOTHRWALA ROAD NEAR PASHULOK BHAWAN MOTHROWALA ROAD KEDARPUR Dehradun	CTO	01/04/2020-31/03/2021
32	Naro Eco Resort & SPA	GREEN	Dehradun	Khasra No. 233, Village Tauli, P.O. Langina, Tehsil Vikasnagar, Dehradun Dehradun	CTO	17/11/2022-31/03/2023
33	HOTEL RAJA PALACE	GREEN	Dehradun	17 TYAGI ROAD Dehradun	CTO	01/04/2020-31/03/2021
34	LUCKY RESIDENCY	GREEN	Dehradun	MUJA- MIYAWALA DEHRADUN Dehradun	CTO	04/06/2022-31/03/2023
35	Hotel G P Grand	GREEN	Dehradun	Hotel G P Grand, 68 Gandhi Road, Dehradun, Uttarakhand Dehradun	CTO	01/04/2020-31/03/2021
36	Hotel Mount Rose Residency	GREEN	Dehradun	Hotel Mount Rose Residency, Camel's Back Road, Mussoorie. 248179	CTO	05/03/2020-31/03/2020
37	Hotel Milan Residency	GREEN	Dehradun	Hotel Milan Residency, 61 Gandhi Road, Dehradun, U.K Dehradun	CTO	01/04/2020-31/03/2021
38	HOTEL THE GLORY	GREEN	Dehradun	VEERPUR KHURD RISHIKESH DEHRADUN Dehradun	CTO	18/10/2022-31/03/2023
39	HOTEL TIRUPATI	GREEN	Dehradun	48/378 TYAGI ROAD REST CAMP DEHRADUN, UTTARAKHAND Dehradun	CTO	01/04/2020-31/03/2021
40	Hotel Ice Berg	GREEN	Dehradun	Friends Plaza Danda Lakhond Sahasradhara Road, Opp. SBI Bank Dehradun Dehradun	CTO	17/11/2022-31/03/2023
41	HOTEL AMAR HEIGHTS	GREEN	Dehradun	HOTEL AMAR HEIGHTS, 9/42 CHANDAN NAGAR DEHRADUN Dehradun	CTO	01/04/2020-31/03/2021
42	SIDUS GALAXY	GREEN	Dehradun	VILLAGE SINGHOUR VIRAT KHAI TESHIL KALSI Dehradun	CTO	05/02/2022-31/03/2022
43	STARZ GLAMPING	GREEN	Dehradun	Virat Khai, Village Singhour Pargana Jaunsar Bawar Tehsil Kalsi Dehradun U K 248158	CTO	05/02/2022-31/03/2022
44	M/s HOTEL SWAGAT	GREEN	Dehradun	15/91, Main Road, Vikasnagar, Dehradun	CTO	13/02/2020-31/03/2020
45	Hotel Deep Lodge	GREEN	Dehradun	Hotel Deep Lodge, 16/2 Guru Road, Dehradun-248001	CTO	01/04/2021-31/03/2023
46	Hotel Winter Line Inn	GREEN	Dehradun	Hotel Winter Line Inn, Near Gurudwara, Barlowganj, Mussoorie, U.K Dehradun	CTO	01/04/2020-31/03/2021

47	Kunwar Guest House	GREEN	Dehradun	04, Vishnu Vihar, Ajabpur Bypass Road, Dehradun, Uttarakhand	CTO	01/04/2020-31/03/2021
48	MIDWAY RESORT	GREEN	Dehradun	KHASRA NO. 27, NH-58 RISHIKESH-HARIDWAR ROAD VILLAGE- PRATEET NAGAR , P. O. RAIWALA, TEHSIL RISHIKESH DISTT. DEHRADUN	CTO	08/12/2022-31/03/2023
49	HOTEL PRESIDENT A UNIT OF MOUNTAIN TOURS AND RESORT HOTELS PVT LTD	GREEN	Dehradun	6 ASTLEY HALL RAJPUR ROAD Dehradun	CTO	19/04/2022-31/03/2023
50	Tiger Fall Resort	GREEN	Dehradun	Khasra No. 1835, Village Mohana, Chakrata, Tiger Fall, Dehradun Dehradun	CTO	22/04/2022-31/03/2023
51	HOTEL DEVBHOO MI INN	GREEN	Dehradun	18/1 ADARSH GRAM DEHRADUN ROAD RISHIKESH Dehradun	CTO	25/11/2022-31/03/2023
52	PARADISE INN	GREEN	Dehradun	OPP KISAN GAS AGENCY SHIMILA BYPASS CHOWK Dehradun	CTO	01/04/2020-31/03/2021
53	GK RESIDENCY-Unit of GK Enterprises	GREEN	Dehradun	6/3, Chander Nagar, Near Prince Chowk, Dehradun Dehradun	CTO	01/04/2020-31/03/2021
54	HOTEL UK07	GREEN	Dehradun	DOON VIHAR JAKHAN RAJPUR ROAD Dehradun	CTO	01/04/2020-31/03/2021
55	THE PALMS RESORTS	GREEN	Dehradun	PLOT NO 21 HARIDWAR RISHIKESH ROAD PRATEET NAGAR RAIWALA RISHIKESH DEHRADUN Dehradun	CTO	08/12/2022-31/03/2023
56	Doon Guest House	GREEN	Dehradun	Khasra No. 914 Old Khasra No. 756 Min. Saharanpur Road, Transport Nagar, Dehradun Dehradun	CTO	01/04/2020-31/03/2021
57	HOTEL LORDS A UNIT OF S P BUILDERS AND RESORTS PVT LTD	GREEN	Dehradun	KH NO 512 SAHARANPUR ROAD NEAR TSBI CROSSING DEHRADUN Dehradun	CTO	08/12/2022-31/03/2023
58	STVR HOSPITALITY SERVICES	GREEN	Dehradun	1 E C Road Dehradun	CTO	24/12/2019-31/03/2020
59	THE KAILASH HOTEL	GREEN	Dehradun	Khasra No. 301 Kna, 302 Kna, Chakrata Road, Jhajra, Vikasnagar, Dehradun Dehradun	CTO	15/07/2022-31/03/2023
60	IESH RESORT	GREEN	Dehradun	SILKOTT SHASHI RADHARA Dehradun	CTO	01/04/2020-31/03/2021
61	SAWAI DANDA RESORT	GREEN	Dehradun	VILLAGE- SAWAI DANDA CHURANI CHHANI P.O.- MARLAU TEHSIL- KALSI Dehradun	CTO	10/11/2022-31/03/2023
62	KASHIYANA GUEST HOUSE	GREEN	Dehradun	RAJA RAOD DEHRADUN UTTARAKHAND	CTO	09/12/2022-31/03/2023
63	H W RESIDENCY	GREEN	Dehradun	74- C RAJPUR ROAD Dehradun	CTO	01/04/2020-31/03/2021
64	AURA ROOMS A UNIT OF KHURANA BEK FOOD PVT LTD	GREEN	Dehradun	KH NO 53 RAJPUR ROAD OPP SCHOOLAR HOMIE Dehradun	CTO	14/06/2022-31/03/2023
65	Hotel Kwality unit of Asian Hotels and Resorts	GREEN	Dehradun	Hotel Kwality unit of Asian Hotels and Resorts, 19 B Rajpur Road, Dehradun Dehradun	CTO	01/04/2020-31/03/2021
66	Dream Valley Resort	GREEN	Dehradun	Vill-Badkot faisua, PO Dandritansi- Rishikesh Dist- Dehradun	CTO	28/02/2023-31/03/2023
67	HOTEL LAXMI PALACE	GREEN	Dehradun	HARIDWAR ROAD RAIWALA Dehradun	CTO	01/04/2020-31/03/2021
68	Hotel Rang Mahal	GREEN	Dehradun	B 43/25 Gandhi Road, Dehradun	CTO	06/11/2019-31/03/2020
69	Spread Acres, YWCA of India Project	GREEN	Dehradun	4, Cantt Road, Dehradun	CTE	06/12/2021-06/12/2023

70	HOTEL NANDA Hotel Krishna Palace unit of Mawana Developers Pvt Ltd	GREEN	Dehradun	SHYAMPUR CHOWK NEAR POLICE CHOWKI RISHIKESH Dehradun	CTO	16/01/2023-31/03/2023
71		GREEN	Dehradun	Hotel Krishna Palace, Camel Back Road, Mussoorie, U.K Dehradun	CTO	15/12/2022-31/03/2023
72	Shivam Residency Guest House	GREEN	Dehradun	Shivam Residency Guest House , 26 Tyagi Road, Dehradun, U.K Dehradun	CTO	13/02/2020-31/03/2020
73	HOTEL ROYAL KING	GREEN	Dehradun	AADARSH GRAM RISHIKESH Dehradun	CTO	01/04/2021-31/03/2022
74	HOTEL RITZ A UNIT OF THE RITZ HOTELS AND RESORTS	GREEN	Dehradun	IMPERIAL PLAZA 8/78 BALLUPUR CANAL ROAD Dehradun	CTO	01/04/2020-31/03/2021
75	Hotel Vishnu Inn	GREEN	Dehradun	Hotel Vishnu Inn, 1, Railway Road, Dehradun	CTO	04/03/2020-31/03/2020
76	HOTEL SHIVA RESIDENCY	GREEN	Dehradun	75, RAJPUK ROAD Dehradun	CTO	01/04/2020-31/03/2021
77	ABHINANDAN RESIDENCY	GREEN	Dehradun	RISHIKESH HIGHWAY ROAD, NEAR DURGA CHOWK, BHANIYAWALA, Dehradun, Uttarakhand, 248140 Dehradun	CTO	01/04/2020-31/03/2021
78	Hotel Vishal Residency unit of Jay Gee Hotels	GREEN	Dehradun	Hotel Vishal Residency , 1, Chandar Nagar, Near Prince Chowk, Dehradun - 248001 Dehradun	CTO	01/04/2020-31/03/2021
79	HOTEL THE NINE	GREEN	Dehradun	AJABPUR KALAN HARIDWAR ROAD NEAR RISHPANA PUL Dehradun	CTO	24/06/2022-31/03/2023
80	HOTEL ATITHI	GREEN	Dehradun	Kanak Building, The Mall, Mussoorie, Dehradun Dehradun	CTO	10/12/2021-31/03/2022
81	GURDWARA SRI HEM KUNT SARIIB MANGEMENT TRUST LAXMAN JHULA ROAD RISHIKESH	RED	Dehradun	LAXMAN JHULA ROAD RISHIKESH Dehradun	CTO	01/04/2020-31/03/2021

S.No.	Name Of the Unit	Category	Address	Validity
1	HOTEL PRAKRIT	GREEN	Village Tundhar Kyarkuli-Mussoorie, Dehradun, Uttarakhand.	10/10/2023-30/09/2027
2	STELLA COTTAGE	GREEN	MALL ROAD MUSSOORIE DEHRADUN Dehradun	11/12/2023-30/09/2024
3	HOTEL SUNDER PALACE	GREEN	HOTEL SUNDER PALACE , NEAR ITI, MAJRA, DEHRADUN Dehradun	01/04/2020-31/03/2021
4	Hotel Abhinandan	GREEN	12/2, Tyagi Road, Dehradun	01/04/2020-31/03/2023
5	Hotel Naaz	GREEN	Hotel Naaz, The Mall, Kufri, Mussoorie, Dehradun, Uttarakhand, 248179	01/04/2021-31/03/2026
6	SHAHEEN BAGH- A BOUTIQUE RESORT	GREEN	SHAHEEN BAGH SIGLI, JAMNIWALA, SIGLI 248003 Dehradun	28/08/2023-31/03/2028
7	Hotel Gharonda And Restaurant	GREEN	Gharonda Hotel	01/04/2020-31/03/2026
8	HOTEL ROSEWOOD INN	GREEN	3, DOON VIHAR JAKHAN RAJPUR ROAD Dehradun	01/04/2020-31/03/2021
9	Hotel Kufri Presidency	GREEN	Hotel Kufri Presidency, The Mall, Kufri, Mussoorie Dehradun	28/06/2022-31/03/2026
10	PINE RETREAT BEZEL HOSPITALITY PVT LTD	GREEN	NEAR HAMPTON COURT SCHOOL MUSSOORIE DISTT .DEHRADUN	17/08/2022-31/03/2023
11	HOTEL MAYANK	GREEN	15, TYAGI ROAD, DEHRADUN UTTARAKHAND	01/04/2021-31/03/2026
12	Grand Legacy Elite (Unit of Guran Associates)	GREEN	Niranjanpur Near Reliance Store, GMS Road,	01/04/2020-31/03/2025
13	Hotel Pleasant View	GREEN	Hotel Pleasant View, Oak Road, Landour , Mussoorie, UK Dehradun	01/04/2021-31/03/2024
14	THE TRANQUIL	GREEN	VILLAGE- SUJAW TIGER FALL ROAD CHAKRATA DEHRADUN Dehradun	20/04/2023-31/03/2024
15	Hotel Walnut Grove	GREEN	Hotel Walnut Grove, The Mall Road, Opp. GPO, Mussoorie. Pin - 248179 Dehradun	01/04/2021-31/03/2026
16	Hotel Nand Palace	GREEN	Hotel Nand Palace ,Hill Cot. , Mussoorie- 248179	01/04/2021-31/03/2026
17	SUNLIT WINDOW	GREEN	VILLAGE SINGHOUR VIRAT KHAI TEHSIL KALSI Dehradun	05/02/2022-31/03/2022
18	HOTEL KUKREJA	GREEN	Plot No. 69, 4-A, Chakrata Road, Dehradun Dehradun	30/01/2023-31/03/2027
19	HOTEL APRAJITA	GREEN	70/14 GANDHI ROAD DEHRADUN Dehradun	06/05/2020-31/03/2021
20	Pritams Hotel Kahkashan	GREEN	1, Spring Road, Library, Mussoorie, Uttarakhand	01/04/2021-31/03/2026
21	Grand Legacy	GREEN	Khasra No. 642Ka, Saharanpur Road, Lal Pui, Dehradun Dehradun	01/04/2020-31/03/2025
22	Wild Wood Resort Unit of Vandana Hospitalitys	GREEN	Wild Wood Resort Unit of Vandana Hospitalitys Camel Back Road Mussoorie Dist. Dehradun, U.K	01/04/2021-31/03/2026
23	Hotel Mayfield	GREEN	Hotel Mayfield, the mall kufri, mussoorie	01/04/2021-31/03/2026
24	Hotel Milestone Inn	GREEN	Hotel Milestone Inn, Barlowganj, Mussoorie, Dehradun, Uttarakhand-248122	01/04/2021-31/03/2026
25	Hotel Ratan	GREEN	Hotel Ratan, Gandhi Chowk, Mussoorie, Uttarakhand	01/04/2021-31/03/2026
26	HOTEL INDER PALACE	GREEN	SUNFORD ESTATE SPRING ROAD MUSSOORIE Dehradun	03/01/2024-30/09/2027
27	Hotel Milan Palace	GREEN	Hotel Milan Palace, Shri Luxmi Plaza, 64 Gandhi Road, Dehradun, Uttarakhand Dehradun	01/04/2020-31/03/2021
28	Hotel Honeymoon Inn	GREEN	Hotel Honeymoon Inn, Near Jhulaghar, The Mall Road, Uttarakhand, 248179	01/04/2021-31/03/2026
29	HOTEL OAKWOOD INN	GREEN	OPP JAKHAN FILLING STATION RAJPUR ROAD Dehradun	31/12/2021-31/03/2022
30	STELLAR	GREEN	Khasra No. -1758 Virat Khai, Vill. Singhour Paigana Jaunsar Bawar Tehsil Kalsi Dehradun UK 248158	15/03/2022-31/03/2022
31	Hotel Evergreen	GREEN	Hotel Evergreen, Near Big Bend, Picture Palace, Mussoorie, Uttarakhand	01/04/2021-31/03/2026

32	HOTEL PIKNIK	GREEN	Hotel Pknlk, Picture Palace, Kuli, Mussoorie - 248179	01/04/2020-31/03/2021
33	Hotel Karla Palace A Unit of Bindlas Engineers	GREEN	GMS Road, Dehradun Dehradun	01/04/2021-31/03/2030
34	Hotel Sandalwood	GREEN	Khasra No.- 42 Kha, 41 Ga Min, Village-Kishanpur, Canal Road, Pargana Centrakdoor, Distt-Dehradun, Uttarakhand.	
35	HOTEL SAI BALI	GREEN	OAK DANE,SHYAM KUTIR ,SUNNY VIEW ,BARLOWGANJ ROAD -MUSSORIE ,DEHRADUN	04/05/2023-31/03/2024
36	HOTEL BRITE STAR	GREEN	THE MALL ROAD MUSSOORIE Dehradun	16/12/2023-30/09/2024
37	Hotel Library Presidency	GREEN	Hotel Library Presidency, Kempy Estate, Library , Mussoorie -248179	01/04/2021-31/03/2026
38	SAMSARA BY THE GANGES	GREEN	7 Awas Vikas Veerbhadra Marg , Rishikesh Dehradun	01/04/2021-31/03/2026
39	HOTEL NEW SHAGUN	GREEN	5 TYAGI ROAD DEHRADUN Dehradun	04/06/2022-31/03/2027
40	Hotel Ramanand Regency	GREEN	Charlville Road, Mussoorie, Dehradun	06/12/2023-30/09/2024
41	MANDAKINI HOTELS PVT LTD	GREEN	1, Haridwar Road, Dehradun, Uttarakhand, 248001 Dehradun	01/04/2021-31/03/2026
42	HOTEL PARK VIEW	GREEN	17 RAJPUR ROAD Dehradun	11/08/2023-30/09/2027
43	HOTEL SHINGAR	GREEN	KULRI, MUSSOORIE, DEHRADUN Dehradun	19/08/2023-30/09/2024
44	HOTEL PARAMOUNT	GREEN	Hotel Paramount,Library Bazar, The Mall, Mussoorie, Uttarakhand -248179	27/12/2019-31/03/2020
45	Hotel SJ Residency	GREEN	68, Majra, Saharanpur Road, Dehradun, Uttarakhand, 248001	28/03/2023-31/03/2023
46	GANGA ORBIT	GREEN	PLOT NO-15 AAM BAGH MAIN ROAD RISHIKESH Dehradun	25/01/2024-30/09/2024
47	HOTEL GANGOUR	GREEN	4 MUKHARJEE ROAD RISHIKESH Dehradun	
48	HOTEL LODGE HILL	GREEN	HERENDALE ESTATE HAPPY VALLEY MUSSOORIE Dehradun	18/01/2024-30/09/2024
49	MOGHA JI RESORT	GREEN	VEERPUR KHURD VEERBHADRA RISHIKESH Dehradun	
50	ONIX GUEST HOUSE UNIT of MS TIRUPATI ENTERPRISES	GREEN	SHAKTI VIHAR, MAJRA, SAHARANPUR ROAD Dehradun	25/11/2022-31/03/2027
51	HOTEL KSS INN	GREEN	VILL-KANHARWALA P.O.-BHANIYAWALA Dehradun	01/04/2023-31/03/2027
52	Hotel Samrat	GREEN	Hotel Samrat, 32 Tyagi Road, Dehradun, Uttarakhand Dehradun	24/03/2020-31/03/2020
53	HOTEL HILL VIEW	GREEN	HOTEL HILL VIEW , V.P.O-KULHAN, OPP. PACIFIC GOLF ESTATE , SAHASTRADHARA ROAD, Dehradun Dehradun	25/11/2022-31/03/2027
54	HOTEL THE MAYANK RESIDENCY	GREEN	15 TYAGI ROAD, DEHRADUN Dehradun	01/04/2021-31/03/2026
55	Dinex Hotels Pvt Ltd	GREEN	6 Mahant Laxman Das Marg	01/04/2020-31/03/2025
56	Hotel Shree Badrish Residency	GREEN	Hotel Shree Badrish Residency, New Glen Convent, Cottage, Moti Lal Nehru Road, Library, Mussoorie, Dehradun, Uttarakhand, 248179	01/04/2021-31/03/2026
57	Hotel Peak View Pvt. Ltd.	GREEN	Camels Back Road, Mussoorie	01/04/2020-31/03/2025
58	Hotel Raghushree	GREEN	Masonic Lodge, Picture Palace, Bus Stand, Mussoorie, Dehradun Dehradun	19/08/2023-30/09/2027
59	The Green Icon Resort	GREEN	Village- Baggi, post- Bhogpur/Ranipokhri, District Dehradun Dehradun	24/06/2023-31/03/2024
60	Hotel Sai Bali -2	GREEN	Oak Dane Shyam Kutir Sunny View Barlowganj Road Mussoorie Dehradun	04/05/2023-31/03/2024
61	Hotel Spring a unit of Luxmi Resorts	GREEN	Hotel Spring a unit of Luxmi Resorts , Spring Road , Library , Mussoorie , Dehradun, Uttarakhand.	06/12/2023-30/09/2024
62	Hotel Kemil Star unit of Dehra Khaas Properties Private Limited	GREEN	Khasra No. 1401 Kha, Haridwar Bypass Road, Ajabpur Kalan, Dehradun Dehradun	
63	Hotel The Portrait	GREEN	Picture Palace stand, Mussoorie, Dehradun 248179 Dehradun	11/01/2024-31/03/2024
64	HOTEL CROWN ROYALE	GREEN	226 SAHARANPUR ROAD, NIRANJANPUR	27/05/2022-31/03/2026

65	M/s Hotel Heritage	GREEN	Hotel Heritage, 5-Chukkuwala, Dehradun	01/04/2021-31/03/2026
66	HOTEL PINNACLE	GREEN	KHASRA NO 139/1 MAUJA ADHOIWALA DEHRADUN Dehradun	30/01/2023-31/03/2023
67	Hotel The Grace	GREEN	R-21, VIP COLONY,VEERPURKHURD,VISTHAPT, RISHIKESH, Dehradun, Uttarakhand, 248203 Dehradun	28/06/2022-31/03/2027
68	HOTEL GANGA ASHOKA	GREEN	157 VEERBHADRA ROAD OPP. LIC Dehradun	19/07/2022-31/03/2023
69	THE FOREST VIEW	GREEN	Near BSNL Office, Dehradun Road Rishikesh Dehradun , Uttarakhand	22/08/2022-31/03/2027
70	Hotel Jiva	GREEN	Hotel Jiva, Amrit Sadan, Westone Estate, R.K Verma Road, Mussoorie, Dehradun Dehradun	01/04/2021-31/03/2026
71	Hotel Krishna Palace	GREEN	Hotel Krishna Palace, Oak Road, Near Clock Tower, Landour Bazar, Mussoorie, Dehradun, Uttarakhand, 248179.	06/12/2021-31/03/2025
72	Hotel Savoy Residency	GREEN	Hotel Savoy Residency, Savoy Out House Estate, Below Chattriville Road, Mussoorie, Dehradun, U.K.	01/04/2021-31/03/2026
73	PARAS GUEST HOUSE	GREEN	NEW MAJRA 179 , SAHARANPUR ROAD ,DEHRADUN ,UTTARAKHAND-248001 Dehradun	11/12/2023-30/09/2027
74	HOTEL PICNIK	GREEN	PICTURE PALACE KULRI MUSSOORIE DEHRADUN UTTARAKHAND	
75	Hotel Horizon	GREEN	Hotel Horizon Near Picture Palace,Kulri,Mussoorie Distt. Dehradun	31/03/2022-31/03/2026
76	RIVERSTONE RETREAT	GREEN	GUNIYAL GAON, P.O.-SINOLA Dehradun	01/04/2021-31/03/2026
77	HOTEL SARASWATI	GREEN	KULRI MUSSOORIE Dehradun	10/06/2022-31/03/2023
78	EPICURE HOTEL	ORANGE	345 GHA , Nanda Ki Chowki, Prem Nagar Opposite Alpine College, Dehradun, U.K	27/09/2021-31/03/2022
79	HOTEL EMBASSY	GREEN	18 dhamawala mohalla a dehradun Dehradun	01/04/2020-31/03/2026
80	Hotel Tourist Delight	GREEN	Hotel Tourist Delight , Library Chowk, Mussoorie, Dehradun, Uttarakhand, 248179	01/04/2021-31/03/2026
81	HOTEL AMAR LEELA	GREEN	BANDAWALI SAHASTRADHARA ROAD Dehradun	01/04/2021-31/03/2026
82	GARHWAL MANDAL VIKAS NIGAM LTD	GREEN	TOURIST REST HOUSE GMVN LTD PLOT NO 747 GAUCHAR KARANPRAYAG DISTT CHAMOLI	06/05/2023-31/03/2026
83	HOTEL DOON CASTLE	GREEN	OPP. TELEPHONE EXCHANGE NEAR LAL PUL NIRANJANPUR DEHRADUN Dehradun	28/08/2023-30/09/2032
84	Hotel Crystal Palace	GREEN	SPRING ROAD NEAR LIBRARY CHOWK MUSSOORIE Dehradun	01/04/2021-31/03/2026
85	Hotel Sunrise	GREEN	Hussaingarj, Library Road, Mussoorie Dehradun Dehradun	
86	Vertical Valley Resort	GREEN	Vill. Rampur, Bairat khai, Tehsil Kalsi, Dehradun	12/10/2023-30/09/2026
87	Hotel Cloud End Forest Resort	GREEN	Hotel Cloud End Forest Resort, Post Box No.1, Hathipaon Park Area, Mussoorie -248179, U.K Dehradun	01/04/2021-31/03/2026
88	Hotel Rock Stone	GREEN	Hotel Rock Stone, Kulri, Mussoorie Dehradun	22/08/2023-31/03/2024
89	HOTEL NAMO GANGE	GREEN	AAM BAGH PASHULOK RISHIKESH Dehradun	17/12/2022-31/03/2023
90	Hotel City Center	GREEN	Hotel City Center , Hakmans Estate , Mussoorie , Dehradun , UK Dehradun	
91	R Club	GREEN	AAR Resorts & Spa, Paundha Pargana, Pachwadon, Near Doon Internation School,River Side Campus, Dehradun	09/08/2023-30/09/2027
92	Hotel Classic Heights	GREEN	Hotel Classic Heights, Library Chowk, Mussoorie, Dehradun, U.K., 248179	11/04/2022-31/03/2026
93	CRYSTAL GUEST HOUSE PRIVATE LIMITED	GREEN	Hotel Crystal Palace, Spring Road, Mussoorie, Dehradun,Uttarakhand, 248179	03/10/2019-31/03/2020
94	HOTEL BROADWAY	GREEN	Hotel Broadway, Kurfi, Mussoorie, Dehradun, Uttarakhand, 248179	01/04/2021-31/03/2026
95	HOTEL DEV PALACE	GREEN	HOTEL DEV PALACE, Library, Mail Road, Mussoorie, Uttarakhand, 248179	01/04/2021-31/03/2026
96	Hotel Landour Residency	GREEN	Hotel Landour Residency , Near Clock Tower , Landour Market , Mussoorie, Dieth, Dehradun , U.K.Dehradun	06/12/2023-30/09/2024
97	PUSHPANJALI RESIDENCY	GREEN	NIRANJANPUR DEHRADUN	20/04/2023-31/03/2027

98	HOTEL KAILASH PLAZA	GREEN	75-A RAJPUJ ROAD BEHIND RAJPLAZA Dehradun	11/05/2022-31/03/2027
99	HOTEL ANMOL	GREEN	10 TYAGI ROAD DEHRADUN Dehradun	01/04/2020-31/03/2021
100	Shreehari Infraction Private Limited	GREEN	Shreehari Infraction Pvt Ltd, 63 Gandhi Road, Dehradun, Uttarakhand Dehradun	01/04/2020-31/03/2021
101	M/s DIVYANSH RESORT	GREEN	SAJIYANA, MAKHATI, CHAKRATA MUSSOORIE PWD ROAD P.O.-NAGAU CHAKRATA DEHRADUN	30/01/2023-31/03/2027
102	Hotel Avenel Palace	GREEN	Hotel Avenel Palace, Near Bata Company, Kulri, Mussoorie, Uttarakhand -248179	01/04/2021-31/03/2026
103	HOTEL JAIN REGENCY	GREEN	LANDOUR VIEW ESTATE NEAR CLOCK TOWER MUSSOORIE DEHRADUN Dehradun	20/04/2023-31/03/2028
104	Hotel Queens Pearl Inn	GREEN	Hotel Queens Pearl Inn, Turner Road, Clement Town , Dehradun Dehradun	
105	Hotel Devlok Primal	GREEN	Hotel Devlok Primal, Charleville Road, Near Gandhi Chowk, Mussoorie-248179, Uttarakhand, India	01/04/2021-31/03/2026
106	AZUL GANGA HOSPITALITY	GREEN	Khasra No. 86, Municipal No. 99, Dehradun Road, Rishikesh, Dehradun Dehradun	12/10/2023-30/09/2024
107	Hotel Laxmi Palace	GREEN	Gandhi Chowk, Mussoorie, Dehradun, Dehradun	08/12/2022-31/03/2023
108	Bhagwan Guest House	GREEN	2 RAJA ROAD DEHRADUN Dehradun	01/04/2021-31/03/2026
109	HOTEL SHIV GANGA RETREAT	GREEN	Plot No. R-1, R-2, Virpur Khurd, Pashulok, Rishikesh, Dehradun Dehradun	30/06/2022-31/03/2023
110	HOTEL VALENTINE	GREEN	NEAR KULRI BAZAR MUSSOORIE Dehradun	25/01/2024-30/09/2024
111	M/s The Eleganza	GREEN	Khasra No. 344 & 345, Village-Jhajra, Tehsil-Vikasnagar, Distt-Dehradun, Uttarakhand.	08/12/2022-31/03/2023
112	HOTEL NATRAJ PALACE U/O KIRAN DIVYA	GREEN	NATRAJ PALACE KULRI, MUSSOORIE, Dehradun, Uttarakhand, 248179	27/12/2019-31/03/2020
113	HOTEL HIM PALACE	GREEN	DHARAMPUR HARIDWAR ROAD Dehradun	01/04/2021-31/03/2022
114	PINE RETREAT BEZEL HOSPITALITY PVT LTD	GREEN	NEAR HAMPTON COURT SCHOOL MUSSOORIE DISTT DEHRADUN	11/08/2023-30/09/2024
115	Hotel Magnet House	GREEN	W-3/13/1/2/3, Prem nagar, Dehradun, Dehradun, Uttarakhand, 248007 Dehradun	07/05/2022-31/03/2023
116	Hotel Silver Line	GREEN	Hotel Silver Line, Sumitra Bhawan Road, Library, Mussoorie, U.K Dehradun	11/01/2024-30/09/2024
117	BUTOLA GUEST HOUSE	GREEN	104, Sarthi Vihar Near Rishpana Haridwar Bypass Road Dehradun	01/04/2020-31/03/2025
118	BOULEVARD HOTEL A UNIT OF M	GREEN	59D RAJPUJ ROAD, DEHRADUN Dehradun	01/04/2020-31/03/2021
119	AARYAVAN RESORTS PVT LTD	GREEN	AARYAVAN CAMPUS VILLAGE RAIWALA NEAR AUROVELLY ASHRAM RISHIKESH DEHRADUN UK Dehradun	01/05/2023-31/03/2024
120	Hotel Jhali Palace	GREEN	Hussainganj, Mussoorie, Distt- Dehradun -248179 Dehradun	
121	Hotel Diamond	GREEN	Hotel Diamond, Spring Road , Library Mussoorie , Uttarakhand -248179	29/01/2020-31/03/2020
122	Bajaj Inn	WHITE	M/s Hotel Bajaj Inn, 88 Neshvilla Road Dehradun-248001	24/01/2020-31/03/2020
123	THE HOTEL JS SOUVENIR	GREEN	RANIPOKHRI CHOWK DEHRADUN Dehradun	
124	Hotel Sky Touch	GREEN	Hotel Sky Touch Castle, Mussoorie, Dehradun, Uttarakhand.	06/12/2023-30/09/2024
125	DRONA GUEST HOUSE	GREEN	MOTHTHROWALA ROAD NEAR PASHULOK BHAWAN MOTHTHROWALA ROAD KEDARPUR Dehradun	01/04/2020-31/03/2021
126	HOTEL MUSSOORIE INN	GREEN	PICTURE PALACE ROAD MUSSOORIE DISTT- DEHRADUN 248179	01/04/2021-31/03/2026
127	The Amber Vermont Estate unit of Wear Well Apparels Pvt Ltd	GREEN	THE AMBER VERMONT ESTATE, NEAR COMPANY BAGH, HATHI PAKON ROAD, MUSSOORIE, Uttarakhand, 248178 Dehradun	16/12/2021-31/03/2026
128	HOTEL STAR WOOD	GREEN	2 Tyagi road Dehradun Dehradun	19/01/2022-31/03/2026
129	Naro Eco Resort & SPA	GREEN	Khasra No. 233, Village Tauli, P.O. Langha, Tehsil Vikasnagar, Dehradun Dehradun	17/11/2022-31/03/2023
130	Camel View Hotel	GREEN	Near Jain Dharmshala, Landour , Mussoorie, Distt- Dehradun.	08/12/2022-31/03/2025

131	Hotel Ganga Forest View	GREEN	Virbhadra Marg Rishikesh Dehradun Dehradun	
132	Roxy Hotel	GREEN	Hotel Roxy, Kulri, Mussoorie 248179	01/04/2021-31/03/2026
133	FELICITY GROUP	GREEN	KHASRA NO. 9, MAUZA AAMWALA TARLA SAHASTRADHARA ROAD Dehradun	09/05/2022-31/03/2027
134	HOTEL RAJA PALACE	GREEN	17 TYAGI ROAD Dehradun	01/04/2020-31/03/2021
135	LUCKY RESIDENCY	GREEN	MUJA- MIYAWALA DEHRADUN Dehradun	04/06/2022-31/03/2023
136	River View Resort	GREEN	Matak Majri - Kulhal, Tehsil - Vikasnagar, District - Dehradun	03/06/2023-31/03/2025
137	Hotel G P Grand	GREEN	Hotel G P Grand, 68 Gandhi Road, Dehradun, Uttarakhand Dehradun	01/04/2020-31/03/2021
138	Hotel The Pride	GREEN	Hotel The Pride, Near Big Bend Picture Palace Road, Mussoorie, Dehradun, U.K.	11/08/2023-31/03/2028
139	Hotel Mount Rose Residency	GREEN	Hotel Mount Rose Residency, Camel's Back Road, Mussoorie. 248179	05/03/2020-31/03/2020
140	Hotel Atithi	GREEN	Tyagi Road, Dehradun Dehradun	
141	HOTEL CITY PALACE A UNIT OF R K S REAL ESTATE AND DEVELOPERS PVT LTD	GREEN	16 COURT ROAD NEAR DM OFFICE DEHRADUN Dehradun	28/03/2023-31/03/2023
142	HOTEL MOUNT ROSE RESIDENCY	GREEN	Camel's Back Road, Mussoorie Distt. Dehradun	28/02/2022-31/03/2026
143	BZOIE RESORTS AND VENTURES PRIVATE LIMITED	GREEN	KHASRA NO 178, JAKHAN SYNDICATE BANK LANE RAJPUR ROAD DEHRADUN Dehradun	01/04/2021-31/03/2026
144	Shyam Residency	GREEN	Gandhi Road, Dehradun Dehradun	01/08/2023-30/09/2025
145	HOTEL RELAX DOON	GREEN	7. COURT ROAD, DEHRADUN UTTARAKHAND	01/04/2021-31/03/2026
146	Hotel Ivy	GREEN	Hotel Ivy, Complex of Ivy Cottage, Library, Mussoorie Dehradun	
147	The Rink Pavilion	GREEN	THE RINK PAVILION, KULRI, CAMEL'S BACK ROAD MUSSOORIE UTTARAKHAND	01/04/2021-31/03/2025
148	HOTEL ADARSH	GREEN	Library The Mall, Mussoorie, District Dehradun Dehradun	05/10/2023-30/09/2025
149	Lanisa Resort	GREEN	Dhanolti Road, kaplani Mussoorie, Dehradun Dehradun	12/10/2023-30/09/2024
150	RAJ MAHAL GUEST HOUSE	GREEN	SAHASTRADHARA Dehradun	
151	Hotel Milan Residency	GREEN	Hotel Milan Residency, 61 Gandhi Road, Dehradun, U.K Dehradun	01/04/2020-31/03/2021
152	MINERVA HOTEL	GREEN	KULRI THE MALL MUSSOORIE DEHRADUN Dehradun	10/10/2023-30/09/2024
153	HOTEL THE GLORY	GREEN	VEERPUR KHURD RISHIKESH DEHRADUN Dehradun	18/10/2022-31/03/2023
154	Hotel Woodsviw	GREEN	Pratap Cottage, Koshak Estate Camel's Back Road, Mussoorie, Dehradun, Uttarakhand, 248179.	26/09/2023-30/09/2024
155	Mal Devta Farms	GREEN	Khasra No. 234, 235, 236, 237, 252, JaVillage Sherki, Mal Devta Tehsil Sadar, District Dehradun	11/01/2024-30/09/2024
156	HOTEL TIRUPATI	GREEN	48/37/6 TYAGI ROAD REST CAMP DEHRADUN, UTTARAKHAND Dehradun	01/04/2020-31/03/2021
157	Spree Hotel Kniday	GREEN	Plot No. 1, Doon Vihar, Jakhn, Dehradun Dehradun	12/05/2022-31/03/2025
158	SHIVALIK TOWER	GREEN	19, ADARSH GRAM DEHRADUN ROAD RISHIKESH UTTARAKHAND 249201	12/10/2023-30/09/2024
159	Hotel Ashrey	GREEN	10, Tyagi Road, Dehradun Dehradun	
160	M/s Hotel Abhinandan Grand	GREEN	Shri Laxmi Plaza, 64-Gandhi Road, Dehradun	07/12/2021-31/03/2026
161	HOTEL NATRAJ PALACE	GREEN	KULRI MUSSOORIE DISTT DEHRADUN	
162	Hotel Ice Berg	GREEN	Friends Plaza Danda Lakhond Sahastradhara Road, Opp. SBI Bank Dehradun Dehradun	17/11/2022-31/03/2023
163	HOTEL AMAR HEIGHTS	GREEN	HOTEL AMAR HEIGHTS, 9/4/2 CHANDAN NAGAR DEHRADUN Dehradun	01/04/2020-31/03/2021

164	HOTEL JRJ		GREEN	1/2/3 RAJA ROAD DEHRADUN Dehradun	01/04/2021-31/03/2024
165	HOTEL SHIVAM		GREEN	PICTURE PLACE, NEAR RADHA KRISHAN MANDIR KALSIA ESTATE MUSSOORIE Dehradun	04/06/2022-31/03/2027
166	HOTEL YATRIK		GREEN	LUXMANPUR CHOWK VIKASNAGAR DEHRADUN Dehradun	22/08/2023-30/09/2028
167	Hotel Luxury Inn		GREEN	Kalsia Estate Kulri Mussoorie 248179, Dehradun Dehradun	26/09/2023-31/03/2024
168	Hotel Super		GREEN	Hotel Super, Opp. Nagar Paika Office, Mussoorie-248179	01/04/2021-31/03/2024
169	MUSSOORIE GATEWAY		GREEN	Kenilworth Estate, Library, Kinrcraig Road, Mussoorie, Uttarakhand.	28/06/2022-31/03/2025
170	Hotel Upstairs		GREEN	Hotel New Name Whispering Windows, Downstairs , Library Road, Mussoorie	06/12/2021-31/03/2026
171	Hotel Parkwood		GREEN	HOTEL PARKWOOD, GREEN CHOWK, THE MALL, KULRI, MUSSOORIE, DEHRADUN, UTTARAKHAND - 248179	06/12/2021-31/03/2031
172	SIDUS GALAXY		GREEN	VILLAGE SINGHOUR VIRAT KHAI TESHIL KALSII DEHRADUN	05/02/2022-31/03/2022
173	HOTEL URVASHI PALACE A UNIT OF DHANOLI RESORTS PRIVATE LIMITED		GREEN	LANDOUR OAK BUSH ROAD MUSSOORIE DEHRADUN Dehradun	
174	STARZ GLAMPING		GREEN	Virat Khai, Village Singhour Pargana Jaunsar Bawar Tehsil Kalsi Dehradun U K 248158	05/02/2022-31/03/2022
175	HOTEL SHIPRA		GREEN	THANA PURORI POST TUNGRA CHAKRATA	10/12/2021-31/03/2024
176	Hotel the 9 Oaks		GREEN	Santura Devi Mandir Bend Srinagar Estate Kemptry Road Mussoorie Dehradun	06/09/2023-30/09/2027
177	M/s HOTEL SWAGAT		GREEN	15/91, Main Road, Vikasnagar, Dehradun	13/02/2020-31/03/2020
178	HOTEL VIKAS		GREEN	THE MALL MUSSOORIE DISTT DEHRADUN	28/08/2023-30/09/2023
179	Guran Enterprises Fazilka		GREEN	Hotel Guran Legacy 642Ka, Adjoining Lal Pulli, Saharanpur Road, Dehradun.	01/04/2020-31/03/2025
180	M/S JAMNOTRI ENTERPRISES		GREEN	KHASRA NO. 180 KA MIN, MOUZA AJABPUR KHURD, PARGANA PACHHWA DOON, DIST- DEHRADUN, UTTARAKHAND	12/07/2023-31/03/2024
181	Hotel Tourist Home		GREEN	Hotel Tourist Home, Mount View State, Kulri, Mussoorie	06/12/2023-30/09/2024
182	HOTEL SHUBHAM RESIDENCY		GREEN	434, EAST PATEL NAGAR Dehradun	01/04/2021-31/03/2026
183	Yog Holistic Wellness Centre unit of Aarone Resort Private Ltd		GREEN	Yog Holistic Wellness Centre u/o Aarone Resort Private Ltd ,Brookvilla Estate ,BarlowGanj , Mussoorie, Dehradun	18/11/2023-30/09/2024
184	HOTEL JSR RESIDENCY		GREEN	PLOT NO. R-10, VEERPUR KHUD, PASHULOK, RISHIKESH, DEHRADUN Dehradun	06/05/2023-31/03/2028
185	Hotel Mallview		GREEN	Hotel Mallview, Library, The Mall, Mussoorie, Dehradun, Uttarakhand, 248179	01/04/2021-31/03/2026
186	Hotel Deep Lodge		GREEN	Hotel Deep Lodge, 16/2 Guru Road, Dehradun-248001	01/04/2021-31/03/2023
187	MEERAM GANGA		GREEN	5/25 OLD BADRINATH ROAD RISHIKESH DEHRADUN Dehradun	
188	SPA HOSPITALITY AND REAL ESTATE SERVICES		GREEN	Comfort Inn, Plot No-1 Block- C Lakkhrghat Shayampur Rishikesh	04/06/2022-31/03/2027
189	HOTEL NARULA		GREEN	73, SAHARANPUR ROAD Dehradun	25/11/2022-31/03/2026
190	Sunset View Resort		GREEN	Village Kyarkuli, Power House, Mussoorie, Dehradun, Uttarakhand.	29/09/2023-30/09/2027
191	HOTEL ROCKLAND RESIDENCY		GREEN	CLIFF COTTAGE ESTATE MUSSOORIE DEHRADUN Dehradun	
192	HOTEL KRISHIV RESIDENCY		GREEN	NEAR CONVENT SCHOOL MUSSOORIE Dehradun	07/05/2022-31/03/2027
193	Hotel Doon Palace		GREEN	Mall Road, Kulri, Mussoorie, Dehradun Dehradun	06/12/2021-31/03/2022
194	Hotel Winter Line Inn		GREEN	Hotel Winter Line Inn, Near Gurudwara, Barlowganj , Mussoorie, U.K Dehradun	01/04/2020-31/03/2021
195	HOTEL NOTTING HILL A UNIT OF LOHARU INFRASTRUCTURES PVT LTD		GREEN	B K ESTATE (KAPURTHALA ESTATE) MUSSOORIE DEHRADUN Dehradun	
196	HOTEL MUSSOORIE MID VIEW		GREEN	MALL ROAD NEAR PICTURE PALACE NEAR MUSSOORIE CLUB KULRI MUSSOORIE DEHRADUN Dehradun	

197	HOTEL JEET		GREEN	GANDHI CHOWK MUSSOORIE Dehradun	01/04/2021-31/03/2026
198	Kunwar Guest House		GREEN	04, Vishnu Vihar, Ajabpur Bypass Road, Dehradun, Uttarakhand	01/04/2020-31/03/2021
199	GARHWAL MANDAL VIKAS NIGAM LTD		GREEN	GMVN TRH RAITHAL BHATWARI DISTT UTTARKASHI	03/06/2023-31/03/2028
200	MIDWAY RESORT		GREEN	KHASRA NO. 27, NH-58 RISHIKESH-HARIDWAR ROAD VILLAGE- PRATEET NAGAR, P.O. RAWALA, TEHSIL RISHIKESH DISTT. DEHRADUN	08/12/2022-31/03/2023
201	Hotel Mussoorie Inn		GREEN	Hotel Mussoorie Inn, Picture Palace, Mussoorie, Distt Dehradun, U.K Dehradun	01/04/2020-31/03/2021
202	GHWAL MANDAL VIKAS NIGAM LTD		GREEN	GMVN TOURIST REST HOUSE DAKPATHAR DISTT. DEHRADUN	23/06/2023-31/03/2028
203	HOTEL PRESIDENT A UNIT OF MOUNTAIN TOURS AND RESORT HOTELS PVT LTD		GREEN	6 ASTLEY HALL RAJPUJ ROAD Dehradun	19/04/2022-31/03/2023
204	Hotel Aashna		GREEN	Hotel Aashna , Glen Ronak Estate near Waverly Convent School, Mussoorie, Uttarakhand	06/12/2023-30/09/2025
205	Hotel Jass Resorts		GREEN	Barowganj, Mussoorie Dehradun	19/10/2023-30/09/2024
206	Tiger Fall Resort		GREEN	Khasra No. 1835, Village Mohana, Chakrata, Tiger Fall, Dehradun Dehradun	22/04/2022-31/03/2023
207	Silver Arch Hotel		GREEN	Silver Arch Hotel, SYLVERTON ESTATE, KULRI, MUSSOORIE, UTTARAKHAND Dehradun	01/04/2021-31/03/2026
208	HOTEL NORTHWOOD		GREEN	KULRI RASTOGI CHOWK, MUSSOORIE, DISTT DEHRADUN 248179 Dehradun	26/09/2023-31/03/2024
209	MAA RESIDENCY GUEST HOUSE		GREEN	BAGRAL GAON MUSSOORIE ROAD OPP PASTLEWEED COLLEGE DEHRADUN	01/04/2020-31/03/2021
210	HOTEL DEVBHOOMI INN		GREEN	18/1 ADARSH GRAM DEHRADUN ROAD RISHIKESH Dehradun	25/11/2022-31/03/2023
211	Kailash Residency		GREEN	656 HARIDWAR LAXMANJHULA ROAD RISHIKESH Dehradun	29/12/2021-31/03/2023
212	Hotel Glenroy		GREEN	Hotel Glenroy, Kinraig Briddle Road, Mussoorie, Dehradun, Uttarakhand, 248179	01/04/2021-31/03/2026
213	HOTEL AARIA		GREEN	19,20,21A LANDOUR BAZAR NEAR CLOCK TOWER MUSSOORIE DEHRADUN Dehradun	01/04/2021-31/03/2026
214	The Kenilworth Hotel		GREEN	The Kenilworth Hotel, The Mall Road, Kulri Syerstone Estate, Mussoorie, Uttarakhand, 248179	05/09/2022-31/03/2026
215	RCN Associates Pvt Ltd		GREEN	406 (kha) min, 408(ka) min , 416 (kha) min & 419 (ka) At Masza Majra Pargana Pachwadun, Distt- Dehradun, Uttarakhand.	28/08/2023-31/03/2024
216	Hotel Star View		GREEN	Hotel Star view, R.K Verma Raod Kiskinda Estate Mussoorie -248179	26/09/2023-30/09/2027
217	Hotel Himalayan Breeze		GREEN	Mall View House, Library, Mussoorie, Dehradun.	10/10/2023-30/09/2024
218	HOTEL BLESSING BELLS		GREEN	3 Floor, 1072, Ashirwad Tower, Ballupur Road, Sunder Vihar, Dehradun, Uttarakhand, 248001 Dehradun	01/04/2021-31/03/2026
219	Hotel Welcome		GREEN	Radha Bhawan Estate , Mussoorie, Dehradun, Uttarakhand.	03/01/2024-30/09/2024
220	PARADISE INN		GREEN	OPP KISAN GAS AGENCY SHIMLA BYPASS CHOWK Dehradun	01/04/2020-31/03/2021
221	GK RESIDENCY-Unit of GK Enterprises		GREEN	6/3, Chander Nagar, Near Prince Chowk, Dehradun Dehradun	01/04/2020-31/03/2021
222	Hotel Thirty Degree North		GREEN	Long Sight, Kulri-Mussoorie, Dehradun, Dehradun	01/04/2021-31/03/2026
223	Grand Legacy Prime		GREEN	Kh.No. 428Min, 429Min,GMS Road, Niranjanpur, Distt- Dehradun, Utterakhand.	25/07/2023-31/03/2028
224	HOTEL UK07		GREEN	DOON VIHAR JAKHAN RAJPUJ ROAD Dehradun	01/04/2020-31/03/2021
225	Hotel Antara		GREEN	Hotel Antara, Motilal Nehru Road, Mussoorie , U.K Dehradun	05/10/2023-30/09/2027
226	Hotel Shalimar		GREEN	HOTEL SHALIMAR, MALL VIEW HOUSE, GANDHICHOWK MUSSOORIE, Dehradun, Uttarakhand, 248179	01/04/2021-31/03/2026
227	Hotel Paradise Continental		GREEN	Picture Palace Kulri, The Mall Mussoorie, District-Dehradun Dehradun	
228	HOTEL EVEREST		GREEN	KULRI MUSSOORIE Dehradun	01/04/2021-31/03/2026
229	HOTEL LA HILL VISTA INN		GREEN	Happy Valley, Mussoorie, District Mussoorie Dehradun	

230	hotel Saina inn	GREEN	3 old survey road opposite crossroad mall near sachivalya HOTEL SAINA INN		08/12/2022-31/03/2023
231	HOTEL AKANKSHA ANAND PLAZA	GREEN	1 LONDON HOUSE PICTURE PALACE LANDOUR ROAD MUSSOORIE Dehradun		17/03/2023-31/03/2024
232	Hotel Gandharv	GREEN	Plot No. 09E, Khasra No. 599, 604, 606, Subhash Park, Tyagi Road, Dehradun Dehradun		01/04/2020-31/03/2021
233	THE PALMS RESORTS	GREEN	PLOT NO 21 HARIDWAR RISHIKESH ROAD PRATEET NAGAR RAIWALA RISHIKESH DEHRADUN Dehradun		08/12/2022-31/03/2023
234	7 Heaven	GREEN	Hotel 7 Heaven DEHRADUN RISHIKESH ROAD RANIPOKHARI DISTT-DEHRADUN Dehradun		17/03/2023-31/03/2024
235	Doon Guest House	GREEN	Khasra No. 914 Old Khasra No. 756 Min. Saharanpur Road, Transport Nagar, Dehradun Dehradun		01/04/2020-31/03/2021
236	HOTEL LORDS A UNIT OF S P BUILDERS AND RESORTS PVT LTD	GREEN	KH NO 512 SAHARANPUR ROAD NEAR ISBT CROSSING DEHRADUN Dehradun		08/12/2022-31/03/2023
237	AMRIT RESORTS	GREEN	KHASRA NO 32 KA, MAUZA AAMWALA TARLA, SAHASRADHARA ROAD DEHRADUN.		11/01/2023-31/03/2027
238	Hotel Oriental	GREEN	Hotel Oriental, 4 Darshani Gate, Dehradun, Uttarakhand Dehradun		23/12/2021-31/03/2026
239	Hotel Sparsh	GREEN	Hotel Sparsh, Mahilal Mansion Mussoorie, Uttarakhand.		01/04/2021-31/03/2026
240	HOTEL ILBERT MANOR	GREEN	DUGGAL VILLA ESTATE, Near Masjid, Library District Dehradun, Uttarakhand MUSSOORIE pin code-248122 Dehradun		25/01/2024-30/09/2027
241	Hotel Mayur	GREEN	HOTEL MAYUR, Library, Mall Road, Dehradun, Uttarakhand,248179		01/04/2021-31/03/2026
242	STVR HOSPITALITY SERVICES	GREEN	1 E C Road Dehradun		24/12/2019-31/03/2020
243	Valley View Hotel U/O Valallah Hotels Pvt. Ltd.	GREEN	Valley View hotel, Kufri , The Mall , Mussoorie 248179		15/12/2021-31/03/2025
244	THE KAILASH HOTEL	GREEN	Khasra No. 301 Kha, 302 Kha, Chakrata Road, Jhejra, Vikasnagar, Dehradun Dehradun		15/07/2022-31/03/2026
245	HOTEL 7 OAKS	GREEN	CAMEL BACK ROAD MUSSOORIE DISTT- DEHRADUN 248179		01/04/2021-31/03/2026
246	HOTEL PRINCE	GREEN	1, HARIDWAR ROAD, DEHRADUN Dehradun		25/11/2022-31/03/2026
247	SOUND SLEEP GUEST HOUSE	GREEN	8, VIRBHADRA ROAD AVAS VIKAS RISHIKESH Dehradun		01/04/2021-31/03/2026
248	GARHWAL MANDAL VIKAS NIGAM LTD	ORANGE	GMVN TRH Bhenet Bhoomil Tourist Complex GMVN Ltd. Khasra No. 973 Haridwar Bypass Road, Shall Vihar,Rishikesh, Distt.Dehradun		19/10/2023-31/03/2024
249	SHANTI VAN INN	GREEN	PLOT NO 92 NIRMAL BLOCK C LAKKARGHAT ROAD VISHTHAPIT SHYAMPUR RISHIKESH Dehradun		08/12/2022-31/03/2023
250	IESH RESORT	GREEN	SILKOTI SHASHTRADHARA Dehradun		01/04/2020-31/03/2021
251	Hotel Surya Kiran	GREEN	HOTEL SURYA KIRAN, THE MALL, LIBRARY, MUSSOORIE -248179		01/04/2021-31/03/2026
252	SAWAI DANDA RESORT	GREEN	VILLAGE- SAWAI DANDA CHURANI CHHANI P. O.- MARLAU TEHSIL- KALSJ Dehradun		10/11/2022-31/03/2023
253	AASHIYANA GUEST HOUSE	GREEN	RAJA RAOD DEHRADUN UTTARAKHAND		09/12/2022-31/03/2023
254	H W RESIDENCY	GREEN	74- C RAJPUR ROAD Dehradun		01/04/2020-31/03/2021
255	HOTEL EVEREST HIGHLAND	GREEN	9 CHAMAN ESTATE MUSSOORIE DISTT.DEHRADUN		19/10/2023-31/03/2024
256	Asset Infotech Limited	GREEN	YOG 1 ASHRAM, YOG 1 ROAD, KRISHNAKUNJ LANE,Mayakund, Rishikesh Dehradun		28/02/2023-31/03/2027
257	AURA ROOMS A UNIT OF KHURANA BEK FOOD PVT LTD	GREEN	KH NO 53 RAJPUR ROAD OPP SCHOOLAR HOME Dehradun		14/06/2022-31/03/2023
258	Hotel Kwality unit of Asian Hotels and Resorts	GREEN	Hotel Kwality unit of Asian Hotels and Resorts, 19 B Rajpur Road, Dehradun Dehradun		01/04/2020-31/03/2021
259	HOTEL APNA ASHIYANA	GREEN	APNA ASHIYANA MANOR HOUSE DENIS CASTLE GANDHI CHOWK ,MUSSOORIE -248179 Dehradun		
260	Dream Valley Resort	GREEN	Vill-Badkot falsua, PO Dandi tahsil- Rishikesh Dist- Dehradun		28/02/2023-31/03/2023
261	HOTEL LAXMI PALACE	GREEN	HARIDWAR ROAD RAIWALA Dehradun		01/04/2020-31/03/2021
262	Hotel Grand	GREEN	Hotel Grand, 64, Shree Laxmi Plaza Complex, Gandhi Road, Dehradun		23/12/2021-31/03/2026

263	Hotel Moon Light Resort	GREEN	Spring Road, Library, Mussoorie, Dehradun Dehradun	01/04/2020-31/03/2030
264	Hotel Shiva Palace	GREEN	Hotel Shiva Palace , Zaffar Lodge, Kuli, Mussoorie	08/09/2022-31/03/2023
265	HOTEL TULLAHMORE	GREEN	HARNAM SINGH ROAD MUSSOORIE Dehradun	19/08/2023-30/09/2027
266	Hotel Dream palace	GREEN	Hotel Dream Palace, Sylverton Estate, Kuli, The Mall, Mussoorie	06/11/2019-31/03/2020
267	Hotel Rang Mahal	GREEN	B 43/25 Gandhi Road, Dehradun	15/03/2022-31/03/2027
268	Rokey Manor unit of Mars Enterprises	GREEN	Hotel Rokey Manor, Landour Cantt, Mussoorie, Uttarakhand Dehradun	23/06/2023-30/09/2025
269	Hotel Emerald Heights	GREEN	Camels Back Road, Mussoorie, Dehradun, Uttarakhand, 248179	01/04/2021-31/03/2024
270	M/s Sun Shine Guest House	GREEN	Rajeev Nagar, Opposite Primary School, Rispana Bridge, Haridwar Road, Dehradun, Uttarakhand - 248001	01/04/2021-31/03/2026
271	Hotel Park	GREEN	Hotel Park , Nagar Palika Road , Picture Palace , Mussoorie	07/01/2022-31/03/2026
272	Hotel Pine Tree	GREEN	Hotel Pine Tree, Hazel Mayor Estate, Near Church Library, Mussoorie, Dehradun, Uttarakhand, 248179	01/04/2020-31/03/2025
273	Hotel Alaya	GREEN	26/16 Rajpur Road, Dehradun, Uttarakhand	14/06/2023-31/03/2024
274	Punamava Yog Foundation	GREEN	NALIYANA VILLAGE, BHITARLI, KIMADI, LAMBIDHAR ROAD, MUSSOORIE, DEHRADUN, UTTARAKHAND	06/12/2023-30/09/2027
275	HOTEL PLAM RETREAT	GREEN	GREEN CHOWK, ISLA HOUSE KULRI BAZAAR, THE MALL, ROAD, MUSSOORIE, DEHRADUN, UTTARAKHAND, PIN CODE-248179 Dehradun	01/04/2020-31/03/2025
276	Hotel Sun Park Inn Unit of Sidhi Vinayak Services	GREEN	Khasra No. 1410, Fa-1415 Fa, Village Niranjapur, Dehradun Dehradun	23/01/2023-31/03/2023
277	Hotel Antara	GREEN	Auchmagie Lodge, Moti Lal Nehru Road, Library- Mussoorie, Dehradun, Uttarakhand.	22/06/2023-31/03/2026
278	V ONE PRIDE	GREEN	182, Special Wing Prem Nagar Dehradun Dehradun	20/04/2023-31/03/2024
279	Hotel Clark	GREEN	The Exchange Building, Mall Road, Kuli, Mussoorie, Dehradun Dehradun	20/04/2023-31/03/2024
280	Hotel JRJ Grand	GREEN	8/4/1 Chandan Nagar Dehradun Dehradun	20/04/2023-31/03/2024
281	The Alkonost Mussoorie	GREEN	Phoenix Lodge Estate, Hakmans Compound, The Mall Road, Mussoorie, Dehradun Dehradun	06/12/2023-30/09/2024
282	Hotel J S Inn	GREEN	A-01, NEAR M.I.S, SHREE NAGAR ESTATE, MUSSOORIE, Dehradun, Uttarakhand, 248122	28/08/2023-30/09/2027
283	Hotel Castle View	GREEN	Hotel Castle View , Landour Bazar, Clock Tower , Mussoorie	11/01/2024-30/09/2027
284	DP HOTELS AND RESORTS	GREEN	Laurel Bank Estate, Part of Hakman Estate, Mall Road, Mussoorie Dehradun	01/04/2021-31/03/2026
285	Hotel Ajay	GREEN	Hotel Ajay, Camels Back Road, Library, Mussoorie, Dehradun, Uttarakhand, 248179	06/05/2022-31/03/2027
286	Hotel Accurate	GREEN	Near Bus station Rishikesh Dehradun	01/04/2020-31/03/2021
287	Secretary Shri Laxmi Narayan Mandir	GREEN	Shri Laxmi Narayan Mandir Dharamshala, Gandhi Chowk, Mussoorie	16/12/2023-30/09/2024
288	Hotel Prestige	GREEN	Hotel Prestige, 17, 18, 19/2 Gandhi Chowk - Mussoorie, Dehradun.	16/01/2023-31/03/2023
289	HOTEL NANDA	GREEN	SHYAMPUR CHOWK NEAR POLICE CHOWKI RISHIKESH Dehradun	18/11/2023-30/09/2024
290	HOTEL SAPPHIRE	GREEN	CAMEL BACK ROAD KULRI MUSSOORIE DEHRADUN UTTARAKHAND	01/04/2020-31/03/2021
291	Hotel Vikas	GREEN	Hotel Vikas, The Mall, Mussoorie, Uttarakhand Dehradun	15/12/2022-31/03/2023
292	Hotel Krishna Palace unit of Mawana Developers Pvt Ltd	GREEN	Hotel Krishna Palace, Camel Back Road, Mussoorie, U.K Dehradun	26/07/2023-30/09/2024
293	FRONTIER HOUSE	GREEN	SHRI KEDARNATH MARG GUPTKASHI DISTT RUDRAPRAYAG UTTARAKHAND	11/04/2023-31/03/2028
294	HOTEL DIAMOND	GREEN	SPRING ROAD LIBRARY MUSSOORIE DISTT DEHRADUN	23/02/2022-31/03/2026
295	Ms Hotel Winter line Inn	GREEN	Near gurdwara Barlow Ganj Mussoorie Dehradun Uttarakhand Dehradun	

296	Hotel Neelam International	Hotel Neelam International, New Market Mussoorie - 248179	GREEN	01/04/2021-31/03/2026
297	Hotel Hill View unit of Three Rings Ventures LLP	Hotel Hill View unit of Three Rings Ventures LLP South House Cottage Mussoorie -248179 , UK Dehradun	GREEN	25/11/2023-30/09/2026
298	Hotel Carlton Plaisance	Hotel Carlton Plaisance , LBS Academy Road , Mussoorie , Dehradun.	GREEN	06/12/2023-30/09/2024
299	Hotel Swagat	Picture Palace, Mussoorie, Distt- Dehradun -248179 Dehradun	GREEN	
300	Shivam Residency Guest House	Shivam Residency Guest House , 26 Tyagi Road, Dehradun, U.K Dehradun	GREEN	13/02/2020-31/03/2020
301	Hotel Sky Lark	Hotel Sky Lark, Harmam Singh Marg Near Waverly Convent School, Mussoorie- 248179	GREEN	01/04/2021-31/03/2026
302	GRAND LUXOTICA	NEW MUNICIPAL 417709 OPP SBI BANK DILARAM CHOWK NEW CANT ROAD Dehradun	GREEN	27/05/2023-31/03/2028
303	Devdutt Shikshan Sansthan	Devdutt Shikshan Sansthan, Village Naliyan, Bhitari, Old Mussoorie Road, Dehradun, U.K Dehradun	GREEN	25/07/2023-30/09/2024
304	Hotel Glory	Hotel Glory, Saharanpur Road, Majra, Dehradun, U.K Dehradun	GREEN	01/04/2021-31/03/2026
305	Hotel Sartaj	HOTEL SARTAJ, GANDHI CHOWK, MUSSOORIE -248179	GREEN	18/12/2021-31/03/2026
306	Hotel S Square	Hotel S Square , Near Waverly School, Convent Mussoorie - 248179	GREEN	01/04/2021-31/03/2026
307	THE BAL WOODS FOREST RETREAT AND SPA A UNIT OF YELLOW STONE GREEN HOMES PVT.LTD	GALJWADI DEHRADUN Dehradun	GREEN	
308	HOTEL ROYAL KING	AADARSH GRAM RISHIKESH Dehradun	GREEN	01/04/2021-31/03/2022
309	Hotel 7Oaks	Hotel 7 Oaks located at camel back road, mussoorie, Dehradun, Uttarakhand, 248179	GREEN	01/02/2020-31/03/2020
310	Hotel Perfect Hideout	Mackinon Road, Mussoorie, Dehradun, Uttarakhand, 248179	GREEN	09/12/2022-31/03/2023
311	HOTEL PARAMOUNT	THE MALL GANDHI CHOWK MUSSOORIE Dehradun	GREEN	07/01/2022-31/03/2026
312	HOTEL RITZ A UNIT OF THE RITZ HOTELS AND RESORTS	IMPERIAL PLAZA 8/1/8 BALLUPUR CANAL ROAD Dehradun	GREEN	01/04/2020-31/03/2023
313	SEWA SADAN GUEST HOUSE	22 ADARSH GRAM DEHRADUN ROAD RISHIKESH DEHRADUN Dehradun	GREEN	26/07/2023-31/03/2026
314	Hotel Villa Barlow	42, barlow Ganj, Mussoorie, Dehradun, Uttarakhand-248122	GREEN	23/06/2023-30/09/2025
315	Hotel Standard	72 Gandhi Road Dehradun	GREEN	25/08/2022-31/03/2026
316	Hotel Maya	Oak Bush Estate, Civil Hospital Road, Landour, Mussoorie Dehradun Dehradun	GREEN	25/05/2022-31/03/2027
317	Hotel Vishnu Inn	Hotel Vishnu Inn, 1, Railway Road, Dehradun	GREEN	04/03/2020-31/03/2020
318	GALAXY GUEST HOUSE	5/11 TYAGI ROAD DEHRADUN Dehradun	GREEN	06/12/2021-31/03/2026
319	Hotel Filigree	Camels Back Road, Kuli Mussoorie Dehradun Dehradun	GREEN	26/09/2023-30/09/2027
320	Hotel Sunny Cot	Hotel Sunny Cot, The Mall, Kuli, Mussoorie, Dehradun, Uttarakhand, 248179	GREEN	01/04/2021-31/03/2026
321	Hotel Charlene	Grant Lane, Kuli, Mussoorie, Dehradun Dehradun	GREEN	
322	Hotel Royal Mansion	Hotel Royal Mansion , Opp Wynberg School Balahisar , Mussoorie , Distt. Dehradun , U.K Dehradun	GREEN	06/12/2023-30/09/2024
323	Hotel Omkar	Hotel Omkar, Spring Road, Library, Mussoorie, Dehradun, Uttarakhand, 248179	GREEN	01/04/2021-31/03/2026
324	Hotel Siddharth Paradise	1, Haridwar Rd, Prince Chowk, Chander Nagar, Race Course, Dehradun, Uttarakhand 248001	GREEN	26/05/2023-31/03/2032
325	Hotel La Eden Mussoorie	Old Rajpur Road, Landoura, Mussoorie, Dehradun-248179 Dehradun	GREEN	16/12/2023-31/03/2024
326	Hotel Phoenix	Hotel Phoenix, Hakmans Compound, The Mall Road, Mussoorie, U.K Dehradun	GREEN	01/04/2021-31/03/2026
327	HOTEL HIMSHIRI	HOTEL HIMSHIRI, NEAR MIDTOWN, TILAK ROAD, KULRI, MUSSOORIE, Dehradun, Uttarakhand, 248179	GREEN	10/10/2023-30/09/2026
328	Hotel Sheela	Hotel Sheela, Taar Gali, Kuli, Mussoorie, U.K Dehradun	GREEN	21/01/2022-31/03/2031

329	HOTEL WHITE HOUSE	GREEN	ST GEROGES COLLEGE BARLOW GANJ MUSSOORIE DEHRADUN Dehradun	11/01/2024-30/09/2024
330	BLISS RESORT	GREEN	OPP. UTTARANCHAL DENTAL COLLEGE LAL TAPPER MAJRI GRANT DEHRADUN Dehradun	12/07/2023-30/09/2027
331	HOTEL ROYAL INN PALACE	GREEN	125, INDIRA NAGAR Dehradun	
332	HOTEL SHIVA RESIDENCY	GREEN	75, RAJPUR ROAD Dehradun	01/04/2020-31/03/2021
333	Hotel Karma Villas	GREEN	Hotel Karma Villas, Clairevilla Estate, Picture Place Road Balahisar, Mussoorie Dehradun	19/06/2023-30/09/2024
334	M/s Hotel Yellow Bells	GREEN	Plot No. 192, Dehradun Road, Rishikesh.	19/09/2023-31/03/2024
335	Hotel Imperial Square	GREEN	Hotel Imperial Square, Kulni, The Mall, Mussoorie, Dehradun, Uttarakhand, 248179	01/04/2021-31/03/2026
336	Hotel Usha Palace	GREEN	Hotel Usha Palace, New Circular Road, Mussoorie, Dehradun, U.K.-248179 Dehradun	01/04/2021-31/03/2026
337	ABHINANDAN RESIDENCY	GREEN	RISHIKESH HIGHWAY ROAD, NEAR DURGA CHOWK, BHANIYAWALA, Dehradun, Uttarakhand, 248140 Dehradun	01/04/2020-31/03/2021
338	Hotel Westend	GREEN	Hotel Westend Camel Back Road, Mussoorie Uttarakhand Dehradun	01/04/2021-31/03/2026
339	HOTEL LONDON HOUSE	GREEN	PICTURE PALACE LANDOUR ROAD MUSSOORIE Dehradun	11/12/2023-30/09/2024
340	HOTEL BARMA PALACE	GREEN	OLD KEMPTON ROAD MUSSOORIE Dehradun	03/01/2024-30/09/2027
341	Hotel Vishal Residency unit of Jay Gee Hotels	GREEN	Hotel Vishal Residency , 1, Chandar Nagar, Near Prince Chowk, Dehradun - 248001 Dehradun	01/04/2020-31/03/2021
342	HOTEL AVIRAL RESIDENCY	GREEN	CANAL ROAD, RAJPUR ROAD, DEHRADUN Dehradun	30/11/2021-31/03/2026
343	MJ Grand Inn A unit of MJ Hotels LLP	GREEN	78 RAJPUR ROAD DEHRADUN NEAR GANDHI PARK Dehradun	01/04/2021-31/03/2026
344	HOTEL BLESSING RESIDENCY	GREEN	181, RAJPUR ROAD, DEHRADUN Dehradun	01/04/2021-31/03/2026
345	Hotel Shahenshah unit of Sunny and Company Pvt Ltd	GREEN	Hotel Shahenshah, 74-C Rajpur Road, Dehradun, Uttarakhand.	14/06/2022-31/03/2026
346	HOTEL THE NINE	GREEN	AJABPUR KALAN HARIDWAR ROAD NEAR RISHIPANA PUL Dehradun	24/06/2022-31/03/2023
347	Height View Residency	GREEN	Khasra no. 57 old khasra no. 348 Majra Dehradun	01/04/2021-31/03/2025
348	HOTEL KISHNA PALACE UNIT OF MAWANA DEVELOPERS PVT LTD	GREEN	CAMELS BACK ROAD MUSSOORIE Dehradun	
349	GARHWAL MANDAL VIKAS NIGAM LTD	GREEN	TEHRI LAKE ECO HUT KOTI COLONY TEHRI GARHWAL GMVN LTD PIN 249001	03/07/2023-31/03/2024
350	Hotel Uday	GREEN	Hotel Uday, Camel's Back road (Near Rink) Kulni, Mussoorie -248179	01/04/2021-31/03/2026
351	Hotel The Trinquity	GREEN	Shantikunj Bartoganj Mussoorie Dehradun	01/04/2021-31/03/2026
352	HOTEL VALLEY VISTA	GREEN	OAK BUSH ESTATE OAKS ROAD MUSSOORIE DEHRADUN UTTARAKHAND 248179	25/01/2024-30/09/2024
353	Hotel Vishal Bharat Lodge	GREEN	Hotel Vishal Bharat Lodge, 68 Gandhi Road, Dehradun, U.K Dehradun	01/04/2021-31/03/2026
354	HOTEL ATITHI	GREEN	Kanak Building, The Mall, Mussoorie, Dehradun Dehradun	10/12/2021-31/03/2023
355	Hotel Amar	GREEN	New Market, Kulni, Mussoorie, Dehradun Dehradun	
356	Hotel Luxmount	GREEN	Hotel Luxmount, Mall road, Mussoorie- 248179	01/04/2021-31/03/2026
357	Hotel Mussoorie Heights	GREEN	Kishkinda Estate, R.K Verma Road, Mussoorie, Uttarakhand	28/06/2022-31/03/2027
358	HOTEL ANKITA	GREEN	SAHIYA KALSI Dehradun	23/06/2023-31/03/2028
359	Hotel Gulmarg	GREEN	Hotel Gulmarg, Seth House, Spring Road, Mussoorie, Dehradun, Uttarakhand	19/08/2023-30/09/2024
360	HOTEL MUSSOORIE INTERNATIONAL UNIT OF UTTARANCHAL TOURIST MOTELS PRIVATE LIMITED	GREEN	HOTEL MUSSOORIE INTERNATIONAL, THE MALL ROAD KULRI, MUSSOORIE, Dehradun, Uttarakhand, 2 Dehradun	
361	HOTEL ROSELYN	ORANGE	HOTEL ROSELYN, LIBRARY, MUSSOORIE, Uttarakhand,248179	11/12/2019-31/03/2020

362	HOTEL PACIFIC	ORANGE	Plot No-19/4-6, Subhash Road, Distt-Dehradun, Uttarakhand.	25/08/2022-31/03/2025
363	shree girish associates private limited	ORANGE	HOTEL MADHUBAN HIGHLAND BRIGHTLAND ESTATE, CHARVILLE ROAD Dehradun	18/04/2022-31/03/2023
364	Hotel Abhinandan	ORANGE	Hotel Abhinandan, Picture Palace, Mussoorie, Dehradun, Uttarakhand, 248179	04/01/2022-31/03/2025
365	HOTEL GANGA VIEW	ORANGE	355 Haridwar Road, Rishikesh 249201 Dehradun	05/03/2020-31/03/2025
366	Hotel Royal Classic	ORANGE	Unit of Rosnie Hotel Pvt. Ltd Tilak Road Kufri Mussoorie Dehradun, Uttarakhand Dehradun	25/08/2022-31/03/2023
367	The Pearl unit of Histrye Enterprises LLP	ORANGE	Hotel Pearl, Kalsia Estate, Opp. Picture Palace, Kufri, Mussoorie-248179 Dehradun	10/12/2021-31/03/2026
368	Hotel Queen of Hills	ORANGE	Hotel Queen of Hills , Chaman Estate Near Radha Bhawan , Mussoorie, Distt. Dehradun	
369	HOTEL SURBHI PALACE INDIA PVT LTD	ORANGE	PLOT NO- 1281, CHAKRATA ROAD DEHRADUN	27/12/2022-31/03/2025
370	Sun and Snow Resorts Limited	ORANGE	Bala Hisar, Opp. Wyneberg Allen School, Mussoorie, District Dehradun-248179 Dehradun	05/09/2022-31/03/2023
371	Hotel Hill Queen	ORANGE	Hotel Hill Queen, Summer Villa Estate, Kufri, The Mall, Mussoorie, Dehradun, Uttarakhand, 248001	18/08/2023-31/03/2024
372	DEVASTHALI HOTEL AND RESORT	ORANGE	VILL PURODI CHAKRATA DEHRADUN	01/11/2023-30/09/2024
373	VALLEY HOTEL AND RESORTS	ORANGE	NH72 chakrata road selaqui Dehradun	31/03/2022-31/03/2024
374	Happy Valley	ORANGE	Happy Valley, Near LBSNNA, Opp. Tibetan School, Mussoorie	09/12/2021-31/03/2026
375	INDERLOK HOTEL PRIVATE LIMITED	ORANGE	29, Rajpur Road, Dehradun, District Dehradun Dehradun	01/04/2020-31/03/2021
376	HOTEL GANGA KINARE	ORANGE	PLOT NO 237 VIRBHADRA ROAD RISHIKESH Dehradun	04/06/2022-31/03/2023
377	PRIDE INN MUSSOORIE	ORANGE	104/2 OAKBUSH ROADLANDOURMUSSOORIE Dehradun	
378	Hotel Beechwood	ORANGE	0, Near Axis Bank, The Mall Road, Mussoorie, Dehradun, Uttarakhand-248179	03/01/2024-30/09/2024
379	Hotel Lalit Palace	ORANGE	38, Kishan Nagar, Dehradun	28/08/2023-30/09/2023
380	HOTEL ROCK WOOD	ORANGE	THE MALL KULRI NEAR PICTURE PLACE Dehradun	26/09/2023-30/09/2028
381	HOTEL SURUCHI	ORANGE	YATRA BUS STAND DEHRADUN ROAD RISHIKESH Dehradun	06/12/2021-31/03/2024
382	Nandan Hotel Limited	ORANGE	Baroda Estate Library Mussoorie Utrakhand Dehradun	
383	FORTUNE RESORT GRACE UNIT OF GOPAL HOLIDAYS PVT LTD	ORANGE	Library Bazar Gandhi Chowk Mussoorie Dehradun	23/12/2021-31/03/2024
384	Hotel Competent Palace	ORANGE	Chakrata Road, Selequi Industrial Area, Dehradun Dehradun	
385	HOTEL SUN N STAR	ORANGE	GANDHI CHOWK MUSSOORIE DISTT DEHRADUN	11/12/2023-31/03/2026
386	Hotel Hamers International	ORANGE	Hotel Hamers International, The Mall , Mussoorie -248179	28/12/2021-31/03/2026
387	Hotel Green castle	ORANGE	Green Castle , Mall road, Mussoorie -248179	16/12/2021-31/03/2026
388	Hotel Library Club Pvt. Ltd.	ORANGE	Hotel Shilton Unit of Hotel Library Club Pvt Ltd Library Bazar Mussoorie	06/12/2021-31/03/2026
389	HOTEL MEEDOS GRAND	ORANGE	28 RAJPUR ROAD Dehradun	
390	HOTEL CENTRAL PALACE	ORANGE	21, Rajpur Road, Dehradun Dehradun	07/11/2022-31/03/2027
391	Prince Hotel	ORANGE	Prince Hotel, Library, Mussoorie, Uttarakhand, 248179	01/10/2019-31/03/2020
392	Hotel Apsara Unit of Ganpati Hotels Pvt Ltd	ORANGE	Hotel Apsara, Kufri, Mussoorie, Uttarakhand Dehradun	01/04/2020-31/03/2021
393	THE SYLVERTON A UNIT OF RKM ENTERPRISES	ORANGE	The Sylverton Estate, Kufri, Mall Road, Opposite Picture Palace, Mussoorie, Dehradun, Uttarakhand, 2 Dehradun	17/08/2022-31/03/2026
394	AJANTA MOTELS PVT LTD	ORANGE	101 RAJPUR ROAD DEHRADUN	01/04/2023-31/03/2026

395	Fort Resort unit 2 unit of Sharda Properties Private Limited	ORANGE	Fort Resort Unit 2 , Tara Hal, R.K Verma Road, Mussoorie, U.K Dehradun	01/04/2020-31/03/2021
396	ARTIGO RESIDENCY- SA BUILTECH	ORANGE	Khasra No. 183 Kha, 188 Ga, 182 Da, 184 Kha, Mizza Malai, Pargana Central Doon, Dehradun Dehradun	
397	Fort Resorts Unit of Sharda Properties Private Limited	ORANGE	Hotel Fort Resort, Tara Hall Estate, Picture Palace Road, Mussoorie, U.K Dehradun	25/07/2023-30/09/2027
398	Hotel Saurab	ORANGE	1, Raja Road , Dehradun Dehradun	
399	Pacific Mussoorie -Naglia Hotel	ORANGE	Femhill Estate, Camel back Road, Mussoorie Dehradun.	16/10/2023-30/09/2025
400	HOTEL CLASSIC INTERNATIONAL	ORANGE	56, RAJPUR ROAD, DEHRADUN	01/04/2020-31/03/2025
401	M/s The Amaris Hotel	ORANGE	299, Dehradun Road, Near Natraj Chowk, Rishikesh District - Dehradun	09/11/2022-31/03/2026
402	Hotel Doon Regency	ORANGE	Hotel Doon Regency, 1 B Haridwar Road, Dehradun Dehradun	
403	HOTEL VICE ROY INN Unit of Vaibhav Hoteliers and Developers	ORANGE	Plot No - 39/1/1, Niranjapur Mandi, Saharanpur Road, District- Dehradun. Dehradun	01/04/2021-31/03/2024
404	S A ANAND AND ASSOCIATES	ORANGE	BAGRAL GAON MUSSOORIE ROAD NEAR DEER PARK DEHRADUN Dehradun	15/07/2023-30/09/2024
405	HOTEL SUN EN SNOW	ORANGE	HOTEL SUN EN SNOW, NEAR KAPOORTHALA,MUSSOORIE, Dehradun, Uttarakhand, 248179	03/06/2023-31/03/2027
406	Vana Enterprises Limited	ORANGE	Plot No- 161, 165, 166, Malai Mussoorie Diversion Road Dehradun Uttarakhand Dehradun	07/07/2021-31/03/2024
407	M/s L.P. Resort (L.P. Green)	ORANGE	Plot No. Old 58, 59 New No. 449Ka etc. Village Sudhowala, Tehsil Vikasnagar, Dehradun	10/06/2022-31/03/2025
408	Hotel Aketa Pvt Ltd	ORANGE	113/1-2, Rajpur Road, Dehradun Dehradun	17/06/2022-31/03/2025
409	YOG NIKETAN GUEST HOUSE MANAGED BY SANSKRITI HEALTH SPA	ORANGE	SHIVA NAND NAGAR LUXMAN JHULA ROAD MUNI KI RETI RISHIKESH Dehradun	01/04/2021-31/03/2023
410	HOTEL SUNRISE A UNIT OF RELAX BUILDERS PVT LTD	ORANGE	113/2 RAJPUR ROAD Dehradun	05/08/2023-31/03/2026
411	HOTEL PADMINI PALACE	ORANGE	ATHURWALA RISHIKESH ROAD JOLLYGRANT Dehradun	15/03/2022-31/03/2027
412	HOTEL PARK ROYALE INN	ORANGE	SHYAM NIKETAN NEAR GURUDWARA BARLOGANJ MUSSOORIE Dehradun	01/04/2020-31/03/2020
413	HOTEL PARADISE GANGA	ORANGE	TRIVANI GHAT OPP. POLICE CHOWKI RISHIKESH DEHRADUN Dehradun	
414	GARHWAL MANDAL VIKAS NIGAM LTD	ORANGE	Hotel Garhwal Terreis GMVN Plot No, 85 Mall Road , Mussoorie Distt. Dehradun	18/10/2022-31/03/2025
415	Asset Infotech Limited	GREEN	YOG 1 ASHRAM, YOG 1 ROAD, KRISHNAKUNJ LANE,Mayakund, Rishikesh Dehradun	28/02/2023-31/03/2027
416	HOTEL MALL PALACE	ORANGE	THE MALL MUSSOORIE DISTT DEHRADUN	11/08/2023-30/09/2024
417	HOTEL IDA	ORANGE	46 EC ROAD Dehradun	10/06/2022-31/03/2026
418	HOTEL DRIVE INN	ORANGE	PICTURE PALACE KULRI MUSSOORIE Dehradun	
419	Hotel Mountain Quail	ORANGE	Hotel Mountain Quail, Gandhi Chowk , Mussoorie -248179	01/04/2021-31/03/2026
420	Hotel Vishnu Grand	ORANGE	Hotel Vishnu Grand, gandhi chowk ,mussoorie.	01/04/2021-31/03/2026
421	HOTEL HOWARD INTERNATIONAL	ORANGE	HOTEL HOWARD INTERNATIONAL, The Mall, Mussoorie, Dehradun, Uttarakhand, 248179	04/03/2020-31/03/2020
422	Ashiana Continental Hotel	ORANGE	Ashiyana Continental Hotel,Camelias Back Road,Gandhi chowk,Mussoorie, Uttarakhand, 248179.	25/03/2023-31/03/2026
423	KATYANI ASSOCIATES	ORANGE	MUNICIPAL NO 16-A EC ROAD, NEW NO 33 EC ROAD Dehradun	08/03/2022-31/03/2024
424	Mussoorie Monarch Hotels Private Limited	ORANGE	Mussoorie Monarch Hotels Private Limited, Gandhi Chowk Motilal Nehru Marg, Mussoorie, Uttarakhand, 248179	07/05/2022-31/03/2027
425	HOTEL NATRAJ	ORANGE	ADARSH GRAM DEHRADUN ROAD RISHIKESH Dehradun	25/05/2022-31/03/2027
426	Prince Hotel	ORANGE	Prince Hotel, Library, Mussoorie, Uttarakhand, 248179	01/02/2022-31/03/2026
427	Classic Fall Resort	ORANGE	Hotel Classic Fall Resort, Gram Bhatta, Mussoorie, Dehradun, U.K.-248179	04/01/2022-31/03/2026

428	GARHWAL MANDAL VIKAS NIGAM LTD	ORANGE	Hotel Drona 45 Gandhi Road, Dehradun Distt. Dehradun	08/12/2022-31/03/2025
429	HOTEL AMBER PALACE	ORANGE	60, Tyagi Road, Dehradun Dehradun	01/04/2020-31/03/2021
430	Hotel Calista	ORANGE	59, Saharanpur Road, Patel Nagar	01/04/2021-31/03/2025
431	Mosaic Hotel	ORANGE	PICTURE PALACE, THE MALL ROAD KULRI, MUSSOORIE, DEHRADUN, UTTARAKHAND, 248179	15/07/2022-31/03/2027
432	HOTEL ASHIRWAD	ORANGE	Hotel Ashirwad, Landour Bazar, Mussoorie, Dehradun, Uttarakhand.	
433	Hotel Midtown	ORANGE	Hotel Midtown, Grant Lane, Kuli Road, Mussoorie- 248179	09/12/2021-31/03/2026
434	MODI YOGA RETREAT A UNIT OF SMART VISHWAS SOCIETY	ORANGE	PLOT NO 238 VIRBHADRA ROAD RISHIKESH Dehradun	01/04/2020-31/03/2025
435	Hotel Mansarovar	ORANGE	Hotel Mansarovar, Kuli, The Mall, Mussoorie- 248179	16/12/2021-31/03/2026
436	HOTEL THE PEARL GRAND	ORANGE	NIRANJANPUR, NEAR SABJIMANDI DISTRICT- DEHRADUN Dehradun	14/07/2021-31/03/2026
437	Hotel Mussoorie Residency	ORANGE	Hotel Mussoorie Residency, Savoy Estate, Convent Road, Mussoorie, Dehradun, Uttarakhand, 248179	06/06/2023-31/03/2026
438	Hotel Himalayan Club	ORANGE	Hotel Himalayan Club, Opp. Nagar Palika Parishad, Mussoorie, Dehradun, Uttarakhand, 248179	15/12/2021-31/03/2026
439	HOTEL SEYFERT SAROVAR PREMIER	ORANGE	HOTEL SEYFERT SAROVAR PREMIER Khatera No.-266 Ga.266 Kha and 270.VIII-Majra, Tehsil-Central Doon, Distt-Dehradun	25/07/2023-31/03/2028
440	vasdaa hotel and banquet	ORANGE	KHASRA NO. 217,218,224 VILLAGE LACCHIWALA NEAR MALIK PETROL PUMP DISTT. DEHRADUN	01/08/2023-31/03/2028
441	HOTEL SILVER ROCK	ORANGE	HOTEL SILVER ROCK, Library, The Mall, Mussoorie - 248179	28/12/2021-31/03/2026
442	Hotel India	ORANGE	Hotel India, Gandhi Chowk, The Mall, Library, Mussoorie,Dehradun, Uttarakhand, 248179	01/04/2021-31/03/2026
443	Hotel Queen Plaza	ORANGE	Near Kempt Stand, Chariville Road,Library, Dehradun, Uttarakhand, 248179	01/04/2020-31/03/2021
444	Hotel Raj Deluxe	ORANGE	Hotel Raj Deluxe, (A Unit of Deluxe Raj Hotel), Near Masonic Lodge, Opposite Picture Palace Bus Stand, Mussoorie, Distt- Dehradun	11/08/2023-31/03/2026
445	ARADHANA HOSPITALITY	ORANGE	NEAR KEWAL VIHAR, SAHASTRADHARA ROAD,	09/11/2022-31/03/2026
446	Hotel Relax	ORANGE	7, Court Road, Dehradun Dehradun	01/04/2020-31/03/2023
447	Hotel I India	ORANGE	Hotel I India, Unit of Boulevard Hotel and Resorts Pvt Ltd, Big Bend Picture Palace Road, Mussoorie Dehradun	12/10/2023-30/09/2024
448	HOTEL N J RESORTS N SPA	ORANGE	789727, HARIDWAR ROAD NEAR RISPANA BRIDGE DEHRADUN	25/08/2022-31/03/2024
449	Hotel Savera Pvt. Ltd.	ORANGE	Hotel Basera, Spring Road, Library, Mussoorie -248179	01/04/2021-31/03/2026
450	HOLIDAY INN	ORANGE	HOLIDAY INN, HOTEL HOLIDAY INN KITCHER, THE MALL, MUSSOORIE, Uttarakhand, 248179	09/12/2021-31/03/2026
451	HOTEL PARAS GRAND	ORANGE	Khasra No 272 D, 284 KA, Village Majra Paragma Pachhwadon, Haridwar Bypass Road Dehradun	21/12/2022-31/03/2023
452	Hotel Pine Tree	GREEN	Hotel Pine Tree, Hazel Mayor Estate, Near Church Library, Mussoorie, Dehradun, Uttarakhand, 248179	07/01/2022-31/03/2026
453	SHIVA CONTINENTAL PRIVATE LIMITED	ORANGE	SHIVA CONTINENTAL U O S C PVT LTD, LONDONHOUSE, KULRI, MUSSORIE	16/12/2021-31/03/2026
454	Hotel LP Residency	ORANGE	32 Rajender Nagar, Kaulagarh Road, Dehradun Dehradun	
455	Hotel Siddharth	ORANGE	Hotel Siddharth, 2, Raja Road, Dehradun.	01/04/2021-31/03/2026
456	Hotel SN Residency	ORANGE	Charli Villa Road, Mussoorie, Dehradun Dehradun	
457	GARHWAL MANDAL VIKAS NIGAM LTD	ORANGE	TRH GANGOTRI POST OFFICE GANGOTRI UTTARKASHI	
458	Punamava Yog Foundation	GREEN	NALIYANA VILLAGE, BHITARLI, KIMADI, LAMBIDHAR ROAD, MUSSOORIE, DEHRADUN, UTTARAKHAND	14/06/2023-31/03/2024
459	Hotel Le Amritam	ORANGE	56 Saharanpur Road Dehradun Dehradun	27/09/2021-31/03/2026
460	HOTEL SANGAM	ORANGE	HOTEL SANGAM 3 TYAGI ROAD DEHRADUN Dehradun	22/11/2021-31/03/2024

461	Green N Breeze Resorts	ORANGE	GREEN N BREEZE RESORTS,BARLOWGANJ, MUSSOORIE, Dehradun, Uttarakhand, 248122	22/12/2021-31/03/2022
462	Hotel Padmini Nivas	ORANGE	Hotel Padmini Nivas, 1, The Mall, Kufri, Mussoorie, Dehradun, Uttarakhand, 248179	09/12/2021-31/03/2026
463	Hotel Dunsvirk Court - Unit of Nandan Hotels Ltd	ORANGE	Baroda Estate, Library Chowk, Mussoorie, Dehradun, Uttarakhand.	20/12/2023-30/09/2024
464	Four Points by Sheraton-3B Infrastructure Pvt Ltd	ORANGE	Plot No. 152/4, Rajpur Road, Distt-Dehradun.	
465	HOTEL SKY LARK	GREEN	HARNAM SINGH MARG,NEAR WAVERLY CONVENT SCHOOL MUSSOORIE DISTT DEHRADUN	07/10/2023-31/03/2024
466	Hotel Dwaper	ORANGE	Hotel Dwaper, Opposite Kempfy Tax Stand, Charleville Road, Library, Mussoorie, Dehradun, Uttarakhand, 248179	04/01/2022-31/03/2026
467	Hyatt Centric-3B Infrastructure Private Limited	ORANGE	Hyatt Centric Rajpur Road Dehradun152/3-4 Jakhnhan, Rajpur Road, Dehradun, Uttarakhand- 248001	
468	MALL PALACE HOTELS PVT LTD	ORANGE	HOTEL MALL PALACE, THE MALL, MUSSOORIE, DISTT DEHRADUN	19/04/2022-31/03/2023
469	Hotel Vishnu Palace	ORANGE	Hotel Vishnu Palace Gandhi Chowk Mussoorie UK Dehradun	06/12/2021-31/03/2026
470	Hotel Forest View	ORANGE	Hotel Forest View, Hotel Sun Rise, Kinclraig Library Road, Mussoorie, Dehradun, Uttarakhand, 248179	16/12/2023-30/09/2026
471	Sterling Holiday Resorts Limited	RED	Radha Bhawan Estate, Circular Road, Mussoorie, Dehradun, Uttarakhand.	08/06/2022-31/03/2027
472	Sunny and Company Pvt. Ltd.	ORANGE	74-C, Rajpur Road, Dehradun	
473	BHAGWAN DASS KHANNA ENTERPRISES PVT LTD	ORANGE	HAKMANS HOTEL, MALL ROAD MUSSOORIE DEHRADUN UTTARAKHAND Dehradun	
474	THE GRAND VALLEY	ORANGE	(A Unit Of Tirupati Builders and Associates)Kufri Mussoorie Dehradun Dehradun	18/11/2023-30/09/2024
475	Hotel Paradise Mansion unit of Abhimaya Projects Pvt Ltd	ORANGE	Hotel Paradise Mansion Calissa Church View Estate ,The Mall ,Mussoorie, Uttarakhand Dehradun	01/04/2021-31/03/2026
476	D. S.R Continental	ORANGE	Khasra no. 20MI Mauja Chak danda Lakhand Dehradun	24/06/2023-30/09/2027
477	Hotel Oak Bush	ORANGE	Hotel Oak Bush, Oak road , Near Clock Tower, Mussoorie Distt ,Dehradun	10/06/2022-31/03/2024
478	Hotel Shilton Unit of Hotel Library Club Pvt Ltd	ORANGE	Hotel Shilton , Library Bazar, Mussoorie Dehradun	01/04/2020-31/03/2021
479	Dev Bhoomi Hotel and Resorts Private Limited	ORANGE	Khasra No. 1622, 1623, Mauja Ajabpur Kalan, Pargana Central Doon, Dehradun Dehradun	01/04/2021-31/03/2024
480	Saffron Leaf Unit of Hotel SKY Scapers	ORANGE	GMS Road, Dehradun	20/05/2022-31/03/2025
481	Hotel Howard International	ORANGE	The Mall Road Mussoorie Dehraun Uttarakhand	
482	HOTEL TARANGI	ORANGE	Mall Road, Mussoorie, Distt- Dehradun, Uttarakhand.	10/12/2021-31/03/2026
483	Golden Tulip - Unit of Surgico and Medico Centre	ORANGE	Khasra No- 155min, 165min, Haripur kalan, Haridwar Rishikesh Road, Motichur, Dehradun, Uttarakhand.	31/12/2022-31/03/2023
484	Value Theme Hotel	ORANGE	Value Theme Hotel Pvt. Ltd , Camel Back Road, Kufri , Mussoorie -248179	01/04/2021-31/03/2026
485	HOTEL GAURAB	ORANGE	19-GANDHI ROAD, DEHRADUN Dehradun	
486	SOFTEL PLAZA	ORANGE	Khasra No-2ka, 2Kha, 2Ga and 4ka Industrial Area Mohabewala, Dehradun , Uttarakhand Dehradun	10/10/2023-30/09/2027
487	Madhuban Ashram	ORANGE	Madhuban Ashram, Lakshman Jhula Road, Muni ki Reti, H Rishikesh, Dehradun, U.K Dehradun	01/04/2020-31/03/2023
488	HOTEL ASHOKA CONTINENTAL	ORANGE	Library, The Mall , Mussoorie District- Dehradun Dehradun	01/04/2020-31/03/2024
489	UNIQUE HOTEL	ORANGE	97 RAJPUR ROAD DEHRADUN Dehradun	28/03/2022-31/03/2026
490	EPICURE HOTEL	ORANGE	345 GHA, Nanda Ki Chowki, Prem Nagar Opposite Alpine College, Dehradun, U.K	27/09/2021-31/03/2022
491	Hotel Pacific Mussoorie	ORANGE	Fernhill Estate, Camel back Road, Mussoorie Dehradun.	10/06/2022-31/03/2023
492	Avalon Resorts Private Limited	ORANGE	Rockcliff Estate Hill Top Mussoorie Dehradun	
493	Hotel Mussoorie Club	ORANGE	Hotel Mussoorie Club, Tilak Road , Mussoorie -248179	04/06/2022-31/03/2025

494	HOTEL SAI BALI A UNIT OF SAIBALI VENTURES LLP	ORANGE	OAKDEN ESTATE BARLOGANJ ROAD MUSSOORIE Dehradun	
495	Hotel Connaught Castle	ORANGE	Hotel connaught castle the mall road kulri Mussoorie 248179 Dehradun	
496	PIONEER HOTEL	ORANGE	Pioneer Hotel , Kulri Mussoorie Uttrakhand	16/12/2021-31/03/2026
497	Hotel Samrat	ORANGE	Hotel Samrat, The Mall, Kulri, Mussoorie - 248179	18/08/2022-31/03/2027
498	MARBELLA HOTEL AND RESORTS LLP	ORANGE	101-A RAJPUR ROAD Dehradun	18/11/2023-30/09/2024
499	The Solitaire Resort	ORANGE	01, Picture Palace Bend, RK Verma Road, Mussoorie, Dehradun-248179	11/01/2024-30/09/2025
500	Hotel Ambica Palace	ORANGE	Hotel Ambica Palace, Convent Gate, Waverly Chowk, Mussoorie, Dehradun, Uttarakhand, 248179	09/12/2021-31/03/2026
501	HOTEL VASANT PALACE	ORANGE	PICTURE PALACE ROAD BIG BEND MUSSOORIE Dehradun	28/12/2023-30/09/2024
502	SHREE RAM ROYAL PARADISE	ORANGE	MAUZA- MALSI, PARGANA- CENTRAL DOON, MALSI DISTRICT- DEHRADUN Dehradun	12/10/2022-31/03/2027
503	HOTEL RAJPUR HEIGHTS	ORANGE	14 OLD MUSSOORIE ROAD, RAJPUR DEHRADUN UTTARAKHAND Dehradun	01/04/2020-31/03/2030
504	Hotel Nand Residency	ORANGE	Hotel Nand Residency, Opp. SBI. Off The Mall, Kulri, Mussoorie - 248179	15/12/2021-31/03/2026
505	Hotel Highland	ORANGE	AMAR VILLA, HOTEL HIGHLAND , BARLOWGANJ,MUSSOORIE, Dehradun, Uttarakhand, 248122	25/11/2022-31/03/2027
506	HOTEL SHIVLOK	ORANGE	LAXMAN JHULA ROAD RISHIKESH Dehradun	01/04/2020-31/03/2021
507	The High Walls	ORANGE	The High Walls, Mall Road, Mussoorie, Distt Dehradun, Uttarakhand Dehradun	01/04/2020-31/03/2021
508	Hotel Mountain View	ORANGE	Hotel Mountain View , Camel Back Road, Kulri , Mussoorie - 248179	01/04/2021-31/03/2026
509	MADHO LOGGING HOUSE	ORANGE	Main Road Vikas Nagar Dehradun Uttarakhand 248001	
510	Hotel Himalaya Castle	ORANGE	Hotel Himalaya Castle, City Board Office, Landour, Mussoorie - 248179	15/12/2021-31/03/2026
511	HOTEL THE VILANA A UNIT OF JG DEVELOPERS	ORANGE	76/1 RAILWAY ROAD RISHIKESH Dehradun	30/06/2022-31/03/2027
512	KASMANDA PALACE HOTEL	ORANGE	KASMANDA PALACE HOTEL, THE MALL, MUSSOORIE,Dehradun, Uttarakhand, 248179	08/12/2022-31/03/2027
513	HOTEL STARZ REGENCY UO HOTEL MITSONS PVT LTD	ORANGE	HOTEL STARZ REGENCY UO HOTEL MITSONS PVT LTD, PICTURE PALACE, THE MALL, MUSSOORIE, Dehradun, Uttarakhand, 248179	30/05/2023-31/03/2025
514	Hotel Bulaakh Resort	ORANGE	Hotel Bulaakh Resort, Village Kyar , Kuli, Mussoorie, Uttarakhand	04/01/2022-31/03/2026
515	Yudhister Kumar Munjal	ORANGE	Khasra No. 132 Kha and 123 Min Old Khasra no. 115 /2, Mauza-Niranjanpur, Pargana Kendriya Doon, Dehradun	06/05/2023-31/03/2024
516	Hotel City Castle	ORANGE	Hotel City Castle, Oaks Road, Near Clock Tower, Mussoorie Distt,Dehradun	10/06/2022-31/03/2027
517	Hotel Oasis a unit of Diamond Resort	ORANGE	Convent Road, Library Mussoorie Dehradun	01/04/2021-31/03/2025
518	SUNGRACE HOTELS PRIVATE LIMITED	ORANGE	Hotel Sungrace, 3KM Mile Stone Opp. Sanjha Darbar Temple, Kemply Fall Road , Mussoorie	06/12/2021-31/03/2026
519	acme hotels and tours	ORANGE	Hotel Brentwood, Picture Palace, Mussoorie, Dehradun, Uttarakhand, 248179	26/05/2023-31/03/2026
520	The Claridges Hotel Pvt Ltd	ORANGE	The Claridges Hotel Pvt Ltd ,Barfoganj Road ,Mussoorie ,Distt. Dehradun	24/06/2023-30/09/2026
521	HOTEL PARK ROYALE INN SHYAMNIKETAN NEAR GURUDWARA BARLOGANJ MUSSOORIE DEHRADUN	ORANGE	SHYAM NIKETAN NEAR GURUDWARA BARLOGANJ MUSSOORIE DEHRADUN	16/08/2022-31/03/2026
522	HOTEL MJ RESIDENCY A UNIT OF AANCHAL HOTELS PVT LTD	ORANGE	54 HARIDWAR ROAD DEHRADUN UTTARAKHAND 248001 Dehradun	01/04/2021-31/03/2024
523	GODWIN HOSPITALITY PRIVATE LTD	RED	HARIPUR KALAN, OPP. SHATIKUNJ, RISHIKESH ROAD, DEHRADUN Dehradun	10/07/2020-31/03/2025
524	GURDWARA SRI HEM KUNT SAHIB MANAGEMENT TRUST LAXMAN JHULA ROAD RISHIKESH	RED	LAXMAN JHULA ROAD RISHIKESH Dehradun	01/04/2020-31/03/2023
525	Himalayan Retreat India LLP	RED	Village Jamniwla Dehradun	31/08/2020-31/03/2025
526	Jaypee Residency Manor- A unit of Jai Prakash Associates Ltd	RED	Khasra No. 198, 353-376, Village Barfoganj , Mussoories, Distt- Dehradun.	21/08/2023-31/03/2027

527	Sterling Holiday Resorts Limited	RED	Radha Shawan Estate, Circular Road, Mussoorie, Dehradun, Uttarakhand.	08/06/2022-31/03/2023
528	Welcomhotel The Savoy Uo Hotels Control Pvt Ltd	RED	Library Bazar Gandhi Chowk Mussoorie Dehradun.	12/07/2023-31/03/2025

S.No.	Name Of the Unit	Address
1	Age 18 Cosmetics	Khasra No. 180 Charba Langha Road Dehradun
2	ALDER BIOCHEM PRIVATE LTD	plot no-4, SARA INDUSTRIAL ESTATE LTD, VILLAGE RAMPUR, DEHRADUN
3	ALPRO CONSUMER PRODUCTS PRIVATE LIMITED	KHASRA NO 51 61 62 VILL KUANWALA PO HARRAWALA DEHRADUN Dehradun
4	ALSTONE MANUFACTURING PRIVATE LIMITED	Khasra No.71GH & 71D (old Khasra No.1388) Village Chharba Langha Road, Industrial Area Sahaspur,
5	AMBER ENTERPRISES INDIA LTD U-5	H-23, INTEGRATED INDUSTRIAL E-S-TATE SELAQUI DEHRADUN
6	AMBER ENTERPRISES INDIA LTD U-II	D-36,37,38 INDUSTRIAL AREA SELAQUI DEHRADUN-248197 Dehradun
7	Ami Cylinders	Khasra No. 3222, 3223 Village Selaqui 20/6 Mile Stone, Chakrata Road, Tehsil-Vikasnagar, Distt-Dehradun
8	Ampa Cycles Pvt. Ltd.	Khasra No. 103Kha, 105, 80Gha, Village Chharba, Langa Road Industrial Area, Vikas Nagar, Dehradun
9	Applied Communication and Controls	KHASRA NO- 122, MI CENTRAL HOPE TOWN SELAQUI DEHRADUN Dehradun
10	ARHAM BIOCEUTICALS PRIVATE LIMITED	PLOT NO C-12 KHASRA NO-2531 SARA INDUSTRIAL ESTATE SHANKARPUR SELAQUI DEHRADUN
11	Aryatech Pharma Private Limited	KHASRA NUMBER 2755 MAUZA SHANKARPUR HAKUMATPUR PARGANA PACHWA DOON TEHSIL VIKAS NAGAR DISTRICT DEHRADUN
12	Avantor Performance Materials India Limited	Plot No. 37, Pharma City, Selaqui, Dehradun- 248011, Uttarakhnad Dehradun
13	Ban Labs (P) Ltd	C-4, UPSIDC, CHAKRATA ROAD SELAQUI
14	Biological E LTD	Plot No 31 and 32, Pharmacy, Selaqui, Dehradun, Uttarakhnad 248011 Dehradun
15	Ceasfire Industries Private Ltd	Plot No. E-6, Industrial Area, Selaqui, Dehradun, Uttarakhnad.
16	Coral Laboratories Ltd	Plot No. 27,28, Pharma City, SIDCUL, Selaqui, Dehradun Dehradun
17	Cris Pharma India Ltd	Plot No. E-11, UPSIDC Industrial area, Selaqui, Dehradun Dehradun
18	Daffonhils laboratories private limited	109/110 UPSIDC Industrial area, selaqui, dehradun Dehradun
19	DEHRADUN DUGDH UTPADAK SAHAKARI SANGH LTD	RAIPUR ROAD, DISTRICT- DEHRADUN- UTTARAKHAND Dehradun
20	DOIWALA SUGAR COMPANY LIMITED	MILL ROAD, DOIWALA Dehradun
21	DOON VALLEY DISTILLERS LIQUOR UNIT	KUANWALA HARRAWALA DEHRADUN Dehradun
22	East African India Overseas	Plot No. 8, Pharmacy, SIDCUL, Selaqui Dehradun Dehradun
23	EAST AFRICAN INDIA OVERSEAS	Plot No- 12A, Pharmacy, Selaqui Dehradun, Uttarakhnad.
24	EAST AFRICAN INDIA OVERSEAS	Plot No- C1, Pharmacy, Selaqui Dehradun,
25	East African India Overseas	Plot No 8A, Pharmacy
26	East African India Overseas (Unit- IV)	Plot No - 8B, Pharmacy, Selaqui Dehradun
27	EPACK COMPONENTS PRIVATE LIMITED	C-5, UPSIDC, INDUSTRIAL AREA, SELAQUI, DEHRADUN, UK-248011
28	EPACK DURABLE PRIVATE LIMITED	C-6,7, UPSIDC, INDUSTRIAL AREA, SELAQUI DEHRADUN, UK
29	EPACK DURABLE PRIVATE LTD UNIT-II (Formerly EPACK DURABLES SOLUTIONS PVT LTD UNIT-II)	B-1, UPSIDC, INDUSTRIAL AREA, SELAQUI, DEHRADUN UK-248011
30	Flex Foods Ltd	Lal Tappar Industrial Area Haridwar Road Dehradun
31	G B Springs Pvt Ltd	Plot no-22/23 Km. Chakrata Road, Chotta Rampur, Tehsil- Vikasnagar, Distt- Dehradun.
32	Global Medikit Limited	Khasra No. 323/1 Mi, Central Hope Town, Industrial Area, Selaqui, Tehsil-Vikasnagar, Distt-Dehradun, U.K.
33	Global Medikit Limited Unit III	Khasra No. 323 Mi, Central Hope Town, Camp Road, Selaqui, Dehradun, Uttarakhnad.
34	Global Medikit Ltd Unit-II	Khasra No. 323 Mi, Camp Road, Central Hope Town, Selaqui, Distt-Dehradun, U.K.
35	Globe Plastics	KHASRA NO.122, MAUZA CENTRAL HOPE TOWN, SELAQUI INDUSTRIAL AREA, Dehradun
36	Gopher Ventures LLP	Khasra No. 1/19
37	HAB Pharmaceuticals and Research Limited	Plot No 10, Pharmacy, Sidcul, Selaqui, Dehradun-248011
38	HEMA LABORATORIES PVT. LTD.	PLOT NO.29
39	HERBS DE OLIVIA	Khasra No 179/186 Chandrabani Khalsa Mohabewala Industrial Area Dehradun
40	HFA FORMULATION PVT. LTD.	Plot No- E-25 Industrial Area, UPSIDC Selaqui Dehradun
41	IKON PHARMACHEM PVT LTD	Khasra No 1/19 Mauza Central Hope Town Dehradun
42	INDIAN DRUGS AND PHARMACEUTICALS LIMITED	IDPL

43	INTAS PHARMACEUTICALS LIMITED	CAMP ROAD SELAQUI DEHRADUN
44	INTEC CORPORATION	F-89, UPSIDC, INDUSTRIAL AREA, SELAQUI Dehradun
45	Intecos India Private Limited	Plot No A 5 1
46	ISH MEDICOS PRIVATE LIMITED	9 PHARMA CITY SELAQUI DEHRADUN Dehradun
47	ISHAANA NUTRACEUTICALS PVT. LTD.	SELAQUI INDUSTRIAL AREA DEHRADUN UTTRAKHAND
48	Jai Shree Balaji Industries	Khasra No 122 /48MI Central Hope Town Selaqui Dehradun Dehradun
49	JK Print Packs	Plot No. C-14 to 17, Village Rampur Industrial Estate, Vikasnagar, Dehradun Dehradun
50	Karmani Pharmaceuticals Pvt Ltd	Plot No. 38, Pharma City,Selaqui,Dehradun
51	Keron Life Science	D-5, SARA INDUSTRIAL ESTATE,RAMPUR,SELAQUI Dehradun
52	Kreation Handicrafts	Khasra No. 122/37, Mauza Central Hopetown, Selaqui, Dehradun
53	KIJMAD PHARMA	Khasra No. 89, Mauza Central Hopetown, Pargana Pachwa Doon, Tehsil Vikas Nagar, Selaqui, Dehradun
54	LEXUS INDIA LTD	PLOT - D-3-4 INDUSTRIAL AREA ROAD SELAQUI Dehradun
55	LOTUS SURGICAL PRIVATE LIMITED	KHASRA NO. 105/1/1 & 2, TWIN INDUSTRIAL ESTATE, SELAQUI, CAMP ROAD, TEHSIL-VIKASNAGAR, DEHRADUN.
56	M/S Himalaya Wellness Company	Plot No. 181ka, 181Kha, 181Ga and 181Gha, Saharanpur Road, Clemen Town, Sevia Khurd, Dehradun
57	M/s. Troikaa Pharmaceuticals Limited	Plot No. C-1, SARA Industrial Estate, Chhota Rampur , Sahaspur, Selaqui, Dist - Dehradun - 246197
58	MANCARE LABORATORIES	PLOT NO 11 PHARMACITY SELAQUI DEHRADUN Dehradun
59	MEPROMAX LIFESCIENCES PRIVATE LIMITED	PLOT NO- 16 PHARMA CITY SELAQUI,INDRUSTRIAL AREA TEHSIL VIKAS NAGAR DEHRADUN UTTRAKHAND 248197 Dehradun
60	Meraki Aesthetic Cosmetics	428 KA, Village- Chharba, Tehsil- Vikasnagar, Distt- Dehradun, Uttarakhand.
61	MG Shahani and Co Delhi Pvt Ltd	Plot No. 30, Pharma City, Selaqui Industrial Area, Dehradun Dehradun
62	Matco Pharma Ltd Unit 7	Plot No-A-3, UPSIDC, Industrial Area, Selaqui, Distt-Dehradun.
63	Nichepharm Lifesciences Pvt. Ltd.	Khasra No-1/1/4/1, Mauza Central Hopetown, Pargana Pachwa Doon, Tehsil Vikas Nagar Selaqui,Dehradun, Uttarakhand
64	Northern India Drug Co	PLOT NO - G-77 AND H-9 SIIDCUL SELAQUI DEHRADUN
65	Oasis Laboratories Pvt Ltd Unit II	E-18, UPSIDC Industrial Area, Selaqui, Dehradun
66	Opto Electronic Factory	Opto Electronic Factory, Raipur, Dehradun.
67	Ordnance Factory	Ordnance Factory, Raipur, Distt- Dehradun.
68	Paramount Polish Processors Pvt Ltd	Khasra No. 995/1, Camp Road, Central Hope Town, Selaqui, Dehradun Dehradun
69	PARIS FOOD AND CHEMICALS	F-36 37 38 46 UPSIDC INDUSTRIAL AREA SELAQUI Dehradun
70	PREMIER NUTRACEUTICALS PVT LTD	PLOT NO - 33 PHARMA CITY SELAQUI Dehradun
71	PUNJAB HOSPITALITY	No 380/ 155/1, Raipur Road, Jakhn Dehradun-248001
72	Pureganic Health care	44A, KUJAWALA, DEHRADUN Dehradun
73	Q H Talbros Private Limited	Khasra No- 1421 and 1423 , langa Road industrial Area Charba, Dehradun Dehradun
74	QUASAR LABS PVT LTD	Plot No.235J, Kuanwala, Haridwar Road, Dehradun Dehradun
75	RASNA PRIVATE LIMITED	323 MI, CENTRAL HOPE TOWN , SELAQUI Dehradun
76	Ruby Biopharma Pvt Ltd	Plot No. 321/1, Mi, New Camp Road, Selaqui, Dehradun, Uttarakhand.
77	RUSAN PHARMA LTD	KHASRA NO 122, MI CENTRAL HOPE TOWN SELAQUI DEHRADUN Dehradun
78	S V P Life Sciences	C-10/1, Sara Industrial Estate, Ramnagar, Selaqui, Dehradun
79	Sai Globe Packaging	Khasra No. 122 MI, Maza Central Hope Town Selaqui, Pargana-Pachwadun, Distt-Dehradun, Uttarakhand.
80	SAI GLOBE PACKAGING UNIT II	KHASRA NO. 122/46 MIN, MAUZA, CENTRAL HOPE TOWN,SELAQUI, PARGANA-PACHWADUN, DEHRADUN, UTTRAKHAND.
81	SANJIVANI PARENTAL LTD	PLOT NO 323/1 CENTRAL HOPE TOWN CAMP ROAD SELAQUI VIKASNAGAR Dehradun
82	Sarvear Pharmaceuticals UA	C-7, Sara Industrial Estate, Village Rampur, Dehradun Dehradun
83	SHARON BIO MEDICINE LTD	Khasra No- 1027/28/30/37, Central Hope Town, Industrial Area, Selaqui, Dehradun Dehradun
84	SHIVALIK RASAYAN LIMITED	VILLAGE KOLHUPANI POST CHANDANWARI VIA PREM NAGAR DEHRADUN 248007 UTTRAKHAND Dehradun
85	Sidmak laboratories India Private Limited	Plot No. 17,20, Pharma City, Selaqui Industrial Area,Selaqui, Vikas Nagar,Dehradun - 248 197 Dehradun
86	Signature Phytochemical Industries	khasra no 122 MI Central Hope Town Selaqui Dehradun
87	SUNCARE FORMULATIONS PVT LTD	E-20, UPSIDC INDUSTRIAL AREA, SELAQUI, DEHRADUN Dehradun

88	SUNCARE PHARMACEUTICALS PVT LTD	PLOT NO. 6, PHARMACITY, SELAQUI, DEHRADUN Dehradun
89	Supermax Laboratories	Plot no.40, pharma city, selaqui industrial area, dehradun
90	SWARANIMAKASH LIFE SCIENCES PRIVATE LIMITED	B-8, SARA INDUSTRIAL ESTATE, RAMPUR, SELAQUI
91	Swift Life Sciences Private Limited	Plot No. D-1, Sara Industrial Estate, Vill. Rampur, Selaqui, Distt. Dehradun Dehradun
92	Syncom Healthcare Ltd	Plot no D-42 UPSIDC , Industrial Area, Selaqui , Dehradun Dehradun
93	Test Industry name	C-88 Dehradun
94	Uni Medicolabs	Plot No. 21-22, Pharmacity, Selaqui Dehradun
95	UTHIKA LABORATORIES PRIVATE LIMITED	Plot No. F 57, SIDCUL Industrial Area, Selaqui, Dehradun
96	VED LIFESAVERS PVT LTD	PLOT NO A-3 SARA INDUSTRIAL ESTATE CHAKARATA ROAD SHANKARPUR HUKUMATPUR VIKASNAGAR DEHRADUN Dehradun
97	VENOR PHARMA LIMITED	A-43, G.T. KARNAL ROAD INDUSTRIAL AREA, DELHI -110033
98	VERVE HUMAN CARE LABORATORIES (A unit of Venor Pharma Ltd.)	15 A PHARMACITY, SIDCUL, SELAQUI, DEHRADUN, Dehradun
99	WELLMIND NUTRACEUTICALS PVT LTD	KHASRA NO- 179, PLOT NO- B, MAUZA CHHARBA, NEAR LANGHA ROAD
100	Wheezal Homeo Pharma	Plot No. 07, Pharma City, Selaqui, Dehradun Dehradun
101	Wheezal Homeo Pharma	Plot No. 18, Pharma City, Selaqui Dehradun
102	Windlas Biotech Limited Plant-1	Plot No. 40/1, Mohabewala Industrial Area, Dehradun Dehradun
103	WINDLAS BIOTECH LIMITED, PLANT-5	Kh. No. 167 GHA, 168GHA, 166 GA AND 172DA, Mohabewala Industrial Area
104	Windlas Biotech Private Limited Plant 2	Khasra No. 141Kha, 142Kha, 143Ka, 145Kha, 145Ga, Mohabewala Industrial Area, Dehradun Dehradun
105	Windlas Biotech Private Limited Plant 4	Plot No. 183Kh , 192Kh, Mohabewala Industrial Area, Dehradun Dehradun
106	WINDLAS BIOTECH PRIVATE LIMITED PLANT-3	13

S.No.	Name Of the Unit	Address	Validity
1	Mahavir Transmission Limited	Mahavir Transmission Ltd., Plot No. A-9, B-4, A-11-13S Industrial Estate, Vikasnagar, Dehradun.	03/08/2023-31/03/2028
2	CLASSIC WIRE	KANDHAULI BIDHOLI PREMNAGAR DEHRADUN	01/04/2021-31/03/2024
3	Shashwat Cables Pvt Ltd	Khasra No. 1274, Industrial Area, Langha Road, Charba, Dehradun.	21/07/2022-31/03/2025
4	Matangi Rubber Pvt Ltd	Khasra No-1036, 1038, & 1039, Industrial Area, Camp Road, Vikasnagar, Dehradun, Uttarakhand.	06/07/2022-31/03/2025
5	Tower Toys	Plot No. 171D, UPSIDC Mohabewala Industrial Area, Dehradun Dehradun	22/08/2023-30/09/2028
6	VIABILITY RESEARCH PRIVATE LIMITED	Opposite Bhagat Ford, 230G, RS Heights, Mohabewala, SP Road, Dehradun-248002	15/03/2022-31/03/2026
7	DOON VALLEY KNITTING MILLS	7, Hosiery Complex, Industrial Estate, Patel Nagar, Dehradun. 248001 Uttarakhand India Dehradun	05/12/2022-31/03/2023
8	GIRRAJ KNITWEARS	64- MINICOMPLEX, INDUSTRIAL CO-OPERATIVE SOCIETY, INDUSTRIAL ESTATE, PATEL NAGAR DEHRADUN Dehradun	06/10/2021-31/03/2024
9	FABSOL (A Unit of Mochiko Shoes Pvt. Ltd.)	Khasra No. 3844, 3838 & 3878 Lal Tapper Industrial Area, Dehradun Dehradun	01/04/2020-31/03/2023
10	JAI BHARAT ROSIN AND CHEMICAL PRODUCTS	LAL TAPPERR INDUSTRIAL AREA MAZRI GRANT Dehradun	07/07/2021-31/03/2024
11	DREAMZ HOMEWARE PVT LTD	Khasra No. 122/13 Mi, Central Hope Town, Selaqui Industrial Area, Dehradun	02/04/2021-31/03/2024
12	Global Medikit Limited Unit III	Khasra No. 323 Mi, Central Hope Town, Camp Road, Selaqui, Dehradun, Uttarakhand.	27/01/2022-31/03/2024
13	Global Medikit Ltd Unit-II	Khasra No. 323 Mi, Camp Road, Central Hope Town, Selaqui, Distt-Dehradun, U.K.	12/10/2023-11/10/2028
14	LOTUS SURGICAL PRIVATE LIMITED	KHASRA NO. 1057/1 & 2, TWIN INDUSTRIAL ESTATE, SELAQUI, CAMP ROAD, TEHSIL-VIKASNAGAR, DEHRADUN.	29/08/2023-24/10/2023
15	AMBER ENTERPRISES INDIA LTD U-II	D-36,37,38 INDUSTRIAL AREA SELAQUI DEHRADUN-248197 Dehradun	01/04/2021-31/03/2024
16	Ami Cylinders	Khasra No. 322/2, 322/3 Village Selaqui 20/8 Mile Stone, Chakrota Road, Tehsil-Vikasnagar, Distt-Dehradun	18/11/2021-31/03/2024
17	SAI GLOBE PACKAGING UNIT II	KHASRA NO. 122/48 MIN, MAUZA, CENTRAL HOPE TOWN, SELAQUI, PARGANA-PACHWADUN, DEHRADUN, UTTARAKHAND.	Applied
18	DOIWALA SUGAR COMPANY LIMITED	MILL ROAD, DOIWALA Dehradun	17/11/2021-31/03/2026
19	Balaji Stone Crusher	Kh. No. 1125ka, 1125 kha, 1125Ga, 1304kha, 1305Ka, 1116Ka, 1118kha, 1125dha, 1312ka, 989ga, 990ga, 991gha, 1314kha, 1403kha mi, 1404ka, 1407ga, 1408kha, 1409kha, 1411kha, 1415ka, 1415kha, 1405kha, 1404kha, 1407kha, Vill. Baluwala, Tehsil Vikasnagar, Distt. Dehradun	01/04/2020-31/03/2024
20	Devbhoomi Stone Crusher	Khasra No. 258 Mi, 233, 231ka, 237cha, 260ka, 258 Mi, 264, 232, 263, 229 Mi, Village- Abdullapur, Kenchiwala, Sahaspur, Tehsil- Vikasnagar, Dehradun.	01/04/2020-31/03/2021
21	GAMBHIR SINGH STONE CRUSHER	VILLAGE- BASAN P.O- KALSI VIKASNAGAR DEHRADUN Dehradun	01/04/2021-31/03/2026
22	Ganga Stone Crusher	Khata No. 48, Khasra no. 1,2,3,4,5,6 Bentwali Mandi, Vikas Nagar, Dehradun	04/11/2023-31/03/2024
23	Gaurav Enterprises	Fatehpur Tanda, Majri Grant, Tehsil, Rishikesh, Dehradun Uttarakhand-249202	22/09/2022-04/03/2023
24	Maa Bala Sundari Stone Crusher	Khasra no. 216ka, 238,239 and 240, Village-Abdullapur	05/09/2023-31/03/2026

25	MKC INFRASTRUCTURE LIMITED	Kh. No. 659, 662, 663, 664, 5047750, 664, 692, 653, 686, 698, 713, 714, VILLAGE SHERPUR, SINGHNIWALA, VIKASNAGR, DEHRADUN 248197	26/05/2022-31/03/2025
26	N S DEVELOPERS	Khasra no. 1/25Mi, 17Mi	01/04/2023-31/03/2028
27	PACHWADUN STONE CRUSHER	Khasra No. 283 Ka, 284 Ka, 285, Village -Kainchiwala Abdullapur, Sahaspur, Tehsil Vikasnagar, District Dehradun Uttarakhand. -248197	22/08/2022-31/03/2026
28	RKC - BHARAT (JV)	9, PPCL COLONY UDAY VIHAR HARIDWAR BY PASS DEHRADUN, UTTARAKHAND	11/04/2023-31/03/2024
29	Shri Balaji Stone Aggregates	Khasra no. 162kha, 163kha, 164, 167, 169kha, 135kha, 136ka min, 137, 138ka, 165, 166ka VILL-KAREEMPUR, RAMSAWALA, TEHSIL-VIKASNAGAR, DEHRADUN	18/11/2023-30/09/2028
30	Shri Sai Chesta Enterprises LLP	Khata no. 1283, Kh.No. 356kha,357kha,358,359,360,361,362, Khata no. 1529, Kh.no. 363mi, Khata no. 1061, Kh.no.363mi,Khata no.126,Kh.no.363mi	20/07/2023-31/03/2028
31	Shri Yamuna Associates LLP	khata no.1283,kh no.356kha,357kha,358,359,360,361,362, khata no.1284,kh no.283,284,285,286,287,292,355,356ka,Khata no.87,K.no.294,295,296,297	Applied
32	SURYA SCREENING PLANT	VILL- BAKSARWALA BHANIYAWAL DOJWALA Dehradun	17/05/2023-31/03/2028
33	SURYA STONE CRUSHER	Khasra No-174 MI Village- Bosan, Kalsi District Dehradun Dehradun	12/07/2023-31/03/2024
34	UTTARANCHAL STONE CRUSHER LLP	Khasra No. 230 mi0, 230 ka, 223 ka mi0, 223 mi0, 225, Gram Abdullapur, Kaichiwala Sahaspur, Tehsil-Vikasnagar, Distt-Dehradun, Uttarakhand.	27/05/2023-31/03/2028
35	Yamuna Stone Crusher	Khasra No. 29 Mi0, Gram Dhummipura Gangmewa Dhakrani, Tehsil-Vikasnagar, Distt-Dehradun, Uttarakhand.	28/02/2023-31/03/2026
36	ADHUNIK ELECTRO CONTROLS PVT LTD	Plot No. E-5 UPSIDC Sara Industrial Area Selaqui, Dehradun Pin code 248197	21/11/2023-31/03/2024
37	BREW FORCE MACHINES PRIVATE LIMITED	PLOT NO E-30/2 AND 3 UPSIDC INDUSTRIAL AREA SELAQUI VIKASNAGAR DEHRADUN Dehradun	18/05/2022-31/03/2027
38	BREW FORCE TECHNOLOGIES	KH NO 122MI CENTRAL HOPE TOWN SELAQUI VIKASANGAR DEHRADUN Dehradun	Applied
39	E APPLIANCES UNIT II	PLOT NO A-4 INDUSTRIAL AREA SELAQUI DEHRADUN Dehradun	01/04/2019-31/03/2024
40	M/S DEV BHOOMI ENGINEERING	F-111, SECTOR SIDC AT IIE SIDCUL, SELAQUI	29/05/2023-31/03/2028
41	Rama Industries	Khasra No. 3804 Village-Mazri Grant Industrial Area Lal Tapper, Distt-Dehradun.	Applied
42	Uttaranchal Forgings Industry	Plot No 5368,5369, Lal Tapper Industrial Area, Majri Grant, Distt-Dehradun.	28/08/2023-28/08/2028
43	ALSTONE MANUFACTURING PRIVATE LIMITED	Khasra No.71GH & 71D (old Khasra No.1388) Village Chharba Langha Road. Industrial Area Sahaspur.	18/09/2023-31/03/2024
44	Ampa Cycles Pvt. Ltd.	Khasra No. 103Kha, 105, 80Gha, Village Chharba, Langa Road Industrial Area, Vikas Nagar, Dehradun	06/10/2021-31/03/2024
45	Globe Plastics	KHASRA NO.122, MAUZA CENTRAL HOPE TOWN, SELAQUI INDUSTRIAL AREA, Dehradun	10/10/2023-30/09/2028
46	Sai Globe Packaging	Khasra No. 122 MI, Maaza Central Hope Town Selaqui, Pargana-Pachwadun, Distt Dehradun, Uttarakhand.	Applied
47	AERO CLUB	PLOT NO-G 28/29, INDUSTRIAL AREA, SELAQUI, DEHRADUN	03/08/2023-31/03/2024
48	AERO CLUB	PLOT NO G-61/62, INDUSTRIAL AREA, SELAQUI Dehradun	01/04/2020-31/03/2023
49	Felix Impex Private Limited	Plot No. F-33, UPSIDC Industrial Area, Selaqui, Distt. Dehradun Dehradun	27/05/2023-22/02/2025

50	Kaizado Initiatives LLP	Khasra No 323 MI, Central Hope Town, Tehsil- Vikasnagar, Selaqui, Sara Industrial Estate, Dehradun, UK-248197	27/05/2023-31/03/2028
51	Ms Zara Footwear Pvt Ltd	PLOT NO. E-14, UPSIDC-SIIDCUL INDUSTRIAL AREA, SELAQUI, DEHRADUN Dehradun	12/05/2022-31/03/2023
52	STEPTec	KHASRA NO. 5173, K MAJRI GRANT, LAL TAPPAR, DEHRADUN, 248140	Applied
53	Nirmal J K Industries	Plot No-A7, Govt Industrial Estate Vikash Nagar Dehradun Dehradun	17/03/2023-31/03/2023
54	REDHILL HERBALS PRIVATE LIMITED	1063, RAJNIGANDHA CGHS SECTOR 10, DWARKA NEW DELHI 110075	05/09/2023-30/09/2025
55	ALPRO CONSUMER PRODUCTS PRIVATE LIMITED	KHASRA NO 51 61 62 VILL KUANWALA PO HARRAWALA DEHRADUN Dehradun	01/04/2021-31/03/2026
56	LVR Consumer Private Limited	Khasra no. 1000-1001, Central Hope Town, Industrial Area Selaqui, Dehradun	01/04/2021-31/03/2023
57	DIXON TECHNOLOGIES INDIA LTD	PLOT NO-9922, INDUSTRIAL AREA, SELAQUI, DEHRADUN, Dehradun	31/08/2020-31/03/2021
58	Abdul Hamid and Vias Bhatt Screening Plant (Door Screening Plant)	PLOT NO 2791 AND 2782 village Kurkawala, Markham Grant Tehsil Doiwala Dehradun	05/02/2021-31/03/2024
59	Ashirwad Enterprises And Screening Plant	Khasra No. 1175 Gha, Village Rampur Kalan, Tehsil Vikasnagar, Distt. Dehradun Dehradun	01/04/2020-31/03/2021
60	AYUSHI TRADERS	KH NO. 715, JASSOWALA, VIKASNAGAR, DEHRADUN Dehradun	01/04/2019-31/03/2024
61	Balaji Associates	Khasra No. 273, 240, 241/2, 268, 269, 279/2, Village Fatehpur Tanda, Tehsil Doiwala, Distt. Dehradu Dehradun	12/10/2023-31/03/2024
62	GAURAV SCREENING PLANT	Khasra No. 230/1, 231/1 Fatehpur Tanda Rishikesh dehradun -248140 Dehradun	01/04/2021-31/03/2024
63	Goyal Associates	Vill - Post Fatehpur Tanda, Jeevanwala, Doiwala, Dehradun.	28/06/2022-31/03/2025
64	GURDEEP SINGH AND COMPANY	Khata no. 225, Village - Dakpathar, Tehsil - Vikasnagar, Dehradun Dehradun	03/06/2023-31/03/2024
65	HIMALAYAN SCREENING	Khasra No. 148/1, 228 MI, Village Fatehpur Tanda, P.O. Doiwala, Dehradun Dehradun	25/07/2023-30/09/2027
66	LUXMI SCREENERS	Khata No 377, Village Kainchiwala, Alakfarm Selaqui Via Rampur Chakrata Road Dehradun	28/02/2023-31/03/2023
67	Om Screening Plant	Vill and Post Fatehpur Tanda, Jeevanwala, Doiwala, Dehradun.	22/08/2022-31/03/2023
68	Padma Shree Screening	Vill Khushalpur, Jassowala, Herberpur, Dehradun, Uttarakhand. Dehradun	15/06/2022-31/03/2027
69	SAI SCREENING PLANT	Khasra No 281, 286, 291Ka, 292Ka, 293, 294, 295, 297Ka, 228, 287, 288, 289, 316, 317Ka, 321, 296Ka, 290, 315, 235 kha, 236, 317Ga, 317 Kha, Village- Abdullapur	Applied
70	SHAMBU PRASAD TRENDING COMPANY	Kh. No. 47, 48MI, 49MI, 50Ka, 54 KhVillage Bhanglana, Badowala, Tehsil Doiwala, Distt. - Dehradun Dehradun	Applied
71	Shri Ram Associates	Khasra No. 197/2, 37/1, 312/2, 198, 198/80,, 197/2 etc. Vill. Fatehpur Tanda, Tehsil Doiwala, Dehradun Dehradun	04/03/2023-31/03/2023
72	SHRI DINESH PRASAD SEMWAL	Khasra No. 651/1, 716, 717/2, 719, Village Jassowala, Tehsil Vikasnagar, District Dehradun Dehradun	23/04/2022-31/03/2025
73	DEVBHOOMI RUBBER PRIVATE LIMITED	KHASRA NO 1038 & 1039,CAMP ROAD, CENTRAL HOPE TOWN	29/04/2022-31/03/2025
74	Diamond Rubber Products	A23-A24, Rani Pokhri Industrial Area Dehradun	07/04/2022-31/03/2023
75	MINI MOULDINGS	SEWLA KALAN, MAJRA Dehradun	26/05/2023-31/03/2024
76	Burger King A unit of Burger King India Pvt. Ltd.	Unit No 5/5, 4/4, 3/3, Ground Floor, Ballupur road, Chakrata Dehradun	21/07/2022-31/03/2025
77	Burger King A unit of Burger King India Pvt. Ltd.	Unit No 5/5, 4/4, 3/3, Ground Floor, Ballupur road, Chakrata Dehradun	19/10/2023-30/09/2024

78	SAI ENTERPRISES	PLOT NO 0 AKBAR COLONY SELAQUI VIKASNAGAR DEHRADUN Dehradun	13/10/2023-30/09/2026
79	SHRI POLYPLAST	Central Hope Town Selauqui Dehradun	07/04/2022-31/03/2023
80	T C PLASTIC	Khasr No. 1/1/1 Min, Mauza Central Hope Town, Selauqui, Dehradun	18/04/2022-31/03/2023
81	BHUGAN INFRACON PRIVATE LIMITED	VILLAGE- HARRAWALA DEHRADUN Dehradun	12/07/2023-31/03/2026
82	Doon Structure And Concretes	Kh No-108, Near OllampusSchool, Sewia Kala GMS Road, Dehradun. 248001 Dehradun	01/04/2020-31/03/2025
83	Larsen and Toubro Limited	L&T Construction - HCI IC 300MW Lakhwar MP Project	06/06/2023-31/03/2024
84	LISHA ENGINEERS PRIVATE LIMITED	Khasra No. 1260, Dehrakhas, Dehradun Dehradun	12/10/2023-31/03/2024
85	Riddhi Vinayak Techno	Riddhi Vinayak Techno, Vill- Majra, Khata no. 66, Khasra No. 457 kha Mi, Distt- Dehradun, Uttarakhand.	09/08/2023-30/09/2024
86	Shreekanth Buildtron Pvt Ltd	Khasra No. 380ka, 386ka, Near Lacchiwala Nature Park, Doiwala, Dehradun, Uttarakhand.	29/08/2023-05/12/2023
87	SONG DA RITHWIK JOINT VENTURE	REDIMIX PLANT- 1, VILLAGE - SRIKOT GANGANALI, SRINAGAR PAURI GARHWAL	02/05/2022-31/03/2024
88	SONG DA RITHWIK JOINT VENTURE	REDIMIX PLANT- 1, VILLAGE - SRIKOT GANGANALI, SRINAGAR PAURI GARHWAL	03/08/2023-30/09/2026
89	SPG INFRAPROJECTS PRIVATE LIMITED	NAKRONDA, HARIDWAR ROAD HARRAWALA DEHRADUN	Applied
90	Swasti Structure	Khasra No.1271,1272,1182,1192,1202 and 1212, Vill. Kuanwala, Pargana Parwadoon, Distt Dehradun	13/10/2021-31/03/2023
91	Yamuna Builders and Contractors	Khasra No. 586 Kha, 587, 588 Ka, Village Jeevangarh, Tehsil Vikasnagar, District Dehradun Dehradun	07/02/2023-31/03/2027
92	Linde India Ltd	Khasra No-122, Central Hope Town, Selauqui, Distt-Dehradun, Uttarakhand.	15/07/2023-31/03/2024
93	JAGRAN PRAKASHAN LIMITED	C2/2-1 INDUSTRIAL AREA SELAQUI DEHRADUN Dehradun	05/09/2023-30/09/2026
94	Punjab Kesari Publishing House private limited	plot no. E-34, Industrial area selauqui, Dehradun Dehradun	18/05/2022-31/03/2027
95	Sahara India Mass Communication	Shed No-03, Industrial Area, Pateinagar, Dehradun Dehradun	22/08/2023-30/09/2026
96	Siddhi Foils	G-48, UPSIDC, CHAKRATA ROAD, SELAQUI, Dehradun, Uttarakhand, 248011 Dehradun	18/09/2023-31/03/2024
97	Siddhi Foils	G-52 UPSIDC Indi Area Selauqui, Dehradun -248011	21/08/2023-30/09/2025
98	vishal darpan publication	50/51, Nari Shilp Marg, Chakrata Road, Dehradun, Uttarakhand 248001 Dehradun Waste Management Pvt Ltd, Sheeshambada Village, Sherpur Post Office, Near Selauqui Dehradun	04/11/2023-31/03/2027
99	Dehradun Waste Management Private Limited	Office, Near Selauqui Dehradun	10/05/2022-31/03/2025
100	UJVNL LIMITED	LAKHWAR MULTIPURPOSE PROJECT (3x100) MW GENERAL MANAGER (CIVIL), UJVNL DAKPATHAR-248125 DISTT DEHRADUN, (UTTARAKHAND)	Applied
101	UTTARAKHAND JAL VIDYUT NIGAM LIMITED	Kulhai Power Station, UJVNL Dehradun - 248142	16/08/2022-31/03/2027
102	Uttarakhand Jal Vidyut Nigam Limited	Hatyari Power House (VYASI HEP) UJVNL LIMITED Village - Hatyari, Dehradun Uttarakhand	Applied
103	Uttarakhand Jal Vidyut Nigam Limited	Chibro Power House (Ichari dam) Dakpathar Dehradun 248125 Dehradun	01/11/2023-30/09/2024
104	UTTARAKHAND JAL VIDYUT NIGAM LIMITED	Dharkrani Power House, Dharkrani, Dehradun	05/09/2023-30/09/2025
105	VENCO RESEARCH AND BREEDING FARM PRIVATE LIMITED	VILLAGE- ATTAK FARM SAHASPUR SELAQUI VIKASNAGAR DEHRADUN Dehradun	04/11/2023-30/09/2024
106	VENCO RESEARCH AND BREEDING FARM PRIVATE LIMITED UNIT II	VILLAGE- SRINI KHERI P.O. - RAJAWALA SELAQUI DEHRADUN Dehradun	15/07/2023-31/03/2024
107	VINAYAK POULTRY FARM	VILLAGE- SORNA VIKASNAGAR Dehradun	Applied

108	DOON VALLEY DISTILLERS LIQUOR UNIT	KJANWALA HARRAWALA DEHRADUN Dehradun	05/09/2023-30/09/2026
109	DOVAL CLOSURES PRIVATE LIMITED	Plot No. F-24, UPSIDC Industrial Estate, Selaqui, Dehradun Dehradun	26/10/2021-31/03/2024
110	AGI GREENPAC LIMITED	KHASRA NO-122, CENTRAL HOPE TOWN INDUSTRIAL AREA, SELAQUI DEHRADUN	01/04/2020-31/03/2022
111	ALFA PACKAGING	e 29 upsidc industrial area patel nagar dehradun Dehradun	20/09/2023-31/03/2024
112	Biosterile Corporation	Khasra No 1051-1 and 1051-2, Plot No 17 and 18 Central Hope Town Selaqui Dehradun Dehradun	05/09/2022-31/03/2023
113	BRIGHT BROTHERS LIMITED	Khasra 3962 3963 3946 3947 Lal Tappar Industrial Area Majri Grant Majra Dehradun Dehradun	01/04/2020-31/03/2021
114	BRJMOHAN PACKAGING PVT LTD	PLOT NO- D-6, SARA INDUSTRIAL ESTATE, RAMPUR, DEHRADUN	Applied
115	DIXON TECHNOLOGIES (INDIA) LIMITED	DIXON TECHNOLOGIES (INDIA) LIMITED	01/04/2020-31/03/2025
116	DOON PLASTIC INDUSTRIES	Khasra No. 2357/6 Basant Oil Compound, Mohbbewala, Dehradun	01/04/2020-31/03/2024
117	Encraft India Pvt Ltd	Khasra Number 1000-1001, Central Hope Town, Tehsil-Vikasnagar, Distt-Dehradun.	17/03/2023-31/03/2026
118	G B Equipment Systems Limited	Plot No. C-11/2/2 Industrial Area, Selaqui, Dehradun, Uttarakhand-248197	01/04/2021-31/03/2026
119	GORAKHNATH ENTERPRISES	Khasra No1011/2, Mauza Central Hoptetown	21/11/2023-31/03/2027
120	GREATTECH TELECOM TECHNOLOGES PRIVATE LIMITED	KHASRA NO 122/32 and 122/36 MI CENTRAL HOPE TOWN SELAQUI DISTT, DEHRADUN PIN CODE,248197 Dehradun	Applied
121	HIMALAYAN PACKAGING INDUSTRIES PVT LTD	D-5, UPSIDC, Khasra No 296/1, 296/3, 295 & 323 MI INDUSTRIAL AREA, SELAQUI Dehradun	11/01/2022-31/03/2022
122	HIMALAYAN POLYMER INDUSTRIES	HIMALAYAN POLYMER INDUSTRIES Dehradun	Applied
123	HI-TECH POLY PACK INDUSTRIES	KHASRA NO 1034M, CAMP ROAD, NEAR INTAS PHARMACEUTICALS,CENTRAL HOPE TOWN, SELAQUI, DEHRADUN, UTTARAKHAND	05/12/2022-31/03/2023
124	INFINTE WATER SOLUTIONS PRIVATE LIMITED	Plot No. 3946/3961/3962, Lal Tapper Industrial Area, Majri Grant Village, Handwar Dehradun	04/11/2023-31/03/2024
125	J B INDUSTRIES	CENTRAL HOPE TOWN SELAQUI	10/08/2022-31/03/2023
126	Jindal Pe-X Tubes PRIVATE LIMITED	D-10, Sara Industrial Estate, Village Rampur , Chakrata Road, Selaqui, Dehradun Dehradun	23/05/2023-31/03/2026
127	KPT Piping System Pvt. Ltd.	Formerly (Kanha Plastics Pvt Ltd) 122/69, CENTRAL HOPE TOWN SELAQUI INDUSTRIAL AREA SAHASPUR VIKASNAGAR	01/04/2022-31/03/2023
128	KUMAR AUTO SALES	PLOT NO- D-6 UPSIDC INDUSTRIAL AREA SELAQUI Dehradun	01/06/2022-31/03/2026
129	M/s P S Industries	KHASRA NO-122 MINI CENTRAL HOPE TOWN SELAQUI	28/02/2023-31/03/2023
130	IMs SHAANVI GLOBE PACKAGING SOLUTIONS	Khasra No. 1050, Central Hope Town, Selaqui, Dehradun	08/06/2022-31/03/2023
131	Make A Light Industries	Plot No 9 Khasra no 1045/1 Twin Industrial Estate Near Camp Road Opp Flair Pens Selaqui dehrad Dehradun	09/08/2023-30/09/2027
132	MB Productions	Khasra No. 122 Min, Central Hope Town,Near Doon Bussiness School, Selaqui	01/06/2022-31/03/2027
133	MUSKAAN SAFETY SOLUTION PVT LTD	PLOT NO G 37 38 INDUSTRIAL AREA SELAQUI VIKASNAGAR DEHRADUN Dehradun	30/10/2021-31/03/2026
134	NAMO PLASTIC	W26, TRANSPORT NAGAR, NAYA GAO SEWLA KHURD, Dehradun, Uttarakhand, 248001 Dehradun	18/05/2022-31/03/2027
135	NARAYAN INDUSTRIES	122 MI CENTRAL HOPE TOWN, SELAQUI, DEHRADUN	01/06/2022-31/03/2027
136	NEW GEN PACKAGING	F,24 UKSIDC SELAQUI	30/01/2023-18/01/2028
137	P P POLYMER	KHASRA NO 517, OLD KALSI, KALSI BAZAR Dehradun	24/11/2021-31/03/2024

138	PRAGYAAN PACKAGING PRIVATE LIMITED	TEHSIL KALSI, JONSAAR BABAR, HARIPUR PARGANA, CHAKRATA ROAD, KALASI, DEHRADUN , UTTARAKHAND , 248158 KHASRA NO 1007, JAMANPUR CENTRAL HOPE TOWN SELAQUI DEHRADUN	30/05/2022-31/03/2025
139	RAGHAV BIOGRADABLE		06/06/2023-31/03/2024
140	Rawat Poly Industries	Khasra No. 323 Mi, Central Hope Town, Selaqui, Dehradun Dehradun	18/04/2022-31/03/2023
141	Rolie Polymers	G-66, UPSIDC, SELAQUI, DEHRADUN	12/10/2023-05/10/2028
142	Satya Industries	2366 Min, Arcadia Grant, Mohabewala Industrial Area, Dehradun Dehradun	10/08/2022-31/03/2023
143	SHREE KRISHNA INDUSTRIES	Kh.No.122 SELAQUI VIKASNAGAR DEHRADUN	02/07/2022-31/03/2023
144	SHRI HR INSUTECH PRIVATE LIMITED	KHASRA NO-1016, 1026/2, 1028/2 CAMP ROAD SEALQUI DEHRADUN-248197 UTTARAKHAND	11/08/2023-30/09/2027
145	SHRI NATH INDUSTRIES	C- 15 & 16 , MINI INDUSTRIAL ESTATE ,VILLAGE - CHHARBA, LANGHA ROAD , TEHSIL VIKASNAGAR, DEHRADUN	19/07/2022-31/03/2023
146	SHRISHTI PLAASSTO	KH NO 1016 CENTRAL HOPE TOWN SELAQUI Dehradun	20/07/2023-30/09/2027
147	SIDDDHI PACKAGING	PLOT NO 134 GHA TO 141KA MOHABEWALA INDUSTRIAL AREA, DISTT- DEHRADUN, UTTARAKHAND.	21/10/2023-31/03/2024
148	SPARROW TECHNOLOGIES LIMITED	197/2 SHYAMPUR BIPASS ROAD GUMANIWALA RISHIKESH DISTT DEHRADUN PIN 249201	Applied
149	SSF PACKAGING	PLOT NO. 4 & 5, KHASRA NO. 1045/1CENTRAL HOPE TOWN, SELAQUI, DEHRADUN	11/07/2022-31/03/2027
150	Sunshine Industries Unit-II	Khasra No. 166 Kha, Village- Byasmud Haripur Kalsi Dehradun Dehradun	20/04/2023-31/03/2024
151	SURYA CONSULTANTS PLASTIC DIVISION	KH NO 323MI CENTRAL HOPE TOWN SELAQUI Dehradun	27/11/2021-31/03/2023
152	TRUVIN PET AND POLYMERS	TRUVIN PET AND POLYMERS, KHASRA NO. 141 KA TO 141 GA, MOHABEWALA INDUSTRIAL AREA, DEHRADUN	01/05/2023-31/03/2027
153	Weener Empire Plastics Pvt ltd	Khasra No. 1379, Langha Road Industrial Area, Village Charba, Vikasnagar	17/05/2023-31/03/2024
154	YASH DYNAMICS PVT LTD	Khasra No. 122/1M, Mauza Central Hope Town, Selaqui Industrial Area, Dehradun Uttarakhand, 248011	12/07/2023-31/03/2025
155	A1 Traders	Village Rampur, Main Road, Tehsil Vikas Nagar, District Dehradun Dehradun	18/04/2022-31/03/2023
156	K H Traders	Khata No. 14, Khasra No. 26mi, Mauza Ghamolo, Pargana Pachwadoon, Tehsil- Vikasnagar, Distt-Dehradun, Uttarakhand.	25/05/2022-31/03/2023
157	Kashish Traders	Khasra No. 120/1364, Village Shankarpur, Hukumatpur, Tehsil Vikasnagar, Dehradun Dehradun	25/11/2023-30/09/2024
158	SAYA POLYMERS	Khasra No. 3267 Ka, VILL SANKARPUR HAKUMATPUR, Pargana Pachwadoon, District Dehradun	07/11/2022-31/03/2025
159	SHEEBA INDUSTRIES	KHASRA NO 1029, KHATA NO. 16, MAUZA CENTRAL HOPE TOWN SELAQUI	14/06/2023-31/03/2024
160	Waste Warriors Society	TEHSIL VIKAS NAGAR DEHRADUN 248197 Waste Warriors Swacchta Kendra	17/11/2021-31/03/2026
161	RG Marketing Associates Unit-2	Khasra No 517 Old Kalsi PO Kalsi Bazaar , Head Office 61 Gandhi Road Dehradun Dehradun	Applied
162	Biological E LTD	Plot No 31 and 32, Pharmacy, Selaqui, Dehradun, Uttarakhand 248011	01/05/2023-31/03/2026
163	VENOR PHARMA LIMITED	Dehradun A-43, G.T. KARNAL ROAD INDUSTRIAL AREA, DELHI -110033	Applied
164	ALDER BIOCHEM PRIVATE LTD	plot no-4 , SARA INDUSTRIAL ESTATE LTD, VILLAGE RAMPUR, DEHRADUN	26/07/2023-30/09/2026

165	Applied Communication and Controls	KHASRA NO- 122, MI CENTRAL HOPE TOWN SELAQUI DEHRADUN Dehradun	18/11/2023-30/09/2024
166	ARHAM BIOCEUTICALS PRIVATE LIMITED	PLOT NO C-12 KHASRA NO-2531 SARA INDUSTRIAL ESTATE SHANKARPUR SELAQUI DEHRADUN	19/10/2023-31/03/2026
167	Ayatech Pharma Private Limited	KHASRA NUMBER 2755 MAUZA SHANKARPUR HAKUMATPUR PARGANA PACHWA DOON TEHSIL VIKAS NAGAR DISTRICT DEHRADUN	17/01/2020-31/03/2021
168	Coral Laboratories Ltd	Plot No. 27,28, Pharma City, SIDCUL, Selaqui, Dehradun Dehradun	01/04/2022-31/03/2023
169	Cris Pharma India Ltd	Plot No. E-11, UPSIDC Industrial Area, Selaqui, Dehradun Dehradun	Applied
170	Daffohils laboratories private limited	109/110 UPSIDC Industrial area, selaqui, dehradun Dehradun	Applied
171	East African india Overseas	Plot No. 8, Pharmacity, SIDCUL, Selaqui Dehradun Dehradun	05/12/2022-31/03/2025
172	EAST AFRICAN INDIA OVERSEAS	Plot No- 12A, Pharmacity, Selaqui Dehradun, Uttarakhand.	01/04/2020-31/03/2021
173	EAST AFRICAN INDIA OVERSEAS	Plot No- C1, Pharmacity, Selaqui Dehradun.	07/05/2022-31/03/2025
174	East African India Overseas	Plot No.8A, Pharmacity	18/05/2022-31/03/2027
175	East African India Overseas (Unit- IV)	Plot No - 8B, Pharmacity, Selaqui Dehradun	Applied
176	Global Medikit Limited	Khasra No. 3231/1 Mi, Central Hope Town, Industrial Area, Selaqui, Tehsil- Vikasnagar, Distt-Dehradun, U.K.	25/07/2023-31/03/2025
177	HAB Pharmaceuticals and Research Limited	Plot No 10, Pharmacity, Sidcul, Selaqui, Dehradun-248011	29/09/2021-31/03/2024
178	HEMA LABORATORIES PVT. LTD.	PLOT NO.29	Applied
179	HFA FORMULATION PVT. LTD.	Plot No- E-25 Industrial Area, UPSIDC Selaqui Dehradun	17/07/2021-31/03/2024
180	IKON PHARMACHEM PVT LTD	Khasra No 1/19 Mauza Central Hope Town Dehradun	29/05/2023-31/03/2024
181	INDIAN DRUGS AND PHARMACEUTICALS LIMITED	IDPL	10/02/2022-31/03/2023
182	INTAS PHARMACEUTICALS LIMITED	CAMP ROAD SELAQUI DEHRADUN	06/12/2021-31/03/2024
183	ISH MEDICOS PRIVATE LIMITED	9 PHARMA CITY SELAQUI DEHRADUN Dehradun	05/03/2022-31/03/2024
184	ISHAANA NUTRACEUTICALS PVT. LTD.	SELAQUI INDUSTRIAL AREA DEHRADUN UTTRAKHAND	13/10/2021-31/03/2024
185	JK Print Packs	Plot No. C-14 to 17, Village Rampur Industrial Estate, Vikasnagar, Dehradun Dehradun	12/10/2023-30/09/2024
186	Karnani Pharmaceuticals Pvt Ltd	Plot No. 38, Pharma City, Selaqui, Dehradun	02/05/2022-31/03/2023
187	KUMAD PHARMA	Khasra No. 89, Mauza Central Hopetown, Pargana Pachwa Doon, Tehsil Vikas Nagar, Selaqui, Dehradun	16/11/2023-31/03/2024
188	LEXUS INDIA LTD	PLOT - D-3-4 INDUSTRIAL AREA ROAD SELAQUI Dehradun	11/02/2022-31/03/2024
189	M/s. Troikaa Pharmaceuticals Limited	Plot No. C-1, SARA Industrial Estate, Chhota Rampur , Sahaspur, Selaqui, Dist - Dehradun - 248197	17/08/2022-31/03/2023
190	MANCARE LABORATORIES	PLOT NO 11 PHARMACITY SELAQUI DEHRADUN Dehradun	05/09/2022-31/03/2023
191	MEPROMAX LIFESCIENCES PRIVATE LIMITED	PLOT NO- 16 PHARMA CITY SELAQUI INDRUSTRIAL AREA TEHSIL VIKAS NAGAR DEHRADUN UTTRAKHAND 248197 Dehradun	22/07/2023-31/03/2024
192	Natco Pharma Ltd Unit 7	Plot No-A-3, UPSIDC, Industrial Area, Selaqui, Distt-Dehradun.	11/07/2022-31/03/2025
193	Nichepharm Lifesciences Pvt. Ltd.	Khasra No-1/14/1, Mauza Central Hopetown, Pargana Pachwa Doon Tehsil Vikas Nagar Selaqui Dehradun, Uttarakhand	01/04/2021-31/03/2031
194	Oasis Laboratories Pvt Ltd Unit II	E-18, UPSIDC Industrial Area, Selaqui, Dehradun	Applied
195	PREMIER NUTRACEUTICALS PVT LTD	PLOT NO - 33 PHARMA CITY SELAQUI Dehradun	15/12/2022-31/03/2025
196	Pureganic Health care	44A, KUAWALA, DEHRADUN Dehradun	27/01/2022-31/03/2024
197	QUASAR LABS PVT LTD	Plot No.235J, Kuanwala, Haridwar Road, Dehradun Dehradun	25/03/2022-31/03/2024
198	Ruby Biopharma Pvt Ltd	Plot No. 321/1, Mi, New Camp Road, Selaqui, Dehradun, Uttarakhand.	07/10/2023-30/09/2027

199	RUSAN PHARMA LTD	KHASRA NO 122, MI CENTRAL HOPE TOWN SELAQUI DEHRADUN Dehradun	01/03/2023-31/03/2024
200	S V P Life Sciences	C-10/1, Sara Industrial Estate, Ramnagar, Selaqui, Dehradun PLOT NO 323/1 CENTRAL HOPE TOWN CAMP ROAD SELAQUI VIKASNAGAR Dehradun	01/02/2022-31/03/2024
201	SANJIVANI PARENTERAL LTD	C-7, Sara Industrial Estate, Village Rampur, Dehradun Dehradun	31/03/2022-31/03/2024
202	Sarvear Pharmaceuticals UA	Khasra No- 1027/28/30/37, Central Hope Town, Industrial Area, Selaqui, Dehradun Dehradun	12/10/2023-31/03/2024
203	SHARON BIO MEDICINE LTD	Plot No. 17, 20, Pharma City, Selaqui Industrial Area, Selaqui, Vikas Nagar, Dehradun - 248 197 Dehradun	25/10/2023-18/10/2028
204	Sidmak laboratories India Private Limited	khasra no 122 MI Central Hope Town Selaqui Dehradun	07/01/2023-31/03/2023
205	Signature Phytochemical Industries	E-20, UPSIDC INDUSTRIAL AREA, SELAQUI, DEHRADUN Dehradun	29/08/2023-31/03/2026
206	SUNCARE FORMULATIONS PVT LTD	PLOT NO. 6, PHARMACY, SELAQUI, DEHRADUN Dehradun	22/09/2022-31/03/2024
207	SUNCARE PHARMACEUTICALS PVT LTD	Plot no.40, pharma city, selaqui industrial area, dehradun	01/04/2021-31/03/2026
208	Supermax Laboratories	Plot No. D-1, Sara Industrial Estate, Vill. Rampur, Selaqui, Distt. Dehradun Dehradun	05/09/2023-31/03/2026
209	Swift Life Sciences Private Limited	Plot no D-42 UPSIDC , Industrial Area, Selaqui , Dehradun Dehradun	25/11/2022-31/03/2027
210	Syncom Healthcare Ltd	Plot No. 21-22, Pharmacy, Selaqui Dehradun	22/04/2022-31/03/2027
211	Uni Medicolabs	Plot No. F 57, SIDCUL Industrial Area, Selaqui, Dehradun	11/08/2023-30/09/2024
212	UTHIKA LABORATORIES PRIVATE LIMITED	PLOT NO A-3 SARA INDUSTRIAL ESTATE CHAKARATA ROAD SHANKARPUR HUKUMATPUR VIKASNAGAR DEHRADUN Dehradun	25/10/2023-30/09/2024
213	VED LIFESAVERS PVT LTD	15 A PHARMACY, SIDCUL, SELAQUI, DEHRADUN, Dehradun	12/10/2023-30/09/2024
214	VERVE HUMAN CARE LABORATORIES (A Unit of Veeor Pharma Ltd.)	KHASRA NO- 179, PLOT NO- B, MAUZA CHHARBA, NEAR LANGHA ROAD Plot No. 40/1, Mohabewala Industrial Area, Dehradun Dehradun	14/06/2023-31/03/2028
215	WELLMIND NUTRACEUTICALS PVT LTD	Kh. No. 167 GHA, 168GHA, 166 GA AND 172DA, Mohabewala Industrial Area	22/09/2022-31/03/2023
216	Windlas Biotech Limited Plant-1	Khasra No. 141Kha, 142Kha, 143Ka, 145Kha, 145Ga, Mohabewala Industrial Area, Dehradun Dehradun	21/06/2022-31/03/2027
217	WINDLAS BIOTECH LIMITED, PLANT-5	Plot No. 183Kh, 192Kh, Mohabewala Industrial Area, Dehradun Dehradun	20/04/2023-31/03/2024
218	Windlas Biotech Private Limited Plant 2	PLOT NO. 39, PHARMACY, Selaqui, Dehradun	01/04/2022-30/09/2024
219	Windlas Biotech Private Limited Plant 4	Khasra No. 2550, SARA Industrial Area, Chakrata Road, Dehradun. VILLAGE KOLHUPANI POST CHANDANWARIA VIA PREM NAGAR DEHRADUN	22/04/2022-13/04/2027
220	WINDLAS BIOTECH PRIVATE LIMITED PLANT-3	248007 UTTARAKHAND Dehradun	31/12/2022-31/03/2023
221	Indian Oil Petronas Pvt Ltd	Khasra No. 558, viyas nahri kalsi dehradun	01/11/2023-30/09/2024
222	SHIVALIK RASAYAN LIMITED	Plot No. G-78, 79 Dehradun	11/08/2023-30/09/2024
223	valley paper and board	Kh No. 300, 301, 302, 303 & 323,	Applied
224	Eco Bags	khasra no 1043 camp road central hope town Dehradun	13/05/2020-31/03/2021
225	MANIKA MOULDS PRIVATE LIMITED	323/1 Camp Road Central Hope Town Selaqui DEHRADUN	05/08/2022-31/03/2027
226	SANMATI INDUSTRIES		25/07/2022-31/03/2027
227	SSF Packaging Unit I		01/04/2021-31/03/2026
228	C.R BHATT FUELS		Applied
229	GAMBHIR SINGH	Khasra No. 158, Village Bassan, Post. Kalsi, District Dehradun Dehradun	01/04/2021-31/03/2023
230	Garhwal Mandal Vikas Nigam	Gmyn Ltd. , 74/1 Rajpur Road, Dehradun. Dehradun Aasan 14/10 Village-Dakpathar, Nawab Garh Mandi Gang Bhewa & Bhimawala Tehsil- Vikasnagar Dehradun Dehradun Yamuna 21/1	01/04/2023-31/03/2024
231	Garhwal Mandal Vikas Nigam		03/07/2023-31/03/2024

232	Garhwal Mandal Vikas Nigam	Vill. Damolo Aasan 147Gmyn Ltd. , 74/1 Rajpur Road, Dehradun. Dehradun Gmyn Ltd. , 74/1 Rajpur Road, Dehradun. Dehradun Aasan 14/8 Vill- Khushaapur, Tehsil-Vikasnagar	31/12/2022-31/03/2027
233	Garhwal Mandal Vikas Nigam	village-kulhal, Yamuna 23/3 74/1 Rajpur Road, Dehradun	06/05/2022-31/03/2025
234	Garhwal Mandal Vikas Nigam Ltd	74/1 Rajpur Road, Dehradun Vill-Katapathar, Tehsil-Vikasnagar	Applied
235	Garhwal Mandal Vikas Nigam Ltd	74/1 Rajpur Road, Dehradun Dehradun Baldi 15/3, 15/4 Vill- Miroti, Mandawali, Pustadi, Kulhaan, Mansingh, Kheni&Mansingh&Reniwala Tehsil- Dehradun	28/03/2023-31/03/2024
236	Garhwal Mandal Vikas Nigam Ltd	Village-Rampur Khurd, Bhamwala, Jagatpur, Bhagwanpur, Julo	06/05/2023-31/03/2024
237	Garhwal Mandal Vikas Nigam Ltd	Abdullahpur, Karimpur, Tiwadi& Bhaktawarpur Sama 17/1 Vill-Dhanaula & MaroohaGarhwal Mandal Vikas Nigam Ltd 74/1 Rajpur Road, Dehradun	30/05/2023-31/03/2028
238	Garhwal Mandal Vikas Nigam Ltd	74/1 Rajpur Road, Dehradun Vill-Katapathar, Tehsil-Vikasnagar	Applied
239	Garhwal Mandal Vikas Nigam Ltd	74/1 Rajpur Road, Dehradun Dehradun Jakhn 13/2 Majnigrant, Doiwala	03/01/2022-31/03/2022
240	Garhwal Mandal Vikas Nigam Ltd	village-kulhal, Yamuna 23/3 74/1 Rajpur Road, Dehradun	02/03/2023-31/03/2027
241	Garhwal Mandal Vikas Nigam Ltd	Village-Rampur Khurd, Bhamwala, Jagatpur, Bhagwanpur, Julo	21/11/2023-31/03/2024
242	Garhwal Mandal Vikas Nigam Ltd	Abdullahpur, Karimpur, Tiwadi& Bhaktawarpur Sama 17/1 74/1 Rajpur Road, Dehradun Dehradun Baldi 15/3, 15/4 Vill- Miroti, Mandawali, Pustadi, Kulhaan, Mansingh, Kheni&Mansingh&Reniwala Tehsil- Dehradun	Applied
243	Garhwal Mandal Vikas Nigam Ltd	Vill-Dhanaula & MaroohaGarhwal Mandal Vikas Nigam Ltd 74/1 Rajpur Road, Dehradun	25/07/2023-30/09/2024
244	Garhwal Mandal Vikas Nigam Ltd	VILLAGE- NAWABGARH VIKASANAGAR	01/04/2020-31/03/2022
245	Janak Singh Rawat	Khasra No. 721/1, Village Sahaspur, Tehsil Vikasnagar, District Dehradun Dehradun	27/11/2021-31/03/2026
246	Shri Dheeraj Singh Chauhan	Swarna River, Selauqi, Vikasnagar, Distt. Dehradun	07/04/2022-31/03/2027
247	Uttarakhand Forest Development Corporation	Khasra No 204, 205, 206, 207, 208, 210, 212, Village Dhankrani, Tehsil Vikasnagar, Dehradun	01/04/2023-31/03/2024
248	VIJAY THAKUR LATE SHRI SURRENDER SINGH THAKUR	khasra number 269 j kuawala dehradun	10/05/2022-31/03/2025
249	BRAHMGANGE BEVERAGES PRIVATE LIMITED	1347/22 LANGHA ROAD INDUSTRIAL AREA CHHARBA Dehradun	08/02/2021-31/03/2025
250	H2O MINERAL WATER PVT LTD	F-112 UPSIDC, SIDCUL, SELAQUI, INDUSTRIAL AREA, DEHRADUN, UTTARAKHAND, 248001	22/08/2023-31/03/2026
251	M/s Dev Bhoomi Mineral Water Technologies	323, CENTRAL HOPE TOWN, SELAQUI DEHRADUN Dehradun	03/08/2023-31/03/2024
252	RAM JANAKI AQUA PRIVATE LIMITED	Khata No.244, Khasra No. 91, Mouza Central Hope Town, Pargana Pachwa Doon, Tehsil Vikas Nagar, Dehradun, Uttarakhand	18/04/2022-31/03/2023
253	Sprizzle Beverages	SHOP NO 12 PHARASI COMPLEX SAHASTRADHARA ROAD	Applied
254	VIMIX SOLUTIONS PRIVATE LIMITED	RAIPUR ROAD , DISTRICT- DEHRADUN- UTTARAKHAND Dehradun	29/04/2022-31/03/2025
255	DEHRADUN DUGH UTPADAK SAHAKARI SANGH LTD	Khasra No. 180 Charba Langha Road Dehradun	01/04/2020-31/03/2024
256	Age 18 Cosmetics	Khasra No 179/186 Chandrabani Khalsa Mohabewala Industrial Area Dehradun Plot No A 5 1	01/04/2021-31/03/2022
257	HERBS DE OLIVIA	Khasra No 122 /48MI Central Hope Town Selauqi Dehradun Dehradun	01/04/2020-31/03/2025
258	Interco India Private Limited	Khasra No. 122/37, Mauza Central Hopetown, Selauqi, Dehradun	28/02/2023-31/03/2023
259	Jai Shree Balaji Industries		25/07/2023-31/03/2028
260	Kreation Handicrafts		20/09/2023-30/09/2025

261	Meraki Aesthetic Cosmetics	428 KA, Village- Chharba, Tehsil- Vikasnagar, Distt- Dehradun, Uttarakhand.	22/08/2023-31/03/2028
262	MG Shahani and Co Delhi Pvt Ltd	Plot No. 30, Pharma City, Selaqui Industrial Area, Dehradun Dehradun	31/03/2022-31/03/2023
263	Northern India Drug Co	PLOT NO - G-77 AND H-9 SIDCUL SELAQUI DEHRADUN Khasra No. 995/1, Camp Road, Central Hope Town, Selaqui, Dehradun Dehradun	07/11/2022-21/10/2024
264	Paramount Polish Processors Pvt Ltd	Khasra No. 122Mi, River Side Road, Selaqui, Dehradun Dehradun	05/02/2022-31/03/2022
265	Bajaj Consumer Care Limited	JP FUELS & LUBES, Khasra no 887/1/1, village bayakhala selaqui, tehsil vikasnagar, district dehradun uttarakhand	26/05/2022-31/03/2027
266	ip fuels	BARKOT MAFI RANIPOKHRI DEHRADUN	01/04/2021-31/03/2024
267	BHARTIYA CHEMICALS	E-20,21,63 and 64. UPSIDC Industrial Area, Selaqui, Tehsil-Vikasnagar, Distt-Dehradun Dehradun	11/08/2023-30/09/2024
268	R P Autostyles	Khasra No. 1045/1, Central Hope Town, Selaqui, Vikasnagar, Distt-Dehradun.	21/06/2022-31/03/2025
269	AA ENTERPRISES	PLOT NO- F92/93, INDUSTRIAL AREA , SELAQUI Dehradun	05/09/2023-31/03/2026
270	AERO CLUB	PLOT NO , KHASHRA NO 1013, 1014, CENTRAL HOPE TOWN INDUSTRIAL AREA, SELAQUI, DEHRADUN Dehradun	07/11/2022-31/03/2025
271	BALAJI LEATHER INDUSTRIES	KHASHRA NO 265, 266 & 122MI INDUSTRIAL AREA SELAQUI MAUZA CENTRAL HOPE TOWN	06/05/2022-31/03/2024
272	DAZZLE FOOTWEAR	MAZRI GRANT, LAL TAPPAR, DOIWALA, DEHRADUN	11/08/2021-31/03/2024
273	DOON FOOT CRAFT	KHASHRA NO. 122 MI BEHIND PHARMACY INDUSTRIAL AREA, SELAQUI DEHRADUN UTTARAKHAND-248197 Dehradun	25/03/2022-31/03/2024
274	EASY MATS PRIVATE LIMITED	1/1/2 CENTRAL HOPE TOWN, CHAKRATA ROAD, MEHMOODNAGAR RAMPUR, RAMPUR KHURD, DEHRADUN	17/05/2023-31/03/2026
275	ENVOGUE INTERNATIONAL	opp. biria yamaha, khasra no. 3967, lal tappad, dehradun Dehradun	25/05/2022-31/03/2027
276	GOODWILL PLASTIC INDUSTRIES	Khasra No. 2894, Majri Grant Lal Tappad Dehradun Dehradun	19/07/2022-31/03/2023
277	Goodwill Plastic Industries Unit II	E-31 UPSIDC INDUSTRIAL AREA SELAQUI Dehradun	11/02/2022-31/03/2026
278	GURLZ SHUZ	PLOT NO F-91 UPSIDC INDUSTRIAL AREA, SELAQUI, DEHRADUN - 248197 Dehradun	01/05/2023-31/03/2027
279	HYPE IMPEX	F-22 23 61 AND 62 UPSIDC INDUSTRIAL AREA SELAQUI Dehradun	27/05/2023-22/02/2025
280	R P AUTOSTYLES UNIT II	Khasra No. 995, Camp Road, Central Hope Town, Selaqui, Dehradun, Uttarakhand, 248011	10/10/2023-31/03/2026
281	RNC IMPEX PRIVATE LIMITED	Khasra No- 122/13 MI central Hope Town Selaqui Dehradun	06/07/2022-31/03/2023
282	VIN CORPORATION	KHASHRA NO 122 MI, CENTRAL HOPE TOWN SELAQUI INDUSTRIAL AREA Dehradun	27/07/2023-31/03/2024
283	VIN CORPORATION	Plot No - G-59 and 60, Selaqui Industrial Area	16/10/2023-30/09/2027
284	Y S CORPORATION	Khasra No. 15, Mohabewala Industrial Area, Dehradun Dehradun	01/10/2019-31/03/2020
285	Apex Shears Pvt Ltd	Khasra No 1022 M, Camp Road, Selaqui Distt-Dehradun.	01/04/2020-31/03/2021
286	Fittech	Kh. No 151, Chandrabani khalsa, Industrial Area Mohebewala , Dehradun Dehradun	21/11/2022-31/03/2027
287	Traub Precision Tools	F-101, UPSIDC Industrial Area, Selaqui, Chakrata Road, Dehradun, Uttarakhand-248197	05/09/2023-30/09/2025
288	Aarm India Unit 2		
289	AQUAMATIC H2O SOLUTIONS PRIVATE LIMITED	KHATA NO. 107, KHASRA NO. 225/1 AND 226/1, BEHIND ASHIRWAD VATIKA DOIWALA, MISSERWALA KHURD, DISTRICT DEHRADUN-248140	07/04/2021-31/03/2025

290	Rokani and Sons	Plot No. F-65, UPSIDC, Industrial Area, Selaqui, Distt- Dehradun.	08/05/2023-31/03/2026
291	Ceasefire Industries Private Ltd	Plot No. E-6, Industrial Area, Selaqui, Dehradun, Uttarakhand.	04/11/2023-30/09/2024
292	EPACK COMPONENTS PRIVATE LIMITED	C-5, UPSIDC, INDUSTRIAL AREA, SELAQUI, DEHRADUN, UK-248011 Plot no-222/23 Km. Chakrata Road, Chotta Rampur, Tehsil- Vikasnagar, Distt-Dehradun.	29/08/2023-31/03/2026
293	G B Springs Pvt Ltd	Opto Electronic Factory, Raipur, Dehradun.	01/04/2021-31/03/2024
294	Opto Electronic Factory	Ordnance Factory, Raipur, Distt- Dehradun.	15/12/2021-31/03/2026
295	Ordnance Factory	Khasra No- 1421 and 1423, langa Road industrial Area Charba, Dehradun Dehradun	10/10/2023-30/09/2024
296	Q H Talbros Private Limited	Villi Kaliwala, P O Badowala, Doiwala, Dehradun, Uttarakhand	17/05/2022-31/03/2023
297	Sunderam Dairy	Khasra No. 4756(New Khasra No. 1605 etc. Vill. Jamankhata, Pargana Pachwadoon, Tehsil Vikasnagar, District Dehradun Dehradun	01/04/2021-31/03/2026
298	AA CONSTRUCTIONS	KHASRA NO-725 KA,711,712 KA,725 GA,727 KHA, VILLAGE SABHAWALA TESHIL VIKASNAGAR DEHRADUN PIN NO-248197	04/07/2020-31/03/2021
299	ANSHUMAN COMPANY PRIVATE LIMITED	Khata No 327 Khasra No 197 Sha1 Vilage Sherpur Tehsil Vikasnagar District Dehradun Dehradun	01/05/2023-31/03/2027
300	Doon Infrastructure		Applied
301	Himalayan Construction	KHASRA NO 231, 232 AND 233 IN MAUZA ATTAK FARM PARGANAPACHHWADOON TEHSIL VIKASNAGAR DEHRADUN Dehradun	17/03/2023-31/03/2025
302	Raj Shyama Construction Pvt Ltd	Khasra No. 495, 819 Gram Khusalpur Tehsil-Vikasnagar, Dehradun, Uttarakhand.	01/04/2021-31/03/2026
303	SHIVALIK INFRAVENTURES PRIVATE LIMITED	Khasra No. 396Kha, 395, 399, 400, Village Neavy, Post Sahiya, Tehsil Kalsi, District Dehradun Dehradun	11/08/2023-30/09/2027
304	Shri Ram Construction	Khata no. 426, Khasra no. 493, Village - Khushalpur, Vikasnagar, Dehradun Dehradun	Applied
305	SINGLA CONSTRUCTION LIMITED	Jolly Grant Airport, Dehradun Dehradun	Applied
306	Nature Pure Bio Products Private Limited	Khasara No. 4776, Vill-Mazari Grant, Lal Tappar, Distt. Dehradun, UK-248140 Dehradun	25/09/2021-31/03/2024
307	Arceii Agribiz Private Limited	305/307, MOJA CENTRAL HOPE TOWN, SELAQUI INDUSTREAL AREA,UTTARAKHAND, DEHRADUN, Dehradun, Uttarakhand, 248011 PLOT No. G-82, SELAQUI, INDUSTRIAL AREA, TEHSIL- VIKASNAGAR, DISTRICT DEHRADUN Dehradun	22/08/2023-31/03/2028
308	SV AGROFOOD	Village Manduwala, Via Premnagar District Dehradun Dehradun	11/01/2023-31/03/2023
309	Kareyn Precision Machines Private Limited		17/05/2023-31/03/2026
310	Mahawar Udyog	Plot No. 467, Vyas Bhood, Haripur Koti Road, Kalsi, Distt. Dehradun Dehradun	25/07/2022-31/03/2027
311	Sara Sae Private Limited	A-1 Sara Industrial Estate Private Ltd. Rampur Selaqui Dehradun	05/09/2023-31/03/2027
312	Technax Engineering and Services Private Limited-Unit-I	A-2-1 Sara Industrial Estate Limited Selaqui Dehradun	16/08/2022-31/03/2027
313	TECHNOX ENGINEERING and Servicing Pvt Ltd-Unit-II	C-4 SARA INDUSTRIAL ESTATE LIMITED RAMPUR SELAQUI DEHRADUN	12/10/2023-31/03/2028
314	TRANSHHEALTH PRIVATE LIMITED	F34,Selaqui Industrial area,Selaqui, Dehradun	01/04/2023-31/03/2024
315	Addon Industries	Plot No. E-2, Selaqui Industrial Area, Dehradun Dehradun	15/09/2021-31/03/2023
316	BALMER LAWRIE VAN LEER LTD	KHASRA NO 122 MI CENTRAL HOPE TOWN SELAQUI DEHRADUN Dehradun	01/04/2020-31/03/2025
317	FOIL NEST PVT. LTD.	Khasra no. 1/1/1 Min, 88/1359 Private Plot No. 4, Sara Industrial Estate, Mauza Central Hope Town, Pargana Pachwadun, Vikasnagar, Dehradun.	01/04/2020-31/03/2021

318	GOODSOL INDUSTRIES LLP	Khasra No.1726 & 1727K,Majri Grant N.H. 72, Near haia Dhaba Lal Papped Dehradun	12/10/2023-30/09/2026
319	Mochiko Shoes	Mochiko Shoes (A Unit of Mochiko Shoes Pvt.Ltd.) Khasra No 3914	01/04/2020-31/03/2021
320	MOCHIKO SHOES PVT LTD UNIT II	KHASRA NO 3938 LAL TAPPAR INDUSTRIAL AREA DEHRADUN	18/09/2023-31/03/2024
321	MOCHIKO SHOES PVT LTD UNIT V	Khasra No. 3862, 3863, 3865 and 3956 Lal Tappar Industrial Area, Dehradun, Uttarakhand	09/08/2023-09/08/2028
322	SOLTEC (A Unit of Mochiko Shoes Pvt. Ltd.)	KHASRA NO. 3901, 3902, 3903 & 3904 LAL TAPPAR INDUSTRIAL AREA, DEHRADUN, UTTARAKHAND, 248140	21/06/2022-31/03/2025
323	SOLTEC (UNIT II) (A Unit of Mochiko Shoes Pvt. Ltd.)	KHASRA NO. 3964 & 3965, LAL TAPPAR, INDUSTRIAL AREA, DEHRADUN, UTTARAKHAND-248140	Applied
324	SOLTEC (UNIT II) (A Unit of Mochiko Shoes Pvt. Ltd.)	KHASRA NO. 3964 & 3965, LAL TAPPAR, INDUSTRIAL AREA, DEHRADUN, UTTARAKHAND-248140	15/09/2021-31/03/2024
325	Zircon Technologies India Ltd Unit-VI	Plot No. 1,2,3, Khata No. 105, Khasra No-1019, Mauza C.H.T., Selaqui, Dehradun (U.K.)	11/04/2023-31/03/2026
326	Hindusthan National Glass	P.O Virbhadra, Rishikesh, Dehradun, Uttarakhand Dehradun	06/07/2022-31/03/2025
327	Keron Life Science	D-5, SARA INDUSTRIAL ESTATE,RAMPUR,SELAQUI Dehradun	05/05/2022-31/03/2023
328	CAMPUS ACTIVEWEAR PRIVATE LIMITED	C-9,10, UPSIDC Industrial Area, Selaqui Dehradun	11/07/2022-31/03/2025
329	Mochiko Shoes Pvt Ltd Unit-1	KHASRA NO-3912, MOUZA MAZRI GRANT LAL TAPPAR Dehradun	23/06/2022-31/03/2028
330	Flex Foods Ltd	Lal Tappar Industrial Area Haridwar Road Dehradun	01/04/2021-31/03/2026
331	PARIS FOOD AND CHEMICALS	F-36 37 38 46 UPSIDC INDUSTRIAL AREA SELAQUI Dehradun	Applied
332	RASNA PRIVATE LIMITED	323 MI, CENTRAL HOPE TOWN, SELAQUI Dehradun	11/02/2022-31/03/2026
333	SPECTRUM PUF	MI-122, Central Hope Town, Selaqui Dehradun, Uttarakhand	18/10/2022-18/10/2027
334	OM BIO BAG	Plot No-B1 Govt. Industrial Estate Jevangarh Vikasnagar Dehradun	08/09/2022-31/03/2027
335	Sanjeevani Agrofoods Pvt Ltd	Khasra No. 148CHA, Mohabbewala Industrial Area, Chandrabani Khalsa, Dehradun	02/06/2022-31/03/2027
336	Shree Ganesh Roller Flour Mills	Mohbbewala Industrial Area, Dehradun.	01/04/2022-31/03/2023
337	SHREE SHUKRANA INDUSTRIES	KHASRA NO. 3939 MAUJA LAL TAPPAR MAJRI GRANT TEHSIL DOIWALA	18/09/2023-31/03/2024
338	OJAS ANIMAL FEEDS	UTTARAKHAND 248140	06/05/2022-31/03/2024
339	Safe Vetmed Private Limited	VILL CHARBA, INDUSTRIAL AREA VIKASNAGAR DEHRADUN	03/06/2023-31/03/2024
340	VENKYS INDIA LIMITED	Khasra No 122/32 MIN Central Hope Town central hope town industries area selaqui dehradun Dehradun	01/04/2021-31/03/2022
341	Venkys india Limited	KHASRA No. 1050/1, CENTRAL HOPE TOWN, CAMP ROAD, SELAQUI, DEHRADUN Dehradun.	Applied
342	Venkys India Limited	KHASRA No. 1050/1, CENTRAL HOPE TOWN, CAMP ROAD, SELAQUI, DEHRADUN Dehradun	29/05/2023-31/03/2028
343	Gopher Ventures LLP	Khasra No. 1/19	20/07/2023-31/03/2028
344	PUNJAB HOSPITALITY	No 380/ 155/1, Rajpur Road, Jakhnan Dehradun-248001	07/05/2022-31/03/2025
345	ADHUNIK YANTRA UDYOG PVT LTD	B-2, Sara Industrial Estate, Shankarpur Hukumatpur, Dehradaun, Uttarakhand, Dehradun	09/08/2023-30/09/2024
346	ATLANTIC BIO MEDICAL PRIVATE LIMITED	Khasra No. 230 JH, 230H, Kuanwala, Dist. Dehradun Dehradun	01/04/2020-31/03/2025
347	BEACON INDRUSTRIES	KHASRA NO-3983,GROUND FLOOR MAZARIGRANT LALTAPPAR INDUSTRIAL AREA RESHIKESH DEHRADUN 248140 Dehradun	23/09/2020-31/03/2021
348	Chaso Electric Solutions LLP	Khasra no 122/41-42 Mauza Central Hope Town, Selaqui Industrial Area, Dehradun Dehradun	11/08/2021-31/03/2024
349	DD INFRAVENTURE PRIVATE LIMITED	E-23 UPSIDC, Selaqui Industrial Area, Dehradun Dehradun	08/09/2022-31/03/2027

350	DIC TECHWARE PRIVATE LIMITED	KH NO 134722 LANGHA ROAD INDUSTRIAL AREA VILLAGE CHHARBA VIKASNAGAR DEHRADUN Dehradun	24/11/2021-31/03/2024
351	Dixon Technologies India Limited	Plot C-3/1 Industrial Area, Selaqui, Vikasnagar, Distt-Dehradun.	07/04/2022-31/03/2027
352	Dixon Technologies India Limited	Khasra No. 1050, Central Hope Town, Industrial Area, Selaqui Dehradun	03/08/2023-31/03/2028
353	EUREKA FORBES LIMITED	Khasra No 3946, 3961, 3962, Lal Tappar Industrial Area Majri Grant Haridwar Highway Dehradun 248140	12/07/2023-31/03/2025
354	FORBES AQUATECH LIMITED	Khasra No- 3946, 3947, 3962, 3963 Lal Tappar Majri Grant Distt - Dehradun 248140	12/10/2023-31/03/2024
355	FROG CELLSAT LIMITED	FROG CELLSAT LTD	29/08/2023-24/10/2023
356	HIMALAYAN HYBRID POWER TECHNOLOGIES PRIVATE LTD	Khasra no. 43 ka Kuanwala industrial area	15/04/2022-31/03/2024
357	Instruments and Systems	30 MOHABEWALA INDUSTRIAL AREA DEHRADUN UTTARAKHAND Dehradun	17/11/2021-31/03/2025
358	Kay Kay Fabricators	Plot No. 3831, Village Lal Tapper, Tehsil Rishikesh, Distt. Dehradun Dehradun F-52-53, SIDC, Industrial Area, Muskim, Khushaipur, Sahaspur, Selaqui, Vikasnagar, Dehradun, Uttarakhand- 248011	05/08/2023-30/09/2028
359	MIS LOOPSUN POWER SOLUTION PRIVATE LIMITED	C/o Bharti Airtel Ltd., Mauza Central Hope Twon, Pargana Western Doon, Vikasnagar, Dehradun-248197 Dehradun	15/07/2022-31/03/2027
360	NXTRA DATA LIMITED	PLOT NO -3881, LALTAPPAR INDRUSTRIAL AREA MAZARIGRANT RESHIKESH DEHRADUN Dehradun	12/10/2023-31/03/2024
361	POWER TECHNOLOGIES CORPORATION	G-31, UPSIDC, INDUSTRIAL AREA, SELAQUI, DEHRADUN	26/10/2021-31/03/2024
362	S.G ELECTRICALS	Plot No 50, Mohabewala Industrial Area, Dehradun Dehradun	20/07/2023-31/03/2028
363	Sap India Private Limited	Khasra No. 2357/5, Arcadia Grant, Mohabewala Industrial Area, Mohabewala, Distt-Dehradun.	23/06/2023-31/03/2024
364	Starlite Lamps	Plot No E-12 Selaqui Industrial Area Dehradun Dehradun	11/02/2022-31/03/2022
365	TVS Electronics Limited	Khasra No. 181 GH, Village-Charba Industrial Area, Tehsil-Vikasnagar, Pargana Pachwadoon, Distt-Dehradun, Uttarakhand.	01/04/2021-31/03/2024
366	MULTIGRAPHICS PRINT PRIVATE LIMITED	PLOT NO 261 CENTRAL HOPE TOWN SELAQUI Dehradun	31/05/2022-31/03/2023
367	AIRTEL MSC	KHASRA NO. 143 KH, 145 KA, 146 KA, MOHABEWALA INDUSTRIAL AREA, Dehradun Dehradun	15/07/2022-31/03/2027
368	Aspen Crew Sportsgear	PLOT NO- E-36, UPSIDC INDUSTRIAL AREA, SELAQUI, DEHRADUN	25/10/2021-31/03/2022
369	ASPIRE ORALCARE PRIVATE LIMITED	Unit No.9, Pharma City, Selaqui, Dehradun	04/11/2020-31/03/2025
370	Halemed Medical Private Limited	MOHABEWALA, SUBHASH NAGAR, CLEMENT TOWN, DEHRA DUN Dehradun	10/11/2022-31/03/2025
371	SARA SAE PRIVATE LIMITED	KHASRA NO. -122 MI, OPP. RUSAN PHARMA, CENTRAL HOPE TOWN, INDUSTRIAL AREA, SELAQUI, DEHRADUN	06/05/2022-31/03/2027
372	SRN ENTERPRISES	PLOT NO 12, PHARMA CITY, SELA QUI Dehradun	19/10/2023-30/09/2028
373	TRANSLUMINA THERAPEUTICS LLP	GALOGI POWER HOUSE, KYARKULI BHATTA, MUSSOORIE DEHRADUN 248179	25/11/2023-31/03/2024
374	UTTARAKHAND JAL VIDYUT NIGAM LIMITED	KHASRA NO 122, CENTRAL HOPE TOWN INDUSTRIAL AREA SELAQUI Dehradun	Applied
375	VIN LAMINATES	Khasra no.323, Central Hope Town Dehradun	03/08/2023-31/03/2028
376	WINTECH ECO SOLUTIONS PRIVATE LIMITED	Khasra no.323, Central Hope Town Dehradun	18/09/2021-31/03/2024
377	WINTECH ECO SOLUTIONS PRIVATE LIMITED	Khasra no.323, Central Hope Town Dehradun	18/10/2023-31/03/2028
378	AMBER ENTERPRISES INDIA LTD U-6	A-1/1A UPSIDC INDUSTRIAL AREA SELAQUI DEHRADUN	01/04/2020-31/03/2025

379	Dixon Technologies India Limited	Plot No. 262M, Industrial Area, Central Hope Town, Selaqui, Distt- Dehradun.	01/04/2021-31/03/2026
380	DIXON TECHNOLOGIES INDIA LIMITED	Plot no. C-8	15/06/2022-31/03/2027
381	DIXON TECHNOLOGIES SOLUTIONS PRIVATE LIMITED	Khasra No.122&265,Central Hope Town,Selaqui,Dehradun	13/10/2021-31/03/2024
382	NEOPACK ENTERPRISE PRIVATE LIMITED	D-11, SARA INDUSTRIAL ESTATE LIMITED, CHAKRATA ROAD, DEHRADUN-248197 Dehradun	12/07/2023-30/09/2027
383	Tupperware India Private Limited	Pargana Pachwa Doon, Plot No-11 and 12, Khasra No-1045/2, Central HOPE Town, Twin Industrial Area Mo Dehradun	12/07/2023-31/03/2028
384	Shubham Foods	Central Hope Town Selaqui Dehradun	05/12/2022-31/03/2025
385	Uttaranchal India Unit-ii	Plot No. E-6, Selaqui Industrial Area, Distt-Dehradun.	17/03/2023-31/03/2024
386	BODYCARE INTERNATIONAL LTD	Plot E16, Central Hope Town, Central Hope Town, Vikas Nagar, Dehradun	24/06/2023-31/03/2026
387	Sai Knitters	Plot No. F-39to 40, UPSIDC Industrial Area, Selaoul, Distt Dehradun- Dehradun	22/09/2022-31/03/2023
388	RECRON ARMOUR PRIVATE LIMITED	Industrial area selaqui Dehradun	21/06/2022-31/03/2025
389	BUILDWELL PRODUCTS	KHASA NO 11 JHA PLOT NO. 32, INDUSTRIAL AREA, KUANWALA NEAR DOON VALLEY DISTILLERY DEHRADUN 248801	16/08/2021-31/03/2024
390	FERROCON	187 154 MOHABEWALA INDUSTRIAL AREA Dehradun	01/04/2022-31/03/2023
391	Mohammad Inam	Khata No. 53 , Khasra No. 7, Mauja Peerwala, West Doon, Tehsil-Vikasnagar, Distt-Dehradun.	15/07/2023-30/09/2027
392	Polygon Chemicals Private Limited	Khasra No. 1274 MI, Charba Industrial Area, Selaqui, Distt. Dehradun Dehradun	05/12/2022-31/03/2023
393	Nu Wood Industries	Khasra No. 17-18/32, Harrawala, Dehradun Dehradun	03/06/2023-31/03/2028
394	Promounts Technocrats Private Limited	F 97,SIIDCUL Industrial Area, Selaqui, Dehradun, Uttarakhand.	06/12/2021-31/03/2024
395	Box Muse	G-83, UPSIDC, Industrial Estate, Selaqui, Distt. Dehradun Dehradun	21/10/2020-31/03/2022
396	BOX O PRINT PRIVATE LIMITED	KHASRA NO 122/37, CENTRAL HOPE TOWN, SELAQUI Dehradun	30/05/2023-31/03/2026
397	Ganpati Print Pack Industries	Khasra No. 2896, Lal Tappar Industrial Area Majn Grant, Handwar Road, Dehradun Dehradun	04/05/2023-31/03/2024
398	GAYATRI PACKERS	KHASRA 516, LANGHA ROAD, CHARBA, DEHRADUN,UK-248197 Dehradun	25/04/2022-31/03/2025
399	Harsh Beautycare	Plot No. A-6, SARA Industrial Area, Selaqui, Distt. Dehradun Dehradun	08/06/2022-31/03/2023
400	Harsil Graphics	Khasra No. 122 Min Central Hope Town, Selaqui Industrial Area,	11/08/2023-30/09/2024
401	KAMAL PACKAGING	Khasr 1347/22 NEW KHASRA NO 556, Langha Road, Dehradun	03/07/2023-31/03/2026
402	Pramod Kumar	KHASRA NO (OLD 14 MIN) NEW NO. 21,22,23KA SITUATED AT MAUZA GHAMOLO PARGANA PACHWADOON DISTT DEHRADUN	15/03/2022-31/03/2026
403	RADEX STATIONERY INDIA PRIVATE LIMITED	PLOT NO 96D 105D 106CH 50- MOHOBEWALA INDUSTRIAL AREA DEHRADUN Dehradun	01/06/2022-31/03/2027
404	S S Industries	F-27, UPSIDC INDUSTRIAL AREA, SELAQUI, DEHRADUN	10/02/2022-31/03/2026
405	S S PACKAGING	G 49-50, Industrial Area, Selaqui, Dehradun, Uttarakhand	01/11/2023-30/09/2024
406	Samiksha Industries	E-35, UPSIDC INDUSTRIAL AREA SELAQUI Dehradun	06/07/2022-31/03/2025
407	SAMIKSHA PACKAGING	KHASRA NO 1045/1, 323 MIN CENTRAL HOPE TOWN SELAQUI VIKAS NAGAR Dehradun	01/11/2023-30/09/2024
408	Secure Technopack Private Limited	Khasra No. 1050, 1051-1/2, Plot No-15, Selaqui, Dehradun, Uttarakhand.	28/06/2022-31/03/2027
409	Secure Technopack Private Limited	Khasra No. 1050, 1051-1/2, Plot No-15, Selaqui, Dehradun, Uttarakhand.	07/10/2023-30/09/2027
410	VETERAN OUTLAWS PRIVATE LIMITED	Plot No- C-08 ,Sara Industrial Estae.	18/10/2022-31/03/2023

411	Whale Graphics India Limited	96D, 105D, 106D and 106 CHH Mohobewala Industrial Area ,Saharanpur Road,, Dehradun Dehradun	18/09/2023-31/10/2023
412	Zircon Tecnology India Ltd Unit 2	Khasra No- 1017, 1019, 1021, Camp Road, Selaqui, Distt-Dehradun.	07/07/2021-31/03/2024
413	CHANDEL CREATION	Plot Area 534 Village Koti Tehsil Kalsi Dehradun Dehradun	17/03/2023-31/03/2023
414	Madhur print n pack	central hope town, pachwa doon, selaqui, vikasnagar, dehradun Dehradun	20/09/2023-31/03/2024
415	S S Print Pack	F - 26, Industrial Area, Selaqui, Dehradun Dehradun	29/08/2023-31/03/2027
416	CEASEFIRE INDUSTRIES PRIVATE LIMITED	Plot No-D1 & D2, UPSIDC Industrial Area, Selaqui, Dehradun, PIN Code-248011 KHARSA NO 995/2, MAUZA CENTRAL HOPE TOWN, TESHIL VIKASNAGAR, Dehradun.	12/07/2023-30/09/2027
417	Kishan and Sons		29/05/2023-31/03/2024
418	Drive Line Spares	Plot No- 24, Mohabbewala Industrial Area, Distt- Dehradun, Uttarakhand	01/04/2022-30/09/2024
419	Ranjana Cosmo Chem Private Limited	PLOT NO F-104 UPSIDC INDUSTRIAL AREA SELAQUI DEHRADUN	12/10/2023-12/10/2028
420	M S Agro Waste Management	Khasra no. 1041, Mauza - Central Hope Town	03/02/2022-31/03/2025
421	Gupta Food Products	4 & 5, Co-Operative, Industrial Area, Patel Nagar, Saharanpur Road, Dehradun, Uttarakhand.	26/05/2022-31/03/2027
422	SAAI VIISHNU FOODS	ELLORAS Plot.no-11, 12 Co-Operative Industrial Estate Patel nagar dehradun Dehradun	Applied
423	ALOK LOHANI	PLOT NO A 25 A 26 MINI INDUSTRIAL AREA RANI POKHRI DISTT DEHRADUN Dehradun	13/06/2022-31/03/2025
424	Fillmatic Packaging Systems	KH NO-323M Central hope town Selaqui	01/04/2020-31/03/2025
425	Kumar Sweet Shop	Plot no. B-1 Govt Industrial Estate, Patelnagar, Dehradun 24801	Applied
426	Tops Food Product	Tops Food Products (Bakery Division) 222/5 GANDHI GRAM KANWALI ROAD ROAD DEHRADUN Dehradun	21/08/2023-31/03/2024
427	A V HERBALS	KHARSA NO. 1081 MIN. INDUSTRIAL AREA, NEAR SHREE KRISHNA I.T.I	06/05/2022-31/03/2025
428	AJANTA PHARMACY	JAMANPUR SELAQUI Dehradun	27/11/2021-31/03/2023
429	Amtdhara Pharmacy Pvt Ltd	O. AJANTA PHARMACY G. M. S ROAD DEHRADUN Dehradun	04/11/2020-31/03/2025
430	Doon Valley Hempo	97- A , Rajpur Road, Dehradun Uttarakhand Dehradun Kuanwala, P. O Harrawala	01/04/2020-31/03/2024
431	Himalaya Chemical Pharmacy	Village Haripur Kalan, Via Raiwala, Tehsil Rishikesh, District Dehradun Dehradun	18/04/2022-31/03/2024
432	HIMALIK HERBS INDIA	OPP COUNTRY INN HARIPUR MOTICHOOR RAIWALA DEHRADUN Dehradun	12/07/2023-31/03/2028
433	Luksuz Cosmetics Private Limited	Khasra No.-122Mi, Central Hope Town, Selaqui Industrial Area, Tehsil Vikasnagar, District Dehradun Uttarakhand	25/04/2022-31/03/2024
434	Nagarjun Pharmaceuticals	Plot No. 35, R.K. Puram Tarla Adhoiwala, Distt. Dehradun Dehradun	01/04/2020-31/03/2021
435	NATUREHERBAL REMEDIES PVT LTD	G-42, UPSIDC INDUSTRIAL AREA SELAQUI DEHRADUN	01/05/2023-31/03/2028
436	PARAS DUKHBHANJAN AYURVEDASHRAM	KHARI II, DOIWALA, Dehradun, Uttarakhand, 248140 Dehradun	11/08/2021-31/03/2024
437	Saviram Natural Products	D-137 Mohabewala Industrial Area, Dehradun	28/07/2022-31/03/2023
438	SHANTIKUNJ PHARMACY	GAYATRIKUNJ , HARIPURKALAN Dehradun	24/06/2023-31/03/2026
439	SHREE GANGA PHAMACY	SATYANARAYAN, SHYAMPUR, RISHIKESH, DEHRADUN Dehradun	12/07/2021-31/03/2026
440	Shree Herbal Health Care	Plot No. 155 Kha, Industrial Area Mohabewala, Dehradun, Distt. Dehradun Dehradun	29/05/2023-31/03/2028
441	SIROIS PHARMACEUTICALS PVT LTD	SIROIS PHARMACEUTICALSKHASRA NO 1009/2, CENTRAL HOPE TOWN ,SELAQUI, DEHRADUN -248011	13/10/2023-30/09/2027

442	Veda5 Wellness	PHARMA DIVISION VILLAGE -PUNNIWALA P.O.- BADHOGAL BHOGPUR RISHKESH	06/07/2022-31/03/2025
443	VEDAYU PHARMACY	KHASRA NO 1061/1, VEADYU PHARMACY, G.M.S ROAD DEHRADUN	02/09/2021-31/03/2024
444	Ban Labs (P) Ltd	C-4 UPSIDC, CHAKRATA ROAD SELAQUI	27/05/2023-31/03/2024
445	M/S Himalaya Wellness Company	Plot No. 181Ka, 181Kha, 181Ga and 181Gha, Saharanpur Road, Ciemen Town, Sevla Khurd, Dehradun	12/07/2023-31/03/2026
446	SWARANIMAKASH LIFE SCIENCES PRIVATE LIMITED	B-8, SARA INDUSTRIAL ESTATE, RAMPUR, SELAQUI	12/07/2023-31/03/2024
447	Wheezal Homeo Pharma	Plot No. 07, Pharma City, Selaqui, Dehradun Dehradun	Applied
448	Wheezal Homeo Pharma	Plot No. 18, Pharma City, Selaqui Dehradun	06/07/2022-31/03/2023
449	Dixon Technologies India Limited	Plot No. C-2/1, Industrial Area, Selaqui, Vikasnagar, Distt-Dehradun.	17/11/2021-31/03/2025
450	MUSSOORIE SKY CAR COMPANY PRIVATE LIMITED	Dehradun Mussoorie Ropeway Project, Purukul Village, Dehradun	03/01/2022-31/03/2024
451	Pacific Development Retail Private Limited	Ground Floor-42, Pacific Mall, Tagore Garden, Najafgarh Road, New Delhi-110018	Applied
452	ALEXIA PANELS	KHASRA NO 999 CENTRAL HOPE TOWN JAMANPUR ROAD SELAQUI Dehradun	10/10/2023-31/03/2026
453	ALSTONE INTERNATIONAL	KHASRA NO- 1393, INDUSTRIAL AREA, SELAQUI , VIKASNAGAR DISTRICT-DEHRADUN	18/04/2022-31/03/2023
454	ALSTONE MANUFACTURING PRIVATE LIMITED	khasra No.1393, Village Chharba Sahaspur , Langha Road Industrial Area, Tehsil Vikas Nagar Dehradun	22/09/2021-31/03/2024
455	S and C COOKWARE ENTERPRISES	993 M , VILLAGE CENTRAL HOPE TOWN SELAQUI DEHRADUN	29/08/2023-31/03/2024
456	Uttaranchal India Unit 2	Plot No. E-6, Selaqui Industrial Area, Distt- Dehradun.	24/06/2023-31/03/2026
457	VINAYAK INDUSTRIES	KH NO 134GHA 139KHA 140 141KA MOHABBEWALA INDUSTRIAL AREA Dehradun	Applied
458	AMBER ENTERPRISES INDIA LTD U-5	H-23, INTEGRATED INDUSTRIAL E-STATE SELAQUI DEHRADUN	09/06/2020-31/03/2021
459	Avantor Performance Materials India Limited	Plot No. 37, Pharma City, Selaqui, Dehradun- 248011, Uttarakhand Dehradun	26/06/2020-31/03/2025
460	EPACK DURABLE PRIVATE LIMITED	C-6,7, UPSIDC, INDUSTRIAL AREA, SELAQUI DEHRADUN, UK	Applied
461	EPACK DURABLE PRIVATE LTD, UTAI FORMING EPACK DURABLE SOLUTIONS PVT. LTD, UTAI 2	B-1, UPSIDC, INDUSTRIAL AREA, SELAQUI, DEHRADUN UK-248011	10/12/2021-31/03/2023
462	EPACK DURABLE PRIVATE LTD, UTAI FORMING EPACK DURABLE SOLUTIONS PVT. LTD, UTAI 2	Khasra 122, UPSIDC, Industrial Area, Selaqui	11/05/2020-31/03/2025
463	INTEC CORPORATION	F-89, UPSIDC, INDUSTRIAL AREA, SELAQUI Dehradun	26/07/2023-30/09/2024

प्रेषक,

अधिरासी अभियन्ता
सिंचाई खण्ड, देहरादून।

सेवा में,

✓ जिलाधिकारी
देहरादून।

पत्रांक:-C-205/अ०अ०/सि०ख०दे०

दिनांक: 03 जनवरी, 2024

विषय :- जनपद देहरादून में गंगा नदी के दांये तट पर बाढ़ मैदान परिक्षेत्रण की अन्तिम अधिसूचना निर्गत किये जाने के सम्बन्ध में।

सन्दर्भ:- 1. इस कार्यालय का पत्रांक सी-203/अ०अ०/सि०ख०दे०/एफपीजैड दिनांक 28/12/2023
2. आपके कार्यालय का पत्रांक 830/ज०आ०प्र०प्रा०/2023-24 दिनांक 28/09/2023

महोदया,

कृपया उपरोक्त विषयक सन्दर्भित पत्रों का अवलोकन करना चाहें, जिसमें बाढ़ मैदान परिक्षेत्रण अधिनियम की धारा 11 की उपधारा 08 के अधीन जनपद देहरादून के अन्तर्गत गंगा नदी के दांये तट पर ऋषिकेश क्षेत्र में ढालवाला ड्रेन से पशुलोक बैराज एवं पशुलोक बैराज से हरिपुर कलां तक राज्य सरकार द्वारा अनन्तिम अधिसूचना सं० 727/II(2)-2022-06(18) दिनांक 13/07/2022 निर्गत होने के उपरान्त शासन स्तर से प्राप्त निर्देशों के अनुपालन में बाढ़ मैदान परिक्षेत्रण के पुनरीक्षित प्रस्ताव जिसमें जहां आवश्यक हो वहां बाढ़ सुरक्षा कार्य प्रस्तावित करते हुए उपरोक्त सुरक्षात्मक कार्यों के आधार पर 25 वर्षीय आवृत्ति एवं 100 वर्षीय आवृत्ति बाढ़ मैदान परिक्षेत्र की सीमाओं का पुर्ननिर्धारण करते हुए इस कार्यालय के सन्दर्भित पत्र द्वारा प्रस्ताव आपके समक्ष प्रस्तुत किया गया था। जिसके क्रम में उक्त प्रस्ताव को आपके कार्यालय के सन्दर्भित पत्र द्वारा शासन स्तर को प्रेषित किया गया था। अवगतनीय है कि प्रस्तावित बाढ़ सुरक्षात्मक कार्यों के आधार पर उत्तराखण्ड बाढ़ मैदान परिक्षेत्रण अधिनियम में बाढ़ मैदान परिक्षेत्र की सीमाओं के निर्धारण का प्राविधान उल्लेखित नहीं होने के दृष्टिगत अनन्तिम अधिसूचना द्वारा निर्धारित बाढ़ मैदान परिक्षेत्र की सीमाओं को ही अन्तिमीकरण हेतु प्रेषित किया जाना उचित होगा।

दिनांक 04/01/2024 को उत्तराखण्ड बाढ़ मैदान परिक्षेत्रण अधिनियम की धारा 11 की उपधारा 01 के अधीन बाढ़ मैदान परिक्षेत्रण अधिकारी की रिपोर्ट पर विचार करने एवं परिसीमाओं में परिवर्तन करने के सम्बन्ध में मुख्य सचिव उत्तराखण्ड शासन महोदय की अध्यक्षता में बैठक आहुत की गयी है। राज्य सरकार द्वारा निर्गत अनन्तिम अधिसूचना सं० 727/II(2)-2022-06(18) दिनांक 13/07/2022 में जनपद देहरादून के अन्तर्गत ऋषिकेश क्षेत्र में गंगा नदी के दांये तट पर ढालवाला ड्रेन से पशुलोक बैराज तक एवं पशुलोक बैराज से हरिपुर कलां तक उल्लेखित बाढ़ मैदान परिक्षेत्र की सीमाओं में कोई परिवर्तन नहीं है। उक्त सीमाओं के अन्तर्गत स्थित परिसम्पत्तियों का विवरण निम्नानुसार है:-

1. ढालवाला ड्रेन से पशुलोक बैराज तक कुल 5 किमी० लम्बाई में आस्थापथ एवं पशुलोक बैराज तक 25 वर्षीय आवृत्ति (प्रतिषिद्ध जोन) एवं 100 वर्षीय आवृत्ति (निर्बन्धित जोन) बाढ़ परिक्षेत्र की सीमाओं को राजस्व अभिलेखों में चिन्हित करते हुए मौके पर पिलर स्थापित किये जा चुके हैं।
2. पशुलोक बैराज से डाउन स्ट्रीम की ओर वन विभाग क्षेत्रान्तर्गत वीरभद्र कक्ष सं० 01 एवं 02 में वन विभाग के साथ संयुक्त सर्वेक्षण किया गया जिसमें 25 वर्षीय आवृत्ति (प्रतिषिद्ध जोन) एवं 100 वर्षीय आवृत्ति (निर्बन्धित जोन) बाढ़ परिक्षेत्र की सीमाओं को सजरा शीट पर चिन्हित किया जा चुका है।
3. पूर्व में राजस्व ग्राम वीरपुर खुर्द स्थित कुछ भाग को वन विभाग के वीरभद्र कक्ष सं० 01 व 02 का भाग मानते हुए वन विभाग द्वारा रिपोर्ट दी गयी थी जिसके उपरान्त वर्तमान में राजस्व ग्राम वीरपुर खुर्द क्षेत्रान्तर्गत तहसील ऋषिकेश के साथ संयुक्त निरीक्षण किया गया जिसमें 25 वर्षीय आवृत्ति (प्रतिषिद्ध जोन) एवं 100 वर्षीय आवृत्ति (निर्बन्धित जोन) बाढ़ परिक्षेत्र की सीमाओं में स्थित मोघा रिजॉर्ट एवं अन्य परिसम्पत्तियों को सजरा शीट पर चिन्हित किया गया। उक्त सीमाओं में स्थित क्षेत्रफल को परिसम्पत्तियों की सूची में सम्मिलित किया जा चुका है।

4. गंगा नदी के दांये तट पर राजस्व विभाग क्षेत्रान्तर्गत तहसील ऋषिकेश में स्थित ग्राम खदरी खड़कमाफ में 25 वर्षीय आवृत्ति (प्रतिषिद्ध जोन) एवं 100 वर्षीय आवृत्ति (निर्बन्धित जोन) बाढ़ परिक्षेत्र की सीमाओं को राजस्व अभिलेखों में चिन्हित करते हुए मौके पर पिलर स्थापित किये जा चुके हैं।
5. इसके अग्रेतर गंगा नदी के दांये तट पर स्थित ग्राम गौहरीमाफी एवं रायवाला में राजस्व विभाग क्षेत्रान्तर्गत तहसील ऋषिकेश के साथ पूर्व में संयुक्त सर्वेक्षण किया जा चुका है जिसमें 25 वर्षीय आवृत्ति (प्रतिषिद्ध जोन) एवं 100 वर्षीय आवृत्ति (निर्बन्धित जोन) बाढ़ परिक्षेत्र की सीमाओं को सजरा शीट पर चिन्हित एवं मौके पर सीमांकन पिलर स्थापित किये जा चुके हैं।
6. गंगा नदी के दांये तट पर स्थित ग्राम हरिपुर कलां में मोतीचूर एवं गंगा नदी के संगम के समीप गंगा नदी का 25 वर्षीय आवृत्ति (प्रतिषिद्ध जोन) एवं 100 वर्षीय आवृत्ति (निर्बन्धित जोन) बाढ़ परिक्षेत्र की सीमाओं के निर्धारण हेतु राजस्व एवं वन विभाग के साथ संयुक्त सर्वेक्षण किया गया। मौके पर पाया गया कि उक्त चिन्हित बाढ़ प्रभावित क्षेत्र कुल रकबा 0.6000 है० क्षेत्रफल राजस्व ग्राम हरिपुर कलां में स्थित है। उक्त क्षेत्र में राजस्व ग्राम व वन विभाग की सीमा के बावत मा० उच्च न्यायालय नैनीताल में वाद विचाराधीन होने के कारण क्षेत्र विवादित है। उक्त बाढ़ मैदान परिक्षेत्र को सजरा शीट पर चिन्हित किया गया।

पूर्व में राज्य सरकार द्वारा निर्गत अनन्तिम अधिसूचना सं० 727/II(2)-2022-06(18) दिनांक 13/07/2022 के अनुसार 25 वर्षीय आवृत्ति (प्रतिषिद्ध जोन) बाढ़ परिक्षेत्र के अन्तर्गत कुल 369.6235 है० क्षेत्रफल एवं 100 वर्षीय आवृत्ति (निर्बन्धित जोन) बाढ़ परिक्षेत्र के अन्तर्गत कुल 68.24 है० क्षेत्रफल अधिसूचित किया गया था। उक्त सीमाओं के अन्तर्गत कुल 41 संख्या मकान/संरचनायें निर्मित पायी गयी जिनको परिसम्पत्तियों की सूची में सम्मिलित किया जा चुका है।

अतः राज्य सरकार द्वारा निर्गत अनन्तिम अधिसूचना सं० 727/II(2)-2022-06(18) दिनांक 13/07/2022 द्वारा जनपद देहरादून के अन्तर्गत गंगा नदी के दांये तट पर निर्धारित बाढ़ मैदान परिक्षेत्र के प्रतिषिद्ध एवं निर्बन्धित जोनों में कोई परिवर्तन नहीं है एवं उक्त सीमाओं के अन्तर्गत आने वाली परिसम्पत्तियों का विवरण पत्र के साथ संलग्न करते हुए उक्त प्रस्ताव के अन्तिमीकरण एवं अन्तिम अधिसूचना निर्गत किये जाने हेतु प्रस्ताव सादर संस्तुति सहित प्रेषित है।

संलग्नक:- उपरोक्तानुसार।

भवदीय,



(डी०सी०उनियाल)
अधिशायी अभियन्ता

पत्रांक:- /अ०अ०/सि०ख०दे०/तददिनांक।

प्रतिलिपि:- निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

1. अधीक्षण अभियन्ता, सिंचाई कार्यमण्डल देहरादून।
2. सहायक अभियन्ता, प्रथम, सिंचाई खण्ड, देहरादून।

(डी०सी०उनियाल)
अधिशायी अभियन्ता

राज्यपाल, उत्तराखण्ड बाढ़ मैदान परिक्षेत्र अधिनियम, 2012 (उत्तराखण्ड अधिनियम संख्या 07 वर्ष 2013) की धारा 12 की उपधारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए जनपद देहरादून के सीमान्तगत ऋषिकेश क्षेत्र में ढालवाला झेन रो पशुलोक बैराज एवं पशुलोक बैराज एवं हरिपुर कलां तक गंगा नदी के दांये तट तक (ऋषिकेश, खडकमाफ, गौहरीमाफ़ी, रायवाला एवं हरिपुर परगना-- परवादून) हेतु पूर्व में जारी अधिसूचना संख्या-727/11(2)/2022-06(18)/2020, दिनांक 13 जुलाई, 2022 में संलग्न प्रतिषिद्ध, निर्बन्धित क्षेत्रों की अनुसूची 01 और 02 में निर्दिष्ट क्षेत्रों एवं जनपद देहरादून के राजस्व ग्राम वीरपुर खुद से सम्बन्धित संलग्न तालिका में उल्लिखित क्षेत्र को भी अन्तिम अधिसूचना में सम्मिलित कर बाढ़ मैदान परिक्षेत्र घोषित करते हुए, इन क्षेत्रों में निम्नवत् कार्य सम्पादित करने की सहर्ष स्वीकृति प्रदान करते हैं, अर्थात्:-

- | क्र.सं | क्षेत्र | अनुमन्य कार्यों का विवरण |
|--------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | प्रतिषिद्ध क्षेत्र | तटबन्ध/बाढ़ प्रबन्धन, खनन, वृक्षारोपण, कृषि, स्नान घाट निर्माण, नदी तटीय विकास, सिंचाई, पेयजल योजना, जलक्रीडा, जल परिवहन, सेतु आदि से सम्बन्धित निर्माण/गतिविधियां।
"परन्तु राज्य सरकार अधिनियम की मूल भावना का अनुपालन करते हुए, कि नदी की धारा/प्रवाह में किसी प्रकार का व्यवधान उत्पन्न न हो, जनहित में, प्रकरण विशेष में, उपरोक्त उल्लिखित कार्य के साथ-साथ समान प्रकृति के अतिरिक्त अन्य कार्यों को भी करने की अनुमति राजपत्र में अधिसूचना के द्वारा प्रदान कर सकेगी।" |
| 2 | निर्बन्धित क्षेत्र | पार्क, खेल का मैदान, मत्स्य पालन, कृषि आदि के सम्बन्ध में निर्माण/गतिविधियां और समय-समय पर होने वाले धार्मिक मेलों हेतु अस्थाई/स्थाई निर्माण इस प्रतिबन्ध के साथ अनुमन्य होंगे कि उक्त गतिविधियों द्वारा उत्सर्जित होने वाला जल-मल व ठोस अपशिष्ट का पूर्णतः समुचित प्रबन्धन सुनिश्चित करते हुये उक्त का अनापत्ति प्रमाण पत्र/परीक्षण उत्तराखण्ड पेयजल निगम से कराया जायेगा। इस क्षेत्र में पूर्व से विद्यमान निर्माण, जो जीर्ण-शीर्ण अवस्था में हैं, की विद्यमान भू-आच्छादन 35 प्रतिशत, तल क्षेत्र अनुपात 1:5 व भवन की अधिकतम ऊंचाई 7.50 मी0 अथवा दो मंजिल की सीमा तक पुनर्निर्माण इस प्रतिबन्ध के साथ अनुमन्य होगा कि क्षेत्र में सीवरेज व्यवस्था उपलब्ध हो। निर्माण अनुमन्य होने की स्थिति में उच्च बाढ़ तल (High Flood Level)से भवन का न्यूनतम प्लिथ लेवल (Plinth Level) 1.00 मीटर होगा एवं क्षेत्र की सीवरेज व्यवस्था का समुचित प्रबन्धन सुनिश्चित करने के साथ-साथ उत्तराखण्ड पेयजल निगम से परीक्षण अनापत्ति प्रमाण पत्र लिया जाना आवश्यक होगा।
"परन्तु राज्य सरकार अधिनियम की मूल भावना का अनुपालन करते हुए, कि नदी की धारा/प्रवाह में किसी प्रकार का व्यवधान उत्पन्न न हो, जनहित में, प्रकरण विशेष में, उपरोक्त उल्लिखित कार्य के साथ-साथ समान प्रकृति के अतिरिक्त अन्य कार्यों को भी करने की अनुमति राजपत्र में अधिसूचना के द्वारा प्रदान कर सकेगी।" |

भवदीय,

(हरिचन्द्र सेमवाल)
सचिव।

संख्या- / (1) / (2) / 2024-06(18) / 2020, तद्दिनांक।

प्रतिलिपि निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-

1. प्रमुख सचिव, सचिव, राजस्व/आवास विभाग, उत्तराखण्ड शासन।
2. मण्डलायुक्त, गढ़वाल।
3. निदेशक, बाढ़ मैदान परिक्षेत्र प्राधिकारी, देहरादून।
4. प्रमुख अभियन्ता, सिंचाई विभाग, देहरादून।
5. मुख्य अभियन्ता, अधीक्षण अभियन्ता/अधिशारी अभियन्ता, सिंचाई विभाग, देहरादून।
6. निदेशक एन0आई0सी0, सचिवालय परिसर देहरादून को अधिसूचना की एक साफ्ट कापी इस आशय से प्रेषित कि वे इसे NIC देहरादून की वेबसाईट पर अपलोड कराने का कष्ट करें।
7. संयुक्त निदेशक, राजकीय मुद्रणालय, रुडकी को इस आशय से प्रेषित कि कृपया अधिसूचना को साधारण गजट में प्रकाशित करते हुये 100 प्रतियां शासन को उपलब्ध कराने का कष्ट करें।
8. गार्ड फाईल।

(हरि चन्द्र सेमवाल)
सचिव।

31757

संलग्न तालिका

राजस्व ग्राम वीरपुर खुर्द (प्रतिषिद्ध क्षेत्र)

ग्राम का नाम	खाता खतौनी संख्या	खसरा नं०/ गाटा संख्या	बाढ़ मैदानी परिक्षेत्र में स्थित भूमि की माप क्षेत्रफल है० में	वर्तमान भू उपयोग	
				भूमि का प्रकार	संरचना का प्रकार
वीरपुर खुर्द	273	94 घ	0.0270	संक्रमणीय भूमि	भवन निर्मित
		94 ङ	0.0486		
		95 ख	0.0078		
	128	94 ग	0.1280	संक्रमणीय भूमि	खाली भूमि
	274	94 क	0.0778	जलमग्न भूमि	खाला (रम्भा नदी)
		95 ग			

राजस्व ग्राम वीरपुर खुर्द (निर्बन्धित क्षेत्र)

ग्राम का नाम	खाता खतौनी संख्या	खसरा नं०/ गाटा संख्या	बाढ़ मैदानी परिक्षेत्र में स्थित भूमि की माप क्षेत्रफल है० में	वर्तमान भू उपयोग	
				भूमि का प्रकार	संरचना का प्रकार
वीरपुर खुर्द	273	94 घ	0.0180	संक्रमणीय भूमि	भवन निर्मित
		94 ङ	0.0324		
		95 ख	0.0052		
	128	94 ग	0.0740	संक्रमणीय भूमि	खाली भूमि
	274	94 क	0.0959	जलमग्न भूमि	खाला (रम्भा नदी)
		95 ग			

आज्ञा से,

(हरिचन्द्र सेमवाल)
सचिव।

प्रति

श्री श्री विद्या दाम अडिवासी/दान निरीक्षण
यूनायटेड एंड अडिवासी विभाग
बनारस देहातद्वारा।

सेवा में

विभागीय अधिकारी,
देहातद्वारा।

संख्या 929 / आर.ए.डी.ओ. / यु.ए.डी.ओ. / 2023-24

दिनांक 15 दिसम्बर 2023

विषय: कर्नाटक राष्ट्रीय हरित अधिनियम में संशोधित कृत आदेश संख्या 200/2014 "MC Mehta vs Union of India & Ors" में संशोधित आदेश दिनांक 24.11.2023 के सम्बन्ध में।

संदर्भ:

कृपया उपरोक्त विरक्त जिला मंडा युवा समिती मजबूती बने देहातद्वारा के पत्र संख्या 124/ ए.ए.डी.ओ./विभागीय/2022-23 दिनांक 04 दिसम्बर, 2023 का संदर्भ ग्रहण करने का कष्ट करे, जिसके द्वारा कर्नाटक राष्ट्रीय हरित अधिनियम में संशोधित कृत आदेश संख्या 200/2014 "MC Mehta vs Union of India & Ors" में संशोधित आदेश दिनांक 24.11.2023 के विन्दु संख्या VII में Mention से सम्बंधित विन्दु की पूर्णता/अधुना उपलब्ध कराये जाने हेतु निर्दिष्टा किया गया है।

उक्त सम्बन्ध में अवगत बताया है कि जनपद क्षेत्रांतर्गत नदी ताल में बुगान कार्य उत्तराखण्ड उपखण्ड (बानू बजरी क्षेत्र) बुगान नीति, 2018 एवं उत्तराखण्ड उप-खण्ड (परिहार) विन्यासनी-2023 में निहित प्राधिकारों के अनुसार पर्यावरण एवं जलसिंचनी को ध्यान रखते हुए वैज्ञानिक और उच्च विधिकता तरीके से ही खनन कार्य का संचालन किया जाता है। नदी ताल क्षेत्र में खनन पट्टे की स्वीकृत से पूर्व ईओआरओ नोटिफिकेशन, 2008 के अंतर्गत पर्यावरण एवं वन मंत्रालय, भारत सरकार द्वारा पठित राज्य सार्वभौम पर्यावरण प्रथम प्राधिकरण से पर्यावरणीय अनुमति प्राप्त किया जाना अनिवार्य होता है। पर्यावरण एवं वन मंत्रालय, भारत सरकार द्वारा स्वीकृत पर्यावरणीय अनुमति एवं अनुमोदित खनन योजना के अनुसार ही नदी ताल सौमिकित/स्वीकृत क्षेत्र में अनुमति महसूस तक बुगान कार्य किया जाता है। नदी ताल में बुगान कार्य किये जाने से पूर्व सम्बंधित खनन पट्टाधारक को उत्तराखण्ड पर्यावरण संरक्षण एवं प्रदूषण नियंत्रण बोर्ड से संचालनार्थ सहमति (Consent to operate) की अनुमति प्राप्त किया जाना होता है, उसके उपरान्त ही सम्बंधित पट्टाधारक द्वारा खनन पट्टा क्षेत्र में राज्य में प्रख्यात नीति एवं विन्यासनी के प्राधिकारानुसार ही बुगान कार्य मान्य सति/पेयसत विधि से संचालित किया जाता है। वर्तमान में राज्य में प्रख्यात उत्तराखण्ड उप-खण्ड (परिहार) विन्यासनी-2023 के प्राधिकारानुसार नदी ताल उपखण्ड क्षेत्रों में जे.डी.सी.डी, सोकलैण्ड, सेल्लान नतीन, लिफ्टर आदि नतीनों द्वारा खनन/बुगान कार्य नही किया जायेगा का प्राधिकार धर्मित है। उक्त के अतिरिक्त उत्तराखण्ड खनिज (अर्थ खनन, परिवहन एवं बंधारण का निवारण) विन्यासनी, 2021 के प्राधिकारानुसार जनपद स्तर पर राज्य विभाग, खनन विभाग एवं पुरित विभाग के द्वारा अर्थ खनन, अर्थ परिवहन की संख्या हेतु समय-समय पर संयुक्त रूप एवं पुनः-पुनः से रूप कार्यनी की जाती है तथा कार्यनी के दौरान पकड़े गये अर्थ खननकर्ता एवं परिवहनकर्ता पर निवन्धन अर्थात् अतिरिक्त करों के द्वारा वसूली हेतु आरक्षक जिलाधिकारी महोदय को प्रेषित की जाती है। वर्तमान अतिरिक्तानुसार माह अगस्त, 2022 से माह नवम्बर, 2023 तक जनपद देहातद्वारा के विभिन्न तहसील क्षेत्रांतर्गत अर्थ खनन, परिवहन एवं बंधारण से सम्बंधित प्रकरणों का विवरण निम्नवत है :-

क्र. सं.	प्रकार का प्रकरण	प्रकरणों की संख्या	अतिरिक्त अर्थदण्ड की वसूली (₹ में)	अतिरिक्त अर्थदण्ड के साथ एक वसूली (₹ में)
01	अर्थ परिवहन	266	1,03,88,633	1,03,88,633
02	अर्थ खनन	10	83,65,881	अर्थ खननकर्ता पर अतिरिक्त की वसूली वसूली को वसूल किये जाने हेतु आरक्षक महोदय के कार्यलय को प्रेषित की वसी है।
03	अर्थ बंधारण	94	83,83,000	एक वसूली ₹ 37,18,981/- अर्थदण्ड ₹ 46,64,019/- की वसूली अर्थ बंधारणकर्ता पर वसूल किये जाने हेतु आरक्षक महोदय के कार्यलय को प्रेषित की वसी है।

आ: उपरोक्तानुसार आरक्षक महोदय को सूचित हेतु सूचन प्रेषित है।

महोदय

Mohd. Arjun Singh

श्री श्री विद्या दाम अडिवासी/दान निरीक्षण
देहातद्वारा।

No. CWC/UGBO/EF/SR 19



Ministry of Jal Shakti
Department of Water Resources, River Development & Ganga Rejuvenation
Central Water Commission
Upper Ganga Basin Organisation

IMPLEMENTATION OF MINIMUM ENVIRONMENTAL FLOWS IN RIVER GANGA
(Up to Unnao)



STATUS REPORT
(July - September, 2023)

October, 2023

LIST OF TABLES

List	Page No.
• Table 1: E-flow Norms for Projects in Upper Ganga Basin up to Haridwar	8
• Table 2: E-flow Norms for Projects in Main Ganga Stem from Haridwar to Unnao	8
• Table 3: Key projects on River Ganga up to Unnao.	10
• Table 4: List of Projects being monitored presently.	11
• Table 5: Length of river stretch below the diversion	12
• Table 6: Status of data collection network and transmission system	13

3.0 MINIMUM E-FLOWS NORMS

The e-flows notified by the Government of India Vide Gazette Notification dated 9th October, 2018 are as follows:

3.1 Upper Ganga River Basin Stretch starting from originating glaciers and through respective confluences finally meeting at Devprayag up to Haridwar:

Table 1- E-flow Norms for Projects in Upper Ganga Basin up to Haridwar

Sl No	Season	Months	(%) Percentage of Monthly Average Flow observed during each of preceding 10-daily period
1	Dry	November to March	20
2	Lean	October, April and May	25
3	High Flow	June to September	30**

** 30% of monthly flow of High flow season.

3.2 Stretch of main stem of River Ganga from Haridwar, Uttarakhand to Unnao, Uttar Pradesh

Table 2- E-flow Norms for Projects in Main Ganga Stem from Haridwar to Unnao

Sl. No.	Location of Barrage	Minimum flow releases immediately downstream of Barrages (In Cumecs) Non-Monsoon (October to May)	Minimum flow releases immediately downstream of barrages (In Cumecs) Monsoon (June to September)
1	Bhingoda (Haridwar)	36	57
2	Bijnor	24	48
3	Narora	24	48
4	Kanpur	24	48

The copy of the Gazette Notification dated 9th October, 2018 is enclosed at Annex-I

4.0 PROJECTS UNDER MONITORING

In upper Ganga River basin up to Haridwar, river valley projects are largely non-consumptive and are mainly used for hydro power generation. Few minor projects are also being used for irrigation and drinking water purposes. The list of existing, ongoing and contemplated projects is enclosed at Annex-II. From Haridwar onwards beginning with Bhimgoda Barrage, projects are being used for water diversion for irrigation, domestic and industrial uses.

The key projects in Ganga up to Unnao are listed below:

Table 3: Key projects on River Ganga up to Unnao

S.No	Name of Project	River/Tributary	District/State	Remarks
Projects on Alaknanda and its tributaries				
1.	Vishnuprayag HEP (400 MW)	Ganga/Alaknanda	Chamoli/Uttarakhand	SCADA system installed & operational
2.	Vishnugad Peepal Koti HEP (444 MW)	Ganga/Alaknanda	Chamoli/Uttarakhand	Under construction
3.	Seinagar HEP (330 MW)	Ganga/Alaknanda	Pauri Garhwal/Uttarakhand	
4.	Tapovan Vishnuprayag HEP (520 MW)	Ganga/Alaknanda/Dhauliganga	Chamoli/Uttarakhand	Under construction
5.	Singoli Bhatwari HEP (99 MW)	Ganga/Alaknanda/Mandakini	Rudraprayag/Uttarakhand	SCADA system installed & operational
Projects on Bhagirathi and its tributaries				
1.	Maneri Bhal Phase-I HEP (90 MW)	Ganga/Bhagirathi	Uttarkashi/Uttarakhand	SCADA system installed and Operational
2.	Maneri Bhal Phase-II HEP (304 MW)	Ganga/Bhagirathi	Uttarkashi/Uttarakhand	SCADA system installed & operational
3.	Tehri HEP (1000 MW)	Ganga/Bhagirathi	Tehri Garhwal/Uttarakhand	SCADA system not installed
4.	Koteshwar HEP (400 MW)	Ganga/Bhagirathi	Tehri Garhwal/Uttarakhand	SCADA system not installed
9.	Tehri Pump Storage Plant (1000 MW)	Ganga/Bhagirathi	Tehri Garhwal/Uttarakhand	Under construction
Projects on Ganga Main Stream				
1.	Pashulok Barrage, Rishikesh (Chilla HEP, 143 MW)	Ganga	Rishikesh/Uttarakhand	SCADA system installed & operational
2.	Bhimgoda Barrage (Irrigation)	Ganga	Haridwar/Uttarakhand	SCADA system installed and operational.

S. No	Name of Project	River/Tributary	District/State	Remarks
3.	Chaudhary Charan Singh Barrage (Irrigation)	Ganga	Bijnor/Uttar Pradesh	
4.	Narora Barrage (Irrigation & Industrial)	Ganga	Narora/Uttar Pradesh	SCADA system installed and operational
5.	Lav Kush Barrage (Drinking Water)	Ganga	Kanpur/Uttar Pradesh	

Considering the extent of modifications of flows by the projects, following projects are being monitored presently for implementation of E-flows w.e.f. 1st January, 2019:

Table 4: List of Projects being monitored presently

Sl. No.	Name of the Project	Agency
1.	Maneri Bhali Stage-I	UJVNL
2.	Maneri Bhali Stage -II	UJVNL
3.	Tehri - Koteshwar Dam	THDCIL
4.	Vishnuprayag HEP	JPVL
5.	Srinagar HEP	GVK
6.	Singoli Bhatwari HEP	ReNew Jal Urja Ltd
7.	Pashulok Barrage/ Chilla HEP	UJVNL
8.	Bhimgoda Barrage	UP Irrigation & WRD
9.	Chaudhary Charan Singh Barrage	UP Irrigation & WRD
10.	Narora Barrage	UP Irrigation & WRD
11.	Lav Kush Barrage	UP Irrigation & WRD

Salient features of the above projects are enclosed at Annex-III.

5.0 DATA COLLECTION NETWORK AND TRANSMISSION STATUS

Table 6: Status of data collection network and transmission system at projects

Sl. No.	Name of the Project	Agency	Data Collection Network	Data Transmission system
1.	Maneri Bhali Stage-I	UJVNL	Automatic sensors	Through email. Also, the data is viewable at http://maneri.alphaiot.in/Default.aspx
2.	Maneri Bhali Stage-II	UJVNL	Automatic sensors	Through email.
3.	Tehri- Koteshwar Dam	THDC	Automatic sensors	Through email.
4.	Vishnuprayag HEP	JPVL	Automatic sensors	Through email.
5.	Singoli Bhatwari HEP	ReNew Jal Urja Ltd	Automatic sensors	Through email. Also, the data can be seen at https://mtnmet.com/getData
6.	Pashulok Barrage/ Chilla HEP	UJVNL	Automatic sensors	Through email.
7.	Chaudhary Charan Singh Barrage	UP Irrigation	Manual	Through email.
8.	Srinagar HEP	GVK	Manual	Through email.
9.	Bhimgoda Barrage	UP Irrigation	Automatic sensors	Through email.
10.	Narora Barrage	UP Irrigation	Automatic sensors	Through email. Also, the data is viewable at http://www.upidautomation.in/bips/haridwar/Home.aspx
11.	Lav Kush Barrage	UP Irrigation	Manual	Through email

5.1 Data Transmission Status

The flow data is being received from all the Projects being monitored. Few Projects are not sending the flow data on hourly basis. The matrix showing the status of data transmission from the Project Authorities to CWC for the first quarter of 2023 is attached as Annexure IV. Maneri Bhali I, Maneri Bhali II, Pashulok Barrage, Vishnuprayag, Singoli Bhatwari, Narora and Bhimgoda Barrage have installed SCADA system. Requests have been made with the project authorities for integration of the SCADA system with CWC server for real time monitoring/retrieval of data.

(iv) परिवहनसंबंधी प्रयासों को बनाए रखने के लिए जन की आरक्षणीय सहायों की निर्मूलक को सुनिश्चित करने के लिए उन नदी जगहों में प्रवाह की दृष्टिगत समय-समय पर कार्रवाई अख्तियारी पर मार्गीकरण की आवश्यकता।

(vi) केंद्रीय जन शोषण अतिरिक्त प्राधिकारी तथा जला का संरक्षक शोषण तथा प्रवाहों के पर्यवेक्षण, मानकीकरण, विनियमन तथा जल कमी अंतर्हित हो, समुचित प्राधिकारी को आवश्यक जानकारी प्रेषित करने के लिए उन शोषण शोषण। यह किसी आरक्षण निर्दिष्ट हो जला में जल नदियां मानवों के शरीर में लक्ष्य निर्धारण करने के लिए भी प्राधिकृत है। केंद्रीय जन शोषण प्रशासनिक आधार पर राष्ट्रीय स्तर पर मिलाप को प्रवाह मानोदरी मंत्र, अनुपालन प्रेषित प्रस्तुत करना।

(vii) सर्वोच्च परियोजना विकासकर्ता या प्राधिकारी/उप-अधिसूचना की तारीख में जल नाम के अंतर्गत केंद्रीय जन शोषण विनियमित उचित अक्षयता पर परियोजना स्थलों पर स्थापित जला अक्षय और जला प्रेषण प्रमुखिण या अंतर्हित आवश्यक अक्षयता समाप्त। प्रवाह मानोदरी सुविधा को लक्ष्य अक्षय करने, उसे बनाए रखने का उत्तरदायित्व परियोजना विकासकर्ताओं या प्राधिकारियों का शोषण और वे समय-समय पर केंद्रीय जन शोषण को जला प्रस्तुत करेंगे।

(viii) केंद्रीय सरकार, राष्ट्रीय स्तर पर मिलाप के माध्यम में, जल कमी अंतर्हित हो जला नदी में प्रेषण मात्रा को पुरा करने के लिए अतिरिक्त जन की निर्मूलक करने का निर्देश दे सकेंगी।

(v) सर्वोच्च केंद्रीय और राज्य प्राधिकरण, मिचार्ड का प्रवाहो जला जन का पुन-उपयोग और पुन-पक्षय, जिसके अंतर्गत विविध परियोजनाओं के लिए नृजन निष्ठावने हो मार्गीकरण और विनियमन भी है, जैसे अक्षय और पारंपरिक व्यवस्थाओं को अपना कर जला नदी के जल निष्ठावने में कमी करने के लिए मात्र प्रेषण योजना कार्यान्वित करेंगे।

3. यह आदेश अपने राजपत्र में प्रकाशन की तारीख में प्रवृत्त होगा।

4. यह आदेश प्रवृत्त होने के तत्पश्चात् में आरक्षण शोषण जला नदी बेसिन तथा वेदव्यता में शोषण तक और उत्तर प्रदेश के उपराज्य जिले तक जला नदी की मुख्य धारा को तथा जल में मिलने वाली उसकी मुख्य सहायक नदियों के अक्षयता शोषण पर लागू होगा।

(सं. सं. Ess. 01/2016-17/111/NMCG (Vol. III))

राजीव किरोर, कार्यकारी निदेशक (जला)

**MINISTRY OF WATER RESOURCES, RIVER DEVELOPMENT AND GANGA REJUVENATION
(NATIONAL MISSION FOR CLEAN GANGA)**

ORDER

New Delhi, the 06th October, 2015

S.O.5195(E).—Whereas, the River Ganga is the most sacred and deeply revered by the people of this country and the Ganga river basin is the largest river basin in India in terms of catchment area, constituting twenty six per cent of the country's land mass and supporting about half a billion population;

And whereas, River Ganga is unique as having special properties, features and importance, holding reasons that are hydrological, geomorphological, historical, socio-cultural and economical with significant temporal and spatial flow variation;

And whereas, River Ganga has been given status of a National river and the ever increasing demand for water in the basin for irrigation, domestic, industrial and other purposes coupled with pollution ingress from different sources including domestic waste, industrial waste, into river system is affecting the health of the said river for long;

And whereas, the Central Government is committed to restore and maintain the wholesomeness of the rivers ensuring appropriate environment flows and simultaneously preventing the pollution ingress into the said river;

And whereas, it is considered necessary to ensure that uninterrupted flows of water are maintained throughout its length at all times in River Ganga to ensure continuity of flows in the river without altering the seasonal variations;

And whereas the Central Government vide notification S.O. 3187(E), dated the 7th October, 2016 under the Environment (Protection) Act, 1986 (29 of 1986) has constituted an authority, namely, the National Mission for Clean Ganga for Rejuvenation, Protection and Management of River Ganga basin for the following purposes, namely-

(a) to determine the magnitude of ecological flow in the River Ganga and its tributaries required to be maintained at different points in different areas at all times with the aim of ensuring water quality and environmental

- sustainable rejuvenation, protection and management of River Ganga and its tributaries and notifying the same and take or direct all such measures necessary to maintain adequate ecological flows;
- (b) to specify the average flow of water at specified points through Hydrological Observation Stations of the River Ganga;
- (c) to devise a system for continuous monitoring of flow of water in the River Ganga and its tributaries;

And whereas the Central Government has decided to determine certain flows in the River Ganga and its tributaries;

2. Now, therefore, in exercise of the powers conferred by sub-section (3) of section 3 of the Environment (Protection) Act 1986 and read with sub paragraph (3) of paragraph 39 and item(h) of sub-paragraph(2) of paragraph 41 of the River Ganga (Rejuvenation, Protection and Management) Authorities Order, 2016, the Central Government hereby notifies the following minimum environmental flows to be maintained at locations downstream of structures or projects meant for diversion of river flows for purposes like irrigation, hydropower, domestic and industrial and other requirements, name ly:-

- I. Upper Ganga River Basin Stretch starting from originating glaciers and through respective confluences finally meeting at Devaprayag up to Haridwar:

Sl. No.	Season	Months	(%) Percentage of Monthly Average Flow observed during each of preceding 10-day period
1	Dry	November to March	20
2	Lean	October, April and May	25
3	High Flow season	June to September	30*

* 30% of monthly flow of High flow season.

- II. Stretch of main stem of River Ganga from Haridwar, Uttarakhand to Unnao, Uttar Pradesh

S. No.	Location of Barrage	Minimum flow releases immediately downstream of barrages (In Cumecs) Non-Monsoon (October to May)	Minimum flow releases immediately downstream of barrages (In Cumecs) Monsoon (June to September)
(1)	Bhirngoda (Haridwar)	36	57
(2)	Bijnor	24	48
(3)	Narora	24	48
(4)	Kampur	24	48

Cumec – Cubic Meter per second

- III. The above said ecological flows are subject to the following, namely:-
- (i) the compliance of minimum environmental flow is applicable to all existing, under-construction and future projects;
- (ii) the existing projects, which currently do not meet the norms of these environmental flows, shall comply and ensure that the desired environmental flow norms are complied within a period of three years from the date of issue of this order;

- (iii) the project which is at different stages of construction, where physical progress on ground has been initiated and made and reported to appropriate authority shall also make necessary provisions to maintain the stipulated environmental flow before and after commissioning of the project;
- (iv) the mini and micro projects which do not alter the flow characteristics of the river or stream significantly are exempted from these environmental flows;
- (v) to ensure the release of desired quantities of water to maintain environmental flows, flow conditions in these river reaches shall be monitored at hourly intervals from time to time;
- (vi) the Central Water Commission shall be the designated authority and the custodian of the data and shall be responsible for supervision, monitoring, regulation of flows and reporting of necessary information to the appropriate authority as and when required and also authorised to take emergent decisions about the water storage norms in case of any emergency. The Central Water Commission shall submit flow monitoring-cum-compliance report on quarterly basis to National Mission for Clean Ganga;
- (vii) the concerned project developers or authorities shall install automatic data acquisition and data transmission facilities or required necessary infrastructure at project sites at appropriate locations specified by the Central Water Commission within six months from the date of this order. The installation, calibration, maintenance of flow monitoring facility shall be the responsibility of the project developers or authorities and they shall submit the data to the Central Water Commission from time to time;
- (viii) the Central Government through National Mission for Clean Ganga may direct release of additional water in the River Ganga to meet special demand as and when required.
- IV. The concerned Central and State authorities shall implement demand side management plans to reduce water withdrawal from River Ganga by adopting good and scientific practices such as efficient method of irrigation, reuse and recycle of water including monitoring and regulation of groundwater withdrawals for various purposes.
3. This Order shall come into force on the date of its publication in the Official Gazette.
4. This Order shall apply to the upper Ganga River Basin starting from originating glaciers and through respective confluences of its head tributaries finally meeting at Devprayag up to Haridwar and the main stem of River Ganga up to Unnao district of Uttar Pradesh.

[F. No.-Estt.0/2016-17/111/NMCG(Vol III)]

RAJIV KISHORE, Executive Director/Admn)