

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI**

Original Application No. 422/2021

In the matter of:

Arvind Kumar & Ors

...Applicant

Versus


Govt. of NCT of Delhi.

...Respondents

INDEX

NDOH: 22.11.2022

SL.No.	Particulars	Page No.
1.	Status Report on behalf of Delhi Pollution Control Committee with respect to order dated 20.01.2022.	1 - 2
2.	<u>Annexure -1</u> Copy of the inspection report alongwith photographs dated 29.09.2022.	3 - 7


(Anwar Ali Khan)
Sr. Environmental Engineer

Dated: 18 November, 2022

Place: New Delhi

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI**

Original Application No. 422/2021

In the matter of:

Arvind Kumar & Ors

...Applicant

Versus

Govt. of NCT of Delhi.

...Respondents

**ACTION TAKEN REPORT ON BEHALF OF DELHI POLLUTION
CONTROL COMMITTEE WITH RESPECT TO ORDER DATED
20.01.2022.**

IT IS MOST RESPECTFULLY SHOWETH:

1. That, this matter was taken up by this Hon`ble Tribunal on 20.01.2022 and was pleased to direct DPCC, DCP (West) and SDMC to take action against the Unauthorized vehicle repairing shop in the vicinity of Cambridge Foundation School, Rajouri Garden extn., New Delhi. The DPCC will be the Nodal agency.
2. That, DPCC official inspected the site on 20.09.2022. During the inspection it was observed that:
 1. The premises in which Auto repairing workshop was found closed.
 2. It was informed by Sh. Bhavneet Singh that in the premises denting painting repairing workshop has been closed 6 – 7 years ago.

Copy of the inspection report alongwith photographs dated 20.09.2022 are collectively enclosed herewith as **ANNEXURE-1.**



It is therefore requested to this Hon'ble Tribunal that the present status report may kindly be taken on record.




(Anwar Ali Khan)

Sr. Environmental Engineer

Delhi

Dated 18 November, 2022

OA No - 422/21



DELHI POLLUTION CONTROL COMMITTEE
DEPARTMENT OF ENVIRONMENT (GOVT. OF NCT OF DELHI)
4th & 5th FLOOR ISBT BUILDING KASHMERE GATE DELHI-6
visit us at : <http://dpcc.delhigovt.nic.in>

3

Inspection Report

Annexure-1



1.	Name & Address of the Unit	:	M/s Vehicle repairing shop In the vicinity of Cambridge foundation school Rajawala Garden extn.
2.	Owner/ Partner's Name & Contact Details(Phone & E-mail)	:
3.	Date of Inspection	:	20/09/2022
4.	Time of inspection Start of Inspection	:
	End of Inspection	:
5.	Name & Designation of the Persons contacted at the industry	:
6.	Kind of Industry	:
7.	Product & Capacity	:
8.	Main Raw Materials	:
9.	Water Polluting	:	Yes/No ETP Installed : Yes/No
10.	Air Pollution	:	Yes/No ECS Installed : Yes/No
11.	Details of Stack Height (Furnace/Boilers/Others)	:	(Above G.L.)..... (Above R.L.).....
12.	Type of Fuel Used	:
13.	A. Source of Water Supply	:	DJB/NDMC/DSIIDC/Borewell/Tankers/Others
	B. Effluent Discharge	:	(a) Domestic/ Trade Effluent
		:	(b) Unit connected to Conveyance System: Yes/No
		:	(c) Discharging into.....
14.	Status of Consent (If Any)	:
15.	D.G. Set(s) (if Any)	:	No.....Capacity.....KVA. Acoustic: Yes/No Stack Height.....(Above G.L.).....(Above RL)
16.	Plot Area	:
17.	Labour	:
18.	Machinery	:

Vehicle repairing shop
 No such vehicle repairing shop exist
 Bound Vacant

- 19. Detail of Power Connection :
- 20. Whether Unit found in Operation : Yes/No
- 21. Status of Registration under Plastic Waste Management Rules, 2016 :
- 22. Whether Generating Hazardous Waste : Yes/No
- 23. Details about Hazardous Waste :
 - (a) Status of Authorization {if any} :
 - (b) Display Board Provided : Yes/No
 - (c) Whether Hazardous Waste is stored in Leak proof container : Yes/No
 - (d) Whether container marked with specified label : Yes/No
 - (e) Whether container stored kept in an isolated area : Yes/No
 - (f) Whether Hazardous Waste is being stored on pucca floor & in covered area : Yes/No
 - (g) Whether date on which storage began indicated on each container : Yes/No
 - (h) Whether daily record of Hazardous Waste maintained in Form-3 : Yes/No
 - (i) Category of Hazardous Waste as per the Schedules I, II and III of these rules :
 - (j) Authorized mode of disposal or recycling or utilization or co-processing etc. :
 - (k) Quantity (Ton/Annum) :

Shop found closed & vacant

Remarks (if Any): The premises in which auto repairing workshop was found closed. As informed Sh. Bhavneet Singh that in the premises painting repairing workshop has been closed 6-7 years ago.


 P. Sh. Gurbinder Singh
 Signatures, Name & Designation of inspecting officials
 20/9/22

 Sh. H. K.
 20/9/21
 GEAPCC

5



Wz 106 / 114, Rajouri Garden, Block 6, Subhash Nagar,
Delhi, 110027, India


Latitude
28.6392204°

Longitude
77.1142384°

Local 06:36:50 PM
GMT 01:06:50 PM

Altitude 163.2 meters
Tuesday, 20 Sep 2022

6



GPS Map
Camera Lite

12/70, Block J, Rajouri Garden Extension, Rajouri Garden,
New Delhi, Delhi 110027, India


Latitude
28.639196666666667°

Longitude
77.114573333333333°

Local 06:30:28 PM
GMT 01:00:28 PM

Altitude 198.8 meters
Tuesday, 20 Sep 2022

7



GPS Map
Camera Lite

12/70, Block J, Rajouri Garden Extension, Rajouri Garden,
New Delhi, Delhi 110027, India

Latitude
28.63923833333333°

Longitude
77.11430999999999°

Local 06:32:02 PM
GMT 01:02:02 PM

Altitude 190.8 meters
Tuesday, 20 Sep 2022