

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI

E.A. No.34/2023

In

Original Application No. 526/2019

IN THE MATTER OF:

Sh. Mahesh Chandra Saxena

... Applicant

VERSUS

Central Pollution Control Committee & Anr

.... Respondents

NDOH:-10.01.2025

INDEX

S. NO.	PARTICULARS	Page No.
1.	Status report of DPCC in view of the order dated 19.09.2024.	1-3
2.	<u>Annexure-1.</u> Copy the list of 59 sites.	4-19

Filed by


(Satender Kumar)
Sr. Env. Engineer

Date: 07th.01.2025

Place: Delhi

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,
PRINCIPAL BENCH, NEW DELHI

E.A. No.34/2023

In

Original Application No. 526/2019

IN THE MATTER OF:

Sh. Mahesh Chandra Saxena

... Applicant

VERSUS

Central Pollution Control Committee & Anr

.... Respondents

STATUS REPORT ON BEHALF OF DELHI POLLUTION
CONTROL COMMITTEE IN TERMS OF THE ORDER DATED
19.09.2024.

i, Satender Kumar, Sr. Environmental Engineer, Delhi Pollution Control Committee, 2nd Floor, Vikas Bhawan-II, Civil Lines, Delhi-110054, do hereby solemnly affirm and state as under:

1. That, I am working as Sr. Environmental Engineer, Delhi Pollution Control Committee and am conversant with the facts of the present case on the basis of record maintained by Delhi Pollution Control Committee in its ordinary course.



A handwritten signature in blue ink, appearing to read "Satender Kumar".

2. That this Hon'ble Tribunal took up the above referred matter which is related to recharge of ground water through Rain Water Harvesting System in NCT of Delhi.
3. That, this Hon'ble Tribunal lastly taken up the matter on 19.09.2024 and pleased to direct DPCC to carry out random checks of the details of the RWHS set up by the authorities to ascertain compliance with the norms.
4. That, in compliance to the order dated 19.09.2024, DPCC has carried out inspections of randomly selected 59 RWHS sites from the lists provided by MCD and DDA. The observations/findings of the inspection of 59 RWHS sites are as below:
 - i. No. of sites, found to be near/close to storm water drains – 18
 - ii. No. of sites, found to be without piezometers - 59
 - iii. No. of sites, found to be without separators- 42
 - iv. No. of sites, where depth of borewell was not found at least 5m above the Static Water Table – 25

As per the random checks of RWHS it is clear that the RWHS installed by DDA and MCD are not in compliance with the suggestions of the committee constituted by the Hon'ble Tribunal. List of 59 sites where inspections has been carried out is enclosed herewith as ANNEXURE-1.

5. Finding of the inspections were sent to MCD and DDA to take corrective measures within 15 days.



A handwritten signature in blue ink, appearing to read "Raj Kr. Gulati".

(3)

6. It is therefore requested to this Hon'ble Tribunal that the status report may kindly be taken on record.


DEPONENT

VERIFICATION

I, the above-named deponent, declare the contents of the present affidavit are true and correct to the best of my knowledge based upon the documents and records available in the office and nothing material has been concealed therefrom.

17 JAN 2025

Verified at New Delhi on this ___ day of January, 2025.


DEPONENT



ATTESTED

NOTARY PUBLIC
GOVT. OF NCT OF DELHI

17 JAN 2025

5

Annexure-1

S.No.	CFC	Date of inspection	Name and designation of inspecting officials	Address/ Location of RWHS Pits	Agency installed RWHS MCD/DA	Ref No. of the list	Latitude/Longitude	Is RWH System Near storm water drain (Yes/No)	Whether Piezometer installed near RWH system (Yes/No)	Whether Separators are installed to separate pollutants from entering RWH(Yes/No)	Whether Borewell in RWH installed at least 5m above static water level (Yes/No)	Remarks
440	CFC-I	13.12.2024	Amritan shu Srivastava va & Sumit Kumar	M.C.Pry. School Turkman Road-1 (G)	MCD	49	28.63851/7 7.230231	No	No	No	Yes (borewell installed but static water level could not be ascertained as peizometer was not installed)	
2	CFC-I	13.12.2024	Amritan shu Srivastava va & Sumit Kumar	M.C.Pry. School Turkman Road-2 (B)	MCD	50	28.63904/7 7.231034	No	No	No	Yes (borewell installed but static water level could not be ascertained as peizometer was not installed)	

5

3	CFC-1	13.12.2024	Amritan shu Srivasta va & Sumit Kumar	M.C.Pry. School Turkman Road (Nursery)	MCD	51	28.63902/7 7.230545	No	No	No	Yes (borewell installed but static water level could not be ascertained as peizometer was not installed)
4	CFC-1	13.12.2024	Amritan shu Srivasta va & Sumit Kumar	M.C.Pry. School 64 Khamba-I/II	MCD	52	28.63866/7 7.231024	No	No	No	Yes (borewell installed but static water level could not be ascertained as peizometer was not installed)
5	CFC-1	13.12.2024	Amritan shu Srivasta va & Sumit Kumar	112 LIG Houses, Ashoka Pahari, Faiz Road	DDA	1	28.64696/7 7.19836	No	No	No	Yes (borewell installed but static water level could not be ascertained as peizometer was not installed)

2

6	CFC-I	13.12.2024	Amritan shu Srivastava & Sumit Kumar	Community Hall, Tikona Park, Shahi Idgah	DDA	2	28.65438/7 7.20746	No	No	No	Yes (borewell installed but static water level could not be ascertained as peizometer was not installed)	
7 442	CFC-I	13.12.2024	Amritan shu Srivastava & Sumit Kumar	144 HIG Houses, Motia Khan	DDA	3	28.64718/7 7.20777	No	No	No	Yes (borewell installed but static water level could not be ascertained as peizometer was not installed)	
8	CFC-I	13.12.2024	Priyank Khatri	DDA office complex, Pitampura	DDA	4	28.699950/ 77.152798	Yes, connected to internal office drain network	No	Yes	Yes (borewell installed but static water level could not be ascertained as peizometer was not installed)	

5

9	CFC-I	13.12.2024	Priyank Khatri	DDA office Complex, Pitampura	DDA	5	28.698986/ 77.152958	Yes, connected to internal office drain network	No	Yes	Yes (borewell installed but static water level could not be ascertained as peizometer was not installed)	
10	CFC-II	16.12.2024	ABHA (TE) AKLES HWAR (TE)	Communit y Hall SukhVIhar	DDA	76	28.646423/ 77.288903	NO	NO	NO	YES	
11	CFC-II	16.12.2024	ABHA (TE) AKLES HWAR (TE)	Communit y Hall SukhVIhar	DDA	77	28.646913/ 77.289292	NO	NO	NO	YES	
12	CFC-II	16.12.2024	ABHA (TE) AKLES HWAR (TE)	Communit y Hall, Preet Vihar	DDA	79	28.639298/ 77.29556	NO	NO	NO	YES	

443

8

13	CFC-II	16.12.2024	ABHA (TE) AKLES HWAR (TE)	Communit y Hall , Anand Vihar	DDA	78	28.651068/ 77.313065	NO	NO	NO	YES	
14	CFC-II	16.12.2024	ABHA (TE) AKLES HWAR (TE)	Communit y Hall, Gazipur	DDA	80	28.63075/7 7.31685	NO	NO	NO	YES	
15 444	CFC-II	17.12.2024	KRISH AN (AE) AKLES HWAR (TE)	EDMC PRY SCHOOL NAND NAGRI C BLOCK	MCD	3	28.690528/ 77.301936	NO	NO	YES	YES	
16	CFC-II	17.12.2024	KRISH AN (AE) AKLES HWAR (TE)	EDMC PRY ACHOOOL NATHU COLONY	MCD	4	28.680975/ 77.298143	NO	NO	YES	YES	
17	CFC-II	17.12.2024	KRISH AN (AE) AKLES HWAR (TE)	EDMC PRY SCHOOL MANSAR OVER PARK EAST	MCD	5	28.680983/ 77.298143	NO	NO	YES	YES	

6

18	CFC-II	17.12.2024	KRISH AN (AE) AKLES HWAR (TE)	EDMC PRY SCHOOL DDA FLAT LONI ROAD	MCD	1	28.695508/ 77.293609	NO	NO	YES	YES	
19	CFC-II	17.12.2024	KRISH AN (AE) AKLES HWAR (TE)	EDMC PRY SCHOOL ASHOK NAGAR	MCD	2	28.693121/ 77.299783	NO	NO	YES	YES	
20	445	12-04-2024	Ankit Kumar (T.E.)	MC. Pry. School Nithari No. 1	MCD	1	28.705857,7 7.054722	NO	NO	NO	NO	No deviation was observed in comparison to previous MCD list
21	4	12-04-2024	Ankit Kumar (T.E.)	MC. Pry. School Nithari No. 2	MCD	2	28.7065923 6,77.057913 3	NO	NO	NO	NO	
22	4	13/12/2024	Tripti Singh (T.E.)	MC. Pry. School; Premnagar, Kirari Suleman nagar	MCD	4	28.6897238, 77.058469	NO	NO	NO	NO	

2

23	4	16/12/2024	Tripti Singh(T.E.)	MC.Pry. School Kirari Suleman nagar	MCD	3	28.7986793, 77.059869	NO	NO	NO	NO	
24	4	16/12/2024	Tripti Singh(T.E.)	MC.Pry. School Mubarakpur	MCD	5	28.713102, 77.028057	NO	NO	NO	NO	
25	4	12-10-2024	Ankit Kumar(T.E.)	Community Hall in G Block, Sector -11 Rohini	DDA	45	28.7334119, 77.1116608	NO	NO	NO	NO	Staff was not able to open the RWH cap
26	4	12-10-2024	Ankit Kumar(T.E.)	Community Hall in CS/OCF-5 at Sector-13 Rohini	DDA	46	28.7171311 304.77.1311 304	NO	NO	NO	NO	Staff was not able to open the RWH cap
27	4	12-10-2024	Ankit Kumar(T.E.)	Community Hall in pocket h Sector-18 Rohini	DDA	47	28.7416972 1,77.134891 19	NO	NO	NO	NO	Staff was not able to open the RWH cap

446

11

28	4	16/12/2024	Tripti Singh(T. E.)	Command tank sector 36 (2 nos RWH)	DDA	48							insufficient address location not found
29	4	16/12/2024	Tripti Singh(T. E.)	Command tank sector 36 (2 nos RWH)	DDA	49							insufficient address location not found
30	447	30.12.2024	Sajid Khan, TE	Housing Pkt E1 , dda Flats, Vasant Lunj, New Delhi- 11070	DDA	416	Lat: 28.536779 Long: 77.131313	No	No	Yes	No		
31	CFC-V	30.12.2024	Sajid Khan, TE	Housing Pkt E1 , dda Flats, Vasant Lunj, New Delhi- 11070	DDA	417	Lat: 28.536654 Long: 77.132637	No	No	Yes	No		

2

32	CFC-V	30.12.2024	Sajid Khan, TE	Housing Pkt E1, dda Flats, Vasant Lunj, New Delhi-11070	DDA	418	Lat: 28.537638 Long: 77.133729	No	No	Yes	No	
33	CFC-V	30.12.2024	Sajid Khan, TE	Housing Pkt E1, dda Flats, Vasant Lunj, New Delhi-11070	DDA	419	Lat: 28.538142 Long: 77.132627	No	No	Yes	No	
34	CFC-V	30.12.2024	Sajid Khan, TE	Housing Pkt E1, dda Flats, Vasant Lunj, New Delhi-11070	DDA	420	Lat: 28.538765 Long: 77.131246	No	No	Yes	No	
35	CFC-V	26.12.2024	Sajid Khan, TE	M.C. Primary school, A-4, Paschim vihar.	MCD	31	Lat: 28.6713533 Long: 77.1112266					Locked
36	CFC-V	26.12.2024	Sajid Khan, TE	M.C. Primary school, A-5, Paschim vihar.	MCD	28	Lat: 28.6760023 Long: 77.1017282					Locked

37	CFC-V	26.12.2024	Sajid Khan, TE	M.C. Primary school, Jwalaheri	MCD	30	Lat: 28.6672037 Long: 77.1017585	No	No	No	No	
38	CFC-V	27.12.2024	Vaibhav Kumar, AEE	M.C. Primary school, Peeragarhi camp	MCD	29	Lat: 28.6808132 Long: 77.1099391 9					Locked
39	CFC-V	27.12.2024	Vaibhav Kumar, AEE	M.C. Primary school, Ranibagh girls	MCD	32	Lat: 28.6866631 Long: 77.1307636					Locked
40	VI	05-11-2024	Nipun Beniwal (JEE)	M.C. Pry. School, Haiderpur Village Boys	MCD	1	28.7252, 77.14756	Yes	No	No*	No*	*Separators and Borewell levels could not be checked. Hence information was sought from MCD officials Sh. Ghanghor(JE).
41	VI	05-11-2024	Nipun Beniwal (JEE)	M.C. Pry. School, Haiderpur Village Girls	MCD	2	28.72513, 77.14851	No	No	No*	No*	

3

42	VI	05-11-2024	Nipun Benival (JEE)	M.C. P.V. School, Haiderpur JJ Colony	MCD	3	28.72459, 77.14766	No	No	No*	No*
43	VI	05-11-2024	Nipun Benival (JEE)	Ayurvedic Hospital, Haiderpur	MCD	4	28.72385, 77.15141	No	No	No*	No*
44	VI	05-11-2024	Nipun Benival (JEE)	M&CW Centre, Haiderpur (Ayurvedic hospital campus)	MCD	5	28.72385, 77.15141	No	No	No*	No*

Site No. 4&5 are same as there was only one RWHS was installed in the whole campus of Ayurvedic hospital, which also confirmed by MCD officials.

450

(5)

45	VI	05-11-2024	Nipun Beniwal (JEE)	Adjacent to AI Block, Poket-3, Sector-G8, Narela, Delhi-110040	DDA	110	-	Yes	No	Yes*	Yes*
46	VI	05-11-2024	Nipun Beniwal (JEE)	Between Block B1, B2, B3, B4 & B11 poket-3, Sector-G8, Narela, Delhi-1110040	DDA	111	-	Yes	No	Yes*	Yes*
47	VI	05-11-2024	Nipun Beniwal (JEE)	Front of C7 Block, poket-3, Sector-G8, Narela, Delhi-110040	DDA	112	-	Yes	No	Yes*	Yes*

451

*Separators and Borewell levels could not checked, Hence information was sought from DDA officials Sh. Avtar Meena(AE)

2

48	VI	05-11-2024	Nipun Beniwal (JEE)	Central Green Park, Pumping Station, Pocket-3, Sector-G8, Narela, Delhi-110040	DDA	113	-	Yes	No	Yes*	Yes*
452	VI	05-11-2024	Nipun Beniwal (JEE)	Central Green Park, Backside, Block G6, Pocket-3, Sector-G8, Narela, Delhi-110040	DDA	114	-	Yes	No	Yes*	Yes*
50	7	18-12-2024	Harshit JEE, DPCC & Bhannu TE, DPCC	Community Hall at GH-6 Paschim vihar	DDA	290	28.664012 77.086255	Yes	No	NA	Yes

(4)

51	7	18-12-2024	Harshit JEE, DPCC & Bhanu TE, DPCC	Community Hall at GH-4 Paschim vihar	DDA	289	28.65743 77.09201	Yes	No	NA	Yes	
52	7	18-12-2024	Harshit JEE, DPCC & Bhanu TE, DPCC	Community Hall at GH-1 Paschim vihar	DDA	288	28.680000 77.100000	Yes	No	NA	Yes	
453	7	18-12-2024	Harshit JEE, DPCC & Bhanu TE, DPCC	Community Hall at Madipur, opp. SFS	DDA	287	28.67 77.12	Yes	No	NA	Yes	
54	7	18-12-2024	Harshit JEE, DPCC & Bhanu TE, DPCC	Community Hall at GH-9 Paschim vihar	DDA	291	28.663930 77.087570	Yes	No	NA	Yes	

81

55	7	19-12-2024	Harshit JEE, DPCC & Bhanu TE, DPCC	MC Pry. School Shivaji Park	MCD	1	28.672085 77.13211	Yes	No	NA	Yes	
56	7	19-12-2024	Harshit JEE, DPCC & Bhanu TE, DPCC	MC Pry. School Road no. 24	MCD	3	28.664791 77.119471	Yes	No	NA	Yes	
57	7	19-12-2024	Harshit JEE, DPCC & Bhanu TE, DPCC	MC Pry. School Basai Darapur	MCD	4	28.654475 77.132373	Yes	No	NA	Yes	
58	7	19-12-2024	Harshit JEE, DPCC & Bhanu TE, DPCC	Nursary School Basai Darapur	MCD	5	28.654422 77.131791	Yes	No	NA	Yes	

454

61

59	7	19-12-2024	Harshit JEE, DPCC & Bhanu TE, DPCC	MC Pry. School Road no. 66	MCD	2	28,669418 77.125624	Yes	No	NA	Yes	
----	---	------------	---	-------------------------------------	-----	---	------------------------	-----	----	----	-----	--