

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL
CENTRAL ZONE BENCH, BHOPAL,
ORIGINAL APPLICATION NO. 239/2024

IN THE MATTER OF:

NITIN SAXENA

.....APPLICANT

VERSUS

STATE OF M.P. & ORS.

.....RESPONDENT

INDEX

| SR. | PARTICULARS | ANNEXURE | PAGE |
|------------|--|-----------------|-------------|
| 1. | Status Report of MPPCB in Original Application No. 239/2024 of Nitin Saxena V/s State of Madhya Pradesh & Ors. | | 2-3 |
| 2. | Inspection Report of Garbage Transfer Station. | I | 4-9 |

Date:06.10.2025

Place: Bhopal

Submitted by MPPCB: -

through Counsel



Adv. Parul Bhadoria

Ph. No.: (+91)-8085977111;

Email: parul.bhadoria04@gmail.com

STATUS REPORT OF MPPCB IN ORIGINAL APPLICATION NO. 239/2024 OF NITIN SAXENA V/S STATE OF MADHYA PRADESH & ORS.

1. That, Hon'ble NGT issued following instructions on dated 23/09/2025 in the matter of OA 97/2025 (CZ) Nitin Saxena V/s State of M.P. & Ors.: -

“9. In response to the above contention learned counsel for the State PCB has submitted that at the time when the reply was submitted some facilities have been granted the consent conditions but after that, as informed by the learned counsel for the BMC, some applications have been moved before the State PCB which is either pending or disposed of and for that purpose time has been sought to submit the status. The State PCB is directed to submit the latest status as regards obtaining to CTE and CTO for the units separately.”

2. That, in compliance to the order of Hon'ble NGT dated 23/09/2025, an inspection of the 15 garbage transfer stations located throughout Bhopal was conducted by MPPCB officials on dated 01/10/2025 and 03/10/2025. The inspection report is enclosed as **Annexure-1**.
3. The status of CTE (Consent to Establish) and CTO (Consent to Operate) of 15 garbage transfer stations are as under: -

| No. | Garbage Transfer Station | Applied for Air/Water Consent | Status |
|-----|-------------------------------------|--|-------------|
| 1- | Anna Nagar Garbage Transfer Station | <ul style="list-style-type: none"> • CTE granted on dt. 08/03/2025. • CTO Application received online on dt. 25/09/2025 under process. | Operational |
| 2- | Baba Nagar Garbage Transfer Station | <ul style="list-style-type: none"> • CTE granted on dt. 08/03/2025. • CTO Application received online on dt. 25/09/2025 under process. | Operational |
| 3- | Bairagarh Garbage Transfer Station | <ul style="list-style-type: none"> • CTE granted on dt. 27/01/2025. • CTO Application received online on dt. 25/09/2025 under process. | Operational |
| 4- | Bhadbhada Garbage Transfer Station | <ul style="list-style-type: none"> • CTE granted on dt. 27/01/2025. • CTO Application received online on dt. 25/09/2025 under process. | Operational |
| 5- | Gondipura Garbage Transfer Station | <ul style="list-style-type: none"> • CTE granted on dt. 28/04/2025. • CTO Application received online on dt. 25/09/2025 under process. | Operational |
| 6- | Govindpura | <ul style="list-style-type: none"> • CTE granted on dt. 08/03/2025. | Operational |

| | | | |
|-----|--|--|-------------|
| | Garbage Transfer Station | <ul style="list-style-type: none"> • CTO Application received online on dt. 26/09/2025 under process. | |
| 7- | Idgahills Garbage Transfer Station | <ul style="list-style-type: none"> • CTE granted on dt. 08/03/2025. • CTO Application received online on dt. 26/09/2025 under process. | Operational |
| 8- | Jaatkhedhi Garbage Transfer Station | <ul style="list-style-type: none"> • CTE granted on dt. 08/03/2025. • CTO Application received online on dt. 25/09/2025 under process. | Operational |
| 9- | Jinsi Garbage Transfer Station | <ul style="list-style-type: none"> • CTE granted on dt. 08/03/2025. • CTO Application received online on dt. 25/09/2025 under process. | Operational |
| 10- | Rajendra Nagar Garbage Transfer Station | <ul style="list-style-type: none"> • CTE granted on dt. 27/01/2025. • CTO Application received online on dt. 25/09/2025 under process. | Operational |
| 11- | Thuakheda, Kajlikheda Garbage Transfer Station | <ul style="list-style-type: none"> • CTE granted on dt. 27/01/2025. • CTO Application received online on dt. 25/09/2025 under process. | Operational |
| 12- | Transport Nagar Garbage Transfer Station | <ul style="list-style-type: none"> • CTE granted on dt. 27/01/2025. • CTO Application received online on dt. 25/09/2025 under process. | Operational |
| 13- | Yaadgar-E-Shahjhani Garbage Transfer Station | <ul style="list-style-type: none"> • CTE granted on dt. 27/01/2025. • CTO Application received online on dt. 25/09/2025 under process. | Operational |
| 14- | Danapani Garbage Transfer Station- | <ul style="list-style-type: none"> • CTE granted on dt. 07/12/2021. • CTO granted on dt. 08/03/2022. | Operational |
| 15- | Arif Nagar Garbage Transfer Station | <ul style="list-style-type: none"> • CTE granted on dt. 07/12/2021. • CTO granted on dt. 08/03/2022. | Operational |

4. That, the Hon'ble Tribunal may kindly be pleased to take the present report on record.


Brajesh Sharma
 OIC, MP PCB, Bhopal

INSPECTION REPORT

Sub: Inspection Report in compliance to the order of Hon'ble National Green Tribunal (NGT) dated 23/09/2025 in OA 239/2024 of Nitin Saxena V/s State of Madhya Pradesh & Ors.

Ref: Order of Hon'ble NGT dated 23/09/2025 in OA 239/2024 (CZ).

In compliance to the order dated 23/09/2025 of the Hon'ble NGT in OA 239/2024 of *Nitin Saxena V/s State of Madhya Pradesh & Ors.*, the officials of MPPCB conducted the site inspection on dated 01/10/2025 and 03/10/2025 regarding the latest status of the 15 garbage transfer stations (GTSs) located throughout Bhopal. The In-charge/contact person available at the transfer station during inspection along with the details of zones and allotted ward is enclosed as **Annexure-1**. The photographs taken during inspection are enclosed as **Annexure-2**. The main points noted during the inspection are as under: -

1. All 15 garbage transfer stations (GTSs) were inspected and found in operational condition.
2. The approach roads to the GTSs are paved and accessible, allowing for smooth entry and exit of waste collection vehicles, including tippers.
3. The GTSs are having secure perimeter fencing and boundary wall of height approximately 10 feet, gated access and green belt to enhance environmental safety.
4. The transfer stations are equipped with a well-ventilated shed and a pucca RCC floor, where the waste is transferred from smaller collection vehicles (tippers) to larger hook loaders.
5. The solid waste collected from door-to-door collection vehicles reaches to the transfer station. In the transfer stations, the segregated solid waste is immediately transferred from smaller collection vehicles (tippers) to larger

hook loaders separately and then transferred into covered, airtight capsules (blue-colored capsules used for dry waste and green-colored capsules for wet waste) mounted on the vehicles for further transportation to the disposal site.

6. Any waste water generated during the transfer process is collected into RCC tank and removed using suction machines. The collected waste water is then transported to the nearest Sewage Treatment Plant (STP) for comprehensive treatment and disposal.
7. No storage of solid waste is observed in the transfer stations.

Prakamya Tiwari
06/10/25

Prakamya Tiwari
AE
RO, MPPCB, Bhopal

Shivam Dwivedi
06/10/25

Shivam Dwivedi
Legal Assistant
RO, MPPCB, Bhopal

Details of In-charge/ Contact Person and Transfer Station Zone/Ward allotted

| Sno. | GTS | In-charge/ Contact Person | Allotted Zones | Allotted Wards |
|-------------|------------------|----------------------------------|------------------------|---|
| 1. | Arif Nagar | Mr. Md. Arbaz | 3,4,5,16,17 | 9, 11, 12, 13, 14, 15, 16, 17, 18, 20, 72, 73, 75, 76, 77, 78, 79 |
| 2. | Anna Nagar | Mr. Rohit Shah | 12,14 | 56,57,58,59,60,61 |
| 3. | Baba Nagar | Mr. Ankit Gautam | 6, 8, 18 | 80 ,82 , 84, 85, 30, 46, 51, 83 |
| 4. | Bhadhbhadha | Mr. Rajendra Meena | 6, 7, 8, 21 | 24, 25, 26, 27, 28, 29, 30, 31, 32, 46, 47 |
| 5. | Bairagarh | Mr. Danish | 1 | 3, 4, 5 |
| 6. | Idgah Hills | Mr. Rakesh Kumar | 2, 5, 20 | 6, 7, 8, 10, 21 |
| 7. | Gondipura | Mr. Shavez | 17,20 | 1, 2,6,70,75,77 |
| 8. | Govindpura | Mr. Anuj Sharma | 11, 12, 14, 15, 16, 17 | 70, 71, 44 ,66, 67, 68, 65, 74 |
| 9. | Jinsi | Mr. Ajay Mishra | 10,12 | 33,35,40,42,43, 44,70,71 |
| 10. | Jatkhedi | Mr. Ajay | 13, 14 | 52, 53, 54, 55, 56, 57, 60, 85 |
| 11. | Danapani | Ms. Simran Raghuvanshu | 6, 7, 8, 13, 18, 21 | 45, 48, 49, 50, 51, 52, 54, |
| 12. | Rajendra Nagar | Mr. Abhishek | 9, 11, 16 | 36, 37, 38, 69, 74 |
| 13. | Shahjani Park | Mr. Pankaj | 5, 7, 10, 11, 21 | 19, 22, 23, 24, 33, 34, 35, 39,40, 41, 42, 70 |
| 14. | Transport Nagar | Mr. Abhishek | 15 | 62, 63, 64 |
| 15. | Thuakheda, Kolar | Mr. Amir Wasim | 19 | 81,84 |

Inspection Photographs
on dated 01/10/2025 and 03/10/2025
in OA 239/2024 (CZ)







Latitude: 23.270167
 Longitude: 77.328810
 Elevation: 527.70±4.15 m
 Accuracy: 4.99 m
 Time: 03-10-2025 14:22:04
 Note: Bairagarh Garbage transfer station

NoteCam @ IOS




Latitude: 23.275792
 Longitude: 77.424783
 Elevation: 487.72±3.00 m
 Accuracy: 3.54 m
 Time: 01-10-2025 15:43:58
 Note: Rajendra Nagar Garbage transfer station

NoteCam @ IOS



Latitude: 23.281298
 Longitude: 77.404752
 Elevation: 492.76±4.03 m
 Accuracy: 4.75 m
 Time: 01-10-2025 16:52:10
 Note: Arif nagar Garbage transfer station

NoteCam @ IOS



Latitude: 23.195371
 Longitude: 77.421291
 Elevation: 486.38±3.00 m
 Accuracy: 18.68 m
 Time: 01-10-2025 14:00:25
 Note: Baba Nagar

NoteCam @ IOS



Latitude: 23.185480
 Longitude: 77.466005
 Elevation: 0.00 m
 Accuracy: 96.14 m
 Time: 01-10-2025 14:24:15
 Note: Jathhedhi

NoteCam @ IOS



Latitude: 23.248976
 Longitude: 77.425858
 Elevation: 503.91±3.00 m
 Accuracy: 11.7 m
 Time: 01-10-2025 16:15:28
 Note: Jinsi

NoteCam @ IOS

Status Report of MPPCB in Original Application No. 239/2024 of Nitin Saxena V/s State of Madhya Pradesh & Ors

From : Legal Cell <legalcell.pcb@mp.gov.in>

Mon, Oct 06, 2025 03:39 PM

Subject : Status Report of MPPCB in Original Application No.
239/2024 of Nitin Saxena V/s State of Madhya Pradesh &
Ors

 1 attachment

To : nitinsaxena0578 <nitinsaxena0578@gmail.com>

Cc : parul bhadoria04 <parul.bhadoria04@gmail.com>,
harnengt <harnengt@gmail.com>

Madam/Sir

Please find enclosed Status Report of MPPCB in Original Application No. 239/2024 of Nitin Saxena V/s State of Madhya Pradesh & Ors.
This mail may be treated as proof of service.

Regards

Legal Section

MP PCB

Regards

Legal Section

MP PCB

 **Report in OA 239-2024 dt 06.10.2025.pdf**
3 MB
