



ANNEXURE - 1
Coal & Husk Storage shed



Sprinkler arrangement in Husk & Coal Yard



ANNEXURE - 3

ASH Loading from SILO



ANNEXURE 4

ANNEXURE - 4.

GOVERNMENT OF ANDHRA PRADESH
GROUND WATER DEPARTMENT

From

Sri K. Ramesh Kumar, M.Sc
Deputy Director
Ground Water Department,
Nellore.

To

The Director,
Ground Water Department,
Hyderabad

Lr.Re.No. 573/Hg/Single window/2015. dt: 23-4-2016

Sir,

Sub:- Ground Water Department, Nellore – Single Window program –
M/s Gemini Edibles & Fats India private ltd., - Pantapalem
village of Muttukur mandal – Detailed ground water
investigation report – submitted - Regarding.

Ref:- Online application ID: CAE1503380.

---o---

I invite kind attention to the subject and reference cited.

I am herewith submitting the detailed report on ground water surveys
conducted under Single desk policy in the premises of M/s Gemini Edibles &
Fats India private limited, Pantapalem village, Muttukur mandal, SPS Nellore
district for head office approval.

Encl:- Detailed report

Yours faithfully

M. Ramesh Kumar
23.4.16
DEPUTY DIRECTOR

1

REPORT ON GROUND WATER SURVEY CONDUCTED IN THE PREMISES OF M/S
GEMINI EDIBLES & FATS INDIA PRIVATE LIMITED, PANTAPALEM VILLAGE,
MUTTUKUR MANDAL, SPSR NELLORE DISTRICT

Introduction: Ground water surveys were carried out in the lands of M/s Gemini Edibles & Fats India Private Limited, Pantapalem village, Muttukur mandal with reference to application received under Single desk policy on 1-4-2016. The total requirement of water for industrial and drinking purpose as mentioned in application is 621 KLD. The surveys were carried out on 21-4-2016.

Location: The investigated area is with an extent of 15.22 acres bearing survey no. 1607/2 of Pantapalem [Epuru 1B] village which is situated 2.5 km South East of Pantapalem village. The surveyed area lies around the Geo co-ordinates $14^{\circ}15'26''$ North latitude and $80^{\circ}04'18.2''$ East longitude which are falls in the survey of India toposheet no. 66 B/3. Locations of existing filter points are shown in the map is enclosed with this report.

Physiography: The surveyed area is plain and gently sloping towards South East which lies at a height of 5m above mean sea level.

Drainage: The area is having parallel drainage and it is drained by local streams which are joined to the Bay of Bengal. It is a command area through Pantapalem canal. Due to these conditions, ground water recharge may be moderate in that area.

Climate and Rainfall: The area is under tropical climate conditions. The normal annual rainfall of Muttukur mandal is 1216 mm. Most of the rainfall occurs during the North-East monsoon. The maximum and minimum temperatures in the district are 45°C and 18°C respectively.

Hydrogeology: The investigated area is covered by Alluvium consisting of limited productive sand zone and followed by clay. The area is feasible for shallow filter points. During investigations, it is noticed that four filter points are existing at North side within the premises. In that three filter points (Well nos. 1,2,3) are functioning with moderate yields which are fitted with 3HP submersible motors. One filter point (Well no. 4) is kept idle due to low yields and poor quality. Whereas in the middle and South side of land the quality ground water is poor. The depth range of the existing filter points is 12 m. The depth to water level varies from 2 to 3m bgl. The depth to water level in nearest piezometer at Muttukuru is 1.89 m in the month of April, 16. Geophysical surveys were not carried out because of sufficient vacant place is not available in the Factory premises. Rain water harvesting methods are also taken up in large scale to recharge the ground water in factory premises.

Yield test was conducted to know the discharge of the existing filter points. After calibration of yield test the filter points discharges in the range from 8,000 to 10,000 LPH. Quality reports of ground water from the existing filter points in factory premises are examined. The PH of the water varies from 7.2 to 7.6, and the total dissolved solids varies from 730 to 1365 ppm resulted that the water is usable for domestic purpose.

GEC Status:-The Pantapalem village, Muthukur mandal falls in the basin NLR-c-73 Muthukur. As per GEC 2014-15 calculations, the stage of development of the basin is 25% and falls in safe category. The stage of development of EPuru 1B village is 34%.

Conclusion and Recommendations: Hydro geological conditions reveal that the area is covered by Alluvium consisting of limited productive sand zone followed by clay. The scheme area is having moderate recharge conditions.

During well inventory, it is observed that the existing filter points in and around the industry are functioning with moderate yields.

Based on survey results, the existing 3 Filter points [Well nos. 1 to 3] in the factory premises are recommended for exploitation of ground water. Well no. 4 is also recommended to tap the ground water with low capacity motors as it is having low yields. Their locations are shown in the site plan. Approximately 350 KLD of ground water can be expected from these existing filter points. Brake up of the expected yield from each Filter point is given below. Balance of water they can take from other sources like tanks and canal system to meet the requirement.

Expected Yield per Day from existing & proposed sources:

From well no.1:	$10,000 \text{ lph} \times 10 \text{ hours} = 1,00,000 \text{ LPD}$
From well no.2:	$10,000 \text{ lph} \times 10 \text{ hours} = 1,00,000 \text{ LPD}$
From well no.3:	$10,000 \text{ lph} \times 10 \text{ hours} = 1,00,000 \text{ LPD}$
From well no.4:	$5,000 \text{ lph} \times 10 \text{ hours} = 50,000 \text{ LPD}$
<u>Total quantity:</u>	<u>3,50,000 LPD or 350 KLD</u>

[Signature]
 3.4.16
 DEPUTY DIRECTOR
 GROUND WATER DEPARTMENT
 NELLORE

GOVERNMENT OF ANDHRA PRADESH
GROUND WATER & WATER AUDIT DEPARTMENT

From
Sri R. Sobhan Babu, M.Sc., B.Ed
Deputy Director,
Ground Water & Water Audit Dept,
SPSR Nellore.

To
M/s Gemini Edibles and Fats India Pvt.Ltd
Eputu Bit 1-B Village,
Muthukuru Mandal,
SPSR Nellore

Lr.Rc.No.257/Hg/Single Window/2020

dated: 26-10-2020

Sir,

Sub: - Groundwater & Water Audit Department, Nellore - Single
Window Programme - M/s Gemini Edibles and Fats India Pvt.Ltd,
Epuru Bit 1B Village, Muthukuru Mandal - Detailed groundwater
investigation report- submitted - Regarding

Ref: - Online application ID: CAE20000244 – dated: 07-10-2020.

--:O:--

Vide reference cited above, the M/s Gemini Edibles and Fats India Pvt.Ltd, Epuru Bit 1B Village, Muthukuru Mandal, requested to issue groundwater clearance to utilise 90 KLD of groundwater.

Accordingly, the groundwater surveys have been conducted and the firm is permitted to draw 70 KLD of groundwater for domestic/other purposes from one recommended filter point @ (14°15'32.30"N 80° 4'19.60"E) duly following terms and conditions, furnished overleaf.

REPORT ON HYDROGEOLOGICAL INVESTIGATIONS FOR SELECTION OF SITES FOR
FILTERPOINTS IN THE PREMISES OF M/s GEMINI EIDBLES FATS INDIA PRIVATE LIMITED
AT EPURU BIT-1B VILLAGE, MUTHUKUR MANDAL, SPSR NELLORE DISTRICT.

Introduction: At the instance of, M/s Gemini Edibles Fats India Private Limited vide Application ID: CAE20000244 dated 07-10-2020, groundwater investigations were conducted. By Mistake the total requirement for industrial and drinking purpose is mentioned as 1 KLD in the application instead of 90 KLD.

The detailed and integrated groundwater investigations were carried out by Sri.Dr.A.Dinakar, A.Hg. Sri.Y.Naveen Babu, T.A (Hg) and Sri.T.Rajarao T.A (Gp) in the premises of M/s Gemini Edibles Fats India Private Limited at Epuru Bit-1B Village, Muthukur Mandal, SPSR Nellore district on 19-10-2020, to assess the present usage and possibility for groundwater exploitation to meet the requirement of 90 KLD.

Location: The proposed site which is having an extent of 15.22 acres of land bearing survey No. 1607/2, is located at a distance of 2.27 Km North-East to the Epuru Bit-1B Village and the area lies between North Latitudes of 14°15'33.62"N to 14°15'39.04"N and East longitudes of 80° 4'7.48"E to 80° 4'24.95"E. The investigated area falls in survey of India Toposheet No.66B/3.

Physiography: The surveyed area is having a plain topography and is gently sloping towards East, with an elevation of 5m above mean seal level.

Drainage: The investigated area is sloping from West to East and Drainage pattern is Parallel in nature.

Climate and Rainfall: The investigated area is under tropical climate conditions. The normal annual rainfall of the area is 1237 mm. Most of the rainfall occurs during the North-East monsoon. The maximum and minimum temperatures in the district are 45°C and 18°C respectively.

GEC Status: The Epuru Bit-1B Village of Muthukur Mandal falls in the basin
MUD C 72 MUTHUKUR MB. According to GEC 2016-17 calculations the stage of

Quality of Groundwater: -

Four groundwater samples were collected from the filter points existing within the scheme area and analysed chemically. The resulting pH, Electrical conductivity and the total dissolved solids are shown in table - 2. The resulting data indicates that the measured parameters of the water sample are within the permissible limits and the quality of groundwater is moderate in nature.

Table - 2

S.No	Name of the Premises	Electrical Conductivity Microsiemens / cm	pH	Total Dissolved Solids (Mg/L)	Quality Of Ground Water
1	Gemini Edibles and Fats India Pvt. Ltd Four existing filter points	651 - 5480	6.55- 7.30	422-3580	Moderate to Saline.

Conclusion and Recommendations:

The detailed groundwater survey results reveal that the scheme area is underlain by Coastal Alluvium formation belonging to recent age in geological time scale. The scheme area falls under the command area of the pantapalem canal, and getting moderate recharge from it. During well inventory it is observed that the 4 filter points existing within the premises are functioning with moderate yields up to 7,500 LPH. The analytical data reveals that the quality of groundwater is moderate in nature.

It is found that, previously the firm has given permission to utilize 350KLD of groundwater from the four existing filter points in their premises. As the permitted quantity is not sufficient to meet their requirements the firm has applied for another 90 KLD. It is reported that as three of the existing filter points became dry/collapsed, they constructed three new filter points in new locations. Currently only 180 KLD of

Recommendations:

S. No	Name/ Location	Dia & Depth	Expected Yield (LPH)	Recommended No. of hours pumping per day	Total Yield (LPD)	Permitted water in LPD
1	Gemini Edibles and Fats India Private Limited (14°15'32.30"N 80° 4'19.60"E)	140mm , 10m.	7.000	10	70.000	70.000

R. Subramanian
DEPUTY DIRECTOR 2/11/20

GROUNDWATER & WATER AUDIT DEPT
NELLORE

TERMS & CONDITIONS:

- 1) The wells must be pumped for the recommended numbers of hours/day with recommended discharge and
- 2) The recommended well must be fitted with water meter by the industry at its own cost, and monitoring of ground water discharges to be undertaken accordingly.
- 3) They should also monitor the water levels once in a month (last week of a month) and quality twice a year (pre and post monsoon periods) and record the data. The recorded data must be sent to the Deputy Director, Ground Water and Water Audit Department, SPSR Nellore District. The above reports / data may be send by post or email: ddgwd.nellore@gmail.com.
- 4) Officers of the Ground Water and Water Audit Department must be allowed to inspect the wells, plant area, recharge structures and data whenever found necessary by them.
- 5) The recommendations hold good subject to the normal rainfall conditions and stage of Ground Water and Water Audit Department in the area.
- 6) The Government of A.P. /GWD reserved the right to stop the plant from using ground water during emergencies or whenever the plant deviates from the terms and conditions.
- 7) The party has to give their consent to the above terms and conditions within a week compliance regarding grounding of the recommendations and terms and conditions within a month of receipt of the report/ recommendations.


R. Subramanian
28/10/20

DEPUTY DIRECTOR

GROUNDWATER & WATER AUDIT DEPT
NELLORE

GEMINI EDIBLES & FATS INDIA PVT LTD

WATER BALANCE FLOW CHART FOR CHEMICAL & PHYSICAL REFINING



ANNEXURE 5

EFFLUENT WATER PUMP NEAR PROCESS HOUSE



Effluent water transfer pipeline to ETP



Rain Water Harvesting Pond



ANNEXURE 6
Energy Meter- ETP & ROP



Energy Meter- MEE & ATFD



PROOF OF ETP RUNNING - ENERGY METER
 JAN'20 - DEC'20. (10)(J)

ETP November-20 Month Readings			
Date	Opening Reading	Closing Reading	MF : 1 Consumption
01-11-20	204700	205200	500
02-11-20	205200	205600	400
03-11-20	205600	206600	1000
04-11-20	206600	206700	100
05-11-20	207700	208800	1100
06-11-20	208500	209400	900
07-11-20	209400	210300	900
08-11-20	210300	211000	700
09-11-20	211000	211800	800
10-11-20	211800	212800	1000
11-11-20	212800	213700	900
12-11-20	213700	214700	1000
13-11-20	214700	215600	900
14-11-20	215600	216500	900
15-11-20	216500	217300	800
16-11-20	217300	218300	1000
17-11-20	218300	219200	900
18-11-20	219200	220400	1200
19-11-20	220400	221500	1100
20-11-20	221500	222700	1200
21-11-20	222700	223900	1200
22-11-20	223900	224400	500
23-11-20	224400	225300	900
24-11-20	225300	226100	800
25-11-20	226100	227000	900
26-11-20	227000	227700	700
27-11-20	227700	228700	1000
28-11-20	228700	229500	800
29-11-20	229500	230300	800
30-11-20	230300	231300	1000
Totals			25900

ETP December-20 Month Readings			
Date	Opening Reading	Closing Reading	MF : 1 Consumption
01-12-20	231300	232300	1000
02-12-20	232300	233300	1000
03-12-20	233300	234500	1200
04-12-20	234500	235500	1000
05-12-20	235500	236400	900
06-12-20	236400	237000	600
07-12-20	237000	237600	600
08-12-20	237600	238100	500
09-12-20	238100	238600	500
10-12-20	238600	239400	800
11-12-20	239400	240400	1000
12-12-20	240400	241100	700
13-12-20	241100	241500	400
14-12-20	241500	242000	500
15-12-20	242000	242600	600
16-12-20	242600	243400	800
17-12-20	243400	244200	800
18-12-20	244200	244900	700
19-12-20	244900	245800	900
20-12-20	245800	246400	600
21-12-20	246400	247100	700
22-12-20	247100	248000	900
23-12-20	248000	248800	800
24-12-20	248800	249600	800
25-12-20	249600	250400	800
26-12-20	250400	251300	900
27-12-20	251300	251800	500
28-12-20	251800	252600	800
29-12-20	252600	253300	700
30-12-20	253300	253800	500
31-12-20	253800	254500	700
Totals			23200



U/S
 E.L. Eng: V. SESHAGIRI RAO



ETP September-20 Month Readings			
Date	Opening Reading	Closing Reading	MF : 1 Consumption
01-09-20	145700	146700	1000
02-09-20	146700	147600	900
03-09-20	147600	148700	1100
04-09-20	148700	149900	1200
05-09-20	149900	151000	1100
06-09-20	151000	151600	600
07-09-20	151600	152300	700
08-09-20	152300	153300	1000
09-09-20	153300	154400	1100
10-09-20	154400	155400	1000
11-09-20	155400	156300	900
12-09-20	156300	157300	1000
13-09-20	157300	158000	700
14-09-20	158000	159000	1000
15-09-20	159000	159800	800
16-09-20	159800	160700	900
17-09-20	160700	161700	1000
18-09-20	161700	162800	1100
19-09-20	162800	163800	1000
20-09-20	163800	164800	1000
21-09-20	164800	165700	900
22-09-20	165700	166700	1000
23-09-20	166700	167800	1100
24-09-20	167800	168900	1100
25-09-20	168900	169800	900
26-09-20	169800	171000	1200
27-09-20	171000	171800	800
28-09-20	171800	172800	1000
29-09-20	172800	173800	1000
30-09-20	173800	174700	900
Totals			29000

ETP October-20 Month Readings			
Date	Opening Reading	Closing Reading	MF : 1 Consumption
01-10-20	174700	175700	1000
02-10-20	175700	176600	900
03-10-20	176600	177700	1100
04-10-20	177700	178400	700
05-10-20	178400	179300	900
06-10-20	179300	180300	1000
07-10-20	180300	181300	1000
08-10-20	181300	182500	1200
09-10-20	182500	183400	900
10-10-20	183400	184200	800
11-10-20	184200	185200	1000
12-10-20	185200	186100	900
13-10-20	186100	187200	1100
14-10-20	187200	188100	900
15-10-20	188100	189100	1000
16-10-20	189100	190100	1000
17-10-20	190100	191300	1200
18-10-20	191300	192000	700
19-10-20	192000	192900	900
20-10-20	192900	194000	1100
21-10-20	194000	194800	800
22-10-20	194800	195900	1100
23-10-20	195900	196900	1000
24-10-20	196900	198100	1200
25-10-20	198100	198800	700
26-10-20	198800	199700	900
27-10-20	199700	200700	1000
28-10-20	200700	201700	1000
29-10-20	201700	202700	1000
30-10-20	202700	203600	900
31-10-20	203600	204700	1100
Totals			30000



Ufer
 E.L. Eng: V. SESHAGIRI RAO



ETP July-20 Month Readings			
Date	Opening Reading	Closing Reading	MF : 1 Consumption
01-07-20	86114.6	87190.5	1075.9
02-07-20	87190.5	88082.9	892.4
03-07-20	88082.9	88950	867.1
04-07-20	88950	90020.5	1070.5
05-07-20	90020.5	90711.4	690.9
06-07-20	90711.4	91741.3	1029.9
07-07-20	91741.3	92585.6	844.3
08-07-20	92585.6	93558.5	972.9
09-07-20	93558.5	94447.7	889.2
10-07-20	94447.7	95560.7	1113
11-07-20	95560.7	96489.2	928.5
12-07-20	96489.2	97314.7	825.5
13-07-20	97314.7	98499.2	1184.5
14-07-20	98499.2	99524.3	1025.1
15-07-20	99524.3	100530.3	1006
16-07-20	100660	101640	980
17-07-20	101700	102400	700
18-07-20	102400	103600	1200
19-07-20	103600	104300	700
20-07-20	104300	105400	1100
21-07-20	105400	106400	1000
22-07-20	106400	107500	1100
23-07-20	107500	108500	1000
24-07-20	108500	109500	1000
25-07-20	109500	110600	1100
26-07-20	110600	111200	600
27-07-20	111200	112200	1000
28-07-20	112200	113100	900
29-07-20	113100	113900	800
30-07-20	113900	115000	1100
31-07-20	115000	116200	1200
Totals			29895.7

ETP August-20 Month Readings			
Date	Opening Reading	Closing Reading	MF : 1 Consumption
01-08-20	116200	117400	1200
02-08-20	117400	118000	600
03-08-20	118000	119000	1000
04-08-20	119000	120000	1000
05-08-20	120000	121000	1000
06-08-20	121000	122000	1000
07-08-20	122000	122800	800
08-08-20	122800	123900	1100
09-08-20	123900	124500	600
10-08-20	124500	125400	900
11-08-20	125400	126400	1000
12-08-20	126400	127400	1000
13-08-20	127400	128600	1200
14-08-20	128600	129800	1200
15-08-20	129800	130600	800
16-08-20	130600	131300	700
17-08-20	131300	132300	1000
18-08-20	132300	133200	900
19-08-20	133200	134100	900
20-08-20	134100	135000	900
21-08-20	135000	136000	1000
22-08-20	136000	136800	800
23-08-20	136800	137700	900
24-08-20	137700	138700	1000
25-08-20	138700	139700	1000
26-08-20	139700	140900	1200
27-08-20	140900	142100	1200
28-08-20	142100	143000	900
29-08-20	143000	144000	1000
30-08-20	144000	144700	700
31-08-20	144700	145700	1000
Totals			29500



U.S.R.
 e.l.e. Eng: V. SESHAGIRI RAO



ETP May-20 Month Readings			
Date	Opening Reading	Closing Reading	MF : 1 Consumption
01-05-20	29650.4	30476.8	826.4
02-05-20	30476.8	31339.1	862.3
03-05-20	31339.1	32312.2	973.1
04-05-20	32312.2	33456.1	1143.9
05-05-20	33456.1	34523.5	1067.4
06-05-20	34523.5	35665	1141.5
07-05-20	35665	36356	691
08-05-20	36584.7	37724.6	1139.9
09-05-20	37724.6	38617.1	892.5
10-05-20	38617.1	39491.6	874.5
11-05-20	39491.6	40663.7	1172.1
12-05-20	40663.7	41805.7	1142
13-05-20	41805.7	42867.5	1061.8
14-05-20	42867.5	44102	1234.5
15-05-20	44102	45327.3	1225.3
16-05-20	45327.3	46230.5	903.2
17-05-20	46230.5	47044.9	814.4
18-05-20	47044.9	48051	1006.1
19-05-20	48051	49309.6	1258.6
20-05-20	49309.6	50001.1	691.5
21-05-20	50001.1	50710.2	709.1
22-05-20	50710.2	51635.2	925
23-05-20	51635.2	52770.5	1135.3
24-05-20	52770.5	53477.9	707.4
25-05-20	53477.9	54414.1	936.2
26-05-20	54414.1	55378.5	964.4
27-05-20	55378.5	56369.9	991.4
28-05-20	56369.9	57269.3	899.4
29-05-20	57269.3	58183.8	914.5
30-05-20	58183.8	59112.4	928.6
31-05-20	59112.4	59831.5	719.1
Totals			29952.4

ETP June-20 Month Readings			
Date	Opening Reading	Closing Reading	MF : 1 Consumption
01-06-20	59831.5	60922.1	1090.6
02-06-20	60922.1	61838.9	916.8
03-06-20	61838.9	62728.5	889.6
04-06-20	62728.5	63781.8	1053.3
05-06-20	63781.8	64751.5	969.7
06-06-20	64751.5	65522.9	771.4
07-06-20	65522.9	66395.9	873
08-06-20	66395.9	67137.9	742
09-06-20	67137.9	68073.7	935.8
10-06-20	68073.7	68892.8	819.1
11-06-20	68892.8	70054.5	1161.7
12-06-20	70054.5	70921.1	866.6
13-06-20	70921.1	71921.6	1000.5
14-06-20	71921.6	72853.9	932.3
15-06-20	72853.9	73935.2	1081.3
16-06-20	73935.2	74590.7	655.5
17-06-20	74590.7	75272.3	681.6
18-06-20	75272.3	75972.2	699.9
19-06-20	75972.2	77027.3	1055.1
20-06-20	77027.3	77711.9	684.6
21-06-20	77711.9	78503.8	791.9
22-06-20	78503.8	79477.6	973.8
23-06-20	79477.6	80286.6	809
24-06-20	80286.6	81006.6	720
25-06-20	81078.5	81930.3	851.8
26-06-20	81930.3	82859.8	929.5
27-06-20	82859.8	83737	877.2
28-06-20	83737	84421.5	684.5
29-06-20	84421.5	85187.1	765.6
30-06-20	85187.1	86114.6	927.5
Totals			26211.2



U Sri
Elt. Eng: U. SESHAGIRI RAO



ETP March-20 Month Readings				
Date	Opening Reading	Closing Reading	MF : 80 Consumption	Remarks
01-03-20	30616.9	30623.1	496	
02-03-20	30623.1	30638.9	1264	
03-03-20	30638.9	30655.5	1328	
04-03-20	30655.5	30671.1	1248	
05-03-20	30671.1	30685.1	1120	
06-03-20	30685.1	30700	1192	
07-03-20	30700	30712.7	1016	
08-03-20	30712.7	30725.55	1028	
09-03-20	30721.8	30737.9	1288	
10-03-20	30737.9	30751.7	1104	
11-03-20	30751.7	30769.4	1416	
12-03-20	30769.4	30781.5	968	
13-03-20	30781.5	30782.7	96	Plant Annual Shut Down
14-03-20	30782.7	30783.1	32	"
15-03-20	30783.1	30786.4	264	"
16-03-20	30786.4		0	Power Shifted To Power House - 2
17-03-20	0		0	MF : 1
18-03-20	0.0	162.9	162.9	Plant Annual Shut Down
19-03-20	162.9	227.5	64.6	"
20-03-20	227.5	302.9	75.4	"
21-03-20	302.9	376.8	73.9	"
22-03-20	376.8	402	25.2	"
23-03-20	402	519.7	117.7	"
24-03-20	519.7	718.7	199.0	Covid - 19 Plant Shut Down
25-03-20	718.7	727.7	9.0	"
26-03-20	727.7	762.2	34.5	"
27-03-20	762.2	823	60.8	"
28-03-20	823	883.7	60.7	"
29-03-20	883.7	1125.9	242.2	Plant Starts Low Load
30-03-20	1125.9	1456.2	330.3	"
31-03-20	1456.2	1844.4	388.2	"
Totals			15704.4	



V. Sesh
 elc. Eng: V. SESHAGIRI RAO



ETP January-20 Month Readings			
Date	Opening Reading	Closing Reading	MF : 80 Consumption
01-01-20	29802.5	29817.5	1200
02-01-20	29817.5	29831.4	1112
03-01-20	29831.4	29845	1088
04-01-20	29845	29859.8	1184
05-01-20	29859.8	29867.8	640
06-01-20	29867.8	29880.9	1048
07-01-20	29880.9	29894.8	1112
08-01-20	29894.8	29909.9	1208
09-01-20	29909.9	29923.6	1096
10-01-20	29923.6	29938.6	1200
11-01-20	29938.6	29950.9	984
12-01-20	29950.9	29960.1	736
13-01-20	29960.1	29975.8	1256
14-01-20	29975.8	29989.3	1080
15-01-20	29989.3	30001.1	944
16-01-20	30001.1	30012.2	888
17-01-20	30012.2	30026.6	1152
18-01-20	30026.6	30036.2	768
19-01-20	30036.2	30042.6	512
20-01-20	30042.6	30052	752
21-01-20	30052	30067	1200
22-01-20	30067	30086.4	1552
23-01-20	30086.4	30102.2	1264
24-01-20	30102.2	30116.4	1136
25-01-20	30116.4	30129	1008
26-01-20	30129	30137.5	680
27-01-20	30137.5	30150.9	1072
28-01-20	30150.9	30164.5	1088
29-01-20	30164.5	30176.9	992
30-01-20	30176.9	30191.3	1152
31-01-20	30191.3	30204.4	1048
Totals			32152

ETP February -20 Month Readings			
Date	Opening Reading	Closing Reading	MF : 80 Consumption
01-02-20	30204.4	30215.8	912
02-02-20	30215.8	30224.8	720
03-02-20	30224.8	30241.2	1312
04-02-20	30241.2	30255.2	1120
05-02-20	30255.2	30273.2	1440
06-02-20	30273.2	30289	1264
07-02-20	30289	30304.75	1260
08-02-20	30304.75	30322.8	1444
09-02-20	30322.8	30335.9	1048
10-02-20	30335.9	30351.2	1224
11-02-20	30351.2	30365.9	1176
12-02-20	30365.9	30379.7	1104
13-02-20	30379.7	30394.7	1200
14-02-20	30394.7	30410.5	1264
15-02-20	30410.5	30426.3	1264
16-02-20	30426.3	30440.6	1144
17-02-20	30440.6	30454.2	1088
18-02-20	30454.2	30465.7	920
19-02-20	30465.7	30479.8	1128
20-02-20	30479.8	30493.5	1096
21-02-20	30493.5	30502.6	728
22-02-20	30502.6	30518.3	1256
23-02-20	30518.3	30526.3	640
24-02-20	30526.3	30541.2	1192
25-02-20	30541.1	30554.6	1080
26-02-20	30554.6	30567.9	1064
27-02-20	30567.9	30583	1208
28-02-20	30583	30600	1360
29-02-20	30600	30616.9	1352
Totals			33008



Ele. Eng: V. SESHAGIRI RAO



CIN: U152051G2008PTC058708 PAN: JJKCG5150F
Telephone No. : 040-67357840/67357839 Fax No. : 040-23550522 / 67357878
Web : Email ID : Purchase@gefindia.net

Purchase order

7-UNIVERSAL ENVIRO ASSOCIATES
105, LIERA ENCLAVE*
AD(500020), Telangana, India.
o:9848837755 Mobile No: Fax No.:
o:36AAAFU6268Q1ZE.

PO.No. :1500002750
PO date / last amend date :24.03.2019 / 24.03.2019
Delivery Date :25.05.2019
Our Reference :KPT
Your Reference :Qtn-0219-208
Quot. No./Date :
Pur. Group :106-IN_170 Ch,fuel,Sp

r/Madam,
Pleased to place the Order for supply of materials as per details given below:

Material	HSN/SAC	Qty	Unit	Rate	Curr	Amount
130017033-SEWAGE TREATMENT PLANT-30KL/DAY		1.000	MCS	1350000.00	INR	1350000.00
Fabrication, Supply and Erection Commissioning of SEWAGE TREATMENT PLANT (STP) 30 KL/Day mounted						
Total :						1350000.00
IGST @ 18 %						243000.00
						1,593,000.00

: Rupees Fifteen Lakhs Ninety Three Thousand Only

Terms & Conditions:
: FOR-Free On Road, Krishnapatnam-Nellore-Plant--
: 25% ADV. EAL. IGST delivery
: For - Sewage Treatment Plant (STP)
Ref : Qtn No. UEA/GEFL/0219/208/12.03.19 and discussions
Delivery - With in 2 Months from the date of receipt of PO
The prices are inclusive of :-
Design, Fabrication, Supply, Transportation, Packing & Forwarding and Erection & Commissioning of STP.
Payment - (1) 25% advance along with Order

Shipping Address :
S & PATS INDIA PVT. LTD.
Epuru 1B, Pantapalem (V), Muthukur (M), SPER
KRISHNAPATNAM - - Andhra Pradesh (5

on :
e :
:37JJKCG5150F1ZT

DEI_PRC402

Reviewed & Checked By

Approved By

CIN: U15205TG2008PTC058708 PAN: JJXG5150F
Telephone No. : 040-67357840/67357839 Fax No. : 040-23550522 / 67357878
Web : Email ID : Purchase@gefindia.net

Purchase order

7-UNIVERSAL ENVIRO ASSOCIATES
105, LIEBA ENCLAVE*
AD(500020), Telangana, India.
o:9848837755 Mobile No: Fax No.:
o:36AAAFU6268Q1ZE.

| PO.No. :1500002750
| PO date / last amend date :24.03.2019 / 24.03.2019
| Delivery Date :25.05.2019
| Our Reference :KPT
| Your Reference :Qtn-0219-208
| Quot. No./Date :
| Pur. Group :106-IN_170 Ch,fuel,Sp

- (2) 65% against receipt of Equipment
(3) Balance 10% will be paid after completion of
Commissioning and Erection of STP .

Guarantee/Warranty Period - 12 months from the date of erection & Commissioning or 18 months from the date of receipt of equipment, whichever is earlier for any manufacturing defects, free replacement to be given by you.

This purchase order is issued subject to the following Terms & Conditions: -

1. Quote our GST No., Insurance Policy No. & our Purchase Order No. in all your dispatch documents.

2. Material to be packed properly to avoid damage during transportation and handling.

3. Material to be dispatched along with challan, original Invoice, way bill & gate pass etc., to the Shipping address by reputed carrier only.

4. All details to be furnished to our purchase department.

5. Rate / GST / Freight / Pkg / Discount figures (Rate & Value) should be clearly stated separately in the Invoice.

6. Certificate of Quality / Warranty / Guarantee / Analysis Report as applicable, must be sent along with material.

7. For the purpose of arranging transit insurance, soon after dispatch, please furnish all the dispatch details by fax/Email to us if applicable.

8. Acceptance of Material supplied by you is subjected to quality inspection, if rejected then you should take back the material at your own cost.

9. Payment to be made by RTGS / cheque, subject to deductions / shortages and bank charges if any.

10. This order is subject to Hyderabad jurisdiction.

11. BILL - It is mandatory to issue GST E-Way Bill by us for the material dispatched from all the locations. All the details like Invoice / DC No., Invoice/DC Date, Invoice/DC Value, Vehicle No., LR Number and Date, Transporter Details etc. to be sent to us in prescribed format by email before the material is dispatched. If the format is not available with you, please contact us.

Shipping Address :

S & FATS INDIA PVT. LTD.

Epuru 1E, Paritpalem (V), Muthukur (M), SPSR

TRICHUPATNAM - - Andhra Pradesh (5

Phone :

Fax :

:37AJXG5150F1ZT

REF ID: A102

Reviewed & Checked By

Approved By

Redem House, Eldg No.8-2-334/70 & 71, Rd No.5 Banjara Hills Hyderabad - 500024 Telangana India

CIN: U15205TG2008PTC058708 PAN: AADCG5150F

Telephone No. : 040-67357840/67357839 Fax No. : 040-23550522 / 67357878

Web : Email ID : Purchase@gefindia.net

Purchase order

7-UNIVERSAL ENVIRO ASSOCIATES
105, LIBRA ENCLAVE*
AD(500020),Telangana , India.
o:9848837755 Mobile No: Fax No:.
o:36AAAFU6268Q1ZE.

| PO.No. :1500002750
| PO date / last amend date :24.03.2019 / 24.03.2019
| Delivery Date :25.05.2019
| Our Reference :KFT
| Your Reference :Qtn-0219-208
| Quot. No./Date :
| Pur. Group :106-IN_170 Ch,fuel,Sp

ANY MATERIAL IS DESPATCHED WITHOUT PROPER DOCUMENTATION ADVANCE GST E-WAY BILL AND IF ANY PENALTY IS IMPOSED BY GST AUTHORITIES
OF THE SAME, EXPENSES AND COSTS INCURRED TOWARDS THIS ISSUE WILL BE TO YOUR ACCOUNT.

y Schedule : Line Item 10 / Delivery Date 25.05.2019 / Scheduled Qty 1.000
o : Line Item 10 / Asset No 9000113 CWIP-Power Enhan & Access-Pet Line Automation(KFT)

pping Address :
S & FATS INDIA PVT. LTD.
Eparu 1B, Pantapalem (V),Muthukur (M),SPSR

CRISHNUPATNAM - - Andhra Pradesh (5

bn :
e :
:37JDCG5150F1ZT

SEI_PROJ02

Reviewed & Checked By

Approved By

eedcm House, Bldg No.8-2-334/70 & 71,Rd No.5 Banjara Hills Hyderabad - 500034 Telangana India

Scanned with CamScanner

GEMINI EDIBLES & FATS INDIA PVT LTD

PURCHASE ORDER

To: M/s Nucleus Engineers Pvt Limited
303, Monarch Chambers
Marol Maridhu Road
Andheri(East) Mumbai-400 059
Tel No 022-28456464, 28458448, Fax No 022-28456897

PO No: GEF/PROJ/PO/No 056/09-10
Date: 08th October 2009
Your Ref: Quotation No NEPL/SK/435/2009-09-25,
NEPL/SK/335/2009-09-10 & Mail
Mail dtd 07.10.09 and discussions

We are pleased to release the purchase order in your favour for the following :

Sl. No	Description	Uom	Quantity	Rate Rs/ UOM	Total Amount in Rs
1	Design, Engineering Manufacture, Fabrication/Internal Inspection and supply of Effluent Treatment Plant Equipment(ETP) and Acid Oil Plant (Material and all necessary accessories of Hardware & Electrical Items etc.) with Filtration System to our Krishnapatnam Project at Krishnapatnam - Nellore Dist.				
1	Effluent Treatment Plant (ETP), Capacity -125 M3/Day	Each	1	3500000	3500000
2	Acid Oil Plant (AOP) (Soap Stock Acidulation) Capacity - 200 TPD Refinery Operations	Each	1	3500000	3500000
	Sub total <-> Add: Packing & Forwarding Add: Excise Duty Sub total <-> Add: Sales Tax @2% against Form "C" Add: Insurance (to Our Account) Add: Erection, Installation & Commissioning of AOP & ETP Plant Sub total <-> NOTE: (A) TECHNICAL DETAILS AS PER ANNEXURE ENCLOSED - 1 Sheet (B) Other Terms & Conditions as per your Quotation Nos. NEPL/SK/435/2009-09-25 for AOP & nepi/sk/335/2009-09-10 for ETP (C) Test Certificate, Guarantee Certificate and Manuals to be sent along with the equipments for AOP & ETP Plants.				7000000 Inclusive Not Applicable 7000000 1400000 0 Inclusive 7140000
(Rupees: Seventy One Lacs and Forty Thousand only)					7140000

This purchase order is issued subject to the following terms & conditions :

- (1) The above order value is on the basis of :
Ex/FOR : Mumbai (Material sent thru' any reputed transporter to
Krishnapatnam - Nellore Dist)
Other statutory levies: All Inclusive.
Freight: To-Pay (Exclusive Service Tax)
- (2) Delivery : With in 10 (Ten) Weeks from the date of receipt of Order.
- (3) Payment Terms : 15% Advance along with Order, 25% submission of
necessary drawings (On Basic Value), 50 % against
Proforma Invoice on readiness of Equipment before despatch
(with taxes and duties) and balance 10% with in 6 Months
from completion of Erection & Commissioning of the
Equipment.
- (4) Quality/warranty : Guarantee for a period of 12 Months from commissioning of
Equipments or 18 Months from supply, which ever is earlier.
- (5) Other terms & conditions :
 - a) The material to be dispatched along with dispatch documents such as challan, proforma invoice, way bill & gate pass etc to our factory at Krishnapatnam- Nellore by an established & reputed transporter only.
 - b) You shall provide our Insurance policy No in all the dispatch documents as given below.
 - c) The material to be packed properly to avoid damages during transportation and handling.
 - d) Original invoice in duplicate to be forwarded to purchase department at head office, Hyderabad.
 - e) For the purpose of arranging transit insurance, soon after dispatch, delivery details by fax/email have to be furnished to us
 - f) PLEASEE QUOTE OUR TIN NO.288894005133 IN ALL YOUR INVOICES/BILLS TOGETHER WITHOUT FAIL.
 - g) Sales Tax / VAT Figures (Rate & Value) should be clearly stated separately in each and every invoice.

Our Factory Address :
GEMINI EDIBLES AND FATS INDIA PVT LTD
Factory - Survey No.1607/2, Industrial Park (APBC)
PANTAPALEM (Epuru-1B)
VILLAGE - MUTHUKUR MANDAL
Sri Potti Sree Ramulu - NELLORE DIST.

SALES TAX REGN NO.
TIN NO 28894005133 Dtd 01.09.2009

For GEMINI EDIBLES AND FATS INDIA PVT LTD

AUTHORISED SIGNATORY

For Correspondence Address :
GEMINI EDIBLES AND FATS INDIA PVT LTD
House No 3, Banjara Hills, Padmaja Residency, 402, 4th Floor
HYDERABAD - 500 058
Tel No 040-45155556 453555559 9866556107. Fax No 040-23850522

for Effluent Treatment Plant (ETP) & Acid Oil Plant (AOP)

Contact Person - Mr B H & Sastri - 9866556107, Mr D Ramesh - 9866556156
- Mr Jagann - 9866556133 & Mr ANL Kurvar - 9866179610

Regd. Office - 203 Diamond House Opp Topaz Building Panjagutta HYDERABAD-500 085

PURCHASE ORDER

000741-UNIVERSAL ENVIRO ASSOCIATES
104 & 105,LIBRA ENCLAVERTC X ROAD, MUSHEERABAD
HYDERABAD(500020),Andra Pradesh.
Phone No:040-27633361 Mobile No:9949516854 Fax No.:

PO.No. :1400001199
Delivery Date :15.05.2013
PO date :18.01.2013
Our Reference :
Your Reference :
Out. No./Date :/
Pur. Group :105-Purchase - Project

Dear Sir/Madam,
We are Pleased to place the Order for supply of materials as per details given below:

S.No.	Material	Qty	Unit	Rate	Curr	Amount
10	130008004-MODIFICATION OF ETP & ZLD SYSTEM	1.000	ST	1212000.00	INR	1212000.00
20	130008005-ULTRA FILTRATION ZLD SYSTEM	1.000	ST	920000.00	INR	920000.00
30	130008006-RO PLANT & ZLD SYSTEM	1.000	ST	1822000.00	INR	1822000.00
40	130008007-MULTIPLE EFFECT# EVAPORATOR # ZLD SYSTEM	1.000	ST	4846000.00	INR	4846000.00

Sub Total : 8800000.00

Line Item : 10	14.5% INPUT VAT DEDUCTABLE	IN:A/P VAT(Ded.) @ 14.5 %	175740.00
Line Item : 20	14.5% INPUT VAT DEDUCTABLE	IN:A/P VAT(Ded.) @ 14.5 %	133400.00
Line Item : 30	14.5% INPUT VAT DEDUCTABLE	IN:A/P VAT(Ded.) @ 14.5 %	264190.00
Line Item : 40	14.5% INPUT VAT DEDUCTABLE	IN:A/P VAT(Ded.) @ 14.5 %	702670.00

Total : 10,076,000.00

In Words : Rupees One Crore Seventy Six Thousand Only

Incoterms : DLD-Delivered Basis(Home Delivery) KISHNAPATNAM-NELLORE-
Payment Terms : 20% ADV. @ AGST PI. & DOZ aft. COMM BY
Special Instructions : ALL OTHER TERMS & CONDITIONS/SUPPLY SCOPE ETC - QTN NO.UEAS/GEFL/145-2/14.12.12.

Billing & Shipping Address :
GEMINI EDIBLES & FATS INDIA PVT. LTD.
Sy.No.1607/2,Epuru 1B,Pantapalem [V],Muthukur[M],SPSR
Nellore Dist.KRISHNAPATNAM-01 (524323)
India
Contact No : Fax No. :

Our Registration Detail:
TIN No. : 28894005133
Excise No. : AADC65150FXM001
Range & Division : NELLORE - III/NELLORE
Commissionerate : GUNTUR

Prepared By : GKMCH0003

Reviewed & Checked By : *Bluy*

Approved By : *[Signature]*

Regd. Office : "FREEDOM HOUSE", B-2-334/70 & 71, (Opp. SBI Executive Enclave), Road No. 5, Banjara Hills, Hyderabad # 34, A.P, INDIA

GEMINI EDIBLES & FATS INDIA PVT. LTD.
Telephone No. :040-67357840/67357839 Fax No. : 040-23550522 / 67357878 Email ID : Purchase@gefindia.net

PURCHASE ORDER

00741-UNIVERSAL ENVIRO ASSOCIATES
104 & 105, LIBRA ENCLAVERTC X ROAD, MUSHEERABAD
HYDERABAD(500020), Andra Pradesh.
Phone No:040-27633361 Mobile No:9949516854 Fax No:.

PD.No. :1400001199
Delivery Date :15.05.2013
PO date :18.01.2013
Our Reference :
Your Reference :
Out. No./Date :/
Pur. Group :105-Purchase - Project

Terms of Delivery
Terms of Payments

DETAILS AS PER ANNEXURE TO PURCHASE ORDER NO.1400001199/18.01.2013
: WITH IN FOUR MONTHS FROM THE DATE OF RECEIPT OF ORDER

: Payment Terms for Supplies :
a)25% Advance along with order for Supplies
b)55% against receipt of Materials at site with in 7 Days from the date.
c)20% after completion of erection & Commissioning of the Equipment.

Warranties

: Nationalized Bank Guarantee to be submit by you on 10.02.2013 @15% Total Basic Value for Total supplies. The Bank Guarantee will be returned to you after completion of total supplies at site.
Performance Corporate Bank Guarantee 10% On Total Basic Value for 12 Months from the date of commissioning of the Total ZLD System.
Test Certificate, Guarantee Certificate and Manuals to be sent along with the equipment.

This Purchase order is issued subject to the following Terms & Conditions :-


- a. Please quote our TIN No., Insurance Policy No. & our Purchase Order No. in all your despatch documents.
- b. The Material to be packed properly to avoid damage during transportation and handling.
- c. The Material to be despatched along with challan, original Invoice, way bill & gate pass etc., to the Shipping address by reputed transporter only.
- d. Despatch details to be furnished to our purchase department.
- e. Basic rate / Sales Tax / VAT / Freight / Pkg / Octroi / Entry Tax figures (Rate & Value) should be clearly stated separately in the Invoice.
In case of Exciseable item, Excise Gate Pass should be sent along with the material.
- f. Certificate of Quality / Warranty / Guaranty / Analysis Report as applicable, must be sent along with material.
- h. For the purpose of arranging transit insurance, soon after despatch, Please furnish all the despatch details by fax/Email to us if applicable.
- i. Weighment made in our weigh bridge is final & should be accepted by you.
- j. The acceptance of Material supplied by you is subjected to quality inspection, if rejected then you should take back the material at your cost.

Billing & Shipping Address :
GEMINI EDIBLES & FATS INDIA PVT. LTD.
Sy.No.1607/2, Epuru 1B, Pantapalem [V], Muthukur[M], SPSR
Nellore Dist. KRISHNAPATNAM--01 (524323).
India
Contact No : Fax No. :

Our Registration Detail:
TIN No. : 28B94005133
Excise No. : AADCG5150FXM001
Range & Division : NELLORE - III/NELLORE
Commissionerate : GUNTUR

Prepared By : GMMCH0003

Reviewed & Checked By 


Approved By

Regd. Office : "FREEDOM HOUSE", B-2-334/70 & 71, (Opp. SBI Executive Enclave), Road No. 5, Banjara Hills, Hyderabad # 34, A.P, INDIA

GEMINI EDIBLES & FATS INDIA PVT. LTD.

Telephone No. :040-67357840/67357839 Fax No. : 040-23550522 / 67357878 Email ID : Purchase@gefindia.net

PURCHASE ORDER

300741-UNIVERSAL ENVIRO ASSOCIATES
104 & 105,LIBRA ENCLAVERTC X ROAD, MUSHEERABAD
HYDERABAD(500020),Andra Pradesh.
Phone No:040-27633361 Mobile No:9949516854 Fax No:.

PO.No. :1400001199
Delivery Date :15.05.2013
PD date :18.01.2013
Our Reference :
Your Reference :
Out. No./Date :/
Pur. Group :105-Purchase - Project

.. Payment will be made by way of cheque payable at par, subject to deductions / shortages and bank charges if any.
.. This order is subject to Hyderabad jurisdiction.

Delivery Schedule : Line Item 10 / Delivery Date 15.05.2013 / Scheduled Qty 1.000
Delivery Schedule : Line Item 20 / Delivery Date 15.05.2013 / Scheduled Qty 1.000
Delivery Schedule : Line Item 30 / Delivery Date 15.05.2013 / Scheduled Qty 1.000
Delivery Schedule : Line Item 40 / Delivery Date 15.05.2013 / Scheduled Qty 1.000
Asset No : Line Item 10 / Asset No 990000009 CWIP-Effluent Treatment Plant(KP)
Asset No : Line Item 20 / Asset No 990000009 CWIP-Effluent Treatment Plant(KP)
Asset No : Line Item 30 / Asset No 990000009 CWIP-Effluent Treatment Plant(KP)
Asset No : Line Item 40 / Asset No 990000009 CWIP-Effluent Treatment Plant(KP)
EEOE

Billing & Shipping Address :
GEMINI EDIBLES & FATS INDIA PVT. LTD.
P.O.No.1607/2,Epuru 1B,Pantapalem (V),Muthukur(M),SPSR
Nellore Dist.KRISHNAPATNAM--01 (524323)
Andhra Pradesh
Contact No : Fax No. :

Our Registration Detail:
TIN No. : 28894005133
Excise No. : AADCG5150FXM001
Range & Division : NELLORE - III/NELLORE
Commissionerate : GUNTUR

Prepared By : 6MNC0003

Reviewed & Checked By

Approved By

Regd. Office : "FREEDOM HOUSE",B-2-334/70 & 71, (Opp. SBI Executive Enclave), Road No. 5, Banjara Hills, Hyderabad # 34, A.P., INDIA

Erection Sops for ZERO LIQUID DISCHARGE SYSTEM - PO NO.1900002622/18.01.2013

Sl No	Particulars	Uom	Qty	Rate	Value
1	MODIFICATION OF EFFLUENT TREATMENT PLANT, Capacity - 200 Mt3/Day	Lot	1	303000	303000
2	ULTRA FILTRATION SYSTEM - Capacity - 12 Mtr3/Hour	Lot	1	230000	230000
3	RO PLANT, Capacity - 10.8 Mtr3/Hr.	Lot	1	455000	455000
4	MULTIPLE EFFECT EVAPORATOR - Capacity - 5000 Ltrs/Hour	Lot	1	1212000	1212000
					2200000
	Add. Service Tax @12.36%				271920
	TOTAL ORDER VALUE <----->				2471920

PKS
9866556107

ANNEXURE TO WORK ORDER NO.1900002622/18.01.2013

(i) Terms & Conditions for Erection & Commissioning

- 1 Job Commencement schedule: Immediately after receipt of materials at site.
- 2 Job Completion schedule: By 15th May 2013
- 3 The charges are inclusive of Boarding/Lodging/Conveyance etc to be borne by you.
- 4 The above order value is inclusive of taxes, royalties, levies, duties & octroi if any. TDS, WCT/VAT and other
- 5 All Machinery, Labour and working tools shall be arranged by you and also Power and Water
- 6 You shall undertake and adhere to all statutory compliances including PF, ESIC and take safety precautions and
- 7 You will be issuing indemnity Bond in our favour indemnifying the company against all statutory compliances and WC
- 8 Detailed activity chart to be given at the commencement of each job which will be submitted to us & site engineer, over all job completion schedule to be given within 7 days from the date of contract.
- 9 Payment Terms : Against Progress of work (Within 7 days from the date of submission of Bills & bills duly certified by the site Incharge.

before starting work

[Handwritten Signature]

[Handwritten Signature]

GEMINI EDIBLES & FATS INDIA PVT. LTD.
 Telephone No. :040-67357840/67357839 Fax No. : 040-23550522 / 67357878 Email ID : Purchase@gefindia.net

SERVICE ORDER

VERSAL ENVIRO ASSOCIATES
 1000107 ENCLAVE T X ROAD, MUSHEERABAD
 560020, Andra Pradesh.
 40-27633361 Mobile No:9949516854 Fax No:.

Service PO.No. :1900002622
 Service PO date:18.01.2013
 Start date :15.05.2013
 Completion dt. :15.05.2013
 Our Reference :
 Your Reference :
 Out. No./Date :/
 Pur. Group :105-Purchase - Project

Madam,
 Please place the Order to render the following services:

Material	Qty	Unit	Rate	Curr	Amount
10- Charges for Erec/Commissioning of MODIFICATION OF EFFLUENT TREATMENT PLANT	1.000	AU	303000.00	INR	303000.00 ✓
10- 1000107-FABRICATION, INSTALLATION OF MACHINERIES	1	AU	303000.00	INR	303000.00 ✓
20- Charges for Erec/Commissioning of ULTA FILTERATION SYSTEM	1.000	AU	230000.00	INR	230000.00 ✓
10- 1000107-FABRICATION, INSTALLATION OF MACHINERIES	1	AU	230000.00	INR	230000.00 ✓
20- Charges for Erec/Commissioning of RO Plant	1.000	AU	455000.00	INR	455000.00 ✓
10- 1000107-FABRICATION, INSTALLATION OF MACHINERIES	1	AU	455000.00	INR	455000.00 ✓
20- Charges for Erec/Commissioning of MULTIPLE EFFECT EVAPDRATION SYSTEM.	1.000	AU	1212000.00	INR	1212000.00 ✓
10- 1000107-FABRICATION, INSTALLATION OF MACHINERIES	1	AU	1212000.00	INR	1212000.00 ✓
					2200000.00 ✓

10- 10%	IN: Service tax - ND @ 12 %	36360.00
10- 10%	IN: ECS on Sr.T NDed @ 2 %	727.20
10- 10%	IN:HECS on Sr.T NDed @ 1 %	363.60
10- 10% Service Tax - CES2%+HES1% - ND		
20- 10%	IN: Service tax - ND @ 12 %	27600.00
20- 10%	IN: ECS on Sr.T NDed @ 2 %	552.00
20- 10%	IN:HECS on Sr.T NDed @ 1 %	276.00
20- 10% Service Tax - CES2%+HES1% - ND		
30- 10%	IN: Service tax - ND @ 12 %	54600.00
30- 10%	IN: ECS on Sr.T NDed @ 2 %	1092.00
30- 10%	IN:HECS on Sr.T NDed @ 1 %	546.00

& Shipping Address:
 EDIBLES & FATS INDIA PVT. LTD.
 97/2, Epuru 1B, Pantapalem (V), Muthukur (M), SPSR
 Dist. KRISHNAPATNAM--01 (524323)

Our Registration Detail:
 TIN No. : 28894005133
 Excise No. : AADCG5150FXM001
 Range & Division : NELLDRE - III/NELLORE
 Commissionerate : GUNTUR

No : Fax No. :

By : GMMCHD003

Reviewed & Checked By

[Handwritten Signature]

[Handwritten Signature]
 Approved By

Office : "FREEDOM HOUSE", B-2-334/70 & 71, (Opp. SBI Executive Enclave), Road No. 5, Danjara Hills, Hyderabad # 34, A.P, INDIA :

GEMINI EDIBLES & FATS INDIA PVT. LTD.
Telephone No. :040-67357840/67357839 Fax No. : 040-23550522 / 67357878 Email ID : Purchase@gefindia.net

SERVICE ORDER

00741-UNIVERSAL ENVIRO ASSOCIATES
04 & 105, LIBRA ENCLAVERIC X ROAD, MUSHEERABAD
HYDERABAD(500020), Andra Pradesh.
Phone No:040-27633361 Mobile No:9949516854 Fax No:.

Service PO.No. :1900002622
Service PO date:18.01.2013
Start date :15.05.2013
Completion dt. :15.05.2013
Our Reference :
Your Reference :
Cont. No./Date :/
Pur. Group :105-Purchase - Project

10%Service Tax - CES2%+HES1% - ND		145440.00
Line Item : 40	IN: Service tax - ND @ 12 %	2908.80
Line Item : 40	IN: ECS on Sr.T NDed @ 2 %	1454.40
Line Item : 40	IN:HECS on Sr.T NDed @ 1 %	
10%Service Tax - CES2%+HES1% - ND		2,471,920.00

Total
In Words : Rupees Twenty Four Lakhs Seventy One Thousand Nine Hundred and Twenty Only

Incoterms : DLD-Delivered Basis(Home Delivery) , KISHNAPATNAM-NELLORE-
Payment Terms : One week from the date of delivery

- This Purchase order is issued subject to the following Terms & Conditions :-
- Please quote our TIN No. & our Purchase Order No. in all your correspondence documents.
 - The above order execution is subjected to TDS & WCT and other deductions if any as per prevalent laws in force.
 - All Machinery, labour & working tools shall be arranged by you.
 - You should undertake and adhere to all statutory compliances including PF, ESIC and take safety precautions and measures while executing job at site. Including Workman Compensation Act as per WC act.
 - Basic Rate/Service Tax/VAT/Freight/Pkg/Octroi/Entry Tax figures (Rate & Value) should be clearly stated separately in the Invoice.
 - You will be issuing an indemnity Bond in Our favour indemnifying the company against all statutory compliances and WC act as per our Format.
 - Certificate of Quality/Warranty/Guaranty/Analysis Report as applicable, must be submitted as advised by our site incharge.
 - Job Commencement: Immediate and Job completion is as decided and agreed by you & completion schedule as mentioned below.
 - Technical details, bill of quantities, job details etc as decided by our site incharge.
 - The material supplied by you for our above service is subjected to quality inspection, If rejected you should take back the material at your cost.
 - Payment will be made by cheque payable at par, Subject to deductions/Bank Charges, if any.
 - Any problem arises during the execution of work (labour/mic/tools/Govt. etc.) in connection to the above service order, will be handled by you and it will be to your account.
 - This order is subject to Hyderabad jurisdiction.

Delivery Schedule : Line Item 10 / Delivery Date 15.05.2013 / Scheduled Qty 1.000
Delivery Schedule : Line Item 20 / Delivery Date 15.05.2013 / Scheduled Qty 1.000
Delivery Schedule : Line Item 30 / Delivery Date 15.05.2013 / Scheduled Qty 1.000

Billing & Shipping Address:
GEMINI EDIBLES & FATS INDIA PVT. LTD.
Sy.No.1607/2, Epuru 1B, Pantapalem [V], Muthukur [M], SPSR
Nellore Dist. KRISHNAPATNAM--01 (524323).
India
Contact No : Fax No. :

Our Registration Detail:
TIN No. : 28894005133
Excise No. : AADC65150FXM001
Range & Division : NELLORE - III/NELLORE
Commissionerate : GUNTUR

Prepared By : GMMCH0003

Reviewed & Checked By

Approved By

GEMINI EDIBLES & FATS INDIA PVT. LTD.
Telephone No. :040-67357840/67357839 Fax No. : 040-23550522 / 67357878 Email ID : Purchase@gefindia.net

SERVICE ORDER

To,
300741-UNIVERSAL ENVIRO ASSOCIATES
- 104 & 105,LIBRA ENCLAVERTC X ROAD, MUSHEERABAD
HYDERABAD(500020),Andra Pradesh.
Phone No:040-27633361 Mobile No:9949516854 Fax No:.

Service PO.No. :1900002622
Service PO date:18.01.2013
Start date :15.05.2013
Completion dt. :15.05.2013
Our Reference :
Your Reference :
Out. No./Date :/
Pur. Group :105-Purchase - Project

Delivery Schedule
Asset No
Asset No
Asset No
Asset No
E&OE

: Line Item 40 / Delivery Date 15.05.2013 / Scheduled Qty 1.000
: Line Item 10 / Asset No 990000009 CWIP-Effluent Treatment Plant(KP)
: Line Item 20 / Asset No 990000009 CWIP-Effluent Treatment Plant(KP)
: Line Item 30 / Asset No 990000009 CWIP-Effluent Treatment Plant(KP)
: Line Item 40 / Asset No 990000009 CHIP-Effluent Treatment Plant(KP)

Billing & Shipping Address:
GEMINI EDIBLES & FATS INDIA PVT. LTD.
Sy.No.1607/2,Epuru 1B,Pantapalem [V],Muthukur[M],SPSR
Nellore Dist.KRISHNAPATNAM--01 (524323)
India
Contact No : Fax No. :

Our Registration Detail:
TIN No. : 28894005133
Excise No. : AADC65150FXM001
Range & Division : NELLORE - III/NELLORE
Commissionerate : GUNTUR

Prepared By :6MMCH0003

Reviewed & Checked By

Bluy

[Signature]
Approved By

Regd. Office : "FREEDOM HOUSE",B-2-334/70 & 71, (Opp. SBI Executive Enclave), Road No. 5, Banjara Hills, Hyderabad # 34, A.P, INDIA

ANNEXURE 8

Raw water flowmeter



ETP Inlet & Outlet Flow Meter

INLET FLOW METER



OUTLET FLOW METER



R.O & MEE Flow Meter



R.O FLOW METER



MEE FLOW METER

1/23/2021




APPCB

ANNEXURE 9

JULY '20

Custom Report

SiteName: Gemini Edibles And Fats India Pvt Ltd-Nellore
Created by: Gemini, Created On: 23/01/2021



15

2020-07-01 14

NA



Real Time Data Acquisition And Monitoring

Site Name: Gemini Edibles And Fats India Pvt Ltd-Nellore

Report: Custom Report

From Date: 2020/07/01 00:00:00 To Date : 2020/07/31 00:00:00

Description	Stack-PM_U
Prescribed Standards	-
Maximum Data	310.13
Minimum Data	29.5
Geometric Mean	68.59
Median	63.59
Standard Deviation	23.47
Maximum Value At Time	2020-07-08 09
Minimum Value At Time	2020-07-04 09
Valid Data Points	361
Total Data Points	721
Data Availability %	50.07%

SI No	Time	Stack-PM_U
1	2020-07-01 00	NA
2	2020-07-01 01	NA
3	2020-07-01 02	NA
4	2020-07-01 03	NA
5	2020-07-01 04	NA
6	2020-07-01 05	NA
7	2020-07-01 06	NA
8	2020-07-01 07	NA
9	2020-07-01 08	NA
10	2020-07-01 09	NA
11	2020-07-01 10	NA
12	2020-07-01 11	NA
13	2020-07-01 12	NA
14	2020-07-01 13	NA
15	2020-07-01 14	NA
16	2020-07-01 15	NA
17	2020-07-01 16	NA
18	2020-07-01 17	NA
19	2020-07-01 18	NA
20	2020-07-01 19	NA
21	2020-07-01 20	NA
22	2020-07-01 21	NA
23	2020-07-01 22	NA
24	2020-07-01 23	NA
25	2020-07-02 00	NA
26	2020-07-02 01	NA

Sl No	Time	
		NA
27	2020-07-02 02	NA
28	2020-07-02 03	NA
29	2020-07-02 04	NA
30	2020-07-02 05	NA
31	2020-07-02 06	NA
32	2020-07-02 07	NA
33	2020-07-02 08	NA
34	2020-07-02 09	NA
35	2020-07-02 10	NA
36	2020-07-02 11	NA
37	2020-07-02 12	NA
38	2020-07-02 13	NA
39	2020-07-02 14	NA
40	2020-07-02 15	NA
41	2020-07-02 16	NA
42	2020-07-02 17	NA
43	2020-07-02 18	NA
44	2020-07-02 19	NA
45	2020-07-02 20	NA
46	2020-07-02 21	NA
47	2020-07-02 22	NA
48	2020-07-02 23	NA
49	2020-07-03 00	NA
50	2020-07-03 01	NA
51	2020-07-03 02	NA
52	2020-07-03 03	NA
53	2020-07-03 04	NA
54	2020-07-03 05	NA
55	2020-07-03 06	NA
56	2020-07-03 07	NA
57	2020-07-03 08	NA
58	2020-07-03 09	NA
59	2020-07-03 10	NA
60	2020-07-03 11	NA
61	2020-07-03 12	NA
62	2020-07-03 13	NA
63	2020-07-03 14	NA
64	2020-07-03 15	NA
65	2020-07-03 16	NA
66	2020-07-03 17	NA
67	2020-07-03 18	NA
68	2020-07-03 19	NA
69	2020-07-03 20	NA
70	2020-07-03 21	NA
71	2020-07-03 22	NA

Sl No	Time	Stack-PM_U
72	2020-07-03 23	50.74
73	2020-07-04 00	50.00
74	2020-07-04 01	NA
75	2020-07-04 02	NA
76	2020-07-04 03	NA
77	2020-07-04 04	67.00
78	2020-07-04 05	NA
79	2020-07-04 06	NA
80	2020-07-04 07	NA
81	2020-07-04 08	NA
82	2020-07-04 09	29.50
83	2020-07-04 10	38.48
84	2020-07-04 11	NA
85	2020-07-04 12	NA
86	2020-07-04 13	NA
87	2020-07-04 14	NA
88	2020-07-04 15	NA
89	2020-07-04 16	NA
90	2020-07-04 17	NA
91	2020-07-04 18	NA
92	2020-07-04 19	NA
93	2020-07-04 20	NA
94	2020-07-04 21	NA
95	2020-07-04 22	NA
96	2020-07-04 23	NA
97	2020-07-05 00	NA
98	2020-07-05 01	NA
99	2020-07-05 02	NA
100	2020-07-05 03	NA
101	2020-07-05 04	NA
102	2020-07-05 05	NA
103	2020-07-05 06	NA
104	2020-07-05 07	NA
105	2020-07-05 08	NA
106	2020-07-05 09	NA
107	2020-07-05 10	NA
108	2020-07-05 11	NA
109	2020-07-05 12	NA
110	2020-07-05 13	NA
111	2020-07-05 14	NA
112	2020-07-05 15	NA
113	2020-07-05 16	NA
114	2020-07-05 17	NA
115	2020-07-05 18	NA

SI No	Time	Stack-PM_U
116	2020-07-05 19	NA
117	2020-07-05 20	NA
118	2020-07-05 21	NA
119	2020-07-05 22	NA
120	2020-07-05 23	NA
121	2020-07-06 00	NA
122	2020-07-06 01	NA
123	2020-07-06 02	NA
124	2020-07-06 03	NA
125	2020-07-06 04	NA
126	2020-07-06 05	NA
127	2020-07-06 06	NA
128	2020-07-06 07	NA
129	2020-07-06 08	NA
130	2020-07-06 09	NA
131	2020-07-06 10	NA
132	2020-07-06 11	NA
133	2020-07-06 12	NA
134	2020-07-06 13	NA
135	2020-07-06 14	NA
136	2020-07-06 15	NA
137	2020-07-06 16	NA
138	2020-07-06 17	NA
139	2020-07-06 18	39.83
140	2020-07-06 19	42.25
141	2020-07-06 20	43.88
142	2020-07-06 21	42.42
143	2020-07-06 22	43.63
144	2020-07-06 23	41.54
145	2020-07-07 00	43.60
146	2020-07-07 01	41.42
147	2020-07-07 02	48.13
148	2020-07-07 03	45.45
149	2020-07-07 04	43.86
150	2020-07-07 05	47.43
151	2020-07-07 06	48.66
152	2020-07-07 07	55.76
153	2020-07-07 08	54.78
154	2020-07-07 09	52.49
155	2020-07-07 10	51.02
156	2020-07-07 11	51.85
157	2020-07-07 12	53.38
158	2020-07-07 13	52.32
159	2020-07-07 14	55.21
160	2020-07-07 15	49.65

SI No	Time	Stack-PM_U
161	2020-07-07 16	47.15
162	2020-07-07 17	43.33
163	2020-07-07 18	47.00
164	2020-07-07 19	96.19
165	2020-07-07 20	68.00
166	2020-07-07 21	49.96
167	2020-07-07 22	49.94
168	2020-07-07 23	47.68
169	2020-07-08 00	46.58
170	2020-07-08 01	38.02
171	2020-07-08 02	38.54
172	2020-07-08 03	42.53
173	2020-07-08 04	36.09
174	2020-07-08 05	43.03
175	2020-07-08 06	46.01
176	2020-07-08 07	56.17
177	2020-07-08 08	49.37
178	2020-07-08 09	310.13
179	2020-07-08 10	64.16
180	2020-07-08 11	58.11
181	2020-07-08 12	53.47
182	2020-07-08 13	66.39
183	2020-07-08 14	57.41
184	2020-07-08 15	51.99
185	2020-07-08 16	54.91
186	2020-07-08 17	48.98
187	2020-07-08 18	48.88
188	2020-07-08 19	47.52
189	2020-07-08 20	48.72
190	2020-07-08 21	44.49
191	2020-07-08 22	56.78
192	2020-07-08 23	49.26
193	2020-07-09 00	50.42
194	2020-07-09 01	53.06
195	2020-07-09 02	136.66
196	2020-07-09 03	82.75
197	2020-07-09 04	59.88
198	2020-07-09 05	53.89
199	2020-07-09 06	53.45
200	2020-07-09 07	56.44
201	2020-07-09 08	72.29
202	2020-07-09 09	59.06
203	2020-07-09 10	86.13
204	2020-07-09 11	74.37

SI No	Time	Stack-PM_U
205	2020-07-09 12	56.01
206	2020-07-09 13	54.12
207	2020-07-09 14	53.49
208	2020-07-09 15	NA
209	2020-07-09 16	NA
210	2020-07-09 17	NA
211	2020-07-09 18	NA
212	2020-07-09 19	NA
213	2020-07-09 20	NA
214	2020-07-09 21	NA
215	2020-07-09 22	NA
216	2020-07-09 23	NA
217	2020-07-10 00	NA
218	2020-07-10 01	NA
219	2020-07-10 02	NA
220	2020-07-10 03	NA
221	2020-07-10 04	NA
222	2020-07-10 05	NA
223	2020-07-10 06	NA
224	2020-07-10 07	NA
225	2020-07-10 08	NA
226	2020-07-10 09	NA
227	2020-07-10 10	55.83
228	2020-07-10 11	69.04
229	2020-07-10 12	62.46
230	2020-07-10 13	65.49
231	2020-07-10 14	62.48
232	2020-07-10 15	57.84
233	2020-07-10 16	60.02
234	2020-07-10 17	58.87
235	2020-07-10 18	60.35
236	2020-07-10 19	58.00
237	2020-07-10 20	54.50
238	2020-07-10 21	NA
239	2020-07-10 22	NA
240	2020-07-10 23	NA
241	2020-07-11 00	NA
242	2020-07-11 01	NA
243	2020-07-11 02	NA
244	2020-07-11 03	NA
245	2020-07-11 04	NA
246	2020-07-11 05	NA
247	2020-07-11 06	NA
248	2020-07-11 07	NA

SI No	Time	Stack-PM_U
249	2020-07-11 08	NA
250	2020-07-11 09	NA
251	2020-07-11 10	NA
252	2020-07-11 11	NA
253	2020-07-11 12	NA
254	2020-07-11 13	NA
255	2020-07-11 14	NA
256	2020-07-11 15	NA
257	2020-07-11 16	NA
258	2020-07-11 17	NA
259	2020-07-11 18	NA
260	2020-07-11 19	NA
261	2020-07-11 20	NA
262	2020-07-11 21	NA
263	2020-07-11 22	NA
264	2020-07-11 23	NA
265	2020-07-12 00	NA
266	2020-07-12 01	NA
267	2020-07-12 02	NA
268	2020-07-12 03	NA
269	2020-07-12 04	NA
270	2020-07-12 05	NA
271	2020-07-12 06	NA
272	2020-07-12 07	NA
273	2020-07-12 08	NA
274	2020-07-12 09	NA
275	2020-07-12 10	NA
276	2020-07-12 11	NA
277	2020-07-12 12	NA
278	2020-07-12 13	NA
279	2020-07-12 14	NA
280	2020-07-12 15	NA
281	2020-07-12 16	NA
282	2020-07-12 17	NA
283	2020-07-12 18	NA
284	2020-07-12 19	NA
285	2020-07-12 20	NA
286	2020-07-12 21	NA
287	2020-07-12 22	NA
288	2020-07-12 23	NA
289	2020-07-13 00	NA
290	2020-07-13 01	NA
291	2020-07-13 02	NA
292	2020-07-13 03	NA
293	2020-07-13 04	NA

SI No	Time	Stack-PM_U
294	2020-07-13 05	NA
295	2020-07-13 06	NA
296	2020-07-13 07	NA
297	2020-07-13 08	NA
298	2020-07-13 09	NA
299	2020-07-13 10	NA
300	2020-07-13 11	NA
301	2020-07-13 12	NA
302	2020-07-13 13	NA
303	2020-07-13 14	NA
304	2020-07-13 15	NA
305	2020-07-13 16	NA
306	2020-07-13 17	NA
307	2020-07-13 18	NA
308	2020-07-13 19	NA
309	2020-07-13 20	NA
310	2020-07-13 21	NA
311	2020-07-13 22	NA
312	2020-07-13 23	NA
313	2020-07-14 00	NA
314	2020-07-14 01	NA
315	2020-07-14 02	NA
316	2020-07-14 03	NA
317	2020-07-14 04	NA
318	2020-07-14 05	NA
319	2020-07-14 06	NA
320	2020-07-14 07	NA
321	2020-07-14 08	NA
322	2020-07-14 09	NA
323	2020-07-14 10	NA
324	2020-07-14 11	NA
325	2020-07-14 12	NA
326	2020-07-14 13	NA
327	2020-07-14 14	NA
328	2020-07-14 15	NA
329	2020-07-14 16	NA
330	2020-07-14 17	NA
331	2020-07-14 18	NA
332	2020-07-14 19	NA
333	2020-07-14 20	NA
334	2020-07-14 21	NA
335	2020-07-14 22	NA
336	2020-07-14 23	NA
337	2020-07-15 00	NA

SI No	Time	Stack-PM_U
338	2020-07-15 01	NA
339	2020-07-15 02	NA
340	2020-07-15 03	NA
341	2020-07-15 04	NA
342	2020-07-15 05	NA
343	2020-07-15 06	NA
344	2020-07-15 07	NA
345	2020-07-15 08	NA
346	2020-07-15 09	NA
347	2020-07-15 10	NA
348	2020-07-15 11	NA
349	2020-07-15 12	NA
350	2020-07-15 13	NA
351	2020-07-15 14	NA
352	2020-07-15 15	NA
353	2020-07-15 16	NA
354	2020-07-15 17	NA
355	2020-07-15 18	NA
356	2020-07-15 19	NA
357	2020-07-15 20	NA
358	2020-07-15 21	NA
359	2020-07-15 22	NA
360	2020-07-15 23	NA
361	2020-07-16 00	NA
362	2020-07-16 01	NA
363	2020-07-16 02	NA
364	2020-07-16 03	NA
365	2020-07-16 04	NA
366	2020-07-16 05	NA
367	2020-07-16 06	NA
368	2020-07-16 07	NA
369	2020-07-16 08	NA
370	2020-07-16 09	NA
371	2020-07-16 10	NA
372	2020-07-16 11	NA
373	2020-07-16 12	NA
374	2020-07-16 13	103.36
375	2020-07-16 14	99.36
376	2020-07-16 15	96.93
377	2020-07-16 16	118.31
378	2020-07-16 17	114.80
379	2020-07-16 18	94.01
380	2020-07-16 19	101.40
381	2020-07-16 20	99.51
382	2020-07-16 21	104.99

SI No	Time	Stack-PM_U
383	2020-07-16 22	127.21
384	2020-07-16 23	126.62
385	2020-07-17 00	139.41
386	2020-07-17 01	119.72
387	2020-07-17 02	104.50
388	2020-07-17 03	133.37
389	2020-07-17 04	120.68
390	2020-07-17 05	106.27
391	2020-07-17 06	101.44
392	2020-07-17 07	100.86
393	2020-07-17 08	131.25
394	2020-07-17 09	136.25
395	2020-07-17 10	93.16
396	2020-07-17 11	62.69
397	2020-07-17 12	57.80
398	2020-07-17 13	59.97
399	2020-07-17 14	64.73
400	2020-07-17 15	61.83
401	2020-07-17 16	58.12
402	2020-07-17 17	52.34
403	2020-07-17 18	56.49
404	2020-07-17 19	53.69
405	2020-07-17 20	51.08
406	2020-07-17 21	50.25
407	2020-07-17 22	55.12
408	2020-07-17 23	56.94
409	2020-07-18 00	53.02
410	2020-07-18 01	51.50
411	2020-07-18 02	59.53
412	2020-07-18 03	59.73
413	2020-07-18 04	54.24
414	2020-07-18 05	56.03
415	2020-07-18 06	49.89
416	2020-07-18 07	54.37
417	2020-07-18 08	52.76
418	2020-07-18 09	50.88
419	2020-07-18 10	56.19
420	2020-07-18 11	51.60
421	2020-07-18 12	51.81
422	2020-07-18 13	56.22
423	2020-07-18 14	61.59
424	2020-07-18 15	57.08
425	2020-07-18 16	55.68
426	2020-07-18 17	56.31

SI No	Time	Stack-PM_U
427	2020-07-18 18	58.63
428	2020-07-18 19	58.55
429	2020-07-18 20	62.71
430	2020-07-18 21	59.29
431	2020-07-18 22	62.30
432	2020-07-18 23	64.66
433	2020-07-19 00	55.12
434	2020-07-19 01	56.08
435	2020-07-19 02	48.32
436	2020-07-19 03	47.39
437	2020-07-19 04	47.88
438	2020-07-19 05	52.32
439	2020-07-19 06	56.65
440	2020-07-19 07	103.09
441	2020-07-19 08	81.78
442	2020-07-19 09	72.56
443	2020-07-19 10	68.35
444	2020-07-19 11	65.43
445	2020-07-19 12	68.24
446	2020-07-19 13	73.19
447	2020-07-19 14	72.76
448	2020-07-19 15	67.47
449	2020-07-19 16	65.45
450	2020-07-19 17	63.51
451	2020-07-19 18	62.24
452	2020-07-19 19	61.08
453	2020-07-19 20	62.04
454	2020-07-19 21	68.59
455	2020-07-19 22	65.95
456	2020-07-19 23	60.06
457	2020-07-20 00	54.23
458	2020-07-20 01	45.49
459	2020-07-20 02	51.20
460	2020-07-20 03	61.15
461	2020-07-20 04	54.51
462	2020-07-20 05	54.00
463	2020-07-20 06	61.90
464	2020-07-20 07	70.03
465	2020-07-20 08	71.62
466	2020-07-20 09	67.46
467	2020-07-20 10	67.12
468	2020-07-20 11	71.04
469	2020-07-20 12	54.95
470	2020-07-20 13	79.27

SI No	Time	
		77.93
471	2020-07-20 14	68.36
472	2020-07-20 15	65.60
473	2020-07-20 16	67.79
474	2020-07-20 17	79.94
475	2020-07-20 18	73.81
476	2020-07-20 19	68.72
477	2020-07-20 20	70.60
478	2020-07-20 21	70.37
479	2020-07-20 22	73.09
480	2020-07-20 23	79.27
481	2020-07-21 00	75.22
482	2020-07-21 01	78.80
483	2020-07-21 02	72.21
484	2020-07-21 03	72.12
485	2020-07-21 04	74.87
486	2020-07-21 05	78.24
487	2020-07-21 06	91.93
488	2020-07-21 07	116.81
489	2020-07-21 08	76.98
490	2020-07-21 09	79.53
491	2020-07-21 10	69.98
492	2020-07-21 11	71.47
493	2020-07-21 12	74.09
494	2020-07-21 13	84.18
495	2020-07-21 14	70.08
496	2020-07-21 15	73.92
497	2020-07-21 16	83.19
498	2020-07-21 17	91.99
499	2020-07-21 18	88.01
500	2020-07-21 19	88.04
501	2020-07-21 20	87.81
502	2020-07-21 21	88.65
503	2020-07-21 22	90.04
504	2020-07-21 23	82.43
505	2020-07-22 00	89.43
506	2020-07-22 01	84.79
507	2020-07-22 02	78.32
508	2020-07-22 03	82.82
509	2020-07-22 04	83.03
510	2020-07-22 05	83.73
511	2020-07-22 06	90.44
512	2020-07-22 07	90.07
513	2020-07-22 08	103.70
514	2020-07-22 09	95.11
515	2020-07-22 10	

Sl No	Time	Stack-PM_U
516	2020-07-22 11	94.23
517	2020-07-22 12	95.77
518	2020-07-22 13	96.32
519	2020-07-22 14	98.46
520	2020-07-22 15	101.04
521	2020-07-22 16	110.84
522	2020-07-22 17	101.06
523	2020-07-22 18	94.15
524	2020-07-22 19	92.16
525	2020-07-22 20	91.54
526	2020-07-22 21	89.73
527	2020-07-22 22	102.99
528	2020-07-22 23	89.72
529	2020-07-23 00	85.94
530	2020-07-23 01	95.40
531	2020-07-23 02	115.59
532	2020-07-23 03	106.11
533	2020-07-23 04	94.49
534	2020-07-23 05	97.98
535	2020-07-23 06	97.61
536	2020-07-23 07	98.94
537	2020-07-23 08	101.92
538	2020-07-23 09	117.45
539	2020-07-23 10	80.89
540	2020-07-23 11	70.54
541	2020-07-23 12	85.64
542	2020-07-23 13	91.95
543	2020-07-23 14	76.24
544	2020-07-23 15	75.10
545	2020-07-23 16	79.22
546	2020-07-23 17	78.25
547	2020-07-23 18	60.34
548	2020-07-23 19	60.60
549	2020-07-23 20	59.45
550	2020-07-23 21	60.14
551	2020-07-23 22	65.86
552	2020-07-23 23	62.55
553	2020-07-24 00	58.62
554	2020-07-24 01	59.14
555	2020-07-24 02	60.98
556	2020-07-24 03	58.45
557	2020-07-24 04	64.19
558	2020-07-24 05	63.59
559	2020-07-24 06	65.76

SI No	Time	Stack-PM_U
		66.59
560	2020-07-24 07	66.34
561	2020-07-24 08	63.47
562	2020-07-24 09	62.13
563	2020-07-24 10	63.80
564	2020-07-24 11	62.06
565	2020-07-24 12	65.83
566	2020-07-24 13	65.44
567	2020-07-24 14	65.34
568	2020-07-24 15	67.64
569	2020-07-24 16	77.95
570	2020-07-24 17	68.25
571	2020-07-24 18	65.28
572	2020-07-24 19	61.66
573	2020-07-24 20	60.50
574	2020-07-24 21	60.14
575	2020-07-24 22	59.78
576	2020-07-24 23	59.01
577	2020-07-25 00	61.36
578	2020-07-25 01	63.08
579	2020-07-25 02	62.36
580	2020-07-25 03	63.07
581	2020-07-25 04	68.07
582	2020-07-25 05	67.09
583	2020-07-25 06	70.36
584	2020-07-25 07	71.67
585	2020-07-25 08	71.73
586	2020-07-25 09	76.38
587	2020-07-25 10	86.80
588	2020-07-25 11	77.52
589	2020-07-25 12	73.72
590	2020-07-25 13	67.09
591	2020-07-25 14	71.34
592	2020-07-25 15	69.00
593	2020-07-25 16	69.26
594	2020-07-25 17	65.62
595	2020-07-25 18	66.07
596	2020-07-25 19	66.21
597	2020-07-25 20	64.54
598	2020-07-25 21	61.06
599	2020-07-25 22	61.97
600	2020-07-25 23	61.75
601	2020-07-26 00	63.87
602	2020-07-26 01	64.97
603	2020-07-26 02	63.69
604	2020-07-26 03	

SI No
605
606

SI No	Time	Stack-PM_U
605	2020-07-26 04	64.63
606	2020-07-26 05	63.37
607	2020-07-26 06	61.84
608	2020-07-26 07	64.46
609	2020-07-26 08	NA
610	2020-07-26 09	66.66
611	2020-07-26 10	53.35
612	2020-07-26 11	45.44
613	2020-07-26 12	44.58
614	2020-07-26 13	47.61
615	2020-07-26 14	48.32
616	2020-07-26 15	50.11
617	2020-07-26 16	51.82
618	2020-07-26 17	53.93
619	2020-07-26 18	52.92
620	2020-07-26 19	48.21
621	2020-07-26 20	47.70
622	2020-07-26 21	48.42
623	2020-07-26 22	47.15
624	2020-07-26 23	57.37
625	2020-07-27 00	51.15
626	2020-07-27 01	47.94
627	2020-07-27 02	49.59
628	2020-07-27 03	46.09
629	2020-07-27 04	46.90
630	2020-07-27 05	48.37
631	2020-07-27 06	49.12
632	2020-07-27 07	50.32
633	2020-07-27 08	49.95
634	2020-07-27 09	51.35
635	2020-07-27 10	52.15
636	2020-07-27 11	49.00
637	2020-07-27 12	48.00
638	2020-07-27 13	NA
639	2020-07-27 14	NA
640	2020-07-27 15	NA
641	2020-07-27 16	NA
642	2020-07-27 17	NA
643	2020-07-27 18	NA
644	2020-07-27 19	NA
645	2020-07-27 20	NA
646	2020-07-27 21	NA
647	2020-07-27 22	NA
648	2020-07-27 23	NA

SI No	Time	Stack-PM_U
693	2020-07-29 20	NA
694	2020-07-29 21	NA
695	2020-07-29 22	NA
696	2020-07-29 23	NA
697	2020-07-30 00	NA
698	2020-07-30 01	NA
699	2020-07-30 02	NA
700	2020-07-30 03	NA
701	2020-07-30 04	NA
702	2020-07-30 05	NA
703	2020-07-30 06	NA
704	2020-07-30 07	NA
705	2020-07-30 08	NA
706	2020-07-30 09	NA
707	2020-07-30 10	NA
708	2020-07-30 11	NA
709	2020-07-30 12	71.63
710	2020-07-30 13	72.30
711	2020-07-30 14	68.87
712	2020-07-30 15	71.22
713	2020-07-30 16	70.32
714	2020-07-30 17	71.50
715	2020-07-30 18	72.81
716	2020-07-30 19	70.47
717	2020-07-30 20	69.63
718	2020-07-30 21	72.45
719	2020-07-30 22	70.53
720	2020-07-30 23	72.55
721	2020-07-31 00	77.00

Report Details: Gemini | 2021-01-23 16:27:59 | Custom Report

Real Time Data Acquisition And Monitoring



Site Name: Gemini Edibles And Fats India Pvt Ltd-Nellore

Report: Custom Report

From Date: 2020/08/01 00:00:00 To Date : 2020/08/31 00:00:00

Description	Stack-PM_U
Prescribed Standards	-
Maximum Data	90.0
Minimum Data	54.0
Geometric Mean	63.48
Median	54.9
Standard Deviation	12.27
Maximum Value At Time	2020-08-25 14
Minimum Value At Time	2020-08-26 10
Valid Data Points	196
Total Data Points	721
Data Availability %	27.18%

Sl No	Time	Stack-PM_U
1	2020-08-01 00	71.95
2	2020-08-01 01	71.63
3	2020-08-01 02	89.48
4	2020-08-01 03	77.12
5	2020-08-01 04	80.74
6	2020-08-01 05	85.15
7	2020-08-01 06	85.00
8	2020-08-01 07	84.05
9	2020-08-01 08	82.00
10	2020-08-01 09	NA
11	2020-08-01 10	NA
12	2020-08-01 11	NA
13	2020-08-01 12	NA
14	2020-08-01 13	NA
15	2020-08-01 14	NA
16	2020-08-01 15	NA
17	2020-08-01 16	NA
18	2020-08-01 17	NA
19	2020-08-01 18	NA
20	2020-08-01 19	NA
21	2020-08-01 20	NA
22	2020-08-01 21	NA
23	2020-08-01 22	NA
24	2020-08-01 23	NA
25	2020-08-02 00	NA
26	2020-08-02 01	NA

SI No	Time	Stack-PM_U
27	2020-08-02 02	
28	2020-08-02 03	NA
29	2020-08-02 04	NA
30	2020-08-02 05	NA
31	2020-08-02 06	NA
32	2020-08-02 07	NA
33	2020-08-02 08	NA
34	2020-08-02 09	NA
35	2020-08-02 10	NA
36	2020-08-02 11	NA
37	2020-08-02 12	NA
38	2020-08-02 13	NA
39	2020-08-02 14	NA
40	2020-08-02 15	NA
41	2020-08-02 16	NA
42	2020-08-02 17	NA
43	2020-08-02 18	NA
44	2020-08-02 19	NA
45	2020-08-02 20	NA
46	2020-08-02 21	NA
47	2020-08-02 22	NA
48	2020-08-02 23	NA
49	2020-08-03 00	NA
50	2020-08-03 01	NA
51	2020-08-03 02	NA
52	2020-08-03 03	NA
53	2020-08-03 04	NA
54	2020-08-03 05	NA
55	2020-08-03 06	NA
56	2020-08-03 07	NA
57	2020-08-03 08	NA
58	2020-08-03 09	NA
59	2020-08-03 10	NA
60	2020-08-03 11	NA
61	2020-08-03 12	NA
62	2020-08-03 13	NA
63	2020-08-03 14	NA
64	2020-08-03 15	NA
65	2020-08-03 16	NA
66	2020-08-03 17	NA
67	2020-08-03 18	NA
68	2020-08-03 19	NA
69	2020-08-03 20	NA
70	2020-08-03 21	NA
71	2020-08-03 22	NA

SI No	Time	Stack-PM_U
72	2020-08-03 23	NA
73	2020-08-04 00	NA
74	2020-08-04 01	NA
75	2020-08-04 02	NA
76	2020-08-04 03	NA
77	2020-08-04 04	NA
78	2020-08-04 05	NA
79	2020-08-04 06	NA
80	2020-08-04 07	NA
81	2020-08-04 08	NA
82	2020-08-04 09	NA
83	2020-08-04 10	NA
84	2020-08-04 11	NA
85	2020-08-04 12	NA
86	2020-08-04 13	NA
87	2020-08-04 14	NA
88	2020-08-04 15	NA
89	2020-08-04 16	NA
90	2020-08-04 17	NA
91	2020-08-04 18	NA
92	2020-08-04 19	NA
93	2020-08-04 20	NA
94	2020-08-04 21	NA
95	2020-08-04 22	NA
96	2020-08-04 23	NA
97	2020-08-05 00	NA
98	2020-08-05 01	NA
99	2020-08-05 02	NA
100	2020-08-05 03	NA
101	2020-08-05 04	NA
102	2020-08-05 05	NA
103	2020-08-05 06	NA
104	2020-08-05 07	NA
105	2020-08-05 08	NA
106	2020-08-05 09	NA
107	2020-08-05 10	NA
108	2020-08-05 11	NA
109	2020-08-05 12	NA
110	2020-08-05 13	NA
111	2020-08-05 14	NA
112	2020-08-05 15	NA
113	2020-08-05 16	NA
114	2020-08-05 17	NA
115	2020-08-05 18	NA

Sl No	Time	Stack-PM_U
116	2020-08-05 19	
117	2020-08-05 20	NA
118	2020-08-05 21	NA
119	2020-08-05 22	NA
120	2020-08-05 23	NA
121	2020-08-06 00	NA
122	2020-08-06 01	NA
123	2020-08-06 02	NA
124	2020-08-06 03	NA
125	2020-08-06 04	NA
126	2020-08-06 05	NA
127	2020-08-06 06	NA
128	2020-08-06 07	NA
129	2020-08-06 08	NA
130	2020-08-06 09	NA
131	2020-08-06 10	NA
132	2020-08-06 11	NA
133	2020-08-06 12	NA
134	2020-08-06 13	NA
135	2020-08-06 14	NA
136	2020-08-06 15	NA
137	2020-08-06 16	NA
138	2020-08-06 17	NA
139	2020-08-06 18	NA
140	2020-08-06 19	NA
141	2020-08-06 20	NA
142	2020-08-06 21	NA
143	2020-08-06 22	NA
144	2020-08-06 23	NA
145	2020-08-07 00	NA
146	2020-08-07 01	NA
147	2020-08-07 02	NA
148	2020-08-07 03	NA
149	2020-08-07 04	NA
150	2020-08-07 05	NA
151	2020-08-07 06	NA
152	2020-08-07 07	NA
153	2020-08-07 08	NA
154	2020-08-07 09	NA
155	2020-08-07 10	NA
156	2020-08-07 11	NA
157	2020-08-07 12	NA
158	2020-08-07 13	NA
159	2020-08-07 14	NA
160	2020-08-07 15	NA

Sl No

161

162

SI No	Time	Stack-PM_U
161	2020-08-07 16	NA
162	2020-08-07 17	NA
163	2020-08-07 18	NA
164	2020-08-07 19	NA
165	2020-08-07 20	NA
166	2020-08-07 21	NA
167	2020-08-07 22	NA
168	2020-08-07 23	NA
169	2020-08-08 00	NA
170	2020-08-08 01	NA
171	2020-08-08 02	NA
172	2020-08-08 03	NA
173	2020-08-08 04	NA
174	2020-08-08 05	NA
175	2020-08-08 06	NA
176	2020-08-08 07	NA
177	2020-08-08 08	NA
178	2020-08-08 09	NA
179	2020-08-08 10	NA
180	2020-08-08 11	NA
181	2020-08-08 12	NA
182	2020-08-08 13	66.00
183	2020-08-08 14	65.49
184	2020-08-08 15	66.29
185	2020-08-08 16	65.21
186	2020-08-08 17	65.94
187	2020-08-08 18	65.24
188	2020-08-08 19	67.13
189	2020-08-08 20	65.49
190	2020-08-08 21	65.27
191	2020-08-08 22	66.16
192	2020-08-08 23	67.04
193	2020-08-09 00	66.99
194	2020-08-09 01	67.75
195	2020-08-09 02	67.47
196	2020-08-09 03	66.77
197	2020-08-09 04	67.51
198	2020-08-09 05	68.24
199	2020-08-09 06	68.26
200	2020-08-09 07	68.54
201	2020-08-09 08	68.47
202	2020-08-09 09	69.16
203	2020-08-09 10	69.80
204	2020-08-09 11	69.88

SI No	Time	Stack-PM_U
		69.99
205	2020-08-09 12	70.12
206	2020-08-09 13	70.01
207	2020-08-09 14	71.30
208	2020-08-09 15	72.01
209	2020-08-09 16	71.43
210	2020-08-09 17	71.01
211	2020-08-09 18	72.04
212	2020-08-09 19	78.20
213	2020-08-09 20	76.55
214	2020-08-09 21	74.13
215	2020-08-09 22	74.90
216	2020-08-09 23	71.18
217	2020-08-10 00	71.49
218	2020-08-10 01	71.03
219	2020-08-10 02	71.37
220	2020-08-10 03	72.07
221	2020-08-10 04	72.09
222	2020-08-10 05	74.15
223	2020-08-10 06	75.45
224	2020-08-10 07	75.21
225	2020-08-10 08	72.95
226	2020-08-10 09	60.91
227	2020-08-10 10	61.25
228	2020-08-10 11	60.20
229	2020-08-10 12	62.57
230	2020-08-10 13	62.50
231	2020-08-10 14	62.54
232	2020-08-10 15	61.08
233	2020-08-10 16	62.43
234	2020-08-10 17	62.09
235	2020-08-10 18	61.19
236	2020-08-10 19	NA
237	2020-08-10 20	NA
238	2020-08-10 21	NA
239	2020-08-10 22	NA
240	2020-08-10 23	NA
241	2020-08-11 00	NA
242	2020-08-11 01	NA
243	2020-08-11 02	NA
244	2020-08-11 03	NA
245	2020-08-11 04	NA
246	2020-08-11 05	NA
247	2020-08-11 06	NA
248	2020-08-11 07	NA

SI No
249
250
251

SI No	Time	Stack-PM_U
249	2020-08-11 08	NA
250	2020-08-11 09	NA
251	2020-08-11 10	NA
252	2020-08-11 11	89.64
253	2020-08-11 12	89.12
254	2020-08-11 13	NA
255	2020-08-11 14	NA
256	2020-08-11 15	NA
257	2020-08-11 16	NA
258	2020-08-11 17	NA
259	2020-08-11 18	NA
260	2020-08-11 19	NA
261	2020-08-11 20	NA
262	2020-08-11 21	NA
263	2020-08-11 22	NA
264	2020-08-11 23	NA
265	2020-08-12 00	NA
266	2020-08-12 01	NA
267	2020-08-12 02	NA
268	2020-08-12 03	NA
269	2020-08-12 04	NA
270	2020-08-12 05	NA
271	2020-08-12 06	NA
272	2020-08-12 07	NA
273	2020-08-12 08	NA
274	2020-08-12 09	NA
275	2020-08-12 10	NA
276	2020-08-12 11	NA
277	2020-08-12 12	NA
278	2020-08-12 13	NA
279	2020-08-12 14	NA
280	2020-08-12 15	NA
281	2020-08-12 16	NA
282	2020-08-12 17	NA
283	2020-08-12 18	NA
284	2020-08-12 19	NA
285	2020-08-12 20	NA
286	2020-08-12 21	NA
287	2020-08-12 22	NA
288	2020-08-12 23	NA
289	2020-08-13 00	NA
290	2020-08-13 01	NA
291	2020-08-13 02	NA
292	2020-08-13 03	NA
293	2020-08-13 04	NA

SI No	Time	Stack-PM_U
		NA
294	2020-08-13 05	NA
295	2020-08-13 06	NA
296	2020-08-13 07	NA
297	2020-08-13 08	NA
298	2020-08-13 09	NA
299	2020-08-13 10	NA
300	2020-08-13 11	NA
301	2020-08-13 12	NA
302	2020-08-13 13	NA
303	2020-08-13 14	NA
304	2020-08-13 15	NA
305	2020-08-13 16	NA
306	2020-08-13 17	NA
307	2020-08-13 18	NA
308	2020-08-13 19	NA
309	2020-08-13 20	NA
310	2020-08-13 21	NA
311	2020-08-13 22	NA
312	2020-08-13 23	NA
313	2020-08-14 00	NA
314	2020-08-14 01	NA
315	2020-08-14 02	NA
316	2020-08-14 03	NA
317	2020-08-14 04	NA
318	2020-08-14 05	NA
319	2020-08-14 06	NA
320	2020-08-14 07	NA
321	2020-08-14 08	NA
322	2020-08-14 09	NA
323	2020-08-14 10	NA
324	2020-08-14 11	NA
325	2020-08-14 12	NA
326	2020-08-14 13	NA
327	2020-08-14 14	NA
328	2020-08-14 15	NA
329	2020-08-14 16	NA
330	2020-08-14 17	NA
331	2020-08-14 18	NA
332	2020-08-14 19	NA
333	2020-08-14 20	NA
334	2020-08-14 21	NA
335	2020-08-14 22	NA
336	2020-08-14 23	NA
337	2020-08-15 00	NA

SI No	Time	Stack-PM_U
338	2020-08-15 01	NA
339	2020-08-15 02	NA
340	2020-08-15 03	NA
341	2020-08-15 04	NA
342	2020-08-15 05	NA
343	2020-08-15 06	NA
344	2020-08-15 07	NA
345	2020-08-15 08	NA
346	2020-08-15 09	NA
347	2020-08-15 10	NA
348	2020-08-15 11	NA
349	2020-08-15 12	NA
350	2020-08-15 13	NA
351	2020-08-15 14	NA
352	2020-08-15 15	NA
353	2020-08-15 16	NA
354	2020-08-15 17	NA
355	2020-08-15 18	NA
356	2020-08-15 19	NA
357	2020-08-15 20	NA
358	2020-08-15 21	NA
359	2020-08-15 22	NA
360	2020-08-15 23	NA
361	2020-08-16 00	NA
362	2020-08-16 01	NA
363	2020-08-16 02	NA
364	2020-08-16 03	NA
365	2020-08-16 04	NA
366	2020-08-16 05	NA
367	2020-08-16 06	NA
368	2020-08-16 07	NA
369	2020-08-16 08	NA
370	2020-08-16 09	NA
371	2020-08-16 10	NA
372	2020-08-16 11	NA
373	2020-08-16 12	NA
374	2020-08-16 13	NA
375	2020-08-16 14	NA
376	2020-08-16 15	NA
377	2020-08-16 16	NA
378	2020-08-16 17	NA
379	2020-08-16 18	NA
380	2020-08-16 19	NA
381	2020-08-16 20	NA
382	2020-08-16 21	NA

SI No	Time	Stack-PM_U
383	2020-08-16 22	NA
384	2020-08-16 23	NA
385	2020-08-17 00	NA
386	2020-08-17 01	NA
387	2020-08-17 02	NA
388	2020-08-17 03	NA
389	2020-08-17 04	NA
390	2020-08-17 05	NA
391	2020-08-17 06	NA
392	2020-08-17 07	NA
393	2020-08-17 08	NA
394	2020-08-17 09	NA
395	2020-08-17 10	NA
396	2020-08-17 11	NA
397	2020-08-17 12	NA
398	2020-08-17 13	NA
399	2020-08-17 14	NA
400	2020-08-17 15	NA
401	2020-08-17 16	NA
402	2020-08-17 17	NA
403	2020-08-17 18	NA
404	2020-08-17 19	NA
405	2020-08-17 20	NA
406	2020-08-17 21	NA
407	2020-08-17 22	NA
408	2020-08-17 23	NA
409	2020-08-18 00	NA
410	2020-08-18 01	NA
411	2020-08-18 02	NA
412	2020-08-18 03	NA
413	2020-08-18 04	NA
414	2020-08-18 05	NA
415	2020-08-18 06	NA
416	2020-08-18 07	NA
417	2020-08-18 08	NA
418	2020-08-18 09	NA
419	2020-08-18 10	NA
420	2020-08-18 11	NA
421	2020-08-18 12	NA
422	2020-08-18 13	NA
423	2020-08-18 14	NA
424	2020-08-18 15	NA
425	2020-08-18 16	NA
426	2020-08-18 17	NA

SI No	Time	Stack-PM_U
427	2020-08-18 18	NA
428	2020-08-18 19	NA
429	2020-08-18 20	NA
430	2020-08-18 21	NA
431	2020-08-18 22	NA
432	2020-08-18 23	NA
433	2020-08-19 00	NA
434	2020-08-19 01	NA
435	2020-08-19 02	NA
436	2020-08-19 03	NA
437	2020-08-19 04	NA
438	2020-08-19 05	NA
439	2020-08-19 06	NA
440	2020-08-19 07	NA
441	2020-08-19 08	NA
442	2020-08-19 09	NA
443	2020-08-19 10	NA
444	2020-08-19 11	NA
445	2020-08-19 12	NA
446	2020-08-19 13	NA
447	2020-08-19 14	NA
448	2020-08-19 15	NA
449	2020-08-19 16	NA
450	2020-08-19 17	NA
451	2020-08-19 18	NA
452	2020-08-19 19	NA
453	2020-08-19 20	NA
454	2020-08-19 21	NA
455	2020-08-19 22	NA
456	2020-08-19 23	NA
457	2020-08-20 00	NA
458	2020-08-20 01	NA
459	2020-08-20 02	NA
460	2020-08-20 03	NA
461	2020-08-20 04	NA
462	2020-08-20 05	NA
463	2020-08-20 06	NA
464	2020-08-20 07	NA
465	2020-08-20 08	NA
466	2020-08-20 09	NA
467	2020-08-20 10	NA
468	2020-08-20 11	NA
469	2020-08-20 12	NA
470	2020-08-20 13	NA

Sl No	Time	Stack-PM_U
		NA
471	2020-08-20 14	NA
472	2020-08-20 15	NA
473	2020-08-20 16	NA
474	2020-08-20 17	NA
475	2020-08-20 18	NA
476	2020-08-20 19	NA
477	2020-08-20 20	NA
478	2020-08-20 21	NA
479	2020-08-20 22	NA
480	2020-08-20 23	NA
481	2020-08-21 00	NA
482	2020-08-21 01	NA
483	2020-08-21 02	NA
484	2020-08-21 03	NA
485	2020-08-21 04	NA
486	2020-08-21 05	NA
487	2020-08-21 06	NA
488	2020-08-21 07	NA
489	2020-08-21 08	NA
490	2020-08-21 09	NA
491	2020-08-21 10	NA
492	2020-08-21 11	NA
493	2020-08-21 12	NA
494	2020-08-21 13	NA
495	2020-08-21 14	NA
496	2020-08-21 15	NA
497	2020-08-21 16	NA
498	2020-08-21 17	NA
499	2020-08-21 18	NA
500	2020-08-21 19	NA
501	2020-08-21 20	NA
502	2020-08-21 21	NA
503	2020-08-21 22	NA
504	2020-08-21 23	NA
505	2020-08-22 00	NA
506	2020-08-22 01	NA
507	2020-08-22 02	NA
508	2020-08-22 03	NA
509	2020-08-22 04	NA
510	2020-08-22 05	NA
511	2020-08-22 06	NA
512	2020-08-22 07	NA
513	2020-08-22 08	NA
514	2020-08-22 09	NA
515	2020-08-22 10	NA

SI No

Time

Stack-PM_U

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

2020-08-22 11

2020-08-22 12

2020-08-22 13

2020-08-22 14

2020-08-22 15

2020-08-22 16

2020-08-22 17

2020-08-22 18

2020-08-22 19

2020-08-22 20

2020-08-22 21

2020-08-22 22

2020-08-22 23

2020-08-23 00

2020-08-23 01

2020-08-23 02

2020-08-23 03

2020-08-23 04

2020-08-23 05

2020-08-23 06

2020-08-23 07

2020-08-23 08

2020-08-23 09

2020-08-23 10

2020-08-23 11

2020-08-23 12

2020-08-23 13

2020-08-23 14

2020-08-23 15

2020-08-23 16

2020-08-23 17

2020-08-23 18

2020-08-23 19

2020-08-23 20

2020-08-23 21

2020-08-23 22

2020-08-23 23

2020-08-24 00

2020-08-24 01

2020-08-24 02

2020-08-24 03

2020-08-24 04

2020-08-24 05

2020-08-24 06

NA

Sl No	Time	Stack-PM_U
560	2020-08-24 07	NA
561	2020-08-24 08	NA
562	2020-08-24 09	NA
563	2020-08-24 10	NA
564	2020-08-24 11	NA
565	2020-08-24 12	NA
566	2020-08-24 13	NA
567	2020-08-24 14	NA
568	2020-08-24 15	NA
569	2020-08-24 16	NA
570	2020-08-24 17	NA
571	2020-08-24 18	NA
572	2020-08-24 19	NA
573	2020-08-24 20	NA
574	2020-08-24 21	NA
575	2020-08-24 22	NA
576	2020-08-24 23	NA
577	2020-08-25 00	NA
578	2020-08-25 01	NA
579	2020-08-25 02	NA
580	2020-08-25 03	NA
581	2020-08-25 04	NA
582	2020-08-25 05	NA
583	2020-08-25 06	NA
584	2020-08-25 07	NA
585	2020-08-25 08	NA
586	2020-08-25 09	NA
587	2020-08-25 10	NA
588	2020-08-25 11	NA
589	2020-08-25 12	NA
590	2020-08-25 13	NA
591	2020-08-25 14	90.00
592	2020-08-25 15	90.00
593	2020-08-25 16	90.00
594	2020-08-25 17	90.00
595	2020-08-25 18	90.00
596	2020-08-25 19	90.00
597	2020-08-25 20	90.00
598	2020-08-25 21	89.95
599	2020-08-25 22	89.96
600	2020-08-25 23	89.95
601	2020-08-26 00	89.94
602	2020-08-26 01	89.99
603	2020-08-26 02	89.99
604	2020-08-26 03	89.92

SI No	Time	Stack-PM_U
605	2020-08-26 04	89.90
606	2020-08-26 05	89.98
607	2020-08-26 06	89.94
608	2020-08-26 07	89.94
609	2020-08-26 08	89.93
610	2020-08-26 09	80.40
611	2020-08-26 10	54.00
612	2020-08-26 11	54.03
613	2020-08-26 12	54.13
614	2020-08-26 13	54.07
615	2020-08-26 14	54.12
616	2020-08-26 15	54.07
617	2020-08-26 16	54.02
618	2020-08-26 17	54.08
619	2020-08-26 18	54.04
620	2020-08-26 19	54.04
621	2020-08-26 20	54.00
622	2020-08-26 21	54.00
623	2020-08-26 22	54.00
624	2020-08-26 23	54.00
625	2020-08-27 00	54.00
626	2020-08-27 01	54.00
627	2020-08-27 02	54.12
628	2020-08-27 03	54.03
629	2020-08-27 04	54.03
630	2020-08-27 05	54.00
631	2020-08-27 06	54.38
632	2020-08-27 07	54.24
633	2020-08-27 08	54.49
634	2020-08-27 09	54.54
635	2020-08-27 10	54.75
636	2020-08-27 11	54.83
637	2020-08-27 12	54.87
638	2020-08-27 13	54.80
639	2020-08-27 14	54.77
640	2020-08-27 15	54.54
641	2020-08-27 16	54.52
642	2020-08-27 17	54.77
643	2020-08-27 18	54.83
644	2020-08-27 19	54.71
645	2020-08-27 20	54.67
646	2020-08-27 21	54.62
647	2020-08-27 22	54.65
648	2020-08-27 23	54.62

SI No	Time	Stack-PM_U
649	2020-08-28 00	54.63
650	2020-08-28 01	54.65
651	2020-08-28 02	54.71
652	2020-08-28 03	54.81
653	2020-08-28 04	54.58
654	2020-08-28 05	54.58
655	2020-08-28 06	54.77
656	2020-08-28 07	54.66
657	2020-08-28 08	54.87
658	2020-08-28 09	54.86
659	2020-08-28 10	54.78
660	2020-08-28 11	54.95
661	2020-08-28 12	54.98
662	2020-08-28 13	54.96
663	2020-08-28 14	54.90
664	2020-08-28 15	54.94
665	2020-08-28 16	54.81
666	2020-08-28 17	54.86
667	2020-08-28 18	54.75
668	2020-08-28 19	54.55
669	2020-08-28 20	54.31
670	2020-08-28 21	54.25
671	2020-08-28 22	54.26
672	2020-08-28 23	54.10
673	2020-08-29 00	54.12
674	2020-08-29 01	54.00
675	2020-08-29 02	54.00
676	2020-08-29 03	54.00
677	2020-08-29 04	54.00
678	2020-08-29 05	54.00
679	2020-08-29 06	54.00
680	2020-08-29 07	54.14
681	2020-08-29 08	54.19
682	2020-08-29 09	54.37
683	2020-08-29 10	54.42
684	2020-08-29 11	54.55
685	2020-08-29 12	54.55
686	2020-08-29 13	54.70
687	2020-08-29 14	54.29
688	2020-08-29 15	54.23
689	2020-08-29 16	54.18
690	2020-08-29 17	54.67
691	2020-08-29 18	54.09
692	2020-08-29 19	54.02

SI No	Time	Stack-PM_U
693	2020-08-29 20	54.07
694	2020-08-29 21	54.00
695	2020-08-29 22	54.03
696	2020-08-29 23	54.07
697	2020-08-30 00	54.00
698	2020-08-30 01	54.00
699	2020-08-30 02	54.00
700	2020-08-30 03	54.00
701	2020-08-30 04	54.00
702	2020-08-30 05	54.00
703	2020-08-30 06	54.05
704	2020-08-30 07	54.16
705	2020-08-30 08	54.42
706	2020-08-30 09	54.70
707	2020-08-30 10	54.85
708	2020-08-30 11	54.91
709	2020-08-30 12	54.93
710	2020-08-30 13	54.85
711	2020-08-30 14	54.96
712	2020-08-30 15	54.86
713	2020-08-30 16	54.91
714	2020-08-30 17	54.99
715	2020-08-30 18	54.98
716	2020-08-30 19	54.86
717	2020-08-30 20	54.84
718	2020-08-30 21	54.93
719	2020-08-30 22	55.00
720	2020-08-30 23	NA
721	2020-08-31 00	

Report Details: Gemini | 2021-01-23 16:29:50 | Custom Report

1/23/2021




APPCB

SEPT '20.

Custom Report

SiteName: Gemini Edibles And Fats India Pvt Ltd-Nellore

Created by: Gemini, Created On: 23/01/2021





Real Time Data Acquisition And Monitoring

Site Name: Gemini Edibles And Fats India Pvt Ltd-Nellore

Report: Custom Report

From Date: 2020/09/01 00:00:00 To Date : 2020/09/30 00:00:00

Description	Stack-PM_U
Prescribed Standards	-
Maximum Data	188.84
Minimum Data	46.88
Geometric Mean	62.03
Median	55.0
Standard Deviation	16.66
Maximum Value At Time	2020-09-17 17
Minimum Value At Time	2020-09-25 08
Valid Data Points	297
Total Data Points	697
Data Availability %	42.61%

SI No	Time	Stack-PM_U
1	2020-09-01 00	54.99
2	2020-09-01 01	54.99
3	2020-09-01 02	54.98
4	2020-09-01 03	54.95
5	2020-09-01 04	54.98
6	2020-09-01 05	55.00
7	2020-09-01 06	54.98
8	2020-09-01 07	54.99
9	2020-09-01 08	54.97
10	2020-09-01 09	54.98
11	2020-09-01 10	54.99
12	2020-09-01 11	54.99
13	2020-09-01 12	54.98
14	2020-09-01 13	54.99
15	2020-09-01 14	54.99
16	2020-09-01 15	54.84
17	2020-09-01 16	54.87
18	2020-09-01 17	54.92
19	2020-09-01 18	54.98
20	2020-09-01 19	54.96
21	2020-09-01 20	54.98
22	2020-09-01 21	54.98
23	2020-09-01 22	54.95
24	2020-09-01 23	54.96
25	2020-09-02 00	54.95
26	2020-09-02 01	54.95

SI No	Time	
		54.96
27	2020-09-02 02	54.94
28	2020-09-02 03	54.98
29	2020-09-02 04	54.99
30	2020-09-02 05	54.95
31	2020-09-02 06	54.96
32	2020-09-02 07	54.95
33	2020-09-02 08	55.00
34	2020-09-02 09	54.98
35	2020-09-02 10	54.98
36	2020-09-02 11	55.00
37	2020-09-02 12	55.00
38	2020-09-02 13	55.00
39	2020-09-02 14	54.57
40	2020-09-02 15	54.92
41	2020-09-02 16	55.00
42	2020-09-02 17	54.98
43	2020-09-02 18	54.99
44	2020-09-02 19	54.93
45	2020-09-02 20	54.85
46	2020-09-02 21	54.93
47	2020-09-02 22	54.89
48	2020-09-02 23	54.92
49	2020-09-03 00	54.95
50	2020-09-03 01	54.98
51	2020-09-03 02	55.00
52	2020-09-03 03	54.96
53	2020-09-03 04	54.83
54	2020-09-03 05	54.96
55	2020-09-03 06	54.98
56	2020-09-03 07	54.92
57	2020-09-03 08	55.00
58	2020-09-03 09	54.98
59	2020-09-03 10	55.00
60	2020-09-03 11	54.98
61	2020-09-03 12	55.00
62	2020-09-03 13	55.00
63	2020-09-03 14	NA
64	2020-09-03 15	NA
65	2020-09-03 16	NA
66	2020-09-03 17	NA
67	2020-09-03 18	NA
68	2020-09-03 19	NA
69	2020-09-03 20	NA
70	2020-09-03 21	NA
71	2020-09-03 22	NA

Sl No	Time	Stack-PM_U
72	2020-09-03 23	NA
73	2020-09-04 00	NA
74	2020-09-04 01	NA
75	2020-09-04 02	NA
76	2020-09-04 03	NA
77	2020-09-04 04	NA
78	2020-09-04 05	NA
79	2020-09-04 06	NA
80	2020-09-04 07	NA
81	2020-09-04 08	NA
82	2020-09-04 09	NA
83	2020-09-04 10	NA
84	2020-09-04 11	NA
85	2020-09-04 12	NA
86	2020-09-04 13	NA
87	2020-09-04 14	NA
88	2020-09-04 15	54.85
89	2020-09-04 16	54.90
90	2020-09-04 17	54.87
91	2020-09-04 18	54.84
92	2020-09-04 19	54.99
93	2020-09-04 20	55.00
94	2020-09-04 21	54.96
95	2020-09-04 22	54.99
96	2020-09-04 23	55.00
97	2020-09-05 00	55.00
98	2020-09-05 01	54.99
99	2020-09-05 02	55.00
100	2020-09-05 03	55.00
101	2020-09-05 04	54.99
102	2020-09-05 05	55.00
103	2020-09-05 06	55.00
104	2020-09-05 07	55.00
105	2020-09-05 08	55.00
106	2020-09-05 09	55.00
107	2020-09-05 10	54.99
108	2020-09-05 11	55.00
109	2020-09-05 12	55.00
110	2020-09-05 13	55.00
111	2020-09-05 14	55.00
112	2020-09-05 15	55.00
113	2020-09-05 16	55.00
114	2020-09-05 17	55.00
115	2020-09-05 18	55.00

Sl No	Time	Stack-PM U
116		55.00
117	2020-09-05 19	55.00
118	2020-09-05 20	55.00
119	2020-09-05 21	55.00
120	2020-09-05 22	55.00
121	2020-09-05 23	54.93
122	2020-09-06 00	55.00
123	2020-09-06 01	55.00
124	2020-09-06 02	55.00
125	2020-09-06 03	54.98
126	2020-09-06 04	55.00
127	2020-09-06 05	55.00
128	2020-09-06 06	55.00
129	2020-09-06 07	55.00
130	2020-09-06 08	55.00
131	2020-09-06 09	55.00
132	2020-09-06 10	55.00
133	2020-09-06 11	55.00
134	2020-09-06 12	55.00
135	2020-09-06 13	55.00
136	2020-09-06 14	55.00
137	2020-09-06 15	54.84
138	2020-09-06 16	55.00
139	2020-09-06 17	55.00
140	2020-09-06 18	55.00
141	2020-09-06 19	54.99
142	2020-09-06 20	54.98
143	2020-09-06 21	54.97
144	2020-09-06 22	54.95
145	2020-09-06 23	54.96
146	2020-09-07 00	55.00
147	2020-09-07 01	55.00
148	2020-09-07 02	55.00
149	2020-09-07 03	54.99
150	2020-09-07 04	54.99
151	2020-09-07 05	54.99
152	2020-09-07 06	54.99
153	2020-09-07 07	54.97
154	2020-09-07 08	54.94
155	2020-09-07 09	55.00
156	2020-09-07 10	NA
157	2020-09-07 11	NA
158	2020-09-07 12	NA
159	2020-09-07 13	NA
160	2020-09-07 14	NA
	2020-09-07 15	NA

Sl No
161
162
163

Sl No	Time	Stack-PM_U
161	2020-09-07 16	
162	2020-09-07 17	NA
163	2020-09-07 18	NA
164	2020-09-07 19	NA
165	2020-09-07 20	NA
166	2020-09-07 21	NA
167	2020-09-07 22	NA
168	2020-09-07 23	NA
169	2020-09-08 00	NA
170	2020-09-08 01	NA
171	2020-09-08 02	NA
172	2020-09-08 03	NA
173	2020-09-08 04	NA
174	2020-09-08 05	NA
175	2020-09-08 06	NA
176	2020-09-08 07	NA
177	2020-09-08 08	NA
178	2020-09-08 09	NA
179	2020-09-08 10	NA
180	2020-09-08 11	NA
181	2020-09-08 12	NA
182	2020-09-08 13	NA
183	2020-09-08 14	NA
184	2020-09-08 15	NA
185	2020-09-08 16	NA
186	2020-09-08 17	NA
187	2020-09-08 18	NA
188	2020-09-08 19	NA
189	2020-09-08 20	NA
190	2020-09-08 21	NA
191	2020-09-08 22	NA
192	2020-09-08 23	NA
193	2020-09-09 00	NA
194	2020-09-09 01	NA
195	2020-09-09 02	NA
196	2020-09-09 03	NA
197	2020-09-09 04	NA
198	2020-09-09 05	NA
199	2020-09-09 06	NA
200	2020-09-09 07	NA
201	2020-09-09 08	NA
202	2020-09-09 09	NA
203	2020-09-09 10	NA
204	2020-09-09 11	NA

SI No	Time	Stack-PM_U
205		NA
206	2020-09-09 12	NA
207	2020-09-09 13	NA
208	2020-09-09 14	NA
209	2020-09-09 15	NA
210	2020-09-09 16	NA
211	2020-09-09 17	NA
212	2020-09-09 18	NA
213	2020-09-09 19	NA
214	2020-09-09 20	NA
215	2020-09-09 21	NA
216	2020-09-09 22	NA
217	2020-09-09 23	NA
218	2020-09-10 00	NA
219	2020-09-10 01	NA
220	2020-09-10 02	NA
221	2020-09-10 03	NA
222	2020-09-10 04	NA
223	2020-09-10 05	NA
224	2020-09-10 06	NA
225	2020-09-10 07	NA
226	2020-09-10 08	NA
227	2020-09-10 09	NA
228	2020-09-10 10	NA
229	2020-09-10 11	NA
230	2020-09-10 12	NA
231	2020-09-10 13	NA
232	2020-09-10 14	NA
233	2020-09-10 15	NA
234	2020-09-10 16	NA
235	2020-09-10 17	NA
236	2020-09-10 18	NA
237	2020-09-10 19	NA
238	2020-09-10 20	NA
239	2020-09-10 21	NA
240	2020-09-10 22	NA
241	2020-09-10 23	NA
242	2020-09-11 00	NA
243	2020-09-11 01	NA
244	2020-09-11 02	NA
245	2020-09-11 03	NA
246	2020-09-11 04	NA
247	2020-09-11 05	NA
248	2020-09-11 06	NA
	2020-09-11 07	NA

Sl No	Time	Stack-PM_U
249		
250	2020-09-11 08	
251	2020-09-11 09	NA
252	2020-09-11 10	NA
253	2020-09-11 11	NA
254	2020-09-11 12	NA
255	2020-09-11 13	NA
256	2020-09-11 14	NA
257	2020-09-11 15	NA
258	2020-09-11 16	NA
259	2020-09-11 17	NA
260	2020-09-11 18	NA
261	2020-09-11 19	NA
262	2020-09-11 20	NA
263	2020-09-11 21	NA
264	2020-09-11 22	NA
265	2020-09-11 23	NA
266	2020-09-12 00	NA
267	2020-09-12 01	NA
268	2020-09-12 02	NA
269	2020-09-12 03	NA
270	2020-09-12 04	NA
271	2020-09-12 05	NA
272	2020-09-12 06	NA
273	2020-09-12 07	NA
274	2020-09-12 08	NA
275	2020-09-12 09	NA
276	2020-09-12 10	NA
277	2020-09-12 11	NA
278	2020-09-12 12	NA
279	2020-09-12 13	NA
280	2020-09-12 14	NA
281	2020-09-12 15	NA
282	2020-09-12 16	NA
283	2020-09-12 17	NA
284	2020-09-12 18	NA
285	2020-09-12 19	NA
286	2020-09-12 20	NA
287	2020-09-12 21	NA
288	2020-09-12 22	NA
289	2020-09-12 23	NA
290	2020-09-13 00	NA
291	2020-09-13 01	NA
292	2020-09-13 02	NA
293	2020-09-13 03	NA
	2020-09-13 04	

SI No	Time	Stack-PM_U
294		NA
295	2020-09-13 05	NA
296	2020-09-13 06	NA
297	2020-09-13 07	NA
298	2020-09-13 08	NA
299	2020-09-13 09	NA
300	2020-09-13 10	NA
301	2020-09-13 11	NA
302	2020-09-13 12	NA
303	2020-09-13 13	NA
304	2020-09-13 14	NA
305	2020-09-13 15	NA
306	2020-09-13 16	NA
307	2020-09-13 17	NA
308	2020-09-13 18	NA
309	2020-09-13 19	NA
310	2020-09-13 20	NA
311	2020-09-13 21	NA
312	2020-09-13 22	NA
313	2020-09-13 23	NA
314	2020-09-14 00	NA
315	2020-09-14 01	NA
316	2020-09-14 02	NA
317	2020-09-14 03	NA
318	2020-09-14 04	NA
319	2020-09-14 05	NA
320	2020-09-14 06	NA
321	2020-09-14 07	NA
322	2020-09-14 08	NA
323	2020-09-14 09	NA
324	2020-09-14 10	NA
325	2020-09-14 11	NA
326	2020-09-14 12	NA
327	2020-09-14 13	NA
328	2020-09-14 14	NA
329	2020-09-14 15	NA
330	2020-09-14 16	NA
331	2020-09-14 17	NA
332	2020-09-14 18	NA
333	2020-09-14 19	NA
334	2020-09-14 20	NA
335	2020-09-14 21	NA
336	2020-09-14 22	NA
337	2020-09-14 23	NA
	2020-09-15 00	NA

	Time	Stack-PM_U
338		
339	2020-09-15 01	
340	2020-09-15 02	NA
341	2020-09-15 03	NA
342	2020-09-15 04	NA
343	2020-09-15 05	NA
344	2020-09-15 06	NA
345	2020-09-15 07	NA
346	2020-09-15 08	NA
347	2020-09-15 09	NA
348	2020-09-15 10	NA
349	2020-09-15 11	NA
350	2020-09-15 12	NA
351	2020-09-15 13	NA
352	2020-09-15 14	NA
353	2020-09-15 15	NA
354	2020-09-15 16	NA
355	2020-09-15 17	NA
356	2020-09-15 18	NA
357	2020-09-15 19	NA
358	2020-09-15 20	NA
359	2020-09-15 21	NA
360	2020-09-15 22	NA
361	2020-09-15 23	NA
362	2020-09-16 00	NA
363	2020-09-16 01	NA
364	2020-09-16 02	NA
365	2020-09-16 03	NA
366	2020-09-16 04	NA
367	2020-09-16 05	NA
368	2020-09-16 06	NA
369	2020-09-16 07	NA
370	2020-09-16 08	NA
371	2020-09-16 09	NA
372	2020-09-16 10	NA
373	2020-09-16 11	NA
374	2020-09-16 12	NA
375	2020-09-16 13	NA
376	2020-09-16 14	NA
377	2020-09-16 15	NA
378	2020-09-16 16	79.33
379	2020-09-16 17	92.90
380	2020-09-16 18	NA
381	2020-09-16 19	NA
382	2020-09-16 20	NA
	2020-09-16 21	NA

SI No	Time	Stack-PM_U
383	2020-09-16 22	NA
384	2020-09-16 23	NA
385	2020-09-17 00	NA
386	2020-09-17 01	NA
387	2020-09-17 02	NA
388	2020-09-17 03	NA
389	2020-09-17 04	NA
390	2020-09-17 05	NA
391	2020-09-17 06	NA
392	2020-09-17 07	NA
393	2020-09-17 08	NA
394	2020-09-17 09	61.04
395	2020-09-17 10	64.63
396	2020-09-17 11	62.80
397	2020-09-17 12	57.79
398	2020-09-17 13	69.81
399	2020-09-17 14	64.87
400	2020-09-17 15	93.97
401	2020-09-17 16	188.84
402	2020-09-17 17	187.47
403	2020-09-17 18	NA
404	2020-09-17 19	NA
405	2020-09-17 20	NA
406	2020-09-17 21	NA
407	2020-09-17 22	NA
408	2020-09-17 23	NA
409	2020-09-18 00	NA
410	2020-09-18 01	NA
411	2020-09-18 02	NA
412	2020-09-18 03	NA
413	2020-09-18 04	NA
414	2020-09-18 05	NA
415	2020-09-18 06	NA
416	2020-09-18 07	NA
417	2020-09-18 08	NA
418	2020-09-18 09	NA
419	2020-09-18 10	NA
420	2020-09-18 11	NA
421	2020-09-18 12	NA
422	2020-09-18 13	NA
423	2020-09-18 14	NA
424	2020-09-18 15	NA
425	2020-09-18 16	NA
426	2020-09-18 17	NA

SI No	Time	Stack-PM_U
427	2020-09-18 18	NA
428	2020-09-18 19	NA
429	2020-09-18 20	NA
430	2020-09-18 21	NA
431	2020-09-18 22	NA
432	2020-09-18 23	NA
433	2020-09-19 00	NA
434	2020-09-19 01	NA
435	2020-09-19 02	NA
436	2020-09-19 03	NA
437	2020-09-19 04	NA
438	2020-09-19 05	NA
439	2020-09-19 06	NA
440	2020-09-19 07	NA
441	2020-09-19 08	NA
442	2020-09-19 09	NA
443	2020-09-19 10	NA
444	2020-09-19 11	NA
445	2020-09-19 12	NA
446	2020-09-19 13	NA
447	2020-09-19 14	NA
448	2020-09-19 15	NA
449	2020-09-19 16	NA
450	2020-09-19 17	NA
451	2020-09-19 18	NA
452	2020-09-19 19	NA
453	2020-09-19 20	NA
454	2020-09-19 21	NA
455	2020-09-19 22	NA
456	2020-09-19 23	NA
457	2020-09-20 00	NA
458	2020-09-20 01	NA
459	2020-09-20 02	NA
460	2020-09-20 03	NA
461	2020-09-20 04	NA
462	2020-09-20 05	NA
463	2020-09-20 06	NA
464	2020-09-20 07	NA
465	2020-09-20 08	NA
466	2020-09-20 09	NA
467	2020-09-20 10	NA
468	2020-09-20 11	NA
469	2020-09-20 12	NA
470	2020-09-20 13	NA

Gemini Gemini

SI No

Time

NA

471

2020-09-20 14

NA

472

2020-09-20 15

NA

473

2020-09-20 16

NA

474

2020-09-20 17

NA

475

2020-09-20 18

NA

476

2020-09-20 19

NA

477

2020-09-20 20

NA

478

2020-09-20 21

NA

479

2020-09-20 22

NA

480

2020-09-20 23

NA

481

2020-09-21 00

NA

482

2020-09-21 01

NA

483

2020-09-21 02

NA

484

2020-09-21 03

NA

485

2020-09-21 04

NA

486

2020-09-21 05

NA

487

2020-09-21 06

NA

488

2020-09-21 07

NA

489

2020-09-21 08

NA

490

2020-09-21 09

NA

491

2020-09-21 10

NA

492

2020-09-21 11

NA

493

2020-09-21 12

NA

494

2020-09-21 13

NA

495

2020-09-21 14

NA

496

2020-09-21 15

NA

497

2020-09-21 16

NA

498

2020-09-21 17

NA

499

2020-09-21 18

NA

500

2020-09-21 19

NA

501

2020-09-21 20

NA

502

2020-09-21 21

NA

503

2020-09-21 22

NA

504

2020-09-21 23

NA

505

2020-09-22 00

NA

506

2020-09-22 01

NA

507

2020-09-22 02

NA

508

2020-09-22 03

NA

509

2020-09-22 04

NA

510

2020-09-22 05

NA

511

2020-09-22 06

NA

512

2020-09-22 07

NA

513

2020-09-22 08

NA

514

2020-09-22 09

NA

515

2020-09-22 10

NA

NA

NA

SI No	Time	Stack-PM_U
516	2020-09-22 11	
517	2020-09-22 12	NA
518	2020-09-22 13	NA
519	2020-09-22 14	NA
520	2020-09-22 15	NA
521	2020-09-22 16	NA
522	2020-09-22 17	NA
523	2020-09-22 18	NA
524	2020-09-22 19	NA
525	2020-09-22 20	NA
526	2020-09-22 21	NA
527	2020-09-22 22	NA
528	2020-09-22 23	NA
529	2020-09-23 00	NA
530	2020-09-23 01	NA
531	2020-09-23 02	NA
532	2020-09-23 03	NA
533	2020-09-23 04	NA
534	2020-09-23 05	NA
535	2020-09-23 06	NA
536	2020-09-23 07	NA
537	2020-09-23 08	NA
538	2020-09-23 09	NA
539	2020-09-23 10	NA
540	2020-09-23 11	NA
541	2020-09-23 12	NA
542	2020-09-23 13	85.89
543	2020-09-23 14	89.45
544	2020-09-23 15	88.03
545	2020-09-23 16	86.69
546	2020-09-23 17	87.95
547	2020-09-23 18	88.59
548	2020-09-23 19	86.07
549	2020-09-23 20	92.65
550	2020-09-23 21	87.69
551	2020-09-23 22	88.58
552	2020-09-23 23	85.24
553	2020-09-24 00	83.52
554	2020-09-24 01	88.52
555	2020-09-24 02	94.07
556	2020-09-24 03	89.11
557	2020-09-24 04	92.33
558	2020-09-24 05	91.70
559	2020-09-24 06	87.97

SI No	Time	Stack-PM_u
560	2020-09-24 07	99.01
561	2020-09-24 08	92.06
562	2020-09-24 09	90.58
563	2020-09-24 10	72.21
564	2020-09-24 11	55.87
565	2020-09-24 12	62.25
566	2020-09-24 13	59.21
567	2020-09-24 14	57.98
568	2020-09-24 15	53.92
569	2020-09-24 16	63.50
570	2020-09-24 17	60.37
571	2020-09-24 18	65.25
572	2020-09-24 19	57.15
573	2020-09-24 20	50.63
574	2020-09-24 21	48.79
575	2020-09-24 22	51.78
576	2020-09-24 23	49.52
577	2020-09-25 00	48.38
578	2020-09-25 01	50.99
579	2020-09-25 02	51.44
580	2020-09-25 03	50.07
581	2020-09-25 04	51.16
582	2020-09-25 05	51.00
583	2020-09-25 06	49.19
584	2020-09-25 07	50.72
585	2020-09-25 08	46.88
586	2020-09-25 09	48.66
587	2020-09-25 10	51.63
588	2020-09-25 11	52.86
589	2020-09-25 12	47.33
590	2020-09-25 13	47.85
591	2020-09-25 14	53.46
592	2020-09-25 15	50.61
593	2020-09-25 16	51.42
594	2020-09-25 17	52.31
595	2020-09-25 18	52.41
596	2020-09-25 19	48.38
597	2020-09-25 20	50.51
598	2020-09-25 21	50.32
599	2020-09-25 22	89.02
600	2020-09-25 23	69.80
601	2020-09-26 00	55.78
602	2020-09-26 01	56.46
603	2020-09-26 02	54.80
604	2020-09-26 03	127.09

SI No
605
606
607
608

Sl No	Time	Stack-PM_U
605		
606	2020-09-26 04	
607	2020-09-26 05	NA
608	2020-09-26 06	79.83
609	2020-09-26 07	87.31
610	2020-09-26 08	72.38
611	2020-09-26 09	80.02
612	2020-09-26 10	67.48
613	2020-09-26 11	55.71
614	2020-09-26 12	67.98
615	2020-09-26 13	76.90
616	2020-09-26 14	75.50
617	2020-09-26 15	71.61
618	2020-09-26 16	70.44
619	2020-09-26 17	81.42
620	2020-09-26 18	60.51
621	2020-09-26 19	60.59
622	2020-09-26 20	68.20
623	2020-09-26 21	72.32
624	2020-09-26 22	54.63
625	2020-09-26 23	49.65
626	2020-09-27 00	51.48
627	2020-09-27 01	47.46
628	2020-09-27 02	48.12
629	2020-09-27 03	49.86
630	2020-09-27 04	48.65
631	2020-09-27 05	51.73
632	2020-09-27 06	52.98
633	2020-09-27 07	66.45
634	2020-09-27 08	68.35
635	2020-09-27 09	68.82
636	2020-09-27 10	49.11
637	2020-09-27 11	51.64
638	2020-09-27 12	55.09
639	2020-09-27 13	53.52
640	2020-09-27 14	52.61
641	2020-09-27 15	69.76
642	2020-09-27 16	57.47
643	2020-09-27 17	53.21
644	2020-09-27 18	52.93
645	2020-09-27 19	54.98
646	2020-09-27 20	53.76
647	2020-09-27 21	68.60
648	2020-09-27 22	63.21
	2020-09-27 23	55.45
		54.59

Sl No	Time	Stack-PM_U
		61.71
649	2020-09-28 00	70.36
650	2020-09-28 01	76.71
651	2020-09-28 02	53.32
652	2020-09-28 03	51.58
653	2020-09-28 04	59.39
654	2020-09-28 05	52.96
655	2020-09-28 06	59.70
656	2020-09-28 07	61.31
657	2020-09-28 08	65.16
658	2020-09-28 09	60.55
659	2020-09-28 10	62.78
660	2020-09-28 11	66.29
661	2020-09-28 12	66.17
662	2020-09-28 13	60.38
663	2020-09-28 14	65.87
664	2020-09-28 15	101.37
665	2020-09-28 16	78.07
666	2020-09-28 17	71.27
667	2020-09-28 18	75.23
668	2020-09-28 19	67.29
669	2020-09-28 20	57.30
670	2020-09-28 21	58.85
671	2020-09-28 22	137.28
672	2020-09-28 23	75.83
673	2020-09-29 00	74.52
674	2020-09-29 01	59.56
675	2020-09-29 02	54.36
676	2020-09-29 03	53.94
677	2020-09-29 04	58.15
678	2020-09-29 05	60.55
679	2020-09-29 06	77.64
680	2020-09-29 07	99.53
681	2020-09-29 08	79.94
682	2020-09-29 09	67.78
683	2020-09-29 10	62.55
684	2020-09-29 11	63.44
685	2020-09-29 12	63.45
686	2020-09-29 13	62.57
687	2020-09-29 14	69.03
688	2020-09-29 15	81.50
689	2020-09-29 16	71.15
690	2020-09-29 17	65.28
691	2020-09-29 18	63.94
692	2020-09-29 19	

SI No	Time	Stack-PM_U
693	2020-09-29 20	
694	2020-09-29 21	63.61
695	2020-09-29 22	59.28
696	2020-09-29 23	61.19
697	2020-09-30 00	63.14
		49.50

Report Details: Gemini | 2021-01-23 16:31:13 | Custom Report

1/23/2021

APPCB


OCT/20



Custom Report

SiteName: Gemini Edibles And Fats India Pvt Ltd-Nellore

Created by: Gemini, Created On: 23/01/2021





Real Time Data Acquisition And Monitoring

Site Name: Gemini Edibles And Fats India Pvt Ltd-Nellore

Report: Custom Report

From Date: 2020/10/01 00:00:00 To Date : 2020/10/31 00:00:00

Description	Stack-PM_U
Prescribed Standards	-
Maximum Data	107.26
Minimum Data	40.0
Geometric Mean	63.2
Median	62.62
Standard Deviation	7.79
Maximum Value At Time	2020-10-01 02
Minimum Value At Time	2020-10-12 19
Valid Data Points	475
Total Data Points	721
Data Availability %	65.88%

SI No	Time	Stack-PM_U
1	2020-10-01 00	
2	2020-10-01 01	81.39
3	2020-10-01 02	81.03
4	2020-10-01 03	107.26
5	2020-10-01 04	83.79
6	2020-10-01 05	90.82
7	2020-10-01 06	80.54
8	2020-10-01 07	65.29
9	2020-10-01 08	106.96
10	2020-10-01 09	76.71
11	2020-10-01 10	82.82
12	2020-10-01 11	57.70
13	2020-10-01 12	51.20
14	2020-10-01 13	49.26
15	2020-10-01 14	48.76
16	2020-10-01 15	47.81
17	2020-10-01 16	53.18
18	2020-10-01 17	52.44
19	2020-10-01 18	49.50
20	2020-10-01 19	47.95
21	2020-10-01 20	50.04
22	2020-10-01 21	48.74
23	2020-10-01 22	48.19
24	2020-10-01 23	49.66
25	2020-10-02 00	59.04
26	2020-10-02 01	NA
		61.38

Sl No	Time	Stack P
27	2020-10-02 02	64.31
28	2020-10-02 03	58.95
29	2020-10-02 04	63.59
30	2020-10-02 05	64.26
31	2020-10-02 06	52.53
32	2020-10-02 07	64.65
33	2020-10-02 08	74.21
34	2020-10-02 09	63.27
35	2020-10-02 10	66.14
36	2020-10-02 11	70.18
37	2020-10-02 12	65.51
38	2020-10-02 13	60.95
39	2020-10-02 14	59.48
40	2020-10-02 15	57.51
41	2020-10-02 16	55.61
42	2020-10-02 17	53.80
43	2020-10-02 18	56.81
44	2020-10-02 19	56.94
45	2020-10-02 20	56.08
46	2020-10-02 21	52.55
47	2020-10-02 22	52.91
48	2020-10-02 23	59.55
49	2020-10-03 00	56.60
50	2020-10-03 01	55.64
51	2020-10-03 02	55.19
52	2020-10-03 03	53.55
53	2020-10-03 04	55.69
54	2020-10-03 05	54.71
55	2020-10-03 06	53.59
56	2020-10-03 07	55.79
57	2020-10-03 08	56.26
58	2020-10-03 09	62.78
59	2020-10-03 10	55.83
60	2020-10-03 11	58.17
61	2020-10-03 12	55.91
62	2020-10-03 13	54.55
63	2020-10-03 14	59.96
64	2020-10-03 15	59.84
65	2020-10-03 16	58.99
66	2020-10-03 17	56.41
67	2020-10-03 18	56.71
68	2020-10-03 19	60.94
69	2020-10-03 20	59.38
70	2020-10-03 21	57.95
71	2020-10-03 22	55.34

73 74 75 76

	Time	Stack-PM_U
72	2020-10-03 23	58.05
73	2020-10-04 00	56.84
74	2020-10-04 01	54.10
75	2020-10-04 02	56.23
76	2020-10-04 03	56.03
77	2020-10-04 04	56.15
78	2020-10-04 05	55.55
79	2020-10-04 06	56.67
80	2020-10-04 07	57.34
81	2020-10-04 08	58.92
82	2020-10-04 09	63.15
83	2020-10-04 10	62.48
84	2020-10-04 11	61.69
85	2020-10-04 12	62.04
86	2020-10-04 13	61.04
87	2020-10-04 14	63.71
88	2020-10-04 15	73.96
89	2020-10-04 16	63.46
90	2020-10-04 17	60.63
91	2020-10-04 18	56.40
92	2020-10-04 19	57.25
93	2020-10-04 20	55.29
94	2020-10-04 21	57.13
95	2020-10-04 22	59.60
96	2020-10-04 23	59.70
97	2020-10-05 00	66.47
98	2020-10-05 01	59.56
99	2020-10-05 02	59.16
100	2020-10-05 03	67.18
101	2020-10-05 04	65.97
102	2020-10-05 05	55.17
103	2020-10-05 06	56.64
104	2020-10-05 07	57.97
105	2020-10-05 08	58.70
106	2020-10-05 09	61.75
107	2020-10-05 10	61.20
108	2020-10-05 11	61.50
109	2020-10-05 12	65.15
110	2020-10-05 13	71.43
111	2020-10-05 14	61.61
112	2020-10-05 15	59.71
113	2020-10-05 16	58.68
114	2020-10-05 17	60.36
115	2020-10-05 18	59.49

SI No	Time	Stack-PM _U
116	2020-10-05 19	57.36
117	2020-10-05 20	59.10
118	2020-10-05 21	58.97
119	2020-10-05 22	59.45
120	2020-10-05 23	62.85
121	2020-10-06 00	60.13
122	2020-10-06 01	59.22
123	2020-10-06 02	62.26
124	2020-10-06 03	58.73
125	2020-10-06 04	59.54
126	2020-10-06 05	60.64
127	2020-10-06 06	57.80
128	2020-10-06 07	63.55
129	2020-10-06 08	59.90
130	2020-10-06 09	NA
131	2020-10-06 10	NA
132	2020-10-06 11	NA
133	2020-10-06 12	59.47
134	2020-10-06 13	NA
135	2020-10-06 14	NA
136	2020-10-06 15	NA
137	2020-10-06 16	NA
138	2020-10-06 17	NA
139	2020-10-06 18	NA
140	2020-10-06 19	NA
141	2020-10-06 20	NA
142	2020-10-06 21	NA
143	2020-10-06 22	NA
144	2020-10-06 23	NA
145	2020-10-07 00	NA
146	2020-10-07 01	NA
147	2020-10-07 02	NA
148	2020-10-07 03	NA
149	2020-10-07 04	NA
150	2020-10-07 05	NA
151	2020-10-07 06	NA
152	2020-10-07 07	NA
153	2020-10-07 08	NA
154	2020-10-07 09	NA
155	2020-10-07 10	NA
156	2020-10-07 11	NA
157	2020-10-07 12	NA
158	2020-10-07 13	NA
159	2020-10-07 14	NA
160	2020-10-07 15	NA

SI No	Time	Stack-PM_U
161		
162	2020-10-07 16	
163	2020-10-07 17	NA
164	2020-10-07 18	NA
165	2020-10-07 19	NA
166	2020-10-07 20	NA
167	2020-10-07 21	NA
168	2020-10-07 22	NA
169	2020-10-07 23	NA
170	2020-10-08 00	NA
171	2020-10-08 01	NA
172	2020-10-08 02	NA
173	2020-10-08 03	NA
174	2020-10-08 04	NA
175	2020-10-08 05	NA
176	2020-10-08 06	NA
177	2020-10-08 07	NA
178	2020-10-08 08	NA
179	2020-10-08 09	NA
180	2020-10-08 10	NA
181	2020-10-08 11	NA
182	2020-10-08 12	NA
183	2020-10-08 13	NA
184	2020-10-08 14	NA
185	2020-10-08 15	NA
186	2020-10-08 16	NA
187	2020-10-08 17	NA
188	2020-10-08 18	NA
189	2020-10-08 19	NA
190	2020-10-08 20	NA
191	2020-10-08 21	NA
192	2020-10-08 22	NA
193	2020-10-08 23	NA
194	2020-10-09 00	NA
195	2020-10-09 01	NA
196	2020-10-09 02	NA
197	2020-10-09 03	NA
198	2020-10-09 04	NA
199	2020-10-09 05	NA
200	2020-10-09 06	NA
201	2020-10-09 07	NA
202	2020-10-09 08	NA
203	2020-10-09 09	NA
204	2020-10-09 10	NA

No	Time	Stack-PM_U
205		
206	2020-10-09 12	54.18
207	2020-10-09 13	56.19
208	2020-10-09 14	55.62
209	2020-10-09 15	53.67
210	2020-10-09 16	61.02
211	2020-10-09 17	61.61
212	2020-10-09 18	65.02
213	2020-10-09 19	59.47
214	2020-10-09 20	56.22
215	2020-10-09 21	57.63
216	2020-10-09 22	58.58
217	2020-10-09 23	60.65
218	2020-10-10 00	56.98
219	2020-10-10 01	58.75
220	2020-10-10 02	58.45
221	2020-10-10 03	57.16
222	2020-10-10 04	62.48
223	2020-10-10 05	57.40
224	2020-10-10 06	57.22
225	2020-10-10 07	58.08
226	2020-10-10 08	NA
227	2020-10-10 09	62.15
228	2020-10-10 10	62.63
229	2020-10-10 11	63.37
230	2020-10-10 12	76.51
231	2020-10-10 13	60.88
232	2020-10-10 14	64.30
233	2020-10-10 15	63.33
234	2020-10-10 16	60.19
235	2020-10-10 17	59.79
236	2020-10-10 18	57.04
237	2020-10-10 19	58.90
238	2020-10-10 20	60.44
239	2020-10-10 21	56.88
240	2020-10-10 22	57.56
241	2020-10-10 23	58.88
242	2020-10-11 00	65.21
243	2020-10-11 01	64.11
244	2020-10-11 02	61.65
245	2020-10-11 03	60.07
246	2020-10-11 04	61.54
247	2020-10-11 05	59.94
248	2020-10-11 06	64.53
	2020-10-11 07	68.55

Sl No	Time	Stack-PM_U
249	2020-10-11 08	59.93
250	2020-10-11 09	58.33
251	2020-10-11 10	59.10
252	2020-10-11 11	59.33
253	2020-10-11 12	58.79
254	2020-10-11 13	59.48
255	2020-10-11 14	58.78
256	2020-10-11 15	60.25
257	2020-10-11 16	75.82
258	2020-10-11 17	67.02
259	2020-10-11 18	66.72
260	2020-10-11 19	63.86
261	2020-10-11 20	64.69
262	2020-10-11 21	62.86
263	2020-10-11 22	61.17
264	2020-10-11 23	61.61
265	2020-10-12 00	62.34
266	2020-10-12 01	61.06
267	2020-10-12 02	61.77
268	2020-10-12 03	64.43
269	2020-10-12 04	62.48
270	2020-10-12 05	61.43
271	2020-10-12 06	66.82
272	2020-10-12 07	66.65
273	2020-10-12 08	64.77
274	2020-10-12 09	66.65
275	2020-10-12 10	62.19
276	2020-10-12 11	44.78
277	2020-10-12 12	44.23
278	2020-10-12 13	57.49
279	2020-10-12 14	47.62
280	2020-10-12 15	41.77
281	2020-10-12 16	41.09
282	2020-10-12 17	40.74
283	2020-10-12 18	40.01
284	2020-10-12 19	40.00
285	2020-10-12 20	40.11
286	2020-10-12 21	56.43
287	2020-10-12 22	66.02
288	2020-10-12 23	43.32
289	2020-10-13 00	52.73
290	2020-10-13 01	58.89
291	2020-10-13 02	61.62
292	2020-10-13 03	65.09
293	2020-10-13 04	66.53

SI No
338
339

SI No	Time	Stack-PM_U
294	2020-10-13 05	69.22
295	2020-10-13 06	65.96
296	2020-10-13 07	65.93
297	2020-10-13 08	65.51
298	2020-10-13 09	73.69
299	2020-10-13 10	84.24
300	2020-10-13 11	66.95
301	2020-10-13 12	NA
302	2020-10-13 13	NA
303	2020-10-13 14	NA
304	2020-10-13 15	NA
305	2020-10-13 16	NA
306	2020-10-13 17	NA
307	2020-10-13 18	NA
308	2020-10-13 19	NA
309	2020-10-13 20	NA
310	2020-10-13 21	NA
311	2020-10-13 22	NA
312	2020-10-13 23	NA
313	2020-10-14 00	NA
314	2020-10-14 01	NA
315	2020-10-14 02	NA
316	2020-10-14 03	NA
317	2020-10-14 04	NA
318	2020-10-14 05	NA
319	2020-10-14 06	NA
320	2020-10-14 07	NA
321	2020-10-14 08	NA
322	2020-10-14 09	NA
323	2020-10-14 10	NA
324	2020-10-14 11	NA
325	2020-10-14 12	NA
326	2020-10-14 13	NA
327	2020-10-14 14	NA
328	2020-10-14 15	NA
329	2020-10-14 16	NA
330	2020-10-14 17	NA
331	2020-10-14 18	NA
332	2020-10-14 19	NA
333	2020-10-14 20	NA
334	2020-10-14 21	NA
335	2020-10-14 22	NA
336	2020-10-14 23	NA
337	2020-10-15 00	NA

SI No	Time	Stack-PM_U
338	2020-10-15 01	NA
339	2020-10-15 02	NA
340	2020-10-15 03	NA
341	2020-10-15 04	NA
342	2020-10-15 05	NA
343	2020-10-15 06	NA
344	2020-10-15 07	NA
345	2020-10-15 08	NA
346	2020-10-15 09	NA
347	2020-10-15 10	NA
348	2020-10-15 11	NA
349	2020-10-15 12	NA
350	2020-10-15 13	NA
351	2020-10-15 14	NA
352	2020-10-15 15	NA
353	2020-10-15 16	NA
354	2020-10-15 17	NA
355	2020-10-15 18	NA
356	2020-10-15 19	NA
357	2020-10-15 20	NA
358	2020-10-15 21	NA
359	2020-10-15 22	NA
360	2020-10-15 23	NA
361	2020-10-16 00	NA
362	2020-10-16 01	NA
363	2020-10-16 02	NA
364	2020-10-16 03	NA
365	2020-10-16 04	NA
366	2020-10-16 05	NA
367	2020-10-16 06	NA
368	2020-10-16 07	NA
369	2020-10-16 08	NA
370	2020-10-16 09	NA
371	2020-10-16 10	NA
372	2020-10-16 11	NA
373	2020-10-16 12	NA
374	2020-10-16 13	NA
375	2020-10-16 14	NA
376	2020-10-16 15	NA
377	2020-10-16 16	NA
378	2020-10-16 17	NA
379	2020-10-16 18	NA
380	2020-10-16 19	NA
381	2020-10-16 20	NA
382	2020-10-16 21	NA

SI No	Time	Stack-PM_U
383		NA
384	2020-10-16 22	NA
385	2020-10-16 23	NA
386	2020-10-17 00	NA
387	2020-10-17 01	NA
388	2020-10-17 02	NA
389	2020-10-17 03	NA
390	2020-10-17 04	NA
391	2020-10-17 05	NA
392	2020-10-17 06	NA
393	2020-10-17 07	NA
394	2020-10-17 08	NA
395	2020-10-17 09	NA
396	2020-10-17 10	NA
397	2020-10-17 11	NA
398	2020-10-17 12	NA
399	2020-10-17 13	NA
400	2020-10-17 14	NA
401	2020-10-17 15	NA
402	2020-10-17 16	NA
403	2020-10-17 17	NA
404	2020-10-17 18	NA
405	2020-10-17 19	NA
406	2020-10-17 20	NA
407	2020-10-17 21	NA
408	2020-10-17 22	NA
409	2020-10-17 23	NA
410	2020-10-18 00	NA
411	2020-10-18 01	NA
412	2020-10-18 02	NA
413	2020-10-18 03	NA
414	2020-10-18 04	NA
415	2020-10-18 05	NA
416	2020-10-18 06	NA
417	2020-10-18 07	NA
418	2020-10-18 08	NA
419	2020-10-18 09	NA
420	2020-10-18 10	NA
421	2020-10-18 11	NA
422	2020-10-18 12	NA
423	2020-10-18 13	NA
424	2020-10-18 14	NA
425	2020-10-18 15	NA
426	2020-10-18 16	NA
	2020-10-18 17	NA

SI No
427

SI No	Time	Stack-PM_U
427	2020-10-18 18	NA
428	2020-10-18 19	NA
429	2020-10-18 20	NA
430	2020-10-18 21	NA
431	2020-10-18 22	NA
432	2020-10-18 23	NA
433	2020-10-19 00	NA
434	2020-10-19 01	NA
435	2020-10-19 02	NA
436	2020-10-19 03	NA
437	2020-10-19 04	NA
438	2020-10-19 05	NA
439	2020-10-19 06	NA
440	2020-10-19 07	NA
441	2020-10-19 08	NA
442	2020-10-19 09	NA
443	2020-10-19 10	NA
444	2020-10-19 11	NA
445	2020-10-19 12	NA
446	2020-10-19 13	NA
447	2020-10-19 14	59.24
448	2020-10-19 15	57.03
449	2020-10-19 16	56.53
450	2020-10-19 17	56.51
451	2020-10-19 18	56.85
452	2020-10-19 19	56.30
453	2020-10-19 20	55.30
454	2020-10-19 21	55.95
455	2020-10-19 22	57.05
456	2020-10-19 23	55.14
457	2020-10-20 00	55.61
458	2020-10-20 01	54.79
459	2020-10-20 02	54.86
460	2020-10-20 03	55.44
461	2020-10-20 04	55.35
462	2020-10-20 05	56.23
463	2020-10-20 06	54.77
464	2020-10-20 07	55.35
465	2020-10-20 08	55.21
466	2020-10-20 09	54.87
467	2020-10-20 10	57.56
468	2020-10-20 11	60.78
469	2020-10-20 12	59.19
470	2020-10-20 13	60.29

SI No	Time	Stack-PM_U
471	2020-10-20 14	63.47
472	2020-10-20 15	59.00
473	2020-10-20 16	60.62
474	2020-10-20 17	59.60
475	2020-10-20 18	61.10
476	2020-10-20 19	61.43
477	2020-10-20 20	67.78
478	2020-10-20 21	61.61
479	2020-10-20 22	60.25
480	2020-10-20 23	63.03
481	2020-10-21 00	61.26
482	2020-10-21 01	61.84
483	2020-10-21 02	61.30
484	2020-10-21 03	61.76
485	2020-10-21 04	64.21
486	2020-10-21 05	58.46
487	2020-10-21 06	59.11
488	2020-10-21 07	59.73
489	2020-10-21 08	58.26
490	2020-10-21 09	59.58
491	2020-10-21 10	62.76
492	2020-10-21 11	60.55
493	2020-10-21 12	63.48
494	2020-10-21 13	62.68
495	2020-10-21 14	62.25
496	2020-10-21 15	64.69
497	2020-10-21 16	64.38
498	2020-10-21 17	63.22
499	2020-10-21 18	62.62
500	2020-10-21 19	61.89
501	2020-10-21 20	60.61
502	2020-10-21 21	61.01
503	2020-10-21 22	62.80
504	2020-10-21 23	65.09
505	2020-10-22 00	62.04
506	2020-10-22 01	62.62
507	2020-10-22 02	62.52
508	2020-10-22 03	61.87
509	2020-10-22 04	61.26
510	2020-10-22 05	60.20
511	2020-10-22 06	61.89
512	2020-10-22 07	65.15
513	2020-10-22 08	63.98
514	2020-10-22 09	63.01
515	2020-10-22 10	63.53

SI No	Time	Stack-PM_U
516	2020-10-22 11	
517	2020-10-22 12	64.24
518	2020-10-22 13	62.85
519	2020-10-22 14	62.09
520	2020-10-22 15	64.02
521	2020-10-22 16	64.27
522	2020-10-22 17	62.98
523	2020-10-22 18	62.33
524	2020-10-22 19	61.74
525	2020-10-22 20	62.04
526	2020-10-22 21	61.98
527	2020-10-22 22	61.39
528	2020-10-22 23	61.36
529	2020-10-23 00	61.81
530	2020-10-23 01	61.00
531	2020-10-23 02	61.14
532	2020-10-23 03	61.70
533	2020-10-23 04	61.61
534	2020-10-23 05	61.66
535	2020-10-23 06	62.13
536	2020-10-23 07	62.33
537	2020-10-23 08	69.51
538	2020-10-23 09	66.83
539	2020-10-23 10	67.27
540	2020-10-23 11	64.64
541	2020-10-23 12	64.05
542	2020-10-23 13	63.98
543	2020-10-23 14	63.86
544	2020-10-23 15	63.71
545	2020-10-23 16	63.55
546	2020-10-23 17	63.49
547	2020-10-23 18	63.43
548	2020-10-23 19	61.62
549	2020-10-23 20	62.77
549	2020-10-23 20	62.42
550	2020-10-23 21	63.30
551	2020-10-23 22	64.08
552	2020-10-23 23	63.44
553	2020-10-24 00	63.43
554	2020-10-24 01	62.72
555	2020-10-24 02	63.53
556	2020-10-24 03	62.20
557	2020-10-24 04	62.02
558	2020-10-24 05	62.15
559	2020-10-24 06	62.15

SI No	Time	Stack-PM_U
560	2020-10-24 07	62.80
561	2020-10-24 08	62.20
562	2020-10-24 09	62.17
563	2020-10-24 10	63.04
564	2020-10-24 11	63.75
565	2020-10-24 12	62.97
566	2020-10-24 13	62.95
567	2020-10-24 14	63.18
568	2020-10-24 15	62.85
569	2020-10-24 16	62.62
570	2020-10-24 17	62.70
571	2020-10-24 18	63.50
572	2020-10-24 19	63.61
573	2020-10-24 20	72.35
574	2020-10-24 21	64.68
575	2020-10-24 22	67.19
576	2020-10-24 23	64.39
577	2020-10-25 00	64.38
578	2020-10-25 01	63.96
579	2020-10-25 02	63.59
580	2020-10-25 03	64.85
581	2020-10-25 04	64.79
582	2020-10-25 05	64.68
583	2020-10-25 06	66.39
584	2020-10-25 07	68.36
585	2020-10-25 08	64.99
586	2020-10-25 09	64.82
587	2020-10-25 10	66.34
588	2020-10-25 11	65.10
589	2020-10-25 12	64.65
590	2020-10-25 13	65.77
591	2020-10-25 14	65.56
592	2020-10-25 15	65.86
593	2020-10-25 16	65.12
594	2020-10-25 17	65.19
595	2020-10-25 18	66.88
596	2020-10-25 19	66.17
597	2020-10-25 20	65.50
598	2020-10-25 21	66.31
599	2020-10-25 22	65.45
600	2020-10-25 23	66.26
601	2020-10-26 00	65.21
602	2020-10-26 01	65.27
603	2020-10-26 02	64.75
604	2020-10-26 03	65.33

Sl.No	Time	Stack-PM_U
605	2020-10-26 04	NA
606	2020-10-26 05	68.25
607	2020-10-26 06	67.31
608	2020-10-26 07	67.84
609	2020-10-26 08	68.28
610	2020-10-26 09	69.89
611	2020-10-26 10	68.67
612	2020-10-26 11	68.28
613	2020-10-26 12	67.86
614	2020-10-26 13	67.90
615	2020-10-26 14	67.41
616	2020-10-26 15	67.54
617	2020-10-26 16	66.81
618	2020-10-26 17	67.26
619	2020-10-26 18	67.71
620	2020-10-26 19	67.42
621	2020-10-26 20	67.73
622	2020-10-26 21	68.40
623	2020-10-26 22	75.76
624	2020-10-26 23	67.64
625	2020-10-27 00	67.74
626	2020-10-27 01	68.22
627	2020-10-27 02	67.79
628	2020-10-27 03	67.95
629	2020-10-27 04	68.35
630	2020-10-27 05	69.00
631	2020-10-27 06	69.14
632	2020-10-27 07	76.93
633	2020-10-27 08	72.70
634	2020-10-27 09	74.87
635	2020-10-27 10	77.12
636	2020-10-27 11	72.81
637	2020-10-27 12	73.66
638	2020-10-27 13	73.22
639	2020-10-27 14	73.04
640	2020-10-27 15	74.45
641	2020-10-27 16	73.73
642	2020-10-27 17	71.34
643	2020-10-27 18	72.52
644	2020-10-27 19	70.93
645	2020-10-27 20	70.79
646	2020-10-27 21	71.62
647	2020-10-27 22	72.41
648	2020-10-27 23	72.19

SI No	Time	Stack-PM_U
649	2020-10-28 00	72.22
650	2020-10-28 01	71.34
651	2020-10-28 02	71.16
652	2020-10-28 03	71.11
653	2020-10-28 04	70.90
654	2020-10-28 05	72.13
655	2020-10-28 06	71.97
656	2020-10-28 07	73.79
657	2020-10-28 08	73.58
658	2020-10-28 09	73.58
659	2020-10-28 10	74.24
660	2020-10-28 11	73.08
661	2020-10-28 12	71.81
662	2020-10-28 13	73.80
663	2020-10-28 14	74.43
664	2020-10-28 15	75.76
665	2020-10-28 16	76.06
666	2020-10-28 17	75.67
667	2020-10-28 18	73.92
668	2020-10-28 19	75.51
669	2020-10-28 20	77.28
670	2020-10-28 21	75.64
671	2020-10-28 22	76.29
672	2020-10-28 23	77.97
673	2020-10-29 00	75.63
674	2020-10-29 01	75.85
675	2020-10-29 02	75.79
676	2020-10-29 03	77.16
677	2020-10-29 04	76.75
678	2020-10-29 05	76.42
679	2020-10-29 06	76.95
680	2020-10-29 07	77.75
681	2020-10-29 08	79.75
682	2020-10-29 09	78.24
683	2020-10-29 10	77.39
684	2020-10-29 11	78.12
685	2020-10-29 12	79.33
686	2020-10-29 13	78.97
687	2020-10-29 14	NA
688	2020-10-29 15	NA
689	2020-10-29 16	NA
690	2020-10-29 17	NA
691	2020-10-29 18	NA
692	2020-10-29 19	NA

SI No	Time	Stack-PM_U
693	2020-10-29 20	NA
694	2020-10-29 21	NA
695	2020-10-29 22	NA
696	2020-10-29 23	NA
697	2020-10-30 00	NA
698	2020-10-30 01	NA
699	2020-10-30 02	NA
700	2020-10-30 03	NA
701	2020-10-30 04	NA
702	2020-10-30 05	NA
703	2020-10-30 06	NA
704	2020-10-30 07	NA
705	2020-10-30 08	NA
706	2020-10-30 09	NA
707	2020-10-30 10	NA
708	2020-10-30 11	NA
709	2020-10-30 12	65.70
710	2020-10-30 13	65.77
711	2020-10-30 14	65.62
712	2020-10-30 15	65.25
713	2020-10-30 16	65.46
714	2020-10-30 17	65.03
715	2020-10-30 18	65.01
716	2020-10-30 19	65.69
717	2020-10-30 20	65.65
718	2020-10-30 21	65.73
719	2020-10-30 22	65.98
720	2020-10-30 23	66.23
721	2020-10-31 00	NA

Report Details: Gemini | 2021-01-23 16:33:46 | Custom Report

1/23/2021


NOV '20.

APPCB



Custom Report

SiteName: Gemini Edibles And Fats India Pvt Ltd-Nellore
Created by: Gemini, Created On: 23/01/2021





Real Time Data Acquisition And Monitoring

Site Name: Gemini Edibles And Fats India Pvt Ltd-Nellore

Report: Custom Report

From Date: 2020/11/01 00:00:00 To Date : 2020/11/30 00:00:00

Description	Stack-PM_U
Prescribed Standards	-
Maximum Data	198.56
Minimum Data	66.77
Geometric Mean	80.3
Median	82.04
Standard Deviation	21.59
Maximum Value At Time	2020-11-24 10
Minimum Value At Time	2020-11-01 14
Valid Data Points	36
Total Data Points	697
Data Availability %	5.16%

SI No	Time	Stack-PM_U
1	2020-11-01 00	67.64
2	2020-11-01 01	67.26
3	2020-11-01 02	68.83
4	2020-11-01 03	68.51
5	2020-11-01 04	67.03
6	2020-11-01 05	67.29
7	2020-11-01 06	67.90
8	2020-11-01 07	68.13
9	2020-11-01 08	71.22
10	2020-11-01 09	68.78
11	2020-11-01 10	70.12
12	2020-11-01 11	71.48
13	2020-11-01 12	69.42
14	2020-11-01 13	66.93
15	2020-11-01 14	66.77
16	2020-11-01 15	NA
17	2020-11-01 16	NA
18	2020-11-01 17	NA
19	2020-11-01 18	NA
20	2020-11-01 19	NA
21	2020-11-01 20	NA
22	2020-11-01 21	NA
23	2020-11-01 22	NA
24	2020-11-01 23	NA
25	2020-11-02 00	NA
26	2020-11-02 01	NA

Sl No	Time	Stack-PM_U
27		NA
28	2020-11-02 02	NA
29	2020-11-02 03	NA
30	2020-11-02 04	NA
31	2020-11-02 05	NA
32	2020-11-02 06	NA
33	2020-11-02 07	NA
34	2020-11-02 08	NA
35	2020-11-02 09	NA
36	2020-11-02 10	NA
37	2020-11-02 11	NA
38	2020-11-02 12	NA
39	2020-11-02 13	NA
40	2020-11-02 14	NA
41	2020-11-02 15	NA
42	2020-11-02 16	NA
43	2020-11-02 17	NA
44	2020-11-02 18	NA
45	2020-11-02 19	NA
46	2020-11-02 20	NA
47	2020-11-02 21	NA
48	2020-11-02 22	NA
49	2020-11-02 23	NA
50	2020-11-03 00	NA
51	2020-11-03 01	NA
52	2020-11-03 02	NA
53	2020-11-03 03	NA
54	2020-11-03 04	NA
55	2020-11-03 05	NA
56	2020-11-03 06	NA
57	2020-11-03 07	NA
58	2020-11-03 08	NA
59	2020-11-03 09	NA
60	2020-11-03 10	NA
61	2020-11-03 11	NA
62	2020-11-03 12	NA
63	2020-11-03 13	NA
64	2020-11-03 14	NA
65	2020-11-03 15	NA
66	2020-11-03 16	NA
67	2020-11-03 17	NA
68	2020-11-03 18	NA
69	2020-11-03 19	NA
70	2020-11-03 20	NA
71	2020-11-03 21	NA
	2020-11-03 22	NA

Sl No	Time	Stack-PM_U
72	2020-11-03 23	
73	2020-11-04 00	NA
74	2020-11-04 01	NA
75	2020-11-04 02	NA
76	2020-11-04 03	NA
77	2020-11-04 04	NA
78	2020-11-04 05	NA
79	2020-11-04 06	NA
80	2020-11-04 07	NA
81	2020-11-04 08	NA
82	2020-11-04 09	NA
83	2020-11-04 10	NA
84	2020-11-04 11	NA
85	2020-11-04 12	NA
86	2020-11-04 13	NA
87	2020-11-04 14	NA
88	2020-11-04 15	NA
89	2020-11-04 16	NA
90	2020-11-04 17	NA
91	2020-11-04 18	NA
92	2020-11-04 19	NA
93	2020-11-04 20	NA
94	2020-11-04 21	NA
95	2020-11-04 22	NA
96	2020-11-04 23	NA
97	2020-11-05 00	NA
98	2020-11-05 01	NA
99	2020-11-05 02	NA
100	2020-11-05 03	NA
101	2020-11-05 04	NA
102	2020-11-05 05	NA
103	2020-11-05 06	NA
104	2020-11-05 07	NA
105	2020-11-05 08	NA
106	2020-11-05 09	NA
107	2020-11-05 10	NA
108	2020-11-05 11	NA
109	2020-11-05 12	NA
110	2020-11-05 13	NA
111	2020-11-05 14	NA
112	2020-11-05 15	NA
113	2020-11-05 16	NA
114	2020-11-05 17	NA
115	2020-11-05 18	NA

SI No	Time	Stack-PM_U
116		NA
117	2020-11-05 19	NA
118	2020-11-05 20	NA
119	2020-11-05 21	NA
120	2020-11-05 22	NA
121	2020-11-05 23	NA
122	2020-11-06 00	NA
123	2020-11-06 01	NA
124	2020-11-06 02	NA
125	2020-11-06 03	NA
126	2020-11-06 04	NA
127	2020-11-06 05	NA
128	2020-11-06 06	NA
129	2020-11-06 07	NA
130	2020-11-06 08	NA
131	2020-11-06 09	NA
132	2020-11-06 10	NA
133	2020-11-06 11	NA
134	2020-11-06 12	NA
135	2020-11-06 13	NA
136	2020-11-06 14	NA
137	2020-11-06 15	NA
138	2020-11-06 16	NA
139	2020-11-06 17	NA
140	2020-11-06 18	NA
141	2020-11-06 19	NA
142	2020-11-06 20	NA
143	2020-11-06 21	NA
144	2020-11-06 22	NA
145	2020-11-06 23	NA
146	2020-11-07 00	NA
147	2020-11-07 01	NA
148	2020-11-07 02	NA
149	2020-11-07 03	NA
150	2020-11-07 04	NA
151	2020-11-07 05	NA
152	2020-11-07 06	NA
153	2020-11-07 07	NA
154	2020-11-07 08	NA
155	2020-11-07 09	NA
156	2020-11-07 10	NA
157	2020-11-07 11	NA
158	2020-11-07 12	NA
159	2020-11-07 13	NA
160	2020-11-07 14	NA

SI No	Time	Stack-PM_U
161	2020-11-07 16	NA
162	2020-11-07 17	NA
163	2020-11-07 18	NA
164	2020-11-07 19	NA
165	2020-11-07 20	NA
166	2020-11-07 21	NA
167	2020-11-07 22	NA
168	2020-11-07 23	NA
169	2020-11-08 00	NA
170	2020-11-08 01	NA
171	2020-11-08 02	NA
172	2020-11-08 03	NA
173	2020-11-08 04	NA
174	2020-11-08 05	NA
175	2020-11-08 06	NA
176	2020-11-08 07	NA
177	2020-11-08 08	NA
178	2020-11-08 09	NA
179	2020-11-08 10	NA
180	2020-11-08 11	NA
181	2020-11-08 12	NA
182	2020-11-08 13	NA
183	2020-11-08 14	NA
184	2020-11-08 15	NA
185	2020-11-08 16	NA
186	2020-11-08 17	NA
187	2020-11-08 18	NA
188	2020-11-08 19	NA
189	2020-11-08 20	NA
190	2020-11-08 21	NA
191	2020-11-08 22	NA
192	2020-11-08 23	NA
193	2020-11-09 00	NA
194	2020-11-09 01	NA
195	2020-11-09 02	NA
196	2020-11-09 03	NA
197	2020-11-09 04	NA
198	2020-11-09 05	NA
199	2020-11-09 06	NA
200	2020-11-09 07	NA
201	2020-11-09 08	NA
202	2020-11-09 09	NA
203	2020-11-09 10	NA
204	2020-11-09 11	NA

SI No	Time	Stack-PM_U
205		NA
206	2020-11-09 12	NA
207	2020-11-09 13	NA
208	2020-11-09 14	NA
209	2020-11-09 15	NA
210	2020-11-09 16	NA
211	2020-11-09 17	NA
212	2020-11-09 18	NA
213	2020-11-09 19	NA
214	2020-11-09 20	NA
215	2020-11-09 21	NA
216	2020-11-09 22	NA
217	2020-11-09 23	NA
218	2020-11-10 00	NA
219	2020-11-10 01	NA
220	2020-11-10 02	NA
221	2020-11-10 03	NA
222	2020-11-10 04	NA
223	2020-11-10 05	NA
224	2020-11-10 06	NA
225	2020-11-10 07	NA
226	2020-11-10 08	NA
227	2020-11-10 09	NA
228	2020-11-10 10	NA
229	2020-11-10 11	NA
230	2020-11-10 12	NA
231	2020-11-10 13	NA
232	2020-11-10 14	NA
233	2020-11-10 15	NA
234	2020-11-10 16	NA
235	2020-11-10 17	NA
236	2020-11-10 18	NA
237	2020-11-10 19	NA
238	2020-11-10 20	NA
239	2020-11-10 21	NA
240	2020-11-10 22	NA
241	2020-11-10 23	NA
242	2020-11-11 00	NA
243	2020-11-11 01	NA
244	2020-11-11 02	NA
245	2020-11-11 03	NA
246	2020-11-11 04	NA
247	2020-11-11 05	NA
248	2020-11-11 06	NA
	2020-11-11 07	NA

SI No	Time	Stack-PM_U
249	2020-11-11 08	NA
250	2020-11-11 09	NA
251	2020-11-11 10	NA
252	2020-11-11 11	NA
253	2020-11-11 12	NA
254	2020-11-11 13	NA
255	2020-11-11 14	NA
256	2020-11-11 15	NA
257	2020-11-11 16	NA
258	2020-11-11 17	NA
259	2020-11-11 18	NA
260	2020-11-11 19	NA
261	2020-11-11 20	NA
262	2020-11-11 21	NA
263	2020-11-11 22	NA
264	2020-11-11 23	NA
265	2020-11-12 00	NA
266	2020-11-12 01	NA
267	2020-11-12 02	NA
268	2020-11-12 03	NA
269	2020-11-12 04	NA
270	2020-11-12 05	NA
271	2020-11-12 06	NA
272	2020-11-12 07	NA
273	2020-11-12 08	NA
274	2020-11-12 09	NA
275	2020-11-12 10	NA
276	2020-11-12 11	NA
277	2020-11-12 12	NA
278	2020-11-12 13	NA
279	2020-11-12 14	NA
280	2020-11-12 15	NA
281	2020-11-12 16	NA
282	2020-11-12 17	NA
283	2020-11-12 18	NA
284	2020-11-12 19	NA
285	2020-11-12 20	NA
286	2020-11-12 21	NA
287	2020-11-12 22	NA
288	2020-11-12 23	NA
289	2020-11-13 00	NA
290	2020-11-13 01	NA
291	2020-11-13 02	NA
292	2020-11-13 03	NA
293	2020-11-13 04	NA

SI No	Time	Stack-PM_U
294		NA
295	2020-11-13 05	NA
296	2020-11-13 06	NA
297	2020-11-13 07	NA
298	2020-11-13 08	NA
299	2020-11-13 09	NA
300	2020-11-13 10	NA
301	2020-11-13 11	NA
302	2020-11-13 12	NA
303	2020-11-13 13	NA
304	2020-11-13 14	NA
304	2020-11-13 15	NA
305	2020-11-13 16	NA
306	2020-11-13 17	NA
307	2020-11-13 18	NA
308	2020-11-13 19	NA
309	2020-11-13 20	NA
310	2020-11-13 21	NA
311	2020-11-13 22	NA
312	2020-11-13 23	NA
313	2020-11-14 00	NA
314	2020-11-14 01	NA
315	2020-11-14 02	NA
316	2020-11-14 03	NA
317	2020-11-14 04	NA
318	2020-11-14 05	NA
319	2020-11-14 06	NA
320	2020-11-14 07	NA
321	2020-11-14 08	NA
322	2020-11-14 09	NA
323	2020-11-14 10	NA
324	2020-11-14 11	NA
325	2020-11-14 12	NA
326	2020-11-14 13	NA
327	2020-11-14 14	NA
328	2020-11-14 15	NA
329	2020-11-14 16	NA
330	2020-11-14 17	NA
331	2020-11-14 18	NA
332	2020-11-14 19	NA
333	2020-11-14 20	NA
334	2020-11-14 21	NA
335	2020-11-14 22	NA
336	2020-11-14 23	NA
337	2020-11-15 00	NA

Sl No	Time	Stack-PM_U
338	2020-11-15 01	NA
339	2020-11-15 02	NA
340	2020-11-15 03	NA
341	2020-11-15 04	NA
342	2020-11-15 05	NA
343	2020-11-15 06	NA
344	2020-11-15 07	NA
345	2020-11-15 08	NA
346	2020-11-15 09	NA
347	2020-11-15 10	NA
348	2020-11-15 11	NA
349	2020-11-15 12	NA
350	2020-11-15 13	NA
351	2020-11-15 14	NA
352	2020-11-15 15	NA
353	2020-11-15 16	NA
354	2020-11-15 17	NA
355	2020-11-15 18	NA
356	2020-11-15 19	NA
357	2020-11-15 20	NA
358	2020-11-15 21	NA
359	2020-11-15 22	NA
360	2020-11-15 23	NA
361	2020-11-16 00	NA
362	2020-11-16 01	NA
363	2020-11-16 02	NA
364	2020-11-16 03	NA
365	2020-11-16 04	NA
366	2020-11-16 05	NA
367	2020-11-16 06	NA
368	2020-11-16 07	NA
369	2020-11-16 08	NA
370	2020-11-16 09	NA
371	2020-11-16 10	NA
372	2020-11-16 11	NA
373	2020-11-16 12	NA
374	2020-11-16 13	NA
375	2020-11-16 14	NA
376	2020-11-16 15	NA
377	2020-11-16 16	NA
378	2020-11-16 17	NA
379	2020-11-16 18	NA
380	2020-11-16 19	NA
381	2020-11-16 20	NA
382	2020-11-16 21	NA

SI No	Time	Stack-PM_U
383		
384	2020-11-16 22	NA
385	2020-11-16 23	NA
386	2020-11-17 00	NA
387	2020-11-17 01	NA
388	2020-11-17 02	NA
389	2020-11-17 03	NA
390	2020-11-17 04	NA
391	2020-11-17 05	NA
392	2020-11-17 06	NA
393	2020-11-17 07	NA
394	2020-11-17 08	NA
395	2020-11-17 09	NA
396	2020-11-17 10	NA
397	2020-11-17 11	NA
398	2020-11-17 12	NA
399	2020-11-17 13	NA
400	2020-11-17 14	NA
401	2020-11-17 15	NA
402	2020-11-17 16	NA
403	2020-11-17 17	NA
404	2020-11-17 18	NA
405	2020-11-17 19	NA
406	2020-11-17 20	NA
407	2020-11-17 21	NA
408	2020-11-17 22	NA
409	2020-11-17 23	NA
410	2020-11-18 00	NA
411	2020-11-18 01	NA
412	2020-11-18 02	NA
413	2020-11-18 03	NA
414	2020-11-18 04	NA
415	2020-11-18 05	NA
416	2020-11-18 06	NA
417	2020-11-18 07	NA
418	2020-11-18 08	NA
419	2020-11-18 09	NA
420	2020-11-18 10	NA
421	2020-11-18 11	NA
422	2020-11-18 12	NA
423	2020-11-18 13	NA
424	2020-11-18 14	NA
425	2020-11-18 15	NA
426	2020-11-18 16	NA
	2020-11-18 17	NA

SI No	Time	Stack-PM_U
427	2020-11-18 18	NA
428	2020-11-18 19	NA
429	2020-11-18 20	NA
430	2020-11-18 21	NA
431	2020-11-18 22	NA
432	2020-11-18 23	NA
433	2020-11-19 00	NA
434	2020-11-19 01	NA
435	2020-11-19 02	NA
436	2020-11-19 03	NA
437	2020-11-19 04	NA
438	2020-11-19 05	NA
439	2020-11-19 06	NA
440	2020-11-19 07	NA
441	2020-11-19 08	NA
442	2020-11-19 09	NA
443	2020-11-19 10	NA
444	2020-11-19 11	NA
445	2020-11-19 12	NA
446	2020-11-19 13	NA
447	2020-11-19 14	NA
448	2020-11-19 15	NA
449	2020-11-19 16	NA
450	2020-11-19 17	NA
451	2020-11-19 18	NA
452	2020-11-19 19	NA
453	2020-11-19 20	NA
454	2020-11-19 21	NA
455	2020-11-19 22	NA
456	2020-11-19 23	NA
457	2020-11-20 00	NA
458	2020-11-20 01	NA
459	2020-11-20 02	NA
460	2020-11-20 03	NA
461	2020-11-20 04	NA
462	2020-11-20 05	NA
463	2020-11-20 06	NA
464	2020-11-20 07	NA
465	2020-11-20 08	NA
466	2020-11-20 09	NA
467	2020-11-20 10	NA
468	2020-11-20 11	NA
469	2020-11-20 12	NA
470	2020-11-20 13	NA

SI No	Time	
471		NA
472	2020-11-20 14	NA
473	2020-11-20 15	NA
474	2020-11-20 16	NA
475	2020-11-20 17	NA
476	2020-11-20 18	NA
477	2020-11-20 19	NA
478	2020-11-20 20	NA
479	2020-11-20 21	NA
480	2020-11-20 22	NA
481	2020-11-20 23	NA
482	2020-11-21 00	NA
483	2020-11-21 01	NA
484	2020-11-21 02	NA
485	2020-11-21 03	NA
486	2020-11-21 04	NA
487	2020-11-21 05	NA
488	2020-11-21 06	NA
489	2020-11-21 07	NA
490	2020-11-21 08	NA
491	2020-11-21 09	NA
492	2020-11-21 10	NA
493	2020-11-21 11	NA
494	2020-11-21 12	NA
495	2020-11-21 13	NA
496	2020-11-21 14	NA
497	2020-11-21 15	NA
498	2020-11-21 16	NA
499	2020-11-21 17	NA
500	2020-11-21 18	NA
501	2020-11-21 19	NA
502	2020-11-21 20	NA
503	2020-11-21 21	NA
504	2020-11-21 22	NA
505	2020-11-21 23	NA
506	2020-11-22 00	NA
507	2020-11-22 01	NA
508	2020-11-22 02	NA
509	2020-11-22 03	NA
510	2020-11-22 04	NA
511	2020-11-22 05	NA
512	2020-11-22 06	NA
513	2020-11-22 07	NA
514	2020-11-22 08	NA
515	2020-11-22 09	NA
	2020-11-22 10	NA

Sl No	Time	Stack-PM_U
516	2020-11-22 11	
517	2020-11-22 12	NA
518	2020-11-22 13	NA
519	2020-11-22 14	NA
520	2020-11-22 15	NA
521	2020-11-22 16	NA
522	2020-11-22 17	NA
523	2020-11-22 18	NA
524	2020-11-22 19	NA
525	2020-11-22 20	NA
526	2020-11-22 21	NA
527	2020-11-22 22	NA
528	2020-11-22 23	NA
529	2020-11-23 00	NA
530	2020-11-23 01	NA
531	2020-11-23 02	NA
532	2020-11-23 03	NA
533	2020-11-23 04	NA
534	2020-11-23 05	NA
535	2020-11-23 06	NA
536	2020-11-23 07	NA
537	2020-11-23 08	NA
538	2020-11-23 09	NA
539	2020-11-23 10	NA
540	2020-11-23 11	NA
541	2020-11-23 12	NA
542	2020-11-23 13	NA
543	2020-11-23 14	NA
544	2020-11-23 15	NA
545	2020-11-23 16	NA
546	2020-11-23 17	NA
547	2020-11-23 18	NA
548	2020-11-23 19	NA
549	2020-11-23 20	NA
550	2020-11-23 21	NA
551	2020-11-23 22	NA
552	2020-11-23 23	NA
553	2020-11-24 00	NA
554	2020-11-24 01	NA
555	2020-11-24 02	NA
556	2020-11-24 03	NA
557	2020-11-24 04	NA
558	2020-11-24 05	NA
559	2020-11-24 06	NA

SI No	Time	
560		NA
561	2020-11-24 07	NA
562	2020-11-24 08	NA
563	2020-11-24 09	198.56
564	2020-11-24 10	82.03
565	2020-11-24 11	82.04
566	2020-11-24 12	82.15
567	2020-11-24 13	82.00
568	2020-11-24 14	82.32
569	2020-11-24 15	82.24
570	2020-11-24 16	82.00
571	2020-11-24 17	
572	2020-11-24 18	NA
573	2020-11-24 19	NA
574	2020-11-24 20	NA
575	2020-11-24 21	NA
576	2020-11-24 22	NA
577	2020-11-24 23	NA
578	2020-11-25 00	NA
579	2020-11-25 01	NA
580	2020-11-25 02	NA
581	2020-11-25 03	NA
582	2020-11-25 04	NA
583	2020-11-25 05	NA
584	2020-11-25 06	NA
585	2020-11-25 07	NA
586	2020-11-25 08	NA
587	2020-11-25 09	NA
588	2020-11-25 10	NA
589	2020-11-25 11	NA
590	2020-11-25 12	NA
591	2020-11-25 13	NA
592	2020-11-25 14	NA
593	2020-11-25 15	NA
594	2020-11-25 16	NA
595	2020-11-25 17	NA
596	2020-11-25 18	NA
597	2020-11-25 19	NA
598	2020-11-25 20	NA
599	2020-11-25 21	NA
600	2020-11-25 22	NA
601	2020-11-25 23	83.00
602	2020-11-26 00	83.00
603	2020-11-26 01	83.00
604	2020-11-26 02	83.00
	2020-11-26 03	85.00

Sl No	Time	Stack-PM_U
605	2020-11-26 04	85.00
606	2020-11-26 05	85.04
607	2020-11-26 06	85.00
608	2020-11-26 07	83.71
609	2020-11-26 08	83.33
610	2020-11-26 09	83.15
611	2020-11-26 10	83.00
612	2020-11-26 11	85.00
613	2020-11-26 12	NA
614	2020-11-26 13	NA
615	2020-11-26 14	NA
616	2020-11-26 15	NA
617	2020-11-26 16	NA
618	2020-11-26 17	NA
619	2020-11-26 18	NA
620	2020-11-26 19	NA
621	2020-11-26 20	NA
622	2020-11-26 21	NA
623	2020-11-26 22	NA
624	2020-11-26 23	NA
625	2020-11-27 00	NA
626	2020-11-27 01	NA
627	2020-11-27 02	NA
628	2020-11-27 03	NA
629	2020-11-27 04	NA
630	2020-11-27 05	NA
631	2020-11-27 06	NA
632	2020-11-27 07	NA
633	2020-11-27 08	NA
634	2020-11-27 09	NA
635	2020-11-27 10	NA
636	2020-11-27 11	NA
637	2020-11-27 12	NA
638	2020-11-27 13	NA
639	2020-11-27 14	NA
640	2020-11-27 15	NA
641	2020-11-27 16	NA
642	2020-11-27 17	NA
643	2020-11-27 18	NA
644	2020-11-27 19	NA
645	2020-11-27 20	NA
646	2020-11-27 21	NA
647	2020-11-27 22	NA
648	2020-11-27 23	NA

SI No	Time	Stack-PM_U
649		NA
650	2020-11-28 00	NA
651	2020-11-28 01	NA
652	2020-11-28 02	NA
653	2020-11-28 03	NA
654	2020-11-28 04	NA
655	2020-11-28 05	NA
656	2020-11-28 06	NA
657	2020-11-28 07	NA
658	2020-11-28 08	NA
659	2020-11-28 09	NA
660	2020-11-28 10	NA
661	2020-11-28 11	NA
662	2020-11-28 12	NA
663	2020-11-28 13	NA
664	2020-11-28 14	NA
665	2020-11-28 15	NA
666	2020-11-28 16	NA
667	2020-11-28 17	NA
668	2020-11-28 18	NA
669	2020-11-28 19	NA
670	2020-11-28 20	NA
671	2020-11-28 21	NA
672	2020-11-28 22	NA
673	2020-11-28 23	NA
674	2020-11-29 00	NA
675	2020-11-29 01	NA
676	2020-11-29 02	NA
677	2020-11-29 03	NA
678	2020-11-29 04	NA
679	2020-11-29 05	NA
680	2020-11-29 06	NA
681	2020-11-29 07	NA
682	2020-11-29 08	NA
683	2020-11-29 09	NA
684	2020-11-29 10	NA
685	2020-11-29 11	NA
686	2020-11-29 12	NA
687	2020-11-29 13	NA
688	2020-11-29 14	NA
689	2020-11-29 15	NA
690	2020-11-29 16	NA
691	2020-11-29 17	NA
692	2020-11-29 18	NA
	2020-11-29 19	NA

SI No	Time	Stack-PM_U
693	2020-11-29 20	NA
694	2020-11-29 21	NA
695	2020-11-29 22	NA
696	2020-11-29 23	NA
697	2020-11-30 00	NA

Report Details: Gemini | 2021-01-23 16:35:48 | Custom Report




Custom Report

SiteName: Gemini Edibles And Fats India Pvt Ltd-Nellore

Created by: Gemini, Created On: 23/01/2021

(L)/(m)



STACK MONITORING REPORT.
THE GRAPH GOES AT HIGH - ONLY AT THE
TIME OF POWER FLUCTUATION.

Real Time Data Acquisition And Monitoring

Site Name: Gemini Edibles And Fats India Pvt Ltd-Nellore

Report: Custom Report

From Date: 2020/12/01 00:00:00 To Date : 2021/01/23 15:57:32

Description	Stack-PM_U
Prescribed Standards	-
Maximum Data	110.5
Minimum Data	22.11
Geometric Mean	68.24
Median	71.0
Standard Deviation	9.96
Maximum Value At Time	2021-01-20 17
Minimum Value At Time	2021-01-20 05
Valid Data Points	908
Total Data Points	1288
Data Availability %	70.5%

SI No	Time	Stack-PM_U
1	2020-12-01 00	NA
2	2020-12-01 01	NA
3	2020-12-01 02	NA
4	2020-12-01 03	NA
5	2020-12-01 04	NA
6	2020-12-01 05	NA
7	2020-12-01 06	NA
8	2020-12-01 07	NA
9	2020-12-01 08	NA
10	2020-12-01 09	NA
11	2020-12-01 10	NA
12	2020-12-01 11	NA
13	2020-12-01 12	NA
14	2020-12-01 13	NA
15	2020-12-01 14	NA
16	2020-12-01 15	NA
17	2020-12-01 16	NA
18	2020-12-01 17	NA
19	2020-12-01 18	NA
20	2020-12-01 19	NA
21	2020-12-01 20	NA
22	2020-12-01 21	NA
23	2020-12-01 22	NA
24	2020-12-01 23	NA
25	2020-12-02 00	NA

SI No	Time	Stack-PM_U
27	2020-12-02 02	NA
28	2020-12-02 03	NA
29	2020-12-02 04	NA
30	2020-12-02 05	NA
31	2020-12-02 06	NA
32	2020-12-02 07	NA
33	2020-12-02 08	NA
34	2020-12-02 09	NA
35	2020-12-02 10	NA
36	2020-12-02 11	NA
37	2020-12-02 12	NA
38	2020-12-02 13	NA
39	2020-12-02 14	NA
40	2020-12-02 15	NA
41	2020-12-02 16	NA
42	2020-12-02 17	NA
43	2020-12-02 18	NA
44	2020-12-02 19	NA
45	2020-12-02 20	NA
46	2020-12-02 21	NA
47	2020-12-02 22	NA
48	2020-12-02 23	NA
49	2020-12-03 00	NA
50	2020-12-03 01	NA
51	2020-12-03 02	NA
52	2020-12-03 03	NA
53	2020-12-03 04	NA
54	2020-12-03 05	NA
55	2020-12-03 06	NA
56	2020-12-03 07	NA
57	2020-12-03 08	NA
58	2020-12-03 09	NA
59	2020-12-03 10	NA
60	2020-12-03 11	NA
61	2020-12-03 12	NA
62	2020-12-03 13	NA
63	2020-12-03 14	NA
64	2020-12-03 15	NA
65	2020-12-03 16	NA
66	2020-12-03 17	NA
67	2020-12-03 18	NA
68	2020-12-03 19	NA
69	2020-12-03 20	NA

SI No
72
73
1

SI No	Time	Stack-PM_U
72	2020-12-03 23	NA
73	2020-12-04 00	NA
74	2020-12-04 01	NA
75	2020-12-04 02	NA
76	2020-12-04 03	NA
77	2020-12-04 04	NA
78	2020-12-04 05	NA
79	2020-12-04 06	NA
80	2020-12-04 07	NA
81	2020-12-04 08	NA
82	2020-12-04 09	NA
83	2020-12-04 10	NA
84	2020-12-04 11	NA
85	2020-12-04 12	NA
86	2020-12-04 13	NA
87	2020-12-04 14	NA
88	2020-12-04 15	NA
89	2020-12-04 16	NA
90	2020-12-04 17	NA
91	2020-12-04 18	NA
92	2020-12-04 19	NA
93	2020-12-04 20	NA
94	2020-12-04 21	NA
95	2020-12-04 22	NA
96	2020-12-04 23	NA
97	2020-12-05 00	NA
98	2020-12-05 01	NA
99	2020-12-05 02	NA
100	2020-12-05 03	NA
101	2020-12-05 04	NA
102	2020-12-05 05	NA
103	2020-12-05 06	NA
104	2020-12-05 07	NA
105	2020-12-05 08	NA
106	2020-12-05 09	NA
107	2020-12-05 10	NA
108	2020-12-05 11	NA
109	2020-12-05 12	NA
110	2020-12-05 13	NA
111	2020-12-05 14	68.21
112	2020-12-05 15	68.44
113	2020-12-05 16	68.00

SI No	Time	
		68.00
116	2020-12-05 19	68.09
117	2020-12-05 20	68.00
118	2020-12-05 21	68.08
119	2020-12-05 22	68.17
120	2020-12-05 23	68.28
121	2020-12-06 00	68.00
122	2020-12-06 01	68.26
123	2020-12-06 02	68.20
124	2020-12-06 03	68.00
125	2020-12-06 04	68.20
126	2020-12-06 05	68.22
127	2020-12-06 06	68.64
128	2020-12-06 07	68.47
129	2020-12-06 08	68.42
130	2020-12-06 09	68.88
131	2020-12-06 10	68.37
132	2020-12-06 11	68.62
133	2020-12-06 12	68.00
134	2020-12-06 13	NA
135	2020-12-06 14	NA
136	2020-12-06 15	NA
137	2020-12-06 16	NA
138	2020-12-06 17	NA
139	2020-12-06 18	NA
140	2020-12-06 19	NA
141	2020-12-06 20	NA
142	2020-12-06 21	NA
143	2020-12-06 22	NA
144	2020-12-06 23	NA
145	2020-12-07 00	NA
146	2020-12-07 01	NA
147	2020-12-07 02	NA
148	2020-12-07 03	NA
149	2020-12-07 04	NA
150	2020-12-07 05	NA
151	2020-12-07 06	NA
152	2020-12-07 07	NA
153	2020-12-07 08	NA
154	2020-12-07 09	NA
155	2020-12-07 10	NA
156	2020-12-07 11	NA
157	2020-12-07 12	NA
158	2020-12-07 13	NA

SI No	Time	Stack-PM_U
161	2020-12-07 16	NA
162	2020-12-07 17	NA
163	2020-12-07 18	NA
164	2020-12-07 19	NA
165	2020-12-07 20	NA
166	2020-12-07 21	NA
167	2020-12-07 22	NA
168	2020-12-07 23	NA
169	2020-12-08 00	NA
170	2020-12-08 01	NA
171	2020-12-08 02	NA
172	2020-12-08 03	NA
173	2020-12-08 04	NA
174	2020-12-08 05	NA
175	2020-12-08 06	NA
176	2020-12-08 07	NA
177	2020-12-08 08	NA
178	2020-12-08 09	NA
179	2020-12-08 10	NA
180	2020-12-08 11	NA
181	2020-12-08 12	NA
182	2020-12-08 13	NA
183	2020-12-08 14	NA
184	2020-12-08 15	NA
185	2020-12-08 16	NA
186	2020-12-08 17	NA
187	2020-12-08 18	NA
188	2020-12-08 19	NA
189	2020-12-08 20	NA
190	2020-12-08 21	NA
191	2020-12-08 22	NA
192	2020-12-08 23	NA
193	2020-12-09 00	NA
194	2020-12-09 01	NA
195	2020-12-09 02	NA
196	2020-12-09 03	NA
197	2020-12-09 04	NA
198	2020-12-09 05	NA
199	2020-12-09 06	NA
200	2020-12-09 07	NA
201	2020-12-09 08	NA
202	2020-12-09 09	NA
203	2020-12-09 10	NA

SI No	Time	Stack-PM_U
205	2020-12-09 12	NA
206	2020-12-09 13	NA
207	2020-12-09 14	NA
208	2020-12-09 15	NA
209	2020-12-09 16	NA
210	2020-12-09 17	69.36
211	2020-12-09 18	68.00
212	2020-12-09 19	68.00
213	2020-12-09 20	68.06
214	2020-12-09 21	68.06
215	2020-12-09 22	68.00
216	2020-12-09 23	68.00
217	2020-12-10 00	68.05
218	2020-12-10 01	68.00
219	2020-12-10 02	68.00
220	2020-12-10 03	68.00
221	2020-12-10 04	68.00
222	2020-12-10 05	68.16
223	2020-12-10 06	68.00
224	2020-12-10 07	68.00
225	2020-12-10 08	68.00
226	2020-12-10 09	68.25
227	2020-12-10 10	69.44
228	2020-12-10 11	69.90
229	2020-12-10 12	70.00
230	2020-12-10 13	70.00
231	2020-12-10 14	70.00
232	2020-12-10 15	69.84
233	2020-12-10 16	69.74
234	2020-12-10 17	70.00
235	2020-12-10 18	68.72
236	2020-12-10 19	68.06
237	2020-12-10 20	69.29
238	2020-12-10 21	69.94
239	2020-12-10 22	69.94
240	2020-12-10 23	69.62
241	2020-12-11 00	69.19
242	2020-12-11 01	68.97
243	2020-12-11 02	68.98
244	2020-12-11 03	69.00
245	2020-12-11 04	68.92
246	2020-12-11 05	68.56
247	2020-12-11 06	68.75

SI No	Time	Stack-PM_U
249	2020-12-11 08	69.81
250	2020-12-11 09	69.83
251	2020-12-11 10	69.94
252	2020-12-11 11	70.00
253	2020-12-11 12	70.00
254	2020-12-11 13	70.00
255	2020-12-11 14	70.00
256	2020-12-11 15	70.00
257	2020-12-11 16	69.83
258	2020-12-11 17	69.71
259	2020-12-11 18	69.95
260	2020-12-11 19	70.00
261	2020-12-11 20	70.00
262	2020-12-11 21	70.00
263	2020-12-11 22	69.94
264	2020-12-11 23	70.00
265	2020-12-12 00	69.74
266	2020-12-12 01	69.84
267	2020-12-12 02	69.95
268	2020-12-12 03	70.00
269	2020-12-12 04	70.00
270	2020-12-12 05	70.00
271	2020-12-12 06	70.00
272	2020-12-12 07	70.00
273	2020-12-12 08	70.00
274	2020-12-12 09	70.00
275	2020-12-12 10	70.00
276	2020-12-12 11	70.00
277	2020-12-12 12	70.00
278	2020-12-12 13	70.00
279	2020-12-12 14	70.00
280	2020-12-12 15	70.00
281	2020-12-12 16	70.00
282	2020-12-12 17	70.00
283	2020-12-12 18	70.00
284	2020-12-12 19	70.00
285	2020-12-12 20	70.00
286	2020-12-12 21	70.00
287	2020-12-12 22	70.00
288	2020-12-12 23	70.00
289	2020-12-13 00	70.00
290	2020-12-13 01	69.61
291	2020-12-13 02	69.64

SI No	Time	Stack-PM_U
294	2020-12-13 05	70.00
295	2020-12-13 06	70.00
296	2020-12-13 07	69.85
297	2020-12-13 08	70.00
298	2020-12-13 09	70.00
299	2020-12-13 10	70.00
300	2020-12-13 11	70.00
301	2020-12-13 12	69.94
302	2020-12-13 13	70.00
303	2020-12-13 14	70.00
304	2020-12-13 15	70.00
305	2020-12-13 16	70.00
306	2020-12-13 17	70.00
307	2020-12-13 18	70.00
308	2020-12-13 19	70.00
309	2020-12-13 20	70.00
310	2020-12-13 21	70.00
311	2020-12-13 22	69.43
312	2020-12-13 23	69.47
313	2020-12-14 00	69.71
314	2020-12-14 01	69.72
315	2020-12-14 02	69.59
316	2020-12-14 03	68.59
317	2020-12-14 04	68.67
318	2020-12-14 05	69.48
319	2020-12-14 06	69.51
320	2020-12-14 07	70.00
321	2020-12-14 08	70.00
322	2020-12-14 09	70.00
323	2020-12-14 10	70.00
324	2020-12-14 11	70.00
325	2020-12-14 12	70.00
326	2020-12-14 13	70.00
327	2020-12-14 14	69.87
328	2020-12-14 15	70.00
329	2020-12-14 16	70.00
330	2020-12-14 17	70.00
331	2020-12-14 18	70.00
332	2020-12-14 19	70.00
333	2020-12-14 20	70.00
334	2020-12-14 21	70.00
335	2020-12-14 22	70.00
---	---	---

SI No
338
339

Sl No	Time	Stack-PM_U
338	2020-12-15 01	70.00
339	2020-12-15 02	70.00
340	2020-12-15 03	70.00
341	2020-12-15 04	70.00
342	2020-12-15 05	70.00
343	2020-12-15 06	70.04
344	2020-12-15 07	70.00
345	2020-12-15 08	70.00
346	2020-12-15 09	70.00
347	2020-12-15 10	70.02
348	2020-12-15 11	70.29
349	2020-12-15 12	70.05
350	2020-12-15 13	70.12
351	2020-12-15 14	70.27
352	2020-12-15 15	70.19
353	2020-12-15 16	70.00
354	2020-12-15 17	70.00
355	2020-12-15 18	70.00
356	2020-12-15 19	70.02
357	2020-12-15 20	70.82
358	2020-12-15 21	70.16
359	2020-12-15 22	70.00
360	2020-12-15 23	70.00
361	2020-12-16 00	70.28
362	2020-12-16 01	70.18
363	2020-12-16 02	70.13
364	2020-12-16 03	70.10
365	2020-12-16 04	70.07
366	2020-12-16 05	70.03
367	2020-12-16 06	70.00
368	2020-12-16 07	70.03
369	2020-12-16 08	70.02
370	2020-12-16 09	70.08
371	2020-12-16 10	70.21
372	2020-12-16 11	70.44
373	2020-12-16 12	70.23
374	2020-12-16 13	70.10
375	2020-12-16 14	70.19
376	2020-12-16 15	70.06
377	2020-12-16 16	70.12
378	2020-12-16 17	70.15
379	2020-12-16 18	69.95
380	2020-12-16 19	70.00

SI No	Time	Stack-PM_U
383	2020-12-16 22	70.00
384	2020-12-16 23	70.12
385	2020-12-17 00	70.00
386	2020-12-17 01	70.07
387	2020-12-17 02	70.03
388	2020-12-17 03	70.00
389	2020-12-17 04	70.00
390	2020-12-17 05	70.00
391	2020-12-17 06	70.00
392	2020-12-17 07	70.00
393	2020-12-17 08	70.11
394	2020-12-17 09	70.07
395	2020-12-17 10	70.39
396	2020-12-17 11	70.30
397	2020-12-17 12	70.14
398	2020-12-17 13	70.51
399	2020-12-17 14	70.56
400	2020-12-17 15	70.50
401	2020-12-17 16	70.18
402	2020-12-17 17	70.03
403	2020-12-17 18	70.18
404	2020-12-17 19	70.00
405	2020-12-17 20	70.00
406	2020-12-17 21	70.00
407	2020-12-17 22	70.00
408	2020-12-17 23	70.00
409	2020-12-18 00	70.00
410	2020-12-18 01	70.00
411	2020-12-18 02	70.00
412	2020-12-18 03	70.00
413	2020-12-18 04	70.02
414	2020-12-18 05	70.00
415	2020-12-18 06	70.00
416	2020-12-18 07	70.00
417	2020-12-18 08	70.00
418	2020-12-18 09	70.10
419	2020-12-18 10	70.10
420	2020-12-18 11	70.13
421	2020-12-18 12	70.00
422	2020-12-18 13	70.00
423	2020-12-18 14	70.19
424	2020-12-18 15	70.07
425	2020-12-18 16	70.02

SI No	Time	Stack-PM_U
427	2020-12-18 18	
428	2020-12-18 19	70.00
429	2020-12-18 20	70.02
430	2020-12-18 21	70.03
431	2020-12-18 22	70.67
432	2020-12-18 23	70.38
433	2020-12-19 00	70.88
434	2020-12-19 01	70.11
435	2020-12-19 02	70.00
436	2020-12-19 03	70.14
437	2020-12-19 04	70.00
438	2020-12-19 05	70.02
439	2020-12-19 06	70.43
440	2020-12-19 07	70.52
441	2020-12-19 08	70.54
442	2020-12-19 09	70.43
443	2020-12-19 09	70.69
443	2020-12-19 10	71.00
444	2020-12-19 11	70.97
445	2020-12-19 12	71.00
446	2020-12-19 13	70.85
447	2020-12-19 14	70.67
448	2020-12-19 15	70.30
449	2020-12-19 16	70.37
450	2020-12-19 17	70.58
451	2020-12-19 18	70.69
452	2020-12-19 19	70.50
453	2020-12-19 20	70.48
454	2020-12-19 21	70.50
455	2020-12-19 22	70.34
456	2020-12-19 23	70.44
457	2020-12-20 00	70.31
458	2020-12-20 01	70.00
459	2020-12-20 02	70.09
460	2020-12-20 03	70.00
461	2020-12-20 04	70.03
462	2020-12-20 05	70.09
463	2020-12-20 06	70.31
464	2020-12-20 07	70.81
465	2020-12-20 08	70.88
466	2020-12-20 09	70.95
467	2020-12-20 10	70.95
468	2020-12-20 11	70.89
469	2020-12-20 12	70.62

SI No	Time	
		71.00
471	2020-12-20 14	71.00
472	2020-12-20 15	71.00
473	2020-12-20 16	71.00
474	2020-12-20 17	70.89
475	2020-12-20 18	70.74
476	2020-12-20 19	70.55
477	2020-12-20 20	70.83
478	2020-12-20 21	70.92
479	2020-12-20 22	71.00
480	2020-12-20 23	71.00
481	2020-12-21 00	70.97
482	2020-12-21 01	70.97
483	2020-12-21 02	70.72
484	2020-12-21 03	70.62
485	2020-12-21 04	70.97
486	2020-12-21 05	70.89
487	2020-12-21 06	70.74
488	2020-12-21 07	70.89
489	2020-12-21 08	70.97
490	2020-12-21 09	70.95
491	2020-12-21 10	70.95
492	2020-12-21 11	70.98
493	2020-12-21 12	71.00
494	2020-12-21 13	71.00
495	2020-12-21 14	71.00
496	2020-12-21 15	71.00
497	2020-12-21 16	71.00
498	2020-12-21 17	71.49
499	2020-12-21 18	71.11
500	2020-12-21 19	71.00
501	2020-12-21 20	71.30
502	2020-12-21 21	71.00
503	2020-12-21 22	71.00
504	2020-12-21 23	71.00
505	2020-12-22 00	71.00
506	2020-12-22 01	71.05
507	2020-12-22 02	71.00
508	2020-12-22 03	70.97
509	2020-12-22 04	70.74
510	2020-12-22 05	71.00
511	2020-12-22 06	71.00
512	2020-12-22 07	70.97
513	2020-12-22 08	71.00

SI No	Time	Stack-PM_U
516	2020-12-22 11	
517	2020-12-22 12	71.00
518	2020-12-22 13	71.00
519	2020-12-22 14	71.00
520	2020-12-22 15	71.00
521	2020-12-22 16	71.00
522	2020-12-22 17	71.05
523	2020-12-22 18	71.00
524	2020-12-22 19	71.20
525	2020-12-22 20	71.77
526	2020-12-22 21	70.92
527	2020-12-22 22	71.00
528	2020-12-22 23	71.00
529	2020-12-23 00	70.94
530	2020-12-23 01	71.00
531	2020-12-23 02	70.72
532	2020-12-23 03	71.00
533	2020-12-23 04	70.97
534	2020-12-23 05	71.00
535	2020-12-23 06	71.00
536	2020-12-23 07	71.00
537	2020-12-23 08	71.00
538	2020-12-23 09	71.00
539	2020-12-23 10	71.00
540	2020-12-23 11	71.00
541	2020-12-23 12	71.00
542	2020-12-23 13	71.00
543	2020-12-23 14	71.00
544	2020-12-23 15	70.97
545	2020-12-23 16	71.00
546	2020-12-23 17	71.00
547	2020-12-23 18	71.00
548	2020-12-23 19	71.00
549	2020-12-23 20	71.00
550	2020-12-23 21	71.00
551	2020-12-23 22	71.00
552	2020-12-23 23	71.00
553	2020-12-24 00	71.00
554	2020-12-24 01	71.00
555	2020-12-24 02	70.97
556	2020-12-24 03	71.00
557	2020-12-24 04	71.00
---	-----	-----

Sl No	Time	Stack-PM_U
		71.00
560	2020-12-24 07	71.17
561	2020-12-24 08	71.00
562	2020-12-24 09	71.02
563	2020-12-24 10	71.00
564	2020-12-24 11	71.01
565	2020-12-24 12	71.00
566	2020-12-24 13	71.00
567	2020-12-24 14	71.00
568	2020-12-24 15	71.00
569	2020-12-24 16	71.00
570	2020-12-24 17	71.00
571	2020-12-24 18	71.00
572	2020-12-24 19	71.00
573	2020-12-24 20	70.98
574	2020-12-24 21	71.00
575	2020-12-24 22	71.00
576	2020-12-24 23	70.98
577	2020-12-25 00	71.00
578	2020-12-25 01	71.00
579	2020-12-25 02	71.00
580	2020-12-25 03	71.00
581	2020-12-25 04	71.00
582	2020-12-25 05	71.00
583	2020-12-25 06	71.00
584	2020-12-25 07	71.00
585	2020-12-25 08	71.00
586	2020-12-25 09	71.00
587	2020-12-25 10	71.00
588	2020-12-25 11	71.00
589	2020-12-25 12	71.00
590	2020-12-25 13	71.00
591	2020-12-25 14	71.05
592	2020-12-25 15	71.00
593	2020-12-25 16	71.00
594	2020-12-25 17	71.10
595	2020-12-25 18	71.00
596	2020-12-25 19	71.00
597	2020-12-25 20	71.00
598	2020-12-25 21	71.00
599	2020-12-25 22	71.08
600	2020-12-25 23	71.14
601	2020-12-26 00	71.16
602	2020-12-26 01	71.56

Sl No
605
606
607

Sl No	Time	Stack-PM_U
605	2020-12-26 04	
606	2020-12-26 05	71.00
607	2020-12-26 06	71.22
608	2020-12-26 07	70.97
609	2020-12-26 08	71.00
610	2020-12-26 09	71.29
611	2020-12-26 10	71.28
612	2020-12-26 11	71.19
613	2020-12-26 12	71.23
614	2020-12-26 13	71.39
615	2020-12-26 14	71.15
616	2020-12-26 15	71.00
617	2020-12-26 16	71.10
618	2020-12-26 17	71.39
619	2020-12-26 18	71.00
620	2020-12-26 19	71.00
621	2020-12-26 20	71.00
622	2020-12-26 21	71.00
623	2020-12-26 22	71.00
624	2020-12-26 23	70.97
625	2020-12-27 00	71.02
626	2020-12-27 01	71.28
627	2020-12-27 02	71.06
628	2020-12-27 03	71.00
629	2020-12-27 04	71.00
630	2020-12-27 05	71.00
631	2020-12-27 06	71.04
632	2020-12-27 07	71.00
633	2020-12-27 08	71.00
634	2020-12-27 09	71.29
635	2020-12-27 10	71.18
636	2020-12-27 11	71.65
637	2020-12-27 12	71.83
638	2020-12-27 13	71.00
639	2020-12-27 14	71.00
640	2020-12-27 15	71.42
641	2020-12-27 16	71.11
642	2020-12-27 17	71.00
643	2020-12-27 18	71.14
644	2020-12-27 19	71.00
645	2020-12-27 20	71.00
646	2020-12-27 21	71.13
647	2020-12-27 22	71.00

Sl No	Time	
649	2020-12-28 00	71.05
650	2020-12-28 01	71.00
651	2020-12-28 02	71.00
652	2020-12-28 03	71.24
653	2020-12-28 04	70.95
654	2020-12-28 05	70.95
655	2020-12-28 06	71.53
656	2020-12-28 07	71.15
657	2020-12-28 08	71.00
658	2020-12-28 09	71.57
659	2020-12-28 10	71.65
660	2020-12-28 11	72.20
661	2020-12-28 12	71.56
662	2020-12-28 13	71.60
663	2020-12-28 14	71.42
664	2020-12-28 15	71.21
665	2020-12-28 16	71.05
666	2020-12-28 17	71.34
667	2020-12-28 18	71.00
668	2020-12-28 19	71.00
669	2020-12-28 20	71.88
670	2020-12-28 21	71.55
671	2020-12-28 22	71.00
672	2020-12-28 23	71.53
673	2020-12-29 00	71.35
674	2020-12-29 01	71.00
675	2020-12-29 02	71.49
676	2020-12-29 03	71.05
677	2020-12-29 04	71.06
678	2020-12-29 05	71.00
679	2020-12-29 06	71.00
680	2020-12-29 07	70.97
681	2020-12-29 08	71.00
682	2020-12-29 09	71.17
683	2020-12-29 10	71.00
684	2020-12-29 11	71.09
685	2020-12-29 12	71.06
686	2020-12-29 13	71.44
687	2020-12-29 14	71.00
688	2020-12-29 15	71.17
689	2020-12-29 16	71.87
690	2020-12-29 17	71.94
691	2020-12-29 18	71.89

SI No	Time	Stack-PM_U
693	2020-12-29 20	71.34
694	2020-12-29 21	71.89
695	2020-12-29 22	71.61
696	2020-12-29 23	71.86
697	2020-12-30 00	71.18
698	2020-12-30 01	71.00
699	2020-12-30 02	71.00
700	2020-12-30 03	71.00
701	2020-12-30 04	71.90
702	2020-12-30 05	72.11
703	2020-12-30 06	71.49
704	2020-12-30 07	71.16
705	2020-12-30 08	71.86
706	2020-12-30 09	72.76
707	2020-12-30 10	71.62
708	2020-12-30 11	71.36
709	2020-12-30 12	71.18
710	2020-12-30 13	71.50
711	2020-12-30 14	71.22
712	2020-12-30 15	NA
713	2020-12-30 16	71.00
714	2020-12-30 17	71.00
715	2020-12-30 18	71.00
716	2020-12-30 19	NA
717	2020-12-30 20	71.53
718	2020-12-30 21	71.39
719	2020-12-30 22	71.72
720	2020-12-30 23	NA
721	2020-12-31 00	NA
722	2020-12-31 01	NA
723	2020-12-31 02	NA
724	2020-12-31 03	NA
725	2020-12-31 04	NA
726	2020-12-31 05	NA
727	2020-12-31 06	NA
728	2020-12-31 07	NA
729	2020-12-31 08	NA
730	2020-12-31 09	NA
731	2020-12-31 10	NA
732	2020-12-31 11	72.42
733	2020-12-31 12	71.75
734	2020-12-31 13	71.79
735	2020-12-31 14	72.32

SI No	Time	Stack-PM_U
738	2020-12-31 17	72.10
739	2020-12-31 18	72.18
740	2020-12-31 19	72.12
741	2020-12-31 20	71.97
742	2020-12-31 21	72.33
743	2020-12-31 22	71.79
744	2020-12-31 23	71.89
745	2021-01-01 00	NA
746	2021-01-01 01	NA
747	2021-01-01 02	NA
748	2021-01-01 03	NA
749	2021-01-01 04	NA
750	2021-01-01 05	NA
751	2021-01-01 06	NA
752	2021-01-01 07	71.75
753	2021-01-01 08	72.00
754	2021-01-01 09	72.17
755	2021-01-01 10	72.47
756	2021-01-01 11	72.81
757	2021-01-01 12	73.00
758	2021-01-01 13	73.00
759	2021-01-01 14	73.00
760	2021-01-01 15	71.82
761	2021-01-01 16	71.56
762	2021-01-01 17	71.64
763	2021-01-01 18	71.32
764	2021-01-01 19	71.17
765	2021-01-01 20	71.44
766	2021-01-01 21	71.13
767	2021-01-01 22	71.08
768	2021-01-01 23	71.04
769	2021-01-02 00	71.00
770	2021-01-02 01	71.00
771	2021-01-02 02	71.21
772	2021-01-02 03	71.00
773	2021-01-02 04	NA
774	2021-01-02 05	NA
775	2021-01-02 06	NA
776	2021-01-02 07	NA
777	2021-01-02 08	NA
778	2021-01-02 09	NA
779	2021-01-02 10	NA
---	---	---

SI No

Time

Stack-PM_U

782	2021-01-02 13	NA
783	2021-01-02 14	NA
784	2021-01-02 15	NA
785	2021-01-02 16	NA
786	2021-01-02 17	NA
787	2021-01-02 18	NA
788	2021-01-02 19	NA
789	2021-01-02 20	NA
790	2021-01-02 21	NA
791	2021-01-02 22	NA
792	2021-01-02 23	NA
793	2021-01-03 00	NA
794	2021-01-03 01	NA
795	2021-01-03 02	NA
796	2021-01-03 03	NA
797	2021-01-03 04	NA
798	2021-01-03 05	NA
799	2021-01-03 06	NA
800	2021-01-03 07	NA
801	2021-01-03 08	NA
802	2021-01-03 09	NA
803	2021-01-03 10	NA
804	2021-01-03 11	NA
805	2021-01-03 12	NA
806	2021-01-03 13	NA
807	2021-01-03 14	NA
808	2021-01-03 15	NA
809	2021-01-03 16	NA
810	2021-01-03 17	NA
811	2021-01-03 18	NA
812	2021-01-03 19	NA
813	2021-01-03 20	NA
814	2021-01-03 21	NA
815	2021-01-03 22	NA
816	2021-01-03 23	NA
817	2021-01-04 00	NA
818	2021-01-04 01	NA
819	2021-01-04 02	NA
820	2021-01-04 03	NA
821	2021-01-04 04	NA
822	2021-01-04 05	NA
823	2021-01-04 06	NA
824	2021-01-04 07	NA

SI No	Time	
		73.00
827	2021-01-04 10	73.00
828	2021-01-04 11	72.90
829	2021-01-04 12	73.00
830	2021-01-04 13	73.00
831	2021-01-04 14	72.87
832	2021-01-04 15	72.22
833	2021-01-04 16	72.03
834	2021-01-04 17	72.07
835	2021-01-04 18	72.18
836	2021-01-04 19	71.95
837	2021-01-04 20	71.10
838	2021-01-04 21	71.25
839	2021-01-04 22	71.86
840	2021-01-04 23	72.26
841	2021-01-05 00	72.08
842	2021-01-05 01	72.23
843	2021-01-05 02	72.50
844	2021-01-05 03	72.73
845	2021-01-05 04	72.02
846	2021-01-05 05	72.03
847	2021-01-05 06	72.16
848	2021-01-05 07	72.13
849	2021-01-05 08	72.21
850	2021-01-05 09	72.20
851	2021-01-05 10	72.45
852	2021-01-05 11	72.46
853	2021-01-05 12	72.12
854	2021-01-05 13	71.68
855	2021-01-05 14	72.02
856	2021-01-05 15	71.65
857	2021-01-05 16	72.82
858	2021-01-05 17	73.00
859	2021-01-05 18	72.16
860	2021-01-05 19	71.79
861	2021-01-05 20	71.91
862	2021-01-05 21	71.77
863	2021-01-05 22	72.24
864	2021-01-05 23	72.56
865	2021-01-06 00	72.73
866	2021-01-06 01	72.42
867	2021-01-06 02	72.33
868	2021-01-06 03	NA
869	2021-01-06 04	

SI No	Time	Stack-PM_U
871	2021-01-06 06	NA
872	2021-01-06 07	NA
873	2021-01-06 08	NA
874	2021-01-06 09	NA
875	2021-01-06 10	72.60
876	2021-01-06 11	72.53
877	2021-01-06 12	72.20
878	2021-01-06 13	71.57
879	2021-01-06 14	72.33
880	2021-01-06 15	73.00
881	2021-01-06 16	72.72
882	2021-01-06 17	72.90
883	2021-01-06 18	72.16
884	2021-01-06 19	71.56
885	2021-01-06 20	71.84
886	2021-01-06 21	72.57
887	2021-01-06 22	72.76
888	2021-01-06 23	72.42
889	2021-01-07 00	72.28
890	2021-01-07 01	71.90
891	2021-01-07 02	71.87
892	2021-01-07 03	71.75
893	2021-01-07 04	72.35
894	2021-01-07 05	72.58
895	2021-01-07 06	71.91
896	2021-01-07 07	72.09
897	2021-01-07 08	72.16
898	2021-01-07 09	72.04
899	2021-01-07 10	72.25
900	2021-01-07 11	72.58
901	2021-01-07 12	72.96
902	2021-01-07 13	72.82
903	2021-01-07 14	72.76
904	2021-01-07 15	72.53
905	2021-01-07 16	72.14
906	2021-01-07 17	72.33
907	2021-01-07 18	72.08
908	2021-01-07 19	71.53
909	2021-01-07 20	72.83
910	2021-01-07 21	73.00
911	2021-01-07 22	72.61
912	2021-01-07 23	71.94
913	2021-01-08 00	71.96

SI No	Time	
		71.24
915	2021-01-08 02	71.95
916	2021-01-08 03	73.00
917	2021-01-08 04	72.84
918	2021-01-08 05	72.81
919	2021-01-08 06	72.24
920	2021-01-08 07	72.69
921	2021-01-08 08	71.62
922	2021-01-08 09	72.80
923	2021-01-08 10	71.69
924	2021-01-08 11	71.00
925	2021-01-08 12	71.00
926	2021-01-08 13	71.16
927	2021-01-08 14	71.94
928	2021-01-08 15	72.64
929	2021-01-08 16	72.89
930	2021-01-08 17	72.57
931	2021-01-08 18	72.14
932	2021-01-08 19	71.95
933	2021-01-08 20	72.02
934	2021-01-08 21	72.41
935	2021-01-08 22	72.57
936	2021-01-08 23	72.02
937	2021-01-09 00	72.62
938	2021-01-09 01	72.59
939	2021-01-09 02	72.41
940	2021-01-09 03	71.36
941	2021-01-09 04	72.81
942	2021-01-09 05	72.94
943	2021-01-09 06	72.78
944	2021-01-09 07	72.95
945	2021-01-09 08	72.58
946	2021-01-09 09	72.91
947	2021-01-09 10	72.80
948	2021-01-09 11	72.80
949	2021-01-09 12	73.00
950	2021-01-09 13	73.00
951	2021-01-09 14	73.00
952	2021-01-09 15	73.00
953	2021-01-09 16	73.00
954	2021-01-09 17	72.95
955	2021-01-09 18	72.33
956	2021-01-09 19	72.67
957	2021-01-09 20	72.16

SI No	Time	Stack-PM_U
960	2021-01-09 23	72.67
961	2021-01-10 00	73.00
962	2021-01-10 01	73.00
963	2021-01-10 02	72.91
964	2021-01-10 03	73.00
965	2021-01-10 04	73.00
966	2021-01-10 05	72.89
967	2021-01-10 06	72.91
968	2021-01-10 07	71.47
969	2021-01-10 08	72.41
970	2021-01-10 09	72.35
971	2021-01-10 10	72.87
972	2021-01-10 11	72.88
973	2021-01-10 12	72.85
974	2021-01-10 13	72.22
975	2021-01-10 14	73.00
976	2021-01-10 15	72.95
977	2021-01-10 16	72.74
978	2021-01-10 17	72.96
979	2021-01-10 18	72.71
980	2021-01-10 19	73.00
981	2021-01-10 20	73.00
982	2021-01-10 21	73.00
983	2021-01-10 22	72.58
984	2021-01-10 23	73.00
985	2021-01-11 00	72.43
986	2021-01-11 01	72.88
987	2021-01-11 02	72.30
988	2021-01-11 03	71.45
989	2021-01-11 04	71.05
990	2021-01-11 05	71.89
991	2021-01-11 06	72.86
992	2021-01-11 07	72.07
993	2021-01-11 08	72.21
994	2021-01-11 09	72.56
995	2021-01-11 10	73.00
996	2021-01-11 11	73.00
997	2021-01-11 12	72.90
998	2021-01-11 13	73.00
999	2021-01-11 14	73.00
1000	2021-01-11 15	73.00
1001	2021-01-11 16	73.00

SI No	Time	Stack-PM_U
		72.29
1004	2021-01-11 19	72.48
1005	2021-01-11 20	73.00
1006	2021-01-11 21	72.95
1007	2021-01-11 22	71.78
1008	2021-01-11 23	71.85
1009	2021-01-12 00	71.12
1010	2021-01-12 01	71.41
1011	2021-01-12 02	71.00
1012	2021-01-12 03	71.09
1013	2021-01-12 04	72.07
1014	2021-01-12 05	72.66
1015	2021-01-12 06	71.77
1016	2021-01-12 07	72.76
1017	2021-01-12 08	72.64
1018	2021-01-12 09	73.00
1019	2021-01-12 10	73.00
1020	2021-01-12 11	73.00
1021	2021-01-12 12	72.45
1022	2021-01-12 13	72.43
1023	2021-01-12 14	73.00
1024	2021-01-12 15	72.95
1025	2021-01-12 16	72.89
1026	2021-01-12 17	73.00
1027	2021-01-12 18	72.76
1028	2021-01-12 19	72.47
1029	2021-01-12 20	71.16
1030	2021-01-12 21	71.48
1031	2021-01-12 22	72.26
1032	2021-01-12 23	71.67
1033	2021-01-13 00	71.86
1034	2021-01-13 01	72.65
1035	2021-01-13 02	72.62
1036	2021-01-13 03	72.80
1037	2021-01-13 04	72.84
1038	2021-01-13 05	71.94
1039	2021-01-13 06	72.65
1040	2021-01-13 07	73.00
1041	2021-01-13 08	73.00
1042	2021-01-13 09	72.79
1043	2021-01-13 10	72.83
1044	2021-01-13 11	73.00
1045	2021-01-13 12	71.88
1046	2021-01-13 13	

SI No
1049
1050
10

SI No	Time	Stack-PM_U
1049	2021-01-13 16	73.00
1050	2021-01-13 17	73.00
1051	2021-01-13 18	73.00
1052	2021-01-13 19	73.00
1053	2021-01-13 20	73.00
1054	2021-01-13 21	73.00
1055	2021-01-13 22	73.00
1056	2021-01-13 23	73.00
1057	2021-01-14 00	73.00
1058	2021-01-14 01	73.00
1059	2021-01-14 02	71.93
1060	2021-01-14 03	71.14
1061	2021-01-14 04	71.00
1062	2021-01-14 05	71.80
1063	2021-01-14 06	71.58
1064	2021-01-14 07	72.64
1065	2021-01-14 08	72.82
1066	2021-01-14 09	73.00
1067	2021-01-14 10	72.89
1068	2021-01-14 11	73.00
1069	2021-01-14 12	73.00
1070	2021-01-14 13	73.00
1071	2021-01-14 14	73.00
1072	2021-01-14 15	73.00
1073	2021-01-14 16	73.00
1074	2021-01-14 17	73.00
1075	2021-01-14 18	72.90
1076	2021-01-14 19	72.90
1077	2021-01-14 20	73.00
1078	2021-01-14 21	NA
1079	2021-01-14 22	NA
1080	2021-01-14 23	NA
1081	2021-01-15 00	NA
1082	2021-01-15 01	NA
1083	2021-01-15 02	NA
1084	2021-01-15 03	NA
1085	2021-01-15 04	NA
1086	2021-01-15 05	NA
1087	2021-01-15 06	NA
1088	2021-01-15 07	NA
1089	2021-01-15 08	NA
1090	2021-01-15 09	NA
1091	2021-01-15 10	NA

SI No	Time	Stack-PM_U
1093	2021-01-15 12	NA
1094	2021-01-15 13	NA
1095	2021-01-15 14	NA
1096	2021-01-15 15	NA
1097	2021-01-15 16	NA
1098	2021-01-15 17	NA
1099	2021-01-15 18	NA
1100	2021-01-15 19	NA
1101	2021-01-15 20	NA
1102	2021-01-15 21	NA
1103	2021-01-15 22	NA
1104	2021-01-15 23	NA
1105	2021-01-16 00	NA
1106	2021-01-16 01	NA
1107	2021-01-16 02	NA
1108	2021-01-16 03	NA
1109	2021-01-16 04	NA
1110	2021-01-16 05	NA
1111	2021-01-16 06	NA
1112	2021-01-16 07	NA
1113	2021-01-16 08	NA
1114	2021-01-16 09	NA
1115	2021-01-16 10	NA
1116	2021-01-16 11	NA
1117	2021-01-16 12	NA
1118	2021-01-16 13	NA
1119	2021-01-16 14	NA
1120	2021-01-16 15	NA
1121	2021-01-16 16	NA
1122	2021-01-16 17	NA
1123	2021-01-16 18	NA
1124	2021-01-16 19	NA
1125	2021-01-16 20	NA
1126	2021-01-16 21	NA
1127	2021-01-16 22	NA
1128	2021-01-16 23	NA
1129	2021-01-17 00	NA
1130	2021-01-17 01	NA
1131	2021-01-17 02	NA
1132	2021-01-17 03	NA
1133	2021-01-17 04	NA
1134	2021-01-17 05	NA
1135	2021-01-17 06	NA

S/N	Time	Stack-PM_U
1137		
1138	2021-01-17 08	
1139	2021-01-17 09	NA
1140	2021-01-17 10	NA
1141	2021-01-17 11	NA
1142	2021-01-17 12	NA
1143	2021-01-17 13	NA
1144	2021-01-17 14	NA
1145	2021-01-17 15	NA
1146	2021-01-17 16	NA
1147	2021-01-17 17	NA
1148	2021-01-17 18	NA
1149	2021-01-17 19	NA
1150	2021-01-17 20	NA
1151	2021-01-17 21	NA
1152	2021-01-17 22	NA
1153	2021-01-17 23	NA
1154	2021-01-18 00	NA
1155	2021-01-18 01	NA
1156	2021-01-18 02	NA
1157	2021-01-18 03	NA
1158	2021-01-18 04	NA
1159	2021-01-18 05	NA
1160	2021-01-18 06	NA
1161	2021-01-18 07	NA
1162	2021-01-18 08	NA
1163	2021-01-18 09	NA
1164	2021-01-18 10	NA
1165	2021-01-18 11	NA
1166	2021-01-18 12	NA
1167	2021-01-18 13	NA
1168	2021-01-18 14	NA
1169	2021-01-18 15	NA
1170	2021-01-18 16	NA
1171	2021-01-18 17	NA
1172	2021-01-18 18	NA
1173	2021-01-18 19	NA
1174	2021-01-18 20	NA
1175	2021-01-18 21	NA
1176	2021-01-18 22	NA
1177	2021-01-18 23	NA
1178	2021-01-19 00	NA
1179	2021-01-19 01	NA
1179	2021-01-19 02	NA

SI No	Time	Stack-PM_U
		NA
1181	2021-01-19 04	NA
1182	2021-01-19 05	NA
1183	2021-01-19 06	NA
1184	2021-01-19 07	NA
1185	2021-01-19 08	NA
1186	2021-01-19 09	NA
1187	2021-01-19 10	NA
1188	2021-01-19 11	NA
1189	2021-01-19 12	25.00
1190	2021-01-19 13	37.26
1191	2021-01-19 14	NA
1192	2021-01-19 15	NA
1193	2021-01-19 16	NA
1194	2021-01-19 17	41.36
1195	2021-01-19 18	35.96
1196	2021-01-19 19	32.91
1197	2021-01-19 20	37.97
1198	2021-01-19 21	27.16
1199	2021-01-19 22	27.47
1200	2021-01-19 23	25.44
1201	2021-01-20 00	26.85
1202	2021-01-20 01	29.66
1203	2021-01-20 02	27.96
1204	2021-01-20 03	24.04
1205	2021-01-20 04	25.07
1206	2021-01-20 05	22.11
1207	2021-01-20 06	25.15
1208	2021-01-20 07	24.54
1209	2021-01-20 08	25.56
1210	2021-01-20 09	29.30
1211	2021-01-20 10	31.34
1212	2021-01-20 11	34.26
1213	2021-01-20 12	32.27
1214	2021-01-20 13	33.71
1215	2021-01-20 14	38.61
1216	2021-01-20 15	78.05
1217	2021-01-20 16	78.89
1218	2021-01-20 17	110.50
1219	2021-01-20 18	24.16
1220	2021-01-20 19	32.63
1221	2021-01-20 20	36.02
1222	2021-01-20 21	38.43

SI No
1225
1226
12

Sl No	Time	Stack-PM_U
1225	2021-01-21 00	
1226	2021-01-21 01	49.11
1227	2021-01-21 02	38.89
1228	2021-01-21 03	69.53
1229	2021-01-21 04	79.33
1230	2021-01-21 05	62.48
1231	2021-01-21 06	59.54
1232	2021-01-21 07	45.74
1233	2021-01-21 08	55.22
1234	2021-01-21 09	56.93
1235	2021-01-21 10	69.15
1236	2021-01-21 11	85.95
1237	2021-01-21 12	83.50
1238	2021-01-21 13	81.36
1239	2021-01-21 14	103.06
1240	2021-01-21 15	62.33
1241	2021-01-21 16	54.30
1242	2021-01-21 17	57.73
1243	2021-01-21 18	58.56
1244	2021-01-21 19	54.94
1245	2021-01-21 20	52.48
1246	2021-01-21 20	40.90
1246	2021-01-21 21	38.94
1247	2021-01-21 22	39.62
1248	2021-01-21 23	38.65
1249	2021-01-22 00	36.45
1250	2021-01-22 01	38.39
1251	2021-01-22 02	46.51
1252	2021-01-22 03	42.03
1253	2021-01-22 04	36.27
1254	2021-01-22 05	38.38
1255	2021-01-22 06	34.97
1256	2021-01-22 07	38.73
1257	2021-01-22 08	41.82
1258	2021-01-22 09	41.36
1259	2021-01-22 10	49.28
1260	2021-01-22 11	47.82
1261	2021-01-22 12	47.42
1262	2021-01-22 13	38.84
1263	2021-01-22 14	48.18
1264	2021-01-22 15	43.71
1265	2021-01-22 16	49.25
1266	2021-01-22 17	61.91
1267	2021-01-22 18	50.80

SI No	Time	Stack-PM_U
1270	2021-01-22 21	38.80
1271	2021-01-22 22	36.55
1272	2021-01-22 23	35.07
1273	2021-01-23 00	33.17
1274	2021-01-23 01	34.41
1275	2021-01-23 02	34.33
1276	2021-01-23 03	33.77
1277	2021-01-23 04	34.32
1278	2021-01-23 05	36.52
1279	2021-01-23 06	37.13
1280	2021-01-23 07	40.70
1281	2021-01-23 08	44.55
1282	2021-01-23 09	47.83
1283	2021-01-23 10	52.56
1284	2021-01-23 11	58.34
1285	2021-01-23 12	53.92
1286	2021-01-23 13	43.12
1287	2021-01-23 14	36.67
1288	2021-01-23 15	34.27

Report Details: Gemini | 2021-01-23 16:12:01 | Custom Report

ANNEXURE 10

Green Belt



Green Belt




Plantation done with tree guards in Pantapalem Village towards Servepally



Rain Water Harvesting Pond




Rain Harvesting Water infrastructure-
30000 sq. ft. roof structure water collection from
Refinery & discharge to rain water collection pit.
Separate storm drain & other drain



Rain Harvesting Water infrastructure- 80000 sq. ft. roof structure water collection from Ware house & discharge to rain water collection pit



ANNEXURE II



S.NO.	NAME OF THE BUILDINGS	EXISTING HP	MODIFIED	DIFFERENCE
1.	SECURITY & BROKERS ROOM	13.40	13.40	
2.	WEIGH BRIDGE ROOM	13.40	13.40	
3.	BOILER HOUSE	814.63	639.00	175.63
4.	HUSK SHED	-	-	
5.	ADMIN BLOCK, CANTEN & REST ROOMS (G+1 FLOORS)	54.00	54.00	
6.	REFINERY (MAIN PLANT)	1980.00	1580.00	400.00
7.	WARE HOUSE (WITH MEZZANINE FLOOR)	1215.50	915.00	300.50
8.	COOLING TOWER	978.00	680.00	298.00
9.	TANK FARM	-	-	
10.	ENGINEERING MATERIAL STORE AND TOILETS (Ladies & Gents in G.F.) & Q.C. & R&D LAB AT F.F.	80.42	80.42	
11.	LUNCH ROOM AND COMMON TOILETS (G+1)	-	-	
12.	PUMP HOUSE 1 & 2	304.00	304.00	
13.	HOT- WELL	-	-	
14.	UG WATER SUMP	-	-	
15.	E.T.P. (RO, ULTRA FILTRATION & MEE PLAN)	197.60	197.60	
16.	DG/TRANSFORMER AND ELECTRICAL YARD (1010 KVA X 2 NOS) / 2500 KVA X 1 NO	-	-	
17.	WAX PRESS	5.50	5.50	
18.	AREATATION TANK	10.50	10.50	
19.	DIESEL TANK	5.00	5.00	
20.	GENERATOR (ECOSTICATED)	-	-	
21.	FIRE HYDRANT SYSTEM (AT SITE PLAN)	132.50	132.50	
22.	CRECHE ROOM /document room	-	-	
GRAND TOTAL POWER INSTALLED				4631.00

REVISED PLAN SHOWING THE PROPOSED ADDITIONS TO THE EXISTING M/S GEMINI EDIBLES & FATS INDIA PRIVATE LIMITED IN SY. NO. 1607/2, SITUATED AT APIIC, INDUSTRIAL PARK, PANTA PALEM (EPURU-1B), VILLAGE, MUTHUKURU MANDAL, SPSR NELLORE DISTRICT, A.P.

DRAWN BY:-

KISHORE BUILDERS
 Cell: 9581337552
 Email: kishorebuilders@gmail.com

SIGN OF APPLICANT

Gemini Edibles & Fats (India) Private Limited
 Sy. No: 1607-2 (EPURU-1B)
 Panta Palem Village, Muthukuru Mandal,
 S.P.S.R. Nellore District

CHECKED BY:- KISHORE KUMAR
 KISHORE BUILDERS
 KISHOREBUILDERSNELLORE@GMAIL.COM



ANNEXURE II A

Sludge storage room in elevated platform



FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1	Sender's Name & Mailing Address (including Phone No. and email)	Name : GEMINI EDIBLES AND FATS INDIA PVT LTD Address : Survey No- 1607/2 Pantapalem (Epuru 1B) Village- Muthukur - II Mandal , SPSR Nellore, Dist. (AP) Phone No : 7729996854 Email : manna@gefindia.net
2	Sender's Authorisation No:	N-140/APPCB/ZO-VJA/CFO/W&A/2011-
3	Manifest Document No:	10745
4	Transporter Name & mailing Address (including Phone No. and email)	Name : COASTAL WASTE MANAGEMENT PROJECT (UNIT 2) Address : Sy.No:20-2P1, 20-2P2,20-2P3, Ravinguntapalli (V), Bojjanapa li (Grampanchayth) , Rapur (M) , SPSR Nellore District Phone No : 8790264007 Email : cwmp.nellore@ramky.com
5	Type of Vehicle:	Truck
6	Transporter's Registration No:	AP 07 TJ 2677
7	Vehicle Registration No:	AP07TJ1623
8	Receiver's Name & mailing Address, (including Phone No. and Email:	Name : Coastal Waste Management Project (Unit-2) Address : M/s. Coastal Waste Management Project (Unit-2) by M/s. Mum bai Waste Management Limited, (A Subsidiary of M/s. Ramky Enviro Engineers Ltd.,) SPSR Nellore District Phone No : 9154252951 Email : madhubabu@ramky.com
9	Receiver's Authorisation No:	APPCB/UH:IV/HWM/CFO/CWMP-NLR/2018
10	Waste Description:	LandFillable Waste - 37.3 concentration or evaporation residues of Schedule I (MEE SALT)
11	Total Quantity : No. of Containers:	23.380 - Tonnes
12	Physical Form:	Solid
13	Special Handling Instructions & Additional Information:	Material is in bags.
14	Sender's	I hereby declare that the contents of the consignment are fully and accurately




	Certificate:	described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.									
	Name and stamp:			M	M	D	D	Y	Y	Y	Y
				1	2	1	1	2	0	2	0
15	Transporter acknowledgement of receipt of Wastes										
	Name and stamp:	Signature:		M	M	D	D	Y	Y	Y	Y
16	Receiver's certification for receipt of hazardous and other waste										
	Name and stamp:	Signature:		M	M	D	D	Y	Y	Y	Y

Copy number with colour code	Purpose	
Copy 1 (White)	To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.	
Copy 2 (Yellow)	To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter.	
Copy 3 (Pink)	To be retained by the receiver (actual user or treatment storage and disposal facility operator) after receiving the waste and the remaining four copies are to be duly signed by the receiver.	
Copy 4 (Orange)	To be handed over to the transporter by the receiver after accepting waste.	
Copy 5 (Green)	To be sent by the receiver to the State Pollution Control Board.	
Copy 6 (Blue)	To be sent by the receiver to the sender.	
Copy 7 (Grey)	To be sent by the receiver to the State Pollution Control Board of the sender in case the sender is in another State.	

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1	Sender's Name & Mailing Address (including Phone No. and email)	Name :GEMINI EDIBLES AND FATS INDIA PVT LTD Address :Survey No- 1607/2 Pantapalem (Epuru 1B) Village- Muthukuru Mandal , SPSR Nellore, Dist (AP) Phone No :7729996854 Email :manna@gfindia.net																
2	Sender's Authorisation No:	N-140/APPCB/ZO-VIA/CFO/W&A/2011-																
3	Manifest Document No:	8379																
4	Transporter Name & mailing Address: (including Phone No. and email)	Name :COASTAL WASTE MANAGEMENT PROJECT (UNIT 2) Address :Sy.No:20-2P1, 20-2P2,20-2P3, Ravinguntapalli (V), Bojjanapalli(Grampanchayth) ,Rapur (M) , SPSR Nellore District Phone No :8790264007 Email :cwmp.nellore@ramky.com																
5	Type of Vehicle:	Truck																
6	Transporter's Registration No:	AP 07 TJ 2677																
7	Vehicle Registration No:	AP39T117168																
8	Receiver's Name & mailing Address, (including Phone No. and Email:	Name :Coastal Waste Management Project (Unit-2) Address :M/s. Coastal Waste Management Project (Unit-2) by M/s. Mumbai Waste Management Limited, (A Subsidiary of M/s. Ramky Enviro Engineers Ltd.,) SPSR Nellore District Phone No :9154252951 Email :madhubabu@ramky.com																
9	Receiver's Authorisation No:	APPCB/UH:IV/HWM/CFO/CWMP-NLR/2018																
10	Waste Description:	LandFillable Waste - 35.3 Chemical sludge from waste water treatment of Schedule I (ETP LIME LUDGE)																
11	Total Quantity : No. of Containers:	15.080 - Tonnes																
12	Physical Form:	Solid																
13	Special Handling Instructions & Additional Information:	Material is in bags.																
14	Sender's Certificate:	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.																
Name and stamp:		 <table border="1"> <tr> <td>M</td><td>M</td><td>D</td><td>D</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td> </tr> <tr> <td>1</td><td>0</td><td>1</td><td>0</td><td>2</td><td>0</td><td>2</td><td>0</td> </tr> </table>	M	M	D	D	Y	Y	Y	Y	1	0	1	0	2	0	2	0
M	M	D	D	Y	Y	Y	Y											
1	0	1	0	2	0	2	0											
15	Transporter acknowledgement of receipt of Wastes	 <table border="1"> <tr> <td>M</td><td>M</td><td>D</td><td>D</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td> </tr> <tr> <td>1</td><td>0</td><td>1</td><td>0</td><td>2</td><td>0</td><td>2</td><td>0</td> </tr> </table>	M	M	D	D	Y	Y	Y	Y	1	0	1	0	2	0	2	0
M	M	D	D	Y	Y	Y	Y											
1	0	1	0	2	0	2	0											
16	Receiver's certification for receipt of hazardous and other waste	 <table border="1"> <tr> <td>M</td><td>M</td><td>D</td><td>D</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>	M	M	D	D	Y	Y	Y	Y								
M	M	D	D	Y	Y	Y	Y											
Name and stamp:		Signature:																
Copy number with colour code	Purpose																	
Copy 1 (White)	To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.																	
Copy 2 (Yellow)	To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter.																	
Copy 3 (Pink)	To be retained by the receiver (actual user or treatment storage and disposal facility operator) after receiving the waste and																	


FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE


1	Sender's Name & Mailing Address (including Phone No. and email)	Name :GEMINI EDIBLES AND FATS INDIA PVT LTD Address :Survey No- 1607/2 Pantapalem (Epuru 1B) Village- Muthukuru Mandal , SPSR Nellore. Dist. (AP) Phone No :7729996854 Email :manna@gemindia.net
2	Sender's Authorisation No:	N-140/APPCB/ZO-VJA/CFO/W&A/2011-
3	Manifest Document No:	7608
4	Transporter Name & mailing Address: (including Phone No. and email)	Name :COASTAL WASTE MANAGEMENT PROJECT (UNIT 2) Address :Sy.No:20-2P1, 20-2P2,20-2P3, Ravinguntapalli (V), Bojjanapalli (Grampanchayth) ,Rapur (M) , SPSR Nellore District Phone No :8790264007 Email :cwmp.nellore@ramky.com
5	Type of Vehicle:	Truck
6	Transporter's Registration No:	AP 07 TJ 2677
7	Vehicle Registration No:	AP07TJ1623
8	Receiver's Name & mailing Address, (including Phone No. and Email:	Name :Coastal Waste Management Project (Unit-2) Address :M/s. Coastal Waste Management Project (Unit-2) by M/s. Mumbai Waste Management Limited, (A Subsidiary of M/s. Ramky Enviro Engineers Ltd.,) SPSR Nellore District Phone No :9154252951 Email :madhubabu@ramky.com
9	Receiver's Authorisation No:	APPCB/UH:IV/HWM/CFO/CWMP-NLR/2018
10	Waste Description:	LandFillable Waste - 35.3 Chemical sludge from waste water treatment of Schedule I (ETP LIME LUDGE)
11	Total Quantity : No. of Containers:	20,400 - Tonnes
12	Physical Form:	Semi-Solid
13	Special Handling Instructions & Additional Information:	Material is in bags
14	Sender's	I hereby declare that the contents of the consignment are fully and accurately

Certificate: described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp:  Signature:

M	M	D	D	Y	Y	Y	Y
0	9	2	1	2	0	2	0

15 Transporter acknowledgement of receipt of Wastes

Name and stamp:  Signature:

M	M	D	D	Y	Y	Y	Y
0	9	2	1	2	0	2	0

16 Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

M	M	D	D	Y	Y	Y	Y

Copy number with colour code	Purpose
Copy 1 (White)	To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.
Copy 2 (Yellow)	To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter.
Copy 3 (Pink)	To be retained by the receiver (actual user or treatment storage and disposal facility operator) after receiving the waste and the remaining four copies are to be duly signed by the receiver.
Copy 4 (Orange)	To be handed over to the transporter by the receiver after accepting waste.
Copy 5 (Green)	To be sent by the receiver to the State Pollution Control Board.
Copy 6 (Blue)	To be sent by the receiver to the sender.
Copy 7 (Grey)	To be sent by the receiver to the State Pollution Control Board of the sender in case the sender is in another State.

[Back](#) [Print](#)

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1	Sender's Name & Mailing Address (including Phone No. and email)	Name :GEMINI EDIBLES AND FATS INDIA PVT LTD Address :Survey No- 1607/2 Pantapalem (Epuru 1B) Village- Muthukuru Mandal , SPSR Nellore. Dist. (AP) Phone No :7729996854 Email :manna@gcfindia.net
2	Sender's Authorisation No:	N-140/APPCB/ZO-VJA/CFO/W&A/2011-
3	Manifest Document No:	6212
4	Transporter Name & mailing Address: (including Phone No. and email)	Name :COASTAL WASTE MANAGEMENT PROJECT (UNIT 2) Address :Sy.No:20-2P1, 20-2P2,20-2P3, Ravinguntapalli (V), Bojjanapa Ili(Grampanchayth),Rapur (M) , SPSR Nellore District Phone No :8790264007 Email :cwmp.nellore@ramky.com
5	Type of Vehicle:	Truck
6	Transporter's Registration No:	AP 07 TJ 2677
7	Vehicle Registration No:	AP39TH7168
8	Receiver's Name & mailing Address, (including Phone No. and Email:	Name :Coastal Waste Management Project (Unit=2) Address :M/s. Coastal Waste Management Project (Unit-2) by M/s. Mum bai Waste Management Limited, (A Subsidiary of M/s. Ramky Enviro Engineers Ltd.) SPSR Nellore District Phone No :9154252951 Email :madhubabu@ramky.com
9	Receiver's Authorisation No:	APPCB/UH:IV/HWM/CFO/CWMP-NLR/2018
10	Waste Description:	LandFillable Waste - 35.3 Chemical sludge from waste water treatment of Schedule I (ETP LIME LUDGE)
11	Total Quantity : No. of Containers:	16.420 - Tonnes
12	Physical Form:	Solid
13	Special Handling Instructions & Additional Information:	Material is in bags.
14	Sender's	I hereby declare that the contents of the consignment are fully and accurately

	Certificate:	described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.								
	Name and stamp:	 Signature:	M	M	D	D	Y	Y	Y	Y
			0	8	1	8	2	0	2	0
15	Transporter acknowledgement of receipt of Wastes									
	Name and stamp:	Signature: 	M	M	D	D	Y	Y	Y	Y
16	Receiver's certification for receipt of hazardous and other waste									
	Name and stamp:	Signature:  Date: 19/8/20	Coastal of Waste Management Project Unit-2 (A Division of Municipal Waste Management)							
			M	M	D	D	Y	Y	Y	Y
			0	8	1	9	2	0	2	0

Copy number with colour code	Purpose
Copy 1 (White)	To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.
Copy 2 (Yellow)	To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter.
Copy 3 (Pink)	To be retained by the receiver (actual user or treatment storage and disposal facility operator) after receiving the waste and the remaining four copies are to be duly signed by the receiver.
Copy 4 (Orange)	To be handed over to the transporter by the receiver after accepting waste.
Copy 5 (Green)	To be sent by the receiver to the State Pollution Control Board.
Copy 6 (Blue)	To be sent by the receiver to the sender.
Copy 7 (Grey)	To be sent by the receiver to the State Pollution Control Board of the sender in case the sender is in another State.

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1	Sender's Name & Mailing Address (including Phone No. and email)	Name :GEMINI EDIBLES AND FATS INDIA PVT LTD Address :Survey No- 1607/2 Pantapalem (Epuru IB) Village- Muthukuru Mandal , SPSR Nellore, Dist. (AP) Phone No :7729996854 Email :manna@gfindia.net																
2	Sender's Authorisation No:	N-140/APPCB/ZO-VJA/CFO/W&A/2011-																
3	Manifest Document No:	4916																
4	Transporter Name & mailing Address: (including Phone No. and email)	Name :COASTAL WASTE MANAGEMENT PROJECT (UNIT 2) Address :Sy.No:20-2P1, 20-2P2,20-2P3, Ravinguntapalli (V), Bojjanapalli(Grampanchayth) ,Rapur (M) , SPSR Nellore District Phone No :8790264007 Email :cwmp.nellore@ramky.com																
5	Type of Vehicle:	Truck																
6	Transporter's Registration No:	AR-07-TJ-2677																
7	Vehicle Registration No:	AP39TH7168																
8	Receiver's Name & mailing Address, (including Phone No. and Email):	Name :Coastal Waste Management Project (Unit-2) Address :M/s. Coastal Waste Management Project (Unit-2) by M/s. Mumbai Waste Management Limited, (A Subsidiary of M/s. Ramky Enviro Engineers Ltd.,) SPSR Nellore District Phone No :9154252951 Email :madhubabu@ramky.com																
9	Receiver's Authorisation No:	APPCB/UJI-IV/H1WM/CFO/CWMP-NLR/2018																
10	Waste Description:	LandFillable Waste - 37.3 concentration or evaporation residues of Schedule I (MEE SALT)																
11	Total Quantity : No. of Containers:	16.700 - Tonnes																
12	Physical Form:	Solid																
13	Special Handling Instructions & Additional Information:	Material is in bags.																
14	Sender's Certificate:	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.																
Name and stamp:		Signature: 																
		<table border="1"> <tr> <td>M</td><td>M</td><td>D</td><td>D</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td> </tr> <tr> <td>0</td><td>7</td><td>1</td><td>5</td><td>2</td><td>0</td><td>2</td><td>0</td> </tr> </table>	M	M	D	D	Y	Y	Y	Y	0	7	1	5	2	0	2	0
M	M	D	D	Y	Y	Y	Y											
0	7	1	5	2	0	2	0											
15	Transporter acknowledgement of receipt of Wastes																	
Name and stamp:		Signature: 																
		<table border="1"> <tr> <td>M</td><td>M</td><td>D</td><td>D</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>	M	M	D	D	Y	Y	Y	Y								
M	M	D	D	Y	Y	Y	Y											
16	Receiver's certification for receipt of hazardous and other waste																	
Name and stamp:		Signature:																
		<table border="1"> <tr> <td>M</td><td>M</td><td>D</td><td>D</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>	M	M	D	D	Y	Y	Y	Y								
M	M	D	D	Y	Y	Y	Y											

Copy number with colour code	Purpose
Copy 1 (White)	To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.
Copy 2 (Yellow)	To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter.
Copy 3 (Pink)	To be retained by the receiver (actual user or treatment storage and disposal facility operator) after receiving the waste and the remaining four copies are to be duly signed by the receiver.

COASTAL WASTE MANAGEMENT PROJECT, Unit - II
 (Division of Mumbai Waste Management Limited) (A Subsidiary of Ramky Enviro Engineers Limited)
MANIFEST FOR HAZARDOUS AND OTHER WASTE, FORM - 10

To be filled by the waste sender

1.	Sender's Name & Mailing Address : (Including Phone No. & e-mail)	Semi Edibles & Fats India Sy No : 160712, Epuru 1B, Pantaaplem (V), Muthukur (M), SPSR Nellore Dist. A.P. 524 223		
2.	IWMA Membership No.	CWMP2<dist>/Gen/M.ID		
3.	Sender's Authorisation No. :	N-140/PCB/20-VTA/eto/WEA/11-872		
4.	Manifest Document No.	001088		
5.	Transporter's Name & Address : (Including Phone No. & e-mail)	SELF		
6.	Type Of Vehicle :	<input checked="" type="checkbox"/> Truck <input type="checkbox"/> Tanker <input type="checkbox"/> Special Vehicle		
7.	Transporter's Registration No. :			
8.	Vehicle Registration No. :	AP 07TJ 2672		
9.	Receiver's Name & Mailing Address : (Including Phone No. & e-mail)	Coastal Waste Management Project, Unit - II Opp.Road : Govt.Veterinary Polytechnic college, Raviguntapalli Village, Rapur Mandal, SPSR, Nellore Dist.A. P, Pin - 524408, E-mail : cwmp.nellore@ramky.com Ph: 8247295924		
10.	Receiver's Authorisation No. :	APPCB/UH : IV/HWM/CFO/CWMP-NLR/2018 -2023		
11.	Waste Description	lime sludge	Category No.	
12.	Total Quantity	20.040 m ³ or MT		
	No. of ContainersNos		
13.	Physical Form :	Solid / Semi Solid / Sludge / Oily / Tarry / Slurry / Liquid		
14.	Special Handling Instructions & additional information :	Carefully		
15.	Sender's Certificate : I here by declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and labeled and are in all the respects in proper conditions for transport by road according to applicable national government regulations.			
	Name & Stamp	Signature	Month	Day
			05	26
			20	20
Transporter	16. Transporter acknowledgement of receipt of wastes :		Month	Day
	Name & Stamp	Signature	05	26
			20	20
TSDF	17. Receiver's certification for receipt of hazardous and other wastes :		Month	Day
	Name & Stamp	Signature		

Copy 1 (White) - To be forwarded by the sender to the SPCB
 Copy 2 (Yellow) - To be retained by the sender after taking sign from Transporter
 Copy 3 (Pink) - To be retained by TSDF after Signature.
 Copy 4 (Orange) - To be handed over to the Transporter by the TSDF after receiving waste
 Copy 5 (Green) - To be sent by the TSDF to the SPCB
 Copy 6 (Blue) - To be sent by the TSDF to the sender
 Copy 7 (Grey) - To be Sent by the TSDF to the State Pollution Control Board of the sender in case the sender is in another State

RgdS,

COASTAL WASTE MANAGEMENT PROJECT, Unit - II

Division of Mumbai Waste Management Limited) (A Subsidiary of Ramky Enviro Engineers Limited)

MANIFEST FOR HAZARDOUS AND OTHER WASTE FORM - 10

To be filled by the waste sender

1.	Sender's Name & Mailing Address : (Including Phone No. & e-mail)	Gemini Edibles & Fats India Pvt. Ltd Sy No : 1607/2, Epuru 1B, Pantaaplem (V) Muthukur (M), SPSR Nellore Dist. A.P. 524 323										
2.	IWMA Membership No.	CWMP2<dist>/Gen/M.ID										
3.	Sender's Authorisation No. :	N-140/PCB/20-VJA CTE/W&A 2018-22										
4.	Manifest Document No.	000991										
5.	Transporter's Name & Address : (Including Phone No. & e-mail)	Self										
6.	Type Of Vehicle :	<input type="checkbox"/> -Truck <input type="checkbox"/> Tanker <input type="checkbox"/> Special Vehicle										
7.	Transporter's Registration No. :											
8.	Vehicle Registration No. :	AP31 Y 5775										
9.	Receiver's Name & Mailing Address: (Including Phone No. & e-mail)	Coastal Waste Management Project, Unit - II Opp.Road : Veternary polytechnic college, Ravinguntapalli Village, Rapur Mandalam, SPSR, Nellore Dist.A. P., Pin - 524408, E-mail : cwmp2wo.nellore@ramky.com P h:8247295924										
10.	Receiver's Authorisation No. :	APPCB/UH : IV/HWM/CFO/CWMP-NLR/2018 -2023										
11.	Waste Description	Category No.	line sludge									
12.	Total Quantity <u>1910</u>m ³ or MT ✓										
13.	No. of ContainersNos ✓										
13.	Physical Form :	Solid / Semi Solid / Sludge / Oily / Tarry / Slurry / Liquid										
14.	Special Handling Instructions & additional information :	None Fully										
15.	Sender's Certificate: I here by declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and labeled and are in all the respects in proper conditions for transport by road according to applicable national government regulations.											
15.	Name & Stamp	Signature	<table border="1" style="width: 100%; text-align: center;"> <tr> <td>05</td><td>05</td><td>20</td><td>20</td> </tr> <tr> <td>Month</td><td>Day</td><td colspan="2">Year</td> </tr> </table>		05	05	20	20	Month	Day	Year	
05	05	20	20									
Month	Day	Year										
16.	Name & Stamp	Signature	<table border="1" style="width: 100%; text-align: center;"> <tr> <td>05</td><td>05</td><td>20</td><td>20</td> </tr> <tr> <td>Month</td><td>Day</td><td colspan="2">Year</td> </tr> </table>		05	05	20	20	Month	Day	Year	
05	05	20	20									
Month	Day	Year										
17.	Name & Stamp	Signature	<table border="1" style="width: 100%; text-align: center;"> <tr> <td> </td><td> </td><td> </td><td> </td> </tr> <tr> <td>Month</td><td>Day</td><td colspan="2">Year</td> </tr> </table>						Month	Day	Year	
Month	Day	Year										

Copy 1 (White) - To be forwarded by the sender to the SPCB
 Copy 2 (Yellow) - To be retained by the sender after taking sign from Transporter
 Copy 3 (Pink) - To be retained by TSDf after Signature.
 Copy 4 (Orange) - To be handed over to the Transporter by the TSDf after receiving waste
 Copy 5 (Green) - To be sent by the TSDf to the SPCB
 Copy 6 (Blue) - To be sent by the TSDf to the sender
 Copy 7 (Grey) - To be sent by the TSDf to the State Pollution Control Board of the sender in case the sender is in another State

COASTAL WASTE MANAGEMENT PROJECT, Unit - II

Division of Mumbai Waste Management Limited) (A Subsidiary of Ramky Enviro Engineers Limited)

MANIFEST FOR HAZARDOUS AND OTHER WASTE FORM - 10

To be filled by the waste sender

1.	Sender's Name & Mailing Address : (Including Phone No. & e-mail)	Semin Edibles & Fats India Pvt. Ltd. Sy No : 1607/2, Epuru 1B, Pantaaplem (V), Muthukur (M), SPSR Nellore Dist. A.P. 524 323																		
2.	IWMA Membership No.	CWMP2/<dist>/Gen/M.ID																		
3.	Sender's Authorisation No. :	N-140/PCB/20-VJA/CFO/WMA/2011-877																		
4.	Manifest Document No.	001055																		
5.	Transporter's Name & Address : (Including Phone No. & e-mail)	SELF																		
6.	Type Of Vehicle :	<input type="checkbox"/> Truck <input type="checkbox"/> Tanker <input type="checkbox"/> Special Vehicle																		
7.	Transporter's Registration No. :																			
8.	Vehicle Registration No. :	AP2FW 6586																		
9.	Receiver's Name & Mailing Address: (Including Phone No. & e-mail)	Coastal Waste Management Project, Unit - II Opp.Road : Govt.Veterinary Polytechnic college, Raviguntapalli Village, Rapur Mandal, SPSR, Nellore Dist.A. P., Pin - 524408, E-mail : cwmp.nellore@ramky.com Ph:8247295924																		
10.	Receiver's Authorisation No. :	APPCB/UH : IV/HWM/CFO/CWMP-NLR/2018 -2 023																		
11.	Waste Description	Like sludge	Category No.																	
12.	Total Quantity	17.25 m ³ or MT																		
	No. of Containers	Nos																	
13.	Physical Form :	Solid / Semi Solid / Sludge / Oily / Tarry / Slurry / Liquid																		
14.	Special Handling Instructions & additional information :	Carefully.																		
15.	Sender's Certificate : I here by declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and labeled and are in all the respects in proper conditions for transport by road according to applicable national government regulations.																			
	 Name & Stamp		Signature 																	
Transporter	16.	Transporter acknowledgement of receipt of wastes :		<table border="1" style="width: 100%; text-align: center;"> <tr> <td>0</td><td>2</td><td>0</td><td>7</td><td>2</td><td>0</td><td>2</td><td>0</td> </tr> <tr> <td colspan="2">Month</td> <td colspan="2">Day</td> <td colspan="4">Year</td> </tr> </table>	0	2	0	7	2	0	2	0	Month		Day		Year			
0	2	0	7	2	0	2	0													
Month		Day		Year																
		 Signature		<table border="1" style="width: 100%; text-align: center;"> <tr> <td>0</td><td>2</td><td>0</td><td>7</td><td>2</td><td>0</td><td>2</td><td>0</td> </tr> <tr> <td colspan="2">Month</td> <td colspan="2">Day</td> <td colspan="4">Year</td> </tr> </table>	0	2	0	7	2	0	2	0	Month		Day		Year			
0	2	0	7	2	0	2	0													
Month		Day		Year																
TSDF	17.	Receiver's certification for receipt of hazardous and other wastes :		<table border="1" style="width: 100%; text-align: center;"> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td> </tr> <tr> <td colspan="2">Month</td> <td colspan="2">Day</td> <td colspan="4">Year</td> </tr> </table>									Month		Day		Year			
Month		Day		Year																
		 Signature																		

Copy 1 (White) - To be forwarded by the sender to the SPCB
 Copy 2 (Yellow) - To be retained by the sender after taking sign from Transporter
 Copy 3 (Pink) - To be retained by TSDF after Signature.
 Copy 4 (Orange) - To be handed over to the Transporter by the TSDF after receiving waste
 Copy 5 (Green) - To be sent by the TSDF to the SPCB
 Copy 6 (Blue) - To be sent by the TSDF to the sender
 Copy 7 (Grey) - To be Sent by the TSDF to the State Pollution Control Board of the sender in case the sender is in another State

COASTAL WASTE MANAGEMENT PROJECT-TSDF

(A Division of Ramky Enviro Engineers Limited)

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Form-10

To be filled by the waste sender

1.	Sender's Name & Mailing address (including phone No. and e-mail)	
2.	Sender's authorisation No.	N-140/PCB/Z-VJA/CFO/WRA/2011-877
3.	Manifest Document No.	47669
4.	Transporter's name and address : (including phone No. and e-mail)	Gati Transport Vikata Sreenivasulu Padugubadu
5.	Type of vehicle	Truck / Tanker / Special Vehicle Auto
6.	Transporter's registration No.	
7.	Vehicle registration No.	AP26T80379
8.	Receiver's name and mailing address : (including phone No. and e-mail)	COASTAL WASTE MANAGEMENT PROJECT, Road No. 20/5 J.N. Pharmacy, Parawada, Visakhapatnam, Pin-531 019, A.P., India. Ph : 08924-236014, cwmp@ramky.com
9.	Receiver's authorisation No. :	
10.	Waste description :	Spent Nickel catalyst
11.	Total quantity : No. of Containers :	210 kg m ³ or MT Nos.
12.	Physical form :	(Solid / Semi-Solid / Sludge / Oily / Tarry / Slurry / Liquid)
13.	Special handling instructions and additional information	Carefully
14.	Sender's Certificate : I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked and labeled and are in all respects in proper condition for transport by road according to applicable national government regulations.	
	Name & Stamp	Signature
		06/27/2018 Month Day Year
Transporter	15. Transporter Acknowledgement of receipt of wastes :	
	Name & Stamp	Signature
		06/27/2018 Month Day Year
TSDF	16. Receiver's certification for receipt of hazardous and other waste	
	Name & Stamp	Signature
		Month Day Year

Copy 1 (White) - To be forwarded by the Sender to the SPCB
 Copy 2 (Yellow) - To be retained by Sender after taking sign from Transporter.
 Copy 3 (Pink) - To be retained by TSDF after Signature.

Copy 4 (Orange) - To be handed over to the Transporter by the TSDF after receiving Waste.
 Copy 5 (Green) - To be sent by the TSDF to the SPCB.
 Copy 6 (Blue) - To be sent by the TSDF to the sender.


COASTAL WASTE MANAGEMENT PROJECT-TSDF

(A Division of Ramky Enviro Engineers Limited)

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Form-10

To be filled by the waste sender

1.	Sender's Name & Mailing address (including phone No. and e-mail)	GEMINI EDIBLES & FATS INDIA PVT LTD. Factory Survey No. : 1607/2, Industrial Park, PANTAPALEM (Epuru Bit-I) Village. Mulhukur Mandal, S.P.S.R.Nellore Dist.-524 323								
2.	Sender's authorisation No.	N-140/PCR/2-VJA/CFO/WG/A2011-877								
3.	Manifest Document No.	43237								
4.	Transporter's name and address : (including phone No. and e-mail)	VRL								
5.	Type of vehicle	Truck / Tanker / Special Vehicle								
6.	Transporter's registration No.									
7.	Vehicle registration No.	AP26TB 0379								
8.	Receiver's name and mailing address : (including phone No. and e-mail)	COASTAL WASTE MANAGEMENT PROJECT , Road No. 20/5 J.N. Pharmacy, Parawada, Visakhapatnam, Pin-531 019, A.P., India. Ph : 08924-236014, cwmp@ramky.com								
9.	Receiver's authorisation No. :									
10.	Waste description :	Spent catalyst								
11.	Total quantity : No. of Containers :	700 kg m ³ or MT Nos.								
12.	Physical form :	(Solid / Semi-Solid / Sludge / Oily / Tarry / Slurry / Liquid)								
13.	Special handling instructions and additional information	Carefully								
14.	Sender's Certificate : I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked and labeled and are in all respects in proper condition for transport by road according to applicable national government regulations.									
15.	Transporter Acknowledgement of receipt of wastes :	<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="text-align: center;">  <p>Name & Stamp</p> </div> <div style="text-align: center;">  <p>Signature</p> </div> <div style="text-align: right;"> <p>07 26</p> <table border="1" style="border-collapse: collapse;"> <tr> <td style="width: 20px;">07</td> <td style="width: 20px;">26</td> <td style="width: 20px;">20</td> <td style="width: 20px;">16</td> </tr> <tr> <td>Month</td> <td>Day</td> <td colspan="2">Year</td> </tr> </table> </div> </div>	07	26	20	16	Month	Day	Year	
07	26	20	16							
Month	Day	Year								
15.	Transporter	<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="text-align: center;"> <p>VRL Transport</p> <p>Name & Stamp</p> </div> <div style="text-align: center;"> <p>Signature</p> </div> <div style="text-align: right;"> <table border="1" style="border-collapse: collapse;"> <tr> <td style="width: 20px;">07</td> <td style="width: 20px;">26</td> <td style="width: 20px;">20</td> <td style="width: 20px;">16</td> </tr> <tr> <td>Month</td> <td>Day</td> <td colspan="2">Year</td> </tr> </table> </div> </div>	07	26	20	16	Month	Day	Year	
07	26	20	16							
Month	Day	Year								
16.	TSDF	<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="text-align: center;"> <p>Name & Stamp</p> </div> <div style="text-align: center;"> <p>Signature</p> </div> <div style="text-align: right;"> <table border="1" style="border-collapse: collapse;"> <tr> <td style="width: 20px;"> </td> <td style="width: 20px;"> </td> <td style="width: 20px;"> </td> <td style="width: 20px;"> </td> </tr> <tr> <td>Month</td> <td>Day</td> <td colspan="2">Year</td> </tr> </table> </div> </div>					Month	Day	Year	
Month	Day	Year								

Copy 1 (White) - To be forwarded by the Sender to the SPCB
 Copy 2 (Yellow) - To be retained by Sender after taking sign from Transporter.
 Copy 3 (Pink) - To be retained by TSDF after Signature.
 Copy 4 (Orange) - To be handed over to the Transporter by the TSDF after receiving Waste.
 Copy 5 (Green) - To be sent by the TSDF to the SPCB.
 Copy 6 (Blue) - To be sent by the TSDF to the sender.

ANNEXURE 12

(P)

भारतीय डाक
India Post

RN631867256IN IVR:6278631867
RL STONEMOUSEPET S.O (524002)
Counter No:1,10/04/2018,10:49
To: [REDACTED]
PIN:520010, Venkateswarpuram S.O
From:GENTIL EDIR,NIMMUR
Wt:36gms
Amt:27.00(Cash)
<Track on www.indiapost.gov.in>
<Dial 1800 266 6868>

भारतीय डाक
India Post

RN631867123IN IVR:6278631867
RL STONEMOUSEPET S.O (524002)
Counter No:1,10/04/2018,10:49
To: [REDACTED]
PIN:520001, Vijayawada H.O
From:GENTIL EDIR,NIMMUR
Wt:70gms
Amt:37.00(Cash)
<Track on www.indiapost.gov.in>
<Dial 1800 266 6868>



Gemini Edibles & Fats India Private Limited

Regd. Off: "FREEDOM HOUSE" B-2-33470 & 71 (Opp. SBI Executive Enclave),
Road No. 5, Banjara Hills, Hyderabad - 500 034, Telangana, India
Phones: +91 40 6735 7888 Fax: +91 40 6735 7878
www.gemindia.com

CIN: U15205TG2008PTC058708

PAN: AADCG5150F

Date: 06-04-2018

To,
The Member Secretary,
APPCB, Head Office
Kasturibaipet,
Vijayawada.

Sub: Submission of Present status and preventive measures taken by Gemini Edibles & Fats (I) Pvt. Ltd.

Ref: Copy of Minutes of review meeting dated 05.02.2018 & the Order No-149/APPCB-UH-II/TF/NLR/2018 dated 15.02.2018 received from JCEE UH-II.

Further to our request made during the last review meeting, with respect to Compliance of Standards and Conditions stipulated for operation and Hazardous Waste Authorization Report to subject for submission of present status of Gemini Edible & Fats (I) Pvt. Ltd., we are submitting here under the present developments and the preventive measures taken by us to ensure to meet all the requirement and conditions of the P C B.

APPCB COMPLIANCE REPORT & COUNTERMEASURES BY GEMINI EDIBLES & FATS INDIA PRIVATE LIMITED		
Sr.No.	Action Plan	Present status
Directions 1.	The industry shall upgrade the existing ETP to comply with standards prescribed for discharge within 2 months. The details of ETP up-gradation & implementation progress shall be reported to ZO, Vijayawada & RO, Nellore for every fortnight.	As per board directions, Following upgradation activities have been undergoing in ETP: -Placement of skimmer for floating sludge removal from equalisation tank. (attached P.O in Annexure-1) -Procurement of diffusers for aeration tank for efficient biological treatment. (Quote collected attached in Annexure-2)



3.	The industry shall provide magnetic flow meter with totalizers & recording facility section wise to measure the exact quantities of water consumption and waste water generation within one month and shall maintain record. The consolidate report shall be furnished to ZO, Vijayawada and RO, Nellore every month.	As per your directions, we have magnetic flow meter in each stream and section wise water consumptions are being monitored & recorded in log sheet. Attached data monitoring sheet as Annexure -3
4.	The industry shall provide separate energy meters to the ETP, RO, MEE & Drum drier within one month and shall maintain logbooks.	Separate energy meters are in place for ETP inlet, outlet & RO plant & MEE inlet line. Furthermore flow meter will be placed in ATFD feed so as to ensure quantification of MEE concentrate generation. Attached details for the procurement of flow meter as per Annexure-4
5.	The industry shall furnish estimated quantity of water required on realistic basis of source of fresh water to RO, Nellore. The industry shall furnish actual quantities of water consumed every month.	We are submitting total water consumption monthly to RO, Nellore. Attached raw water consumption report for month of March-18 as Annexure-5
10.	The industry shall provide Ash silos with 30 days storage capacity a facility to load to the ash directly to the truck of loading manually to control dust emissions.	Ash silo with 30 days storage facility is not technically suggested. Your directions may please be reconsidered. We are loading ash directly from silo to truck.

Thanking You,

For Gemini Edibles & Fats India Pvt. Ltd.

[Handwritten Signature]

Authorized Signatory



CC to. The Joint Chief Environmental Engineer, Zonal Office, Vijawada.
The Environmental Engineer, RO-Nellore

भारतीय डाक



India Post

भारतीय डाक
भारतीय डाक

भारतीय डाक

भारतीय डाक

भारतीय डाक

भारतीय डाक

भारतीय डाक

भारतीय डाक

भारतीय डाक

भारतीय डाक

भारतीय डाक



India Post

भारतीय डाक



Gemini Edibles & Fats India Private Limited

Regd. Off: "FREEDOM HOUSE", 8-2-334/70 & 71, (Opp. SBI Executive Enclave),
Road No. 5, Banjara Hills, Hyderabad - 500 034, Telangana, India.
Phones : +91 40 6735 7888, Fax : +91 40 6735 7878
www.gefindia.com

CIN : U15205TG2008PTC058708

PAN : AADCG5150F

To,
The Joint Chief Environmental Engineer,
APPCB,
Zonal office,
Gurunanak Road
Kanakadurga colony
Vijayawada.


Date: 10-01-2019

Sub: Submission of Present status and preventive measures taken by Gemini Edibles & Fats (I) Pvt. Ltd.


Ref: Copy of Minutes of review meeting dated 05.12.2018 & the Order No-149/APPCB-UH-II/TF/NLR/2018-1543 dated 27.12.2018 received from JCEE UH-II.

Further to our request made during the last review meeting, with respect to Compliance of Standards and Conditions stipulated for operation and Hazardous Waste Authorization Report to subject for submission of present status of Gemini Edible & Fats (I) Pvt. Ltd., we are submitting here under the present developments and the preventive measures taken by us to ensure to meet all the requirement and conditions of the P C B.

APPCB COMPLIANCE REPORT & COUNTERMEASURES BY GEMINI EDIBLES & FATS INDIA PRIVATE LIMITED		
Sr.No.	Action Plan	Present status
Directions 1.	The industry shall immediately upgrade the existing ETP to comply with prescribed discharge standards.	- Complied. - As per board directions, Following upgradation activities have been undergoing in ETP. - Skimmer for floating sludge removal from equalisation tank has been installed and now it is in operation. - We have installed diffusers in Aeration chambers, to improve performance of Aeration.- complied We have submitted the detailed document to the Member Secretary, APPCB Environmental Engineer Zonal office Nellore, , Joint chief




		<p>- We have also installed DAF system in ETP after collection tank for better removal of fatty matter and maintain good quality at the inlet of the ETP. - The photo of DAF unit has been attached as Annexure -1.</p>
2.	The industry shall continuously operate the RO, MEE & Drum drier so as to zero liquid discharge and maintain proper records with respect to the operation of RO, MEE and drum drier.	<p>- Complied We have submitted the detailed document to the Member secretary, APPCB Environmental Engineer Zonal office Nellore, Joint chief Environmental engineer-Regional office Vijayawada dated- 02-03-2018.</p> <p>We are running our ETP, ROP & MEE plant effectively & recycling treated water for our internal use.</p>
3.	The industry shall furnish estimated quantity of water required on realistic basis and source of fresh water to RO, Nellore. The industry shall furnish actual quantities of water consumed every month	<p>Complied.</p> <p>-We have already shared the water balance for our industry to EE-RO, Nellore.</p> <p>We are submitting monthly water cess return, complying CFO conditions.</p> <p>Scanned copy of acknowledgement of water cess return as Annexure - 3.</p>
4.	The industry shall not discharge any type of effluents outside the premises under any circumstances	<p>-Noted and followed.</p> <p>- We have installation of 200KLD ETP followed by 200KLD RO plant for tertiary treatment of ETP water & we have 100KLD MEE plant with ATFD.</p>
5.	The industry shall furnish details of actual solid waste generation within 15 days.	<p>- Complied.</p> <p>- We are submitting the plant log sheet stating the total generation of waste from different operational stages in ETP/MEE</p>



6.	The industry shall provide filter press to handle the ETP sludge effectively in place of sludge drying beds within one month.	- As per direction, we have installed sludge filter press with the conventional sludge bed for improving the sludge handling and as well as efficient operation of ETP- complied on June'18 report submitted to Member Secretary, APPCB Environmental Engineer Zonal office Nellore, Joint chief Environmental Engineer-Regional office Vijayawada dated - 05-07-18.
7.	The industry shall dispose off hazardous waste and MEE salts to TSDF immediately and maintain records for solid waste generation and disposal and shall furnish monthly records to ZO, Vijayawada and RO, Nellore.	We have yearly membership certificate with TSDF Ramky-Vizag. We are sending actual generated solid waste to TSDF and uploading in PCB. -Complied We have submitted the detailed document to the Member Secretary, APPCB Environmental Engineer Zonal office Nellore, Joint chief Environmental Engineer-Regional office Vijayawada dated - 02-03-18.
8.	The industry shall provide Ash silos with 30 days storage capacity with a facility to load to the ash directly to the trucks instead of loading manually to control dust emissions.	-Complied We have submitted the detailed document to the Member Secretary, APPCB Environmental Engineer Zonal office Nellore, Joint chief Environmental Engineer-Regional office Vijayawada dated - 05-07-18.
9.	The industry shall provide closed storage facility to store coal/fuel and mechanical water sprinkler at cold storage yard & ash handling system within one month.	-Complied We have submitted the detailed document to the Member Secretary, APPCB Environmental Engineer Zonal office Nellore, Joint chief Environmental Engineer-Regional office Vijayawada dated - 02-03-18.
10.	The industry shall properly maintain good housekeeping within the plant particularly at ETP, MEE & ATFD areas.	-Complied. We are maintaining good housekeeping in ETP, MEE and ATFD area.



11	The industry shall not go for any expansion proposal till comply with the direction issued by the Board	-Noted.
12	The industry shall provide single storage of fresh water before using for process, cooling and domestic purposes etc and also to provide adequate primary storage tank for collection of Raw effluents generating from process & wash, cooling tower blowdowns, fresh water RO rejects & domestic sections etc. so as to assess the exact quantity of water consumption & waste water generation by the edible units.	-Complied. We had single storage tank for Raw water and RO product water. -We are also providing the actual quantity of Raw water consumed and waste water generated by the industry.
13	The industry shall develop and maintain thick green belt in 33% of the total area in the premises.	-Complied. We have submitted the detailed document to the Member Secretary, APPCB Environmental Engineer Zonal office Nellore, , Joint chief Enviornmental Engineer-Regional office Vijayawada dated - 02-03-18.
14	The industry shall strictly comply with the above directions as per the specified time targets, failing which stop production orders will be issued without any further notices.	-Noted.
15	The industry shall ensure the validity CFO of the Board and ensure continuous compliance of the conditions stipulated by the board.	-Noted & we are following the same.



With these above compliance, we are confident that, we are following the Directions issued by the Member Secretary.

Thanking You,

For Gemini Edibles & Fats India Pvt. Ltd.

Bapi Das.

Authorized Signatory

CC to. The Joint Chief Environmental Engineer, Zonal Office, Vijawada.
The Environmental Engineer, RO-Nellore



(b)

भारतीय डाक
India Post

CAS19017440IN INR:876561901744
 RP STONEHOUSEPET S.O (524002)
 Counter No:1,16/03/2020,12:10
 To: THE E ENGINE OFFICE
 PIN:520009, VJ Polytechnic S.O
 From:GEMINI EDIR,PANTAPALER VILLA
 NR:100gms
 Amt:36.00(Cash)
 (Track on www.indiapost.gov.in)
 (Toll 1800 105 8840)

भारतीय डाक
India Post

CAS19017563IN INR:876561901756
 RP STONEHOUSEPET S.O (524002)
 Counter No:1,16/03/2020,12:10
 To: THE E ENGINE OFFICE REG OFFICE
 PIN:524009, Andrahasera Nagar S.O
 From:GEMINI EDIR,PANTAPALER VILLA
 NR:100gms
 Amt:36.00(Cash)
 (Track on www.indiapost.gov.in)



Gemini Edibles & Fats India Private Limited

Regd. Off: "FREEDOM HOUSE", 8-2-334/70 & 71, (Opp. SBI Executive Enclave),
Road No. 5, Banjara Hills, Hyderabad - 500 034, Telangana, India.
Phone : +91 40 6735 7888, Fax : +91 40 6735 7878
www.gemindia.com

CIN : U15205TG2008PTC058708

PAN : AADC6515C

To,
The Joint Chief Environmental Engineer,
APPCB, Zonal Office
Gurunanak Road,
Vijayawada.

Date: 09-03-2020

Sub: Submission of Present status and preventive measures taken by Gemini Edibles & Fats (I) Pvt. Ltd.

Ref: Copy of Minutes of review meeting dated 06.11.2019 & the Order No-149/APPCB-UH-II/TF/NLR/2020-1813 dated 17.01.2020 received from JCEE UH-II.

Further to our request made during the last review meeting, with respect to Compliance of Standards and Conditions stipulated for operation and Hazardous Waste Authorization Report to subject for submission of present status of Gemini Edible & Fats (I) Pvt. Ltd., we are submitting here under the present developments and the preventive measures taken by us to ensure to meet all the requirement and conditions of the APPCB.


APPCB COMPLIANCE REPORT & COUNTERMEASURES BY GEMINI EDIBLES & FATS INDIA PRIVATE LIMITED		
Sr. No.	Action Plan	Present status
Directions 1.	The industry shall continuously operate ETP so as to meet the discharge standards. All the units of the ETP shall be made impervious to prevent ground water pollution	<ul style="list-style-type: none">- Complied, as mentioned in the Point no-1 & 2, Order no-149/APPCB/UH-II/TF/NLR/2020-1813.- We are running our ETP, ROP & MEE plant effectively & recycling treated water for our internal use.- As per board directions, Following upgradation activities have been undergoing in ETP.- Skimmer for floating sludge removal from equalisation tank has been installed and now it is in operation.- We have installed diffusers in Aeration chambers, to improve performance of Aeration




Works :

- Survey No. 1607/2, APIIC Industrial Park, Pantapalem (Epuru 1B) (V), Muthukuru (M), Sri Potti Sri Ramulu Nellore Dist. - 524 323 (A.P.)
- Survey Nos. (parts) 176, 177, 179 & 308, Thammavaram (V), Suryaraopeta (G.P.), Kakinada Rural (M), E.G. Dist. - 533 005. (A.P.)
- Plot Nos. 29, 30, 32 & 33, APIIC Industrial Park - Vakalapudi, Vakalapudi (V) and (G.P.), Kakinada Rural (M), E.G. Dist. - 533 005. (A.P.)

		<ul style="list-style-type: none"> - We have also installed DAF system in ETP after collection tank for better removal of fatty matter and maintain good quality at the inlet of the ETP. - The details have been attached as Annexure-1.
2.	The industry shall restrict water consumption to the consented capacity.	<ul style="list-style-type: none"> - We are consuming water as per the Consent Order No- N-140/APPCB/ZO-VJA/CFO/W&A/2011- dated 16.07.2016. - We are submitting monthly water consumption details & water cess details to APPCB Environmental Engineer-RO Nellore, Joint chief Environmental engineer- Zonal office Vijayawada. - The water consumption details for one year has been shared in Annexure- 2
3.	The industry shall operate the ETP & MEE continuously.	<ul style="list-style-type: none"> - Complied, as mentioned in the Point no-2, Order no-149/APPCB/UH-II/TF/NJLR/2020-1813. - We are running our ETP, ROP & MEE plant effectively & recycling treated water for our internal use. -During AEE-RO visit dated 24.07.2019, found ETP, RO & MEE, ATFD are in running condition & the same has been mentioned in the above mentioned order.
4.	The industry shall provide magnetic flowmeters with totalizer at the inlet and outlet of ETP, inlet of MEE concentrate condensate in inlet of ATFD and maintain log registers within one month.	<ul style="list-style-type: none"> - We have installed magnetic flowmeters with totalizer at the inlet & outlet of ETP, RO, MEE & ATFD. Attached photos of magnetic flowmeters as Annexure -3
5.	The industry shall maintain separate energy meters for ETP, RO, MEE & ATFD.	<ul style="list-style-type: none"> -We have installed separate energy meter with totalizer for ETP, RO, MEE & ATFD. Attached photo of energy meters Annexure-4
6.	The industry shall take measures that effluent and contaminated rain water does not join the storm water drains. The storm water generated within the industry premises shall be routed to the rain water	<ul style="list-style-type: none"> - We have installed rain water harvesting pond in 2017 & all the high raised building water are being stored in the pond.



	harvesting pits immediately and excess rain water shall be stored in summer storage tanks.	
7.	The contaminated rain water shall be routed to the ETP.	-Complied, presently the contaminated water is being treated in ETP, followed by ROP & MEE & treated water is being used for internal uses. -We have installed STP for drainage water treatment purpose. Attached details of STP as Annexure— 5.
8.	The industry shall not cause ground water pollution in and around the industry premises.	-Complied, We are running our ETP, ROP & MEE plant effectively & recycling treated water for our internal use.
9.	The industry shall not discharge any treated /untreated effluents outside the industry premises under any circumstances.	- Complied, as mentioned in the Point no-4, Order no-149/APP/CB/UH-II/TF/MLR/2020-1813. - We are running our ETP, ROP & MEE plant effectively & recycling treated water for our internal use.
10.	The industry shall restrict the production to the consented capacity.	-Noted, we are producing as per CFO. Attached production details as Annexure-6.
11	The industry shall not increase the capacity beyond the consented capacity (CFO).	-Noted, we are following the same.
12	The industry shall not cause any odour in the etp surrounding.	-Complied. - We are running our ETP, ROP & MEE plant effectively & recycling treated water for our internal use.
	The industry shall obtain necessary permissions from the ground water department for the withdrawal of water from the industry premises within 2 months.	-Complied. We have the permission from the Ground water department for drawing water from our factory premises. Attached approval copy as Annexure no-7



14	The industry shall develop green belt in all vacant places. The minimum green belt shall be 33% of the total area.	- Complied. We are maintaining more than 33 % green belt & submitted the detailed document to the Member Secretary, APPCB, Environmental Engineer Regional office Nellore, Joint chief Environmental Engineer-Zonal office Vijayawada.
15	The industry shall submit a fresh bank guarantee of Rs. 16.0 Lakhs within 15 days for the validity of one year.	-Noted, we have submitted the bank guarantee amount of 11 Lakh as per amended notice from APPCB dated 14.02.2020.


With these above compliance, we are confident that, we are following the Directions issued by the Member Secretary, APPCB.

Thanking You,

For Gemini Edibles & Fats India Pvt. Ltd.

Bapi Sr.

Authorized Signatory



GEMINI EDIBLES & FATS INDIA PVT LTD
EFFLUENT TREATMENT MONITORING LOG

DATE	WATER TREATMENT DETAILS												ENERGY CONSUMPTION DETAILS							
	ETP INLET FLOW			ETP OUTLET FLOW			RO PLANT			MEE PLANT		ETP ENERGY METER			RO ENERGY METER			MEE ENERGY METER		
	INLET	OUTLET	TOTAL (KL)	INLET	OUTLET	TOTAL (KL)	INLET	OUTLET	TOTAL (KL)	INLET	TOTAL (KL)	INITIAL	FINAL	TOTAL(KWH)	INITIAL	FINAL	TOTAL(KWH)	INITIAL	FINAL	TOTAL(KWH)
1-5-20	104375	104165	70	7756	7782	66	42049	42093	44	3211	11	7927.6	7934.1	360	7633.9	7633.9	100	196546	196707	162.1
2-5-20	104645	104720	72	77527	7790.0	68	42093	42139	46	-	-	7934.1	7941.5	365	7633.9	7644.9	106	-	-	-
3/5/20	104720	104720	70	7790.2	7796.1	66	42139	42184	45	32181	42	7941.5	7948.4	345	7644.9	7649.3	102	196707	196871	162.5
4/5/20	104850	104850	68	7796.1	7803.0	64	42184	42229	43	32223	41	7948.4	7955.6	360	7649.3	7654.5	104	196871	197040	163.0
5/5/20	104850	104850	68	7803.0	7809.9	64	42229	42274	45	32364	41	7955.6	7963.0	370	7654.5	7660.0	110	197040	197210	163.5
6/5/20	104920	104920	70	7809.9	7816.8	66	42274	42319	45	32364	42	7963.0	7970.2	360	7660.0	7665.0	104	197210	197380	164.0
7/5/20	104920	104920	70	7816.8	7823.7	66	42319	42364	45	32364	42	7970.2	7977.3	355	7665.0	7670.3	107	197380	197550	164.5
8/5/20	105050	105050	71	7823.7	7830.6	67	42364	42409	45	32364	42	7977.3	7984.5	360	7670.3	7675.5	104	197550	197720	165.0
9/5/20	105120	105120	70	7830.6	7837.5	66	42409	42454	45	32364	41	7984.5	7991.6	355	7675.5	7680.6	102	-	-	-
10/5/20	105120	105120	71	7837.5	7844.4	65	42454	42499	45	32113	41	7991.6	7998.8	360	7680.6	7685.8	104	197720	197890	165.5
11/5/20	105120	105120	70	7844.4	7851.3	66	42499	42544	45	32113	42	7998.8	8006.0	360	7685.8	7691.0	104	197890	198060	166.0
12/5/20	105120	105120	68	7851.3	7858.2	64	42544	42589	44	32113	42	8006.0	8013.2	355	7691.0	7696.2	104	198060	198230	166.5
13/5/20	105120	105120	68	7858.2	7865.1	67	42589	42634	44	32113	42	8013.2	8020.4	355	7696.2	7701.4	100	198230	198400	167.0
14/5/20	105120	105120	67	7865.1	7872.0	63	42634	42679	42	32113	40	8020.4	8027.6	355	7701.4	7706.6	112	198400	198570	167.5
15/5/20	105120	105120	70	7872.0	7878.9	66	42679	42724	44	32113	41	8027.6	8034.8	360	7706.6	7711.8	109	198570	198740	168.0
16/5/20	105120	105120	70	7878.9	7885.8	66	42724	42769	45	32113	42	8034.8	8042.0	360	7711.8	7717.0	102	-	-	-
17/5/20	105120	105120	70	7885.8	7892.7	65	42769	42814	47	32113	42	8042.0	8049.2	365	7717.0	7722.2	110	198740	198910	168.5
18/5/20	105120	105120	70	7892.7	7899.6	66	42814	42859	45	32113	42	8049.2	8056.4	360	7722.2	7727.4	107	198910	199080	169.0
19/5/20	105120	105120	70	7899.6	7906.5	68	42859	42904	46	32113	43	8056.4	8063.6	360	7727.4	7732.6	104	199080	199250	169.5
20/5/20	105120	105120	70	7906.5	7913.4	66	42904	42949	45	32113	42	8063.6	8070.8	345	7732.6	7737.8	104	199250	199420	170.0
21/5/20	105120	105120	70	7913.4	7920.3	66	42949	42994	44	32113	42	8070.8	8078.0	360	7737.8	7743.0	104	199420	199590	170.5
22/5/20	105120	105120	70	7920.3	7927.2	66	42994	43039	44	32113	41	8078.0	8085.2	355	7743.0	7748.2	104	199590	199760	171.0
23/5/20	105120	105120	70	7927.2	7934.1	68	43039	43084	46	32113	42	8085.2	8092.4	340	7748.2	7753.4	104	-	-	-
24/5/20	105120	105120	70	7934.1	7941.0	66	43084	43129	45	32113	42	8092.4	8100.0	345	7753.4	7758.6	102	199760	199930	171.5
25/5/20	105120	105120	70	7941.0	7947.9	68	43129	43174	46	32113	42	8100.0	8107.2	355	7758.6	7763.8	102	199930	200100	172.0
26/5/20	105120	105120	70	7947.9	7954.8	66	43174	43219	45	32113	41	8107.2	8114.4	355	7763.8	7769.0	104	200100	200270	172.5
27/5/20	105120	105120	70	7954.8	7961.7	66	43219	43264	45	32113	41	8114.4	8121.6	365	7769.0	7774.2	106	200270	200440	173.0
28/5/20	105120	105120	70	7961.7	7968.6	68	43264	43309	46	32113	42	8121.6	8128.8	335	7774.2	7779.4	104	200440	200610	173.5
29/5/20	105120	105120	70	7968.6	7975.5	66	43309	43354	45	32113	41	8128.8	8136.0	335	7779.4	7784.6	110	200610	200780	174.0
30/5/20	105120	105120	71	7975.5	7982.4	67	43354	43399	46	32113	39	8136.0	8143.2	360	7784.6	7789.8	110	200780	200950	174.5
31/5/20	105120	105120	70	7982.4	7989.3	68	43399	43444	46	32113	40	8143.2	8150.4	355	7789.8	7795.0	104	-	-	-
1/6/20	105120	105120	70	7989.3	7996.2	66	43444	43489	45	32113	40	8150.4	8157.6	360	7795.0	7800.2	104	200950	201120	175.0

GEMINI EDIBLES & FATS INDIA PVT LTD
EFFLUENT TREATMENT MONITORING LOG

DATE	WATER TREATMENT DETAILS												ENERGY CONSUMPTION DETAILS								
	ETP INLET FLOW			ETP OUTLET FLOW			RO PLANT			MEE PLANT			ETP ENERGY METER			RO ENERGY METER			MEE ENERGY METER		
	INLET	OUTLET	TOTAL (KL)	INLET	OUTLET	TOTAL (KL)	INLET	OUTLET	TOTAL (KL)	INLET	OUTLET	TOTAL (KL)	INITIAL	FINAL	TOTAL(KWH)	INITIAL	FINAL	TOTAL(KWH)	INITIAL	FINAL	TOTAL(KWH)
1/9/20	16628.5	16628.11	60	7783.26	7783.71	56	43437	43475	36	33219	11	9142.0	8154.0	350	7775.4	7305	102	8009.5	8064.4	297.5	
2/9/20	16628.11	16628.11	60	7783.71	7771.5	56	43475	43511	36	33260	21	8154.0	8160.3	215	7800.5	7805.6	102	8016.4	8018.5	302	
3/9/20	16628.11	16628.11	70	7771.5	7778.1	66	43511	43556	45	33301	42	8160.3	8167.4	355	7805.6	7810.8	104	8018.5	8018.5	375	
4/9/20	16628.11	16628.11	60	7778.1	7778.1	56	43556	43592	36	33343	41	8167.4	8174.6	360	7810.8	7815.9	102	8018.5	8016.7	430	
5/9/20	16628.11	16628.11	60	7778.1	7778.1	56	43592	43629	37	33384	42	8174.6	8181.0	320	7815.9	7821.0	102	8016.7	8016.7	320	
6/9/20	16628.11	16628.11	65	7778.1	7778.1	61	43629	43666	41	-	-	8181.0	8188.3	365	7821.0	7826.1	102	-	-	-	
7/9/20	16628.11	16628.11	60	7778.1	7778.1	56	43666	43702	37	33426	41	8188.3	8195.4	355	7826.1	7831.6	104	8016.7	8019.4	420	
8/9/20	16628.11	16628.11	61	7778.1	7778.1	61	43702	43739	42	33467	40	8195.4	8202.5	355	7831.6	7836.7	102	8019.4	8021.0	415	
9/9/20	16628.11	16628.11	72	7778.1	7778.1	68	43739	43775	46	33507	42	8202.5	8209.4	345	7836.7	7841.8	114	8021.0	8021.0	400	
10/9/20	16628.11	16628.11	70	7778.1	7778.1	66	43775	43810	45	33549	42	8209.4	8216.5	355	7841.8	7846.9	102	8021.0	8021.0	420	
11/9/20	16628.11	16628.11	72	7778.1	7778.1	68	43810	43846	46	33591	41	8216.5	8223.6	360	7846.9	7852.0	106	8021.0	8021.0	420	
12/9/20	16628.11	16628.11	70	7778.1	7778.1	66	43846	43882	46	33632	42	8223.6	8230.7	340	7852.0	7857.1	101	8021.0	8021.0	430	
13/9/20	16628.11	16628.11	65	7778.1	7778.1	67	43882	43918	42	33674	40	8230.7	8237.8	355	7857.1	7862.2	104	8021.0	8021.0	430	
14/9/20	16628.11	16628.11	70	7778.1	7778.1	66	43918	43954	45	33714	42	8237.8	8244.9	360	7862.2	7867.3	104	8021.0	8021.0	420	
15/9/20	16628.11	16628.11	68	7778.1	7778.1	64	43954	43990	43	33756	42	8244.9	8252.0	360	7867.3	7872.4	106	8021.0	8021.0	405	
16/9/20	16628.11	16628.11	65	7778.1	7778.1	61	43990	44026	42	33798	41	8252.0	8259.1	345	7872.4	7877.5	102	8021.0	8021.0	405	
17/9/20	16628.11	16628.11	70	7778.1	7778.1	66	44026	44062	46	33839	42	8259.1	8266.2	345	7877.5	7882.6	104	8021.0	8021.0	420	
18/9/20	16628.11	16628.11	72	7778.1	7778.1	68	44062	44098	46	33881	41	8266.2	8273.3	360	7882.6	7887.7	106	8021.0	8021.0	420	
19/9/20	16628.11	16628.11	70	7778.1	7778.1	66	44098	44134	45	-	-	8273.3	8280.4	355	7887.7	7892.8	102	-	-	-	
20/9/20	16628.11	16628.11	72	7778.1	7778.1	68	44134	44170	46	33922	41	8280.4	8287.5	360	7892.8	7897.9	104	8021.0	8021.0	420	
21/9/20	16628.11	16628.11	70	7778.1	7778.1	66	44170	44206	45	33963	42	8287.5	8294.6	355	7897.9	7903.0	104	8021.0	8021.0	420	
22/9/20	16628.11	16628.11	70	7778.1	7778.1	66	44206	44242	44	34005	42	8294.6	8301.7	360	7903.0	7908.1	100	8021.0	8021.0	382.5	
23/9/20	16628.11	16628.11	70	7778.1	7778.1	66	44242	44278	45	34047	41	8301.7	8308.8	360	7908.1	7913.2	104	8021.0	8021.0	415	
24/9/20	16628.11	16628.11	72	7778.1	7778.1	68	44278	44314	46	34088	41	8308.8	8315.9	355	7913.2	7918.3	104	8021.0	8021.0	355	
25/9/20	16628.11	16628.11	72	7778.1	7778.1	68	44314	44350	46	34129	42	8315.9	8323.0	360	7918.3	7923.4	102	8021.0	8021.0	297.5	
26/9/20	16628.11	16628.11	72	7778.1	7778.1	68	44350	44386	46	34171	42	8323.0	8330.1	360	7923.4	7928.5	104	8021.0	8021.0	-	
27/9/20	16628.11	16628.11	70	7778.1	7778.1	66	44386	44422	45	34212	42	8330.1	8337.2	380	7928.5	7933.6	102	8021.0	8021.0	420	
28/9/20	16628.11	16628.11	72	7778.1	7778.1	68	44422	44458	46	34254	41	8337.2	8344.3	360	7933.6	7938.7	106	8021.0	8021.0	420	
29/9/20	16628.11	16628.11	72	7778.1	7778.1	68	44458	44494	46	34295	41	8344.3	8351.4	360	7938.7	7943.8	106	8021.0	8021.0	420	
30/9/20	16628.11	16628.11	71	7778.1	7778.1	67	44494	44530	45	34337	41	8351.4	8358.5	325	7943.8	7948.9	104	8021.0	8021.0	415	

October

GEMINI EDIBLES & FATS INDIA PVT LTD
EFFLUENT TREATMENT MONITORING LOG

DATE	WATER TREATMENT DETAILS												ENERGY CONSUMPTION DETAILS								
	ETP INLET FLOW			ETP OUTLET FLOW			RO PLANT		MEE PLANT		ETP ENERGY METER			RO ENERGY METER			MEE ENERGY METER				
	INLET	OUTLET	TOTAL (KL)	INLET	OUTLET	TOTAL (KL)	INLET	OUTLET	TOTAL (KL)	INLET	TOTAL (KL)	INITIAL	FINAL	TOTAL (KW)	INITIAL	FINAL	TOTAL (KW)	INITIAL	FINAL	TOTAL (KW)	
11/10/20	10279.26	10565.26	70	10298.10	10279.16	66	14437	14431	44	31095	31	8351.2	8364.2	356	2751.5	2756.5	100	20514.2	20500.5	407.5	
11/10/20	10286.90	10295.91	70	10291.10	10286.21	66	14473	144826	45	31326	42	8364.2	8371.3	355	2756.5	2761.7	104	20500.5	20529.6	402.5	
11/10/20	10285.11	10285.15	70	10286.21	10286.31	66	144826	144921	45	31278	42	8371.3	8378.4	355	2761.7	2766.8	102	20529.6	20561.2	402.5	
11/10/20	10285.15	10285.21	72	10286.31	10286.40	68	144921	144917	46	-	-	8378.4	8385.6	360	2766.8	2772.0	104	-	-	-	
11/10/20	10285.21	10285.27	73	10286.40	10286.27	69	144917	144964	47	31000	41	8385.6	8392.8	360	2772.0	2777.3	106	20561.2	20582.5	405	
11/10/20	10285.27	10285.26	70	10286.27	10286.13	66	144964	145009	45	31461	40	8392.8	8399.7	360	2777.3	2782.5	104	20582.5	20591.6	402.5	
11/10/20	10285.27	10285.15	70	10286.15	10286.17	66	145009	145009	44	31553	41	8399.7	8406.9	360	2782.5	2787.6	102	20591.6	20615.5	397.5	
11/10/20	10285.15	10286.18	72	10286.15	10286.21	68	145009	145099	46	31544	42	8406.9	8414.0	355	2787.6	2792.9	106	20615.5	20627.7	402.5	
11/10/20	10286.18	10286.15	70	10286.21	10286.15	66	145099	145144	45	31556	41	8414.0	8421.2	360	2792.9	2798.0	102	20627.7	20641.8	402.5	
11/10/20	10286.15	10286.15	70	10286.15	10286.15	66	145144	145189	45	31556	41	8421.2	8428.4	360	2798.0	2803.3	106	20641.8	20657.9	402.5	
11/10/20	10286.15	10286.23	70	10286.15	10286.15	66	145189	145234	45	31449	50	8428.4	8435.7	365	2803.3	2808.5	104	20657.9	20670.0	402.5	
11/10/20	10286.23	10286.23	70	10286.15	10286.15	66	145234	145279	45	31429	52	8435.7	8442.6	365	2808.5	2813.6	102	20670.0	20688.8	395	
11/10/20	10286.23	10286.23	70	10286.15	10286.15	66	145279	145324	46	31421	45	8442.6	8449.9	360	2813.6	2818.8	104	20688.8	20701.5	402.5	
11/10/20	10286.23	10286.23	72	10286.15	10286.15	68	145324	145372	47	31816	43	8449.9	8456.9	365	2818.8	2824.0	110	20701.5	20717.2	412.5	
11/10/20	10286.23	10286.23	72	10286.15	10286.15	68	145372	145418	46	31859	45	8456.9	8463.4	365	2824.0	2829.1	106	20717.2	20737.3	392.5	
11/10/20	10286.23	10286.23	70	10286.15	10286.15	66	145418	145462	44	31804	42	8463.4	8470.6	360	2829.1	2834.6	100	20737.3	20748.5	400	
11/10/20	10286.23	10286.23	72	10286.15	10286.15	68	145462	145509	47	31746	43	8470.6	8477.9	365	2834.6	2840.0	108	20748.5	20760.0	402.5	
11/10/20	10286.23	10286.23	72	10286.15	10286.15	68	145509	145555	46	-	-	8477.9	8484.8	365	2840.0	2845.3	106	-	-	-	
11/10/20	10286.23	10286.23	72	10286.15	10286.15	68	145555	145601	46	31789	40	8484.8	8491.8	365	2845.3	2850.6	106	20760.0	20776.2	405	
11/10/20	10286.23	10286.23	72	10286.15	10286.15	68	145601	145647	46	31809	43	8491.8	8498.4	365	2850.6	2855.9	104	20776.2	20793.3	402.5	
11/10/20	10286.23	10286.23	75	10286.15	10286.15	71	145647	145696	49	31802	42	8498.4	8505.6	360	2855.9	2861.3	110	20793.3	20808.5	402.5	
11/10/20	10286.23	10286.23	72	10286.15	10286.15	68	145696	145742	46	31814	45	8505.6	8512.7	365	2861.3	2866.5	104	20808.5	20827.7	402.5	
11/10/20	10286.23	10286.23	70	10286.15	10286.15	66	145742	145787	45	31819	43	8512.7	8519.8	365	2866.5	2871.7	102	20827.7	20846.6	402.5	
11/10/20	10286.23	10286.23	72	10286.15	10286.15	68	145787	145833	46	31802	45	8519.8	8527.0	360	2871.7	2876.9	104	20846.6	20861.8	402.5	
11/10/20	10286.23	10286.23	72	10286.15	10286.15	68	145833	145878	45	-	-	8527.0	8534.2	360	2876.9	2882.0	102	-	-	-	
11/10/20	10286.23	10286.23	72	10286.15	10286.15	68	145878	145924	46	31802	43	8534.2	8541.4	360	2882.0	2887.3	106	20861.8	20879.0	402.5	
11/10/20	10286.23	10286.23	72	10286.15	10286.15	68	145924	145970	46	31809	42	8541.4	8548.5	365	2887.3	2892.4	102	20879.0	20895.2	402.5	
11/10/20	10286.23	10286.23	71	10286.15	10286.15	67	145970	146019	49	31822	45	8548.5	8555.7	360	2892.4	2897.7	106	20895.2	20915.3	402.5	
11/10/20	10286.23	10286.23	72	10286.15	10286.15	68	146019	146065	46	31822	43	8555.7	8562.8	365	2897.7	2902.9	104	20915.3	20931.4	402.5	
11/10/20	10286.23	10286.23	70	10286.15	10286.15	66	146065	146110	45	31800	41	8562.8	8569.8	365	2902.9	2908.0	102	20931.4	20949.6	402.5	
11/10/20	10286.23	10286.23	68	10286.15	10286.15	64	146110	146155	43	31846	40	8569.8	8576.8	360	2908.0	2913.2	110	20949.6	20969.5	397	

November

GEMINI EDIBLES & EFFLUENT TREATME

TS INDIA PVT LTD MONITORING LOG

DATE	WATER TREATMENT DETAILS										ENERGY CONSUMPTION DETAILS									
	ETP INLET FLOW			ETP OUTLET FLOW			RO PLANT		MEE PLANT		ETP ENERGY METER			RO ENERGY METER			MEE ENERGY METER			
	INLET	OUTLET	TOTAL (KL)	INLET	OUTLET	TOTAL (KL)	INLET	TOTAL (KL)	INLET	TOTAL	INITIAL	FINAL	TOTAL (KW)	INITIAL	FINAL	TOTAL (KW)	INITIAL	FINAL	TOTAL (KW)	
11/1/20	11291.50	11292.77	710	102818.10	102827.10	64	16155	16200	115		2616.8	2693.7	3115	2112.5	2112.6	102				
11/1/20	11293.00	11294.21	712	102829.10	102837.20	68	16200	16246	116	35501	112	2532.7	2592.8	355	2112.6	2122.8	104	20931.5	20977.7	406
11/1/20	11294.00	11295.28	715	102840.20	102848.12	71	16246	16295	119	35540	115	2592.8	2599.0	360	2122.8	2134.7	110	20977.7	21014.9	3420
11/1/20	11295.00	11296.18	670	102848.12	102851.20	68	16295	16339	114	35538	112	2599.0	2605.2	360	2134.7	2134.7	108	21014.9	21014.9	3115
11/1/20	11296.00	11297.21	712	102851.20	102854.10	68	16339	16385	116	35620	115	2605.2	2619.4	360	2134.7	2139.9	104	21014.9	21057.7	4230
11/1/20	11297.00	11298.21	710	102854.10	102857.10	66	16385	16421	116	35615	112	2619.4	2619.5	355	2139.9	2145.0	102	21057.7	21116.0	407
11/1/20	11298.00	11299.18	712	102857.10	102860.10	68	16421	16477	116	35717	112	2619.5	2619.6	355	2145.0	2150.2	104	21116.0	21169.2	4230
11/1/20	11299.00	11300.21	715	102860.10	102863.10	71	16477	16525	118			2619.6	2623.8	360	2150.2	2155.5	106			
11/1/20	11300.00	11301.21	710	102863.10	102866.20	66	16525	16579	114	35559	110	2623.8	2611.2	370	2155.5	2160.5	100	21169.2	21079.2	406
11/1/20	11301.00	11302.18	712	102866.20	102869.10	68	16579	16611	116	35599	110	2611.2	2618.4	360	2160.5	2165.7	104	21079.2	21116.0	407
11/1/20	11302.00	11303.18	715	102869.10	102872.10	71	16611	16663	118	35642	112	2618.4	2618.6	360	2165.7	2171.0	106	21116.0	21169.2	4230
11/1/20	11303.00	11304.21	710	102872.10	102875.10	66	16663	16719	116	35534	110	2618.6	2622.7	355	2171.0	2176.2	104	21169.2	21199.5	4230
11/1/20	11304.00	11305.18	712	102875.10	102878.10	68	16719	16775	116	35927	111	2622.7	2629.7	358	2176.2	2181.9	102	21199.5	21260.0	4120
11/1/20	11305.00	11306.18	715	102878.10	102881.10	64	16775	16821	116	35962	112	2629.7	2634.0	360	2181.9	2186.4	102	21260.0	21321.2	4300
11/1/20	11306.00	11307.18	710	102881.10	102884.10	68	16821	16879	118	36010	113	2634.0	2641.2	360	2186.4	2191.7	104	21321.2	21390.4	4300
11/1/20	11307.00	11308.21	712	102884.10	102887.10	68	16879	16939	116	36053	111	2641.2	2648.2	350	2191.7	2197.0	102	21390.4	21469.0	4115
11/1/20	11308.00	11309.18	715	102887.10	102890.10	68	16939	16995	116	36094	113	2648.2	2654.4	360	2197.0	2202.0	104	21469.0	21542.2	4300
11/1/20	11309.00	11310.21	710	102890.10	102893.10	66	16995	17050	116	36134	113	2654.4	2659.6	360	2202.0	2207.2	104	21542.2	21621.4	4300
11/1/20	11310.00	11311.18	715	102893.10	102896.10	68	17050	17108	116	36180	112	2659.6	2667.9	365	2207.2	2212.5	106	21621.4	21706.6	4300
11/1/20	11311.00	11312.18	712	102896.10	102899.10	68	17108	17164	116	36220	113	2667.9	2672.1	360	2212.5	2217.6	102	21706.6	21798.7	4220
11/1/20	11312.00	11313.18	715	102899.10	102902.10	68	17164	17220	116			2672.1	2674.3	360	2217.6	2222.9	106			
11/1/20	11313.00	11314.21	710	102902.10	102905.10	66	17220	17274	114	36265	114	2674.3	2674.4	355	2222.9	2227.9	100	21798.7	21877.7	4000
11/1/20	11314.00	11315.18	712	102905.10	102908.10	68	17274	17326	116	36299	113	2674.4	2678.6	360	2227.9	2232.0	102	21877.7	21960.9	4300
11/1/20	11315.00	11316.18	715	102908.10	102911.10	68	17326	17376	116	36352	110	2678.6	2678.5	345	2232.0	2237.0	100	21960.9	22045.5	415
11/1/20	11316.00	11317.21	710	102911.10	102914.10	66	17376	17426	116	36392	111	2678.5	2678.5	350	2237.0	2242.1	102	22045.5	22139.9	4175
11/1/20	11317.00	11318.11	712	102914.10	102917.10	66	17426	17475	114	36433	112	2678.5	2679.6	355	2242.1	2247.3	104	22139.9	22237.3	4225
11/1/20	11318.00	11319.11	715	102917.10	102920.10	68	17475	17521	116	36475	111	2679.6	2679.7	355	2247.3	2252.5	104	22237.3	22346.5	4300
11/1/20	11319.00	11320.18	710	102920.10	102923.10	66	17521	17566	114			2679.7	2679.7	360	2252.5	2257.7	104			
11/1/20	11320.00	11321.18	712	102923.10	102926.10	68	17566	17613	116	36516	111	2679.7	2679.0	355	2257.7	2262.9	102	22346.5	22469.7	4300

1-12-2020

GEMINI EDIBLES & FATS INDIA PVT LTD																					
EFFLUENT TREATMENT MONITORING LOG																					
DATE	WATER TREATMENT DETAILS												ENERGY CONSUMPTION DETAILS								
	ETP INLET FLOW			ETP OUTLET FLOW			RO PLANT			MEE PLANT			ETP ENERGY METER			RO ENERGY METER			MEE ENERGY METER		
	INLET	OUTLET	TOTAL (KL)	INLET	OUTLET	TOTAL (KL)	INLET	OUTLET	TOTAL (KL)	INLET	TOTAL (KL)	INITIAL	FINAL	TOTAL (KW)	INITIAL	FINAL	TOTAL (KW)	INITIAL	FINAL	TOTAL (KW)	
1-12-20	113714.2	113215.8	73	105824.4	10573.15	69	47532	47539	117	26557	43	8791.0	8798.2	360	8268.8	8273.7	102	8140.7	8140.9	420	
2-12-20	113215.2	113258.8	70	105903.8	10578.97	66	47539	47622	114	26600	42	8798.2	8803.7	350	8273.7	8279.2	104	8140.9	8140.6	397	
3-12-20	113258.8	113358.1	70	105969.15	106035.09	66	47622	47668	115	26642	40	8803.2	8812.4	360	8279.2	8284.4	104	8140.6	8140.0	412	
4-12-20	113358.1	113430.2	72	106035.09	106103.42	68	47668	47714	116	26682	42	8812.4	8819.6	360	8284.4	8289.4	104	8140.0	8140.2	425	
5-12-20	113430.2	113500.1	70	106103.42	106169.41	66	47714	47758	114	26724	41	8819.6	8826.7	355	8289.4	8294.7	102	8140.2	8140.2	425	
6-12-20	113500.1	113570.15	70	106169.41	106233.7	64	47758	47803	115	26766	42	8826.7	8833.9	360	8294.7	8299.9	104	8140.2	8140.2	425	
7-12-20	113570.15	113641.6	72	106233.7	106300.1	67	47803	47848	115	26808	42	8833.9	8841.0	355	8299.9	8305.4	108	8140.2	8140.2	425	
8-12-20	113641.6	113713.2	71	106300.1	106366.18	66	47848	47892	114	26850	45	8841.0	8848.2	360	8305.4	8310.7	106	8140.2	8140.1	427	
9-12-20	113713.2	113785.11	72	106366.18	106434.2	68	47892	47938	116	26894	45	8848.2	8855.2	360	8310.7	8315.9	104	8140.1	8140.2	427	
10-12-20	113785.11	113856.18	70	106434.2	106501.1	66	47938	47988	115	26936	42	8855.2	8862.4	360	8315.9	8321.0	102	8140.2	8140.2	427	
11/12/20	113856.18	113927.2	72	106501.1	106568.18	68	47988	48039	116	26978	43	8862.4	8869.6	360	8321.0	8326.3	106	8140.2	8140.2	427	
12/12/20	113927.2	113998.2	70	106568.18	106635.18	66	48039	48092	114	27020	42	8869.6	8876.9	360	8326.3	8331.4	102	8140.2	8140.2	427	
13/12/20	113998.2	114069.2	72	106635.18	106702.18	68	48092	48144	116	27062	41	8876.9	8884.1	355	8331.4	8336.6	104	8140.2	8140.2	427	
14/12/20	114069.2	114140.2	70	106702.18	106769.17	66	48144	48199	114	27104	41	8884.1	8891.2	355	8336.6	8341.7	102	8140.2	8140.2	427	
15/12/20	114140.2	114211.2	72	106769.17	106836.15	68	48199	48251	116	27146	42	8891.2	8898.3	360	8341.7	8346.9	104	8140.2	8140.2	427	
16/12/20	114211.2	114282.2	71	106836.15	106903.12	67	48251	48306	115	27188	44	8898.3	8905.4	360	8346.9	8352.0	98	8140.2	8140.2	427	
17/12/20	114282.2	114353.2	70	106903.12	106970.11	66	48306	48361	115	27230	42	8905.4	8912.5	360	8352.0	8357.1	102	8140.2	8140.2	427	
18/12/20	114353.2	114424.2	72	106970.11	107037.1	68	48361	48417	116	27272	42	8912.5	8919.6	355	8357.1	8362.2	104	8140.2	8140.2	427	
19/12/20	114424.2	114495.2	70	107037.1	107104.1	66	48417	48472	114	27314	41	8919.6	8926.7	360	8362.2	8367.3	104	8140.2	8140.2	427	
20/12/20	114495.2	114566.2	72	107104.1	107171.1	68	48472	48528	116	27356	41	8926.7	8933.8	360	8367.3	8372.4	104	8140.2	8140.2	427	
21/12/20	114566.2	114637.2	70	107171.1	107238.1	66	48528	48584	115	27398	43	8933.8	8940.9	355	8372.4	8377.5	104	8140.2	8140.2	427	
22/12/20	114637.2	114708.2	72	107238.1	107305.1	68	48584	48640	116	27440	42	8940.9	8948.0	360	8377.5	8382.6	104	8140.2	8140.2	427	
23/12/20	114708.2	114779.2	70	107305.1	107372.1	66	48640	48696	115	27482	41	8948.0	8955.1	360	8382.6	8387.7	104	8140.2	8140.2	427	
24/12/20	114779.2	114850.2	72	107372.1	107439.1	68	48696	48752	116	27524	42	8955.1	8962.2	355	8387.7	8392.8	104	8140.2	8140.2	427	
25/12/20	114850.2	114921.2	70	107439.1	107506.1	66	48752	48808	115	27566	41	8962.2	8969.3	360	8392.8	8397.9	104	8140.2	8140.2	427	
26/12/20	114921.2	114992.2	72	107506.1	107573.1	68	48808	48864	116	27608	42	8969.3	8976.4	355	8397.9	8403.0	104	8140.2	8140.2	427	
27/12/20	114992.2	115063.2	70	107573.1	107640.1	66	48864	48920	115	27650	41	8976.4	8983.5	360	8403.0	8408.1	104	8140.2	8140.2	427	
28/12/20	115063.2	115134.2	72	107640.1	107707.1	68	48920	48976	116	27692	42	8983.5	8990.6	355	8408.1	8413.2	104	8140.2	8140.2	427	
29/12/20	115134.2	115205.2	70	107707.1	107774.1	66	48976	49032	115	27734	41	8990.6	8997.7	360	8413.2	8418.3	104	8140.2	8140.2	427	
30/12/20	115205.2	115276.2	72	107774.1	107841.1	68	49032	49088	116	27776	42	8997.7	9004.8	355	8418.3	8423.4	104	8140.2	8140.2	427	
31/12/20	115276.2	115347.2	70	107841.1	107908.1	66	49088	49144	115	27818	40	9004.8	9011.9	355	8423.4	8428.5	102	8140.2	8140.2	427	

1-1-2021

GEMINI EDIBLES & FATS INDIA PVT LTD
EFFLUENT TREATMENT MONITORING LOG

DATE	ETP INLET FLOW			WATER TREATMENT DETAILS						MEE PLANT			ETP ENERGY METER			RO ENERGY METER			MEE ENERGY METER		
	INLET	OUTLET	TOTAL (KL)	ETP OUTLET FLOW			RO PLANT			INLET	TOTAL (KL)	INITIAL	FINAL	TOTAL(KW)	INITIAL	FINAL	TOTAL(KW)	INITIAL	FINAL	TOTAL(KW)	
				INLET	OUTLET	TOTAL (KL)	INLET	OUTLET	TOTAL (KL)												
01/11/21	115343.8	115473.95	7L	107905.8	107735.17	6.8	148959	149005	146	37691	112	9011.9	9219.1	360	51129.7	34234.2	104	21341.1	21353.6	422.5	
01/11/21	115473.95	115604.0	70	107735.17	107564.5	6.6	149005	149049	44	37732	41	9019.1	9226.2	360	51334.8	34429.9	102	21353.6	21365.8	430	
01/11/21	115604.0	115734.05	70	107564.5	107393.83	6.6	149049	149093	44	-	-	9026.2	9233.5	360	51539.9	34525.0	101	-	-	-	
01/11/21	115734.05	115864.1	70	107393.83	107223.1	6.8	149093	149137	44	37774	42	9033.5	9240.8	365	51745.0	34620.1	102	21365.8	21378.0	430	
01/11/21	115864.1	115994.15	70	107223.1	107052.38	6.6	149137	149181	44	37816	41	9040.8	9248.1	355	51950.1	34715.2	110	21378.0	21390.2	430	
01/11/21	115994.15	116124.2	70	107052.38	106881.66	6.6	149181	149225	44	37857	41	9048.1	9255.4	350	52155.2	34810.3	104	21390.2	21402.4	425	
01/11/21	116124.2	116254.25	70	106881.66	106710.94	6.8	149225	149269	44	37898	42	9055.4	9262.7	355	52360.3	34905.4	106	21402.4	21414.6	430	
01/11/21	116254.25	116384.3	70	106710.94	106540.22	6.8	149269	149313	44	37939	42	9062.7	9270.0	365	52565.4	35000.5	107	21414.6	21426.8	430	
01/11/21	116384.3	116514.35	70	106540.22	106369.5	6.6	149313	149357	44	37980	41	9070.0	9277.3	360	52770.5	35095.6	104	21426.8	21439.0	430	
01/11/21	116514.35	116644.4	70	106369.5	106198.78	6.8	149357	149401	44	38021	42	9077.3	9284.6	365	52975.6	35190.7	104	21439.0	21451.2	430	
01/11/21	116644.4	116774.45	70	106198.78	106028.06	6.8	149401	149445	44	38062	43	9084.6	9291.9	360	53180.7	35285.8	104	21451.2	21463.4	430	
01/11/21	116774.45	116904.5	70	106028.06	105857.34	6.6	149445	149489	44	38103	41	9091.9	9299.2	355	53385.8	35380.9	104	21463.4	21475.6	430	
01/11/21	116904.5	117034.55	70	105857.34	105686.62	6.8	149489	149533	44	38144	42	9099.2	9306.5	360	53590.9	35476.0	104	21475.6	21487.8	430	
01/11/21	117034.55	117164.6	70	105686.62	105515.9	6.8	149533	149577	44	38185	42	9106.5	9313.8	360	53796.0	35571.1	104	21487.8	21499.9	430	
01/11/21	117164.6	117294.65	70	105515.9	105345.18	6.8	149577	149621	44	38226	41	9113.8	9321.1	355	54001.1	35666.2	104	21499.9	21512.1	430	
01/11/21	117294.65	117424.7	70	105345.18	105174.46	6.8	149621	149665	44	38267	43	9121.1	9328.4	360	54206.2	35761.3	104	21512.1	21524.3	430	
01/11/21	117424.7	117554.75	70	105174.46	105003.74	6.8	149665	149709	44	38308	42	9128.4	9335.7	360	54411.3	35856.4	104	21524.3	21536.5	430	
01/11/21	117554.75	117684.8	70	105003.74	104833.02	6.8	149709	149753	44	38349	42	9135.7	9343.0	360	54616.4	35951.5	104	21536.5	21548.7	430	
01/11/21	117684.8	117814.85	70	104833.02	104662.3	6.8	149753	149797	44	38390	40	9143.0	9350.3	355	54821.5	36046.6	106	21548.7	21560.9	430	
01/11/21	117814.85	117944.9	70	104662.3	104491.58	6.8	149797	149841	44	38431	42	9150.3	9357.6	360	55026.6	36141.7	104	21560.9	21573.1	430	
01/11/21	117944.9	118074.95	70	104491.58	104320.86	6.8	149841	149885	44	38472	41	9157.6	9364.9	360	55231.7	36236.8	102	21573.1	21585.3	430	
01/11/21	118074.95	118205.0	70	104320.86	104150.14	6.8	149885	149929	44	38513	43	9164.9	9372.2	360	55436.8	36331.9	104	21585.3	21597.5	430	
01/11/21	118205.0	118335.05	70	104150.14	103979.42	6.8	149929	149973	44	38554	42	9172.2	9379.5	360	55641.9	36427.0	104	21597.5	21609.7	430	
01/11/21	118335.05	118465.1	70	103979.42	103808.7	6.8	149973	150017	44	38595	41	9179.5	9386.8	360	55847.0	36522.1	104	21609.7	21621.9	430	
01/11/21	118465.1	118595.15	70	103808.7	103637.98	6.8	150017	150061	44	38636	42	9186.8	9394.1	355	56052.1	36617.2	102	21621.9	21634.1	430	
01/11/21	118595.15	118725.2	70	103637.98	103467.26	6.8	150061	150105	44	38677	43	9194.1	9401.4	360	56257.2	36712.3	104	21634.1	21646.3	430	
01/11/21	118725.2	118855.25	70	103467.26	103296.54	6.8	150105	150149	44	38718	42	9201.4	9408.7	365	56462.3	36807.4	106	21646.3	21658.5	430	
01/11/21	118855.25	118985.3	70	103296.54	103125.82	6.8	150149	150193	44	38759	43	9208.7	9416.0	360	56667.4	36902.5	104	21658.5	21670.7	430	
01/11/21	118985.3	119115.35	70	103125.82	102955.1	6.8	150193	150237	44	38800	41	9216.0	9423.3	360	56872.5	37000.0	104	21670.7	21682.9	430	
01/11/21	119115.35	119245.4	70	102955.1	102784.38	6.8	150237	150281	44	38841	42	9223.3	9430.6	365	57077.6	37095.1	106	21682.9	21695.1	430	
01/11/21	119245.4	119375.45	70	102784.38	102613.66	6.8	150281	150325	44	38882	43	9230.6	9437.9	360	57282.7	37190.2	104	21695.1	21707.3	430	
01/11/21	119375.45	119505.5	70	102613.66	102442.94	6.8	150325	150369	44	38923	41	9237.9	9445.2	365	57487.8	37285.3	110	21707.3	21719.5	430	
01/11/21	119505.5	119635.55	70	102442.94	102272.22	6.8	150369	150413	44	38964	43	9245.2	9452.5	360	57692.9	37380.4	104	21719.5	21731.7	430	
01/11/21	119635.55	119765.6	70	102272.22	102101.5	6.8	150413	150457	44	39005	42	9252.5	9459.8	355	57898.0	37475.5	106	21731.7	21743.9	430	
01/11/21	119765.6	119895.65	70	102101.5	101930.78	6.8	150457	150501	44	39046	43	9259.8	9467.1	360	58103.1	37570.6	104	21743.9	21756.1	430	
01/11/21	119895.65	120025.7	70	101930.78	101760.06	6.8	150501	150545	44	39087	41	9267.1	9474.4	360	58308.2	37665.7	104	21756.1	21768.3	430	
01/11/21	120025.7	120155.75	70	101760.06	101589.34	6.8	150545	150589	44	39128	42	9274.4	9481.7	360	58513.3	37760.8	104	21768.3	21780.5	430	
01/11/21	120155.75	120285.8	70	101589.34	101418.62	6.8	150589	150633	44	39169	43	9281.7	9489.0	360	58718.4	37855.9	104	21780.5	21792.7	430	
01/11/21	120285.8	120415.85	70	101418.62	101247.9	6.8	150633	150677	44	39210	41	9289.0	9496.3	355	58923.5	37951.0	106	21792.7	21804.9	430	
01/11/21	120415.85	120545.9	70	101247.9	101077.18	6.8	150677	150721	44	39251	42	9296.3	9503.6	360	59128.6	38046.1	104	21804.9	21817.1	430	
01/11/21	120545.9	120675.95	70	101077.18	100906.46	6.8	150721	150765	44	39292	43	9303.6	9510.9	360	59333.7	38141.2	104	21817.1	21829.3	430	
01/11/21	120675.95	120806.0	70	100906.46	100735.74	6.8	150765	150809	44	39333	41	9310.9	9518.2	360	59538.8	38236.3	104	21829.3	21841.5	430	
01/11/21	120806.0	120936.05	70	100735.74	100565.02	6.8	150809	150853	44	39374	42	9318.2	9525.5	360	59743.9	38331.4	104	21841.5	21853.7	430	
01/11/21	120936.05	121066.1	70	100565.02	100394.3	6.8	150853	150897	44	39415	43	9325.5	9532.8	360	59949.0	38426.5	104	21853.7	21865.9	430	
01/11/21	121066.1	121196.15	70	100394.3	100223.58	6.8	150897	150941	44	39456	41	9332.8	9540.1	360	60154.1	38521.6	104	21865.9	21878.1	430	
01/11/21	121196.15	121326.2	70	100223.58	100052.86	6.8	150941	150985	44	39497	42	9340.1	9547.4	360	60359.2	38616.7	104	21878.1	21890.3	430	
01/11/21	121326.2	121456.25	70	100052.86	99882.14	6.8	150985	151029	44	39538	43	9347.4	9554.7	360	60564.3	38711.8	104	21890.3	21902.5	430	
01/11/21	121456.25	121586.3	70	99882.14	99711.42	6.8	151029	151073	44	39579	41	9354.7	9562.0	360	60769.4	38806.9	104	21902.5	21914.7	430	
01/11/21	121586.3	121716.35	70	99711.42	99540.7	6.8	151073	151117	44	39620	42	9362.0	9569.3	360	60974.5	38902.0	104	21914.7	21926.9	430	
01/11/21	121716.35	121846.4	70	99540.7	99370.0	6.8	151117	151161	44	39661	43	9369.3	9576.6	360	61179.6	39000.0	104	21926.9	21939.1	430	
01/11/21	121846.4	121976.45	70	99370.0	99199.28	6.8	151161	151205	44	39702	41	9376.6	9583.9	360	61384.7	39095.1	104	21939.1	21951.3	430	
01/11/21	121976.45	122106.5	70	99199.28	99028.56	6.8	151205	151249	44	39743	42	9383.9	9591.2	360	61589.8	39190.2	104	21951.3	21963.5	430	
01/11/21	122106.5	122236.55	70	99028.56	98857.84	6.															

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL,
AT: CHENNAI, TAMIL NADU
APPLICATION NO: 221 OF 2015
(Public Interest Litigation)

Between:

IsanakaVedavathi

H.No.16-4-966, Pinakini Avenue,

Near Appolo Hospital,

Nellore-524 003.

.....Petitioner

Vs-

1. Union of India,

Rep by its Secretary,

Ministry of Environment, Forest and Climate Change,

III Floor, Prithivi Wing, Indira ParyavaranBhavan,

Jor Bagh, New Delhi-110003

& 10 others

.....Respondents

INDEX TO TYPED SET FOR RESPONENT - 7

S.L.No	DATE	ANNEXURE	DESCRIPTION OF DOCUMENTS	PAGE NO.
1.		Annex - 1	Closed coal and husk shed	1 to 2
2.	22.02.2010	Annex - 2	Approved layout copy signed by Director of Factories	3
3.		Annex - 3	Picture of silo & truck loading arrangement	4
4.	23.04.2016 & 26.10.2020	Annex - 4	Approval copy from ground water department for 420KLD water	5 to 15
5.		Annex - 5	Storm water drain connecting to rain water harvesting pond	16 to 19
6.		Annex - 6	Photo of Mass flow meter and energy meters and their readings	20 to 28
7.		Annex - 7	STP and ETP purchase orders and ETP log sheets with energy meter readings	29 to 40

8.		Annex - 8	Photos of magnetic flow meters in all the inputs and outputs related to ETP operations	41 to 43
9.		Annex - 9	SPM data from APPCB website	44 to 164
10.		Annex -10	Photo of Greenbelt and rain water harvesting pond	165 to 170
11.		Annex - 11	Factory plan	171
12.		Annex - 11 A	MEE salt ETP sludge and spent nickel catalyst disposal data	172 to 185
13.	06.04.2018, 10.01.2019 & 09.03.2020	Annex -12	Reply letters	186 to 199
14.		Annex - 13	Log sheet for ETP inflow and outflow	200 to 205

I certified that the copies produced are true copies of the original documents

Dated at Chennai on this the 17th day of February 2021



COUNSEL FOR THE RESPONDENT - 7