

10375

Letter No.- NGT-387 /81-7-2024-01(Parya)/2015

From,

Ghanshyam Mishra,
Special Secretary,
Environment, Forest and
Climate Change Department,
Government of Uttar Pradesh.

To,

The Registrar,
Hon'ble National Green Tribunal,
Copernicus Marg, New Delhi.

**Environment, Forest and
Climate Change , Section-7**

Lucknow : Dated : 28 June, 2024

Sub:- Updated compliance report on behalf of State of U.P. in compliance to the order dated 09.01.2024 passed by Hon'ble National Green Tribunal in O.A. No.06/2012 Nizamuddin West Association Vs Union of India and others.


Sir,

That in pursuance to the order dated 09.01.2024 passed in O.A. No. 06/2012 in Re: Nizamuddin West Association Vs Union of India & Ors., the Updated Compliance Report on behalf of State of Uttar Pradesh is annexed and file herewith.

It is requested that the same may be placed before the Hon'ble Tribunal for kind perusal and consideration.

Encl:- As above.

Your Sincerely,


(Ghanshyam Mishra)
Special Secretary.

Copy to:- Mr. Bhanwar Pal Singh Jadon, Standing Counsel Govt. of Uttar Pradesh, Hon'ble National Green Tribunal, New Delhi.

Updated Compliance Report on behalf of State of Uttar Pradesh in pursuance of Hon'ble NGT Directions dated 09.01.2024 in OA No. 06 of 2012 Nizamuddin West Association vs UOI and Ors.

1. That, OA 06 of 2012 involves matters pertaining to remedial action against unabated pollution of River Yamuna. In compliance to Hon'ble NGT order dt.17.10.2023 in OA 06 of 2012, the report dated 15.12.2023 on remedial stepstaken to control pollution of River Yamuna causing pollution in the Delhi stretch of River Yamuna from Uttar Pradesh was submitted by the State Of Uttar Pradesh. Further, Hon'ble NGT vide order dated 09.01.2024 has given following directions:

"..... 6. We have considered the reports submitted by the State of Haryana, NCT Delhi and UP which are deficient in following aspects:-

Uttar Pradesh

- 1) Out of 14 drains in Ghaziabad, only one drain has been tapped and one drain in NOIDA remains untapped.*
- 2) Ninety (90) MLD of treated sewage, instead of being utilised, is simply discharged into Ghazipur drain which is meeting Yamuna.*
- 3) Two drains namely, Indirapuri and Banthala are discharging 52 MLD untreated sewage to Shahdara drain meeting Yamuna.*
- 4) Untreated sewage of 150 MLD is reaching Yamuna via river Hindon.*
- 5) Data on Fecal coliform for STPs in Noida has not been disclosed."*

Elan

2. That in compliance to above mentioned directions, updated compliance report has already been submitted to Hon'ble NGT on 10.02.2024. The current status is highlighted as under:

A. STATUS OF TAPPED & UNTAPPED DRAINS (Ghaziabad & Noida)

Total sewage generation in Ghaziabad is 415 MLD and Noida is 260 MLD. There are 14 drains of Ghaziabad and 01 drain of Noida that out falls in River Yamuna. Sahibabad being the only tapped drain and for rest 14 drains (13 drains of Ghaziabad & 01 drain of Noida), Uttar Pradesh Jal Nigam (Rural and Urban), GoUP has prepared the plan for tapping these drains in Ghaziabad. District-wise details of plan for tapping drains are provided below:

i) Arthala & Karheda Drain, Ghaziabad- 2 drains

The measured average discharge for Arthala & Karheda drain is 5.41 MLD and 4.72 MLD respectively. DPR of Ghaziabad Sewerage Scheme (Karheda zone) amounting ₹546.95 Cr. under AMRUT 2.0 programme has been sanctioned. Letter of Intent (LOI) has been issued to firm on dated 17.11.2023. The following works will be executed under this project:

S.No.	Activities	Attributes
1	Laying of Sewer Network	145 km
2	Construction of Ion Polarization System (IPS)	05 Nos. (101.95 MLD)
3	Construction of Main Pumping Station (MPS)	01 No. (72.17 MLD)
4	Construction of STP	01 (68 MLD)
5	Rising Main	8.19 km
6	Domestic Sewer Connection	67,669
7	Treated Effluent Line	200 m

EDW

Timeline for completion is June, 2026. After completion of this project, it would be possible to control the flow of untreated sewerage discharge into the river Hindon.

ii) Kaila Bhatta Drain, Nandgram Drain, Hindon Vihar Drain, City Forest Drain, Sarvodya Nagar (Pratap Vihar) Drain, Rahul Vihar Drain, Dasna Drain, Ghaziabad- 7 drains

The measured average discharge for Kaila Bhatta Drain- 25.31 MLD, Nandgram Drain- 27.24 MLD, Hindon Vihar Drain- 7.46 MLD, City Forest Drain- 2.24 MLD, Sarvodya Nagar (Pratap Vihar) Drain- 32.16 MLD, Rahul Vihar Drain- 5.26 MLD, Dasna Drain- 40.17 MLD respectively. A DPR for Interception & Diversion of 7 nos. of drains discharging in river Hindon, amounting ₹422.45 crore, has been submitted under AMRUT 2.0 (Trench3.0) and approval is awaited. The following works will be executed under this project:

S.No.	Activities	Attributes
1	Construction of Ion Polarization System (IPS)	Construction of IPS – 01 No. (27 MLD at Nandgram)
2	Construction of Main Pumping Station (MPS)	03 Nos.
3	Construction of STP	03 (135 MLD) (40 MLD at Dasna, 40 MLD at PratapVihar & 55 MLD at Kaila Bhatta)
4	Laying of Rising Main	4.5 km
5	Interception & Diversion (I&D) works	I&D works – 07 nos.

a) Kaila Bhatta Meerut Road Drain and Nandgram Drain will be tapped through I&D works with 55 MLD proposed STP at Kaila Bhatta.

Handwritten signature/initials

- b) HindonVihar and City Forest drains will be tapped through I&D with existing 41 MLD MPS for 56 MLD STP at Morty.
- c) Sarvodya Nagar (Pratap Vihar) and Rahul Vihar Drains will be tapped through I&D with 40 MLD proposed STP at Pratap Vihar.
- d) Dasna Drain will be tapped through I&D with 40 MLD proposed STP at Dundahera. DPR has been sent to U.P. Jal Nigam Headquarter.

iii) Jawali Drain, Ghaziabad- 1 Drain

The measured average discharge for Jawali drain is 3.50 MLD. This drain carries discharge of treated effluent of CETP of Tronica City Industrial area which comes under UPSIDA and domestic discharge of Jawali village. CETP is currently running on conditional consent for operation of 6.0 MLD CETP plant with a maximum of 4.5 MLD CETP capacity (i.e., 75% of the installed capacity). The latest monitoring report of Apparel Park CETP, Tronica City, Ghaziabad of March, April and May in the year 2024 is enclosed herewith as **Annexure-1**.

iv) Indirapuram Drain, Ghaziabad – 1 Drain

The measured average discharge for Indirapuram Drain is 186 MLD. Indirapuram Drain in Ghaziabad receives treated water from 03 STPs namely 56 MLD (UASB) Trans Hindon Indirapuram, 74 MLD (SBR) Indirapuram and 56 MLD (SBR) Indirapuram, GDA. At present, all the 03 STPs are achieving norms. **Untreated sewage of 150 MLD is reaching Yamuna via river Hindon.**

150 MLD untreated sewage is reaching river Yamunā via river Hindon through Arthala Drain, Karheda Drain, Jawali Drain, HindonVihar Drain, Kaila Bhatta Meerut Road Drain, Indirapuram Drain, PratapVihar Drain, Dasna Drain. The details have been provided in the preceding para-A (i to iv) given above.

v) Indirapuri Drain and Banthala Canal Drain (Loni), Ghaziabad – 2 Drains

The measured average discharge for Indirapuri Drain and Banthala Canal Drain (Loni) is 35 MLD & 17 MLD respectively. DPR for I&D of Banthla Canal drain

EDM

and STP works was earlier submitted to NMCG, wherein STP of capacity 60 MLD was proposed at Loni. However, NMCG returned the DPR with advice to state to resolve the issue of industrial discharges in this drain and to propose a permanent solution to this problem. NMCG was of the view that even if the proposal of STP is considered, the STP will not perform due to excessive industrial effluent ingress. Presently, no DPR is under consideration in NMCG. High COD load is attributed from industries in non-conforming areas. District administration has constituted monitoring committee for inspection and taking action against industries in non-conforming areas. 1,386 defaulter units have been sealed/ electricity connection discontinued in non-conforming areas of Loni, Ghaziabad. List of the defaulters is enclosed herewith as **Annexure-2**.

Two drains namely, Indirapuri and Banthala are discharging 52 MLD untreated sewage to Shahdara drain meeting Yamuna.

Loni/ Indrapuri drain which joins Banthala Drain and outfalls into Johari Nala carries mixed effluent from conforming and non-conforming areas imparting COD load to the effluent. Status of action is covered in point A (v) above.

vi) Noida Drain (Kondli Drain), Noida

The measured average discharge for Noida Drain (Kondli Drain) is 345 MLD. Noida drain originates from Delhi and receives wastewater from Khoda and enters Noida City. Noida drain receives wastewater from Kondli, Gharuli from Delhi, Khoda Nagar Palika and Noida City. Delhi has intercepted the drain discharging into Noida drain and diverted to Kondli STP. Noida drain still receive 99.9 MLD wastewater from Delhi and Khoda Nagar Palika, Ghaziabad as per sample taken by CSIR-NEERI and mentioned in their draft feasibility report on "In-situ and ex-situ treatment of domestic wastewater flowing in drains of NOIDA city". The Noida (Kondli) drain monitoring report of UPPCB for the month of March, April and May in the year 2024 is enclosed herewith

MMB

as **Annexure-3**. Various remedial measures taken for Kondli Drain are as follows:

- a) A DPR of amounting ₹193.22 Cr for Interception & Diversion works for tapping of Noida Drain, approx. 40 MLD untreated domestic sewage of Khoda Nagar Palika Parishad has prepared and same was submitted in SLTC of SBM 2.0 programme held on 09.11.2023 for approval by UPJN (Urban), which has been approved by Government of Uttar Pradesh. Tender for the same has been invited on dated 03.02.2024, at present technical evaluation bid of participated firms is under progress.
- b) As per information received from Nagar Palika Parishad, Khoda Makanpur DPR of I&D Work with STP and Co-Treatment (Khoda Zone) amounting Rs. 14,110.87 Lakh has been prepared by working agency Construction Division-1 U.P. Jal Nigam (Urban), Ghaziabad. Approval/sanction is under process. In view of the disposal of untreated sewage in Kondli drain Environmental Compensation of ₹70 lakh has been imposed against the Municipal Council, Nagar Palika Parishad Khoda-Makanpur and prosecution has also been filed (case no. 98500/2021) against Executive Officer, Nagar Palika Parishad, Khoda-Makanpur under provisions of Water (Prevention and Control of Pollution) Act by UPPCB in the designated Special Judicial Magistrate Court (Pollution) Lucknow. The summoning order dated 16.07.2024 is enclosed herewith as **Annexure-4**.

B. Status of re-utilization of treated water from STP

- i. In Ghaziabad district, 01 Tertiary Treatment Plant (TTP) of 40 MLD is under construction in Indirapuram, Ghaziabad. At present around 87% work of TTP has been completed and other remaining work such as loop checking, installation of scada system, electricity connection is to done. The commissioning of TTP is expected by September-2024. As per information



provided by Ghaziabad Nagar Nigam, Tertiary Treatment Plant (TTP) is under construction.

- ii. As per information provided by UP Jal Nigam (Urban) vide letter dated 04.10.2023 (Copy is attached) one another 01 Tertiary Treatment Plant (TTP) of capacity of 15 MLD is proposed to treat secondary treated water from Loni 30 MLD Sewage Treatment Plant from to supply industrial grade water to Loni industrial area.
- iii. Status of TTP's is as follows:-

Under Construction Tertiary Treatment Plant (TTP)						
S.No.	District	Location of STP	Capacity of STP (in MLD)	Capacity of TTP (in MLD)	Status of TTP (Tertiary Treatment Plant)	Time Line
1.	Ghaziabad	Indirapuram (UASB)	56	40	Approximately 87% work of TTP has been completed and other remaining work such as loop checking, installation of scada system, electricity connection is under process.	Sep-24
2.	Ghaziabad	Loni	30	15	Proposed	-

After the completion of 40 MLD TTP at 56 MLD STP (UASB Type) Indirapuram, Ghaziabad, and treated water from this TTP will be supplied to Sahibabad Industrial Area, treated water will also be used in construction sites. Photographs of 40 MLD TTP and its project status update report with process flow diagram and process description is attached as **Annexure-5**.

Elan

C. Data on Fecal coliform for STPs in Noida:

The details on Fecal Coliform for STP in Noida are highlighted in Point No. 4 (ii) and are described below.

3. Bio/ Phyto Remediation of Drains**i) Ghaziabad**

As per information provided by Nagar Nigam, Ghaziabad, work of Bio remediation is being carried out by Nagar Nigam Ghaziabad in 08 drains of Ghaziabad namely Jawali Drain, Hindon Vihar Drain, Kaila Bhatta Meerut Road Drain, Arthala Drain, Indirapuram Drain, Pratap Vihar Drain, Dasna Drain, Karheda Drain. The copy of drains monitoring report of March, April and May in the year 2024 is enclosed herewith as **Annexure-6**.

ii) Noida

a) As per information provided by Noida Authority, in compliance to Hon'ble NGT order dated 23.12.2021, there are 30 minor drains merging with Kondli drains. Prof. C.R. Babu (Centre for Environmental Management of Degraded Ecosystems (CEMDE) and University of Delhi) has provided suggestions based on classification of drains into 3 categories Major, medium and minor. Bio-remediation method has been proposed for major and medium drains. In addition to the above, construction of in-situ wetland and plantation in main Kondli drain was also proposed.

b) Construction of 01 In-situ wetland work was awarded to U.P. Irrigation department in consultation with Prof. Dr. C.R. Babu (CEMDE, University of Delhi) on dated 18.02.2021 as a pilot project on Noida Drain by Noida Authority. The work has been completed on dated 30.04.2022 and is fully operational presently. Online monitoring system will be installed on both ends of this wetland (upstream & downstream) with a facility of 24 hrs digital display.



c) 02 nos. of In-situ remediation wetlands in downstream of Noida irrigation drain also have been awarded as per advice of Prof. Dr. C.R. Babu. The construction of wetlands is also completed and status is mentioned below:

S.No.	Location	Total cost of Project (in Cr.)	DOS (Date of sanction)	ADOC (Accepted Date of Completion)	Present Progress (%)
1.	Near NSEZ, Dadri Crossing, Noida	₹ 14.25	05.01.2022	15-04-2023	100%
2.	Near Advant Tower, Sector- 142, Noida		05.01.2022	24.01.2024	100%

Construction work of both in-situ wetlands is completed & maintenance and operation is going on properly.

d) Further, for 30 minor drains, the Noida Authority has also deputed environmental expert of National Environmental Engineering Research Institute (NEERI), Department of Science & Technology, Government of India, for preparation of DPR, for construction of In-situ and Ex-situ wetlands and construction of minor STPs over drains or interception of drains to divert to nearby STP. A MoU has been signed between NOIDA and NEERI on 21.07.2022. It is pertinent to mention here that, as per the said MoU NEERI has started their work at site. NEERI has submitted draft feasibility report in February, 2023. They have done topography survey for all drains including main Kondli drain. Detailed DPR for all drains will be submitted in phase wise. After the submission of said report Noida Authority will call tenders & get the work executed as directed in DPR. Timeline for said project is as below:

EM

Sr. No.	Event	Submission Date
1	Memorandum of Agreement was signed between CSIR-NEERI and Noida Authority	Signed on 21 st July 2022
2	First Site visit during October 19-20,2022 and report	Letter No: WWTD/Noida/In-Situ & Drains/06 Submitted 2 nd November 2022
3	Second Site visit during November 10-12, 2022	Letter No: WWTD/Noida/In-Situ & Drains/07 Submitted 29 th November 2022
4	Draft Feasibility Report	Letter No: WWTD/Noida/In-Situ & Drains/09 Submitted on 3 rd February 2023
6	Final Feasibility Report	Letter No: WWTD/Noida/In-Situ & Drains/10 Submitted on 16 th May 2023
7	Tender for Detailed Topographic Survey of Kondali Irrigation Canal and major/minor drains/nallahs merging in it	Published in e-Publishing System, Government of India dated 8 th June 2023
8	Draft Detailed Project Report (DPR) of Immediate Measures	Letter No: WWTD/Noida/In-Situ & Drains/12 Submitted on 26 th June 2023
9	Topographic Survey of Kondali Irrigation Canal and identified drains carried out in Two Phases	First phase - 31st October 2023 to 09th November 2023, Second phase - 2nd December 2023 to 19th December 2023
10	Site Visit Report of Topographic Survey	Letter No: WWTD/Noida/In-Situ & Drains/14 Submitted on 29th December 2023
11	Topographic Survey Drawings Volume 1/2 and Volume 2/2	Letter No: WWTD/Noida/In-Situ & Drains/15 Submitted on 19th June 2024
12	Detailed Project Reports of in-situ and ex-situ treatment of drains	Under progress

As per Noida Authority, DPR of in-situ and ex-situ treatment of drains is expected to be finalized by end of July, 2024. After the submission of said report Noida Authority will call tenders and get the work executed as directed in DPR. Tentative timeline for

completion of work is one year from the start of execution of project.

- e) UPPCB has also carried out profiling of entire stretch of the Noida drain and monitored all 30 minor drains as well. Further, Regional laboratory, Noida is monitoring and carrying out quarterly sampling of these drains. During last inspection done on 25.04.2024, 09 drains were found to be dry. Sample could not be drawn near Brijwasi Caterers, Harijan Basti, Sector-35, Noida as the height of boundary wall has been increased and confluence point of drain is not accessible. Analysis report of 30 minor drains is enclosed and attached as **Annexure-7.**

3. Status of Compliance of Sewage Treatment Plants

i) Ghaziabad

Total Sewage generation in Ghaziabad is 415 MLD. There are total 11 STPs in Ghaziabad District, 09 in Ghaziabad and 02 in Loni, with total installed capacity 536.50 MLD. As per the latest Monitoring done in May, 2024; all 11STPs are compliant with MoEF&CC notification, 2017. Analysis Report of STPs in Ghaziabad for month of March, April and May in the year 2024 is attached here as **Annexure-8.** Details of operational STPs in Ghaziabad are as below:

a) Operational STPs

S. No.	Name and Address of STP	Installed Capacity (MLD)	Utilized Capacity (MLD)	Technology/ process STP based	Concerned Authority responsible for O&M of STP	Achieving/ Not Achieving (As per MOEFCC notification dated 13.10.2017) (May, 2024)	Measures Being Taken
1	Trans Hindon (Indirapuram), Ghaziabad	56	56	UASB	U.P. Jal Nigam (Urban)	Achieving	CCT construction to control FC within permissible limit is completed and commissioned and achieving norms

2	Sadullabad (Loni), Ghaziabad	30	20	MBBR	U.P. Jal Nigam (Urban)	Achieving	
3	Indirapuram, Ghaziabad	74	74	SBR	U.P. Jal Nigam (Urban)	Achieving	
4	Bapudham, Ghaziabad	56	2	SBR	GDA	Achieving	
5	Indirapuram, Ghaziabad	56	56	SBR	GDA	Achieving	
6	Dudahaida Vijay Nagar, Ghaziabad	56	56	SBR	U.P. Jal Nigam (Urban)	Achieving	
7	Dudahaida Vijay Nagar, Ghaziabad	70	70	UASB	U.P. Jal Nigam (Urban)	Achieving	CCT construction to control FC within permissible limit is completed and commissioned and achieving norms.
8	Trans Delhi Signature City (Tronica City), Loni	5	3.5	MBBR	UPSIDC	Achieving	
9	Govindpuram, Ghaziabad	56	14	SBR	GDA	Achieving	
10	Morty, Ghaziabad	56	25	SBR	GDA	Achieving	
11	SiddharthVihar, Ghaziabad	21.5	3.5	SBR	AwasiVikas	Achieving	
Total		536.50	380				

b) Proposed STPs

S. No.	Name of Town/District	No. of STP	Capacity (MLD)	Present Progress
1.	Ghaziabad	1	68	A DPR of Ghaziabad Sewerage Scheme (Karheda zone) amounting ₹ 546.95 cr. under AMRUT 2.0 programme has been sanctioned. The work of the project has been started from 17.11.2023 and at present physical progress of project is 9.5%. The photographs of Project site is enclosed and attached as Annexure-9.

EDM

ii) Noida

As per the information provided by Noida Authority, total sewage generation in Noida is 260 MLD, and 08 STPs with total capacity of 411 MLD that are based on Sequential batch reactors (SBR) technology are operational. Analysis Report of STPs in Noida for month of March, April and May in the year 2024 is attached here as Annexure-10. Details of STPs in Noida are stated in the table below:

Sl. No.	Name and Address of STP	Installed Capacity (MLD)	Utilized Capacity (MLD)	Technology/ process STP based	Concerned Authority responsible for O&M of STP	Achieving/ Not Achieving (As per MOEFCC notification dated 13.10.2017) (as in May, 2024)
1	Sector-54, Noida	33	33	SBR	Noida Authority	Achieving
2	Sector-50, Noida	25	25	SBR	Noida Authority	Not Achieving
3	Sector-123, Noida	35	35	SBR	Noida Authority	Not Achieving
4	Sector-168, Noida	50	50	SBR	Noida Authority	Achieving
5	Sector -50 Noida	34	34	SBR	Noida Authority	Not Achieving
6	Sector- 54, Noida	54	54	SBR	Noida Authority	Not Achieving
7	Sector- 168, Noida	100	38	SBR	Noida Authority	Achieving

Sl. No.	Name and Address of STP	Installed Capacity (MLD)	Utilized Capacity (MLD)	Technology/ process STP based	Concerned Authority responsible for O&M of STP	Achieving/ Not Achieving (As per MOEFCC notification dated 13.10.2017) (as in May, 2024)
8	Sector- 123, Noida	80	80	SBR	Noida Authority	Achieving
Total		411	349			

UPPCB has imposed Environmental Compensation for the period when STPs have been found to be non-complying.

4. Restoration and Rejuvenation of Yamuna Flood Plain(Uttar Pradesh Part) and Ecological Flow

As per the information received from U.P. Irrigation and water resources department, the latest status is as under:

- i) In the first phase DDA is developing Biodiversity Park on the eastern bank of Yamuna River (from old railway to ITO barrage). The cost of development of Biodiversity Park is ₹ 35.94 crores U.P. Government has released ₹10.49 Crores in the last week of December, 2020 to DDA. This amount is to be utilized by DDA in the development of Bio Diversity Park on UP Portion of land which is 86 Hectares out of total 167 Hectares. In the first phase, DDA is developing biodiversity park on the eastern bank of Yamuna River (From old railway bridge to ITO Barrage). The latest progress of Biodiversity Park informed by Delhi Development Authority (DDA) is that physical progress is 75% and in terms of financial progress ₹ 3.01 Cr. is utilized. Letters to increase the progress of Biodiversity Park has been written to DDA by letter no. 271 dated 15-01-2024.

BEA


ii) Action taken with regard to prevent dumping on Yamuna floodplains.

As per information received from U.P. Irrigation and water resources department earlier, U.P. Irrigation Department is keeping continuous watch andward over such type of activities. Presently there is no solid waste/debris existing on the U.P. Irrigation land. In future, if any violation of directions issued related to dumping of debris is found; resulting compensation shall be imposed as per direction given by Hon'ble NGT. Government of Uttar Pradesh also gave permission to DDA for installing of CCTV cameras on U.P. portion.

5. That the updated compliance report of State of Uttar Pradesh is submitted for perusal and kind consideration of Hon'ble Tribunal.

Place : Lucknow

Date : 28/06/2024



(Ghanshyam Mishra)
Special Secretary.

REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
GHAZIABAD

ANALYSIS REPORT OF CETP (March 2024)

S. No	Name of CETP	Date	pH	Color	B.O.D mg/L	C.O.D mg/L	T.S.S mg/L
1	CETP Tronica city	05.03.2024	7.84	Turbid	25.0	188.0	92.0
		13.03.2024	7.9	Turbid	27.0	190.0	96.0

ANALYSIS REPORT OF CETP (April 2024)

S. No	Name of CETP	Date	pH	Color	B.O.D mg/L	C.O.D mg/L	T.S.S mg/L
1	CETP Tronica city	03.04.2024	7.26	Turbid	24.0	182.0	84.0
		10.04.2024	7.38	Turbid	26.0	188.0	90.0
		18.04.2024	7.48	Turbid	25.0	186.0	92.0
		23.04.2024	7.52	Turbid	28.0	192.0	98.0

ANALYSIS REPORT OF CETP (May 2024)

S. No	Name of CETP	Date	pH	Color	B.O.D mg/L	C.O.D mg/L	T.S.S mg/L
1	CETP Tronica city	01.05.2024	7.29	Turbid	26.0	186.0	92.0
		08.05.2024	7.28	Turbid	24.0	166.0	94.0
		14.05.2024	7.0	Turbid	28.0	190.0	90.0
		29.05.2024	7.21	Turbid	27.0	188.0	89.0

10392

List of Defaulter units sealed/ electricity disconnected in Non-conforming areas of Loni, Ghaziabad

Annexure-2

Name and address of unit/ person operating the unit	Nature of Unit	Action Taken	No. of Units
Shri Jitender Kumar, VillTilaShahbajpur, Loni, Ghaziabad	Ice Cream Manufacturing	Electrical connection disconnected, DG set sealed.	1
Shri Jitender Kumar, VillTilaShahbajpur, Loni, Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected, DG set sealed and main gate sealed	1
Shri Om veer singh, Pradhan, Tilashahbajpur, Loni, Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
Smt. Vidyadevi w/o ShriDharam pal, Tilashahbajpur, Loni, Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
ShriOmveer Singh, near house of Pradhan, Tilashahbajpur, Loni, Ghaziabad	E waste recovery unit	Electrical connection disconnected and unit sealed	1
ShriJitender Singh S/o Mahender Singh, Tila Main road, Loni, Ghaziabad (Land owner ShriJaiveer)	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
ShriSurrenderBhati S/o Shri Baleshwar, VillTilaShahbajpur, Loni Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
ShriSurrenderBhati S/o Shri Baleshwar, VillTilaShahbajpur, Loni Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
ShriSurrenderBhati S/o Shri Baleshwar, VillTilaShahbajpur, Loni Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
ShriSurrenderBhati S/o Shri Baleshwar, VillTilaShahbajpur, Loni Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
ShriSurrenderBhati S/o Shri Baleshwar, VillTilaShahbajpur, Loni Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
ShriIswarBhati S/o ShriKishan, VillTilaShahbajpur, Loni Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
ShriAmit, VillTilaShahbajpur, Loni Ghaziabad	Cloth printing	Electrical connection disconnected and unit sealed	1
ShriVikram (Near house of ShriAmit), VillTilaShahbajpur, Loni Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
M/s Chandel Engineering Company, Opposite SewaBharti School, Plot no 1, Krishna Vihar, SewaDham, Loni, Ghaziabad	Foundry for melting iron and making Engg Parts	Electrical connection disconnected and unit sealed	1
Shri Om prakash S/o KailashDatbhaat, Plot no 4, 1904, Krishna Vihar, Loni, Ghaziabad (electric connection in the name of ShriMeva Ram S/o Ram Nath)	Electroplating work	Electrical connection disconnected and unit sealed	1
ShriMahipal S/o Shri Ram, near SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Foundry	Electrical connection disconnected and unit sealed	1
Shri Ram Nath S/o ShriVishram, 1707, near SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
ShriMewa Ram S/o Shri Ram Nath, 1986, near SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
ShriRavinder Kumar S/o ShriMahaveer Singh, 1905, near SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1

ShriRavinder alias Bittu, s/o ShriMahaveer Singh, 1905, near SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Pit furnace	unit sealed. It was found that the unit is taking electricity from Delhi area	1
Unknown, opposite factory of ShriRavinder , near SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
Unknown, near SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Fly ash storage	Electrical connection from DG set . Hence DG set sealed and unit sealed	1
ShriSatyaPrakash, Krishna Vihar, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
Shri Om Prakash S/o ShriKailashDatbaat, near SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Panel Assembling	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
ShriVijender Kumar S/o ShriHarpool Singh, near SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Paint Godown	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
ShriArwind Kumar S/o Sheilnder Singh, near SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Coal Godown	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
Shri S.P. Gupta S/o Shri Om Prakash, near SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Coal Godown	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
Unknown, near SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Coal Godown	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
ShriMewa Ram, near SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Chemical Unit	Electrical connection from DG set . Hence DG set sealed and unit sealed	1
Unknown, SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Pit Furnace	Electrical connection from DG set . Hence DG set sealed and unit sealed	1
SheiBittu S/o ShriMool Chand, SewaDham Temple, Krishna Vihar, Loni, Ghaziabad	Pit Furnace	Electrical connection from DG set . Hence DG set sealed and unit sealed	1
M/s Coax India, MahamayaKunj, SewaDham, Loni Ghaziabad	Sheet metal Cutting	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1

M/s Kayam Steel, MahamayaKunj, SewaDham, Loni Ghaziabad	Sheet metal Cutting	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
Unknown MahamayaKunj, SewaDham, Loni Ghaziabad	Coal Godown	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
Unknown MahamayaKunj, SewaDham, Loni Ghaziabad	Coal Godown	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
Unknown MahamayaKunj, SewaDham, Loni Ghaziabad	Lead Scrap unit	Electrical connection disconnected and unit sealed	1
Unknown MahamayaKunj, SewaDham, Loni Ghaziabad	Lead Scrap unit	Electrical connection disconnected and unit sealed	1
Unknown, MahamayaKunj, SewaDham, Loni Ghaziabad	Lead Scrap unit	Electrical connection disconnected and unit sealed	1
SuchitraBonal, MahamayaKunj, SewaDham, Loni Ghaziabad	Wire burning unit	Electrical connection disconnected and unit sealed	1
Shri Rang Bahadur, MahamayaKunj, SewaDham, Loni Ghaziabad	Wire scrap and burning unit	Electrical connection disconnected and unit sealed	1
Unknown, MahamayaKunj, SewaDham, Loni Ghaziabad	Wire scrap unit	Electrical connection disconnected and unit sealed	1
ShriMithleshYadav, MahamayaKunj, SewaDham, Loni Ghaziabad	Wire scrap unit	Electrical connection disconnected and unit sealed	1
Unknown, MahamayaKunj, SewaDham, Loni Ghaziabad	Wire scrap unit	Electrical connection disconnected and unit sealed	1
Unknown, MahamayaKunj, SewaDham, Loni Ghaziabad	Wire scrap unit	Electrical connection disconnected and unit sealed	1
Unknown, MahamayaKunj, SewaDham, Loni Ghaziabad	Wire scrap unit	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Shahzad Shah, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1

Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriDevender Sharma, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Wire burning unit	Electrical connection disconnected and unit sealed	1
MohRizwaan, Shanti Garden, AmitVihar, Loni, Ghaziabad (electrical connection no . 254382)	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriRayees, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad (electrical connection no 714663)	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad (electrical connection no 714664)	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad (Electrical connection no 900709)	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Electroplating	Electrical connection disconnected and unit sealed	1
ShriTejBahardurVerma, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
SmtSunitaAgarwal, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Next to BalajiMandir, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1

Shri Manu Singh, Shanti Garden, AmitVihar, Loni, Ghaziabad	Almirah Assembling	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
SmtSunitaYadav, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shanti Garden, AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
M/s Riyan Traders (ShriFareedaKhatoon), Shanti Garden, AmitVihar, Loni, Ghaziabad	Godown	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
Shri Hakim , Krishna Vihar Phase 1, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown , Main mandoli Road, Krishna Vihar Phase 1, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown , Main Mandoli Road, Gali no 1, Krishna Vihar Phase 1, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriPradeep Kumar S/o Shri Ram Kishore , gali no 1, Krishna Vihar Phase 1, Loni, Ghaziabad	Vapolizer Powder	Electrical connection disconnected and unit sealed	1
ShriDevender Kumar Jain , gali no 1, Krishna Vihar Phase 1, Loni, Ghaziabad	Vapolizer Powder	Electrical connection disconnected and unit sealed	1
ShriHarbhajan Singh , gali no 1, mail mandolin road, Krishna Vihar Phase 1, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriDulari , Main mandolin road, Krishna Vihar Phase 1, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown , Syndicate Garden, near Mela Ram gate, Krishna Vihar Phase 2, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriBudhhapal S/o ShriBhajanLal(Owner) , Operation by ShriBrijbhhanYadav, , Syndicate Garden, near Mela Ram gate, Krishna Vihar Phase 2, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriGolu , Syndicate Garden, near Mela Ram gate, Krishna Vihar Phase 2, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Shri Abdul Hamid, Syndicate Garden, near Mela Ram gate, Krishna Vihar Phase 2, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriBudhhapal S/o ShriBhajanLal(Owner) , Operation by ShriBrijbhhanYadav, , Syndicate Garden, near Mela Ram gate, Krishna Vihar Phase 2, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
SmtUsha Devi , Syndicate Garden, near Mela Ram gate, Krishna Vihar Phase 2, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
M/s ManaKatyani Metal (ShriBhupenderPoddar) , Syndicate Garden, near Mela Ram gate, Krishna Vihar Phase 2, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1

ShriRaghav, Syndicate Garden, near Mela Ram gate, Krishna Vihar Phase 2, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Shri Krishna Engineering (ShriRamveer), C-3, 4, Gali no 14, Krishna Vihar Phase 1, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Shri Ganesh Enginnering Works, Syndicate Garden, near Mela Ram gate, Krishna Vihar Phase 2, Loni, Ghaziabad	Lathe machine	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
ShriSubhash Chand, Syndicate Garden, near Mela Ram gate, Krishna Vihar Phase 2, Loni, Ghaziabad	Lathe machine	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
ShriNeelkanth Enterprises, 1921, Gali no 1, Krishna Vihar Phase 1, Loni, Ghaziabad	Break Shoe manufacturing	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
ShriNandkishore S/o ShriBhagwat Prasad, Gali no 1, Krishna Vihar Phase 1, Loni, Ghaziabad	Fabrication unit	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
ShriRinku S/o ShriInglisBhaan , 1590, Kaveri City- II, Ram Vihar, Banthala, Loni, Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
ShriParamjeet S/o ShriBalveer Singh , 1590, Kaveri City- II, Ram Vihar, Banthala, Loni, Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
ShriKapol S/o Shri Mange Ram, VillJavli, Loni, Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
Shri Rishi, Jawli Main Road, VillJawli, , Loni, Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
ShriSahilKasana, VillJawli, , Loni, Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
Shri Pal Lootan, VillJawli, , Loni, Ghaziabad	Jeans Dyeing and Washing	Electrical connection disconnected and unit sealed	1
ShriReya Gupta Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriReya Gupta, Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shakti Garden, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriRajuYadav, Shakti Garden, Loni, Ghaziabad (electric connection no 252763)	Pit Furnace	Electrical connection disconnected and unit sealed	1

ShriMithleshYadav, Shakti Garden, Loni, Ghaziabad (electric connection no 714667)	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Next to ShriMithleshYadav, Shakti Garden, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shakti Garden, Loni, Ghaziabad (electric connection no 727285)	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shakti Garden, Loni, Ghaziabad (electric connection no 714661)	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shakti Garden, Loni, Ghaziabad (electric connection no 100848)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriAsifIqbal S/o MohBaish, Shakti Garden, Loni Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
AshiaBano, Shakti Garden, Loni, Ghaziabad (electric connection no 714175)	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Next to AshiaBano, Shakti Garden, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
JavedAkhtar, Shakti Garden, Loni, Ghaziabad (electric connection no 714038)	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shakti Garden, Loni, Ghaziabad (electric connection no 100852)	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shakti Garden, Loni, Ghaziabad (electric connection no 100847)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriRaj Kumar Gupta, Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1
M/s Ashad Enterprises, 1856/1, Shakti Garden, Loni, Ghaziabad (electric connection no 901208)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriMinaakshi Gupta, Shakti Garden, Loni, Ghaziabad (electric connection no 254091)	Pit Furnace	Electrical connection disconnected and unit sealed	1
M/s Uttaraanchal Metal (ShriManjit Singh), 1856/1, Shakti Garden, Loni, Ghaziabad (electric connection no 901208)	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shakti Garden, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shakti Garden, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shakti Garden, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Unknown, Shakti Garden, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriReya Gupta Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1

ShriReya Gupta Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriReya Gupta Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriReya Gupta Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriReya Gupta Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriReya Gupta Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriReya Gupta Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriReya Gupta Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriReya Gupta Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriReya Gupta Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriReya Gupta Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriReya Gupta Shakti Garden, Loni, Ghaziabad (electric connection no 2417565342)	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriBhrampal S/o Jagpal, Krishna Vihar, Main Mandoli Road, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
ShriBhrampal S/o Jagpal, Krishna Vihar, Main Mandoli Road, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
ShriBhrampal S/o Jagpal, Krishna Vihar, Main Mandoli Road, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
ShriBhrampal S/o Jagpal, Krishna Vihar, Main Mandoli Road, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
Shri Sunil Kumar S/o ShriShyam Singh, Krishna Vihar, Main Mandoli Road, Loni, Ghaziabad	Scrap godown and item dismantling	Electrical connection disconnected and unit sealed	1
ShriBhramPrakash, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
ShriBhramPrakash, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
ShriBhramPrakash, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
ShriBhramPrakash, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1

ShriBhramPrakash, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
ShriBhramPrakash, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
Unknown, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
Unknown, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
Unknown, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
Unknown, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
Unknown, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
Unknown, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
ShriKanhaiyya, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
Shri Ajay Pal, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
ShriRaam veer, Krishna Vihar- II, Loni, Ghaziabad	Godown	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
ShriBrajpal, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
Unknown, Krishna Vihar- II, Loni, Ghaziabad	Pit furnace	Electrical connection disconnected and unit sealed	1
M/s Krishna MurariUdyog, Krishna Vihar- II, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
Shri Sachin S/o ShriChaanga, Shakti Garden , AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriRayees S/o ShriTilak Ram, Shakti Garden , AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriMonu, Shakti Garden , AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriMonu, Shakti Garden , AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriMonu, Shakti Garden , AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1

ShriMonu, Shakti Garden , AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriMonu, Shakti Garden , AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriMonu, Shakti Garden , AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriMonu, Shakti Garden , AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriMonu, Shakti Garden , AmitVihar, Loni, Ghaziabad	Pit Furnace	Electrical connection disconnected and unit sealed	1
ShriMool Chand, Shakti Garden, AmitVihar, Loni, Ghaziabad	Chemical Godown	Electrical connection disconnected and unit sealed	1
Unknown, Shakti Garden , AmitVihar, Loni, Ghaziabad	Pit Furnace	All units were destroyed by JCB and electrical connections were disconnected	1
Unknown, Shakti Garden , AmitVihar, Loni, Ghaziabad			1
Unknown, Shakti Garden , AmitVihar, Loni, Ghaziabad			1
M/s Ruby KacchriUdyog (ShriRizwaan), 24, Roop Nagar, Loni, Ghaziabad	Noodles manufacturing	Electrical connection disconnected and unit sealed	1
Om Plastic, Roop Nagar, Loni, Ghaziabad	Plastic melting	Electrical connection disconnected and unit sealed	1
Shri Shadaab Ali, B- 85, Roop Nagar industrial area, Loni, Ghaziabad	RO Plant	Borewell dismantled and sealed in compliance of Hon'ble NGT order as the unit does not have permission from CGWA for extraction of ground water	1
M/s Poonam Enterprises, B- 7, Roop Nagar Industrial area, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection disconnected in compliance to the closure order dated 22/1/2018 issued by UPPCB	1
M/s Vikas Jeans, Shabhaapur Vistaar, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
M/s Aalishaan Fibre Product (Prop Moh Sameer), Shabhaapur Vistaar, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
M/s Shri Baba Washing (Shri Shailender), Shabhaapur Vistaar, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Unknown, Shabhaapur Vistaar, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Unknown, Shabhaapur Vistaar, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Shri Sumit Pradhaan, Shabhaapur Vistaar, Chaman Vihar, Loni, Ghaziabad	Fabric Dyeing	Unit sealed and electric connection	1

M/s Krish Kraft (Prop Shri Farukh Jamaal), Vikas Kunj, Shabhaapur Vistaar Loni, Ghaziabad	Silk Thread Sticking	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
Unknown, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Unknown, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Unknown, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Subhash Jeans Dyeing, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Shri Shyam Veer S/o Shri Raghuv eer, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Shri Shyam Veer S/o Shri Raghuv eer, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Shri Shyam Veer S/o Shri Raghuv eer, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Shri Shyam Veer S/o Shri Raghuv eer, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Shri Shyam Veer S/o Shri Raghuv eer, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Shri Shyam Veer S/o Shri Raghuv eer, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Shri Shyam Veer S/o Shri Raghuv eer, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Unknown, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
M/s Vaishnavi Dyeing, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Satpal Pradhaan, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Fabric Dyeing	Unit sealed and electric connection	1
M/s Karan Washing (Shri Karan Singh), Chaman Vihar, Pusta Road, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Shri Ashok Verma, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Fabric Dyeing	Unit sealed and electric connection	1
Smt Asha Devi, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Screen Printing	Unit sealed and electric connection	1
M/s Kishan Bhagal, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Screen Printing	GDA has issued notice to the unit during inspection for establishment of industrial unit against land use	1
Unknown, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Unknown, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Unknown, Chaman Vihar, Pusta Road, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection	1
Shri Vinod Kumar, Sant Colony Loni, Gzb	Jeans Dyeing	Unit dismantling electric connection disconnected.	1
Unknown Name, Ankur Enclave, Loni, gzb	Jeans washing	Unit dismantling electric connection disconnected.	1
Shri Caran Dev, Ankur Enclave Loni, Gzb	Jeans Dyeing	Unit dismantling electric connection disconnected.	1

Shri Pappu, Ankur Enclave Loni, Gzb	Jeans Dyeing	Unit sealed electric connection disconnected.	1
Shri Yashpal Chawla, Ali Nagar, Ankur Enclave, Loni, Gzb	Printing Press	Unit sealed electric connection disconnected.	1
Shri Hasim Ali Nagar, Ankur Enclave, Loni, Gzb	Jeans washing	Unit sealed electric connection disconnected.	1
Shri Ali Mohamad, Ali Nagar, Ankur Enclave, Loni, Gzb	Jeans Dyeing	Unit sealed electric connection disconnected.	1
Shri Vinod, Karawal Nagar wale, Ankur Enclave, Loni, Gzb	Jeans Dyeing	Unit sealed electric connection disconnected.	1
Shri Sahid, Ankur Enclave, Loni, Gzb	Jeans Dyeing	Unit sealed electric connection disconnected.	1
Shri Pal Prem, Ankur Enclave, Loni, Gzb	Jeans Dyeing	Unit sealed electric connection disconnected.	1
Shri M.S. Chemical, Ankur Enclave, Loni, Gzb	Chemical	Unit sealed electric connection disconnected.	1
Unknown Nane, Enclave, Loni, Gzb	Jeans Dyeing	Unit sealed electric connection disconnected.	1
Unknown Nane, Enclave, Loni, Gzb	Jeans Dyeing	Unit sealed electric connection disconnected.	1
M/s. Madhur Ice Cream, Krishna Vihar, Phase-2, Loni, Gzb	Ice Cream	Unit sealed electric connection disconnected.	1
M/s. Tinku Dhalai Factory, Krishna Vihar, Phase-2, Loni, Gzb	Metal Scrap	Unit sealed electric connection disconnected.	1
Unknown E-Waste Godown, Krishna Vihar, Phase-2, Loni, Gzb	E-waste Godown	Unit sealed electric connection disconnected.	1
M/s Roop Pal Belt Udyog, House No-34, Govind Town, Kumhar Colony, Krishna Vihar, Loni, Gzb	Belt bakal powder	Unit sealed electric connection disconnected.	1
Shri Shri Rardeer Singh, Amit Vihar, Loni, Gzb	Ingot Ugyog	Unit sealed electric connection disconnected.	1
M/s. Bala Ji Fabrication & Engg. Amit Vihar, Loni, Gzb	Fabrication work	Unit sealed electric connection disconnected.	1
Shri Lav Kush Pandey, Amit Vihar, Loni, Gzb	E-waste repairing	Unit sealed electric connection disconnected.	1
Shri Ram Aachal , Amit Vihar, Loni, Gzb	Aluminium ingot	Unit sealed electric connection disconnected.	1
Shri Ramesh Yadav, Amit Viah, Loni, Gzb	Battery Scrap & lead ingots	Unit sealed electric connection disconnected.	1
Shri Ram Niwas, Plot No. D-8/19, DLF Ankur Vihar, Loni, gzb	Jeans Dyeing	Unit sealed electric connection disconnected.	1

Unknown Name Udyog, Sabhapur, Vistar, Loni, Gzb	Jeans Dyeing	Unit sealed electric connection disconnected.	1
M/s. Raj Bala Dyeing, Khasra No-979, Sabhapur, Bistar Loni, Gzb	Jeans Dyeing	Unit sealed electric connection disconnected.	1
Shri Nilesh Rajput Printing, Khasra No-1192, Sabhapur Bistar Loni, Gzb	Weding Card Printing	Unit sealed electric connection disconnected.	1
Shri Vijay Kitgate Aggarwal Chemical Works, Sabhapur Loni, Gzb	Paper/Clothe Gam	Unit sealed electric connection disconnected.	1
Unknown Chemical Udyog, Sabhapur Loni, Gzb	Gam Products	Unit sealed electric connection disconnected.	1
Ahsan Fiber Art (Unit-2), Viaks Kunj, Sabhapur, Loni, Gzb	Fiber sheet	Unit sealed electric connection disconnected.	1
M/s. Radhe Cards & I, Khasra No-1190, Vikas Kunj, Sabhapur Loni, gzb	Paper/Card	Unit sealed electric connection disconnected.	1
M/s. Almach Sadhi Cards, Khasra No-1190, Vikas Kunj, Sabhapur Loni, gzb	Paper/Card	Unit sealed electric connection disconnected.	1
M/s. Naresh Kumar RO Plant, Khasra No-359, SLF Dev Vihar, Loni, gzb	RO Plant	Unit sealed electric connection disconnected.	1
Shri Prem Kumar RO Plant, Rajdhani Enclave, Sadikpur, Loni, Gzb	RO Plant	Unit sealed electric connection disconnected.	1
Shri Arvind Sharma Ro Plant, Rajdhani Enclave, Sadikpur, Loni, Gzb	RO plant	Unit sealed electric connection disconnected.	1
Sahnawaj S/o. Shri Modh. Yashmin RO Plant, Punit Enclave Park Sadikpir, Loni, Gzb	RO Plant	Unit sealed electric connection disconnected.	1
Shri Jaan Mohd. S/o. Shri Akbar Ali, Khurana Enclave Pooja Colony, Loni, Gzb	RO Plant	Unit sealed electric connection disconnected.	1
Shri Surendra S/o. Shri Hari Singh, Param Hans Vihar Loni, Ghaziabad	Helmet factory	Unit sealed and electric connection disconnected.	1
			1
Modh. Irshad S/o. Shri Alauddin, Param Hans Vihar Loni, Ghaziabad	Cloth washing/dyeing	Unit sealed and electric connection disconnected.	1
Modh. Irshad (Aone Dyers), Param Hans Vihar Loni, Ghaziabad	Cloth washing/dyeing	Unit sealed and electric connection disconnected.	1
Shri Roshan S/o. Shri Ismuddin, Param Hans Vihar Loni, Ghaziabad	Cloth washing/dyeing	Unit sealed and electric connection disconnected.	1
Shri Surendra S/o. Shri Hasri Singh, Param Hans Vihar Loni, Ghaziabad	Helmet factory	Unit sealed and electric connection disconnected.	1
			1
M/s. Naval Kishore, Pawan Kumar House No-312, Param Hans Vihar Loni, Ghaziabad	Cloth washing/dyeing	Unit sealed and electric connection disconnected.	1
M/s. Bhupendra Dairy, Param Hans Vihar Loni, Ghaziabad	Dairy	Unit sealed and electric connection disconnected.	1

Unknown Electric Co. No-6205/684367, Param Hans Vihar Loni, Ghaziabad	Cloth washing/dyeing	Unit sealed and electric connection disconnected.	1
Shri Illu, M. No.-6205-674710, Param Hans Vihar Loni, Ghaziabad	Cloth washing/dyeing	Unit sealed and electric connection disconnected.	1
Shri Iliyash M. No.-6205-674710, Param Hans Vihar Loni, Ghaziabad	Cloth washing/dyeing	Unit sealed and electric connection disconnected.	1
Unknown Electric Co. No-6215/642982, Param Hans Vihar Loni, Ghaziabad	Cloth washing/dyeing	Unit sealed and electric connection disconnected.	1
Shri Badri Electric Co. No-6205/707909, Param Hans Vihar Loni, Ghaziabad	Cloth washing/dyeing	Unit sealed and electric connection disconnected.	1
M/s Aarti Enterprises, A-214, Laxmi Garden, Loni Ghaziabad	Dyeing and washing	Unit sealed electric connection disconnected.	1
Moh Dyeing and Washing, Laxmi Garden, Loni, Ghaziabad	Dyeing and washing	Unit sealed electric connection disconnected.	1
Shri Ranjeet Rathore Jeans Dyeing, Laxmi Garden, Loni, Ghaziabad	Dyeing and washing	Unit sealed electric connection disconnected.	1
Shri Rajkumar Dagar (Rodi Dust), Nahar Road Behta hazipur, Loni, Ghaziabad.	Rodi Dust	Collection the fine	1
Shri Amar Traders (Rodi Dust), Nahar Road Behta hazipur, Loni, Ghaziabad.	Rodi Dust	Collection the fine	1
Shri Shiv Builders (Rodi Dust), Nahar Road Behta hazipur, Loni, Ghaziabad.	Rodi Dust	Collection the fine	1
Shri Umesh Builders (Rodi Dust), Nahar Road Behta hazipur, Loni, Ghaziabad.	Rodi Dust	Collection the fine	1
Shri Baba Builders (Rodi Dust), Nahar Road Behta hazipur, Loni, Ghaziabad.	Rodi Dust	Collection the fine	1
Shri Gupta Builders (Rodi Dust), Nahar Road Behta hazipur, Loni, Ghaziabad.	Rodi Dust	Collection the fine	1
Shri Yadav Builders (Rodi Dust), Nahar Road Behta hazipur, Loni, Ghaziabad.	Rodi Dust	Collection the fine	1
Shri Bhai Sahab (Rodi Dust), Nahar Road Behta hazipur, Loni, Ghaziabad.	Rodi Dust	Collection the fine	1
Shri Dharamendra Builders (Rodi Dust), Nahar Road Behta hazipur, Loni, Ghaziabad.	Rodi Dust	Collection the fine	1
Laxmi Devi Burner Casting, Gali ni 1, Krishna Vihar Phase - 2, Loni, Ghaziabad	Pit furnace	Unit sealed electric connection disconnected.	1
Jai Mavi Dhalai S/o Nekpal Singh, Gali no 1, Krishna Vihar - 2, Loni, Ghaziabad	Pit furnace	Unit dismantled	1
Dharamveer Singh Dhalai Unit, Gali no 1, Krishna Vihar - 2, Loni, Ghaziabad	Pit furnace	Unit dismantled	1
Geeta Devi S/o Shri Krishan Pal, Gali no 1, Krishna Vihar - 2, Loni, Ghaziabad	Pit furnace	Unit Dismantled	1
Meva RamS/o Ram Nath, Main Mandoli Road, Krishna Vihar - 2, Loni, Ghaziabad	Pit furnace	Unit Dismantled	1
Shri JageRam S/o Shri Bhole Ram, Main Mandoli Road, Krishna Vihar - 2, Loni, Ghaziabad	Plastic melting	Notice sent by GDA	1
Unknown Dhalai Unit, near dinesh pehelwan godown, Krishna Vihar- 2, Loni, Ghaziabad	Pit furnace	Unit dismantled	1
Dinesh Kumar, Main Mandoli Road, Krishna Vihar - 2, Loni, Ghaziabad	Pit furnace	Unit sealed and electricity connection disconnected	1

Lata Gupta Dhalai unit, Main Mandoli Road, Gali no 1, Krishna Vihar- 2, Loni, Ghaziabad	Pit furnace	Unit sealed and electricity connection disconnected	1
Sanjay Dhalai unit, Main Mandoli Road, Gali no 1, Krishna Vihar- 2, Loni, Ghaziabad	Pit furnace	Unit sealed and electricity connection disconnected	1
Unknown ,jeans dyeing unit, Arya Nagar, Loni, Ghaziabad	Jeans Dyeing and washing	Electricity connection disconnected	1
Unknown ,jeans dyeing unit, Arya Nagar, Loni, Ghaziabad	Jeans Dyeing and washing	Electricity connection disconnected	1
Unknown ,jeans dyeing unit, Arya Nagar, Loni, Ghaziabad	Jeans Dyeing and washing	Electricity connection disconnected	1
Neelkanth Engineering Works, Krishna Vihar Phase- 1, Behta Hazipur, Loni, Ghaziabad	Foundry for melting iron / aluminuimand making Engg Parts	Unit sealed and electricity connection disconnected	1
Savitri Engineering Works(Unit - 1), Krishna Vihar Phase-1, Behta Hazipur, Loni, Ghaziabad	Machining and rubbing	Unit sealed and electricity connection disconnected	1
Savitri Engineering Works(Unit - 2), Krishna Vihar Phase-1, Behta Hazipur, Loni, Ghaziabad	Machining and rubbing	Unit sealed and electricity connection disconnected	1
Rajesh Plating works, Krishna Vihar phase 1, Behta Hazipur, Loni, Ghaziabad	Electroplating work	Unit sealed and electricity connection disconnected	1
Deepak Metal Works, Krishna Vihar phase 1, Behta Hazipur, Loni, Ghaziabad	Electroplating work	Unit sealed and electricity connection disconnected	1
Subhash Sharma (Cookeer Pin works), Krishna Vihar phase 1, Behta Hazipur, Loni, Ghaziabad	Machine/ fabrication	Unit sealed and electricity connection disconnected	1
Maharaja Steel Works (Unit- 1), Krishna Vihar phase 1, Behta Hazipur, Loni, Ghaziabad	Machining and rubbing	Unit sealed and electricity connection disconnected	1
Maharaja Steel Works (Unit- 2), Krishna Vihar phase 1, Behta Hazipur, Loni, Ghaziabad	Machining and rubbing	Unit sealed and electricity connection disconnected	1
Maharaja Steel Works (Unit- 3), Krishna Vihar phase 1, Behta Hazipur, Loni, Ghaziabad	Machining and rubbing	Unit sealed and electricity connection disconnected	1
Arora Koyla Fire Brick Works, Krishna Vihar phase 1, Behta Hazipur, Loni, Ghaziabad	Foundry	Unit sealed and electricity connection disconnected	1
Baba Ramji Works, Krishna Vihar phase 1, Behta Hazipur, Loni, Ghaziabad	Machining and rubbing	Unit sealed and electricity connection disconnected	1
Pramod Foundry Works, Krishna Vihar phase 1, Behta Hazipur, Loni, Ghaziabad	Foundry	Unit sealed and electricity connection disconnected	1
Unknown Foundry, Krishna Vihar phase 1, Behta Hazipur, Loni, Ghaziabad	Foundry	Unit sealed and electricity connection disconnected	1
Maharaja Check Valve unit, Krishna Vihar phase 1, Behta Hazipur, Loni, Ghaziabad	Machine parts	Unit sealed and electricity connection disconnected	1
Moh Irshad S/o Allauddin, House no A14, Lal Mandir wali Gali, Paramhans Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
M/s Vikky Rathore yeing, Indirapuri, Laxmi Garden Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1

Shri Sarvesh Sharma S/o Late Shri Satyaprakash Sharma, B-121, Paramhans Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
Mayur Malik Dyeing Works, Prashant Vihar, Near Roop Nagar Puliya, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
Raju Dyeing and Washing, Prashant Vihar, Near Roop Nagar Puliya, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
Roshan Rubber Works, Prashant Vihar, Near Roop Nagar Puliya, Loni, Ghaziabad	Auto parts	Unit sealed and electricity connection disconnected	1
Santosh Washing, Sahadullabad, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
Sanjay Chaudhary Dyeing Works, Sahdullabad, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
Mahesh and Dilshad Dyeing Works, Sahdullabad, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
Raju Chaudhary Jeans Dyeing, Vikas Nagar City Market, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
Guddu alias Abdul S/o Shri Makkhan Khan, Sahdullabad, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
Shri Sukhpal S/o Shri Ram Kishan, Jabbar Garden, Sahdullabad, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
Moh Nazir S/o Moh Irshad, Jabbar Garden, Sahdullabad, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
M/S Mini Ice Mill, Rashid Ali Gate, Loni, Ghaziabad	Ice Slabs manufacturing	Unit sealed and electricity connection disconnected	1
M/s Aggarwal Ice Factory, A21, Roop Nagar Industrial Area, Loni, Ghaziabad	Ice Slabs Manufacturing	Unit sealed and electricity connection disconnected	1
M/s Ruby Ice Factory, B-85, Roop Nagar Industrial area, Loni, Ghaziabad	Ice Slabs Manufacturing	Unit sealed and electricity connection disconnected	1
M/s Tirupati Ice Factory, Loni, Ghaziabad	Ice Slabs Manufacturing	Unit sealed and electricity connection disconnected	1
Sagar Ice Factory, 349, Aslatpur Loni, Ghaziabad	Ice Slabs Manufacturing	Unit sealed and electricity connection disconnected	1
M/s Shiv Ice Mill, C-26, Roop Nagar Industrial Area, Ghaziabad	Ice Slabs Manufacturing	Unit sealed and electricity connection disconnected	1
M/s Vardhman Ice Factory, 9, Industrial Estate, Loni, Ghaziabad	Ice Slabs manufacturing	Unit sealed and electricity connection disconnected	1
M/s Arihant Ice Factory, S-8, Loni Industrial Estate, Loni, Ghaziabad	Ice slabs Manufacturing	Unit sealed and electricity connection disconnected	1
Paras Ice Factory, 48, Arya Nagar industrial area, Loni, Ghaziabad	Ice slabs manufacturing	Unit sealed and electricity connection disconnected	1

M/s Kripal Foundry Works Unit 1, Krishna Vihar Phase 1, Loni, Ghaziabad	Foundry Works	Unit sealed and electricity connection disconnected	1
M/s Kripal Foundry Works Unit 2, Krishna Vihar Phase 1, Loni, Ghaziabad	Foundry Works	Unit sealed and electricity connection disconnected	1
M/s Nanhe Khan Foundry Works, Krishna Vihar Phase 1, Loni, Ghaziabad	Foundry Works	Unit sealed and electricity connection disconnected	1
M/s Ramesh Foundry Works, Krishna Vihar Phase 1, Loni, Ghaziabad	Foundry Works	Unit sealed and electricity connection disconnected	1
Unkown , Krishna Vihar Phase 1, Loni, Ghaziabad	Foundry Works	Unit sealed and electricity connection disconnected	1
Unkown , Krishna Vihar Phase 1, Loni, Ghaziabad	Foundry Works	Unit sealed and electricity connection disconnected	1
Unkown , Krishna Vihar Phase 1, Loni, Ghaziabad	Foundry Works	Unit sealed and electricity connection disconnected	1
Unkown , Krishna Vihar Phase 1, Loni, Ghaziabad	Foundry Works	Unit sealed and electricity connection disconnected	1
Unknown, Sabhapur Village Santh Nagar, Loni Ghaziabad		Unit sealed and electricity connection disconnected	1
Unknown, Sabhapur Village Santh Nagar, Loni Ghaziabad		Unit sealed and electricity connection disconnected	1
Unknown, Sabhapur Village Santh Nagar, Loni Ghaziabad		Unit sealed and electricity connection disconnected	1
Unknown, Sabhapur Village Santh Nagar, Loni Ghaziabad		Unit sealed and electricity connection disconnected	1
Unknown, Sabhapur Village Santh Nagar, Loni Ghaziabad		Unit sealed and electricity connection disconnected	1
Unknown, Sabhapur Village Santh Nagar, Loni Ghaziabad		Unit sealed and electricity connection disconnected	1
Unknown, Sabhapur Village Santh Nagar, Loni Ghaziabad		Unit sealed and electricity connection disconnected	1
Unknown, Sabhapur Village Santh Nagar, Loni Ghaziabad		Unit sealed and electricity connection disconnected	1
Unknown, Sabhapur Village Santh Nagar, Loni Ghaziabad		Unit sealed and electricity connection disconnected	1
Unknown, Sabhapur Village Santh Nagar, Loni Ghaziabad		Unit sealed and electricity connection disconnected	1
Unknown, Sabhapur Village Santh Nagar, Loni Ghaziabad		Unit sealed and electricity connection disconnected	1
M/s. Abrar Jeans Dyeing, Hans Garden, Tila Sahabazpur, Loni, Ghaziabad.	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1

M/s. Premod Jeans Dyeing, Hans Garden, Tila Sahabazpur, Loni, Ghaziabad.	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Satish Kumar S/o. Shri Chandra Bhan, Hans Garden, Tila Sahabazpur, Loni, Ghaziabad.	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Champu Hans Garden, Tila Sahabazpur, Loni, Ghaziabad.	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Rajkumar Dixit, Hans Garden, Tila Sahabazpur, Loni, Ghaziabad.	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Brij Mohan, Hans Garden, Tila Sahabazpur, Loni, Ghaziabad.	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Sarvesh Kumar (Nela Gate) Jeans Dyeing, Hans Garden, Tila Sahabazpur, Loni, Ghaziabad.	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Arvind Jeans Dyeing, Hans Garden, Tila Sahabazpur, Loni, Ghaziabad.	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Subodh Jeans Dyeing, Hans Garden, Tila Sahabazpur, Loni, Ghaziabad.	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Vinod Jeans Dyeing, Hans Garden, Tila Sahabazpur, Loni, Ghaziabad.	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Salung, Hans Garden, Tila Sahabazpur, Loni, Ghaziabad.	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Durga Building Material Suppliers, Behta Hazipur, Tila Sahabazpur, Loni, Ghaziabad.	Building material	Unit sealed and electricity connection disconnected	1
M/s. Rituraj Dixit S/o. Shri Rajkumar Dixit, Jeans Dyeing Hans Garden, Tila Sahabazpur, Loni, Ghaziabad	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Avrar, Jeans Dyeing Hans Garden, Tila Sahabazpur, Loni, Ghaziabad	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Banti, Jeans Dyeing Hans Garden, Tila Sahabazpur, Loni, Ghaziabad	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Amit, Jeans Dyeing Hans Garden, Tila Sahabazpur, Loni, Ghaziabad	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Pramod, Jeans Dyeing Hans Garden, Tila Sahabazpur, Loni, Ghaziabad	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
M/s. Brij, Jeans Dyeing Hans Garden, Tila Sahabazpur, Loni, Ghaziabad	Jeans Dyeing and Washing	Unit sealed and electricity connection disconnected	1
Shri Dayanand Jeans Dyeing, Shanti Nagar Extension, Indirapuri, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
Shri Arvind Jeans Dyeing, Shanti Nagar Extension, Indirapuri, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
Lambu Jeans Dyeing, Shanti Nagar Extension, Indirapuri, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1

Ram Naresh Jeans Dyeing, Shanti Nagar Extension, Indirapuri, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
Unknown Jeans Dyeing, Shanti Nagar Extension, Indirapuri, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electricity connection disconnected	1
Mukesh Foundry, 01, Krishna Vihar-II, Gali No-1, Behta hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Mukesh Foundry, 02, Krishna Vihar-II, Gali No-1, Behta hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Mukesh Foundry, 03, Krishna Vihar-II, Gali No-1, Behta hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Sunita yadav Dhalai, Amit Vihar, Shanti garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Raj Yadav Dhalai, Amit Vihar, Shanti garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Mitlesh Yadav Dhalai, Amit Vihar, Shanti garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Rekha Gupta Petal Dhalai, Amit Vihar, Shanti garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Unknown Name Dhalai, Amit Vihar, Shanti garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Devendra Sharma Dhalai, Amit Vihar, Shanti garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Unknown Name Dhalai, Amit Vihar, Shanti garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Unknown Name Dhalai, Amit Vihar, Shanti garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Rekha Rani Gupta Dhalai, Amit Vihar, Shanti garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Rahul Trading Company, Amit Vihar, Shanti garden Behta Hazipur, Loni, Gzb	Metal Causting	Unit sealed and electric connection disconnected.	1
Narendra Singh Rawat Dhalai, Amit Vihar, Shanti garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Salauddin Foundry, Amit Vihar, Shanti garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Rajiv Kumar S/o. Khazan Singh, Syndicate Garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Kunti Mawi Foundry Works, Syndicate Garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Jitendra Dhalai Udyog, Syndicate Garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1

Alka W/o. Jitendra Kumar Syndicate Garden Behta Hazipur, Loni, Gzb	Koyla	Unit sealed and electric connection disconnected.	1
Ashok Kumar S/o. harveer Singh, Syndicate Garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Babli Devi W/o. Shubash Chandra, Syndicate Garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Santa Devi W/o. Vijay, Syndicate Garden Behta Hazipur, Loni, Gzb	Foundry	Unit sealed and electric connection disconnected.	1
Deepak Mawi S/o. Shiv Kumar, Syndicate Garden Behta Hazipur, Loni, Gzb	RO Plant	Unit sealed and electric connection disconnected.	1
Sunil jeans udyog, Behta Hazipur, Loni, Ghaziabad	Foundry	Unit sealed and electric connection disconnected.	1
Foudary of surrender , Behta Haziour, Loni, Ghaziabaf		Unit sealed and electric connection disconnected.	1
Unknown , Behta Haziour, Loni, Ghaziabaf		Unit sealed and electric connection disconnected.	1
Unknown , Behta Haziour, Loni, Ghaziabaf		Unit sealed and electric connection disconnected.	1
Unknown , Behta Haziour, Loni, Ghaziabaf		Unit sealed and electric connection disconnected.	1
Unknown , Behta Haziour, Loni, Ghaziabaf		Unit sealed and electric connection disconnected.	1
Sabir S/o. Sri Sirfraz, Khanna nagar Gali No-1, Loni, Gzb	RO Plant	Unit sealed and electric connection disconnected.	1
Dilshad S/o. Hafiz Ali, Khanna Nagar, Gali no 1, Loni, Ghazabad	Chowmein processing	Unit sealed and electric connection disconnected.	1
Raj Noodles, Shri Ram mani tripathi, Khanna Nagar, Goli no 1, Loni, Ghaziabad	Chowmein processing	Unit sealed and electric connection disconnected.	1
Shri Dushyant (D.L.F Colony), Royal Garden near, Loni, Ghaziabad	Foundry	Unit sealed and electric connection disconnected.	1
Shri Rajeev, DLF Colony, Royal Garden ke paas, Loni, Ghaziabad	Foundry	Unit sealed and electric connection disconnected.	1
Shri Naresh S/o Shri Saheb Singh, D.L. F Colony Royal Garden ke paas, Loni, Ghaziabad	Foundry	Unit sealed and electric connection disconnected.	1
Unknown Wire burning unit, Village Sakalpura, Loni, Ghaziabad	Waste wire burning	Unit demolished	1
Unknown Wire burning unit, Village Sakalpura, Loni, Ghaziabad	Waste wire burning	Unit demolished	1
Unknown Wire burning unit, Village Sakalpura, Loni, Ghaziabad	Waste wire burning	Unit demolished	1
Unknown Wire burning unit, Village Sakalpura, Loni, Ghaziabad	Waste wire burning	Unit demolished	1
Unknown Wire burning unit, Village Sakalpura, Loni, Ghaziabad	Waste wire burning	Unit demolished	1

Unknown Wire burning unit, Village Sakalpura, Loni, Ghaziabad	Waste wire burning	Unit demolished	1
Unknown Wire burning unit, Village Sakalpura, Loni, Ghaziabad	Waste wire burning	Unit demolished	1
Unknown Wire burning unit, Village Sakalpura, Loni, Ghaziabad	Waste wire burning	Unit demolished	1
Shri Salim S/o Ali Mohammad, Vikas Kunj , Loni, Ghaziabad	Foundry	Unit sealed and electric connection disconnected.	1
Shri Somveer Chaudhary, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Shri Mukesh S/o Shei Masuri Lal, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Shri Chaturvedi, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Unknow, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Unknow, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Unknow, Chaman Vihar, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Shri Shekhar Yadav, Gali no 13, Keshav Nagar, Loni. Ghaziabad	Foundry	Unit sealed and electric connection disconnected.	1
Shri Surjeet, Gali no 13, Keshav Nagar, Loni. Ghaziabad	Foundry	Unit sealed and electric connection disconnected.	1
Shri Raseenuddinn, Gali no 13, Keshav Nagar, Loni. Ghaziabad	Foundry	Unit sealed and electric connection disconnected.	1
Shri Ramesh S/o Shri Ram Ratan, Gali no 13, Keshav Nagar, Loni. Ghaziabad	Lathe machine	Unit sealed and electric connection disconnected.	1
Shri Mukesh Pradhan, near SD public School, Soniya Nagar, Loni, Ghaziabad	RO Plant	Unit sealed and electric connection disconnected.	1
Shri Yogender Singh Bhandari S/o Kamal Singh Bhandari, Gali no 1, Soniya Nagar, Loni, Ghaziabad	Machining and rubbing	Unit sealed and electric connection disconnected.	1
Shri Sunil S/o Sher Singh, Nothora Road, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Unknown, ParamhansVihar Colony, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Unknown, ParamhansVihar Colony, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Unknown, ParamhansVihar Colony, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Adarsh Sad, KH33, Laxmi Garder, Loni, Ghaziabad	Colours	Unit sealed and electric connection disconnected.	1

Kasim S/o Sayeed, C-165, Gali no 1, Laxmi Garden, Loni, Ghaziabad	Jeans Dyeing and Washing	Unit sealed and electric connection disconnected.	1
Rafeeq, Atri Wali Gali, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Plastic waste foam unit, Teela Shahbajpur, Loni, Ghaziabad	Foanm unit	Unit sealed and electric connection disconnected.	1
jeans dyeing unit, Teela Shahbajpur, Loni, Ghaziabad	Jeans dyeing and washing unit	Unit sealed and electric connection disconnected.	1
plastic waste moulding unit, Teela Shahbajpur, Loni, Ghaziabad	Plastic moulding unit	Unit sealed and electric connection disconnected.	1
plastic waste storage unit, Teela Shahbajpur, Loni, Ghaziabad	Plastic godown	Unit sealed and electric connection disconnected.	1
Unknown metal recovery unit , Krishna Vihar Gaddha , Loni Ghaziabad	Metal recovery unit	Unit sealed and electric connection disconnected.	1
Unknown metal recovery unit , Krishna Vihar Gaddha , Loni Ghaziabad	Metal recovery unit	Unit sealed and electric connection disconnected.	1
Unknown metal recovery unit , Krishna Vihar Gaddha , Loni Ghaziabad	Metal recovery unit	Unit sealed and electric connection disconnected.	1
Unknown metal recovery unit , Krishna Vihar Gaddha , Loni Ghaziabad	Metal recovery unit	Unit sealed and electric connection disconnected.	1
Unknown metal recovery unit , Krishna Vihar Gaddha , Loni Ghaziabad	Metal recovery unit	Unit sealed and electric connection disconnected.	1
Unknown metal recovery unit , Krishna Vihar Gaddha , Loni Ghaziabad	Metal recovery unit	Unit sealed and electric connection disconnected.	1
Unknown metal recovery unit , Krishna Vihar Gaddha , Loni Ghaziabad	Metal recovery unit	Unit sealed and electric connection disconnected.	1
Unknown metal recovery unit , Krishna Vihar Gaddha , Loni Ghaziabad	Metal recovery unit	Unit sealed and electric connection disconnected.	1
Unknown metal recovery unit , Krishna Vihar Gaddha , Loni Ghaziabad	Metal recovery unit	Unit sealed and electric connection disconnected.	1
Unknown metal recovery unit , Krishna Vihar Gaddha , Loni Ghaziabad	Metal recovery unit	Unit sealed and electric connection disconnected.	1
Unknown metal recovery unit , Krishna Vihar Gaddha , Loni Ghaziabad	Metal recovery unit	Unit sealed and electric connection disconnected.	1
Unknown metal recovery unit , Krishna Vihar Gaddha , Loni Ghaziabad	Metal recovery unit	Unit sealed and electric connection disconnected.	1
Jaypal Singh jeans Dyeing, Neelam Compound, Arya Nagar, Loni, Ghaziabad	Jeans dyeing and washing	Unit sealed and electric connection disconnected.	1
Lala Ral Sharma jeans Dyeing, Neelam Compound, Arya Nagar, Loni, Ghaziabad	Jeans dyeing and washing	Unit sealed and electric connection disconnected.	1
Kalmi Khan jeans Dyeing, Neelam Compound, Arya Nagar, Loni, Ghaziabad	Jeans dyeing and washing	Unit sealed and electric connection disconnected.	1
Om Ve er/ Bharat Singh Jeans Dyeing, Teela Shahbajpur, Loni, Ghaziabad	Jeans dyeing and washing	Unit sealed and electric connection disconnected.	1

Bode Ram/ Dharmender Jeans Dyeing, Teela Shahbajpur, Loni, Ghaziabad	Jeans dyeing and washing	Unit sealed and electric connection disconnected.	1
Phoolvati Jeans Dyeing, Teela Shahbajpur, Loni, Ghaziabad	Jeans dyeing and washing	Unit sealed and electric connection disconnected.	1
Banti/Sateesh Jeans Dyeing, Teela Shahbajpur, Loni, Ghaziabad	Jeans dyeing and washing	Unit sealed and electric connection disconnected.	1
Shri Shyam singh Jeans Dyeing, Teela Shahbajpur, Loni, Ghaziabad	Jeans dyeing and washing	Unit sealed and electric connection disconnected.	1
Shri Ram Naresh Sharma Jeans Dyeing unit, Teela Shahbajpur, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Rahul S/o Vinod , Jeans Dyeing unit, Band Gali, Shanti Nagar, Indirapuri, Loni, Ghaziabad	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Sudheer Sharma S/o Sohanpal Sharma, Jeans Dyeing, Shanti Nagar, Indirapuri, Loni	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Mandeep S/o Mangatram Jeans Dyeing Unit, Shanti Nagar, Indirapuri, Loni	Jeans Dyeing and washing	Unit sealed and electric connection disconnected.	1
Vanshika deying B-69, Roop nagar, GZB	Jeans Washing and Dyeing	Unit sealed and electric connection disconnected.	1
Mh. Shalim hazi s/o Sabir add- Permnagar, GZB		Unit sealed and electric connection disconnected.	1
Nasim s/o Sabir add-Premnagar		Unit sealed and electric connection disconnected.	1
Noorhasan s/o Rafik add- Premnagar		Unit sealed and electric connection disconnected.	1
Sonu s/o Anwar add- Premnagar		Unit sealed and electric connection disconnected.	1
Irsad S/o Sokien add- premnagar		Unit sealed and electric connection disconnected.	1
Riyshad s/o Syamdeen add- premnagar		Unit sealed and electric connection disconnected.	1
Sonu s/o Chutan add- premnagar		Unit sealed and electric connection disconnected.	1
Shajid S/o kummu add- premnagar		Unit sealed and electric connection disconnected.	1
Jafarudeen s/o namalum add- premnagar		Unit sealed and electric connection disconnected.	1
Ikbal s/o namalum add- premnagar		Unit sealed and electric connection disconnected.	1
Tanveer s/o namalum add- premnagar		Unit sealed and electric connection disconnected.	1

nafe s/o namalum add- premnagar		Unit sealed and electric connection disconnected.	1
Ikram s/o rafik add- premnagar		Unit sealed and electric connection disconnected.	1
Islam s/o vazer add- premnagar		Unit sealed and electric connection disconnected.	1
Ehasan s/allahaband add- premnagar		Unit sealed and electric connection disconnected.	1
Salim s/o namalum add- premnagar		Unit sealed and electric connection disconnected.	1
Salim s/o sabbudin add-Premnagar		Unit sealed and electric connection disconnected.	1
Islam s/o Meharden add- premnagar		Unit sealed and electric connection disconnected.	1
Abudl satar s/o shddik add- permnagar		Unit sealed and electric connection disconnected.	1
Anis filter add- premnagar		Unit sealed and electric connection disconnected.	1
Sri Chandan(Honer) Sri ghanshyam(leber) add- krishna vihar colony	Foundry	Unit sealed and electric connection disconnected.	1
Sri Chandu Add-same	Foundry	Unit sealed and electric connection disconnected.	1
Sri Doma add- Same	Foundry	Unit sealed and electric connection disconnected.	1
Sri vishnu add- same	Foundry	Unit sealed and electric connection disconnected.	1
sri hariram add- Same	Foundry	Unit sealed and electric connection disconnected.	1
sri Shittu add-same	Foundry	Unit sealed and electric connection disconnected.	1
Sri umakant add- same	Foundry	Unit sealed and electric connection disconnected.	1
sri prmod add- same first unit	Foundry	Unit sealed and electric connection disconnected.	1
sri prmod add- same second unit	Foundry	Unit sealed and electric connection disconnected.	1
Sri awdash add- same	Foundry	Unit sealed and electric connection disconnected.	1
Sri Chandu Add-same	Foundry	Unit sealed and electric connection disconnected.	1

Sri jaiswal add-same	Foundry	Unit sealed and electric connection disconnected.	1
Sri ram Add- same	Foundry	Unit sealed and electric connection disconnected.	1
Sri narayan Add- same	Foundry	Unit sealed and electric connection disconnected.	1
Chinghu Add-amit vihar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Aagyat add- amit vihar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Premlal s/o chhuni lal add- amit vihar, Loni GZB	Foundry	Unit sealed and electric connection disconnected.	1
Aagyat add- amit vihar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Aagyat add- amit vihar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Aagyat add- amit vihar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Aagyat add- amit vihar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Aagyat add- amit vihar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Aagyat add- amit vihar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Aagyat add- amit vihar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Aagyat add- amit vihar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Aagyat add- amit vihar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Indrapal Add-shantnagar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Indrapal Add-shantnagar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Dhoomsingh Add-shantnagar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Kavita Add-shantnagar Loni, GZB	Foundry	Unit sealed and electric connection disconnected.	1
Momin jeens deying Add-shantnagar Loni, GZB	Jeans Washing and Dyeing	Unit sealed and electric connection disconnected.	1
mo Kalin s/o mo nazeer add- khasra no- 292 plot no-5 arya nagar neelam compund, loni ,GZB	Jeans Washing and Dyeing	Unit sealed and electric connection disconnected.	1
Rama sharma Add- khasra no-317/1 arya nagar neelam compund loni, GZB	Jeans Washing and Dyeing	Unit sealed and electric connection disconnected.	1

Mo. Alim Khan (arvind dyeing) Add- arynagar, Loni, GZB	Jeans Washing and Dyeing	Unit sealed and electric connection disconnected.	1
Bansal plastic add-Neelam compound, Loni, GZB	Jeans Washing and Dyeing	Unit sealed and electric connection disconnected.	1
National Plastic add-Neelam Compound, Loni, GZB	Jeans Washing and Dyeing	Unit sealed and electric connection disconnected.	1
Chirag (S.N.waire) add- neelam compound, Loni, GZB	Jeans Washing and Dyeing	Unit sealed and electric connection disconnected.	1
Agyat, Loni, GZB	Jeans Washing and Dyeing	Unit sealed and electric connection disconnected.	1
Mukesh buliders, Loni, GZB	Open building material	Unit sealed and electric connection disconnected.	1
Devendra buliders, Loni, GZB	Open building material	Unit sealed and electric connection disconnected.	1
Nitin buliders, Loni, GZB	Open building material	Unit sealed and electric connection disconnected.	1
Aript buliders, Loni, GZB	Open building material	Unit sealed and electric connection disconnected.	1
Siya buliders, Loni, GZB	Open building material	Unit sealed and electric connection disconnected.	1
Agyat, Loni, GZB	Open building material	Unit sealed and electric connection disconnected.	1
Power buliders, Loni, GZB	Open building material	Unit sealed and electric connection disconnected.	1
Bala ji buliders, Loni, GZB	Open building material	Unit sealed and electric connection disconnected.	1
Pritam buliders, Loni, GZB	Open building material	Unit sealed and electric connection disconnected.	1
Malik buliders, Loni, GZB	Open building material	Unit sealed and electric connection disconnected.	1
Durga buliders, Loni, GZB	Open building material	Unit sealed and electric connection disconnected.	1
Hashin buliders, Loni, GZB	Open building material	Unit sealed and electric connection disconnected.	1
Manoj Near Naher road behta hazipur, Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Ranjeet Near Naher road behta hazipur, Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Sachin near tila shebajpur unit first, Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1

Sachin near tila shebajpur unit Second, Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Agyat near tila shebajpur , Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Agyat near tila shebajpur , Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Agyat near tila shebajpur , Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Sri Arvind choudhry, Sevadham, Loni, GZB	Jeans Washing and Dyeing	Unit sealed and electric connection disconnected.	1
Sri Mevalal s/o sri ramnath add- Tilla shevajpur, Loni, GZB	Jeans Washing and Dyeing	Unit sealed and electric connection disconnected.	1
Rekha interprises, B-81 Roopnagar, Loni, GZB	Jeans Washing and Dyeing	Unit sealed and electric connection disconnected.	1
M. R. Industries, B-84/05, Roop nagar, Loni, GZB	Jeans Washing and Dyeing	Unit sealed and electric connection disconnected.	1
Sri Anil Bhatta Company, Javali, Loni, GZB		Unit sealed and electric connection disconnected.	1
Sabir Add- Khasra no. 515, 516, 517 Banthla nehar road Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Deepak Add- Khasra no. 515, 516, 517 Banthla nehar road Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Yashpal Add- Khasra no. 515, 516, 517 Banthla nehar road Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Onprakesh thakur Add- Khasra no. 515, 516, 517 Banthla nehar road Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Mahbuba Add- Khasra no. 515, 516, 517 Banthla nehar road Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Pandit ji Add- Khasra no. 515, 516, 517 Banthla nehar road Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Yogesh Add- Khasra no. 515, 516, 517 Banthla nehar road Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Doctor Add- Khasra no. 515, 516, 517 Banthla nehar road Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Dilawar Add- Khasra no. 515, 516, 517 Banthla nehar road Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Mota Add- Khasra no. 515, 516, 517 Banthla nehar road Loni, GZB	Wire Burning	Unit sealed and electric connection disconnected.	1
Rajendra brick field, Rajpur, Loni, GZB		Unit sealed and electric connection disconnected.	1

Kusum Tayagi Plot no. B-42 , Loni, GZB		Unit sealed and electric connection disconnected.	1
Agyat, Loni, GZB		Unit sealed and electric connection disconnected.	1
Naresh Tayagi Loni, GZB		Unit sealed and electric connection disconnected.	1
Surendra Lohiya s/o Ram singh plot no. B-49, Loni, GZB		Unit sealed and electric connection disconnected.	1
Madhu kumar mavi s/o Mohanveer Malvi Faise-2 Gali no.-2 Loni, GZB		Unit sealed and electric connection disconnected.	1
Laxmi w/o Rajendra plot no. 456, Loni, GZB		Unit sealed and electric connection disconnected.	1
Bhupendra kumar, Loni, GZB		Unit sealed and electric connection disconnected.	1
Yash Pal choudhry ,Loni, GZB		Unit sealed and electric connection disconnected.	1
Sabir, Loni, GZB		Unit sealed and electric connection disconnected.	1
Ajay pal, Loni, GZB		Unit sealed and electric connection disconnected.	1
Agyat, Loni, GZB		Unit sealed and electric connection disconnected.	1
Kallu Urf Dilshad, Maulana Ajad Colony, Khadde Wali Mazjid, Behta Hazipur, Loni, Ghaziabad	Wire Burning	Unit closed and action under CRPC against the responsible person	1
Shri Tayyab Shah S/o/ Chuttan, Behta Hazipur, Loni Ghaziabad	Wire Burning	Unit closed and action under CRPC against the responsible person	1
Shri Pappu Alias Ajid S/o Shajid Ali, Behta Hazipur, Loni, Ghaziabad	Wire Burning	Unit closed and action under CRPC against the responsible person	1
Shri Shammen S/o Jareef, Behta Hazipur, Loni, Ghaziabad	Wire Burning	Unit closed and action under CRPC against the responsible person	1
Shri Ram Sevak S/o Khet Ram, Behta Hazipur, Loni, Ghaziabad	Wire Burning	Unit closed and action under CRPC against the responsible person	1
M/s Alisha Dyeing, Shyam Singh Market, Bhopura, Ghaziabad	Jeans Washing and Dyeing	Recommended for closure order under section 33(a)	1
Shri Bindak Khan S/o Waseem Khan, Behta Hazipur, Loni, Ghaziabad	Wire Drawing and Burning	Unit sealed	1
Ward No 21, Village Bovapur, Kaushambhi, Ghaziabad	RO Plant	Recommendation sent under section 33(a)	1
Ward no 43, Karkad Model, Sahibabad, Ghaziabad	RO Plant	Recommendation sent under section 33(a)	1
M/s Yaseen S/o Idrish, Mahrajpur, pilkhan wali gali, Sahibabad, Ghaziabad	RO Plant	Recommendation sent under section 33(a)	1
Haarun S/o Jaffarrudding, Behta Hazipur, Loni, Ghaziabad	Wire Drawing and Burning	Unit sealed and action under CRPC against the responsible person	1

Riyaasat S/o Saddique, Sangam Vihar, Loni Border, Ghaziabad	Wire Drawing and Burning	Unit sealed and action under CRPC against the responsible person	1
Laddan S/o Ali Hussain, Behta Hazipur, Loni, Ghaziabad	Wire Drawing and Burning	Unit sealed and action under CRPC against the responsible person	1
Jai Bhagwan S/o Late Shri Hukum Singh, Behta Hazipur, Loni, Ghaziabad	Wire Drawing and Burning	Unit sealed and action under CRPC against the responsible person	1
Devender Sharma S/o Shri Ram Charat Sharma, Vikas Kunj, Loni, Ghaziabad	Wire Drawing and Burning	Unit sealed and action under CRPC against the responsible person	1
Shahnawaz S/o Habib, Behta Hazipur, Loni, Ghaziabad	Wire Drawing and Burning	Unit sealed and action under CRPC against the responsible person	1
Sadique S/o Shri Irfan, Behta Hazipur, Loni, Ghaziabad	Wire Drawing and Burning	Unit sealed and action under CRPC against the responsible person	1
Unknown, Behta Hazipur, Loni Ghaziabad	Wire Drawing and Burning	Unit sealed	1
Mujahid S/o Shri Ahmad, Behta Hazipur, Loni, Ghaziabad	Wire Drawing and Burning	Unit sealed	1
Faqarrunddin, Behta Hazipur, Loni, Ghaziabad	Wire Drawing and Burning	Unit sealed	1
Veerpal S/o Namalum, Behta Hazipur, Loni, Ghaziabad	Wire Drawing and Burning	Unit sealed	1
Shahzad, Behta Hazipur, Loni, Ghaziabad	Jean Washing and Dyeing	Unit sealed	1
Unknown, House no H 235, Gali no 3, Shaheed Nagar, Sahibabad, Ghaziabad	Fabrication unit	Recommendation sent to electricity department for disconnection of electricity	1
M/s Tariq, Chaman Vihar, Loni, Ghaziabad	Jean Washing and Dyeing	Unit sealed	1
Garima Enterprises, Bhati Enclave, Krishna Vihar, Loni, Ghaziabad	Foundry	Unit sealed	1
New Rajdhaani, Krishna Vihar, Loni, Ghaziabad	Foundry	Unit sealed	1
Jagat, Behta Hazipur, Loni, Ghaziabad	Wire drawing	Unit sealed	1
Unknown, Behta Hazipur, Loni Ghaziabad	Wire Drawing	Unit sealed	1
Unknow, Salimar Garden Ext 2, Sahibabad, Ghaziabad	RO Plant	Recommendation sent under section 33(a)	1
M/s Monu, S/o Shri Mukesh, Gagan Vihar, Bhopura, Ghaziabad	RO Plant	Recommendation sent under section 33(a)	1
Monu S/o Mukesh, Gagan Vihar, Bhopura, Ghaziabad	RO Plant	Recommendation sent to electricity department for disconnection of electricity	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1

Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	Foundry	Unit demolished and electricity connection disconnected	1
Unknown, Amit Vihar, Loni, Ghaziabad	E- waste reprocessing	Unit demolished and electricity connection disconnected	1
Subhash Dyeing (Atul Bhati S/o Jagveer), Vikas Nagar, Kasturba Ganshi ke saamne, Loni, Ghaziabad	Jeans Washing and Dyeing	Unit sealed and borewell dismantled	1

Unknown, foundary unit, pipeline road, gaddha, sewa dham, Loni, ghaziabad	e waste processing	Unit demolished	1
Unknown, foundary unit, pipeline road, gaddha, sewa dham, Loni, ghaziabad	e waste processing	Unit demolished	1
Unknown, foundary unit, pipeline road, gaddha, sewa dham, Loni, ghaziabad	e waste processing	Unit demolished	1
Unknown, foundary unit, pipeline road, gaddha, sewa dham, Loni, ghaziabad	e waste processing	Unit demolished	1
Unknown, foundary unit, pipeline road, gaddha, sewa dham, Loni, ghaziabad	e waste processing	Unit demolished	1
Unknown, foundary unit, pipeline road, gaddha, sewa dham, Loni, ghaziabad	e waste processing	Unit demolished	1
Unknown, foundary unit, pipeline road, gaddha, sewa dham, Loni, ghaziabad	e waste processing	Unit demolished	1
Yunis Pahalwan, Behata Hazipur Shamsham Ghat, Loni, Ghaziabad	Wire drawing	Unit demolished	1
Ram Asis, Back of Seva Dham Mandir, Krishna Vihar, Loni, Ghaziabad	Foundary	Unit demolished and 04 people arrested	1
Dharam Pal Bhati, Krishna Vihar, Loni, Ghaziabad	Electroplating	Electricity connection disconnected	1
Jagnish, Phase 1, Gali no 10, Seva Dham, Loni, Ghaziabad	Foundary	Unit demolished	1
M/s Balaji Homes Appliances (Shri Ahok Tyagi), E-11 A, Gali no 10, Krishna Vihar, Loni, Ghaziabad	Dyeing and washing	Electricity connection disconnected	1
M/s. Dharma Packaging, B-7, main Road Krishna Vihar Phase-1, Behta hazipur Loni, Ghaziabad	Corrugated Box	Unit sealed & Electricity connection disconned	1
M/s. Shiwangi Enterprises, Khasra No-1637, main Road Krishna Vihar Phase-1, Behta hazipur Loni, Ghaziabad	Cooker Parts	Unit sealed & Electricity connection disconned	1
M/s. Rajesh Kumar, Khasra No-1637, main Road Krishna Vihar Phase-1, Behta hazipur Loni, Ghaziabad	LPG Gas Pipe	Unit sealed & Electricity connection disconned	1
M/s. Nathu Singh, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Break Shoe	Unit sealed & Electricity connection disconned	1
Unknow, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	-	Unit sealed & Electricity connection disconned	1
M/s. Smt. Sangita Jain W/o Devendra Jain, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Lathe Work	Unit sealed & Electricity connection disconned	1
M/s. Pramod Kumar, Khasra No.1638, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Stove Burner	Unit sealed & Electricity connection disconned	1
Unknow, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Lathe Work	Unit sealed & Electricity connection disconned	1
Unknow, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	-	Unit sealed & Electricity connection disconned	1
M/s. Ali Mehar, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Lathe Work	Unit sealed & Electricity connection disconned	1
Unknow, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Almirah Work	Unit sealed & Electricity connection disconned	1
M/s. Prem Nath, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Lathe Work	Unit sealed & Electricity connection disconned	1
M/s. Baburam, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Cooker Parts	Unit sealed & Electricity connection disconned	1
M/s. Sushil Gupta, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	-	Unit sealed & Electricity connection disconned	1
M/s. Mahadev Enterprise, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Cooker Parts	Unit sealed & Electricity connection disconned	1
M/s. Medimex Pharma, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Ayurvedic Medicine	Unit sealed & Electricity connection disconned	1
M/s. Arora Trading Company, Plot No-4, Khasra No-1640, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Coal Work	Unit sealed & Electricity connection disconned	1

M/s. Smt. Manisha Chaudhary, Khasra No-1640, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Power Press	Unit sealed & Electricity connection disconned	1
M/s Narendra Kumar, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Lathe Work	Unit sealed & Electricity connection disconned	1
M/s. Nanhe Babu, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	-	Unit sealed & Electricity connection disconned	1
M/s Premvati, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	-	Unit sealed & Electricity connection disconned	1
M/s. Yogendra Chaudhary, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Lathe Work	Unit sealed & Electricity connection disconned	1
M/s. Raju S/o. Gopiram, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	-	Unit sealed & Electricity connection disconned	1
M/s. G.K. Associates, Plot No-34-35, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Refractory Material/Brick	Unit sealed & Electricity connection disconned	1
M/s. D.K. Jain, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Check Valve	Unit sealed & Electricity connection disconned	1
M/s. Raj Kumar Chaudhary C/o. Sanjeec Sharma, Main Road Krishna Vihar Phase-1, Behta Hazipur Loni, Ghaziabad	Cooker Parts	Unit sealed & Electricity connection disconned	1
M/s. Harshit Enterprises, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Platic waste	Unit sealed & Electricity connection disconned	1
M/s. S.R. Rubber, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Hose Pipe Rubber	Unit sealed & Electricity connection disconned	1
M/s. Mewaram Bhatti-1, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Platic Work	Unit sealed & Electricity connection disconned	1
M/s. Mewaram Bhatti-2, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Platic Work	Unit sealed & Electricity connection disconned	1
M/s. Mewaram Bhatti-3, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Platic Work	Unit sealed & Electricity connection disconned	1
M/s. Mewaram Bhatti-4, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Rubber Work	Unit sealed & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	-	Unit sealed & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	-	Unit sealed & Electricity connection disconned	1
M/s. Sabbir Statue, Work-1, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Mannequin	Unit sealed & Electricity connection disconned	1
M/s. Sabbir Statue, Work-2, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Mannequin	Unit sealed & Electricity connection disconned	1
M/s. Sabbir Statue, Work-3, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Mannequin	Unit sealed & Electricity connection disconned	1
M/s. Sabbir Statue, Work-4, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Mannequin	Unit sealed & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Steel Work	Unit sealed & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Mannequin	Unit sealed & Electricity connection disconned	1
M/s. Raghuvveer Statue Work, Tela Sahbazpur, Loni, Ghaziabad	Mannequin	Unit sealed & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Casting	Unit sealed & Electricity connection disconned	1
Dahia Enterprise, Khasra No-130, Tila Sahbazpur, Loni, Ghaziabad	Helmet Work	Unit sealed & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Casting	Unit dismantling & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Acid Work	Unit dismantling & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Acid Work	Unit sealed & Electricity connection disconned	1

Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Acid Work	Unit sealed & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Acid Work	Unit sealed & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Acid Work	Unit sealed & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Acid Work	Unit sealed & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Casting & Metal Recovery	Unit sealed & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Metal Recovery	Unit sealed & Electricity connection disconned	1
M/s. Rajeev, Tela Sahbazpur, Loni, Ghaziabad	Chemical Work	Unit sealed & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Metal Recovery	Unit sealed & Electricity connection disconned	1
M/s. Mahipal, Tela Sahbazpur, Loni, Ghaziabad	Casting	Unit sealed & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Metal Recovery	Unit sealed & Electricity connection disconned	1
M/s. Mahesh Singh, Tela Sahbazpur, Loni, Ghaziabad	Foam, Bottle	Unit sealed & Electricity connection disconned	1
Unknow, Mewaram Market, Tela Sahbazpur, Loni, Ghaziabad	Chemical Work	Unit sealed & Electricity connection disconned	1
M/s. Ajeet Yadav, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Gatta work	Unit sealed & Electricity connection disconned	1
M/s. Kharul, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Plastic Cutting	Unit sealed & Electricity connection disconned	1
M/s. Saksham Traders, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Scarp Work	Unit sealed & Electricity connection disconned	1
M/s Deepak S/o. Kohdiram, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Break Shoe	Unit sealed & Electricity connection disconned	1
M/s Deepak S/o. Kohdiram, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Break Shoe	Unit sealed & Electricity connection disconned	1
M/s. Mumtash, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Nut Bolt	Unit sealed & Electricity connection disconned	1
M/s. Kartar Singh, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Metal Work	Unit sealed & Electricity connection disconned	1
Unknow, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Metal Work	Unit sealed & Electricity connection disconned	1
Unknow, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Metal Work	Unit sealed & Electricity connection disconned	1
Unknow, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Metal Work	Unit sealed & Electricity connection disconned	1
Unknow, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Metal Work	Unit sealed & Electricity connection disconned	1
M/s. Sunil & Sachin, Shivam Farm House, Champ-1, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Fabrication Job Work	Unit sealed & Electricity connection disconned	1
M/s. Sunil & Sachin, Shivam Farm House, Champ-1, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Fabrication Job Work	Unit sealed & Electricity connection disconned	1
M/s. Sunil & Sachin, Shivam Farm House, Champ-1, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Fabrication Job Work	Unit sealed & Electricity connection disconned	1
M/s. Sunil & Sachin, Shivam Farm House, Champ-1, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Fabrication Job Work	Unit sealed & Electricity connection disconned	1
M/s. Sunil & Sachin, Shivam Farm House, Champ-1, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Fabrication Job Work	Unit sealed & Electricity connection disconned	1

M/s. Sunil & Sachin, Shivam Farm House, Champ-1, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Fabrication Job Work	Unit sealed & Electricity connection disconned	1
M/s. Sunil & Sachin, Shivam Farm House, Champ-1, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Fabrication Job Work	Unit sealed & Electricity connection disconned	1
M/s. Sunil & Sachin, Shivam Farm House, Champ-1, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Fabrication Job Work	Unit sealed & Electricity connection disconned	1
M/s. Sunil & Sachin, Shivam Farm House, Champ-1, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Fabrication Job Work	Unit sealed & Electricity connection disconned	1
M/s. Pryag Traders, Prop, Deenu, Krishna Vihar, Behta Hazipur, Mandoli road, Loni, Ghaziabad	Scrap Work	Unit sealed & Electricity connection disconned	1
M/s. Plaza Sales Corporation, Plot No-42, Roop Nagar Loni, Ghaziabad	Casting	Unit sealed & Electricity connection disconned	1
M/s. Malik Washing, Plot No-101/2, Roop Nagar Loni, Ghaziabad	Washing & Dyeing	Unit sealed & Electricity connection disconned	1
Unknown Name, Indirapuri Loni, Ghaziabad	Washing & Dyeing	Unit sealed & Electricity connection disconned	1
M/s. Maa Bhagwati Washing, Plot No-101, Arya Nagar, Loni, Ghaziabad	Washing & Dyeing	Unit sealed & Electricity connection disconned	1
M/s. Shree Krishan Kumar Ragosav, Arya Nagar, Loni, Ghaziabad	Washing & Dyeing	Unit sealed & Electricity connection disconned	1
M/s. Anil Washing, Arya Nagar, Loni, Ghaziabad	Washing & Dyeing	Unit sealed & Electricity connection disconned	1
M/s. Chaman Enterprises, Plot No-8, Khasra No-110, Arya Nagar, Loni Ghaziabad.	Polishing	Unit sealed & Electricity connection disconned	1
M/s. B.P. Rubber, Arya Nagar Loni, Ghaziabad	Rubber	Unit sealed & Electricity connection disconned	1
M/s. Jahageer, Gullewali Gali, Arya Nagar, Loni, Ghaziabad	Plastic Gulla	Unit sealed & Electricity connection disconned	1
M/s. Gajrani, Arya Nagar, Loni, Ghaziabad	Plastic Gulla	Unit sealed & Electricity connection disconned	1
M/s. Raju, Arya Nagar Loni, Ghaziabad	Plastic Gulla	Unit sealed & Electricity connection disconned	1
M/s Prince Dyeing, Khasra No-397, Gali No-2, Arya Nagar Loni, Ghaziabad	Washing & Dyeing	Unit sealed & Electricity connection disconned	1
M/s. Gulzar Metel, Arya Nagar, Loni, Ghaziabad.	Washing	Unit sealed & Electricity connection disconned	1
M/s. M.Y. Industries, Arya Nagar, Loni, Ghaziabad	Steel Fabricating	Unit sealed & Electricity connection disconned	1
M/s. Avon Dyeing, Indrapuri Loni, Ghaziabad	Dyeing & Washing	Unit sealed & Electricity connection disconned	1
M/s. Smt. Santra, Indrapuri Loni, Ghaziabad	Dyeing & Washing	Unit sealed & Electricity connection disconned	1
M/s. Unkown Name, Indrapuri Loni, Ghaziabad	Printing	Unit sealed & Electricity connection disconned	1
M/s. Vinod Kumar, Indirapuri Loni, Ghaziabad	Helmet	Unit sealed & Electricity connection disconned	1
M/s. Harvish Singh, Indirapuri Loni, Ghaziabad	Printing	Unit sealed & Electricity connection disconned	1
M/s. Lal Singh Bakery, House No B-56, Indirapuri Loni, Ghaziabad	Bakery	Unit sealed & Electricity connection disconned	1
M/s. Pawan Singh Dyeing & Washing, Indirapuri Loni, Ghaziabad	Dyeing & Washing	Unit sealed & Electricity connection disconned	1
M/s. Azru Washing & Dyeing, D-35, Indirapuri Loni, Ghaziabad	Dyeing & Washing	Unit sealed & Electricity connection disconned	1
M/s. Rahul Helmet, C-135, Indirapuri Loni, Ghaziabad	Helmet	Unit sealed & Electricity connection disconned	1
M/s. Deshraj Dyeing, House No-130, C-Block, Indirapuri Loni, Ghaziabad	Dyeing & Washing	Unit sealed & Electricity connection disconned	1

Unknown Name, Indirapuri Loni, Ghaziabad	Dyeing & Washing	Unit sealed & Electricity connection disconned	1
Unknown Name, D-69/2, Indirapuri Loni, Ghaziabad	Helmet	Unit sealed & Electricity connection disconned	1
M/s. Lakhan Singh, C-61, Indirapuri Loni, Ghaziabad	Chemical	Unit sealed & Electricity connection disconned	1
M/s. Deep Niwash Tower, C-31, Indirapuri Loni, Ghaziabad	Mobile Tower	Electricity connection disconned	1
M/s. Manoj Jain, A-55, Indirapuri Loni, Ghaziabad	Mattres	Unit sealed & Electricity connection disconned	1
Unknown Name, Indirapuri Loni, Ghaziabad	Foam	Unit sealed & Electricity connection disconned	1
M/s. Maa Bhagwati Palace, Indirapuri Loni, Ghaziabad	Marrige Hall	-	1
M/s. Raj Singh Gatta Godown, A-62, Indirapuri Loni, Ghaziabad	Gatta Godown	Unit sealed & Electricity connection disconned	1
Unknown Name, Neelam Compund, 29/30, Indirapuri Loni, Ghaziabad	Dyeing	Unit sealed & Electricity connection disconned	1
M/s. S.P. Brothers, Neelam Compund, Arya Nagar Loni, Ghaziabad.	PVC Board	Unit sealed & Electricity connection disconned	1
M/s. Dilshad Daga Factory, Neelam Compund, Arya Loni, Ghaziabad	Daga Factory	Unit sealed & Electricity connection disconned	1
M/s A.R.Trading Company,Maulana Azad colony, Behta Hazipur,Loni	Wire Godown	Godown sealed	1
Sama w/o Haneef,Maulana Azad colony, Behta Hazipur,Loni	Wire Godown	Illegal material/wire seized and stored at NPP Loni	1
Unknown,Maulana Azad colony, Behta Hazipur,Loni	Wire Godown	Godown sealed	1
Moh. Ali S/O Ali Ashgar,Maulana Azad colony, Behta Hazipur,Loni	House	Illegal material/wire seized and stored at NPP Loni	1
Unknown,Maulana Azad colony, Behta Hazipur,Loni	Wire Godown	Godown sealed	1
Salim S/O Sakeel,Maulana Azad colony, Behta Hazipur,Loni	House	Illegal material/ PCB seized and stored at NPP Loni	1
Arif s/o Noor Mohammad, Behta Hazipur,Loni	Wire Godown	Godown sealed	1
Hazi S/O Unknown, Behta Hazipur,Loni	House	Illegal material/wire seized and stored at NPP Loni	1
Riyaz Ahmad S/O Unknown, Behta Hazipur,Loni	House	Illegal material/wire seized and stored at NPP Loni	1
Khaleel S/O Unknown, Behta Hazipur,Loni	House	Illegal material/wire seized and stored at NPP Loni	1
Saleem s/o Khurshid , Behta Hazipur,Loni	House	Illegal material/wire seized and stored at NPP Loni	1
Sajid s/o unknown, Behta Hazipur,Loni	Wire Godown	Godown sealed	1
Naseer s/o unknown, Behta Hazipur,Loni	Wire Godown	Godown sealed	1
Unknown , Behta Hazipur,Loni	Wire Godown	Godown sealed	1
Samshad s/o Faiz Mohammad , Behta Hazipur,Loni	Wire Godown	Godown sealed	1
Anil Dhama s/o Rajpal Dhama, Teela Sahbajpur, Nahar Road,Loni	Metal recovery and Acid work	Unit dismantled & Electricity connection disconned	1
Unknown, Teela Sahbajpur, Nahar Road,Loni	Metal recovery and Acid work	Unit dismantled & Electricity connection disconned	1
Unknown, Teela Sahbajpur, Nahar Road,Loni	Metal recovery and Acid work	Unit dismantled & Electricity connection disconned	1

Unknown, Teela Sahbajpur, Nahar Road,Loni	Metal recovery and Acid work	Unit dismantled & Electricity connection disconnected	1
Moh. Rashid s/o Hazi sarafat, Pipeline Road, Teela Sahbajpur,Loni	Metal recovery / Acid and foundry work	Unit sealed & Electricity connection disconnected	1
Shri Vipin Kumar S/o Shri Haridas, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Unknown Name, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Mahendra S/o Unknown-I Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Mahendra S/o Unknown-II, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Shankar Mandal S/o Jagdish Mandal-I, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Shankar Mandal S/o Jagdish Mandal-II, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Ashish S/o Shri Ganesh-I, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Ashish S/o Shri Ganesh-II, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Ashish S/o Shri Ganesh-III, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Pramod S/o Unknow, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Unknow Name, 30 Futa Road, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Scrap Melting	Dimolished	1
Unknow Name, 30 Futa Road, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Scrap Melting	Dimolished	1
Unknow Name, 30 Futa Road, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Scrap Melting	Dimolished	1
42 Illegal Scrap Melting Furnace, Amit Vihar, Behta Hazipur, Loni, Ghaziabad	Scrap Melting	Dimolished	42
53 Illegal Scrap Melting Furnace, Amit Vihar, Behta Hazipur, Loni, Ghaziabad	Scrap Melting	Dimolished	53
M/s OM Plastic, Arya Nagar industrial Area, Loni, Ghaziabad	Plastic Gulla	Sealed/Electricity Disconnection	1
M/s. Rama Sharma, Arya Nagar Industrial Area, Ghaziabad	Textile	Sealed/Electricity Disconnection	1
06 Illegal Scrap Melting Furnace, Amit Vihar, Behta Hazipur, Loni, Ghaziabad	Scrap Melting	Dimolished	6
M/s. Plaza Sales Corporation, Plot No-42, Roop Nagar Loni, Ghaziabad	Casting	Unit sealed & Electricity connection disconnected	1
M/s. Malik Washing, Plot No-101/2, Arya Nagar Loni, Ghaziabad	Washing & Dyeing	Unit sealed & Electricity connection disconnected	1
Unknown Name, Indirapuri Loni, Ghaziabad	Washing & Dyeing	Unit sealed & Electricity connection disconnected	1
M/s. Maa Bhagwati Washing, Plot No-101, Arya Nagar, Loni, Ghaziabad	Washing & Dyeing	Unit sealed & Electricity connection disconnected	1
M/s. Shree Krishan Kumar Ragosav, Arya Nagar, Loni, Ghaziabad	Washing & Dyeing	Unit sealed & Electricity connection disconnected	1
M/s. Anil Washing, Arya Nagar, Loni, Ghaziabad	Washing & Dyeing	Unit sealed & Electricity connection disconnected	1
M/s. Chaman Enterprises, Plot No-8, Khasra No-110, Arya Nagar, Loni Ghaziabad.	Polishing	Unit sealed & Electricity connection disconnected	1
M/s. B.P. Rubber, Arya Nagar Loni, Ghaziabad	Rubber	Unit sealed & Electricity connection disconnected	1
M/s. Jahageer, Gullewali Gali, Arya Nagar, Loni, Ghaziabad	Plastic Gulla	Unit sealed & Electricity connection disconnected	1
M/s. Gajrani, Arya Nagar, Loni, Ghaziabad	Plastic Gulla	Unit sealed & Electricity connection disconnected	1

M/s. Raju, Arya Nagar Loni, Ghaziabad	Plastic Gulla	Unit sealed & Electricity connection disconned	1
M/s Prince Dyeing, Khasra No-397, Gali No-2, Arya Nagar Loni, Ghaziabad	Washing & Dyeing	Unit sealed & Electricity connection disconned	1
M/s. Gulzar Metel, Arya Nagar, Loni, Ghaziabad.	Washing	Unit sealed & Electricity connection disconned	1
M/s. M.Y. Industries, Arya Nagar, Loni, Ghaziabad	Steel Fabricating	Unit sealed & Electricity connection disconned	1
M/s. Avon Dyeing, Indrapuri Loni, Ghaziabad	Dyeing & Washing	Unit sealed & Electricity connection disconned	1
M/s. Smt. Santra, Indrapuri Loni, Ghaziabad	Dyeing & Washing	Unit sealed & Electricity connection disconned	1
M/s. Unkown Name, Indrapuri Loni, Ghaziabad	Printing	Unit sealed & Electricity connection disconned	1
M/s. Vinod Kumar, Indrapuri Loni, Ghaziabad	Helmet	Unit sealed & Electricity connection disconned	1
M/s. Harvish Singh, Indrapuri Loni, Ghaziabad	Printing	Unit sealed & Electricity connection disconned	1
M/s. Lal Singh Bakery, House No B-56, Indrapuri Loni, Ghaziabad	Bakery	Unit sealed & Electricity connection disconned	1
M/s. Pawan Singh Dyeing & Washing, Indrapuri Loni, Ghaziabad	Dyeing & Washing	Unit sealed & Electricity connection disconned	1
M/s. Azru Washing & Dyeing, D-35, Indrapuri Loni, Ghaziabad	Dyeing & Washing	Unit sealed & Electricity connection disconned	1
M/s. Rahul Helmet, C-135, Indrapuri Loni, Ghaziabad	Helmet	Unit sealed & Electricity connection disconned	1
M/s. Deshraj Dyeing, House No-130, C-Block, Indrapuri Loni, Ghaziabad	Dyeing & Washing	Unit sealed & Electricity connection disconned	1
Unknown Name, Indrapuri Loni, Ghaziabad	Dyeing & Washing	Unit sealed & Electricity connection disconned	1
Unknown Name, D-69/2, Indrapuri Loni, Ghaziabad	Helmet	Unit sealed & Electricity connection disconned	1
M/s. Lakhan Singh, C-61, Indrapuri Loni, Ghaziabad	Chemical	Unit sealed & Electricity connection disconned	1
M/s. Deep Niwash Tower, C-31, Indrapuri Loni, Ghaziabad	Mobile Tower	Electricity connection disconned	1
M/s. Manoj Jain, A-55, Indrapuri Loni, Ghaziabad	Mattres	Unit sealed & Electricity connection disconned	1
Unknown Name, Indrapuri Loni, Ghaziabad	Foam	Unit sealed & Electricity connection disconned	1
M/s. Maa Bhagwati Palace, Indrapuri Loni, Ghaziabad	Marrige Hall	-	1
M/s. Raj Singh Gatta Godown, A-62, Indrapuri Loni, Ghaziabad	Gatta Godown	Unit sealed & Electricity connection disconned	1
Unknown Name, Neelam Compund, 29/30, Indrapuri Loni, Ghaziabad	Dyeing	Unit sealed & Electricity connection disconned	1
M/s. S.P. Brothers, Neelam Compund, Arya Nagar Loni, Ghaziabad.	PVC Board	Unit sealed & Electricity connection disconned	1
M/s. Dilshad Daga Factory, Neelam Compund, Arya Loni, Ghaziabad	Daga Factory	Unit sealed & Electricity connection disconned	1
M/s A.R.Trading Company,Maulana Azad colony, Behta Hazipur,Loni	Wire Godown	Godown sealed	1
Sama w/o Haneef,Maulana Azad colony, Behta Hazipur,Loni	Wire Godown	Illegal material/wire seized and stored at NPP Loni	1
Unknown,Maulana Azad colony, Behta Hazipur,Loni	Wire Godown	Godown sealed	1
Moh. Ali S/O Ali Ashgar,Maulana Azad colony, Behta Hazipur,Loni	House	Illegal material/wire seized and stored at NPP Loni	1
Unknown,Maulana Azad colony, Behta Hazipur,Loni	Wire Godown	Godown sealed	1

Salim S/O Sakeel, Maulana Azad colony, Behta Hazipur, Loni	House	Illegal material/ PCB seized and stored at NPP Loni	1
Arif s/o Noor Mohammad, Behta Hazipur, Loni	Wire Godown	Godown sealed	1
Hazi S/O Unknown, Behta Hazipur, Loni	House	Illegal material/wire seized and stored at NPP Loni	1
Riyaz Ahmad S/O Unknown, Behta Hazipur, Loni	House	Illegal material/wire seized and stored at NPP Loni	1
Khaleel S/O Unknown, Behta Hazipur, Loni	House	Illegal material/wire seized and stored at NPP Loni	1
Saleem s/o Khurshid , Behta Hazipur, Loni	House	Illegal material/wire seized and stored at NPP Loni	1
Sajid s/o unknown, Behta Hazipur, Loni	Wire Godown	Godown sealed	1
Naseer s/o unknown, Behta Hazipur, Loni	Wire Godown	Godown sealed	1
Unknown , Behta Hazipur, Loni	Wire Godown	Godown sealed	1
Samshad s/o Faiz Mohammad , Behta Hazipur, Loni	Wire Godown	Godown sealed	1
Anil Dhama s/o Rajpal Dhama, Teela Sahbajpur, Nahar Road, Loni	Metal recovery and Acid work	Unit dismantled & Electricity connection disconned	1
Unknown, Teela Sahbajpur, Nahar Road, Loni	Metal recovery and Acid work	Unit dismantled & Electricity connection disconned	1
Unknown, Teela Sahbajpur, Nahar Road, Loni	Metal recovery and Acid work	Unit dismantled & Electricity connection disconned	1
Unknown, Teela Sahbajpur, Nahar Road, Loni	Metal recovery and Acid work	Unit dismantled & Electricity connection disconned	1
Moh. Rashid s/o Hazi sarafat, Pipeline Road, Teela Sahbajpur, Loni	Metal recovery / Acid and faundry work	Unit sealed & Electricity connection disconned	1
Shri Vipin Kumar S/o Shri Haridas, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Unknown Name, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Mahendra S/o Unknown-I Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Mahendra S/o Unknown-II, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Shankar Mandal S/o Jagdish Mandal-I, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Shankar Mandal S/o Jagdish Mandal-II, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Ashish S/o Shri Ganesh-I, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Ashish S/o Shri Ganesh-II, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Ashish S/o Shri Ganesh-III, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Shri Pramod S/o Unknow, Krishna Vihar Phase-2, Behta Hazipur, Loni, Ghaziabad	Melting Furnace	Sealed	1
Unknow Name, 30 Futa Road, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Scrap Melting	Dimolished	1
Unknow Name, 30 Futa Road, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Scrap Melting	Dimolished	1
Unknow Name, 30 Futa Road, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Scrap Melting	Dimolished	1

42 Illegal Scrap Melting Furnace, Amit Vihar, Behta Hazipur, Loni, Ghaziabad	Scrap Melting	Dimolished	42
53 Illegal Scrap Melting Furnace, Amit Vihar, Behta Hazipur, Loni, Ghaziabad	Scrap Melting	Dimolished	53
M/s OM Plastic, Arya Nagar industrial Area, Loni, Ghaziabad	Plastic Gulla	Sealed/Electricity Disconnection	1
M/s. Rama Sharma, Arya Nagar Industrial Area, Ghaziabad	Textile	Sealed/Electricity Disconnection	1
06 Illegal Scrap Melting Furnace, Amit Vihar, Behta Hazipur, Loni, Ghaziabad		Dimolished	6
Shri Rafeeq Ahmad, C-35, East Jawahar Nagar, Loni, Ghaziabad	Dami	sealed	1
Shri Karan Singh, C-35, East Jawahar Nagar, Loni, Ghaziabad	E-Waste	sealed	1
Shri Bilal, D-57, East Jawahar Nagar, Loni, Ghaziabad	E-Waste	sealed	1
Smt. Omviri, D-61, East Jawahar Nagar, Loni, Ghaziabad	E-Waste	sealed	1
Smt. Omviri, D-61, East Jawahar Nagar, Loni, Ghaziabad	Dami	sealed	1
M/s. Ajay Kumar S/o. Shri Munesh Kumar, Village Shabapur Bistar, Loni, Ghaziabad	Dyeing	sealed	1
M/s. Pinku Kumar S/o. Bhagwat Singh, Village Shabapur Bistar, Loni, Ghaziabad	Dyeing	sealed	1
M/s. Rajesh Kumar, Village Shabapur Bistar, Loni, Ghaziabad	Dyeing	sealed	1
Shri Horilal S/o. Shyam Lal, Amit Vihar Behta Hazipur, Loni, Ghaziabad	E-Waste	sealed	1
Unknown Name, Amit Vihar Behta Hazipur, Loni, Ghaziabad	E-Waste	sealed	1
Unknown Name, Amit Vihar Behta Hazipur, Loni, Ghaziabad	E-Waste	sealed	1
Unknown Name, Amit Vihar Behta Hazipur, Loni, Ghaziabad	E-Waste	sealed	1
Unknown Name, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Foundry	sealed	1
Unknown Name, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Foundry	sealed	1
Unknown Name, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Foundry	sealed	1
Unknown Name, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Foundry	sealed	1
Unknown Name, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Foundry	sealed	1
Unknown Name, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Foundry	sealed	1
Unknown Name, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Foundry	sealed	1
Unknown Name, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Foundry	sealed	1
Unknown Name, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Foundry	sealed	1
Unknown Name, Amit Vihar Behta Hazipur, Loni, Ghaziabad	Acid Work	sealed	1
Shri Shyam Singh, Village Saffruddind Jawli Loni, Ghaziabad	Dyeing	sealed	1
Shri Bharat Singh, Village Saffruddind Jawli Loni, Ghaziabad	Dyeing	sealed	1
Shri Nitin Kumar S/o. Shri Yashpal Singh, Village Chirodi, Loni, Ghaziabad	Dyeing	sealed	1
Shri Amit Kumar S/o. Shri Vinesh Sabh, Village Chirodi, Loni, Ghaziabad	Dyeing	sealed	1

M/s Arun Dyeing & Washing, Arya Nagar, Loni, Ghaziabad	Dyeing	sealed	1
M/s. Saleem Jeans Dyeing & Washing, Arya Nagar, Loni, Ghaziabad	Dyeing	sealed	1
M/s. Arpit Plastic, Arya Nagar, Loni, Ghaziabad	Plastic Dana	sealed	1
M/s. Unkown Name, Arya Nagar, Loni, Ghaziabad	Wire Drawing	sealed	1
M/s. Unkown Name, Arya Nagar, Loni, Ghaziabad	Wire Drawing	sealed	1
CAQM Joint Committee in Amit Vihar Mandoli Redevelopment Area, Loni, Ghaziabad	(Metal, Scrap)	Dimolished	4
CAQM Joint Committee in Amit Vihar Mandoli Redevelopment Area, Loni, Ghaziabad	(Metal, Scrap)	Dimolished	16
CAQM Joint Committee in Amit Vihar Mandoli Redevelopment Area, Loni, Ghaziabad	(Metal, Scrap)	Dimolished	10
CAQM Joint Committee in Amit Vihar Mandoli Redevelopment Area, Loni, Ghaziabad	(Metal, Scrap)	Dimolished	26
CAQM Joint Committee in Amit Vihar Mandoli Redevelopment Area, Loni, Ghaziabad	Foundary	Dimolished	6
CAQM Joint Committee in Amit Vihar Mandoli Redevelopment Area, Loni, Ghaziabad	Foundary	Dimolished	6
CAQM Joint Committee in Amit Vihar Mandoli Redevelopment Area, Loni, Ghaziabad	Wire Melting	Dimolished	9
M/s. Sona Soap Factory, Nahar Road, Near Shani Temple, Village Tila Sahbajpur, Loni, Ghaziabad	Soap	Sealed & Electricity Disconnection	1
Umesh Jeans Dyeing & Washing, Jawli Loni, Ghaziabad	Dyeing	Electricity connection disconned	1
Paramji Jeans Dyeing & Washing, Jawli Loni, Ghaziabad	Dyeing	Electricity connection disconned	1
Lallan Jeans Dyeing & Washing, Jawli Loni, Ghaziabad	Dyeing	Electricity connection disconned	1
Bharat Singh Jeans Dyeing & Washing, Jawli Loni, Ghaziabad	Dyeing	Electricity connection disconned	1
Param Jeet Singh Jeans Dyeing & Washing, Jawli Loni, Ghaziabad	Dyeing	Electricity connection disconned	1
Shyam Singh Jeans Dyeing & Washing, Jawli Loni, Ghaziabad	Dyeing	Electricity connection disconned	1
M/s. Dinesh Surgical Co. India, 276/1, GF Block-D, Vikas Kunj, Loni, Ghaziabad	Electroplating	Electricity connection disconned letter sent	1
Mohd. Sokat, Gali No-02, Vijay Vihar Pusta Road Near Mohhamadwadi Mashid, Ward No-45, Loni, Ghaziabad	Murti Making	Electricity connection disconned letter sent	1
Shri Boby, 07 Futa Road Defance Colony, Bhopura, Ghaziabad	Jeans Dyeing	Electricity connection disconned letter sent	1
Shri Deepak Kaushik, Gali No-06, Gagan Vihar, Bhopura, Ghaziabad	Jeans Dyeing	Electricity connection disconned letter sent	1
M/S. Decnet Enterprises, Roopnagar, Loni, Ghaziabad	Plastic	Sealed	1
M/s. A Star, Roop Nagar, Loni, Ghaziabad	Plastic	Sealed	1
M/s. Kapasya Products, Roop Nagar, Loni, Ghaziabad	Plastic	Sealed	1
M/s. Ravindra (Chemical), Shanti Nagar, Loni, Gzb	Chemical	Sealed	1
M/s. Zaidi Lying India (Fabricataion & Painting), Shanti Vihar, Behta Hazipur, Loni, Ghaziabad	Fabrication Job Work	Sealed	1
Somveer (Casting Factory), Khushalgarhi Chirodi, Loni, Ghaziabad	Casting	Sealed/Dismantling	1
08 Illegal casting Units, Chirodi Jangal, Loni, Ghaziabad	Casting	Sealed/Dismantling	8
01 illegal metal recovery unit, Chirodi Jangal, Loni, Ghaziabad	metal recovery	Sealed/Dismantling	1
Barkat Rubber Crushing, Afzalpur Loni, Ghaziabad	Rubber	Dismantled	1
Azad Khad Mixing, Afzalpur Loni, Ghaziabad	Khas Mixing	sealed	1
01 illegal acid recovery unit, Bhanera Khurd, Loni, Ghaziabad	Acid recovery	Sealed/Dismantling	1

01 illegal metal recovery unit, Bhanera Khurd, Loni, Ghaziabad	Metal recovery	Sealed/Dismantling	1
02 Scrap Melting units, Near Bharat City, Afzalpur, Loni, Ghaziabad	Scrap Melting	Sealed/Dismantling	2
01 Illegal Shoes Shol, Afzalpur Loni, Ghaziabad	Shoes	Dismantled	1
Parvez Malik 02 illegal Acid Recovery units, Bhanera Khurd, Loni, Ghaziabad	Acid recovery	Dismantled	2
Shohit Sad Washing & Dyeing Unit, Naipura, Arya Nagar, Loni, Ghaziabad	Dyeing	sealed/electricity disconnection	1
Begraj Pradhan Washing & Dyeing Unit, Naipura, Arya Nagar, Loni, Ghaziabad	Dyeing	sealed/electricity disconnection	1
Chandra Prabha Dyeing & Washing, Arya Nagar, Loni, Ghaziabad	Dyeing	sealed/electricity disconnection	1
Shyam Singh Dyeing & Washing, Near Jawli Nahar, Loni, Ghaziabad	Dyeing	sealed/electricity disconnection	1
Paramjeet Singh Dyeing & Washing, Near Jawli Nahar, Loni, Ghaziabad	Dyeing	sealed/electricity disconnection	1
Bharat Singh Jeans Dyeing & Washing, Jawli Loni, Ghaziabad	Dyeing	sealed/electricity disconnection	1
07 illegal Casting Units, Amit Vihar, Behta Hazipur, Loni, Ghaziabad	Casting	Sealed	7
02 Acid Recovery Units, Amit Vihar, Behta Hazipur, Loni, Ghaziabad	Acid recovery	Sealed	2
Shri Furkan, Plot No-A-51, Indirapuri Loni, Ghaziabad		Sealed	1
श्री अरविन्द, ग्राम मांडला वार्ड नं-32, नगर पालिका परिषद, लोनी, गाजियाबाद	casting	letter sent for disconnection	1
मैसर्स ध्रुवन इण्टरप्राइजेज प्रा० लि०, बी-10, मेरठ रोड औद्योगिक क्षेत्र, साईट-3, गाजियाबाद	Plastic Dana	letter sent for disconnection	1
श्री यासिन मकान संख्या ई-366, बुद्धनगर निकट सुनहरी मस्जिद, लोनी गाजियाबाद	Oil Mill	letter sent for disconnection	1
मैसर्स चॉद फाउण्ड्री, खसरा नं-1190, गली नं-4, विकास कुंज, तहसील लोनी, गाजियाबाद	Melting Unit	letter sent for disconnection	1
मैसर्स शकील फाउण्ड्री, खसरा नं-1191, गली नं-4, विकास कुंज, तहसील लोनी, गाजियाबाद	Melting Unit	letter sent for disconnection	1
Saheed Nagar		Sealed	6
Saheed Nagar		Sealed	8
Arya Nagar, Tila Sahbajpur		Sealed	4
Shri Mange Ram, Behta Hajipur, Ward No-8, Molana Azad Colony, Loni	Wire	Sealed	1
Shri Naseem Ahmad S/o Waseer Ahmad, Behta Hajipur, Ward No-8, Molana Azad Colony, Loni	Wire	Sealed	1
Ghadda Colony, Sewa Dham, Behta Hajipur, Ward No-8, Molana Azad Colony, Loni	Metal Recovery	Sealed	7
Molana Azad Colony, Behta Hazipur, Loni, Ghaziabad	Wire Drawing	Sealed	6
M/s. Unknow Name Metal Recovery, Sewa Dham Colony, Loni, Ghaziabad	Metal Recovery	Sealed	1
M/s. Mannu Pradhan, Foundry, Sewa Dham Colony, Loni, Ghaziabad	Metal Recovery	Sealed	1
M/s. Mewa Bhati-01 Foundry, Sewa Dham Colony, Loni, Ghaziabad	Metal Recovery	Sealed	1
M/s. Mewa Bhati-02 Foundry, Sewa Dham Colony, Loni, Ghaziabad	Metal Recovery	Sealed	1
M/s. Mewa Bhati-03 Foundry, Sewa Dham Colony, Loni, Ghaziabad	Metal Recovery	Sealed	1
M/s. Unknow Name Foundry, Amit Vihar, Loni, Ghaziabad	Metal Recovery	Sealed	1
M/s. Unknow Name Foundry, Amit Vihar, Loni, Ghaziabad	Metal Recovery	Sealed	1

10438

अज्ञात नाम, कृष्णा विहार सेवाधाम कॉलोनी, लोनी, गाजियाबाद।	एल्युमिनियम/ई-वेस्ट तार गलाने का कार्य।	सीलिंग की कार्यवाही की गयी।	1
श्री रमन शर्मा, लोनी भौपुरा रोड, डी-मार्ट के सामने, लोनी, गाजियाबाद।	तार जलाने एवं प्लास्टिक को कश का कार्य।	ध्वस्तीकरण का कार्य	1

1387



REGIONAL OFFICE
U.P. POLLUTION CONTROL BOARD
E-12/1, SECTOR-1, NOIDA, GAUTAMBUDH NAGAR

Analysis Report of Water Sample of Drain

Sample Collected by : Vishal Maurya L.A. & Ravi Kumar J.R.F.

S.No	Name of Sampling Point	Date	Colour	Odour	pH	B.O.D. mg/l	C.O.D. mg/l	T.S.S. mg/l
1	U/S Kondli Drain Entry point Sector-11, Near Hari Darshan Police Chowki, Noida	04.03.24	Gray	Sl. Unpleasant	7.87	76.0	416.0	183.0
2	D/S Kondli Drain before meeting of Yamuna River Vill. Chak Mangaraula, Noida	04.03.24	Turbid	Sl. Unpleasant	7.53	54.0	288.0	128.0
3	U/S Kondli Drain Entry point Sector-11, Near Hari Darshan Police Chowki, Noida	11.03.24	Gray	Unpleasant	8.61	68.0	352.0	159.0
4	D/S Kondli Drain before meeting of Yamuna River Vill. Chak Mangaraula, Noida	11.03.24	Sl. Gray	Sl. Unpleasant	7.69	52.0	304.0	136.0
5	U/S Kondli Drain Entry point Sector-11, Near Hari Darshan Police Chowki, Noida	19.03.24	Sl. Blackish	Unpleasant	7.92	64.0	368.0	151.0

AB

6	D/S Kondli Drain before meeting of Yamuna River Vill. Chak Mangaraula, Noida	19.03.24	Sl. Gray	Sl. Unpleasant	7.26	56.0	288.0	128.0
7	U/S Kondli Drain Entry point Sector-11, Near Hari Darshan Police Chowki, Noida	28.03.24	Sl. Gray	Sl. Unpleasant	8.26	78.0	336.0	176.0
8	D/S Kondli Drain before meeting of Yamuna River Vill. Chak Mangaraula, Noida	28.03.24	Turbid	Sl. Unpleasant	7.44	52.0	272.0	134.0



Scientific Assistant



Asstt. En. Engineer



Regional Officer

10441



REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
GHAZIABAD

Analysis Report of Noida Drain Samples

Sample Date- 28.03.2024

Collected by- Ravi Kumar (JRF UPPCB)

S.No.	Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
1.	Upstream Kondli Drain Entry Point Sector-11, Near Hari Darshan Police Chowki, Noida	35X10 ⁵	28X10 ⁵
2.	Downstream Kondli Drain Before meeting of Yamuna River Village- Chak Mangaraula, Noida	31X10 ⁵	26X10 ⁵

10442



REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
GHAZIABAD

Analysis Report of Noida Drain Samples

Sample Date- 19.03.2024

Collected by- Ravi Kumar (JRF UPPCB)

S.No.	Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
1.	Upstream Kondli Drain Entry Point Sector-11, Near Hari Darshan Police Chowki, Noida	40X10 ⁵	34X10 ⁵
2.	Downstream Kondli Drain Before meeting of Yamuna River Village- Chak Mangaraula, Noida	35X10 ⁵	24X10 ⁵

10443



REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
GHAZIABAD

Analysis Report of Noida Drain Samples

Sample Date- 11.03.2024

Collected by- Ravi Kumar (JRF UPPCB)

S.No.	Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
1.	Upstream Kondli Drain Entry Point Sector-11, Near Hari Darshan Police Chowki, Noida	34X10 ⁵	27X10 ⁵
2.	Downstream Kondli Drain Before meeting of Yamuna River Village- Chak Mangaraula, Noida	32X10 ⁵	26X10 ⁵

10444



REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
GHAZIABAD

Analysis Report of Noida Drain Samples

Sample Date- 04.03.2024

Collected by- Ravi Kumar (JRF UPPCB)

S.No.	Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
1.	Upstream Kondli Drain Entry Point Sector-11, Near Hari Darshan Police Chowki, Noida	33X10 ⁵	27X10 ⁵
2.	Downstream Kondli Drain Before meeting of Yamuna River Village- Chak Mangaraula, Noida	26X10 ⁵	21X10 ⁵

10445



REGIONAL OFFICE
U.P. POLLUTION CONTROL BOARD
E-12/1, SECTOR-1, NOIDA, GAUTAMBUDH NAGAR

Analysis Report of Water Sample of Drain

Sample Collected by : Vishal Maurya L.A. & Ravi Kumar J.R.F.

S.No	Name of Sampling Point	Date	Colour	Odour	pH	B.O.D. mg/l	C.O.D. mg/l	T.S.S. mg/l
1	U/S Kondli Drain Entry point Sector-11, Near Hari Darshan Police Chowki, Noida	01.04.24	Sl. Blackish	Sl. Unpleasant	8.26	68.0	384.0	161.0
2	D/S Kondli Drain before meeting of Yamuna River Vill. Chak Mangaraula, Noida	01.04.24	Turbid	Sl. Unpleasant	7.46	52.0	224.0	158.0
3	U/S Kondli Drain Entry point Sector-11, Near Hari Darshan Police Chowki, Noida	09.04.24	Sl. Gray	Unpleasant	7.88	78.0	352.0	148.0
4	D/S Kondli Drain before meeting of Yamuna River Vill. Chak Mangaraula, Noida	09.04.24	Sl. Gray	Sl. Unpleasant	7.52	56.0	288.0	129.0
5	U/S Kondli Drain Entry point Sector-11, Near Hari Darshan Police Chowki, Noida	16.04.24	Sl. Gray	Unpleasant	8.55	64.0	320.0	139.0

AKS

10446

6	D/S Kondli Drain before meeting of Yamuna River Vill. Chak Mangaraula, Noida	16.04.24	Turbid	Sl. Unpleasant	7.26	48.0	256.0	124.0
7	U/S Kondli Drain Entry point Sector-11, Near Hari Darshan Police Chowki, Noida	24.04.24	Gray	Sl. Unpleasant	8.16	64.0	272.0	120.0
8	D/S Kondli Drain before meeting of Yamuna River Vill. Chak Mangaraula, Noida	24.04.24	Turbid	Sl. Unpleasant	7.51	46.0	272.0	120.0



Scientific Assistant



Asstt. En. Engineer



Regional Officer

10447
REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
GHAZIABAD

Analysis Report of Noida Drain Samples

Sample Date- 01.04.2024

Collected by- Ravi Kumar (JRF UP PCB)

S.No.	Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
1.	Upstream Kondli Drain Entry Point Sector-11, Near Hari Darshan Police Chowki, Noida	38X10 ⁵	26X10 ⁵
2.	Downstream Kondli Drain Before meeting of Yamuna River Village- Chak Mangaraula, Noida	32X10 ⁵	21X10 ⁵

10448

REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
GHAZIABAD

Analysis Report of Noida Drain Samples

Sample Date- 09.04.2024

Collected by- Ravi Kumar (JRF UPPCB)

S.No.	Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
1.	Upstream Kondli Drain Entry Point Sector-11, Near Hari Darshan Police Chowki, Noida	34X10 ⁵	27X10 ⁵
2.	Downstream Kondli Drain Before meeting of Yamuna River Village- Chak Mangaraula, Noida	31X10 ⁵	21X10 ⁵

10449

REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
GHAZIABAD

Analysis Report of Noida Drain Samples

Sample Date- 16.04.2024

Collected by- Ravi Kumar (JRF UPPCB)

S.No.	Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
1.	Upstream Kondli Drain Entry Point Sector-11, Near Hari Darshan Police Chowki, Noida	41X10 ⁵	34X10 ⁵
2.	Downstream Kondli Drain Before meeting of Yamuna River Village- Chak Mangaraula, Noida	33X10 ⁵	26 X10 ⁵

REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
GHAZIABAD

Analysis Report of Noida Drain Samples

Sample Date- 24.04.2024

Collected by- Ravi Kumar (JRF UPPCB)

S.No.	Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
1.	Upstream Kondli Drain Entry Point Sector-11, Near Hari Darshan Police Chowki, Noida	26X10 ⁶	21X10 ⁶
2.	Downstream Kondli Drain Before meeting of Yamuna River Village- Chak Mangaraula, Noida	22X10 ⁶	17X10 ⁶

10451



REGIONAL OFFICE
U.P. POLLUTION CONTROL BOARD
E-12/1, SECTOR-1, NOIDA, GAUTAMBUDH NAGAR

Analysis Report of Water Sample of Drain

Sample Collected by : Vishal Maurya L.A. & Ravi Kumar J.R.F.

S.No	Name of Sampling Point	Date	Colour	Odour	pH	B.O.D. mg/l	C.O.D. mg/l	T.S.S. mg/l
1	U/S Kondli Drain Entry point Sector-11, Near Hari Darshan Police Chowki, Noida	09.05.24	Sl. Blackish	Sl. Unpleasant	7.59	70.0	240.0	138.0
2	D/S Kondli Drain before meeting of Yamuna River Vill. Chak Mangaraula, Noida	09.05.24	Turbid	Sl. Unpleasant	7.56	48.0	216.0	129.0
3	U/S Kondli Drain Entry point Sector-11, Near Hari Darshan Police Chowki, Noida	16.05.24	Sl. Gray	Unpleasant	8.51	99	384	178
4	D/S Kondli Drain before meeting of Yamuna River Vill. Chak Mangaraula, Noida	16.05.24	Turbid	Sl. Unpleasant	7.88	60.5	264	136
5	U/S Kondli Drain Entry point Sector-11, Near Hari Darshan Police Chowki, Noida	25.05.24	Sl. Blackish	Unpleasant	7.88	77.4	350.4	164

Handwritten signature and date:
 12/06/24
 L.A.

6	D/S Kondli Drain before meeting of Yamuna River Vill. Chak Mangaraula, Noida	25.05.24	Sl. Blackish	Sl. Unpleasant	7.78	56	284.8	144
---	--	----------	--------------	----------------	------	----	-------	-----

**Scientific Assistant****Asstt. En. Engineer****Regional Officer**

10453



REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
GHAZIABAD

Analysis Report of Noida Drain Samples

Sample Date- 09.05.2024

Collected by- Ravi Kumar (JRF UPPCB)

S.No.	Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
1.	Upstream Kondli Drain Entry Point Sector-11, Near Hari Darshan Police Chowki, Noida	39X10 ⁵	33X10 ⁵
2.	Downstream Kondli Drain Before meeting of Yamuna River Village- Chak Mangaraula, Noida	32X10 ⁵	26X10 ⁵



10454
REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
GHAZIABAD

Analysis Report of Noida Drain Samples

Sample Date- 16.05.2024

Collected by- Ravi Kumar (JRF UPPCB)

S.No.	Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
1.	Upstream Kondli Drain Entry Point Sector-11, Near Hari Darshan Police Chowki, Noida	43X10 ⁵	31X10 ⁵
2.	Downstream Kondli Drain Before meeting of Yamuna River Village- Chak Mangaraula, Noida	40X10 ⁵	27X10 ⁵

10455



REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
GHAZIABAD

Analysis Report of Noida Drain Samples

Sample Date- 25.05.2024

Collected by- Ravi Kumar (JRF UPPCB)

S.No.	Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
1.	Upstream Kondli Drain Entry Point Sector-11, Near Hari Darshan Police Chowki, Noida	47X10 ⁵	34X10 ⁵
2.	Downstream Kondli Drain Before meeting of Yamuna River Village- Chak Mangaraula, Noida	39X10 ⁵	27X10 ⁵

10456



REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
GHAZIABAD


Analysis Report of Noida Drain Samples

Sample Date- 31.05.2024

Collected by- Ravi Kumar (JRF UPPCB)

S.No.	Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
1.	Upstream Kondli Drain Entry Point Sector-11, Near Hari Darshan Police Chowki, Noida	48X10 ⁵	34X10 ⁵
2.	Downstream Kondli Drain Before meeting of Yamuna River Village- Chak Mangaraula, Noida	43X10 ⁵	31X10 ⁵

**IN THE COURT OF SPECIAL JUDICIAL MAGISTRATE
(WATER & AIR POLLUTION CONTROL), LUCKNOW**



Complaint Case No. 98500 / Of 2021

**U.P. POLLUTION CONTROL BOARD, T.C. 12V, VIBHUTI
KHAND, GOMTI NAGAR, LUCKNOW, through its Assistant
Environmental Engineer, B.K. Singh posted at Regional
Office, Ghaziabad**

.....COMPLAINANT

VERSUS

1. **Nagar Palika Parishad, Khoda Makanpur, Ghaziabad
through it's Executive Officer**
2. **Krishna Kant, Executive Officer, Nagar Palika Parishad,
Khoda Makanpur, Ghaziabad**

.....OPP. PARTIES

**COMPLAINT UNDER SECTION-41 OF THE WATER
(PREVENTION & CONTROL OF POLLUTION) ACT, 1974**

The complainant, named above, most respectfully submits as
under:-

1. That the complainant is the State Board constituted by the Government of Uttar Pradesh vide LSG-Section-4 G.O. No. 897/ix-4-100-74 dated 03.02.1975 in accordance to the provisions of Sub-Section (1) of Section-4 of the Water (Prevention & Control of Pollution) Act, 1974 (herein after referred to as "Act") for the Prevention and Control of Pollution of Water, Air and Environmental pollution which has been named as U. P. Pollution Control Board vide Notification No.-2179/9-02-100-74 dated 13.07.1982.
2. That Nagar Palika Parishad, Khoda Makanpur, Ghaziabad is a body corporate U/s 4 of the U.P. Municipal Corporation Adhinyam 1959 and is a company within the meaning of

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड

बनाम गै0 नगर पालिका परिषद खोदा, मकनपुर
आदि

दिनांक-14.11.2022

वाद पुकारा गया। परिवादी उ0 प्र0 प्रदूषण नियंत्रण बोर्ड के विधि अधिकारी उपस्थित। उ0 प्र0 प्रदूषण नियंत्रण बोर्ड की ओर से उपस्थित विधि अधिकारी की तलबी बहस सुनी गई।

संक्षेप में परिवादी का कथानक है कि प्रस्तुत परिवाद परिवादी द्वारा धारा-41 जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम 1974 के तहत विपक्षी सं0 1 मैसर्स नगर पालिका परिषद, खोदा, मनकपुर, गाजियाबाद द्वारा एकजक्यूटिव ऑफिसर विपक्षी सं0-2 कृष्ण कांत, एकजक्यूटिव डायरेक्टर, मैसर्स नगर पालिका परिषद, खोदा, मनकपुर, गाजियाबाद के विरुद्ध परिवाद दाखिल किया है। विपक्षी संख्या-1 मैसर्स नगर पालिका परिषद, खोदा, मनकपुर धारा-47 जल अधिनियम के तहत एक कम्पनी है। इकाई द्वारा सुंयवत निरीक्षण दिनांक-14.09.2021 को इकाई द्वारा जनित होने वाले धरेलू उत्प्रवाह के शुद्धिकरण हेतु कोई कार्ययोजना प्रस्तुत नहीं की गयी है, जो कि मा0 एन0जी0टी0 द्वारा पारित आदेशों व केन्द्रीय प्रदूषण नियंत्रण बोर्ड, नई दिल्ली द्वारा जारी कारण बताओ नोटिस की अवहेलना है एवं जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1974 की धारा-33ए का उल्लंघन है, एवं धारा-41 के प्राविधानों के अंतर्गत दण्डनीय है एवं अभियोजनात्मक कार्यवाही किये जाने का पर्याप्त आधार है।

विपक्षी सं0-02 विपक्षी संख्या-01 के एकजक्यूटिव डायरेक्टर है तथा विपक्षी संख्या-01 के दिन प्रतिदिन के कार्यों का प्रतिनिधित्व करते हैं एवं उत्तरदायी हैं।

सुना गया एवं पत्रावली का अवलोकन किया गया।

परिवादी ने अपने कथनों के समर्थन में एनेक्शर-1 क्षेत्रीय कार्यालय, उ0प्र0 प्रदूषण नियंत्रण बोर्ड, गाजियाबाद द्वारा इकाई को ओ0एस0 सं0 1002/2018 अनिष्ट कुसुम गुप्ता बनाम उ0प्र0 सरकार व अन्य के संबंध में दिनांक-30.07.2021 को पारित आदेश के संबंध में दिनांक-14.09.2019 के पत्र की प्रति, एनेक्शर-02 राज्य बोर्ड द्वारा विपक्षीगण के विरुद्ध अभियोजन किये जाने हेतु अनुशंसा दिनांकित 26.11.2021 एवं एनेक्शर-03 व 04 से उ0 प्र0 प्रदूषण नियंत्रण बोर्ड द्वारा प्रस्तुत परिवाद दाखिल किए जाने के बावत बोर्ड द्वारा जारी अभियोजनात्मक कार्यवाही हेतु प्रपत्र आदि दस्तावेज दाखिल किए गए हैं।

उक्त प्रपत्रों के अवलोकन से यह दर्शित है कि परिवादी द्वारा विपक्षीगण सं0-01 लगायत 02 द्वारा राज्य प्रदूषण नियंत्रण बोर्ड की पूर्व सहमति जल/वायु प्राप्त किए बिना उद्योग का संचालन किया गया। अतः प्रथम दृष्टया जल (प्रदूषण निवारण तथा नियंत्रण) अधिनियम, 1974 की धारा-41 के अन्तर्गत दण्डनीय है। अतः उपरोक्त के आधार पर विपक्षीगण सं0-1 लगायत 02 को धारा-41 जल अधिनियम 1974 के तहत तलब किए जाने का आधार पर्याप्त है।

आदेश

विपक्षी सं0 1 मैसर्स नगर पालिका परिषद, खोदा, मनकपुर, गाजियाबाद द्वारा एकजक्यूटिव ऑफिसर विपक्षी सं0-2 कृष्ण कांत, एकजक्यूटिव डायरेक्टर, मैसर्स नगर पालिका परिषद, खोदा, मनकपुर, गाजियाबाद को धारा-41 जल अधिनियम 1974 के तहत अपना पक्ष रखने के लिए सम्मन द्वारा दिनांक 27.01.2023 को तलब किए जाए। परिवादी अंदर साप्ताह पैरवी करें।

पत्रावली चारते हाजिरी अभियुक्त दिनांक 27.01.2023 को पेश हो।

(यशा शर्मा)

(यशा शर्मा)

विशेष न्यायिक मजिस्ट्रेट

सी0बी0आई0, लखनऊ

दिनांक-14.11.2022

Case Details

Case Type	Warrant Or Summons Criminal Case
Filing Number	121769/2021
Filing Date	21-12-2021
Registration Number	98500/2021
Registration Date	21-12-2021
CNR Number	UPLK041217912021

Case Status

First Hearing Date	29-01-2022
Next Hearing Date	16-07-2024
Case Stage	Appearance
Court Number And Judge	77-SPL.JM POLLUTION

Project Status Update

Project:

PPP-HAM Project to set up and operate a 40 MLD TTRO to supply tertiary treated water to Sahibabad Industrial Estate, Ghaziabad.



Presentation Coverage


- **Project Overview**
- **Overall scope**
- **Design basis and Water quality**
- **T & D Network zones**
- **3D views**
- **Project Progress**
- **Construction Status**
- **Site Photographs**

Project Overview

SPV	:	Ghaziabad Water Solutions Private limited
Client	:	Ghaziabad Nagar Nigam (GNN)
Consultant	:	Green Design & Engineering Services Pvt. Ltd.
Project title	:	Public Private Partnership (PPP)-Hybrid Annuity Model (HAM) to set up a Tertiary Treatment plant (TTP) to treat secondary treated water from Indirapuram Sewage Treatment Plant to supply Industrial Grade Water to Sahibabad Industrial Estate, Ghaziabad for Ghaziabad Nagar Nigam (GNN)
Timelines:	:	<p>New TTP + Associated facilities: Construction phase – 24 months from Effective Date including Pre-commissioning, commissioning & Trial run;</p> <p>Operations & Maintenance phase – 15 Years from Commercial Operations Date</p> <p>Existing 56 MLD STP: Interim operation of 24 months during Construction phase of the TTP + 15 Years after COD of TTP</p> <p>Project Start Date: 02/03/2022.</p> <p>Project Completion Date: 30/04/2024</p>


Process Description

1. Construction of new 40 MLD TSTP (UF + RO/ACF)
2. Laying of main Transmission line (6km)
3. Water Distribution System - UGSR (50 lakhs litre) & Pumping Station (40 MLD)
4. ESR (28 lakhs litres)
5. Distribution network (88 km)
6. Upgradation of existing 56 MLD STP (Addition of Disc filter at the STP outlet) & 2 years interim O&M during construction
7. 15 years O&M of entire TSTP



- **Process Flow Diagram.**
- **Design Basis and Water Quality**


Ghaziabad: TTP to Sahibabad Industrial area T & D Network




REUSE OF TREATED WASTEWATER FROM EXISTING 56 MLD INDIRAPURAM SEWAGE TREATMENT PLANT IN GHAZIABAD



PLANT LAYOUT



3D View of the plant - OVERALL



3D View of the plant – (Disk filter, UF Feed & N pit sump, CCA 1 & 2)

sustainable solutions. for a better life.



3D View of the plant – (UGSR, Clariflocculator, ACF)



3D View of the plant – (UF & RO SKIDS)






Thank You

DRIVING **SUSTAINABILITY**
DELIVERING **VALUE**

10472

40 MLD TTP at 56 MLD STP Indirapuram, Ghaziabad



10473



10474





10476



Regional Office UPPCB, Ghaziabad										
ANALYSIS REPORT OF DRAINS (March 2024)										
Sr. No.	District	Drain Name	Sample Date	pH	Color (Hazen)	BOD (mg/L)	COD (mg/L)	TSS (mg/L)	Total Coliform (MPN/ 100 mL)	Faecal Coliform (MPN/ 100 mL)
1	Ghaziabad	Arthala Drain	28/03/2024	7.2	Turbid	38	152	140	380000	260000
			20/03/2024	7.36	Turbid	42	154	142	390000	270000
			14/03/2024	6.69	Turbid	40	150	136	250000	210000
			06/03/2024	6.84	Turbid	44	152	130	320000	260000
2	Ghaziabad	Dasna Drain	28/03/2024	6.84	Turbid	69	172	138	4300000	3100000
			20/03/2024	6.92	Turbid	66	166	132	4600000	3300000
			14/03/2024	6.9	Turbid	68	168	134	4800000	3400000
			06/03/2024	7.22	Turbid	60	124	136	3900000	2700000
3	Ghaziabad	Hindon vihar Drain	28/03/2024	6.64	Turbid	44	154	152	3900000	2700000
			20/03/2024	6.78	Turbid	46	156	148	4300000	2300000
			14/03/2024	6.86	Turbid	48	160	142	4000000	3400000
			06/03/2024	6.82	Turbid	50	162	143	4000000	3300000
4	Ghaziabad	Indirapuram Drain	28/03/2024	7.22	Turbid	38	140	128	210000	170000
			20/03/2024	7.38	Turbid	42	142	130	270000	220000
			14/03/2024	7.06	Turbid	44	124	142	470000	340000
			06/03/2024	7.32	Turbid	46	126	144	330000	210000
5	Ghaziabad	Jawali Drain	28/03/2024	6.96	Turbid	32	100	80	150000	120000
			20/03/2024	7.58	Turbid	37	102	72	210000	170000
			14/03/2024	7.02	Turbid	35	98	64	260000	170000
			06/03/2024	7.06	Turbid	36	100	68	170000	110000
6	Ghaziabad	kailabhata road drain	28/03/2024	6.98	Turbid	40	136	110	260000	170000
			20/03/2024	7.43	Turbid	34	128	108	310000	260000
			14/03/2024	7.1	Turbid	36	130	112	470000	400000
			06/03/2024	7.14	Turbid	34	128	116	390000	340000
7	Ghaziabad	Karedha Drain	28/03/2024	6.92	Turbid	38	138	130	270000	220000
			20/03/2024	6.72	Turbid	36	134	132	310000	230000
			14/03/2024	6.83	Turbid	38	136	138	310000	260000
			06/03/2024	6.75	Turbid	40	128	116	320000	260000
8	Ghaziabad	Pratap Vihar Drain	28/03/2024	6.76	Turbid	36	120	142	310000	230000
			20/03/2024	6.68	Turbid	38	122	146	400000	340000
			14/03/2024	6.76	Turbid	40	120	140	310000	230000
			06/03/2024	6.98	Turbid	42	128	118	220000	170000
9	Ghaziabad	Indrapuri Drain	28/03/2024	7.04	Turbid	52	142	134	4600000	3300000
			14/03/2024	6.83	Turbid	56	146	134	4900000	3300000
			06/03/2024	6.9	Turbid	54	140	128	2200000	1300000

Regional Office UPPCB, Ghaziabad										
ANALYSIS REPORT OF DRAINS (April 2024)										
Sr. No.	District	Drain Name	Sample Date	pH	Color (Hazen)	BOD (mg/L)	COD (mg/L)	TSS (mg/L)	Total Coliform (MPN/100 mL)	Faecal Coliform (MPN/100 mL)
1	Ghaziabad	Arthala Drain	25/04/2024	6.8	Turbid	42	156	144	390000	270000
			19/04/2024	6.8	Turbid	39	154	140	340000	220000
			12/04/2024	6.8	Turbid	40	156	142	460000	230000
			04/04/2024	6.9	Turbid	33	150	138	310000	230000
2	Ghaziabad	Dasna Drain	25/04/2024	7.1	Turbid	70	144	136	5800000	3100000
			19/04/2024	7.4	Turbid	72	146	140	7000000	4200000
			12/04/2024	6.8	Turbid	70	142	138	5400000	3500000
			04/04/2024	6.9	Turbid	68	130	136	3800000	2600000
3	Ghaziabad	Hindon vihar Drain	25/04/2024	7.5	Turbid	46	160	163	340000	220000
			19/04/2024	7.7	Turbid	42	154	152	250000	210000
			12/04/2024	7.7	Turbid	44	158	156	170000	130000
			04/04/2024	7	Turbid	42	152	150	2600000	2100000
4	Ghaziabad	Indirapuram Drain	25/04/2024	7.5	Turbid	34	136	126	170000	130000
			19/04/2024	7.6	Turbid	36	140	128	250000	210000
			12/04/2024	7.7	Turbid	38	142	130	140000	110000
			04/04/2024	7.8	Turbid	36	138	126	220000	130000
5	Ghaziabad	Jawali Drain	25/04/2024	7	Turbid	34	106	92	240000	200000
			19/04/2024	6.8	Turbid	36	110	94	320000	170000
			12/04/2024	6.8	Turbid	34	112	96	250000	210000
			04/04/2024	6.7	Turbid	30	96	76	170000	110000
6	Ghaziabad	kailabhata road drain	25/04/2024	7.4	Turbid	38	146	130	320000	220000
			19/04/2024	7.3	Turbid	44	146	136	430000	280000
			12/04/2024	7.6	Turbid	40	134	110	400000	340000
			04/04/2024	7.4	Turbid	32	132	106	280000	220000
7	Ghaziabad	Karedha Drain	25/04/2024	7.3	Turbid	42	140	116	210000	170000
			19/04/2024	7.1	Turbid	40	136	112	260000	220000
			12/04/2024	7.2	Turbid	38	146	130	270000	220000
			04/04/2024	7.4	Turbid	34	136	128	210000	110000
8	Ghaziabad	Pratap Vihar Drain	25/04/2024	7.4	Turbid	38	126	148	280000	220000
			19/04/2024	6.8	Turbid	34	120	142	140000	110000
			12/04/2024	6.8	Turbid	36	122	148	390000	260000
			04/04/2024	6.8	Turbid	35	118	140	220000	170000
9	Ghaziabad	Indrapuri Drain	04/04/2024	7.2	Turbid	50	150	132	3300000	2700000

Regional Office UPPCB, Ghaziabad										
ANALYSIS REPORT OF DRAINS (May 2024)										
Sr. No.	District	Drain Name	Sample Date	pH	Color (Hazen)	COD (mg/L)	TSS (mg/L)	BOD (mg/L)	Total Coliform (MPN/100 mL)	Faecal Coliform (MPN/100 mL)
1	Ghaziabad	Arthala Drain	30/05/2024	7.6	Turbid	189	156	52	2800000	2200000
			22/05/2024	7.8	Turbid	188	150	46	2100000	1700000
			15/05/2024	7.4	Turbid	186	154	48	2600000	2100000
			09/05/2024	6.8	Turbid	180	152	46	280000	220000
			02/05/2024	6.7	Turbid	160	148	44	350000	240000
2	Ghaziabad	Dasna Drain	30/05/2024	7.3	Turbid	236	150	80	3500000	2200000
			22/05/2024	7.1	Turbid	232	149	78	2200000	1700000
			15/05/2024	7.2	Turbid	230	148	76	4700000	2100000
			09/05/2024	7.2	Turbid	222	146	74	580000	430000
			02/05/2024	7.6	Turbid	146	138	72	630000	460000
3	Ghaziabad	Hindon vihar Drain	30/05/2024	7.2	Turbid	164	148	58	2600000	2100000
			22/05/2024	7.3	Turbid	160	142	55	2800000	2200000
			15/05/2024	7.5	Turbid	158	146	54	460000	210000
			09/05/2024	7.4	Turbid	156	140	52	430000	310000
			02/05/2024	7.2	Turbid	132	152	48	210000	170000
4	Ghaziabad	Indirapuram Drain	30/05/2024	7.2	Turbid	140	142	40	2100000	1700000
			22/05/2024	7.3	Turbid	138	136	42	260000	210000
			15/05/2024	7.1	Turbid	148	138	38	350000	280000
			09/05/2024	7.3	Turbid	142	132	40	630000	460000
			02/05/2024	7.4	Turbid	138	130	36	240000	210000
5	Ghaziabad	Jawali Drain	30/05/2024	7	Turbid	138	96	46	1400000	1100000
			22/05/2024	7	Turbid	142	98	44	150000	120000
			15/05/2024	6.9	Turbid	130	96	42	380000	320000
			09/05/2024	7	Turbid	120	98	40	320000	260000
			02/05/2024	6.8	Turbid	112	94	38	140000	110000
6	Ghaziabad	kailabhata road drain	30/05/2024	7.1	Turbid	170	156	54	5800000	4300000
			22/05/2024	7.1	Turbid	168	150	48	9400000	7000000
			15/05/2024	7.3	Turbid	164	148	48	210000	170000
			09/05/2024	7.1	Turbid	158	144	45	470000	400000
			02/05/2024	7.4	Turbid	156	142	42	470000	400000
7	Ghaziabad	Karedha Drain	30/05/2024	7.3	Turbid	166	138	52	3200000	3300000
			22/05/2024	7.2	Turbid	160	130	50	3200000	2000000
			15/05/2024	7.7	Turbid	160	132	52	1100000	790000
			09/05/2024	7	Turbid	152	128	48	260000	210000
			02/05/2024	7.1	Turbid	150	126	45	150000	120000
8	Ghaziabad	Pratap Vihar Drain	30/05/2024	7.5	Turbid	146	154	44	3900000	3300000
			22/05/2024	7.9	Turbid	142	157	46	540000	350000
			15/05/2024	7	Turbid	140	158	48	270000	170000
			09/05/2024	7.9	Turbid	138	154	46	220000	170000
			02/05/2024	7.6	Turbid	130	150	40	220000	170000
9	Ghaziabad	Indrapuri Drain	30/05/2024	7.1	Turbid	216	192	74	1700000	1400000
			22/05/2024	7.2	Turbid	212	192	70	2200000	1700000
			15/05/2024	7.7	Turbid	224	182	72	3800000	3200000
			09/05/2024	8	Turbid	220	180	70	9400000	7000000
			02/05/2024	7.1	Turbid	282	176	67	2000000	1700000

U.P. Pollution Control Board, Noida

S.No.	Name of Drain Address	Drain Tapped/ Untapped	Date of Inspection	Colour	Odour	pH	BOD (mg/L)	COD (mg/L)	TSS (mg/L)
1	Samerville School, Sector-22, Noida	Untapped	25-04-2024	Light Gray	Unpleasant	7.56	95	480	380
2	In front of NTPC Gate Near Police Chowki, Sector-23, Noida	Untapped	25-04-2024	Sl.Blackish	Unpleasant	7.42	65	224	105
3	Sector-23, Police Chowki Side, Noida	Untapped	25-04-2024	Gray	Unpleasant	7.28	55	208	64
4	Kribhco Society, Sector-35, Noida	Untapped	25-04-2024	DRY					
5	Kribhco Society, Sector-35, In front of Hariom Sweets, Noida	Untapped	25-04-2024	DRY					
6	Brijwasi Caters, Near Harijan Basti, Sector-35, Noida	Untapped	25-04-2024	Sample collection Not possible					
7	Surabhi Hospital, Service Road, Sector-35, Noida	Untapped	25-04-2024	Blackish	Sl. Unpleasant	7.66	60.0	224.0	78.0
8	Sector 52 Drain Near Surabhi Hospital, Sector-35, Noida	Untapped	25-04-2024	Blackish	Unpleasant	7.44	70.0	254.0	75.0
9	Kendriya Vihar, Sector-50, Noida	Untapped	25-04-2024	DRY					
10	Neelgiri Fl, Kendriya Vihar, Gole Chakkar, Noida	Untapped	25-04-2024	Light Pale	Unpleasant	7.53	42.5	160.0	56.0
11	Sector-50, Beech Road, Sector-51, Gole Chakkar, Noida	Untapped	25-04-2024	Light Gray	Sl. Unpleasant	7.39	80.0	288.0	126.0
12	7X, Sector-76, Near Metro Station, Noida	Untapped	25-04-2024	Light pale	Unpleasant	7.46	75.0	256.0	92.0
13	Harola Drain, Bhati Dairy, Village-Barola, Sector-49, Noida	Untapped	25-04-2024	Sl.Blackish	Unpleasant	7.67	60.0	176.0	61.0
14	Barola Shamshan Ghat, Sector-49, Noida	Untapped	25-04-2024	Light pale	Unpleasant	7.40	70.0	192.0	70.0

Abhishek
S.A.

S.No.	Name of Drain Address	Drain Tapped/	Date of Inspection	Colour	Odour	pH	BOD (mg/L)	COD (mg/L)	TSS (mg/L)
15	UGR, Barola, Sector-50, Noida	Untapped	25-04-2024	Sl.Blackish	Sl. Unpleasant	7.48	75.0	304.0	288.0
16	Kajal Dairy, Samudayik Sauchalya, Sector-50, Noida	Untapped	25-04-2024	Grey	Unpleasant	7.33	65.0	192.0	84.0
17	SMG Public School, Rajeev Colony, Bhangel, Noida	Untapped	25-04-2024	Grey	Unpleasant	7.94	90.0	336.0	187.0
18	Satnaam Kirana Store, Bhangel, Noida	Untapped	25-04-2024	Pale	Unpleasant	7.63	95.0	304.0	236.0
19	NSEZ, Metro Station, Noida	Untapped	25-04-2024	Sl. Blackish	Sl. Unpleasant	7.72	65.0	288.0	152.0
20	Bhangel Drain, Noida	Untapped	25-04-2024	Pale	Unpleasant	7.38	70.0	192.0	77.0
21	Hosiery Drain, Noida	Untapped	25-04-2024	Gray	Unpleasant	7.55	65.0	368.0	145.0
22	Advant, Sector-142, Noida	Untapped	25-04-2024	Gray	Unpleasant	7.49	85.0	176.0	112.0
23	Sector-135, Near Accenture Pvt. Ltd., Noida	Untapped	25-04-2024	Lighr pale	Sl. Unpleasant	7.26	50.0	160.0	78.0
24	Near Sector-82, Noida	Untapped	25-04-2024	Turbid	Sl. Blackish	7.41	60.0	208.0	75.0
25	Police Chowki, sector-50, Noida	Untapped	25-04-2024	DRY					
26	Sector-34, Noida	Untapped	25-04-2024	DRY					
27	In front of A-16, Sector-23, Noida	Untapped	25-04-2024	DRY					
28	Ashish Convent School, Sector-33	Untapped	25-04-2024	DRY					
29	Mahagun majariya, Infront of Sector- 76, Noida	Untapped	25-04-2024	DRY					
30	Side of Kendriya Viah, Gol Chakkar Sector-51, Noida	Untapped	25-04-2024	DRY					

Ashtoria
S.A.



10482
REGIONAL LABORATORY
U.P POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Annexure-8

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab
 Sample Collected by: - Rajeev (J.L.A) & Surjeet (L.A)
 Quantity & Packing: - 2 Liter Plastic Cane
 Date of Sample Collection: - 01.05.2024 & 02.05.2024
 Date of Analysis Started: - 01.05.2024 & 02.05.2024
 Date of Completion of Analysis: - 05.05.2024 & 06.05.2024
 Date of Sample Receipt in Lab: - 01.05.2024 & 02.05.2024
 Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/L	COD mg/L	TSS mg/L	TC MPN/100ml	FC MPN/100ml
74 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/05-S	Colourless	Faint	7.36	7.0	56.0	8.0	2200	930
56 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/04-S	Colourless	Faint	6.84	8.0	52.0	9.0	2500	830
56 MLD U.A.S.B Trans Hindon (Indirapuram).	UPPCB/GZB/WW/06-S	Colourless	Faint	6.92	14.0	90.0	22.0	2400	680
56 MLD S.B.R., Dudahaida Vijay Nagar	UPPCB/GZB/WW/09-S	Colourless	Odourless	7.06	6.0	50.0	7.0	1700	610
70 MLD U.A.S.B., Dudahaida Vijay Nagar	UPPCB/GZB/WW/10-S	Colourless	Faint	7.48	12.0	86.0	20.0	2100	400
30 MLD M.B.B.R Sadullabad (Loni)	UPPCB/GZB/WW/01-S	Colourless	Faint	7.38	6.0	52.0	9.0	1100	400
56 MLD S.B.R., Govindpuram	UPPCB/GZB/WW/03-S	Colourless	Odourless	7.62	8.0	66.0	10.0	2700	610
56 MLD S.B.R., Bapudham,	UPPCB/GZB/WW/02-S	Colourless	Odourless	7.50	7.0	58.0	8.0	2100	830
56 MLD S.B.R., Morty	UPPCB/GZB/WW/11-S	Colourless	Faint	7.26	14.0	82.0	18.0	2700	930
5 MLD M.B.B.R., Trans Delhi Signature City (Tronica City), Loni	UPPCB/GZB/WW/12-S	Turbid	Odourless	7.84	20.0	122.0	46.0	3400	930

[Signature]
 Junior Research Fellow

[Signature]
 Scientific Assistant

[Signature]
 Assistant Scientific Officer

[Signature]
 Regional Officer



**REGIONAL LABORATORY
U.P. POLLUTION CONTROL BOARD
INS-2, SECTOR-16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA**

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): Grab
 Sample Collected by: Rajeev (J.L.A) & Surjeet (L.A)
 Quantity & Packing: - 2 liter Plastic Canes
 Date of Sample Collection: - 08.05.2024 & 09.05.2024
 Date of Analysis Started: - 08.05.2024 & 09.05.2024
 Date of Completion of Analysis: - 14.05.2024 & 15.05.2024
 Date of Sample Receipt in Lab: - 08.05.2024 & 09.05.2024
 Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/L	COD mg/L	TSS mg/L	TC MPN/100ml	FC MPN/100ml
74 MLD S.B.R., Indrapuram	UPPCB/GZB/W/05/24/24-5	Colourless	Faint	7.34	8.0	58.0	9.0	2500	930
56 MLD S.B.R., Indrapuram	UPPCB/GZB/W/05/24/26-5	Colourless	Faint	6.85	10.0	64.0	11.0	1200	200
56 MLD U.A.S.B Trans Hindon (Indrapuram)	UPPCB/GZB/W/05/24/25-5	Colourless	Faint	7.25	15.0	92.0	26.0	2200	400
56 MLD S.B.R., Dudahaida Vijay Nagar	UPPCB/GZB/W/05/24/28-5	Colourless	Odourless	7.03	8.0	52.0	9.0	1700	830
70 MLD U.A.S.B., Dudahaida Vijay Nagar	UPPCB/GZB/W/05/24/27-5	Colourless	Faint	7.58	14.0	88.0	22.0	1100	400
30 MLD M.B.B.R. Sadullabad (Loni)	UPPCB/GZB/W/05/24/22-5	Colourless	Faint	7.39	8.0	56.0	10.0	2700	930
56 MLD S.B.R., Govindpuram	UPPCB/GZB/W/05/24/19-5	Colourless	Odourless	7.67	10.0	68.0	12.0	2100	830
56 MLD S.B.R., Bapudham,	UPPCB/GZB/W/05/24/18-5	Colourless	Odourless	7.85	8.0	60.0	10.0	3300	230
56 MLD S.B.R., Morty	UPPCB/GZB/W/05/24/23-5	Colourless	Faint	7.39	16.0	84.0	20.0	2200	680
5 MLD M.B.B.R., Trans Delhi Signature City (Tonica City), Loni	UPPCB/GZB/W/05/24/21-5	Turbid	Odourless	7.18	22.0	126.0	50.0	3400	830

Anil Kumar

Junior Research Fellow

Pradeep

Scientific Assistant

[Signature]

Assistant Scientific Officer

[Signature]

Regional Officer



10484
 REGIONAL LABORATORY
 U.P POLLUTION CONTROL BOARD
 INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
 UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab
 Sample Collected by: - Rajeev (J.L.A) & Surjeet (L.A)
 Quantity & Packing: - 2 Liter Plastic Cane
 Date of Sample Collection: - 14.05.2024 & 15.05.2024
 Date of Analysis Started: - 14.05.2024 & 15.05.2024
 Date of Completion of Analysis: - 19.05.2024 & 20.05.2024
 Date of Sample Receipt in Lab: - 14.05.2024 & 15.05.2024
 Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/L	COD mg/L	TSS mg/L	TC MPN/100ml	FC MPN/100ml
74 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/05 /24/47-S	Colourless	Faint	7.24	9.0	60.0	10.0	5400	930
56 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/05 /24/48-S	Colourless	Faint	7.12	16.0	94.0	24.0	2200	680
56 MLD U.A.S.B Trans Hindon (Indirapuram),	UPPCB/GZB/WW/05 /24/46-S	Colourless	Faint	6.95	14.0	68.0	14.0	2700	930
56 MLD S.B.R., Dudahaida Vijay Nagar	UPPCB/GZB/WW/05 /24/44-S	Colourless	Odourless	7.28	7.0	48.0	8.0	2700	830
70 MLD U.A.S.B., Dudahaida Vijay Nagar	UPPCB/GZB/WW/05 /24/43-S	Colourless	Faint	7.42	16.0	90.0	26.0	3300	680
30 MLD M.B.B.R Sadullabad (Loni)	UPPCB/GZB/WW/05 /24/43-S	Colourless	Faint	7.78	7.0	54.0	8.0	2600	920
56 MLD S.B.R., Govindpuram	UPPCB/GZB/WW/05 /24/39-S	Colourless	Odourless	7.68	12.0	72.0	14.0	2800	840
56 MLD S.B.R., Bapudham,	UPPCB/GZB/WW/05 /24/40-S	Colourless	Odourless	7.68	9.0	62.0	12.0	2500	910
56 MLD S.B.R., Morty	UPPCB/GZB/WW/05 /24/49-S	Colourless	Faint	7.05	15.0	78.0	16.0	2200	930
5 MLD M.B.B.R., Trans Delhi Signature City (Tronica City), Loni	UPPCB/GZB/WW/05 /24/42-S	Turbid	Odourless	7.48	17.0	124.0	44.0	2100	610

Junior Research Fellow

Scientific Assistant

Assistant Scientific Officer

Regional Officer



REGIONAL LABORATORY
U.P POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab
 Sample Collected by: - Rajeev (J.L.A) & Surjeet (L.A)
 Quantity & Packing: - 2 Liter Plastic Cane
 Date of Sample Collection: - 29.05.2024 & 30.05.2024
 Date of Analysis Started: - 29.05.2024 & 30.05.2024
 Date of Completion of Analysis: - 03.06.2024 & 04.06.2024
 Date of Sample Receipt in Lab: - 29.05.2024 & 30.05.2024
 Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/L	COD mg/L	TSS mg/L	TC MPN/100ml	FC MPN/100ml
74 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/05/24/105-S	Colourless	Faint	7.15	8.0	54.0	8.0	2700	610
56 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/05/24/103-S	Colourless	Faint	7.56	10.0	58.0	10.0	2200	610
56 MLD U.A.S.B Trans Hindon (Indirapuram).	UPPCB/GZB/WW/05/24/104-S	Turbid	Faint	7.39	14.0	92.0	20.0	1700	610
56 MLD S.B.R., Dudahaida Vijay Nagar	UPPCB/GZB/WW/05/24/101-S	Colourless	Odourless	7.81	9.0	54.0	9.0	2200	930
70 MLD U.A.S.B., Dudahaida Vijay Nagar	UPPCB/GZB/WW/05/24/102-S	Colourless	Faint	7.03	15.0	98.0	24.0	2700	830
30 MLD M.B.B.R Sadullabad (Loni)	UPPCB/GZB/WW/05/24/99-S	Colourless	Faint	7.11	8.0	58.0	9.0	2100	830
56 MLD S.B.R., Govindpuram	UPPCB/GZB/WW/05/24/96-S	Colourless	Odourless	7.26	9.0	58.0	10.0	1400	930
56 MLD S.B.R., Bapudham,	UPPCB/GZB/WW/05/24/97-S	Colourless	Odourless	7.43	8.0	56.0	9.0	1100	680
56 MLD S.B.R., Morty	UPPCB/GZB/WW/05/24/106-S	Colourless	Faint	7.26	12.0	72.0	14.0	2100	400
5 MLD M.B.B.R., Trans Delhi Signature City (Tronica City), Loni	UPPCB/GZB/WW/05/24/100-S	Turbid	Odourless	7.15	15.0	120.0	42.0	2200	930


 Junior Research Fellow


 Scientific Assistant


 Assistant Scientific Officer


 Regional Officer



10486
 REGIONAL LABORATORY
 U.P POLLUTION CONTROL BOARD
 INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
 UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab
 Sample Collected by: - Charan (J.L.A) & Sanjay(F.A)
 Quantity & Packing: - 2 Liter Plastic Cane
 Date of Sample Collection: - 02.04.2024 – 04.04.2024
 Date of Analysis Started: - 02.04.2024 – 04.04.2024
 Date of Completion of Analysis: - 06.04.2024 – 08.04.2024
 Date of Sample Receipt in Lab: - 02.04.2024 – 04.04.2024
 Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/L	COD mg/L	TSS mg/L	TC MPN/100ml	FC MPN/100ml
74 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/04/24/10-S	Colourless	Faint	6.82	8.0	56.0	10.0	2800	790
56 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/04/24/12-S	Colourless	Faint	7.22	6.0	48.0	8.0	1500	450
56 MLD U.A.S.B Trans Hindon (Indirapuram),	UPPCB/GZB/WW/04/24/11-S	Colourless	Faint	6.76	12.0	84.0	20.0	2500	780
56 MLD S.B.R., Dudahaïda Vijay Nagar	UPPCB/GZB/WW/04/24/15-S	Colourless	Odourless	7.02	7.0	50.0	9.0	1600	350
70 MLD U.A.S.B., Dudahaïda Vijay Nagar	UPPCB/GZB/WW/04/24/16-S	Colourless	Faint	7.20	14.0	92.0	22.0	2200	450
30 MLD M.B.B.R Sadullabad (Loni)	UPPCB/GZB/WW/04/24/06-S	Colourless	Faint	7.36	7.0	56.0	10.0	1700	790
56 MLD S.B.R., Govindpuram	UPPCB/GZB/WW/04/24/14-S	Colourless	Odourless	7.42	9.0	60.0	10.0	1300	200
56 MLD S.B.R., Bapudham,	UPPCB/GZB/WW/04/24/13-S	Colourless	Odourless	7.24	8.0	58.0	9.0	1600	240
56 MLD S.B.R., Morty	UPPCB/GZB/WW/04/24/08-S	Colourless	Faint	7.36	14.0	80.0	24.0	1700	790
5 MLD M.B.B.R., Trans Delhi Signature City (Tronica City), Loni	UPPCB/GZB/WW/04/24/07-S	Turbid	Odourless	7.18	22.0	120.0	46.0	3200	680

Junior Research Fellow

Scientific Assistant

Assistant Scientific Officer

Regional Officer

REGIONAL LABORATORY
U.P POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab

Sample Collected by: - Charan (J.L.A) & Sanjay(F.A)

Quantity & Packing: - 2 Liter Plastic Cane

Date of Sample Collection: - 10.04.2024 & 11.04.2024

Date of Analysis Started: - 10.04.2024 & 11.04.2024

Date of Completion of Analysis: - 14.04.2024 & 15.04.2024

Date of Sample Receipt in Lab: - 10.04.2024 & 11.04.2024

Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/L	COD mg/L	TSS mg/L	TC MPN/100ml	FC MPN/100ml
74 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/04/24/36-S	Colourless	Faint	6.64	7.0	54.0	9.0	1600	540
56 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/04/24/34-S	Colourless	Faint	7.06	8.0	50.0	9.0	1300	780
56 MLD U.A.S.B Trans Hindon (Indirapuram).	UPPCB/GZB/WW/04/24/35-S	Colourless	Faint	6.82	15.0	90.0	22.0	1100	790
56 MLD S.B.R., Dudahaida Vijay Nagar	UPPCB/GZB/WW/04/24/	Colourless	Odourless	7.60	6.0	48.0	8.0	1200	450
70 MLD U.A.S.B., Dudahaida Vijay Nagar	UPPCB/GZB/WW/04/24/44-S	Colourless	Faint	6.98	12.0	90.0	21.0	2400	780
30 MLD M.B.B.R Sadullabad (Loni)	UPPCB/GZB/WW/04/24/39-S	Colourless	Faint	7.42	8.0	58.0	9.0	2400	680
56 MLD S.B.R., Govindpuram	UPPCB/GZB/WW/04/24/38-S	Colourless	Odourless	6.90	8.0	58.0	9.0	1600	540
56 MLD S.B.R., Bapudham,	UPPCB/GZB/WW/04/24/37-S	Colourless	Odourless	6.86	7.0	54.0	8.0	1200	200
56 MLD S.B.R., Morty	UPPCB/GZB/WW/04/24/43-S	Colourless	Faint	6.76	12.0	78.0	22.0	2100	930
5 MLD M.B.B.R., Trans Delhi Signature City (Tronica City), Loni	UPPCB/GZB/WW/04/24/40-S	Turbid	Odourless	6.70	20.0	118.0	42.0	2200	790


Junior Research Fellow


Scientific Assistant


Assistant Scientific Officer


Regional Officer



REGIONAL LABORATORY
U.P POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab
 Sample Collected by: - Charan (J.L.A) & Sanjay(F.A)
 Quantity & Packing: - 2 Liter Plastic Cane
 Date of Sample Collection: - 18.04.2024 & 19.04.2024
 Date of Analysis Started: - 18.04.2024 & 19.04.2024
 Date of Completion of Analysis: - 23.04.2024 & 24.04.2024
 Date of Sample Receipt in Lab: - 18.04.2024 & 19.04.2024
 Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/L	COD mg/L	TSS mg/L	TC MPN/100ml	FC MPN/100ml
74 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/04/24/47-S	Colourless	Faint	6.76	6.0	52.0	8.0	2800	790
56 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/04/24/49-S	Colourless	Faint	7.38	14.0	88.0	20.0	2600	780
56 MLD U.A.S.B Trans Hindon (Indirapuram).	UPPCB/GZB/WW/04/24/48-S	Colourless	Faint	6.96	14.0	88.0	20.0	1700	450
56 MLD S.B.R., Dudahaida Vijay Nagar	UPPCB/GZB/WW/04/24/52-S	Colourless	Odourless	7.40	7.0	52.0	9.0	1600	240
70 MLD U.A.S.B., Dudahaida Vijay Nagar	UPPCB/GZB/WW/04/24/53-S	Colourless	Faint	7.23	13.0	94.0	23.0	3500	790
30 MLD M.B.B.R Sadullabad (Loni)	UPPCB/GZB/WW/04/24/50-S	Colourless	Faint	7.18	7.0	54.0	8.0	2200	790
56 MLD S.B.R., Govindpuram	UPPCB/GZB/WW/04/24/46-S	Colourless	Odourless	7.04	6.0	54.0	8.0	1600	240
56 MLD S.B.R., Bapudham,	UPPCB/GZB/WW/04/24/45-S	Colourless	Odourless	7.68	9.0	60.0	10.0	1500	400
56 MLD S.B.R., Morty	UPPCB/GZB/WW/04/24/54-S	Colourless	Faint	7.36	10.0	74.0	20.0	1500	930
5 MLD M.B.B.R., Trans Delhi Signature City (Tronica City), Loni	UPPCB/GZB/WW/04/24/51-S	Turbid	Odourless	7.20	18.0	112.0	40.0	2100	780

Amrit. Gupta
 Junior Research Fellow

Phanita
 Scientific Assistant

[Signature]
 Assistant Scientific Officer

[Signature]
 Regional Officer



REGIONAL LABORATORY
U.P POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab

Sample Collected by: - Charan (J.L.A) & Sanjay(F.A)

Quantity & Packing: - 2 Liter Plastic Cane

Date of Sample Collection: - 23.04.2024 & 25.04.2024

Date of Analysis Started: - 23.04.2024 & 25.04.2024

Date of Completion of Analysis: - 27.04.2024 & 28.04.2024

Date of Sample Receipt in Lab: - 23.04.2024 & 25.04.2024

Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/L	COD mg/L	TSS mg/L	TC MPN/100ml	FC MPN/100ml
74 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/04/24/74-S	Colourless	Faint	6.90	8.0	58.0	9.0	2500	450
56 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/04/24/75-S	Colourless	Faint	7.26	7.0	52.0	9.0	2700	680
56 MLD U.A.S.B Trans Hindon (Indirapuram).	UPPCB/GZB/WW/04/24/73-S	Colourless	Faint	6.84	16.0	92.0	24.0	3200	920
56 MLD S.B.R., Dudahaida Vijay Nagar	UPPCB/GZB/WW/04/24/77-S	Colourless	Odourless	7.18	9.0	56.0	10.0	2700	680
70 MLD U.A.S.B., Dudahaida Vijay Nagar	Non-Operational								
30 MLD M.B.B.R Sadullabad (Loni)	UPPCB/GZB/WW/04/24/59-S	Colourless	Faint	7.22	8.0	56.0	9.0	2200	450
56 MLD S.B.R., Govindpuram	UPPCB/GZB/WW/04/24/58-S	Colourless	Odourless	7.74	9.0	62.0	10.0	1400	200
56 MLD S.B.R., Bapudham,	UPPCB/GZB/WW/04/24/57-S	Colourless	Odourless	7.02	7.0	56.0	8.0	2000	450
56 MLD S.B.R., Morty	UPPCB/GZB/WW/04/24/76-S	Colourless	Faint	7.40	16.0	80.0	26.0	1700	780
5 MLD M.B.B.R., Trans Delhi Signature City (Tronica City), Loni	UPPCB/GZB/WW/04/24/56-S	Turbid	Odourless	7.09	22.0	124.0	46.0	1600	540


 Junior Research Fellow


 Scientific Assistant


 Assistant Scientific Officer


 Regional Officer



REGIONAL LABORATORY
U.P. POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab
 Sample Collected by: - Surjeet (J.L.A) & Madan (J.L.A)
 Quantity & Packing: - 2 Liter Plastic Can
 Date of Sample Collection: - 05.03.2024 & 06.03.2024
 Date of Analysis Started: - 05.03.2024 & 06.03.2024
 Date of Completion of Analysis: - 10.03.2024 & 11.03.2024
 Date of Sample Receipt in Lab: - 05.03.2024 & 06.03.2024
 Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/L	COD mg/L	TSS mg/L	TC MPN/100ml	FC MPN/100ml
74 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/03/24/16-S	Colourless	Faint	7.18	6.0	48.0	7.0	1500	450
56 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/03/24/72-S	Turbid	Faint	7.20	8.0	52.0	9.0	1600	400
56 MLD U.A.S.B Trans Hindon (Indirapuram).	UPPCB/GZB/WW/03/24/15-S	Colourless	Faint	7.30	14.0	88.0	22.0	2200	540
56 MLD S.B.R., Dudahaia Vijay Nagar	UPPCB/GZB/WW/03/24/18-S	Colourless	Odourless	7.26	7.0	50.0	8.0	2400	400
70 MLD U.A.S.B., Dudahaia Vijay Nagar	UPPCB/GZB/WW/03/24/17-S	Turbid	Faint	7.10	16.0	100.0	24.0	2500	450
30 MLD M.B.B.R Sedulabad (Loni)	UPPCB/GZB/WW/03/24/10-S	Colourless	Faint	7.30	9.0	54.0	10.0	4700	920
56 MLD S.B.R., Govindpuram	UPPCB/GZB/WW/03/24/13-S	Colourless	Odourless	7.50	7.0	46.0	8.0	1600	170
56 MLD S.B.R., Bapudham,	UPPCB/GZB/WW/03/24/12-S	Colourless	Odourless	7.52	9.0	56.0	10.0	1200	200
56 MLD S.B.P., Morty	UPPCB/GZB/WW/03/24/19-S	Colourless	Faint	7.36	18.0	80.0	24.0	2100	780
5 MLD M.B.B.R., Trans Delhi Signature City (Tronica City), Loni	UPPCB/GZB/WW/03/24/11-S	Turbid	Odourless	7.50	8.0	64.0	9.0	1700	790


 Junior Research Fellow


 Scientific Assistant


 Assistant Scientific Officer


 Regional Officer



REGIONAL LABORATORY
U.P. POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab
 Sample Collected by: - Surjeet (J.L.A) & Madan (J.L.A)
 Quantity & Packing: - 2 Liter Plastic Can
 Date of Sample Collection: - 12.03.2024 - 14.03.2024
 Date of Analysis Started: - 12.03.2024 - 14.03.2024
 Date of Completion of Analysis: - 16.03.2024 - 17.03.2024
 Date of Sample Receipt in Lab: - 12.03.2024 - 14.03.2024
 Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/L	COD mg/L	TSS mg/L	TC MPN/100ml	FC MPN/100ml
74 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/03/24/36-S	Colourless	Faint	7.36	8.0	52.0	9.0	2100	510
56 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/03/24/35-S	Turbid	Faint	7.40	9.0	54.0	10.0	1600	350
56 MLD U.A.S.B Trans Hindon (Indirapuram).	UPPCB/GZB/WW/03/24/37-S	Colourless	Faint	7.10	16.0	90.0	24.0	2700	450
56 MLD S.B.R., Dudahaida Vijay Nagar	UPPCB/GZB/WW/03/24/39-S	Colourless	Odourless	7.45	9.0	56.0	10.0	2300	790
70 MLD U.A.S.B., Dudahaida Vijay Nagar	UPPCB/GZB/WW/03/24/38-S	Turbid	Faint	7.05	14.0	98.0	22.0	3300	510
30 MLD M.B.B.R Sadullabad (Loni)	UPPCB/GZB/WW/03/24/33-S	Colourless	Faint	7.50	8.0	52.0	9.0	4300	780
56 MLD S.B.R., Govindpuram	UPPCB/GZB/WW/03/24/30-S	Colourless	Odourless	7.20	8.0	48.0	9.0	2200	450
56 MLD S.B.R., Bapudham,	UPPCB/GZB/WW/03/24/31-S	Colourless	Odourless	7.60	7.0	54.0	8.0	1600	350
56 MLD S.B.R., Morty	UPPCB/GZB/WW/03/24/34-S	Colourless	Faint	7.42	20.0	84.0	26.0	2700	650
5 MLD M.B.B.R., Trans Delhi Signature City (Tronica City), Loni	UPPCB/GZB/WW/03/24/11-S	Turbid	Odourless	7.24	14.0	32.0	20.0	3900	2700


 Junior Research Fellow


 Scientific Assistant


 Assistant Scientific Officer


 Regional Officer



REGIONAL LABORATORY
U.P POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab
 Sample Collected by: - Surjeet (J.L.A) & Madan (J.L.A)
 Quantity & Packing: - 2 Liter Plastic Cane
 Date of Sample Collection: - 19.03.2024 & 20.03.2024
 Date of Analysis Started: - 19.03.2024 & 20.03.2024
 Date of Completion of Analysis: - 24.03.2024 & 25.03.2024
 Date of Sample Receipt in Lab: - 19.03.2024 & 20.03.2024
 Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/L	COD mg/L	TSS mg/L	TC MPN/100ml	FC MPN/100ml
74 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/03/24/59-S	Colourless	Faint	6.96	9.0	54.0	10.0	2500	930
56 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/03/24/60-S	Colourless	Faint	7.10	8.0	52.0	9.0	1600	540
56 MLD U.A.S.B Trans Hindon (Indirapuram),	UPPCB/GZB/WW/03/24/58-S	Turbid	Faint	7.36	12.0	80.0	20.0	3400	780
56 MLD S.B.R., Dudahaida Vijay Nagar	UPPCB/GZB/WW/03/24/62-S	Colourless	Odourless	7.06	6.0	50.0	8.0	1600	350
70 MLD U.A.S.B., Dudahaida Vijay Nagar	UPPCB/GZB/WW/03/24/61-S	Turbid	Faint	7.26	18.0	100.0	26.0	2400	790
30 MLD M.B.B.R Sadullabad (Loni)	UPPCB/GZB/WW/03/24/48-S	Colourless	Faint	7.20	7.0	50.0	8.0	1400	790
56 MLD S.B.R., Govindpuram	UPPCB/GZB/WW/03/24/57-S	Colourless	Odourless	7.33	9.0	52.0	10.0	1600	240
56 MLD S.B.R., Bapudham,	UPPCB/GZB/WW/03/24/56-S	Colourless	Odourless	7.18	8.0	58.0	10.0	1200	200
56 MLD S.B.R., Morty	UPPCB/GZB/WW/03/24/54-S	Turbid	Faint	7.20	18.0	80.0	24.0	1500	450
5 MLD M.B.B.R., Trans Delhi Signature City (Tronica City), Loni	UPPCB/GZB/WW/03/24/55-S	Turbid	Odourless	7.60	20.0	112.0	36.0	3900	2700


 Junior Research Fellow


 Scientific Assistant


 Assistant Scientific Officer


 Regional Officer

REGIONAL LABORATORY
U.P POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab

Sample Collected by: - Surjeet (J.L.A) & Madan (J.L.A)

Quantity & Packing: - 2 Liter Plastic Cane

Date of Sample Collection: - 27.03.2024 & 28.03.2024

Date of Analysis Started: - 27.03.2024 & 28.03.2024

Date of Completion of Analysis: - 02.03.2024 & 04.03.2024


Date of Sample Receipt in Lab: - 27.03.2024 & 28.03.2024

Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/L	COD mg/L	TSS mg/L	TC MPN/100ml	FC MPN/100ml
74 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/03/24/81-S	Colourless	Faint	6.94	6.0	52.0	8.0	2100	780
56 MLD S.B.R., Indirapuram	UPPCB/GZB/WW/03/24/80-S	Colourless	Faint	7.30	7.0	50.0	10.0	1500	450
56 MLD U.A.S.B Trans Hindon (Indirapuram).	UPPCB/GZB/WW/03/24/82-S	Turbid	Faint	6.92	15.0	88.0	24.0	2500	450
56 MLD S.B.R., Dudahaida Vijay Nagar	UPPCB/GZB/WW/03/24/78-S	Colourless	Odourless	7.14	5.0	42.0	7.0	1300	790
70 MLD U.A.S.B., Dudahaida Vijay Nagar	UPPCB/GZB/WW/03/24/79-S	Turbid	Faint	7.48	16.0	96.0	24.0	2100	610
30 MLD M.B.B.R Sadullabad (Loni)	UPPCB/GZB/WW/03/24/72-S	Colourless	Faint	7.62	6.0	54.0	9.0	1600	540
56 MLD S.B.R., Govindpuram	UPPCB/GZB/WW/03/24/76-S	Colourless	Odourless	7.68	8.0	56.0	9.0	1500	450
56 MLD S.B.R., Bapudham,	UPPCB/GZB/WW/03/24/75-S	Colourless	Odourless	7.36	9.0	60.0	10.0	1700	400
56 MLD S.B.R., Morty	UPPCB/GZB/WW/03/24/74-S	Colourless	Faint	7.54	12.0	75.0	20.0	2200	790
5 MLD M.B.B.R., Trans Delhi Signature City (Tronica City), Loni	UPPCB/GZB/WW/03/24/73-S	Colourless	Odourless	7.26	24.0	124.0	52.0	3200	920


Junior Research Fellow


Scientific Assistant


Assistant Scientific Officer


Regional Officer


**REGIONAL LABORATORY
U.P POLLUTION CONTROL BOARD
GHAZIABAD**

Analysis Report of 21.5 MLD SBR Siddharth Vihar, Ghaziabad

S.No.	Date	pH	Colour	BOD (mg/L)	COD (mg/L)	TSS (mg/L)	TC (MPN/ 100ml)	FC (MPN/ 100ml)
1.	12.04.24	7.10	Turbid	20.0	126.0	25.0	2400	680
2.	19.04.24	7.06	Turbid	24.0	132.0	32.0	2600	780
3.	25.04.24	7.20	Turbid	18.0	118.0	24.0	2100	450
4.	10.05.24	7.16	Turbid	22.0	128.0	30.0	3500	790
5.	15.05.24	7.26	Turbid	20.0	120.0	28.0	2200	940
6.	22.05.24	7.04	Turbid	22.0	116.0	26.0	2100	700
7.	30.05.24	7.56	Turbid	18.0	114.0	24.0	1700	840

Anil Gupta.


JUNIOR RESEARCH FELLOW



ASSISTANT SCIENTIFIC OFFICER

68 MLD STP at Ghaziabad (Karheda Zone)











REGIONAL LABORATORY UTTAR PRADESH POLLUTION CONTROL BOARD

E-12/1, SECTOR-1, NOIDA, GAUTAM BUDDHA NAGAR,
UTTAR PRADESH, INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated):- Grab

Sample Collected by:- Miss. Sangeeta, J.R.F. & Mr. Ranjeet Kumar, JRF

Quantity and Packing:- 2 Liter Plastic Cane

Date of Sample Collection:- 31/05/2024

Date of Analysis Started:- 31/05/2024

Date of Completion of Analysis:- 05/06/2024

Date of sample receipt in Lab:- 31/05/2024

Method of Sampling:- Standard Methods for the Examination of Water and Wastewater;
APHA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/l	COD mg/l	TSS mg/l
Sector-50 Noida (25 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/25	Cololurless	Odourless	7.38	14.4	91.2	36.0
Sector-50 Noida (34 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/26	Cololurless	Odourless	7.23	13.2	96.8	29.0
Sector-54 Noida (33 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/28	Cololurless	Odourless	7.20	10.2	78.4	31.0
Sector-54 Noida (54 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/27	Cololurless	Odourless	7.44	9.1	74.4	23.0
Sector-123 Noida (35 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/29	Cololurless	Odourless	7.31	11.5	86.4	33.0
Sector-123 Noida (80 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/30	Cololurless	Odourless	7.04	13.3	88.8	39.0
Sector-168 Noida (50 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/31	Colourless	Odourless	7.29	13.9	82.4	32.0
Sector-168 Noida (100 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/32	Colourless	Odourless	7.22	12.8	89.6	36.0

Scientific Assistant

Asstt. Env. Engineer

Regional Officer



REGIONAL LABORATORY UTTAR PRADESH POLLUTION CONTROL BOARD

E-12/1, SECTOR-1, NOIDA, GAUTAM BUDDHA NAGAR,
UTTAR PRADESH, INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated):- Grab

Sample Collected by:- Miss. Sangeeta, J.R.F. & Mr. Ranjeet Kumar, JRF

Quantity and Packing:- 2 Liter Plastic Cane

Date of Sample Collection:- 25/05/2024

Date of Analysis Started:- 25/05/2024

Date of Completion of Analysis:- 30/05/2024

Date of sample receipt in Lab:- 25/05/2024

Method of Sampling:- Standard Methods for the Examination of Water and Wastewater;
APHA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/l	COD mg/l	TSS mg/l
Sector-50 Noida (25 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S18	Colourless	Odourless	7.19	11.7	86.6	38.0
Sector-50 Noida (34 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S17	Colourless	Odourless	7.39	14.8	142.4	42.0
Sector-54 Noida (33 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S20	Colourless	Odourless	7.33	10.6	80.8	30.0
Sector-54 Noida (54 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S19	Colourless	Odourless	7.40	13.2	108.0	39.0
Sector-123 Noida (35 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S21	Colourless	Odourless	7.48	9.8	76.8	25.0
Sector-123 Noida (80 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S22	Colourless	Odourless	7.34	10.4	70.4	21.0
Sector-168 Noida (50 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S24	Colourless	Odourless	7.28	14.3	89.6	42.0
Sector-168 Noida (100 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S23	Colourless	Odourless	7.14	13.3	92.8	46.0

AS

Scientific Assistant

Pr Singh

Asstt. Env. Engineer

Regional Officer

Regional Officer



REGIONAL LABORATORY
UTTAR PRADESH POLLUTION CONTROL BOARD

E-12/1, SECTOR-1, NOIDA, GAUTAM BUDDHA NAGAR,
UTTAR PRADESH, INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated):- Grab

Sample Collected by:- Mr. Vishal Maurya, L.A. & Mr. Ravi Kumar, JRF

Quantity and Packing:- 2 Liter Plastic Cane

Date of Sample Collection:- 16/05/2024

Date of Analysis Started:- 16/05/2024

Date of Completion of Analysis:- 22/05/2024

Date of sample receipt in Lab:- 16/05/2024

Method of Sampling:- Standard Methods for the Examination of Water and Wastewater;
APHA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/l	COD mg/l	TSS mg/l
Sector-50 Noida (25 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S13	Cololurless	Odourless	7.38	13.4	89.6	36.0
Sector-50 Noida (34 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S14	Cololurless	Odourless	7.40	11.8	70.4	28.0
Sector-54 Noida (33 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S12	Cololurless	Odourless	7.34	9.3	84.8	38.0
Sector-54 Noida (54 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S11	Cololurless	Odourless	7.19	9.8	91.2	41.0
Sector-123 Noida (35 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S09	Cololurless	Odourless	7.11	8.9	76.8	26.0
Sector-123 Noida (80 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S10	Cololurless	Odourless	7.25	9.1	86.4	34.0
Sector-168 Noida (50 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S15	Colourless	Odourless	7.58	19.3	148.8	67.0
Sector-168 Noida (100 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/05/24/S16	Colourless	Odourless	7.14	13.3	92.8	34.0

[Signature]

Scientific Assistant

[Signature]

Asstt. Env. Engineer

[Signature]

Regional Officer

	REGIONAL LABORATORY UTTAR PRADESH POLLUTION CONTROL BOARD
	E-12/1, SECTOR-1, NOIDA, GAUTAM BUDDHA NAGAR, UTTER PRADESH, INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated):- Grab

Sample Collected by:- Mr. Ravi Kumar, J.R.F. & Mr. Ranjeet kumar, JRF

Quantity and Packing:- 2 Liter Plastic Cane

Date of Sample Collection:- 09/05/2024

Date of Analysis Started:- 09/05/2024

Date of Completion of Analysis:- 15/05/2024

Date of sample receipt in Lab:- 09/05/2024

Method of Sampling:- Standard Methods for the Examination of Water and Wastewater;
 APHA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/l	COD mg/l	TSS mg/l
25/1 Sector-50 Noida (25 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/ WW/05/24/S07	Cololurless	Odourless	7.45	13.9	108.8	27.0
32/6 Sector-50 Noida (34 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/ WW/05/24/S08	Cololurless	Odourless	7.33	11.5	81.6	35.0
62/6 Sector-54 Noida (33 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/ WW/05/24/S05	Cololurless	Odourless	7.52	16.6	166.4	41.0
60/4 Sector-54 Noida (54 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/ WW/05/24/S06	Cololurless	Odourless	7.30	12.3	151.2	43.0
60/1 Sector-123 Noida (35 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/ WW/05/24/S03	Cololurless	Odourless	7.33	11.0	95.2	28.0
53/0 Sector-123 Noida (80 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/ WW/05/24/S04	Cololurless	Odourless	7.20	9.2	84.8	36.0
53/1 Sector-168 Noida (50 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/ WW/05/24/S01	Colourless	Odourless	7.26	21.0	189.0	67.0
33/1 Sector-168 Noida (100 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/ WW/05/24/S02	Colourless	Odourless	7.52	13.1	110.4	31.0

Alta

Scientific Assistant

Singh

Asstt. Env. Engineer

[Signature]

Regional Officer



REGIONAL OFFICE
U.P. POLLUTION CONTROL BOARD
E-12/1, SECTOR-1, NOIDA,
GAUTAM BUDDHA NAGAR

Water Analysis Report of STP

Type of Sample (Grab/Composite/Integrated):- Grab

Sample Collected by:- Mr. Ravi Kumar, JRF & Ranjeet kumar, JRF

Quantity and Packing:- 2 Liter Plastic Cane

Date of Sample Collection:- 01/04/2024

Date of Analysis Started:- 01/04/2024

Date of Completion of Analysis:- 08/04/2024

Date of sample receipt in Lab:- 01/04/2024

Method of Sampling:- Standard Methods for the Examination of Water and Wastewater;
APHA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/l	COD mg/l	TSS mg/l	Phosphorous (as PO ₄) mg/l	Nitrogen (as NO ₃) mg/l
Sector-50 Noida (25 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S10	Light Pale	Odourless	7.64	35.2	265.6	98.0	1.4	0.96
Sector-50 Noida (34 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S11	Light Gray	Unpleasant	7.24	38.0	264.0	117	1.4	1.8
Sector-54 Noida (33 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S07	Cololurless	Odourless	7.24	12.3	92.8	31.0	0.52	0.36
Sector-54 Noida (54 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S08	Cololurless	Odourless	7.34	10.9	85.6	26.0	0.48	0.32
Sector-123 Noida (35 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S04	Cololurless	Odourless	7.43	18.1	140.8	41.0	1.2	1.0
Sector-123 Noida (80 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S06	Sl. Pale	Odourless	7.38	13.6	156.0	36.0	0.8	0.46
Sector-168 Noida (50 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S01	Light Gray	Sl. Unpleasant	7.54	36.4	256.0	78.0	2.6	1.6
Sector-168 Noida (100 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S02	Light Gray	Sl. Unpleasant	7.39	39.2	337.6	108.0	2.8	1.6

Abhinav
08-4-2024
Scientific Assistant

Ranjeet
08/04/24
Asstt. Env. Engineer

[Signature]
Regional Officer



REGIONAL OFFICE
U.P. POLLUTION CONTROL BOARD
E-12/1, SECTOR-1, NOIDA,
GAUTAM BUDDHA NAGAR

Water Analysis Report of STP

Type of Sample (Grab/Composite/Integrated):- Grab

Sample Collected by:- Mr. Vishal Maurya, L.A. & Mr. Ravi Kumar, JRF

Quantity and Packing:- 2 Liter Plastic Cane

Date of Sample Collection:- 09/04/2024

Date of Analysis Started:- 09/04/2024

Date of Completion of Analysis:- 16/04/2024

Date of sample receipt in Lab:- 09/04/2024

Method of Sampling:- Standard Methods for the Examination of Water and Wastewater;
APHA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/l	COD mg/l	TSS mg/l	Phosphorous (as PO ₄) mg/l	Nitrogen (as NO ₃) mg/l
Sector-50 Noida (25 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S13	Light Pale	Odourless	7.36	14.9	92.8	36.0	0.58	0.46
Sector-50 Noida (34 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S14	Light Gray	Odourless	7.76	35.2	259.0	142	1.2	0.96
Sector-54 Noida (33 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S18	Colourless	Odourless	7.22	9.6	68.8	17.0	0.48	0.42
Sector-54 Noida (54 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S19	Colourless	Odourless	7.16	11.4	88.8	35.0	0.58	0.33
Sector-123 Noida (35 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S15	Light pale	Odourless	7.31	10.6	84.8	26.0	0.46	0.33
Sector-123 Noida (80 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S20	Colourless	Odourless	7.24	13.5	101.6	31.0	0.62	0.38
Sector-168 Noida (50 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S16	Light Pale	Odourless	7.16	17.6	124.8	59.0	0.58	0.32
Sector-168 Noida (100 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S07	Light Pale	Odourless	7.08	12.4	87.2	29.0	0.84	0.62

[Signature]
16-4-2024

Scientific Assistant

[Signature]
16/04/24

Asstt. Env. Engineer

[Signature]
Regional Officer

10505



REGIONAL OFFICE
U.P. POLLUTION CONTROL BOARD
E-12/1, SECTOR-1, NOIDA,
GAUTAM BUDDHA NAGAR

Water Analysis Report of STP

Type of Sample (Grab/Composite/Integrated):- Grab

Sample Collected by:- Mr. Vishal Maurya, L.A. & Mr. Ravi Kumar, JRF

Quantity and Packing:- 2 Liter Plastic Cane

Date of Sample Collection:- 16/04/2024

Date of Analysis Started:- 16/04/2024

Date of Completion of Analysis:- 23/04/2024

Date of sample receipt in Lab:- 16/04/2024

Method of Sampling:- Standard Methods for the Examination of Water and Wastewater;
APHA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/l	COD mg/l	TSS mg/l	Phosphorous (as PO ₄) mg/l	Nitrogen (as NO ₃) mg/l
Sector-50 Noida (25 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S22	Light Gray	Odourless	7.43	33.6	260.8	128.0	1.6	0.82
Sector-50 Noida (34 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S21	Light Pale	Odourless	7.34	14.4	91.2	48.0	0.88	0.62
Sector-54 Noida (33 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S26	Cololurless	Odourless	7.27	8.6	76.0	23.0	0.68	0.36
Sector-54 Noida (54 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S25	Cololurless	Odourless	7.11	11.8	87.2	27.0	0.48	0.52
Sector-123 Noida (35 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S27	Cololurless	Odourless	7.02	13.0	92.0	30.0	0.72	0.66
Sector-123 Noida (80 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S28	Cololurless	Odourless	7.16	10.4	95.2	37.0	0.58	0.38
Sector-168 Noida (50 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S24	Light Pale	Odourless	7.30	15.2	103.2	48.0	0.62	0.34
Sector-168 Noida (100 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S23	Light Pale	Odourless	7.19	11.7	114.4	41.0	1.2	0.82

[Signature]
23-4-2024

Scientific Assistant

[Signature]
23/04/24

Asstt. Env. Engineer

[Signature]
Regional Officer



REGIONAL OFFICE
U.P. POLLUTION CONTROL BOARD
E-12/1, SECTOR-1, NOIDA,
GAUTAM BUDDHA NAGAR

Water Analysis Report of STP

Type of Sample (Grab/Composite/Integrated):- Grab

Sample Collected by:- Mr. Vishal Maurya, L.A. & Mr. Ravi Kumar, JRF

Quantity and Packing:- 2 Liter Plastic Cane

Date of Sample Collection:- 24/04/2024

Date of Analysis Started:- 24/04/2024

Date of Completion of Analysis:- 29/04/2024

Date of sample receipt in Lab:- 24/04/2024

Method of Sampling:- Standard Methods for the Examination of Water and Wastewater;
APHA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/l	COD mg/l	TSS mg/l	Phosphorous (as PO ₄) mg/l	Nitrogen (as NO ₃) mg/l
Sector-50 Noida (25 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S30	Colourless	Odourless	7.31	13.4	97.6	43.0	1.4	0.84
Sector-50 Noida (34 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S29	Colourless	Odourless	7.39	11.9	89.6	44.0	0.56	0.38
Sector-54 Noida (33 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S34	Colourless	Odourless	7.29	8.6	74.4	21.0	0.46	0.38
Sector-54 Noida (54 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S33	Colourless	Odourless	7.18	10.6	80.8	31.0	0.96	0.56
Sector-123 Noida (35 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S35	Colourless	Odourless	7.43	10.8	102.4	35.0	0.76	0.68
Sector-123 Noida (80 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S36	Colourless	Odourless	7.14	11.2	92.8	33.0	0.62	0.48
Sector-168 Noida (50 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S32	Colourless	Odourless	7.28	13.3	108.0	41.0	0.58	0.56
Sector-168 Noida (100 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S31	Colourless	Odourless	7.33	12.3	84.8	38.0	0.62	0.52

[Signature]
29-4-2024

Scientific Assistant

[Signature]
23/4/24
Asstt. Env. Engineer

[Signature]
Regional Officer

	REGIONAL LABORATORY UTTAR PRADESH POLLUTION CONTROL BOARD E-12/1, SECTOR-1, NOIDA, GAUTAM BUDDHA NAGAR, UTTER PRADESH, INDIA	 TC-11550
---	---	---

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated):- Grab

Sample Collected by:- Mr. Vishal Maurya, L.A. & Mr. Ravi Kumar, JRF

Quantity and Packing:- 2 Liter Plastic Cane

Date of Sample Collection:- 30/04/2024

Date of Analysis Started:- 30/04/2024

Date of Completion of Analysis:- 06/04/2024

Date of sample receipt in Lab:- 30/04/2024

Method of Sampling:- Standard Methods for the Examination of Water and Wastewater;
 APHA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Lab Code	Colour	Odour	pH	BOD mg/l	COD mg/l	TSS mg/l
Sector-50 Noida (25 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S38	Cololurless	Odourless	7.21	9.4	84.0	29.0
Sector-50 Noida (34 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S37	Cololurless	Odourless	7.33	10.6	92.0	22.0
Sector-54 Noida (33 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S42	Cololurless	Odourless	7.06	10.1	85.6	38.0
Sector-54 Noida (54 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S41	Cololurless	Odourless	7.42	12.1	78.4	32.0
Sector-123 Noida (35 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S43	Cololurless	Odourless	7.39	10.0	87.2	26.0
Sector-123 Noida (80 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S44	Cololurless	Odourless	7.41	8.7	68.8	22.0
Sector-168 Noida (50 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S40	Colourless	Odourless	7.48	11.8	88.8	36.0
Sector-168 Noida (100 MLD SBR Outlet), Noida	UPPCB/RL/NOIDA/WW/04/24/S39	Colourless	Odourless	7.54	11.9	76.8	20.0

[Signature]
 06-5-2024
 Scientific Assistant

[Signature]
 06/05/2024
 Asstt. Env. Engineer

[Signature]
 Regional Officer



REGIONAL OFFICE
U.P. POLLUTION CONTROL BOARD
E-12/1, SECTOR-1, NOIDA,
GAUTAMBUDH NAGAR

Water Analysis Report of STP

Sample Collected By :- Mr. Vishal Maurya L.A. & Mr. Ashish Chauhan J.R.F.
Date of Sample Collection:-04.03.2024

Sampling Point	Color	Odour	pH	BOD mg/l	COD mg/l	TSS mg/l	Phosphorous (as PO ₄) mg/l	Nitrogen (as NO ₃) mg/l
Sector-50 (25 MLD SBR Outlet) Noida	Colourless	Odourless	7.52	18.0	168.0	63.0	0.92	1.3
Sector-50 (34 MLD SBR Outlet) Noida	Turbid	Sl. Unpleasant	8.24	38.0	272.0	123.0	1.2	2.6
Sector-54 (33 MLD SBR Outlet) Noida	Colourless	Odourless	7.88	14.0	144.0	48.0	0.56	0.82
Sector-54 (54 MLD SBR Outlet) Noida	Colourless	Odourless	7.48	16.0	152.0	51.0	1.3	1.0
Sector-123 (35 MLD SBR Outlet) Noida	Turbid	Odourless	7.81	15.0	136.0	38.0	0.62	0.44
Sector-168 (50 MLD SBR Outlet) Noida	Turbid	Sl. Unpleasant	7.55	44.0	288.0	119.0	1.4	1.2
Sector-123 (80 MLD SBR Outlet) Noida	Colourless	Odourless	7.35	11.0	128.0	34.0	0.7	0.53
Sector-168 (100 MLD SBR Outlet) Noida	Colourless	Odourless	7.38	22.0	206.0	79.0	1.5	1.1

[Signature]
12-3-2024
Scientific Assistant

[Signature]
Asstt. Env. Engineer

[Signature]
Regional Officer



REGIONAL OFFICE
U.P. POLLUTION CONTROL BOARD
E-12/1, SECTOR-1, NOIDA,
GAUTAMBUDH NAGAR

Water Analysis Report of STP

Sample Collected By :- Mr. Vishal Maurya L.A. & Mr. Ravi Kumar J.R.F.
Date of Sample Collection:-11.03.2024

Sampling Point	Color	Odour	pH	BOD mg/l	COD mg/l	TSS mg/l	Phosphorous (as PO ₄) mg/l	Nitrogen (as NO ₃) mg/l
Sector-50 (25 MLD SBR Outlet) Noida	Turbid	Odourless	7.74	26.0	188.0	81.0	1.0	0.82
Sector-50 (34 MLD SBR Outlet) Noida	Turbid	Odourless	7.38	34.0	304.0	134.0	1.3	1.8
Sector-54 (33 MLD SBR Outlet) Noida	Colourless	Odourless	8.24	18.0	152.0	51.0	1.1	0.76
Sector-54 (54 MLD SBR Outlet) Noida	Colourless	Odourless	7.73	13.5	128.0	28.0	0.8	0.66
Sector-123 (35 MLD SBR Outlet) Noida	Colourless	Odourless	7.24	17.0	168.0	43.0	1.6	1.2
Sector-168 (50 MLD SBR Outlet) Noida	Turbid	Odourless	7.73	31.0	260.0	108.0	1.2	1.6
Sector-123 (80 MLD SBR Outlet) Noida	Colourless	Odourless	7.36	13.0	125.6	29.0	1.4	1.1
Sector-168 (100 MLD SBR Outlet) Noida	Turbid	Odourless	7.58	22.0	220.0	84.0	0.89	0.54

Alta
15-3-2024
Scientific Assistant

Vishal
Asstt. Env. Engineer

Ravi Kumar
Regional Officer



REGIONAL OFFICE
U.P. POLLUTION CONTROL BOARD
E-12/1, SECTOR-1, NOIDA,
GAUTAMBUDH NAGAR

Water Analysis Report of STP

Sample Collected By :- Mr. Anil kumar Srivastava S.A. & Mr. Ravi Kumar J.R.F.
Date of Sample Collection:-19.03.2024

Sampling Point	Color	Odour	pH	BOD mg/l	COD mg/l	TSS mg/l	Phosphorous (as PO ₄) mg/l	Nitrogen (as NO ₃) mg/l
Sector-50 (25 MLD SBR Outlet) Noida	Turbid	Sl. Unpleasant	6.35	22.8	208.0	66.0	1.0	1.2
Sector-50 (34 MLD SBR Outlet) Noida	Light Gray	Sl. Unpleasant	6.42	49.6	266.0	127.0	1.8	1.6
Sector-54 (33 MLD SBR Outlet) Noida	Colourless	Odourless	6.64	10.2	126.0	45.0	0.88	0.6
Sector-54 (54 MLD SBR Outlet) Noida	Colourless	Odourless	6.86	11.8	130.0	56.0	0.38	0.42
Sector-123 (35 MLD SBR Outlet) Noida	Colourless	Odourless	7.09	12.2	138.0	59.0	1.1	0.7
Sector-168 (50 MLD SBR Outlet) Noida	Light Gray	Sl. Unpleasant	7.06	43.4	259.0	116.0	2.1	1.8
Sector-123 (80 MLD SBR Outlet) Noida	Colourless	Odourless	7.02	13.4	129.0	51.0	0.19	0.26
Sector-168 (100 MLD SBR Outlet) Noida	Light Gray	Sl. Unpleasant	7.26	44.0	270.0	136.0	1.4	1.0

Alta's
20-3-2024

Scientific Assistant

Pringh!

Asstt. Env. Engineer

[Signature]
Regional Officer



REGIONAL OFFICE
U.P. POLLUTION CONTROL BOARD
E-12/1, SECTOR-1, NOIDA,
GAUTAMBUDH NAGAR

Water Analysis Report of STP

Sample Collected By :- Mr. Ashish Chauhan J.R.F. & Mr. Ravi Kumar J.R.F.
Date of Sample Collection:-28.03.2024

Sampling Point	Color	Odour	pH	BOD mg/l	COD mg/l	TSS mg/l	Phosphorous (as PO ₄) mg/l	Nitrogen (as NO ₃) mg/l
Sector-50 (25 MLD SBR Outlet) Noida	Light Pale	Sl. Unpleasant	7.48	38.6	245.0	92.0	1.5	0.94
Sector-50 (34 MLD SBR Outlet) Noida	Light Gray	Sl. Unpleasant	7.38	44.0	262.0	122.0	1.4	1.2
Sector-54 (33 MLD SBR Outlet) Noida	Colourless	Odourless	7.08	13.8	133.0	42.0	0.72	0.54
Sector-54 (54 MLD SBR Outlet) Noida	Colourless	Odourless	6.96	11.6	128.0	51.0	0.43	0.6
Sector-123 (35 MLD SBR Outlet) Noida	Colourless	Odourless	7.24	14.5	138.0	47.0	0.92	0.8
Sector-168 (50 MLD SBR Outlet) Noida	Light Gray	Sl. Unpleasant	7.49	46.0	274.0	118.0	2.2	1.9
Sector-123 (80 MLD SBR Outlet) Noida	Colourless	Odourless	7.31	12.7	108.0	38.0	0.22	0.36
Sector-168 (100 MLD SBR Outlet) Noida	Light Gray	Sl. Unpleasant	7.48	41.5	268.0	106.0	1.6	1.3

Ashish
02-4-2024

Scientific Assistant

Pr Singh

Asstt. Env. Engineer

Ravi Kumar
Regional Officer



**REGIONAL LABORATORY
U.P. POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA**

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab
 Sample Collected by: - Mr. Ashish Chauhan (J.R.F) & Mr. Ravi Kumar (J.R.F.)
 Quantity & Packing: - 60 mL Glass Bottle
 Date of Sample Collection: - 09.05.2024
 Date of Analysis Started: - 09.05.2024
 Date of Completion of Analysis: - 14.05.2024
 Date of Sample Receipt in Lab: - 09.05.2024
 Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
33 MLD, S.T.P Outlet Sector-54, Noida	2200	1700
54 MLD, S.T.P Outlet Sector-54, Noida	4100	3400
50 MLD, S.T.P Outlet Sector-168, Noida	2500	780
35 MLD, S.T.P Outlet Sector-123, Noida	1700	1400
34 MLD, S.T.P Outlet Sector-50, Noida	1600	540
25 MLD, S.T.P Outlet Sector-50, Noida	1600	350
100 MLD, S.T.P Outlet Sector-168, Noida	1700	790
80 MLD, S.T.P Outlet Sector-123, Noida	1500	1200


 Junior Research Fellow/Scientific Assistant


 Assistant Scientific Officer


 Regional Officer



REGIONAL LABORATORY
U.P. POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab

Sample Collected by: - Mr. Ashish Chauhan (J.R.F.) & Mr. Ravi Kumar (J.R.F.)

Quantity & Packing: - 60 mL Glass Bottle

Date of Sample Collection: - 16.05.2024


Date of Analysis Started: - 16.05.2024

Date of Completion of Analysis: - 22.05.2024

Date of Sample Receipt in Lab: - 16.05.2024

Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
33 MLD, S.T.P Outlet Sector-54, Noida	2400	780
54 MLD, S.T.P Outlet Sector-54, Noida	1600	240
50 MLD, S.T.P Outlet Sector-168, Noida	2700	2200
35 MLD, S.T.P Outlet Sector-123, Noida	2100	790
34 MLD, S.T.P Outlet Sector-50, Noida	1600	920
25 MLD, S.T.P Outlet Sector-50, Noida	2100	1700
100 MLD, S.T.P Outlet Sector-168, Noida	2500	2100
80 MLD, S.T.P Outlet Sector-123, Noida	1600	350



Junior Research Fellow/Scientific Assistant



Assistant Scientific Officer



Regional Officer



REGIONAL LABORATORY
U.P. POLLUTION CONTROL BOARD
INS-2, SECTOR-16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Test Report; Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): Grab

Sample Collected by: Mr. Ashish Chathan (J.R.F.) & Mr. Ravi Kumar (J.R.F.)

Quantity & Packing: 60 ml Glass Bottle

Date of Sample Collection: 25.05.2024

Date of Analysis Started: 25.05.2024

Date of Completion of Analysis: 31.05.2024

Date of Sample Receipt in Lab: 25.05.2024

Method of Sampling: Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, 18th Ed, 2017

Name of S.T.P. & Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
33 MID, S.T.P. Outlet Sector-54, Noida	1600	240
54 MID, S.T.P. Outlet Sector-54, Noida	2700	2200
50 MID, S.T.P. Outlet Sector-168, Noida	1500	400
45 MID, S.T.P. Outlet Sector-123, Noida	3400	2700
34 MID, S.T.P. Outlet Sector-50, Noida	4100	3400
25 MID, S.T.P. Outlet Sector-50, Noida	2200	1700
100 MID, S.T.P. Outlet Sector-168, Noida	1600	240
80 MID, S.T.P. Outlet Sector-123, Noida	1600	920


Junior Research Fellow/Scientific Assistant


Assistant Scientific Officer


Regional Officer



**REGIONAL LABORATORY
U.P POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA**

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab

Sample Collected by: - Mr. Ashish Chauhan (J.R.F) & Mr. Ravi Kumar (J.R.F.)

Quantity & Packing: - 60 mL Glass Bottle

Date of Sample Collection: - 31.05.2024


Date of Analysis Started: - 31.05.2024

Date of Completion of Analysis: - 06.06.2024

Date of Sample Receipt in Lab: - 31.05.2024

Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
33 MLD, S.T.P Outlet Sector-54, Noida	2400	610
54 MLD, S.T.P Outlet Sector-54, Noida	1500	930
50 MLD, S.T.P Outlet Sector-168, Noida	1100	400
35 MLD, S.T.P Outlet Sector-123, Noida	2100	1700
34 MLD, S.T.P Outlet Sector-50, Noida	3400	2700
25 MLD, S.T.P Outlet Sector-50, Noida	1600	540
100 MLD, S.T.P Outlet Sector-168, Noida	1200	920
80 MLD, S.T.P Outlet Sector-123, Noida	3200	400


Junior Research Fellow/Scientific Assistant


Assistant Scientific Officer


Regional Officer



**REGIONAL LABORATORY
U.P POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA**

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab

Sample Collected by: - Mr. Ashish Chauhan (J.R.F) & Mr. Ravi Kumar (J.R.F.)

Quantity & Packing: - 60 mL Glass Bottle

Date of Sample Collection: - 01.04.2024

Date of Analysis Started: - 01.04.2024

Date of Completion of Analysis: - 06.04.2024

Date of Sample Receipt in Lab: - 01.04.2024

Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
33 MLD, S.T.P Outlet Sector-54, Noida	1300	780
54 MLD, S.T.P Outlet Sector-54, Noida	3900	830
50 MLD, S.T.P Outlet Sector-168, Noida	3300	2700
35 MLD, S.T.P Outlet Sector-123, Noida	2800	790
34 MLD, S.T.P Outlet Sector-50, Noida	4900	1700
25 MLD, S.T.P Outlet Sector-50, Noida	2800	1300
100 MLD, S.T.P Outlet Sector-168, Noida	3500	2200
80 MLD, S.T.P Outlet Sector-123, Noida	2100	610

Amil Gupta

Junior Research Fellow/Scientific Assistant

[Signature]

Assistant Scientific Officer

[Signature]

Regional Officer



REGIONAL LABORATORY
U.P. POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated):- Grab

Sample Collected by:- Mr. Ashish Chauhan (J.R.F) & Mr. Ravi Kumar (J.R.F)

Quantity & Packing:- 60 mL Glass Bottle

Date of Sample Collection:- 09.04.2024

Date of Analysis Started:- 09.04.2024

Date of Completion of Analysis:- 15.04.2024

Date of Sample Receipt in Lab:- 09.04.2024

Method of Sampling:- Standard Methods for the Examination of Water & Wastewater: APHA, AWWA, AWWA, and WEF, Ed28th, 2017

Name of S.T.P. & Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
83 MLD S.T.P. Outlet Sector-54, Noida	2600	750
84 MLD S.T.P. Outlet Sector-54, Noida	3300	450
80 MLD S.T.P. Outlet Sector-168, Noida	3100	930
88 MLD S.T.P. Outlet Sector-123, Noida	1400	780
84 MLD S.T.P. Outlet Sector-50, Noida	2800	1400
15 MLD S.T.P. Outlet Sector-50, Noida	1700	1300
100 MLD S.T.P. Outlet Sector-168, Noida	1600	540
80 MLD S.T.P. Outlet Sector-123, Noida	2100	790

(Signature)
Junior Research Fellow/Scientific Assistant

(Signature)
Assistant Scientific Officer

(Signature)
Regional Officer



**REGIONAL LABORATORY
U.P POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA**

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab

Sample Collected by: - Mr. Ashish Chauhan (J.R.F.) & Mr. Ravi Kumar (J.R.F.)

Quantity & Packing: - 60 mL Glass Bottle

Date of Sample Collection: - 28.03.2024


Date of Analysis Started: - 28.03.2024

Date of Completion of Analysis: - 03.04.2024

Date of Sample Receipt in Lab: - 28.03.2024

Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
33 MLD, S.T.P Outlet Sector-54, Noida	2000	1400
54 MLD, S.T.P Outlet Sector-54, Noida	2500	2100
50 MLD, S.T.P Outlet Sector-168, Noida	41000	34000
35 MLD, S.T.P Outlet Sector-123, Noida	7000	4900
34 MLD, S.T.P Outlet Sector-50, Noida	63000	33000
25 MLD, S.T.P Outlet Sector-50, Noida	21000	14000
100 MLD, S.T.P Outlet Sector-168, Noida	28000	22000
80 MLD, S.T.P Outlet Sector-123, Noida	4700	3400


Junior Research Fellow/Scientific Assistant


Assistant Scientific Officer


Regional Officer



REGIONAL LABORATORY
U.P. POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab

Sample Collected by: - Mr. Ashish Chauhan (J.R.F.) & Mr. Ravi Kumar (J.R.F.)

Quantity & Packing: - 60 mL Glass Bottle

Date of Sample Collection: - 18.04.2024

Date of Analysis Started: - 18.04.2024

Date of Completion of Analysis: - 22.04.2024

Date of Sample Receipt in Lab: - 18.04.2024


Method of Sampling: - Standard Methods for the Examination of Water & Wastewater: APHA, AWWA, WWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
33 MLD, S.T.P. Outlet, Sector-54, Noida	1500	630
54 MLD, S.T.P. Outlet, Sector-54, Noida	1600	350
50 MLD, S.T.P. Outlet, Sector-168, Noida	2100	790
35 MLD, S.T.P. Outlet, Sector-123, Noida	2400	680
34 MLD, S.T.P. Outlet, Sector-50, Noida	1700	630
25 MLD, S.T.P. Outlet, Sector-50, Noida	3100	1300
100 MLD, S.T.P. Outlet, Sector-168, Noida	2100	780
30 MLD, S.T.P. Outlet, Sector-123, Noida	1700	500


 Junior Research Fellow/Scientific Assistant


 Assistant Scientific Officer


 Regional Officer



REGIONAL LABORATORY
U.P POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab

Sample Collected by: - Mr. Ashish Chauhan (J.R.F) & Mr. Ravi Kumar (J.R.F.)

Quantity & Packing: - 60 mL Glass Bottle

Date of Sample Collection: - 24.04.2024

Date of Analysis Started: - 24.04.2024

Date of Completion of Analysis: - 30.04.2024

Date of Sample Receipt in Lab: - 24.04.2024

Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
33 MLD, S.T.P Outlet Sector-54, Noida	2200	400
54 MLD, S.T.P Outlet Sector-54, Noida	1600	350
50 MLD, S.T.P Outlet Sector-168, Noida	1100	610
35 MLD, S.T.P Outlet Sector-123, Noida	2000	920
34 MLD, S.T.P Outlet Sector-50, Noida	2100	780
25 MLD, S.T.P Outlet Sector-50, Noida	2000	920
100 MLD, S.T.P Outlet Sector-168, Noida	1600	170
80 MLD, S.T.P Outlet Sector-123, Noida	2200	200


 Junior Research Fellow/Scientific Assistant


 Assistant Scientific Officer


 Regional Officer



**REGIONAL LABORATORY
U.P. POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA**

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab

Sample Collected by: - Mr. Ashish Chauhan (J.R.F.) & Mr. Ravi Kumar (J.R.F.)

Quantity & Packing: - 60 mL Glass Bottle

Date of Sample Collection: - 30.04.2024

Date of Analysis Started: - 30.04.2024

Date of Completion of Analysis: - 06.05.2024

Date of Sample Receipt in Lab: - 30.04.2024

Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
33 MLD, S.T.P Outlet Sector-54, Noida	1600	540
54 MLD, S.T.P Outlet Sector-54, Noida	2200	790
50 MLD, S.T.P Outlet Sector-168, Noida	3900	920
35 MLD, S.T.P Outlet Sector-123, Noida	2600	450
34 MLD, S.T.P Outlet Sector-50, Noida	3400	680
25 MLD, S.T.P Outlet Sector-50, Noida	2100	610
100 MLD, S.T.P Outlet Sector-168, Noida	2000	780
80 MLD, S.T.P Outlet Sector-123, Noida	2100	610

(Signature)
Junior Research Fellow/Scientific Assistant

(Signature)
Assistant Scientific Officer

Regional Officer



**REGIONAL LABORATORY
U.P. POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA**

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab

Sample Collected by: - Mr. Vishal Maurya (L.A) & Mr. Ashish Chauhan (J.R.F)

Quantity & Packing: - 60 mL Glass Bottle

Date of Sample Collection: - 04.03.2024

Date of Analysis Started: - 04.03.2024

Date of Completion of Analysis: - 10.03.2024

Date of Sample Receipt in Lab: - 04.03.2024

Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
33 MLD, S.T.P Outlet Sector-54, Noida	4700	3400
54 MLD, S.T.P Outlet Sector-54, Noida	3200	2200
50 MLD, S.T.P Outlet Sector-168, Noida	39000	27000
35 MLD, S.T.P Outlet Sector-123, Noida	4300	3100
34 MLD, S.T.P Outlet Sector-50, Noida	58000	23000
25 MLD, S.T.P Outlet Sector-50, Noida	6300	3300
100 MLD, S.T.P Outlet Sector-168, Noida	8400	4600
80 MLD, S.T.P Outlet Sector-123, Noida	7000	4900



Junior Research Fellow/Scientific Assistant



Assistant Scientific Officer



Regional Officer



**REGIONAL LABORATORY
U.P. POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA**

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab

Sample Collected by: - Mr. Vishal Maurya (L.A) & Mr. Ravi Kumar (J.R.F)

Quantity & Packing: - 60 mL Glass Bottle

Date of Sample Collection: - 11.03.2024

Date of Analysis Started: - 11.03.2024

Date of Completion of Analysis: - 16.03.2024

Date of Sample Receipt in Lab: - 11.03.2024

Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
33 MLD, S.T.P Outlet Sector-54, Noida	2500	1700
54 MLD, S.T.P Outlet Sector-54, Noida	3200	2200
50 MLD, S.T.P Outlet Sector-168, Noida	27000	17000
35 MLD, S.T.P Outlet Sector-123, Noida	3900	2700
34 MLD, S.T.P Outlet Sector-50, Noida	48000	34000
25 MLD, S.T.P Outlet Sector-50, Noida	35000	22000
100 MLD, S.T.P Outlet Sector-168, Noida	43000	28000
80 MLD, S.T.P Outlet Sector-123, Noida	5400	2400


Junior Research Fellow/Scientific Assistant


Assistant Scientific Officer


Regional Officer



REGIONAL LABORATORY
U.P. POLLUTION CONTROL BOARD
INS-2, SECTOR- 16, VASUNDHARA, GHAZIABAD
UTTAR PRADESH INDIA

Test Report: Waste Water Laboratory (S.T.P.)

Type of Sample (Grab/Composite/Integrated): - Grab

Sample Collected by: - Mr. Anil Kumar Srivastava (S.A) & Mr. Ravi Kumar (J.R.F.)

Quantity & Packing: - 60 mL Glass Bottle

Date of Sample Collection: - 19.03.2024

Date of Analysis Started: - 19.03.2024

Date of Completion of Analysis: - 26.03.2024

Date of Sample Receipt in Lab: - 19.03.2024

Method of Sampling: - Standard Methods for the Examination of Water & Wastewater; APHA, AWWA, AWWA, and WEF, Ed23rd, 2017

Name of S.T.P. & Sampling Point	Total Coliform (MPN/100 mL)	Fecal Coliform (MPN/100 mL)
33 MLD, S.T.P Outlet Sector-54, Noida	9200	3500
54 MLD, S.T.P Outlet Sector-54, Noida	5400	2400
50 MLD, S.T.P Outlet Sector-168, Noida	43000	28000
35 MLD, S.T.P Outlet Sector-123, Noida	17000	11000
34 MLD, S.T.P Outlet Sector-50, Noida	41000	27000
25 MLD, S.T.P Outlet Sector-50, Noida	34000	22000
100 MLD, S.T.P Outlet Sector-168, Noida	26000	17000
80 MLD, S.T.P Outlet Sector-123, Noida	4300	3100

Junior Research Fellow/Scientific Assistant

Assistant Scientific Officer

Regional Officer