

BEFORE HON'BLE NATIONAL GREEN TRIBUNAL
WESTERN ZONE BENCH, PUNE

ORIGINAL APPLICATION NO. 76/2022 (WZ)

Irba Mashnaji Konapure **Applicant**

VERSUS

Union of India through **Respondents**
Secretary MoEFCC & Ors.

WRITTEN ARGUMENTS BY R-11 SEVEN ELEVEN HOTELS PVT LTD

INDEX

Sr	Particulars	Page
1	Written Arguments by Respondent	1522
2	ANNEXURE-A: SC Civil Appeal No. 7934/2024 dated 07/03/2025	1526
3	ANNEXURE-B: HC CWP 789/2016 Judgment dated 11/02/2026: Point No. 4, 12, 13, 14, 15, 16	1527
4	ANNEXURE-C: MPCB 'Consent to Establish' dated 07/01/2025	1539
5	ANNEXURE-D: MPCB 'Consent to Operate' dated 19/02/2025 valid up to 29/12/2029	1550
6	ANNEXURE-E: CRZ Rules 2019 published on 18/01/2019: Clause 1(ii)(b)	1560-1586

Date: **08/04/2026**

Place: **Pune**

Filed By:



Advocate R. B. Mahabal रघुनाथ भालचंद्र महाबळ

BE(Mech), ME(Prod)VJTI, CE, FIE, LLM, IIE Arbitrator, [MAH/349/2012]

Home: A-202, Chandravijay Society, Opp. Bansuri Hotel, Phule Road, Mulund East, Mumbai-400081, Maharashtra.

Email: adv.rbmahabal@gmail.com Cell: 7400116222

along with associate Advocate Sachin Subhash Gore

MOST RESPECTFULLY SUBMITTED:

1. I am filing these **Written Arguments** on behalf of the **Respondent No. 11 – Seven Eleven Hotels Pvt. Ltd.**

2. Respondent has opposed the admission of the Application on the grounds of limitation, which is yet undecided. [Affidavit in Reply dated **04/11/2022**, from Page No. **743 to 749**]. Respondent is strongly pressing on the issue of limitation. Respondent urges to consider this objection while consideration the Joint Committee Report (JCR).

3. Respondent states that as per the documents filed by the Applicant on Page **380**, the date of FIR is mentioned as **11/04/2015** and the OA was filed on **25/07/2022**. There is delay of **2440** days. There is no finding or conclusion in the said FIR. Further that is not the subject of this Hon'ble Tribunal. [There is FIR No. 12/2010 which dates back to 12 years before the OA. As such the allegations were in public domain]. Neither Respondent nor its agent has been proved to responsible culprit.

4. As per Daily Order of Hon'ble Tribunal dated **07/11/2022** one Ld. Advocate Mr. Rajendra

Narvankar had appeared for Intervener. Respondent has not received any application from the intervenor thereafter. It is paginated from **1075 to 1182**.

5. The Respondent states that a Civil Appeal No. **7934/2024** is pending before Hon'ble Supreme Court and the last order located dated **07/03/2025** is enclosed for reference. [■ **Ax. A**]. There seems to be no stay order from Hon'ble Supreme Court.

6. JOINT COMMITTEE REPORT (JCR): The Respondent states that the Hon'ble Tribunal appointed the Joint Committee which has submitted its **Report dated 15/03/2024** from Page No. **973 to 1059**.

7. The Respondent states that the entire land parcel belongs to Respondent and is a private land. It is not reserved forest or forest land. Please refer to "**6. Report of the Mangrove Cell**" in the **JCR on Page 981**.

5) These Land parcel are not a notified forest and it is not in the possession of the Mangrove Cell.

*4. The said area in Sr. No. **52, 67 & 81** is not in the possession of Forest department and is neither notified as Reserved Forest nor as Protected Forest.*

8. The final observations are on Page No. **982, "7. Observations"** from Point No. 1 to 10 are

all recounting the facts on site and about the projects. The Respondent relies on JCR.

9. These findings are acceptable to the Respondent. Respondent doesn't have any objection to proceed further for final hearing today itself as stated in the Cause list. The JCR is quite clear and needs no explanation or further answer from the Respondent.

10. The entire structure as below has permissions from MBMC. Refer to page No. **980** of the JCR. **As such now nothing remains in this case.**

- 1) The IOD (initial order for development) by MBMC on 16.2.2008
- 2) NA order by District Collector, Thane on 9.4.2008
- 3) Commencement Certificate (CC) by MBMC on 19.11.2015
- 4) Revised CC (Basement + Ground + 1st floor) by MBMC on 18.2.2017
- 5) Revised CC (Basement + Ground + 4th floor) by MBMC on 30.10.2018
- 6) Part occupation certificate (Part OC) by MBMC on 3.11.2018
- 7) Part occupation certificate (Part OC) by MBMC on 9.1.2020

11. The Respondent states that they have not done any construction that needs demolition in the CRZ area. The main hotel building was outside CRZ area. As per **JCR page 981, 6. Report of Mangroves Cell, Point 2**, *".... Only the car porch on North East corner side adjoining the main ' L; shaped building is at a distance of 46.3 meter away from the boundary of mangroves as per MRSAC maps of 2005"*.

12. The Respondent states that Hon'ble High Court Mumbai has also clarified by its judgment dated **11th February 2026** in **Civil Writ Petition No. 789/2026** Eversmile Properties that as per **CRZ Regulations 18/01/2019** "**Clause 1.1 (ii) (b) Mangroves in private land will not require a buffer zone**". [■ **Ax. B**, Points 4, and 12 to 16]

13. The Respondent states that the 'Consent to Establish' was issued on **07/01/2025**. [■ **Ax. C**]. The 'Consent to Operate' issued by the MPCB dated **19/02/2025** valid up to **29/12/2029** [■ **Ax. D**]. The Applicant did not challenge both Consents. The Consent is valid and in force.

In light of the above facts and positive conclusive findings from the JCR, Judgement of HC affirming that as per CRZ Notification 2019, *mangroves in private land will not require a buffer zone* and the Written Arguments, the Respondent requests to dismiss the OA on merit there being no 'substantial question related to environment' and as barred by limitation.



Place: **Pune**
Date: **08/04/2026**

Adv. R. B. Mahabal
For Respondent No. 11

S U P R E M E C O U R T O F I N D I A
R E C O R D O F P R O C E E D I N G S

Ax. A

Civil Appeal No(s). 7934/2024

SEVEN ELEVEN HOTELS PVT. LTD.

Appellant(s)

VERSUS

FAIYYAZ MULLAJI & ORS.

Respondent(s)

ONLY I.A. NOS. 183185 AND 183188 OF 2024 TO BE LISTED ALONG WITH
OFFICE REPORT FOR DIRECTIONS

IA No. 183188/2024 - EXEMPTION FROM FILING O.T.

IA No. 183185/2024 - INTERVENTION APPLICATION

Date : 07-03-2025 This matter was called on for hearing today.

CORAM :

HON'BLE MR. JUSTICE AUGUSTINE GEORGE MASIH
[IN CHAMBERS]

For Appellant(s) : Mr. Sandeep Sudhakar Deshmukh, AOR

For Respondent(s) :

Mr. Atul Babasaheb Dakh, AOR

Mr. Siddharth Shinde, Adv.

Mr. Bitu Kumar Singh, Adv.

Dr. Ravindra Chingale, Adv.

Mr. Siddharth Dharmadhikari, Adv.

Mr. Aaditya Aniruddha Pande, AOR

M/S. Black & White Solicitors, AOR

Mr. Suhaskumar Kadam, Adv.

Shankey Agrawal, AOR

UPON hearing the counsel, the Court made the following
O R D E R

I.A. NOS. 183185 AND 183188 OF 2024

List these applications along with the main matter before the
Court.

(NARENDRA PRASAD)
DEPUTY REGISTRAR

(VINOD KUMAR)
COURT MASTER

T.C





IN THE HIGH COURT OF JUDICATURE AT BOMBAY
CIVIL APPELLATE JURISDICTION
WRIT PETITION NO. 789 OF 2026

Eversmile Properties Pvt Ltd anr**.. Petitioners**

Versus

The Union of India Thr Ministry of
Environment Forest and Climate Change
and Ors.

.. Respondents

...

Mr. Virag Tulzapurkar, Senior Advocate, a/w Adv. Samit Shukla, Adv. Abhishek Kothari, Adv. Shivani Khanwilkar, Adv. Vaibhavi Bhalerao, Adv. Suneet Kr. Tyagi, Adv. Makrand Sawant i/b Trilegal for the Petitioner. Adv. Jaya Bagwe, for Respondent No.3 (MCZMA). Ms.S.D. Vyas, Addl. GP a/w Mr. M.M. Pable, AGP for Respondent-State.

CORAM: BHARATI DANGRE &
MANJUSHA DESHPANDE, JJ.

DATED : 11th FEBRUARY, 2026

JUDGMENT (PER BHARATI DANGRE J):-

1. Eversmile Properties Pvt Ltd, a company registered under the Companies Act, 1956, having its registered office at Mira Road, Thane, along with its authorised signatory have approached this Court, being aggrieved by the decision recorded in the Minutes of the 180th Meeting of the Maharashtra Coastal Zone Management Authority held on 11/12/2024, when it decided to defer the proposal of the Petitioner for residential-cum commercial development on reservation plot Municipal Market, Community Centre & Play ground, having reservation under the Accommodation Reservation Policy, on land parcel at Village Penkarpada, District Thane.

Ashish

T.C

The petition seek a writ of mandamus, directing the Maharashtra Coastal Zone Management Authority (MCZMA) to process and decide upon the application filed by the Petitioner, as project proponent securing necessary permission, in accordance with the Coastal Regulation Zone Notification, 2019 and in particular Clause 1.1 (ii) (b) of Annexure-I without insisting on maintenance of 50 metre buffer zone.

2. Heard learned Senior Counsel Mr. Virag Tulzapurkar for the Petitioner.

The State of Maharashtra i.e. Respondent No.2 is represented by Additional Government Pleader Ms. Shruti Vyas, whereas Ms. Jaya Bagwe has marked her appearance on behalf of the MCZMA.

Since the MCZMA, the contesting party has filed its affidavit in reply, on completion of the pleadings by consent of the respective counsel, we deem it appropriate to issue 'Rule', which is made returnable forthwith.

3. The learned Senior Counsel Mr. Tulzapurkar, has invited our attention to various annexures appended to the petition, depicting that the petitioners are seized of and sufficiently entitled to land aggregately admeasuring, 8, 76, 651.39 sq. mtrs situated at Village Penkarpada, Taluka & District Thane.

The Petitioner No.1, interalia engaged in the business of real estate development and management, is desirous of developing a project on a land wholly seized off and sufficiently entitled to, bearing (Old) Survey No. 235 (Pt.), 236 (Pt.), 238 (Pt.), 258 (Pt.), 239, 240/2(Pt.), 257(Pt.), 256(Pt.) [(New) Survey No.68 (pt.), 71(pt.),

Ashish

74(pt.), 75(pt.), 76(pt.), 64/2 (pt.), 70 (pt.), 69 (pt.)] situated at Village Penkarpada, Taluka & District Thane. According to the Petitioner as per Development Plan of 1997 and the Draft Development Plan of 2022, portion of the Project Land, is reserved as (i) Community Hall admeasuring 2,200 sq. mtrs; and (ii) Municipal Market admeasuring 1,800 sq. mtrs; along with (iii) Playground admeasuring 3,700 sq. mtrs. As per the Petitioner, the project land, being part of a larger land, portion of it is abutted by mangroves admeasuring 3,63,381.65 sq. mtrs, which is also situated on a portion of the larger land.

4. For the purpose of implementing the project, the project proponent, i.e. Petitioner No.1 submitted an application on 4/12/2024 to the MCZMA for proposed residential cum commercial development on reservation plot of Municipal market, Community Centre and Playground with reservation No. 346, 345 & 343 respectively under the Accommodation Reservation Policy on the subject land.

It is as regards this application, the Petitioner make a grievance, as according to the learned Senior Counsel, **MCZMA has wrongly assumed that the mangroves even in private land would require a buffer zone and in order to demonstrate this, our attention is invited to the CRZ Notifications issued from time to time** by the Ministry of Environment, Forest and Climate Change, in exercise of the power conferred under Section 3 of the Environment (Protection) Act, 1986 with a view to ensure livelihood security to the fisherman, and other communities living in coastal areas and with an avowed purpose of conserving and protecting coastal stretchers, its unique environment, marine area and to promote development through

Ashish

sustainable manner based on scientific principles, by taking into account the dangers of natural hazards in the coastal areas, and sea level rise. It has also restricted the setting up and expansion of any industry, operations or processes and manufacture or handling or storage or disposal of hazardous substances in the CRZ area.

Our attention is invited to the Notification dated 6/01/2011, followed by CRZ Notification 18/01/2019.

Pointing out the distinction between the two, Mr. Tulzapurkar has submitted that in the Notification issued in the year 2019, there is a specific stipulation prescribing that ‘mangroves in private land will not require buffer zone’ and in light of this specific stipulation, the project of the petitioner could not have been deferred only on the premise that there are mangroves.

5. Referring to the response filed by the MCZMA and in specific, the reliance placed upon the order of this Court passed in PIL No. 87 of 2006 on 17/09/2018, it is the specific submission of the learned Senior Counsel that reliance upon the said direction is misconceived as the judgment was based upon the provisions of CRZ Notification 2011, but upon the CRZ Notification 18/01/2019 being published by the MoEF & CC, New Delhi, it superseded the earlier CRZ Notification 2011 and it is this Notification of which ought to be implemented by MCZMA while considering the application of the Petitioner.

6. Ms.Bagwe representing MCZMA do not dispute the Notifications issued by the Ministry of Environment and Forest from time to time declaring the coastal stretchers as Coastal Regulation

Ashish

Zone (CRZ) and imposing restrictions in setting up and expansion of industries, operations or processes etc, in the CRZ area.

By relying upon the affidavit filed by the Member Secretary of MCZMA, she also do not dispute that CRZ Notification 1991 was superseded by CRZ Notification 2011 published on 6/01/2011, and the validity of the CZMP prepared under the Notification of 1991 was extended from time to time till the preparation and approval of the CZMP under the CRZ Notification 2011. According to her, the final coastal zone management plans under the CRZ Notification 2011 for the City of Mumbai was finalized in August, 2018 and the Respondent No.2 i.e., State Government is responsible for monitoring and enforcement of the provisions of the CRZ Notification.

Ms.Bagwe do not dispute that CRZ Notification, 2011 is superseded by CRZ Notification 2019 published on 18/01/2019.

Submitting that as per para 6 of CRZ Notification, 2019 the coastal States and Union Territory, are cast with a duty to prepare draft CZMP in 1:25,000 scale map identifying and classifying CRZ areas with respective territories, in accordance with the guidelines given in Annexure – IV of CRZ Notification, 2019. He would submit that the process involve public consultation. According to her, the final Coastal Zone Management Plans under the CRZ Notification, 2019 was approved in two phases i.e., for the City of Mumbai and Mumbai Suburban being approved on 29/11/2021, and for District of Raigad, Ratnagiri, Sindhudurg, Thane and Palghar were approved on 25/08/2023 by MoEF & CC, New Delhi.

Dealing with the proposal of the Petitioner, the affidavit

Ashish

proceed to state that it was considered by MCZMA in its 180th Meeting and it was noted that as per the IRS report, the project site falls in CRZ-IA (50m Mangroves Buffer zone area), CRZ-II and Non-CRZ area. The affidavit has enlisted the respective areas in CRZ in a tabular form in the following manner:-

Description	CRZ- Classification	Area (in sq.mt)	Total area (in Sq.mt)
Community Hall	CRZ-IA (50m Mangrove Buffer Zone)	1087.10	200
	Out of CRZ	1004.50	
	CRZ II	108.40	
Municipal Market	CRZ-IA (50m Mangrove Buffer Zone)	1530.73	1800
	Out of CRZ	201.12	
	CRZ II	68.15	
Play Ground	Out of CRZ	3700.00	3700
Sector IA	CRZ-IA (50m Mangrove Buffer Zone)	2258.03	5411
	Out of CRZ	2816.97	
	CRZ II	336.00	

7. The affidavit of MCZMA state thus:-

“8. I say and submit that this Respondent Authority noted that as per para 5.1.1 (ii) of the CRZ Notification, 2019- (ii) In the mangrove buffer only such activities shall be permitted like laying of pipelines, transmission lines, conveyance systems or mechanisms and construction of road on stilts etc. that are required for public utilities and this Respondent has observed that construction of buildings in proposed project is not permissible in CRZ- IA (50m Mangrove Buffer Zone area) as per paragraph 5.1.1 (ii) of the CRZ Notification, 2019.

9. I say and submit that the Petitioner’s project activities falls in 50m Mangrove Buffer Zone, therefore, the Judgment rendered by this Hon’ble Court in the matter of Bombay Environment Action Group V/s. The State of Maharashtra in PIL No.87 of 2006 on 17th September, 2018 is applicable. Paragraph is reproduced herein below:

85 (A) (III) Regardless of ownership of the land having mangroves and the area of the land, all constructions taking place within 50 meters on all sides of all mangroves areas shall be forthwith stopped. The area of 50 meters shall be kept

Ashish

free of construction except construction of a compound wall/fencing for its protection;”

8. The learned counsel Ms. Bagwe, has thus urged before us that in the wake of the order passed by the High Court on 17/09/2018, where it is directed that regardless of ownership of the land with mangroves, all constructions taking place within 50 meters, on all side of mangrove areas be stopped and the area of 50 meters was directed to be kept free for construction except construction of compound wall/fencing for its protection.

According to her, the MCZMA is bound by the said decision of the High Court and is under obligation to implement the CRZ Notification for protection of CRZ areas.

9. In light of all the submissions advanced before us, it is to be noted that the Petitioner, being interested in implementation of the project on the larger track of land, based on the sanctioned Development Plan of 1997 and the Draft Development Plan of 2022, preferred an application seeking permission from the Coastal Zone Management Authority for its proposed Residential cum Commercial Development on the reservation plot, with the reservation being demarcated. From the layout plan demarcating the project plan placed before us, it is to be noted that the reservation for Community Hall and Municipal Market fall in CRZ I-A as some portion of the total area of the said reservation is covered mangroves, but as far as play ground the third reservation is concerned, it is outside CRZ. Sector I-A is also falling in CRZ I-A as it record presence of mangroves and it is the contention of the Petitioner that since the maintaining of buffer zone of 50 mtrs along the mangroves for an area more than 1000 sq mtrs. was a requirement of CRZ Notification

Ashish

of 2011, the 2019 CRZ Notification, which is issued in supersession of 2011 Notification has removed the said restriction and rather has prescribed that mangroves in private land will not require a buffer zone.

10. To appreciate the contention advanced on behalf of the Petitioner, we have carefully perused the CRZ Notification of 6/01/2011, which classified Coastal Regulation Zone for the purpose of conserving and protecting the coastal area and marine waters and CRZ-I are those areas which are ecological sensitive and geomorphological features of which play a key role in maintaining the integrity of the coast and it include Mangroves. The Notification provide that in case mangrove area is more than 1000 sq. mtrs, a buffer zone of 50 mtrs along the mangroves shall be maintained.

Similarly CRZ-I also cover coral and coral reefs, sand dunes, mudflats, national parks, marine parks, sanctuaries, reserved forest, wild life habitats and protected areas including biosphere reserves, salt marshes, turtle nesting grounds etc.

The 2011 Notification therefore included mangroves in CRZ-I and hence, where the mangrove area is 1000 sq mtrs, it made it imperative to have a buffer of 50 mtrs along the mangroves.

The notification also set out the norms for regulation of activities permitted and prohibited in various zones including CRZ-I and it prohibited construction except those permitted and the manner in which it was permitted to be carried out.

11. The Notification of 2011 is superseded by a Notification of 18/01/2019 and clause 2.0 thereof provided the classification of CRZ

Ashish

and CRZ-I which included areas environmentally critical. There is a further bifurcation of CRZ-I A and CRZ-I B. The former constituted ecologically sensitive areas, and mangroves constituted CRZ I-A with a specification that in case mangroves area was more than 1000 sq mtrs, a buffer of 50 mtrs along the mangroves shall be provided.

The 2019 Notification however, included a following stipulation in clause 2.1.1. (b) to the following effect:-

“b. A detailed environment management plan shall be formulated by the States and Union territories for such ecologically sensitive areas in respective territories, as mapped out by National Centre for Sustainable Coastal Management (NCSCM), Chennai based on guidelines contained in Annexure-I to the notification and integrated with the CZMP.”

The 2019 Notification is accompanied with Annexure-I providing for conservation, protection and management framework for Ecological Sensitive Areas (ESA) as it was recognized that they maintained the biological integrity of the coast by providing direct and indirect ecosystem services to coastal livelihood. Under the heading mangroves, the following was included:-

“(i) Mangroves declared as forest under the Forest (Conservation) Act, 1980 (69 of 1980).”

Notwithstanding anything contained in this notification, such mangroves declared by the concerned State Governments or Union territory Administrations or Central Government as forest land under the Forest (Conservation) Act, 1980 (69 of 1980) shall attract the provisions of the said Act.

“(ii) Mangroves not declared under Forest (Conservation) Act, 1980:

Mangroves in Government land shall be protected based on a detailed plan to be prepared by the concerned State Governments or Union territory administrations, and in case the mangrove area is more than 1000 square meters, a buffer of 50 metre along the periphery of mangrove area shall be provided. This buffer zone of 50 metre may be utilised for public facilities for developing parks, research facilities related to mangrove biodiversity, facilities for conservation and the like.

“(b) Mangroves in private land will not require a buffer zone.”

12. The 2019 Notification in contrast with the CRZ Notification of 6/01/2011, directed the State and the Union Territories to formulate the detail environment management plan mapped by NCSCM Chennai, based on the guidelines contained in Annexure-I..

Annexure-I appended to the Notification as regards mangroves clearly provided that mangroves declared as forest under the Forest (Conservation) Act, 1980 shall attract the provisions of the Act, but in case of mangroves not declared under the Forest (Conservation) Act, 1980 they shall be protected. On detail plan to be prepared by concerned State Government or Union Territory Administration and if the area of mangroves was more than 1000 sq mtrs., a buffer of 50 mtrs along with periphery of the mangroves was made imperative. However, the annexure permitted the buffer zone of 50 mtrs to be utilized for public facility like developing parks, research facilities related to mangroves biodiversity as well as facilities for conservation and the like. **However clause (b) clearly provided that mangroves in private lands will not require the buffer zone.**

13. The directions and stipulations in the CRZ Notification of 18/01/2019 are clear and specific.

It is to be noted that as far as mangroves which are not declared as forest but are situated in government land, a duty is cast to protect them by the State Government by preparing a detail plan and if the area of mangroves is more than 1000 sq mtrs, a buffer of 50 mtrs along the periphery is mandatory though this buffer may be permitted to be used for public facilities enumerated therein. **However, the mangroves in private land are excluded from maintaining a buffer of 50 mtrs.**

Ashish

14. Despite this a clear stipulation in the Notification of the Ministry of Environment and Forest and MCZMA in its meeting held on 11/12/2024, while considering the plan of the Petitioner/the project proponent, noted that some portion of the reservation as per the development plan in the development of the project fall within CRZ-I-A and therefore within the 50 mtrs of the mangroves buffer zone.

The Authority took note of Annexure I of CRZ Notification 2019 but recorded that the construction of buildings in proposed project is not permissible in CRZ-I A (50 M mangroves buffer zone area) as per 5.9 (ii) of CRZ- I-A of CRZ Notification, 2019 and it placed reliance upon the order of High Court dated 17/09/2018 in PIL No. 87 of 2006, where the Court while disposing of the PIL had directed that the area of 50 mtrs shall be kept free of construction, regardless of the ownership of the land having mangroves.

In the wake of this order, the authority deemed it appropriate to defer the proposal.

15. We find the decision above to be a half hearted approach on behalf of the MCZMA as it has failed to take note of the fact that the judgment of the High Court was based upon the 2011 notification and the Ministry of Environment and Forest had issued a fresh notification in the year 2019, relaxing the curbs of maintaining 50mtrs buffer zone area on private land. According to us the MCZMA in utter ignorance of the stipulation in the Notification has deferred the proposal, which it ought to have granted being in consonance with Annexure-I of the CRZ Notification dated 18/01/2019.

Ashish

We find the approach of the MCZMA to be completely erroneous as it has failed to abide by the CRZ Notification, issued by Ministry of Environment and Forest and infact the MCZMA is duty bound to follow the said notification and cannot merely postpone the decision because it is under some confusion. However, the hesitant approach of the MCZMA definitely cost the petitioner and as its whole project may be stalled in absence of the appropriate permission from the MCZMA.

16. In the wake of the aforesaid discussion, since we find the approach of Respondent No.3 MCZMA to be unsustainable, we quash and set aside the decision recorded in the minutes of meeting dated 11/12/2024 and direct the MCZMA to process and decide the Application of the Petitioner dated 4/12/2024, strictly in accordance with the CRZ Notification of 2019 and in particularly taking into consideration clause 1.1 (ii) (b) of Annexure I which has exempted private lands form maintaining a 50 mtrs buffer zone.

While we issue mandamus to the MCZMA to consider the application, we direct the said decision to be taken within a period of six weeks from the date of passing of the order.

Writ Petition is made absolute in the aforesaid terms.

(MANJUSHA DESHPANDE, J.)

(BHARATI DANGRE, J.)

Ashish

T.C



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
 and 4th floor, Opp. Cine
 Planet Cinema, Near Sion
 Circle, Sion (E),
 Mumbai-400022

RED/M.S.I (R31)
 No:- Format1.0/CC/UAN
 No.0000171702/CE/2501000541

Date: 07/01/2025

To,
 M/S. SEVEN ELEVEN HOTELS PVT. LTD.
 As per location of unit, Seven Eleven Club, Survey No
 265/ 2,4; 266/1,2,3,4,5,6; 267/1,2,3 (old) 81/2,4,
 67/1,2,3,4,5,6; 52/1,2,3 (new), Kanakia Rd, Kanakia
 Park, Mira Road, Mira Bhayandar, Thane - 401107



Sub: Consent to Establish for Construction of Hotel activity project granted under red category.

Ref: Minutes of 7th Consent Committee Meeting held on dt: 07/06/2023

Your application No.MPCB-CONSENT-0000171702 Dated 23.05.2023

For: grant of Consent to Establish under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent to establish is granted for a period up to commissioning of the unit or up to 5 year whichever is earlier.**
- The capital investment of the project is Rs.76.0001 Crs. (As per undertaking submitted by pp)**
- Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Hotel lodging & Boarding, Restaurant (with swimming pool) & without Boiler & Laundry activity) having Total Plot Area : 23258.55 sq.mtrs and Total Construction BUA : 17308.27 sq.mtrs	126	Rooms

- Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	0	As per Schedule-I	Not Applicable

T.C

Sr No	Description	Permitted	Standards to	Disposal
2.	Domestic effluent	61	As per Schedule-I	The treated effluent shall be 60% recycled for secondary purposes such as toilet flushing, air conditioning, cooling tower make up, firefighting etc. and remaining shall be connected to the sewerage system provided by local body

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	1	DG Set (200 KVA)	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Biodegradable wste	28	Kg/Day	OWC	Used as mannure
2	Non Biodegradable waste	66	Kg/Day	Segregate	will be handover to local authorised vendor
3	STP Saludge	15	Kg/Day	Drying	Used as mannure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
NA					

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
10. The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/Activity. (Establish)
11. Project proponent shall submit Bank Guarantee of Rs. 10 Lakhs towards compliance of consent conditions.

12. The Project proponent has submitted penal charges/ penal fees of Rs. 18,75,000.00 vide transaction no: TXN2307000579 dt: 05/07/2023 to MPC Board towards started construction activity (Commencement certificate 30/10/2018) without obtaining consent to establish from MPC Board.
13. This Consent to Establish is issued without prejudice of the court order passed or being passed by the Hon'ble NGT in WP No. 76/2022 (WZ).
14. This consent issued as per joint committee report consisting of 1) The Principal Secretary, Environment Department, State of Maharashtra 2) The Principal Chief Conservator of Forest, Maharashtra 3) One Representative from the Maharashtra Coastal Zone Management Authority (MCZMA) 4) Mira Bhayander Municipal Corporation on 15/03/2024.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	125000.00	MPCB-DR-19277	24/05/2023	NEFT
2	1875000.00	TXN2307000579	05/07/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Thane and Sub-Regional Officer, MPCB, Thane II
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] Generation - As per your application the treated effluent generation is Nil.
B] Treatment - NA
C] Disposal - NA
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 100 CMD for the treatment of 61 CMD of sewage.
B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	pH	Not to exceed	6.5 to 9.0
2	Total Suspended Solids	Not to exceed	20
3	BOD 3 Days 27 degree C	Not to exceed	10
4	Chemical oxygen Demand (COD)	Not to exceed	50
5	NH4 N	Not to exceed	5
6	N Total	Not to exceed	10
7	Fecal Coliform MPN/100 MI	Not to exceed	100.0

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, sewage shall find its way for gardening / outside factory premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	68.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0.00

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



SCHEDULE-II**Terms & conditions for compliance of Air Pollution Control:**

1. As per your application, you have proposed to provide the Air pollution control (APC) system and also to erect following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
1	DG Set (200 KVA)	Acoustic Enclosure	5.00	HSD 50 Ltr/Hr	-	SO2	24 Kg/Day

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



SCHEDULE-III**Details of Bank Guarantees:**

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Establish	Rs. 10 Lakh	15 days	Towards Compliance of Consent conditions	upto commissioning of the Unit or Five Yeras which ever is earlier	upto commissioning of the Unit or Five Yeras which ever is earlier


If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				



SCHEDULE-IV

General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.

4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. You shall operate OCEMS installed for source emission round 'O' clock and transmit data online to CPCB and MPCB server. You shall also monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in year and submit report to Sub Regional Officer.
14. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.

18. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
19. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
21. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
22. The industry should not cause any nuisance in surrounding area.
23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
24. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
26. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
27. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
30. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.

31. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.
32. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
34. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
35. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
36. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
37. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year
38. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

This certificate is digitally & electronically signed.

T.C



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
 and 4th floor, Opp. Cine
 Planet Cinema, Near Sion
 Circle, Sion (E),
 Mumbai-400022

RED/M.S.I (R31)

Date: **19/02/2025**

No:- Format1.0/CC/UAN No.MPCB-
 CONSENT-0000163148/CO/2502001632

To,
 M/S. **SEVEN ELEVEN HOTELS PVT. LTD.**
 Seven Eleven Club, Survey No 265/ 2,4;
 266/1,2,3,4,5,6; 267/1,2,3 (old) 81/2,4,
 67/1,2,3,4,5,6; 52/1,2,3 (new),
 Kanakia Rd, Kanakia Park,
 Mira Road, Mira Bhayandar, Thane - 401107



Your Service is Our Duty

Sub: Grant 1st consent to operate for Hotel activity under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: 1. Consent to establish granted vide No. Format1.0/CC/UAN No.0000171702/CE/2501000541 Date: 07/01/2025
 2. Minutes of 13th Consent Committee Meeting (Agenda B) of 2024-2025 held on 06/01/2025

Your application No.MPCB-CONSENT-0000163148 Dated 22.02.2023

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent to operate is granted for a period up to **31/12/2029**
- The capital investment of the project is **Rs.76.0001 Crs. (As per undertaking submitted by pp)**
- Consent is valid for the manufacture of:

Sr No	Product	Maximum Quantity	UOM
Products			
1	Hotel lodging & Boarding, Restaurant (with swimming pool) & without Boiler & Laundry activity) having Total Plot Area : 23258.55 sq.mtrs and Total Construction BUA : 17308.27 sq.mtrs	126	Rooms

T.C

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	0	As per Schedule-I	Not Applicable
2.	Domestic effluent	61	As per Schedule-I	On land for gardening

5. **Conditions under Air (P & CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S1	DG Set (200 KVA)	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Biodegradable wste	28	Kg/Day	OWC	Used as mannure
2	Non Biodegradable waste	66	Kg/Day	Segregate	will be handover to local authorised vendor
3	STP Saludge	15	Kg/Day	Drying	Used as mannure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for Collection, Segregation, Storage, Transportation, Treatment and Disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
					NA

8. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
9. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
10. The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/Activity. (Establish)
11. The Project proponent has submitted penal charges/ penal fees of Rs. 18,75,000.00 vide transaction no: TXN2307000579 dt: 05/07/2023 to MPC Board (171702) towards started construction activity (Commencement certificate 30/10/2018) without obtaining consent to establish from MPC Board.
12. This Consent to Establish is issued without prejudice of the court order passed or being passed by the Hon'ble NGT in WP No. 76/2022 (WZ).

13. This consent issued as per joint committee report consisting of 1) The Principal Secretary, Environment Department, State of Maharashtra 2) The Principal Chief Conservator of Forest, Maharashtra 3) One Representative from the Maharashtra Coastal Zone Management Authority (MCZMA) 4) Mira Bhayander Municipal Corporation on 15/03/2024.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	125000.00	MPCB-DR-17559	24/02/2023	NEFT
2	500000.00	TXN2307001127	10/07/2023	Online Payment
3	7562.00	TXN2502004054	18/02/2025	Online Payment

Copy to:

1. Regional Officer, MPCB, Thane and Sub-Regional Officer, MPCB, Thane II
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] Generation - As per your application the treated effluent generation is Nil.
B] Treatment - NA
C] Disposal - NA
2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 100 CMD for the treatment of 61 CMD of sewage.
B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	pH	Not to exceed	6.5 to 9.0
2	Total Suspended Solids	Not to exceed	20
3	BOD 3 Days 27 degree C	Not to exceed	10
4	Chemical oxygen Demand (COD)	Not to exceed	50
5	NH4 N	Not to exceed	5
6	N Total	Not to exceed	10
7	Fecal Coliform MPN/100 MI	Not to exceed	100.0

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, sewage shall find its way for gardening / outside factory premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	68.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0.00

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

- As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S1	DG Set (200 KVA)	Acoustic Enclosure	5.00	HSD 50 Ltr/Hr	-	SO2	24 Kg/Day

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III

Details of Bank Guarantees:

Sr. No	Consent (C2E/ C2O /C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to operate	Rs. 10 Lakh	Extend existing BG	Towards Compliance of Consent conditions	Continue	31/12/2030

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

1. The Energy source for lighting purpose shall preferably be LED based
2. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
4. The applicant shall maintain good housekeeping.
5. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
6. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
7. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding upon you.
8. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can be downloaded from MPCB official site).
9. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
10. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
11. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.

12. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
13. You shall ensure collection, and segregation of BMW regularly to treat and dispose Off within 48 hrs from generation.
14. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
15. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
16. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
17. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
18. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport the Bio Medical waste for any other purpose without obtaining prior written permission of the MPC Board.
19. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
20. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
21. The industry should not cause any nuisance in surrounding area.

22. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
23. You shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the facility premises.
24. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
25. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto
26. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
27. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
28. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
29. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
30. You should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly. You shall conduct Dioxin Furan monitoring by third party NABL Accredited agency once in every year and submit report to Sub Regional Officer.
31. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
32. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
33. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

34. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
35. You shall create the Environmental Cell by appointing an Environmental Engineer and Chemist for looking after day-to-day activities related to compliance of CCA.
36. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year
37. You should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 , Bio Medical Waste Management Rules,2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year in Form-IV by 30th June of every year

This certificate is digitally & electronically signed.



T.C



**MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE
NOTIFICATION**

New Delhi, the 18th January, 2019

G.S.R. 37(E).—Whereas by notification of the Government of India in the erstwhile Ministry of Environment and Forests number S.O.19 (E), dated the 6th January, 2011 (hereinafter referred to as the Coastal Regulation Zone Notification, 2011), the Central Government declared certain coastal stretches as Coastal Regulation Zone (hereinafter referred to as the CRZ) under section 3 of Environment (Protection) Act, 1986 (29 Of 1986);

And Whereas, the Ministry of Environment, Forest and Climate Change has received representations from various coastal States and Union territories, besides other stakeholders, regarding certain provisions in the Coastal Regulation Zone Notification, 2011 related to management and conservation of marine and coastal ecosystems, development in coastal areas, eco-tourism, livelihood options and sustainable development of coastal communities etc.;

And Whereas, various State Governments and Union territory administrations and stakeholders have requested the Ministry of Environment, Forest and Climate Change to address the concerns related to coastal environment and sustainable development with respect to the Coastal Regulation Zone Notification, 2011;

And Whereas, the Ministry of Environment, Forest and Climate Change had constituted a Committee under the Chairmanship of Dr. Shailesh Nayak to examine various issues and concerns of coastal States and Union territories and various stakeholders, relating to the Coastal Regulation Zone Notification 2011 and to recommend appropriate changes in the said Notification;

And Whereas, the report submitted by Dr. Shailesh Nayak Committee has been examined in the Ministry and consultations have been held with various stakeholders in this regard;

And Whereas, a draft Coastal Regulation Zone Notification, 2018 was issued and hosted in the website of the Ministry of Environment, Forest and Climate Change on the 18th April, 2018 seeking comments and suggestions from all concerned;

And Whereas, objections and suggestions received in response to the above mentioned draft Coastal Regulation Zone Notification, 2018 have been duly considered by the Central Government;

Now, therefore in exercise of the powers conferred by sub-section (1) and clause (v) of sub-section (2) of section 3 of the Environment (Protection) Act, 1986 (29 of 1986) and in supersession of the Coastal Regulation Zone Notification 2011, number S.O. 19(E), dated the 6th January, 2011, except as respects things done or omitted to be done before such supersession, the Central Government, with a view to conserve and protect the unique environment of coastal stretches and marine areas, besides livelihood security to the fisher communities and other local communities in the coastal areas and to promote sustainable development based on scientific principles taking into account the dangers of natural hazards, sea level rise due to global warming, do hereby, declares the coastal stretches of the country and the water area up to its territorial water limit, excluding the islands of Andaman and Nicobar and Lakshadweep and the marine areas surrounding these islands, as Coastal Regulation Zone as under:-

- (i) The land area from High Tide Line (hereinafter referred to as the HTL) to 500 meters on the landward side along the sea front.

Explanation. - For the purposes of this notification, the HTL means the line on the land upto which the highest water line reaches during the spring tide, as demarcated by the National Centre for Sustainable Coastal Management (NCSCM) in accordance with the laid down procedures and made available to various coastal States and Union territories.

- (ii) CRZ shall apply to the land area between HTL to 50 meters or width of the creek, whichever is less on the landward side along the tidal influenced water bodies that are connected to the sea and the distance upto which development along such tidal influenced water bodies is to be regulated shall be governed by the distance upto which the tidal effects are experienced which shall be determined based on salinity concentration of five parts per thousand (ppt)

T.C



measured during the driest period of the year and distance up to which tidal effects are experienced shall be clearly identified and demarcated accordingly in the Coastal Zone Management Plan (hereinafter referred to as the CZMP):

Provided that the CRZ limit of 50 meters or width of the creek whichever is less, shall be subject to revision and final approval of the respective CZMPs as per this notification, framed with due consultative process, public hearing etc. and environmental safeguards enlisted therein, and till such time the CZMP to this notification is approved, the limit of 100 meters or width of the creek whichever is less, shall continue to apply.

Explanation.- For the purposes of this sub-paragraph the expression "tidal influenced water bodies" means the water bodies influenced by tidal effects from sea in the bays, estuaries, rivers, creeks, backwaters, lagoons, ponds that are connected to the sea.

- (iii) The "intertidal zone" means land area between the HTL and the Low Tide Line (hereinafter referred to as the LTL).
- (iv) The water and the bed area between the LTL to the territorial water limit (12 Nm) in case of sea and the water and the bed area between LTL at the bank to the LTL on the opposite side of the bank, of tidal influenced water bodies.

2.0 Classification of CRZ. – For the purpose of conserving and protecting the coastal areas and marine waters, the CRZ area shall be classified as follows, namely: -

2.1 CRZ-I areas are environmentally most critical and are further classified as under:

2.1.1 CRZ-I A:

- (a) CRZ-I A shall constitute the following ecologically sensitive areas (ESAs) and the geomorphological features which play a role in maintaining the integrity of the coast viz.:
 - (i) Mangroves (in case mangrove area is more than 1000 square meters, a buffer of 50 meters along the mangroves shall be provided and such area shall also constitute CRZ-I A);
 - (ii) Corals and coral reefs;
 - (iii) Sand dunes;
 - (iv) Biologically active mudflats;
 - (v) National parks, marine parks, sanctuaries, reserve forests, wildlife habitats and other protected areas under the provisions of Wild Life (Protection) Act, 1972 (53 of 1972), Forest (Conservation) Act, 1980 (69 of 1980) or Environment (Protection) Act, 1986 (29 of 1986), including Biosphere Reserves;
 - (vi) Salt marshes;
 - (vii) Turtle nesting grounds;
 - (viii) Horse shoe crabs' habitats;
 - (ix) Sea grass beds;
 - (x) Nesting grounds of birds;
 - (xi) Areas or structures of archaeological importance and heritage sites.
- (b) A detailed environment management plan shall be formulated by the states and Union territories for such ecologically sensitive areas in respective territories, as mapped out by the National Centre for Sustainable Coastal Management (NCSCM), Chennai based on guidelines as contained in **Annexure-I** to this notification and integrated with the CZMP.

2.1.2 CRZ-I B:

The intertidal zone i.e. the area between Low Tide Line and High Tide Line shall constitute the CRZ-I B.

2.2 CRZ-II:

CRZ-II shall constitute the developed land areas up to or close to the shoreline, within the existing municipal limits or in other existing legally designated urban areas, which are substantially built-up with a ratio of built-up plots to that of total plots being more than 50 per cent and have been provided with drainage and approach roads and other infrastructural facilities, such as water supply, sewerage mains, etc.

2.3 CRZ-III:

Land areas that are relatively undisturbed (viz. rural areas, etc.) and those which do not fall under CRZ-II, shall constitute CRZ-III, and CRZ-III shall be further classified into following categories: -

2.3.1 CRZ-III A:

Such densely populated CRZ-III areas, where the population density is more than 2161 per square kilometre as per 2011 census base, shall be designated as CRZ-III A and in CRZ-III A, area up to 50 meters from the HTL on the landward side shall be earmarked as the 'No Development Zone (NDZ)', provided the CZMP as per this notification, framed with due consultative process, have been approved, failing which, a NDZ of 200 meters shall continue to apply.

2.3.2 CRZ-III B:

All other CRZ-III areas with population density of less than 2161 per square kilometre, as per 2011 census base, shall be designated as CRZ-III B and in CRZ-III B, the area up to 200 meters from the HTL on the landward side shall be earmarked as the 'No Development Zone (NDZ)'.

2.3.3:

Land area up to 50 meters from the HTL, or width of the creek whichever is less, along the tidal influenced water bodies in the CRZ III, shall also be earmarked as the NDZ in CRZ III.

Note: The NDZ shall not be applicable in the areas falling within notified Port limits.

2.4 CRZ- IV:

The CRZ- IV shall constitute the water area and shall be further classified as under:-

2.4.1 CRZ- IVA:

The water area and the sea bed area between the Low Tide Line up to twelve nautical miles on the seaward side shall constitute CRZ-IV A.

2.4.2 CRZ- IVB:

CRZ-IV B areas shall include the water area and the bed area between LTL at the bank of the tidal influenced water body to the LTL on the opposite side of the bank, extending from the mouth of the water body at the sea up to the influence of tide, i.e., salinity of five parts per thousand (ppt) during the driest season of the year.

3.0 Areas requiring special consideration in the CRZ.- Following coastal areas shall be accorded special consideration for the purpose of protecting the critical coastal environment and difficulties faced by local communities: -

3.1 Critically Vulnerable Coastal Areas (CVCA):

Sundarban region of West Bengal and other ecologically sensitive areas identified as under Environment (Protection) Act, 1986 such as Gulf of Khambat and Gulf of Kutchh in Gujarat, Malvan, Achra-Ratnagiri in Maharashtra, Karwar and Coondapur in Karnataka, Vembanad in Kerala, Gulf of Mannar in Tamil Nadu, Bhaitarkanika in Odisha, Coringa, East Godavari and Krishna in Andhra Pradesh shall be treated as Critical Vulnerable Coastal Areas (CVCA) and managed with the involvement of coastal communities including fisher folk who depend on coastal resources for their sustainable livelihood.

3.2 CRZ for inland Backwater islands and islands along the mainland coast.**3.3 CRZ falling within municipal limits of Greater Mumbai.**

4. Prohibited activities within CRZ.- The following activities shall be prohibited, in general, within the entire CRZ and exceptions to these and other permissible and regulated activities in specific CRZ categories viz. CRZ-I, II, III and IV, shall be governed by the provisions of paragraph 5:-

- (i) Setting up of new industries and expansion of existing industries, operations or processes.
- (ii) Manufacture or handling of oil, storage or disposal of hazardous substances as specified in the notification of the Ministry of Environment, Forest and Climate Change number G.S.R.395 (E), dated the 4th April, 2016.
- (iii) Setting up of new fish processing units.
- (iv) Land reclamation, bunding or disturbing the natural course of seawater except for the activities permissible under this notification and executed with prior permission from the competent authority.
- (v) Discharge of untreated waste and effluents from industries, cities or towns and other human settlements.
- (vi) Dumping of city or town wastes including construction debris, industrial solid wastes, fly ash for the purpose of land filling.
- (vii) Port and harbour projects in high eroding stretches of the coast.
- (viii) Mining of sand, rocks and other sub-strata materials.
- (ix) Dressing or altering of active sand dunes.
- (x) In order to safeguard the aquatic system and marine life, disposal of plastic into the coastal waters shall be prohibited and adequate measures for management and disposal of plastic materials shall be undertaken in the CRZ.
- (xi) Drawal of ground water.

5. Regulation of permissible activities in CRZ:

5.1 CRZ-I:

5.1.1. CRZ-IA:

These areas are ecologically most sensitive and generally no activities shall be permitted to be carried out in the CRZ-I A area, with following exceptions:-

- (i) Eco-tourism activities such as mangrove walks, tree huts, nature trails, etc., in identified stretches areas subject to such eco-tourism plan featuring in the approved CZMP as per this notification, framed with due consultative process, public hearing, etc. and further subject to environmental safeguards and precautions related to the Ecologically Sensitive Areas, as enlisted in the CZMP.
- (ii) In the mangrove buffer, only such activities shall be permitted like laying of pipelines, transmission lines, conveyance systems or mechanisms and construction of road on stilts, etc. that are required for public utilities.
- (iii) Construction of roads and roads on stilts, by way of reclamation in CRZ-I areas, shall be permitted only in exceptional cases for defence, strategic purposes and public utilities, subject to a detailed marine or terrestrial or both environment impact assessment, to be recommended by the Coastal Zone Management Authority and approved by the Ministry of Environment, Forest and Climate Change; and in case construction of such roads passes through mangrove areas or is likely to damage the mangroves, a minimum three times the mangrove area affected or destroyed or cut during the construction process shall be taken up for compensatory plantation of mangroves.

5.1.2 CRZ-I B - The inter tidal areas:

Activities shall be regulated or permissible in the CRZ-I B areas as under:-

- (i) Land reclamation, bunding, etc. shall be permitted only for activities such as,-

- (a) foreshore facilities like ports, harbours, Jetties, wharves, quays, slipway, bridges, hover ports for coast guard, sea links, etc;
 - (b) projects for defence, strategic and security purposes;
 - (c) road on stilts, provided that such roads shall not be authorised for permitting development on the landward side of such roads, till the existing High Tide Line:
 Provided that the use of reclaimed land may be permitted only for public utilities such as mass rapid or multimodal transit system, construction and installation of all necessary associated public utilities and infrastructure to operate such transit or transport system including those for electrical or electronic signaling system, transit stopover of permitted designs; except for any industrial operation, repair or maintenance;
 - (d) measures for control of erosion;
 - (e) maintenance and clearing of waterways, channels, ports and hover ports for coast guard;
 - (f) measures to prevent sand bars, installation of tidal regulators, laying of storm water drains or for structure for prevention of salinity ingress and freshwater recharge.
- (ii) Activities related to waterfront or directly needing foreshore facilities such as ports and harbours, jetties, quays, wharves, erosion control measures, breakwaters, pipelines, lighthouses, navigational safety facilities, coastal police stations, Indian coast guard stations and the like.
 - (iii) Power by non-conventional energy sources and associated facilities.
 - (iv) Transfer of hazardous substances from ships to Ports, terminals and refineries and vice versa.
 - (v) Facilities for receipt and storage of petroleum products and liquefied natural gas as specified in Annexure-II to this notification, subject to implementation of safety regulations including guidelines issued by the Oil Industry Safety Directorate in the Ministry of Petroleum and Natural Gas and guidelines issued by the Ministry of Environment, Forest and Climate Change, provided that such facilities are for receipt and storage of fertilizers and raw materials required for fertilizers, like ammonia, phosphoric acid, sulphur, sulphuric acid, nitric acid, etc.
 - (vi) Storage of non-hazardous cargo i.e. edible oil, fertilizers and food grains in notified Ports.
 - (vii) Hatchery and natural fish drying.
 - (viii) Existing fish processing units may utilise 25% additional plinth area for modernisation purposes (only for additional equipment and pollution control measures) subject to the following:-
 - (a) Floor Space Index of such reconstruction not exceeding the permissible Floor Space Index as per prevalent town and country planning regulations;
 - (b) additional plinth area is constructed only to the landward side.
 - (c) approval of the concerned State Pollution Control Board or Pollution Control Committee.
 - (ix) Treatment facilities for waste and effluents and conveyance of treated effluents.
 - (x) Storm water drains.
 - (xi) Projects classified as strategic, defence related projects and projects of the Department of Atomic Energy, Government of India.
 - (xii) Manual mining of atomic mineral(s) notified under Part-B of the First Schedule to the Mining and Minerals (Development and Regulation) Act, 1957(67 of 1957) occurring as such or in association with one or other minerals in the intertidal zone by such agencies as authorised by the Department of Atomic Energy, Government of India as per mining plan approved by the Atomic Mineral Directorate for Exploration and Research:

Provided that the manual mining operations shall be carried out only by deploying persons using baskets and hand spades for collection of ore or mineral within the intertidal zone and as per approved mining plan, without deploying or using drilling and blasting or Heavy Earth Moving Machinery in the intertidal zone.

- (xiii) Exploration and extraction of oil and natural gas and all associated activities and facilities thereto;
- (xiv) Foreshore requiring facilities for transport of raw materials, facilities for intake of cooling water, intake water for desalination plants, etc, and outfall for discharge of treated wastewater or cooling water from thermal power plants in conformity with the environmental standards notified by Ministry of Environment, Forest and Climate Change and relevant directions of Central Pollution Control Board (CPCB) or State Pollution Control Board (SPCB) or Pollution Control Committee (PCC), as the case may be.
- (xv) Pipelines, conveying systems including transmission lines.
- (xvi) Weather radar for monitoring of cyclones prediction, ocean observation platforms, movement and associated activities.
- (xvii) Salt harvesting and associated facilities.
- (xviii) Desalination plants and associated facilities.

5.2 CRZ-II:

- (i) Activities as permitted in CRZ-I B, shall also be permissible in CRZ-II, in so far as applicable.
- (ii) Construction of buildings for residential purposes, schools, hospitals, institutions, offices, public places, etc. shall be permitted only on the landward side of the existing road, or on the landward side of existing authorised fixed structures:

Provided that no permission for construction of buildings shall be given on landward side of any new roads which are constructed on the seaward side of an existing road.

- (iii) Buildings permitted as in (ii) above, shall be subject to the local town and country planning regulations as applicable from time to time, and the norms for the Floor Space Index (FSI) or Floor Area Ratio (FAR) prevailing as on the date of this Notification, and in the event that there is a need for amendment of the FSI after the date of publication of this notification in the official Gazette, the Urban Local Body or State Government or Union territory Administration shall approach the Ministry of Environment, Forest and Climate Change through the concerned State Coastal Zone Management Authority (SCZMA) or Union Territory Coastal Zone Management Authority, as the case may be and the SCZMA shall forward the proposal to the National Coastal Zone Management Authority (NCZMA) with its views in the matter, and the NCZMA shall thereafter examine various aspects like availability of public amenities, environmental protection measures, etc., and take a suitable decision on the proposal and it shall be the responsibility of the concerned Town Planning Authority to ensure that the Solid Wastes are handled as per respective Solid Waste Management Rules and no untreated sewage is discharged on to the coast or coastal waters.
- (iv) Reconstruction of authorised buildings shall be permitted, without change in present land use, subject to the local town and country planning regulations as applicable from time to time, and the norms for the Floor Space Index or Floor Area Ratio, prevailing as on the date of publication of this notification in the official Gazette and in the event that there is a need for amendment of the FSI after the said date of this notification, the Urban Local Body or State Government or Union territory Administration shall approach the Ministry of Environment, Forest and Climate Change through the concerned State Coastal Zone Management Authority (SCZMA) or Union Territory Coastal Zone Management Authority, as the case may be and the CZMA shall forward the proposal to the National Coastal Zone Management Authority (NCZMA) with its views in the matter, and the NCZMA shall thereafter examine various aspects like availability of public amenities, environmental protection measures etc., and take a suitable decision on the proposal and it shall be the responsibility of the concerned Town Planning Authority to ensure that the Solid Wastes are

handled as per respective Solid Waste Management Rules and no untreated sewage is discharged on to the coast or coastal waters.

- (v) Development of vacant plots in designated areas for construction of beach resorts or hotels or tourism development projects subject to the conditions or guidelines at **Annexure-III** to this notification.
- (vi) Temporary tourism facilities shall be permissible in the beaches which shall only include shacks, toilets or washrooms, change rooms, shower panels; walk ways constructed using interlocking paver blocks, etc, drinking water facilities, seating arrangements, etc. and such facilities shall however be permitted only subject to the tourism plan featuring in the approved CZMP as per this notification, framed with due consultative process or public hearing, etc. and further subject to environmental safeguards enlisted in the CZMP, however, a minimum distance of 10 meter from HTL shall be maintained for setting up of such facilities.

5.3 CRZ-III:

- (i) Activities as permitted in CRZ-I B, shall also be permissible in CRZ-III, in so far as applicable.

- (ii) **Regulation of activities in NDZ:**

Following shall be permissible and regulated in the NDZ:-

- (a) No construction shall be permitted within NDZ in CRZ III, except for repairs or reconstruction of existing authorised structure not exceeding existing Floor Space Index, existing plinth area and existing density and for permissible activities under this notification including facilities essential for activities and construction or reconstruction of dwelling units of traditional coastal communities including fisher folk, incorporating necessary disaster management provisions and proper sanitation arrangements.
- (b) Agriculture, horticulture, gardens, pastures, parks, playfields and forestry.
- (c) Construction of dispensaries, schools, public rain shelter, community toilets, bridges, roads, provision of facilities for water supply, drainage, sewerage, crematoria, cemeteries and electric sub-station which are required for the local inhabitants may be permitted on a case to case basis by Coastal Zone Management Authority (CZMA).
- (d) Construction of units or auxiliary thereto for domestic sewage, treatment and disposal with the prior approval of the concerned Pollution Control Board or Committee.
- (e) Facilities required for local fishing communities such as fish drying yards, auction halls, net mending yards, traditional boat building yards, ice plant, ice crushing units, fish curing facilities and the like.
- (f) Wherever there is a national or State highway passing through the NDZ of CRZ-III areas, temporary tourism facilities such as toilets, change rooms, drinking water facility and temporary shacks can be taken up on the seaward side of the road.
On landward side of such roads in the NDZ, resorts or hotels and associated tourism facilities shall be permitted and such facilities shall, however, be permitted only subject to the incorporation of tourism plan in the approved CZMP as per this notification and the conditions or guidelines at Annexure-III, to this notification as applicable.
- (g) Temporary tourism facilities shall be permissible in the NDZ and beaches in the CRZ-III areas and such temporary facilities shall only include shacks, toilets or washrooms, change rooms, shower panels, walk ways constructed using interlocking paver blocks, etc, drinking water facilities, seating arrangements etc., and such facilities shall, however, be permitted only subject to the tourism plan featuring in the approved CZMP as per this notification subject to maintaining a minimum distance of 10 meters from HTL for setting up of such facilities.
- (h) Mining of atomic minerals notified under Part-B of the First Schedule to Mining and

Minerals (Development and Regulation) Act, 1957 (67 of 1957) occurring as such or in association with one or other minerals by such agencies as authorised by the Department of Atomic Energy, Government of India, as per mining plan by the Atomic Mineral Directorate for Exploration and Research.

(iii) **Regulation of activities for CRZ-III areas beyond NDZ:**

- (a) Development of vacant plots in designated areas for construction of beach resorts or hotels or tourism development projects subject to the conditions or guidelines at Annexure-III to this notification.
- (b) Construction or reconstruction of dwelling units, so long it is within the ambit of traditional rights and customary uses such as existing fishing villages, etc. and building permission for such construction or reconstruction will be subject to local town and country planning rules, with an overall height of construction not exceeding 9 meters and with only two floors (ground + one floor).
- (c) The local communities including fishermen may be permitted to facilitate tourism through 'home stay' without changing the plinth area or design or facade of the existing houses.
- (d) Construction of public rain shelters, community toilets, water supply drainage, sewerage, roads, bridges, etc.
- (e) Limestone mining:
Selective mining of limestone minerals may be permitted in specific identified areas under the mining plans, which are adequately above the height of HTL, based on the recommendations of reputed National Institutes in the mining field such as Council of Scientific and Industrial Research (CSIR), Central Mining Research Institute etc., provided that the extraction of minerals shall be carried out not below a height of 1 meter above the HTL and an adequate barrier shall be created so as to safeguard against saline water incursion and subject to appropriate safeguards related to pollution of coastal waters and prevention of coastal erosion.
- (f) Mining of atomic minerals notified under Part-B of the First Schedule of Mining and Minerals (Development and Regulation) Act, 1957 (67 of 1957) occurring as such or in association with one or other minerals by such agencies as authorised by Department of Atomic Energy, Government of India, as per mining plan by the Atomic Mineral Directorate for Exploration and Research.

- (iv) Drawing of groundwater and construction related thereto shall be prohibited within 200 meters of HTL except for the use of local communities in areas inhabited by them and in the areas between 200 to 500 meters of the HTL, groundwater withdrawal may be permitted only through manual means from ordinary wells for drinking, horticulture, agriculture and fisheries, etc. where no other source of water is available and restrictions for such drawal may be imposed by the designated Authority by State Government or Union territory Administration in the areas affected by sea water intrusion, however, for horticulture and agriculture purpose, micro irrigation promoted by Government welfare schemes shall be permitted.
- (v) Development of airports in wastelands and non-arable lands in CRZ-III areas with adequate environmental safeguards.

5.4 CRZ-IV:

Activities shall be permitted and regulated in the CRZ IV areas as under:-

- (i) Traditional fishing and allied activities undertaken by local communities.
- (ii) Land reclamation, bunding, etc to be permitted only for activities such as.-
 - (a) foreshore facilities like ports, harbours, Jetties, wharves, quays, slipway, bridges, sea links and hover ports for coast guard ,etc;
 - (b) projects for defence, strategic and security purpose including coast guard;

- (c) measures for control of erosion;
 - (d) maintenance and clearing of waterways, channels and ports;
 - (e) measures to prevent sand bars, installation of tidal regulators, laying of storm water drains or for structure for prevention of salinity ingress and freshwater recharge.
- (iii) Activities related to waterfront or directly needing foreshore facilities, such as ports and harbours, jetties, quays, wharves, erosion control measures, breakwaters, pipelines, navigational safety facilities and the like.
 - (iv) Power by non-conventional energy sources and associated facilities such as offshore wind, wave energy, ocean thermal energy conversion, etc.
 - (v) Transfer of hazardous substances from ships to Ports.
 - (vi) Storage of non-hazardous cargo like edible oil, fertilizers and food grains in notified Ports.
 - (vii) Facilities for discharging treated effluents into the water course.
 - (viii) Projects classified as strategic and defence related projects including coast guard coastal security network.
 - (ix) Projects of department of Atomic Energy.
 - (x) Exploration and extraction of oil and natural gas and all associated activities and facilities thereto.
 - (xi) Exploration and mining of atomic minerals notified under Part-B of the First Schedule of the Mining and Minerals (Development and Regulation) Act, 1957 (67 of 1957), occurring as such or in association with other mineral(s) and of such associated mineral(s).
 - (xii) Foreshore requiring facilities for transport of raw materials, facilities for intake of cooling water and outfall for discharge of treated wastewater or cooling water from thermal power plants, and foreshore requiring facilities for transport of raw materials, facilities for intake of cooling water and outfall for discharge of treated wastewater or cooling water from thermal power plants, in conformity with the environmental standards notified by Ministry of Environment, Forest and Climate Change and relevant directions of the Central Pollution Control Board or State Pollution Control Board or Pollution Control Committee.
 - (xiii) Pipelines, conveying systems including transmission lines.
 - (xiv) Weather radar for monitoring of cyclone prediction, ocean observation platforms, movement and associated activities.
 - (xv) Construction of memorials or monuments and allied facilities by the concerned State Government in CRZ-IV (A) areas, in exceptional cases, with adequate environmental safeguards, subject to the following, namely: -
 - (a) the concerned State Government shall submit justification for locating the project in CRZ-IVA area along with details of alternate sites considered and weightage matrix on various parameters including environmental parameters, to State Coastal Zone Management Authority who will examine the project and make recommendation to the Central Government (Ministry of Environment, Forest and Climate Change) for grant of Terms of Reference (ToRs) for preparation of an environmental impact assessment report by the State Government;
 - (b) On grant of ToRs by the Central Government, the concerned State Government shall submit the draft Environmental Impact Assessment report (EIA) with Environmental Management Plan (EMP), draft Risk Assessment Report with Disaster Management Plan (DMP) including on-site and off-site emergency plan and evacuation plan during emergency, to the State Pollution Control Board for conduct of public hearing for the proposed project in accordance with the procedure laid down under the Environment Impact Assessment (EIA) notification number S.O. 1533(E), dated the 14th September, 2006;

- (c) The concerned State Government shall, after addressing the relevant issues raised by the public during the public hearing referred to in sub-item (b), submit the final EIA, EMP, Risk Assessment and DMP, to the State CZMA for their examination and recommendation to MoEF&CC;
- (d) The Central Government may, if it considers necessary so to do, dispense with the requirement of public hearing referred to in sub-clause (b), if it is satisfied that the project will not involve rehabilitation and resettlement of the public or the project site is located away from human habitation.

5.5 Requirement for Clearance from Department of Atomic Energy installations:

Prior to undertaking any developmental activity including construction of new structures, falling in the boundary limits specified by Atomic Energy Regulatory Board (AERB) guidelines, prior clearance shall be obtained from Department of Atomic Energy installations.

6. Coastal Zone Management Plan (CZMP)

- (i) All coastal States and Union territory administrations shall revise or update their respective coastal zone management plan (CZMP) framed under CRZ Notification, 2011 number S.O. 19(E), dated 6th January, 2011, as per provisions of this notification and submit to the Ministry of Environment, Forest and Climate Change for approval at the earliest and all the project activities attracting the provisions of this notification shall be required to be appraised as per the updated CZMP under this notification and until and unless the CZMPs is so revised or updated, provisions of this notification shall not apply and the CZMP as per provisions of CRZ Notification, 2011 shall continue to be followed for appraisal and CRZ clearance to such projects.
- (ii) The CZMP may be prepared or updated by the coastal State Government or Union territory by engaging reputed and experienced scientific institution(s) or the agencies including the National Centre for Sustainable Coastal Management (hereinafter referred to as the NCSCM) of Ministry of Environment, Forest and Climate Change and in consultation with the concerned stakeholders.
- (iii) The coastal States and Union territories shall prepare draft CZMP in 1:25,000 scale map identifying and classifying the CRZ areas within the respective territories in accordance with the guidelines given in **Annexure-IV** to this notification, which involve public consultation.
All developmental activities listed in this notification shall be regulated by the State Government, Union territory administration, the local authority or the concerned Coastal Zone Management Authority within the framework of such approved CZMP, as the case may be, in accordance with provisions of this notification.
- (iv) The draft CZMP shall be submitted by the State Government or Union territory to the concerned Coastal Zone Management Authority for appraisal, including appropriate consultations, and recommendations in accordance with the procedure(s) laid down in the Environment (Protection) Act, 1986 (29 of 1986).
- (v) The Ministry of Environment, Forest and Climate Change shall thereafter consider and approve the respective CZMP of concerned State Governments or Union territory administrations.
- (vi) The CZMP shall not normally be revised before a period of five years after which, the concerned State Government or the Union territory may consider undertaking a revision.

7. CRZ clearance for permissible and regulated activities- Delegation:

- (i) All permitted or regulated project activities attracting the provisions of this notification shall be required to obtain CRZ clearance prior to their commencement.
- (ii) All development activities or projects in CRZ-I and CRZ-IV areas, which are regulated or permissible as per this notification, shall be dealt with by Ministry of Environment, Forest and Climate Change for CRZ clearance, based on the recommendation of the concerned Coastal Zone Management Authority.

- (iii) For all other permissible and regulated activities as per this notification, which fall purely in CRZ-II and CRZ-III areas, the CRZ clearance shall be considered by the concerned Coastal Zone Management Authority and such projects in CRZ -II and III, which also happen to be traversing through CRZ-I or CRZ-IV areas or both, CRZ clearance shall, however be considered only by the Ministry of Environment, Forest and Climate Change, based on recommendations of the concerned Coastal Zone Management Authority.
- (iv) Projects or activities which attract the provisions of this notification as also the provisions of EIA notification, 2006 number S.O. 1533(E), dated the 14th September, 2006, shall be dealt with for a composite Environmental and CRZ clearance under EIA Notification, 2006 by the concerned approving Authority, based on recommendations of the concerned Coastal Zone Management Authority, as per delegations i.e., State Environmental Impact Assessment Authority (hereinafter referred to as the SEIAA) or the Ministry of Environment, Forest and Climate Change for category 'B' and category 'A' projects respectively.
- (v) In case of building or construction projects with built-up area less than the threshold limit stipulated for attracting the provisions of the EIA Notification, 2006 these shall be approved by the concerned local State or Union territory Planning Authorities in accordance with this notification, after obtaining recommendations of the concerned Coastal Zone Management Authority.
- (vi) Only for self-dwelling units up to a total built up area of 300 square meters, approval shall be accorded by the concerned local Authority, without the requirement of recommendations of concerned Coastal Zone Management Authority and such authorities shall, however, examine the proposal from the perspective of the Coastal Regulation Zone notification before according approval.

8. Procedure for CRZ clearance for permissible and regulated activities:

- (i) The project proponents shall apply with the following documents to the concerned State or the Union territory Coastal Zone Management Authority for seeking prior clearance under this notification:-
 - (a) Project summary details as per Annexure-V to this notification.
 - (b) Rapid Environment Impact Assessment (EIA) Report including marine and terrestrial component, as applicable, except for building construction projects or housing schemes.
 - (c) Comprehensive EIA with cumulative studies for projects, (except for building construction projects or housing schemes with built-up area less than the threshold limit stipulated for attracting the provisions of the EIA Notification, 2006 number S.O 1533(E), dated 14th September, 2006) if located in low and medium eroding stretches, as per the CZMP to this notification.
 - (d) Risk Assessment Report and Disaster Management Plan, except for building construction projects or housing schemes with built-up area less than the threshold limit stipulated for attracting the provisions of the EIA Notification, 2006 number S.O 1533(E), dated 14th September, 2006).
 - (e) CRZ map in 1:4000 scale, drawn up by any of the agencies identified by the Ministry of Environment, Forest and Climate Change vide its Office Order number J-17011/8/92-IA-III, dated the 14th March, 2014 using the demarcation of the HTL or LTL, as carried out by NCSCM.
 - (f) Project layout superimposed on the CRZ map duly indicating the project boundaries and the CRZ category of the project location as per the approved Coastal Zone Management Plan under this notification.
 - (g) The CRZ map normally covering 7 kilometre radius around the project site also indicating the CRZ-I, II, III and IV areas including other notified ecologically sensitive areas.
 - (h) "Consent to establish" or No Objection Certificate from the concerned State Pollution Control Board or Union territory Pollution Control Committee for the projects involving treated discharge of industrial effluents and sewage, and in case prior consent of

Pollution Control Board or Pollution Control Committee is not obtained, the same shall be ensured by the proponent before the start of the construction activity of the project, following the clearance under this notification.

- (ii) The concerned Coastal Zone Management Authority shall examine the documents in clause (i) above, in accordance with the approved Coastal Zone Management Plan and in compliance with this notification and make recommendations within a period of sixty days from date of receipt of complete application as under: -
- (a) For the projects or activities also attracting the EIA Notification, 2006 number S.O. 1533(E), dated 14th September, 2006, the Coastal Zone Management Authority shall forward its recommendations to Ministry of Environment, Forest and Climate Change or SEIAA for category 'A' and category 'B' projects respectively, to enable a composite clearance under the EIA Notification, 2006 number S.O. 1533(E), dated 14th September, 2006, however, even for such Category 'B' projects located in CRZ-I or CRZ-IV areas, final recommendation for CRZ clearance shall be made only by the Ministry of Environment, Forest and Climate Change to the concerned SEIAA to enable it to accord a composite Environmental Clearance and CRZ clearance to the proposal.
- (b) Coastal Zone Management Authority shall forward its recommendations to the Ministry of Environment, Forest and Climate Change for the projects or activities not covered in the EIA notification, 2006, but attracting this notification and located in CRZ-I or CRZ-IV areas.
- (c) Projects or activities not covered in the aforesaid EIA Notification, 2006, but attracting this notification and located in CRZ-II or CRZ-III areas shall be considered for clearance by the concerned Coastal Zone Management Authority within sixty days of the receipt of the complete proposal from the proponent.
- (d) In case of construction projects attracting this notification but with built-up area less than the threshold limit stipulated for attracting the provisions of the aforesaid EIA Notification 2006, Coastal Zone Management Authority shall forward their recommendations to the concerned State or Union territory planning authorities, to facilitate granting approval by such authorities.
- (iii) The Ministry of Environment, Forest and Climate Change shall consider complete project proposals for clearance under this notification, based on the recommendations of the Coastal Zone Management Authority, within a period of sixty days.
- (iv) In case the Coastal Zone Management Authorities are not in operation due to their reconstitution or any other reasons, then it shall be responsibility of the Department of Environment in the State Government or Union territory Administration, who are the custodian of the CZMP of respective States or Union territories, to provide comments and recommend the proposals in terms of the provisions of the said notification.
- (v) The clearance accorded to the projects under this notification shall be valid for a period of seven years, provided that the construction activities are completed and the operations commence within seven years from the date of issue of such clearance.
- The validity may be further extended for a maximum period of three years, provided an application is made to the concerned authority by the applicant within the validity period, along with recommendation for extension of validity of the clearance by the concerned State or Union territory Coastal Zone Management Authority.
- (vi) Post clearance monitoring:
- (a) It shall be mandatory for the project proponent to submit half-yearly compliance reports in respect of the stipulated terms and conditions of the environmental clearance in hard and soft copies to the regulatory authority(s) concerned, on the 1st June and 31st December of each calendar year and all such compliance reports submitted by the project proponent shall be published in public domain and its copies shall be given to any person on application to the concerned Coastal Zone Management Authority.

(b) The compliance report shall also be displayed on the website of the concerned regulatory authority.

- (vii) To maintain transparency in the working of the Coastal Zone Management Authority, it shall be the responsibility of the Coastal Zone Management Authority to create a dedicated website and post the agenda, minutes, decisions taken, clearance letters, violations, action taken on the violations and court matters including the Orders of the Hon'ble Court as also the approved CZMP of the respective State Government or Union territory.

9. Enforcement of this notification:

- (i) For the purposes of implementation and enforcement of the provisions of this notification and compliance with conditions stipulated thereunder, the powers either original or delegated are available under Environment (Protection) Act, 1986 (29 of 1986) with the Ministry of Environment, Forest and Climate Change, State Government or the Union territory Administration, National Coastal Zone Management Authority and the State or Union territory Coastal Zone Management Authority;
- (ii) The composition, tenure and mandate of National Coastal Zone Management Authority and State Government or the Union territory Coastal Zone Management Authority have already been notified by the Ministry of Environment, Forest and Climate Change in terms of Orders of Hon'ble Supreme Court in Writ Petition 664 of 1993;
- (iii) The State Government or the Union territory Coastal Zone Management Authority shall primarily be responsible for enforcing and monitoring of this notification and to assist in this task, the State Government and the Union territory shall constitute district level Committees under the Chairmanship of the District Magistrate concerned comprising at least three representatives of local traditional coastal communities including from fishermen, and the State Government may consider the enforcement of this notification to the level of respective District Magistrates.
- (iv) The dwelling units of the traditional coastal communities including fishermen, tribals as were permissible under the provisions of the Coastal Regulation Zone notification, 2011 number S.O. 19(E), dated the 6th January, 2011, but which have not obtained formal approval from concerned authorities under the said Notification shall be considered by the respective Coastal Zone Management Authority and the dwelling units shall be regularised subject to the following condition, namely: -
- (a) these are not used for any commercial activity;
- (b) these are not sold or transferred to non-traditional coastal community.

10. Areas requiring special consideration:

10.1 Critically Vulnerable Coastal Areas (CVCAs):

- (i) For all the CVCAs mentioned in sub-paragraph 3.1, Integrated Management Plans (IMPs) shall be prepared, which shall, inter alia, keep in view the conservation and management of mangroves, needs of local communities, such as dispensaries, schools, public rain shelter, community toilets, bridges, roads, jetties, water supply, drainage, sewerage and the impact of sea level rise and other natural disasters and the IMPs will be prepared in line with the guidelines for preparation of Coastal Zone Management Plan.
- (ii) Till such time the IMPs are approved and notified, construction of dispensaries, schools, public rain/cyclone shelters, community toilets, bridges, roads, jetties, water supply, drainage, sewerage which are required for traditional inhabitants shall be permitted on a case to case basis, by the Coastal Zone Management Authority with due regards to the views of coastal communities including fisher folk.

10.2 CRZ for inland backwater islands and islands along mainland coast:

- (i) All the inland islands in the coastal backwaters and islands along the mainland coast shall also be covered under this notification.

- (ii) In view of the unique coastal systems of backwater islands and islands along the mainland coast, along with space limitations in such coastal stretches, CRZ of 20 meters from the HTL on the landward side shall uniformly apply to such islands and activities shall be regulated as under:-
- (a) existing dwelling units of local communities may be repaired or reconstructed within 20 meters from the HTL of these islands, however, no new construction shall be permitted in this zone.
- (b) foreshore facilities, such as fishing jetty, fish drying yards, net mending yard, fishing processing by traditional methods, boat building yards, ice plant, boat repairs and the like, may be taken up in CRZ limits subject to due environmental safeguards.
- (iii) Integrated Island Management Plans (IIMPs), as applicable to smaller islands in Lakshadweep and Andaman & Nicobar, as per Island Protection Zone Notification, 2011 number S.O. 20(E), dated the 6th January, 2011, shall be formulated by respective States or Union territory for all such islands and submitted to Ministry of Environment, Forest and Climate Change and till the IIMPs are framed, provisions of this notification shall not apply and the CZMP as per provisions of CRZ Notification 2011 number S.O. 19(E), dated the 6th January, 2011, shall continue to apply.

10.3 CRZ areas falling within municipal limits of Greater Mumbai:

- (i) In order to protect and preserve the 'green lung' of the Greater Mumbai area, all open spaces, parks, gardens, playgrounds indicated in development plans within CRZ-II shall be categorised as No Development Zone and a Floor Space Index up to 15% shall be allowed only for construction of civic amenities, stadium and gymnasium meant for recreational or sports related activities and the residential or commercial use of such open spaces shall not be permissible.
- (ii) Construction of sewage treatment plants in CRZ-I area for the purpose of treating the sewage from the municipal area shall be taken only by the municipal authorities in exceptional circumstances, where no alternate site is available to set up such facilities, subject to recommendations of the Coastal Zone Management Authority and approval by the Central Government and in case the construction of such plant is inevitable in a mangrove area, a minimum three times the mangrove area affected or destroyed or cut during the construction process shall be taken up for compensatory plantation of mangroves.

[F. No. 19-112/2013-IA-III]

RITESH KUMAR SINGH, Jt. Secy.

Annexure-I

CONSERVATION, PROTECTION AND MANAGEMENT FRAMEWORK FOR ECOLOGICALLY SENSITIVE AREAS

The coastal and marine Ecologically Sensitive Areas (ESAs) and the geo-morphological features play a vital role in maintaining the functions of the coast. Mangroves, beaches, coral reefs, etc., aid in controlling coastal erosion, shoreline change, saltwater intrusion and also serve as natural defence against coastal hazards such as storm surges, cyclones and tsunamis. The ESAs maintain the biological integrity of the coast by providing direct and indirect ecosystem services to the coastal livelihood. In addition, several invaluable archaeological and heritage sites are also located along the coast. Hence conservation and protection of the above areas, features and sites become necessary.

1. General measures

- (i) All ESAs shall be identified and boundary delineated by NCSCM using satellite data.
- (ii) The State Governments or Union territory Administrations through the authorised agencies shall prepare CZMP as per the guidelines contained in this notification highlighting the conservation and protection of the ESAs.
- (iii) Those activities permissible under this notification shall be included in the CZMP.

Specific conditions shall be adopted for the conservation, protection and management of each of the ESAs as under: -

1.1 Mangroves:

- (i) Mangroves declared as forest under the Forest (Conservation) Act, 1980 (69 of 1980).

Notwithstanding anything contained in this notification, such mangroves declared by the concerned State Governments or Union territory Administrations or Central Government as forest land under the Forest (Conservation) Act, 1980 (69 of 1980) shall attract the provisions of the said Act.

- (ii) Mangroves not declared under Forest (Conservation) Act, 1980:

(a) Mangroves in Government land shall be protected based on a detailed plan to be prepared by the concerned State Governments or Union territory administrations, and in case the mangrove area is more than 1000 square meters, a buffer of 50 metre along the periphery of mangrove area shall be provided. This buffer zone of 50 metre may be utilised for public facilities for developing parks, research facilities related to mangrove biodiversity, facilities for conservation and the like.

(b) Mangroves in private land will not require a buffer zone.

1.2 Corals and coral reefs and associated biodiversity:

- (i) Destruction of coral and coral reefs and the surroundings is a prohibited activity.
- (ii) All coral and coral reefs shall be protected except for those small quantities required for research purposes.
- (iii) Coral and coral reefs transplantation activities shall be through recognised research institutions wherever required for regeneration after obtaining necessary approvals under Wildlife (Protection) Act 1972 (53 of 1972).
- (iv) The dead or destroyed or both coral areas shall be taken up for rejuvenation and rehabilitation. The conservation and protection of corals and coral reefs shall be taken up as follows:-
- (a) active and live coral and coral reefs identified and delineated shall be declared and notified as ESA under Environment (Protection) Act 1986 (29 of 1986);
- (b) it shall be ensured that no activities that are detrimental to the health of corals, coral reefs and its associated biodiversity, such as mining, effluent and sewage discharge, dredging, ballast water discharge, ship washings, fishing other than traditional non-destructive fisheries, construction activities and the like are taken up in and around the coral areas.

1.3 The National Parks, marine parks, Sanctuaries, reserve forests, wildlife habitats and other protected areas declared under the provisions of Wild Life (Protection) Act, 1972 (53 of 1972), the Forest (Conservation) Act 1980 (69 of 1980) or Environment (Protection) Act 1986 (29 of 1986); including Biosphere Reserves shall be conserved and protected as follows:-

- (i) Conservation and protection of the above mentioned areas shall be as per the provisions of the respective Acts, notifications or guidelines as the case may be.
- (ii) Efforts shall be made to increase the forest area in the coastal region in order to prevent loss of life and property from increased storms, tides and floods.
- (iii) The concerned State Governments or Union territory administrations shall provide for adequate funds for such measures to undertake shelter belt plantation or bio-shields with planting material suitable to the location.

1.4. Salt marshes:

The conservation and protection of salt marshes shall be as follows:-

- (i) The salt marsh areas shall be conserved and protected and efforts shall be made to promote the endemic biodiversity in the salt marshes.
- (ii) Only those activities required for overhead conveying or transmission of cables and underground laying of transmission line cables and so on, shall be permissible.
- (iii) Traditional fishing shall be permissible in salt marshes.
- (iv) Temporary tourism facilities around the salt marsh areas may be considered subject to adhering to norms laid down in the guidelines.
- (v) Certain salt marshes which have less biodiversity, identified by NCSCM and demarcated in Coastal Zone Management Plan can be considered for salt pan activities.

1.5 Turtle nesting grounds shall be protected and conserved as follows:-

- (i) Turtle nesting grounds identified by the concerned State Governments or Union territory administrations shall be protected as per Wildlife (Protection) Act of 1972.
- (ii) No activities shall be permitted in and around the turtle nesting ground including those causing light and sound pollution except for those required for conservation and protection of these sites.
- (iii) Strict management plans for protecting the turtle nesting grounds shall be undertaken and implemented by the concerned State or Union territory Authorities.

1.6 Horse shoe crabs habitats shall be protected and conserved as follows:-

- (i) The habitat identified shall be taken up for conservation and protection.
- (ii) No activities shall be taken up in and around these habitats which affect the horse shoe crab ecosystem.

1.7 Sea grass beds shall be protected and conserved as follows:-

- (i) Identified sea grass beds shall be conserved and protected.
- (ii) No developmental activities that have adverse effect on the sea grass bed shall be undertaken.
- (iii) Efforts shall be made to propagate sea grass beds along the coastal waters where ever possible by States or Union territories as it acts as a carbon sink.

1.8 Nesting grounds of birds shall be protected and conserved as follows:-

- (i) The nesting ground of birds including their local migratory route shall be protected. No developmental activities which have adverse impact on the nesting grounds and the migratory routes shall be undertaken including construction of wind mills, transmission lines and the like in the locality.
- (ii) Efforts shall be made to increase the forest cover and mangrove cover including enriching the biodiversity of salt marsh and other coastal water bodies so as to provide for suitable habitat for the avifauna.

1.9 Geo-morphologically Important Zones shall be protected and managed as follows:

- (i) **Sand dunes** identified shall be conserved and protected as follows:
 - (a) sand dunes identified shall be notified under Environment (Protection) Act 1986;
 - (b) no developmental activities shall be permissible except for providing eco-friendly temporary tourism facilities on stilts such as walkways, tents and the like;
 - (c) mining of sand from sand dunes shall be prohibited activity except for the removal of atomic minerals with proper replenishment using the tailings or other suitable sand;
 - (d) no activities on the sand dunes shall be taken up that would lead to erosion/destruction of sand dunes;
 - (e) afforestation, if any, on the sand dunes shall be done only with native flora;

(f) the States or Union territory shall prepare management plans for the demarcated sand dunes.

(iii) **Sandy beaches:**

(a) Mining of beach sand is prohibited except for manual mining of atomic minerals with proper replenishment using the tailings or other suitable sand.

(b) When the permissible developmental activities are taken up on the beaches if loss of beach in the neighbourhood is predicted, necessary beach nourishment to compensate for the losses shall be undertaken by the project authorities and its long term maintenance shall be ensured by them.

(c) The States or Union Territory shall prepare management plans for the demarcated beaches.

(iv) **Biologically active mudflats:**

(a) Biologically active mudflats shall be identified by NCSCM in association with State Governments or Union territory administrations.

(b) The States or Union territories shall prepare management plans for such demarcated biologically active mudflats.

1.10 Areas or structures of archaeological importance and heritage value sites:

(i) State Archaeological agencies shall be responsible for conservation and protection of all archaeological structures and heritage sites identified by the Archaeological Survey of India, as per the provisions of the respective Acts, notifications or guidelines.

(ii) No activities that are detrimental to the identified areas or structures of archaeological and heritage value shall be permitted.

(iii) It shall be ensured that these structures or areas are preserved and activities undertaken without changing the façade/plinth of such structures. Such structures could be considered for use in accordance with the relevant norms after undertaking careful designing of the interiors without changing the exterior architectural design of the structure.

Annexure-II

LIST OF PETROLEUM AND CHEMICAL PRODUCTS PERMITTED FOR STORAGE IN CRZ, EXCEPT CRZ-I A

- (i) Crude oil;
- (ii) Liquefied Petroleum Gas;
- (iii) Motor spirit;
- (iv) Kerosene;
- (v) Aviation fuel;
- (vi) High speed diesel;
- (vii) Lubricating oil;
- (viii) Butane;
- (ix) Propane;
- (x) Compressed Natural Gas;
- (xi) Naphtha;
- (xii) Furnace oil;
- (xiii) Low Sulphur Heavy Stock;

- (xiv) Liquefied Natural Gas;
- (xv) Fertilizers and raw materials for manufacture of fertilizers;
- (xvi) Acetic acid;
- (xvii) Mono ethylene glycol;
- (xviii) Paraxylene;
- (xix) Ethane;
- (xx) Butadine;
- (xxi) Methanol;
- (xxii) Caustic;
- (xxiii) Bitumen.

Annexure-III**GUIDELINES FOR DEVELOPMENT OF BEACH RESORTS, HOTELS AND TOURISM DEVELOPMENT PROJECTS IN THE DESIGNATED CRZ AREAS****1. CRZ-II**

Construction of beach resorts or hotels in designated areas of CRZ-II for occupation of tourist or visitors shall be subject to the following conditions, namely: -

- (i) construction shall be permitted only to the landward side of an existing road or existing authorized fixed structures;
- (ii) live fencing and barbed wire fencing with vegetative cover may be allowed around private properties subject to the condition that such fencing shall in no way hamper public access to the beach;
- (iii) no flattening of sand dunes shall be carried out;
- (iv) no permanent structures for sports facilities shall be permitted except construction of goal posts, net posts and lamp posts;
- (v) construction of basement may be allowed subject to the condition that no objection certification is obtained from the State Ground Water Authority to the effect that such construction will not adversely affect the flow of groundwater in that area;
- (vi) the State Ground Water Authority shall take into consideration the guidelines issued by the Central Government before granting such no objection certificate;
- (vii) the quality of treated effluents, solid wastes, emissions and noise levels and the like, from the project area must conform to the standards laid down by the competent authorities including the Central or State Pollution Control Board and under the Environment (Protection) Act, 1986 (29 of 1986);
- (viii) necessary arrangements for the treatment of the effluents and solid wastes must be made and it must be ensured that the untreated effluents and solid wastes are not discharged into the water or on the beach; and no effluent or solid waste shall be discharged on the beach;
- (ix) if the project involves diversion of forest land for non-forest purposes, clearance as required under the Forest (Conservation) Act, 1980 (69 of 1980) shall be obtained and the requirements of other Central and State laws as applicable to the project shall be met with and approval of the State or Union territory Tourism Department shall be obtained.

2. CRZ-III

Construction of beach resorts and hotels in designated areas of CRZ- III for occupation of tourists or visitors shall be subject to the following conditions, namely: -

- (i) live fencing and barbed wire fencing with vegetative cover may be allowed around private properties subject to the condition that such fencing shall in no way hamper public access to the beach;
- (ii) no flattening of sand dunes shall be carried out;
- (iii) no permanent structures for sports facilities shall be permitted except construction of goal posts, net posts and lamp posts;
- (iv) construction of basement may be allowed subject to the condition that no objection certification is obtained from the State Ground Water Authority to the effect that such construction will not adversely affect the flow of groundwater in that area;
- (v) the State Ground Water Authority shall take into consideration the guidelines issued by the Central Government before granting such no objection certificate;
- (vi) though no construction is allowed in the no development zone for the purposes of calculation of Floor Space Index, the area of entire plot including the portion which falls within the no development zone shall be taken into account;
- (vii) the total covered area on all floors shall not exceed 33 per cent of the plot size i.e., the Floor Space Index shall not exceed 0.33 and the open area shall be suitably landscaped with appropriate vegetative cover;
- (viii) the construction shall be consistent with the surrounding landscape and local architectural style;
- (ix) the overall height of construction up to the highest ridge of the roof, shall not exceed 9 metres and the construction shall not be more than two floors (ground floor plus one upper floor);
- (x) groundwater shall not be tapped within 200 metres of the High Tide Line; and within the 200 to 500 metre zone it can be tapped only with the concurrence of the Central or State Ground Water Board;
- (xi) extraction of sand, leveling or digging of sandy stretches, except for structural foundation of building or swimming pool, shall not be permitted within 500 metres of the High Tide Line;
- (xii) the quality of treated effluents, solid wastes, emissions and noise levels and the like, from the project area must conform to the standards laid down by the competent authorities including the Central or State Pollution Control Board and under the Environment (Protection) Act, 1986 (29 of 1986);
- (xiii) necessary arrangements for the treatment of the effluents and solid wastes must be made and it must be ensured that the untreated effluents and solid wastes are not discharged into the water or on the beach; and no effluent or solid waste shall be discharged on the beach;
- (xiv) to allow public access to the beach, at least a gap of 20 metres width shall be provided between any two hotels or beach resorts; and in no case shall gaps be less than 500 metres apart; and
- (xv) If the project involves diversion of forestland for non-forest purposes, clearance as required under the Forest (Conservation) Act, 1980 (69 of 1980) shall be obtained and the requirements of other Central and State laws as applicable to the project shall be met with; and approval of the State or Union territory Tourism Department shall be obtained.

Note: Construction of beach resorts or hotels shall not be permitted in Ecologically sensitive areas (such as marine parks, mangroves, coral reefs, breeding and spawning grounds of fish, wildlife habitats and such other area as may be notified by the Central Government or State Government or Union territory administrations).

ANNEXURE -IV**GUIDELINES FOR PREPARATION OF COASTAL ZONE MANAGEMENT PLANS****1. Demarcation of High Tide Line and Low Tide Line:**

Demarcation of High Tide Line (HTL) and Low Tide Line (LTL) as carried out by NCSCM for the entire coastline of the country, has been made available to the Coastal States or Union territories and only such demarcation of HTL and LTL shall be applicable for all purposes of this notification.

2. Hazard Line:

A 'Hazard line' has been demarcated by the Survey of India (SOI) taking into account the extent of the flooding on the land area due to water level fluctuations, sea level rise and shoreline changes (erosion or accretion) occurring over a period of time. The hazard line mapped by SOI has been shared with the coastal States or Union territories through NCSCM. The hazard line shall be used as a tool for disaster management plan for the coastal environment, including planning of adaptive and mitigation measures. With a view to reduce the vulnerability of the coastal communities and ensuring sustainable livelihood, while drawing the CZMP, the land use planning for the area between the Hazard line and HTL shall take into account such impacts of climate change and shoreline changes.

3. Preparation of CZM Maps:

(i) Base Maps of 1:25,000 scale shall be acquired from the Survey of India (SOI) and wherever 1: 25,000 maps are not available, 1: 50,000 maps shall be enlarged to 1: 25,000 for the purpose of base map preparation and these maps will be of the standard specification given below:-

Unit : 7.5 minutes X 7.5 minutes

Numbering : Survey of India Sheet Numbering System

Horizontal Datum : Everest or WGS 84

Vertical Datum : Mean Sea Level (MSL)

Topography : Topography in the SOI maps will be updated using latest satellite imageries or aerial photographs

(ii) Coastal Zone Management (CZM) Maps of scale 1:25,000 shall be got prepared by any of the agencies identified by the Ministry of Environment, Forest and Climate Change vide its Office Order number J-17011/8/92-IA-III dated the 14th March, 2014 using the demarcation of the High Tide Line or LTL, as carried out by NCSCM.

(iii) Various regulatory lines viz. at a distance of 20 metres, 50 metres, 200 metres and 500 metres from HTL respectively, as applicable in various CRZ categories, and the Hazard line shall be demarcated and transferred to the CZM maps.

(iv) HTL, LTL and CRZ boundaries, as applicable, shall also be demarcated in the CZM maps along the banks of tidal influenced inland water bodies.

(v) Classification of different coastal zones shall be done as per the CRZ notification and Standard national or international colour codes shall be used.

4. Local level CZM Maps:

(i) Local level CZM Maps are for the use of local bodies and other agencies to facilitate implementation of the Coastal Zone Management Plans.

(ii) Cadastral (village) maps in 1:3960 or the nearest scale, as available with revenue authorities shall be used as the base maps.

(iii) HTL, LTL, other CRZ regulatory lines and the Hazard line shall be demarcated in the cadastral maps and classifications shall be transferred into local level CZM maps.

5. Classification of CRZ areas:

- (i) The CZM Maps shall clearly demarcate the land use plan of the area and map out the Ecologically Sensitive Areas (ESAs) or the CRZ-IA areas as per mapping made available by NCSCM to coastal State or Union territories. All such ESAs shall be appropriately demarcated with colour codes.
- (ii) Buffer zone along mangrove areas of more than 1000 square metres shall be stipulated with a different colour distinguishing from the mangrove area. The buffer zone shall also be classified as CRZ-I area.
- (iii) In the CRZ areas, the fishing villages, common properties of the fishermen communities, fishing jetties, ice plants, fish drying platforms or areas infrastructure facilities of fishing and local communities such as dispensaries, roads, schools, and the like, shall be indicated on the cadastral scale maps. States and Union territories shall prepare detailed plans for long term housing needs of coastal fisher communities in view of expansion and other needs, provisions of basic services including sanitation, safety, and disaster preparedness.
- (iv) The water areas of CRZ-IV shall be demarcated and clearly demarcated if the water body is sea, lagoon, backwater, creek, bay, and estuary and for such classification of the water bodies the terminology used by Naval Hydrographic Office shall be relied upon.
- (v) The fishing Zones in the water bodies and the fish breeding areas shall be clearly marked.
- (vi) In CVCAs, the land use maps shall be superimposed on the Coastal Zone Management Plan clearly demarcating the CRZ-I, II, III, IV.
- (vii) The existing authorised developments on the seaward side shall be clearly demarcated.
- (viii) The features like cyclone shelters, rain shelters, helipads and other infrastructure including road network may be clearly indicated on the CZM Maps for the purpose of rescue and relief operations during cyclones, storms, tsunami and the like.
- (ix) Construction of buildings or other activities shall be permitted under the CZMP provided adequate arrangements are made for proper management and disposal of solid and liquid wastes in accordance with the environmental standards, rules and statutes, and under no circumstances, untreated effluents shall be disposed off in the coastal waters.

6. Public consultations on CZMP:

- (i) The draft CZMP prepared shall be given wide publicity and suggestions and objections received in accordance with the Environment (Protection) Act, 1986. Public hearing on the draft CZMP shall be held at district level by the concerned CZMA.
- (ii) Based on the suggestions and objections received the CZMPs shall be revised and approval of Ministry of Environment, Forest and Climate Change shall be obtained.
- (iii) The approved CZMP shall be put up on the website of Ministry of Environment, Forest and Climate Change, concerned website of the State or Union Territory Coastal Zone Management Authority and hard copy made available in the Panchayat Office and District Collector Office.

7. Revision of Coastal Zone Management Plans:

- (i) Whenever there is a doubt, the concerned State or Union territory Coastal Zone Management Authority shall refer the matter to the National Centre for Sustainable Coastal Management who shall verify the CZMP based on latest satellite imagery and ground truthing.
- (ii) If required, the rectified map shall be submitted to Ministry of Environment, Forest and Climate Change for consideration.

ANNEXURE-V**PROJECT INFORMATION DETAILS****1. PROJECT DETAILS**

- A. Project Name
- B. Survey No./ Village/ Co-ordinates
- C. District
- D. State
- E. Whether the proposal is for (Select relevant field)
 - (i) Fresh Clearance under CRZ
 - (ii) Amendment to an already issued CRZ clearance
 - (iii) Extension of validity of an already issued CRZ clearance
- F. Name of the Applicant
- G. Address of the Applicant
- H. Contact details (Telephone nos. and e-mail address)
- I. Cost of the project (Rs in crores)

2. BENEFITS OF THE PROJECT

- A. Details of Project Benefits
- B. Employment Likely to be Generated (Yes/No)
 - If Yes
 - (i) Total Manpower Requirement
 - (ii) Permanent Employment (Numbers)
 - (iii) Temporary Employment (Numbers)
 - (iv) Temporary Employment- During Construction (Numbers)
 - (v) Temporary Employment- During Operation (Numbers)

3. DESCRIPTION OF THE PROJECT UNDER CONSIDERATION (Select the Category of the project):**A. Resort / Buildings / civic amenities**

- (i) Total area/Built-up area (in sqm.)
- (ii) Height of structure
- (iii) FSI ratio
- (iv) Name of concerned town planning authority/ Panchayat etc.
- (v) Details of provision of car parking area

B. Coastal Roads / Roads on Stilt

- (i) Area of land reclamation
- (ii) Estimated quantity of muck/earth for reclamation
- (iii) Traffic carrying capacity
- (iv) Dimensions of road

C. Pipelines from thermal power blow down

- (i) Length of pipeline
- (ii) Length traversing CRZ area

- (iii) Depth of excavation
- (iv) Width of excavation
- (v) Length of pipeline from seashore to deep sea
- (vi) Depth of outfall point from surface of sea water
- (vii) Temperature of effluent above ambient at disposal point

D. Marine Disposal of Treated Effluent through pipelines

- (i) Location of intake/ outfall
- (ii) Depth of outfall point
- (iii) Length of pipeline
- (iv) Length traversing CRZ area
- (v) Depth of excavation
- (vi) Width of excavation
- (vii) Length of pipeline from shore to deep sea/creek
- (viii) Depth of outfall point from surface of water
- (ix) Depth of water at disposal point
- (x) BOD, COD, TSS, oil and grease, heavy metals in the effluent

E. Facility for storage of goods/chemicals

- (i) Name of chemical
- (ii) End use of the chemical
- (iii) No. of tanks for storage
- (iv) Capacity of tanks

F. Offshore structures

- (i) Exploration or development
- (ii) Depth of sea bed
- (iii) No. of rigs
- (iv) No. of platform
- (v) Details of group gathering stations

G. Desalination Plant

- (i) Capacity of desalination
- (ii) Total brine generation
- (iii) Temperature of effluent above ambient at disposal point
- (iv) Ambient salinity
- (v) Disposal point

H. Mining of atomic minerals

- (i) Capacity of mining
- (ii) Type of mineral to be extracted
- (iii) End use of the mineral
- (iv) Government order for mining lease/exploration and approved mining plan details
- (v) Extent of mining lease area

I. Sewage Treatment Plants

- (i) Capacity
- (ii) Total area of construction
- (iii) Compliance of effluent parameters as laid down by cpcb/spcb/other authorised agency
- (iv) Whether discharge is in sea water/creek?
 - If yes
 - Distance of marine outfall point from shore/from the tidal river bank
 - Depth of outfall point from sea water/river water surface
 - Depth of seabed/riverbed at outfall point

J. Lighthouse

- (i) Total ground area of foundation/platform
- (ii) Height of the structure

K. Wind Mills

- (i) Capacity (MW)
- (ii) Height of the windmill
- (iii) Diameter of the windmill
- (iv) Length of blade
- (v) Speed of rotation
- (vi) Transmission lines (overhead or underground)

L. Others

- (i) Please specify with salient features
- (ii) Upload relevant Documents (upload PDF only)

4. PROJECT LOCATION AS PER CRZ CLASSIFICATION (If project site falls in different/multiple CRZ categories the same may also be elaborated)

5. CLAUSE OF CRZ NOTIFICATION UNDER WHICH PROJECT IS A PERMISSIBLE /REGULATED ACTIVITY

6. MANDATORY FIELDS FOR PROJECT ASSESSMENT

A. CRZ map in 1:4000 scale indicating HTL, LTL demarcation and distance of the nearest project boundary (in meters) from HTL to be stated

(i) Upload Map (kml file)

B. Project layout superimposed on CRZ Map 1:4000 scale with classification of project location including other notified ESAs prepared

(i) Upload Map (kml file)

C. CRZ map 1:25000 scale covering 7 km radius around Project site

(i) Upload Map (kml file)

7. PROJECT LOCATED IN (Select Type)

- (i) Non eroding Coast
- (ii) Low and Medium eroding coast
- (iii) High eroding Coast

8. DETAILS OF FOREST/ MANGROVES LAND INVOLVED (YES/NO)**IF YES**

- (i) Detail of area diverted
- (ii) Forest clearance to be submitted (Upload document)
- (iii) No. of trees to be cut under the project
- (iv) Compensatory afforestation plan to be submitted (Upload document)

9. DISTANCE OF PROPOSED PROJECT FROM ESA/MARINE PARK/ WILD LIFE SANCTUARY

- (i) Within 10 kilometre radius from the project site (Yes/No)

If YES

- Permission from NBWL to be submitted (Upload document)

10. NOC OR CONSENT TO ESTABLISH FROM STATE/UT POLLUTION CONTROL BOARDS OBTAINED (YES/NO)**If YES**

- (i) Copy of NOC to be provided (Upload document)
- (ii) Conditions imposed to be stated (Upload document)

11. Environment Impact Assessment (EIA) studies (relevant fields to be filled)**A. Terrestrial studies:**

- (i) Summary details of EIA (Terrestrial) Studies
- (ii) Upload Recommendation made in EIAs (Upload document)
- (iii) State period of Study

B. Marine Studies

- (i) Summary details of EIA (Marine) Studies
- (ii) Upload Recommendation made in EIAs (Upload document)
- (iii) State period of Study

12. DISASTER MANAGEMENT PLAN / NATIONAL OIL SPILL DISASTER CONTINGENCY PLAN (if applicable)**13. PROJECT INVOLVING DISCHARGE OF LIQUID EFFLUENTS:**

- (i) Capacity of Sewage Treatment Plant
- (ii) Quantity of effluent generated
- (iii) Quantity of effluent treated
- (iv) Method of treatment and disposal

14. PROJECT INVOLVING DISCHARGE OF SOLID WASTE:

- (i) Type of solid waste
- (ii) Quantity of solid waste generated
- (iii) Method of disposal
- (iv) Mode of transport

15. WATER REQUIREMENT in kilo litres per day (KLD)

- (i) Quantity of water required
- (ii) Source of water

- (iii) If Ground water (Upload a copy of approval from Central Ground Water Authority or other authorised body)
- (iv) If other Source (Upload a copy of permission from competent authority)
- (v) Mode of transport
- (vi) Commitment of water supply (Upload document)

16. DETAILS OF WATER TREATMENT AND RECYCLING (If any) (Multiple Entries Allowed)

Type/ Source	Quantity of Waste Water Generated (Kilos Litre per Day)	Treatment Capacity (Kilos Litre per Day)	Treatment Method	Mode of Disposal	Quantity of Discharged Water (Kilos Litre per Day)	Quantity of Treatment Water used in Recycling/Reuse (Kilo Litre per Day)

17. DETAILS OF RAINWATER HARVESTING

- (i) No. of Storage tanks
- (ii) Total capacity of tanks
- (iii) No. of Recharge Pits
- (iv) Capacity of pits

18. ENERGY REQUIREMENT AND SOURCES

- (i) Total Power Requirements (kwh)
- (ii) Source
- (iii) Upload Copy of Agreement (upload pdf only)
- (iv) Stand by Arrangement (Details)

19. ENERGY EFFICIENCY/SAVING MEASURES

- (i) Source/Mode
- (ii) Details of savings

20. RECOMMENDATION OF STATE COASTAL ZONE MANAGEMENT AUTHORITY

- (i) Upload Copy of CZMA recommendations (Upload pdf only)
- (ii) Compliance status of the Conditions Imposed

21. WHETHER PROPOSAL ATTRACTS EIA NOTIFICATION, 2006. (Yes/No)

If YES,

- (i) the category thereof
- (ii) Status of proposal for EC (as applicable)

22. SOCIAL AND ENVIRONMENTAL ISSUES AND MITIGATIONS MEASURES SUGGESTED INCLUDING BUT NOT LIMITED TO R&R, WATER, AIR, HAZARDOUS WASTES, ECOLOGICAL ASPECTS, ETC. (Brief Details to be Provided)

23. DETAILS OF COURT CASES Whether there is any Court Cases pending against the project and/or land in which the project is proposed to be set up? (Yes/No)

If Yes, Pending or Disposed (Select relevant)

- (i) Name of the Court (Supreme Court, High Court, National Green Tribunal)
- (ii) Case No.

- (iii) Case Details
- (iv) Orders/Directions of the court, if any and its relevance with the proposed project
(Upload document)

24. ADDITIONAL INFORMATION, If any

UNDERTAKING: It is certified that the information given above are true to the best of my knowledge and belief and nothing contravening the provisions of CRZ Notification, 2011 has been concealed therefore.

Name and Signature of the applicant:

Date:

T.C

