

**BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI**

**OA NO. 521 OF 2022**

**IN THE MATTER OF:**

**SAMPURNA NAND**

**...APPLICANT**

**VERSUS**

**STATE OF U.P& OTHERS**

**...RESPONDENTS**

**I N D E X**

**NDOH: 08.01.2024**

| S.NO. | PARTICULARS   | PG. NO. |
|-------|---|---------|
| 1.    | Compliance Affidavit of Respondent No.23 in terms of the directions issued by this Hon'ble Tribunal under the Order Dated 26 <sup>th</sup> September, 2023.   | 1-7     |
| 2.    | <u>Annexure "A-1"</u> : Copy of the CTO dated <u>17.06.2023</u>   | 8-13    |
| 3.    | <u>Annexure "A-2"</u> : Copy of the MSME certificate.   | 14-20   |
| 4.    | <u>Annexure "A-3"</u> : Copy of Notification dated 24 <sup>th</sup> September, 2020 issued by the Ministry of Jal Shakti (Department of Water Resources, River Development and Ganga rejuvenation). | 21-37   |
| 5.    | <u>Annexure "A-4"</u> : Copy of the photographs showing the construction and marking of the pillars.  | 38-42   |
| 6.    | <u>Annexure "A-5"</u> : Copy of the photographs showing the fencing.  | 43-47   |
| 7.    | <u>Annexure "A-6"</u> : Copy of the half yearly compliance report.  | 48-103  |

**NOTARY**  
Aashok Singh  
Tehsil Chunar, M.Z.P.  
Distt. Chunar, U.P.  
2-11-2023

*Composed*

|    |   |               |
|----|---|---------------|
| 8. | <b>Annexure "A-7"</b> : Copy of the photographs showing the extent of excavation. | 104-105       |
| 9. | <b>Annexure "A-8"</b> : Copy of the photographs showing dust suppression.         | 106-107<br>33 |

**RESPONDENT NO.23**

THROUGH

**S. C. LADI AND COMPANY**

Deeksha L. Kakar and Dhruv Kakar

ADVOCATES

B-1/52, SAFDARJUNG ENCLAVE


NEW DELHI – 110029.

Ph. 9313119255 | deeksha.kakar@scladi.com

Enrol.No.D/1154/2008|

New Delhi

Dated: 15.12.2023





Government of Uttar Pradesh

e-Stamp

Certificate No : IN-UP61770450600314V  
 Certificate Issued Date : 02-Nov-2023 03:32 PM  
 Account Reference : NEWIMPACC (SV)/ up14704704/ CHUNAR/ UP-MRZ  
 Unique Doc. Reference : SUBIN-UPUP1470470419224332181118V  
 Purchased by : Rama Shanker Dubey SO Surendra Nath Dubey  
 Description of Document : Article 4 Affidavit  
 Property Description : Not Applicable  
 Consideration Price (Rs.) :  
 First Party : Rama Shanker Dubey SO Surendra Nath Dubey  
 Second Party : Not Applicable  
 Stamp Duty Paid By : Rama Shanker Dubey SO Surendra Nath Dubey  
 Stamp Duty Amount (Rs.) : 100  
 (One Hundred only)



*मनोरंज*  
 02-11-23

ए0सी0सी0 नाम-अनवर अली  
 ए0सी0सी0 फ़ोन-UP14704704  
 ए0सी0सी0 पता- चुनार  
 मो0न0-9935522188  
 लाइसेंस नं0-03  
 जिल्ला- चुनार, धीरजापुर

Please write or type below the line



*मनोरंज*  
*अनवर अली*

BEFORE THE HON'BLE NATIONAL GREEN TRIBUNAL  
PRINCIPAL BENCH, NEW DELHI

OA NO. 521 OF 2022

IN THE MATTER OF:

SAMPURNA NAND

...APPLICANT

VERSUS

STATE OF U.P & OTHERS

...RESPONDENTS

COMPLIANCE AFFIDAVIT IN TERMS OF THE  
DIRECTIONS ISSUED BY THIS HON'BLE TRIBUNAL  
UNDER THE ORDER DATED 26<sup>TH</sup> SEPTEMBER, 2023.

---

I, Rama Shanker Dubey, S/o Surendra Nath Dubey R/o MVM Public School Village Kamhri Robertsganj, Sonbhadra, U.P about 59years, do hereby solemnly affirm and declare as under:

1. That the Deponent is the Director of Respondent No. 23 in the above-mentioned case and as such is well conversant with the facts of the case and as such duly authorized/competent to swear and depose this Affidavit.
2. That the present Affidavit is being filed in terms of the Order dated 26<sup>th</sup> September, 2023 passed by this Hon'ble Tribunal in O.A. No. 521 of 2022 titled "Sampurna Nand Vs. State of U.P. and Others"
3. That by way of this affidavit, the Deponent is seeking to place on record the compliance presently undertaken by the Deponent in consonance with Environmental



*(Signature)*

Clearance (EC), Consent to Operate (CTO), as also conditions and recommendations of the Joint Committee in its report dated 03.02.2023.

4. The Deponent has been granted sand stone mining rights at the Mining Project at Arazi No. 142, Village: Sonpur, Tehsil: Chunar & District: Mirzapur, State: Uttar Pradesh.
5. In terms of the report of the Joint Committee, the Deponent has undertaken the following measures towards the recommendations and observations of the Joint Committee:
  - (i) In terms of S.no. 2.20(f), the Deponent has applied for and received the CTO from the Uttar Pradesh Pollution Control Board (UPPCB). A copy of the CTO dated 17.06.2023 is annexed hereto as Annexure "A-1".
  - (ii) In respect of S.No 2.20(g), the Deponent submits that concerned proponent is registered as an Micro, Small and Medium Enterprises (MSME), and in terms of the Notification dated 24<sup>th</sup> September, 2020 issued by the Ministry of Jal Shakti (Department of Water Resources, River Development and Ganga rejuvenation), the Deponent has been granted exemption under Clause 1 (v) therein. A copy of the MSME certificate of the Deponent is annexed hereto as Annexure "A-2". A Copy of the said Notification is annexed hereto as Annexure "A-3".



Completed

- (iii) In terms of S.no.2.20 (i), the pillars and their respective coordinates in the mining project area has been constructed and written in clear and visible parameter. Copy of the photographs showing the construction and marking of the pillars is attached hereto as Annexure "A-4".
- (iv) In terms of S.no.2.20 (j), it is submitted that proper wire fencing has been erected all around the periphery of the lease area/mining project. Copy of the photographs showing the fencing is attached hereto as Annexure "A-5".
- (v) In terms of S.No.2.20 (k), It is submitted that the Deponent is in the process of installing the ambient air quality stations in terms of the EC and the installation is likely to be completed by within six months.
- (vi) In terms of S.No.2.20 (l), it is submitted that the half yearly compliance report in terms of the EC has been submitted to the Regional Officer of the concerned Ministry. A copy of the said report submitted on 30.07.2023 is annexed hereto as Annexure "A-6".
- (vii) In respect of S.No. 2.20(m), i.e. raising of plantation around the lease area; it is respectfully submitted that prior to allotment of lease/ mining rights to the Deponent, the area in question was under mining rights for many years to different allottees and due



20/07/23  
Anand Singh

to the extent of deep excavation in the area currently, the Deponent is unable to undertake any plantation, as recommended. Copy of the photographs showing the extent of excavation is attached hereto as Annexure "A-7".

- (viii) In terms of S.No.2.20 (n), it is submitted that the mining carried out at the mining project area is through manual mode and not blasting, and as such there is no requirement of filing of the Blast Vibration Study report on the part of the Deponent. It is accordingly requested that the said objection may kindly be dispensed with.
- (ix) In respect of S. No.2.20 (o), it is submitted that Deponent being an MSME, has been granted exemption in terms of the EC, due to the Deponent using less than 10KL water per day.
- (x) In terms of S. No.2.20 (p). it is respectfully submitted that prior to allotment of lease/ mining rights to the Deponent, the area in question was under mining rights for many years to different allottees and due to the extent of deep excavation in the area currently, the Deponent was unable to maintain the slope of the mining bench and ultimate pit, despite its best efforts. However, the Deponent is now maintaining the Mines level upper surface to the ground level as per future requirement.



20/11/2024

- (xi) In respect of S. No.2.20 (q) and (r), it is submitted that water tankers are being used to control dust in the lease area and sprinkling of water is being carried out regularly on the transportation route of vehicles, for dust suppression and haulage road is being maintained. Copy of the photographs showing dust suppression is attached hereto as Annexure "A-8".
- (xii) In terms of S. No.2.20(s), it is submitted that crusher units are being operated by all the mines wherein weighing machines already stand installed.
6. In addition to the aforesaid, the half yearly compliance report, in terms of the EC, submitted by the Deponent to the Regional Officer, copy of which is annexed hereto as Annexure A-6, contains in detail the status of the compliance of the conditions of the EC, by the Deponent, which are not being repeated herein for the sake of brevity.
7. The Deponent further undertakes to endeavor to comply with all the conditions and regulations prescribed under the EC and CTO in a time bound manner, including contributing towards any recommended Environment Management Program in their day to day operations and actions.


20/10/84  
DEPONENT



**VERIFICATION**

Verified on this the **02** day of Novmber 2023 at New Delhi that the contents of the above Affidavit are true and correct to my knowledge, no part thereof is false and nothing material has been there from.

*Carim Singh*  
**DEPONENT**





**Uttar Pradesh Pollution Control Board**

Building. No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.in, Website: www.uppcb.com

**185057/UPPCB/Sonebhadra(UPPCBRO)/CTO/both/MIRZAPUR/2023**

**Date: 17/06/2023**

To,

M/s

**SHRI RAMASHANKER DUBEY(SAND STONE)**

**ARAZI NO. 142, AREA-1.01 Ha, VILL. SONPUR, TEHSIL-CHUNAR, DISTRICT-MIRZAPUR(U.P.)**

|                                     |
|-------------------------------------|
| <b>Application Id-<br/>21348061</b> |
|-------------------------------------|

**Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981**

CCA is hereby granted to **SHRI RAMASHANKER DUBEY(SAND STONE)** located at **ARAZI NO. 142, AREA-1.01 Ha, VILL. SONPUR, TEHSIL-CHUNAR, DISTRICT-MIRZAPUR(U.P.)**. subject to the provisions of the **Water Act, Air Act** and the orders that may be made further and subject to following terms and conditions :-

1. This CCA **SHRI RAMASHANKER DUBEY(SAND STONE)** granted for the period from **17/06/2023 to 31/12/2027** and valid for manufacturing of following products.

| S No | Product                     | Quantity | Unit              |
|------|-----------------------------|----------|-------------------|
| 1    | Building Stone (Sand Stone) | 30000    | Cubic Meters/Year |

2. **Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended :-**

(i) The daily quantity of effluent discharge (KLD) :-

| Kind of Effluent | Quantity(KLD) | Treatment facility | Discharge point |
|------------------|---------------|--------------------|-----------------|
| Domestic         | 1.0 KLD       | Septic Tank        | Soak Pit        |

(ii) Trade Effluent Treatment and Disposal :-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.


In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

**Industrial Effluent Quality Standard**

| S.No. | Parameter | Standard |
|-------|-----------|----------|
|-------|-----------|----------|

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be



*Comd*

dispatched immediately.

(v) The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards.

| S No. | Parameters | Standards |
|-------|------------|-----------|
|-------|------------|-----------|

### 3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

#### Air Pollution Source Details

| S No. | Air Pollution Source   | Type of fuel | Stack no | Control Device     | Height of Stack   |
|-------|--|--------------|----------|--------------------|---|
| 1     | Dust emission during manual mining, transportation and loading/unloading of Building Stone (Sand Stone). |              |          | Particulate Matter | water sprinkling system and Green Belt for controlling dust emission. |

#### Emission Quality Standards

| S No. | Stack no | Parameters         | Standards                                  |
|-------|----------|--------------------|--|
| 1     |          | Particulate Matter | Ambient Air Standard as per E(P) Act 1986. |

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) The unit will not use any type of restricted fuel.


iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

| Standards for Noise level in db(A) Leq | Industrial Area |            | Commercial Area |            | Residential Area |            | Silence Zone |            |
|--|-----------------|------------|-----------------|------------|------------------|------------|--------------|------------|
|  | Day Time        | Night Time | Day Time        | Night Time | Day Time         | Night Time | Day Time     | Night Time |
|  | 75              | 70         | 65              | 55         | 55               | 45         | 50           | 40         |

### 4. Essential documents to be submitted by the Industry/Unit as Applicable :-

*Completed*



(i) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.
7. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-<http://www.upecp.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.
8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the competent authority and submit to the Board, within 3 months time failing which CTO will be revoked.

#### General Conditions:-

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.
2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. Treated Industrial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.
5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof
6. The industry shall provide uninterrupted entry to the STP/ETP inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.
7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.
8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point
12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

(11/11/21)

**Specific Conditions:-**

1. This consent is valid for production of Building Stone (Sand Stone)- 30000 Cu Meter/Year by opencast and semi mechanized mining in 1.01 hectare leased area at Arazi No. 180/2, Village-Bhagautidei, Tehsil-Chunar, District-Mirzapur.
2. The unit shall submit the latest copy of Audited Balance Sheet/C.A. Certificate (Fixed Assets+ Current Assets - Current Liabilities) for verification of the Consent fee within 15 days.
3. Mining unit shall comply with the conditions of Environmental Clearance issued by District Level Environment Impact Assessment Authority (DEIAA) vide Letter no. 16/Parya/DEAC/Sandstone/MZP/2016 Dated- 19.07.2016 and submit its compliance report to UPPCB.
4. The proponent shall ensure the compliance of Hon'ble NGT orders passed in the OA No. 521/2022 Sampornanand Vs State of U.P. in connection with adverse effects on the public and environment due to illegal mining and blasting at higher intensity than the prescribed standard. Mining shall not be done till the resumption of mining activity by Hon'ble NGT.
5. In compliance of Hon'ble NGT order dated 24.04.2023, mining shall be done only after getting permission from District Administration.
6. Controlled blasting techniques with sequential blasting shall be adopted. The blasting shall be carried out in the daytime only.
7. The proponent shall submitted compliance report of condition imposed in EC within every six month.
8. The proponent shall install Ambient Air monitoring station as per condition imposed in Environment Clearance.
9. The proponent shall establish Water sprinkling arrangement for dust suppression.
10. The proponent shall establish Effluent treatment system to treat the waste water from the mine.
11. The proponent shall submit the Ambient air quality monitoring report of impact zone/buffer zone and at the corners of mining lease on quarterly basis to the Board.
12. If the lease agreement expires prior to 31-12-2027, then the validity of this CTO shall stand expired simultaneously with the expiry of mining lease.
13. Mining shall be done as per EC issued by DEIAA and directions given by Mining Department/District Administration.
14. Unit shall develop and maintain green belt as per the conditions of Environmental Clearance.
15. Unit shall not withdrawal ground water for any industrial activity without obtaining necessary permission from UPGWA.
16. The domestic effluent shall be treated through septic tank/soak pit or provide mobile toilet facility. Industry shall maintain ZLD.
17. Unit shall make water sprinkling arrangement through Tankers for dust suppression at different sources of dust emission during mining, transportation, loading and unloading of Building Stone (Sand Stone).
18. Unit should operate and maintain installed water sprinkler system effectively and continuously to achieve the standards prescribed under E(P) Rules, 1986.
19. Unit shall submit Ambient air monitoring reports of NABL accredited laboratory on quarterly basis to the Board.
20. All trucks, tractors used in transportation of Building Stone (Sand Stone) shall be covered by canvas sheet to prevent dust emission.
21. Water will be sprayed after loading activity (if Building Stone (Sand Stone) collected could be dry condition)
22. The dust suppression measures like water spraying will be done on the haul roads and working areas.
23. Industry should comply with the provisions of Hazardous and Other waste (Management & Trans boundary Movement) Rules 2016.
24. Solid waste should be disposed in such manner, so that no water, air and soil pollution takes place.

(2) 19/07/23

25. Industry shall abide by directions given by Hon'ble Court, Hon'ble NGT, MoEF&CC, Central Pollution Control Board, UPPCB and District Administration for protection and safe guard of environment from time to time.

26. Industry shall comply with the relevant provisions of Environmental Laws.


27. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.

**Chief Environmental Officer (circle-2)**

Copy to:

Regional Officer, UPPCB, Sonbhadra with direction to send the compliance report of CTO conditions on quarterly basis.

**Chief Environmental Officer (circle-2)**



*Comms*



**मिशन LIFE - पर्यावरण के लिए जीवन शैली**  
(Lifestyle For Environment)  
जनसहभागिता का सन्देश



- स्वच्छता – देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें -एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय ।
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है । वेस्ट /अपशिष्ट फेकने के पूर्व सोचें, ये किसी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रुकें । इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई – वेस्ट रीसाइकलर को दें । प्राधिकृत ई-रीसाइक्लिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाङ्कीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है । वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रैफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं । उपयोग में न होने पर बिजली उपकरणों को बंद करें । स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है ।



*(Signature)*

**ANNEXURE A-2**

31/10/2023, 16:56

Print : Udyam Registration Certificate

|  <b>भारत सरकार</b><br><b>Government of India</b><br><b>सूक्ष्म, लघु एवं मध्यम उद्यम मंत्रालय</b><br><b>Ministry of Micro, Small and Medium Enterprises</b> |  |  <b>MSME</b><br><b>सूक्ष्म, लघु एवं मध्यम उद्यम</b><br><b>MICRO, SMALL &amp; MEDIUM ENTERPRISES</b> |                        |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
|---|--|--|------------------------|---------------------|----------------------|----------------------------|------------------------|--------------|------------|-------|-------------|------------------|-------------|------|-------------|-------|---------------|----------|------------------------|--------|------------|--------|-----------------------|
| <b>UDYAM REGISTRATION CERTIFICATE</b>   |  |  |                        |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| UDYAM REGISTRATION NUMBER   | UDYAM-UP-72-0013990  |  |                        |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| NAME OF ENTERPRISE  | M/S RAMA SHANKAR DUBEY   |  |                        |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| TYPE OF ENTERPRISE *  | <table border="1"> <thead> <tr> <th>S.No.</th> <th>Classification Year</th> <th>Enterprise Type</th> <th>Classification Date</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2023-24</td> <td>Micro</td> <td>31/10/2023</td> </tr> </tbody> </table>   | S.No.  | Classification Year    | Enterprise Type     | Classification Date  | 1                          | 2023-24                | Micro        | 31/10/2023 |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| S.No.   | Classification Year  | Enterprise Type  | Classification Date    |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| 1   | 2023-24  | Micro  | 31/10/2023             |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| MAJOR ACTIVITY  | <b>TRADING</b><br>[For availing benefits of Priority Sector Lending(PSL) ONLY]   |  |                        |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| SOCIAL CATEGORY OF ENTREPRENEUR   | GENERAL  |  |                        |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| NAME OF UNIT(S)   | <table border="1"> <thead> <tr> <th>S.No.</th> <th>Name of Unit(s)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>M/S RAMA SHANKAR DUBEY</td> </tr> </tbody> </table>   |  |                        | S.No.               | Name of Unit(s)      | 1                          | M/S RAMA SHANKAR DUBEY |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| S.No.   | Name of Unit(s)  |  |                        |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| 1   | M/S RAMA SHANKAR DUBEY   |  |                        |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| OFFICAL ADDRESS OF ENTERPRISE   | <table border="1"> <thead> <tr> <th>Flat/Door/Block No.</th> <th>INFRONTOF MVM SCHOOL</th> <th>Name of Premises/ Building</th> <th>BRAHMNAGAR</th> </tr> </thead> <tbody> <tr> <td>Village/Town</td> <td>BRAHMNAGAR</td> <td>Block</td> <td>ROBERTSGANJ</td> </tr> <tr> <td>Road/Street/Lane</td> <td>ROBERTSGANJ</td> <td>City</td> <td>ROBERTSGANJ</td> </tr> <tr> <td>State</td> <td>UTTAR PRADESH</td> <td>District</td> <td>SONBHADRA , Pin 231216</td> </tr> <tr> <td>Mobile</td> <td>9415206498</td> <td>Email:</td> <td>nkmishrarbj@gmail.com</td> </tr> </tbody> </table> |  |                        | Flat/Door/Block No. | INFRONTOF MVM SCHOOL | Name of Premises/ Building | BRAHMNAGAR             | Village/Town | BRAHMNAGAR | Block | ROBERTSGANJ | Road/Street/Lane | ROBERTSGANJ | City | ROBERTSGANJ | State | UTTAR PRADESH | District | SONBHADRA , Pin 231216 | Mobile | 9415206498 | Email: | nkmishrarbj@gmail.com |
| Flat/Door/Block No.   | INFRONTOF MVM SCHOOL   | Name of Premises/ Building   | BRAHMNAGAR             |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| Village/Town  | BRAHMNAGAR   | Block  | ROBERTSGANJ            |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| Road/Street/Lane  | ROBERTSGANJ  | City   | ROBERTSGANJ            |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| State   | UTTAR PRADESH  | District   | SONBHADRA , Pin 231216 |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| Mobile  | 9415206498   | Email:   | nkmishrarbj@gmail.com  |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |
| DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE  | 01/07/2017   |  |                        |                     |                      |                            |                        |              |            |       |             |                  |             |      |             |       |               |          |                        |        |            |        |                       |

[https://udyamregistration.gov.in/Udyam\\_User/Udyam\\_PrintApplication.aspx](https://udyamregistration.gov.in/Udyam_User/Udyam_PrintApplication.aspx)


31/10/2023, 16:56

Print : Udyam Registration Certificate

**DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS****NATIONAL INDUSTRY CLASSIFICATION CODE(S)**

| SNo. | NIC 2 Digit                              | NIC 4 Digit                              | NIC 5 Digit   | Activity      |
|------|--|--|---|---------------|
| 1    | 43 - Specialized construction activities | 4329 - Other construction installation   | 43299 - Other construction projects n.e.c.  | Manufacturing |
| 2    | 08 - Other mining and quarrying          | 0810 - Quarrying of stone, sand and clay | 08106 - Operation of sand or gravel pits, basalt / porphyry, clay (ordinary), crushing and breaking of stone for use as a flux or raw material in lime or cement, manufacture or as building material, road metal or ballast and other materials for construction | Manufacturing |

**DATE OF UDYAM REGISTRATION**

31/10/2023

\* In case of graduation (upward/reverse) of status of an enterprise, the benefit of the Government Schemes will be availed as per the provisions of Notification No. S.O. 2119(E) dated 26.06.2020 issued by the M/o MSME.

Disclaimer: This is computer generated statement, no signature required. Printed from <https://udyamregistration.gov.in> & Date of printing:- 31/10/2023

**For any assistance, you may contact:**

1. District Industries Centre: SONBHADRA (UTTAR PRADESH)  
 2. MSME-DFO: ALLAHABAD (UTTAR PRADESH)

Visit : [www.msme.gov.in](http://www.msme.gov.in) ; [www.dcmsme.gov.in](http://www.dcmsme.gov.in) ; [www.champions.gov.in](http://www.champions.gov.in)

Follow us @minmsme & @msmechampions



**BE A CHAMPION**  
with the  
Ministry of  
**MSME**

[https://udyamregistration.gov.in/Udyam\\_User/Udyam\\_PrintApplication.aspx](https://udyamregistration.gov.in/Udyam_User/Udyam_PrintApplication.aspx)



31/10/2023

31/10/2023, 16:56

Print : Udyam Registration Certificate

|   |   |   |
|---|---|---|
|  | <b>भारत सरकार</b><br><b>Government of India</b><br><b>सूक्ष्म, लघु एवं मध्यम उद्यम मंत्रालय</b><br><b>Ministry of Micro, Small and Medium Enterprises</b> | <br><b>MSME</b><br>सूक्ष्म, लघु एवं मध्यम उद्यम<br>MICRO, SMALL & MEDIUM ENTERPRISES |
|   | <b>Udyam Registration Number : UDYAM-UP-72-0013990</b>  |   |

|                              |                         |  |   |
|------------------------------|-------------------------|--|---|
| <b>Type of Enterprise</b>    | MICRO                   | <b>Major Activity</b>                              | TRADING<br>[For availing benefits of Priority Sector Lending(PSL) ONLY] |
| <b>Type of Organisation</b>  | Proprietary             | <b>Name of Enterprise</b>                          | M/S RAMA SHANKAR DUBEY  |
| <b>Owner Name</b>            | SHRI RAMA SHANKAR DUBEY | <b>PAN</b>   | AEKPD1947D  |
| <b>Do you have GSTIN</b>     | Yes                     | <b>Mobile No.</b>                                  | 9415206498  |
| <b>Email Id</b>              | nkmishrarbj@gmail.com   | <b>Social Category</b>                             | General   |
| <b>Gender</b>                | Male                    | <b>Specially Abled(DIVYANG)</b>                    | No  |
| <b>Date of Incorporation</b> | 01/07/2017              | <b>Date of Commencement of Production/Business</b> |   |

**Bank Details**

|                     |                 |                            |
|---------------------|-----------------|----------------------------|
| <b>Bank Name</b>    | <b>IFS Code</b> | <b>Bank Account Number</b> |
| STATE BANK OF INDIA | SBIN0000170     | 10724767063                |

**Employment Details**

|             |               |              |              |
|-------------|---------------|--------------|--------------|
| <b>Male</b> | <b>Female</b> | <b>Other</b> | <b>Total</b> |
| 4           | 0             | 0            | 4            |

**Investment in Plant and Machinery OR Equipment (in Rs.)**
[https://udyamregistration.gov.in/Udyam\\_User/Udyam\\_PrintApplication.aspx](https://udyamregistration.gov.in/Udyam_User/Udyam_PrintApplication.aspx)


*(Handwritten Signature)*

31/10/2023, 16:56

Print : Udyam Registration Certificate

| S.No. | Financial Year | Enterprise Type | Written Down Value (WDV) | Exclusion of cost of Pollution Control, Research & Development and Industrial Safety Devices | Net Investment in Plant and Machinery OR Equipment[(A)-(B)] | Total Turnover (A) | Export Turnover (B) | Net Turnover [(A)-(B)] | Is ITR Filled? | ITR Type      |
|-------|----------------|-----------------|--------------------------|--|---|--------------------|---------------------|------------------------|----------------|---------------|
| 1     | 2021-22        | Micro           | 2459955.00               | 0.00   | 2459955.00  | 24486280.00        | 0.00                | 24486280.00            | Yes            | ITR - 3, 5, 6 |

## Unit(s) Details

| SN | Unit Name              | Flat                 | Building   | Village/Town | Block       | Road        | City        | Pin    | State         | District  |
|----|------------------------|----------------------|------------|--------------|-------------|-------------|-------------|--------|---------------|-----------|
| 1  | M/S RAMA SHANKAR DUBEY | INFRONTOF MVM SCHOOL | BRAHMNAGAR | BRAHMNAGAR   | ROBERTSGANJ | ROBERTSGANJ | ROBERTSGANJ | 231216 | UTTAR PRADESH | SONBHADRA |

## Official address of Enterprise

|                     |                      |                            |                          |
|---------------------|----------------------|----------------------------|--------------------------|
| Flat/Door/Block No. | INFRONTOF MVM SCHOOL | Name of Premises/ Building | BRAHMNAGAR               |
| Village/Town        | BRAHMNAGAR           | Block                      | ROBERTSGANJ              |
| Road/Street/Lane    | ROBERTSGANJ          | City                       | ROBERTSGANJ              |
| State               | UTTAR PRADESH        | District                   | SONBHADRA , Pin : 231216 |
| Mobile              | 9415206498           | Email:                     | nkmishrarbj@gmail.com    |
| Latitude            | 24.68874507509641    | Longitude:                 | 83.05373687060074        |

## National Industry Classification Code(S)

| SN. | Nic 2 Digit                              | Nic 4 Digit                              | Nic 5 Digit   | Activity      |
|-----|--|--|---|---------------|
| 1   | 43 - Specialized construction activities | 4329 - Other construction installation   | 43299 - Other construction projects n.e.c.  | Manufacturing |
| 2   | 08 - Other mining and quarrying          | 0810 - Quarrying of stone, sand and clay | 08106 - Operation of sand or gravel pits, basalt / porphyry, clay (ordinary), crushing and breaking of stone for use as a flux or raw material in lime or cement, manufacture or as building material, road metal or ballast and other materials for construction | Manufacturing |

[https://udyamregistration.gov.in/Udyam\\_User/Udyam\\_PrintApplication.aspx](https://udyamregistration.gov.in/Udyam_User/Udyam_PrintApplication.aspx)


20/10/23

31/10/2023, 16:56

Print : Udyam Registration Certificate

|   |                             |
|---|-----------------------------|
| Are you interested to get registered on Government e-Market (GeM) Portal    | No                          |
| Are you interested to get registered on TReDS Portals(one or more)          | No                          |
| Are you interested to get registered on National Career Service(NCS) Portal | No                          |
| Are you interested to get registered on NSIC B2B Portal                     | No                          |
| Are you interested in availing Free .IN Domain and a business email ID      | No                          |
| District Industries Centre  | SONBHADRA ( UTTAR PRADESH ) |
| MSME-DFO  | ALLAHABAD ( UTTAR PRADESH ) |
| Date of Udyam Registration  | 31/10/2023                  |
| Date of Printing  | 31/10/2023                  |

|                       |          |
|-----------------------|----------|
| <b>IEC Details</b>    |          |
| IEC Number            |          |
| IEC Status            | Inactive |
| IEC Registration Date |          |
| IEC Modification Date |          |



[https://udyamregistration.gov.in/Udyam\\_User/Udyam\\_PrintApplication.aspx](https://udyamregistration.gov.in/Udyam_User/Udyam_PrintApplication.aspx)

✓  
Consent



**NOTARY**  
 Ashok Singh  
 Tehsil Chunar, M.Z.P.  
 Regd. No.  
 29/17/2009  
 Dist. Mirzapur (U.P.)

*Consent*



भारतीय विशिष्ट पहचान प्राधिकरण

The Identification Authority of India

पता:

आत्मज:

एम.वी.ए

नगर),

रोबर्टसग

उत्तर प्रदे

Ar

S

S

Prac

bey,

rahm

anj,

anj, Uttar

4110 XXXX 6995



1947

1800 300 1947



help@uidai.gov.in



www.uidai.gov.in



**MINISTRY OF JAL SHAKTI**  
**(Department Of Water Resources, River Development And Ganga Rejuvenation)**  
**(CENTRAL GROUND WATER AUTHORITY)**

**NOTIFICATION**

New Delhi, the 24th September, 2020

**S.O. 3289(E).**—WHEREAS, on the directions of Hon'ble Supreme Court vide its order dated the 10th December, 1996 passed in Civil writ Petition No 4677 of 1985, MC Mehta Vs Union of India, the Central Government constituted the Central Ground Water Authority (hereafter referred to as the 'Authority') vide notification number S.O. 38 (E), dated the 14<sup>th</sup> January, 1997 to exercise powers under Section 5 of the Environment (Protection) Act, 1986 (29 of 1986) for the purposes of regulation and control of Ground Water management and development and to exercise certain powers and perform certain functions relating thereto;

AND WHEREAS, the Authority has been regulating ground water development and management by way of issuing 'No Objection Certificates' for ground water extraction to industries or infrastructure projects or Mining Projects etc., and framed guidelines in this connection from time to time in twenty two States and two Union territories, where ground water development is not being regulated by the State Government Union Territory administration concerned;

AND WHEREAS, some of the State Governments or, Union territories enacted legislations and issued regulatory directions or orders for regulating ground water development and management;

AND WHEREAS, the Hon'ble National Green Tribunal, New Delhi vide order dated the 15<sup>th</sup> April 2015 in OA Nos. 204/205/206 of 2014 has issued directions to the Authority to ensure that any person operating tube-well, or any means to extract ground water shall obtain permission from the Authority and shall operate the same subject to the law in force, even if such unit is existing unit or the unit is yet to be established;

AND WHEREAS, the said Hon'ble Tribunal vide its order dated the 09<sup>th</sup> July, 2015 in OA Nos. 34 and 37 of 2014 directed all industrial units which are members of the Common Effluent Treatment Plants (CETPs) to approach the Authority through State Pollution Control Board for obtaining 'No Objection Certificate' in accordance with the law;

AND WHEREAS, the aforesaid Hon'ble Tribunal vide order dated the 13<sup>th</sup> July, 2017 in OA No 200- of 2014 directed that every industry should be directed to pay for extraction of such water, that too, subject to the conditions stated in the order permitting such extraction;

AND WHEREAS, the said Hon'ble Tribunal vide its order dated the 28<sup>th</sup> August, 2018 in O.A. Nos. 176 of 2015 and 59 of 2012 respectively directed the Ministry of Water Resources, River Development and Ganga Rejuvenation to forthwith review the existing mechanism so as to ensure effective steps for conserving the groundwater resources;

AND WHEREAS, in pursuance of the directions of the Hon'ble National Green Tribunal and powers conferred by sub-section (3) of section 3 and section 5 of the Environment (Protection) Act, 1986 the Authority, with a view to protect the ground water resources had circulated the draft guidelines for grant of 'No Objection Certificate' on the 11<sup>th</sup> October, 2017 inviting comments and suggestions from all the stakeholders;

AND WHEREAS, all objections and suggestions received in response to the said draft guideline have been duly considered by the Central Government, the Authority notified the guidelines to regulate groundwater over-exploitation and to conserve the groundwater resources in the country vide notification number S.O. 6140 (E), dated the 12<sup>th</sup> December, 2018;

AND WHEREAS, the aforesaid Hon'ble Tribunal vide order dated the 03<sup>rd</sup> January 2019 in the OA No. 176 of 2015 directed that the above mentioned notification dated the 12<sup>th</sup> December, 2018 may not be given effect to as it is unsustainable if tested on 'Precautionary Principle, Sustainable development as well as Inter-generational Equity Principles' and if implemented, will result in fast depletion of groundwater and damage to water bodies and will be destructive of the fundamental right to life under Article 21 of the Constitution of India;

AND WHEREAS, the said Hon'ble Tribunal vide order dated the 11<sup>th</sup> September, 2019 constituted a committee to deliberate on steps for preventing depletion of groundwater, robust monitoring mechanism

against unauthorised extractions and fulfillment of 'No Objection Certificate' conditions, environment compensation etc and to submit a report;

AND WHEREAS, the aforesaid committee submitted the report along-with draft guidelines to regulate groundwater extraction and groundwater conservation in Hon'ble Tribunal on the 16<sup>th</sup> March, 2020;

AND WHEREAS, the above said Hon'ble Tribunal vide order dated the 20<sup>th</sup> July, 2020 directed to comply with certain points for sustainable groundwater management while issuing 'No Objection Certificates' to commercial establishments by the Authority;

Now therefore, in pursuance of the directions of Hon'ble National Green Tribunal and the powers conferred by sub-section (3) of Section 3 read with Section 5 of the Environment (Protection) Act, 1986 (29 of 1986), the Department of Water Resources, River Development & Ganga Rejuvenation, hereby notifies the guidelines to regulate and control groundwater extraction in the country in supersession to this Ministry notification vide S.O. 6140 (E), dated the 12<sup>th</sup> December, 2018 as per the Schedule below:

### **SCHEDULE**

#### **Guidelines to regulate and control ground water extraction in India**

**(with immediate effect)**

#### **INDEX**

| <b><u>ITEM</u></b>  | <b><u>Page No.</u></b> |
|---|------------------------|
| Preamble and Background   |                        |
| 1.0 Exemptions from seeking No Objection Certificate.....   | 35                     |
| 2.0 Drinking & Domestic use for Residential apartments/ Group Housing Societies/ Government water supply agencies in urban areas .....                                    | 35                     |
| 3.0 Agriculture Sector .....  | 36                     |
| 4.0 Commercial Use .....  | 36                     |
| 4.1 Industrial Use.....   | 36                     |
| 4.2 Mining Projects .....   | 37                     |
| 4.3 Infrastructure projects.....  | 38                     |
| 5.0 Ground water abstraction/ restoration charges .....   | 39                     |
| 5.1 Rates of Ground water abstraction /restoration charges .....  | 40                     |
| 6.0 Bulk Water Supply .....   | 42                     |
| 7.0 Abstraction of Saline ground water .....  | 42                     |
| 8.0 Protection of Wetland Areas.....  | 42                     |
| 9.0 General compliance conditions in No Objection Certificate .....   | 43                     |
| 10.0 Monitoring of compliance of No Objection Certificate Conditions.....   | 43                     |
| 11.0 Renewal of No Objection Certificate .....  | 44                     |
| 12.0 Extension of No Objection Certificate .....  | 44                     |
| 13.0 Delegation of powers against illegal groundwater withdrawal .....  | 44                     |
| 14.0 Ground Water Level Monitoring.....   | 45                     |
| 15.0 Environmental Compensation .....   | 45                     |
| 15.1 Rates of Environmental Compensation: .....   | 45                     |
| 15.2 Deterrent Factors to compensate losses and environmental damage (for packaged drinking water units, mining, industries and infrastructural dewatering projects)..... | 46                     |
| 16.0 Provision of Penalty .....   | 46                     |
| 17.0 Other important Conditions (Applicable to all): .....  | 48                     |

[F. No. CGWA-21/4/2020-CGWA]

ASHISH KUMAR, Director

**ANNEXURES**

- Annexure I: Estimation of water requirements for drinking and domestic use.
- Annexure II: Guidelines for construction of piezometers and monitoring of groundwater levels and quality.
- Annexure III: Measures to be adopted to ensure prevention from pollution in the plant premises of polluting industries/ projects.
- Annexure IV: Outline of hydro-geological report for obtaining No Objection Certificate for industries.
- Annexure V: Format of the Report on ground water conditions (for mining projects).
- Annexure VI: Indicative list of Infrastructure projects.
- Annexure VII: Supreme Court Order in Civil Writ petition 36 of 2009 regarding measures for prevention of fatal accidents of small children due to their falling into abandoned bore wells and tube wells.
- Annexure VIII: List of States/ Union territories where ground water extraction is being regulated by Central Ground Water Authority (CGWA)
- Annexure IX: Glossary of technical terms used
- Annexure X : Annual water audits by the industries

**Guidelines to regulate and control groundwater extraction in India****Preamble and Background:**

On the directions of Hon'ble Supreme Court vide its order dated 10th December, 1996 passed in Civil writ Petition No 4677 of 1985, MC Mehta Vs Union of India, the Central Government had constituted the Central Ground Water Board as Authority vide notification number S.O. 38 (E), dated the 14<sup>th</sup> January, 1997 to exercise powers under sub section (3) of section 3 of the Environment (Protection) act, 1986 (29 of 1986) for the purposes of regulation and control of Ground Water Management and Development and to exercise certain powers and perform certain functions as per the said Act.

The Authority has been regulating ground water development and management by way of issuing 'No Objection Certificates' for ground water extraction to industries or infrastructure projects or Mining Projects etc., and framed guidelines in this connection from time to time applicable in twenty two States and two Union territories, where ground water development is not being regulated by the State Government and Union territory administration concerned.

To have sustainable management of water resources in the country groundwater abstraction guidelines have been prepared to regulate groundwater extraction and conserve the scarce groundwater resources in the country.

These guidelines will come into force with immediate effect from the date of Gazette Notification and will supersede all earlier guidelines issued by the Central Ground Water Authority (CGWA).

These guidelines will have pan India applicability. Ground water abstraction in States/ Uts (which are not regulating ground water abstraction) shall continue to be regulated by Central Ground Water Authority.

Further, wherever States/ Uts have come out with their own groundwater abstraction guidelines, which are inconsistent with the CGWA guidelines, the provisions of CGWA guidelines will prevail. However, in case the guidelines followed by such States/ Uts contain some more stringent provisions than CGWA guidelines, such provisions may also be given effect to by the States/ Uts Authorities in addition to those contained in the CGWA guidelines. States may be at liberty to suggest additional conditions/ criteria based on the local hydro-geological situations which shall be reviewed by CGWA/Ministry of Jal Shakti, Government of India before acceptance.

All new/existing industries, industries seeking expansion, infrastructure projects and mining projects abstracting ground water, unless specifically exempted under Para 1.0 below, will be required to seek No Objection Certificate from Central Ground Water Authority or, the concerned State/ UT Ground Water

Authority as the case may be. The entire process of grant of No Objection Certificate shall be online through a web based application system.

Water management plans shall be prepared by all the State Ground Water Authorities/ Organizations for all Over-exploited, Critical and Semi-critical assessment units starting with Over-exploited units. Water management plans shall be reviewed and updated periodically. Water management plans, data on water availability and scarcity and policy framed in this regard shall be placed on the websites of Central Ground Water Authority/ State Ground Water Authority.

### 1.0 Exemptions from seeking No Objection Certificate:

Following categories of consumers shall be exempted from seeking No Objection Certificate for ground water extraction:

- (i) Individual domestic consumers in both rural and urban areas for drinking water and domestic uses.
- (ii) Rural drinking water supply schemes.
- (iii) Armed Forces Establishments and Central Armed Police Forces establishments in both rural and urban areas.
- (iv) Agricultural activities.
- (v) Micro and small Enterprises drawing ground water less than 10 cum/day.

### 1.1 Registration of Drilling Rigs

State / Ut Governments shall be responsible for registering drilling rigs operating within their jurisdiction and for maintaining the database of wells drilled by them. Appropriate link shall be provided in CGWA portal for making the data available to CGWA.

### 2.0 Drinking & Domestic use for Residential apartments/ Group Housing Societies/ Government water supply agencies in urban areas

For grant of No Objection Certificate for ground water extraction, the project proponent has to furnish the details as per the guidelines issued by the CGWA in proper format as available in CGWA website. No Objection Certificate for new /existing wells shall be granted only in such cases where the local Government water supply agency is unable to supply requisite amount of water in the area.

No Objection Certificate shall be granted subject to the following specific conditions:

- i) Installation of Sewage Treatment Plants shall be mandatory for all residential apartments/ Group Housing Societies where ground water requirement is more than 20 m<sup>3</sup>/day. The water from Sewage Treatment Plants shall be utilized for toilet flushing, car washing, gardening etc.
- ii) The No Objection Certificate shall be valid for a period of five years from the date of issue or till such time local Government water supply is provided to the project area, whichever is earlier. In case the project proponent receives water supply from the concerned local Government Water Supply Agency during the validity of the No Objection Certificate, intimation regarding availability of public water supply shall be sent by the project proponent to CGWA and No Objection Certificate will be cancelled by the Authority. In other cases, the project proponent will apply for renewal of No Objection Certificate, ninety days before the expiry of No Objection Certificate.
- iii) Proponents shall be liable to pay ground water abstraction charges for the quantum of ground water proposed to be extracted, as per rates mentioned in Table 5.1.

### Documents to be submitted with the application

- a) Details of water requirement computed as per National Building Code, 2016 (**Annexure I**), taking into account recycling/ reuse of treated water for flushing etc.
- b) Affidavit on non-judicial stamp paper of Rs. 10/- by the applicant, confirming non/ inadequate availability of public water supply in case of users requiring ground water up to 10 m<sup>3</sup>/ day for drinking/ domestic use.
- c) Certificate of non-availability of water from local government water supply agency in cases requiring ground water in excess of 10 m<sup>3</sup>/ day for drinking/ domestic use. Government water supply agencies

applying for No Objection Certificate shall submit copy of government approval of the scheme/project proposed to be implemented.

- d) Ground water quality data of existing bore well/ tube well/ dug well from any National Accreditation Board for Testing and Calibration Laboratories (NABL) accredited laboratory or Govt. approved laboratory (in case of existing projects applying for no objection certificate)
- e) Proposal for rain water harvesting/ recharge within the premises as per Model Building Bye Laws issued by Ministry of Housing & Urban Affairs.

### 3.0 Agriculture Sector

Agriculture sector is the backbone of the Indian economy. As per Minor Irrigation Census 2013-14, 87.86% of wells are owned by marginal, small and semi-medium farmers having land holding up to 4 hectares (ha). Around 9.18 % of wells are owned by medium farmers having land holding 4 – 10 ha and 2.96% of the wells are owned by big farmers having land holding more than 10 ha.

Considering the number of ground water abstraction structures, regulation of ground water in agriculture sector through a 'command and control' strategy will prove to be an arduous task. Therefore, a participatory approach for sustainable ground water management would be more productive.

States/Uts are advised to review their free/subsidized electricity policy to farmers, bring suitable water pricing policy and may work further towards crop rotation/diversification/other initiatives to reduce over-dependence on groundwater.

Agriculture sector shall be exempted from obtaining No Objection Certificate for ground water extraction.

### 4.0 Commercial Use

No new major industries shall be granted No Objection Certificate in over-exploited assessment areas except as per the policy guidelines.

Availability of ground water resources shall be given due regard while considering applications for grant of No Objection Certificate for commercial use.

Commercial entities extracting ground water shall be required to submit online annual water audit report including an audit of water use as mentioned in the relevant sections. CGWA/ State Ground Water Authority (SGWA) shall publish all such audit reports online.

CGWA/ SGWAs shall engage independent agencies to verify the compliance of No Objection Certificate conditions periodically.

#### 4.1 Industrial Use

In Over-exploited assessment units, No Objection Certificate shall not be granted for ground water abstraction to any new industry except those falling in the category of Micro, Small and Medium Enterprises (MSME). However, No Objection Certificate for drinking/ domestic use for work force, green belt use by these new industries shall be permitted. Expansion of existing industries involving increase in quantum of ground water abstraction in over-exploited assessment units shall not be permitted. No Objection Certificate shall not be granted to new packaged water industries in Overexploited areas, even if they belong to MSME category.

No Objection Certificate for ground water extraction by industries shall be granted subject to the following specific conditions:

- i) No Objection Certificate shall be granted only in such cases where local government water supply agencies are not able to supply the desired quantity of water.
- ii) All industries shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- iii) All industries abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of Indian Industries (CII)/ Federation Indian Chamber of Commerce and Industry (FICCI)/ National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to CGWA. All such industries shall be

- required to reduce their ground water use by at least 20% over the next three years through appropriate means.
- iv) Construction of observation well(s) (piezometer)(s) within the premises and installation of appropriate water level monitoring mechanism as mentioned in Section 15 shall be mandatory for industries drawing/ proposing to draw more than 10 m<sup>3</sup>/day of ground water and. Monitoring of water level shall be done by the project proponent. The piezometer (observation well) shall be constructed at a minimum distance of 15 m from the bore well/production well. Depth and aquifer zone tapped in the piezometer shall be the same as that of the pumping well/ wells. Detailed guidelines for design and construction of piezometers are given in **Annexure II**. Monthly water level data shall be submitted to the CGWA through the web portal.
  - v) The proponent shall be required to adopt roof top rain water harvesting/ recharge in the project premises. Industries which are likely to pollute ground water (chemical, pharmaceutical, dyes, pigments, paints, textiles, tannery, pesticides/ insecticides, fertilizers, slaughter house, explosives etc.) shall store the harvested rain water in surface storage tanks for use in the industry.
  - vi) Injection of treated/ untreated waste water into aquifer system is strictly prohibited.
  - vii) Industries which are likely to cause ground water pollution e.g. Tanning, Slaughter Houses, Dye, Chemical/ Petrochemical, Coal washeries, other hazardous units etc. (as per CPCB list) need to undertake necessary well head protection measures to ensure prevention of ground water pollution (**Annexure III**).
  - viii) All industries drawing ground water in safe, semi-critical and critical assessment units shall be required to pay ground water abstraction charges as applicable as per Tables 5.2 A and 5.3 A.
  - ix) All existing industries drawing ground water in over-exploited assessment units shall be liable to pay ground water restoration charges as applicable as per Tables 5.2 B and 5.3 B.

#### Documents to be submitted with the application

- (a) An affidavit on non judicial stamp paper of Rs. 10/- regarding non availability of water supply from local government agencies in cases where ground water requirement is up to 10 m<sup>3</sup>/day.
- (b) Certificate regarding non/ partial availability of fresh water/ treated waste water supply from the local government water supply agency in cases where requirement of ground water is more than 10 m<sup>3</sup>/day.
- (c) Ground water quality data of existing bore well/ tube well/ dug well from any NABL accredited laboratory or Govt. approved laboratory (in case of existing projects applying for No Objection Certificate)
- (d) Water quality data of bore well/ tube well/ dug well in respect of existing industries from NABL accredited laboratories/Government approved laboratories.
- (e) Proposal for rain water harvesting/ recharge within the premises as per Model Building Bye Laws issued by Ministry of Housing & Urban Affairs.
- (f) **Impact Assessment report:** All projects extracting/proposing to extract ground water in excess of 100 m<sup>3</sup>/day in Over-exploited, Critical and Semi-critical areas shall have to mandatorily submit impact assessment report of existing/ proposed ground water withdrawal on the ground water regime and also socio-economic impacts report prepared by accredited consultants. Pro-forma for the report is given in **Annexure IV**.

#### 4.2 Mining Projects

All existing as well as new mining projects will be required to obtain No Objection Certificate for ground water abstraction. Since mining projects are location specific, there will be no ban on grant of No Objection Certificate for abstraction of ground water for such projects in over-exploited assessment units.

No Objection Certificate for mining projects shall be granted subject to the following specific conditions:

- i) It shall be mandatory for all the mining industries to ensure that water available from de-watering operations is properly treated and should be gainfully utilized for supply for irrigation, dust

suppression, mining process, recharge in downstream and for maintaining e-flows in the river system.

- ii) Construction of observation well(s) (piezometers) along the periphery in the premises, for monthly ground water level monitoring, shall be mandatory for mines drawing/ proposing to draw more than 10 m<sup>3</sup>/day of ground water. Depth and aquifer zone tapped in the piezometer shall be commensurate with that of pumping well/ wells.
- iii) In addition, the proponent shall monitor ground water levels by establishing observation wells (piezometers) in the core and buffer zones as specified in the No Objection Certificate.
- iv) In case of coal and other base metal mining the project proponent shall use the advance dewatering technology (by construction of series of dewatering abstraction structures) to avoid contamination of surface water.
- v) In addition to this, all mining units shall also monitor the water quality of mine seepage and mine discharge through NABL accredited/ Govt. approved laboratories and the same shall be submitted at the time of self compliance.
- vi) All mining projects drawing ground water in safe, semi-critical and critical assessment units shall be required to pay ground water abstraction charges as applicable as per Tables 5.4 A.
- vii) All mining projects drawing ground water in over-exploited assessment units shall be liable to pay ground water restoration charges as per Table 5.4 B.

#### **Documents to be submitted with the application**

- (a) Mining plan approved by the concerned Govt. agency/ department.
- (b) Proposal for rain water harvesting/ recharge within the premises as per Model Building Bye Laws issued by Ministry of Housing & Urban Affairs.
- (c) Comprehensive report prepared by accredited consultant on ground water conditions in both core and buffer zones of the mine, depth wise and year wise mine seepage calculations, impact assessment of mining and dewatering on ground water regime and its socio-economic impact, details of recycling, reuse and recharge, reduction of pumping with use of technology for mining and water management to minimize and mitigate the adverse impact on ground water, based on local conditions. Format for report is given in **Annexure V**.

#### **4.3 Infrastructure projects:**

Since infrastructure projects are location specific, grant of No Objection Certificate to such projects located in over-exploited assessment units shall not be banned. New infrastructure projects/ residential buildings may require dewatering during construction activity and/ or use ground water for construction. In both cases, applicants shall seek No Objection Certificate from CGWA before commencement of work. However, in over-exploited assessment units, use of ground water for construction activity shall be permitted only if no treated sewage water is available within 10 km radius of the site. New as well as existing Infrastructure projects shall also be required to seek No Objection Certificate for abstraction of ground water.

No 'No Objection Certificate' shall be granted for extraction of groundwater for Water Parks, Theme Parks and Amusement Parks in over-exploited assessment units.

Indicative list of Infrastructure projects is given in Annexure VI.

The No Objection Certificate for ground water abstraction will be granted subject to the following specific conditions:

- i) In case of infrastructure projects that require dewatering, proponent shall be required to carry out regular monitoring of dewatering discharge rate (using a digital water flow meter) and submit the data through the web portal to CGWA/SGWA as applicable. Monitoring records and results should be retained by the proponent for two years, for inspection or reporting as required by CGWA/SGWA.

- ii) Installation of Sewage Treatment Plants (STP) shall be mandatory for new projects, where ground water requirement is more than 20 m<sup>3</sup>/day. The water from STP shall be utilized for toilet flushing, car washing, gardening etc.
- iii) For infrastructure dewatering/ construction activity, No Objection Certificate shall be valid for specific period as per the detailed proposal submitted by the project proponent.
- iv) All infrastructure projects drawing ground water in safe, semi-critical and critical assessment units shall be required to pay ground water abstraction charges as applicable as per Table 5.3 A.
- v) All infrastructure projects (new/ existing) drawing ground water in over-exploited assessment units shall be liable to pay ground water restoration charges as per Table 5.3 B.

#### **Documents to be submitted with the application**

- (a) In cases where dewatering is involved, submission of impact assessment report prepared by an accredited consultant on the ground water situation in the area giving detailed plan of pumping, proposed usage of pumped water and comprehensive impact assessment of the same on the ground water regime shall be mandatory. The report should highlight environmental risks and proposed management strategies to overcome any significant environmental issues such as ground water level decline, land subsidence etc.
- (b) An affidavit on non judicial stamp paper of Rs. 10/- regarding non availability of water from any other source in case water is required for construction in safe and semi critical areas.
- (c) Certificate from a government agency regarding non availability of treated sewage water for construction within 10 km radius of the site in critical and over-exploited areas.
- (d) Certificate of non-availability of water from local government water supply agency in respect of all categories of assessments units for commercial use.
- (e) Proposal for rain water harvesting/ recharge within the premises as per Model Building Bye Laws issued by Ministry of Housing & Urban Affairs.
- (f) Details of water requirement computed as per National Building Code, 2016 (**Annexure I**), taking into account recycling/ reuse of treated water for flushing etc. (in case of completed infrastructure projects for commercial use).
- (g) Completion certificate from the concerned agency for infrastructure projects requiring water for commercial use.

#### **5.0 Ground water abstraction/ restoration charges**

All residential apartments/ group housing societies/ Government water supply agencies in urban areas shall be required to pay ground water abstraction charges.

All industries/mining/ infrastructure projects drawing ground water in safe, semi-critical and critical assessment units will have to pay ground water abstraction charges based on quantum of ground water extraction and category of assessment unit as per details given in this guideline.

All existing mining/ infrastructure projects and existing industries including MSME drawing ground water in over-exploited assessment units will have to pay ground water restoration charges based on quantum of ground water extraction. Further, new MSME, new infrastructure and new Mining projects in over exploited areas shall also be required to pay ground water restoration charges.

Existing industries, infrastructure units and mining projects which have installed/constructed artificial recharge structures in compliance of the conditions prescribed in the groundwater guidelines prevailing at the time of grant of No Objection Certificate or its renewal shall be eligible for a rebate of 50% (fifty percent) in the ground water abstraction charges/ground water restoration charges, subject to their satisfactory performance and verification.

The revenue generated from the proposed water abstraction/ restoration charges shall be kept in a separate fund for implementation of site specific suitable demand/ supply side interventions.

**5.1 Rates of Ground water abstraction /restoration charges****I. Drinking and domestic use for residential apartments/ group housing societies/ Government water supply agencies in Urban areas**

All residential apartments/ Group Housing Societies requiring water only for drinking/domestic use requiring No Objection Certificate would pay ground water abstraction charges as per rates given below in Table 5.1.

**Table 5.1 Ground Water Abstraction charges for Drinking & Domestic use.**

| Quantum of Groundwater withdrawal<br>(m <sup>3</sup> /month) | Rate of ground water abstraction charges<br>(Rs. per m <sup>3</sup> ) |
|--|---|
| 0-25   | No charge   |
| 26-50  | 1.00  |
| >50  | 2.00  |

Government water supply agencies and Government infrastructure projects shall pay Ground water abstraction Charges @ Rs. 0.50 per m<sup>3</sup>.

**II. Packaged Drinking Water units**

Rates of ground water abstraction charges for packaged drinking water units in safe, semi-critical and critical assessment units are given in Table 5.2 A and those for ground water restoration charges in over-exploited assessment units are given in Table 5.2 B.

**Table 5.2 A: Rates of ground water abstraction charges for packaged drinking water units (Rs per m<sup>3</sup>)**

| S.No. | Category<br>of area<br>↓<br>Ground<br>water use → | Quantum of ground water withdrawal |                                   |                                     |   |  |
|-------|---|------------------------------------|-----------------------------------|-------------------------------------|---|--|
|       |   | Up to<br>50m <sup>3</sup> /day     | 51 to <200<br>m <sup>3</sup> /day | 200 to <1000<br>m <sup>3</sup> /day | 1000 to<br><5000<br>m <sup>3</sup> /day | 5000<br>m <sup>3</sup> /day<br>and above |
| 1.    | Safe  | 1.00                               | 3.00                              | 5.00                                | 8.00                                    | 10.00                                    |
| 2.    | Semi-critical                                     | 2.00                               | 5.00                              | 10.00                               | 15.00                                   | 20.00                                    |
| 3.    | Critical  | 4.00                               | 10.00                             | 20.00                               | 40.00                                   | 60.00                                    |

**Table 5.2 B: Rates of ground water restoration charges for packaged drinking water units (Rs per m<sup>3</sup>)**

| S.No. | Category<br>of area<br>↓<br>Ground<br>water use → | Quantum of ground water withdrawal |                                   |                                     |   |  |
|-------|---|------------------------------------|-----------------------------------|-------------------------------------|---|--|
|       |   | Up to 50<br>m <sup>3</sup> /day    | 51 to <200<br>m <sup>3</sup> /day | 200 to <1000<br>m <sup>3</sup> /day | 1000 to<br><5000<br>m <sup>3</sup> /day | 5000<br>m <sup>3</sup> /day<br>and above |
| 1.    | Over-exploited<br>(existing<br>industries only)   | 8.00                               | 20.00                             | 40.00                               | 80.00                                   | 120.00                                   |

**III. Other Industries & infrastructure projects**

Rates of ground water abstraction charges for other industries and infrastructure projects in safe, semi-critical and critical assessment units are given in Table 5.3 A and those for ground water restoration charges in over-exploited assessment units are given in Table 5.3 B.

**Table 5.3 A: Rates of Ground Water abstraction charges for other industries & infrastructure projects (Rs per m<sup>3</sup>)**

| S.No. | Category of area<br>↓<br>Ground water use → | Quantum of ground water withdrawal |                                  |                                   |                                    |
|-------|---|------------------------------------|----------------------------------|-----------------------------------|------------------------------------|
|       |   | < 200 m <sup>3</sup> /day          | 200 to <1000 m <sup>3</sup> /day | 1000 to <5000 m <sup>3</sup> /day | 5000 m <sup>3</sup> /day and above |
| 1.    | Safe  | 1.00                               | 2.00                             | 3.00                              | 5.00                               |
| 2.    | Semi-critical                               | 2.00                               | 3.00                             | 5.00                              | 8.00                               |
| 3.    | Critical                                    | 4.00                               | 6.00                             | 8.00                              | 10.00                              |

**Table 5.3 B: Rates of ground water restoration charges for other industries & infrastructure projects (Rs per m<sup>3</sup>)**

| S.No. | Category of area<br>↓<br>Ground water use →   | Quantum of ground water withdrawal |                                  |                                   |                                    |
|-------|---|------------------------------------|----------------------------------|-----------------------------------|------------------------------------|
|       |   | < 200 m <sup>3</sup> /day          | 200 to <1000 m <sup>3</sup> /day | 1000 to <5000 m <sup>3</sup> /day | 5000 m <sup>3</sup> /day and above |
| 1.    | Over-exploited (existing industries / new Industries as per the present Guidelines) | 6.00                               | 10.00                            | 16.00                             | 20.00                              |

**IV. Mining projects**

Rates of ground water abstraction charges for mining, which are drawing ground water in safe, semi-critical and critical assessment units are given in Table 5.4 A and those for ground water restoration charges in case of projects drawing ground water in over-exploited assessment units are given in Table 5.4 B.

**Table 5.4 A: Rates of ground water abstraction charges for mining (Rs. per m<sup>3</sup>)**

| S.No. | Category of area<br>↓<br>Ground water use → | Quantum of ground water withdrawal |                                  |                                   |                                    |
|-------|---|------------------------------------|----------------------------------|-----------------------------------|------------------------------------|
|       |   | < 200 m <sup>3</sup> /day          | 200 to <1000 m <sup>3</sup> /day | 1000 to <5000 m <sup>3</sup> /day | 5000 m <sup>3</sup> /day and above |
| 1.    | Safe  | 1.00                               | 2.00                             | 2.50                              | 3.00                               |
| 2.    | Semi-critical                               | 2.00                               | 2.50                             | 3.00                              | 4.00                               |
| 3.    | Critical                                    | 3.00                               | 4.00                             | 5.00                              | 6.00                               |

**Table 5.4 B: Rates of ground water restoration charges for mining (Rs. per m<sup>3</sup>)**

| S.No. | Category<br>of area<br>↓<br>Ground water<br>use → | Quantum of ground water withdrawal |                                     |   |                                       |
|-------|---|------------------------------------|-------------------------------------|---|---------------------------------------|
|       |   | < 200<br>m <sup>3</sup> /day       | 200 to <1000<br>m <sup>3</sup> /day | 1000 to<br><5000<br>m <sup>3</sup> /day | 5000 m <sup>3</sup> /day and<br>above |
| 1.    | Over-exploited                                    | 4.00                               | 5.00                                | 6.00                                    | 7.00                                  |

### 6.0 Bulk Water Supply

All private tankers abstracting ground water and use it for supply as bulk water suppliers will now mandatorily seek No Objection Certificate for ground water abstraction. The bulk water suppliers through tankers drawing ground water in safe, semi-critical and critical assessment units shall pay groundwater abstraction charges as per the **Table-6.1 A**. The bulk water suppliers drawing ground water in over-exploited assessment units shall pay the groundwater restoration charges as per the **Table-6.1 B**. All tankers will have to install GPS based system for their monitoring of movement/area of operation.

Modalities for issue of No Objection Certificate for bulk/tanker water supplies shall be worked out in consultation with States/Uts and suitable guidelines in this regard will be framed and issued separately for the same.

**Table-6.1A: Groundwater abstraction charges for Bulk/Tanker water supplies**

| Category      | Rate per m <sup>3</sup> (in Rs.) |
|---------------|----------------------------------|
| Safe          | <b>10</b>                        |
| Semi Critical | <b>20</b>                        |
| Critical      | <b>25</b>                        |

**Table-6.1B: Groundwater abstraction charges for Bulk/Tanker water supplies**

| Category       | Rate per m <sup>3</sup> (in Rs.) |
|----------------|----------------------------------|
| Over Exploited | <b>35</b>                        |

### 7.0 Abstraction of Saline ground water

Abstraction of saline ground water in areas having either saline ground water at all depths or pockets of saline ground water in an otherwise fresh water area for use by industries/ dewatering by infrastructure/ mining projects including those located in over-exploited areas would be encouraged. Such industries shall be exempted from paying ground water abstraction charges.

The list of such assessment units having saline ground water at all depths as per the latest assessment of dynamic ground water resources will be made available by the CGWA in their website. However, due care shall be taken in respect of disposal of effluents by the units so as to protect the water bodies and the aquifers from pollution.

Detailed guidelines in this regard shall be prepared and issued separately.

### 8.0 Protection of Wetland Areas

The wet land areas in the country are very crucial as they are direct reflection of the presence of ground water in such areas. The protection of the wetland areas is being separately handled by the Wetland Authorities. Since ground water is very crucial for the survival of the wetland area, any excessive ground water development within the zone of wetland area would affect the volume of water in that wetland.

Projects falling within 500 m. from the periphery of demarcated wetland areas shall mandatorily submit a detailed proposal indicating that any ground water abstraction by the project proponent does not affect the protected wetland areas. Furthermore, before seeking permission from CGWA, the projects shall take consent/approval from the appropriate Wetland Authorities to establish their projects in the area.

### 9.0 General compliance conditions in No Objection Certificate

- i. Installation of digital water flow meter (conforming to BIS/ IS standards) having telemetry system in the abstraction structure(s) shall be mandatory for all users seeking No Objection Certificate and intimation regarding their installation shall be communicated to the CGWA within 30 days of grant of No Objection Certificate through the web-portal.
- ii. Proponents shall mandatorily get water flow meter calibrated on from an authorized agency once in a year.
- iii. Proponents shall install roof top rain water harvesting & recharge systems in the project area.
- iv. Proponents shall pay Ground Water Abstraction/ Restoration Charges based on quantum of ground water extraction as applicable as per the rates given in Section 6.
- v. Construction of purpose-built observation wells (piezometers) for ground water level monitoring shall be mandatory as per Section 15. Water level data shall be made available to CGWA through web portal. Detailed guidelines for construction of piezometers are given in **Annexure-II**.
- vi. Proponents shall monitor quality of ground water from the abstraction structure(s) once in a year. Water samples from bore wells/ tube wells / dug wells shall be collected during April/May every year and analysed in NABL accredited laboratories for basic parameters (cations and anions), heavy metals, pesticides/ organic compounds etc. Water quality data shall be made available to CGWA through the web portal.
- vii. If the existing well becomes defunct due to mechanical failure within the validity period of No Objection Certificate, the user can construct a replacement well under intimation to CGWA on web portal. The defunct well shall be properly sealed (**Refer Annexure VII**). The user will be required to submit documentary proof in this regard. However, if the existing abstraction structures fails to yield water and he proponent desires to drill another tubewell in the same premises, prior permission of the Authority shall be required. If the replacement well is to be drilled in some different place, the proponent shall obtain fresh No Objection Certificate.
- viii. Wherever feasible, requirement of water for greenbelt (horticulture) shall be met from recycled / treated waste water.
- ix. In case of change of ownership, new owner of the industry will have to apply for incorporation of necessary changes in the No Objection Certificate with documentary proof within 60 days of taking over possession of the premises.

### 10.0 Monitoring of compliance of No Objection Certificate Conditions

To monitor the compliance of No Objection Certificate conditions, Central Ground Water Authority and State/ UT Ground Water Authorities shall take the following steps:

- a. Suitable MIS will be developed for compliance monitoring.
- b. District Collectors/Deputy Commissioners (DCs) /District Magistrates (DMs) are authorized to take enforcement measures like sealing of unauthorized ground water abstraction structures, disconnection of electricity, launching of prosecution against those violating the No Objection Certificate conditions and taking action for imposition of Environmental Compensation.
- c. Technical officers of CGWB/ CGWA and State groundwater organizations are authorized to take actions with respect to monitoring and periodic inspections with the approval of competent authority.
- d. In case of violation of any of the No Objection Certificate conditions, the proponents shall be liable to pay the penalties as per **Section 16**.

**11.0 Renewal of No Objection Certificate**

No objection certificate shall be renewed periodically, subject to the compliance of the conditions mentioned therein:

- i. The applicant shall apply for renewal of No Objection Certificate at least ninety days prior to expiry of its validity.
- ii. Application for renewal of No Objection Certificate shall be accompanied by the Compliance Report.
- iii. Before granting renewal, Central Ground Water Authority or State/ Ut Authority shall satisfy itself that the conditions of No Objection Certificate have been complied with.
- iv. In case of change in category of the assessment unit, renewals would be granted with conditions as laid down for new category.
- v. No Objection Certificate will be renewed for the terms specified for various uses as follows:

| Category                                  | Use   | Term of renewal |
|---|---|-----------------|
| Critical,<br>Semi-critical<br>and<br>safe | Infrastructure projects for drinking & domestic use and urban Water Supply Agencies | 5 years         |
|   | Industries  | 3 years         |
|   | Mines   | 2 years         |
| Over exploited                            | All users in 'Over-exploited areas'   | 2 years         |

- vi. If the application for renewal is submitted in time and the CGWA/ the respective State/ Ut Authority is unable to process the application in time, No Objection Certificate shall be deemed to be extended till the date of renewal of No Objection Certificate.
- vii. If the proponent fails to apply for renewal within 3 months from the date of expiry of No Objection Certificate, the proponent shall be liable to pay Environmental Compensation for the period starting from the date of expiry of No Objection Certificate till No Objection Certificate is renewed by the competent authority.

**12.0 Extension of No Objection Certificate**

If the proponent is unable to construct the well(s) during the validity period of No Objection Certificate for genuine reasons, the proponent will have to apply for extension of No Objection Certificate. Application for extension should be supported by documents justifying the reasons for delay. Other conditions for grant of extension of No Objection Certificate will be the same as that for fresh No Objection Certificate.

Extension of No Objection Certificate will be granted for a maximum period of two years. No further extension will be granted after the expiry of the extended period. In that case, the applicant will have to apply afresh for grant of No Objection Certificate.

**13.0 Delegation of powers against illegal groundwater withdrawal**

Central Ground Water Authority has appointed the District Magistrate/ District Collector/ Sub Divisional Magistrates of each Revenue District/Sub division as Authorized Officers, who have been delegated the power to seal illegal wells, disconnect electricity supply to the energised well, launch prosecution against offenders etc. including grievance redressal related to ground water in their respective jurisdictions.

In order to further decentralise and strengthen the monitoring and compliance mechanism as per the guidelines, officials of concerned Departments of Revenue and Industries of the States/Uts shall be appointed as Authorised Officers in consultation with the State/Ut Governments.

A copy of the No Objection Certificate issued by the CGWA in the No Objection Certificate Application Portal (NOCAP) will be forwarded to the respective District Magistrate/ District Collector. In case of any violation of the directions of Central Ground Water Authority and non-fulfilment of the conditions laid

down in the No Objection Certificate, the Authorised Officers will file appropriate Petition/Original Application etc under sections 15 to 21 of the Environment (Protection) Act, 1986 in appropriate Courts.

#### 14.0 Ground Water Level Monitoring

All the project proponents (drawing ground water more than 10 cum/d) have to mandatorily construct Piezometers (observation wells) within their premises for monitoring of the ground water levels. Such a mechanism of compliance conditions has been made to ensure that every month the ground water level in the project area can be monitored and observed. In this regard the necessary criteria for monitoring of water levels through piezometers by the project proponents is given in Table 14.1.

**Table 14.1 No. of Piezometers to be constructed & Type of Water Level Monitoring Mechanism**

| S.No. | Quantum of Ground water withdrawal (cum/d) | No. of piezometer required | Monitoring mechanism |      |                     |
|-------|--|----------------------------|----------------------|------|---------------------|
|       |  |                            | Manual               | DWLR | DWLR with Telemetry |
| 1     | <10  | 0                          | 0                    | 0    | 0                   |
| 2     | 11-50                                      | 1                          | 1                    | 0    | 0                   |
| 3     | 51-500                                     | 1                          | 0                    | 1    | 0                   |
| 4     | >500                                       | 2                          | 0                    | 1    | 1                   |

The piezometer shall be suitably located to ensure that zone of aquifer tapped in the piezometer is the same as that of the pumping well.

#### 15.0 Environmental Compensation

Extraction of ground water for commercial use by industries, infrastructure units and mining projects without a valid No Objection Certificate from appropriate authority shall be considered illegal and such entities shall be liable to pay Environmental Compensation for the quantum of ground water so extracted. The norms prescribed by Central Pollution Control Board (CPCB) shall be utilized for calculating the Environmental compensation as mentioned below:

$$EC_{GW} = \text{Ground water consumption per day} \times \text{Environmental Compensation rate (ECR}_{GW}) \times \text{No. of days} \times \text{Deterrence factor}$$

where ground water consumption is in m<sup>3</sup>/day and ECR<sub>GW</sub> in Rs./ cum

##### 15.1 Rates of Environmental Compensation:

Rates of Environmental Compensation (ECR<sub>GW</sub>) for various types of users in different categories of assessment units are given in Table 15.1 to 15.3.

**Table 15.1 : ECR<sub>GW</sub> for Packaged Drinking Water units**

| S.No. | Area Category   | Water Consumption (cum/day)  |              |               |              |
|-------|-----------------|--|--------------|---------------|--------------|
|       |                 | <200/  | 200 to <1000 | 1000 to <5000 | 5000 & above |
|       |                 | Environmental Compensation Rate (ECR <sub>GW</sub> ) in Rs./m <sup>3</sup> |              |               |              |
|       | Safe            | 12   | 18           | 24            | 30           |
| 2     | Semi critical   | 24   | 36           | 48            | 60           |
| 3     | Critical        | 36   | 48           | 66            | 90           |
| 4     | Over- exploited | 48   | 72           | 96            | 120          |

**Note :-**Minimum EC<sub>GW</sub> shall not be less than Rs 1,00,000/-

**Table 15.2: ECR<sub>GW</sub> for Mining/ infrastructure dewatering projects**

| S.No. | Area Category   | Water Consumption (cum/day)  |              |               |              |
|-------|-----------------|--|--------------|---------------|--------------|
|       |                 | <200   | 200 to <1000 | 1000 to <5000 | 5000 & above |
|       |                 | Environmental Compensation Rate (ECR <sub>GW</sub> ) in Rs./m <sup>3</sup> |              |               |              |
| 1     | Safe            | 15   | 21           | 30            | 40           |
| 2     | Semi critical   | 30   | 45           | 60            | 75           |
| 3     | Critical        | 45   | 60           | 85            | 115          |
| 4     | Over- exploited | 60   | 90           | 120           | 150          |

**Note :-**Minimum EC<sub>GW</sub> shall not be less than Rs 1,00,000/-

**Table 15.3: ECR<sub>GW</sub> for Industrial units**

| S.No. | Area Category   | Water Consumption (cum/day)  |              |               |              |
|-------|-----------------|--|--------------|---------------|--------------|
|       |                 | <200   | 200 to <1000 | 1000 to <5000 | 5000 & above |
|       |                 | Environmental Compensation Rate (ECR <sub>GW</sub> ) in Rs./m <sup>3</sup> |              |               |              |
| 1     | Safe            | 20   | 30           | 40            | 50           |
| 2     | Semi critical   | 40   | 60           | 80            | 100          |
| 3     | Critical        | 60   | 80           | 110           | 150          |
| 4     | Over- exploited | 80   | 120          | 160           | 200          |

**Note :-**Minimum EC<sub>GW</sub> shall not be less than Rs 1,00,000/-

### 15.2 Deterrent Factors to compensate losses and environmental damage (for packaged drinking water units, mining, industries and infrastructural dewatering projects)

The following deterrent factors based on the duration of illegal ground water extraction shall be levied to compensate for the losses and environmental damages as detailed in Table 15.4.

**Table 15.4: Deterrent factor based on quantum of ground water withdrawal and number of years of illegal withdrawal**

| S.No. | Water Consumption | Deterrence Factor |           |          |
|-------|-------------------|-------------------|-----------|----------|
|       |                   | < 2 years         | 2-5 years | >5 years |
| 1     | <1000 KLD         | 1.00              | 1.00      | 1.25     |
| 2     | 1000-5000 KLD     | 1.00              | 1.00      | 1.50     |
| 3     | >5000 KLD         | 1.00              | 1.25      | 2.00     |

**Note:** KLD – Kilolitre per day

### 16.0 Provision of Penalty

Penalty shall be imposed on the proponents for non-compliance of No Objection Certificate conditions issued by the appropriate authority. Rates of penalty proposed for non-compliance of various conditions of No Objection Certificate are given in Table 16.1. The rates of the penalty shall be reviewed periodically with the approval of competent authority in Ministry of Jal Shakti.

**Table 16.1: Penalty provision for non Compliance of No Objection Certificate conditions**

| S. No. | Items  | Charges in Rs.   |
|--------|--|------------------|
| 1      | Non installation/faulty Digital water Flow meter with telemetry system.  | 200000           |
| 2      | Non disclosure/ construction of additional groundwater abstraction structures<br>a) Non-functional Structures.<br>b) Defunct/Abandoned<br>Note: Given rates are for unit non-functional/defunct/abandoned structures. This shall be multiplied with total such structures to arrive at consolidated penalty. | 200000<br>100000 |
| 3      | Reporting of fresh water zones as Brackish / Saline zones in application.  | 200000           |
| 4      | Non Installation of Piezometer.  | 200000           |
| 5      | Non Installation/faulty DWLR/Telemetry system  | 100000           |
| 6      | Non Construction/Inadequate capacity of Recharge / Water conservation structures.  | 500000           |
| 7      | Non maintenance of Recharge structures.  | 200000           |
| 8      | Injection of treated/untreated water into the aquifer system.<br>Note: In addition to penalty, the proponent shall bear the cost of aquifer remediation as per the provisions of Environment (Protection) Act, 1986.   | 1000000          |
| 9      | Non Submission of Water level/Water quality Data.  | 50000            |
| 10     | Non-maintenance of log book of daily withdrawal/non submission of Groundwater abstraction data.  | 50000            |
| 11     | Non submission of photograph of recharge structure(s).   | 50000            |
| 12     | Non Submission of Self Compliance report.  | 100000           |
| 13     | Construction of groundwater abstraction structures by un authorized/unregistered Drilling Rigs (per structures).   | 100000           |
| 14     | Non registration of water supply tankers.  | 500000           |
| 15     | Submission of false information/ undertaking.  | 100000           |

Charges shall also be payable for correction/modification in the existing issued No Objection Certificate letter. The details of such charges are given in [Table 16.2](#).

**Table 16.2: Proposed Charges for correction/Modification in the existing issued No Objection Certificate**

| S. No. | Items   | Charges in Rs. |
|--------|---|----------------|
| 1      | Change in recharge quantum                          | 10000          |
| 2      | Change in User ID.                                  | 5000           |
| 3      | Change in firm Name                                 | 5000           |
| 4      | Extension of No Objection Certificate               | 5000           |
| 5      | Issuance of duplicate No Objection Certificate      | 5000           |
| 6      | Issuance of corrigendum to No Objection Certificate | 5000           |
| 7      | Any other items/corrections etc                     | 5000           |

**17.0 Other important Conditions (Applicable to all):**

- i. Sale of ground water by a person/ agency not having valid no objection certificate from CGWA/State Ground Water Authority is not permitted.
- ii. In infrastructure projects, paved/parking area must be covered with interlocking/perforated tiles or other suitable measures to ensure groundwater infiltration/harvesting.
- iii. In case of Infrastructure projects, the firm/entity shall ensure implementation of dual water supply system in the projects. Compliance of the same shall be submitted through the web portal.
- iv. Non-compliance of conditions mentioned in the No Objection Certificate may be taken as sufficient reason for cancellation of no objection certificate accorded/ non-renewal of No Objection Certificate.
- v. No application shall be entertained without supporting documents as specified in relevant sections.
- vi. Abstraction structure(s) should be located inside the premises of project property.
- vii. Self compliance of conditions laid down in the no objection certificate shall be reported by the users online in the web portal of Central Ground Water Authority/state Ground Water Authority.
- viii. Processing fee prescribed, if any, from time to time shall be charged for various services.

**Note:**

1. Guidelines are subject to modification from time to time.
2. In case of any discrepancy between Hindi and English versions of this document including the annexures, the English version shall prevail.

**TRUE COPY**











ANNEXURE A-5











From

Date:

**Shri Ramashanker Dubey S/o Shri Surendra Dubey**  
Village-Kammhari Bramhnagar, Tehsil-Robertsganj  
District- Sonebhadra, U.P.

To,

**The Member Secretary,**  
U.P. Pollution Control Board,  
Building No. TC-12V,  
Vibhuti Khand, Gomti Nagar,  
Lucknow -226010

**Subject: Compliance of Environmental Clearance Conditions for Sand Stone (Building Stone) Mining Project at Araji No. 142, Village: Sonpur, Tehsil: Chunar & District: Mirzapur, State: Uttar Pradesh. (Jan-2023 to June-2023)**

**Ref No - 16/Parya/DEAC/Sandstone/MZP/2016**

Dear Sir,

This is to inform you that our project has been accorded Environmental Clearance from DEIAA, UP, for Ref no- 16/Parya/DEAC/Sandstone/MZP/2016 on dated 19-07-2016.

Point wise compliance of the stipulated environmental conditions/safeguards mentioned in the Environmental Clearance is enclosed as hard and soft copy formats.

We assure that the compliance of the conditions given by DEIAA will be strictly followed with the progress of the project on letter & spirit.

Thanking you,

Yours Sincerely,

**Ramashanker Dubey**  
**Project Proponent**

**Copy to:**

1. The Regional Officer, MoEF&CC, GOI, 5th Floor, Kendriya Bhawan, Sector H, Aliganj Lucknow- 226020.
2. The Director & Secretary (SEAC), Directorate of Environment, Lucknow, Uttar Pradesh

Registered

**District Level Environment Impact Assessment Authority, Mirzapur**

To,  
 Shri Ramashanker Dubey  
 S/o Shri Surendra Dubey  
 Village- Kammhari Bramhanagar,  
 Tehsil- Robertsganj,  
 District-Sonebhadra, U.P.

**District Magistrate, Mirzapur**  
 Chairperson of DEIAA  
 Collectarate, Mirzapur 231001  
 Phone : 05442 252480, 05442 252340, 05442 257400  
 Email : mirzapurminsoffice@gmail.com

Ref. No. /Parya/DEAC/Sandstone/MZP/2016

Date: 19-07, 2016

Sub: Environmental Clearance for Sand Stone (Building Stone) Mining at Ararji No. 142  
 Village-Sonpur, Tehsil-Chunar, District-Mirzapur. (Leased Area-1.01 Hect.)

Dear Sir,

Please refer to your application letter dated 23/05/112015 addressed to the Secretary, SEAC/Director, Directorate of Environment, Lucknow. The committee as per the noting decided that the file is revised and should be considered chronologically as per the date of revision due to original project i.e. Gata/Khasra/Ararji/Project Proponent/Total Area submitted the additional information asked for by the committee for any respective Sand Stone (Building Stone) Mining. For file revision Shri Ramashanker Dubey's acceptance letter to put the case for appraisal in the upcoming SEAC meeting. The committee also directed to submit the Undertaking project proponent and consultant that the all information/data submitted with regards to application for environmental clearance is correct and true to best of their knowledge.

According to Ministry of Environment, Forest and Climate Change Notification dated 15th January, 2016 and 20th January, 2016 S.O.190(E).—In exercise of the powers conferred by sub-section (3) of Section 3 of the Environment (Protection) Act, 1986 (29 of 1986) and in pursuance of the notification of the Government of India in the erstwhile Ministry of Environment and Forest number S.O. 1533 (E), dated the 14th September 2006 (hereinafter referred to as the said notification), the Central Government hereby constitutes the District Level Environment Impact Assessment Authority (DEIAA), for grant of environmental clearance for Category 'B2' Projects for mining of minor minerals, for all the districts in the country (hereinafter referred to as Authority for the districts) and For the purposes of assisting the Authority for the districts, the Central Government hereby constitutes the District Level Expert Appraisal Committee for all the districts of the country (hereinafter referred to as DEAC for the district). After this Notification State Level Expert Appraisal Committee (SEAC) send all records of revision Shri Ramashanker Dubey's project to Chairman of DEIAA Mirzapur.

A presentation was made by the project proponent alongwith their consultant Earthvision Enviro-Tech Pvt. Ltd.. The proponent through the documents submitted and presentation made, informed the committee that:

- 1- The environmental clearance is sought for Sand Stone (boulder mining) at Bhukhand Ararji No 142, Village- Sonpur, Tehsil-Chunar, District-Mirzapur, U.P. (Leased Area-1.01 Hect.).
2. The Project proposal falls under category " B-2" of EIA Notification, 2006 (as amended).
3. The mine lease area located between latitude N Pillar (A)25°03' 29.87" (B) 25°03' 29.88" (C)25°03' 26.37" (D)25°03' 25.82", and Longitude E Pillar (A)82°59' 58.52", (B) 83°00' 04.70" (C)83°00' 04.90" (D)82°59' 58.73" .
4. Mining will be opencast semi-mechanized.
5. The water requirement will be limited to 1.50KLD and will be provided through bore well to be dug near the leasehold.
6. Mining is proposed for Building Stone, Sand Stone and Quartzite as applied. The land used for mining area is stony land in nature and lease area is not covered with any vegetation.
7. The ultimate depth of mining will be restricted to 06 meter (24 meters cumulative depth in the entire lease period).

8. The mining operation will not be carried out in safety zone of any bridge or embankment or in eco-fragile zone such as habitat of any wild fauna.
9. The annual production of 30,000M<sup>3</sup>/annum Sand Stone is proposed.
10. The village Sonpur has electricity connection while lease area is not connected with electricity, diesel generator will be used for site office and other activities.
11. The mining is proposed as opencast type and for cleaning the face by blasting will be done.
12. This project does not attract any of the general conditions applicable on mining projects specified in EIA Notification 14/09/2006.
13. Regarding the project no litigation is pending in any court.

Based on the recommendations of the District Level Expert Appraisal Committee (meeting held on 25/05/2016) on the above said project, The District Environment Impact Assessment Authority has decided to grant the Environmental Clearance to the title project for collection of 30,000 M<sup>3</sup>/ annum Sand Stone is proposed from mining lease Area 02.50 acres is valid till lease period alongwith following General and specific Conditions:

**A. General Condition;**

1. Any addition of the mining area, change of Khasra numbers, enhancement of capacity, change in mining technology, modernization, and scope of working shall required prior environmental clearance as per EIA notification, 2006.
2. No change in the calendar plan including excavation, quantum of mineral and waste shall be made.
3. Mining will be carried out as per the approved mining plan. In case of any violation of mining plan, the Environmental Clearance given by DEIAA will be deemed null & void.
4. Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO<sub>2</sub>, NO<sub>2</sub> monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly up loaded on the company's website and also displayed at website.
5. Data on ambient air quality (RSPM, SPM, SO<sub>2</sub>, NO<sub>2</sub>) should be regularly submitted to the Regional office. MoEF. & CC, Gol., Lucknow and the State Pollution Control Board / Central Pollution Control Board once in six months.
6. Ambient air quality at the boundary of the mine premises shall confirm to the norms prescribed in MoEF & CC notification noGSR/826(E) dt. 16.11.09.
7. Fugitive dust emissions from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points shall be provided and properly maintained.
8. Measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in operations of HEMM. etc. shall be provided with ear plugs / muffs and health records of the workers shall be maintained.
9. Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR422 (E) dated 19th May, 1991 and 31st December, 1993 or as amended from time to time. Oil and grease trap shall be installed before discharge of workshop effluents.
10. Personnel working in areas shall be provided with protective respiratory devices like mask and they shall also be imparted adequate training and information on safety and health aspects.
11. Special measure shall be adopted to prevent the nearby settlements from the impacts of mining activities.
12. The transportation of the materials shall be limited to day hours time only.
13. Provision shall be made for the housing the labourers within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
14. A separate Environmental Management Cell with suitable qualified personnel shall be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.

15. The Project Proponent shall inform to the DEIAA, MoEF & CC, Gol, Lucknow and Regional office, State Pollution Control Board regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.
16. The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the DEIAA Mirzapur, MoEF, and Regional office, State Pollution Control Board.
17. The Regional Office, MoE.F & CC, Gol, Lucknow and State Pollution Control Board shall monitor compliance of the stipulated conditions. A complete set of documents, including Form-1M, Prefeasibility Report & Mining Plan Environment Impact Assessment Report, Environmental Management Plan, Public hearing and other documents information should be given to Regional Office of the MoEF & CC, Gol, Lucknow and State Pollution Control Board.
18. A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in the matter.
19. The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the District Level Environment Impact Assessment Authority (DEIAA), Mirzapur.
20. The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the DEIAA Mirzapur on 1st June and 1st December of each calendar year.
21. The DEIAA may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.
22. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act. 1986.

**B. Specific Conditions:**

1. The Environmental clearance will be co-terminus with the mining lease period.
2. Environmental clearance is subject to obtain forest clearance under Forest (Conservation) Act, 1980 as applicable.
3. Wildlife conservation plan shall be prepared in consultation with the wildlife department and implemented within six months. The plan shall comprise of in-built monitoring mechanism with special emphasis to protection of Schedule- I species. The status of implementation shall be submittal to the DEIAA Mirzapur.
4. Local employable youth shall be trained in skills relevant to the project for eventual employment in the project itself and to the extent feasible. Outside people shall not be employed.
5. A 50 m barrier of no mining zone all along the side(s) facing the nallah (if any) passing through the lease area or if passing adjacent the lease shall be demarcated and thick vegetation of native species raised, Status of implementation shall be submitted to the Regional Office of the Ministry on half yearly basis.
6. Shelter belt i.e. Wind Break consisting of adequate tiers of plantations around lease facing the human habitation, school / agricultural fields etc. (if any in the vicinity) shall be raised.
7. Blast vibration study shall be carried out and report submitted to the UPPCB / DEIAA.
8. Personnel exposure monitoring for dust shall be carried out for the worker, and records maintained.
9. Need based assessment for the nearby villages shall be conducted to study economic measures which can help in upliftment of poor section of society. Income generating projects / tools such as development of IT fodder farm, fruit bearing orchards, vocational training etc. can form a part of such programme. Company shall provide separate budget for community development activities and income generating programmes. This will be in addition to vocational training for individuals imparted to take up self employment and jobs.
10. Land-use pattern of the nearby villages shall be studied and action plan for abatement and compensation for damage to agricultural land/ common property land (if any) in the nearby villages due to mining activity shall be submitted to the Regional Office of the Ministry within six months. Annual status of implementation of the plan and expenditure thereon shall be reported to the Regional Office of the Ministry from time to time.

11. Rainwater harvesting shall be undertaken to recharge the groundwater sources. Status of implementation shall be submitted to the Regional Office of the Ministry within six months and thereafter every year from the next consequent year.
12. Measures for prevention and control of soil erosion and management of silt (as applicable) shall be undertaken. Protection of dumps, if generated, against erosion shall be carried out with geo-textile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be protected by retaining walls.
13. Waste management plan should be in accordance to the approved mining plan. Trenches / garland drains (as applicable) shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. Adequate number of Check Dams and Gully Plugs shall be constructed across seasonal/perennial nallahs (if any) flowing through the ML area and silts arrested. De-silting at regular intervals shall be carried out.
14. Garland drain of appropriate size, gradient and length shall be constructed (as applicable) for both mine pit and for waste dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de-silted at regular intervals.
15. Groundwater in the core zone shall be regularly monitored for contamination and depletion due to mining activity and records maintained. The monitoring data shall be submitted to the regional office of the Ministry regularly. Further, monitoring points shall be located between the mine and drainage in the direction of flow of ground water shall be set up and records maintained.
16. Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Regional Office of the Ministry.
17. Occupational health and safety measures for the workers including identification of work related health hazards, training on malaria eradication, HIV and health effects on exposure to mineral dust etc, shall be carried out. The company shall engage a full time qualified doctor who is trained in occupational health. Periodic monitoring for exposure to respirable mineral dust on the workers shall be conducted and records maintained including; health records of the workers. Awareness programme for workers on impact of mining on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically. Review of impact of various health measures undertaken (at interval of five years or less) shall be conducted followed by follow up action wherever required.
18. Top soil (if any) and solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of mined out area in accordance to the reclamation plan of approved mining plan. Top soil shall be separately stacked for utilization later for reclamation and shall not be stacked along with over burden.
19. Overburden (OB) shall be stacked at earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 30 m, each stage shall preferably be of 10 m and overall slope of the dump shall not exceed 28°. The OB dump shall be backfilled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface run off. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment & Forests on six monthly basis.
20. Slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by Indian Bureau of Mines / other Competent Authority.
21. Adequate plantation shall be raised in the ML area haul roads, OB dump sites etc. Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation -with the local DFO / Agriculture Department. Herbs and shrubs shall also form a part of afforestation programme besides tree plantation. The density of the trees shall be in accordance to the approved mining plan shall not be less than 2500 plants per ha. The company shall involve local people with the help of self help group for plantation programme. Details of

Details

- year wise afforestation programme including rehabilitation of mined out area shall be submitted to the Regional Office of the Ministry every year.
22. Regular monitoring of ground water level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year pre-monsoon (April-May), monsoon (August), post-monsoon (November) and winter (January.) and the data thus collected shall be regularly sent to MoEF, Central Ground Water Authority and Regional Director, Central Ground Water Board.
  23. Adequate air monitoring stations shall be installed in areas of human habitations near the mine and the results of ambient air quality shall be maintained and regularly submitted to the Regional Office of the Ministry. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and also displayed at project site.
  24. The waste water from the mine shall be treated to conform to the prescribe standards before discharging in to the natural stream. The discharged water from the falling Dam (if any) shall be regularly monitored and report submitted to the RO, Ministry of Environment & Forests and the State Pollution Control Board.
  25. Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of mineral and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments.. Transportation of mineral shall be done only during day time. The vehicles transporting mineral shall be covered with a tarpaulin or other suitable enclosures so that no dust particles/fine matters escape during the course of transportation No overloading of mineral for transportation shall be committed. The trucks transporting mineral shall not pass through wild life sanctuary.
  26. Prior permission from the Competent Authority shall be obtained for extraction of ground water, if any.
  27. Action plan for implementation with respect to suggestions / improvements and recommendations made during public consultation/hearing (as applicable) shall be submitted to the Ministry and the State Govt. within six months. (no public hearing is conducted for projects less than 5 ha area of B2 category)
  28. A final mine closure plan, along with details of Corpus Fund, shall be submitted (if applicable) to the RO Ministry of Environment & Forests & DEIAA, SEIAA UP, 5 years in advance of final mine closure for approval.
  29. Solid waste material viz gutkha rappers, plastic bags, glasses etc. to be generated during project activity will be separately stored in bins and managed as per Solid Waste Management rules.
  30. Issues raised during public presentation be strictly complied during operation phase. (no public hearing is conducted for projects less than 5 ha area of B2 category)
  31. Project proponent should maintain a register for information on (a) Quantity of material excavated / collected (b) manpower and (c) Number of Trucks deployed for transportation of mineral per day.
  32. In case project falling within 10 Km area of wild life sanctuaries a clearance from the National Board of Wild Life is to obtain even eco-sensitive zone (ESZ) has not been earmarked.
  33. Project does not fall under any buffer zone of no-development as declared/identified under any law.
  34. 33% Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Department Herbs and shrubs shall also form a part of afforestation programme besides tree plantation. The company shall involve local people for plantation programme. Details of year wise afforestation programme including rehabilitation of mined out area shall be submitted to the Regional Office, MoEF, GoI, DEIAA Mirzapur every year.

You shall also ensure that the proposed site is not a part of any no-development zone as required/prescribed/identified under law. In case of violation, this permission shall automatically deem to be cancelled. Also, in the event of any dispute on ownership or land use of the proposed site, this clearance shall automatically deem to be cancelled.

The above stipulated conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along-with their amendments and rules made there under and also any other orders passed by the Honble Courts of Law relating to the subject matter.

The project proponent will have to submit approved plans and proposals incorporating the conditions specified in the Environmental Clearance within 03 months of issuance of this clearance. The DEIAA/SEIAA/MoEF reserves the right to revoke the environmental clearance, if conditions stipulated are not implemented to the satisfaction of DEIAA/ SEIAA/ MoEF may impose additional environmental conditions or modify the existing ones, if necessary.

This is to request you to take further necessary action in matter as per provisions of Gazette Notification No. S.O. 1533(E) dated 14/09/2006, as amended and send regular compliance reports to the authority as prescribed in the aforesaid notification.

(Ratna Priya)  
Member Secretary,  
DEIAA, Mirzapur (U.P.)/  
SDM-Sadar, Mirzapur

No.....16...../Parva/DEAC/ Sandstone/MZP/2016 Dated: As Above

Copy for Information and necessary action to:

1. The Principal Secretary, Environment, U.P. Govt., Lucknow.
2. The Chairman SEIAA Dr. Bheem Rao Ambedkar Paryavaran Parisar, Directorate of Environment Uttar Pradesh.
3. Advisor, IA Division, Ministry of Environment, Forests & Climate Change, Govt. of India, Indira Paryavaran Bhawan, Jor Bagh Road, Aliganj, New Delhi.
4. Chief Conservator, Ministry of Environment & Forests, Regional Office (Central Region), Kendriya Bhawan, 5th Floor, Sector-A, Aliganj, Lucknow.
5. Director, Department of Geology & Mining, U.P. Lucknow.
6. District Magistrate, Mirzapur, U.P.
7. The Member Secretary, U.P. Pollution Control Board, TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow.
8. Copy for Web Master/Guard file.

*Ratna Priya*  
19/7/16  
Member Secretary,  
DEIAA, Mirzapur (U.P.)/  
SDM-Sadar, Mirzapur

## **TABLE OF CONTENT**

| <b>Sl. No.</b> | <b>Contents</b>                      |
|----------------|--------------------------------------|
| <b>A</b>       | <b>Compliance Report</b>             |
| <b>B</b>       | <b>Annexures</b>                     |
|                | <b>Annexures 1: ID Proof</b>         |
|                | <b>Annexures 2: CTO</b>              |
|                | <b>Annexures 3: Lease deed</b>       |
|                | <b>Annexures 4: Lab Report</b>       |
|                | <b>Annexures 5: Site Photographs</b> |

**POINT-WISE COMPLIANCE  
OF  
STIPULATED SPECIFIC AND GENERAL CONDITIONS  
IN THE  
ENVIRONMENTAL CLEARANCE LETTER  
For the period of  
Jan 2023 to June 2023**

**Reference no- 16/Parya/DEAC/Sandstone/MZP/2016  
&  
Date of Issue of EC: 19.07.2016**

**"SAND STONE (BUILDING STONE) MINING PROJECT"  
(1.01 Ha. And 30,000 m<sup>3</sup>/annum)  
at  
Araji No. - 142, Village: Sonpur,  
Tehsil: Chunar, District: Mirzapur,  
State: Uttar Pradesh**

**Submitted by  
Shri Ramashanker Dubey S/o Shri Surendra Dubey  
Village: Kammhari Bramhanagar, Tehsil: Robertsganj,  
District-Sonebhadra,  
State-Uttar Pradesh**

### **PURPOSE OF THE REPORT**

As per the “Sub Para (ii)” of “Para 10” of EIA Notification 2006, it is stated that “It shall be mandatory for the project management to submit half-yearly compliance reports in respect of the stipulated prior environmental clearance terms and conditions in hard and soft copies to the regulatory authority concerned, on 1st January and 1st June of each calendar year” and as per compliance of condition mentioned in Environment Clearance Letter (i.e. General Condition & Specific Condition), Six monthly compliance reports should be submitted to the Uttar Pradesh Pollution Control Board and Regional Office, MOEF, GOI, Lucknow and a copy to the Director & Secretary, Directorate of Environment, Lucknow, Uttar Pradesh.

It is mandatory to submit a Six Monthly Compliance Report to show the status & compliance of all the Conditions mentioned in Environment clearance Letter, along with monitoring of various Environmental Parameters (as per CPCB Norms).

The regulatory authorities in this case are Uttar Pradesh Pollution Control Board, Regional Office-MoEF (Lucknow) and U.P. DEIAA. Various scheduled Site Visits were conducted by a team of Experts to Monitor Pollution related parameters as defined by CPCB / UPPCB. Samples for Air, Water, Noise and Soil were also collected for further analysis.

Based on the Specific and General Conditions mentioned in the EC Letter, a Compliance Report was prepared by the Team on behalf of Project Proponent; details of which are present in Chapter – “Compliance Report”.

#### **Methodology for Preparation of Report is as follows:**

1. Study of EC Letter & Related Documents,
2. Site Visits by a Team of Experts,
3. Monitoring of Environment Parameters, viz. Ambient Air, Water, Noise, Noise, and Soil.
4. Analysis of Samples collected during Monitoring,
5. Interpretation of Monitoring Results,
6. Suggestions for Implementation of various Action Plans.

#### **Generic Structure of Report:**

- 1) Purpose of the Report, explaining the need of a Compliance Report and Methodology Adopted for preparation of Report.
- 2) Environment Clearance Letter, prescribing all the conditions & guidelines to be followed during construction Phase and Operation Phase of the Project.
- 3) Site Study Report, showing status of the project and site photographs.
- 4) Compliance Report, explaining the entire General & specific conditions in the EC Letter and providing details with respect to each condition/ guideline.
- 5) Monitoring Reports & Analysis, showing the level of emission with in the project site for various Environment Parameters.
- 6) Suggestions for Implementation.

**POINT WISE COMPLIANCE TO CONDITIONS OF EC ISSUED BY DEIAA, MIRZAPUR, UP,  
VIDE LETTER NO. Ref No. 16/Parya/DEAC/SANDSTONE/MZP/2016, Dated 19-07-2016**

**Environment Clearance of project "Sand Stone (Building Stone) Mining Project" Araji  
No. - 142, Village: Sonpur, Tehsil: Chunar, District: Mirzapur, U.P.  
Compliance (Jan 2023 to June 2023)**

**Details of Environmental Clearance:**

1. The environmental clearance is sought for Sandstone (Building Stone) Mining Project at Araji No. 142, Village: Sonpur, Tehsil Chunar & District: Mirzapur, State: Uttar Pradesh. (Lease Area- 1.01Ha).
2. Environmental Clearance for the proposal has been issued by DEIAA, Mirzapur U.P, vide ref of. MoEFCC Proposal no. 16/Parya/DEAC/Sandstone/MZP/2016 on 19-07-2016 for the production of 30,000 m<sup>3</sup>/annum.

| S.No.                         | Conditions  | Compliance Status   |
|-------------------------------|---|---|
| <b>(a) GENERAL CONDITIONS</b> |   |   |
| 1.                            | Any addition of the mining area, change of Khasra numbers, enhance of capacity, change in mining technology, modernization and scope of working shall require prior environmental clearance as per EIA notification, 2006.  | Noted and agreed.   |
| 2.                            | No change in the calendar plan including excavation, quantum of mineral and waste shall be made.  | Noted and agreed.   |
| 3.                            | Mining will be carried out as per the approved mining plan. In case of any violation of mining plan, the Environmental Clearance given by DEIAA will be deemed null & void.   | Noted and agreed.<br>Mining will be carried out as per the approved Mining Plan.        |
| 4.                            | Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for RSPM, SPM, SO <sub>2</sub> , NO <sub>2</sub> monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets and frequency of monitoring should be undertaken in consultation with the State Pollution Control Board. The monitored data for criteria pollutants shall be regularly up loaded on the company's website and also displayed at website. | Noted and complied.<br><br>Ambient air quality report is attached as <b>Annexure 1.</b> |
| 5.                            | Data on ambient air quality (RSPM, SPM, SO <sub>2</sub> , NO <sub>2</sub> ) should be regularly submitted to the Regional office. MoEF. & CC GoI. , Lucknow and the State Pollution Control Board/Central Pollution Control Board once in six months.   | Noted and agreed.   |

|            |  |  |
|------------|--|--|
| <b>6.</b>  | Ambient air quality at the boundary of the mine premises shall confirm to the norms prescribed in MoEF & CC notification no GSR/826(E) dt. 16.11.09.   | Noted and agreed.  |
| <b>7.</b>  | Fugitive dust emission from all the sources shall be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points shall be provided and properly maintained.   | Noted and Complied. <ul style="list-style-type: none"> <li>• Water is regularly sprinkled in the transportation route of the vehicles.</li> <li>• Haulage road is regularly maintained.</li> </ul>   |
| <b>8.</b>  | Measures shall be taken for control of noise levels below 85 dBA in the work environment Workers engaged in operations of HEMM. Etc. shall be provided with ear plugs/ muffs and health records of the workers shall be maintained.  | Noted and Complied. <ul style="list-style-type: none"> <li>• Only day time mining is carried out.</li> <li>• Noise controlled machineries are utilized in the mining activity.</li> <li>• Workers engaged in operations of HEMM, Drilling, Blasting, are provided with ear plugs/ muffs.</li> <li>• Regular health checkup camps are organized.</li> </ul> |
| <b>9.</b>  | Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards prescribed under GSR422 (E) dated 19 <sup>th</sup> may, 1991 and 31 <sup>st</sup> December. 1993 or as amended from time to time. Oil and grease trap shall be installed before discharge of workshop effluents. | No waste water is generated from the mine site. So no need for the treatment.  |
| <b>10.</b> | Personnel working in areas shall be provided with protective respiratory devices like mask and they shall also be imparted adequate training and information on safety and health aspects.   | PPEs are provided to the workers at working site.<br><br>Regular health checks up camps are also organized.  |
| <b>11.</b> | Special measure shall be adopted to prevent the nearby settlements from the impacts of mining activities.  | Noted.<br>Special measures will be adopted to prevent the nearby settlements from the impacts of mining. <ul style="list-style-type: none"> <li>• Haulage road is regularly maintained.</li> <li>• PUC certified vehicles are deployed for Transportation.</li> <li>• Water sprinkling is carried out twice a day.</li> </ul>                              |
| <b>12.</b> | The transportation of the materials shall be limited to day hours time only.   | Noted and agreed, as transportation of Minerals will be carried out during day hours.  |

|            |   |   |
|------------|---|---|
| <b>13.</b> | Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.   | <ul style="list-style-type: none"> <li>• Temporary rest shelters are provided on site.</li> <li>• Local peoples are deployed in mining activities.</li> </ul> |
| <b>14.</b> | A separate Environmental Cell with suitable qualified personnel shall be set-up under the control of senior Executive, who will directly report to the head of the organization.  | Noted and Complied.   |
| <b>15.</b> | The project proponent shall inform to the DEIAA, MoEF & CC GoI, Lucknow and Regional Office, State Pollution Control Board regarding date of financial closures and final approval of the project by the concerned authorities and the date of start of land development work.  | Noted and agreed.   |
| <b>16.</b> | The fund earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to the DEIAA Mirzapur, MoEF, and Regional Office, State Pollution Control Board.  | Budget for EMP is allocated and utilized.   |
| <b>17.</b> | The Regional Office, MoEF & CC, GoI, Lucknow and State Pollution Control Board shall monitor compliance of the stipulated conditions. A complete set of documents, including, Form-IM, Prefeasibility Report & Mining Plan Environment Impact Assessment Report, Environmental Management Plan, Public hearing and other documents information should be given to Regional Office of the MoEF & CC, GoI. Lucknow and State Pollution Control Board. | Noted and agreed.   |
| <b>18.</b> | A copy of the environmental clearance shall be submitted by the Project Proponent to the Heads of the Local Bodies, Panchayat and Municipal Bodies as applicable in the matter.   | Noted and agreed.   |
| <b>19.</b> | The Project Proponent shall advertise at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of the clearance letter informing, that the project has  | Noted and agreed.   |

|                                       |  |   |
|---------------------------------------|--|---|
|                                       | been accorded environmental clearance and a copy of the clearance letter is available with the District Level Environment Impact Assessment Authority (DEIAA), Mirzapur.   |   |
| 20.                                   | The Project Proponent has to submit half yearly compliance report of the stipulated prior environmental clearance terms and conditions in hard and soft copy to the DEIAA Mirzapur on 1st June and 1st December of each calendar year.   | Noted and agreed.   |
| 21.                                   | The DEIAA may alter/modify the above conditions or stipulate any further condition in the interest of environment protection.  | Noted and agreed.   |
| 22.                                   | Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act. 1986.  | Noted and agreed.   |
| <b><u>(b) Specific Conditions</u></b> |  |   |
| 1.                                    | The Environmental clearance will be co-terminus with the mining lease period.  | Noted and agreed.   |
| 2.                                    | Environmental clearance is subject to obtain forest clearance under Forest (Conservation) Act, 1980 as applicable.   | No forest land is utilized in the mining or its related activities<br>All the necessary clearances were already taken from Forest Department by the Mines department before auctioning the lease. |
| 3.                                    | Wildlife conservation plan shall be prepared in consultation with the wildlife department and implemented within six months. The plan shall comprise of in-built monitoring mechanism with special emphasis to protection of Schedule- I species. The status of implementation shall be submittal to the DEIAA Mirzapur. | Not applicable.<br><br>Schedule I species are not found in the Core Zone.   |
| 4.                                    | Local employable youth shall be trained in skills relevant to the project for eventual employment in the project itself and to the extent feasible. Outside people shall not be employed.  | Noted and agreed<br><br>Local peoples are deployed in mining activities and proper training programme are conducted.  |
| 5.                                    | A 50 m barrier of no mining zone all along the side(s) facing the nallah (if any) passing through the lease area or if passing adjacent the lease shall be demarcated and thick  | Noted and agreed.   |

|     |   |  |
|-----|---|--|
|     | vegetation of native species raised, Status of implementation shall be submitted to the Regional Office of the Ministry on half yearly basis.   |  |
| 6.  | Shelter belt i.e. 'Wind Break consisting of adequate tiers of plantations around lease facing the human habitation, school / agricultural fields etc. (if any in the vicinity) shall be raised.   | Noted and agreed.  |
| 7.  | Blast vibration study shall be carried out and report submitted to the UPPCB /DEIAA.  | Noted and agreed.  |
| 8.  | Personnel exposure monitoring for dust shall be carried out for the worker, and records maintained.   | <ul style="list-style-type: none"> <li>• PPEs are provided to the workers at working site.</li> <li>• Regular health checks up camps are also organized.</li> <li>• Ear plugs are being provided to the laborers who engaged near noise making machineries.</li> </ul> |
| 9.  | Need based assessment for the nearby villages shall be conducted to study economic measures which can help in upliftment of poor section of society. Income generating projects / tools such as development of IT fodder farm, fruit hearing orchards, vocational training etc. can form a part of such programme. Company shall provide separate budget for community development activities and income generating programmes. This will be in addition to vocational training for individuals imparted to take up self-employment and jobs. | Noted and Complied.<br>Budget for CER Activities is allocated @2% of the total Project Cost.   |
| 10. | Land-use pattern of the nearby villages shall be studied and action plan for abatement and compensation for damage to agricultural land/ common property land (if any) in the nearby villages due to mining activity shall be submitted to the Regional Office of the ministry within six months. Annual status of implementation of the plan and expenditure thereon shall be reported to the Regional Office of the Ministry from time to time.   | Noted and agreed.  |
| 11. | Rainwater harvesting shall be undertaken to recharge the ground water sources. Status of implementation shall be submitted to the Regional Office of the Ministry within six months and thereafter every year from the next consequent year.  | Not Applicable.  |
| 12. | Measures for prevention and control of soil erosion and management of silt (as applicable) shall be undertaken. Protection of dumps, if generated, against erosion shall be carried out with geo-textile matting or other suitable material, and thick plantations of native trees and shrubs shall be carried out at the dump slopes. Dumps shall be   | 10% margin is left from the embankments of river to avoid the soil erosion.  |

|     |   |   |
|-----|---|---|
|     | protected by retaining walls.   |   |
| 13. | Waste management plan should be in accordance to the approved mining plan. Trenches /garland drains (as applicable) shall be constructed at foot of dumps and coco filters installed at regular intervals to arrest silt from being carried to water bodies. Adequate number of Check Dams and Gully Plugs shall be constructed across seasonal/perennial nallahs (if any) following through the ML area and silts arrested. De- silting at regular intervals shall be carried out.   | Noted and agreed<br><br>Waste Management will be done as per approved Mining Plan.  |
| 14. | Garland drain of appropriate size, gradient and length shall be constructed (as applicable) for both mine pit and for waste dump and sump capacity shall be designed keeping 50% safety margin over and above peak sudden rainfall (based on 50 years data) and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper settling of silt material. Sedimentation pits shall be constructed at the corners of the garland drains and de-silted at regular intervals. | Garland drains have been constructed and have been de-silted before and after rainy season.   |
| 15. | Groundwater in the core zone shall be regularly monitored for contamination and depletion due to mining activity and records maintained. The monitoring data shall be submitted to the regional office of the Ministry regularly. Further, monitoring points shall be located between the mine and drainage in the direction of flow of ground water shall be set up and records maintained.  | Noted and agreed.   |
| 16. | Fugitive dust generation shall be controlled. Fugitive dust emission shall be regularly monitored at locations of nearest human habitation (including schools and other public amenities located nearest to sources of dust generation as applicable) and records submitted to the Regional Office of the Ministry.   | Noted and agreed.<br>Measures taken to Control the air pollution at site: <ul style="list-style-type: none"> <li>• Haulage road is regularly maintained.</li> <li>• PUC certified vehicles are deployed for Transportation.</li> <li>• All the vehicles are covered by tarpaulin sheet during the transportation of the mineral.</li> <li>• Water sprinkling is carried out twice a day.</li> </ul> |
| 17. | Occupational health and safety measures for the workers including identification of work related health hazards, training on malaria eradication, HIV and health effects on exposure to mineral dust etc, shall be carried out. The company shall engage a full time qualified doctor who is trained in occupational health. Periodic monitoring for  | Occupational Health and Safety Measures is undertaken periodically. <ul style="list-style-type: none"> <li>• PPEs are provided to the workers working site.</li> <li>• Regular health checks up camps are also organized.</li> <li>• Regular health and safety related</li> </ul>   |

|     |   |   |
|-----|---|---|
|     | <p>exposure to respirable mineral dust on the workers shall be conducted and records maintained including; health records of the workers. Awareness programme for workers on impact of mining on their health and precautionary measures like use of personal equipments etc. shall be carried out periodically Review of impact of various health measures undertaken (at interval of five years or less) shall be conducted followed by follow up action wherever required.</p>   | <p>trainings are also provided to workers.</p>  |
| 18. | <p>Top soil (if any) and solid waste shall be stacked properly with proper slope and adequate safeguards and shall be utilized for backfilling (wherever applicable) for reclamation and rehabilitation of mined out area in accordance to the reclamation plan of approved mining plan. Top soil shall be separately stacked for utilization later for reclamation and shall not be stacked along with over burden.</p>  | <p>Noted, no top soil is available in the mining lease area.</p>  |
| 19. | <p>Overburden (OB) shall be stacked at earmarked dump site(s) only and shall not be kept active for long period. The maximum height of the dump shall not exceed 30 m, each stage shall preferably be of 10 m and overall slope of the dump shall not exceed 28°. The OB dump shall be bad filled. The OB dumps shall be scientifically vegetated with suitable native species to prevent erosion and surface run off. Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Ministry of Environment &amp; Forests on six monthly basis.</p>  | <p>Not Applicable</p>   |
| 20. | <p>Slope of the mining bench and ultimate pit limit shall be as per the mining scheme approved by Indian Bureau of Mines /other Competent Authority.</p>  | <p>Noted.<br/>The slope of Mining bench and ultimate pit limit will be as per the mining scheme approved by Indian Bureau of Mines/other Competent Authority.</p> |
| 21. | <p>Adequate plantation shall be raised in the ML area haul roads, OB dump sites etc. Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation -with the local DFO / Agriculture Department. Herbs and shrubs shall able form a part of afforestation programme besides tree plantation. The density of the trees should be in accordance to the approved mining plan shall not be less than 2500 plants per ha. The company shall involve local people with the help of self-help group for plantation programme. Details of year wise afforestation programme including rehabilitation of mined Out area Shall be submitted to the Regional Office of the Ministry every</p> | <p>Noted and agreed.</p>  |

|     |   |   |
|-----|---|---|
|     | year.   |   |
| 22. | Regular monitoring of ground water level and quality shall be carried out by establishing a network of existing wells and constructing new piezometers during the mining operation. The monitoring shall be carried out four times in a year pre-monsoon (April -May), monsoon (August), post- monsoon (November) and winter (January.) and the data thus collected shall be regularly sent to MoEF, Central Ground Water Authority and Regional Director, Central Ground Water Board.  | Noted and it will be complied.  |
| 23. | Adequate air monitoring stations shall be installed in areas of human habitations near the mine and the results of ambient air quality shall be maintained and regularly submitted to the Regional Office of the Ministry. The monitored data for criteria pollutants shall be regularly uploaded on the company's website and also displayed at project site.  | Noted and it will be Complied.  |
| 24. | The waste water from the mine shall be treated to conform to the prescribe standards before discharging it to the natural stream. The discharged water from the falling Darn (if any) shall be regularly monitored and report submitted to the RO. Ministry of Environment & Forests and the State Pollution Control Board.   | Not Applicable, as no waste water will be generated from mine.  |
| 25. | Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of mineral and others shall have valid permissions as prescribed under Central Motor Vehicle Rules, 1989 and its amendments.. Transportation of mineral shall be done only during day time. The vehicles transporting mineral shall be covered with a tarpaulin or other suitable enclosures so that no dust particles/fine matters escape during the course of transportation No overloading of mineral for transportation shall be committed. The trucks transporting mineral shall not pass through wild life sanctuary. | <ul style="list-style-type: none"> <li>• Overloading is avoided.</li> <li>• PUC certified vehicles are used in the transportation of mineral.</li> <li>• All the vehicles are covered by tarpaulin sheet during the transportation of the mineral.</li> <li>• Water sprinkling is carried out twice a day.</li> </ul> |
| 26. | Prior permission from the Competent Authority shall be obtained for extraction of ground water, if any.   | Noted and agreed.   |
| 27. | Action plan for implementation with respect to suggestions/ improvements and recommendations made during public consultation/hearing (as applicable) shall be submitted to the Ministry and the State Govt. within six months. (no public hearing is conducted for projects less  | Not Applicable<br>Public hearing will not be conducted because the Project falls under B2 category with Lease area 1.01 Hect which is less than 5 ha.   |

|     |  |   |
|-----|--|---|
|     | than 5 ha area of B2 category)   |   |
| 28. | A final mine closure plan, along with details of Corpus Fund, shall be submitted (if applicable) to the RO Ministry of Environment & Forests & DEIAA, SEIAA UP, 5 years in advance of final mine closure for approval.   | Noted and agreed.   |
| 29. | Solid waste material viz gutkha rappers, plastic bags, glasses etc. to be generated during project activity will be separately stored in bins and managed as per Solid Waste Management rules.   | Solid Waste material viz gutkha rappers, plastic bags, glasses etc. are collected and disposed of as per Municipal Solid Waste Management Rule. |
| 30. | Issues raised during public presentation be strictly complied during operation phase. (no public hearing is conducted for projects less than 5 ha area of B2 category).  | Not applicable<br>As no public hearing will be conducted for projects less than 5 ha area of B2 category.                                       |
| 31. | Project proponent should maintain a register for information on (a) Quantity of material excavated / collected (b) manpower and (c) Number of Trucks deployed for transportation of mineral per day.   | Noted and it will be Complied.  |
| 32. | In case project falling within 10 Km area of wild life sanctuaries a clearance from the National Board of Wild Life is to obtain even eco-sensitive zone (ESZ) has not been earmarked.   | Not applicable<br>As the project does not fall within 10 km area of Wild life Sanctuaries.  |
| 33. | Project does not fall under any buffer zone of no-development as declared/identified under any law.  | The Project Proponent will be ensured that there is no any activity identified/declared under any law within 10 km Buffer Zone.                 |
| 34. | 33% Green belt development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Department Herbs and shrubs shall also form a part of afforestation programme besides tree plantation. The company shall involve local people for plantation programme. Details of year wise afforestation programme including rehabilitation of mined out area shall be submitted to the Regional Office, MoEF, Gol, DEIAA. Mirzapur every year. | Noted and Complied.   |

## Annexures

| <b>Sl. No.</b> | <b>Contents</b>                      |
|----------------|--------------------------------------|
| <b>1.</b>      | <b>Annexures 1: ID Proof</b>         |
| <b>2.</b>      | <b>Annexures 2: CTO</b>              |
| <b>3.</b>      | <b>Annexures 3: Lease deed</b>       |
| <b>4.</b>      | <b>Annexures 4: Lab Report</b>       |
| <b>5.</b>      | <b>Annexures 5: Site Photographs</b> |


**Annexure- I**  
**ID PROOF**



XXXX



XXXX



आयकर विभाग  
INCOME TAX  
P



भारत सरकार  
GOVT. OF INDIA



02100012

# **Annexure- II**

***CTO***



**Uttar Pradesh Pollution Control Board**

Building, No TC-12V Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone:0522-2720828,2720831, Fax:0522-2720764, Email: info@uppcb.in, Website: www.uppcb.com

185057/UPPCB/Sonebhadra(UPPCBRO)/CTO/both/MIRZAPUR/2023

Date: 17/06/2023

To,

M/s

SHRI RAMASHANKER DUBEY(SAND STONE)

ARAZI NO. 142, AREA-1.01 Ha, VILL. SONPUR, TEHSIL-  
CHUNAR, DISTRICT-MIRZAPUR(U.P.)

|                             |
|-----------------------------|
| Application Id-<br>21348061 |
|-----------------------------|

Consolidated Consent to Operate and Authorisation hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh) under Section-25 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section-21 of the Air (Prevention & Control of Pollution) Act, 1981

CCA is hereby granted to SHRI RAMASHANKER DUBEY(SAND STONE) located at ARAZI NO. 142, AREA-1.01 Ha, VILL. SONPUR, TEHSIL-CHUNAR, DISTRICT-MIRZAPUR(U.P.). subject to the provisions of the Water Act, Air Act and the orders that may be made further and subject to following terms and conditions :-

1. This CCA SHRI RAMASHANKER DUBEY(SAND STONE) granted for the period from 17/06/2023 to 31/12/2027 and valid for manufacturing of following products.

| S No | Product                     | Quantity | Unit              |
|------|-----------------------------|----------|-------------------|
| 1    | Building Stone (Sand Stone) | 30000    | Cubic Meters/Year |

2. Conditions under Water(Prevention and Control of Pollution) Act -1974 as amended :-

(i) The daily quantity of effluent discharge (KLD) :-

| Kind of Effluent | Quantity(KLD) | Treatment facility | Discharge point |
|------------------|---------------|--------------------|-----------------|
| Domestic         | 1.0 KLD       | Septic Tank        | Soak Pit        |

(ii) Trade Effluent Treatment and Disposal :-The applicant shall operate Effluent Treatment Plant consisting of primary/secondary and tertiary treatment as is required with reference to influent quantity and quality.

In case of stoppage of functioning of ETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately.

(iii) The treated effluent shall be recycled to the maximum extent and should be reused within the premises for gardening etc. Quality of the treated effluent shall meet to the following general and specific standards as prescribed under Environment (Protection) Rules, 1986 and applicable to the unit from time-to-time :-

**Industrial Effluent Quality Standard**

| S.No. | Parameter | Standard |
|-------|-----------|----------|
|-------|-----------|----------|

(iv) Sewage Treatment and Disposal :- The applicant shall provide comprehensive STP as is required with reference to influent quantity and quality. In case of stoppage of functioning of STP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be

dispatched immediately.

(v) The treated sewage shall be reused in gardening as far as possible. The STP shall be maintained continuously so as to achieve the quality of the treated sewage to the following standards.

| S No. | Parameters | Standards |
|-------|------------|-----------|
|-------|------------|-----------|

### 3. Conditions under Air (Prevention and Control of Pollution) Act -1981 as amended :-

i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards.

#### Air Pollution Source Details

| S No. | Air Pollution Source   | Type of fuel | Stack no | Control Device     | Height of Stack   |
|-------|--|--------------|----------|--------------------|---|
| 1     | Dust emission during manual mining, transportation and loading/unloading of Building Stone (Sand Stone). |              |          | Particulate Matter | water sprinkling system and Green Belt for controlling dust emission. |

#### Emission Quality Standards

| S No. | Stack no | Parameters         | Standards                                  |
|-------|----------|--------------------|--|
| 1     |          | Particulate Matter | Ambient Air Standard as per E(P) Act 1986. |

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

(ii) The unit will not use any type of restricted fuel.

iii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m.

| Standards for Noise level in db(A) Leq | Industrial Area |            | Commercial Area |            | Residential Area |            | Silence Zone |            |
|--|-----------------|------------|-----------------|------------|------------------|------------|--------------|------------|
|  | Day Time        | Night Time | Day Time        | Night Time | Day Time         | Night Time | Day Time     | Night Time |
|  | 75              | 70         | 65              | 55         | 55               | 45         | 50           | 40         |

#### 4. Essential documents to be submitted by the Industry/Unit as Applicable :-

(i) Environment Statement in Form-V of Environment (Protection) Rules, 1986.

(ii) Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.

5. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.

6. Unit has to comply with the following specific & general conditions. Non compliance of any provision of this CCA and provisions of the Water Act, Air Act and Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 will result in legal action under the aforesaid Acts and Rules.

7. In compliance to the G.O 1011/81-7-2021-09 (Writ)/2016 dated.13.10.2021 issued by Department of Environment, Forest and Climate Change, Uttar Pradesh. You are directed to develop Miyawaki Forest as per the SOP available at URL:-<http://www.upecp.in/TrainingSession.aspx> for ensuring timely compliance of this direction, you are hereby directed to submit a bank guarantee with minimum validity of one year of the amount equivalent to the sum of initial consent fees (Air and Water) or Rs. 50,000/- (Rs. Fifty Thousand Only) whichever is more, within 30 days from the date of issuance of this certificate. In case of non-compliance of this direction, your consent will be revoked by the Board.

8. If the unit uses the ground water and requires the permission from SGWA/CGWA for water abstraction then the industry will have to obtain No objection certificate for abstraction of ground water. It will be the responsibility of the industry to comply with the various conditions of the NOC obtained from the competent authority and submit to the Board, within 3 months time failing which CTO will be revoked.

#### General Conditions:-

1. The applicant shall get analysed the samples of effluent/emission/hazardous wastes at least once in a three month from the laboratory recognized by the MoEF and shall report to the UPPCB.

2. The applicant shall however, not without the prior consent of the Board bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.

3. Treated Industrial waste water and domestic waste water shall be disposed jointly at one disposal point. The applicant shall provide discharge measurement equipment at final disposal point.

4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the Board, legal action shall be initiated against the applicant.

5. The applicant shall maintain good house keeping. All valves/pipes/sewer/drains etc. must be leak-proof

6. The industry shall provide uninterrupted entry to the STP/ETP inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control systems.

7. The industry shall provide Inspection Book at the time of inspection to the Board's officials.

8. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.

9. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.

10. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.

11. The applicant shall apply before the 60 days of expiry of CCA or any change in production types/ production capacity/manufacturing process/capacity enhancement etc. or any change in effluent discharge point or emission point

12. The Board reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.

**Specific Conditions:-**

1. This consent is valid for production of Building Stone (Sand Stone)- 30000 Cu Meter/Year by opencast and semi mechanized mining in 1.01 hectare leased area at Arazi No. 180/2, Village-Bhagautidei, Tehsil-Chunar, District-Mirzapur.
2. The unit shall submit the latest copy of Audited Balance Sheet/C.A. Certificate (Fixed Assets+ Current Assets - Current Liabilities) for verification of the Consent fee within 15 days.
3. Mining unit shall comply with the conditions of Environmental Clearance issued by District Level Environment Impact Assessment Authority (DEIAA) vide Letter no. 16/Parya/DEAC/Sandstone/MZP/2016 Dated- 19.07.2016 and submit its compliance report to UPPCB.
4. The proponent shall ensure the compliance of Hon'ble NGT orders passed in the OA No. 521/2022 Sampooranand Vs State of U.P. in connection with adverse effects on the public and environment due to illegal mining and blasting at higher intensity than the prescribed standard. Mining shall not be done till the resumption of mining activity by Hon'ble NGT.
5. In compliance of Hon'ble NGT order dated 24.04.2023, mining shall be done only after getting permission from District Administration.
6. Controlled blasting techniques with sequential blasting shall be adopted. The blasting shall be carried out in the daytime only.
7. The proponent shall submitted compliance report of condition imposed in EC within every six month.
8. The proponent shall install Ambient Air monitoring station as per condition imposed in Environment Clearance.
9. The proponent shall establish Water sprinkling arrangement for dust suppression.
10. The proponent shall establish Effluent treatment system to treat the waste water from the mine.
11. The proponent shall submit the Ambient air quality monitoring report of impact zone/buffer zone and at the corners of mining lease on quarterly basis to the Board.
12. If the lease agreement expires prior to 31-12-2027, then the validity of this CTO shall stand expired simultaneously with the expiry of mining lease.
13. Mining shall be done as per EC issued by DEIAA and directions given by Mining Department/District Administration.
14. Unit shall develop and maintain green belt as per the conditions of Environmental Clearance.
15. Unit shall not withdrawal ground water for any industrial activity without obtaining necessary permission from UPGWA.
16. The domestic effluent shall be treated through septic tank/soak pit or provide mobile toilet facility. Industry shall maintain ZLD.
17. Unit shall make water sprinkling arrangement through Tankers for dust suppression at different sources of dust emission during mining, transportation, loading and unloading of Building Stone (Sand Stone).
18. Unit should operate and maintain installed water sprinkler system effectively and continuously to achieve the standards prescribed under E(P) Rules, 1986.
19. Unit shall submit Ambient air monitoring reports of NABL accredited laboratory on quarterly basis to the Board.
20. All trucks, tractors used in transportation of Building Stone (Sand Stone) shall be covered by canvas sheet to prevent dust emission.
21. Water will be sprayed after loading activity (if Building Stone (Sand Stone) collected could be dry condition)
22. The dust suppression measures like water spraying will be done on the haul roads and working areas.
23. Industry should comply with the provisions of Hazardous and Other waste (Management & Trans boundary Movement) Rules 2016.
24. Solid waste should be disposed in such manner, so that no water, air and soil pollution takes place.

25. Industry shall abide by directions given by Hon'ble Court, Hon'ble NGT, MoEF&CC, Central Pollution Control Board, UPPCB and District Administration for protection and safe guard of environment from time to time.

26. Industry shall comply with the relevant provisions of Environmental Laws.

27. If closure order is issued by CPCB or UPPCB against the unit, then CTO issued earlier will remain suspended during the closure period and after ensuring the compliance and after revocation of closure order, the CTO will automatically be effective with additional conditions mentioned in the closure revocation order.

RAJENDRA SINGH Digitally signed by RAJENDRA  
SINGH  
Date: 2023.06.17 23:56:05 +05'30'

**Chief Environmental Officer (circle-2)**

Copy to:

Regional Officer, UPPCB, Sonbhadra with direction to send the compliance report of CTO conditions on quarterly basis.

RAJENDRA SINGH Digitally signed by RAJENDRA  
SINGH  
Date: 2023.06.17 23:56:14 +05'30'

**Chief Environmental Officer (circle-2)**



**मिशन LIFE - पर्यावरण के लिए जीवन शैली**  
(Lifestyle For Environment)  
**जनसहभागिता का सन्देश**



- स्वच्छता - देशभर में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- मंजूर नों-एकल उपयोग प्लास्टिक उत्पाद जैसे कप, नशतरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय ।
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कगड़े के थैले का उपयोग करने मात्र में 375 मिलियन टन टोम (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सकुंनर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त वचन उत्पन्न कर सकता है | वेस्ट /अपशिष्ट फेकने के पूर्व सोचें, ये किमी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेकने से रकें | इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई - वेस्ट रीमाइकलर को दें | प्राधिकृत ई-रीमाइकिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र में 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाने समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप में ? छोटी दूरी के लिए पैदल चलना परमंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा मार्बजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम टोम अपशिष्ट का उत्सर्जन करें और इनका श्राक्रीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयाम अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता में समाज के वंचित वर्ग तक पहुंचाई जा सकती है | वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और श्रावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र में 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रेफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र में 22.5 बिलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग बिजली की खपत में प्रभावी कमी लाते हैं | उपयोग में न होने पर बिजली उपकरणों को बंद करें | स्टार रेटेड बिद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है |

***Annexure- III***  
***LEASE DEED***



उत्तर प्रदेश UTTAR PRADESH

BR 319734

प्रपत्र एम०एम० ३

खनन पट्टे का आदर्श प्रपत्र

उत्तर प्रदेश उप खनिज (परिहार) नियमावली, 1963 के नियम-14 के अधीन तथा जिलाधिकारी, मीरजापुर के खनन पट्टा स्वीकृत दिनांक-11.02.2016 ई० के क्रम में।

यह अनुबन्ध आज दिनांक-26.8.2016 को उत्तर प्रदेश के राज्यपाल के बीच (जिन्हें आगे "राज्य-सरकार" कहा गया है, जिस पदावली में यदि सन्दर्भ से ऐसा ग्राह्य हो, उत्तराधिकारी तथा अभिहस्तांकित भी सम्मिलित समझे जायेंगे) एक पक्ष और.....

श्री रमाशंकर दूबे पुत्र श्री सुरेन्द्र नाथ दूबे निवासी ग्राम-कम्हारी (ब्रह्मनगर), परगना-बड़कुर, तहसील-रावर्टसगंज, जनपद-सोनभद्र पेशा ठेकेदारी (जिसे आगे "पट्टेदार" कहा गया है जिस पदावलि में, यदि सन्दर्भ से ऐसा ग्राह्य हो, उसके दायद, शिष्यादक, प्रशासक और प्रतिनिधि भी सम्मिलित समझे जायेंगे) दूसरा पक्ष.....

चूंकि पट्टेदार ने उत्तर प्रदेश उप खनिज (परिहार) नियमावली, 1963 (जिसे आगे "उक्त नियमावली" कहा गया है) के अनुसार राज्य सरकार को निम्नलिखित अनुसूची के भाग-1 में वर्णित भूमि 02.50 एकड़ के निमित्त खनन पट्टे के लिए प्रार्थना-पत्र दिया है और उसने राज्य सरकार के पास 40,625/-रुपये की धनराशि प्रतिभूति के रूप में तथा रु० 5000/- की धनराशि खनन पट्टे हेतु प्रार्थना पत्र के लिए जमा कर दी है। यह इस बात का साक्ष्य है कि उपस्थापन पत्र और निम्नलिखित अनुसूची द्वारा रक्षित और उनमें दिये गये और पट्टेदार की ओर से भुगतान किये जाने वाले पालन और सम्पादन किये जाने वाले किरायों, स्वामित्वों, प्रसंविदाओं तथा अनुबंधों के प्रतिफल में राज्य सरकार एतद्वारा पट्टेदार, को निम्नलिखित प्रदान व पट्टान्तरित करती है- ईमारती पत्थर (सेण्ड स्टोन) (जिसे आगे और अभिदिष्ट अनुसूचि में "उप खनिज" कहा गया है) की समस्त खानें, तल्प (Beds), सदरसीम्स (Viens) जो अनुसूची के भाग-1 में अभिदिष्ट भूमि में या उसके नीचे स्थित हो, पड़ी हो या हों, उन स्वतंत्रताओं या

राज्य  
मीरजापुर

राज्य  
मीरजापुर

मीरजापुर

मीरजापुर





उत्तर प्रदेश UTTAR PRADESH

3.

BR 319262

पश्चिम में- आ0सं0 142 का शेष भाग  
एतदपश्चात् जिसे "उक्त भूखण्ड" कहा गया है।

भाग-2

इस पट्टे द्वारा आरक्षित अपरिहार्य भाटक और स्वामित्व  
अपरिहार्य भाटक या स्वामित्व का, जो इनमें से अधिक हो, भुगतान करना-

(1) पट्टेदार पट्टे के प्रत्येक वर्ष के लिये प्रत्येक खनिज के सम्बन्ध में, इस भाग के खण्ड-(2) में विनिर्दिष्ट अपरिहार्य भाटक का वार्षिक भुगतान करेगा। प्रतिबन्ध यह है कि पट्टेदार प्रत्येक खनिज के सम्बन्ध में अपरिहार्य भाटक या स्वामित्व का, जो धनराशि इसमें से अधिक हो, देनदार होगा, किन्तु दोनों का नहीं।

अपरिहार्य भाटक की दर और उसका भुगतान करने की रीति:-

इस भाग के खण्ड (1) के उपबन्ध के अधीन रहते हुये पट्टे की अवधि में पट्टेदार राज्य सरकार को इस अनुसूची के भाग-1 में वर्णित और पट्टान्तरित (demised) भूमि के प्रति खनिज प्रति एकड़ वार्षिक अपरिहार्य भाटक निम्नलिखित दर/दरों पर या ऐसी संशोधित दर/दरों पर भुगतान करेगा, जो पट्टेदार को राज्य सरकार द्वारा लिखित रूप से संसूचित किया जायेगा/किये जाएंगे:-

| उपखनिज का नाम              | प्रति एकड़ निश्चित किया गया अपरिहार्य भाटक | पट्टान्तरित भूमि का क्षेत्रफल | देय अपरिहार्य भाटक | एक वर्ष में देय कुल अपरिहार्य भाटक |
|----------------------------|--|-------------------------------|--------------------|------------------------------------|
| 1                          | 2  | 3                             | 4                  | 5                                  |
| इमारती पत्थर (सैण्ड स्टोन) | रु0 65,000.00                              | 02.50 एकड़                    | रु0 16,25,000.00   | रु0 1,62,500.00                    |

उक्त देय वार्षिक अपरिहार्य भाटक का भुगतान अग्रिम रूप से प्रत्येक वर्ष में दिनांक- 26-7-2016, 26-7-2017, 26-7-2018, 26-7-2019, 26-7-2020, 26-7-2021, 26-7-2022, 26-7-2023, 26-7-2024, 26-7-2025 को पट्टेदार द्वारा किया जायेगा।

अपरिहार्य भाटक का राज्य सरकार के प्रति भुगतान पट्टा वर्ष के पूरा होने के एक माह के भीतर उस जिले के मुख्यालय के राजकीय कोषागार में, जिसमें धृत पट्टा

अपरिहार्य भाटक का राज्य सरकार के प्रति भुगतान पट्टा वर्ष के पूरा होने के एक माह के भीतर उस जिले के मुख्यालय के राजकीय कोषागार में, जिसमें धृत पट्टा

लाभकारी



उत्तर प्रदेश UTTAR PRADESH

4.

BR 321376

रिखत हो, ऐंसा लेखा शीर्षक के अर्न्तगत जमा करके, जैसा कि समय-समय पर विनिर्दिष्ट किया जाय, प्रति वर्ष किया जायेगा।

(3) स्वामित्व की दर और उसके भुगतान की रीति:-

इस भाग के खण्ड (1) के नियमों के उपबन्धों के रहते हुये पट्टेदार पट्टे की अवधि में राज्य सरकार को ऐसे समयों पर और ऐसी रीति से, जो राज्य सरकार विहित करें, पट्टे पर दिये हुये क्षेत्र से उसके द्वारा हटाया गया/हटाये गये किसी खनिज/किन्हीं खनिजों के सम्बन्ध में उक्त नियमावली की प्रथम अनुसूची में तत्समय विनिर्दिष्ट दर पर स्वामित्व का भुगतान करेगा।

(4) साधारण बालू और मोरम का पट्टा न होने के कारण इस प्रस्तर में उल्लिखित शर्त लागू नहीं होगी।

(5) अपरिहार्य भाटक और स्वामित्व कटौती आदि मुक्त होंगे:-

इस भाग में उल्लिखित अपरिहार्य भाटक और स्वामित्व का भुगतान बिना किसी कटौती के राज्य सरकार को निश्चित तिथि पर और ऐसी रीति से किया जायेगा जो राज्य सरकार विहित करें। पट्टे पर स्वीकृति उप खनिज के परिवहन हेतु प्रपत्र एम0एम0-11 प्राप्त करने के लिये पट्टेदार दैय स्वामित्व (रायल्टी) का भुगतान अग्रिम रूप से करेगा।

(6) स्वामित्व के संगणन की रीति:-

उक्त स्वामित्वों के संगणन करने के प्रयोजनों के लिये पट्टेदार खान से संग्रह किये गये

खनिज/खनिजों का और उसको/उनको भेजने की रीति का सही-सही लेखा रखेगा, जिसमें वह परिवहन की प्रणाली, वाहन की नियन्धन संख्या, वाहन के प्रभारी व्यक्ति, वाहन द्वारा परिवहन किये खनिज/खनिजों का विवरण और परिणाम का उल्लेख करेगा, जो प्रपत्र एम0एम0-11 में पास जारी करेगा और ऐसे अन्य विवरणों का उल्लेख करेगा, राज्य सरकार सामान्य या विशेष आदेश आदेश द्वारा विनिर्दिष्ट करे। नियम-66 के अधीन प्राधिकृत अधिकारी या ऐसे अन्य अधिकारी जिन्हे राज्य सरकार नियमावली के

9  
राज्य अधिकारी पृथ्वी अधिकारी  
श्रीरजापुर / चर्चि., श्रीरजापुर

म/रा/रा/रा



उत्तर प्रदेश UTTAR PRADESH

5.

BR 321576

अधीन समय-समय पर प्राधिकृत करें, स्टाक में रखें गये और निर्यात किये जाने वाले या प्रपत्र एम0एम0-11 में उल्लिखित खनिज/खनिजों का लेखा उसके/उनके भार का परिणाम की जाँच कर सकता है। पट्टेदार प्रतिवर्ष जिलाधिकारी और भूतत्व एवं खनिकर्म निदेशालय, के क्षेत्रिय कार्यालय को पूर्ववती तिमाही के पन्द्रह दिनों के भीतर जुलाई, अक्टूबर, जनवरी और अप्रैल में प्रपत्र एम0एम0-12 में तिमाही विवरणी प्रस्तुत करेगा और यदि विवरणी नियत समय के भीतर प्रस्तुत नहीं की जाती है तो पट्टेदार चूक के प्रत्येक अवसर पर 2000/- (दो हजार रुपये) की धनराशि का भुगतान करेगा।

(7) प्रपत्र एम0एम0-11 का भुगतान के आधार पर दिया जाना:-

पट्टेदार, जिलाधिकारी के कार्यालय से प्रपत्र एम0एम0-11 की पुस्तिका, जैसा नियमावली के नियम-70 के (1) में अपेक्षित है, भुगतान करने पर प्राप्त करेगा।

(8)-नियत समय पर भाटक, स्वामित्व आदि का भुगतान न करने पर कार्यवाही:

यदि पट्टेदार द्वारा इस उपस्थापन पत्र के निर्बन्धनों और शर्तों के अधीन किसी भाटक, स्वामित्व या राज्य सरकार को देय किसी अन्य धनराशि का भुगतान विहित समय के भीतर नहीं किया जाता है तो वह ऐसे अधिकारी के प्रमाण-पत्र पर, जिसे राज्य सरकार सामान्य या विशेष आदेश द्वारा विनिर्दिष्ट करें, उसी प्रकार से वसूल की जा सकेगी, जिस प्रकार से मालगुजारी का बकाया वसूल की जाती है।

(9)- उप खनिजों की स्वामित्व/वार्षिक अपरिहार्य भाटक की दरों का पुनरीक्षण प्रत्येक तीन वर्ष पर किया जायेगा।

(10)- पट्टेदारक स्वीकृति के तीन मास के अन्दर भारतीय खान ब्यूरो द्वारा अनुमोदित प्राविधिक व्यक्त से स्वीकृत क्षेत्र की खनन योजना तैयार करा कर जिलाधिकारी के माध्यम से निदेशक, भूतत्व एवं खनिकर्म निदेशालय, उत्तर प्रदेश, लखनऊ को अनुमोदन हेतु प्रस्तुत करेगा। उसके पश्चात ही नियमावली-1963 के नियम-34 के प्राविधानों के अन्तर्गत प्रस्तुत खनन योजना के अनुसार खनन कार्य प्रारम्भ करेगा। यदि पट्टेदार अनुमोदित खनन योजना के प्रतिकूल खनन कार्य करता पाया जायेगा तो उसके विरुद्ध

साक्षर

खाता-खनिजारी  
भारवापुर

13/8  
मुख्य-आधिकारी  
खनिज, मोरगापुर



उत्तर प्रदेश UTTAR PRADESH

6

BR 321577

दण्डात्मक कार्यवाही करने के साथ ही खनन पट्टा निरस्तीकरण की कार्यवाही की जायेगी।

(11)— नियमावली-1963 के नियम-36 के प्राविधानों के अन्तर्गत पट्टेदार प्रत्येक आगामी मास की दस तारीख तक विगत मास में खनिज की विभिन्न श्रेणी के उत्पादन एवं निकासी की मात्रा का घनमीटर में विवरण जिलाधिकारी एवं निदेशालय के सम्बन्धित क्षेत्रीय कार्यालय को प्रस्तुत करेगा।

भाग-3

सामान्य उपबन्ध

(1)— नियमों, प्रसंविदाओं और शर्तों के भंग करने पर पट्टा समाप्त किया जा सकता है: यदि पट्टेदार उत्तर प्रदेश उप खनिज (परिहार) नियमावली-1963 के किसी नियम या इस पट्टे की किसी प्रसंविदा और शर्त को भंग करे तो राज्य सरकार पट्टा समाप्त कर सकती है और प्रतिभूति जमा को पूर्णतः या अंशतः जप्त कर सकती है, किन्तु प्रतिबन्ध यह है कि पट्टा समाप्त किये जाने के पूर्व पट्टेदार को उक्त शर्त भंग करने का स्पष्टीकरण देने के लिये युक्तियुक्त अवसर दिया जायेगा। यदि पट्टेदार यथारिथिति, इस नियमावली या इस पट्टे के अधीन किसी अधिकारी द्वारा पारित किसी आदेश से क्षुब्ध है तो वह इस नियमावली के नियम-77 और 78 के अधीन अपील/पुनरीक्षण दायर कर सकता है।


(2)— पट्टेदार, पट्टे की समाप्ति पर अपनी सम्पत्तियों को हटायेगा:-

पट्टेदार इस उपस्थापन पत्र (Presentation) के आधार पर देय किराये और स्वामित्वों का पहले भुगतान और उन्मोचन कर चुकने पर, उक्त अवधि की समाप्ति पर या उसके शीघ्रतर समाप्ति पर या तदपश्चात तीन कलेण्डर मास के भीतर (जब तक पट्टा इस भाग के खण्ड (1)के अधीन समाप्त न कर दिया जायें, और उस दशा में

व्यक्ति अधिकारी पश्चिमी अधिकारी  
 चौरवापुर खनिज, चौरवापुर

सांभल





उत्तर प्रदेश UTTAR PRADESH

8.

AW 134846

इस उपस्थापना-पत्र द्वारा पट्टेदारों को दिये जाने के लिये अपेक्षित प्रत्येक नोटिस उक्त भूमि पर रहने वाले ऐसे व्यक्ति को लिखित रूप में दिया जायेगा, जिसे पट्टेदार ऐसी नोटिस प्राप्त करने के लिये नियुक्त करे और यदि इस प्रकार कोई नियुक्ति न की गई हो ऐसी प्रत्येक नोटिस पट्टेदार को रजिस्ट्रीकृत डाक द्वारा पट्टे में उसके अभिलिखित पते पर या भारत में ऐसे अन्य पते पर भेजी जायेगी, जिसे पट्टेदार समय-समय पर लिखित रूप में राज्य सरकार को नोटिसों को प्राप्त करने के लिये दे और प्रत्येक ऐसी तामील पट्टेदारों पर उचित और वैध तामील समझी जायेगी और उसके सम्बन्ध में उसके द्वारा न तो आपत्ति की जायेगी और न उसे चुनौती दी जायेगी।

(6)- स्टाम्प शुल्क:

स्टाम्प शुल्क के प्रयोजन के लिये पट्टान्तरित भूमि से पूर्वानुमानित स्वामित्व प्रति वर्ष देय वार्षिक अपरिहार्य भाटक है।

(7)- निदेशक, भूतत्व एवं खनिकर्म, उ०प्र० अथवा जिलाधिकारी द्वारा पर्यावरण एवं पारिस्थितिकी सुरक्षा आदि के निर्देश:

पर्यावरण एवं पारिस्थितिकी के दृष्टिकोण से खनन के उपरान्त भूमि के पुनर्स्थापन, मलबे के निस्तारण एवं वृक्षारोपण इत्यादि की कार्यवाही करने के लिये यदि निर्देश दिये जाते हैं तो पट्टेदार उनका अनुपालन करने के लिये बाध्य एवं उत्तरदायी होगा।


(8)- खनन पट्टे की अवधि समाप्त हो जाने पर पट्टेदार के वे समस्त अधिकार, जो कि पट्टे के आधार पर उत्पन्न होते हैं, समाप्त हो जायेंगे और वह शान्ति पूर्वक क्षेत्र को शासन को समर्पित कर देगा:

खनन कार्य से किसी वन-सम्पदा की क्षति का उत्तरदायित्व पट्टेदार पर होगा तथा खनन स्थान के समीप यदि वन सम्पदा की क्षति किसी अन्य व्यक्ति/व्यक्तियों द्वारा किया जाता है तो पट्टेदार का यह उत्तरदायित्व होगा कि वह उक्त क्षति की सूचना वन विभाग के स्थानीय अधिकारियों/कर्मचारियों को देगा। पट्टेदार अपने स्वीकृति खनन पट्टा क्षेत्र से उत्पादित उप खनिज के परिवहन हेतु वन क्षेत्र में मार्ग का

स्वामिन

आपा अतिकारी  
बनारस

ममानी अतिकारी  
बनारस, मोरजापुर



उत्तर प्रदेश UTTAR PRADESH

9.

AW 134847

- निर्माण वन विभाग के अधिकारियों की पूर्व अनुमति प्राप्त करके ही करेगा। वन मार्ग का उपयोग उप खनिज के परिवहन हेतु पट्टेदार को नहीं दिया जायेगा।
- (9)– पट्टेदार अपने स्वीकृत खनन पट्टा क्षेत्र के अन्तर्गत ही नियमानुसार स्वीकृत उप खनिज का खनन करेगा और उसके बाहर के क्षेत्र में कोई खनन कार्य नहीं करेगा। पट्टे पर स्वीकृति क्षेत्र के आस-पास यदि किसी व्यक्ति/व्यक्तियों द्वारा अवैधानिक रूप से खनन किया जाता है तो पट्टेदार इसकी सूचना सम्बन्धित अधिकारियों को देगा।
- (10)– पट्टेदार द्वारा अपने पक्ष में प्राप्त किये गये समस्त प्रपत्र एम0एम0-11 (खनन) का उपयोग केवल अपने खनन पट्टा क्षेत्र से उत्पादित उप खनिज की निकासी हेतु ही किया जायेगा।
- (11)– पट्टेदार द्वारा अपने क्षेत्र से उत्पादित उपखनिज की निकासी सूर्योदय के पश्चात और सूर्यास्त के पूर्व तक की अवधि में ही किया जायेगा।
- (12)– पट्टेदार माननीय सर्वोच्च न्यायालय के आदेशों के अनुपालन में जहाँ किये गये उप खनिजों को क्षति नहीं पहुँचाएगा और उसकी सुरक्षा उसके निरन्तरण होने तक प्रत्येक दशा में करेगा।
- (13)– किसी भी दशा में स्वीकृत खनन पट्टा क्षेत्र से उत्खनित उप खनिजों का परिवहन, वन भूमि से होकर नहीं किया जायेगा तथा भारतीय वन संरक्षण अधिनियम, 1980 के प्राविधानों, मा0 उच्चतम न्यायालय के आदेश दिनांक 12.12.1996 एवं उ0प्र0 उप खनिज (परिहार) नियमावली, 1963 के सभी नियमों व खनन पट्टों के समन्वय में समय-समय पर निर्गत समस्त शासनादेशों का अनुपालन सुनिश्चित करना आवश्यक होगा।
- (14)– स्वीकृत खनन पट्टा स्थल से किसी भी भिन्न स्थल पर उत्पादित उप खनिजों का भण्डारण नियमानुसार अनुज्ञप्ति प्राप्त किये बिना नहीं किया जायेगा।
- (15)– खनन पट्टा क्षेत्र हेतु पर्यावरण स्वच्छता प्रमाण पत्र में दी गयी शर्तों का अनुपालन करना अनिवार्य होगा।

साक्षर

9/1  
साक्षर अनिलकान्ति  
बिहारपुर  
प्रधानी अधिकारी  
बिहार, भीरवापुर



उत्तर प्रदेश UTTAR PRADESH

10.

Y 537924

(16) खनन कर से अथवा वन सम्पदा को क्षति पहुँचाने पर खनन पट्टा निरस्त कर दिया जायेगा।

(17) खनन पट्टा स्वीकृत क्षेत्र में विस्फोटक/ब्लास्टिंग का प्रयोग अनुमति प्राप्त कर किया जायेगा।

इसके साक्ष्य के रूप में यह उपस्थापन-पत्र एतदधीन आयी हुई रीति से ऊपर उल्लिखित दिन और वर्ष को निष्पादित किया गया।

उत्तर प्रदेश के राज्यपाल के लिये ओर उनकी ओर से:-

1. जे. पी. डिवेदी जगन्नाथ राय, सी. जे. मु.
2. जगन्नाथ राय, जगन्नाथ राय, सी. जे. मु.
3. विष्णुबहादुर राय, सी. जे. मु.

की उपस्थिति में जिलाधिकारी, मीरजापुर द्वारा हस्ताक्षरित।

1.

2.

की उपस्थिति में पट्टेदार द्वारा हस्ताक्षरित

माकेक डे

जगन्नाथ राय  
जिलाधिकारी  
मीरजापुर

जगन्नाथ राय  
जिलाधिकारी  
मीरजापुर

जगन्नाथ राय  
जिलाधिकारी  
मीरजापुर

जगन्नाथ राय  
जिलाधिकारी  
मीरजापुर

***Annexure- IV***  
***LAB REPORT***

## TEST REPORT

### Ambient Air Quality Analysis

#### Discipline/Group-Chemical/Atmospheric Pollution

3

Report Code: AAQ-10042023-01

Issue Date :15/04/2023

Issued To : SHRI. RAMASHANKER DUBEYS/O SHRI SURENDRA DUBEY  
VILLAGE-KAMMHARIBRAMHANAGAR,  
TEHSIL- ROBERTSGANJ, DISTRICT-SONEBHADRA, U.P.

Project Name : Sand Stone (Building stone) Mining, Lease Area-1.01 Hect.  
Location-Arazi No. 142, Village: Sonpur, Tehsil- Chunar,  
District-Mirzapur, State- Uttar Pradesh

Sample Drawn On : 07/04/2023 To 08/04/2023

Sample Drawn By : UTRL

Sample Description : Ambient Air

Sampling Location : Core Zone: Sonpur

Sampling Procedure : UTRL/LAB/SAMPLING/AIR/SOP

Sampling Duration : 24 hrs.

Analysis Duration : 10/04/2023 To 15/04/2023

Average Flow Rate of PM<sub>10</sub> (m<sup>3</sup>/min) : 1.23

Average Flow Rate of Gases (lpm) : 1.0

Sampling Instrument Used : Respirable Dust Sampler (PM10), Fine Particulate Sampler (PM2.5) With  
Gaseous Attachment.

Ambient Temperature/Humidity : 36°C/28%

Meteorological Condition During Monitorin : Clear

### TEST RESULT

| S.No | Parameters                              | Test Method             | Result | Units              | Limits as per NAAQS |
|------|---|-------------------------|--------|--------------------|---------------------|
| 1    | Particulate Matter (PM <sub>10</sub> )  | IS:5182 ( Part-23):2006 | 115.62 | µg /m <sup>3</sup> | 100.0               |
| 2    | Particulate Matter (PM <sub>2.5</sub> ) | IS:5182 ( Part-24):2019 | 69.35  | µg /m <sup>3</sup> | 60.0                |
| 3    | Sulphur Dioxide (as SO <sub>2</sub> )   | IS:5182 (Part-02):2001  | 15.37  | µg /m <sup>3</sup> | 80.0                |
| 4    | Nitrogen Dioxide (as NO <sub>2</sub> )  | IS:5182( Part-6):2006   | 22.89  | µg /m <sup>3</sup> | 80.0                |

\*\*End Of Report\*\*

NAAQS-National Ambient Air Quality Standards,Central Pollution Control Board,Notification dated 18th Nov.2009

Note:-

- The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- This test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.
- The Report can not be used as evidence in a court of law without the written approval of the lab.

Anamika  
Checked By



For Ultra Testing & Research Laboratory

(Authorized Signatory)



## TEST REPORT

### Water Sample Analysis

#### Discipline/Group-Chemical/Water

|                             |  |
|-----------------------------|--|
| Report Code : W-10042023-01 | Issue Date : 15/04/2023  |
| Issued To                   | : SHRI RAMASHANKER DUBEY S/O SHRI SURENDRA DUBEY<br>VILLAGE-KAMMHARIBRAMHANAGAR,<br>TEHSIL- ROBERTSGANJ, DISTRICT-SONEBHADRA, U.P.                                 |
| Project Name                | : Sand Stone (Building stone) Mining, Lease Area-1.01 Hect.<br>Location-Arazi No. 142, Village: Sonpur, Tehsil- Chunar,<br>District-Mirzapur, State- Uttar Pradesh |
| Sample Description          | : Ground Water   |
| Sample Packing              | : Sample Collected in PVC Bottle   |
| Sample Drawn On             | : 08/04/2023   |
| Sample Drawn By             | : UTRL   |
| Sampling Procedure          | : IS3025(Part-01)  |
| Sample Quantity             | : 1.0 Litre  |
| Analysis Duration           | : 10/04/2023 To 15/04/2023   |

### RESULTS

#### As per IS 10500:2012

| S.No | Parameter                                 | Test Method   | Results   | Units | Acceptable Limit | Permissible Limit in the Absence of Alternate Source |
|------|---|---|-----------|-------|------------------|--|
| 1    | pH  | IS :3025 (Part -11): 2022                           | 7.34      | -     | 6.5-8.5          | -  |
| 2    | Colour                                    | IS:3025(Part-04):2021<br>Visual Comparison Method   | <5.0      | Hazen | 5                | 15   |
| 3    | Odour                                     | IS:3025(Part-05):2018                               | Agreeable | -     | Agreeable        | Agreeable  |
| 4    | Taste                                     | IS:3025(Part-07):2017                               | Agreeable | -     | Agreeable        | Agreeable  |
| 5    | Turbidity                                 | IS :3025(Part- 10):1984<br>Nephelometric Method     | 0.7       | NTU   | 1                | 5  |
| 6    | Total Hardness<br>(as CaCO <sub>3</sub> ) | IS:3025(Part-21):2009<br>EDTA Method                | 260.00    | mg/l  | 200              | 600  |
| 7    | Calcium(as Ca)                            | IS:3025(Part-40):1991<br>EDTA Titrimetric Method    | 60.80     | mg/l  | 75               | 200  |
| 8    | Magnesium (as Mg)                         | APHA 3500-Mg-B<br>23rd Ed.: 2017                    | 26.24     | mg/l  | 30               | 100  |
| 9    | Chloride(as Cl)                           | IS:3025(Part-32):1988<br>Argentometric Method       | 103.41    | mg/l  | 250              | 1000   |
| 10   | Iron(as Fe)                               | IS:3025(Part-53):2003<br>1.10 Phenanthroline Method | 0.26      | mg/l  | 1                | No Relaxation  |
| 11   | Fluoride(as F)                            | APHA 4500 F(D)<br>23 <sup>rd</sup> Ed.: 2017        | 0.41      | mg/l  | 1                | 1.5  |
| 12   | Sulphate (as SO <sub>4</sub> )            | IS:3025(Part-24):2022<br>Turbidity Method           | 72.01     | mg/l  | 200              | 400  |
| 13   | Total Dissolved Solid                     | IS:3025(Part-16):1984<br>Gravimetric Method         | 606       | mg/l  | 500              | 2000   |

\*\*End Of Report\*\*

Note:-

- The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- This test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.
- The Report can not be used as evidence in a court of law without the written approval of the lab.

*Anamika*  
Checked By



For ULTRA TESTING & RESEARCH LABORATORY

(Authorized Signatory)



## TEST REPORT

### Bacteriological Quality of Drinking Water

Report Code : M-10042023-01 Issue Date : 15/04/2023  
 Issued To : SHRI RAMASHANKER DUBEY S/O SHRI SURENDRA DUBEY  
 VILLAGE-KAMMHARIBRAMHANAGAR,  
 TEHSIL- ROBERTSGANJ, DISTRICT-SONEBHADRA, U.P.  
 Project Name : Sand Stone (Building stone) Mining, Lease Area-1.01 Hect.  
 Location-Arazi No. 142, Village: Sonpur, Tehsil- Chunar,  
 District-Mirzapur, State- Uttar Pradesh  
 Sample Description : Ground Water  
 Sample Packing : Sample Collected in PVC Bottle  
 Sample Drawn On : 08/04/2023  
 Sample Drawn By : UTRL  
 Analysis Duration : 10/04/2023 To 15/04/2023

### RESULTS

As per IS 10500:2012

| S.No | Parameter      | Test Method | Results | Units        | Requirements                                 |
|------|----------------|-------------|---------|--------------|--|
| 1    | E.coli         | IS-1622     | Absent  | E.Coli/100ml | Shall not be detectable in any 100 ml sample |
| 2    | Total Coliform | IS-1622     | Absent  | MPN/100ml    | Shall not be detectable in any 100 ml sample |

\*\*End Of Report\*\*

Note:-

- The results given above are related to the tested sample, for various parameters, as observed at the time of sampling.
- The customer asked for the above tests only.
- This test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.
- The Report can not be used as evidence in a court of law without the written approval of the lab.

  
 Checked By

For ULTRA TESTING & RESEARCH LABORATORY

(Authorized Signatory)



## TEST REPORT

### Surface Water Sample Analysis Discipline/Group-Chemical/Water

Report Code: WW-10042023-01  
ISSUED TO

Issue Date: 15/04/2023

: SHRI. RAMASHANKER DUBEY S/O SHRI SURENDRA DUBEY  
VILLAGE-KAMMHARIBRAMHANAGAR,  
TEHSIL- ROBERTSGANJ, DISTRICT-SONEBHADRA, U.P.

Project Name : Sand Stone (Building stone) Mining, Lease Area-1.01 Hect.  
Location-Arazi No. 142, Village: Sonpur, Tehsil- Chunar,  
District-Mirzapur, State- Uttar Pradesh

Sample Drawn On : 08/04/2023

Sample Drawn By : UTRL

Sample Description : Surface Water

Sampling Location : Sample Collected from Canal ( Near Village - Lalpur)

Sampling Procedure : IS 3025(Part-01)

Sample Quantity : 2.0 Litre

Analysis Duration : 10/04/2023 To 15/04/2023

### RESULTS

| S.No | Parameter  | Test Method                     | Results | Units  | Tolerance Limit as per IS:2296 |         |         |         |         |
|------|--|---------------------------------|---------|--------|--------------------------------|---------|---------|---------|---------|
|      |  |                                 |         |        | Class A                        | Class B | Class C | Class D | Class E |
| 1    | pH   | IS:3025(Part-11):2022           | 7.23    | -      | 6.5-8.5                        | 6.5-8.5 | 6.5-8.5 | 6.5-8.5 | 6.5-8.5 |
| 2    | Conductivity @25°C   | IS:3025(Part-14):2013           | 426.6   | µs/cm. | -                              | -       | -       | 1000    | 2250    |
| 3    | Total Suspended Solid                                      | IS:3025(Part-17):2022           | 30      | mg/l   | -                              | -       | -       | -       | -       |
| 4    | Total Alkalinity<br>(as CaCO <sub>3</sub> )                | IS:3025(Part-23):1986           | 96      | mg/l   | -                              | -       | -       | -       | -       |
| 5    | Biological Oxygen<br>Demand (Max.)<br>(at 27°C for 3 days) | IS:3025(Part-44):1993           | 5.2     | mg/l   | 2                              | 3       | 3       | -       | -       |
| 6    | Dissolved Oxygen<br>(as O <sub>2</sub> ) Min.              | IS:3025(Part-38):1989           | 7.5     | mg/l   | 6                              | 5       | 4       | 4       | -       |
| 7    | Calcium(as Ca)   | IS:3025(Part-40):1991           | 32.00   | mg/l   | 80                             | -       | -       | -       | -       |
| 8    | Magnesium(as Mg)   | APHA 3500-Mg-B<br>23rd Ed 2017  | 18.47   | mg/l   | 24                             | -       | -       | -       | -       |
| 9    | Chloride(as Cl),Max  | IS:3025(Part-32):1988           | 46.96   | mg/l   | 250                            | -       | -       | -       | 600     |
| 10   | Iron(as Fe),Max  | IS:3025(Part-53):2003           | 0.43    | mg/l   | 0.3                            | -       | 50      | -       | -       |
| 11   | Fluoride(as F),Max   | APHA 4500 F(D)<br>23rd Ed. 2017 | 0.31    | mg/l   | 1.5                            | 1.5     | 1.5     | -       | -       |
| 12   | Total Dissolved Solid                                      | IS:3025(Part-16):1984           | 277     | mg/l   | 500                            | -       | 1500    | -       | 2100    |

Contd. To report Code: WW-10042023-01



Contd. To report Code: WW-10042023-01

|    |   |                                 |        |      |     |   |     |   |      |
|----|---|---------------------------------|--------|------|-----|---|-----|---|------|
| 13 | Total Hardness<br>(as CaCO <sub>3</sub> )     | IS:3025(Part-21):2009           | 156.00 | mg/l | 300 | - | -   | - | -    |
| 14 | Sulphate (as SO <sub>4</sub> )Max             | IS:3025(Part-24):2022           | 54.24  | mg/l | 400 | - | 400 | - | 1000 |
| 15 | Sodium (as Na)                                | IS:3025(Part-45):1993           | 14.09  | mg/l | -   | - | -   | - | -    |
| 16 | Potassium (as K)                              | IS:3025(Part-45):1993           | 3.52   | mg/l | -   | - | -   | - | -    |
| 17 | Nitrate (as NO <sub>3</sub> ),Max             | APHA 4500-NO3-B<br>23rd Ed 2017 | 3.14   | mg/l | 20  | - | 50  | - | -    |
| 18 | Chemical Oxygen<br>Demand (asO <sub>2</sub> ) | IS-3025(Part-58):2006           | 27.20  | mg/l | -   | - | -   | - | -    |

\*\*End Of Report\*\*

**Remarks:-**

Class A-Drinking water without conventional treatment but after disinfection.

Class B-Water for outdoor bathing.

Class C-Drinking water with conventional treatment followed by disinfection.

Class D-Water for fish culture and wild life propagation.

Class E-Water for irrigation, industrial cooling and control waste disposal.

**Note:-**

- 1 The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- 2 This test report will not be used for any publicity/legal purpose.
- 3 The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.
- 4 The Report can not be used as evidence in a court of law without the written approval of the lab.

*Anamika*  
Checked By



For ULTRA TESTING & RESEARCH LABORATORY

(Authorized Signatory)



## TEST REPORT

### Surface Water Sample Analysis

Report Code: WW-10042023-01  
 ISSUED TO

Issue Date: 15/04/2023

: SHRI. RAMASHANKER DUBEY S/O SHRI SURENDRA DUBEY  
 VILLAGE-KAMMHARIBRAMHANAGAR,  
 TEHSIL- ROBERTSGANJ, DISTRICT-SONEBHADRA, U.P.

Sample Drawn On  
 Project Name

: 08/04/2023  
 : Sand Stone (Building stone) Mining, Lease Area-1.01 Hect.  
 Location-Arazi No. 142, Village: Sonpur, Tehsil- Chunar,  
 District-Mirzapur, State- Uttar Pradesh

Sample Drawn By  
 Sample Description  
 Sampling Location  
 Analysis Duration

: UTRL  
 : Surface Water  
 : Sample Collected from Canal ( Near Village - Lalpur)  
 : 10/04/2023 To 15/04/2023

### RESULTS

| S.No | Parameter      | Test Method | Results | Units    | Tolerance Limit as per IS:2296 |         |         |         |         |
|------|----------------|-------------|---------|----------|--------------------------------|---------|---------|---------|---------|
|      |                |             |         |          | Class A                        | Class B | Class C | Class D | Class E |
| 1    | Total Coliform | IS:1622     | 1780    | MPN/100m | 50                             | 500     | 5000    | -       | -       |

\*\*End Of Report\*\*

#### Remarks:-

- Class A-Drinking water without conventional treatment but after disinfection.
- Class B-Water for outdoor bathing.
- Class C-Drinking water with conventional treatment followed by disinfection.
- Class D-Water for fish culture and wild life propagation.
- Class E-Water for irrigation, industrial cooling and control waste disposal.

#### Note:-

- 1 The results given above are related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- 2 This test report will not be used for any publicity/legal purpose.
- 3 The test samples will be disposed off after two weeks from the date of issue of test report, unless until specified by the customer.
- 4 The Report can not be used as evidence in a court of law without the written approval of the lab.

*Anamika*  
 Checked By

For ULTRA TESTING & RESEARCH LABORATORY

(Authorized Signatory)



















ANNEXURE A- 7







